



## BELLA VISTA FIRE DEPARTMENT

103 Town Center • Bella Vista, AR • PH: (479) 855-8249 • Fax: (479) 855-0043 • Email: [Info@bellavistafiredepartment.com](mailto:Info@bellavistafiredepartment.com)

<b>Date: Oct 14, 2020</b>	<b>Aug.</b>	<b>YTD</b>	<b>YTD</b>	<b>YTD</b>	<b>YTD</b>
<b>Subject: August 2020 Activity Report</b>	<b>2020</b>	<b>2020</b>	<b>2019</b>	<b>2018</b>	<b>2017</b>
<b>Total Emergency Calls</b>	<b>260</b>	<b>2092</b>	<b>2384</b>	<b>2016</b>	<b>2194</b>
<b>Total Fire Responses</b>	<b>80</b>	<b>599</b>	<b>828</b>	<b>620</b>	<b>537</b>
<b>1. Fire</b>	<b>6</b>	<b>58</b>	<b>57</b>	<b>65</b>	<b>68</b>
<b>2. Overpressure/Rupture</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>2</b>
<b>3. Rescue &amp; EMS</b>	<b>180</b>	<b>1494</b>	<b>1556</b>	<b>1482</b>	<b>1657</b>
<b>District #1</b>	<b>77</b>	<b>583</b>	<b>674</b>	<b>701</b>	<b>670</b>
<b>Station #2</b>	<b>38</b>	<b>361</b>	<b>285</b>	<b>335</b>	<b>382</b>
<b>Station #3</b>	<b>15</b>	<b>119</b>	<b>129</b>	<b>126</b>	<b>148</b>
<b>Station #4</b>	<b>48</b>	<b>404</b>	<b>440</b>	<b>441</b>	<b>429</b>
<b>Out of City/Bentonville Mutual Aid</b>	<b>2</b>	<b>27</b>	<b>28</b>	<b>39</b>	<b>28</b>
<b>4. Hazardous Condition</b>	<b>5</b>	<b>32</b>	<b>63</b>	<b>37</b>	<b>43</b>
<b>5. Service Call</b>	<b>38</b>	<b>298</b>	<b>421</b>	<b>321</b>	<b>295</b>
<b>6. Good Intent</b>	<b>21</b>	<b>137</b>	<b>137</b>	<b>106</b>	<b>107</b>
<b>7. False Alarm</b>	<b>9</b>	<b>57</b>	<b>82</b>	<b>62</b>	<b>52</b>
<b>8. Severe Weather</b>	<b>0</b>	<b>1</b>	<b>11</b>	<b>1</b>	<b>9</b>
<b>9. Special incident</b>	<b>1</b>	<b>15</b>	<b>56</b>	<b>0</b>	<b>1</b>



## BELLA VISTA FIRE DEPARTMENT

103 Town Center • Bella Vista, AR • PH: (479) 855-8249 • Fax: (479) 855-0043 • Email: [Info@bellavistafiredepartment.com](mailto:Info@bellavistafiredepartment.com)

### Chief Sims and the Department's Activity:

- 8-4: Chief Steve Sims, Deputy Chief Bryan Wolfgang, and Div. Chief Scott Cranford met with Bunny Brown, and Mark Clinard to discuss construction projects in Bella Vista.
- 8-10 thru 8-14: Station 1, Fire Department Training Room was used for Census Training.
- 8-20: Bella Vista EMS Monthly Meeting at Station 1, Fire Department Training Room.
- 8-20: Capt. Leon Lieutard did temperature screening at the Court Room Bldg., Bella Vista, AR.
- 8-20: Chief Sims, and Div. Chief Scott Cranford attended the Metro Chief's monthly meeting.
- 8-25: Chief Sims, and Battalion Chief Ronnie Crupper met with Denton Park and Velvet Reed-Shoults of Northwest Medical Center to discuss Bella Vista's EMS Community Paramedic Program.
- 8-27: Bella Vista, and Pea Ridge Fire Departments had New Hire Graduation at the Court Room Bldg. in Bella Vista, AR.

### Fires & Mutual Aid:

- 8-5 Dumpster or other outside trash receptacle fire. Includes waste material from manufacturing or other production processes. Excludes materials that are not rubbish or have salvage value at Metfield Pool, 31 Hilltop Dr., Bella Vista, AR.
- 8-7: Brush or brush-and-grass mixture fire. Includes ground fuels lying on or immediately about the ground such as duff, roots, dead leaves, fine dead wood, and downed logs at 4 Talana Place, Bella Vista, AR.
- 8-18: Building fire (Building fire. Excludes confined fires (113-118)) at 110 Eckman Lane, Pineville/Jane, MO.
- 8-23: Brush or brush-and-grass mixture fire. Includes ground fuels lying on or immediately about the ground such as duff, roots, dead leaves, fine dead wood, and downed logs at Bella Vista Animal Shelter, 32 Bella Vista Way, Bella Vista, AR.
- 8-24: Outside rubbish, trash, or waste fire not included in 152-155. Excludes outside rubbish fires in a container or receptacle (154) at Glasgow, Kinross/Perth, Bella Vista, AR.
- 8-24: Outside equipment fire. Includes outside trash compactors, outside HVAC units, and irrigation pumps. Excludes special structures and mobile construction equipment at 7 Upavon Ln., Bella Vista, AR.



## BELLA VISTA FIRE DEPARTMENT

103 Town Center • Bella Vista, AR • PH: (479) 855-8249 • Fax: (479) 855-0043 • Email: [Info@bellavistafiredepartment.com](mailto:Info@bellavistafiredepartment.com)

### Station Coverage:

- **Station 1 called for coverage 6 times in the month of August**, meaning that there were **too few or no personnel** to cover the main fire station or the city.

### Fire Inspection Activity of Inspector Jason Bowman:

- General Fire Inspections– 12
- Follow up Inspections – 3
- Plan Reviews – 0
- Alarm Plan Reviews – 0
- New Construction Site visits – 2
- Vent Hood Tests – 0
- Sprinkler Inspections – 0
- Alarm Inspections – 1
- Safety Meetings– 2
- Hydrant checks – 0
- Water Dept. Meetings – 0
- Alarm Meetings - 0
- Fire Drills– 0
- Meetings with Contractors and Architects- 1
- Knox Box- 0
- Training Classes - 3
- Fire Wise Inspections - 3
- Home Inspection - 0
- Rental Inspection - 10
- Rental Re-Inspection - 0
- Solar Inspection - 2

**Violations Noted to Date: -214**

**Confirmed Violation Corrected YTD- 41**



## Incident Type Report (Summary) maria daily

Basic Incident Type Code And Description (FD1.21)	Total Incidents	Total Incidents Percent of Incidents	Total Property Loss	Total Content Loss	Total Loss	Total Loss Percent of Total
<b>Incident Type Category (FD1.21): 1 - Fire</b>						
111 - Building fire (Building fire. Excludes confined fires (113–118))	1	0.38%	6,000.00	0.00	6,000.00	96.77%
142 - Brush or brush-and-grass mixture fire. Includes ground fuels lying on or immediately above the ground such as duff, roots, dead leaves, fine dead wood, and downed logs.	2	0.77%				
151 - Outside rubbish, trash, or waste fire not included in 152–155. Excludes outside rubbish fires in a container or receptacle (154).	1	0.38%				
154 - Dumpster or other outside trash receptacle fire. Includes waste material from manufacturing or other production processes. Excludes materials that are not rubbish or have salvage value (161 or 162).	1	0.38%	0.00	0.00	0.00	0.00%
162 - Outside equipment fire. Includes outside trash compactors, outside HVAC units, and irrigation pumps. Excludes special structures (110 series) and mobile construction equipment (130 series).	1	0.38%	200.00	0.00	200.00	3.23%
	<b>Total: 6</b>	<b>Total: 2.30%</b>	<b>Total: 6,200.00</b>	<b>Total: 0.00</b>	<b>Total: 6,200.00</b>	<b>Total: 100.00%</b>
<b>Incident Type Category (FD1.21): 2 - Overpressure Rupture, Explosion, Overheat (No Fire)</b>						
251 - Excessive heat, overheat scorch burns with no ignition. Excludes lightning strikes with no ensuing fire (814).	1	0.38%				
	<b>Total: 1</b>	<b>Total: 0.38%</b>	<b>Total: 0.00</b>	<b>Total: 0.00</b>	<b>Total: 0.00</b>	<b>Total: 0.00%</b>
<b>Incident Type Category (FD1.21): 3 - Rescue &amp; Emergency Medical Service Incident</b>						
311 - Medical assist. Includes incidents where medical assistance is provided to another group/agency that has primary patient responsibility. (Example, providing assistance to another agency-assisting EMS with moving a heavy patient.)	3	1.15%				
321 - EMS call, includes calls when the patient refuses treatment. Excludes vehicle accident with injury (322) and pedestrian struck (323).	174	66.67%				
322 - Motor vehicle accident with injuries. Excludes Extrication of victims from vehicle (352). Includes collision with other vehicle, fixed objects, or loss of control resulting in leaving the roadway.	2	0.77%				
361 - Swimming/Recreational water areas rescue. Includes pools and ponds. Excludes ice rescue (362).	1	0.38%				
	<b>Total: 180</b>	<b>Total: 68.97%</b>	<b>Total: 0.00</b>	<b>Total: 0.00</b>	<b>Total: 0.00</b>	<b>Total: 0.00%</b>
<b>Incident Type Category (FD1.21): 4 - Hazardous Condition (No Fire)</b>						
412 - Gas leak (natural gas or LPG). Excludes gas odors with no source found (671).	1	0.38%				
424 - Carbon monoxide incident. Excludes incidents with nothing found (736 or 746).	2	0.77%				
444 - Power line down. Excludes people trapped by downed power lines (372).	2	0.77%				
	<b>Total: 5</b>	<b>Total: 1.92%</b>	<b>Total: 0.00</b>	<b>Total: 0.00</b>	<b>Total: 0.00</b>	<b>Total: 0.00%</b>
<b>Incident Type Category (FD1.21): 5 - Service Call</b>						
553 - Public service. Excludes service to governmental agencies (551 or 552).	9	3.45%				
5531 - Community Paramedic Interaction (excludes calls where an Ambulance transports a patient)	5	1.92%				
554 - Assist invalid. (Includes incidents where the invalid calls the FD for routine help, such as assisting a person in returning to bed or chair, with no transport or medical treatment given.)	15	5.75%				
561 - Unauthorized burning. (Includes fires that are under control and not endangering property.)	3	1.15%				
571 - Cover assignment, assist other fire agency such as standby at a fire station or move-up.	6	2.30%				
	<b>Total: 38</b>	<b>Total: 14.56%</b>	<b>Total: 0.00</b>	<b>Total: 0.00</b>	<b>Total: 0.00</b>	<b>Total: 0.00%</b>
<b>Incident Type Category (FD1.21): 6 - Good Intent Call</b>						
611 - Dispatched and canceled en route. Incident cleared or canceled prior to arrival of responding unit(s).	10	3.83%				
622 - No incident found on arrival at dispatch address	4	1.53%				
631 - Authorized controlled burning. (Includes fires that are agricultural in nature and managed by the property owner.) Excludes unauthorized controlled burning (561) and prescribed fires (632).	6	2.30%				
651 - Smoke scare, odor of smoke, not steam (652). Excludes gas scares or odors of gas (671).	1	0.38%				

Basic Incident Type Code And Description (FD1.21)	Total Incidents	Total Incidents Percent of Incidents	Total Property Loss	Total Content Loss	Total Loss	Total Loss Percent of Total
	Total: 21	Total: 8.05%	Total: 0.00	Total: 0.00	Total: 0.00	Total: 0.00%
<b>Incident Type Category (FD1.21): 7 - False Alarm &amp; False Call</b>						
715 - Local alarm system, malicious false alarm. (Includes malicious false alarms reported via telephone or other means as a result of activation of a local fire alarm system.)	1	0.38%				
733 - Smoke detector activation due to malfunction	1	0.38%				
735 - Alarm system sounded due to malfunction	3	1.15%				
744 - Detector activation (no fire), unintentional. (Includes proper system response to environmental stimuli such as high heat conditions.)	1	0.38%				
745 - Alarm system activation, no fire - unintentional	1	0.38%				
746 - Carbon monoxide detector activation (no CO detected). Excludes CO detector malfunction.	2	0.77%				
	Total: 9	Total: 3.45%	Total: 0.00	Total: 0.00	Total: 0.00	Total: 0.00%
<b>Incident Type Category (FD1.21): 9 - Special Incident Type</b>						
9002 - Test Dispatch	1	0.38%				
	Total: 1	Total: 0.38%	Total: 0.00	Total: 0.00	Total: 0.00	Total: 0.00%
Total calls 260 (-1 test dispatch call).----->	Total: 260	Total: 100.00%	Total: 6,200.00	Total: 0.00	Total: 6,200.00	Total: 100.00%

#### Report Filters

Basic Incident Date Time: is between '8/1/2020' and '8/31/2020'

Agency Name: is equal to 'Bella Vista Fire & EMS'

#### Report Criteria

Incident Type (Fd1.21): Is Not Blank

Monthly Incident Counts By District  
Alarm Date Between (01/01/2020) And (12/31/2020)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total	Percent
Mutual Aid/Out of City	8	4	4	4	4	12	10	5	4				51	2.44%
Town Center - D1	93	88	120	103	107	101	110	106					828	39.58%
Eastside - D2	59	68	66	60	59	67	73	59					511	24.43%
Westside - D3	15	27	26	18	17	34	19	25					181	8.65%
Highland Gates - D4	55	57	74	74	54	68	73	66					521	24.90%
Totals	230	244	290	259	249	280	280	260	0	0	0	0	2092	

**Monthly Incident Counts By District**

