BELLA VISTA FIRE DEPARTMENT

103 Town Center • Bella Vista, AR • PH: (479) 855-8249 • Fax: (479) 855-0043 • Email: Info@bellavistafiredepartment.com

Date: Jan 6, 2020
Subject: Nov. 2020 Activity Report

	Nov. 2020	YTD 2020	YTD 2019	YTD 2018	YTD 2017
Total Emergency Calls	387	3115	3233	2906	3058
Total Fire Responses	127	921	1077	808	779
1. Fire	16	97	71	89	98
2. Overpressure/Rupture	0	1	3	1	3
3. Rescue & EMS	260	2194	2156	2098	2279
District #1	90	832	925	922	904
Station #2	63	527	422	467	536
Station #3	21	177	183	176	211
Station #4	79	616	579	626	588
Out of City/Bentonville Mutual Aid	7	42	47	64	40
4. Hazardous Condition	4	42	78	44	55
5. Service Call	68	454	540	446	397
6. Good Intent	30	217	188	146	141
7. False Alarm	9	91	119	86	73
8. Severe Weather	0	1	13	1	9
9. Special incident	0	18	65	1	3

BELLA VISTA FIRE DEPARTMENT

103 Town Center • Bella Vista, AR • PH: (479) 855-8249 • Fax: (479) 855-0043 • Email: Info@bellavistafiredepartment.com

Chief Sims and the Department's Activity:

- 11-2: NWA Covid Task Force Meeting via Zoom
- 11-5: Chief Steve Sims did temperature screening at Bella Vista Court.
- 11-9, 11-10, & 11-13: Fire Department received results from physicals taken at the end of October.:
- 11-16: Chief Sims attended a City Council Meeting regarding our 2021 Bella Vista Fire Department Budget.
- 11-17 & 11-18: Battalion Chief Testing: command scenario's for training.
- 11-26 & 11-27: Administrative offices closed for Thanksgiving Holiday.

Fires & Mutual Aid:

- 11-4: Brush or brush-and-grass mixture fire. Includes ground fuels lying on or immediately above the ground such as duff, roots, dead leaves, fine dead wood, and downed logs at 20 Laceby Ln., Bella Vista, AR.
- 11-5: Brush or brush-and-grass mixture fire. Includes ground fuels lying on or immediately above the ground such as duff, roots, dead leaves, fine dead wood, and downed logs at 24 Brucker Dr., Bella Vista, AR.
- 11-5: Brush or brush-and-grass mixture fire. Includes ground fuels lying on or immediately above the ground such as duff, roots, dead leaves, fine dead wood, and downed logs at 7 Exminster Dr., Bella Vista, AR.
- 11-6: Construction or demolition landfill fire at 17 Evanton Dr., Bella Vista, AR.
- 11-6: Forest, woods, or wildland fire. Includes fires involving vegetative fuels, other than prescribed fire (632), that occur in an area in which development is essentially nonexistent, except for roads, railroads, power lines, and the like also included at 3 Kilmarnock Ln., Bella Vista, AR.
- 11-7: Building fire (Building fire. Excludes confined fires (113-118)) at 13116 West Hwy 72, Gravette, AR.
- 11-8: : Brush or brush-and-grass mixture fire. Includes ground fuels lying on or immediately above the ground such as duff, roots, dead leaves, fine dead wood, and downed logs at 4 Selborne Ln., Bella Vista, AR.
- 11-10: Brush or brush-and-grass mixture fire. Includes ground fuels lying on or immediately about the ground such as duff, roots, dead leaves, fine dead wood, and downed logs at 39 Quantock Hills Dr., Bella Vista, AR.
- 11-11 Brush or brush-and-grass mixture fire. Includes ground fuels lying on or immediately about the ground such as duff, roots, dead leaves, fine dead wood, and downed logs at 10 Burghley Ln., Bella Vista, AR.
- 11-13: Grass fire. Includes fire confined to area characterized by grass ground cover, with little or no involvement of other ground fuels; otherwise, see 142. Location at 8 Saxilby Ln., Bella Vista, AR.
- 11-13: Forest, woods, or wildland fire. Includes fires involving vegetative fuels, other than prescribed fire (632), that occur in an area in which development is essentially nonexistent, except for roads, railroads, power lines, and the like also included at 35 Rath Dr., Bella Vista, AR.
- 11-16: Outside rubbish, trash, or waste fire not included in 152-155. Excludes outside rubbish fires in a container or receptacle (154). Location: 17 Brechnock Dr., Bella Vista, AR.
- 11-18: Brush or brush-and-grass mixture fire. Includes ground fuels lying on or immediately above the ground such as duff, roots, dead leaves, fine dead wood, and downed logs at 27 Cromer Dr., Bella Vista, AR.

BELLA VISTA FIRE DEPARTMENT

103 Town Center • Bella Vista, AR • PH: (479) 855-8249 • Fax: (479) 855-0043 • Email: Info@bellavistafiredepartment.com

- 11-19: Brush or brush-and-grass mixture fire. Includes ground fuels lying on or immediately above the ground such as duff, roots, dead leaves, fine dead wood, and downed logs at Glasgow/Drummore, Bella Vista, AR.
- 11-19: Brush or brush-and-grass mixture fire. . Includes ground fuels lying on or immediately above the ground such as duff, roots, dead leaves, fine dead wood, and downed logs at 9888 East Mcnelly Rd., Bentonville, AR
- 1-22: Chimney or flue fire, confined to chimney or flue (Fire originating in a confined to a chimney or flue. Excludes fires that extend beyond the chimney (111 or 112)). Location: 14 Gore Ln., Bella Vista, AR.

Station Coverage:

- **Station 1 called for coverage 14 times in the month of November** meaning that there were **too few or no personnel to cover the main fire station or the city**.

Fire Inspection Activity of Inspector Jason Bowman:

- General Fire Inspections– 39
- Follow up Inspections – 0
- Plan Reviews – 1
- Alarm Plan Reviews – 1
- New Construction Site visits – 1
- Vent Hood Tests – 0
- Sprinkler Inspections – 0
- Alarm Inspections – 0
- Safety Meetings– 2
- Hydrant checks – 0
- Water Dept. Meetings – 0
- Alarm Meetings - 0
- Fire Drills– 0
- Meetings with Contractors and Architects- 1
- Knox Box- 0
- Training Classes - 1
- Fire Wise Inspections - 0
- Home Inspection - 0
- Rental Inspection - 0
- Rental Re-check Inspections - 0
- Solar Inspection - 0

Violations Noted to Date: - 221

Confirmed Violation Corrected YTD- 51

Incident Type Report (Summary) marla daily

Basic Incident Type Code And Description (FD1.21)	Total Incidents	Total Incidents Percent of Incidents	Total Property Loss	Total Content Loss	Total Loss	Total Loss Percent of Total
Incident Type Category (FD1.21): 1 - Fire						
111 - Building fire (Building fire. Excludes confined fires (113–118))	1	0.26%				
114 - Chimney or flue fire, confined to chimney or flue (Fire originating in and confined to a chimney or flue. Excludes fires that extend beyond the chimney (111 or 112).)	1	0.26%				
141 - Forest, woods, or wildland fire. Includes fires involving vegetative fuels, other than prescribed fire (632), that occur in an area in which development is essentially nonexistent, except for roads, railroads, power lines, and the like. Also include	2	0.52%	0.00	0.00	0.00	
142 - Brush or brush-and-grass mixture fire. Includes ground fuels lying on or immediately above the ground such as duff, roots, dead leaves, fine dead wood, and downed logs.	9	2.33%	0.00	0.00	0.00	
143 - Grass fire. Includes fire confined to area characterized by grass ground cover, with little or no involvement of other ground fuels; otherwise, see 142.	1	0.26%				
151 - Outside rubbish, trash, or waste fire not included in 152–155. Excludes outside rubbish fires in a container or receptacle (154).	1	0.26%	0.00	0.00	0.00	
153 - Construction or demolition landfill fire	1	0.26%	0.00	0.00	0.00	
	Total: 16	**Total: 4.15%**	**Total: 0.00**	**Total: 0.00**	**Total: 0.00**	**Total: 0.00%**
Incident Type Category (FD1.21): 3 - Rescue & Emergency Medical Service Incident						
321 - EMS call, includes calls when the patient refuses treatment. Excludes vehicle accident with injury (322) and pedestrian struck (323).	255	66.06%				
322 - Motor vehicle accident with injuries. Excludes Extrication of victims from vehicle (352). Includes collision with other vehicle, fixed objects, or loss of control resulting in leaving the roadway.	4	1.04%				
324 - Motor vehicle accident with no injuries.	1	0.26%				
	Total: 260	**Total: 67.36%**	**Total: 0.00**	**Total: 0.00**	**Total: 0.00**	**Total: 0.00%**
Incident Type Category (FD1.21): 4 - Hazardous Condition (No Fire)						
410 - Combustible/flammable gas/liquid condition, other	1	0.26%				
411 - Gasoline or other flammable liquid spill (flash point below 100 degrees F at standard temperature and pressure (Class I)).	1	0.26%				
444 - Power line down. Excludes people trapped by downed power lines (372).	1	0.26%				
445 - Arcing, shorted electrical equipment	1	0.26%				
	Total: 4	**Total: 1.04%**	**Total: 0.00**	**Total: 0.00**	**Total: 0.00**	**Total: 0.00%**
Incident Type Category (FD1.21): 5 - Service Call						
542 - Animal rescue	1	0.26%				
551 - Assist police or other governmental agency. (Includes forcible entry, the provision of lighting, etc.)	3	0.78%				
553 - Public service. Excludes service to governmental agencies (551 or 552).	14	3.63%				
5531 - Community Paramedic Interaction (excludes calls where an Ambulance transports a patient)	2	0.52%				
554 - Assist invalid. (Includes incidents where the invalid calls the FD for routine help, such as assisting a person in returning to bed or chair, with no transport or medical treatment given.)	19	4.92%				
561 - Unauthorized burning. (Includes fires that are under control and not endangering property.)	15	3.89%				
571 - Cover assignment, assist other fire agency such as standby at a fire station or move-up.	14	3.63%				
	Total: 68	**Total: 17.62%**	**Total: 0.00**	**Total: 0.00**	**Total: 0.00**	**Total: 0.00%**
Incident Type Category (FD1.21): 6 - Good Intent Call						
611 - Dispatched and canceled en route. Incident cleared or canceled prior to arrival of responding unit(s).	19	4.92%				
622 - No incident found on arrival at dispatch address	3	0.78%				
631 - Authorized controlled burning. (Includes fires that are agricultural in nature and managed by the property owner.) Excludes unauthorized controlled burning (561) and prescribed fires (632).	8	2.07%				
	Total: 30	**Total: 7.77%**	**Total: 0.00**	**Total: 0.00**	**Total: 0.00**	**Total: 0.00%**
Incident Type Category (FD1.21): 7 - False Alarm & False Call						

Basic Incident Type Code And Description (FD1.21)	Total Incidents	Total Incidents Percent of Incidents	Total Property Loss	Total Content Loss	Total Loss	Total Loss Percent of Total
733 - Smoke detector activation due to malfunction	1	0.26%				
735 - Alarm system sounded due to malfunction	2	0.52%				
743 - Smoke detector activation (no fire), unintentional. (Includes proper system responses to environmental stimuli such as non-hostile smoke.)	1	0.26%				
744 - Detector activation (no fire), unintentional. (Includes proper system response to environmental stimuli such as high heat conditions.)	1	0.26%				
745 - Alarm system activation, no fire - unintentional	3	0.52%				
746 - Carbon monoxide detector activation (no CO detected). Excludes CO detector malfunction.	1	0.26%				
	Total: 9	**Total: 2.07%**	**Total: 0.00**	**Total: 0.00**	**Total: 0.00**	**Total: 0.00%**
	Total: 387	**Total: 100.00%**	**Total: 0.00**	**Total: 0.00**	**Total: 0.00**	**Total: 0.00%**

Report Filters

Basic Incident Date Time: is between '11/1/2020' and '11/30/2020'

Agency Name: is equal to 'Bella Vista Fire & EMS'

Report Criteria

Incident Type (Fd1.21): Is Not Blank

Monthly Incident Counts By District
Alarm Date Between (01/01/2020) And (12/31/2020)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total	Percent
Mutual Aid/Out of City	8	4	4	4	12	10	5	4	7	9	13		80	2.57%
Town Center - D1	93	88	120	103	107	101	110	106	111	133	141		1213	38.94%
Eastside - D2	59	68	66	60	59	67	73	59	71	82	91		755	24.24%
Westside - D3	15	27	26	18	17	34	19	25	26	29	32		268	8.60%
Highland Gates - D4	55	57	74	74	54	68	73	66	75	93	110		799	25.65%
Totals	230	244	290	259	249	280	280	260	290	346	387	0	3115