

Village of Beverly Hills
Regular Village Council Meeting
Tuesday, April 19, 2022

Municipal Building
18500 W. 13 Mile Road
7:30 p.m.

Zoom link: <https://us02web.zoom.us/j/88052749504>

Meeting ID: 880 5274 9504

Dial in: 1-646-876-9923 (US)

AGENDA

Roll Call/Call to order

Pledge of Allegiance

Amendments to Agenda/Approve Agenda

Special Order of Business: Introduction of Village Manager Jeffrey Campbell

Community Announcements

Public Comments on items not on the published agenda

Consent Agenda

1. Review and consider approval of [minutes](#) of a regular Council meeting held April 5, 2022.
2. Review and consider approval of [minutes](#) of a special Council meeting held April 7, 2022.
3. Review and file [bills](#) recapped as of Monday, April 11, 2022.

Business Agenda

1. Review and consider awarding the Beverly Park Pathway Improvement [bid](#) to JSS-Macomb, LLC.
2. Review and consider Performance [Resolution](#) for the Michigan Department of Transportation.
3. Review and consider authorizing Hubbell, Roth, and Clark to perform preliminary [engineering services](#) for Douglas Evans parking lot.
4. Review and consider Fiscal Year 21-22 [Budget Amendments](#).

Public comments

Manager's [report](#)

Council comments

Closed Session to discuss Attorney-Client Privilege Memorandum.

Adjournment

This will be a hybrid meeting held in person in the Village Council Chambers with a remote participation option available via Zoom due to the COVID-19 pandemic.

The Village of Beverly Hills will provide necessary reasonable auxiliary aids and services, such as signers for the hearing impaired and audiotapes of printed materials being considered at the meeting, to individuals with disabilities attending the meeting upon three working days' notice to the Village. Individuals with disabilities requiring auxiliary aids or services should contact the Village by writing or phone, 18500 W. Thirteen Mile Beverly Hills, MI 48025 (248) 646-6404.

REGULAR COUNCIL MEETING MINUTES – APRIL 5, 2022 – PAGE 1

Present: President George, President Pro-Tem Hrydziuszko; Members: Abboud, Kecskemeti, Mooney, O’Gorman, and Peddie

Absent: None

Also Present: Interim Village Manager/Village Clerk/Assistant Manager, Rutkowski
Village Attorney, Ryan

President George called the regular Village Council meeting to order at 7:30 p.m. in the Village Council Chambers located at 18500 W. Thirteen Mile Road, Beverly Hills, MI 48025. The Pledge of Allegiance was recited by those in attendance.

AMENDMENTS TO AGENDA/APPROVE AGENDA

Motion by Mooney, second by Hrydziuszko, to approve the agenda as published.

Motion passed.

SPECIAL ORDER OF BUSINESS: RECOGNITION OF BEVERLY HILLS LIONS CLUB 50TH ANNIVERSARY

President George congratulated the Beverly Hills Lions Club on their 50th Anniversary and presented them with a certificate of recognition. He thanked the Lions for their service to the community and highlighted the local activities the Lions Club participates in including the Memorial Day Fun Run/Walk, Project Kidsight, and the Adopt-a-Road Clean Up on Lahser.

Lions Club President Patrick Wojas accepted the certificate and spoke about the club. He talked about the charities the Lions Club supports. He said they have recently doubled their membership and are still looking to expand. He thanked the Council for the recognition.

COMMUNITY ANNOUNCEMENTS

Janet Mooney, Southfield Township Treasurer, gave a shout out to her nephew who will be appearing on television soon. She stated that the tax collection rate for Beverly Hills was at 98.5%. She introduced the new Township Clerk, Eileen Harryvan.

Eileen Harryvan, Southfield Township Clerk, introduced herself as the newly appointed Clerk and stated that she intendeds on running for the position in the next election. She stated the Southfield Township staff and Village Clerk Rutkowski has been supportive and helpful in her new role. She said she is working to streamline processes in the office.

President George noted that the Council will be holding a special meeting on Thursday, April 7, 2022 at 6:00 p.m. to review and consider the Village Manager Employment Agreement.

PUBLIC COMMENTS

Dorothy Pfeifer, 160 Charrington Court, commented on the large trucks that go by her street. She said there is no turn lane and commented on the speeding. She would like truck traffic limited in the area.

CONSENT AGENDA

Motion by Mooney, second by Peddie, be it resolved, the consent agenda is approved.

THESE MINUTES ARE NOT OFFICIAL. THEY HAVE NOT BEEN APPROVED BY THE VILLAGE COUNCIL.

1. Review and consider approval of minutes of a joint Parks & Recreation/Village Council meeting held January 20, 2022.
2. Review and consider approval of minutes of a joint Planning Commission/Village Council meeting held February 9, 2022.
3. Review and consider approval of minutes of a special Council meeting held March 12, 2022.
4. Review and consider approval of minutes of a regular Council meeting held March 15, 2022.
5. Review and consider approval of minutes of a special Council meeting held March 22, 2022.
6. Review and file bills recapped as of Monday, March 28, 2022.
7. Set public hearing date for May 3, 2022 to receive comments on the Fiscal Year 2022/2023 proposed budget.
8. Set public hearing date for May 3, 2022 to receive comments on Special Assessments to be added to the tax roll.

Roll Call Vote:
Motion passed (7-0)

BUSINESS AGENDA

REVIEW AND CONSIDER BEVERLY HILLS LIONS CLUB'S REQUEST TO HOST WHITE CANE COLLECTION FROM APRIL 28 TO MAY 8, 2022

Rutkowski gave an overview. Administration received a request from the Beverly Hills Lions Club to host their annual White Cane Collection in the Village from April 28 – May 8, 2022. The Lions plan to collect donations at the Corners Shopping Center, Market Fresh at the 13 Mile and Southfield Road intersection. Funds raised will be used primarily to support activities related to the sight and hearing impaired. The Lions requested that the sign outside of the Village Office temporarily read: "Support Lions White Cane Collection April 28 through May 8, 2022." A Certificate of Insurance naming the Village has already been submitted to the Clerk's Office.

Motion by Abboud, second by O'Gorman, the Beverly Hills Village Council authorizes the Beverly Hills Lions Club to solicit donations for their annual White Cane Collection from April 28 to May 8, 2022 within Beverly Hills and approves their request to have the sign outside of the Village Office temporarily read: "Support Lions White Cane Collection April 28 through May 8, 2022" provided that a Certificate of Liability Insurance naming the Village as an additional insured is submitted to the Clerk's Office.

Roll Call Vote:
Motion passed (7-0)

REVIEW AND CONSIDER LIONS CLUB'S REQUEST TO USE VILLAGE STREETS FOR THE 38TH ANNUAL MEMORIAL DAY FUN RUN/WALK

The Beverly Hills Lions Club is requesting use of several Village streets for their 38th annual Fun Run/Walk on Memorial Day, Monday, May 30, 2022 from 9:00 am to 10:00 am. They are also requesting that any permit fees be waived, as the Village has done in the past. Proceeds from the event support programs involved with helping the blind and hearing impaired, as well as Beverly Hills community charities.

A map showing the proposed route was provided for review. A letter from the event chairperson, Roy Waters, was also provided. A Certificate of Liability Insurance naming the Village of Beverly Hills as an additional insured has been submitted to the Clerk's office.

THESE MINUTES ARE NOT OFFICIAL. THEY HAVE NOT BEEN APPROVED BY THE VILLAGE COUNCIL.

Motion by Abboud, second by Hrydziusko, the Beverly Hills Village Council authorizes the Beverly Hills Lions Club to use the streets as detailed on the attached map on Monday, May 30, 2022 from 9:00 am to 10:00 am for their annual Fun Run/Walk and waives any permit fee provided that a Certificate of Liability Insurance naming the Village of Beverly Hills as an additional insured is filed with the Clerk's office.

Roll Call Vote:
Motion passed (7-0)

REVIEW AND CONSIDER JASON'S OUTDOOR SERVICES' PROPOSAL FOR LANDSCAPING SERVICES AT BEVERLY PARK

Rutkowski provided an overview. For the past several years, the Village of Beverly Hills has engaged the services of Jason's Outdoor Services to provide landscaping maintenance at Beverly Park. In addition to weeding, trimming, and clean up, they also spread mulch in the flower beds. We are in receipt of a proposal from Jason's Outdoor Services to provide landscaping maintenance at Beverly Park for calendar year 2022.

The quote was provided for review and includes edging, weeding, and trimming of the flower beds, mulch, a spring clean-up, and a fall-clean up. Per direction from Council two years ago, the quote contains organic weed remover. The proposed price is \$5,886.00. The Village has been pleased with the services provided over the last few years.

At their March 17, 2022 meeting, the Beverly Hills Parks & Recreation Board recommended the Village Council approve the proposal submitted by Jason's Outdoor Services in the amount of \$5,886.00 for landscaping maintenance at Beverly Park for calendar year 2022 as outlined on the proposal. Funds are available in account 101-751-778.03 (R&M Park).

Motion by O'Gorman, second by Mooney, be it resolved, the Beverly Hills Village Council approves the proposal submitted by Jason's Outdoor Services in the amount of \$5,886.00 for landscaping maintenance at Beverly Park for calendar year 2022 as outlined on the attached proposal. Funds are available in account 101-751-778.03 (R&M Park).

Roll Call Vote:
Motion passed (7-0)

SCULPTURE IN THE PARKS UPDATE

Janice Hausman, member of the Parks & Recreation Board, was in attendance to provide an update on the Sculpture in the Parks Program. She stated that there were 28 entries, including two international entries. The jury narrowed it down to five recommendations to present to the Parks & Recreation Board. Four pieces of art will be installed at Beverly Park and one will be placed at Riverside Park in May. The finalists were "Kestrel" by Brian Ferriby, "Weathered #5" by Helen Hierta, "Composition in Three Colors #1" by Dennis Cook, "Just One of Those Things" by Jim Wolnosky, and "Two Half Moons" by Kelly O'Neill. Hausman stated that by each work of art there will be a sign with a QR linked to the Village website with more information on the piece and artist.

REVIEW AND CONSIDER PARKS & RECREATION BOARD’S RECOMMENDATION TO NAME PARK #5 “BEVERLY GREEN”

Rutkowski provided an overview. After receiving several suggestions for naming Park #5 in late 2021, the Parks & Recreation Board narrowed the options down to 3 at their January 20, 2022 joint meeting and the Village created a second public form for name suggestions. Residents were asked to select from Beverly Green, Greenfield Park, Sunrise Park, or to type in a suggestion of their own. The Village received 230 responses between the end of January and early March. 40% of respondents selected Beverly Green as their choice for Park #5’s official name. Greenfield Park received 21% of the votes and Sunrise Park received 17% of the votes. A chart showing the top responses was displayed.

At their March 17, 2022 meeting, the Parks & Recreation Board voted to recommend that the Village Council name the property commonly known as “Park #5” (Parcel ID: 24-01-284-001) Beverly Green.

If approved, the Parks & Recreation Plan, Village Master Plan, and Village maps will need to be updated to show the new name.

Motion by Hrydziuszko, second by Mooney, be it resolved, the Beverly Hills Village Council names the park property commonly known as Park #5 located at Beverly Road and Greenfield Road (Parcel ID: 24-01-284-001) “Beverly Green.”

Roll Call Vote:
Motion passed (7-0)

REVIEW AND CONSIDER PARKS & RECREATION BOARD’S RECOMMENDATION TO HOST MOVIE IN THE PARK

Rutkowski gave an overview of the request. The annual Movie in the Park is scheduled for Thursday, August 18, 2022 at Beverly Park at dusk. The Parks & Recreation Board has selected Sing 2 as the movie to show.

At their March 17, 2022 meeting, the Parks & Recreation Board recommended that the Village Council authorize the Parks & Recreation Board to host Movie in the Park on Thursday, August 18, 2022 in an amount not to exceed \$2,500.00. Further, the Board recommends Council approve the agreement with FunFlicks for the movie screen and generator rental. Funds are available in Account 101-747-894.00 (Special Events/Other Events). The agreement was provided and has been reviewed by the Village Attorney.

Motion by Peddie, second by Hrydziuszko, be it resolved, the Beverly Hills Village Council authorizes the Parks & Recreation Board to host Movie in the Park on Thursday, August 18, 2022 in an amount not to exceed \$2,500.00. Further, the Council authorizes Administration to execute the agreement with FunFlicks for the movie screen and generator rental. Funds are available in Account 101-747-894.00 (Special Events/Other Events).

Roll Call Vote:
Motion passed (7-0)

REVIEW AND CONSIDER AMERICAN RESCUE PLAN ACT (ARPA) FUNDING RECOMMENDATIONS

The Village of Beverly Hills will receive funds in the amount of \$1,085,709.90 through the American Rescue Plan Act/Coronavirus State and Local Fiscal Recovery Funds. Administration is recommending that the Council allocate these funds toward eligible water and sewer infrastructure projects.

At the March 15, 2022 meeting, Council reviewed and discussed cost estimates prepared by our consulting engineers at Hubbell, Roth & Clark, Inc. detailing five recommended projects that the ARPA funds could be used on. Council then moved to instruct Administration to prepare a formal recommendation for projects #1, 2, and 4: Marguerite Street & Hummel Street Water Main Replacement Project, Sanitary Pump Station Improvements, and Water Service Line Material Verifications, as outlined on HRC's memo dated March 10, 2022. The costs of these projects are outlined below.

<u>Project</u>	<u>Estimated Cost</u>
Marguerite & Hummel Street Water Main Replacement Project	\$ 490,350.00
Sanitary Pump Station Improvements	\$ 352,720.00
Water Service Line Material Verifications (354 total)	\$ 354,000.00
Total	\$ 1,197,070.00
ARPA Funding Available	\$ 1,085,709.90
Village Responsibility	\$ 111,360.10

To complete all 354 required Water Service Line Material Verifications, the Village would end up being about \$111,000 over its ARPA allocation. The Village has applied for the Oakland County Critical Infrastructure Planning Grant, which, if awarded, could cover some of the costs of the remaining \$111,000. Assuming the Village does not receive additional grant funding, Administration is recommending allocating \$111,000 from the Water Fund in Fiscal Year 22-23 to cover any remaining costs for the projects listed above.

Motion by Mooney, second by Peddie, be it resolved, the Beverly Hills Village Council authorizes Administration to allocate the American Rescue Plan Act (ARPA) funds of \$1,085,709.90 to the following projects as outlined on Hubbell, Roth, & Clark's memorandum dated March 10, 2022: Marguerite Street & Hummel Street Water Main Replacement Project (\$490,350.00), Sanitary Pump Station Improvements (\$352,720.00), and Water Service Line Material Verifications (\$354,000.00). Funds are available in Fund 287. Be it further resolved, \$111,000.00 will be budgeted from the Water Fund (Fund 592) in Fiscal Year 22-23 to cover the additional expenses needed to complete these projects.

Roll Call Vote:
Motion passed (7-0)

SET BUDGET SESSION DATE

Council received a copy of the preliminary draft budget at the April 5, 2022 meeting. Each year Council holds a Budget Session to review the proposed budget. Administration recommended the meeting be held either April 20 or April 18 to allow Administration time to make any necessary revisions prior to the May 3, 2022 meeting when the budget is scheduled to be adopted. The Council agreed to set the budget hearing for Monday, April 18th at 6:30 p.m. in the Village Council Chambers.

PUBLIC COMMENTS

None.

MANAGER'S REPORT

Yard Waste Collection: Yard waste collection will begin the week of April 4, 2022. Residents are asked to set yard waste at the curb by 7:00 a.m. on their regular collection day. A list of acceptable yard waste items is available in the Village Calendar, on the Village website, and on SOCRRA's website.

Curbside Chipping: Curbside chipping will also resume the week of April 4, 2022. Residents can place stacked branches between 2 and 6 inches in diameter at the curb for collection and chipping by our DPW crew. We ask that branches be stacked and not bundled, and that the cut ends all face the direction of traffic flow. Collection will be 1-2 days after the regular trash/recycling/yard waste collection.

Easter Egg Hunt: Kensington Church will be hosting its annual Easter Egg Hunt at Beverly Park on Saturday, April 9, 2022 from 11:00 a.m. – 12:30 p.m. This event is free and open to the public. More details about the event can be found at www.kensingtonchurch.org/birminghameaster

Grant Applications Submitted: Two grant applications were submitted on behalf of the Village this week: the Michigan Natural Resources Trust Fund grant for the acquisition of 30815 Wendbrook Lane and the Oakland County Critical Infrastructure Planning grant. Thanks to our partners at Six Rivers Land Conservancy and Hubbell, Roth, and Clark for their work on these applications, respectively. Administration will keep Council updated on the status of the applications in the upcoming months.

Good Friday: The Village Office will be closed on Friday, April 15, 2022 in observance of Good Friday. Trash collection will not be interrupted.

COUNCIL COMMENTS

Peddie gave an update on the last Planning Commission meeting where the Sign Ordinance and business licensing were discussed. She also stated that the Commission would like to revisit the 200' rule in the Fence Ordinance. She stated that she is looking forward to Councilmember Abboud's report on electronic signs. She reported that the Planning Commission stated the Village should be the standard and not the exception when it comes to electronic signs.

Abboud gave an update on the SEMCOG General Assembly Meeting. He believes there should be more attention paid to electric vehicles. He attended the MML Capitol Conference in March and moderated a session. He reached Level 2 of the Elected Officials Academy. He sent his condolences to the families of Behnam Rasho and Saad Hanna Halabo. Both men were recently

tragically killed. He said the Chaldean American Chamber of Commerce and Chaldean Community Foundation are working diligently to identify and enact solutions for change.

Mooney said it was an honor to see former Councilmember Dorothy Pfeifer at the meeting. He asked Attorney Ryan to keep Council informed on the upcoming court hearing regarding the Zoning Board of Appeals. He thanked Kecskemeti and George for their work on the Personnel Committee regarding the hiring of a new manager. He stated that the Council meeting agendas are heavy on parks related items and Council should have other priorities. He stated the Parks & Recreation Board is doing a good job.

Hrydziusko reported that the Memorial Day Parade and Carnival are happening this year after a hiatus due to the COVID-19 pandemic. The Committee is looking for volunteers to help with the parade and an organizer for the Bike Brigade. She reported that resident and former Planning Commissioner George Ostrowski provided a preliminary design for Beverly Green at the last Parks & Recreation Board meeting. The Board gave him feedback and he will adjust the plans based on that and later share with residents for input. She thanked Ostrowski for his work.

George thanked Ostrowski for his work on the park design. He thanked Mooney and the Personnel Committee for their work on the manager search. He thanked Rutkowski for her efforts as Interim Manager. He noted that there is a lot of unseen work that she does preparing meeting packets, etc. He is excited for the grant applications that were submitted. He commented on the ARPA funded projects and said that there are a lot of good things going on. He said he has a call scheduled tomorrow regarding sidewalks and he is looking forward to that.

ADJOURNMENT

Motion by Mooney, second by Abboud, to adjourn the meeting at 8:48 p.m.

Motion passed.

John George
Council President

Kristin Rutkowski
Village Clerk

SPECIAL COUNCIL MEETING MINUTES – APRIL 7, 2022 – PAGE 1

Present: President George, President Pro-Tem Hrydziusko; Members: Abboud, Kecskemeti, Mooney, O’Gorman, and Peddie

Absent: None

Also Present: Interim Village Manager/Village Clerk/Assistant Manager, Rutkowski

President George called the special Village Council meeting to order at 6:00 p.m. in the Village Council Chambers located at 18500 W. Thirteen Mile Road, Beverly Hills, MI 48025. The Pledge of Allegiance was recited by those in attendance.

AMENDMENTS TO AGENDA/APPROVE AGENDA

Motion by Mooney, second by Peddie, to approve the agenda as published.

Motion passed.

PUBLIC COMMENTS

None.

BUSINESS AGENDA**REVIEW AND CONSIDER VILLAGE MANAGER EMPLOYMENT AGREEMENT WITH JEFFREY CAMPBELL**

George gave an overview of the proposed Village Manager Employment Agreement. He noted that it has been signed by the candidate, Jeffrey Campbell, and by the Village’s Labor Attorney.

Motion by Mooney, second by Hrydziusko, be it resolved, the Beverly Hills Village Council approves the Village Manager Employment Agreement with Jeffrey Campbell as submitted and authorizes the Council President to sign the agreement on the Village’s behalf.

Roll Call Vote:

Motion passed (7-0)

PUBLIC COMMENTS

None.

ADJOURNMENT

Motion by Mooney, second by Abboud, to adjourn the meeting at 6:04 p.m.

Motion passed.

John George
Council President

Kristin Rutkowski
Village Clerk



TO PRESIDENT GEORGE & MEMBERS OF THE VILLAGE COUNCIL. THE FOLLOWING IS A LIST OF
EXPENDITURES FOR APPROVAL. ACCOUNTS PAYABLE RUN FROM 03/29/2022 THROUGH 04/11/2022.

ACCOUNT TOTALS:

101	GENERAL FUND	\$69,774.80
202	MAJOR ROAD FUND	\$7,119.95
203	LOCAL STREET FUND	\$25,289.16
205	PUBLIC SAFETY DEPARTMENT FUND	\$45,501.59
285	RETIREE HEALTH CARE FUND	\$4,200.00
592	WATER/SEWER OPERATION FUND	\$262,520.46
701	TRUST & AGENCY FUND	\$400.00
	TOTAL	<u>\$414,805.96</u>
	MANUAL CHECKS- COMERICA	\$50.00
	MANUAL CHECKS- INDEPENDENT	\$0.00
	ACCOUNTS PAYABLE	<u>\$414,855.96</u>
	GRAND TOTAL	<u>\$414,855.96</u>

04/07/2022 02:50 PM
User: JAY
DB: Beverly Hills

CHECK REGISTER FOR VILLAGE OF BEVERLY HILLS
CHECK DATE FROM 03/29/2022 - 04/11/2022

Page: 1/1

Check Date	Bank	Check	Vendor	Vendor Name	Amount
Bank COM COMERICA					
04/04/2022	COM	85113	60613	ADRIANA WALKER	50.00 V
04/04/2022	COM	85114	60613	ADRIANA WALKER	50.00
04/11/2022	COM	85115	60249	5 ALARM	958.17
04/11/2022	COM	85116	58787	ABEL ELECTRONICS	200.00
04/11/2022	COM	85117	MISC	ALL SEASONS ROOF LLC	900.00
04/11/2022	COM	85118	60217	AMAZON CAPITAL SERVICES	248.33
04/11/2022	COM	85119	MISC	AMERICAN STANDARD ROOFING LLC	300.00
04/11/2022	COM	85120	59125	APPRIVER, LLC	78.40
04/11/2022	COM	85121	59980	AVANTE ENTERPRISES, LLC	76.00
04/11/2022	COM	85122	MISC	BASEMENT CRACKS	300.00
04/11/2022	COM	85123	MISC	BEEBE, BRADLEY W	400.00
04/11/2022	COM	85124	32748	BEIER HOWLETT,P.C.	400.00
04/11/2022	COM	85125	MISC	BELLINGER BUILDING	600.00
04/11/2022	COM	85126	50489	BOB ADAMS TOWING	115.00
04/11/2022	COM	85127	MISC	C & L WARD	900.00
04/11/2022	COM	85128	59347	CINTAS CORPORATION #31	130.59
04/11/2022	COM	85129	59323	CLEANNET	858.00
04/11/2022	COM	85130	51439	COMCAST	160.25
04/11/2022	COM	85131	04500	COMEAU EQUIPMENT CO INC.	28,296.64
04/11/2022	COM	85132	MISC	DESIGN BUILD ALTERNATIVES	700.00
04/11/2022	COM	85133	51385	DTE ENERGY	6,744.14
04/11/2022	COM	85134	60372	EAGLE LANDSCAPING & SUPPLY	105.00
04/11/2022	COM	85135	30685	ERIC KOENIG	1,050.00
04/11/2022	COM	85136	MISC	EVER-DRY WATERPROOFING	400.00
04/11/2022	COM	85137	MISC	FOUNDATION SYSTEMS OF MICHIGAN	200.00
04/11/2022	COM	85138	60611	GEI CONSULTANTS, INC.	3,183.75
04/11/2022	COM	85139	MISC	HANSON HEATING	200.00
04/11/2022	COM	85140	31202	HOME DEPOT CREDIT SERVICES	29.00
04/11/2022	COM	85141	MISC	HOME INSPECTION PLUS INC	300.00
04/11/2022	COM	85142	32578	HOWARD SHOCK	1,050.00
04/11/2022	COM	85143	08500	HUBBELL ROTH & CLARK INC	2,962.65
04/11/2022	COM	85144	58950	HYDROCORP	290.00
04/11/2022	COM	85145	59839	J.C. EHRLICH	51.00
04/11/2022	COM	85146	39070	J.H. HART URBAN FORESTRY	2,865.00
04/11/2022	COM	85147	51101	JANICE HAUSMAN	212.00
04/11/2022	COM	85148	59158	JASON'S OUTDOOR SERVICES LLC	2,477.53
04/11/2022	COM	85149	MISC	JOHN GRAHAM	300.00
04/11/2022	COM	85150	30521	JOHN MILLIRON	1,050.00
04/11/2022	COM	85151	MISC	KEARNS BROTHERS	400.00
04/11/2022	COM	85152	09300	KELLER THOMA	1,575.00
04/11/2022	COM	85153	60077	KRISTIN RUTKOWSKI	164.97
04/11/2022	COM	85154	MISC	KROLL CONSTRUCTION	300.00
04/11/2022	COM	85155	51792	LEXISNEXIS RISK SOLUTIONS	150.00
04/11/2022	COM	85156	51350	LOU'S TRANSPORT INC.	737.08
04/11/2022	COM	85157	MISC	MAJESTIC HOME SOULTIONS	600.00
04/11/2022	COM	85158	31794	MICHAEL MILES	1,050.00
04/11/2022	COM	85159	59614	MICHIGAN MUNICIPAL LEAGUE	37.00
04/11/2022	COM	85160	11000	MICHIGAN MUNICIPAL RISK	45,254.75
04/11/2022	COM	85161	MISC	MICHIGAN SOLAR SOLUTIONS	200.00
04/11/2022	COM	85162	59330	MIKE SAVOIE CHEVROLET	408.90
04/11/2022	COM	85163	MISC	MR ROOF	300.00
04/11/2022	COM	85164	59735	OAKLAND COMMUNITY COLLEGE/CREST	695.00
04/11/2022	COM	85165	50830	OAKLAND COUNTY TREASURER'S	205,367.10
04/11/2022	COM	85166	MISC	PANETTA CONSTRUCTION LLC	700.00
04/11/2022	COM	85167	30035	PLANTE & MORAN, PLLC	1,260.00
04/11/2022	COM	85168	59709	PRESSURE VESSEL TESTING	529.50
04/11/2022	COM	85169	60386	PTS COMMUNICATIONS	60.00
04/11/2022	COM	85170	60616	RICHARD DOWNEY	769.20
04/11/2022	COM	85171	59396	ROCKET ENTERPRISE INC.	80.00
04/11/2022	COM	85172	16500	S.O.C.R.R.A.	35,451.00
04/11/2022	COM	85173	16600	S.O.C.W.A.	48,474.45
04/11/2022	COM	85174	MISC	SAS SERVICES INC	200.00
04/11/2022	COM	85175	60615	SAUTER BALLOONS	300.00
04/11/2022	COM	85176	38145	SOUTHFIELD POSTAL SERVICE	469.34
04/11/2022	COM	85177	17700	SUNSET MAINTENANCE SERVICE	1,200.00
04/11/2022	COM	85178	60398	TERMINIX PROCESSING CENTER	618.72
04/11/2022	COM	85179	31043	THOMAS J RYAN PC.	8,062.50
04/11/2022	COM	85180	MISC	UNITED BUILDING SERVICE CO	300.00

COM TOTALS:

Total of 68 Checks:	414,905.96
Less 1 Void Checks:	50.00
Total of 67 Disbursements:	414,855.96



To: Honorable President George; Village Council Members

From: Kristin Rutkowski, Interim Village Manager/Village Clerk/Assistant Village Manager

Subject: Beverly Park Pathway Improvement

Date: April 13, 2022

A few months ago, the Parks & Recreation Board recommended that the Village Council authorize Administration to seek bids for the Beverly Park Path Improvements Project. The project includes drainage improvements and resurfacing of the gravel path at Beverly Park. The request for bids was published on MITN/BidNet Direct on March 8, 2022 and a public bid opening was held on April 5, 2022 at the Village Office.

The low bid was submitted by JSS – Macomb, LLC in the amount of \$47,174.10. The bid tabulation and recommendation letter from Hubbell, Roth, & Clark is attached for Council's review. Administration recommends that Council award the bid to JSS – Macomb, LLC.

Suggested Resolution

Be it resolved, the Beverly Hills Village Council awards the Beverly Park Path Improvements Project bid to JSS – Macomb, LLC in the amount of \$47,174.10. Funds are available in account 208-900-985.00 (Capital Park Site Improvement).

Attachment

April 8, 2022

Village of Beverly Hills
18500 W. 13 Mile Rd.
Beverly Hills, MI 48025

Attention: Ms. Kristin Rutkowski, Interim Village Manager

Re: Beverly Park Pathway Improvements Project
Bid Results & Recommendation of Award

HRC Job No. 20210175

Dear Ms. Rutkowski,

Hubbell, Roth & Clark, Inc (HRC) has reviewed the bids received on April 5, 2022, for the subject project. There were three (3) bids received and publicly opened and read with the lowest responsive bid submitted by JSS – Macomb, LLC of Shelby Township, Michigan with an as-read bid of \$47,174.10. Copies of the Bid Tab are enclosed for your reference and distribution.

JSS – Macomb, LLC has satisfied the requirements of the specifications and has submitted all of the necessary information in order for the bid proposal to be considered complete and responsive. JSS – Macomb, LLC. has also provided a performance record with information indicating that the contractor has successfully completed jobs of similar scope. Our office has reviewed the submitted performance record and found the information acceptable.

Our office has contacted JSS – Macomb, LLC and they have indicated they are able to complete the project in accordance with the bid documents for the amount bid. As a result, we recommend award the Beverly Park Pathway Improvements Project construction contract to JSS – Macomb, LLC at a total amount of \$47,174.10 subject to the Contractor supplying the requisite bonds and insurance certificates.

If you have any questions or require any additional information, please contact the undersigned.

Very truly yours,

HUBBELL, ROTH & CLARK, INC.



John Nagle, P.E.
Project Engineer

Attachment

pc: HRC; D. Mitchell, B. Shepler, File

BID TABULATION
BEVERLY PARK PATHWAY IMPROVEMENTS
VILLAGE OF BEVERLY HILLS
OAKLAND COUNTY, MICHIGAN

Bids Due: 04/05/2022 at 11:00 am
HRC Job # 20210175

JSS - Macomb, LLC
11858 Forest Glen Lane
Shelby Township, MI 48315
P (586) 709-6305
F (586) 314-5050

Santoro Services LLC
24500 23 Mile Rd
Chesterfield, MI 48047
P (313) 480-7004
F (586) 978-0920

Gilbraltar Construction Co.
2650 Van Horn Rd.
Trenton, MI 48183
P (734) 234-9005
F (734) 224-6672

Item	Quantity	Unit Price	Total Cost	Unit Price	Total Cost	Unit Price	Total Cost
DIVISION I - CHELTON DRIVE							
1 Mobilization, Max 5%	1 LS	\$2,000.00	\$2,000.00	\$2,000.00	\$2,000.00	\$3,800.00	\$3,800.00
2 Color Audio-Video Route Survey	1 LS	\$1,322.85	\$1,322.85	\$500.00	\$500.00	\$3,500.00	\$3,500.00
3 Dr Structure, Rem	1 ea	\$644.00	\$644.00	\$3,050.00	\$3,050.00	\$1,500.00	\$1,500.00
4 Culv, Rem, Less than 24 inch	30 lft	\$32.85	\$985.50 *	\$38.00	\$1,140.00 *	\$20.00	\$600.00
5 Ditch Enclosure Pipe, 6 inch	221 lft	\$36.75	\$8,121.75	\$37.00	\$8,177.00	\$94.00	\$20,774.00
6 Maintenance Basin, 24 inch Dia.	4 ea	\$1,600.00	\$6,400.00	\$1,400.00	\$5,600.00	\$3,100.00	\$12,400.00
7 Trail Aggregate	250 ton	\$56.00	\$14,000.00	\$65.00	\$16,250.00	\$60.00	\$15,000.00
8 Site Restoration	1 LS	\$3,900.00	\$3,900.00	\$9,750.00	\$9,750.00	\$7,500.00	\$7,500.00
9 Soil Erosion and Sedimentation Control	1 LS	\$4,900.00	\$4,900.00	\$6,150.00	\$6,150.00	\$1,500.00	\$1,500.00
10 Observation Crew Days	days	\$700.00	\$4,900.00	\$700.00	\$3,500.00	\$700.00	\$10,500.00
TOTAL AMOUNT OF BID			\$47,174.10 *		\$56,117.00 *		\$77,074.00

* Corrected By Engineer

ENGINEER: John Nagle, P.E.
Hubbell, Roth & Clark, Inc.
555 Hulet Drive
Bloomfield Hills, MI 48302



To: Honorable President George; Village Council Members

From: Kristin Rutkowski, Interim Village Manager/Village Clerk/Assistant Village Manager

Subject: MDOT Resolution

Date: April 13, 2022

Administration received correspondence from the Michigan Department of Transportation (MDOT) notifying us that an update to Form 2207B is required. As part of the Village's general permit with MDOT, we are required to have a resolution (MDOT Form 2207B) on file. The municipal resolution satisfies the bond/insurance requirements for MDOT permit activities.

MDOT Form 2207B (Performance Resolution for Municipalities) was updated in May 2021. The MDOT Attorney General's Office is requiring that all municipalities who wish to continue permitting with MDOT submit a new resolution using the updated form.

The proposed resolution was reviewed by the Village Attorney and was found to be in order.

The entire resolution is attached.

Suggested Resolution:

Be it resolved, the Beverly Hills Village Council approves the Michigan Department of Transportation Performance Resolution for Municipalities (Form 2207B) as published.

PERFORMANCE RESOLUTION FOR MUNICIPALITIES

This Performance Resolution (Resolution) is required by the Michigan Department of Transportation for purposes of issuing to a Municipality an "Individual Permit for Use of State Highway Right of Way", and/or an "Annual Application and Permit for Miscellaneous Operations within State Highway Right of Way".

RESOLVED WHEREAS, the _____
(County, City, Village, Township, etc.)

hereinafter referred to as the "MUNICIPALITY," periodically applies to the Michigan Department of Transportation, hereinafter referred to as the "DEPARTMENT," for permits, referred to as "PERMIT," to construct, operate, use and/or maintain utilities or other facilities, or to conduct other activities, on, over, and under State Highway Right of Way at various locations within and adjacent to its corporate limits;

NOW THEREFORE, in consideration of the DEPARTMENT granting such PERMIT, the MUNICIPALITY agrees that:

1. Each party to this *Resolution* shall remain responsible for any claims arising out of their own acts and/or omissions during the performance of this *Resolution*, as provided by law. This *Resolution* is not intended to increase either party's liability for, or immunity from, tort claims, nor shall it be interpreted, as giving either party hereto a right of indemnification, either by Agreement or at law, for claims arising out of the performance of this Agreement.
2. If any of the work performed for the MUNICIPALITY is performed by a contractor, the MUNICIPALITY shall require its contractor to hold harmless, indemnify and defend in litigation, the State of Michigan, the DEPARTMENT and their agents and employee's, against any claims for damages to public or private property and for injuries to person arising out of the performance of the work, except for claims that result from the sole negligence or willful acts of the DEPARTMENT, until the contractor achieves final acceptance of the MUNICIPALITY Failure of the MUNICIPALITY to require its contractor to indemnify the DEPARTMENT, as set forth above, shall be considered a breach of its duties to the DEPARTMENT.
3. Any work performed for the MUNICIPALITY by a contractor or subcontractor will be solely as a contractor for the MUNICIPALITY and not as a contractor or agent of the DEPARTMENT. The DEPARTMENT shall not be subject to any obligations or liabilities by vendors and contractors of the MUNICIPALITY, or their subcontractors or any other person not a party to the PERMIT without the DEPARTMENT'S specific prior written consent and notwithstanding the issuance of the PERMIT. Any claims by any contractor or subcontractor will be the sole responsibility of the MUNICIPALITY.
4. The MUNICIPALITY shall take no unlawful action or conduct, which arises either directly or indirectly out of its obligations, responsibilities, and duties under the PERMIT which results in claims being asserted against or judgment being imposed against the State of Michigan, the Michigan Transportation Commission, the DEPARTMENT, and all officers, agents and employees thereof and those contracting governmental bodies performing permit activities for the DEPARTMENT and all officers, agents, and employees thereof, pursuant to a maintenance contract. In the event that the same occurs, for the purposes of the PERMIT, it will be considered as a breach of the PERMIT thereby giving the State of Michigan, the DEPARTMENT, and/or the Michigan Transportation Commission a right to seek and obtain any necessary relief or remedy, including, but not by way of limitation, a judgment for money damages.
5. The MUNICIPALITY will, by its own volition and/or request by the DEPARTMENT, promptly restore and/or correct physical or operating damages to any State Highway Right of Way resulting from the installation construction, operation and/or maintenance of the MUNICIPALITY'S facilities according to a PERMIT issued by the DEPARTMENT.

6. With respect to any activities authorized by a PERMIT, when the MUNICIPALITY requires insurance on its own or its contractor's behalf it shall also require that such policy include as named insured the State of Michigan, the Transportation Commission, the DEPARTMENT, and all officers, agents, and employees thereof and those governmental bodies performing permit activities for the DEPARTMENT and all officers, agents, and employees thereof, pursuant to a maintenance contract.
7. The incorporation by the DEPARTMENT of this *Resolution* as part of a PERMIT does not prevent the DEPARTMENT from requiring additional performance security or insurance before issuance of a PERMIT.
8. This *Resolution* shall continue in force from this date until cancelled by the MUNICIPALITY or the DEPARTMENT with no less than thirty (30) days prior written notice provided to the other party. It will not be cancelled or otherwise terminated by the MUNICIPALITY with regard to any PERMIT which has already been issued or activity which has already been undertaken.

BE IT FURTHER RESOLVED that the following position(s) are authorized to apply to the DEPARTMENT for the necessary permit to work within State Highway Right of Way on behalf of the MUNICIPALITY.

Title and/or Name:

I HEREBY CERTIFY that the foregoing is a true copy of a resolution adopted by

the _____
(Name of Board, etc.)
of the _____ of _____
(Name of MUNICIPALITY) (County)
at a _____ meeting held on the _____ day
of _____ A.D. _____.

Signed _____

Title

Print Signed Name



To: Honorable President George; Village Council Members

From: Kristin Rutkowski, Interim Village Manager/Village Clerk/Assistant Village Manager

Subject: Engineering Services for Douglas Evans Parking Lot

Date: April 14, 2022

As Council is aware, there have been a few discussions regarding a potential parking lot at Douglas Evans Nature Preserve. The Village engineering firm, Hubbell, Roth, & Clark, Inc. produced a preliminary drawing for a parking lot to show the stakeholders. Neither the heirs of the property owner who deeded the land to the Village nor the Water Resources Commission whose facility is located on the property are opposed to the addition of a small gravel parking lot.

HRC has prepared a cost estimate for engineering services to move the project forward in the amount of \$9,600. The proposal and preliminary drawing are attached. Administration is recommending approval of this expenditure.

Suggested Resolution:

Be it resolved, the Beverly Hills Village Council authorizes Hubbell, Roth, and Clark Inc. to provide engineering and design services for a parking lot at Douglas Evans Nature Preserve as outlined on the proposal dated April 14, 2022 in the amount of \$9,600.00 from Account #101-751-943.50 (Parks - Engineering).

April 14, 2022

Village of Beverly Hills
18500 W 13 Mile Road
Beverly Hills, MI 48025

Attn: Ms. Kristin Rutkowski, Interim Village Manager

Re: Douglas-Evans Nature Preserve Gravel Parking Lot
Engineering Services Proposal

HRC Job No. 20220306.02

Dear Ms. Rutkowski:

As requested, Hubbell, Roth & Clark, Inc. (HRC) is pleased to offer our engineering services for the subject project. Our Scope of work is based on preliminary discussions with your office, extensive knowledge of the area and our experience designing similar projects. In summary, HRC will develop contract bid documents for a gravel parking lot at the Douglas Evans Nature Preserve Property.

A concept plan is shown in the attached Figure No. 1. Tasks performed to complete the work are as follows:

- ≡ Topographic survey and property line research
- ≡ Development of detailed plans and specifications
- ≡ Procurement of any required permits
- ≡ Advertisement and bidding
- ≡ Bid evaluation and recommendation for contract award


We estimate the work will require 90 hours of services for a fee of \$9,600.00. This fee will not be exceeded without prior authorization. Final plans and specifications will be complete within 60 days of Notice to Proceed.

Note that construction engineering services are not included for the purposes of this proposal. However, HRC would welcome the opportunity to provide these services once the contract has been awarded.

If you have any questions or require any additional information, please contact the undersigned.


Very truly yours,

HUBBELL, ROTH & CLARK, INC.



John Nagle, P.E.
Project Engineer

pc: HRC; D. Mitchell, B. Shepler, File



SCALE: 1" = 30'

**HUBBELL, ROTH & CLARK, INC.**
CONSULTING ENGINEERS SINCE 1915555 HULET DRIVE
BLOOMFIELD HILLS, MICH.P.O. BOX 824
48303-0824JOB NO.
20220002DATE
FEB 2022

VILLAGE OF BEVERLY HILLS
DOUGLAS-EVANS NATURE PRESERVE
PROPOSED GRAVEL PARKING LOT

FIGURE NO.

1




FIGURE NO.	2	
	JOB NO.	20220002
	DATE	FEB 2022
	VILLAGE OF BEVERLY HILLS DOUGLAS-EVANS NATURE PRESERVE PROPOSED GRAVEL PARKING LOT	
<div>HRC HUBBELL, ROTH & CLARK, INC. CONSULTING ENGINEERS SINCE 1915</div> <div></div>		
555 HULET DRIVE BLOOMFIELD HILLS, MICH. 48303-0824 P.O. BOX 824 48303-0824		

Memorandum

To: Honorable President George; Village Council
CC: Kristin Rutkowski, Interim Village Manager; Tom Ryan, Village Attorney;
Peggy Linkswiler, Treasurer
From: Sheila McCarthy, Finance Director
Date: April 14, 2022
Re: FY 2022 Budget Amendments

Attached are proposed FY 2022 Village of Beverly Hills Budget Amendments.

In the Major and Local Road funds there are amendments for additional engineering services provided by HRC relating to general activity, Safe Routes to School, 14 Mile Road Improvement Program and Sidewalk Connector. The effect of the amendments is a net of revenue and expenditure decrease of \$35,000 in Major Roads and \$24,000 in Local Roads.

In the Park Improvement fund there is an amendment for the Park Pathway. The effect of the amendment is a net of revenue and expenditure decrease of \$48,000.

In the Capital Fund there are amendments relating to the SCBA grant obtained by Public Safety. The net of revenue and expenditure increase is \$174,605.

These proposed FY 2022 Budget Amendments have been reviewed by Village Administration and are recommended for approval.

Recommended Resolution

Be it resolved that the Village of Beverly Hills Council authorizes Village Administration to transfer or adjust monies reserved in the Major Roads, Local Roads, Park Improvement Fund and Capital Fund as reflected in the April 14, 2022, memorandum from Finance Director, Sheila McCarthy.

Village of Beverly Hills
Proposed Budget Amendments to Council 4.19.22
FY 2022

a/c	Fund	Account Description	Amended Budget before 4.19.22 Amendments	Amendment	Amended Budget after 4.19.22 Amendments	
		Major Road Fund Revenue Amendments				
		Net Revenue Amendment Increase (Decrease)		-		
		Major Road Fund Expenditure Amendments				
202-482-810.01	Major	Engineering	40,000	35,000	75,000	Adjust to year to date activity with HRC for Major Roads, General \$3k, Safe Routes to School \$12k, 14 Mile Road Improvement Program \$60k
		Net Expenditure Amendment Increase (Decrease)		35,000		
		Net of Revenues & Expenditures		(35,000)		
		Local Road Fund Revenue Amendments				
		Net Revenue Amendment Increase (Decrease)		-		
		Local Road Fund Expenditure Amendments				
203-482-810.01	Local	Engineering	5,000	24,000	29,000	Adjust to year to date activity with HRC for Major Roads, General YTD is \$1,600 and Sidewalk Connector is \$27,000
		Net Expenditure Amendment Decrease		24,000		
		Net of Revenues & Expenditures		(24,000)		
		Park Improvement Revenue Amendments				
		Net Revenue Amendment Increase (Decrease)		-	-	
		Park Improvment Fund Expenditure Amendments				
208-900-985.00	Park Improv	Capital - Park Site Improvements	7,000	48,000	55,000	To adj for Park Pathway in the amount of \$47,174
		Net Expenditure Amendment Decrease		48,000		
		Net of Revenues & Expenditures		(48,000)		
		Capital Fund Revenue Amendments				
401-000-505.02	Capital	Public Safety Sofa Grant Received	-	159,540	159,540	Monies received and paid out relating to SCBA Grant. When budgeted the grant had not been obtained. The Village is acting as Administrator of the grant and therefore collects and pays out all funds. The net amount paid out by the Village is \$71k.
401-000-505.05	Capital	FEMA AFG Grant Received	-	675,654	675,654	
		Net Revenue Amendment Increase (Decrease)		835,194		
		Capital Fund Expenditure Amendments				
401-905-981.05	Capital	Capital - SCBA Purchase (Non Federal)	245,000	(190,532)	54,468	
401-905-981.06	Capital	Capital - FEMA SCBA Grant - Federal	-	15,927	15,927	
401-905-981.07	Capital	SCBA - (Non Federal)		159,540	159,540	
401-905-981.08	Capital	SCBA - FEMA - Federal		675,654	675,654	
		Net Expenditure Amendment Decrease		660,589		
		Net of Revenues & Expenditures		174,605		



To: Honorable President George; Village Council Members

From: Kristin Rutkowski, Interim Village Manager/Village Clerk/Assistant Village Manager

Subject: Manager's Report

Date: April 14, 2022

Water Quality Report

The 2021 Consumers Annual Report on Water Quality is included in this packet. The Annual Report on Water Quality shows the sources of our water, lists the results of our tests, and contains important information about water and health. The report is also available to view at the Village Office or on the Village website.

Community Funding Grant Opportunity

Administration has been in contact with Congressman Levin's Office (MI-09) regarding the submittal of two possible grant applications (a water main and service line replacement project and a pathways project) to determine which would be more likely to be funded by the Federal Community Funding Grant. Funding opportunities are limited and Congressman Levin may submit up to 15 projects to the Appropriations Committee for Community Project Funding consideration. We will keep Council informed on the progress of this opportunity.

Compost

Compost has been delivered by SOCRRRA and is available to residents for free in the Village/Township parking lot.

Good Friday

The Village Office will be closed on Friday, April 15, 2022 in observance of Good Friday. Trash collection will not be interrupted.

VILLAGE OF BEVERLY HILLS

RESOLUTION TO GO INTO CLOSED SESSION
TO DISCUSS ATTORNEY-CLIENT PRIVILEGE
MEMORANDUM RE: PUBLIC SAFETY DEPARTMENT
PERSONNEL MATTER

At a regular meeting of the Village Council, Oakland County, Michigan, held at the Village Office at 18500 W. Thirteen Mile Road, Beverly Hills, Michigan 48025, on the 19th day of April, 2022 at 7:30 p.m.

PRESENT: _____

ABSENT: _____

The following Resolution was offered by _____ with support from _____ moves to adopt the following resolution:

WHEREAS, at the regular City Council Meeting held on Tuesday, April 19, 2022, Village Council desires to go into closed session to discuss an Attorney-Client Privilege Memorandum dated April 8, 2022, regarding Public Safety Department personnel matter.

NOW, THEREFORE, BE IT RESOLVED that the Village of Beverly Hills hereby agrees to meet in Closed Session, as permitted by the Open Meeting Act MCL 15.268(h) and MCL 15.243(1)(g) and MCL 15.268(e) on Tuesday, April 19, 2022, at 7:30 p.m. immediately following the adjournment of the Regular Meeting held on Tuesday, April 19th, 2022 at 7:30 p.m., Michigan Time, at the Village of Beverly Hills, 18500 W. Thirteen Mile Road, Beverly Hills, Michigan, 48025. The purpose of the Closed Session is to discuss an Attorney-Client Privilege Memorandum dated April 8, 2022, regarding a Public Safety Department personnel matter, and to consult with the Village Attorney, Thomas J. Ryan.

RESOLVED,

AYES: _____

NAYES: _____

ABSENT: _____

ABSTENTIONS: _____

RESOLUTION DECLARED ADOPTED.

John George, President

CERTIFICATION

I, Kristin Rutkowski, being the duly appointed and qualified Clerk of the Village of Beverly Hills, Oakland County, Michigan, do hereby certify and declare that the foregoing is a true and correct copy of a Resolution adopted by the Village Council of the Village of Beverly Hills at its regular meeting held on April 19, 2022.

Kristin Rutkowski, Village Clerk

Beverly Hills Public Safety

Activity Report

March 24th- April 13th 2022

- The Public Safety Department is currently looking for applicants for Public Safety Officer. Please visit our website, www.beverlyhillspolice.com to see if you qualify.
- Be safe as the weather gets better and look out for children/adults on their bikes.

○ **CALLS FOR SERVICE**

- **298 Calls for Service.**
- **126 Tickets issued.**
- **18 Arrests**
- A driver was stopped for an improper license plate on 14 Mile and Edgewood. The driver admitted that he had taken the plate from another vehicle and attached it to this unregistered vehicle. The driver was Issued a misdemeanor citation and released at the scene & the vehicle was impounded.
- Operation Medicine Cabinet.
- Medical on Embassy Drive.
- Radar Detail on Gould and Southfield.
- Beverly School student pick up.
- Gun Permit Issued.
- Informational Report made at Groves High School.
- Car Seat Installed at the station.
- Suspicious Circumstances on Bedford Street.
- Assisted Royal Oak PD for a male that fled on foot in the area of 13 Mile and Greenfield.
- Greenfield School checked after hours.
- Woodside Athletic Club checked after hours.
- Traffic Accident with a deer at Lahser and Orchard Way.
- Suspicious Person on Vernon Drive.
- Alarm on Woodhaven Street.

- Assist Motorist on Southfield and Beverly.
- Operation Medicine Cabinet.
- Medical on Chelsea Place.
- Noise Complaint in Huntley Square Apartments.
- Traffic Accident at Groves High School.
- Road Hazard on Riverside and Evergreen.
- Civil Matter in Huntley Square Apartments.
- Traffic Enforcement at Norwood and Riverside.
- Woodside Athletic Club checked after hours.
- Another Extra Patrol at Woodside.
- Medical on Marimoor Drive.
- Woodside Athletic Club extra patrol.
- Traffic Enforcement at 14 Mile and Southfield.
- Citizen Assist at Riverside and Beverly.
- Juvenile Complaint at Beverly Park.
- Radar Detail at Evergreen and Waltham.
- Medical on 13 Mile Road.
- Medical on West Valley Woods.
- Larceny Report taken on 13 Mile Road.
- Suspicious Circumstance on 13 Mile Road.
- Woodside Athletic Club extra patrol.
- Fraud Report on Eastlady Drive.
- Traffic Enforcement at Auburn and Beverly.
- Medical in Huntley Square Apartments.
- Acacia Cemetery checked after hours.
- A driver was stopped for speeding and he showed signs of intoxication at 13 Mile and Eldridge. The driver failed sobriety tests and failed to disclose that he had a concealed weapon in the car. The driver was arrested without incident and transported to Birmingham PD for detoxification.
- Barking Dog Complaint on Sunset and Waltham.
- Traffic Enforcement on Evergreen and Wilshire.
- Welfare Check at Mission Point.
- Commercial Alarm on Southfield Road.
- Medical on Chelsea Place.
- Beverly Park Checked after hours.
- Fire Truck Inspections at the station.
- Acacia Cemetery checked after hours.
- Radar Detail on Southfield Road.
- Extra Patrol Request at Get Some Fitness.
- Radar Detail on Lahser and Metamora.
- Beverly Park checked after hours.
- Radar Detail on Hillview and Lahser.

- Traffic Detail on Lahser and Stafford.
- A driver was stopped for an expired license plate at Lahser and Stafford. It was discovered the driver had a suspended license and the vehicle was impounded. The driver was cited and released at the scene.
- Suspicious Person on Riverside.
- Medical in Huntley Square Apartments.
- Welfare Check requested on Birwood Street.
- Woodside Athletic Club extra patrol.
- Public Relations request for Carbon Monoxide and Smoke Detector inspections at residence.
- Lift Assist on Plantation Lane.
- Radar Detail on 14 Mile Road.
- Handicap Parking Complaint at Market Fresh.
- Medical on Village Drive.
- Suspicious Person on Locherbie and Pierce.
- Radar Detail on Lahser and 13 Mile Road.
- Suspicious Circumstance at 13 and Southfield.
- Traffic Enforcement at 14 Mile and Southfield.
- Extra Patrol in the area of Dunblaine and Birmingham.
- Extra Patrol in the area of Edgewood and Birwood.
- Groves High School checked after hours.
- Reckless Driver Report at Southfield and Beverly.
- Welfare Check on Mayfair Lane.
- Radar Detail on Hillview and Lahser.
- A driver was stopped for an expired plate at 13 Mile and Lahser. The driver was found to be suspended and the vehicle was impounded. The driver was cited and released at the scene without incident.
- Sub Check in the Nottingham subdivision.
- Radar Detail on 14 Mile Road.
- Solicitor Complaint at 13 Mile and Southfield.
- Juvenile Complaint of two kids shooting an airsoft rifle at a bottle on the fence near the water tower. The kids were turned over to their parents.
- Traffic Enforcement at Beverly and Southfield.
- Beverly Park checked after hours.
- Radar Detail on Southfield Road.
- Radar Detail on Lahser and 13 Mile.
- Extra Patrol at the Corners Shopping Mall after hours.
- Sub Check in the Ronsdale subdivision.
- Sub Check on Stellamar and 13 Mile area.
- Extra Patrol at Beverly School after hours.

- An occupied suspicious vehicle was located in the parking lot Penn Station Subs after hours. The driver was discovered to be suspended indefinitely and they were cited and released at the scene without incident.
- Extra Patrol at Market Fresh after hours.
- Fire Alarm on Village Drive.
- Radar Detail on 13 Mile and Churchill.
- Suspicious Vehicle on 13 Mile Road.
- Radar Detail on Beverly Road.
- 911 Hang Up the Corners Shopping Mall.
- Suspicious Circumstances on Waltham Street.
- Improper Vehicle License Plate confiscated on 13 Mile Road and Stellamar.
- Beverly Park checked after hours.
- Radar Detail on Evergreen and 13 Mile.
- A driver was stopped for failing to dim their lights in the rain at Greenfield and Beverly Court. The driver was found to be suspended and the vehicle was impounded. The driver was arrested and then cited & released at the scene.
- Extra Patrol at Acacia cemetery after hours.
- Flee & Elude from an attempted drunk driving traffic stop at Lahser and 14 Mile Road. The pursuit was terminated with no injuries or damage.
- Medical on Marimoor Drive.
- Suspicious Circumstances on Eastlady Drive.
- Tree down across Buckingham assisted DPW.
- Two Car Hit and Run traffic accident on Southfield and 13 Mile Road.
- Wires Down on Hampstead Street.
- Road Hazard traffic sign across 14 Mile and Southfield.
- Operation Medicine Cabinet.
- Reckless Driving report on Southfield and 13 Mile.
- Suspicious Person on Bedford Street.
- Report of an Assault taken at the station.
- Alarm on Greenfield Road.
- Alarm on Lost Hollow Street.
- Alarm on Riverside Drive.
- Traffic Enforcement on 13 Mile and Evergreen.
- Traffic Accident on 13 Mile and Marlin Court.
- Radar Detail on Waltham and Evergreen.
- Radar Detail on Saxon and Beaconsfield.
- Traffic Complaint unsafe driver at Groves High School.

- Radar Detail on Lahser and 13 Mile.
- A traffic stop was made for an expired license plate at Bates and Locherbie, inside the vehicle were four occupants. Each occupant was arrested for several separate charges including: Possession of Cocaine, Possession of Narcotics Paraphernalia, and Driving While License Suspended. All arrested were taken into custody without incident.
- Animal Complaint on Locherbie.
- Sub Check in the area of Locherbie and Birmingham.
- Suspicious Person on Southfield and Beverly.
- Suspicious Vehicle on 14 Mile and Pierce.
- Extra Patrol in the area of Birmingham and Beverly.
- Beverly Park Checked after hours.
- Medical on Dunblaine Street.
- Animal Complaint on Birwood.
- Radar Detail on 14 Mile Road.
- Medical on Kennoway Circle.
- Retail Fraud on Southfield Road.
- Operation Medicine Cabinet.
- Larceny Report at Mission Point.
- Suspicious Vehicle on Southfield Road.
- Medical on Evergreen Road.
- Suspicious Person on 14 Mile and Shipman.
- Suspicious Person on Riverside Drive.
- Extra Patrol at Medical Village after hours.
- Extra Patrol at 14 Mile and Bates after hours.
- Medical on Elizabeth Street.
- Suspicious Vehicles on Bellvine and 14 Mile.
- Fire Truck Checks at the station.
- Parking Complaint on Buckingham.
- Suspicious Person on Sheridan Drive.
- Extra Patrol by request on Wilshire Drive.
- Extra Patrol at Groves High School after hours.
- A traffic stop was made for fail to signal and improper lane use at Pierce and Kirkshire. The driver was found to be suspended with multiple warrants. The driver was arrested without incident then cited and released at the scene.
- Animal Complaint on Reedmere Street.
- A traffic stop was made for improper turning at Southfield and Beverly. The driver was arrested without incident for outstanding warrants and turned over to Troy PD.
- Fire training at the station.

- A driver was stopped for speeding at Southfield and 13 Mile. The driver was found to not having ever obtained a driver's license and was arrested without incident. The vehicle was turned over to a valid driver and the driver was cited and released at the scene.
- Suspicious Person in Huntley Square Apartments.
- Traffic Enforcement at Southfield and Beverly.
- Greenfield School student drop off.
- Solicitor Complaint on Weston Drive.
- Vehicle Lockout at Beverly Park.
- Suspicious Circumstances on Dunblaine Street.
- Greenfield School student pick up.
- Assist Bloomfield Township PD with Accident at 14 Mile and Lahser.
- Traffic Accident at 13 Mile and Fairfax.
- Welfare Check in Huntley Square Apartments.
- Hospice Death on Kennoway Circle.
- Beverly Park Check after hours.
- Radar Detail on Evergreen and 13 Mile.
- Extra Patrol at Acacia Cemetery after hours.
- Suspicious Person at 13 Mile and Fairfax.
- Neighborhood Trouble in Huntley Square Apartments.
- Crossing Guard Detail at Beverly School.
- Medical on Beechwood Street.
- Traffic Accident at 13 Mile and Southfield.
- Identity Theft report on Sunset Court.
- Reckless Driving complaint on 13 Mile and Southfield.
- Informational Report taken on Warwick Street.
- Vehicle Lockout on Evergreen Road.
- Medical on Coryell Drive.
- Crossing Guard Detail at Beverly School.
- Traffic Accident at Groves High School.
- Medical on Kennoway Circle.
- Animal Complaint on Bellvine Trail.
- Traffic Enforcement on Southfield and Gould Court.
- Radar Detail on Evergreen and 13 Mile.
- Beverly Park Check after hours.
- A driver had passed out behind the wheel at Lahser and 13 Mile. The driver was found to be intoxicated and failed multiple sobriety tests. The driver was arrested without incident and the vehicle was impounded. The driver was transported to Birmingham PD for detoxification without incident.
- Greenfield School student drop off.

- Crossing Guard Detail at Beverly School.
- Traffic Enforcement at Wilshire and Evergreen.
- Groves High School student drop off.
- Traffic Enforcement Norchester and Beverly.
- Alarm on Dunblaine Street.
- Traffic Enforcement at Birmingham and Beverly.
- Suspicious Person on East Rutland.
- Open investigation of Assault at Beverly Park.
- Fraud Report taken on Kirkshire Street.
- Berkshire School student pick up.
- Vehicle Lockout at Groves High School.
- Gun Permit Issued at the station.
- Crossing Guard Detail at Beverly School.
- Queen Of Martyrs student pick up.
- Traffic Accident on Lahser and 14 Mile Road.
- Retail Fraud at Market Fresh.
- Animal Complaint on 13 Mile Road.
- Traffic Offense initiated at 13 Mile and Greenfield.
- Beverly Park Check after hours.
- Groves High School checked after hours.
- A driver was stopped for a headlight out at Southfield and Gould Court. The driver was found to be suspended with outstanding warrants. The driver was arrested without incident and advised by the other jurisdiction on the warrants. The driver was cited and released and the vehicle impounded.
- Radar Detail on Lahser and Hillview.
- Sub Check in the Rutland Subdivision.
- Traffic Enforcement on 13 Mile.
- Sub Check in the area of Chelton and Walmer.
- Animal Complaint on 14 Mile.
- Crossing Guard Detail at Beverly School.
- Embezzlement Report on Southfield Road.
- Alarm on Meadow Lane.
- Extra Patrol requested on Devonshire Street.
- Radar Detail on Evergreen and 13 Mile.
- Berkshire School checked after hours.
- Operation Medicine Cabinet.
- Crossing Guard Detail at Beverly School.
- Suspicious Person on Plumwood Street.
- Medical on Marimoor Street.
- Suspicious Circumstances at Beverly School.
- Berkshire School checked after hours.

- A vehicle attempted to Flee & Elude officers after a traffic stop was initiated. The driver lead officers from Beverly Hills and Birmingham PD on a quick chase in the area of 14 Mile and Pierce. The suspect vehicle was stopped by the use of stop sticks and the driver then fled on foot. The driver was then resisted and fought with officers before being tased and arrested.
- Medical on Pierce and Wetherby.
- Crossing Guard Detail at Beverly School.
- Medical at the station.
- Suspicious Person on 13 Mile and Churchill.
- Medical in Huntley Square Apartments.
- Lift Assist on Norwood Drive.
- Crossing Guard Detail at Beverly School.
- Suspicious Person on Wellesley Blvd.
- Animal Complaint on Warwick Street.
- Radar Detail on Evergreen and 13 Mile.
- Beverly Park checked after hours.
- Reckless Driving Complaint at Lahser and 13 Mile.
- Suspicious Circumstances at Beverly Park.
- Acacia Cemetery checked after hours.
- Suspicious Person on Evergreen and 13 Mile.
- Medical on 14 Mile Road.
- Medical on Southfield Road.
- Alarm on Camelot Court.
- Suspicious Circumstances on Buckingham Street.
- Retail fraud at Ace Hardware.
- Commercial Alarm on Southfield.
- Suspicious Circumstances on 13 Mile and Southfield.
- Fraud Report taken on Churchill Drive.
- Suspicious Person on East Rutland.
- Medical on Hampton Street.
- Medical on Normandale Street.
- Suspicious Person at Mission Point.
- Court Ordered PBT at the station.
- Medical on Amherst Street.
- Residential Lockout on Valley Oaks Drive.
- A traffic stop was made on a vehicle without an attached license plate at Buckingham and Southfield. The driver was found to be suspended and the vehicle was impounded. The driver was arrested and then cited & released at the scene without incident.
- Radar Detail on Lahser and 14 Mile.
- Beverly Park checked after hours.

- Assisted Royal Oak PD by request with a large fight in progress at the Morrie Restaurant.
- Traffic Accident at Rutland and Marguerite.
- Fire Truck Checks at the station.
- Parking Complaint on Sunset Court.
- Commercial Alarm on Southfield Road.
- Traffic Enforcement on 13 Mile Road.
- Extra Patrol at Beverly Park.
- Animal Complaint at Elizabeth and Pierce.
- Medical on Stratford Drive.
- Suspicious Person at Groves High School after hours.
- Greenfield School student drop off.
- Beverly School student drop off.
- Crossing Guard Detail at Beverly School.
- Radar Detail at Hillview and Lahser.
- Operation Medicine Cabinet.
- Traffic Enforcement at Beaconsfield and Riverside.
- Radar Detail at Lahser and Riverview.
- Beverly Park Check extra patrol.
- Extra Patrol request on Dunblaine.
- Radar Detail at Evergreen and Waltham.
- Medical on Lahser Road.
- Radar Detail at Stafford and 13 Mile.
- Traffic Detail at Beverly and Southfield.
- Beverly School student pick up.
- Berkshire School student pick up.
- Medical on Fiddlers Cove.
- A driver was stopped for speeding at Southfield and 14 Mile. The driver was found to be intoxicated after failing multiple sobriety tests and arrested for Operating While Under the Influence of Alcohol. The vehicle was impounded and the subject was transported to Birmingham PD for detoxification without incident.
- Sub Check in the area of Turnberry and Lahser.
- Sub Check in the area of Village Pines and Lahser.
- Radar Detail at Southfield and 13 Mile.
- Traffic Enforcement at 14 Mile and Southfield.
- Beverly School student drop off.
- Radar Detail at 13 Mile and Churchill.
- Extra Patrol at Berkshire School.
- Extra Patrol at Groves High School.
- Medical on Marimoor Street.
- Suspicious Person on Beverly Road.

- Operation Medicine Cabinet.
- Traffic Enforcement at Birmingham and Beverly.
- Beverly School student pick up.
- Parking Complaint at Beverly Park.
- Suspicious Person at 13 Mile and Lahser.
- Suspicious Person at Beverly and Pierce.
- Citizen Assist on Amherst Street.
- Family Trouble on West Rutland Street.

DETECTIVE BUREAU AND SCHOOL LIAISON

- Sgt Baller ICS Training.
- Criminal sexual conduct investigation.
- Arraignment on Criminal sexual conduct suspect.
- Detective Bureau is investigating a complaint which was given to them by Southfield Police. The original investigation started out in Detroit where a women allegedly stabbed her baby. As the investigation unfolded it was given to Southfield Police because of the venue. It was then learned the venue was at Beverly Park. Subject is currently at the forensic center and the baby is alive and well. Officers put together a long investigation along with the other two agencies and are seeking warrants at this time.
- Property items checked with evidence cases.
- Oakland county Pros office seeking warrants.
- In custody Flee and eluding arraignment.
- Suspicious circumstance investigation (threats) at Groves.
- Suspicious circumstances investigation (threats) at Berkshire middle school.
- Care House interview. WA interview curfew, possession of marijuana violation

FIRE MARSHAL AND TRAINING REPORTS

- Continued night time training.
- Continued SCBA training
- Continued fire training.
- Continued equipment checks.

VILLAGE OF BEVERLY HILLS

2021 CONSUMERS ANNUAL REPORT ON WATER QUALITY

ATTENTION: THIS IS AN IMPORTANT REPORT ON WATER QUALITY AND SAFETY

The Village of Beverly Hills, The Southeastern Oakland County Water Authority (SOCWA) and the Great Lakes Water Authority (GLWA) are proud of the fine drinking water they supply and are honored to provide this report to you. The 2021 Consumers Annual Report on Water Quality shows the sources of our water, lists the results of our tests, and contains important information about water and health. We will notify you immediately if there is ever any reason for concern about our water. We are pleased to show you how we have surpassed water quality standards as mandated by the Environmental Protection Agency (EPA) and the Michigan Department of Environment, Great Lakes, and Energy (EGLE).

About the System

The Village of Beverly Hills purchases water from the Southeastern Oakland County Water Authority (SOCWA) at two locations. SOCWA provides GLWA water through its member distribution systems to a population of 210,000 within a 56 square mile area. Current members are Berkley, Beverly Hills, Bingham Farms, Birmingham, Clawson, Huntington Woods, Lathrup Village, Pleasant Ridge, Royal Oak, Southfield, and Southfield Township.

Your source water comes from the Detroit River, situated within the Lake St. Clair, Clinton River, Detroit River, Rouge River, Ecorse River, watersheds in the U.S. and parts of the Thames River, Little River, Turkey Creek and Sydenham watersheds in Canada. The Michigan Department of Environmental Quality in partnership with the U.S. Geological Survey, the Detroit Water and Sewerage Department, and the Michigan Public Health Institute performed a source water assessment in 2004 to determine the susceptibility of GLWA's Detroit River source water for potential contamination. The susceptibility rating is based on a seven-tiered scale and ranges from very low to very high determined primarily using geologic sensitivity, water chemistry, and potential contaminant sources. The report described GLWA's Detroit River intakes as highly susceptible to potential contamination. GLWA's water treatment plants that draw water from the Detroit River has historically provided satisfactory treatment and meets drinking water standards.

GLWA has initiated source-water protection activities that include chemical containment, spill response, and a mercury reduction program. GLWA participates in the National Pollutant Discharge Elimination System permit discharge program and has an emergency response management plan. In 2021, the Michigan Department of Environmental, Great Lakes and Energy approved the GLWA's Updated Surface Water Intake Protection plan for the Belle Isle intake. The plan has seven elements that include: roles and duties of government units and water supply agencies, delineation of a source water protection areas, identification of potential sources of contamination, management approaches for protection, contingency plans, siting of new water sources, public participation, and public education activities. If you would like to know more information about the Source Water Assessment Report, please, contact GLWA at (313 926-8102).

And/or

Your source water comes from the lower Lake Huron watershed. The watershed includes numerous short, seasonal streams that drain to Lake Huron. The Michigan Department of Environmental Quality in partnership with the U.S. Geological Survey, the Detroit Water and Sewerage Department, and the Michigan Public Health Institute performed a source water assessment in 2004 to determine the susceptibility of potential contamination. The susceptibility rating is a seven-tiered scale ranging from "very low" to "very high" based primarily on geologic sensitivity, water chemistry, and contaminant sources. The Lake Huron source water intake is categorized as having a moderately low susceptibility to potential contaminant sources. The Lake

Huron water treatment plant has historically provided satisfactory treatment of this source water to meet drinking water standards.

In 2021, the Michigan Department of Environmental, Great Lakes and Energy approved GLWA's updated Surface Water Intake Protection plans for the Lake Huron water intake. The plan has seven elements: roles and duties of government units and water supply agencies, delineation of a source water protection areas, identification of potential sources of contamination, management approaches for protection, contingency plans, siting of new water sources, public participation, and public education activities. If you would like to know more information about the Source Water Assessment Report, please, contact GLWA at (313 926-8102).

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it can dissolve naturally occurring minerals and, in some cases, radioactive materials, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

Inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm water runoff, industrial or domestic wastewater discharge, oil and gas production, mining, or farming.

Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.

Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff and septic systems.

Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations, which limit the amount of certain contaminants in the water provided by public water systems. The Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water, which must provide the same protection for public health.

Key to the Detected Contaminants Table

Symbol	Abbreviation	Definition/Explanation
Symbol	Abbreviation	Definition/Explanation
AL	Action Level	The concentration of a contaminant, which, if exceeded, triggers treatment or other requirements which a water system must follow.
°C	Celsius	A scale of temperature in which water freezes at 0° and boils at 100° under standard conditions.
>	Greater than	
HAA5	Haloacetic Acids	HAA5 is the total of bromoacetic, chloroacetic, Dibromoacetic, dichloroacetic, and trichloroacetic acids. Compliance is based on the total.
Level 1	Level 1 Assessment	A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in the water system.
LRAA	Locational Running Annual Average	The average of analytical results for samples at a particular monitoring location during the previous four quarters.
MCL	Maximum Contaminant Level	The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
MCLG	Maximum Contaminant Level Goal	The level of contaminant in drinking water below which there is no known or expected risk to health.
MRDL	Maximum Residual Disinfectant Level	The highest level of disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
MRDLG	Maximum Residual Disinfectant Level Goal	The level of a drinking water disinfectant below which there is no known or expected risk to health. MRLDG's do not reflect the benefits of the use of disinfectants to control microbial contaminants.
n/a	not applicable	
ND	Not Detected	
NTU	Nephelometric Turbidity Units	Measures the cloudiness of water.
pCi/L	Picocuries Per Liter	A measure of radioactivity
ppb	Parts Per Billion (one in one billion)	The ppb is equivalent to micrograms per liter. A microgram = 1/1000 milligram.
ppm	Parts Per Million (one in one million)	The ppm is equivalent to milligrams per liter. A milligram = 1/1000 gram.
RAA	Running Annual Average	The average of analytical results for all samples during the previous four quarters.
SMCL	Secondary Maximum Contaminant Level	An MCL which involves a biological, chemical or physical characteristic of water that may adversely affect the taste, odor, color or appearance (aesthetics), which may thereby affect public confidence or acceptance of the drinking water.
TT	Treatment Technique	A required process intended to reduce the level of a contaminant in drinking water.
TTHM	Total Trihalomethanes	Total Trihalomethanes is the sum of chloroform, bromodichloromethane, dibromochloromethane and bromoform. Compliance is based on the total.
µmhos	Micromhos	Measure of electrical conductance of water

2021 Springwells Regulated Detected Contaminants Table

2021 Inorganic Chemicals - Annual Monitoring at Plant Finished Tap								
Regulated Contaminant	Test Date	Unit	Health Goal MCLG	Allowed Level MCL	Highest Level Detected	Range of Detection	Violation	Major Sources in Drinking Water
Fluoride	04/13/2021	ppm	4	4	0.52	n/a	no	Erosion of natural deposit; Water additive, which promotes strong teeth; Discharge from fertilizer and aluminum factories.
Nitrate	04/13/2021	ppm	10	10	0.34	n/a	no	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.
Barium	05/16/2017	ppm	2	2	0.01	n/a	no	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits.

2021 Disinfection Residual - Monitoring in the Distribution System								
Regulated Contaminant	Test Date	Unit	Health Goal MRDLG	Allowed Level MRDL	Highest Level RAA	Range of Quarterly Results	Violation	Major Sources in Drinking Water
Total Chlorine Residual	2021	ppm	4	4	0.69	0.59-0.76	no	Water additive used to control microbes

2021 Turbidity - Monitored Every 4 Hours at the Plant Finished Water Tap								
Highest Single Measurement Cannot Exceed 1 NTU		Lowest Monthly % of Samples Meeting Turbidity Limit of 0.3 NTU (minimum 95%)				Violation	Major Sources in Drinking Water	
0.20 NTU		100%				no	Soil Runoff	

GLWA is required to monitor your drinking water for specific contaminants on a regular basis. Results of regular monitoring are an indicator of whether our drinking water meets health standards. We routinely monitor your water for turbidity (cloudiness). This tells us whether we are effectively filtering the water supply. We did not produce a filter profile for EGLE review within 7 days of an August 1, 2021, **individual filter** exceedance at the GLWA Springwells Water Treatment Plant as required by law. A filter profile is a summary of the turbidity and flow through the filter and is used to identify any trends in filter performance.

*Turbidity has no health effects. However, turbidity can interfere with disinfection and provide a medium for microbial growth. Turbidity may indicate the presence of disease-causing organisms. These organisms include bacteria, viruses, and parasites which can cause symptoms such as nausea, cramps, diarrhea, and associated headaches. * These symptoms are not caused only by organisms in drinking water. If you experience any of these symptoms and they persist, you may want to seek medical advice.

What should I do? There is nothing you need to do currently. This is not an emergency. You do not need to boil water or use an alternative source of water currently. Even though this is not an emergency, as our customers, you have a right to know what happened and what we did to correct the situation.

What happened? What is being done? The filter profile has since been produced and submitted to EGLE and additional response actions have been implemented at the plant. We are making every effort to ensure this does not happen again.

Please share this information with all the other people who drink this water, especially those who may not have received this notice directly (for example, people in apartments, nursing homes, schools, and businesses). You

can do this by posting this notice in a public place or distributing copies by hand or mail. This notice is being sent to you by GLWA.

For more information, please contact the Water Quality Manager, at 313 926-8102

2021 Special Monitoring						
Contaminant	Test Date	Unit	MCLG	MCL	Highest Level Detected	Source of Contaminant
Sodium	04/13/2021	ppm	n/a	n/a	4.36	Erosion of natural deposits

Regulated Contaminant	Treatment Technique	Typical Source of Contaminant
Total Organic Carbon ppm	The Total Organic Carbon (TOC) removal ratio is calculated as the ratio between the actual TOC removal and the TOC removal requirements. The TOC is measured each quarter and because the level is low, there is no requirement for TOC removal.	Erosion of natural deposits

These tables are based on tests conducted by GLWA in the year 2021 or the most recent testing done within the last five calendar years. GLWA conducts tests throughout the year only tests that show the presence of a substance or require special monitoring are presented in these tables. The State allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. The data is representative of the water quality, but some are more than one year old.

2021 Springwells Tap Water Mineral Analysis

Parameter	Units	Max.	Min.	Avg.	Parameter	Units	Max.	Min.	Avg.
Turbidity	NTU	0.12	0.03	0.07	Phosphorus	ppm	0.67	0.37	0.50
Total Solids	ppm	174	94	135	Free Carbon Dioxide	ppm	12.1	8.8	10.2
Total Dissolved Solids	ppm	146	75	120	Total Hardness	ppm	106	82	99
Aluminum	ppm	0.082	0.012	0.037	Total Alkalinity	ppm	76	64	70
Iron	ppm	0.3	0.1	0.2	Carbonate Alkalinity	ppm	0	0	0
Copper	ppm	0.003	ND	0.000	Bi-Carbonate Alkalinity	ppm	76	64	70
Magnesium	ppm	8.3	6.1	7.3	Non-Carbonate Hardness	ppm	35	18	29
Calcium	ppm	29.1	21.3	25.1	Chemical Oxygen Demand	ppm	3.3	ND	1.5
Sodium	ppm	8.4	4.4	5.3	Dissolved Oxygen	ppm	13.4	8.9	10.9
Potassium	ppm	1.3	0.8	1.0	Nitrite Nitrogen	ppm	ND	ND	0.0
Manganese	ppm	0.004	ND	0.000	Nitrate Nitrogen	ppm	0.45	0.23	0.32
Lead	ppm	ND	ND	0.000	Fluoride	ppm	0.71	0.38	0.55
Zinc	ppm	0.001	ND	0.000	pH		7.20	7.07	6.54
Silica	ppm	2.8	1.8	2.2	Specific Conductance @ 25 °C	µmhos	238	191	224
Sulfate	ppm	32.0	22.6	25.9	Temperature	°C	24.3	3.7	14.5
Chloride	ppm	12.9	8.9	10.4					

2021 Northeast Regulated Detected Contaminants Table

2021 Inorganic Chemicals - Annual Monitoring at Plant Finished Tap								
Regulated Contaminant	Test Date	Unit	Health Goal MCLG	Allowed Level MCL	Highest Level Detected	Range of Detection	Violation	Major Sources in Drinking Water
Fluoride	04/13/2021	ppm	4	4	0.44	n/a	no	Erosion of natural deposit; Water additive, which promotes strong teeth; Discharge from fertilizer and aluminum factories.
Nitrate	04/13/2021	ppm	10	10	0.33	n/a	no	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.
Barium	5-16-2017	ppm	2	2	0.01	n/a	no	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits.

2021 Disinfection Residual - Monitoring in the Distribution System								
Regulated Contaminant	Test Date	Unit	Health Goal MRDLG	Allowed Level MRDL	Highest Level RAA	Range of Quarterly Results	Violation	Major Sources in Drinking Water
Total Chlorine Residual	2021	ppm	4	4	0.76	0.58-0.84	no	Water additive used to control microbes

2021 Turbidity - Monitored Every 4 Hours at the Plant Finished Water Tap			
Highest Single Measurement Cannot Exceed 1 NTU	Lowest Monthly % of Samples Meeting Turbidity Limit of 0.3 NTU (minimum 95%)	Violation	Major Sources in Drinking Water
0.11 NTU	100%	no	Soil Runoff
Turbidity has no health effects. However, turbidity can interfere with disinfection and provide a medium for microbial growth. Turbidity may indicate the presence of disease-causing organisms. These organisms include bacteria, viruses, and parasites that can cause symptoms such as nausea, cramps, diarrhea and associated headaches.			

2021 Special Monitoring						
Contaminant	Test Date	Unit	MCLG	MCL	Highest Level Detected	Source of Contaminant
Sodium	04/13/2021	ppm	n/a	n/a	4.45	Erosion of natural deposits

Regulated Contaminant	Treatment Technique	Typical Source of Contaminant
Total Organic Carbon ppm	The Total Organic Carbon (TOC) removal ratio is calculated as the ratio between the actual TOC removal and the TOC removal requirements. The TOC is measured each quarter and because the level is low, there is no requirement for TOC removal.	Erosion of natural deposits

These tables are based on tests conducted by GLWA in the year 2021 or the most recent testing done within the last five calendar years. GLWA conducts tests throughout the year only tests that show the presence of a substance or require special monitoring are presented in these tables. The State allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. The data is representative of the water quality, but some are more than one year old.

2021 Northeast Tap Water Mineral Analysis

Parameter	Units	Max.	Min.	Avg.	Parameter	Units	Max.	Min.	Avg.
Turbidity	NTU	1.90	0.04	0.30	Phosphorus	ppm	0.51	0.33	0.39
Total Solids	ppm	178	93	137	Free Carbon Dioxide	ppm	11.0	6.4	8.8
Total Dissolved Solids	ppm	149	57	121	Total Hardness	ppm	108	86	99
Aluminum	ppm	1.470	0.018	0.155	Total Alkalinity	ppm	74	66	71
Iron	ppm	0.3	0.1	0.2	Carbonate Alkalinity	ppm	0	0	0
Copper	ppm	0.009	ND	0.003	Bi-Carbonate Alkalinity	ppm	74	66	71
Magnesium	ppm	8.1	6.1	7.4	Non-Carbonate Hardness	ppm	35	19	28
Calcium	ppm	28.5	21.4	25.4	Chemical Oxygen Demand	ppm	5.5	ND	1.9
Sodium	ppm	7.0	4.5	5.2	Dissolved Oxygen	ppm	12.3	8.7	10.4
Potassium	ppm	1.2	0.8	1.0	Nitrite Nitrogen	ppm	ND	ND	0.0
Manganese	ppm	0.005	ND	0.000	Nitrate Nitrogen	ppm	0.43	0.24	0.32
Lead	ppm	ND	ND	0.000	Fluoride	ppm	0.72	0.44	0.57
Zinc	ppm	ND	ND	0.000	pH		7.34	7.08	7.21
Silica	ppm	2.9	1.8	2.2	Specific Conductance @ 25 °C.	µmhos	276	190	227
Sulfate	ppm	28.1	21.9	24.7	Temperature	°C	68.0	9.3	24.0
Chloride	ppm	11.9	9.2	10.4					

2021 Lake Huron Regulated Detected Contaminants Table

2021 Inorganic Chemicals - Annual Monitoring at Plant Finished Tap								
Regulated Contaminant	Test Date	Unit	Health Goal MCLG	Allowed Level MCL	Highest Level Detected	Range of Detection	Violation	Major Sources in Drinking Water
Fluoride	04/13/2021	ppm	4	4	0.62	n/a	no	Erosion of natural deposit; Water additive, which promotes strong teeth; Discharge from fertilizer and aluminum factories.
Nitrate	04/13/2021	ppm	10	10	0.31	n/a	no	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.
Barium	05-16-2017	ppm	2	2	0.01	n/a	no	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits.

2021 Disinfection Residual - Monitoring in the Distribution System								
Regulated Contaminant	Test Date	Unit	Health Goal MRDLG	Allowed Level MRDL	Highest Level RAA	Range of Quarterly Results	Violation	Major Sources in Drinking Water
Total Chlorine Residual	2021	ppm	4	4	0.8	0.72-0.87	no	Water additive used to control microbes

2021 Turbidity - Monitored Every 4 Hours at the Plant Finished Water Tap			
Highest Single Measurement Cannot Exceed 1 NTU	Lowest Monthly % of Samples Meeting Turbidity Limit of 0.3 NTU (minimum 95%)	Violation	Major Sources in Drinking Water
0.09 NTU	100%	no	Soil Runoff
Turbidity has no health effects. However, turbidity can interfere with disinfection and provide a medium for microbial growth. Turbidity may indicate the presence of disease-causing organisms. These organisms include bacteria, viruses, and parasites that can cause symptoms such as nausea, cramps, diarrhea and associated headaches.			

Regulated Contaminant	Treatment Technique	Typical Source of Contaminant
Total Organic Carbon ppm	The Total Organic Carbon (TOC) removal ratio is calculated as the ratio between the actual TOC removal and the TOC removal requirements. The TOC is measured each quarter and because the level is low, there is no requirement for TOC removal.	Erosion of natural deposits

Radionuclides - Monitored at the Plant Finished Tap in 2014							
Regulated Contaminant	Test Date	Unit	MCLG	MCL	Level Detected	Violation	Major Sources in Drinking Water
Combined Radium Radium 226 and 228	5/13/14	pCi/L	0	5	0.86 ± 0.55	no	Erosion of natural deposits

2021 Special Monitoring						
Contaminant	Test Date	Unit	MCLG	MCL	Highest Level Detected	Source of Contaminant
Sodium	4/13/2021	ppm	n/a	n/a	4.23	Erosion of natural deposits

These tables are based on tests conducted by GLWA in the year 2021 or the most recent testing done within the last five calendar years. GLWA conducts tests throughout the year only tests that show the presence of a substance or require special monitoring are presented in these tables. The State allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. The data is representative of the water quality, but some are more than one year old.

2021 Lake Huron Tap Water Mineral Analysis

Parameter	Units	Max.	Min.	Avg.	Parameter	Units	Max.	Min.	Avg.
Turbidity	NTU	0.11	0.04	0.07	Chloride	ppm	10.1	8.4	9.6
Total Solids	ppm	164	70	124	Phosphorus	ppm	0.48	0.36	0.40
Total Dissolved Solids	ppm	148	68	113	Free Carbon Dioxide	ppm	8.3	4.4	5.8
Aluminum	ppm	0.139	0.023	0.060	Total Hardness	ppm	107	85	98
Iron	ppm	0.3	0.1	0.2	Total Alkalinity	ppm	78	72	75
Copper	ppm	0.001	ND	0.000	Carbonate Alkalinity	ppm	0	0	0
Magnesium	ppm	8.3	6.0	7.4	Bi-Carbonate Alkalinity	ppm	78	72	74
Calcium	ppm	27.7	20.5	25.0	Non-Carbonate Hardness	ppm	29	13	24
Sodium	ppm	16.1	4.0	5.8	Chemical Oxygen Demand	ppm	5.0	ND	1.9
Potassium	ppm	1.1	0.8	1.0	Dissolved Oxygen	ppm	12.6	8.3	10.5
Manganese	ppm	ND	ND	0.000	Nitrite Nitrogen	ppm	ND	ND	0.0
Lead	ppm	ND	ND	0.000	Nitrate Nitrogen	ppm	0.37	0.29	0.33
Zinc	ppm	0.003	ND	0.001	Fluoride	ppm	0.80	0.59	0.67
Silica	ppm	2.5	1.8	2.2	pH		7.53	7.25	7.42
Sulfate	ppm	22.4	17.3	19.3	Specific Conductance @ 25 °C	µmhos	312	188	222
					Temperature	°C	68.2	4.2	19.2

VILLAGE OF BEVERLY HILLS

2021 Microbiological Contaminants – Monthly Monitoring in Distribution System

Regulated Contaminant	MCLG	MCL	Highest Number Detected	Violation yes/no	Major Sources in Drinking Water
Total Coliform Bacteria	0	Presence of Coliform bacteria > 5% of monthly samples	0	no	Naturally present in the environment
<i>E. coli</i> Bacteria	0	A routine sample and a repeat sample are total coliform positive, and one is also <i>E. coli</i> positive.	0	no	Sanitary defects

2021 Disinfection By-Products – Monitoring in Distribution System, Stage 2 Disinfection By-Products

Regulated Contaminant	Test Date	Unit	Health Goal MCLG	Allowed Level MCL	Highest LRAA	Range of Detection	Violation yes/no	Major Sources in Drinking Water
Total Trihalomethanes (TTHM)	2021	ppb	n/a	80	25	16 – 24	no	By-product of drinking water chlorination
Haloacetic Acids (HAA5)	2021	ppb	n/a	60	19	13 - 20	no	By-product of drinking water disinfection

Lead and Copper Monitoring at the Customer's Tap in 2021

Regulated Contaminant	Test Date	Unit	Health Goal MCLG	Action Level AL	90 th Percentile Value*	Number of Samples Over AL	Range of Individual Samples Results	Violation	Major Sources in Drinking Water
Lead	2021	ppb	0	15	0	0	0 - 5	no	Lead services lines, corrosion of household, plumbing including fittings and fixtures. Erosion of natural deposits"
Copper	2021	ppm	1.3	1.3	0.1	0.0	0.0 - 0.1	no	Corrosion of household plumbing system. Erosion of natural deposits.

* The 90th percentile value means 90 percent of the homes tested have lead and copper levels below the given 90th percentile value. If the 90th percentile value is above the AL additional requirements must be met.

2021 Number of Water Service Connections by Service Line Material

Number of Lead Service Lines	Number of Service Lines of Unknown Material	Total Number of Service Lines
2	1359	4371

2020 Unregulated Contaminant Monitoring Rule (UCMR4)

The UCMR program provides the EPA and other interested parties with nationally representative data on the occurrence of particular contaminants in drinking water, the number of people potentially being exposed and an estimate of the levels of that exposure. In accordance with SDWA, EPA will consider the occurrence data from UCMR4 and other sources, along with the peer reviewed health effects assessments, to support a regulatory determination on whether to initiate the process to develop a national primary drinking water regulation.

The table lists the minimum reporting level, level detected, average and range of each contaminant detected.

Detection levels are in micro grams per Liter (1µg/L = 1ppb)

Contaminant	Minimum Reporting Level µg/L	Level Detected	AVG	Range
HAA5	NA	NA	13.44	9.97 – 17.23
HAA6Br	NA	NA	7.08	6.15 – 8.41
HAA9	NA	NA	19.86	15.89 – 24.91

Important Health Information

Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Village of Beverly Hills is responsible for providing high quality drinking water but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using the water for drinking or cooking. If you have a lead service line it is recommended that you run your water for 5 minutes to flush water from both your home plumbing and the lead service line. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline 1-800-462-4791 or at <http://www.epa.gov/safewater/lead>.

Infants and children who drink water containing lead could experience delays in their physical or mental development. Children could show slight deficits in attention span and learning abilities. Adults who drink this water over many years could develop kidney problems or high blood pressure.

People with Special Health Concerns

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline at (800) 426-4791.

Questions:

Local Distribution: Village of Beverly Hills (248) 646-6404

Southeastern Oakland County Water Supply System – Water Authority offices: (248) 288-5150. Visit our web site at www.socwa.org

Great Lakes Water Authority – www.glwater.org

Michigan Department of Environment, Great Lakes, and Energy (EGLE) - (586) 753-3755 – www.michigan.gov/egle

U.S. Environmental Protection Agency – Safe Drinking Water Hotline: (800) 426-4791.

Water quality data for community water systems throughout the United States is available at <https://www.epa.gov/wqs-tech>

Sponsored by:



Sheriff Michael J. Bouchard



Free Document Shredding & Electronics Recycling for Oakland County Residents

Oakland County residents may bring their confidential, personal documents to be shred on site for free by Rapid Shred's state-of-the-art, high volume shredding truck. **New this year - Recycle your electronics!**

2022 Schedule and Dates

.....

**Wednesday, April 20 from 5-7 p.m. at Oakland County Farmers Market,
2350 Pontiac Lake Road, Waterford**

**Monday, Aug. 15 from 9-11 a.m. at Catalpa Oaks County Park,
27705 Greenfield Road, Southfield**

**Wednesday, Oct. 5 from 3-5 p.m. at Red Oaks Waterpark,
1455 E. Thirteen Mile Road, Madison Heights**

The Rapid Shred and High Tech Recycling trucks will be in the parking lot. Please arrive early as there is typically a line of cars, but the line moves quickly. Residents are reminded to limit documents to three or four boxes of PAPER ONLY for the shredding truck. Electronic recycling includes computers, laptops, tablets, printers, fax machines and more. This event is not for commercial customers.



**Protect your identity
and peace of mind**



For a complete list of accepted electronic items, visit OaklandCountyParks.com or call 248-975-7206.

Volunteers Needed!

PARK CLEAN UP & TREE PLANTING



SCAN ME

*Saturday, May 14, 2022 - 8:45 a.m. to Noon
Beverly Park, 18801 Beverly Road, Beverly Hills, MI*

Make a difference in a few hours that can last decades! The Village of Beverly Hills will be planting several trees at Beverly Park on May 14th thanks to grant funding from the DTE Energy Foundation. The purpose is to restore the area after the removal of invasive buckthorn and dead trees.

Experts from ReLeaf Michigan will be on site to show volunteers how to plant a tree. Masks and gloves are recommended!

Please wear closed-toe shoes and bring a shovel if you have one. Rain or shine.

We will also be having our annual Park Clean Up Event for those interested in helping clean up! We hope to see you there!

To volunteer, please sign up at:

<https://www.signupgenius.com/go/9040f44a4af2fa46-community1>

*Questions, please contact Janice Hausman at
248-677-1884 or hausmanhouse@gmail.com*

DTE Foundation



April 7, 2022

Ms. Kristin Rutkowski, Clerk
Village of Beverly Hills
18500 W. 13 Mile Road
Beverly Hills, MI 48025

RE: Programming Advisory

Dear Ms. Rutkowski:

As part of our ongoing commitment to keep you and our customers informed about changes to Xfinity TV services, we wanted to inform you of the following changes:

Effective May 12, 2022, Fox Sports 1 will no longer be offered as part of Digital Economy. These channels are available as part of Popular TV, Sports & News, and Digital Starter.

Please feel free to contact me at 734-359-2308 if you have any questions.

Sincerely,

A handwritten signature in blue ink, appearing to read "Kyle V. Mazurek", written over a horizontal line.

Kyle V. Mazurek
Manager of External Affairs
Comcast, Heartland Region
41112 Concept Drive
Plymouth, MI 48170