SIGN IN SHEET FOR

ASPHALT PAVIING MILLING FY 22 HEBRON AREA

Date & Time of Opening:

September 10, 2021 at 2:00 pm. Local time

Bid Opening Location:

1st Floor Fiscal Courtroom

2950 Washington Street - Burlington, KY 41005

Name of Representative	Company Name
Dia Hageman	BC7C
Pote Michals	Michely
FOUT HELLMAN	EATON
Byen Mount	Riegles
Lely Joslin	BCFC
Rob Frankungen	BCFC

TABULATION FOR ASPHALT PAVING/MILLING HEBRON AREA

	1				
4		ω	2	1	ITEM
Giles Conrad Park- Class 2 Asphalt Surface 0.38D PG64-22", installed and compacted; including road preparation (weed burning/ crack cleaning as necessary), cutting edge keys, raising utilities, trackless tack coat (NTSS-1HM or equivalent), hauling, flagging, foremen & Paving Crews. Durable pavement edge on on curb & gutter streets. Contractor shall crack seal all edge joints between concrete curbs and asphalt paving with joint sealer compound. Remove & reset parking stops as required.	SUBTOTAL (Items 1-3)	Remove and replace concrete sidewalk ramps according to special note and drawings. Detectable warning pads to be provided by Boone County Public Works. Ramps estimated at 16 SY per ramp.	Mill Existing Asphalt Pavement, Concrete Pavement or Asphalt over Concrete. Minimum Six (6) Feet in Width from Gutter Line. See Additional Specifications for Milling.	Class 2 Asphalt Surface 0.38D PG64-22* installed and compacted; including road preparation (weed burning/crack cleaning as necessary), cutting edge keys, raising utilities, trackless tack coat (NTSS-1HM or equivalent), hauling, flagging, foreman & paving crew. Durable pavement edge on non-curb & gutter streets. Contractor shall crack seal all edge joints between concrete curbs and asphalt paving with joint sealer compound.	ITEM BID
00.06 L'EE	495,004	32000	30.00	19200 433,39400	Brack to P
118,50	530,731.60	160.00 40,960°C	25,662.00	84.60 464,115.60	Gator
109,801.50	530,737.60 500,170.50	31,744.00	47,376.00	76.75 421,050.50	Such of the bound
	P A	00 E V 900 FF	Chart Co. To The Condition		J. C.

ASPHALT PAVING/MILLING HEBRON AREA TABULATION FOR

		6	5
GRAND TOTAL (All Items)	SUBTOTAL (Items 4-6)	Giles Conrad Park - Milling at Curs, Minimum Six (6) Feet in Width from Gutter Line. See Additional Specifications for Milling.	Giles Conrad Park - 4 Inch - Reflective Parking Lot Striping
624,024.00	00.060,pe1	00,00	
01,111,600 00.460,110	139,030.00 131,373,50	00.0098	,600.00 00.00
00.017,310	115,539.50	00.836 h	750.00
š		Aller of the contracts	in the state of th

Judge Executive or Designee: A. O.

Recorded by:_