

# April 2022

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
					1	2
3	4 <b>CUYAHOGA COUNTY BENNETT ROAD PATH MTG. 6:00</b>	5 COUNCIL AND CAUCUS 7:00 STORM WATER, STREETS, UTILITIES AND R&O 6:00	6 PLANNING COMMISSION 7:00 CAUCUS 6:45	7 <b>PROPOSED SANITARY SEWER PROJECT EDGERTON MTG. 6:00</b>	8	9
10	11 CIVIL SERVICE COMM 4:00 (COMMUNITY ROOM #2)	12	13	14	15	16
17 <i>EASTER SUNDAY</i>	18	19 COUNCIL AND CAUCUS 7:00 B&BC, FINANCE AND SAFETY 6:00	20	21	22	23
24	25	26 RECREATION BOARD 6:00	27	28 BOARD OF ZONING APPEALS 7:00 CAUCUS 6:45	29	30

All meetings will be held at City Hall 14600 State Road, unless otherwise noted.

**NORTH ROYALTON CITY COUNCIL  
A G E N D A  
APRIL 5, 2022**

7:00 p.m. Caucus

Council Meeting 7:00 p.m.

-----  
**REGULAR ORDER OF BUSINESS**

1. Call to Order.
2. Opening Ceremony (Pledge of Allegiance).
3. Roll Call.
4. Approval of Minutes: March 15, 2022.
5. Communications.
6. Mayor's Report.
7. Department Head Reports.
8. President of Council's Report.
9. Committee Reports:

Building & Building Codes	John Nickell
Finance	Paul Marnecheck
Review & Oversight	Jeremy Dietrich
Safety	Michael Vos
Storm Water	Linda Barath
Streets	Joanne Krejci
Utilities	Dawn Carbone-McDonald
10. Report from Council Representatives to regulatory or other boards:

Board of Zoning Appeals	John Nickell
Planning Commission	Paul Marnecheck
Recreation Board	Jeremy Dietrich
11. Public Discussion: Five minute maximum, on current agenda legislation only.
12. LEGISLATION

**THIRD READING CONSIDERATION**

1. **21-78 - AN ORDINANCE AMENDING THE CODIFIED ORDINANCES OF THE CITY OF NORTH ROYALTON, PART 2 ADMINISTRATION, CHAPTER 212 PUBLIC MEETINGS, SECTION 212.03 OPEN MEETINGS REQUIRED; MINUTES, AND DECLARING AN EMERGENCY. First reading April 20, 2021. Second reading May 4, 2021.**

**SECOND READING CONSIDERATION**

1. **22-55 - AN ORDINANCE AUTHORIZING THE MAYOR TO ENTER INTO AN AGREEMENT WITH FLOCK SAFETY FOR FLOCK FALCON CAMERAS, INSTALLATION AND PROFESSIONAL SERVICES FOR THE NORTH ROYALTON POLICE DEPARTMENT FOR AN AMOUNT NOT TO EXCEED \$41,250.00, WITH AN ANNUAL PROFESSIONAL SERVICES COST OF \$37,500.00.00, AND DECLARING AN EMERGENCY. Safety Committee recommended approval March 15, 2022. First reading March 15, 2022.**

**FIRST READING CONSIDERATION**

1. **22-56 - A RESOLUTION CONFIRMING THE MAYOR'S APPOINTMENT OF MICHAEL FABISH AS A MEMBER OF THE CITY OF NORTH ROYALTON'S CIVIL SERVICE COMMISSION, AND DECLARING AN EMERGENCY.**
2. **22-57 - A RESOLUTION CONFIRMING THE MAYOR'S APPOINTMENT OF JONATHAN KARL TO THE POSITION OF SCHOOL RESOURCE OFFICER IN THE CITY OF NORTH ROYALTON, AND DECLARING AN EMERGENCY.**

3. **22-58** - AN ORDINANCE AUTHORIZING THE EXPENDITURE OF FUNDS FOR THE PURCHASE OF ONE (1) 2022 F450 DUMP TRUCK FOR THE NORTH ROYALTON WASTEWATER DEPARTMENT THROUGH THE OHIO DEPARTMENT OF ADMINISTRATIVE SERVICES, OHIO COOPERATIVE PURCHASING PROGRAM, VENDOR VALLEY FORD TRUCK, INC., FOR AN AMOUNT NOT TO EXCEED \$87,352.00, AND DECLARING AN EMERGENCY.
4. **22-59** - AN ORDINANCE AUTHORIZING THE EXPENDITURE OF FUNDS FOR THE PURCHASE OF ONE (1) FREIGHTLINER M2-106 BOX TRUCK FOR THE NORTH ROYALTON WASTEWATER DEPARTMENT THROUGH THE OHIO DEPARTMENT OF TRANSPORTATION PURCHASING CONTRACT FOR AN AMOUNT NOT TO EXCEED \$93,819.00, AND DECLARING AN EMERGENCY.
5. **22-60** - AN ORDINANCE AUTHORIZING THE EXPENDITURE OF FUNDS FOR THE PURCHASE OF ONE (1) 5 TON TANDEM DUMP TRUCK FOR THE NORTH ROYALTON WASTEWATER DEPARTMENT THROUGH THE OHIO DEPARTMENT OF TRANSPORTATION PURCHASING CONTRACT FOR AN AMOUNT NOT TO EXCEED \$170,538.00, AND DECLARING AN EMERGENCY.
6. **22-61** - AN ORDINANCE ADDRESSING THE PROVISIONS OF AMENDED SUBSTITUTE H.B. 172 CONCERNING THE RIGHT OF MUNICIPALITIES TO RETAIN THE REGULATIONS AND PROHIBITIONS ON THE DISCHARGE, IGNITION AND EXPLODING OF FIREWORKS THAT EXISTED PRIOR TO THE ENACTMENT OF AMENDED SUBSTITUTE H.B. 172, AND DECLARING AN EMERGENCY.
7. **22-62** - AN ORDINANCE AMENDING THE CODIFIED ORDINANCES OF THE CITY OF NORTH ROYALTON, PART 4 TRAFFIC CODE, TITLE SIX, CHAPTER 432 OPERATION GENERALLY, SECTION 432.30 STOPPING FOR SCHOOL BUS; ACTUATING VISUAL SIGNALS; DISCHARGING CHILDREN, PARAGRAPH (f)(1), AND DECLARING AN EMERGENCY.
8. **22-63** - AN ORDINANCE AMENDING THE CODIFIED ORDINANCES OF THE CITY OF NORTH ROYALTON, PART 12 PLANNING AND ZONING CODE, CHAPTER 1260 GENERAL PROVISIONS AND DEFINITIONS, SECTION 1260.07 DEFINITIONS TO ADD APPROPRIATE DEFINITIONS FOR ACCESSORY BUILDINGS, AND DECLARING AN EMERGENCY.
9. **22-64** - AN ORDINANCE AMENDING THE CODIFIED ORDINANCES OF THE CITY OF NORTH ROYALTON, PART 12 PLANNING AND ZONING CODE, CHAPTER 1270 RESIDENTIAL DISTRICTS (OTHER THAN SENIOR CITIZEN AND RURAL RESIDENTIAL DISTRICTS), SECTION 1270.04 AREA, YARD AND HEIGHT REGULATIONS, PARAGRAPH (g), AND DECLARING AN EMERGENCY.
10. **22-65** - AN ORDINANCE AMENDING THE CODIFIED ORDINANCES OF THE CITY OF NORTH ROYALTON, PART TWELVE PLANNING AND ZONING CODE, CHAPTER 1270 RESIDENTIAL DISTRICTS, SECTION 1270.12 YARDS FOR ACCESSORY BUILDINGS AND USES, PARAGRAPH (a), AND DECLARING AN EMERGENCY.
11. **22-66** - AN ORDINANCE AMENDING THE CODIFIED ORDINANCES OF THE CITY OF NORTH ROYALTON, PART TWELVE PLANNING AND ZONING CODE, CHAPTER 1270 RESIDENTIAL DISTRICTS, SECTION 1270.12 YARDS FOR ACCESSORY BUILDINGS AND USES, BY REPEALING PARAGRAPH (b), AND DECLARING AN EMERGENCY.
12. **22-67** - AN ORDINANCE AMENDING THE CODIFIED ORDINANCES OF THE CITY OF NORTH ROYALTON, PART TWELVE PLANNING AND ZONING CODE, CHAPTER 1270 RESIDENTIAL DISTRICTS, SECTION 1270.19 DWELLING UNIT AREA REQUIREMENT, PARAGRAPH (d), AND DECLARING AN EMERGENCY.
13. Miscellaneous.
14. Adjournment.

RESOLUTION NO. 22-56

INTRODUCED BY: Mayor Antoskiewicz  
Co-Sponsor: Marnecheck, Carbone-McDonald

A RESOLUTION CONFIRMING THE MAYOR'S APPOINTMENT OF  
MICHAEL FABISH AS A MEMBER OF THE CITY OF NORTH ROYALTON'S CIVIL  
SERVICE COMMISSION, AND DECLARING AN EMERGENCY

**WHEREAS:** The Mayor has appointed Michael Fabish as a member of the Civil Service Commission; and

**WHEREAS:** Council confirms various appointments made by the Mayor; and

**WHEREAS:** It is necessary to keep an accurate record of these various appointments as to individuals appointed and their term of office.

NOW, THEREFORE, BE IT RESOLVED BY THE COUNCIL OF THE CITY OF NORTH ROYALTON, COUNTY OF CUYAHOGA AND STATE OF OHIO, THAT:

Section 1. Council hereby confirms the appointment of Michael Fabish as a member of the Civil Service Commission effective January 19, 2022.

Section 2. The term of said appointment shall expire on January 18, 2028.

**Section 3.** It is found and determined that all formal actions of this Council concerning and relating to the adoption of this Resolution were adopted in an open meeting of this Council and that all deliberations of this Council and any of its committees that resulted in such formal action were in meetings open to the public in compliance with all legal requirements.

**Section 4.** This Resolution is hereby declared to be an emergency measure immediately necessary for the preservation of the public peace, health, safety and welfare of the city, and for the further reason that it is immediately necessary to keep accurate public records as to the various appointments made by the Mayor and the date of said appointments.

THEREFORE, provided this Resolution receives the affirmative vote of two-thirds of all members elected to Council, it shall take effect and be in force immediately upon its passage and approval by the Mayor; otherwise, from and after the earliest period allowed by law.

\_\_\_\_\_  
PRESIDENT OF COUNCIL

APPROVED: \_\_\_\_\_  
MAYOR

DATE PASSED: \_\_\_\_\_ DATE APPROVED: \_\_\_\_\_

ATTEST: \_\_\_\_\_  
DIRECTOR OF LEGISLATIVE SERVICES

YEAS:

**NAYS:**



RESOLUTION NO. 22-57

INTRODUCED BY: Mayor Antoskiewicz  
Co-Sponsor: Marnecheck, Carbone-McDonald

A RESOLUTION CONFIRMING THE MAYOR’S APPOINTMENT OF JONATHAN KARL TO THE  
POSITION OF SCHOOL RESOURCE OFFICER IN THE CITY OF NORTH ROYALTON,  
AND DECLARING AN EMERGENCY

- WHEREAS: The Mayor has appointed Jonathan Karl to the position of School Resource Officer in the City of North Royalton; and
- WHEREAS: Council confirms various appointments made by the Mayor; and
- WHEREAS: It is necessary to keep an accurate record of these various appointments as to individuals appointed and their term of office.

NOW, THEREFORE, BE IT RESOLVED BY THE COUNCIL OF THE CITY OF NORTH ROYALTON, COUNTY OF CUYAHOGA AND STATE OF OHIO, THAT:

- Section 1. Council hereby confirms the appointment of Jonathan Karl to the position of School Resource Officer in the City of North Royalton, effective March 21, 2022.
- Section 2. It is found and determined that all formal actions of this Council concerning and relating to the adoption of this Resolution were adopted in an open meeting of this Council and that all deliberations of this Council and any of its committees that resulted in such formal action were in meetings open to the public in compliance with all legal requirements.
- Section 3. This Resolution is hereby declared to be an emergency measure immediately necessary for the preservation of the public peace, health, safety and welfare of the city, and for the further reason that it is immediately necessary to keep accurate public records as to the various appointments made by the Mayor and the date of said appointment.

THEREFORE, provided this Resolution receives the affirmative vote of two-thirds of all members elected to Council, it shall take effect and be in force immediately upon its passage and approval by the Mayor; otherwise, from and after the earliest period allowed by law.

\_\_\_\_\_  
PRESIDENT OF COUNCIL

APPROVED: \_\_\_\_\_  
MAYOR

DATE PASSED: \_\_\_\_\_ DATE APPROVED: \_\_\_\_\_

ATTEST: \_\_\_\_\_  
DIRECTOR OF LEGISLATIVE SERVICES

YEAS:

NAYS:

ORDINANCE NO. 22-58 INTRODUCED BY: Carbone-McDonald, Krejci, Dietrich

ORDINANCE NO. 22-58 INTRODUCED BY: Carbone-McDonald, Krejci, Dietrich

AN ORDINANCE AUTHORIZING THE EXPENDITURE OF FUNDS FOR THE PURCHASE OF ONE (1) 2022 F450 DUMP TRUCK FOR THE NORTH ROYALTON WASTEWATER DEPARTMENT THROUGH THE OHIO DEPARTMENT OF ADMINISTRATIVE SERVICES, OHIO COOPERATIVE PURCHASING PROGRAM, VENDOR VALLEY FORD TRUCK, INC., FOR AN AMOUNT NOT TO EXCEED \$87,352.00, AND DECLARING AN EMERGENCY

**WHEREAS:** Council has authorized the purchase of a dump truck for the North Royalton Wastewater Department; and

WHEREAS: The city is purchasing this vehicle through the Ohio Cooperative Purchasing Program of the Department of Administrative Services; and

**WHEREAS:** It is necessary to provide for the funding of said purchase.

NOW, THEREFORE, BE IT ORDAINED BY THE COUNCIL OF THE CITY OF NORTH ROYALTON,  
COUNTY OF CUYAHOGA AND STATE OF OHIO, THAT:

**Section 1.** Council hereby authorizes the expenditure of funds for the purchase of one (1) 2022 F450 dump truck in the amount of \$87,352.00 for the North Royalton Wastewater Department pursuant to Contract No. RS1007536 through the Ohio Cooperative Purchasing Program of the Department of Administrative Services, Vendor: Valley Ford Truck, Inc., 5715 Canal Road, Cleveland, Ohio 44125, Vendor No. 8224, and as further described in Exhibit A attached hereto and incorporated as if fully rewritten.

**Section 2.** The Wastewater Superintendent is hereby authorized and directed to forward a certified copy of this Ordinance to the Ohio Department of Administrative Services, Ohio Cooperative Purchasing Program.

Section 3. It is found and determined that all formal actions of this Council concerning and relating to the adoption of this Ordinance were adopted in an open meeting of this Council and that all deliberations of this Council and any of its committees that resulted in such formal action were in meetings open to the public in compliance with all legal requirements.

**Section 4.** This Ordinance is hereby declared to be an emergency measure immediately necessary for the preservation of the public peace, health, safety and welfare of the city, and for the further reason that it is immediately necessary to provide for the purchase of this vehicle for the North Royalton Wastewater Department for the proper and immediate performance of departmental duties.

THEREFORE, provided this Ordinance receives the affirmative vote of two-thirds of all members elected to Council, it shall take effect and be in force immediately upon its passage and approval by the Mayor; otherwise, from and after the earliest period allowed by law.

\_\_\_\_\_  
PRESIDENT OF COUNCIL

APPROVED: \_\_\_\_\_  
MAYOR

DATE PASSED: \_\_\_\_\_ DATE APPROVED: \_\_\_\_\_

ATTEST: \_\_\_\_\_  
DIRECTOR OF LEGISLATIVE SERVICES

YEAS:

NAYS:



MARCH 2, 2022

CITY OF NORTH ROYALTON JOHN SIMON (440)336-5377 lab@northroyalton.org

OHIO CONTRACT RS1007536

Hi John,

Following are the revised specifications for the F450 dump truck. Cost is \$87,352.00

Due to current market conditions, I don't have a good idea on delivery. Build is at the discretion of the Manufacturer. Availability is subject to change without notice.

I will call to follow up but please call anytime with any questions, (216)524-2400.

Regards,  
Jenny Loveland  
Government Sales Manager

Fleet Maintenance Council of NE Ohio  
NE Ohio Service Directors  
Ohio Township Association  
Vendor State of Ohio

**Prepared for: JOHN SIMON**

NORTH ROYALTON, CO

Prepared by: Jenny Loveland

01/20/2022



Valley Ford Truck, Inc. | 5715 Canal Road Cleveland Ohio | 441253494

**2022 F-450 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F4H)**

Price Level: 245 | Quote ID: nrsimodump

## As Configured Vehicle

### Description

Base Vehicle Price (F4H)

Order Code 650A

*Includes:*

- Engine: 7.3L 2V DEVCT NA PFI V8 Gas
- Transmission: TorqShift 10-Speed Automatic  
10R140 with neutral idle and selectable drive modes: normal, tow/haul, eco, deep sand/snow and slippery.
- GVWR: 16,500 lb Payload Package
- Wheels: 19.5" x 6" Argent Painted Steel  
Hub covers/center ornaments not included.
- HD Vinyl 40/20/40 Split Bench Seat  
Includes center armrest, cupholder, storage and driver's side manual lumbar.
- Radio: AM/FM Stereo w/MP3 Player  
Includes 4 speakers.
- SYNC Communications & Entertainment System  
Includes enhanced voice recognition, 911 Assist, 4.2" LCD center stack screen, AppLink, 1 smart-charging USB port and steering wheel audio controls.

Engine: 7.3L 2V DEVCT NA PFI V8 Gas

Transmission: TorqShift 10-Speed Automatic

10R140 with neutral idle and selectable drive modes: normal, tow/haul, eco, deep sand/snow and slippery.

Limited Slip w/4.88 Axle Ratio

GVWR: 16,500 lb Payload Package

Tires: 225/70Rx19.5G BSW Traction

Includes 4 traction tires on the rear and 2 A/P tires on the front.

Wheels: 19.5" x 6" Argent Painted Steel

Hub covers/center ornaments not included.

HD Vinyl 40/20/40 Split Bench Seat

Includes center armrest, cupholder, storage and driver's side manual lumbar.

Monotone Paint Application

169" Wheelbase

Radio: AM/FM Stereo w/MP3 Player

Includes 4 speakers.

*Includes:*

- SYNC Communications & Entertainment System  
Includes enhanced voice recognition, 911 Assist, 4.2" LCD center stack screen, AppLink, 1 smart-charging USB port and steering wheel audio controls.

Power Equipment Group

Prepared for: JOHN SIMON

NORTH ROYALTON, CO

Prepared by: Jenny Loveland

01/20/2022

Valley Ford Truck, Inc. | 5715 Canal Road Cleveland Ohio | 441253494



2022 F-450 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F4H)

Price Level: 245 | Quote ID: nrsimodump

## As Configured Vehicle (cont'd)

### Description

*Deletes passenger side lock cylinder. Includes upgraded door-trim panel.*

*Includes:*

- Accessory Delay
- Advanced Security Pack
  - Includes SecuriLock Passive Anti-Theft System (PATS) and inclination/intrusion sensors.*
- Folding Trailer Tow Mirrors w/Power Heated Glass
  - Includes manual telescoping, heated convex spotter mirror and integrated clearance lamps/turn signals.*
- MyKey
  - Includes owner controls feature.*
- Power Front Side Windows
  - Includes 1-touch up/down driver/passenger window.*
- Power Locks
- Remote Keyless Entry

### Snow Plow Prep Package

*Includes pre-selected springs (see order guide supplemental reference for springs/FGAWR of specific vehicle configurations). Note 1: Restrictions apply; see supplemental reference or body builders layout book for details. Note 2: Also allows for the attachment of a winch. Note 3: Highly recommended to add (86M) dual battery on 7.3L gas engines. Adding (67B) 397 amp alternators for diesel engine is highly recommended for max output.*

### 6-Ton Hydraulic Jack

Required in Rhode Island.

### Transmission Power Take-Off Provision

*Includes mobile and stationary PTO modes.*

### Dual 78 AH Battery

### 397 Amp Alternators

### Utility Lighting System

*Includes LED side-mirror spotlights.*

### Trailer Brake Controller

*Includes smart trailer tow connector. Verified to be compatible with electronic actuated drum brakes only.*

### Platform Running Boards

### 110V/400W Outlet

*Includes 1 in-dash mounted outlet.*

### Exterior Backup Alarm (Pre-Installed)

### 50-State Emissions System

EXTERIOR COLOR - SILVER CC

MEDIUM EARTH GRAY INTERIOR

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Galion 100USD-9 Steel Dump Body  
108"L x 84"W, 18" sides, 24" ends. 3.5-4.7 cu. yd. capacity  
Est. Body weight is 1,600 lbs.  
6" structural channel longmembers  
3" structural channel crossmembers  
Cast steel quick release upper tailgate hardware  
Cast steel overshot lower tailgate hardware  
Manual tailgate release handle  
Three panel D/A tailgate with long chains and banjo plates  
Fully boxed top rail, material shedding lower rubrail  
Two intermediate vertical braces per side  
Body shell constructed of 10 ga. grade 50 high tensile steel  
Floor is 10 ga. grade 50 high tensile steel with 2" floor to side radius  
Thermoset zinc primer / thermoset black powder coat finish  
LED cab shield marker lights, side marker lights, and S/T/T & reverse lighting  
ICC cluster lights to comply with FMVSS108  
Body options included:  
1/2 x 84" wide cab protector  
7.25" x 13.75" steel coal door over center panel  
Whelen 4-corner + 2 amber strobe system  
Two Whelen WIONSMA in grille at headlight level  
Buyers 2,500 lb. dump body vibrator on timer  
Paint exterior of body Imron single stage grey to closely match cab  
Champion CS615-09 LH hoist , 12.8 ton capacity  
Est. Hoist weight is 500 lbs.  
6" cylinder bore, 15" stroke, double-acting  
Muncie F20 PTO / PF4 pump  
Steel hydraulic oil reservoir  
Electric rocker switch control in cab  
5/8" hitch plate / bottom channel ICC bumper  
D-rings, 7-way RV style trailer plug  
Bolt-on 8 ton pintle / 2-5/16" ball combo  
RC Industries Backpack Toolbox 82"w x 55"h x 24"d  
14 ga. steel construction on box  
12 ga. steel construction on floor  
Storm grey powder coat finish  
Re-finish exterior of toolbox to match dump body  
Anchor compression latches with cylinder locks  
Continuous stainless steel hinges  
Gas spring door props  
Automotive style bulb seals  
Two adjustable shelf with access from either side  
\*\*\*Set top shelf 15" from top of toolbox, next shelf 15" below first shelf\*\*\*  
Two built in swivel rope hooks  
Spring mounting kit w/ Ford frame adapter



Prepared for: **JOHN SIMON**

NORTH ROYALTON, CO

Prepared by: Jenny Loveland

01/20/2022



Valley Ford Truck, Inc. | 5715 Canal Road Cleveland Ohio | 441253494

## 2022 F-450 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F4H)

Price Level: 245 | Quote ID: nrsimodump

### Selected Equip & Specs (cont'd)

- \* Remote power door locks with 2 stage unlock and illuminated entry
- Manual telescopic steering wheel
- FordPass Connect 4G internet access
- Wireless phone connectivity
- 2 1st row LCD monitors
- Passenger visor mirror
- Upfitter switches
- Manual tilt steering wheel
- Day-night rearview mirror
- 911 Assist emergency SOS
- AppLink smart device integration
- Front cupholders
- \* Driver and passenger door bins

### Seats and Trim

- Seating capacity of 3
- 4-way driver seat adjustment
- 4-way passenger seat adjustment
- Front 40-20-40 split-bench seat
- Manual driver lumbar support
- Centre front armrest with storage

### Entertainment Features

- AM/FM stereo radio
- Steering wheel mounted radio controls
- Streaming audio
- SYNC external memory control
- 4 speakers
- Fixed antenna

### Lighting, Visibility and Instrumentation

- Halogen aero-composite headlights
- Auto on/off headlights
- Light tinted windows
- Tachometer
- Compass
- Trip computer
- Delay-off headlights
- Variable intermittent front windshield wipers
- Front reading lights
- Oil pressure gauge
- Outside temperature display
- Trip odometer

### Safety and Security

- 4-wheel ABS brakes
- 4-wheel disc brakes
- Dual front impact airbag supplemental restraint system with passenger cancel
- Safety Canopy System curtain 1st row overhead airbag supplemental restraint system
- \* Power remote door locks with 2 stage unlock and panic alarm
- \* MyKey restricted driving mode
- Brake assist
- Driveline traction control
- Dual seat mounted side impact airbag supplemental restraint system
- \* Remote activated perimeter/approach lighting
- \* Security system with SecuriLock immobilizer
- Manually adjustable front head restraints

### Dimensions

#### General Weights

\* Curb 7,197 lbs. GVWR 16,500 lbs.

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: JOHN SIMON

NORTH ROYALTON, CO

Prepared by: Jenny Loveland

01/20/2022

Valley Ford Truck, Inc. | 5715 Canal Road Cleveland Ohio | 441253494



## 2022 F-450 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F4H)

Price Level: 245 | Quote ID: nrsimodump

### Selected Equip & Specs (cont'd)

Payload 9,450 lbs.

#### Front Weights

\* Front GAWR 6,500 lbs.

Front axle capacity 6,500 lbs.

Front tire/wheel capacity 7,500 lbs.

\* Front curb weight 4,175 lbs.

\* Front spring rating 6,500 lbs.

#### Rear Weights

Rear GAWR 12,880 lbs.

Rear axle capacity 12,880 lbs.

Rear tire/wheel capacity 15,000 lbs.

\* Rear curb weight 3,023 lbs.

Rear spring rating 12,880 lbs.

#### Trailer Type

Harness Yes

Trailer sway control Yes

\* Brake controller Yes

#### General Trailering

5th-wheel towing capacity 19800 lbs.

Towing capacity 17340 lbs.

Gooseneck towing capacity 19800 lbs.

GCWR 28000 lbs.

#### Fuel Tank type

Capacity 40 gal.

#### Off Road

Min ground clearance 8 "

#### Interior cargo

Cargo volume 11.6 cu.ft.

Maximum cargo volume 11.6 cu.ft.

#### Rear Frame

Height loaded 28 "

Height unloaded 34 "

### Powertrain

#### Engine Type

Block material Iron

Head material Aluminum

Injection Sequential MPI

Orientation Longitudinal

Valves per cylinder 2

Variable valve control DEVCT

Cylinders V-8

Ignition Spark

Liters 7.3L

Recommended fuel Regular unleaded

Valvetrain OHV

#### Engine Spec

Bore 4.21"

Displacement 445 cu.in.

Compression ratio 10.5:1

Stroke 3.98"

#### Engine Power

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared for: JOHN SIMON

NORTH ROYALTON, CO

Prepared by: Jenny Loveland

01/20/2022

Valley Ford Truck, Inc. | 5715 Canal Road Cleveland Ohio | 441253494



## 2022 F-450 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F4H)

Price Level: 245 | Quote ID: nrsimodump

### Selected Equip & Specs (cont'd)

SAEJ1349 AUG2004 compliant Yes Output 350 HP @ 3,900 RPM  
Torque 468 ft.-lb @ 3,900 RPM

#### Alternator

\* Type Dual \* Amps 397

#### Battery

Amp hours 78 Cold cranking amps 750  
Run down protection Yes \* Type Dual

#### Transmission

Electronic control Yes Lock-up Yes  
Overdrive Yes Speed 10  
Type Automatic

#### Transmission Gear Ratios

1st	4.615	2nd	2.919
3rd	2.132	4th	1.773
5th	1.519	6th	1.277
7th	1	8th	0.851
9th	0.687	10th	0.632
Reverse Gear ratios	4.695		

#### Transmission Torque Converter

Stall ratio 1.97

#### Transmission Extras

Driver selectable mode Yes Sequential shift control SelectShift  
Oil cooler Regular duty \* PTO provision Yes

#### Drive Type

4wd type Part-time Type Four-wheel

#### Drive Feature

\* Limited slip differential Mechanical Traction control Driveline  
\* Power take-off provision Yes Locking hub control Auto  
Transfer case shift Electronic

#### Drive Axle

Ratio 4.88

#### Exhaust

Material Stainless steel System type Single

#### Emissions

CARB Federal

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: JOHN SIMON

NORTH ROYALTON, CO

Prepared by: Jenny Loveland

01/20/2022

Valley Ford Truck, Inc. | 5715 Canal Road Cleveland Ohio | 441253494



## 2022 F-450 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F4H)

Price Level: 245 | Quote ID: nrsimodump

### Selected Equip & Specs (cont'd)

#### *fuel Economy*

Fuel type Gasoline

#### Driveability

##### *Brakes*

ABS 4-wheel ABS channels 4  
Type 4-wheel disc Vented discs Front and rear

##### *Brake Assistance*

Brake assist Yes

##### *Suspension Control*

Ride Firm

##### *Front Suspension*

Independence Mono-beam non-independent Anti-roll bar Regular

##### *Front Spring*

Type Coil \* Grade HD

##### *Front Shocks*

Type HD

##### *Rear Suspension*

Independence DANA M300 rigid axle Type Leaf  
Anti-roll bar Regular

##### *Rear Spring*

Type Leaf Grade HD

##### *Rear Shocks*

Type HD

##### *Steering*

Activation Hydraulic power-assist Type Re-circulating ball

##### *Steering Specs*

# of wheels 2

#### Exterior

##### *Front Wheels*

Diameter 19.5" Width 6.00"

##### *Rear Wheels*

Diameter 19.5" Width 6.00"  
Dual Yes

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: JOHN SIMON

NORTH ROYALTON, CO

Prepared by: Jenny Loveland

01/20/2022



Valley Ford Truck, Inc. | 5715 Canal Road Cleveland Ohio | 441253494

## 2022 F-450 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F4H)

Price Level: 245 | Quote ID: nrsimodump

### Selected Equip & Specs (cont'd)

#### Front and Rear Wheels

Appearance	Argent	Material	Steel
------------	--------	----------	-------

#### Front Tires

Aspect	70	Diameter	19.5"
Sidewalls	BSW	Speed	S
Tread	AS	Type	LT
Width	225mm	LT load rating	G
RPM	647		

#### Rear Tires

Aspect	70	Diameter	19.5"
Sidewalls	BSW	Speed	S
* Tread	AT	Type	LT
Width	225mm	LT load rating	G
* RPM	645		

#### Wheels

Front track	74.8"	Rear track	74.0"
Turning radius	24.2'	Wheelbase	169.0"
Rear tire outside width	93.9"		

#### Body Features

Front splash guards	Yes	Body material	Aluminum
Side impact beams	Yes	* Side steps	Yes
Front tow hook(s)	2		

#### Body Doors

Door count	2
------------	---

#### Exterior Dimensions

Length	254.8"	Body width	80.0"
Body height	81.3"	Cab to axle	84.0"
Axle to end of frame	47.2"	Frame section modulus	12.7cu.in.
Frame yield strength (psi)	50000.0	Frame rail width	34.2"
Front bumper to Front axle	38.3"	Cab to end of frame	131.2"
Front bumper to back of cab	123.7"		

### Safety

#### Airbags

Driver front-impact	Yes	Driver side-impact	Seat mounted
Overhead Safety Canopy System curtain 1st row		Passenger front-impact	Cancellable
Passenger side-impact	Seat mounted		

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared for: JOHN SIMON

NORTH ROYALTON, CO

Prepared by: Jenny Loveland

01/20/2022

Valley Ford Truck, Inc. | 5715 Canal Road Cleveland Ohio | 441253494



2022 F-450 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F4H)

Price Level: 245 | Quote ID: nrsimodump

## Selected Equip & Specs (cont'd)

### Seatbelt

Height adjustable Front

### Security

* Immobilizer	SecuriLock	* Panic alarm	Yes
* Restricted driving mode	MyKey		

## Seating

### Passenger Capacity

Capacity 3

### Front Seats

Split 40-20-40 Type Split-bench

### Driver Seat

Fore/aft	Manual	Reclining	Manual
Way direction control	4	Lumbar support	Manual

### Passenger seat

Fore/aft	Manual	Reclining	Manual
Way direction control	4		

### Front Head Restraint

Control Manual Type Adjustable

### Front Armrest

Centre Yes Storage Yes

### Front Seat Trim

Material Vinyl Back material Vinyl

## Convenience

### AC And Heat Type

Air conditioning Manual Air filter Yes

### Audio System

Radio	AM/FM stereo	Radio grade	Regular
Seek-scan	Yes	External memory control	SYNC

### Audio Speakers

Speaker type Regular Speakers 4

### Audio Controls

Steering wheel controls	Yes	Voice activation	Yes
Streaming audio	Bluetooth yes		

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: JOHN SIMON

NORTH ROYALTON, CO

Prepared by: Jenny Loveland

01/20/2022

Valley Ford Truck, Inc. | 5715 Canal Road Cleveland Ohio | 441253494



## 2022 F-450 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F4H)

Price Level: 245 | Quote ID: nrsimodump

### Selected Equip & Specs (cont'd)

#### Audio Antenna

Type Fixed

#### LCD Monitors

1st row 2 Primary monitor size (inches) 4.2

#### Convenience Features

* Retained accessory power	Yes	12V DC power outlet	3
Emergency SOS	911 Assist	Wireless phone connectivity	Bluetooth
* 120V AC power outlet	1	* Back-up alarm	Yes
Smart device integration	App link	Upfitter switches	Yes

#### Door Lock Activation

* Type	Power with 2 stage unlock	* Remote	Keyfob (all doors)
* Integrated key/remote	Yes		

#### Door Locks Extra FOB Controls

Remote engine start Smart device only

#### Instrumentation Type

Appearance Analog

#### Instrumentation Gauges

Tachometer	Yes	Oil pressure	Yes
Engine temperature	Yes	Transmission fluid temp	Yes
Engine hour meter	Yes		

#### Instrumentation Warnings

Oil pressure	Yes	Engine temperature	Yes
Battery	Yes	Lights on	Yes
Key	Yes	Low fuel	Yes
Door ajar	Yes	Service interval	Yes
Brake fluid	Yes		

#### Instrumentation Displays

Clock	In-radio display	Compass	Yes
Exterior temp	Yes	Systems monitor	Yes

#### Instrumentation Feature

Trip computer	Yes	Trip odometer	Yes
---------------	-----	---------------	-----

#### Steering Wheel Type

Material	Urethane	Tilting	Manual
Telescoping	Manual		

#### Front Side Windows

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: JOHN SIMON

NORTH ROYALTON, CO

Prepared by: Jenny Loveland

01/20/2022

Valley Ford Truck, Inc. | 5715 Canal Road Cleveland Ohio | 441253494



## 2022 F-450 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F4H)

Price Level: 245 | Quote ID: nrsimodump

### Selected Equip & Specs (cont'd)

\* Window 1st row activation Power

#### Window Features

\* 1-touch down Driver and passenger

Tinted Light

#### Front Windshield

Wiper Variable intermittent

#### Rear Windshield

Window Fixed

\* 1-touch up Driver and passenger

### Interior

#### Passenger Visor

Mirror Yes

#### Rear View Mirror

Day-night Yes

#### Headliner

Coverage Full Material Cloth

#### Floor Trim

Coverage Full Covering Vinyl/rubber

#### Trim Feature

Gear shifter material Urethane Interior accents Chrome

#### Lighting

Dome light type Fade Front reading Yes

\* Illuminated entry Yes Variable IP lighting Yes

#### Storage

\* Driver door bin Yes Front Beverage holder(s) Yes

Glove box Locking \* Passenger door bin Yes

Illuminated Yes Instrument panel Covered bin

Dashboard Yes

#### Legroom

Front 43.9"

#### Headroom

Front 40.8"

#### Hip Room

Front 62.5"

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: JOHN SIMON

NORTH ROYALTON, CO

Prepared by: Jenny Loveland

01/20/2022

Valley Ford Truck, Inc. | 5715 Canal Road Cleveland Ohio | 441253494



2022 F-450 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F4H)

Price Level: 245 | Quote ID: nrsimodump

## Selected Equip & Specs (cont'd)

### *Shoulder Room*

Front 66.7"

### *Interior Volume*

Passenger volume 64.6 cu.ft.

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared for: JOHN SIMON

NORTH ROYALTON, CO

Prepared by: Jenny Loveland

01/20/2022



Valley Ford Truck, Inc. | 5715 Canal Road Cleveland Ohio | 441253494

2022 F-450 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F4H)

Price Level: 245 | Quote ID: nrsimodump

## Warranty

### Standard Warranty

#### *Basic*

Distance	36,000 miles	Months	36 months
----------	--------------	--------	-----------

#### *Powertrain*

Distance	60,000 miles	Months	60 months
----------	--------------	--------	-----------

#### *Corrosion Perforation*

Distance	Unlimited miles	Months	60 months
----------	-----------------	--------	-----------

#### *Roadside Assistance*

Distance	60,000 miles	Months	60 months
----------	--------------	--------	-----------

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



ORDINANCE NO. 22-59

ORDINANCE NO. 22-59

AN ORDINANCE AUTHORIZING THE EXPENDITURE OF FUNDS FOR THE PURCHASE OF  
ONE (1) FREIGHTLINER M2-106 BOX TRUCK FOR THE NORTH ROYALTON  
WASTEWATER DEPARTMENT THROUGH THE OHIO DEPARTMENT OF  
TRANSPORTATION PURCHASING CONTRACT FOR AN AMOUNT NOT TO EXCEED  
\$93,819.00, AND DECLARING AN EMERGENCY

**WHEREAS:** Council has authorized the purchase of a box truck for the North Royalton Wastewater Department; and

**WHEREAS:** Council approved Ordinance 09-28 on March 3, 2009 requesting permission to participate in the Ohio Department of Transportation Contracts for the purchase of machinery, materials, supplies and other articles; and

**WHEREAS:** The city is purchasing this vehicle and equipment through the Ohio Department of Transportation Purchasing Contract; and

**WHEREAS:** It is necessary to provide for the funding of said purchase.

NOW, THEREFORE, BE IT ORDAINED BY THE COUNCIL OF THE CITY OF NORTH ROYALTON,  
COUNTY OF CUYAHOGA AND STATE OF OHIO, THAT:

**Section 1.** Council hereby authorizes the expenditure of an amount not to exceed \$93,819.00 for the purchase of one (1) Freightliner M2-106 box truck for the North Royalton Wastewater Department pursuant to ODOT Contract No. 118-22 awarded to vendor: Cleveland Freightliner, Inc., 10901 Brookpark Road, Parma, Ohio 44130, and as further described in Exhibit A attached hereto and incorporated as if fully rewritten.

Section 2. The Wastewater Superintendent is hereby authorized and directed to forward a certified copy of this Ordinance to Cleveland Freightliner, Inc.

Section 3. It is found and determined that all formal actions of this Council concerning and relating to the adoption of this Ordinance were adopted in an open meeting of this Council and that all deliberations of this Council and any of its committees that resulted in such formal action were in meetings open to the public in compliance with all legal requirements.

Section 4. This Ordinance is hereby declared to be an emergency measure immediately necessary for the preservation of the public peace, health, safety and welfare of the city, and for the further reason that it is immediately necessary to provide for the purchase of this vehicle for the North Royalton Wastewater Department for the proper and immediate performance of departmental duties.

THEREFORE, provided this Ordinance receives the affirmative vote of two-thirds of all members elected to Council, it shall take effect and be in force immediately upon its passage and approval by the Mayor; otherwise, from and after the earliest period allowed by law.

\_\_\_\_\_  
PRESIDENT OF COUNCIL

APPROVED: \_\_\_\_\_  
MAYOR

DATE PASSED: \_\_\_\_\_ DATE APPROVED: \_\_\_\_\_

ATTEST: \_\_\_\_\_  
DIRECTOR OF LEGISLATIVE SERVICES

YEAS:

NAYS:

# CITY OF NORTH ROYALTON

## Consolidated Sanitary Sewer District



Phone: 440-237-5010  
Facsimile: 440-582-9281

11675 Royalton Road  
North Royalton, Ohio 44133

To: Members of City Council

Re: One Ton Dump Truck and Box Truck

Date: 4/5/2022

Dear Council Members;

I am recommending the following purchases for the Wastewater Department for the continuing production of our Storm Water Department. The purchase of a 1 Ton Dump Truck and Box Truck will allow our Storm Water Department to continue with the productivity it has established. Our current Box Truck is over 17 years old and it can be sold on Government Deals in the future. The trucks will help our department to continue to clean storm sewers and hauling of material and equipment, personnel as needed daily. The trucks were already in this year's budget, Truck Cost \$181,171.00.

Respectfully,

Mark A. Smith  
Wastewater Superintendent  
City of North Royalton  
Consolidated Sanitary Sewer District

Prepared for:  
John Simon  
NORTH ROYALTON CITY OF  
14600 STATE RD

NORTH ROYALTON, OH 44133  
Phone: 440-336-5377

# Freightliner Custom Chassis Corporation

Prepared by:  
Greg Simonic  
CLEVELAND FREIGHTLINER,  
INC.  
10901 Brookpark Rd  
Parma, OH 44130  
Phone: 216-267-4800

*A proposal for*  
**NORTH ROYALTON CITY OF**

*Prepared by*  
**CLEVELAND FREIGHTLINER, INC.**  
*Greg Simonic*

*Mar 15, 2022*

## **Freightliner M2-106 Custom Chassis Corp MT55G**



Components shown may not reflect all spec'd options and are not to scale



Prepared for:  
John Simon  
NORTH ROYALTON CITY OF  
14600 STATE RD

NORTH ROYALTON, OH 44133  
Phone: 440-336-5377

# Freightliner Custom Chassis Corporation

Prepared by:  
Greg Simonic  
CLEVELAND FREIGHTLINER,  
INC.  
10901 Brookpark Rd  
Parma, OH 44130  
Phone: 216-267-4800

Data Code	Description	Weight Front	Weight Rear
AF3-015	MORGAN OLSON		
<b>Engine</b>			
101-3C9	GM L8T 6.6L GASOLINE 380HP @ 4500 RPM PEAK 465LB/FT@4000 RPM PEAK 4500 GOV RPM		
<b>Engine Controls &amp; Parameters</b>			
162-998	NO IDLE LIMITER, ELECTRONIC ENGINE		
99D-010	NO 2008 CARB EMISSION CERTIFICATION		
79A-075	75 MPH ROAD SPEED LIMIT		
79K-009	PTO MODE ENGINE RPM LIMIT - 1200 RPM		
79M-002	PTO MODE BRK OVERRIDE-SVC BRK APPLIED OR PARK BRK NOT APPLIED		
79P-009	PTO RPM W/CRUISE SET SW - 1200 RPM		
79Q-009	PTO RPM W/CRUISE RESUME SW - 1200 RPM		
79S-009	PTO MODE CANCEL VEHICLE SPEED - 0 MPH		
<b>Engine Equipment</b>			
266-1A5	690 SQ-IN DOWNFLOW RADIATOR MOUNTED IN FRONT		
105-020	ENGINE OIL CHECK MOUNTED ON RADIATOR AND OIL FILL IN VALVE COVER		
111-004	5W-30 WEIGHT ENGINE OIL		
190-055	POWER CORE FLAT PANEL AIR CLEANER		
188-001	FRONTAL AIR INTAKE		
189-013	AIR INTAKE PIPING - UNIFIED- CLEANER TO ENGINE		
192-003	AIR CLEANER MOUNTED ON RAIL		
124-122	GM 12V 170 AMP ALTERNATOR		
292-027	(2) ALLIANCE MODEL 931, GROUP 31, 12V MAINTENANCE FREE 1300 CCA THREADED STUD BATTERIES		
290-1CV	BATTERY BOX MOUNTED RIGHT HAND WITH BATTERIES PERPENDICULAR TO FRAME RAIL		
291-006	FRAME GROUND RETURN, BATTERY CABLES WITH EYELET CONNECTORS		
293-998	NO BATTERY SHUTOFF SWITCH		
152-040	ELECTRONIC ENGINE INTEGRAL WARNING AND DERATE PROTECTION SYSTEM		
28F-010	ENGINE AFTERTREATMENT WIRING, OXYGEN SENSOR		
234-004	SINGLE HORIZONTAL MUFFLER		
235-010	HORIZONTAL MUFFLER INBOARD MOUNTED		
23U-998	NO DIESEL EXHAUST FLUID TANK		
35W-998	NO EXHAUST DIFFUSER		





Prepared for:  
John Simon  
NORTH ROYALTON CITY OF  
14600 STATE RD

NORTH ROYALTON, OH 44133  
Phone: 440-336-5377

# Freightliner Custom Chassis Corporation

Prepared by:  
Greg Simonic  
CLEVELAND FREIGHTLINER,  
INC.  
10901 Brookpark Rd  
Parma, OH 44130  
Phone: 216-267-4800

Data Code	Description	Weight Front	Weight Rear
418-030	CONMET IRON FRONT HUBS		
409-010	FRONT GREASE SEAL		
408-003	UNVENTED FRONT HUB CAPS - GREASE		
40T-007	LITHIUM GREASE FRONT AXLE LUBRICANT		
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES		
618-002	STANDARD CUPS AND CONES (WHEEL BEARINGS) FRONT AND REAR		
536-011	TRW TAS 55 POWER STEERING		
534-001	2 QUART POWER STEERING RESERVOIR		
533-001	OIL/AIR POWER STEERING COOLER		
<b>Front Suspension</b>			
620-032	8,000# TAPERLEAF FRONT SUSPENSION		
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION		
629-998	NO FRONT SWAYBAR		
410-017	SACHS FRONT SHOCK ABSORBERS		
<b>Rear Axle &amp; Equipment</b>			
420-1CY	DA-RS-15.0-2 15,000# F-SERIES SINGLE REAR AXLE		
421-513	5.13 REAR AXLE RATIO		
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING		
386-054	SPL70 DANA SPICER MAIN DRIVELINE WITH HALF ROUND YOKES		
41T-001	ORGANIC SAE 80/90 REAR AXLE LUBE		
393-002	TRANSMISSION AND REAR AXLE DRIVELINE GUARD		
423-054	BOSCH HYDRAULIC PIN-SLIDE DISC REAR BRAKES		
433-002	NON-ASBESTOS REAR BRAKE LINING		
451-005	REAR DISC BRAKE ROTORS		
425-002	REAR BRAKE DUST SHIELDS		
440-006	REAR OIL SEALS		
435-012	TRANSMISSION MOUNTED DRUM PARK BRAKE WITH DUST SHIELD		
<b>Rear Suspension</b>			
622-081	15,000# TAPERLEAF SPRING REAR SUSPENSION LOW PROFILE WITH RADIUS LEAF		
621-001	SPRING SUSPENSION - NO AXLE SPACERS		
439-017	SACHS REAR SHOCK ABSORBERS		
<b>Tag Axle &amp; Equipment</b>			

Prepared for:  
John Simon  
NORTH ROYALTON CITY OF  
14600 STATE RD

NORTH ROYALTON, OH 44133  
Phone: 440-336-5377

# Freightliner Custom Chassis Corporation

Prepared by:  
Greg Simonic  
CLEVELAND FREIGHTLINER,  
INC.  
10901 Brookpark Rd  
Parma, OH 44130  
Phone: 216-267-4800

Data Code	Description	Weight Front	Weight Rear
50T-010	HALF MOON 4 PILOT WHEELCOVER		
505-1H2	ALCOA 76542X 19.5X6.75 8-HUB PILOT 8-HAND ALUMINUM REAR WHEELS		
525-001	POLISHED REAR WHEELS; OUTSIDE OF OUTER WHEELS ONLY		
498-049	FREIGHTLINER VALVE STEMS		

## Cab Exterior

829-998	NO CAB SIZE
820-001	OPERATOR STATION (CONTROL SUPPORT)
652-039	FREIGHTLINER CUSTOM CHASSIS FRONT NAMEPLATE
726-001	SINGLE ELECTRIC HORN
657-027	IGNITION KEY ONLY
30B-009	INCANDESCENT BODY MTD MARKER LAMPS
311-001	DAYTIME RUNNING LIGHTS
335-001	CHASSIS POWER DISTRIBUTION MODULE (CPDM)

## Cab Interior

130-055	(1)DENSO HD & (1)VALEO TM-16 REFRIGERANT COMPRESSORS
685-995	FCCC PARTIAL AC SYSTEM,FCCC CERTIFIED PER AGREEMENT
698-001	RADIATOR MOUNTED AIR CONDITIONER CONDENSER
70B-001	HVAC WIRING PROV LOC INSIDE CAB
170-021	5/8" X 10FT HEATER PLUMBING HOSE
285-005	AUTO SELF-RESET CIRCUIT BREAKERS AND FUSES
877-002	STANDARD BRAKE WIRING
9EE-006	FCCC 667 ELECTRICAL ARCHITECTURE
532-045	ZF STRAIGHT FIXED GLOBAL STEERING COLUMN
540-044	4-SPOKE 18" (450MM) BLACK STEERING WHEEL WITH SWITCHES

## Instruments & Controls

83H-001	GREEN GAUGE BACKLIGHTING
83K-001	ENGLISH UNITS MAJOR SCALE
83L-005	DIGITAL ODOMETER IN DRIVER DISPLAY
811-045	OPTIVIEW 12.3" LCD
810-062	DIGITAL SPEEDOMETER IN DRIVER DISPLAY CONFIGURABLE TO MPH OR KPH SCALE
852-003	ELECTRIC ENGINE OIL PRESSURE GAUGE W/WARNING LAMP AND ALARM



Prepared for:  
John Simon  
NORTH ROYALTON CITY OF  
14600 STATE RD

NORTH ROYALTON, OH 44133  
Phone: 440-336-5377

# Freightliner Custom Chassis Corporation

Prepared by:  
Greg Simonic  
CLEVELAND FREIGHTLINER,  
INC.  
10901 Brookpark Rd  
Parma, OH 44130  
Phone: 216-267-4800

WAL-233 AXLE: NON-DETROIT SINGLE REAR ONLY: MDEXTREME 5  
YEARS/100,000 MILES/161,000 K  
WAN-025 EXT BASIC CHASSIS: FCCC: 5 YEARS/ 100000 MILES/ 161000  
KILOMETERS





Prepared for:  
John Simon  
NORTH ROYALTON CITY OF  
14600 STATE RD

NORTH ROYALTON, OH 44133  
Phone: 440-336-5377

# Freightliner Custom Chassis Corporation

Prepared by:  
Greg Simonic  
CLEVELAND FREIGHTLINER,  
INC.  
10901 Brookpark Rd  
Parma, OH 44130  
Phone: 216-267-4800

1801 South Nottawa Street • Sturgis, MI 49091-2005 • Phone: 800-321-3758 • Fax: 269-659-0430 • www.morganolson.com

	RIGHT-HAND DOOR POCKET, 1.5" LOWERED STEP	1
	LEFT-HAND DOOR POCKET, 1.5" LOWERED STEP	1
	BRONZE SIDE DOOR STRIKER	2
	SIDE DOOR LOWER PANEL, ALUMINUM, ROADSIDE OR CURBSIDE	2
SEATS	HIGH BACK DRIVER BUCKET SEAT FROM SEATS INC., BLACK VINYL, NO ARMS, INTEGRATED 3 POINT HARNESS, AND LUMBAR SUPPORT.	1
	NON-TILT SEAT SOCKET	1
	SEAT BELT, BLACK	1
	BLACK SEAT BELT FOR BULKHEAD MOUNTED JUMPSEAT	1
	JUMP SEAT STIFFENER MOUNTED TO BULKHEAD.	1
	JUMP SEAT, BULKHEAD MOUNTED, BLACK VINYL	1
ROOF	OUTER ROOF SKIN ALUMINUM	1
WINDSHIELD	ROOF NOSING	1
ROOF	ROOF LINER EMBOSSED ALUMINUM AND 1 INCH FIBERGLASS INSULATION	1
	EMBOSSED ALUMINUM CAB ROOF LINER WITH 1 INCH FIBERGLASS INSULATION	1
WIRING	ROOF WIRING	1
ROOF/INTERIOR LIGHTS/ VENTS	18 INCH RECTANGULAR LED CAB DOME LAMP INSTALL WITH SWITCH ON VP (OPTRONICS)	1
	***Locate cab dome lamp centered in cab ceiling***	1
	DOME LAMP LED 18" RECTANGULAR IN LOAD SPACE RECESSED MOUNTED.(OPTRONICS)	2
	***Locate at C1, C3***	1
INTERIOR CAB	SWITCH MOUNTED ON DASH FOR CARGO AREA DOME LAMPS	1
BUMPERS	HANGER PLATE INSTALL FOR REAR BUMPER.	1
FLOOR	FORWARD FLOOR, SMOOTH ALUMINUM	1
	MID FLOOR, SMOOTH ALUMINUM, 44" X 10" WHEELBOXES	1
	REAR FLOOR, SMOOTH ALUMINUM	1
LABOR	CARGO FLOOR WELDING SPECIFICATION DRAWING	1
FLOOR	FUEL-SENDER ACCESS DOOR WITH DZUS LATCH	1
LABOR	TIE DOWN PACKAGE	1
SIDES	HEAVY-DUTY ALUMINUM FORMED SIDEWALL GUSSET ATTACHED TO LOWER SIDEWALL	1
HOOD	ALUMINUM HOOD FOR 93 WIDE FREIGHTLINER WITH MODEL 33 RECESSED LIGHTS AND SQUARE HEADLIGHTS.	1
	GAS SPRING MOUNTING INSTALL 150LBS	1
	FRONT GRILLE	1
FENDERS AND MUD FLAPS	BATTERY SPLASH SHIELD	1
	SPLASH PAN INSTALL	1
	SPLASH PAN INSTALL, BLACK VINYL	1

Quotation Number: Q-015989-2

Page 2 of 6

Application Version 11.7.102  
Data Version PRL-84A.016  
N ROYALTON STEP VAN



03/15/2022 8:02 AM

Page 11 of 17



Prepared for:  
John Simon  
NORTH ROYALTON CITY OF  
14600 STATE RD

NORTH ROYALTON, OH 44133  
Phone: 440-336-5377

# Freightliner Custom Chassis Corporation

Prepared by:  
Greg Simon  
CLEVELAND FREIGHTLINER,  
INC.  
10901 Brookpark Rd  
Parma, OH 44130  
Phone: 216-267-4800

1801 South Nottawa Street • Sturgis, MI 49091-2005 • Phone: 800-321-3758 • Fax: 269-859-0430 • www.morganolson.com

	REAR WIRE INSTALL RAN THROUGH ROOF.	1
EXTERIOR LIGHTING	LED FRONT PARK/TURN LAMPS	1
	HOOD MARKER LIGHTS, AMBER LED	2
	FRONT MARKER AND CLEARANCE LAMPS, AMBER LED	4
	REAR SIDE MARKER LAMPS, RED LED	2
	REAR MARKER AND CLEARANCE LAMPS, RED LED	5
	AMBER LED STROBE LAMP, MAXXIMA	1
INTERIOR CAB	BLACK TINTED PLASTIC SUN VISOR	2
	ACOUSTICAL INSULATION PACKAGE WITH SMOOTH ALUMINUM TRIM PIECES	1
CAB	SMOOTH ALUMINUM CAB FLOOR PLATE	1
	ENGINE BOX LID WITH SIDE-MOUNT LATCHES	1
INTERIOR CAB	JENSON HEAVY DUTY AM/FM RADIO WITH WEATHERBAND AND AUXILIARY INPUT.	1
	CONVENIENCE CENTER MOUNTED TO THE ENGINE BOX, INCLUDES TWO CUP HOLDERS, A CLIPBOARD	1
	HOLDER AND MISCELLANEOUS STORAGE	
	2-SPEED HIGH-MOUNT FAN WITH ROCKER SWITCH ON DASH	1
	***Locate centered on wiper bracket or cover, or centered under cab trays or compartments***	1
	WIPER MOTOR COVER PLATE, ALUMINUM COVER PLATE WITH ACCESS DOOR TO WIPER MOTOR ABOVE THE	1
	DRIVER AND A COMPARTMENT WITH DOOR ABOVE THE PASSENGER.	1
	COCKPIT STYLE INSTRUMENT PANEL	1
	TWO 12-VOLT POWER POINTS LOCATED IN INSTRUMENT PANEL	1
	ONE-CUP FOLD-DOWN CUP HOLDER ON LEFT SIDE OF INSTRUMENT PANEL	1
	SAFETY TREAD OVERLAY IN PASSENGER'S STEPPING AREA.	1
	SAFETY TREAD OVERLAY IN DRIVER'S STEPPING AREA.	1
CAB	SMOOTH ALUMINUM CAB STEPS WITH BATTERY ACCESS ON PASSENGER SIDE	1
SIDES	STIFFENERS ON SIDEWALLS, 1.5 ALUMINUM HAT SECTION ON 24 INCH CENTERS	1
	***Sidewall stiffeners on 24" centers***	1
PAINT	EXTERIOR BODY PAINT - AXALTA PRIMER, AXALTA TOP COAT	1
	Silver Metallic	1
	PAINT FRONT BUMPER	1
	***Paint front bumper Black N0001H***	1
	PAINT REAR BUMPER	1
	***Paint front bumper Black N0001H***	1
HEAT/AIR CONDITIONING	10 FEET EXTRA HEATER HOSE	1
	AIR CONDITIONING FARM OUT	1
	29.7K BTU PRIMARY ELECTRIC HEATER WITH AIR CONDITIONING AND FILTER	1
SAFETY EQUIPMENT	GRAB HANDLE, 18 INCHES LONG	4
	***Locate curbside rear door 60 inches on center from ground***	1
	***Locate roadside rear door 60" on center from ground***	1
	***Locate at roadside door exterior 60 inches on center from ground***	1
	***Locate curbside door exterior 60 inches on center from ground***	1
LABOR	COLLECT GROUP LEADER LABOR.	1
	FAB IN CELL SIDE CART LOADING	1

Quotation Number: Q-015969-2

Page 4 of 8

Application Version 11.7.102  
Data Version PRL-84A.016  
N ROYALTON STEP VAN



03/15/2022 8:02 AM

Page 13 of 17

Prepared for:  
John Simon  
NORTH ROYALTON CITY OF  
14600 STATE RD

NORTH ROYALTON, OH 44133  
Phone: 440-336-5377

# Freightliner Custom Chassis Corporation

Prepared by:  
Greg Simonic  
CLEVELAND FREIGHTLINER,  
INC.  
10901 Brookpark Rd  
Parma, OH 44130  
Phone: 216-267-4800

## Q U O T A T I O N

### MT55G FRONT GASOLINE ENGINE WALK-IN VAN CHASSIS

SET-FORWARD FRONT AXLE CHASSIS  
GM L8T 6.6L GASOLINE 380HP @ 4500 RPM PEAK  
465LB/FT@4000 RPM PEAK 4500 GOV RPM  
ALLISON 2205 HS AUTOMATIC TRANSMISSION WITH  
PARK PAWL, NO PTO PROVISION  
DA-RS-15.0-2 15,000# F-SERIES SINGLE REAR AXLE  
15,000# TAPERLEAF SPRING REAR SUSPENSION LOW  
PROFILE WITH RADIUS LEAF

DA-F-8.0-2 8,000# FC1 68.0 KPI/3.74DROPS SINGLE  
FRONT AXLE  
8,000# TAPERLEAF FRONT SUSPENSION  
NO CAB SIZE  
4025MM (158 INCH) WHEELBASE  
5/16X2.81X9-1/8 INCH STEEL FRAME  
(7.94MMX231.8MM/0.312X9.12 INCH) 80KSI  
2225MM (88 INCH) REAR FRAME OVERHANG  
NO TAG AXLE

		PER UNIT	TOTAL
VEHICLE PRICE	TOTAL # OF UNITS (1)	\$ 54,437	\$ 54,437
EXTENDED WARRANTY		\$ 1,545	\$ 1,545
DEALER INSTALLED OPTIONS		\$ 37,837	\$ 37,837
CUSTOMER PRICE BEFORE TAX		\$ 93,819	\$ 93,819

### TAXES AND FEES

TAXES AND FEES	\$ 0	\$ 0
OTHER CHARGES	\$ 0	\$ 0

### TRADE-IN

TRADE-IN ALLOWANCE	\$ (0)	\$ (0)
--------------------	--------	--------

BALANCE DUE	(LOCAL CURRENCY)	\$ 93,819	\$ 93,819
-------------	------------------	-----------	-----------

### COMMENTS:

Base chassis priced under Ohio Department of Transportation contract 118-22 cooperative pricing. Pricing is valid for Ohio municipal purchases and eligibility coincides with contract terms and dates. It is the responsibility of the purchasing entity to determine eligibility and request any permission of cooperative purchasing. If this an order, please consult with your body builder to assure all dimensions, rating, and necessary chassis components are included the specification. All specifications and pricing are subject to final production, engineering review, availability, and surcharges. Invoicing will occur upon delivery of bare chassis to customer, or location of customer's choice within Ohio borders. Payment is due upon receipt of invoice. Titles will be transferred and delivered promptly upon receipt of payment. A purchase order to this proposal thereby agrees to the pricing, specifications, and terms herein, and the cooperative contract unless other arrangements are agreed upon but does not guarantee production.

### APPROVAL:

Please indicate your acceptance of this quotation by signing below:

Customer: X \_\_\_\_\_ Date: \_\_\_\_ / \_\_\_\_ / \_\_\_\_.



**Prepared for:**  
John Simon  
NORTH ROYALTON CITY OF  
14600 STATE RD  
  
NORTH ROYALTON, OH 44133  
Phone: 440-336-5377

# **Freightliner Custom Chassis Corporation**

**Prepared by:**  
Greg Simonic  
CLEVELAND FREIGHTLINER,  
INC.  
10901 Brookpark Rd  
Parma, OH 44130  
Phone: 216-267-4800



ORDINANCE NO. 22-60

ORDINANCE NO. 22-60

AN ORDINANCE AUTHORIZING THE EXPENDITURE OF FUNDS FOR THE PURCHASE OF  
ONE (1) 5 TON TANDEM DUMP TRUCK FOR THE NORTH ROYALTON WASTEWATER  
DEPARTMENT THROUGH THE OHIO DEPARTMENT OF TRANSPORTATION  
PURCHASING CONTRACT FOR AN AMOUNT NOT TO EXCEED \$170,538.00, AND  
DECLARING AN EMERGENCY

**WHEREAS:** Council has authorized the purchase of a dump truck for the North Royalton Wastewater Department; and

**WHEREAS:** Council approved Ordinance 09-28 on March 3, 2009 requesting permission to participate in the Ohio Department of Transportation Contracts for the purchase of machinery, materials, supplies and other articles; and

**WHEREAS:** The city is purchasing this vehicle and equipment through the Ohio Department of Transportation Purchasing Contract; and

**WHEREAS:** It is necessary to provide for the funding of said purchase.

NOW, THEREFORE, BE IT ORDAINED BY THE COUNCIL OF THE CITY OF NORTH ROYALTON,  
COUNTY OF CUYAHOGA AND STATE OF OHIO, THAT:

**Section 1.** Council hereby authorizes the expenditure of an amount not to exceed \$170,538.00 for the purchase of one (1) 5 ton tandem dump truck for the North Royalton Wastewater Department pursuant to ODOT Contract No. 023-22 awarded to vendor: Valley Freightliner, Inc., 10901 Brookpark Road, Parma, Ohio 44130, and as further described in Exhibit A attached hereto and incorporated as if fully rewritten.

Section 2. The Wastewater Superintendent is hereby authorized and directed to forward a certified copy of this Ordinance to Valley Freightliner, Inc.

Section 3. It is found and determined that all formal actions of this Council concerning and relating to the adoption of this Ordinance were adopted in an open meeting of this Council and that all deliberations of this Council and any of its committees that resulted in such formal action were in meetings open to the public in compliance with all legal requirements.

Section 4. This Ordinance is hereby declared to be an emergency measure immediately necessary for the preservation of the public peace, health, safety and welfare of the city, and for the further reason that it is immediately necessary to provide for the purchase of this vehicle for the North Royalton Wastewater Department for the proper and immediate performance of departmental duties.

THEREFORE, provided this Ordinance receives the affirmative vote of two-thirds of all members elected to Council, it shall take effect and be in force immediately upon its passage and approval by the Mayor; otherwise, from and after the earliest period allowed by law.

\_\_\_\_\_  
PRESIDENT OF COUNCIL

APPROVED: \_\_\_\_\_  
MAYOR

DATE PASSED: \_\_\_\_\_ DATE APPROVED: \_\_\_\_\_

ATTEST: \_\_\_\_\_  
DIRECTOR OF LEGISLATIVE SERVICES

YEAS:

NAYS:



# CITY OF NORTH ROYALTON

## Consolidated Sanitary Sewer District



Phone: 440-237-5010  
Facsimile: 440-582-9281

11675 Royalton Road  
North Royalton, Ohio 44133

To: Members of City Council

Re: 5 Ton Tandem Dump Truck

Date: 4/5/2022

Dear Council Members;

I am recommending the following purchases for the Wastewater Department for the continuing production of our Wastewater Maintenance program. The purchase of the 5 Ton Tandem Dump Truck for our Wastewater Maintenance Department to continue with the productivity it has established. The truck will help our Maintenance Department to continue to clean sanitary sewers and hauling of material, personnel as needed daily. The truck was already in this year's budget, Truck Cost: \$170,538.00

Respectfully,

Mark A. Smith  
Wastewater Superintendent  
City of North Royalton  
Consolidated Sanitary Sewer District

**Prepared for:**  
John Simon  
NORTH ROYALTON CITY OF  
14600 STATE RD

NORTH ROYALTON, OH 44133  
Phone: 440-336-5377


**Prepared by:**  
Greg Simonic  
VALLEY FREIGHTLINER, INC  
10901 Brookpark Rd  
Parma, OH 44130  
Phone: 216-267-4800

*A proposal for*  
**NORTH ROYALTON CITY OF**

*Prepared by*  
**VALLEY FREIGHTLINER, INC**  
*Greg Simonic*

*Mar 24, 2022*

**Freightliner 114SD**



Components shown may not reflect all spec'd options and are not to scale

Prepared for:  
John Simon  
NORTH ROYALTON CITY OF  
14600 STATE RD

NORTH ROYALTON, OH 44133  
Phone: 440-336-5377

Prepared by:  
Greg Simonic  
VALLEY FREIGHTLINER, INC  
10901 Brookpark Rd  
Parma, OH 44130  
Phone: 216-267-4800

Data Code	Description	Weight Front	Weight Rear	Retail Price
<b>Truck Service</b>				
AA3-004	END DUMP BODY			N/C
A88-99D	EXPECTED TRUCK BODY LENGTH : 0.0 ft			
AF3-1W1	HERITAGE TRUCK EQUIPMENT			N/C
<b>Engine</b>				
101-26J	CUM X12 455V HP @ 1900 RPM, 1550 LB-FT @ 1000 RPM, 2000 GOV RPM, VOC	-390	-45	\$2,357.00
<b>Electronic Parameters</b>				
79A-070	70 MPH ROAD SPEED LIMIT			N/C
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			N/C
79K-002	PTO MODE ENGINE RPM LIMIT - 700 RPM			N/C
79L-011	PTO MODE THROTTLE OVERRIDE - LIMIT TO 1400 RPM			N/C
79M-001	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED			N/C
79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM			N/C
79Q-002	PTO RPM WITH CRUISE RESUME SWITCH - 700 RPM			N/C
79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH			N/C
79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND			N/C
79V-001	FUEL DOSING OF AFTERTREATMENT ENABLED IN PTO MODE-CLEANS HYDROCARBONS AT HIGH TEMPERATURES ONLY			N/C
80G-002	PTO MINIMUM RPM - 700			N/C
80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH			N/C
<b>Engine Equipment</b>				
99C-021	2010 EPA/CARB/GHG21 CONFIGURATION			N/C
99D-010	NO 2008 CARB EMISSION CERTIFICATION			N/C
13E-001	STANDARD OIL PAN			STD
105-001	ENGINE MOUNTED OIL CHECK AND FILL			STD
014-1B5	SIDE OF HOOD AIR INTAKE WITH DONALDSON HIGH CAPACITY AIR CLEANER WITH SAFETY ELEMENT, FIREWALL MOUNTED			STD
124-1DJ	DR 12V 160 AMP 36-SI BRUSHLESS QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE	10		\$159.00
292-236	(3) DTNA GENUINE, FLOODED STARTING, MIN 3000CCA, 555RC, THREADED STUD BATTERIES			STD
290-017	BATTERY BOX FRAME MOUNTED			STD

Prepared for:  
John Simon  
NORTH ROYALTON CITY OF  
14600 STATE RD

NORTH ROYALTON, OH 44133  
Phone: 440-336-5377

Prepared by:  
Greg Simonich  
VALLEY FREIGHTLINER, INC  
10901 Brookpark Rd  
Parma, OH 44130  
Phone: 216-267-4800

Data Code	Description	Weight Front	Weight Rear	Retail Price
273-036	BORG WARNER (KYSOR) REAR AIR ON/OFF ENGINE FAN CLUTCH			N/C
276-002	AUTOMATIC FAN CONTROL WITH DASH SWITCH AND INDICATOR LIGHT, NON ENGINE MOUNTED			\$10.00
110-003	CUMMINS SPIN ON FUEL FILTER			N/C
118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER			N/C
266-057	1500 SQUARE INCH ALUMINUM RADIATOR			N/C
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			STD
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			STD
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			STD
270-016	RADIATOR DRAIN VALVE			N/C
168-002	LOWER RADIATOR GUARD	6		\$116.00
138-005	PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK HEATER	4		\$117.00
166-002	PHILLIPS-TEMRO 150 WATT/115 VOLT OIL PREHEATER	4		\$100.00
140-022	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR			\$6.00
155-055	DELCO 12V 39MT HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH	-45		N/C

#### Transmission

342-1M3	ALLISON 4500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	260	100	\$13,687.00
---------	--	-----	-----	-------------

#### Transmission Equipment

343-316	ALLISON VOCATIONAL PACKAGE 150 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODEL RDS			N/C
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES			N/C
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			STD
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			STD
84E-013	S1 PERFORMANCE PRIMARY SHIFT SCHEDULE, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C



Prepared for:  
John Simon  
NORTH ROYALTON CITY OF  
14600 STATE RD

NORTH ROYALTON, OH 44133  
Phone: 440-336-5377

Prepared by:  
Greg Simonic  
VALLEY FREIGHTLINER, INC  
10901 Brookpark Rd  
Parma, OH 44130  
Phone: 216-267-4800

Data Code	Description	Weight Front	Weight Rear	Retail Price
409-006	FRONT OIL SEALS			STD
408-022	STEMCO SERIES 350 ALUMINUM FRONT HUB CAPS WITH WINDOW AND REMOVABLE BLUE SENTINEL ESP VENT PLUGS - OIL			\$31.00
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES			STD
405-031	HALDEX AUTOMATIC FRONT SLACK ADJUSTERS WITH STAINLESS STEEL CLEVIS PINS			\$60.00
406-001	STANDARD KING PIN BUSHINGS			STD
536-055	TRW THP-60 POWER STEERING WITH RCH45 AUXILIARY GEAR	130		N/C
539-003	POWER STEERING PUMP			STD
534-003	4 QUART POWER STEERING RESERVOIR			N/C
533-001	OIL/AIR POWER STEERING COOLER			N/C
40T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE			\$17.00

#### Front Suspension

620-025	20,000# TAPERLEAF FRONT SUSPENSION	200		\$1,507.00
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			STD
410-001	FRONT SHOCK ABSORBERS			STD

#### Rear Axle and Equipment

420-059	RT-46-164P 46,000# R-SERIES TANDEM REAR AXLE		530	\$5,186.00
421-430	4.30 REAR AXLE RATIO			N/C
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			STD
386-075	MXL 18T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	-10	-10	\$157.00
388-073	MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES			STD
452-006	DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES		30	\$1,317.00
878-023	(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD-REAR AND REAR-REAR AXLE VALVE			N/C
87A-001	BLINKING LAMP WITH EACH INTERAXLE LOCK SWITCH, INTERAXLE UNLOCK DEFAULT WITH IGNITION OFF			N/C
87B-004	BLINKING LAMP WITH EACH MODE SWITCH, DIFFERENTIAL UNLOCK WITH IGNITION OFF, ACTIVE <5 MPH			N/C

Prepared for:  
John Simon  
NORTH ROYALTON CITY OF  
14600 STATE RD

NORTH ROYALTON, OH 44133  
Phone: 440-336-5377

Prepared by:  
Greg Simonic  
VALLEY FREIGHTLINER, INC  
10901 Brookpark Rd  
Parma, OH 44130  
Phone: 216-267-4800

	Data Code	Description	Weight Front	Weight Rear	Retail Price
	479-004	AIR DRYER MOUNTED OUTBOARD ON LH RAIL			N/C
N	460-008	STEEL AIR BRAKE RESERVOIRS MOUNTED INSIDE RAIL			\$215.00
	477-004	PULL CABLES ON ALL AIR RESERVOIR(S)			\$3.00
<b>Trailer Connections</b>					
	296-026	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, CENTER PIN POWERED THROUGH IGNITION WITH STOP SIGNAL PREWIRE PACKAGE			\$39.00
	297-041	SAE J560 7-WAY PRIMARY CABLE RECEPTACLE MOUNTED END OF FRAME WITH 36" ADDITIONAL CABLE AT REAR CROSSMEMBER	5	5	\$511.00
	335-004	UPGRADED CHASSIS MULTIPLEXING UNIT			N/C
<b>Wheelbase &amp; Frame</b>					
	545-532	5325MM (210 INCH) WHEELBASE			N/C
	546-1B2	1/2X3.64X11-7/8 INCH STEEL FRAME (12.7MMX301.6MM/0.5X11.88 INCH) 120KSI	390	230	\$1,878.00
	552-063	2550MM (100 INCH) REAR FRAME OVERHANG			N/C
	55W-009	FRAME OVERHANG RANGE: 91 INCH TO 100 INCH	-40	190	N/C
	AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 126.18 in			
	AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 123.18 in			
	AE4-99D	CALC'D FRAME LENGTH - OVERALL : 327.01 in			
	FSS-0LH	CALCULATED FRAME SPACE LH SIDE : 37.39 in			N/C
	FSS-0RH	CALCULATED FRAME SPACE RH SIDE : 33.97 in			N/C
	553-001	SQUARE END OF FRAME			STD
	55E-007	BUMPER MOUNTED IN BRIDGE FORMULA POSITION			\$40.00
	550-001	FRONT CLOSING CROSSMEMBER			STD
	559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			STD
	562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			STD
	572-001	STANDARD REARMOST CROSSMEMBER			STD
	565-002	HEAVY DUTY SUSPENSION CROSSMEMBER		30	N/C
<b>Chassis Equipment</b>					
	556-1D4	16.5 INCH CHROME STEEL BRIDGE FORMULA BUMPER WITH TAPERED ENDS	-20		\$470.00
	558-070	REMOVABLE FRONT TOW/RECOVERY DEVICE,STORED ON CHASSIS FRAME	15		\$155.00
	574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE			STD

Prepared for:  
John Simon  
NORTH ROYALTON CITY OF  
14600 STATE RD

NORTH ROYALTON, OH 44133  
Phone: 440-336-5377

Prepared by:  
Greg Simon  
VALLEY FREIGHTLINER, INC  
10901 Brookpark Rd  
Parma, OH 44130  
Phone: 216-267-4800

Data Code	Description	Weight Front	Weight Rear	Retail Price
497-011	REAR WHEEL MOUNTING NUTS			STD
498-011	NYLON WHEEL GUARDS FRONT AND REAR ALL INTERFACES			\$49.00
<b>Cab Exterior</b>				
829-1A2	114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB			STD
650-008	AIR CAB MOUNTING			STD
705-012	CAB ROOF REINFORCEMENTS FOR ROOF MOUNTED COMPONENTS	2		\$53.00
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE			STD
667-001	FRONT FENDERS			STD
754-002	3-1/2 INCH FENDER EXTENSIONS	15		\$169.00
678-067	SAFETY YELLOW LH AND RH INTERIOR GRAB HANDLES AND LH AND RH EXTERIOR GRAB HANDLES WITH SINGLE RUBBER INSERT			\$80.00
645-002	BRIGHT FINISH RADIATOR SHELL/HOOD BEZEL			\$253.00
646-042	STATIONARY BLACK GRILLE WITH BRIGHT ACCENTS			\$88.00
65X-003	CHROME HOOD MOUNTED AIR INTAKE GRILLE			\$15.00
644-004	FIBERGLASS HOOD			STD
690-002	TUNNEL/FIREWALL LINER			\$114.00
727-066	DUAL 26 INCH RECTANGULAR POLISHED ALUMINUM AIR HORNS ROOF MOUNTED	4		\$79.00
726-002	DUAL ELECTRIC HORNS			\$14.00
728-002	DUAL HORN SHIELDS			N/C
575-001	REAR LICENSE PLATE MOUNT END OF FRAME			STD
312-067	HALOGEN COMPOSITE HEADLAMPS WITH BRIGHT BEZELS			N/C
302-047	LED AERODYNAMIC MARKER LIGHTS			\$34.00
311-012	DAYTIME RUNNING LIGHTS - LOW BEAM ONLY			\$21.00
294-042	FREIGHTLINER LED FLANGE MOUNTED STOP/TAI/TURN LIGHTS WITH SEPARATE INCANDESCENT BACKUP LIGHTS		5	\$110.00
300-015	STANDARD FRONT TURN SIGNAL LAMPS			STD
744-103	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LED LIGHTS AND LH AND RH REMOTE			\$403.00
797-001	DOOR MOUNTED MIRRORS			STD
796-001	102 INCH EQUIPMENT WIDTH			STD
743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS			N/C

Prepared for:  
John Simon  
NORTH ROYALTON CITY OF  
14600 STATE RD

NORTH ROYALTON, OH 44133  
Phone: 440-336-5377

Prepared by:  
Greg Simonic  
VALLEY FREIGHTLINER, INC  
10901 Brookpark Rd  
Parma, OH 44130  
Phone: 216-267-4800

Data Code	Description	Weight Front	Weight Rear	Retail Price
739-034	PREMIUM INSULATION			\$145.00
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES			STD
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			STD
324-011	DOMED DOOR ACTIVATED LH AND RH, DUAL READING LIGHTS, FORWARD CAB ROOF			N/C
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			STD
78G-004	KEY QUANTITY OF 4			\$18.00
655-005	LH AND RH ELECTRIC DOOR LOCKS			\$36.00
284-101	(1) 12V POWER SUPPLY (1) DUAL 2.1 AMP USB CHARGER IN DASH			\$72.00
756-339	PREMIUM ISRINGHAUSEN HIGH BACK AIR SUSPENSION DRIVERS SEAT WITH 2 AIR LUMBAR, INTEGRATED CUSHION EXTENSION, TILT AND ADJUSTABLE SHOCK	70		\$414.00
760-339	PREMIUM ISRINGHAUSEN HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH 2 AIR LUMBAR, INTEGRATED CUSHION EXTENSION, TILT AND ADJUSTABLE SHOCK	60	20	\$451.00
759-005	DUAL DRIVER AND PASSENGER SEAT ARMRESTS	8		\$138.00
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS			STD
758-014	BLACK CORDURA PLUS CLOTH DRIVER SEAT COVER			\$2.00
761-014	BLACK CORDURA PLUS CLOTH PASSENGER SEAT COVER			\$4.00
763-101	BLACK SEAT BELTS			STD
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	10		\$478.00
540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL			N/C
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			STD

#### Instruments & Controls

732-003	WOODGRAIN DRIVER INSTRUMENT PANEL			N/C
734-003	WOODGRAIN CENTER INSTRUMENT PANEL			N/C
870-001	BLACK GAUGE BEZELS			N/C
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM			STD
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES			N/C
198-003	DASH MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS			\$25.00





Prepared for:  
John Simon  
NORTH ROYALTON CITY OF  
14600 STATE RD

NORTH ROYALTON, OH 44133  
Phone: 440-336-5377

Prepared by:  
Greg Simonic  
VALLEY FREIGHTLINER, INC  
10901 Brookpark Rd  
Parma, OH 44130  
Phone: 216-267-4800

Data Code	Description	Weight Front	Weight Rear	Retail Price
813-998	NO VEHICLE PERFORMANCE MONITOR	-5		N/C
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP			STD
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			STD
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY			STD
304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH			N/C
882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR			STD
299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE			N/C
298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS			STD

#### Design

065-000	PAINT: ONE SOLID COLOR			\$1,043.00
---------	------------------------	--	--	------------

#### Color

980-UBQ	CAB COLOR A: 00904952EY QUICKSILVER MET ELITE EY			N/C
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			STD
963-003	STANDARD E COAT/UNDERCOATING			STD

#### Extended Front Axle Coverage

WA4-035	AXLE: DETROIT FRONT ONLY: HD MODERATE 5 YEARS/100,000 MILES/161,000 KM EXTENDED AXLE COVERAGE			\$50.00
---------	---	--	--	---------

#### Certification / Compliance

996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS			STD
---------	---	--	--	-----

#### Secondary Factory Options

998-033	CORPORATE PDI CENTER IN-SERVICE AND OPTION INSTALLATION/MODIFICATION			N/C
---------	--	--	--	-----

#### Raw Performance Data

AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 123.18 in			
---------	--	--	--	--

#### Sales Programs

NO SALES PROGRAMS HAVE BEEN SELECTED

### TOTAL VEHICLE SUMMARY



**Prepared for:**  
John Simon  
NORTH ROYALTON CITY OF  
14600 STATE RD

NORTH ROYALTON, OH 44133  
Phone: 440-336-5377

**Prepared by:**  
Greg Simonic  
VALLEY FREIGHTLINER, INC  
10901 Brookpark Rd  
Parma, OH 44130  
Phone: 216-267-4800

CMRLC	RELOCATE CHASSIS CONTROL MODULE INSIDE CAB (BEHIND PASSENGER SEAT).	0	0	\$490.00
HRTG	HERITAGE BODY	0	0	\$35,800.00
Total Dealer Installed Options		0 lbs	0 lbs	\$36,290.00

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(\*\*) Prices shown do not include taxes, fees, etc... "Net Equipment Selling Price" is located on the Quotation Details Proposal Report.

(\*\*\*) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

Prepared for:  
 John Simon  
 NORTH ROYALTON CITY OF  
 14600 STATE RD  
  
 NORTH ROYALTON, OH 44133  
 Phone: 440-336-5377

Prepared by:  
 Greg Simonic  
 VALLEY FREIGHTLINER, INC  
 10901 Brookpark Rd  
 Parma, OH 44130  
 Phone: 216-267-4800

Dimensions	Inches
Bumper to Back of Cab (BBC)	112.9
Bumper to Centerline of Front Axle (BA)	29.5
Front Axle to Back of Cab (AC)	83.5
Min. Cab to Body Clearance (CB)	3.0
Back of Cab to Centerline of Rear Axle(s) (CA)	126.2
Effective Back of Cab to Centerline of Rear Axle(s) (Effective CA)	123.2
Back of Cab Protrusions (Exhaust/Intake) (CP)	2.0
Back of Cab Protrusions (Side Extenders/Trim Tab) (CP)	0.0
Back of Cab Protrusions (CNG Tank)	0.0
Back of Cab Clearance (CL)	3.0
Back of Cab to End of Frame	226.6
Cab Height (CH)	71.4
Wheelbase (WB)	209.6
Frame Overhang (OH)	100.4
Overall Frame Length	327.0
Overall Length (OAL)	339.5
Rear Axle Spacing	52.0
Unladen Frame Height at Centerline of Rear Axle	44.3

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.

**Prepared for:**  
John Simon  
NORTH ROYALTON CITY OF  
14600 STATE RD  
  
NORTH ROYALTON, OH 44133  
Phone: 440-336-5377

**Prepared by:**  
Greg Simonic  
VALLEY FREIGHTLINER, INC  
10901 Brookpark Rd  
Parma, OH 44130  
Phone: 216-267-4800

Expected GVW (lbs)	64000
Expected GCW (lbs)	0.0
Engine (101)	CUM X12 455V HP @ 1900 RPM, 1550 LB-FT @ 1000 RPM, 2000 GOV RPM, VOC
Torque at Clutch Engagement (lbs-ft)	800
Transmission (342)	ALLISON 4500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION
Gear Ratio: Forward 1	4.7
Gear Ratio: Forward 2	2.21
Gear Ratio: Forward 3	1.53
Gear Ratio: Reverse 1	5.55
Gear Ratio: Reverse 2	N/A
Gear Ratio: Reverse 3	N/A
Auxiliary Transmission (352)	NO AUXILIARY TRANSMISSION
Low Gear Ratio	N/A
High Gear Ratio	N/A
Transfer Case (373)	NO TRANSFER CASE
Low Gear Ratio	N/A
High Gear Ratio	N/A
Rear Axle (420)	RT-46-164P 46,000# R-SERIES TANDEM REAR AXLE
Number of Speeds	1
Rear Axle Gear Ratio(s)	4.30 REAR AXLE RATIO
Rear Tires (094)	MICHELIN X MULTI D 11R22.5 16 PLY RADIAL REAR TIRES
Revolutions per Mile	494
Vehicle Service (A85)	UTILITY/REPAIR/MAINTENANCE SERVICE
Startability Factor	8
Terrain (AA5)	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS
Startability Factor	0
Most Severe Grade Expected (AB1)	MAXIMUM 8% EXPECTED GRADE
Startability Factor	8
Road Surface (AB5). SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE	
Startability Factor	0
Suggested Torque Converter Stall Ratio	1.9

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.



Prepared for:  
John Simon  
NORTH ROYALTON CITY OF  
14600 STATE RD

NORTH ROYALTON, OH 44133  
Phone: 440-336-5377

Prepared by:  
Greg Simonic  
VALLEY FREIGHTLINER, INC  
10901 Brookpark Rd  
Parma, OH 44130  
Phone: 216-267-4800



## HERITAGE TRUCK EQUIPMENT, INC.

661 POWELL AVE  
HARTVILLE, OH 44632

(330) 699-4491 PHONE  
(330) 564-0756 FAX

Customer Valley Freightliner

Truck VIN 0

<i>Spec's &amp; Options</i>	Ladders	Front panel on driver's side w/ one step below bottom rail
	Inside Steps	Front only
	Tarp Bar	None
	Mud Flaps - front	Heritage flaps - 30" length w/ anti-sail brackets
	Mud Flaps - rear	Heritage flaps - hooks on straps - chains on flaps
	Shovel Holder	Front of body on driver's side
	Rear Apron	None
	Vibrator	None
<i>Paint</i>	Body Finish	Sandblast, prime, and paint body one standard color
	Boards	Black
<i>Chassis</i>	Rear Chassis Lights	Round combo lights in plate - ID cluster on hinge
	Exhaust Stack	Short chrome turnout
	ICC Bumper	None
	Rear Tow Hooks	None
	Deckplate	None
	Pintle Hitch Assembly	None
	Body Prop	Installed
	Back-up Alarm	Installed
<i>Tarp</i>	Manufacturer	Mountain Tarp
	Operation	Electric cable slide tarping system
	Material Type	Mesh
	Wind Screen	Standard from Mountain Tarp
	Tarp Options	Heritage to install the switch and relay in the tower - run wiring to the bulkhead
	Tarp Options	Tarp needs to slide back as close to the tailgate as possible
<i>Lift Axle</i>	Manufacturer	None Quoted
	# of Lift Axles	
	Axle Type	
	Axle Spacing	
	Controls	
	Additional Air Tanks	
	Wheels/Tires	None Quoted

Prepared for:  
John Simon  
NORTH ROYALTON CITY OF  
14600 STATE RD

NORTH ROYALTON, OH 44133  
Phone: 440-336-5377

Prepared by:  
Greg Simonic  
VALLEY FREIGHTLINER, INC  
10901 Brookpark Rd  
Parma, OH 44130  
Phone: 216-267-4800



## OHIO DEPARTMENT OF TRANSPORTATION

CENTRAL OFFICE - 1980 WEST BROAD STREET - COLUMBUS, OH 43223

MIKE DEWINE, GOVERNOR - JACK MARCHBANKS, PH.D., DIRECTOR

September 23, 2021

Valley Freightliner Sterling and Western Star, Inc  
10901 Brook Park Rd.  
Parma, OH 44130

Re: 023-22  
Single & Tandem Axle Cab and Chassis

Dear Vendor:

Your bid proposal as submitted has been accepted by the Ohio Department of Transportation.

This Invitation permits multiple awarded vendors to provide Single & Tandem Axle Cab and Chassis. The contract will be in effect from October 1, 2021 to September 30, 2022.

A purchase shall only take place upon the issuance of an official purchase order or the use of a payment card. There is no guarantee that purchase orders will be issued or that products will be ordered against issued purchase orders.

Thank you for bidding on our invitation. Todd VanKirk is available for any assistance necessary to ensure that a quality partnership exists between your company and our Department. If you have any questions, please call (614) 466-3209.

Respectfully,

A handwritten signature in blue ink, appearing to read 'Jack Marchbanks'.

Jack Marchbanks, Ph.D.  
Director  
Ohio Department of Transportation



AN ORDINANCE ADDRESSING THE PROVISIONS OF AMENDED SUBSTITUTE H.B. 172 CONCERNING THE RIGHT OF MUNICIPALITIES TO RETAIN THE REGULATIONS AND PROHIBITIONS ON THE DISCHARGE, IGNITION AND EXPLODING OF FIREWORKS THAT EXISTED PRIOR TO THE ENACTMENT OF AMENDED SUBSTITUTE H.B. 172, AND DECLARING AN EMERGENCY

WHEREAS: On October 27, 2021, the Ohio General Assembly passed Amended Substitute House Bill 172 (“H.B. 172”) concerning, among other things, the regulation, possession, discharge, ignition and exploding of fireworks in the State of Ohio; and

WHEREAS: Governor DeWine signed H.B. 172 into law on November 8, 2021; and

WHEREAS: Various aspects of H.B. 172 will, without legislative action by Ohio municipalities and other governmental entities, permit the discharge, ignition and/or exploding of what are commonly referred to as “fireworks” on certain conditions and on certain days of the year; and

WHEREAS: Provisions of H.B. 172 (including what is now RC 3743.45(D) and (E) and RC 3743.451(B)) expressly grant municipalities with home rule authority the right to retain all or any municipal ordinances that regulate and/or prohibit the discharge, ignition or exploding of fireworks and to retain all Ordinances that regulate noise, disturbance of the peace and disorderly conduct; and

WHEREAS: The discharge, ignition and/or exploding of fireworks poses significant danger to the public and will cause injuries as well as property damage, especially in densely populated residential areas; and

WHEREAS: Council desires to opt-out of H.B. 172 before its provisions take effect and to reaffirm the existing ban on discharging, igniting or exploding fireworks as set forth in Section 672.10 of the Codified Ordinances; and

NOW, THEREFORE, BE IT ORDAINED BY THE COUNCIL OF THE CITY OF NORTH ROYALTON, COUNTY OF CUYAHOGA, STATE OF OHIO, THAT:

Section 1. All existing ordinances of the City of North Royalton that govern the possession, discharge, ignition and/or explosion of fireworks are hereby reaffirmed and ratified and shall be in full force and effect as permitted by the terms of H.B. 172 and the Ohio Revised Code and the City of North Royalton affirmatively opts out of the provisions of H.B. 172 that would and do otherwise allow for the use of fireworks as specified therein.

Section 2. It is found and determined that all formal actions of this Council concerning and relating to the adoption of this Ordinance were adopted in an open meeting of this Council and that all deliberations of this Council and any of its committees that resulted in such formal action were in meetings open to the public in compliance with all legal requirements.

Section 3. This Ordinance is hereby declared to be an emergency measure immediately necessary for the preservation of the public peace, health, safety and welfare of the city, and for the further reason that it is immediately necessary to regulate the possession, discharge, ignition and/or explosion of fireworks for the safety and protection of all and to do so before the effective date of H.B. 172.

THEREFORE, provided this Ordinance receives the affirmative vote of two-thirds of all members elected to Council, it shall take effect and be in force immediately upon its passage and approval by the Mayor; otherwise, from and after the earliest period allowed by law.

_____	APPROVED: _____
PRESIDENT OF COUNCIL	MAYOR

DATE PASSED: _____	DATE APPROVED: _____
--------------------	----------------------

ATTEST: \_\_\_\_\_  
DIRECTOR OF LEGISLATIVE SERVICES

YEAS:

NAYS:



ORDINANCE NO. 22-62

INTRODUCED BY: Mayor Antoskiewicz  
Co-Sponsor: Marnecheck, Carbone-McDonald

AN ORDINANCE AMENDING THE CODIFIED ORDINANCES OF THE CITY OF NORTH ROYALTON, PART 4 TRAFFIC CODE, TITLE SIX, CHAPTER 432 OPERATION GENERALLY, SECTION 432.30 STOPPING FOR SCHOOL BUS; ACTUATING VISUAL SIGNALS; DISCHARGING CHILDREN, PARAGRAPH (f)(1), AND DECLARING AN EMERGENCY

WHEREAS: Council finds that it bears no higher obligation than the obligation to protect the lives and well-being of the children in North Royalton; and

WHEREAS: Council finds that the increasing number of violations of Ordinance 432.30 prohibiting the improper, illegal and gravely dangerous act of passing a school bus while in the process of collecting or discharging children calls for a significant response in the application of the potential penalties for such violations; and

WHEREAS: Council finds it is therefore necessary to amend Part 4 Traffic Code, Title Six, Chapter 432 Operation Generally, Section 432.30 Stopping for School Bus; Actuating Visual Signals; Discharging Children, Paragraph (f)(1) of the Codified Ordinances of the City of North Royalton by raising the violation to a Misdemeanor of the First Degree as defined by the Ohio Revised Code and as incorporated into the North Royalton Codified Ordinances in Section 698.02; and

WHEREAS: Council desires to provide for this amendment.

NOW, THEREFORE, BE IT ORDAINED BY THE COUNCIL OF THE CITY OF NORTH ROYALTON, COUNTY OF CUYAHOGA AND STATE OF OHIO, THAT:

Section 1. Part 4 Traffic Code, Title Six, Chapter 432 Operation Generally, Section 432.30 Stopping for School Bus; Actuating Visual Signals; Discharging Children, Paragraph (f)(1) of the Codified Ordinances of the City of North Royalton be and is hereby amended as follows:

432.30 STOPPING FOR SCHOOL BUS; ACTUATING VISUAL SIGNALS; DISCHARGING CHILDREN

(f) (1) Whoever violates division (a) of this section ~~may be fined an amount not to exceed one thousand dollars (\$1000.00)~~ **is guilty of a misdemeanor of the first degree as defined in the Ohio Revised Code and shall be sentenced according to the provisions of NRCO Section 698.02 and subject to a fine of not more than \$1000.00 and a term of incarceration of not more than 180 days.** A person who is issued a citation for a violation of division (a) of this section is not permitted to enter a written plea of guilty and waive the person's right to contest the citation in a trial but instead must appear in person in the proper court to answer the charge.

Section 2. Section 432.30 of the Codified Ordinances of the City of North Royalton is hereby amended as provided for herein and all other provisions of Chapter 432 shall remain in full force and effect.

Section 3. This Ordinance shall supersede all previously adopted Ordinances in direct conflict herewith.

Section 4. It is found and determined that all formal actions of this Council concerning and relating to the adoption of this Ordinance were adopted in an open meeting of this Council and that all deliberations of this Council and any of its committees that resulted in such formal action were in meetings open to the public in compliance with all legal requirements.

Section 5. This Ordinance is hereby declared to be an emergency measure immediately necessary for the preservation of public peace, health, safety, and welfare of the city, and for the further reason that it is immediately necessary to amend Part 4 Traffic Code, Title Six, Chapter 432 Operation Generally, Section 432.30 Stopping for School Bus; Actuating Visual Signals; Discharging Children, Paragraph (f)(1) of the Codified Ordinances of the City of North Royalton for the protection of the youngest and most vulnerable of our citizens.

THEREFORE, provided this Ordinance receives the affirmative vote of two-thirds of all members elected to the Council, it shall take effect and be in force immediately upon its passage and approval by the Mayor, otherwise, from and after the earliest period allowed by law.

_____	APPROVED: _____
PRESIDENT OF COUNCIL	MAYOR

DATE PASSED: _____	DATE APPROVED: _____
--------------------	----------------------

ATTEST: _____
DIRECTOR OF LEGISLATIVE SERVICES

YEAS:

NAYS:

AN ORDINANCE AMENDING THE CODIFIED ORDINANCES OF THE CITY OF NORTH ROYALTON, PART 12 PLANNING AND ZONING CODE, CHAPTER 1260 GENERAL PROVISIONS AND DEFINITIONS, SECTION 1260.07 DEFINITIONS TO ADD APPROPRIATE DEFINITIONS FOR ACCESSORY BUILDINGS, AND DECLARING AN EMERGENCY

WHEREAS: It has been determined that the current regulations governing the type and number of structures permitted to be constructed in residential yards is insufficient to meet current needs and trends; and

WHEREAS: Council desires to provide for these amendments in order to more clearly define these additional structure typologies and to adequately regulate them; and

WHEREAS: It is therefore necessary to amend the Codified Ordinances of the City of North Royalton, Part 12 Planning and Zoning Code, Chapter 1260 General Provisions and Definitions, Section 1260.07 Definitions to add appropriate definitions that define Accessory Building structures.

NOW, THEREFORE, BE IT ORDAINED BY THE COUNCIL OF THE CITY OF NORTH ROYALTON, COUNTY OF CUYAHOGA AND STATE OF OHIO, THAT:

Section 1. Part 12 Planning and Zoning Code, Chapter 1260 General Provisions and Definitions, Section 1260.07 Definitions of the Codified Ordinances of the City of North Royalton is hereby amended to hereinafter read as follows:

1260.07 DEFINITIONS.

(f) Building and Structures.

(1) "Accessory building" means a subordinate building detached from, but located on, the same lot as the main building, the use of which is incidental and accessory to that of the main building or use.

(2) "Basement" means the space of a building where the floor level is more than four feet below the average finished grade.

(3) "Building" means a structure which is permanently affixed to the land, having one or more floors and a roof, being bounded by either open space or lot lines, and used as a shelter or enclosure for persons, animals or property.

(4) ***"Accessory Shelter" means an Accessory Building that is permanently affixed to the land, having not more than one floor and a roof. The shelter may be entirely open, or enclosed with fully transparent exterior walls and doors, or whose non-transparent exterior walls and doors shall not enclose more than 20% of the total building perimeter.***

(5) ***"Private Garage" means an Accessory Building or portion of a dwelling which is fully enclosed and used for the sheltering of permitted vehicles and storage of household equipment incidental to the residential occupancy.***

Section 2. Chapter 1260 General Provisions and Definitions, Section 1260.07 Definitions is hereby amended as provided for herein and all other provisions of Chapter 1260 shall remain in full force and effect.

Section 3. This Ordinance shall supersede all previously adopted Ordinances in direct conflict herewith.

Section 4. It is found and determined that all formal actions of this Council concerning and relating to the adoption of this Ordinance were adopted in an open meeting of this Council and that all deliberations of this Council and any of its committees that resulted in such formal action were in meetings open to the public in compliance with all legal requirements.

Section 5. This Ordinance is hereby declared to be an emergency measure immediately necessary for the preservation of the public peace, health, safety and welfare of the city, and for the further reason that it is immediately necessary to afford the public the full and undiminished use of their homes and grounds.

THEREFORE, provided this Ordinance receives the affirmative vote of two-thirds of all members elected to Council, it shall take effect and be in force immediately upon its passage and approval by the Mayor; otherwise, from and after the earliest period allowed by law.

_____	APPROVED: _____
PRESIDENT OF COUNCIL	MAYOR

DATE PASSED: _____	DATE APPROVED: _____
--------------------	----------------------

ATTEST: \_\_\_\_\_  
DIRECTOR OF LEGISLATIVE SERVICES

YEAS:

NAYS:



AN ORDINANCE AMENDING THE CODIFIED ORDINANCES OF THE CITY OF NORTH ROYALTON, PART 12 PLANNING AND ZONING CODE, CHAPTER 1270 RESIDENTIAL DISTRICTS (OTHER THAN SENIOR CITIZEN AND RURAL RESIDENTIAL DISTRICTS), SECTION 1270.04 AREA, YARD AND HEIGHT REGULATIONS, PARAGRAPH (g), AND DECLARING AN EMERGENCY

WHEREAS: It has been determined to be necessary to simplify certain codified regulations regarding accessory structures; and

WHEREAS: Council desires to provide for this amendment to consolidate and clarify the regulations regarding Accessory Structures into section 1270.12 rather than spread across multiple code sections.

WHEREAS: It is therefore necessary to amend the Codified Ordinances of the City of North Royalton, Part 12 Planning and Zoning Code, Chapter 1270 Residential Districts (Other than Senior Citizen and Rural Residential Districts) Section 1270.04 Area, Yard and Height Regulations, Paragraph (g); and

WHEREAS: Council desires to provide for this amendment.

NOW, THEREFORE, BE IT ORDAINED BY THE COUNCIL OF THE CITY OF NORTH ROYALTON, COUNTY OF CUYAHOGA AND STATE OF OHIO, THAT:

Section 1. Part 12 Planning and Zoning Code, Chapter 1270 Residential Districts (Other than Senior Citizen and Rural Residential Districts) Section 1270.04 Area, Yard and Height Regulations of the Codified Ordinances of the City of North Royalton is hereby amended to hereinafter read as follows:

1270.04 AREA, YARD AND HEIGHT REGULATIONS.

Land and buildings shall be used only in accordance with the lot area regulations, and buildings shall be erected, altered, moved and maintained only in accordance with the area, yard and building height regulations, set forth in this chapter.

(g) The height of a main building permitted on a zoning lot shall not exceed the number of stories as given in the schedule set forth in Section 1270.05, or as modified in Section 1270.20. ~~The height of accessory buildings shall not exceed twenty feet with a maximum wall height of ten feet. In no instance shall an accessory building exceed the height of the main building.~~

Section 2. Chapter 1270 Residential Districts (Other than Senior Citizen and Rural Residential Districts) Section 1270.04 Area, Yard and Height Regulations of the Codified Ordinances of the City of North Royalton is hereby amended as provided for herein and all other provisions of Chapter 1270 shall remain in full force and effect.

Section 3. This Ordinance shall supersede all previously adopted Ordinances in direct conflict herewith.

Section 4. It is found and determined that all formal actions of this Council concerning and relating to the adoption of this Ordinance were adopted in an open meeting of this Council and that all deliberations of this Council and any of its committees that resulted in such formal action were in meetings open to the public in compliance with all legal requirements.

Section 5. This Ordinance is hereby declared to be an emergency measure immediately necessary for the preservation of the public peace, health, safety and welfare of the city, and for the further reason that it is immediately necessary to amend the Codified Ordinances of the City of North Royalton, Part 12 Planning and Zoning Code, Chapter 1270 Residential Districts (Other than Senior Citizen and Rural Residential Districts) Section 1270.04 Area, Yard and Height Regulations, Paragraph (g) to simplify the code for the benefit of the public.

THEREFORE, provided this Ordinance receives the affirmative vote of two-thirds of all members elected to Council, it shall take effect and be in force immediately upon its passage and approval by the Mayor; otherwise, from and after the earliest period allowed by law.

_____	APPROVED: _____
PRESIDENT OF COUNCIL	MAYOR

DATE PASSED: _____	DATE APPROVED: _____
--------------------	----------------------

ATTEST: \_\_\_\_\_  
DIRECTOR OF LEGISLATIVE SERVICES

YEAS:

NAYS:

AN ORDINANCE AMENDING THE CODIFIED ORDINANCES OF THE CITY OF NORTH ROYALTON, PART TWELVE PLANNING AND ZONING CODE, CHAPTER 1270 RESIDENTIAL DISTRICTS, SECTION 1270.12 YARDS FOR ACCESSORY BUILDINGS AND USES, PARAGRAPH (a), AND DECLARING AN EMERGENCY

- WHEREAS: It has been determined necessary to amend Part Twelve Planning and Zoning Code, Chapter 1270 Residential Districts, Section 1270.12 Yards for Accessory Buildings and Uses, Paragraph (a) of the Codified Ordinances of the City of North Royalton in order to clarify and update language contained in these sections; and
- WHEREAS: Council desires to provide for this amendment in order to more closely align the Accessory Building regulations with the building sizes and locations most commonly requested by residents.

NOW, THEREFORE, BE IT ORDAINED BY THE COUNCIL OF THE CITY OF NORTH ROYALTON, COUNTY OF CUYAHOGA AND STATE OF OHIO, THAT:

Section 1. Chapter 1270 Residential Districts, Section 1270.12 Yards for Accessory Buildings and Uses, Paragraph (a) of the Codified Ordinances of the City of North Royalton is hereby amended to hereinafter read as follows:

~~1270.12 YARDS FOR ACCESSORY BUILDINGS AND USES:~~

~~(a) Maximum Area. Any accessory structures permitted in a Residential District other than Rural Residential shall be determined by the following formula: Only one accessory building shall be permitted in addition to a private detached or attached garage, providing such accessory building or other structures do not exceed the allowable square footage set forth in Section 1270.12(a)(1)A., B., C., D., E.~~

<del>(1) Acreage</del>	<del>Accessory Size Allowable</del>
<del>1/4 acre= 10,890 sq. ft.</del>	<del>500 sq. ft.</del>
<del>1/2 acre= 10,891 sq. ft. but not more than 21,780 sq. ft.</del>	<del>600 sq. ft.</del>
<del>3/4 acre= 21,781 sq. ft. but not more than 32,670 sq. ft.</del>	<del>700 sq. ft.</del>
<del>Less than one acre = 32,671 sq. ft. but not more than 43,560 sq. ft.</del>	<del>800 sq. ft.</del>

- ~~A. For all lots less than one acre, the maximum allowable accessory structures shall not exceed the requirements of Section 1270.12(a)(1). All structures combined shall not exceed the basic footprint of thirty five percent of the lot. Such footprint shall be permitted to be split to accommodate the maximum use of the lot.~~
- ~~B. For all lots containing one acre or more, all accessory structures shall not exceed 1,200 square feet, regardless of size of the main use structure. For all lots containing one acre or more and a main use structure that exceeds 2,500 square feet, all accessory structures shall not exceed fifty percent of the main use structure foundation inclusive of attached garage. Such accessory structures shall not exceed the basic footprint of thirty five percent of the lot. Such footprint shall be permitted to be split to accommodate the maximum lot use.~~
- ~~C. The thirty five percent of lot coverage limitation shall include the following: The main use structure, any accessory structures, parking areas, sidewalks, driveways, swimming pools, any recreation areas that are hard surfaced with concrete or blacktop or similar materials.~~
- ~~D. Accessory structures and detached garages commonly associated with R1-A and R1-B Districts are not permitted in a cluster development in accordance with Section 1270.33(d)(4)F.~~
- ~~E. Swimming pools, whether in ground or above ground, shall be permitted regardless of size providing such pool does not exceed the thirty five percent lot coverage inclusive with all other accessory structures.~~

**1270.12 SIZE, LOCATION, SETBACKS AND HEIGHT FOR ACCESSORY BUILDINGS AND PRIVATE GARAGES.**

**(a) Private Garages and Accessory Buildings permitted in the R1-A, R1-B, and RRZ Districts per section 1273.01(d), shall be meet the requirements of the following table:**

<b>Each residential lot is permitted one (1) attached or detached Private Garage based on the size of the dwelling:</b>	
<b>Dwelling size</b>	<b>Max. total square footage</b>
<b>Up to 1800 sq. ft.</b>	<b>800 sq. ft.</b>
<b>1800 – 4000 sq. ft.</b>	<b>1,000 sq. ft.</b>
<b>Over 4000 sq. ft.</b>	<b>1,200 sq. ft.</b>
<b>Each residential lot is permitted one (1) Accessory Building and one (1) Accessory Shelter that, combined, shall not exceed the following requirements:</b>	
<b>Lot Size</b>	<b>Max. total square footage</b>
<b>Up to ½ acre</b>	<b>600 sq. ft.</b>
<b>½ acre to one (1) acre</b>	<b>800 sq. ft.</b>
<b>One (1) to three (3) acres</b>	<b>1200 sq. ft.</b>
<b>More than three acres</b>	<b>2000 sq. ft.</b>
<b>Accessory Building Location</b>	
<b>Interior lot</b>	<b>Behind rear wall of the Main Building<sup>1</sup></b>
<b>Corner lot</b>	<b>Behind rear wall of the Main Building and observe the actual setback created by the adjacent main building of the abutting lot.<sup>1</sup></b>
<b>Accessory Building setback from:</b>	<b>Distance</b>
<b>Any dwelling</b>	<b>20 ft.</b>
<b>Any other Accessory Building</b>	<b>10 ft.</b>
<b>Side property line</b>	<b>5 ft.</b>
<b>Rear property line</b>	<b>5 ft.</b>
<b>Accessory Building Height</b>	<b>Max. height</b>
<b>Wall height</b>	<b>10 ft.</b>
<b>Overall height</b>	<b>20 ft. or the overall height of the main building, whichever is less.</b>

1. Except that an Accessory Shelter of not more than 100 sq. ft. may be permitted in the front yard or side yard if it is entirely unenclosed.
- A. All structures combined shall not exceed the basic footprint of thirty-five percent of the lot. Such footprint shall be permitted to be split to accommodate the maximum use of the lot.
- B. Accessory structures and Private Detached Garages commonly associated with R1-A and R1-B Districts are not permitted in a cluster development in accordance with Section 1270.33(d)(4)F.
- C. Swimming pools, whether in-ground or above-ground, shall be permitted regardless of size providing such pool does not exceed the thirty-five percent lot coverage inclusive with all other accessory structures.

Section 2. Chapter 1270, Section 1270.12, Paragraph (a) of the Codified Ordinances of the City of North Royalton is hereby amended as provided for herein and all other provisions of Chapter 1270 shall remain in full force and effect.

Section 3. This Ordinance shall supersede all previously adopted Ordinances in direct conflict herewith.

Section 4. It is found and determined that all formal actions of this Council concerning and relating to the adoption of this Ordinance were adopted in an open meeting of this Council and that all deliberations of this Council and any of its committees that resulted in such formal action were in meetings open to the public in compliance with all legal requirements.

Section 5. This Ordinance is hereby declared to be an emergency measure immediately necessary for the preservation of the public peace, health, safety and welfare of the city, and for the further reason that it is immediately necessary to amend Chapter 1270 Residential Districts, Section 1270.12 Yards for Accessory Buildings and Uses, Paragraph (a) of the Codified Ordinances of the City of North Royalton in order to clarify and update language contained in these sections and to simplify the code for the benefit of the public.

THEREFORE, provided this Ordinance receives the affirmative vote of two-thirds of all members elected to Council, it shall take effect and be in force immediately upon its passage and approval by the Mayor; otherwise, from and after the earliest period allowed by law.

_____	APPROVED: _____
PRESIDENT OF COUNCIL	MAYOR

DATE PASSED: _____	DATE APPROVED: _____
--------------------	----------------------

ATTEST: \_\_\_\_\_  
DIRECTOR OF LEGISLATIVE SERVICES

YEAS:

NAYS:



AN ORDINANCE AMENDING THE CODIFIED ORDINANCES OF THE CITY OF NORTH ROYALTON, PART TWELVE PLANNING AND ZONING CODE, CHAPTER 1270 RESIDENTIAL DISTRICTS, SECTION 1270.12 YARDS FOR ACCESSORY BUILDINGS AND USES, BY REPEALING PARAGRAPH (b), AND DECLARING AN EMERGENCY

WHEREAS: It has been determined necessary to amend Part Twelve Planning and Zoning Code, Chapter 1270 Residential Districts, Section 1270.12 Yards for Accessory Buildings and Uses, by repealing Paragraph (b) of the Codified Ordinances of the City of North Royalton in order to clarify and update language contained in these sections; and

WHEREAS: Council desires to provide for this amendment.

NOW, THEREFORE, BE IT ORDAINED BY THE COUNCIL OF THE CITY OF NORTH ROYALTON, COUNTY OF CUYAHOGA AND STATE OF OHIO, THAT:

Section 1. Chapter 1270 Residential Districts, Section 1270.12 Yards for Accessory Buildings and Uses, Paragraph (b) of the Codified Ordinances of the City of North is hereby deleted in its entirety as indicated below:

1270.12 YARDS FOR ACCESSORY BUILDINGS AND USES.

~~(b) — Accessory Building Locations in R1-A and R1-B Districts. No accessory building or detached private garage shall be located less than twenty feet from any dwelling and ten feet from any rear residential lot lines. No such building or garage shall project into a front or into a side yard. All accessory buildings shall conform to the side yard setbacks for the residential zoning in which they are located (see Section 1270.05). On corner lots, an accessory building shall be set back from the side street line not less than the required setback for the adjacent main building of the abutting lot plus an additional five feet.~~

Section 2. Chapter 1270 Residential Districts, Section 1270.12 Yards for Accessory Buildings and Uses, Paragraph (b) of the Codified Ordinances of the City of North Royalton is hereby amended as provided for herein and all other provisions of this chapter shall remain in full force and effect.

Section 3. This Ordinance shall supersede all previously adopted ordinances in direct conflict herewith.

Section 4. It is found and determined that all formal actions of this Council concerning and relating to the adoption of this Ordinance were adopted in an open meeting of this Council and that all deliberations of this Council and any of its committees that resulted in such formal action were in meetings open to the public in compliance with all legal requirements.

Section 5. This Ordinance is hereby declared to be an emergency measure immediately necessary for the preservation of the public peace, health, safety and welfare of the city, and for the further reason that it is immediately necessary to amend Chapter 1270 Residential Districts, Section 1270.12 Yards for Accessory Buildings and Uses, by repealing Paragraph (b) of the Codified Ordinances of the City of North Royalton in order to clarify and update language contained in these sections and to simplify the code for the benefit of the public.

THEREFORE, provided this Ordinance receives the affirmative vote of two-thirds of all members elected to Council, it shall take effect and be in force immediately upon its passage and approval by the Mayor; otherwise, from and after the earliest period allowed by law.

\_\_\_\_\_  
PRESIDENT OF COUNCIL

APPROVED: \_\_\_\_\_  
MAYOR

DATE PASSED: \_\_\_\_\_ DATE APPROVED: \_\_\_\_\_

ATTEST: \_\_\_\_\_  
DIRECTOR OF LEGISLATIVE SERVICES

YEAS:  
NAYS:

AN ORDINANCE AMENDING THE CODIFIED ORDINANCES OF THE CITY OF NORTH ROYALTON, PART TWELVE PLANNING AND ZONING CODE, CHAPTER 1270 RESIDENTIAL DISTRICTS, SECTION 1270.19 DWELLING UNIT AREA REQUIREMENT, PARAGRAPH (d), AND DECLARING AN EMERGENCY

WHEREAS: It has been determined necessary to amend Part Twelve Planning and Zoning Code, Chapter 1270 Residential Districts, Section 1270.19 Dwelling Unit Area Requirements, Paragraph (d) of the Codified Ordinances of the City of North Royalton in order to clarify and update language contained in these sections; and

WHEREAS: Council desires to provide for this amendment in order to clarify and consolidate the requirements for Private Garages in the-Single Family zoning districts (R1-A and R1-B) into a new Section 1270.12 (a).

NOW, THEREFORE, BE IT ORDAINED BY THE COUNCIL OF THE CITY OF NORTH ROYALTON, COUNTY OF CUYAHOGA AND STATE OF OHIO, THAT:

Section 1. Chapter 1270 Residential Districts, Section 1270.19 Dwelling Unit Area Requirements, Paragraph (d) of the Codified Ordinances of the City of North Royalton is hereby amended to hereinafter read as follows:

1270.19 DWELLING UNIT AREA REQUIREMENTS.

In order to provide healthful living conditions and to preserve the character of the neighborhood, dwellings shall be erected, altered, moved, maintained or occupied only in accordance with the following standards establishing minimum areas of dwelling units.

(d) Area of Garage. Private garages required for each ~~one~~ and two-family, plex and townhouse dwelling unit shall be in accordance with the following schedule:

<u>Dwelling Type</u>	<u>Dwelling Area (sq. ft.)</u>	<u>Maximum Garage (sq. ft.)</u>
One family dwelling	1,250 to 3,000	800
	3,001 to 4,000	1,000
	Over 4,000	1,200

Area of Private Garage Area Per Unit (sq. ft.)\*

<u>Dwelling Type</u>	<u>Minimum</u>	<u>Maximum</u>
Two-family dwelling	240	400
Townhouse	240	400
Plex	240	400

\*Area exclusive of all circulation space.

Section 2. Chapter 1270, Section 1270.19, Paragraph (d) of the Codified Ordinances of the City of North Royalton is hereby amended as provided for herein and all other provisions of Chapter 1270 shall remain in full force and effect.

Section 3. This Ordinance shall supersede all previously adopted Ordinances in direct conflict herewith.

Section 4. It is found and determined that all formal actions of this Council concerning and relating to the adoption of this Ordinance were adopted in an open meeting of this Council and that all deliberations of this Council and any of its committees that resulted in such formal action were in meetings open to the public in compliance with all legal requirements.

Section 5. This Ordinance is hereby declared to be an emergency measure immediately necessary for the preservation of the public peace, health, safety and welfare of the city, and for the further reason that it is immediately necessary to amend Chapter 1270 Residential Districts, Section 1270.19 Dwelling Unit Area Requirements, Paragraph (d) of the Codified Ordinances of the City of North Royalton in order to clarify and update language contained in these sections and to simplify the code for the benefit of the public.

THEREFORE, provided this Ordinance receives the affirmative vote of two-thirds of all members elected to Council, it shall take effect and be in force immediately upon its passage and approval by the Mayor; otherwise, from and after the earliest period allowed by law.

_____	APPROVED: _____
PRESIDENT OF COUNCIL	MAYOR

DATE PASSED: _____	DATE APPROVED: _____
--------------------	----------------------

ATTEST: \_\_\_\_\_  
DIRECTOR OF LEGISLATIVE SERVICES

YEAS:

NAYS: