

STORM WATER COMMITTEE MINUTES
SEPTEMBER 6, 2022

The Storm Water Committee meeting was held on September 6, 2022 at North Royalton City Hall, 14600 State Road. The meeting was called to order at 6:30 p.m.

PRESENT: **Committee Members:** Chair Linda Barath, John Nickell, Mike Vos; **Council:** Paul Marnecheck, Dawn Carbone-McDonald, Joanne Krejci; **Administration:** Mayor Larry Antoskiewicz, City Engineer Justin Haselton, Law Director Tom Kelly, Wastewater Superintendent Mark Smith, Finance Director Jenny Esarey; **Other:** Joe Pavlick, Michael McDonald.

Ms. Barath moved to excuse Mr. Nickell from voting on the July 5, 2022 Storm Water Committee meeting minutes, seconded by Mr. Vos. Yeas: 2; Nays: 0. **Motion carried.**

APPROVAL OF MINUTES

Approval of the July 5, 2022 Committee meeting minutes. Moved by Ms. Barath, seconded by Mr. Vos. Yeas: 2. Nays: 0. **Motion carried.**

UNFINISHED BUSINESS

1. Storm Water/Infrastructure Maintenance Monthly Report

See report.

2. Maintenance Projects

Mr. Haselton provided an update on the Northeast Ohio Regional Sewer District project on Sprague Road near Thornhurst Drive. At the last meeting, he had mentioned how a water main was found in the way of the culvert pipe, whereas some pricing was received on what it would take to relocate that. The amount exceeded the sum that was planned for the project. The Sewer District is now determining what actions they will take to move forward. He was uncertain as to what they would do, therefore, it is on hold at this time.

Mr. Nickell raised question about the exact location of the problem. Mr. Haselton clarified it was where the culvert is going underneath the road.

3. Turnpike Mitigation

Ms. Haselton advised that we are still making progress. Currently, we are working with the Turnpike in coordinating an agreement, because some of the work is on their property. We need an access agreement, whereas the Law Department is assisting us on that.

4. York Road Property

Mr. Kelly indicated we are getting closer. We got service on all, but two of the defendants. The two, in which we have yet to successfully serve, we have made appropriate efforts for. The one individual has a lawyer who has filed a 'leave to plead', which is a permission slip asking the court for additional time to file an answer. We are hopeful that we will see an answer there. Pertaining to the other one, we have just directed the clerk to reissue a summons and complaint to the same address, as we received nothing back on the first try. We are anticipating that if we can confirm that the individual lives at that address, we will be allowed to use the civil rules to serve that individual by ordinary mail. Once that is done, we can approach the court for motion practice.

Ms. Barath wanted to know if this is a property with multiple people. Mr. Kelly agreed that it involves multiple generations and multiple owners, in which some are deceased. The determination has to be approved by the court.

5. Cleaning the Mains

Ms. Barath appreciated the positive feedback she has received from residents when they see the trucks.

Mr. Smith reported that we have had some good rains and not many calls; therefore, it must be working. We finished the Oakridge development, which was completed in July. Currently, we are in the York Delta Industrial Parkway and we will be there for a while. We continue to plug away until we do the entire city.

Ms. Krejci asked about when it is completed, as to what location things are started back up again. Mr. Smith indicated that once we get through the City, we will start back over and continue; that is what is done with maintenance on the sanitary side; a continuous maintenance program.

Mr. Nickell brought up the advantage to that is when you go back, hopefully they are quicker and easier getting cleaned. Mr. Smith agreed. He went on to say, many of these are found with a lot of calcium and problems. Once we go back through, we hope it will not be as long to clean as in the beginning.

Ms. Krejci inquired about how much more there would be before being done with the first round; on all of the mains. Mr. Smith noted that we just began, therefore it will be a while before getting through the City. He continued that we are going to hit the bad areas where we have had more complaints, and then work our way through.

NEW BUSINESS

1. **Proposed legislation: Repealing Ordinance 22-58 – F450 purchase to F550 purchase due to pandemic and manufacturing of needed parts**

Mr. Smith recapped what was just heard from the Service Department during the committee meeting; it is the same situation with parts and automobiles. We did not even know if they would get parts for the F450, however, we can get the F550 with the additional cost. The additional cost is in the budget. We budgeted for the F450; however, we have money in our budget this year to be able to absorb that extra cost.

Mr. Nickell asked the difference between the two types of trucks and what is hauled. Ms. Smith clarified this one is a bigger model. The truck would be for our Storm Water, in which we haul equipment, etc. Mr. Nickell asked if it was a gas truck; and not diesel. Mr. Smith concurred. He went on to say that we cannot get parts for the other truck and he felt that we should not delay.

Mr. Nickell moved to recommend Ordinance 22-136 to Council for approval. Seconded by Ms. Vos. Yeas: 3; Nays: 0. **Motion carried.**

ADJOURNMENT

Moved by Ms. Barath, seconded by Mr. Vos **to adjourn the September 6, 2022 meeting.** Yeas: 3; Nays: 0. **Motion carried. Meeting adjourned at 6:40 p.m.**

Stormwater Jobs

July 2022

Property Address	Work performed	Date
9187 West Wallings	landscaped apron	1-Jul
9926 Abbey	landscaped apron	1-Jul
Rivervalley Blvd clubhouse	dye tested sinkhole, patched infiltration and filled sinkhole	1-Jul
A plant	gas line repair	1-Jul
State Rd	sawcut sidewalks	5-Jul
6422 Royalton	vac & jetted catch inlet & storm lines	5-Jul
A plant	gas line repair	5-Jul
State Rd	tear out & form sidewalks	6-Jul
A plant	gas line repair	6-Jul
State Rd	poured concrete sidewalks	7-Jul
A plant	gas line repair	7-Jul
17409 Bennett	landscaped pipe bursting job	8-Jul
17426 Bennett	landscaped pipe bursting job	8-Jul
A plant	gas line repair	8-Jul
State Rd	tear out & form sidewalks	11-Jul
State Rd	poured concrete sidewalks	12-Jul
8942 Albion	redefined ditch	12-Jul
12032 Boston	tear out apron & culvert	13-Jul
11001 Gregory	cleaned cattails & silt from road culvert	14-Jul
Ridge & Boston SE corner	cleaned ditch with Vactor truck	14-Jul
12032 Boston	poured concrete apron	14-Jul
Timber Ridge retentin basin	cleaned brush & regraded area	15-Jul
4901 Oakridge	landscaped excavated area	15-Jul
10120 Forest Glenn	removed tall grass & debris from infront of storm inlet	18-Jul
9701 Beechwood	removed bucket from culvert	18-Jul
10142 Forestwood	dye tested & filled sinkhole	19-Jul
4125 Royalwood	filled sinkhole	19-Jul
7400 Akins	vac & jetted catch inlet & storm lines	19-Jul
9560 Tilby	tear out apron & culvert	19-Jul
7400 Akins	vac & jetted catch inlet & storm lines & televised	20-Jul
9560 Tilby	poured concrete apron	20-Jul
15039 State	repaired erosion at apron headwall	21-Jul
A plant	ditched side of driveway	21-Jul

Stormwater Jobs

July 2022

12121 Woodridge	landscaped previous excavation	22-Jul
State Rd	landscaped sidewalks	22-Jul
12032 Boston	landscaped apron	22-Jul
9560 Tilby	landscaped apron	22-Jul
4548 Wallings	checked storm main	25-Jul
16897 Watercrest	cleared silt from silt screen on catch basin	25-Jul
17523 W 130th	located storm lateral outlet	25-Jul
17390 Bennett	cleaned debris from culvert	26-Jul
17523 W 130th	redefined ditch to expose storm lateral outlet	26-Jul
8359 Parkdale	sanitary main emergency repair	26-Jul
8359 Parkdale	finished sanitary repair and backfilled	27-Jul
8359 Parkdale	hauled out spoils & cleaned cul de sac	28-Jul
6345 Akins	redefined ditch	29-Jul
A plant	cleaned retention basin	29-Jul

Stormwater Jobs

August 2022

Property Address	Work performed	Date
18283 River Valley	dye tested and filled sinkholes	1-Aug
6499 Akins	redefined ditch	2-Aug
10698 Albion	vised out catch basin and landscaped machine tracks	2-Aug
Lodge retention basin	cleaned retention basin	2-Aug
Queensway retention basin	cleaned retention basin	3-Aug
Kingston retention basin	cleaned retention basin	3-Aug
19569 Ridge	redefined ditch	4-Aug
6985 Edgerton	redefined ditch	4-Aug
Kingston retention basin	cleaned retention basin	4-Aug
Royalhaven & Parkdale	seeded ditch line	5-Aug
	pm vehicles and equipment	5-Aug
7288 Julia	dye tested and filled sinkholes	8-Aug
19657 Julia	dye tested, repaired catch basin and filled sinkholes	8-Aug
10117 Lynn	cleaned main and culvert	8-Aug
8695 Royalhaven	located and cleaned storm lateral	9-Aug
8430 Royalhaven	attempted to locate storm lateral	9-Aug
8442 Royalhaven	located storm and sanitary cleanouts(no blockage)	9-Aug
9802 Albion	tear out culvert and apron	9-Aug
York Delta Parkway	clean storm mains and catch basins	10-Aug
8495 Albion	set up concrete headwall on culvert	10-Aug
9802 Albion	installed culvert and set for concrete	10-Aug
Bunker	clean north side of storm main	11-Aug
York Delta Parkway	clean storm mains and catch basins	11-Aug
9802 Albion	poured concrete apron	11-Aug
8495 Albion	poured concrete headwall	11-Aug
A plant	built stone pad around manhole	12-Aug
A plant	unclogged piping from dumping pit	12-Aug
8921 Tiffany	filled sinkhole	15-Aug
Jamestown retention basin	cleaned retention basin	15-Aug
4305 W Sprague	tear out culvert and apron	16-Aug
4305 W Sprague	poured concrete apron	17-Aug
4403 Eagle Landing	dye tested and filled sinkholes	17-Aug
8696 Parkdale	attempted to locate storm lateral	17-Aug

Stormwater Jobs

August 2022

20862 Fawnhaven	dye tested and filled sinkholes	17-Aug
8921 Tiffany	sealed infiltration in manhole	18-Aug
9200 Abbey	added rip rap to south side of culvert	18-Aug
19455 Ridge	redefined ditch	18-Aug
4838 Dublin	redefined culvert outlet	19-Aug
Animal Control	cut down tree	19-Aug
8840 Stephanie	cleaned storm lateral	19-Aug
8043 Edgerton	tear out culvert and apron	22-Aug
7759 Harley Hills	cleaned culvert under road	23-Aug
8043 Edgerton	set for concrete and backfilled culvert	23-Aug
15740 Bennett	cleaned storm main and lateral	24-Aug
8043 Edgerton	poured concrete apron	24-Aug
9802 Albion	extended culvert	25-Aug
5525 Royalton	clean storm mains and catch basins	25-Aug
	pm vehicles and equipment	26-Aug
A plant	tear out concrete pad	29-Aug
10040 Applewood	tear out concrete pad and landscaped	29-Aug
4261 Akins	tear out culvert and apron	30-Aug
4261 Akins	poured concrete apron	31-Aug

**COUNCIL OF THE CITY OF NORTH ROYALTON
REQUEST FOR DEPARTMENTAL ACTION**

**THIS FORM IS TO BE DELIVERED TO THE MAYOR FOR DISTRIBUTION TO
APPROPRIATE DEPARTMENT FOR ACTION.**

TO: Mayor Antoskiewicz

FROM: Paul F. Marnecheck

Date: July 4, 2022

SUBJECT:
Sinkhole-7288 Julia Dr.

Mayor,

Photos attached. Can the Service Dept. please review?

Thank you,

Paul

Department to respond below within 5 working days from the date of this notice advising the action taken or the action to be taken and time frame anticipated and return form to Mayor for distribution to originator.

Action taken or to be taken and time frame:

Dye tested and filled. No infiltration

Signed:Darren Thayer

Date:8/8/22

Stormwater Jobs

September 2022

Property Address+A1:C45	Work performed	Date
4402 Wiltshire	cleaned debris from storm grate	1-Sep
4261 Akins	landscaped around apron	1-Sep
Royalton Rd	cleaned storm main	1-Sep
Woodbury	tear out 4 catch basins	1-Sep
Woodbury	rebuilt 4 catch basins	2-Sep
W Hampton	tear out 2 catch basins	6-Sep
Woodbury	formed 4 catch basins	6-Sep
12183 Nutmeg	repaired catch basin	6-Sep
York Delta Ind. Prkwy.	cleaned storms	6-Sep
9804 Edgerton	redefined ditch on Louis Dr	6-Sep
Woodbury	poured concrete around 4 catch basins	7-Sep
W Hampton	rebuilt 1 catch basin	7-Sep
11434 Albion	redefined ditch	8-Sep
9155 York	redefined ditch	8-Sep
W Hampton	rebuilt 1 catch basin	8-Sep
10278 Buckeye	dye tested, patched manhole and filled sinkhole	8-Sep
W Hampton	set up and poured concrete around 2 catch basins	9-Sep
5360 Riverview	storm call-checked cleanout-no blockage mainside	9-Sep
Woodbury	tear out 4 catch basins-rebuilt and set 2	12-Sep
Woodbury	rebuilt and set 2 catch basins	13-Sep
11936 Ridge	redefined ditch	13-Sep
8856 Edgerton	redefined ditch	13-Sep
Woodbury	formed and poured concrete around 2 catch basins	14-Sep
Woodbury	formed and poured concrete around 2 catch basins	15-Sep
w 130th(by Metroparks)	filled sinkhole	15-Sep
10549 Albion	filled sinkhole	16-Sep
Dover Farm turning lane	tear out catch basin	19-Sep
7723 & 7689 Albion	jet/cleaned culverts	20-Sep
Patricia/Gardenside	cleaned storms	20-Sep
Dover Farm turning lane	rebuilt and set catch basin	20-Sep
Goodman	tear out catch basin	20-Sep
Dover Farm turning lane	formed and poured concrete around catch basin	21-Sep
Goodman	rebuilt piping and catch basin	21-Sep

Stormwater Jobs

September 2022

Goodman	tear out and rebuild catch basin	22-Sep
	pm on vehicles and equipment	23-Sep
Patricia/Gardenside	cleaned storms	26-Sep
Goodman	rebuild and set catch basins	26-Sep
Goodman	rebuild and set catch basins	27-Sep
4403 Eagle Pt	dye tested and filled sinkholes(no infiltration)	27-Sep
Patricia/Gardenside	cleaned storms	28-Sep
Goodman	rebuild and set catch basins	28-Sep
Patricia/Gardenside	cleaned storms	29-Sep
Goodman	formed and poured concrete around 2 catch basins and tear out 1 catch basin	29-Sep
Goodman	rebuild catch basin	30-Sep

**COUNCIL OF THE CITY OF NORTH ROYALTON
REQUEST FOR DEPARTMENTAL ACTION**

**THIS FORM IS TO BE DELIVERED TO THE MAYOR FOR DISTRIBUTION TO
APPROPRIATE DEPARTMENT FOR ACTION.**

TO: Mayor Larry Antoskiewicz

FROM: Ward 3 Councilwoman Joanne Krejci (ward3@northroyalton.org) (440-241-8233)

Date: May 3, 2022

SUBJECT: Sewer concrete Woodbury Lane

I received an email from resident Jeremy Bryant from 11115 Woodbury Lane about the concrete around the sewers on that street from 11105 Woodbury to the corner of Woodbury and Chesterton all sinking so there is uneven concrete which could cause an injury. The problem exists at almost all the sewers on the street- some photos attached. If we could have someone look at and let me know if this is something the City can repair.

Department to respond below within 5 working days from the date of this notice advising the action taken or the action to be taken and time frame anticipated and return form to Mayor for distribution to originator.

Action taken or to be taken and time frame

Tore out, rebuilt and poured concrete around 8 catch basins

Signed: Darren Thayer

Date: 9/15/22