

5715 Canal Rd., Cleveland, OH 44125 Phone 800.533.2400 Fax 216.520.0486

ValleyFordTruck.com

Date:

8/02/2022

Client:

City of North Royalton

Contact:

John Simon

Phone:

(440)336-5377

Email:

mtuma@northroyalton.org

Contract:

RSI008603

Item #:

43AT

Base	\$ 53,987.00
19,500 gvw	\$ 4,579.00
Elec brake	\$ 295.00
AT tires	\$ 190.00
Plow Prep	\$ 290.00
Dual batt	\$ 375.00
Cruise	\$ 335.00
PTO prov	\$ 290.00
Power group	\$ -
Running bds	\$ -
Aft axle	\$ 215.00
daytime lights	\$ 145.00
84" CA	\$ 445.00
7500lb fr axle	\$ 655.00
Equipment	\$ 29,900.00
Total	\$ 91,701.00

Following are the specifications for the 2022 F550 that I have on ground and equipment noted on page 4. Delivery of completed truck will be approximately 8-10 weeks from receipt of purchase order.

Please call with any questions, (216)524-2400.

Regards, Jenny Loveland Government Sales Manager

NORTH ROYALTON, CO

Prepared by: Jenny Loveland

08/02/2022

Valley Ford Truck, Inc. | 5715 Canal Road Cleveland Ohio | 441253494



Price Level: 270 | Quote ID: F5HN169

As Configured Vehicle

Description

Base Vehicle Price (F5H)

Order Code 660A

Includes:

- Engine: 7.3L 2V DEVCT NA PFI V8 Gas
- Transmission: TorgShift 10-Speed Automatic
- 10R140 with neutral idle and selectable drive modes: normal, tow/haul, eco, deep sand/snow and slippery.
- Wheels: 19.5" x 6" Argent Painted Steel Hub covers/center ornaments not included.
- HD Vinyl 40/20/40 Split Bench Seat
- Includes center armrest, cupholder, storage and driver's side manual lumbar.
- Radio: AM/FM Stereo w/MP3 Player
- Includes 4 speakers.
- SYNC Communications & Entertainment System

Includes enhanced voice recognition, 911 Assist, 4.2" LCD center stack screen, AppLink, 1 smart-charging USB port and steering wheel audio

Engine: 7.3L 2V DEVCT NA PFI V8 Gas

Transmission: TorgShift 10-Speed Automatic

10R140 with neutral idle and selectable drive modes: normal, tow/haul, eco, deep sand/snow and slippery.

Limited Slip w/4.88 Axle Ratio

GVWR: 19,500 lb Payload Plus Upgrade Package

Includes upgraded frame, rear-axle and low deflection/high capacity springs. Increases max RGAWR to 14, 706. Note: See Order Guide Supplemental Reference for further details on GVWR.

Tires: 225/70Rx19.5G BSW Traction (TGK)

Includes 4 traction tires on the rear and 2 traction tires on the front. Not recommended for over the road applications; could incur irregular front tire wear and/or NVH.

Wheels: 19.5" x 6" Argent Painted Steel

Hub covers/center ornaments not included.

HD Vinyl 40/20/40 Split Bench Seat

Includes center armrest, cupholder, storage and driver's side manual lumbar.

Monotone Paint Application

169" Wheelbase

Radio: AM/FM Stereo w/MP3 Player

Includes 4 speakers.

Includes:

- SYNC Communications & Entertainment System

Includes enhanced voice recognition, 911 Assist, 4.2" LCD center stack screen, AppLink, 1 smart-charging USB port and steering wheel audio

Power Equipment Group

Deletes passenger side lock cylinder. Includes upgraded door-trim panel.

Includes:



NORTH ROYALTON, CO

Prepared by: Jenny Loveland

08/02/2022

Valley Ford Truck, Inc. | 5715 Canal Road Cleveland Ohio | 441253494

2022 F-550 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F5H)

Price Level: 270 | Quote ID: F5HN169

As Configured Vehicle (cont'd)

Description

- Accessory Delay
- Advanced Security Pack

Includes SecuriLock Passive Anti-Theft System (PATS) and inclination/intrusion sensors.

- Folding Trailer Tow Mirrors w/Power Heated Glass
- Includes manual telescoping, heated convex spotter mirror and integrated clearance lamps/turn signals.
- MyKey
- Includes owner controls feature.
- Power Front Side Windows
- Includes 1-touch up/down driver/passenger window.
- Power Locks
- Remote Keyless Entry

Extra Heavy-Duty Front End Suspension - 7,500 GAWR

Includes upgraded front axle and max 7,500 lbs. Front springs/GAWR rating for configuration selected. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer.

Snow Plow Prep Package

Includes pre-selected springs (see order guide supplemental reference for springs/FGAWR of specific vehicle configurations). Note 1: Restrictions apply; see supplemental reference or body builders layout book for details. Note 2: Also allows for the attachment of a winch. Note 3: Highly recommended to add (86M) dual battery on 7.3L gas engines. Adding (67B) 397 amp alternators for diesel engine is highly recommended for max output.

Aft-Axle Frame Extension

32.4" aft-of-axle frame extension increases AF dimension to 79.6"

Transmission Power Take-Off Provision

Includes mobile and stationary PTO modes.

Dual 78 AH Battery

397 Amp Alternators

Utility Lighting System

Includes LED side-mirror spotlights.

Trailer Brake Controller

Includes smart trailer tow connector. Verified to be compatible with electronic actuated drum brakes only.

Platform Running Boards

Fleet Customer Powertrain Limited Warranty

Requires valid FIN code.

Ford is increasing the 5-year 60,000-mile limited powertrain warranty to 5-years, 100,000 miles. Only Fleet purchasers with a valid Fleet Identification Number (FIN code) will receive the extended warranty. When the sale is entered into the sales reporting system with a sales type fleet along with a valid FIN code, the warranty extension will automatically be added to the vehicle. The extension will stay with the vehicle even if it is subsequently sold to a non-fleet customer before the expiration. This extension applies to both gas and diesel powertrains. Dealers can check for the warranty extension on eligible fleet vehicles in OASIS. Please refer to the Warranty and Policy Manual section 3.13.00 Gas Engine Commercial Warranty. This change will also be reflected in the printed Warranty Guided distributed with the purchase of every new vehicle.

50-State Emissions System

Medium Earth Gray w/HD Vinyl 40/20/40 Split Bench Seat

Oxford White



Galion 100USD-9 Steel Dump Body

108"L x 84"W, 18" sides, 24" ends. 3.5-4.7 cu. yd. capacity

Est. Body weight is 1,600 lbs.

6" structural channel longmembers

3" structural channel crossmembers

Cast steel quick release upper tailgate hardware

Cast steel overshot lower tailgate hardware

Manual tailgate release handle

Three panel D/A tailgate with long chains and banjo plates

Fully boxed top rail, material shedding lower rubrail

Two intermediate vertical braces per side

Body shell constructed of 10 ga. grade 50 high tensile steel

Floor is 10 ga. grade 50 high tensile steel with 2" floor to side radius

Thermoset zinc primer / thermoset black powder coat finish

LED cab shield marker lights, side marker lights, and S/T/T & reverse

lighting

ICC cluster lights to comply with FMVSS108

Body options included:

1/2 x 84" wide cab protector

7.25" x 13.75" steel coal door over center panel

Whelen 4-corner + 2 amber strobe system

Two Whelen WIONSMA in grille at headlight level

Buyers 2,500 lb. dump body vibrator on timer

Paint exterior of body Imron single stage grey to closely match cab

Champion CS615-09 LH hoist, 12.8 ton capacity

Est. Hoist weight is 500 lbs.

6" cylinder bore, 15" stroke, double-acting

Muncie F20 PTO / PF4 pump

Steel hydraulic oil reservoir

Electric rocker switch control in cab

5/8" hitch plate / bottom channel ICC bumper

D-rings, 7-way RV style trailer plug

Bolt-on 8 ton pintle / 2-5/16" ball combo

RC Industries Backpack Toolbox 82"w x 55"h x 24"d

14 ga. steel construction on box

12 ga. steel construction on floor

Storm grey powder coat base finish

Re-finish exterior of toolbox to match dump body

Anchor compression latches with cylinder locks

Continuous stainless steel hinges

Gas spring door props

Automotive style bulb seals

Two adjustable shelf with access from either side

Set top shelf 15" from top of toolbox, next shelf 15" below first shelf

Two built in swivel rope hooks

Spring mounting kit w/ Ford frame adapter

NORTH ROYALTON, CO Prepared by: Jenny Loveland

08/02/2022

Valley Ford Truck, Inc. | 5715 Canal Road Cleveland Ohio | 441253494

2022 F-550 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F5H)

Price Level: 270 | Quote ID: F5HN169

Selected Equip & Specs

Dimensions

Exterior length: 287.2"

Exterior width: 80.0"

Wheelbase: 169.0"Rear track: 74.0"

Rear tire outside width: 93.9"

Front legroom: 43.9"

Front hiproom: 62.5"

Passenger volume: 64.6cu.ft.

· Maximum cargo volume: 11.6cu.ft.

· Cab to axle: 84.0"

Exterior height: 81.1"

Front track: 74.8"

· Turning radius: 24.2'

· Min ground clearance: 8.3"

· Front headroom: 40.8"

Front shoulder room: 66.7"

Cargo volume: 11.6cu.ft.

Powertrain

350hp 7.3L OHV 16 valve V-8 engine with DEVCT variable valve control, SMPI

- federal
- Part-time
- · Fuel Economy Cty: N/A
- * Transmission PTO provision

- · Recommended fuel: regular unleaded
- TorqShift 10 speed automatic transmission with overdrive
- * Limited slip differential
- Fuel Economy Highway: N/A

Suspension/Handling

- Front Mono-beam non-independent suspension with anti-roll bar, HD shocks
- · Firm ride Suspension
- Front and rear 19.5 x 6 argent steel wheels
- Dual rear wheels

- Rear rigid axle leaf spring suspension with antiroll bar, HD shocks
- Hydraulic power-assist re-circulating ball Steering
- * LT225/70SR19.5 GBSW AT front and rear tires

* Driver and passenger power remote heated,

Body Exterior

- 2 doors
- * Turn signal indicator in mirrors
- Black bumpers
- Trailer harness
- Front and rear 19.5 x 6 wheels

- manual folding door mirrors with turn signal indicator
- Black door mirrors* Side steps
- Clearcoat paint
- 2 front tow hook(s)

Convenience

- Manual air conditioning with air filter
- * Driver and passenger 1-touch up

- * Power front windows
- * Driver and passenger 1-touch down



NORTH ROYALTON, CO Prepared by: Jenny Loveland

08/02/2022

Valley Ford Truck, Inc. | 5715 Canal Road Cleveland Ohio | 441253494

2022 F-550 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F5H)

Price Level: 270 | Quote ID: F5HN169

Selected Equip & Specs (cont'd)

- Remote power door locks with 2 stage unlock and illuminated entry
- · Manual telescopic steering wheel
- FordPass Connect 4G internet access
- · Wireless phone connectivity
- 2 1st row LCD monitors
- Passenger visor mirror
- Upfitter switches

Seats and Trim

- · Seating capacity of 3
- · 4-way driver seat adjustment
- 4-way passenger seat adjustment

Entertainment Features

- AM/FM stereo radio
- Steering wheel mounted radio controls
- Streaming audio

Lighting, Visibility and Instrumentation

- · Halogen aero-composite headlights
- Auto on/off headlights
- Light tinted windows
- Tachometer
- Compass
- · Trip computer

Safety and Security

- · 4-wheel ABS brakes
- 4-wheel disc brakes
- Dual front impact airbag supplemental restraint system with passenger cancel
- Safety Canopy System curtain 1st row overhead airbag supplemental restraint system
- Power remote door locks with 2 stage unlock and panic alarm
- MyKey restricted driving mode

- · Manual tilt steering wheel
- · Day-night rearview mirror
- 911 Assist emergency SOS
- · AppLink smart device integration
- · Front cupholders
- * Driver and passenger door bins
- · Front 40-20-40 split-bench seat
- · Manual driver lumbar support
- · Centre front armrest with storage
- · SYNC external memory control
- 4 speakers
- Fixed antenna
- · Delay-off headlights
- · Variable intermittent front windshield wipers
- · Front reading lights
- · Oil pressure gauge
- · Outside temperature display
- Trip odometer
- Brake assist
- · Driveline traction control
- Dual seat mounted side impact airbag supplemental restraint system
- * Remote activated perimeter/approach lighting
- * Security system with SecuriLock immobilizer
- · Manually adjustable front head restraints

Dimensions

General Weights

* Curb 7,218 lbs.

* GVWR

19,500 lbs.

NORTH ROYALTON, CO Prepared by: Jenny Loveland

08/02/2022

Valley Ford Truck, Inc. | 5715 Canal Road Cleveland Ohio | 441253494

2022 F-550 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F5H)

Selected Equip & Spec			
Front Weights * Front GAWR * Front axle capacity Front tire/wheel capacity		* Front curb weight * Front spring rating	
Rear Weights * Rear GAWR * Rear axle capacity Rear tire/wheel capacity	14,706 lbs. 14,706 lbs.	* Rear curb weight * Rear spring rating	
Trailering Type Harness Trailer sway control	Yes	* Brake controller	Yes
General Trailering 5th-wheel towing capacity Towing capacity Fuel Tank type		Gooseneck towing capacity GCWR	
Capacity Off Road Min ground clearance			
Interior cargo Cargo volume Rear Frame	11.6 cu.ft.	Maximum cargo volume	11.6 cu.ft.
Powertrain	29 "	Height unloaded	34 "
Engine Type Block material Head material Injection Orientation Valves per cylinder Variable valve control Engine Spec	Aluminum Sequential MPI Longitudinal	Cylinders Ignition Liters Recommended fuel Valvetrain	Spark 7.3L Regular unleaded
Bore Displacement		Compression ratio	



NORTH ROYALTON, CO Prepared by: Jenny Loveland

08/02/2022

Valley Ford Truck, Inc. | 5715 Canal Road Cleveland Ohio | 441253494

2022 F-550 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F5H)

Le Level. 270 Quote ID. 1 31111103	
elected Equip & Specs (cont'd)	
Engine Power SAEJ1349 AUG2004 compliant Yes Torque 468 ftlb @ 3,900 RPM	Output
Alternator	
* Type Dual	*Amps
Battery	
Amp hours 78	Cold cranking amps
Run down protection Yes	* Type Dual
Transmission	
Electronic control Yes	Lock-up Yes
Overdrive Yes	Speed
Type Automatic	
Transmission Gear Ratios	2nd 2.919
1st 4.615 3rd 2.132	2nd 2.919 4th 1.773
5th 1.519	6th 1.277
7th	8th 0.851
9th 0.687	10th 0.632
Reverse Gear ratios 4.695	
Transmission Torque Converter	
Stall ratio 1.97	
Transmission Extras	
Driver selectable mode Yes	Sequential shift control SelectShift
Oil cooler Regular duty	* PTO provision Yes
Drive Type	
4wd type Part-time	Type Four-wheel
Drive Feature	
* Limited slip differential Mechanical	Traction control Driveline
* Power take-off provision Yes	Locking hub control Auto
Transfer case shift Electronic	
Drive Axle	
Ratio 4.88	
Exhaust	
Material Stainless steel	System type Single
Emissions	



NORTH ROYALTON, CO Prepared by: Jenny Loveland

08/02/2022

Valley Ford Truck, Inc. | 5715 Canal Road Cleveland Ohio | 441253494

6.00"

Width

2022 F-550 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F5H)

Price Level: 270 | Quote ID: F5HN169

The Level Live Quete Division		
Selected Equip & Specs (cont'd) CARB Federal		
fuel Economy Fuel type Gasoline		
Driveability		
Brakes		
ABS 4-wheel Type 4-wheel disc	ABS channels Vented discs Front and	
Brake Assistance Brake assist Yes		
Suspension Control Ride Firm		
Front Suspension		
Independence Mono-beam non-independent	Anti-roll bar Reg	gular
Front Spring		
Type Coil	* Grade	HD
Front Shocks Type HD		
Rear Suspension		
* Independence Rigid axle	Туре	Leaf
Anti-roll bar Regular		
Rear Spring Type Leaf	Grade	. HD
Rear Shocks	Glado	
Type HD		
Steering Activation Hydraulic power-assist	Type Re-circulating	g bal
Steering Specs # of wheels 2		,
Exterior		
Front Wheels		
Diameter 19.5"	Width	6.00'
Rear Wheels		

19.5"

Diameter

NORTH ROYALTON, CO

Prepared by: Jenny Loveland

08/02/2022

Valley Ford Truck, Inc. | 5715 Canal Road Cleveland Ohio | 441253494



Selected Equip & Specs (cont'd) Dual Yes	
Front and Rear Wheels	
Appearance Argent	Material Steel
Front Tires	
Aspect 70	Diameter 19.5"
Sidewalls	Speed S
* Tread AT	Type LT
Width 225mm ★ RPM 645	LT load ratingG
Rear Tires	
Aspect 70	Diameter 19.5"
Sidewalls BSW	Speed S
*Tread AT	Type LT
Width 225mm ★RPM 645	LT load ratingG
Wheels	*
Front track 74.8"	Rear track 74.0"
Turning radius 24.2'	Wheelbase 169.0"
Rear tire outside width 93.9"	
Body Features	
Front splash guards Yes	Body material Aluminum
Side impact beams Yes	* Side steps Yes
Front tow hook(s) 2	
Body Doors	
Door count 2	
Exterior Dimensions	
* Length 287.2"	Body width 80.0"
Body height 81.1"	Cab to axle 84.0"
* Axle to end of frame 79.6"	Frame section modulus 12.7cu.in.
Frame yield strength (psi) 50000.0 Front bumper to Front axle 38.3"	Frame rail width 34.2" * Cab to end of frame 163.6"
Front bumper to back of cab	
Safety	
Airbags	
Driver front-impact	Driver side-impact Seat mounted
	and the state of the lands

NORTH ROYALTON, CO Prepared by: Jenny Loveland

08/02/2022



2022 F-550 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F5H)

i			
Selected Equip & Specs Overhead Safety Canopy Systems		Passenger front-impact	Cancellable
Passenger side-impact	Seat mounted		
Seatbelt Height adjustable	Front		
Security			
* Immobilizer	SecuriLock	* Panic alarm	Yes
* Restricted driving mode	MyKey		
Seating			
Passenger Capacity Capacity	3		
Front Seats			
Split	40-20-40	Туре	Split-bench
Driver Seat			
Fore/aft Way direction control		Reclining Lumbar support	
Passenger seat			
Fore/aft Way direction control		Reclining	Manual
Front Head Restraint			
Control	Manual	Type	Adjustable
Front Armrest			
Centre	Yes	Storage	Yes
Front Seat Trim	\ ()		\ P = 1
Material	Vinyl	Back material	Vinyl
Convenience			
AC And Heat Type			
Air conditioning	Manual	Air filter	Yes
Audio System			
Radio Seek-scan		Radio grade External memory control	9
Audio Speakers			
Speaker type	Regular	Speakers	4



NORTH ROYALTON, CO

Prepared by: Jenny Loveland

08/02/2022



2022 F-550 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F5H)

Alected Equip & Space (cont'd)	
elected Equip & Specs (cont'd)	
Audio Controls Steering wheel controls Streaming audio Bluetooth yes	Voice activation Yes
Audio Antenna	
Type Fixed	
LCD Monitors	
1st row2	Primary monitor size (inches) 4.2
Convenience Features	
* Retained accessory power Yes	12V DC power outlet 3
Emergency SOS 911 Assist Smart device integration App link	Wireless phone connectivity Bluetooth Upfitter switches Yes
Door Lock Activation	
*Type Power with 2 stage unlock	*Remote Keyfob (all doors)
* Integrated key/remote Yes	
Remote engine start Smart device only (subscription required) Instrumentation Type Appearance Analog	
Instrumentation Gauges	
TachometerYes	Oil pressure Yes
Engine/motor temperature Yes Engine hour meter Yes	Transmission fluid temp Yes
Instrumentation Warnings	
Oil pressure Yes	Engine temperature Yes
Battery Yes	Lights on Yes
Key Yes	Low fuel Yes Service interval Yes
Door ajar Yes Brake fluid Yes	Service interval Yes
Instrumentation Displays Clock In-radio display	Compass Yes
Exterior temp Yes	Systems monitor Yes
Instrumentation Feature	
Trip computer Yes	Trip odometer Yes
Steering Wheel Type	
Stooming willow Typo	

NORTH ROYALTON, CO

Prepared by: Jenny Loveland

08/02/2022

Valley Ford Truck, Inc. | 5715 Canal Road Cleveland Ohio | 441253494



Selected Equip & Specs (cont'd) Material Urethane Telescoping Manual	Tilting Manual
Front Side Windows * Window 1st row activation Power	
Window Features	
*1-touch down Driver and passenger	*1-touch up Driver and passenger
Tinted Light	
Front Windshield	
Wiper Variable intermittent	
Rear Windshield	
Window Fixed	
Interior	
Passenger Visor	
Mirror	
Rear View Mirror	
Day-nightYes	
Headliner	
Coverage Full	Material Cloth
Floor Trim	
Coverage Full	Covering Vinyl/rubber
Trim Feature	
Gear shifter material Urethane	Interior accents. Chrome
Lighting	
Dome light type Fade	Front reading Yes
* Illuminated entry Yes	Variable IP lighting Yes
Storage	
* Driver door bin Yes	Front Beverage holder(s) Yes
Glove box Locking	* Passenger door bin Yes
Illuminated Yes	Instrument panel Covered bin
Dashboard Yes	
Legroom	
Front 43.9"	
Headroom	

NORTH ROYALTON, CO Prepared by: Jenny Loveland

08/02/2022

Valley Ford Truck, Inc. | 5715 Canal Road Cleveland Ohio | 441253494



Price Level: 270 | Quote ID: F5HN169

Selected Equip & Specs (cont'd)

Front 40.8"

Hip Room
Front 62.5"

Shoulder Room
Front 66.7"

Interior Volume
Passenger volume 64.6 cu.ft.



NORTH ROYALTON, CO Prepared by: Jenny Loveland 08/02/2022



Valley Ford Truck, Inc. | 5715 Canal Road Cleveland Ohio | 441253494

2022 F-550 Chassis 4x4 SD Regular Cab 169" WB DRW XL (F5H)

Price Level: 270 | Quote ID: F5HN169

Warranty

Standard Warranty

Basic			
Distance	36,000 miles	Months	36 months
Powertrain			
Distance	60,000 miles	Months	60 months
Corrosion Perforation			
Distance	Unlimited miles	Months	60 months
Roadside Assistance			
Distance	60,000 miles	Months	60 months