



Date: February 5, 2024
 Client: City of North Royalton
 Contact: Ed Roche
 Phone: (440) 622-0219
 Email: mechanic@northroyalton.org

CONTRACT

RSI018692

Item

43at

Base	\$67,893.00
F6L	\$5,758.00
Plow prep	\$595.00
PTO provision	\$495.00
AT tires	\$695.00
Mid ship tank	\$130.00
Total	\$75,566.00

Hi Ed,

Attached are revised specifications for a 2024 Ford F600 with mid ship tank. Due to ongoing market conditions, build time is not easy to figure but at this point, I'm thinking 3rd/4th quarter 2024.

I will call you to follow up but please feel free to call me anytime at (2216)524-2400.

Regards,
 Jenny Loveland
 Government Sales Manager

FLEET MAINTENANCE COUNCEL OF NEO
 NORTHEAST OHIO SERVICE DIRECTORS
 OHIO TOWNSHIP ASSOCIATION
 VENDOR STATE OF OHIO
 BOARD OF DIRECTORS UNIVERSITY OF ASHLAND WOMEN IN LEADERSHIP
 BOARD MEMBER KIWANIS INTERNATIONAL (BATH/RICHIELD)
 MEMBER INTERNATIONAL SOCIETY OF FEMALE PROFESSIONALS
 EQUESTRIAN DIRECTOR, SPECIAL OLYMPICS OHIO

Prepared for: ED ROCHE

CITY OF NORTH ROYALTON

Prepared by: Jenny Loveland

02/05/2024



Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125

2024 F-600 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F6L)

Price Level: 425

As Configured Vehicle

Description

Base Vehicle Price (F6L)

Order Code 680A

Engine: 7.3L 2V DEVCT NA PFI V8 Gas

Transmission: TorqShift 10-Speed Automatic

GVWR: 22,000 lbs Payload Package

Tires: 245/70Rx19.5 BSW Traction (6)

Wheels: 19.5" x 6.75" Argent Painted Steel

Spare Tire & Wheel

HD Vinyl 40/20/40 Split Bench Seat

Monotone Paint Application

145" Wheelbase

Radio: AM/FM Stereo w/MP3 Player

6-Ton Hydraulic Jack

Snow Plow Prep Package

Dual 68 AH/65 AGM Battery

26.5 Gallon Mid Ship Fuel Tank

Platform Running Boards

Rear View Camera & Prep Kit

Exterior Backup Alarm (Pre-Installed)

Fleet Customer Powertrain Limited Warranty

50-State Emissions System

Antimatter Blue

Medium Dark Slate w/HD Vinyl 40/20/40 Split Bench Seat

Prepared for: ED ROCHE

CITY OF NORTH ROYALTON

Prepared by: Jenny Loveland

02/05/2024



Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125

2024 F-600 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F6L)

Price Level: 425

Selected Equip & Specs

Dimensions

- Conventional Capacity: 18,500 lbs.
- Fifth-wheel towing capacity: 23,000 lbs.
- Vehicle body length: 230.7"
- Wheelbase: 145.0"
- Rear track: 74.0"
- Cab to axle: 60.0"
- Axle to end of frame: 47.2"
- Frame yield strength (psi): 50000.0
- Front bumper to front axle: 38.3"
- Front brake diameter: 15.4"
- Interior rear cargo volume: 11.6 cu.ft.
- Total passenger volume: 64.6 cu.ft.
- Leg room first-row: 43.9"
- Hip room first-row: 62.5"
- GCWR: 31,500 lbs.
- Gooseneck towing capacity: 23,100 lbs.
- Vehicle body width: 80.0"
- Front track: 74.8"
- Vehicle turning radius: 21.2'
- Rear tire outside width: 93.9"
- Frame section modulus: 12.7 cu.in.
- Frame rail width: 34.2"
- Front bumper to back of cab: 123.7"
- Rear brake diameter: 15.8"
- Max interior rear cargo volume: 11.6 cu.ft.
- Headroom first-row: 40.8"
- Shoulder room first-row: 66.7"

Powertrain

- 7.3L V-8 DEVCT variable valve control, engine with 335HP
- Injection Type: sequential MPI
- Horsepower: 335 HP@3750 RPM
- Radiator
- 10-speed automatic
- Four-wheel drive
- Mechanical limited slip differential
- Auto locking hub control
- Engine cylinders: V-8
- Spark ignition system
- Torque: 468 lb.-ft. @3750 RPM
- Auxiliary power take-off
- Part-time 4WD
- Recommended fuel: regular unleaded
- Driveline managed traction control
- Electronic transfer case shift

Fuel Economy and Emissions

- Gasoline secondary fuel type
- Federal emissions

Suspension and Handling

- Firm ride suspension
- Heavy-duty rear shock absorbers
- Heavy-duty front shock absorbers

Driveability

- 4-wheel disc brakes
- 4-wheel antilock (ABS) brakes
- Brake assist system
- Mono-beam rigid axle front suspension
- Front coil springs
- Leaf spring rear suspension
- Front and rear ventilated disc brakes
- Four channel ABS brakes
- Hill Start Assist
- Front anti-roll bar
- DANA M300 rigid axle rear suspension
- Rear anti-roll bar

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: ED ROCHE

CITY OF NORTH ROYALTON

Prepared by: Jenny Loveland

02/05/2024



Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125

2024 F-600 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F6L)

Price Level: 425

Selected Equip & Specs (cont'd)

- Hydraulic power-assist steering system
- 2-wheel steering system
- Re-circulating ball steering

Body Exterior

- Trailer wiring harness
- 2 doors
- Monotone paint
- Black side window trim
- Black door handles
- Black front bumper rub strip
- Black grille
- Manual extendable trailer mirrors
- Turn signal indicator in door mirrors
- 19.5 x 6.75-inch front and dual rear argent steel wheels
- * **Running boards**
 - Clearcoat paint
 - Black fender flares
 - Black windshield trim
 - Black front bumper
 - 2 front tow hooks
 - Black door mirrors
 - Convex spotter in driver and passenger side door mirrors
- * **LT245/70RS19.5 AT BSW front and rear tires**

Convenience

- Power door locks with 2 stage unlocking
- All-in-one remote fob and ignition key
- FordPass Connect smart device vehicle start control
- Power first-row windows
- Illuminated locking glove box
- Front beverage holders
- Instrument panel covered bin
- Retained accessory power
- Trip computer
- Over the air updates
- Keyfob activated door locks
- Cruise control with steering wheel mounted controls
- Day/Night rearview mirror
- Fixed rear windshield
- Illuminated glove box
- 6 beverage holders
- Dashboard storage
- PRND in IP
- Upfitter switches

Comfort

- Manual climate control
- Cloth headliner material
- Full vinyl floor covering
- Manual tilting steering wheel
- Urethane steering wheel
- Cabin air filter
- Full headliner coverage
- Full floor coverage
- Manual telescopic steering wheel

Seats and Trim

- Seating capacity: 3
- Split-bench front seat
- Front passenger seat with 4-way directional controls
- Manual front seat head restraint control
- 40-20-40 split-bench front seat
- Driver seat with 4-way directional controls
- Height adjustable front seat head restraints
- Front seat center armrest

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: ED ROCHE

CITY OF NORTH ROYALTON

Prepared by: Jenny Loveland

02/05/2024



Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125

2024 F-600 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F6L)

Price Level: 425

Selected Equip & Specs (cont'd)

- Front seat armrest storage
- Manual driver seat fore/aft control
- Manual passenger seat fore/aft control
- Vinyl front seat upholstery
- Manual reclining driver seat
- Manual reclining passenger seat
- Manual driver seat lumbar

Entertainment Features

- 2 total number of 1st row displays
- Primary touchscreen display
- In-vehicle audio
- FM radio
- SYNC 4 external memory control
- Standard grade speakers
- SYNC 4 voice activated audio controls
- Wireless audio streaming
- 8 inch primary LCD display
- AM/FM stereo radio
- AM radio
- Seek scan
- Speakers number: 4
- Steering wheel mounted audio controls
- Speed sensitive volume
- Fixed audio antenna

Lighting, Visibility and Instrumentation

- Digital/analog instrumentation display
- Trip odometer
- Compass
- Driver information center
- Tachometer
- Engine/electric motor temperature gauge
- Engine hour meter
- Aero-composite headlights
- Autolamp auto on/off headlight control
- Delay-off headlights
- Variable intermittent front windshield wipers
- Illuminated entry
- Daytime running lights
- Remote activated perimeter approach lighting
- Configurable instrumentation gauges
- In-radio display clock
- Exterior temperature display
- Gauge cluster display size (inches): 4.20
- Oil pressure gauge
- Transmission fluid temperature gauge
- Light tinted windows
- Halogen headlights
- Multiple enclosed headlights
- DRL preference setting
- Front reading lights
- Variable instrument panel light
- Cab clearance lights
- Fade interior courtesy lights

Technology and Telematics

- SYNC 4 911 Assist emergency SOS system via mobile device
- AppLink/Apple CarPlay and Android Auto smart device wireless mirroring
- 2 USB ports
- SYNC 4 handsfree wireless device connectivity
- FordPass Connect 5G mobile hotspot internet access

Safety and Security

- Driver front impact airbag
- Safety Canopy System curtain first-row overhead airbags
- Seat mounted side impact driver airbag
- Cancellable front passenger air bag

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: ED ROCHE

CITY OF NORTH ROYALTON

Prepared by: Jenny Loveland

02/05/2024



Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125

2024 F-600 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F6L)

Price Level: 425

Selected Equip & Specs (cont'd)

- Seat mounted side impact front passenger airbag
- Front height adjustable seatbelts
- Remote panic alarm
- Pre-Collision Assist with Automatic Emergency Braking (AEB) forward collision mitigation
- AdvanceTrac w/Roll Stability Control electronic stability control system with anti-roll
- 6 airbags
- SecuriLock immobilizer
- Lane Departure Warning
- * **Rear mounted camera**
- * **Back-up alarm**

Dimensions

General Weights

Curb weight	7,216 lbs.	Rear curb weight	3,119 lbs.
GVWR	22,000 lbs.	Payload	14,780 lbs.

Trailer Weights

Fifth-wheel towing capacity	23,000 lbs.	Gooseneck towing capacity	23,100 lbs.
Conventional capacity	18,500 lbs.	GCWR	31,500 lbs.

Front Weights

Front curb weight	4,097 lbs.	GAWR front	7,500 lbs.
Axle capacity front	7,500 lbs.	Spring rating front	7,500 lbs.
Tire/wheel capacity front	9,080 lbs.		

Rear Weights

GAWR rear	15,500 lbs.	Axle capacity rear	15,500 lbs.
Spring rating rear	15,500 lbs.	Tire/wheel capacity rear	17,200 lbs.

Exterior Measurements

Vehicle body length	230.7"	Vehicle body width	80.0"
Wheelbase	145.0"	Front brake diameter	15.4"
Rear brake diameter	15.8"	Rear frame height loaded	28.6"
Rear frame height unloaded	35.1"	Front track	74.8"
Rear track	74.0"	Vehicle turning radius	21.2'
Cab to axle	60.0"	Rear tire outside width	93.9"
Axle to end of frame	47.2"	Frame section modulus	12.7 cu.in.
Frame yield strength (psi)	50000.0	Frame rail width	34.2"
Front bumper to front axle	38.3"	Front bumper to back of cab	123.7"

Interior Measurements

Interior rear cargo volume	11.6 cu.ft.	Max interior rear cargo volume	11.6 cu.ft.
----------------------------------	-------------	--------------------------------------	-------------

Interior Volume

Total passenger volume	64.6 cu.ft.
------------------------------	-------------

Headroom

Headroom first-row	40.8"
--------------------------	-------

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: ED ROCHE

CITY OF NORTH ROYALTON

Prepared by: Jenny Loveland

02/05/2024



Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125

2024 F-600 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F6L)

Price Level: 425

Selected Equip & Specs (cont'd)

Legroom

Leg room first-row 43.9"

Shoulder Room

Shoulder room first-row 66.7"

Hip Room

Hip room first-row 62.5"

Powertrain

Engine

Engine 7.3L V-8 DEVCT variable valve control, engine with 335HP	Valves per cylinder 2
Engine cylinders V-8	Injection type sequential MPI
Engine location Front mounted engine	Ignition Spark ignition system
Engine mounting direction Longitudinal mounted engine	Engine block material Iron engine block
Cylinder head material Aluminum cylinder head	

Engine Specs

Displacement 7.3L	cc 445 cu.in.
Bore 4.21"	Stroke 3.98"
Compression ratio 10.5	SAEJ1349 AUG2004 compliant

Engine Power

Horsepower 335 HP@3750 RPM	Torque 468 lb.-ft. @3750 RPM
----------------------------------	------------------------------------

Alternator

Alternator amps 250A	Alternator type Heavy-duty alternator
----------------------------	---

Battery

* Battery amps 68Ah	* Battery type Dual lead acid battery
Battery rating 750CCA	Battery run down protection Battery run down protection

Engine Extras

Radiator Radiator	Auxiliary power take-off Auxiliary power take-off
-------------------------	---

Transmission

Transmission 10-speed automatic	Transmission electronic control Transmission electronic control
Overdrive transmission Overdrive transmission	Lock-up transmission Lock-up transmission
First gear ratio 4.615	Second gear ratio 2.919
Third gear ratio 2.132	Fourth gear ratio 1.773
Fifth gear ratio 1.519	Sixth gear ratio 1.277

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: ED ROCHE

CITY OF NORTH ROYALTON

Prepared by: Jenny Loveland

02/05/2024



Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125

2024 F-600 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F6L)

Price Level: 425

Selected Equip & Specs (cont'd)

Reverse gear ratio	4.695	Seventh gear ratio	1
Eighth gear ratio	0.851	Ninth gear ratio	0.687
Tenth gear ratio	0.632	Stall ratio	1.97
Selectable mode transmission	Selectable mode transmission	Sequential shift control	SelectShift Sequential shift control
Transmission oil cooler	Transmission oil cooler	PTO transmission provision	PTO transmission provision

Drive Type

4WD type	Part-time 4WD	Drive type	Four-wheel drive
----------------	---------------	------------------	------------------

Drivetrain

Axle ratio	4.88
------------------	------

Exhaust

Tailpipe	Stainless steel single exhaust
----------------	--------------------------------

Fuel

Fuel type	regular unleaded
-----------------	------------------

Fuel Tank

* Fuel tank capacity	26.50 gal.
----------------------------	-------------------

Drive Feature

Limited slip differential	Mechanical limited slip differential	Traction control	Driveline managed traction control
Locking hub control	Auto locking hub control	Transfer case	Electronic transfer case shift

Provisions

* Provisions	Snow plow provisions
--------------------	-----------------------------

Fuel Economy and Emissions

Fuel Economy

Secondary fuel type	Gasoline secondary fuel type
---------------------------	------------------------------

Emissions

Emissions	Federal emissions
-----------------	-------------------

Suspension and Handling

Suspension

Suspension	Firm ride suspension	Front shock absorbers	Heavy-duty front shock absorbers
Rear shock absorbers	Heavy-duty rear shock absorbers		

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: ED ROCHE

CITY OF NORTH ROYALTON

Prepared by: Jenny Loveland

02/05/2024



Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125

2024 F-600 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F6L)

Price Level: 425

Selected Equip & Specs (cont'd)

Driveability

Brakes

Brake type	4-wheel disc brakes	Ventilated brakes	Front and rear ventilated disc brakes
ABS brakes	Four channel ABS brakes	ABS brakes	4-wheel antilock (ABS) brakes

Brake Assistance

Hill start assist	Hill Start Assist	Brake assist system	Brake assist system
-------------------------	-------------------	---------------------------	---------------------

Front Suspension

Anti-roll bar front	Front anti-roll bar	Suspension ride type front	Mono-beam rigid axle front suspension
---------------------------	---------------------	----------------------------	---------------------------------------

Front Spring

HD front springs	Heavy-duty front springs	Springs front	Front coil springs
------------------------	--------------------------	---------------------	--------------------

Rear Spring

Springs rear	Rear leaf springs	Rear springs	Heavy-duty rear springs
--------------------	-------------------	--------------------	-------------------------

Rear Suspension

Anti-roll bar rear	Rear anti-roll bar	Suspension type rear	Leaf spring rear suspension
Suspension ride type rear	DANA M300 rigid axle rear suspension		

Steering

Steering	Hydraulic power-assist steering system	Steering type	Re-circulating ball steering
Steering type number of wheels	2-wheel steering system		

Exterior

Front Wheels

Front wheels diameter	19.5"	Front wheels width	6.8"
-----------------------------	-------	--------------------------	------

Rear Wheels

Rear wheels diameter	19.5"	Rear wheels width	6.8"
----------------------------	-------	-------------------------	------

Front And Rear Wheels

Appearance	argent	Material	steel
------------------	--------	----------------	-------

Front Tires

Aspect	70	Diameter	19.5"
Sidewalls	BSW	Speed	S
* Tread	AT	Type	LT

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: ED ROCHE

CITY OF NORTH ROYALTON

Prepared by: Jenny Loveland

02/05/2024



Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125

2024 F-600 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F6L)

Price Level: 425

Selected Equip & Specs (cont'd)

Width	245mm	Front wheel - RPM	611
<i>Rear Tires</i>			
Aspect	70	Diameter	19.5"
Sidewalls	BSW	Speed	S
* Tread	AT	Type	LT
Width	245mm	Rear wheel - RPM	611

Body Exterior

Trailer

Towing wiring harness	Trailer wiring harness	Towing brake controller	Trailer brake controller
Towing trailer sway	Trailer sway control		

Exterior Features

Number of doors	2 doors	* Running boards	Running boards
Front splash guards	Front splash guards		

Body

Body panels .. Aluminum body panels with side impact beams

Mirrors

Convex spotter	Convex spotter in driver and passenger side door mirrors	Turn signal in door mirrors	Turn signal indicator in door mirrors
----------------------	--	-----------------------------	---------------------------------------

Spare Tire

* Spare tire	Full-size spare tire with steel wheel	* Spare tire location	Spare tire mounted on the frame or chassis
---------------------------	--	------------------------------	---

Tires

Front tires LT load rating	G	Rear tires LT load rating	G
----------------------------------	---	---------------------------------	---

Wheels

Dual rear wheels .. Dual rear wheels

Convenience

Door Locks

Door locks	Power door locks with 2 stage unlocking	Keyfob door locks ..	Keyfob activated door locks
All-in-one key	All-in-one remote fob and ignition key		

Cruise Control

Cruise control .. Cruise control with steering wheel mounted controls

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: ED ROCHE

CITY OF NORTH ROYALTON

Prepared by: Jenny Loveland

02/05/2024



Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125

2024 F-600 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F6L)

Price Level: 425

Selected Equip & Specs (cont'd)

Key Fob Controls

Fob remote vehicle controls FordPass Connect
smart device vehicle start control

Rear View Mirror

Day/Night rearview mirror Day/Night rearview
mirror

Exterior Mirrors

Door mirrors Power door mirrors Folding door mirrors
Manual folding door mirrors
Heated door mirrors Heated driver and
passenger side door mirrors

Front Side Windows

First-row windows Power first-row windows

Overhead Console

Overhead console Full overhead console Overhead console storage Overhead console
storage

Passenger Visor

Visor passenger mirror Passenger visor mirror

Power Outlets

12V power outlets 2 12V power outlets

Rear Windshield

Rear windshield Fixed rear windshield

Storage

Number of beverage holders 6 beverage holders Beverage holders Front beverage holders
Glove box Illuminated locking glove box Illuminated glove box
Instrument panel storage Instrument panel
covered bin Dashboard storage Dashboard storage

Windows Feature

One-touch up window Driver and passenger
one-touch up windows One-touch down window Driver and passenger
one-touch down windows

Miscellaneous

Trip computer Trip computer PRND in IP PRND in IP
Upfitter switches Upfitter switches Accessory power Retained accessory power
Over the air updates Over the air updates

Comfort

Climate Control

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: ED ROCHE

CITY OF NORTH ROYALTON

Prepared by: Jenny Loveland

02/05/2024



Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125

2024 F-600 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F6L)

Price Level: 425

Selected Equip & Specs (cont'd)

Climate control Manual climate control

Cabin air filter Cabin air filter

Headliner

Headliner material Cloth headliner material

Headliner coverage Full headliner coverage

Floor Trim

Floor covering Full vinyl floor covering

Floor coverage Full floor coverage

Steering Wheel

Steering wheel telescopic Manual telescopic steering wheel

Steering wheel material Urethane steering wheel

Steering wheel tilt Manual tilting steering wheel

Seats and Trim

Seat Capacity

Seating capacity 3

Front Seats

Front seat type Split-bench front seat

Driver seat direction Driver seat with 4-way directional controls

Driver seat fore/aft control Manual driver seat fore/aft control

Passenger seat direction Front passenger seat with 4-way directional controls

Split front seats 40-20-40 split-bench front seat

Reclining passenger seat Manual reclining passenger seat

Passenger seat fore/aft control Manual passenger seat fore/aft control

Front head restraints Height adjustable front seat head restraints

Front head restraint control Manual front seat head restraint control

Armrests front center Front seat center armrest

Armrests front storage Front seat armrest storage

Reclining driver seat Manual reclining driver seat

Lumbar Seats

Driver lumbar Manual driver seat lumbar

Front Seat Trim

Front seat upholstery Vinyl front seat upholstery

Front seatback upholstery Vinyl front seatback upholstery

Interior Accents

Interior accents Chrome interior accents

Gearshifter Material

Gearshifter material Urethane gear shifter material

Entertainment Features

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: ED ROCHE

CITY OF NORTH ROYALTON

Prepared by: Jenny Loveland

02/05/2024



Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125

2024 F-600 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F6L)

Price Level: 425

Selected Equip & Specs (cont'd)

LCD Displays

Primary touchscreen display Primary touchscreen display

LCD primary display size 8 inch primary LCD display

Number of first-row LCD displays 2 total number of 1st row displays

Radio Features

External memory SYNC 4 external memory control

Seek scan Seek scan

Speakers

Speakers Standard grade speakers

Speakers number 4

Audio Features

Steering mounted audio control Steering wheel mounted audio controls

Speed sensitive volume Speed sensitive volume

Voice activated audio SYNC 4 voice activated audio controls

Wireless streaming Wireless audio streaming

Lighting, Visibility and Instrumentation

Instrumentation

Trip odometer Trip odometer

Instrumentation display Digital/analog instrumentation display

Configurable instrumentation gauges Configurable instrumentation gauges

Instrumentation Displays

Temperature display Exterior temperature display

Driver information center Driver information center

Clock In-radio display clock

Compass Compass

Instrumentation Gauges

Tachometer Tachometer

Oil pressure gauge Oil pressure gauge

Transmission temperature gauge Transmission fluid temperature gauge

Engine/electric motor temperature gauge Engine/electric motor temperature gauge

Gauge cluster display size (inches) 4.20

Engine hour meter Engine hour meter

Instrumentation Warnings

Engine temperature warning Engine temperature warning

Oil pressure warning Oil pressure warning

Low fuel warning Low fuel warning

Low brake fluid warning Low brake fluid warning

Battery charge warning Battery charge warning

Headlights on reminder .. Headlights on reminder

Key in vehicle warning Key in vehicle warning

Door ajar warning Door ajar warning

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: ED ROCHE

CITY OF NORTH ROYALTON

Prepared by: Jenny Loveland

02/05/2024



Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125

2024 F-600 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F6L)

Price Level: 425

Selected Equip & Specs (cont'd)

Service interval warning Service interval indicator

Low tire pressure warning Tire specific low air pressure warning

Glass

Tinted windows Light tinted windows

Headlights

Headlights Halogen headlights

Auto headlights Autolamp auto on/off headlight control

Delay off headlights Delay-off headlights

Headlight type Aero-composite headlights
Multiple headlights Multiple enclosed headlights

DRL preference setting DRL preference setting

Front Windshield

Wipers Variable intermittent front windshield wipers

Interior Lighting

Illuminated entry Illuminated entry

Front reading lights Front reading lights

Variable panel light Variable instrument panel light

Lights

Running lights Daytime running lights

Clearance lights Cab clearance lights

Interior courtesy lights Fade interior courtesy lights

Perimeter approach lighting Remote activated perimeter approach lighting

Technology and Telematics

Connectivity

Handsfree SYNC 4 handsfree wireless device connectivity

Emergency SOS SYNC 4 911 Assist emergency SOS system via mobile device

Smart device integration AppLink/Apple CarPlay and Android Auto smart device wireless mirroring

Internet Access

Internet access FordPass Connect 5G mobile hotspot internet access

USB Ports

USB ports 2 USB ports

Safety and Security

Airbags

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: ED ROCHE

CITY OF NORTH ROYALTON

Prepared by: Jenny Loveland

02/05/2024



Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125

2024 F-600 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F6L)

Price Level: 425

Selected Equip & Specs (cont'd)

Front impact airbag driver Driver front impact airbag

Front impact airbag passenger... Cancellable front passenger air bag

Front side impact airbag passenger. Seat mounted side impact front passenger airbag

Number of airbags 6 airbags

Front side impact airbag driver Seat mounted side impact driver airbag

Overhead airbags Safety Canopy System curtain first-row overhead airbags

Seatbelts

Height adjustable seatbelts Front height adjustable seatbelts

Security System

Immobilizer SecuriLock immobilizer

Remote panic alarm Remote panic alarm

Active Driving Assistance

Lane departure Lane Departure Warning

Forward collision warning Pre-Collision Assist with Automatic Emergency Braking (AEB) forward collision mitigation

Cameras

* **Rear camera** **Rear mounted camera**

Traction Control

Electronic stability control ... AdvanceTrac w/Roll Stability Control electronic stability control system with anti-roll

Parking Sensors

* **Back up alarm** **Back-up alarm**

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.