Ecology Grant Number: SEASMP-2123-WWCCDD-00184

WALLA WALLA COUNTY

SHORELINE MASTER PROGRAM

Effective October 23, 2023



WALLA WALLA COUNTY SHORELINE MASTER PROGRAM 2023

BOARD OF COUNTY COMMISSIONERS

Todd L. Kimball Jennifer (Jenny) Mayberry Gunner Fulmer

PLANNING COMMISSION

Antionette (Toni) Rudnik, Chair
Wayne Langford, Vice Chair
Chuck Carruthers
Michelle Liberty
Bruce McCaw
Richard (RL) McFarland
Jessica Morlan

SPECIAL THANKS TO

Dan Nickel, DCG/Watershed Inc.

Brianna Hines, DCG/Watershed Inc.

Lauren Prentice, Walla Walla County Community Development Director

Jennifer Ballard, Walla Walla County Senior Planner

TABLE OF CONTENTS

1.0	Introductio	n	1		
1.1	Relations	ship to the Shoreline Management Act	1		
1.2	Scope an	nd Jurisdiction of the Regional Shoreline Master Program	1		
1.3	Authority	y, Purpose, and Applicability	2		
1.	3.1. Autho	ority	2		
1.	3.2. Purpo	se	2		
1.	3.3. Applic	cability	2		
1.4	Relations	ships to Other Codes, Ordinances, and Plans	3		
1.5	Liberal C	Liberal Construction			
1.6	Effective	Date	3		
2.0	Definitions		3		
3.0	Shoreline V	/ision and Goals	25		
3.1	Shoreline	es of the State	26		
3.	l.1. Defini	tion	26		
3.	1.2. Gener	ral Shoreline Use Preferences	26		
3.2	Shoreline	es of Statewide Significance	27		
3.3	Shoreline	e Use and Modifications	27		
3.4	Public Ac	ccess	28		
3.5	Recreation	on	28		
3.6	Economi	ic Development	28		
3.7	Transpor	rtation and Circulation	28		
3.8	Conserva	ation and Restoration	28		
3.9	Historic a	and Cultural Resources	29		
3.10	Flood Ha	nzard Prevention	29		
4.0	Environme	nt Designations	29		
4.1	Aquatic .		29		
4.2	Natural .		29		
4.3	Rural Co	nservancy	30		
4.4	Urban Co	onservancy	31		
4.5	Urban Re	esidential	31		
4.6	Rural Res	sidential	32		
4.7	High Inte	ensity	32		
4.8	Mill Cree	ek Flume	33		
4.9	Environn	nent Designation Interpretation	33		

4.10	Official Shoreline Maps and Unmapped or Undesignated Shorelines	34
5.0	General Policies and Regulations	35
5.1	Ecological Protection and Critical Areas	35
5.2	Water Quality	37
5.3	Vegetation Conservation	38
5.4	Archaeological and Historic Resources	40
5.5	Flood Protection	41
5.6	Public Access	43
6.0	Shoreline Use and Modification Policies and Regulations	46
6.1	Use and Modifications Matrix	46
6.2	Development Standards	51
6.3	General Shoreline Modification Requirements	52
6.4	Agriculture	53
6.5	Aquaculture	54
6.6	Boating and Moorage Facilities	54
6.7	Breakwaters, Weirs, and Groins	61
6.8	Commercial Development	61
6.9	Dredging and Dredge Material Disposal	62
6.10	Fill and Excavation	64
6.11	Forest Practices	65
6.12	Institutional Development	66
6.13	In-Stream Structures	67
6.14	Mining	67
6.15	Ports and Industrial Development	68
6.16	Recreational Development	69
6.17	Residential Development	70
6.18	Shoreline Restoration and Enhancement	71
6.19	Shoreline Stabilization	72
6.20	Signs	76
6.21	Transportation and Circulation	76
6.22	Utilities	77
7.0	Administration, Permits, and Enforcement	78
7.1	Purpose	78
7.2	Administrative Responsibilities	78
7.3	Noticing Requirements	78
7.4	Exemption from Permit Requirements	78

7.5	Exceptions	79
7.6	Permit Applications	79
7.7	Shoreline Substantial Development Permits	80
7.8	Shoreline Conditional Use Permits	81
7.9	Shoreline Variances	81
7.10	Revisions to Permits	82
7.11	Nonconforming Uses, Structures, and Lots	83
7.12	Enforcement Authority	85
7.13	Amendments to the SMP	85
7.14	Monitoring	86

Appendix A: Critical Areas in Shoreline Jurisdiction

Acronyms and Abbreviations

BMP...Best Management Practice

CMZ...Channel Migration Zone

Ecology...Washington State Department of Ecology

DAHP...Department of Archaeology and Historic Preservation

FEMA...Federal Emergency Management Act

LAMIRD...Limited Areas of More Intense Rural Development

OHWM...Ordinary High Water Mark

RCW...Revised Code of Washington

SMA...Shoreline Management Act

SMP...Shoreline Master Program

SEPA...State Environmental Policy Act

TESC...Temporary Erosion and Sediment Control

UGA...Urban Growth Area

WAC...Washington Administrative Code

WDFW...Washington State Department of Fish and Wildlife

WDNR...Washington State Department of Natural Resources

WWCC...Walla Walla County Code

How is this document structured?

This document is split into three principal sections:

- Shoreline goals, designations, policies and general regulations. Chapters 3-5 cover goals for a range of shoreline uses, define the designations of different shoreline environments, and the general policies and regulations applicable to activities in all shoreline environments
- Development regulations. Chapters 6 and 7 cover specific use and activity regulations, development standards, and permit requirements
- Regulations specific to the protection of critical areas. Appendix A covers regulations to protect critical areas within shoreline jurisdiction

WALLA WALLA COUNTY SHORELINE MASTER PROGRAM

1.0 Introduction

1.1 Relationship to the Shoreline Management Act

Washington State's citizens voted to approve the Shoreline Management Act (SMA) of 1971 in November 1972. In accordance with the SMA, Walla Walla County developed and adopted its first Shoreline Master Program (SMP) in 1975.

The SMA was created in response to a growing concern among residents of the State that serious and permanent damage was being done to shorelines by unplanned and uncoordinated development. The goal of the SMA was "to prevent the inherent harm in an uncoordinated and piecemeal development of the State's shorelines." While protecting shoreline resources by regulating development, the SMA is also intended to provide for appropriate shoreline use by encouraging land uses that enhance and conserve shoreline functions and values. The SMA has three broad policies:

- A. Encourage water-dependent and water-oriented uses: "uses shall be preferred which are consistent with control of pollution and prevention of damage to the natural environment, or are unique to or dependent upon use of the states' shorelines...."
- B. Promote public access: "the public's opportunity to enjoy the physical and aesthetic qualities of natural shorelines of the state shall be preserved to the greatest extent feasible consistent with the overall best interest of the state and the people generally."
- C. Protect shoreline natural resources, including "...the land and its vegetation and wildlife, and the water of the state and their aquatic life...."

The SMA and implementing SMP Guidelines require all towns, cities, and counties across the State to comprehensively update their SMPs. The SMP update allows preparations of a locally tailored program that represents the visions and interests of our citizens and meets the needs of our rural communities.

The goals, policies, and regulations of this SMP are intended to be consistent with the State shoreline guidelines in WAC 173-26. Consistent with RCW 36.70A.480, the goals and policies of this SMP that are approved under RCW 90.58 shall be considered an element of Walla Walla County's comprehensive planning, and all regulatory elements of this SMP shall be considered a part of the County's development regulations.

After the County's local development and adoptions process is complete, the SMP is reviewed by the Washington State Department of Ecology (Ecology) to ensure compliance with the SMP Guidelines. The SMP does not become effective until it has been adopted by the County and approved by Ecology.

1.2 Scope and Jurisdiction of the Regional Shoreline Master Program

Walla Walla County's shoreline jurisdiction encompasses approximately 225 miles of river shoreline, including the Columbia and Snake Rivers, the Walla Walla and Touchet Rivers, Mill Creek, and lower Yellowhawk Creek. Shoreline jurisdiction also includes the shoreline of Bennington Lake. The total acreage of upland shorelands regulated by the Walla Walla County SMP is 18.9 square miles, which, in accordance with state law, includes lands within 200 feet of the ordinary high water mark (OHWM) of the above listed shorelines, as well as floodways, floodplain areas within 200 feet of a mapped floodway, and associated wetlands.

The Columbia, Snake, Walla Walla, and Touchet Rivers within Walla Walla County are classified as Shorelines of Statewide Significance, meaning that under State Law, specific shoreline management preferences and priorities

must be applied. Federal lands make up approximately 16 percent of the area in the County's shoreline jurisdiction.

1.3 Authority, Purpose, and Applicability

1.3.1. Authority

This SMP is enacted and administered according to the following state law and rules:

- A. The Shoreline Management Act (SMA) of 1971, Chapter 90.58 RCW;
- B. State master program approval/amendment procedures and master program guidelines, WAC 173-26; and
- C. Shoreline management permit and enforcement procedures, Chapter 173-27 WAC.

1.3.2. Purpose

The purposes of this SMP are:

- A. To promote the public health, safety, and general welfare of the County by providing comprehensive policies and effective, reasonable regulations for development, use and protection of jurisdictional shorelines; and
- B. To further assume and carry out the local government responsibilities established by RCW 90.58.050 including planning and administering the regulatory program; and
- C. To assure no net loss of ecological functions associated with the shoreline; and
- D. To carry out the policies and use preferences in RCW 90.58.020, described in Section 3.1.2 (General Shoreline Use Preferences).

1.3.3. Applicability

- A. Except as described in Subsection (b), all proposed uses and development occurring within shoreline jurisdiction must conform to the intent and requirements of the laws and rules cited in Section 1.3.1 (Authority) and this SMP.
- B. This SMP does not apply to the following activities:
 - 1. Consistent with Section 2.0 (Definitions), WAC 173-26-020 (Definitions), and WAC 173-26-241(3)(a), as amended, agricultural activities on agricultural lands as of the date of adoption of the SMP listed in Section 1.6, Effective Date.
 - 2. Interior building improvements that do not change the use of the structure or land;
 - 3. Exterior structure maintenance activities, including painting and roofing, as long as it does not expand the existing footprint of the structure;
 - 4. Routine landscape maintenance of established, ornamental landscaping, such as lawn mowing, pruning and weeding; and
 - 5. As of the effective date of the SMP [insert date], legal pre-existing residential uses and structures where no change or new activity is proposed.
- C. Activities that are exempt from the permit system in Section 7.4 (Exemption from Permit Requirements) shall comply with this SMP whether or not a permit or other form of authorization is required.
- D. The shoreline permit procedures, policies and regulations established in this SMP shall apply Countywide to all nonfederal uses, activities, and development. Applicability of this SMP to activities on federal lands and undertaken by federal agencies shall be consistent with WAC 173-27-060(3).

E. This SMP applies to lands subject to nonfederal ownership, lease or easement, even though such lands may fall within the external boundaries of a federal ownership. Applicability of this Master Program to federal lands shall be consistent with WAC 173-27-060(3).

1.4 Relationships to Other Codes, Ordinances, and Plans

- A. All applicable federal, state, and local laws shall apply to properties in the shoreline jurisdiction.
- B. Consistent with RCW 36.70A.480, the goals and policies of this SMP approved under chapter 90.58 RCW shall be considered a sub area plan of Walla Walla County's Comprehensive Plan. All regulatory elements of this SMP, including, but not limited to, definitions and use regulations, shall be considered a part of Walla Walla County's development regulations.
- C. All local development regulations including, but not limited to, zoning and subdivision rules shall apply in addition to this SMP. This SMP includes critical areas regulations applicable only in shoreline jurisdiction, and shall control within shoreline jurisdiction over other Walla Walla County critical area regulations adopted pursuant to the Growth Management Act.
- D. In the event provisions of this SMP conflict with provisions of federal, state, or County regulations, the provision that is most protective of shoreline resources shall prevail, when consistent with policies set out in the SMA.

1.5 Liberal Construction

As provided for in RCW 90.58.900, the SMA is exempted from the rule of strict construction; the SMA and this SMP shall therefore be liberally construed to give full effect to the purposes, goals, objectives, and policies for which they were enacted.

1.6 Effective Date

The SMP is hereby adopted on June 14, 2016. This SMP and all amendments thereto shall become effective 14 days from the date of the Washington Department of Ecology's written notice of final approval.

2.0 Definitions

Α

<u>Abutting</u>. To border upon, to touch upon, or to be in physical contact with. Sites are considered abutting even though the area of contact may be only a point.

<u>Accessory</u>. Any use or development incidental to and subordinate to a primary use of a shoreline use or development.

<u>Adaptive management</u>. Adaptive management relies on scientific methods to evaluate how well regulatory and non-regulatory actions protect the critical area. An adaptive management program is a formal and deliberate scientific approach to taking action and obtaining information in the face of uncertainty.

<u>Adjacent</u>. To be nearby and not necessarily abutting. For areas near critical areas, adjacent shall mean any activity or development located:

- 1. On a site immediately adjoining a critical area;
- 2. A distance equal to or less than the required critical area buffer width and building setback;
- 3. A distance equal to or less than two hundred feet upland from a stream, wetland, or water body;
- 4. Bordering or within the floodway, floodplain or channel migration zone; or
- 5. A distance equal to or less than 200 feet from a critical aquifer recharge area.

Administrator or SMP Administrator. The designee charged with the responsibility of administering the SMP.

Agricultural activities. Agricultural uses and practices including, but not limited to: Producing, breeding, or increasing agricultural products; rotating and changing agricultural crops; allowing land used for agricultural activities to lie fallow in which it is plowed and tilled but left unseeded; allowing land used for agricultural activities to lie dormant as a result of adverse agricultural market conditions; allowing land used for agricultural activities to lie dormant because the land is enrolled in a local, state, or federal conservation program, or the land is subject to a conservation easement; conducting agricultural operations; maintaining, repairing, and replacing agricultural equipment; maintaining, repairing, and replacing agricultural facilities, provided that the replacement facility is no closer to the shoreline than the original facility; and maintaining agricultural lands under production or cultivation.

Agricultural equipment and agricultural facilities. Includes, but is not limited to:

- 1. The following used in agricultural operations: Equipment; machinery; constructed shelters, buildings, and ponds; fences; upland finfish rearing facilities; water diversion, withdrawal, conveyance, and use equipment and facilities including, but not limited to, pumps, pipes, tapes, canals, ditches, and drains;
- 2. Corridors and facilities for transporting personnel, livestock, and equipment to, from, and within agricultural lands;
- 3. Farm residences and associated equipment, lands, and facilities; and
- 4. Roadside stands and on-farm markets for marketing fruit or vegetables.

Agricultural land. Those specific land areas on which agricultural activities are conducted as of the date of adoption of a local master program pursuant to these guidelines as evidenced by aerial photography or other documentation. After the effective date of this Master Program, land converted to agricultural use is subject to compliance with the requirements of this Master Program.

<u>Agricultural lands of long-term commercial significance</u>. Those lands that are not already characterized by urban growth and that have long-term significance for the commercial production of food or other agricultural products.

Agricultural products. Includes, but is not limited to, horticultural, viticultural, floricultural, vegetable, fruit, berry, grain, hops, hay, straw, turf, sod, seed, and apiary products; feed or forage for livestock; Christmas trees; hybrid cottonwood and similar hardwood trees grown as crops and harvested within twenty years of planting; and livestock including both the animals themselves and animal products including, but not limited to, meat, upland finfish, poultry and poultry products, and dairy products.

Agricultural reserve ground. Ground in/or around an ongoing agricultural operation that is not currently in production such as steep hillsides, grass waterways, field eyebrows, areas too small to be economically viable at this time, and areas that are unfit to be utilized because of their general inaccessibility to the operation, but which at a later time may be used for active agricultural activities.

Agricultural stands. A structure used for the retail sale of agricultural and related incidental products, excluding livestock that is primarily grown on the same property where the stand is located.

<u>Agricultural uses</u>. Agricultural activities including farming, horticulture, silviculture, irrigation delivery systems, drainage systems, ranching and grazing of animals and pest and weed control. This includes agricultural set-aside land, lands lying idle under government programs and changes between agricultural activities.

<u>Agri-tourism (or Agricultural tourism)</u>. The act of visiting a working form or an agricultural, horticultural or agribusiness operation for the purpose of enjoyment, education or active involvement in the activities of the farm or operation.

<u>Alteration</u>. Any human activity which results in a physical change to the existing condition of land or improvements including, but not limited to: clearing vegetation, filling and grading, and construction of structures or facilities including impervious surfaces. Alterations do not include landscape or normal maintenance, walking, fishing, or any other passive recreation or other similar activities.

Amendment. A revision, update, addition, deletion, and/or reenactment to an existing shoreline master program.

<u>Applicant</u>. A person who files an application for permit under this Chapter and who is either the owner of the land on which that proposed activity would be located, a contract purchaser, or the authorized agent of such a person.

<u>Approval</u>. An official action by a local government legislative body agreeing to submit a proposed SMP or amendments to the Department of Ecology for review and official action pursuant to this chapter; or an official action by the Department of Ecology to make a local government SMP effective, thereby incorporating the approved SMP or amendment into the state master program.

<u>Appurtenance, residential</u>. Includes a garage; deck; driveway; utilities; fences; and installation of a septic tank and drainfield. See also Residential.

<u>Aquaculture</u>. The culture and/or farming of fish, shellfish, or other aquatic plants and animals. Aquaculture is dependent on the use of the water area and, when consistent with control of pollution and prevention of damage to the environment, is a preferred use of the water area. Commercial aquaculture is conducted to produce products for market with the objective of earning a profit. Non-commercial aquaculture is conducted for the benefit of native fish recovery, education and interpretation, or other public benefit or use.

<u>Aquifer</u>. A geological formation, group of formations or part of formation that is capable of yielding a significant amount of water to a well or spring.

<u>Aquifer recharge areas</u>. Areas that, due to the presence of certain soils, geology, and surface water, act to recharge ground water by percolation.

<u>Aquifer susceptibility</u>. The ease with which contaminants can move from the land surface to the aquifer based solely on the types of surface and subsurface materials in the area. Susceptibility usually defines the rate at which a contaminant will reach an aquifer unimpeded by chemical interactions with the vadose zone media.

<u>Aquifer, unconfined</u>. An aquifer not bounded above by a bed of distinctly lower permeability than that of the aquifer itself and containing ground water under pressure approximately equal to that of the atmosphere. This term is synonymous with the term "water table aquifer."

Archaeological Resource. See the definition in WAC 25-48-020(10) as it exists or is hereafter amended.

<u>Archaeological Resources, Historic</u>. See the definition in RCW 27.53.030(9) as it exists or is hereafter amended.

Archaeological Value. See the definition in WAC 25-48-020(124) as it exists or is hereafter amended.

Archaeologist, Professional. See the definition in RCW 27.53.030(11) as it exists or is hereafter amended.

<u>Area of special flood hazard</u>. Areas designated on the Flood Insurance Rate Maps which include the letter A or V, meaning the land in a flood plain subject to a one-percent (1%) or greater chance of flooding in any given year.

<u>Associated wetlands</u>. Those wetlands which are in proximity to and either influence or are influenced by a lake or stream subject to the Shoreline Management Act.

В

Base flood or 100-year flood. The designation on the Federal Emergency Management Act (FEMA) Flood Insurance Maps that denote areas subject to floods having a one percent chance of being equaled or exceeded in any given year. The base flood is determined for existing conditions, unless a basin plan including project flows under future developed conditions has been completed and adopted by Walla Walla County; in these cases, future flow projections shall be used. In areas where the Flood Insurance Study includes detailed base flood calculations, those calculation may be used until projections of future flows are completed and approved by Walla Walla County.

<u>Best management practices or BMP</u>. Conservation practices or systems of practices and management measures, such as those provided by the Natural Resource Conservation Service, that:

- 1. Control soil loss and reduce water quality degradation;
- 2. Minimize adverse impacts to surface water and ground water flow and circulation patterns and to the chemical, physical, and biological characteristics of wetlands;
- 3. Protect trees and vegetation designated to be retained during and following site construction and use native or non-native adapted plant species appropriate to the site for re-vegetation of disturbed areas; and
- 4. Provide standards for proper use of chemical herbicides within critical areas.

Bioengineering. The use of biological elements, such as the planting of vegetation, often in conjunction with engineered systems, to provide a structural shoreline stabilization measure with minimal negative impact to the shoreline ecology.

Boat launch. An area that is developed for boating ingress and egress from the water.

<u>Boating facilities</u>. Developments and uses that support access to shoreline waters for purposes of boating, including marinas, joint use docks serving more than four single-family residences or multi-family units, public piers, and community or public boat launch facilities.

Breakwater. A fixed or floating off-shore structure that protects the shore from wave action or currents.

<u>Buffer</u>. A designated area used to separate incompatible uses or protect resources or development. Buffers are generally undeveloped areas. There are different types of buffers for different purposes:

- 1. Buffers which protect sensitive natural resources (critical areas) from the adverse impacts of development are generally undeveloped open space which are ecologically part of the protected resource;
- 2. Buffers which protect the integrity of development from certain natural hazards such as slope instability, floods or fire prone areas, and which ensure that buildings and development avoid the hazardous condition;
- 3. Buffers to separate incompatible uses, such as residential from industrial, airports, or certain activities common to commercial agriculture, are generally open or sparsely populated.

<u>Building Setback</u>. A line which establishes a definite point beyond which the foundation of a building shall not extend; this line is measured from the upland edge of the shoreline buffer.

<u>Bulkhead</u>. An erosion protection structure placed parallel to the shore consisting of concrete, timber, steel, rock, or other permanent material not readily subject to erosion.

C

<u>Channel migration zone or CMZ</u>. The area along a river within which the channel(s) can be reasonably predicted to migrate over time as a result of natural and normally occurring hydrological and related processes when considered with the characteristics of the river and its surroundings.

<u>Clearing</u>. The cutting or removal of vegetation or other organic plant materials by physical, mechanical, chemical, or any other means.

<u>Commercial use</u>. Those activities engaged in commerce and trade and involving the exchange of money, including but not limited to, retail, services, wholesale, lodging, or business trade activities.

<u>Community access</u>. Access to the shoreline provided to a group of single-family residences in place of public access when part of a subdivision of greater than four (4) but less than ten (10) residential dwellings.

<u>Compensation project</u>. Actions necessary to replace project-induced critical area and buffer losses, including land acquisition, planning, construction plans, monitoring and contingency actions.

<u>Compensatory mitigation</u>. Replacing project-induced losses or impacts to a critical area, and includes, but is not limited to, the following:

- 1. Restoration Actions performed to reestablish wetland functional characteristics and processes that have been lost by alterations, activities, or catastrophic events within an area that no longer meets the definition of a wetland;
- 2. Creation Actions performed to intentionally establish a wetland at a site where it did not formerly exist;
- 3. Enhancement Actions performed to improve the condition of existing degraded wetlands so that the functions they provide are of a higher quality; and
- 4. Preservation Actions taken to ensure the permanent protection of existing, high-quality wetlands.

<u>Conditional use</u>. A use, development, or substantial development which is classified as a conditional use or is not classified within this SMP.

<u>Conservation easement</u>. A legal agreement that the property owner enters into to restrict uses of the land. Such restrictions can include, but are not limited to, passive recreation uses such as trails or scientific uses and fences or other barriers to protect habitat. The easement is recorded on a property deed, runs with the land, and is legally binding on all present and future owners of the property, therefore, providing permanent or long-term protection.

<u>Critical aquifer recharge area</u>. Areas designated by WAC 365-190-080(2) that are determined to have a critical recharging effect on aquifers used for potable water as defined by WAC 365-190-030(2).

<u>Critical areas</u>. Critical areas include any of the following areas or ecosystems: (a) aquifer recharge areas, (b) fish and wildlife habitat conservation areas, (c) frequently flooded areas, (d) geologically hazardous areas, and (e) wetlands, as defined in RCW 36.70A and this SMP.

<u>Critical species</u>. All animal and plant species listed by the state or federal government as threatened or endangered.

<u>Cumulative impact</u>. The impact on the environment which results from the incremental impact of the action when added to other past, present, and reasonably foreseeable future actions regardless of what agency or person undertakes such other actions. Cumulative impacts can result from individual minor but collectively significant actions taking place over a period of time.

D

<u>Developable area</u>. A site or portion of a site that may be utilized as the location of development, in accordance with the rules of this chapter.

<u>Development</u>. A use consisting of the construction or exterior alteration of structures; dredging; drilling; dumping; filling; removal of any sand, gravel, or minerals; bulkheading; driving of piling; placing of obstructions; or any project of a permanent or temporary nature which interferes with the normal public use of the surface of the waters overlying lands subject to the act at any stage of water level. See also "Substantial development." Development does not include the following activities:

- 1. Interior building improvements that do not change the use or occupancy;
- 2. Exterior structure maintenance activities, including painting and roofing as long as it does not expand the existing footprint of the structure;
- 3. Routine landscape maintenance of established, ornamental landscaping, such as lawn mowing, pruning and weeding; and
- 4. Maintenance of the following existing facilities that does not expand the affected area: septic tanks (routine cleaning); wells; and individual utility service connections.
- 5. Dismantling or removing structures if there is no other associated development or re-development.

<u>Development permit</u>. Any permit issued by the County, or other authorized agency, for construction, land use, or the alteration of land.

<u>Development regulation</u>. Any controls placed on development or land use activities by Walla Walla County, including but not limited to, zoning ordinances, official controls, and subdivision ordinances.

<u>Director</u>. The County official for the Walla Walla County community development department or other responsible official or other County staff granted the authority to act on behalf of the director.

<u>Dock</u>. A structure that is built over or floating upon the water and is used as a landing or moorage place for commercial and pleasure craft, marine transport, fishing, swimming, and other recreational uses. A dock typically consists of a combination of one or more of the following elements: pier, ramp, and/or float.

<u>Dredging</u>. Removal of earth from the bed of a stream, lake, or pond for the purpose of flood control; navigation; utility installation (excluding on-site utility features serving a primary use, which are accessory utilities and shall be considered a part of the primary use); the construction or modification of essential public facilities and regional transportation facilities; restoration (of which the primary restoration element is sediment/soil removal rather than being incidental to the primary restoration purpose); and/or obtaining minerals, construction aggregate, or landfill materials. This definition does not include excavation for mining within a pond created by a mining operation approved under this title or under a local zoning ordinance, or a mining operation in existence before Zoning, Shorelines, or Critical Areas permits were required for such operations. Dredging, as regulated in this SMP, is not intended to cover other excavations waterward of the ordinary high water mark that are incidental to construction of an otherwise authorized use or modification (e.g., shoreline stabilization replacements, large woody debris installations, boat launch ramp installation, pile placement).

Ε

Eco-connectivity. Eco-connectivity is a physical feature of the land as well as functional one. It is the geo-physical connection between natural habitat areas that allow fish and animals to move between feeding, reproductive, rearing, and resting areas. The functional connection is dependent on the physical connection.

<u>Ecological functions or shoreline functions</u>. Ecological functions or shoreline functions means work performed or the role played by the physical, chemical, and biological processes that contribute to the maintenance of the aquatic and terrestrial environments that constitute the shoreline's natural ecosystem.

Ecologically intact. Shoreline areas that retain the majority of their natural shoreline functions, as evidenced by the shoreline configuration and the presence of native vegetation. Generally, but not necessarily, ecologically intact shorelines are free of structural shoreline modifications, structures, and intensive human uses. In forested areas, they generally include native vegetation with diverse plant communities, multiple canopy layers, and the presence of large woody debris available for recruitment to adjacent waterbodies. Recognizing that there is a continuum of ecological conditions ranging from near natural conditions to totally degraded and contaminated sites, this term is intended to delineate those shoreline areas that provide valuable functions for the larger aquatic and terrestrial environments which could be lost or significantly reduced by human development. Whether or not a shoreline is ecologically intact is determined on a case-by-case basis.

<u>Ecologically sustainable</u>. The establishment of site conditions that preserve or result in no net loss of ecological functions and values, as identified in a mitigation plan.

<u>Ecosystem-wide processes</u>. The suite of naturally occurring physical and geologic processes of erosion, transport, and deposition; and specific chemical processes that shape landforms within a specific shoreline ecosystem and determine both the types of habitat and the associated ecological functions.

EDT priority protection reach. Reach designated as a priority using the Ecosystem Diagnosis and Treatment method.

<u>Elevated building</u>. A building that has no basement and its lowest elevated floor is raised above ground level by foundation walls, shear walls, post, piers, pilings, or columns.

<u>Emergent wetland</u>. A wetland with at least thirty percent of the surface area covered by erect, rooted, herbaceous vegetation extending above the water surface as the uppermost vegetative strata. See also Wetlands.

Enhancement. The manipulation of the physical, chemical, or biological characteristics of a wetland to heighten, intensify or improve specific function(s) or to change the growth stage or composition of the vegetation present. Enhancement is undertaken for specified purposes such as water quality improvement, flood water retention, or wildlife habitat. Enhancement results in a change in wetland function(s) and can lead to a decline in other wetland functions, but does not result in a gain in wetland acres. Examples are planting vegetation, controlling non-native or invasive species, and modifying site elevations to alter hydroperiods.

<u>Erosion</u>. The process in which soil particles are mobilized and transported by natural agents such as wind, rain, splash, frost action or stream flow.

<u>Erosion hazard areas</u>. At least those areas identified by the U.S. Department of Agriculture National Resources Conservation Service as having a "severe" rill and inter-rill erosion hazard.

Excavation. The mechanical removal of earth materials.

Exempt. Exempt developments are those set forth in WAC 173-27-040 and RCW 90.58.030(3)(e), 90.58.140(9), 90.58.147, 90.58.355, and 90.58.515 which are not required to obtain a Shoreline Substantial Development Permit, but which must otherwise comply with applicable provisions of the SMA and this SMP.

Exotic. Any species of plants or animals, which are (not listed on the State plant list) foreign to the planning area.

<u>Extreme slope hazard areas.</u> Those areas with pre-development slope greater than forty-five percent. See also Geologically Hazardous Areas.

F

<u>Feasible</u>. An action, such as a development project, mitigation, or preservation requirement, that meets all of the following conditions:

- 1. The action provides a reasonable likelihood of achieving its intended purpose; and
- 2. The action does not physically preclude achieving the project's primary intended legal action.

In cases where these guidelines require certain actions unless they are infeasible, the burden of proving infeasibility is on the applicant. In determining an action's infeasibility, the County may weigh the actions' relative public costs and public benefits, considered in the short-and long-term time frames.

<u>Federal Emergency Management Agency (FEMA)</u>. The agency that oversees the administration of the National Flood Insurance Program.

<u>Fill</u>. The addition of soil, sand, rock, gravel, sediment, earth-retaining structure, or other material to an area waterward of the OHWM, in wetlands, or on shorelands in a manner that raises the ground elevation or creates dry land.

<u>Fish and wildlife habitat conservation areas</u>. Areas necessary for maintaining species in suitable habitats within their natural geographic distribution so that isolated subpopulations are not created as designated by WAC 365-190-080(5). These areas are guided by the State's Priority Habitats and Species list and include the following:

- 1. Areas with which state or federally designated endangered, threatened, and sensitive species have a primary association;
- 2. Habitats of local importance, including but not limited to areas designated as priority habitat by the Department of Fish and Wildlife, areas that provide important habitat for neotropical migratory

- songbirds, areas that provide important habitat for wintering birds of prey, and areas that provide unique habitats within the County;
- Naturally occurring ponds under twenty acres and their submerged aquatic beds that provide fish or
 wildlife habitat, including those artificial ponds intentionally created from dry areas in order to mitigate
 impacts to ponds;
- 4. Waters of the state, including lakes, rivers, ponds, streams, inland waters, underground waters, salt waters and all other surface waters and watercourses within the jurisdiction of the state of Washington;
- 5. Lakes, ponds, streams, and rivers planted with game fish by a governmental or tribal entity;
- 6. State natural area preserves and natural resource conservation areas designated by the Department of Natural Resources; and
- 7. Land essential for preserving connections between habitat blocks and open spaces.

Fish habitat. Habitat that is used by fish at any life stage at any time of the year, including off-channel habitat.

<u>Float</u>. An anchored (not directly to the shore) floating platform that is free to rise and fall with water levels and is used for water-dependent recreational activities such as boat mooring, swimming, or diving. Floats may stand alone with no over-water connection to shore or may be located at the end of a pier or ramp.

Floating on-water residence. A vessel or any floating structure other than a floating home, as defined by this chapter: (a) that is designed or used primarily as a residence on the water has detachable utilities; and (b) whose owner or primary occupant has held an ownership interest in space in a marina, or has held a lease or sublease to use space in a marina, since a date prior to July 1, 2014.

<u>Flood, Flooding</u>. A general and temporary condition of partial or complete inundation of normally dry land areas from the overflow of inland waters and/or the unusual and rapid accumulation of runoff of surface waters from any source.

<u>Flood control</u>. Any undertaking for the conveyance, control, and dispersal of floodwaters caused by abnormally high direct precipitation or stream overflow.

<u>Flood Insurance Rate Map (FIRM)</u>. The official map on which the Federal Insurance Administration has delineated both the areas of special flood hazards and the risk premium zones applicable to the community.

<u>Flood insurance study</u>. The official report by the Federal Insurance Administration that includes flood profiles, the Flood Boundary Floodway Map, and the water surface elevation of the base flood.

<u>Floodplain</u>. The total land area adjoining a river, stream, watercourse or lake subject to inundation by the base flood.

Floodway. The area, as identified in a master program, that either:

- 1. Has been established in federal emergency management agency (FEMA) flood insurance rate maps (FIRMs) or floodway maps; or
- 2. Consists of those portions of a river valley lying streamward from the outer limits of a watercourse upon which flood waters are carried during periods of flooding that occur with reasonable regularity, although not necessarily annually, said floodway being identified, under normal condition, by changes in surface soil conditions or changes in types or quality of vegetative ground cover condition, topography, or other indicators of flooding that occurs with reasonable regularity, although not necessarily annually.

Regardless of the method used to identify the floodway, the floodway shall not include those lands that can reasonably be expected to be protected from flood waters by flood control devices maintained by or maintained under license from the federal government, the state, or a political subdivision of the state.

<u>Forest practices</u>. Any activity conducted on or directly pertaining to forest land and relating to growing, harvesting, or processing timber, including but not limited to: road and trail construction; harvesting, or processing

timber, including but not limited to road and trail construction; harvesting, final and intermediate; precommercial thinning; reforestation; fertilization; prevention and suppression of diseases and insects; salvage of trees; and brush control. Forest practice shall not include preparatory work such as tree marking, surveying and road flagging, and removal or harvesting of incidental vegetation from forest lands such as berries, ferns, greenery, mistletoe, herbs, mushrooms, and other products which cannot normally be expected to result in damage to forest soils, timber, or public resources.

<u>Forested wetland</u>. A wetland with at least thirty percent of the surface area covered by woody vegetation greater than twenty feet in height that is at least partially rooted within the wetland. See also Wetlands.

<u>Formation</u>. An assemblage of earth materials grouped together into a unit that is convenient for description or mapping.

<u>Frequently flooded area</u>. Lands in the floodplain subject to a one percent (1%) or greater chance of flooding in any given year and those lands that provide important flood storage, conveyance, and attenuation functions, as determined by the Community Development Director in accordance with WAC 365-190-080(3). Frequently flooded areas perform important hydrologic functions and may present a risk to persons and property. Classifications of frequently flooded areas include, at a minimum, the 100-year floodplain designations of the Federal Emergency Management Agency and the National Flood Insurance Program.

<u>Functions and values</u>. The beneficial roles served by critical areas including, but not limited to, water quality protection and enhancement, fish and wildlife habitat, food chain support, flood storage, conveyance and attenuation, ground water recharge and discharge, erosion control, wave attenuation, protection from hazards, historical and archaeological and aesthetic value protection, and recreation. These beneficial roles are not listed in order of priority. See also Ecological Functions.

G

<u>Generators, large quantity</u>. When referring to critical aquifer recharge areas, means those businesses that generate more than two thousand two hundred pounds of dangerous waste per month. They accumulate more than two thousand two hundred pounds of dangerous waste at any time. They generate and accumulate more than 2.2 pounds of acutely hazardous waste or toxic extremely hazardous waste.

<u>Generators, medium quantity</u>. When referring to critical aquifer recharge areas, means those businesses that generate more than two hundred twenty pounds, but less than two thousand two hundred pounds of dangerous waste per month. They are limited to the accumulation of less than two thousand two hundred pounds of dangerous waste at any time. They are limited to the generation of, and accumulation of, less than 2.2 pounds of acutely hazardous waste or toxic extremely hazardous waste.

<u>Geologically hazardous areas</u>. Areas that may not be suited to development consistent with public health, safety or environmental standards, because of their susceptibility to erosion, sliding, earthquake, or other geological events as designated by WAC 365-190-080(4). Types of geologically hazardous areas include: erosion, landslide, seismic, mine, and volcanic hazards.

Geotechnical report or geotechnical analysis. A scientific study or evaluation conducted by a qualified expert that includes a description of the ground and surface hydrology and geology, the affected land form and its susceptibility to mass wasting, erosion, and other geologic hazards or processes, conclusions and recommendations regarding the effect of the proposed development on geologic conditions, the adequacy of the site to be developed, the impacts of the proposed development, alternative approaches to the proposed development, and measures to mitigate potential site-specific and cumulative geological and hydrological impacts of the proposed development, including the potential adverse impacts to adjacent and down-current properties. Geotechnical reports shall conform to accepted technical standards and must be prepared by qualified professional engineers or geologists who have professional expertise about the regional and local shoreline

geology and processes. Reference to materials prepared by the Natural Resource Conservation Service and/or the Walla Walla County Conservation District is encouraged.

Grade. The vertical location of the ground surface.

- 1. Natural grade is the grade as it exists or may have existed in its original undisturbed condition.
- 2. Existing grade is the current grade in either its undisturbed, natural condition or as disturbed by some previous modifications.
- 3. Rough grade is a stage where grade conforms approximately to an approved plan.
- 4. Finish grade is the final grade of the site which conforms to an approved plan.
- 5. Average grade level is the average of the natural or existing topography of the portion of the lot, parcel, or tract of real property which will be directly under the proposed building or structure. In the case of structures to be built over water, average grade level shall be the elevation of the OHWM. Calculation of the average grade level shall be made by averaging the ground elevations at the midpoint of all exterior walls of the proposed building or structure.

<u>Grading</u>. The movement or redistribution of the soil, sand, rock, gravel, sediment, or other material on a site in a manner that alters the natural contour of the land.

<u>Groin</u>. A barrier type structure extending from the stream bank into a waterbody for the purpose of the protection of a shoreline and adjacent uplands by influencing the movement of water or deposition of materials. Groins may serve a variety of functions, including bank protection, pool formation, and increased roughness, and may include rock structures, debris jams, or pilings that collect wood debris.

Groundwater. Water in a saturated zone or stratum beneath the surface of land or a surface waterbody.

Growth Management Act. RCW 36.70A, and 36.70B, as amended.

<u>Guidelines</u>. Those standards adopted by the Department of Ecology into the Washington Administrative Code (WAC) to implement the policy of Chapter 90.58 RCW for regulation of use of the shorelines of the state prior to adoption of master programs. Such standards also provide criteria for local governments and the Department of Ecology in developing and amending master programs.

Н

Habitat. The place or environment where a plant or animal naturally occurs.

<u>Habitat conservation areas</u>. Areas designated as fish and wildlife habitat conservation areas. See also Fish and Wildlife Habitat Conservation Areas.

<u>Habitats of local importance</u>. These areas include a seasonal range or habitat element with which a given species has a primary association, and which, if altered may reduce the likelihood that the species will maintain and reproduce over the long-term. These might include areas of high relative density, breeding habitat, winter range, and movement corridors. These might also include habitats that are of limited availability or high vulnerability to alterations such as cliffs, talus, and wetlands. (WAC 365-190-030)

<u>Hard stabilization</u>. Shoreline erosion control practices using hardened structures that armor and stabilize the shoreline from further erosion. Hard structural shoreline stabilization typically uses concrete, boulders, dimensional lumber or other materials to construct linear, vertical or near-vertical faces. These include bulkheads, rip-rap, and similar structures.

<u>Hazard areas</u>. Areas designated as frequently flooded areas or geologically hazardous areas due to potential for erosion, landslide, seismic activity, mine collapse, or other geological condition.

<u>Hazardous Substances</u>. Any liquid, solid, gas, or sludge, including any material, substance, product, commodity, or waste, regardless of quantity, that exhibits any of the physical, chemical, or biological properties described in WAC 173-303-090 or 173-303-100.

<u>Height</u>. Measured from average grade level to the highest point of a structure: Provided, that television antennas, chimneys, and similar appurtenances shall not be used in calculating height, except where such appurtenances obstruct the view of the shoreline of a substantial number of residences on areas adjoining such shorelines, or the SMP specifically requires that such appurtenances be included: Provided further, that temporary construction equipment is excluded in this calculation.

<u>High intensity land use</u>. Land uses which are associated with high levels of human disturbance or substantial adverse habitat impacts including, but not limited to, medium and high-density residential, multifamily residential, some agricultural practices, and commercial and industrial land uses.

High quality wetlands. Those wetlands that meet the following criteria:

- 1. No, or isolated, human alteration of the wetland topography;
- 2. No human-caused alteration of the hydrology or the wetland appears to have recovered from the alteration;
- 3. Low cover and frequency of exotic plant species;
- 4. Relatively little human-related disturbance of the native vegetation, or recovery from past disturbance;
- 5. If the wetland system is degraded, it still contains a viable and high quality example of a native wetland community; and
- 6. No known major water quality problems.

<u>Historic condition</u>. Condition of the land, is including flora, fauna, soil, topography, and hydrology that existed before the area and vicinity were developed or altered by human activity.

<u>Houseboat or floating home</u>. A dwelling unit constructed on a float that is moored, anchored, or otherwise secured in the water and is not designed for navigation under its own power.

<u>Hydraulic project approval (HPA)</u>. A permit issued by the state Department of Fish and Wildlife for projects that affect the bed or flow of waters of the state in accordance with Chapter 77.55 RCW and WAC 220.110.

<u>Hydric soil</u>. A soil that is saturated, flooded or ponded long enough during the growing season to develop anaerobic conditions in the upper part. The presence of hydric soil shall be determined following the methods described in the approved federal wetland delineation manual and applicable regional supplements, as amended.

<u>Hydrophytic vegetation</u>. Macrophytic plant life growing in water or on a substrate that is at least periodically deficient in oxygen as a result of excessive water content. The presence of hydrophytic vegetation shall be determined following the methods described in the approved federal wetland delineation manual and applicable regional supplements, as amended.

ı

<u>Impervious surface</u>. A hard surface area that either prevents or retards the entry of water into the soil mantle under natural conditions prior to development or that causes water to run off the surface in greater quantities or at an increased rate of flow from the flow present under natural conditions prior to development. Common impervious surfaces include, but are not limited to, rooftops, walkways, patios, driveways, parking lots or storage areas, concrete or asphalt paving, gravel roads, packed earthen materials, and oiled macadam or other surfaces which similarly impede the natural infiltration of stormwater.

<u>Industrial</u>. Activities and facilities for processing, manufacturing, and storage of finished or semi-finished goods, wholesale trade or storage, together with necessary accessory uses such as parking, loading, and waste storage treatment.

Infiltration. The downward entry of water into the immediate surface of soil.

Injection well(s).

- 1. "Class I" A well used to inject industrial, commercial, or municipal waste fluids beneath the lowermost formation containing, within one quarter mile of the well bore, an underground source of drinking water.
- 2. "Class II" A well used to inject fluids:
 - a. Brought to the surface in connection with conventional oil or natural gas exploration or
 production and may be commingled with wastewaters from gas plants that are an integral part
 of production operations, unless those waters are classified as dangerous wastes at the time of
 injection;
 - b. For enhanced recovery of oil or natural gas; or
 - c. For storage of hydrocarbons that are liquid at standard temperature and pressure.
- 3. "Class III" A well used for extraction of minerals, including but not limited to the injection of fluids for:
 - a. In-situ production of uranium or other metals that have not been conventionally mined;
 - b. Mining of sulfur by Frasch process; or
 - c. Solution mining of salts or potash.
- 4. "Class IV" A well used to inject dangerous or radioactive waste fluids.
- 5. "Class V" All injection wells not included in Classes I, II, III, or IV.

<u>In-kind compensation</u>. To replace critical areas with substitute areas whose characteristics and functions closely approximate those destroyed or degraded by a regulated activity.

In-lieu-fee program. An agreement between a regulatory agency (state, federal, or local) and a single sponsor, generally a public agency or non-profit organization. Under an in-lieu-fee agreement, the mitigation sponsor collects funds from an individual or a number of individuals who are required to conduct compensatory mitigation required under a wetland regulatory program. The sponsor may use the funds pooled from multiple permittees to create one or a number of sites under the authority of the agreement to satisfy the permittees' required mitigation. See also Compensatory Mitigation.

<u>Institutional use</u>. Those public and/or private facilities having a primarily public-serving function, including, but not limited to, government offices, police and fire stations, libraries, activity centers, schools, health care facilities, educational and religious training centers, and water-oriented research facilities.

<u>In-stream structures</u>. Structures placed by humans within a stream or river waterward of the OHWM that either causes or has the potential to cause water impoundment or the diversion obstruction, or modification of water flow. In-stream structures may include those for hydroelectric generation, irrigation, water supply, flood control, transportation, utility service transmission, fish habitat enhancement, recreation, or other purposes, including gages and other monitoring devices.

Inter-rill. Inter-rills are areas subject to sheetwash.

<u>Isolated wetlands</u>. Those wetlands that are outside of and not contiguous to any 100-year floodplain of a lake, river, or stream and have no contiguous hydric soil or hydrophytic vegetation between the wetland and any surface water.



<u>Joint use dock</u>. A single dock which serves two or more parcels subject to the jurisdiction of the SMA, and may have multiple slips. This term includes a community dock intended to facilitate public access to the water.

ı

<u>Landslide hazard areas</u>. Areas that are potentially subject to risk of mass movement due to a combination of geologic landslide resulting from a combination of geologic, topographic, and hydrologic factors. These areas are

typically susceptible to landslides because of a combination of factors including: bedrock, soil, slope gradient, slope aspect, geologic structure, ground water, or other factors. See also Geologically Hazardous Areas.

<u>Limited Areas of More Intense Rural Development (LAMIRD)</u>. Areas of more intense rural development which allow for commercial and industrial uses that rely on a rural location and small-scale economic development and employment consistent with rural character. LAMIRDS are intended to prevent low density sprawl in rural areas.

M

<u>Maintenance, normal</u>. Those usual acts to prevent a decline, lapse, or cessation from a legally established condition.

May. An action that is acceptable, provided it conforms to the provisions of the WAC 173-26 and this Program.

<u>Minerals</u>. Materials including gravel, sand, and valuable metallic substances. [R.C.W. 36.70A.030(11); W.A.C. 365-190-030(12).

<u>Mining</u>. The removal of naturally occurring minerals and materials from the earth for commercial value. Mining includes processing and batching. Mining does not include large excavations for structures, foundations, parking areas, etc.

<u>Mitigation</u>. The use of any or all of the following actions that are listed in descending order of preference:

- 1. Avoiding the impact altogether by not taking a certain action or parts of an action;
- 2. Minimizing impacts by limiting the degree or magnitude of the action and its implementation, by using appropriate technology, or by taking affirmative steps to avoid or reduce impacts;
- 3. Rectifying the impact by repairing, rehabilitating or restoring the affected sensitive area;
- 4. Reducing or eliminating the impact over time by preservation or maintenance operations during the life of the development proposal;
- 5. Compensating for the impact by replacing, enhancing or providing substitute sensitive areas and environments;
- 6. Monitoring the impact and taking appropriate corrective measures.

<u>Mixed-use project</u>. A use that contains a mix of water-dependent and nonwater-oriented uses use or developments. This definition is only applicable within shoreline jurisdiction as defined by this SMP.

<u>Monitoring</u>. Evaluating the impacts of development proposals on the biological, hydrological, and geological elements of such systems and assessing the performance of required mitigation measures throughout the collection and analysis of data by various methods for the purpose of understanding and documenting changes in natural ecosystems and features, and includes gathering baseline data.

Moorage facility. A marina, pier, dock, mooring buoy, or any other similar fixed moorage site.

<u>Must</u>. A mandate; the action is required.

N

<u>Native vegetation</u>. Plant species that are indigenous to the area in question. Plants that are not listed in Chapter 16-750 WAC.

New construction. Structures for which the start of construction commence on or after the effective date of this ordinance.

No net loss of ecological function. A public policy goal and requirement to maintain the aggregate total of the County's shoreline ecological functions at its current level. For purposes of reviewing and approving this SMP, "current" is equivalent to the date of the Final Shoreline Analysis Report (September 2014). As a development standard, it means the result of the application of Mitigation Sequencing, in which impacts of a particular shoreline development and/or use, whether permitted or exempt, are identified and addressed, such that there are no

adverse impacts on shoreline ecological functions or processes relative to the legal condition just prior to the proposed development and/or use.

<u>Nonconforming lots</u>. An undeveloped lot, tract, parcel, site, or division of land located landward of the OHWM which was established in accordance with local and state subdivision requirements prior to the effective date of the act or this Master Program but which does not conform to the present lot size standards may be developed if permitted by other land use regulations of the local government and so long as development conforms to all other requirements of this Master Program and the Act.

<u>Nonconforming structure or development</u>. A building or structure or portion thereof which was lawfully erected, altered or maintained, but no longer conforms with present regulations such as setbacks, buffer, area; bulk height or density standards of the Master Program.

<u>Nonconforming use</u>. An activity in a structure or on a tract of land that was legally established prior to the effective date of the act or shoreline master program, which does not conform to the use of regulations of the Shoreline Master Program.

Nonconformity. A legally established existing use or legally constructed structure that is not in compliance with current regulations.

Non-indigenous. — See "exotic."

Nonwater-oriented uses. Those uses that are not water-dependent, water-related, or water-enjoyment.

0

<u>Off-site mitigation</u>. To replace critical areas or ecological functions away from the site on which a critical area or shoreline has been impacted. See also, Mitigation.

<u>On-site mitigation</u>. To replace critical areas or ecological functions at or adjacent to the site on which a critical area or shoreline has been impacted. See also, Mitigation.

Ordinary high water mark (OHWM). That mark which is found by examining the bed and banks of waterbodies and ascertaining where the presence and action of waters are so common and usual, and so long continued in all ordinary years, as to mark upon the soil a character distinct from that of the abutting upland in respect to vegetation as that condition exists on June 1, 1971, as it may naturally change thereafter, or as it may change thereafter in accordance with permits issued by the County or the Department of Ecology: PROVIDED, that in any area where the ordinary high water mark cannot be found, the ordinary high water mark adjoining fresh water shall be the line of mean high water.

Ρ

<u>Permeability</u>. The capacity of an aquifer or confining bed to transmit water. It is a property of the aquifer or confining bed and is independent of the force causing movement.

<u>Permit</u>. An approval for which there is a minimum standard, as stated in any of the relevant ordinances or state law, which must be met in order for the approval to be given.

<u>Permit, Shoreline</u>. Any Shoreline Substantial Development Permit, Shoreline Variance, Shoreline Conditional Use Permit, or revision authorized under chapter 90.58 RCW.

<u>Pier</u>. A fixed platform above the water and supported by piles, usually perpendicular to the shoreline. See also "Dock."

Potable water. Water that is safe and palatable for human use.

<u>Practical alternative</u>. An alternative that is available and capable of being carried out after taking into consideration, cost, existing technology, and logistics in light of overall project purposes, and having fewer impacts to critical areas.

<u>Preferred uses</u>. Those uses which are consistent with control of pollution and prevention of damage to the natural environment, or are unique to or dependent upon use of the shoreline.

<u>Primary association area</u>. The area used on a regular basis by, is in close association with, or is necessary for the proper functioning of the habitat of a critical species. Regular basis means that the habitat area is normally, or usually known to contain a critical species, or based on known habitat requirements of the species, the area is likely to contain the critical species. Regular basis is species and population dependent. Species that exist in low numbers may be present infrequently yet rely on certain habitat types.

<u>Priority habitat</u>. Habitat type or elements with unique or significant value to one or more species as classified by the Department of Fish and Wildlife. A priority habitat may consist of a unique vegetation type or dominant plant species, a described successional stage, or a specific structural element. (WAC 173-26-020(34)). See also Fish and Wildlife Habitat Conservation Areas.

<u>Project area</u>. All areas within fifty feet of the area proposed to be disturbed, altered, or used by the proposed activity or the construction of any proposed structures.

Provisions. Policies, regulations, standards, guideline criteria or environment designations.

<u>Public access</u>. The ability of the general public to reach, touch, and enjoy the water's edge, to travel on the waters of the state, and to view the water and the shoreline from adjacent locations.

<u>Public interest</u>. The interest shared by the citizens of the state or community at large in the affairs of government, or some interest by which their rights or liabilities are affected including, but not limited to, an effect on public property or on health, safety, or general welfare resulting from a use or development.

<u>Public Trust Doctrine</u>. A common law principle generally holding that the waters of the state are a public resource owned by and available to all citizens equally for the purposes of navigation, conducting commerce, fishing, recreation and similar uses. While the doctrine protects public use of navigable water bodies below the OHWM, the doctrine does not allow the public to trespass over privately owned uplands to access the lands below the OHWM.

Q

<u>Qualified professional</u>. A person with experience and training in the pertinent scientific discipline, and who is a qualified scientific expert with expertise appropriate for the relevant subject. A qualified professional must have obtained a B.S. or B.A. or equivalent degree in biology, engineering, environmental studies, fisheries, geomorphology, or related field, and, unless otherwise specified in this SMP, have at least two years of related work experience.

- 1. A qualified professional for habitats or wetlands must be a professional wetland scientist with at least two years of full-time work experience as a wetlands professional, including delineating wetlands using the state or federal manuals, preparing wetlands reports, conducting function assessments, and developing and implementing mitigation plans;
- 2. A qualified professional for a geological hazard must be a professional geologist (preferred) or engineer, licensed in the state of Washington;
- 3. A qualified professional for critical aquifer recharge areas means a hydrogeologist, geologist, engineer, or other scientist with experience in preparing hydrogeologic assessments.

R

Recharge. The process involved in the absorption and addition of water to ground water.

<u>Reclaimed water</u>. Wastewater effluent that has been adequately and reliability treated so that it is suitable for beneficial use. Following treatment it is no longer considered wastewater (treatment levels and water quality requirements are given in the water reclamation and reuse standards adopted by the state Departments of Ecology and Health).

<u>Recreation</u>. An experience or activity in which an individual engages for personal enjoyment and satisfaction. Shore-based outdoor recreation includes but is not limited to fishing; various forms of boating, swimming, hiking bicycling, horseback riding, picnicking, watching or recording activities such as photography, painting, bird watching or viewing of water or shorelines, nature study and related activities.

Recreation uses. Public, private, or commercial uses which offer activities, pastimes, and experiences that allow for the refreshment of mind and body.

<u>Regulatory flood.</u> A level of flooding that a regulatory agency's design regulations apply to.

Repair, normal. Restoring a development or structure to a state comparable to its original, legally established condition, including but not limited to its size, shape, configuration, location and external appearance, within a reasonable period after decay or partial destruction, except where repair causes substantial adverse effects to shoreline resource or environment. Replacement of a structure or development may be authorized as a repair where such replacement is the common method of repair for the type of structure or development and the replacement structure or development is comparable to the original structure or development including but not limited to its size, shape, configuration, location and external appearance and the replacement does not cause substantial adverse effects to shoreline resources or environment.

Repair or maintenance. An activity that restores the character, scope, size, and design of a serviceable area, structure, or land use to its previously authorized and undamaged condition. Activities that change the character, size, or scope of a project beyond the original design and drain, dredge, fill, flood, or otherwise alter critical areas are not included in this definition.

<u>Residential</u>. Buildings, structures or portions thereof that are designed and used as a place for human habitation. Included are single, duplex, or multi-family dwellings, mobile homes, manufactured homes, and other structures that serve to house people, as well as the creation of new residential lots through land division. This definition includes accessory uses common to normal residential use, including but not limited to, residential appurtenances, accessory dwelling units, and home occupations.

Restoration. Measures taken to restore an altered or damaged natural feature including:

- 1. Active steps taken to restore damaged wetlands, streams, protected habitat, or their buffers to the functioning condition that existed prior to an unauthorized alteration; and
- 2. Actions performed to reestablish structural and functional characteristics of the critical area that have been lost by alteration, past management activities, or catastrophic events.

<u>Rills</u>. Steep-sided channels resulting from accelerated erosion. A rill is generally a few inches deep and not wide enough to be an obstacle to farm machinery. Rill erosion tends to occur on slopes, particularly steep slopes with poor vegetative cover.

Riparian habitat. Areas adjacent to surface water which possesses elements of both aquatic and terrestrial ecosystems that mutually influence each other. The width of these areas extends from the ordinary high water mark to that portion of the terrestrial landscape that directly influences the aquatic ecosystem by providing shade, fine or large woody material, nutrients, organic and inorganic debris, terrestrial insects, or habitat for riparian-associated wildlife. It includes the entire extent of the floodplain and the extent of vegetation adapted to wet conditions as well as adjacent upland plant communities that directly influence the stream system. Riparian habitat areas include those riparian areas severely altered or damaged due to human development activities.

Riprap. A layer, facing, or protective mound of stone placed on shoulders, slopes, or other such places to protect them from erosion, scour, or sloughing of a structure or embankment.

River. See "Watercourse."

S

<u>Section 404 permit</u>. A permit issued by the U.S. Army Corps of Engineers for the placement of dredge or fill material or clearing in waters of the U.S., including wetlands, in accordance with 33 USC § 1344.

Seeps. A spot where water oozes from the earth, often forming the source of a small stream.

<u>Seismic hazard areas</u>. Seismic hazard areas are those areas subject to severe risk of damage as a result of earthquake-induced ground shaking, slope failure, soil liquefaction or surface faulting including:

- 1. Areas subject to surface faulting during a seismic event;
- Areas with underlying deposits indicative of a risk of liquefaction during a seismic event, including those
 areas mapped as "moderate", "moderate to high" and "high" by the Washington State Department of
 Natural Resources;
- 3. Areas subject to slope failure during a seismic event;
- 4. Areas that are at risk of mass wasting due to seismic forces.

Serviceable. Presently usable.

SEPA. Washington State Environmental Policy Act, Chapter 43.21C RCW.

<u>Setback</u>. The distance in feet as measured from a lot line to the sill line of a building, or the closest point of a structure to the lot line. In the case where there is a leased area within a parcel of land, the setback shall be measured from the lease line to the sill of a building, or the closest point of a structure to the lease line. See also building setback.

Shall. A mandate; the action must be done.

<u>Shallow Gravel Aquifer, moderate vulnerability designation</u>. The moderate vulnerability zone for the Shallow Gravel Aquifer (SGA) is defined as those areas of the SGA as delineated by the County where:

- 1. The SGA is present in the subsurface;
- 2. The SGA is overlain by a variable thickness of Loess and Touchet Beds;
- 3. The area is rated as low susceptibility; and
- 4. The contaminant loading potential is moderate based on:
 - a. Land uses which have the potential to impact groundwater if best management practices or
 existing regulations are not followed and there are few Group A and B wells and permit exempt
 wells obtaining water from the SGA in the area; or
 - b. Land uses which have a low potential to impact groundwater, and a variable density of Group A and B wells and permit exempt wells obtaining water from the SGA in the area.

<u>Shorelands or shoreland areas</u>. Those lands extending landward for two hundred feet in all directions as measured on a horizontal plane from the ordinary high water mark; floodways and contiguous floodplain areas landward two hundred feet from such floodways; and all wetlands and river deltas associated with the streams and lakes which are subject to the provisions of this chapter; the same to be designated as to location by the Department of Ecology.

Shorelines. All of the water areas of the state as defined in RCW 90.58.030, including reservoirs, and their associated shorelands, together with the lands underlying them, except

1. Shorelines of statewide significance;

- 2. Shorelines on segments of streams upstream of a point where the mean annual flow is twenty cubic feet per second or less and the wetlands associated with such upstream segments; and
- 3. Shorelines on lakes less than twenty acres in size and wetlands associated with such small lakes.

Shoreline areas and shoreline jurisdiction. All "shorelines of the state" and "shorelands."

<u>Shoreline Hearings Board</u>. A six member quasi-judicial body, created by the SMA, which hears appeals by any aggrieved party on the issuance of a shoreline permit or enforcement penalty, and appeals by the County on Department of Ecology approval of master programs, rules, regulations, guidelines or designations under the SMA.

Shorelines of statewide significance. Those areas defined in RCW 90.58.030(2)(e) which include the following:

- 1. Those lakes, whether natural, artificial, or a combination thereof, with a surface acreage of one thousand acres or more measured at the ordinary high water mark;
- Those natural rivers or segments east of the crest of the Cascade range downstream of a point where the
 annual flow is measured at two hundred cubic feet per second or more, or those portions of rivers east of
 the crest of the Cascade range downstream from the first three hundred square miles of drainage area,
 whichever is longer; and
- 3. Those shorelands associated with 1 and 2, above.

<u>Shorelines of the state</u>. Total of all "shorelines" as defined in RCW 90.58.030(2)(d) and "shorelines of statewide significance" within the state as defined in RCW 90.58.030(2)(c).

<u>Shoreline environment designations</u>. Classification of shorelines established by this SMP in order to provide a uniform basis for applying policies and use regulations within distinctively different shoreline areas.

Shoreline Management Act or SMA. The Washington State Shoreline Management Act, chapter 90.58 RCW.

<u>Shoreline Master Program or SMP</u>. The comprehensive shoreline master program for Walla Walla County, including the use regulations together with maps, diagrams, charts or other descriptive material and text.

<u>Shoreline modifications</u>. Those actions that modify the physical configuration or qualities of the shoreline area, usually through the construction of a physical element such as a dike, breakwater, pier, weir, dredged basin, fill, bulkhead, or other shoreline structure. They can include other actions, such as clearing, grading, or application of chemicals.

<u>Shoreline stabilization</u>. Structural or non-structural modifications to the existing shoreline intended to address erosion impacts to property and dwellings, businesses, or structures caused by natural processes, such as current, flood, wind, or wave action. They are generally located parallel to the shoreline at or near the OHWM.

Should. The particular action is required unless there is a demonstrated compelling reason, based on policy of the Shoreline Management Act and this chapter, against taking the action.

<u>Significant portion of its range</u>. That portion of a species range likely to be essential to the long-term survival of the population in Washington.

<u>Significant vegetation removal</u>. Removal or alteration of trees, shrubs, and/or ground cover by clearing, grading, cutting, burning, chemical means, or other activity that causes significant ecological impacts to functions provided by such vegetation. The removal of invasive or noxious weeds does not constitute significant vegetation removal. Tree pruning, not including tree topping, where it does not affect ecological functions, does not constitute significant vegetation removal.

Slide. The downward mass movement of soil, rock, or snow resulting from failure of that material under stress.

Slope. The inclination of the surface of the land from the horizontal.

<u>Soft stabilization</u>. Shoreline erosion control and restoration practices that contribute to restoration, protection or enhancement of shoreline ecological functions. Soft structural shoreline stabilization typically includes a mix of

gravels, cobbles, boulders, logs and native vegetation placed to provide shore stability in a non-linear, generally sloping arrangement. Linear, vertical faces are an indicator of hard stabilization (see above definition).

<u>Soil survey</u>. The most recent soil survey for the local area or County by the National Resources Conservation Service, U.S. Department of Agriculture.

<u>Special flood hazard areas</u>. The land in the floodplain within an area subject to a one percent or greater chance of flooding in any given year. Designations of special flood hazard areas on flood insurance map(s) always include the letters A or V.

<u>Special protection areas</u>. Aquifer recharge areas defined by WAC 173-200-090 that require special consideration or increased protection because of unique characteristics, including, but not limited to:

- 1. Ground waters that support an ecological system requiring more stringent criteria than drinking water standards;
- Ground water recharge areas and wellhead protection areas that are vulnerable to pollution because of hydrogeologic characteristics; and
- 3. Sole source aquifer status.

<u>Species</u>. Any group of animals classified as a species or subspecies as commonly accepted by the scientific community.

<u>Species, endangered</u>. Any fish or wildlife species that is threatened with extinction throughout all or a significant portion of its range and is listed by the state or federal government as an endangered species.

<u>Species of local importance</u>. Those species of local concern due to their population status or their sensitivity to habitat manipulation, or that are game species.

<u>Species, priority</u>. Any fish or wildlife species requiring protective measures and/or management guidelines to ensure their persistence as genetically viable population levels as classified by the Department of Fish and Wildlife, including endangered, threatened, sensitive, candidate and monitor species, and those of recreational, commercial, or tribal importance.

Species richness. The number of species in a given area.

Species, threatened. Any fish or wildlife species that is likely to become an endangered species within the foreseeable future throughout a significant portion of its range without cooperative management or removal of threats, and is listed by the state or federal government as a threatened species.

Stream. See Watercourse.

<u>Structure</u>. Anything constructed or erected which requires location on the ground or attached something having a location on the ground, but not including fences less than six feet in height, excepting that "structure" for the purposes of applying the regulations prescribed by the Flood Management Overlay District of this title shall mean any walled and roofed building or mobile home that is principally above ground.

<u>Subbasin plan protection reach</u>. Reaches recommended for priority protection by the Walla Walla Subbasin Plan (NPCC 2001).

<u>Sub-drainage basin or subbasin</u>. The drainage area of the highest order stream containing the subject property impact area. Stream order is the term used to define the position of a stream in the hierarchy of tributaries in the watershed. The smallest streams are the highest order (first order) tributaries. These are the upper watershed streams and have no tributaries of their own. When two first order streams meet, they form a second order stream, and when two second order streams meet they become a third order stream, and so on.

<u>Substantial development</u>. Any development of which the total cost or fair market value exceeds the dollar threshold described in WAC 173-27-040 or RCW 90.58.030 and published in the Washington State Register, or any

WALLA WALLA COUNTY SMP

development which materially interferes with the normal public use of the water or shorelines of the state. The dollar threshold established in RCW 90.58.030(3)(e) must be adjusted for inflation by the office of financial management every five years, beginning July 1, 2007, based upon changes in the consumer price index during that time period. (The consumer price index means, for any calendar year, that year's annual average consumer price index, Seattle, Washington area, for urban wage earners and clerical workers, all items compiled by the Bureau of Labor and Statistics, United States Department of Labor.) The Office of Financial Management must calculate the new dollar threshold and transmit it to the Office of the Code Reviser for publication in the Washington State Register at least one month before the new dollar threshold is to take effect. For the purpose of determining whether or not a permit is required, the total cost or fair market value shall be based on the value of development that is occurring on shorelines of the state as defined in RCW 90.58.030(2)(c). The total cost or fair market value of the development shall include the fair market value of any donated or found labor, equipment or materials. See WAC 173-27-040 for a list of developments that are not considered substantial.

<u>Substantial improvement</u>. Any repair, reconstruction, or improvement of a structure, the cost of which equals or exceeds 50% of the market value of the structure, either: (1) before the improvement or repair is started, or (2) if the structure has been damaged and is being restored, before the damage occurred. For the purposes of this definition, "substantial improvement" is considered to occur when the first alteration of any wall, ceiling, floor or other structural part of the building commences, whether or not that alteration affects the external dimensions of the structure. The term does not, however, include either: (1) any project for the improvement of a structure to comply with existing state or local health, sanitary, or safety code specifications which have been identified by County Building Inspection, Department of Community Health or Community Development staff and which are the minimum necessary to assure safe living conditions, or (2) any alteration of a structure listed in the National Register of Historic Places or a State Inventory of Historic Places.

Substantially degrade. To cause significant ecological impact.

Т

<u>Transportation</u>. Roads and railways, related bridges and culverts, fills, embankments, causeways, parking areas, and trails.



<u>Unavoidable</u>. Adverse impacts that remain after all appropriate and practicable avoidance and minimization have been achieved.

Upland. The area above and landward of the OHWM.

<u>Use</u>. The activity or purpose for which land or structures or combination of land and structures are designed, arranged, occupied, or maintained together with any associated site improvement. This definition includes the construction, erection, placement, movement or demolition of any structure or site improvement and any physical alteration to land itself including any grading, leveling, paving or excavation. Use also means any existing or proposed configuration of land, structures, and site improvements, and the use thereof.

<u>Utility</u>. A primary or accessory service or facility that produces, transmits, stores, processes, or disposes of electrical power, gas, water, sewage, communications, oil, and the like.

٧

<u>Valid scientific process</u>. According to WAC 365-195-905, in the context of critical areas protection, a valid scientific process is one that produces reliable information useful in understanding the consequences of a local government's regulatory decisions and in developing critical areas policies and development regulations that will be effective in protecting the functions and values of critical areas. To determine whether information received during the public participation process is reliable scientific information, the County should determine whether the

source of the information displays the characteristics of a valid scientific process. The characteristics generally to be expected in a valid scientific process are as follows:

- 1. Peer Review. The information has been critically reviewed by other persons who are qualified scientific experts in that scientific discipline. The criticism of the peer reviewers has been addressed by the proponents of the information. Publication in a refereed scientific journal usually indicates that the information has been appropriately peer-reviewed.
- 2. Methods. The methods that were used to obtain the information are clearly stated and able to be replicated. The methods are standardized in the pertinent scientific discipline or, if not, the methods have been appropriately peer-reviewed to assure their reliability and validity.
- 3. Logical Conclusions and Reasonable Inferences. The conclusions presented are based on reasonable assumptions supported by other studies and consistent with the general theory underlying the assumptions. The conclusions are logically and reasonably derived from the assumptions and supported by the data presented. Any gaps in information and inconsistencies with other pertinent scientific information are adequately explained.
- 4. Quantitative Analysis. The data have been analyzed using appropriate statistical or quantitative methods.
- 5. Context. The information is placed in proper context. The assumptions, analytical techniques, data, and conclusions are appropriately framed with respect to the prevailing body of pertinent scientific knowledge.
- 6. References. The assumptions, analytical techniques, and conclusions are well referenced with citations to relevant, credible literature and other pertinent existing information.

<u>Variance</u>. A variance is the means by which an adjustment may be made in the application of the specific regulations of this Code to a particular piece of property, which property, because of special circumstances applicable to it, is deprived of privileges commonly enjoyed by other properties in the vicinity and similar zone classification and which adjustment remedies the difference in privileges; provided, however, that a variance granted shall not authorize a use otherwise prohibited in the shoreline environment designation in which the property is located.

<u>Vegetation</u>. Any and all organic plant life growing at, below, or above soil surface.

<u>Vessel</u>. Includes ships, boats, barges, or any other floating craft which are designed and used for navigation and do not interfere with the normal public use of the water.

Vulnerability. The combined effect of susceptibility to contamination and the presence of potential contaminants.

W

<u>Watercourse</u>. Any portion of a channel, bed, bank, or bottom waterward of the ordinary high water line of waters of the state including areas in which fish may spawn, reside, or through which they may pass, and tributary waters with defined beds or banks. This definition includes watercourses that flow on an intermittent basis or which fluctuate in level during the year and applies to the entire bed of such watercourse whether or not the water is at peak level. This definition does not include irrigation ditches, canals, stormwater run-off devices, or other entirely artificial watercourses, except where they exist in a natural watercourse that has been altered by humans.

<u>Water-dependent use</u>. A use or portion of a use which cannot exist in a location that is not adjacent to the water and which is dependent on the water by reason of the intrinsic nature of its operations.

<u>Water-enjoyment use</u>. A recreational use or other use that facilitates public access to the shoreline as a primary characteristic of the use; or a use that provides for recreational use or aesthetic enjoyment of the shoreline for a substantial number of people as a general characteristic of the use and which through location, design, and operation ensures the public's ability to enjoy the physical and aesthetic qualities of the shoreline. In order to qualify as a water-enjoyment use, the use must be open to the general public and the shoreline-oriented space within the project must be devoted to the specific aspects of the use that fosters shoreline enjoyment.

Water-oriented use. Any water-dependent, water-related, or water-enjoyment use.

<u>Water quality</u>. The physical characteristics of water within shoreline jurisdiction, including water quantity, hydrological, physical, chemical, aesthetic, recreation-related, and biological characteristics. Where used in this chapter, the term "water quantity" refers only to development and uses regulated under this chapter and affecting water quantity, such as impermeable surfaces and storm water handling practices. Water quantity, for purposes of this chapter, does not mean the withdrawal of ground water or diversion of surface water pursuant to RCW 90.03.250 through 90.03.340.

<u>Water-related use</u>. A use or portion of a use which is not intrinsically dependent on a waterfront location but whose economic viability is dependent upon a waterfront location because:

- 1. The use has a functional requirement for a waterfront location such as the arrival or shipment of materials by water or the need for large quantities of water; or
- 2. The use provides a necessary service supportive of the water-dependent uses and the proximity of the use to its customers makes its services less expensive and/or more convenient.

<u>Water resource inventory area (WRIA)</u>. One of sixty-two watersheds in the state of Washington, each composed of the drainage areas of a stream or streams, as established in Chapter 173-500 WAC as it existed on January 1, 1997.

Water typing system. Waters classified according to the following:

- "Type S Water" means all waters, within their bankfull width, as inventoried as "shorelines of the state" under chapter 90.58 RCW and the rules promulgated pursuant to chapter 90.58 RCW including periodically inundated areas of their associated wetlands.
- 2. "Type F Water" means segments of watercourses other than Type S Waters, which are within the bankfull widths of defined channels and periodically inundated areas of their associated wetlands, or within lakes, ponds, or impoundments having a surface area of one half acre or greater at seasonal low water and which in any case contain fish habitat or are described by one of the following categories:
 - a. Waters, which are diverted for use by federal, state, tribal or private fish hatcheries. Such waters shall be considered Type F Water upstream from the point of diversion for one thousand five hundred feet, including tributaries if highly significant for protection of downstream water quality.
 - b. Riverine ponds, wall-based channels, and other channel features that are used by fish for off-channel habitat. These areas are critical to the maintenance of optimum survival of fish. This habitat shall be identified based on the following criteria:
 - i. The site must be connected to a fish habitat stream and accessible during some period of the year; and
 - ii. The off-channel water must be accessible to fish.
- 3. "Type Np Water" means all segments of watercourses within the bankfull width of defined channels that are perennial nonfish habitat streams. Perennial streams are flowing waters that do not go dry any time of a year of normal rainfall and include the intermittent dry portions of the perennial channel below the uppermost point of perennial flow.
- 4. "Type Ns Water" means all segments of watercourses within the bankfull width of the defined channels that are not Type S, F, or No Waters. These are seasonal, nonfish habitat streams in which surface flow is not present for at least some portion of a year of normal rainfall and are not located downstream from any stream reach that is a Type Np Water. Ns Waters must be physically connected by an above-ground channel system to Type S, F, or Np Waters.

For purposes of this section: "Seasonal low water" means the conditions of the seven-day, two-year low water situation, as measured or estimated by accepted hydrologic techniques recognized by the Department of Natural Resources.

Waterward. Any point located on the water side from the OHWM.

<u>Weir</u>. A structure generally built perpendicular to the shoreline for the purpose of diverting water or trapping sediment or other moving objects transported by water.

<u>Well</u>. A bored, drilled or driven shaft, or a dug hole whose depth is greater than the largest surface dimension for the purpose of withdrawing or injecting water or other liquids.

<u>Wellhead protection area (WHPA)</u>. The portion of a zone of contribution for a well, wellfield or spring, as defined using criteria established by the State Department of Health.

<u>Wetlands</u>. That area inundated or saturated by surface water or groundwater at a frequency and duration sufficient to support, and under normal circumstances does support, a prevalence of vegetation typically adapted for life in saturated soil conditions. Wetlands generally include swamps, marshes, bogs and similar areas. Wetlands do not include those artificial wetlands intentionally created from non-wetland sites, including, but not limited to, irrigation and drainage ditches, grass-lined swales, canals, detention facilities, wastewater treatment facilities, farm ponds, and landscape amenities, or those wetlands created after July 1, 1990, that were unintentionally created as a result of the construction of a road, street, or highway. However, wetlands may include those artificial wetlands specifically intentionally created from non-wetland areas to mitigate conversion of wetlands. For identifying and delineating a wetland, local government shall use the approved federal wetland delineation manual and applicable regional supplements, as amended.

<u>Wetland buffer</u>. An area contiguous to and which protects a critical area that is required for the continual maintenance, functioning, and/or structural stability of a critical area.

<u>Wetland category</u>. Wetlands that are categorized into Category I, II, III or IV based upon the categorization procedures in the Washington State Wetland Rating System for Eastern Washington, as amended (Hruby T. 2014).

<u>Wetland edge</u>. The boundary of a wetland as delineated using the procedures in the currently approved Federal Wetland Delineation Manual.

<u>Wetland functions</u>. The natural processes performed by wetlands and include functions which are important in facilitating food chain production, providing habitat for nesting, rearing and resting site for aquatic, terrestrial or avian species, maintaining the availability and quality of water such as purifying water, acting as recharge and discharge areas for groundwater aquifers and moderating surface water and storm water flows as well as performing other function including but not limited to those set out in U.S. Army Corps of Engineers regulations at 33 C.R.R. Section 320.4(b)(2)(1988).

<u>Wetland mitigation bank</u>. A site where wetlands are restored, created, enhanced, or in exceptional circumstances, preserved expressly for the purpose of providing advance mitigation to compensate for future, permitted impacts to similar resources. See also compensatory mitigation, in-lieu fee program.

Ζ

Zone of contribution. The area surrounding a well or spring that encompasses all areas or features that supply ground water recharge to the well or spring.

3.0 Shoreline Vision and Goals

It is the ultimate goal of the Walla Walla County SMP to prevent harm that results from uncoordinated development of the state's shorelines and to provide plans, policies and regulations consistent with the SMA (RCW 90.58) and with the SMP Guidelines (WAC 173 – 26) which reflect the desires of the citizens of Walla Walla County

and its communities regarding the balanced use of the County shorelines. The Walla Walla County Shoreline Master Program will preserve for future generations the high quality of the County's waters and shorelines while recognizing and respecting the rights of property owners and promoting the economic vitality and sustainability of the County.

3.1 Shorelines of the State

3.1.1. Definition

As defined by the Shoreline Management Act of 1971, shorelines include certain waters of the State, as well as their associated "shorelands." The waterbodies designated as shorelines of the State are those streams whose mean annual flow is at least 20 cubic feet per second (cfs) and lakes whose area is greater than 20 acres. All waterbodies described in Section 1.2 as being within the jurisdiction of this SMP meet these criteria and are considered shorelines of the State.

3.1.2. General Shoreline Use Preferences

A. This SMP adopts the policy provided by RCW 90.58.020 regarding management of shoreline areas:

It is the policy of the State to provide for the management of the shorelines of the State by planning for and fostering all reasonable and appropriate uses. This policy is designed to insure the development of these shorelines in a manner which, while allowing for limited reduction of rights of the public in the navigable waters, will promote and enhance the public interest. This policy contemplates protecting against adverse effects to the public health, the land and its vegetation and wildlife, and the waters of the State and their aquatic life, while protecting generally public rights of navigation and corollary rights incidental thereto... In the implementation of this policy, the public's opportunity to enjoy the physical and aesthetic qualities of natural shorelines of the State shall be preserved to the greatest extent feasible consistent with the overall best interest of the State and the people generally. To this end uses shall be preferred which are consistent with control of pollution and prevention of damage to the natural environment, or are unique to or dependent upon use of the state's shoreline. Alterations of the natural condition of the shorelines of the state, in those limited instances when authorized, shall be given priority for single family residences and their appurtenant structures, ports, shoreline recreational uses including but not limited to parks, marinas, piers, and other improvements facilitating public access to shorelines of the state, industrial and commercial developments which are particularly dependent on their location on or use of the shorelines of

Permitted uses in the shorelines of the State shall be designed and conducted in a manner to minimize, insofar as practical, any resultant damage to the ecology and environment of the shoreline area and any interference with the public's use of the water.

people to enjoy the shorelines of the state...

the state and other development that will provide an opportunity for substantial numbers of the

- B. When determining allowable uses and resolving use conflicts on shorelines within jurisdiction consistent with the above policy, the following preferences and priorities shall be applied in the order listed below, consistent with WAC 173-26-201(2)(d):
 - 1. Reserve appropriate areas for protecting and restoring ecological functions to control pollution and prevent damage to the natural environment and public health.
 - 2. Reserve shoreline areas for water-dependent and associated water related uses. Local governments may prepare master program provisions to allow mixed-use developments that include and support water-dependent uses and address specific conditions that affect water-dependent uses.

- 3. Reserve shoreline areas for other water-related and water-enjoyment uses that are compatible with ecological protection and restoration objectives.
- 4. Locate single-family residential uses where they are appropriate and can be developed without significant impact to ecological functions or displacement of water-dependent uses.
- Limit non-water-oriented uses to those locations where the above described uses are inappropriate or where non-water-oriented uses demonstrably contribute to the objectives of the Shoreline Management Act.

3.2 Shorelines of Statewide Significance

- A. It is recognized that the Columbia, Snake, and Walla Walla Rivers, as well as a portion of the Touchet River within Walla Walla County are Shorelines of Statewide Significance. These rivers must be given consideration as a major resource from which all people derive benefit.
- B. Consistent with RCW 90.58.020, the goals of the SMP for these areas shall be, in the following order of preference:
 - 1. Recognize and protect the statewide interest over local interest;
 - 2. Preserve the natural character of the shoreline;
 - 3. Prioritize long term benefits over short term benefits;
 - 4. Protect the resources and ecology of the shoreline;
 - 5. Increase public access to publicly owned shoreline areas; and
 - 6. Increase public recreational opportunities along the shoreline.
- C. It shall further be the goal of this SMP to achieve the following:
 - 1. Respect and protect private property rights and provide for enjoyment and use of private property consistent with the goals of the SMA;
 - 2. Streamline standards and procedures to avoid undue burdens on private property owners;
 - 3. Preserve the ability for both the public and private property owners to enjoy the physical and aesthetic qualities of natural shorelines;
 - 4. Give priority to preferred uses that do not damage the shoreline environment, or which are dependent upon use of the shoreline, consistent with the goals of the Shoreline Management Act and State SMP Guidelines; and
 - 5. Recognize Federal jurisdiction over the Columbia and Snake Rivers within Walla Walla County and the use of these rivers as waterborne transportation corridors and recognize that Federal activities in these areas do not fall under the authority of this SMP.
- D. The following sections contain goal statements that align Walla Walla County's regional goals and vision with those of the SMA. The goals cover topics related to the elements outlined in the SMA and SMP Guidelines, including Shoreline Use and Modifications, Public Access, Recreation, Economic Development, Circulation, Conservation and Restoration, Historic and Cultural Resources, and Flood Hazard Management.

3.3 Shoreline Use and Modifications

Goal-1. To foster a pattern of land use along the shorelines of Walla Walla County that balances human use with protection of existing character, habitat, and ecological systems.

- Goal-2. To encourage shoreline development and modifications that are wisely placed, consistent with the physical limitations of the area, serve the needs and desires of the local citizens, and ensure no net loss of ecological function.
- Goal-3. To give priority to preferred uses of the shoreline, as well as those uses that contribute to the unique character and economic prosperity of Walla Walla County, where those uses will not cause a net loss of shoreline ecological function.

3.4 Public Access

- Goal-4. To encourage a system of diverse public access opportunities that is safe and convenient, consistent with shoreline character and ecological functions, and compatible with adjacent land uses while recognizing private property rights.
- Goal-5. To encourage coordinated public shoreline access across the County through partnership with Federal, State, and local governments, as well as non-governmental organizations, through incentives to property owners and developers.

3.5 Recreation

- Goal-6. To meet the recreational needs of Walla Walla County residents and visitors while protecting existing recreational resources, shoreline ecological functions, and private property rights.
- Goal-7. To encourage a variety of recreational opportunities tailored to the ecological and land use conditions of the County's diverse shoreline environments.

3.6 Economic Development

- Goal-8. To ensure that economic activity along shorelines is encouraged while also developing in a manner that protects the shoreline environment, is compatible with adjacent land uses, and ensures no net loss of shoreline ecological function.
- Goal-9. To recognize the value of water-oriented development, including the Port of Walla Walla, to the local economy and promote future economic development activity in shoreline areas where ecological conditions and land use patterns are appropriate for such uses.
- Goal-10. To recognize that healthy, attractive shoreline areas provide value for the local economy and serve as amenities to citizens and businesses.

3.7 Transportation and Circulation

- Goal-11. To create and maintain a comprehensive circulation system which provides for the safe and convenient movement of people, goods and services while minimizing disruption of shoreline areas and the environment.
- Goal-12. To maintain adequate safety, environmental, and aesthetic standards for existing and new circulation systems within the shoreline jurisdiction.

3.8 Conservation and Restoration

- Goal-13. To protect and preserve shoreline natural resources, including wetlands, native vegetation, fish and wildlife habitat, and scenic resources, both through responsible management of public land and incentives for private landowners and developers.
- Goal-14. To encourage restoration of shoreline ecological functions where they have been impaired and to facilitate restoration of shoreline ecological functions and aesthetics to achieve regional goals for water quality and habitat recovery.

3.9 Historic and Cultural Resources

Goal-15. To identify, protect, and preserve shoreline sites that have historic, cultural, educational or scientific significance or value.

3.10 Flood Hazard Prevention

- Goal-16. To protect property in Walla Walla County from losses and damage caused by flooding by applying consistent flood hazard regulations.
- Goal-17. To guide future shoreline development in a manner that avoids the need for unnecessary new shoreline stabilization or flood control infrastructure.

4.0 Environment Designations

4.1 Aquatic

- A. Purpose: The purpose of the environment designation is to protect, restore, and manage the unique characteristics and resources of the areas waterward of the ordinary high-water mark (OHWM).
- B. Designation Criteria: Assign an Aquatic environment designation to all areas waterward of the OHWM which are not otherwise assigned a Mill Creek Flume designation.
- C. Management Policies:
 - 1. Allow new over-water structures only for water-dependent uses.
 - 2. The size of new over-water structures should be limited to the minimum necessary to support the structure's intended use.
 - 3. In order to reduce the impacts of shoreline development and increase effective use of water resources, multiple use of over-water facilities should be encouraged.
 - 4. All developments and uses on navigable waters or their beds should be located and designed to minimize interference with surface navigation, to consider impacts to public views where appropriate, and to allow for the safe, unobstructed passage of fish and wildlife, particularly those species dependent on migration.
 - 5. Shoreline uses and modifications should be designed and managed to meet no net loss of ecological functions and ecosystem-wide processes, including preventing degradation of water quality and alteration of natural hydrographic conditions. Adverse impacts should not be allowed except where necessary to achieve the objectives of the Shoreline Management Act, and then only when mitigated as necessary to assure no net loss of ecological functions.

4.2 Natural

- A. Purpose: The purpose of the Natural environment designation is to protect those publicly owned shoreline areas that are relatively free of human influence or that include intact or minimally degraded shoreline functions intolerant of human use. These systems require that only very low-intensity uses be allowed in order to maintain the ecological functions and ecosystem-wide processes.
- B. Designation Criteria: A Natural environment designation should be assigned to public shoreline areas if any of the following characteristics apply:
 - 1. The shoreline is ecologically intact and therefore currently performing an important, irreplaceable function or ecosystem-wide process.

2. The shoreline is considered to represent ecosystems and geologic types that are of particular scientific and educational interest; or

C. Management Policies:

- 1. Any use that would substantially degrade the ecological functions or natural character of the shoreline area should not be allowed.
- 2. The following new uses should not be allowed in the Natural environment:
 - a. Commercial uses.
 - b. Industrial uses.
 - c. Nonwater-oriented recreation with no relationship to the shoreline and waterbody.
 - d. Roads, utility corridors, and parking areas that can be located outside of "Natural" designated shorelines.
- 3. Single-family residential development may be allowed as a conditional use within the Natural environment if the density and intensity of such use is limited as necessary to protect ecological functions and be consistent with the purpose of the Natural environment.
- 4. Irrigation withdrawals and other agricultural uses of a very low-intensity nature may be consistent with the Natural environment when such use is subject to appropriate limitations or conditions to assure that the use does not expand or alter practices in a manner inconsistent with the purpose of the designation.
- Scientific, historical, cultural, educational research uses, and low-intensity water-oriented
 recreational access uses, including non-motorized trails, may be allowed provided that no
 significant ecological impact on the area will result.
- 6. New development or significant vegetation removal that would reduce the capability of vegetation to perform normal ecological functions should not be allowed. Do not allow the subdivision of property in a configuration that, to achieve its intended purpose, will require significant vegetation removal or shoreline modification that adversely impacts ecological functions. That is, each new parcel must be able to support its intended development without significant ecological impacts to the shoreline ecological functions.

4.3 Rural Conservancy

- A. Purpose: The purpose of the Rural Conservancy environment designation is to give priority to agricultural activities, including associated irrigation and support facilities, accommodate low-density residential uses which are compatible with agricultural activities, maintain no net loss of ecological functions, and allow for recreational opportunities.
- B. Designation Criteria: Assign a Rural Conservancy environment designation to those areas outside of commercial/industrial limited areas of more intense rural development (LAMIRD) characterized by:
 - 1. Resource lands
 - 2. Constrained land (e.g. floodplains, floodways) in rural areas and the Burbank urban growth area;
 - 3. Commercial agricultural potential;
 - 4. High recreational value or significant historic or cultural resources; or
 - 5. Roads which run parallel to the shoreline, railroads, canals, levees or other alterations in shoreline jurisdiction that limit shoreline ecological functions.

C. Management Policies:

- 1. Allow agricultural activities and expansions of current agricultural activities on previously unfarmed lands consistent with this SMP.
- 2. Development standards should seek to conserve soils and water resources suitable for agricultural purposes.
- 3. Low-intensity, water-oriented commercial and industrial uses may be permitted in limited instances where those uses have been located in the past or at unique sites in rural communities that possess shoreline conditions and services to support the use.
- 4. New structural shoreline stabilization and flood control works should only be allowed where there is a documented need to protect an existing structure or ecological function.
- 5. Activities and uses should be compatible with the rural character, including the overall density pattern.

4.4 Urban Conservancy

- A. Purpose: The Urban Conservancy environment is intended to protect and restore ecological functions of open space, floodplain and other sensitive lands where they exist in urban and developed settings, while allowing a variety of compatible uses.
- B. Designation Criteria: Specific criteria for designation of the Urban Conservancy environment include areas or properties that lie within urban growth areas and consist of any of the following characteristics:
 - 1. Are planned for development that is compatible with the principles of maintaining or restoring the ecological functions of the area;
 - 2. Are suitable for water related and water-enjoyment uses;
 - 3. Are open space or floodplains; or
 - 4. Are areas that retain important ecological functions which should not be more intensively developed.

C. Management Policies:

- Allowed uses for the Urban Conservancy environment generally include uses which preserve
 the natural character of the area, and promote the preservation of open space, floodplains
 or sensitive lands.
- 2. Uses allowed under this designation should focus on recreation.
- 3. Public access and recreation objectives should be implemented whenever feasible and significant ecological impacts can be mitigated.

4.5 Urban Residential

- A. Purpose: The purpose of the Urban Residential environment is to accommodate existing development and guide planned urban residential development and accessory structures. An additional purpose is to provide appropriate community or public access and recreational uses.
- B. Designation Criteria: Assign an Urban Residential environment designation to areas that include existing residential development or areas planned or platted for residential development within non-industrial UGAs.
- C. Management Policies:

- Shoreline development standards should ensure no net loss of shoreline ecological
 functions, taking into account the environmental limitations and sensitivity of the shoreline
 area, the level of infrastructure and services available or planned to be available, and other
 comprehensive planning policy considerations.
- 2. Multi-unit residential developments, including subdivision of land into more than four (4) lots, should provide public access and joint use for community recreational facilities.
- 3. Access, utilities, and public services should be available and adequate or planned for to serve existing needs and/or planned future development.
- 4. Commercial development should be limited to water-oriented uses, unless separated from the shoreline, and allowed only when the underlying zoning permits such uses.

4.6 Rural Residential

- A. Purpose: The purpose of the Rural Residential environment is to give priority to rural-scale residential development in those areas of the County which have stretches of predominantly small lot residential uses or are planned or platted for rural small lot residential uses in rural and agricultural areas. This designation is also intended to provide appropriate public access, maintain no net loss of ecological functions, and allow for recreational opportunities.
- B. Designation Criteria: Specific criteria for designation of the Rural Residential environment include areas or properties that:
 - 1. Lie outside of and urban growth areas; and
 - 2. Have existing residential development of five acres or less in size, or are planned or platted for residential development of five acres or less in size.

C. Management Policies:

- Shoreline development standards should ensure no net loss of shoreline ecological
 functions, taking into account the environmental limitations and sensitivity of the shoreline
 area, the level of infrastructure and services available or planned to be available, and other
 comprehensive planning policy considerations.
- 2. Activities and uses should be designed for compatibility with the rural character, including the overall density pattern.
- 3. Residential developments that entail subdivision of land into more than four (4) lots should provide public access and joint use of community recreational facilities.
- 4. Commercial development should be limited to water-oriented uses and allowed only when the underlying zoning permits such uses.

4.7 High Intensity

- A. Purpose: The purpose of the High Intensity environment designation is to provide for high-intensity water-oriented commercial, transportation, and industrial uses while protecting existing ecological functions and restoring ecological functions in areas that have been previously degraded.
- B. Designation Criteria: Assign a High Intensity environment designation to shoreline areas within urban growth areas and existing industrial or commercial areas if they currently support high-intensity uses related to commerce, transportation or navigation; or are suitable and planned for high-intensity water-oriented uses.
- C. Management Polices:

- Priority should be given to water-dependent, water-related, and water-enjoyment uses in that order of preference. Nonwater-oriented uses may also be allowed in limited situations where they do not conflict with or limit opportunities for water-oriented uses or on sites where there is no direct access to the shoreline. Public benefits such as ecological restoration or public access may be required in association with nonwater-oriented development.
- 2. Full utilization of existing urban and extensively altered areas should be achieved before further expansion of intensive development is allowed.
- 3. Development in the High Intensity designation should assure no net loss of shoreline ecological functions. Where applicable, new development should include environmental cleanup and restoration of the shoreline to comply with relevant state and federal law.
- 4. Where feasible, visual and physical public access should be required as part of development in the High Intensity designation unless access already exists to serve the development or unless safety, security, or fragile environmental conditions preclude access.

4.8 Mill Creek Flume

- A. Purpose: The purpose of the Mill Creek Flume environment designation is to accommodate a mix of water-oriented and nonwater-oriented uses in an intensively developed environment adjacent to Mill Creek's flood control works.
- B. Designation Criteria:
 - Assign a Mill Creek Flume environment designation to those areas within the U.S. Army
 Corps of Engineers Mill Creek Flood Control Project between the Rooks Park Spillway and
 Gose Street which are not designed to promote physical access to the water.
 - 2. For areas of the Mill Creek Flume which contain a concrete flume, the landward extent of the designation extends to the landward edge of the flume. For all other areas, the landward extent ends at the OHWM.

C. Management Polices:

- In regulating uses in the Mill Creek Flume environment, recognize that the existing concretelined and partially-fenced condition precludes accommodation of recreation oriented waterdependent and water-related development. Water-enjoyment uses, primarily visual, and nonwater-oriented uses should be allowed.
- 2. Manage the Mill Creek Flume environment to maximize flood control for protection of adjacent uses and developments.
- 3. Improve conditions (passage, water quality) for aquatic species using the flood control channel.

4.9 Environment Designation Interpretation

- A. If disagreement develops as to the exact location of an environment designation boundary line, the Official Shoreline Maps shall prevail consistent with the following rules:
 - 1. Boundaries indicated as approximately following lot, tract, or section lines shall be so construed.
 - 2. In cases where boundary line adjustments or subdivisions occur, the designation applied to the original parcel prior to the boundary line adjustment or subdivision shall not change as a result. The shoreline designation can be re-designated through an SMP amendment.

- 3. Boundaries indicated as approximately following roads and railroads shall be respectively construed to follow the nearest right-of-way edge.
- 4. Boundaries indicated as approximately parallel to or extensions of features indicated in (1), (2), or (3) above shall be so construed.
- B. In the event of an environment designation mapping error where the SMP update or amendment record, including the public hearing process, is clear in term of the correct environment designation to apply to a property, the Shoreline Administrator shall apply the environment designation approved through the SMP Update or Amendment process and correct the map. Appeals of such interpretations may be filed pursuant to Section 7.0, Administration, Permits and Enforcement, and the local appeal procedures referenced in WWCC Chapter 14.11, Appeals. If the environment designation criteria were misapplied, but the map does not show an unintentional error (e.g. the SMP hearing and adoption record does not indicate another designation was intended), a SMP amendment may be obtained consistent with WAC 173-26-100 and Section 7.12, Amendments to the SMP.
- C. All shoreline areas waterward of the OHWM shall be designated Aquatic or Mill Creek Flume.
- D. Upland environment designations shall apply to shorelands.
- E. Only one environment designation shall apply to a given shoreland area. In the case of different designations occurring parallel to the shoreline, designations shall be divided along an identified linear feature and the boundary shall be clearly noted on the map (for example: "boundary is 100 feet upland from the OHWM").

4.10 Official Shoreline Maps and Unmapped or Undesignated Shorelines

- A. The Official Shoreline Maps at the time of SMP adoption, which illustrate the delineation of shoreline jurisdiction and environment designations, are available for review in the Community Development Department as either hard copy or computer-generated images of the County's Geographic Information System. The official map shall include the following language: "We hereby certify that this map constitutes the Official Shoreline Map as approved by Ordinance 444 of Walla Walla County and signed by its chairman dated this 14th day of June, 2016." The Official Shoreline Maps may be updated administratively or through an SMP amendment as indicated in sub-sections B through E below. The Department of Ecology will be provided with electronic files of the Official Shoreline Maps when any updates are made. Minor mapping errors corrected administratively shall not be greater than 1.0 acre in size. If greater than 1.0 acre in size, an SMP amendment shall be completed within three years of finding the mapping error.
- B. Any areas within shoreline jurisdiction that are not mapped and/or designated due to minor mapping inaccuracies in the lateral extent of shoreline jurisdiction from the shoreline waterbody related to site-specific surveys of OHWM, floodway, and/or floodplain are automatically assigned the category of the contiguous waterward shoreline environment designation. Where the mapping inaccuracy results in inclusion of an unmapped associated wetland, that wetland shall be assigned a Rural or Urban Conservancy designation. Correction of these minor mapping inaccuracies may be made and incorporated into the Official Shoreline Maps without an SMP amendment.
- C. All other areas of shoreline jurisdiction that were neither mapped as jurisdiction nor assigned an environment designation shall be assigned a Rural or Urban Conservancy designation until the shoreline can be re-designated through an SMP amendment process conducted consistent with WAC 173-26-100 and Section 7.0 of this SMP.
- D. The actual location of the OHWM, floodplain, floodway, and wetland boundaries must be determined at the time a development is proposed. Wetland boundary and OHWM

- determinations are valid for five years from the date the determination is made. Floodplain and floodway boundaries should be assessed using FEMA maps or the most current technical information available.
- E. In addition, any property shown in shoreline jurisdiction that does not meet the criteria for shoreline jurisdiction (e.g., is more than 200 feet from the OHWM or floodway, is no longer in floodplain as documented by a Letter of Map Revision from FEMA, and does not contain associated wetlands) shall not be subject to the requirements of this SMP. Revisions to the Official Shoreline Maps may be made as outlined in this Subsection 4.10 without an SMP amendment.

5.0 General Policies and Regulations

General policies and regulations are applicable to all uses and activities that occur within all Environmental Designations (EDs). The policies and regulations found in this chapter are intended to be used in conjunction with the more specific use and activity regulations found in the chapters that follow. The policies apply to all uses within the jurisdiction, whether or not a separate shoreline permit is required. The policies may be used to condition any required permit or required letter of exemption.

5.1 Ecological Protection and Critical Areas

Policies

- Policy-1. Protect all shorelines of the state in a manner consistent with all relevant constitutional and other legal limitations on the regulation of private property so that there is no net loss of ecological functions from both individual permitted or exempt development.
- Policy-2. Protect and, where necessary, apply planning and land use measures to improve the quality and productivity of the County's environmental resources (air, ground and surface waters, and indigenous biology).
- Policy-3. Sustain a diverse, productive, and high quality natural environment for the use, health and enjoyment of County residents.
- Policy-4. Identify and protect critical fish and wildlife habitat from destruction or encroachment of incompatible uses.
- Policy-5. Preserve wetlands that are important wildlife and game habitat or recreational areas.
- Policy-6. Protect life and property by avoiding inappropriate developments in areas susceptible to natural disasters and hazards, such as floodplains and steep slopes.

Regulations

- A. Ecological Functions. Uses and developments on shorelines must be designed, located, sized, constructed and maintained to achieve no net loss of shoreline ecological functions necessary to sustain shoreline natural resources. New uses and developments must not have an unmitigated adverse impact on other shoreline functions fostered by this SMP.
- B. Protection of Critical Areas and Buffers. Critical areas, critical areas buffers, and shoreline buffers must be protected in accordance with the provisions of Appendix A, Critical Areas in Shoreline Jurisdiction. However, these provisions do not extend the shoreline jurisdiction beyond the limits specified in this Program as defined in Section 1.3.3, Applicability.
- C. Mitigation Requirement. If a proposed shoreline use or development is entirely addressed by specific, objective standards (such as, but not limited to, setback distances, pier dimensions, or materials requirements) contained in this SMP, then the mitigation sequencing analysis described in Subsection D is not required. In the following circumstances, the applicant must provide a mitigation sequencing analysis as described in Subsection D:

- 1. If a proposed shoreline use or development is addressed in any part by discretionary standards (such as standards requiring a particular action "if feasible" or requiring the minimization of development size) contained in this Chapter, then the mitigation sequencing analysis is required for the discretionary standard(s); or
- 2. When an action requires a Shoreline Conditional Use Permit or Shoreline Variance Permit; or
- 3. When specifically required by regulations contained in this SMP; or
- D. Mitigation Sequence. In order to ensure that development activities contribute to meeting the no net loss provisions by avoiding, minimizing, and mitigating for adverse impacts to ecological functions or ecosystem-wide processes, an applicant who is required to complete a mitigation analysis pursuant to Subsection C must describe how the proposal will follow the sequence of mitigation as defined below:
 - 1. Avoid the impact altogether by not taking a certain action or parts of an action;
 - Minimize the impacts by limiting the degree or magnitude of the action and its implementation by using appropriate technology, or by taking affirmative steps to avoid or reduce impacts;
 - 3. Rectify the impact by repairing, rehabilitating, or restoring the affected environment to the conditions existing at the time of the initiation of the project or activity;
 - 4. Reduce or eliminate the impact over time by preservation and maintenance operations during the life of the action;
 - 5. Compensate for the impact by replacing, enhancing, or providing substitute resources or environments; and
 - 6. Monitor the impact and the compensation projects and take appropriate corrective measures.
- E. Adverse Impacts. Example of common actions that may result in adverse ecological impacts include, but are not limited to, the following:
 - 1. Removal of native plant communities in shoreline jurisdiction,
 - 2. Removal of trees or shrubs that overhang the water,
 - 3. Removal of vegetation on slopes if that vegetation supports maintenance of slope stability and prevents surface erosion,
 - 4. Removal or alteration of priority habitats or habitat for priority species,
 - 5. Construction of new or expanded in- and over-water structures,
 - 6. Construction of new or expanded shoreline stabilizations,
 - 7. New discharges of water into shoreline waterbodies that may introduce pollutants,
 - 8. Construction of new impervious surfaces whose discharges are not infiltrated and thus may alter hydrologic conditions of shoreline waterbodies, and/or
 - 9. Changes in grading or fill that reduce floodplain capacity.
- F. Mitigation Plan. All proposed alterations to shoreline jurisdiction that may have adverse effects on ecological functions require mitigation sufficient to provide for and maintain the functions and values of the shoreline area or to prevent risk from a critical areas hazard. The applicant must develop and implement a mitigation plan prepared by a qualified professional. Mitigation

in excess of that necessary to ensure that development will result in no net loss of ecological functions will not be required by the County, but may be voluntarily performed by an applicant. In addition to any requirements found in Appendix A, Critical Areas in Shoreline Jurisdiction, a mitigation plan must include:

- 1. An inventory and assessment of the existing shoreline environment including relevant physical, chemical and biological elements;
- A discussion of any federal, state, or local management recommendations which have been developed for critical areas or other species or habitats located on the site, including stormwater management;
- 3. A discussion of proposed measures which mitigate the adverse impacts of the project to ensure no net loss of shoreline ecological functions;
- 4. A discussion of proposed management practices which will protect fish and wildlife habitat both during construction, and after the project site has been fully developed;
- 5. Scaled drawings of existing and proposed conditions, materials specifications, and performance standards;
- 6. A minimum three-year maintenance and monitoring plan to evaluate the effectiveness of conditions, management practices, and performance standards;
- 7. A contingency plan if the mitigation plan fails to meet established success criteria; and
- 8. Any additional information necessary to determine the adverse impacts of a proposal and mitigation of the impacts.

G. Alternative Mitigation.

- 1. When compensatory measures are appropriate pursuant to the mitigation priority sequence above, preferential consideration shall be given to measures that replace the impacted functions on site and in kind. To provide for flexibility in the administration of the ecological protection provisions of this SMP, alternative mitigation approaches may be approved within shoreline jurisdiction where such approaches:
 - a. Provide increased protection of shoreline ecological functions and processes over the standard provisions of this SMP and are scientifically supported; or
 - b. Are consistent with the Shoreline Restoration Plan or watershed-level management plans.
- 2. Potential alternative mitigation tools include in-lieu-fee, advance mitigation, and mitigation banking.
- Authorization of alternative compensatory mitigation measures may require appropriate safeguards, terms or conditions as necessary to ensure no net loss of ecological functions, and may require approval by other state or federal agencies.

5.2 Water Quality

Policies

- Policy-1. Maintain and improve the water quantity and quality of the shoreline waterbodies, and preserve surface and groundwater for the beneficial and economic use of the area's citizens and to provide for wildlife and wildlife habitat.
- Policy-2. Require that new developments or expansions or retrofits of existing developments assess the effects of additional stormwater runoff volumes and velocities, and mitigate

potential adverse effects on shorelines through design and implementation of appropriate stormwater management measures.

Regulations

- A. Maintain ecological functions. The design, construction and operation of shoreline uses and developments shall incorporate measures to protect and maintain surface and groundwater quantity and quality in accordance with all applicable laws, so that there is no net loss of ecological functions.
- B. Maintain aesthetic qualities and recreation opportunities. The design, construction and operation of shoreline uses and developments shall incorporate measures to protect and maintain surface and groundwater quantity and quality in accordance with all applicable laws, so that there is no net loss of aesthetic qualities (e.g., water color) or recreational opportunities (e.g., safe swimming and fishing).
- C. Requirements for new development.
 - New development and re-development shall manage short-term and long-term stormwater runoff to avoid or minimize potential adverse effects on shoreline ecological functions through compliance with the latest adopted edition of the Stormwater Management Manual for Eastern Washington (2004) or approved equivalent. If certain thresholds are not met by a development that trigger compliance with the Stormwater Management Manual or approved equivalent, best management practices (BMPs) shall be employed to avoid or minimize potential adverse effects.
 - 2. When the Stormwater Management Manual applies, deviations from the standards may be approved where it can be demonstrated that off-site facilities would provide better treatment, or where common retention, detention and/or water quality facilities meeting such standards have been approved as part of a comprehensive stormwater management plan.
- D. Sewage management. New developments or failing septic systems shall connect to an existing municipal sewer service system if feasible, or install a system or make system corrections approved by Walla Walla County Department of Community Health.
- E. Materials requirements. All materials that may come in contact with water shall be untreated or approved treated wood, concrete, approved plastic composites, or steel that will not adversely affect water quality or aquatic plants or animals.

5.3 Vegetation Conservation

Policies

- Policy-1. Where new developments, uses and/or redevelopments are proposed, ensure shoreline vegetation, both upland and waterward of the OHWM, is conserved to maintain shoreline ecological functions and processes.
- Policy-2. Encourage management and control of noxious and invasive weeds. Control of such species should be done in a manner that retains onsite native vegetation, provides for erosion control, and protects water quality.
- Policy-3. Vegetation removal not associated with development should be limited to that which is necessary to achieve the intended purpose while maintaining shoreline ecological functions and processes.

Regulations

- A. Vegetation within shoreline buffers, other stream buffers, wetlands and wetland buffers, WDFW-mapped priority habitats and species areas, and other critical areas must be managed consistent with Appendix A, Critical Areas in Shoreline Jurisdiction. Regulations specifying establishment and management of shoreline buffers are located in Appendix A, Section 6.0, Fish and Wildlife Habitat Conservation Areas and listed in the Development Standards Table of this SMP, Section 6.2.
- B. Other vegetation within shoreline jurisdiction, but outside of shoreline buffers, stream buffers, wetlands and wetland buffers, and other WDFW-mapped priority habitats and species areas must be managed according to Section 5.1, Ecological Protection and Critical Areas, and any other regulations specific to vegetation management contained in this SMP, including this section, and Walla Walla County Code.
- C. Vegetation clearing must be limited to the minimum necessary to accommodate permitted shoreline development that is consistent with all other provisions of this SMP and local codes. Mitigation sequencing per Section 5.1.D, must be applied unless specifically excluded by this SMP or Section 5.1.C, Mitigation Requirement, so that the design and location of the structure or development, including septic drainfields, minimizes short- and long-term vegetation removal. The County may approve modifications or require minor site plan alterations to achieve maximum tree retention.
- D. Where vegetation removal conducted consistent with this Section results in adverse impacts to shoreline ecological function per Section 5.1.E, Adverse Impacts, new developments or site alterations are required to develop and implement a mitigation plan per Section 5.1.F, Mitigation Plan
- E. Mitigation measures must be maintained over the life of the use or development.
- F. Shoreline vegetation may be removed to accommodate a temporary staging area when necessary to implement an allowed use or modification, but mitigation sequencing must be utilized and the area must be immediately stabilized and restored with native vegetation once its use as a staging area is complete.
- G. Native tree removal in shoreline jurisdiction must be mitigated by installation of a similar native tree at a 2:1 impact to mitigation ratio. Non-native tree removal in shoreline buffers must be mitigated by installation of a native or suitable non-native tree at a 1:1 impact to mitigation ratio. All mitigation trees shall be preferentially placed in the shoreline buffer, unless the trees provide connectivity to upland habitats or other critical areas, and shall be held to a 75% survival standard at the end of three years.
- H. Where a tree poses a safety hazard, it may be removed or converted to a wildlife snag if the hazard cannot be eliminated by pruning, crown thinning, or other technique that maintains some habitat function. If a safety hazard cannot be easily determined by the County, a written report by a certified arborist or other qualified professional is required to evaluate potential safety hazards.
- Selective pruning of trees for views is allowed. Selective pruning of trees for views does not include removal of understory vegetation, and must not compromise the health of the tree. Topping of trees for views is not allowed.
- J. Removal or chemical treatment of invasive species or noxious weeds included on the Washington State Noxious Weed List as a Class A, B or C weed on shorelands outside of steep or unstable slope areas is encouraged.
 - 1. Hand removal or spot-spraying of invasive species or noxious weeds is preferred, when feasible.

- Mechanical removal or large-scale chemical treatment of invasive species or noxious weeds
 is allowed when hand removal or spot-spraying is not practical, not feasible, or not
 recommended.
- 3. Coordination with the Walla Walla County Conservation District is encouraged prior to undertaking invasive or noxious weed removal projects to ensure that the control and disposal technique is appropriate.
- 4. Where noxious weeds and invasive species removal results in bare soils that may be subject to erosion or recolonization by invasive or noxious species, the area must be stabilized using best management practices and replanted with native plants (in or outside of shoreline or critical area buffers) or suitable non-native plants (outside of shoreline or critical area buffers). The replanted vegetation must be similar in size and structure at maturity to the removed vegetation.
- 5. Invasive species removal efforts that exceed one-quarter acre should be phased if feasible to minimize potential erosion and sedimentation impacts.
- K. Aquatic weed control must only be permitted where the presence of aquatic weeds will adversely affect native plant communities, fish and wildlife habitats, or an existing waterdependent use. Aquatic weed control efforts must comply with all applicable laws and standards as well as the Walla Walla County Noxious Weed Control Board.

5.4 Archaeological and Historic Resources

Policies

- Policy-1. Ensure that shoreline development provides for protection and restoration of areas and sites on Walla Walla County shorelines that have historic, cultural, archaeological, educational, or scientific value, in compliance with State and Federal laws.
- Policy-2. As part of shoreline permit application review, coordinate with tribal, State, and Federal agencies that maintain inventories of known significant historic, cultural, and archaeological sites.
- Policy-3. Avoid potential damage to cultural or archaeological resources and protect such resources if they are discovered during development, including compliance with all applicable state and federal laws.

Regulations

- A. Where a professional archaeologist or historian recognized by the State of Washington has identified a site or area as containing resources of significant value, or where a site or area is listed on National, State, or local historic registers, or where state data has identified the potential for cultural resources, the SMP Administrator shall, with Department of Archaeology and Historic Preservation (DAHP) consultation, require shoreline permit applicants to provide an evaluation of the resource, and the County may apply permit conditions for the protection of the resource. Conditions may include, but are not limited to, preservation and/or retrieval of data, modification of the development proposal to reduce impacts, or other mitigation authorized under the State Environmental Policy Act (SEPA) or other local, State, and Federal laws.
- B. Permits issued in areas known to have, or suspected of having, archaeological artifacts or resources shall consult the Statewide Predictive Model and determine the appropriate action as follows:
 - 1. If any of the following are met, the project will be exempt from taking action:

- a. Prior negative archaeological survey is on file for the proposed disturbance area and disturbance depth
- b. No ground disturbance will occur
- 2. If no known cultural resources are present, the Department of Archaeology and Historic Preservation Predictive Model shall be applied and the survey recommendations shall be followed according to the associated risk identified.
- 3. If cultural resources are present and ground-disturbance is proposed, then a site inspection or evaluation by a professional archaeologist is required in coordination with affected Tribes prior to initiating disturbance. The resource shall be avoided or a mitigation strategy shall be determined. Cost of the evaluation and inspection is the responsibility of the permit applicant.

C. In accordance with State law:

- 1. In the event that human remains, burials, funery items, sacred objects, or objects of cultural patrimony are found during project implementation, all provisions of RCW 68.50.645 must be adhered to.
- In the event that prehistoric artifacts or historic-period artifacts or features are found during project implementation, all work shall cease immediately within 200 feet of the find, Washington State DAHP shall be contacted, and all provisions of RCW 27.53.060 shall be adhered to.
- D. All shoreline permit applications shall be required to follow the applicable provisions of all Federal and State laws, including, but not limited to, Chapter 27.44 RCW – Indian Graves and Records and Chapter 27.53 RCW – Archaeological Sites and Resources.

5.5 Flood Protection

Policies

- Policy-1. Recognize and protect the hydrologic functions of floodplains by limiting the use of structural flood hazard reduction measures.
- Policy-2. Recognize that existing flood control works, such as levees, are an existing and important feature to protect life and property.
- Policy-3. Ensure developments subject to damage or that could result in loss of life do not locate in areas of known flood hazards unless it can be demonstrated by the project proponent that the development is sited, designed and engineered for long-term structural integrity, impacts to ecological functions are mitigated, nonstructural measures are not feasible, and that life and property on and off-site are not subject to increased hazards as a result of the development.
- Policy-4. Limit new development or uses in shoreline jurisdiction, including subdivision of land that would likely require structural flood hazard reduction measures.

Regulations

A. New development shall be located outside of floodways and avoid location in floodplains so as not to significantly or cumulatively increase flood hazards. Development shall be consistent with this SMP, including Appendix A Section 4.0, Frequently Flooded Areas, as well WWCC Chapter 18.12, Flood Damage Prevention, and Title 15 (Buildings and Construction) which regulate proposed activities adjacent to or within frequently flooded areas. If allowed, any structures permitted in the designated flood areas in shoreline jurisdiction are subject to the flood-proofing regulations provided in Title 15 and Chapter 18.12, Flood Damage Prevention as well as the flood

- protection measures of this Section, applicable guidelines of the Federal Emergency Management Agency, and an approved flood hazard management plan.
- B. The channel migration zone (CMZ) is considered to be that area of a stream channel which may erode as a result of normal and naturally occurring processes and has been mapped consistent with WAC 173-26-221(3)(b). The Channel Migration Zone Maps are available for review in the Community Development Department as either hard copy or computer-generated images of the County's Geographic Information System. Applicants for shoreline development or modification may submit a site-specific CMZ study if they believe these conditions do not exist on the subject property and the map is in error. The CMZ study must be prepared consistent with WAC 173-26-221(3)(b), and may include, but is not limited to, historic aerial photographs, topographic mapping, flooding records, and field verification. The CMZ study must be prepared by a licensed geologist or engineer with at least five years of applied experience in assessing fluvial geomorphic processes and channel response.
- C. The following uses and activities may be authorized within the CMZ or floodway, provided they are also consistent with Appendix A, Section 4.0, Frequently Flooded Areas; WWCC Chapter 18.12, Flood Damage Prevention; and WWCC Title 15, Buildings and Construction:
 - 1. Actions and development with a primary purpose of protecting or restoring ecological functions and ecosystem-wide processes.
 - New development or redevelopment landward of publically-owned existing legal structures, such as levees, that prevent active channel movement and flooding and that would be maintained or repaired if subjected to flooding.
 - 3. Existing and ongoing agricultural activities provided that no new restrictions to channel movement are proposed.
 - 4. Development of new or expansion or redevelopment of existing bridges, utility lines, public stormwater facilities and outfalls, and other public utility and transportation structures, including trails, where no other feasible alternative exists or the alternative would result in unreasonable and disproportionate costs. Where such structures are allowed, mitigation shall address adversely impacted functions and processes in the affected shoreline.
 - 5. New or redeveloped measures to reduce shoreline erosion, provided that it is demonstrated that the erosion rate exceeds that which would normally occur in a natural condition, that the measures do not interfere with fluvial hydrological and geo-morphological processes normally acting in natural conditions, and that the measures include appropriate mitigation of adverse impacts on ecological functions associated with the river or stream.
 - 6. Water-dependent installations which by their very nature must be in the floodway.
 - Modifications or additions to an existing nonagricultural legal use, provided that channel
 migration is not further limited and that the modified or expanded development includes
 appropriate protection of ecological functions.
 - 8. Repair and maintenance of existing legally established use and developments, provided that channel migration is not further limited, flood hazards to other uses are not increased, and significant adverse ecological impacts are avoided.
 - 9. Uses and developments allowed in the floodway under WWCC Chapter 18.12, Flood Damage Prevention, provided they are otherwise consistent with all provisions of this SMP.

- D. New flood hazard reduction measures shall not result in channelization of normal stream flows, interfere with natural hydraulic processes such as channel migration, or undermine existing structures or downstream banks.
- E. New development in shoreline jurisdiction, including the subdivision of land, shall not be permitted if it is reasonably foreseeable that the development or use would require structural flood hazard reduction measures within the channel migration zone or floodway.
- F. New public and private structural flood hazard reduction measures:
 - 1. Shall be permitted, only when a scientific and engineering analysis demonstrates the following:
 - a. They are necessary to protect existing development;
 - b. Nonstructural measures, such as buffers and setbacks, land use controls, wetland restoration, biotechnical measures, and stormwater management programs are not feasible;
 - c. Adverse effects upon adjacent properties will not result relative to increased floodwater depths and velocities during the base flood or other more frequent flood occurrences;
 - d. The ability of natural drainage ways to adequately drain floodwaters after a flooding event is not impaired; and,
 - e. Adverse impacts on ecological functions and priority species and habitats can be successfully mitigated so as to assure no net loss.
 - 2. Shall be consistent with an approved comprehensive flood hazard management plan.
 - 3. Shall be placed landward of associated wetlands and designated shoreline buffers, except for actions that increase ecological functions, such as wetland restoration, or when no other alternative location to reduce flood hazard to existing development is feasible as determined by the SMP Administrator.
- G. New public structural flood hazard reduction measures, such as levees, shall dedicate and improve public access pathways unless public access improvements would cause unavoidable health or safety hazards to the public, inherent and unavoidable security problems, unacceptable and unmitigable significant adverse ecological impacts, unavoidable conflict with the proposed use, or a cost that is disproportionate and unreasonable to the total long-term cost of the development.
- H. In those instances where management of vegetation as required by this SMP conflicts with vegetation provisions included in State, federal or other flood hazard agency documents governing County-authorized, legal flood hazard reduction measures, the vegetation requirements of this SMP will not apply. However, the applicant shall submit documentation of these conflicting provisions with any shoreline permit applications, and shall comply with all other provisions of this Section and this SMP that are not strictly prohibited by the approving flood hazard agency.
- I. The removal of gravel or other riverbed material for flood management purposes shall be consistent with Section 6.9, Dredging and Dredge Material Disposal, and be allowed only after a biological and geo-morphological study shows that extraction has a long-term benefit to flood hazard reduction, does not result in a net loss of ecological functions, and is part of a comprehensive flood management solution.

5.6 Public Access

Policies

Policy-1. Promote the provision and maintenance of quality physical and visual access to shorelines, with a focus on public properties.

- Policy-2. Encourage public access as part of new shoreline development, commensurate with the level of public access demand created by the development, and consistent with public safety.
- Policy-3. Allow for provision of communal public access as part of new commercial and residential shoreline developments.
- Policy-4. Ensure that the provision of public access does not degrade natural features or otherwise contribute to a loss of shoreline ecological function.

Regulations

- A. Implementation of the public access provision in this SMP shall be consistent with constitutional and legal limitations on the regulation of private property. Public access required for individual developments shall be related and proportionate to the level of demand for public access generated by the development.
- B. For the purposes of this SMP, public access shall not be construed to include the right to enter or cross private property, except through the use of dedicated public right-of-way or through an easement that allows public access.
- C. Shoreline development shall not interfere with public access and enjoyment of any nearby publicly-owned shoreline areas.
- D. Construction of public access improvements shall not result in a net loss of shoreline ecological function.
- E. Consolidated community access for new multi-lot or multi-unit development shall be preferred over individual access, provided that the access provided is proportional to the demand generated by the proposed uses.
- F. The County shall not vacate any road, street, or alley abutting a body of water except as provided under the provisions of RCW 36.87.130 County Roads.
- G. Shoreline public access shall be provided for the following new shoreline uses and activities, except as designated in Subsection H:
 - 1. Shoreline development proposed or financed by public entities, including City or County governments, port districts, state agencies, and public utility districts;
 - 2. New marinas or boating facilities, where water-enjoyment uses are associated with the facility;
 - 3. Shoreline development that proposes commercial uses on publicly-owned land;
 - 4. Shoreline development that is not a water-oriented or other preferred use or activity, as designated by the SMA, such as nonwater-oriented commercial or industrial development;
 - 5. New public structural flood hazard management measures, such as dikes or levees;
 - 6. Shoreline recreational development; or
 - 7. When the proposed use or activity would be likely to generate additional public demand for physical or visual access to the shoreline.
 - 8. Multi-unit residential development, including land divisions creating more than four (4) lots. The public access requirement is met where a single–family residential development of greater than four (4) parcels but less than ten (10) parcels provides community access to the shoreline or to a common waterfront lot/tract for non-commercial recreational use of the property owners and guests within the proposed subdivision.
- H. An applicant shall not be required to provide public access if the SMP Administrator determines that one or more of the following conditions apply:

- 1. Other reasonable and safe opportunities for public access to the shoreline are located within one-quarter mile of the proposed development site.
- 2. The site is part of a larger development project that has previously provided public access as part of the development permitting process.
- 3. The economic cost of providing the required public access is unreasonably disproportionate to long-term economic value of the proposed use or activity.
- 4. The proposed development is for the subdivision of property into four or fewer parcels.
- 5. The proposed development consists of only agricultural activities.
- 6. Provision of public access on the site would pose a health or safety risk to the public due to the nature of the proposed use or activity or the location of public access, or would be infeasible due to security requirements associated with the proposed development.
- 7. Provision of public access at the proposed development site would result in a net loss of shoreline ecological function that cannot be effectively mitigated or avoided, or would pose a risk to threatened and/or endangered species listed under the Endangered Species Act.
- 8. The proposal consists solely of a new or expanded utility crossing through shoreline jurisdiction, serving development located outside shoreline jurisdiction.
- I. Standards for Public Access. When public access is required, the following provisions shall apply:
 - Physical access to the shoreline shall be preferred over solely visual access. Where physical
 access is not safe or feasible, visual access shall be provided. Visual access may consist of
 solutions such as, but not limited to, view corridors, designated viewing areas, scenic
 overlooks, or other means of visually accessing public shorelines. Physical access may consist
 of solutions such as, but not limited to, a dedication of land or easement or physical
 improvements in the form of a trail, park, or other area where the shoreline may be
 physically accessed.
 - New physical public access shall be designed to connect with existing or future planned public access on adjacent properties, or shall connect to existing public right-of-way or access easements.
 - 3. Public access sites shall be designed according to parks and recreation standards adopted by the County.
 - 4. Preferred public access solutions should be those contained in an adopted County plan.
- J. The SMP Administrator may allow the construction of off-site public access, either physical or visual, where such off-site access would result in equal or greater public benefit than provision of public access on the proposed development site, or when provision of on-site public access is limited due to security requirements or potential risks to health and safety. The County may also allow for the payment of a fee-in-lieu if it deems the off-site improvement would be better implemented by County at a later date. The cost of such a fee-in-lieu shall be proportionate to the total long-term cost of the proposed development or use.

6.0 Shoreline Use and Modification Policies and Regulations

6.1 Use and Modifications Matrix

The following table (Table 6-1) indicates which new, expanded or altered shoreline activities, uses, developments, and modifications may be allowed or are prohibited in shoreline jurisdiction within each shoreline environment designation. Refer to the text in Section 6.0 of this Program for all applicable provisions related to specific uses and modification standards. Activities, uses, developments, and modifications are classified as follows:

- A. Uses allowed by Shoreline Substantial Development Permit or Shoreline Exemption are indicated by a "P" on the use matrix.
- B. Uses allowed by Shoreline Conditional Use Permit are indicated by a "C" on the use matrix.
- C. Prohibited activities, uses, developments, and modifications are not allowed and are shown as an "X" on the use matrix.
- D. Uses or activities not applicable to the shoreline environment designation in question are shown as "N/A" on the matrix.
- E. Activities, uses, developments or modifications not specifically identified in the table may be allowed by a Shoreline Conditional Use Permit

All existing uses and modifications are eligible for a Shoreline Exemption if the proposed activity meets the criteria for one of the exempt activities listed in WAC 173-27-040.

Table 6-1: Walla Walla County Use and Modification Table

Walla Walla County Shoreline Use or Modification		ć	_		ncy	-ea		
Key: P = Shoreline Substantial Development Permit or Exempti C = Shoreline Conditional Use Permit X = Prohibited N/A = Not Applicable	non Natural	Rural Conservancy	Rural Residential	High Intensity	Urban Conservancy	Urban Residential	Mill Creek Flume	Aquatic
Agriculture								
Agricultural Activities	С	Р	Р	Р	Р	Р	N/A	N/A
Produce Stands	Х	Р	Р	Р	Р	Р	N/A	N/A
Agri-tourism	С	Р	Р	Р	Р	Р	N/A	N/A
Aquaculture							•	
Commercial	Х	С	х	С	х	х	х	see adjacent upland environment
Non-commercial	Х	Р	С	Р	Р	х	х	see adjacent upland environment
Boating and Moorage Facilities								
Boat Launches								
Public	С	Р	Р	Р	Р	Р	Р	see adjacent upland environment
Commercial/Industrial	x	С	Х	Р	С	Х	Х	see adjacent upland environment
Other private	Х	С	С	Х	Χ	Х	Х	Х
Pier/Dock			1	1	•	1	_	T
Residential, including community	Х	Р	Р	х	Р	Р	х	See adjacent upland designation
Commercial, industrial	x	С	х	Р	С	Х	х	See adjacent upland designation
Recreational or public access use	С	Р	Р	Р	Р	Р	Х	See adjacent upland designation
Marinas	Х	С	Х	Р	С	Х	Х	See adjacent upland designation
Breakwaters, Weirs and Groins								
To protect or restore ecological functions	Р	Р	Р	Р	Р	Р	Р	Р
To maintain existing water-dependent uses	Р	Р	Р	Р	Р	Р	Р	Р
	1	1			С	С	С	1

Walla Walla County Shoreline Use or Modification Key: P = Shoreline Substantial Development Permit or Exemption C = Shoreline Conditional Use Permit X = Prohibited N/A = Not Applicable	Natural	Rural Conservancy	Rural Residential	High Intensity	Urban Conservancy	Urban Residential	Mill Creek Flume	Aquatic
Tourism and Visitor-serving uses	Х	Р	Р	Р	Р	Р	Х	С
Recreation concessions	Х	Р	Р	Р	Р	Р	Х	С
Other retail, trade or service	ı	I						
General	Х	Х	Х	С	Х	Х	Х	С
Separated from Shoreline	С	Р	Р	Р	Р	Р	N/A	N/A
Dredging and Dredge Material Disposal								
Dredging for water-dependent use, navigation, flood capacity maintenance, and public access	N/A	N/A	N/A	N/A	N/A	N/A	Р	Р
Dredging or disposal of dredged material for in-water habitat restoration	N/A	N/A	N/A	N/A	N/A	N/A	Р	Р
Dredging, other	N/A	N/A	N/A	N/A	N/A	N/A	С	С
Disposal of dredged material	С	С	С	С	С	С	С	С
Implementation of dredging maintenance plan	Р	Р	Р	Р	Р	Р	Р	Р
Fill and Excavation								
Waterward of the OHWM - restoration	N/A	N/A	N/A	N/A	N/A	N/A	Р	Р
Waterward of the OHWM - other	N/A	N/A	N/A	N/A	N/A	N/A	С	С
Upland of the OHWM	С	Р	Р	Р	Р	Р	N/A	N/A
Flood Hazard Management								
Modification of Existing Flood Hazard Facilities	Р	Р	Р	Р	Р	Р	Р	Р
New Facilities	С	Р	Р	Р	Р	Р	Р	Р
Forest Practices								
Forest Practices	С	С	С	Х	Х	Х	N/A	N/A
Institutional Development								
Water-Dependent	С	Р	Р	Р	Р	Р	С	С
Water-Related and Enjoyment	С	С	С	Р	С	С	Х	Х
Non Water-Oriented	Х	Х	Х	Р	Х	Х	Х	Х
In-Stream Structures								
To protect public facilities	Р	Р	Р	Р	Р	Р	Р	Р
To protect, restore, or monitor ecological functions or processes	Р	Р	Р	Р	Р	Р	Р	Р
To support agriculture	Р	Р	Р	Р	Р	Р	Р	Р
Other	С	Р	Р	Р	Р	Р	С	see adjacent upland environment

Walla Walla County Shoreline Use or Modification Key: P = Shoreline Substantial Development Permit or Exemption C = Shoreline Conditional Use Permit X = Prohibited N/A = Not Applicable	Natural	Rural Conservancy	Rural Residential	High Intensity	Urban Conservancy	Urban Residential	Mill Creek Flume	Aquatic
Mining								
Extraction	Х	Х	Х	С	Х	Х	Х	Х
Processing Facilities	Х	Х	Х	С	Х	Х	Х	Х
Ports and Industrial Development								
Water-Oriented	Х	Р	Х	Р	Х	Х	С	С
Non-Water-Oriented	·	I.	I.	·			·	<u> </u>
General	Х	Х	Х	С	Х	Х	Х	Х
Solid waste disposal/landfill	Х	Х	Х	Х	Х	Х	Х	Х
Separated from Shoreline	Х	Χ	Х	Р	Х	Х	N/A	N/A
Mixed-use project that includes a Water-Oriented Use	Х	Х	Х	Р	Х	Х	С	С
Recreational Development								
Water-Oriented	Р	Р	Р	Р	Р	Р	Р	Р
Non-Water-Oriented		•	•					
General	X	С	С	С	С	С	Х	Х
Sites separated from shoreline	Р	Р	Р	Р	Р	Р	N/A	N/A
Trails	Р	Р	Р	Р	Р	Р	N/A	N/A
Residential Development								
Single-Family Dwelling								
Primary	С	Р	Р	Х	Р	Р	Х	Х
Accessory	Х	Р	Р	Х	С	Р	Х	Х
Multi-Family Dwelling	Х	Х	Р	Р	Х	Р	Х	Х
Shoreline Restoration and Enhancement								
Shoreline Restoration and Enhancement Projects	Р	Р	Р	Р	Р	Р	Р	Р
Shoreline Stabilization								
New Hard Stabilization	С	Р	Р	Р	Р	Р	Р	see adjacent upland environment
New Soft Stabilization	С	Р	Р	Р	Р	Р	Р	see adjacent upland environment
Repair and Replacement	Р	Р	Р	Р	Р	Р	Р	Р
Signs								
Accessory to a Primary Use	Р	Р	Р	Р	Р	Р	N/A	N/A
Billboards	Х	С	Х	Р	С	Х	N/A	N/A

Walla Walla County Shoreline Use or Modification Key: P = Shoreline Substantial Development Permit or Exemption C = Shoreline Conditional Use Permit X = Prohibited N/A = Not Applicable	Natural	Rural Conservancy	Rural Residential	High Intensity	Urban Conservancy	Urban Residential	Mill Creek Flume	Aquatic
Transportation and Parking								
Transportation Facilities								
Expansion of Existing Facilities	С	С	С	Р	С	С	С	N/A
New Access Roads Serving Permitted Uses	С	Р	Р	Р	Р	Р	С	N/A
New Highways, Freeways, Arterials & Collectors	С	Р	Р	Р	Р	Р	N/A	N/A
New Bridges	С	Р	Р	Р	Р	Р	С	С
New Railways	С	С	С	Р	С	С	С	С
New Airstrips	Х	Х	Х	Р	Х	Х	N/A	N/A
Parking								
Expansion of Existing Facilities	С	С	С	Р	С	С	N/A	N/A
New Parking to Support Authorized Use	С	Р	Р	Р	Р	Р	N/A	N/A
Stand-Alone Parking Lot or Structure	Х	С	С	Р	С	С	N/A	N/A
Utilities								
Expansion of Utilities	С	Р	Р	Р	Р	Р	С	С
New Utility Services Accessory to Individual Shoreline Projects	С	Р	Р	Р	Р	Р	С	С
New Utility Services to Projects outside Shoreline Jurisdiction	Х	С	С	Р	С	С	С	С
New Power Generating Facilities	Х	С	Х	Р	С	Х	С	С
New Utility Transmission Lines	С	Р	Р	Р	Р	Р	С	С
New Utility Services, General	С	Р	Р	Р	Р	Р	С	С
New Wastewater Treatment Facility	Х	С	Х	Р	С	Х	С	С

6.2 Development Standards

- A. There shall be a thirty-five (35) foot maximum building height for all structures, except that utility facilities, bridges, and approved industrial uses are not required to meet this standard.

 Otherwise, to exceed 35 feet, an applicant must apply for a Shoreline Variance, and comply with the following criteria in addition to standard Shoreline Variance criteria:
 - 1. Demonstrate overriding considerations of the public interest will be served, and
 - Demonstrate that the proposal will not obstruct the view of a substantial number of residences on areas adjoining such shorelines or impair views from public lands or impair scenic vistas.
- B. Minimum shoreline lot frontage shall be consistent with underlying zoning.
- C. Shoreline buffers. Buffer widths for SMP waterbodies are included in the Dimensional Development Standards Table listed below (Table 6-2). For non-SMP waterbodies and other critical areas in shoreline jurisdiction, see Appendix A for applicable buffers.
 - Buffer widths shall be measured outward in each direction, on the horizontal plane, from the ordinary high water mark, or from the top of bank, if the ordinary high water mark cannot be identified.
 - 2. Water-dependent uses do not require shoreline buffers. Apply mitigation sequencing to avoid and minimize adverse impacts during development siting.
- D. Building setbacks. Building setbacks are included in the Dimensional Development Standards Table below (Table 6-2) and only apply to SMP waterbodies.
- E. Impervious surface. Maximum allowable impervious surface is included in the Dimensional Development Standards Table (Table 6-2) and applies only to new residential development in the Rural Conservancy shoreline environment designation.

Table 6-2: Walla Walla County Dimensional Development Standards

Walla Walla County Dimensional Standard	Natural	Rural Conservancy	Rural Residential	High Intensity	Urban Conservancy	Urban Residential	Mill Creek Flume	Aquatic
Shoreline Lot Frontage, minimum (feet)	Sh	NA	NA					
Building Height, maximum (feet)	35	35¹	35	35 ¹	35	35	35	NA
Building Setback (feet) ²	5	5	5	5	5	5	5	NA
Impervious Surface ³	NA	10%	NA	NA	NA	NA	NA	NA

Walla Walla County Dimensional Standard	Natural	Rural Conservancy	Rural Residential	High Intensity	Urban Conservancy	Urban Residential	Mill Creek Flume	Aquatic
Shoreline Buffers ⁴ , minimum from OHWM (feet)	Apply m during of For other Columb Snake R Toucher Walla W Yellowh Mill Cre Withi Outsi	nitigation sidevelopment development devel	sequencing oments: 00 ft. ft. 0 ft. : 100 ft. k: 75-100 ntrol producentrol	oft ⁵ . ject: 35 project:	feet 100 ft.	fer or build inimize ad edge of an	verse imp	acts

- 1. Additional height for industrial uses may be approved in accordance with relevant sections of this Program.
- A building setback shall begin at the landward boundary of the critical area buffer of a SMP waterbody.
- 3. For all new residential development in the Rural Conservancy environment, the total amount of impervious surface associated with residential development shall be limited to ten (10) percent of the lot area within SMP jurisdiction.
- 4. Shoreline buffer regulations (allowed uses etc.) and buffers for non-shoreline waterbodies in shoreline jurisdiction are found in the attached critical areas regulations (Appendix A, Section 6.0, Fish and Wildlife Habitat Conservation Areas).
- Buffers for Yellowhawk Creek are to be determined through a Riparian Habitat Buffer Determination per Appendix A: Section 6.5.B.5.

6.3 General Shoreline Modification Requirements

Policies

- Policy-1. Allow shoreline modifications if the use or activity is permitted under this SMP and the modifications are consistent with WWCC 18.2 Flood Damage Prevention or where it can be demonstrated that the proposed activities are necessary to support or protect an allowed use or development.
- Policy-2. Allow shoreline modifications if the use or activity is permitted under this SMP and only when adverse individual and cumulative impacts are avoided, minimized, and then mitigated as necessary to result in no net loss of shoreline ecological functions, in accordance with the mitigation sequence of this SMP.

Regulations

A. Structural shoreline modifications are only allowed where they are demonstrated to be necessary to support or protect an allowed primary structure or a legally existing shoreline use

- that is in danger of loss or substantial damage, or are necessary for reconfiguration of the shoreline for mitigation or enhancement purposes.
- B. As much as possible, the number and extent of shoreline modifications shall be limited.
- C. Shoreline modifications shall be appropriate to the specific type of shoreline and environmental conditions for which they are proposed.
- D. Shoreline modifications individually and cumulatively shall not result in a net loss of ecological functions.
- E. Shoreline modifications that have a lesser impact on ecological functions shall be given preference over other solutions.
- F. Mitigation sequencing shall be required, if applicable.
- G. Shoreline modifications shall incorporate all feasible measures to protect ecological shoreline functions and ecosystem-wide processes.

6.4 Agriculture

Policies

- Policy-1. Promote the continued economic viability of agriculture in Walla Walla County and support its continued practice on existing agricultural lands.
- Policy-2. Preserve and maintain productive agricultural lands in shoreline jurisdiction.
- Policy-3. Encourage erosion control measures and shoreline restoration activities in accordance with the United States Department of Agriculture Natural Resources Conservation Service agency guidelines.
- Policy-4. Control irrigation runoff to minimize the discharge of chemicals, fertilizer, sediment, and organic materials to surface waterbodies, in accordance with federal and state water quality standards.
- Policy-5. Allow diversion of water for agricultural activities consistent with water rights laws and
- Policy-6. Encourage maintenance of native vegetation between cultivated areas and aquatic areas to reduce stormwater runoff, reduce sedimentation, and promote fish and wildlife habitat.

Regulations

- A. The provisions of this SMP shall not require the modification or limitation of agricultural activities existing on agricultural lands as of the date of adoption of the SMP listed in Section 1.6, Effective Date, consistent with Walla Walla County's Right-to-Farm ordinance.
- B. The following activities on agricultural lands are governed by the provisions of this SMP and subject to the requirements of this section:
 - 1. New agricultural activities on lands that do not have agricultural activities in place at the time of adoption of this SMP;
 - 2. Conversion of agricultural lands to non-agricultural use; and
 - 3. Development of non-agricultural activities on agricultural lands.
- C. For the purposes of this SMP, agricultural lands temporarily removed from productive use for the purpose of voluntary enrollment in a local, State, or Federal conservation program shall be considered to remain in agricultural use. Returning such lands to agricultural production shall not be considered a new agricultural use, provided the land is not developed for any other non-agricultural or non-conservation use during the period between its removal from the conservation program and its return to agricultural production.

- D. Agricultural uses and activities, including single-family residences associated with agricultural uses, shall be located and designed to ensure no net loss of shoreline ecological function.
- E. Discharge of any manure storage facility into ground or surface water is prohibited.
- F. New feedlots, stockyards, and manure lagoons, including commercial dairying, poultry farming, and hog ranching, are prohibited within shoreline jurisdiction.
- G. Diversion of water for agricultural purposes shall be consistent with federal and state water rights laws and rules.
- H. A shoreline permit shall be required for all agricultural activities not specifically exempted by the provisions of RCW 90.58.030(3)(e)(iv). Nothing in this section limits or changes the terms of the current exception to the definition of substantial development.

6.5 Aquaculture

Policies

- Policy-1. Encourage aquaculture that supports the recovery of endangered or threatened fish species.
- Policy-2. Restrict aquaculture in areas where it would result in a net loss of ecological functions or significantly conflict with navigation or other water-dependent uses.
- Policy-3. Promote aquaculture in such a manner as to protect the aesthetic quality of the shorelines and adjacent lands, and to protect the soil, air, water, fish and wildlife.
- Policy-4. Allow aquaculture that supports the propagation of native species, whether for the purposes of recreational activities or the restoration of species.

Regulations

- A. Aquacultural facilities shall be designed and located to avoid:
 - 1. Spreading of disease, especially to native species;
 - 2. Introducing new non-native species which cause significant ecological impacts;
 - 3. Creating significant conflicts with navigation and other water-dependent uses;
 - 4. Causing a net loss of ecological functions; or
 - 5. Creating significant impacts to the aesthetic qualities of the shoreline.
- B. Aquaculture structures and activities that do not require a waterside location shall be located landward of the shoreline buffers required by this SMP.

6.6 Boating and Moorage Facilities

Policies

- Policy-1. Give preference to boating and moorage facilities that minimize the amount of shoreline modification, in-water structure, and overwater cover. In support of this, community structures are encouraged.
- Policy-2. Design and construct boating and moorage facilities to result in no net loss of ecological functions.
- Policy-3. Ensure new boating and moorage facilities are located only at sites where suitable environmental conditions, shoreline configuration, access, and compatible adjacent uses are present. Where feasible, such facilities should be collocated with other compatible water-dependent uses to efficiently provide recreational resources, avoid unnecessary duplication, and minimize adverse impacts to shoreline ecological functions

and processes. Additionally, locations should be coordinated with applicable local, state and federal plans.

Policy-4. Ensure boating and moorage facilities are located, designed, constructed and maintained to avoid adverse proximity impacts such as noise, light and glare; aesthetic impacts to adjacent land uses; impacts to navigation; and impacts to public access to the shoreline.

Regulations

A. Applicability.

- 1. This Section applies to all over- and in-water structures and uses that facilitate as their primary purpose the launching or mooring of vessels, or serve some other water-dependent purpose.
- 2. Uses and modifications covered in this Section include private residential docks (including joint use docks); docks for commercial, industrial, aquaculture, recreational or public access use; marinas; and boat launches.

B. General Regulations.

- 1. New docks shall be allowed only for water-dependent uses or public access.
- 2. No single-use residential docks shall be authorized unless the applicant can demonstrate that reasonable joint use dock options have been investigated and found infeasible.
- 3. For all new residential development of two or more waterfront dwelling units, subdivisions or other divisions of land occurring after the effective date of this SMP, only joint use docks shall be allowed.
- 4. No more than one private, noncommercial dock is permitted per platted or subdivided shoreline lot or unplatted shoreline tract owned for residential or recreational purposes.
- 5. Floating and other over-water homes, including liveaboards, are prohibited. Existing floating on-water residences legally established and moored within a marina within Walla Walla County prior to July 1, 2014, are considered a conforming use and should be accommodated through reasonable permit conditions, or mitigation that will not effectively preclude maintenance, repair, replacement, and remodeling of existing floating on-water residences and their moorages by rendering these actions impracticable. All replacements, and remodels which add one hundred-twenty square feet or more to the living space, must require on-board gray water disposal system.
- 6. Extended moorage on waters of the State without a lease or permission is prohibited except as allowed by applicable state regulations. When allowed per state regulations and this SMP, mitigation of any adverse impacts to navigation and public access is required.
- 7. Overwater structure design, construction, and use shall:
 - a. Minimize degradation of aquatic habitats.
 - b. Not impede any juvenile or adult salmonid life stage, including migration, rearing, and spawning.
 - c. Not enhance habitats used by potential salmonid predators (especially fishes and birds).
 - d. Be engineered or use proven methods to maximize human safety and minimize potential for flood-related detachment of the facility from shore.
- 8. Consistent with requirements for mitigation sequencing, all boating facilities and private moorage structures shall be the minimum size necessary and designed to avoid and then

minimize potential adverse impacts. All unavoidable adverse impacts shall be mitigated, and a mitigation plan submitted.

- C. General location regulations. New and expanded boating facilities and private moorage structures shall be located to:
 - 1. Minimize hazards and obstructions to public navigation rights.
 - 2. Avoid blocking or obstructing lawfully existing or planned public shoreline access.
 - 3. Minimize the need for new or maintenance dredging.
 - 4. Eliminate the need for new shoreline stabilization, if feasible. Where the need for stabilization is unavoidable, only the minimum necessary shoreline stabilization to adequately protect facilities, users, and watercraft shall be allowed.
- D. General materials regulations.
 - 1. Boating facilities and moorage structures shall be built with materials that do not leach preservatives or other chemicals.
 - No treated wood of any kind shall be used on any boating facilities or moorage structures, unless otherwise approved by WDFW, the U.S. Army Corps of Engineers, or WDNR, as applicable.
 - 3. No paint, stain, or preservative shall be applied to boating facilities and moorage structures.
- E. General design and operation regulations.
 - 1. Piers and ramps
 - a. To prevent damage to shallow-water habitat, piers and/or ramps shall extend at least 40 feet waterward in a direction perpendicular to the OHWM on the Columbia and Snake Rivers and as needed to reach acceptable float conditions on other waterbodies, unless determined to be impractical due to specific site considerations.
 - b. Piers and ramps shall be the minimum size necessary to achieve their intended purpose.
 - c. The bottom of both the pier and landward edge of the ramp shall be elevated at least 2 feet above the plane of OHWM.
 - d. Grating shall cover the entire pier and ramp for residential uses, and as much area as practicable for other uses. Open areas of grating shall be at least 50 percent, as rated by the manufacturer, unless determined to be infeasible due to specific site or project considerations.

2. Floats.

- a. Floats shall not be located in shallow-water habitat where they could ground or impede the passage or rearing of any salmonid life stage.
- b. To prevent damage to shallow-water habitat, floats on the Columbia and Snake Rivers shall be positioned at least 40 feet horizontally from the OHWM but no more than 100 feet from the OHWM, as measured from the landward-most edge of the float, unless determined to be impractical due to specific site considerations. Floats on other waterbodies shall be located to maintain clearance of at least 18 inches between the riverbed and the bottom of the float between April 15 and July 15 in all years.
- c. Grating shall cover the entire surface area of the float(s) not underlain by float tubs or other material that provides buoyancy. The open area of the grating shall be a minimum of 50 percent, as rated by the manufacturer, or as otherwise required by state or federal agencies during permit review unless determined to be infeasible due to specific site or project considerations.

- d. Functional grating shall cover no less than 50 percent of the float, or as otherwise required by state or federal agencies during permit review, unless determined to be infeasible due to specific site or project considerations.
- e. Floating docks shall be designed or seasonally removed to prevent the dock from resting on the river bed during periods of lower flow.
- f. Flotation materials shall be permanently encapsulated to prevent breakup into small pieces and dispersal in water.
- 3. No new skirting is allowed on any structure.
- 4. Protective bumper material will be allowed along the outside edge of the float as long as the material does not extend below the bottom edge of the float frame or impede light penetration.
- 5. Safety railings, if proposed, shall meet International Building Code requirements and shall be an open framework that does not unreasonably interfere with shoreline views.
- 6. Boating facilities and private moorage structures shall be marked with reflectors, or otherwise identified to prevent unnecessarily hazardous conditions for water surface users during the day or night.
- 7. Exterior finish of all structures shall be generally non-reflective, to reduce glare.
- 8. New covered moorage is prohibited, except when necessary for operation of a water-dependent use at commercial, industrial, or transportation-related facilities.
- 9. Shoreline armoring (i.e. bulkheads, rip-rap, and retaining walls) shall not occur in association with installation of the overwater structure, if feasible.
- 10. Nothing shall be placed long-term on the overwater structure that will reduce natural light penetration through the structure.

11. Pilings.

- a. New piling for residential docks shall not exceed 8 inches in diameter, except where larger pilings are required for safety or site-specific engineering reasons. New piling for other docks shall be the smallest diameter necessary.
- All pilings shall be fitted with devices to prevent perching by piscivorous (fish-eating) birds.
- F. General construction regulations.
 - 1. Construction of overwater structures shall be completed during allowed in-water work periods.
 - 2. Construction impacts shall be confined to the minimum area needed to complete the project.
 - 3. The boundaries of clearing limits associated with site access and construction shall be flagged to prevent ground disturbance of riparian vegetation, wetlands, and other sensitive sites. This action shall be completed before any significant alteration of the project area.
 - 4. All temporary erosion controls shall be in place and appropriately installed downslope of project activities until site restoration is complete.
 - 5. Any large wood, native vegetation, topsoil, and/or native channel material displaced by construction shall be stockpiled for use during site restoration.

- 6. No existing habitat features (i.e., wood, substrate materials) shall be removed from the shoreland or aquatic environment without approval.
- 7. If native vegetation is moved, damaged, or destroyed, it shall be replaced with a functionally equivalent native species during site restoration.
- 8. Project construction shall cease under high flow conditions that could result in inundation of the project area, or detrimental effects to adjacent properties, except for efforts to avoid or minimize resource damage.
- 9. Temporary moorages are allowed for vessels used in the construction of boating facilities provided:
- 10. Upon termination of the project, the aquatic habitat in the affected area is returned to its pre-construction condition within one year.
 - a. Construction vessels may not ground or otherwise disturb substrates.
 - b. Temporary moorage is located to minimize shading of aquatic vegetation.
- G. Private residential dock (including joint use dock) regulations.
 - No boat lifts or watercraft lifts of any type shall be placed on, or in addition to, the
 overwater structure unless the applicant can demonstrate that the proposed boat lift meets
 the intent of the criteria to minimize structure, maximize light penetration, and maximize
 depth.
 - 2. No electricity shall be provided to, or on, the overwater structure, unless code approved.
 - 3. Piers and ramps shall be no more than 4 feet in width.
 - 4. Shoreline concrete anchors shall be placed at least 10 feet landward from the OHWM, if feasible. Shoreline concrete anchors shall be sized no larger than 4 feet wide by 4 feet long unless demonstrated insufficient. The maximum anchor height shall be only what is necessary to elevate the bottom of either the pier or landward edge of the ramp at least 2 feet above the plane of OHWM.
 - 5. Float components for private docks shall not exceed the dimensions of 8 feet by 20 feet, or an aggregate total of 160 square feet. Float components for joint use docks shall not exceed the dimensions of 8 feet by 40 feet, or an aggregate total of 320 square feet, for all float components.
 - 6. Piling and float anchors.
 - a. Pilings shall be spaced at least 18 feet apart on the same side of any component of the overwater structure. The pier/ramp and float are separate components.
 - b. Each overwater structure shall utilize no more than 4 piles total for the entire project. A combination of two piles and four helical anchors may be used in place of four piles.
 - c. Submerged float anchors will be constructed from concrete; and shall be horizontally compressed in form, by a factor of 5 or more, for a minimum profile above the stream bed (the horizontal length and width will be at least 5 times the vertical height).
 - 7. No in-water fill material (including uncured concrete or its by-products) will be allowed, with the exception of pilings and float anchors.
- H. Docks for commercial, industrial, aquaculture, recreational or public access use.

- The amounts of overwater cover, including length and width; the number of in-water structures; and the extent of any necessary shoreline stabilization or modification shall be minimized.
- Accessory development may include, but is not limited to, parking, non-hazardous waste storage and treatment, stormwater management facilities, and utilities where these are necessary to support the water-oriented use. Nonwater-dependent accessory uses shall be located outside of shoreline jurisdiction or outside of the shoreline buffer whenever possible.
- 3. Garbage or litter receptacles shall be provided and maintained by the operator at locations convenient to users.

I. Marinas.

- 1. Marina location and design shall give special consideration to:
 - a. Fuel handling and storage facilities to minimize accidental spillage;
 - b. Proper water depth and flushing action for any area considered for overnight or long term moorage facilities;
 - c. Adequate facilities to properly handle wastes from holding tanks; and
 - d. Necessary facilities, such as adequate access, parking, and restroom facilities for the public. Such facilities should be located away from the immediate water's edge, as far landward as feasible.
- 2. No part of a marina may be wider than 8 feet, except that components up to 10 feet wide may be approved administratively if justified in documentation.
- 3. New marinas shall provide physical and/or visual public access for as many water-oriented recreational uses as possible, commensurate with the scale of the proposal.
- 4. New marinas shall provide adequate restroom and sewage disposal facilities.
- 5. New or enlarged marinas shall provide facilities and procedures for receiving, storing, dispensing, and disposing of oil or hazardous products, as well as a spill response plan.
- Marina operators shall post all regulations pertaining to handling, disposal and reporting of
 waste, sewage, fuel, oil or toxic materials where all users may easily read them. Rules for
 spill prevention and response shall also be posted on site.
- 7. All marinas shall be developed and operated in accordance with all state guidelines established by the Washington State Department of Fish and Wildlife.

J. Boat launch ramps.

- 1. New public, commercial, or industrial boat launch ramps may be approved only if:
 - a. they provide public access to waters that are not adequately served by existing nearby public access facilities; or
 - b. the use of existing facilities is documented to exceed the designed capacity; or
 - c. the ramp is necessary to serve the proposed water-oriented commercial or industrial use.
- 2. New private boat launches are allowed only for commercial or industrial uses.
- 3. New public or commercial boat launch facilities shall provide adequate restroom facilities.
- 4. Boat launch ramps shall be located where there is adequate water mixing and flushing and where water depths are adequate to eliminate or minimize the need for dredging or filling.

- 5. Boat launch ramps shall be located to minimize the obstruction of currents, alteration of sediment transport, and the accumulation of drift logs and debris.
- K. Replacement of existing boating facilities and private moorage structures. If any of the following are proposed during a five-year period, the project is considered a new facility and shall comply with applicable standards for new facilities:
 - 1. Replacement of the entire facility.
 - 2. Replacement of 75 percent or more of support piles.
 - 3. Replacement of 75 percent or more of a boat launch, by area.
- L. Modification or enlargement of existing boating facilities and private moorage structures.
 - 1. Applicants shall demonstrate that there is a need for modification or enlargement due to increased or changed use or demand, safety concerns, or inadequate depth of water.
 - 2. Enlarged portions of existing boating facilities and private moorage structures shall comply with applicable standards for new facilities.
- M. Repair of existing boating facilities and private moorage structures.
 - 1. Repairs to existing legally established boating facilities and private moorage structures are permitted consistent with all other applicable codes and regulations.
 - 2. All repairs shall utilize any material standards specified for new facilities.

N. Mitigation.

- 1. Consistent with mitigation sequencing, new or expanded boating facilities and private moorage structures shall be designed to avoid and then minimize impacts, prior to pursuing mitigation.
- 2. Mitigation proposals shall provide impact mitigation at a minimum one-to-one ratio, by area, using one or more of the potential mitigation measures listed below. The ratio should be increased if the measure will take more than one year to provide equivalent function or if the measure does not have a high success rate. Applicants should consult with other permit agencies, such as Washington Department of Fish and Wildlife and/or U.S. Army Corps of Engineers, for additional specific mitigation requirements.
- 3. For all new or expanded boating facilities and private moorage structures, appropriate mitigation shall include one or more of the following measures. In-kind measures are preferred over out-of-kind measures when consistent with the objective of compensating for adverse impacts to ecological function. Mitigation may not include measures that are already required by regulations.
 - a. Removal of any legal existing over- or in-water structures that are not the subject of the application.
 - b. Replacement of areas of existing solid over-water cover with grated material or use of grating on altered structures.
 - c. Planting of native vegetation along the shoreline immediately landward of the OHWM consisting of a density and composition of trees and shrubs typically found in undisturbed areas adjacent to the subject waterbody.
 - d. Removal or ecological improvement of hardened shoreline. Improvement may consist of softening the face and toe of the hardened shoreline with soil, gravel and/or cobbles, and/or incorporating vegetation or large woody debris.

- e. Removal of man-made debris waterward of the OHWM.
- f. Placement of large woody material if consistent with local, state and federal regulations.
- g. Participation in an approved mitigation program.

O. Submittal Requirements.

- 1. For all new or expanded boating facilities and private moorage structures, applicants shall provide:
 - a. An assessment of potential impacts to existing ecological processes, including but not limited to sediment transport, hydrologic patterns, and vegetation disturbance.
 - b. A mitigation plan for unavoidable adverse impacts to ecological functions or processes, if applicable.
- 2. For all new or expanded boating or private moorage facilities other than private residential moorage facilities and commercial or industrial structures, applicants shall additionally provide an assessment of need and demand. At a minimum, the assessment shall include the following:
 - a. Existing approved facilities, or pending applications, within the service range of the proposed new facility and relevant characteristics of those facilities, such as level of use and condition.
 - b. The expected service population and relevant characteristics of the population, including any characteristics that justify specific design elements of the proposed facility.
 - c. An assessment of existing water-dependent uses in the vicinity and potential impacts to those uses, and a description of proposed mitigation measures, if applicable.

6.7 Breakwaters, Weirs, and Groins

Policies

- Policy-1. Allow breakwaters, weirs, and groins to be located waterward of the OHWM only where necessary to support water-dependent uses, public access, shoreline stabilization, ecological restoration, or other specific public purpose.
- Policy-2. Consider alternative structures with less impact where physical conditions make such alternatives feasible.

Regulations

- A. New, expanded or replacement structures shall only be allowed if it can be demonstrated that they will not result in a net loss of shoreline ecological functions and that they support water-dependent uses, public access, shoreline stabilization, ecological restoration, or other specific public purpose.
- B. Breakwaters, weirs, and groins shall be limited to the minimum size necessary.
- C. Breakwaters, weirs, and groins shall be designed to protect critical areas, and shall implement mitigation sequencing to achieve no net loss of ecological functions.
- D. Proposed designs for new or expanded structures shall be designed by qualified professionals.

6.8 Commercial Development

Policies

Policy-1. Give preference to water-dependent commercial uses over non-water-dependent commercial uses in the shoreline environment, and prefer water-related and water-enjoyment uses over non-water-oriented commercial uses.

- Policy-2. Ensure that shoreline commercial development provides public or visual access to the shoreline where opportunities exist, provided that such access would not pose a health or safety hazard or such access is demonstrated to be infeasible.
- Policy-3. Promote public access or shoreline restoration as potential mitigation measures for impacts associated with shoreline commercial development where opportunities exist, and provided that public access would not pose a health or safety hazard to the public.
- Policy-4. Limit over-water, and non-water-oriented commercial uses in the shoreline environment.
- Policy-5. Allow limited commercial development in rural areas characterized by agriculture or industrial development.

Regulations

- A. Water-dependent commercial uses shall be given preference over water-related and water-enjoyment commercial uses. Water-related and water-enjoyment commercial uses may not be approved if they displace existing water-dependent uses.
- B. Non-water oriented commercial uses may be permitted where located on a site physically separated from the shoreline by another property in separate ownership, or by a public right-of-way, such that access for water-oriented use is precluded. All other non-water-oriented commercial uses are prohibited in the shoreline unless the use provides significant public benefit with respect to the objectives of the Shoreline Management Act, such as providing public access and ecological restoration and the commercial use is:
 - 1. Part of a mixed use project that includes a water-oriented use; or
 - 2. Proposed on a site where navigability is severely limited.
- C. Only those portions of water-dependent commercial uses that require over-water facilities shall be permitted to locate waterward of the OHWM, provided they are limited to the minimum size necessary to support the structure's intended use. Non-water dependent commercial uses shall not be allowed over water except when accessory to, and located within the same building as, a water-dependent use.
- D. Commercial development shall be designed to achieve no net loss of shoreline ecological function.
- E. Commercial development shall minimize disruption to other shoreline uses, resources and values, such as navigation, recreation, and public access.
- F. New commercial development in the shoreline environment shall provide appropriate public access to the shoreline, per the requirements of Section 5.6 Public Access.

6.9 Dredging and Dredge Material Disposal

Policies

- Policy-1. Site and design new development to avoid or, if that is not possible, to minimize the need for new and maintenance dredging.
- Policy-2. Ensure dredging and dredge material disposal is done in a manner that avoids or minimizes significant ecological impacts. Impacts that cannot be avoided should be mitigated in a manner that assures no net loss of shoreline ecological functions.
- Policy-3. Discourage the disposal of dredge material on shorelands or wetlands within a channel migration zone, unless part of an approved restoration project.

Regulations

- A. Applicability. As regulated in this SMP, dredging is the removal of bed material from below the OHWM or wetlands using other than unpowered, hand-held tools for one of the allowed dredging activities listed in Section (D) below. This Section is not intended to cover other removals of bed material waterward of the OHWM or wetlands that are incidental to the construction of an otherwise authorized use or modification (e.g. shoreline crossings, bulkhead replacements). These in-water substrate modifications should be conducted pursuant to applicable general and specific use and modification regulations of this SMP.
- B. New development shall be sited and designed to avoid or, if that is not possible, to minimize the need for new and maintenance dredging.
- C. Dredging and dredge material disposal shall be done in a manner that avoids or minimizes significant ecological impacts. Impacts that cannot be avoided shall be mitigated in a manner that assures no net loss of shoreline ecological functions.
- D. Dredging may only be permitted for the following activities:
 - 1. Maintenance dredging of established navigation channels and basins when restricted to maintaining previously dredged and/or existing authorized location, depth, and width.
 - 2. Establishing, expanding, relocating or reconfiguring navigation channels where necessary to assure safe and efficient accommodation of existing navigational uses.
 - 3. Development of new or expanded wet moorages, harbors, ports or water-dependent industries of economic importance to the region only when there are no feasible alternatives or other alternatives may have a greater ecological impact.
 - 4. Development of essential public facilities when there are no feasible alternatives.
 - 5. Maintenance of irrigation reservoirs, drains, canals, or ditches for agricultural purposes.
 - 6. Restoration or enhancement of shoreline ecological functions and processes benefiting water quality and/or fish and wildlife habitat.
 - 7. Trenching to allow the installation of necessary underground utilities if no alternative, including boring, is feasible; impacts to fish and wildlife habitat are avoided to the maximum extent possible; and the installation does not alter the natural rate, extent, or opportunity of channel migration.
- E. Dredging for the primary purpose of obtaining fill material is prohibited, except when the material is necessary for the restoration of ecological functions. The site where the fill is to be placed shall be located waterward of the OHWM. The project shall be either associated with a Model Toxics Control Act or Comprehensive Environmental Response, Compensation, and Liability Act habitat restoration project or, if approved through a Shoreline Conditional Use Permit, any other significant habitat enhancement project.
- F. Dredge material disposal within shoreline jurisdiction is permitted under the following conditions:
 - 1. Shoreline ecological functions and processes will be preserved, restored or enhanced, including protection of surface and groundwater; and
 - 2. Erosion, sedimentation, floodwaters or runoff will not increase adverse impacts to shoreline ecological functions and processes or to property.
- G. Dredge material disposal in open waters may be approved only when authorized by applicable state and federal agencies, and when one of the following conditions apply:

- 1. Land disposal is infeasible, less consistent with this SMP, or prohibited by law.
- 2. Nearshore disposal as part of a program to restore or enhance shoreline ecological functions and processes is not feasible.
- H. All applications for dredging or dredge material disposal shall include the following information, in addition to other application requirements.
 - 1. A description of the purpose of the proposed dredging activities.
 - 2. A site plan outlining the perimeter of the area proposed to be dredged and the dredge material disposal area, if applicable.
 - 3. A description of proposed dredging operations, including, but not limited to:
 - a. The method of removal;
 - b. The length of time required;
 - The quantity of material to be initially removed; and
 - d. The frequency and quantity of projected maintenance dredging.
 - 4. A description of proposed dredge material disposal, including, but not limited to:
 - a. Size and capacity of disposal site;
 - b. Means of transportation to the disposal site; and
 - c. Future use of the site and conformance with land use policies and regulations, if applicable.
 - 5. Plans for the protection and restoration of the shoreline environment during and after dredging operations.
 - 6. An assessment of potential impacts to ecological functions or processes from the proposal.
 - 7. A mitigation plan to address identified impacts, if necessary.

6.10 Fill and Excavation

Policies

- Policy-1. Allow fill when it is demonstrated to be the minimum extent necessary to accommodate an allowed shoreline use or development and with assurance of no net loss of shoreline ecological functions and processes.
- Policy-2. Allow fill when it is associated with restoration projects.
- Policy-3. Allow upland excavation only when necessary to support a use or modification otherwise allowed by this Shoreline Master Program.
- Policy-4. Upland fill and excavation should be designed to meet the character of the surrounding shoreline.

Regulations

- A. All fills and excavations shall be located, designed and constructed to protect shoreline ecological functions and ecosystem-wide processes, including channel migration. Any adverse impacts to shoreline ecological functions shall be mitigated.
- B. Fills in wetlands, floodways, channel migration zones or waterward of the OHWM may be allowed only when necessary to support one or more of the following:
 - 1. Water-dependent uses.
 - 2. Public access.

- 3. Cleanup and disposal of contaminated sediments as part of an interagency environmental clean-up plan.
- 4. Disposal of dredged material considered suitable under, and conducted in accordance with, the Dredged Material Management Program of the Department of Natural Resources and/or the Dredged Material Management Office of the U.S. Army Corps of Engineers.
- 5. Expansion or alteration of transportation facilities of statewide significance currently located on the shoreline where alternatives to fill are infeasible.
- 6. Ecological restoration or enhancement when consistent with an approved plan.
- 7. Maintenance or installation of flood hazard reduction measures consistent with a comprehensive flood hazard management plan and this SMP.
- Protection of cultural resources when fill is the most feasible method to avoid continued degradation, disturbance or erosion of a site. Such fills shall be coordinated with any affected Indian tribes.
- C. Upland fills and excavation in shoreline jurisdiction that are not located within wetlands, floodways, or channel migration zones may be allowed provided they are:
 - 1. Part of an allowed shoreline use or modification, necessary to provide protection to cultural resources, or part of an approved restoration plan.
 - 2. Located outside applicable buffers, unless specifically allowed in buffers.
 - 3. Designed to avoid an increase in flood hazards. Proposals must be compliant with the Flood Damage Prevention regulations of WWCC 18.12, Flood Damage Prevention.
- D. All fills and excavations, except fills and excavations for the purpose of shoreline restoration, shall be designed:
 - 1. To be the minimum size necessary to implement the allowed use or modification.
 - 2. To fit the topography so that minimum alterations of natural conditions will be necessary.
 - 3. To not adversely affect hydrologic conditions or increase the risk of slope failure, if applicable.
 - 4. To avoid an increase in flood hazards through compliance with the requirements of WWCC 18.12, Flood Damage Prevention.
- E. Unless site characteristics dictate otherwise, fill material within surface waters or wetlands shall be sand, gravel, rock, or other clean material with a minimum potential to degrade water quality and shall be obtained from a state-authorized source.
- F. A temporary erosion and sediment control (TESC) plan, including BMPs, consistent with the latest edition of the County -adopted Stormwater Management Manual for Eastern Washington (2004) or approved equivalent, shall be provided for all proposed fill and excavation activities. Disturbed areas shall be immediately protected from erosion using mulches, hydroseed, or similar methods, and revegetated, as applicable.

6.11 Forest Practices

Policies

Policy-1. Promote forest management and timber cutting practices that protect or improve stream conditions, including temperature, dissolved oxygen levels, and turbidity, and that prevent the buildup of logging debris in waterbodies.

Policy-2. Ensure that forest practices result in no net loss of shoreline ecological functions and maintain the ecological quality of the watershed's hydrologic system.

Regulations

- A. Forest management practices shall comply with the regulations established by the Washington State Forest Practices Act (RCW 76.09). Where proposed forest practices in shoreline jurisdiction would fall under the applicability of the Forest Practices Act, the local jurisdiction shall consult with the Department of Natural Resources regarding permitting.
- B. Conversion of forest lands to any other use shall result in no net loss of shoreline ecological functions or significant adverse impacts to other shoreline uses, resources and values, such as navigation, recreation and public access.
- C. The harvest of timber within shoreline jurisdiction associated with a shoreline of statewide significance shall be required to comply with the selective cutting requirements of RCW 90.58.150.
- D. A forest practice that only involves timber cutting is not a development under the act and does not require a shoreline substantial development permit or a shoreline exemption. A forest practice that includes activities other than timber cutting, such as building roads and trails and placing culverts, may be a development under the act and may require a substantial development permit, as required by WAC 222-50-020 (or its successor).

6.12 Institutional Development

Policies

- Policy-1. Institutional development in shoreline jurisdiction should be designed and located to result in no net loss of ecological function.
- Policy-2. Encourage institutional development in shoreline jurisdiction that provides public benefit with respect to the objectives of the Shoreline Management Act or which provides other scientific, educational, or cultural benefits to the public.
- Policy-3. Encourage shoreline institutional development to provide public access to the shoreline where opportunities exist, provided that such access would not pose a health and safety hazard or a security risk.

Regulations

- A. New and expanded institutional development in shoreline jurisdiction shall be designed and sited to result in no net loss of shoreline ecological function.
- B. To the greatest extent possible, non-water oriented elements of new institutional development shall be located as far from the shoreline as is feasible, except when one of the following conditions applies:
 - 1. Such non-water oriented uses are part of an institutional development that provides a public benefit with respect to the objectives of the Shoreline Management Act; or
 - 2. Such non-water oriented uses are part of an institutional development that provides scientific, educational, or cultural public benefits.
- C. Institutional shoreline development shall minimize disruption to other shoreline uses, resources and values, such as navigation, recreation, and public access.
- D. New institutional development in shoreline jurisdiction shall provide appropriate public access to the shoreline, per the requirements of Section 5.6 Public Access.

6.13 In-Stream Structures

Policies

- Policy-1. Ensure that the location, design, construction and maintenance of in-stream structures give due consideration to the full range of public interests, watershed functions and processes, and environmental concerns, with special emphasis on protecting and restoring priority habitats and species.
- Policy-2. Encourage non-structural and non-regulatory approaches as an alternative to in-stream structures. Non-regulatory and non-structural approaches may include public facility and resource planning, land or easement acquisition, education, voluntary protection and enhancement projects, or incentive programs.

Regulations

- A. In-stream structures shall provide for the protection and preservation of ecosystem-wide processes, ecological functions, and cultural resources, including, but not limited to, fish and fish passage, priority habitats and species, other wildlife and water resources, shoreline critical areas, hydrogeological processes, and natural scenic vistas.
- B. In-stream structures shall not interfere with existing water-dependent uses, including recreation.
- C. In-stream structures shall not be a safety hazard or obstruct water navigation.
- D. In-stream structures shall be designed by a qualified professional, and located and constructed consistent with floodplain regulations found in WWCC 18.12, Flood Damage Prevention.
- E. Natural in-stream features, such as snags, uprooted trees, or stumps, shall be left in place unless it can be demonstrated that they are actually causing bank erosion or higher flood stages or pose a hazard to navigation or human safety.

6.14 Mining

Policies

- Policy-1. Minimize or prohibit mining activities from occurring within the shoreline jurisdiction.
- Policy-2. Locate mining activities so as not to interfere with public recreation on the shoreline.
- Policy-3. Prohibit mining of shoreline areas having high value for recreation, or as fish or wildlife habitat.

Regulations

- A. All new mining activities shall comply with the provisions of the Washington State Surface Mining Act.
- B. Mining shall not be permitted in designated fish and wildlife habitat areas except as a part of an approved flood control program or in conjunction with a habitat restoration or enhancement plan, provided that such mining activities are demonstrated to be water-dependent.
- C. Mining of active channel or channels of a river shall not be permitted.
- D. New mining activities in the shoreline jurisdiction shall be allowed only in locations that meet the following criteria:
 - 1. The character of the shoreline is appropriate for mining activities;
 - 2. The proposed mining activities would not interfere with public recreational use of the shoreline; and
 - 3. The proposed mining activities would not disrupt navigational access or use of the shoreline by adjacent properties.

- E. Application for permits for mining operations shall be accompanied by operation plans, reclamation plans and analysis of environmental impacts in compliance with local ordinances and sufficient to make a determination as to whether the project will result in net loss of shoreline ecological functions and processes during the course of mining and after reclamation. Creation, restoration, or enhancement of habitat for priority species and the future productivity of the site may be considered in determining no net loss of ecological functions.
- F. A reclamation plan that complies with the format and detailed minimum standards of RCW 78.44 shall be included with any shoreline permit application for mining. In reviewing reclamation plans together with permit applications, the Administrator shall determine whether or not the plan is also consistent with this SMP and other local regulations. An inconsistent reclamation plan shall constitute sufficient grounds for denial of a shoreline permit, provided, the applicant/proponent shall be given reasonable opportunity to revise the plan.
- G. New mining activities in the shoreline jurisdiction shall be sited, designed, conducted, and mitigated in a manner that results in no net loss of shoreline ecological function. The determination of no net loss shall be based on an evaluation of the reclamation plan required for the site
- H. Subsequent use of reclaimed sites shall be consistent with the provisions of this SMP.
- I. Mining within the identified channel migration zone of a stream regulated by this SMP shall require a Shoreline Conditional Use Permit.
- J. Renewal, extension, or reauthorization of in-stream and gravel bar mining activities requires review for compliance with WAC 173-26-241(3)(h)(ii)(D)(IV).

6.15 Ports and Industrial Development

Policies

- Policy-1. Design new industrial development in the shoreline environment to result in no net loss of ecological function and to minimize disruption of navigation and use of the shoreline by adjacent property owners.
- Policy-2. Give preference to water-dependent industrial development over non-water oriented industrial development in the shoreline environment. Encourage cooperative use of existing port facilities, including docks and piers to reduce additional disruption to the shoreline. Multiple uses should be implemented through cooperative use of cargo handling, storage, parking and other accessory facilities among private or public entities as feasible in industrial facilities.
- Policy-3. Allow future industrial and port facilities that are dependent upon a shoreline location in areas where the shoreline is already characterized by industrial development or planned for such uses.
- Policy-4. New industrial development should consider providing shoreline public access as mitigation for disruption of shoreline resources and values, unless such public access would result in a security risk or life and safety hazard.
- Policy-5. Restoration of impaired shoreline ecological functions and processes should be a component of new industrial development, where applicable.

Regulations

- A. Water-dependent industrial uses shall be given preference over non-water dependent industrial uses, and preference shall be given to water-related industrial uses and water-enjoyment uses over non-water-oriented industrial uses.
- B. Non-water-oriented industrial uses may be permitted where located on a site physically separated from the shoreline by another property in separate ownership or a major

transportation corridor such that access for water-oriented use is precluded. All other non-water-oriented industrial uses are prohibited in the shoreline environment unless one of the following conditions apply:

- 1. The use is part of a mixed-use project that includes water-oriented uses and provides a significant public benefit with respect to the Shoreline Management Act's objectives, such as providing public access and ecological restoration; or
- Navigability is severely limited at the proposed site, and the use provides a significant public benefit with respect to the Shoreline Management Act's objectives such as providing public access and ecological restoration.
- C. New industrial development shall be located, designed and constructed in a manner that assures no net loss of shoreline ecological functions and minimizes disruption of other shoreline resources and values.
- D. Required shoreline setback and buffer areas shall not be used for storage of industrial equipment, materials, or waste disposal, but may be used for outdoor recreation and public access.
- E. Disposal or storage of solid or other industrial wastes is not permitted in shoreline jurisdiction.
- F. New industrial development shall provide public access to the shoreline, subject to Section 5.6 Public Access, except where such access would result in safety or security hazards or other significant impediments, as described in Section 5.6 Public Access.
- G. Only those portions of water-dependent industrial uses that require over-water facilities shall be permitted to locate waterward of the OHWM, provided they are located on piling or other openwork structures, and they are limited to the minimum size necessary to support the structure's intended use.
- H. Water-oriented structures may be allowed to exceed a height of thirty-five (35) feet. Such structures may include, but are not limited to, facilities which must be of a greater height in order to function, such as cranes or other facilities designed to move or place products, fixed loading facilities that must provide clearance over vessels, storage facilities such as grain elevators, as well as accessory features such as lighting required for operations. The applicant must demonstrate compliance with the following criteria:
 - 1. The public interest will be served by accommodating the increased height.
 - 2. The view of a substantial number of residences in areas adjoining such shorelines will not be obstructed.
 - 3. Increased height will not substantially interfere with views from a designated public place, vista, or feature specifically identified in an adopted local, state, or federal plan or policy.

6.16 Recreational Development

Policies

- Policy-1. Give recreational development priority for shoreline location to the extent that the use facilitates the public's ability to access (visual and physical), enjoy, and use the water and shoreline.
- Policy-2. Recognize that state-owned shorelines are particularly adapted to providing wilderness areas, ecological study areas, and other recreational uses for the public. Encourage recreational uses and development that provide for the preservation and enhancement of scenic views and vistas.

- Policy-3. Ensure that recreational facilities do not interfere with the use and enjoyment of adjacent properties by providing buffering when necessary between the recreation development and adjacent private property.
- Policy-4. Pursue opportunities for incorporating educational and interpretive information in the design and operation of recreation facilities.
- Policy-5. Design and locate recreational uses and facilities to ensure no net loss of shoreline ecological functions.
- Policy-6. Promote connections between existing public access points and public parks with walking trails, bicycle paths, or designations of scenic driving routes.

Regulations

- A. Recreational development is a priority use of the shoreline. Preference shall be given to water-dependent uses such as fishing, swimming, and boating.
- B. Commercial and public recreation areas or facilities on the shoreline shall provide public access (physical or visual) consistent with Section 5.6, Public Access.
- C. Recreation facilities shall be designed and located to take maximum advantage of and enhance the natural character of the shoreline area, and ensure no net loss of shoreline ecological functions.
- D. Recreational facilities shall incorporate means to prevent erosion, control the amount of runoff and prevent harmful concentrations of chemicals and sediment from entering water bodies.
- E. Recreational development in shoreline jurisdiction shall include shoreline access features to allow users to use and enjoy the shoreline. Such features may include, but are not limited to walking paths and bicycle trails.
- F. Use of motor vehicles including recreational off-road vehicles is permitted only on roads or trails specifically designated for such use as necessary for public health and safety or for maintenance of the recreation facility. Recreational facilities specifically designed for off-road vehicle use are prohibited on, or in, streams or wetlands and their associated buffers.
- G. Within the natural environment designation, passive water-oriented recreational development, such as primitive trails, primitive campsites, or observation structures are permitted subject to the following criteria:
 - 1. Substantial alterations to topography or native vegetation are prohibited; and
 - 2. Any necessary landscaping or site restoration shall use native or similar self-maintaining vegetation.

6.17 Residential Development

Policies

- Policy-1. Design residential subdivisions in shoreline jurisdiction to be compatible with the physical and aesthetic character of the shoreline.
- Policy-2. Design residential development in shoreline jurisdiction to be compatible with environmental conditions and to ensure no net loss of shoreline ecological function.
- Policy-3. Require residential development to make adequate provision for wastewater, water, and stormwater facilities and apply best management practices to protect shoreline water quality and meet the needs of the development.
- Policy-4. Limit residential development within identified Channel Migration Zones and FEMA Floodways.
- Policy-5. Design residential development to prevent the need for new shoreline stabilization or flood hazard reduction measure.

Regulations

- A. Residential development shall be designed consistent with the applicable environment designation, as well as zoning and development regulations.
- B. Residential development shall be designed and located in a manner that does not require the construction of new shoreline stabilization features or flood control measures to protect the proposed residences, for the life of the structure.
- C. Residential development shall be located a sufficient distance from steep slopes and erosion hazard areas that structural stabilization structures are not required to protect proposed residences, for the life of the structure. The minimum buffer distance from a steep slope or erosion hazard shall be determined according to the standards in Appendix A, Section 5.0, Geologically Hazardous Areas.
- D. Residential development shall be designed and configured in a manner that does not result in a net loss of shoreline ecological function.
- E. Applications for residential development shall include provisions for water supply, wastewater, stormwater, solid waste, access, and other utilities in a manner that does not result in harmful effects on the shoreline environment or waters of the State.
- F. New residential development, which includes subdivision of land for more than four parcels, shall provide shared community access to the shoreline for residents.
- G. New floating homes and residential development over water shall be prohibited in the shoreline jurisdiction.
- H. Grading in shoreline jurisdiction associated with residential appurtenances shall be limited to 250 cubic yards or less.
- I. Residential structures and their accessory uses or appurtenances shall not be located in required shoreline buffers unless specifically authorized in this SMP. Residential accessory uses shall be prohibited over the water unless clearly water-dependent for recreational or personal use.

6.18 Shoreline Restoration and Enhancement

Policies

- Policy-1. Promote restoration and enhancement actions that improve shoreline ecological functions and processes and target the needs of sensitive plant, fish and wildlife species as identified by Washington Department of Fish and Wildlife, Washington Department of Natural Resources, affected tribes, National Marine Fisheries Service, and/or U.S. Fish and Wildlife Service
- Policy-2. Ensure restoration and enhancement of shorelines are designed using principles of landscape and conservation ecology and restore or enhance chemical, physical, and biological watershed processes that create and sustain shoreline habitat structures and functions.
- Policy-3. Seek funding to implement restoration and enhancement projects, particularly those sources that are identified in the Restoration Plan of this SMP or in other pertinent plans. Funding may be sought by the County or other entities.
- Policy-4. Develop application processing guidelines that will streamline the review of restoration-only projects.
- Policy-5. Ensure restoration and enhancement of shorelines is implemented using best management practices and protects adjacent natural resources.

Regulations

A. Applicability. Shoreline habitat and natural systems enhancement projects include those activities proposed and conducted specifically for the purpose of establishing, restoring or

- enhancing habitat for priority species in shorelines. Such projects may include shoreline modification actions such as modification of vegetation, removal of non-native or invasive plants, shoreline stabilization, dredging, and filling, provided that the primary purpose of such actions is clearly restoration of the natural character and ecological functions of the shoreline. This Section does not apply to mitigation.
- B. Shoreline restoration and enhancement projects shall be designed using the best available scientific and technical information, and implemented using best management practices.
- C. All shoreline restoration and enhancement projects shall protect the integrity of adjacent natural resources, including aquatic habitats and water quality.
- D. Shoreline restoration and enhancement shall not significantly interfere with the normal public use of the navigable waters of the state without appropriate mitigation.
- E. Long-term maintenance and monitoring shall be included in restoration or enhancement proposals.
- F. Applicants seeking to perform restoration projects are advised to work with the County to assess whether and how the proposed project is allowed relief under RCW 90.58.580, in the event that the project shifts the OHWM landward.

6.19 Shoreline Stabilization

Policies

- Policy-1. Locate and design new development to avoid the need for future shoreline stabilization to the extent feasible.
- Policy-2. Use structural shoreline stabilization measures only when nonstructural methods are infeasible. Nonstructural methods include building setbacks, structure relocation, groundwater management, and other measures.
- Policy-3. Ensure soft structural shoreline stabilization measures are used prior to hard stabilization measures unless demonstrated to be insufficient.
- Policy-4. Allow new or expanded structural shoreline stabilization only where demonstrated to be necessary to support or protect an allowed primary structure or principal appurtenant structure that is in danger of loss or substantial damage, or for reconfiguration of the shoreline for mitigation or enhancement purposes.
- Policy-5. Ensure all proposals for structural shoreline stabilization, both individually and cumulatively, do not result in a net loss of ecological functions.

Regulations

- A. New development shall be located and designed to avoid the need for future shoreline stabilization, if feasible.
 - Land subdivisions shall be designed based on a geotechnical report to assure that future development of the created lots will not require shore stabilization for the allowed development to occur.
 - 2. New development adjacent to steep slopes or bluffs shall be set back sufficiently to ensure that shoreline stabilization is unlikely to be necessary during the life of the structure, as demonstrated in a geotechnical report.
- B. New development that would require shoreline stabilization that would cause significant impacts to adjacent or down-current properties and shoreline areas is prohibited.
- C. Soft stabilization and/or bioengineered bank stabilization techniques shall be used unless demonstrated not to be sufficient to protect primary structures, dwellings, and businesses by a qualified professional.

- D. All proposals for shoreline stabilization structures, both individually and cumulatively, shall evaluate potential impacts to adjacent upstream, downstream, and cross-channel stability, as applicable, shall not result in a net loss of ecological functions, and shall be the minimum size necessary for such structures.
- E. New or enlarged structural shoreline stabilization measures shall not be allowed, except as follows:
 - To protect an existing primary structure, including residences, when conclusive evidence, documented by a geotechnical analysis, is provided that the structure is in danger from shoreline erosion caused by currents or waves. Normal sloughing, erosion of steep bluffs, or shoreline erosion itself, without a scientific or geotechnical analysis, is not demonstration of need. The geotechnical analysis shall evaluate on-site drainage issues and address drainage problems away from the shoreline edge before considering hard or soft structural shoreline stabilization.
 - 2. In support of new nonwater-dependent development, including single-family residences, when all of the conditions below apply:
 - a. The erosion is not being caused by upland conditions, such as loss of vegetation and drainage.
 - b. Nonstructural measures, such as, but not limited to, placing the development farther from the shoreline, reducing the size or scope of the proposal, planting vegetation, or installing on-site drainage improvements, are not feasible or not sufficient.
 - c. The need to protect primary structures from damage due to erosion is demonstrated through a geotechnical report. The damage shall be caused by natural processes, such as currents or waves.
 - 3. In support of water-dependent development when all of the conditions below apply:
 - a. The erosion is not being caused by upland conditions, such as loss of vegetation and drainage.
 - b. Nonstructural measures, such as planting vegetation, or installing on-site drainage improvements, are not feasible over time or sufficient.
 - c. The need to protect primary structures from damage due to erosion is demonstrated through a geotechnical report.
 - 4. To protect projects for the restoration of ecological functions or for hazardous substance remediation projects pursuant to Chapter 70.105D RCW when nonstructural measures, planting vegetation, or installing on-site drainage improvements, are not feasible or not sufficient to adequately address erosion causes or impacts.
- F. New hard structural shoreline stabilization measures shall not be authorized, except when a report confirms that there is a significant possibility that a primary structure will be damaged within three years as a result of shoreline erosion in the absence of such hard structural shoreline stabilization measures, or where waiting until the need is immediate results in the loss of opportunity to use measures that would avoid impacts on ecological functions. Where the geotechnical report confirms a need to prevent potential damage to a primary structure, but the need is not as immediate as three years, that report may still be used to justify more immediate authorization to protect against erosion using soft measures.
- G. An existing shoreline stabilization structure, hard or soft, may be replaced with a similar structure if there is a demonstrated need to protect principal uses or structures from erosion caused by currents or waves. While replacement of shoreline stabilization structures may meet the criteria for exemption from a Shoreline Substantial Development Permit, such activity is not exempt from the policies and regulations of this SMP.

- For purposes of this Section, "replacement" means the construction of new structure to
 perform a shoreline stabilization function of existing structure that can no longer adequately
 serve its purpose. Any additions to or increases in the size of existing shoreline stabilization
 measures shall be considered new structures.
- Replacement shall be regulated as a new shoreline stabilization measure, except for the
 requirement to prepare a geotechnical analysis. A geotechnical analysis is not required for
 replacements of existing hard or soft structural shoreline stabilization with a similar or softer
 measure if the applicant demonstrates need to protect principal uses or structures from
 erosion caused by currents or waves or other natural processes operating at or waterward of
 the OHWM.
- 3. Replacement hard structural shoreline stabilization measures shall not encroach waterward of the OHWM or waterward of the existing shoreline stabilization measure unless the residence was occupied prior to January 1, 1992, and there are overriding safety or environmental concerns. In such cases, the replacement structure shall abut the existing shoreline stabilization structure. All other replacement hard structural shoreline stabilization measures shall be located at or landward of the existing shoreline stabilization structure.
- 4. Hard and soft shoreline stabilization measures may allow some fill waterward of the OHWM to provide enhancement of shoreline ecological functions through creation of nearshore shallow-water habitat and shoreline rearing habitat for salmonids.
- H. Repair and maintenance of existing shoreline stabilization measures may be allowed, subject to the following standards. While repair and maintenance of shoreline stabilization structures may meet the criteria for exemption from a Shoreline Substantial Development Permit, such activity is not exempt from the policies and regulations of this SMP.
 - 1. Repair and maintenance includes modifications to an existing shoreline stabilization measure that are designed to ensure the continued function of the measure by preventing failure of any part. Limitations on repair and maintenance include:
 - a. If within a three-year time period, more than 50 percent of the length of an existing structure is removed, including its footing or bottom course of rock, prior to placement of new stabilization materials, such work will not be considered repair and maintenance and shall be considered replacement. Work that only involves the removal of material above the footing or bottom course of rock does not constitute replacement.
 - b. Any additions to or increases in the size of existing shoreline stabilization measures shall be considered new structures.
 - c. The placement of a new shoreline stabilization structure landward of a failing shoreline stabilization structure shall be considered a new structure, not maintenance or repair.
 - 2. Areas of temporary disturbance within the shoreline buffer shall be expeditiously restored to their pre-project condition or better.
- I. Structural shoreline stabilization design and construction standards:
 - 1. Structural shoreline stabilization measures shall not extend waterward more than the minimum amount necessary to achieve effective stabilization, except for those elements that enhance shoreline ecological functions and minimize impacts.
 - 2. Stairs or other water access measures may be incorporated into shoreline stabilization measures, but shall not extend waterward of the measure or the OHWM.
 - 3. All structural shoreline stabilization measures shall minimize and mitigate any adverse impacts to ecological functions resulting from short-term construction activities. Techniques

may include compliance with timing restrictions, use of best management practices, and stabilization of exposed soils following construction.

- J. In addition to other submittal requirements, the applicant shall submit the following as part of a request to construct a new, enlarged, or replacement shoreline stabilization measure:
 - 1. For a new or enlarged hard or soft structural shoreline stabilization measure, a geotechnical report prepared by a qualified professional. The report shall include the following:
 - a. An assessment of the necessity for structural shoreline stabilization by estimating time frames and rates of erosion and reporting on the urgency associated with the specific situation.
 - b. An assessment of the cause of erosion, looking at processes occurring both waterward and landward of the OHWM, and documentation of the OHWM field determination.
 - c. An assessment of alternative measures to shoreline stabilization.
 - d. Where structural shoreline stabilization is determined to be necessary, the assessment shall evaluate the feasibility of using soft shoreline stabilization measures in lieu of hard structural shoreline stabilization measures.
 - e. Design recommendations for minimum sizing of hard structural or soft structural shoreline stabilization materials, including gravel and cobble substrates necessary to dissipate wave energy, eliminate scour, and provide long-term shoreline stability.
 - For replacements of existing hard structural shoreline stabilization measures with a similar measure, the applicant shall submit a written narrative providing a demonstration of need. The narrative shall be prepared by a qualified professional. The demonstration of need shall consist of the following:
 - a. An assessment of the necessity for continued structural shoreline stabilization, considering site-specific conditions such as water depth, orientation of the shoreline, wave fetch or flow velocities, and location of the nearest primary structure.
 - b. An assessment of erosion potential resulting from the action of waves or other natural processes operating at or waterward of the OHWM in the absence of the hard structural shoreline stabilization, and documentation of the OHWM field determination.
 - c. An assessment of alternative measures to shoreline stabilization.
 - d. An assessment of the feasibility of using soft shoreline stabilization measures in lieu of hard structural shoreline stabilization measures.
 - e. Design recommendations for minimizing impacts of any necessary hard structural shoreline stabilization.
 - f. The demonstration of need may be waived when an existing hard structural shoreline stabilization measure is proposed to be repaired or replaced using soft structural shoreline stabilization measures, resulting in significant restoration of shoreline ecological functions or processes.
 - 3. For all structural shoreline stabilization measures, including soft structural shoreline stabilization, detailed construction plans, including, but not limited to, the following are required:
 - a. Plan and cross-section views of the existing and proposed shoreline configuration, showing accurate existing and proposed topography and OHWMs.
 - b. Detailed construction sequence and specifications for all materials, including gravels, cobbles, boulders, logs, and vegetation.

6.20 Signs

Policies

- Policy-1. Ensure that signs located in the shoreline jurisdiction do not disrupt visual access to water areas.
- Policy-2. Limit the size and number of signs in the shoreline environment to be compatible with the applied environment designation.
- Policy-3. Locate, design, and maintain signs to minimize impacts to views and be visually compatible with local shoreline scenery as seen from both land and water, especially on shorelines of statewide significance.

Regulations

- A. Vistas and viewpoints shall not be degraded by the placement of signage. Commercial, informational, and wayfinding signs shall be located and designed to not impair visual access to the water from such vistas.
- B. When feasible, signs should be constructed against existing buildings to minimize visual access to the shoreline and water bodies.
- C. In the shoreline environment, shared, consolidated gateway signs to identify and give directions to local premises shall be preferred over individual, single-purpose signs.
- D. Safety and warning signs in shoreline jurisdiction shall be designed and located to minimize impacts to views as much as possible while accomplishing their primary function of advising the public of potential hazards.
- E. Billboards and other stand-alone commercial signage not accessory to a shoreline development shall be prohibited in shoreline jurisdiction.

6.21 Transportation and Circulation

Policies

- Policy-1. Design, implement, and locate new roads, railroads, and parking facilities in such a manner as to result in no net loss of shoreline ecological function.
- Policy-2. Encourage a circulation system which will efficiently and safely move people, goods and services to minimize disruption or adverse effect on the shoreline areas.
- Policy-3. Encourage circulation planning systems for pedestrian and bicycle transportation where appropriate.
- Policy-4. Require that circulation planning and projects support existing and proposed shoreline uses that are consistent with this SMP.
- Policy-5. New roads and railroads in shoreline jurisdiction should be located as far landward from the shoreline as possible.
- Policy-6. Consider viewpoints, parking, trails and similar improvements for transportation system projects in shoreline areas.

Regulations

- A. When it is necessary to locate transportation infrastructure within shoreline jurisdiction, such facilities should be designed to minimize the amount of land area consumed and located as far landward from the shoreline as possible.
- B. Proper design, location, and construction of road and railroad facilities should be exercised to:
 - 1. Minimize erosion and maintain slope stability using methods consistent with the most current WSDOT design manual.
 - 2. Permit the natural movement of water.

- 3. Prevent the entry of pollutants or waste materials into the water body.
- 4. Use existing topography and preserve natural conditions to the greatest practical extent.
- 5. Provide to the degree practical, scenic corridors, rest areas, viewpoints and other public amenities in public shoreline areas.
- C. Encourage the retention of extensive loops or spurs of old highways in SMP jurisdiction with high aesthetic quality or trail route potential to be used as pleasure bypass routes.
- D. Transportation facilities shall be constructed of materials which will not adversely affect water quality or aquatic plants and animals over the long-term. Elements within or over water shall be constructed of materials approved by applicable state agencies for use in water for both submerged portions and other components to avoid discharge of pollutants from splash, rain or runoff. Wood or pilings treated with creosote, pentachlorophenol or other similarly toxic materials is prohibited. Preferred materials are concrete and steel.
- E. Transportation and parking development shall be carried out in a manner that maintains or improves state water quality standards for affected waters and results in no net loss of shoreline ecological function.
- F. Parking areas shall be designed and located to minimize disruption of the shoreline and ensure no net loss of shoreline ecological function.
- G. To the greatest extent feasible, accessory parking shall be located landward of the building or use it serves.
- H. Stand-alone parking lots and parking garages shall be located on portions of the development site outside shoreline jurisdiction to the greatest degree feasible and shall be separated from the shoreline by vegetation, undeveloped space, a topographical barrier, or another building or structure.

6.22 Utilities

Policies

- Policy-1. Locate new utilities outside shoreline jurisdiction unless alternative locations are unfeasible, the utility requires a shoreline location, or the utility is necessary to support an approved shoreline use.
- Policy-2. Ensure new utilities utilize existing transportation and utility rights-of-way easements, or existing cleared areas to the greatest extent feasible.

Regulations

- A. Upon completion of installation or maintenance, projects on shoreline banks should be restored to pre-project configuration, including restoration of vegetation as required under Section 5.3: Vegetation Conservation.
- B. Whenever utility lines must be placed in a shoreline area the location shall be chosen so as not to obstruct or destroy scenic views, and shall avoid disruptions to public recreation areas and significant natural, historic, archaeological or cultural sites. Utilities should be encouraged to place the lines underground wherever feasible.
- C. Utilities should be located to meet the needs of future populations in areas planned to accommodate this growth.
- D. Wherever possible, multiple utilities shall be co-located in a shared corridor.
- E. Utility structures shall be designed and located to minimize disruption of public access to the shoreline and obstruction of visual access to the water.
- F. Utilities applications should demonstrate how the location, design and use achieves no net loss of shoreline ecological functions and incorporates appropriate mitigation.

G. Privately operated irrigation pumps and water diversion structures to support agricultural activities shall not be considered utilities for the purposes of this SMP and shall be regulated as accessory to the primary agricultural use.

7.0 Administration, Permits, and Enforcement

7.1 Purpose

RCW 90.58.140(3) requires local governments to establish a Shoreline Master Program consistent with the rules adopted by the Washington Department of Ecology, for the administration and enforcement of shoreline development. In accordance with RCW 90.58.050, Walla Walla County has the responsibility of administering the regulatory program, with Ecology acting primarily in a supportive and review capacity.

7.2 Administrative Responsibilities

The County shall designate an Administrator. The SMP Administrator or his/her designee is hereby vested with the authority to:

- 1. Have overall administrative responsibility of this SMP.
- 2. Grant or deny exemptions from Shoreline Substantial Development Permit requirements of this SMP.
- 3. Authorize, with or without conditions, time extensions to shoreline permits and their revisions.
- 4. Make field inspections as needed, and prepare or require reports on shoreline permit applications.
- Advise interested persons and prospective applicants as to the administrative procedures and related components of this SMP.
- 6. Make administrative decisions and interpretations of the policies and regulations of this SMP and the
- 7. Process shoreline substantial development permits, shoreline conditional use permits, and shoreline variances in accordance with the provisions of Walla Walla County Code Chapter 14.09.
- 8. Process amendments to SMP goals, policies, and other provisions, other than regulations, in accordance with the provisions of Walla Walla County Code Chapter 14.10.
- 9. Process amendments to SMP regulations in accordance with the provisions of Walla Walla County Code Chapter 14.15.

7.3 Noticing Requirements

- A. Applicants shall follow the noticing requirements of the County. At a minimum, the County shall provide notice in accordance with WAC 173-27-110, and shall be consistent with noticing requirements in WWCC Chapter 14.07 (Project Permit Application Process) and Chapter 14.09 (Project Permit Classification and Review Process)...
- B. Per WAC 173-27-120 the County shall comply with special procedures (public notice timeless, appeal periods, etc.) for limited utility extension and bulkheads.

7.4 Exemption from Permit Requirements

A. An exemption from the Shoreline Substantial Development Permit process is not an exemption from compliance with the SMA or this SMP, or from any other regulatory requirements. To be authorized, all uses and development must be consistent with the policies, requirements and procedures of this SMP and the SMA.

- B. Exemptions shall be construed narrowly. Only those developments that meet the precise terms of one or more of the listed exemptions may be granted exemption from the Shoreline Substantial Development Permit process.
- C. The burden of proof that a development or use is exempt from the permit process is on the applicant.
- D. If any part of a proposed development is not eligible for exemption, then a Shoreline Substantial Development Permit is required for the entire proposed development project.
- E. The County may attach conditions to the approval of exempted developments and/or uses as necessary to assure consistency of the project with the SMA and this SMP. Additionally, nothing shall interfere with the County's ability to require compliance with all other applicable laws and plans.
- F. The County shall exempt those shoreline activities listed in WAC 173-2040, WAC 173-27-040 and RCW 90.58.030 (3)(e), 90.58.140(9), 90.58.147, 90.58.355 and 90.58.515, or their successor laws, from the Shoreline Substantial Development Permit process. Exempted activities shall obtain a letter of exemption under the procedures in Subsection G.
- G. Letters of exemption shall be issued by the County when a development application is determined to meet the listed criteria for an exemption and when a letter of exemption is required by the provisions of WAC 173-27-050.
 - The County is hereby authorized to grant or deny requests for statement of exemption from
 the shoreline substantial development permit requirements. The statement shall be in
 writing and shall indicate the specific exemption of this SMP that is being applied to the
 development, and shall provide a summary of the analysis of the consistency of the project
 with this SMP and the SMA. The letter shall be sent to the applicant and the Department.
 - 2. Statements of exemption may contain conditions and/or mitigating measures of approval to achieve consistency and compliance with the provisions of this SMP and the SMA.

7.5 Exceptions

A. County Review is not required for those projects listed either in WAC 173-27-044,
 "Developments not required to obtain shoreline permits or local review" or in WAC 173-27-045,
 "Developments not subject to the Shoreline Management Act".

7.6 Permit Applications

- A. Shoreline applications are classified as follows:
 - 1. Substantial Development Permit
 - 2. Conditional Use Permit
 - 3. Variance
 - 4. Shoreline Exemption
- B. Applications for Shoreline Substantial Development Permits, Shoreline Conditional Use Permits, or Shoreline Variances shall be in a form prescribed and used by the County, including a combined permit application form. Such forms shall be supplied by the County.
- C. Where this SMP requires more information than the minimum required by WAC 173-27-180, the SMP Administrator may vary or waive requirements beyond WAC-173-27-180 if the information is unnecessary to process the application. The SMP Administrator may require additional specific information if required by the nature of the proposal or the presence of sensitive ecological features, to ensure compliance with other local requirements or the provisions of this SMP.

- D. Permit application fees must be paid by the applicant at the time of permit application.
- E. All applications for a permit or a permit revision shall be submitted by the County to Ecology upon a final decision by the County. Final decision by the County shall mean the order or ruling, whether it be an approval or denial, which is established after all local administrative appeals related to the permit have concluded or the opportunity to initiate such appeals have lapsed. Filing shall occur consistent with WAC 173-27-130.
- F. As set forth in WAC 173-27-190, each Substantial Development Permit, Conditional Use Permit, or Variance, issued by the County must contain a provision that construction pursuant to the permit may not begin and is not authorized until twenty-one days from the date of filing as defined in RCW 90.58.140(6) and WAC 173-27-130, or until all review proceedings initiated within twenty-one days from the date of such filing have terminated; except as provided in RCW 90.58.140(5)(a) and (b).
- G. A permit data sheet shall be submitted to Ecology with each shoreline permit. The permit data sheet form shall be consistent with WAC 173-27-990.
- H. After the County's approval of a conditional use or variance permit, the County shall submit the permit to the department for Ecology's approval, approval with conditions, or denial.
 - Ecology shall render and transmit to the County and the applicant its final decision approving, approving with conditions, or disapproving the permit within thirty days of the date of submittal by the County pursuant to WAC 173-27-110.
 - Ecology shall review the complete file submitted by the County on conditional use and
 variance permits and any other information submitted or available that is relevant to the
 application. Ecology shall base its determination to approve, approve with conditions or
 deny a conditional use permit or variance on consistency with the policy and provisions of
 the SMA and, except as provided in WAC 173-27-210, the criteria in WAC 173-27-160 and
 173-27-170.
 - 3. The County shall provide appropriate notification of the Ecology's final decision to those interested persons having requested notification from local government pursuant to WAC 173-27-130. All requests for review of any final permit decisions under chapter 90.58 RCW and chapter 173-27 WAC are governed by the procedures established in RCW 90.58.180 and chapter 461-08 WAC, the rules of practice and procedure of the shorelines hearings board.
- I. Except as specified in Section 7.9 Revisions to Permits, the applicant must comply with all aspects of an approval granted under this Chapter, including conditions and restrictions.

7.7 Shoreline Substantial Development Permits

- A. A shoreline Substantial Development Permit shall be required for all development of shorelines, unless the proposals is specifically exempt per Section 7.4 (Exemption from Permit Requirements) or is not subject to the SMP per Section 1.3.3 (Applicability). Shoreline Substantial Development Permit Applications shall be processed consistent with this SMP and WWCC Chapter 14.07 (Project Permit Application Process) and Chapter 14.09 (Project Permit Classification and Review Process).
- B. A substantial development permit shall be granted only when the development proposed is consistent with:
 - The policies and procedures of the SMA;
 - 2. The provisions of WAC 173-27; and
 - 3. This SMP.

- C. The County may attach conditions to the approval of permits as necessary to assure consistency of the project with the SMA and this SMP.
- D. Nothing shall interfere with the County's ability to require compliance with all other applicable plans and laws.
- E. Construction and activities authorized by a Shoreline Substantial Development Permit are subject to the time limitations of WAC 173-27-090.

7.8 Shoreline Conditional Use Permits

- A. Uses specifically classified or set forth in this SMP as conditional uses shall be subject to review and condition by the Shorelines Hearings Board/Examiner and by Ecology. Shoreline Conditional Use Applications shall be processed consistent with this SMP and WWCC Chapter 14.07 (Project Permit Application Process) and Chapter 14.09 (Project Permit Classification and Review Process).
- B. Other uses which are not classified or listed or set forth in this SMP may be authorized as conditional uses provided the applicant can demonstrate consistency with the requirements of this Section and the requirements for conditional uses contained in this SMP.
- C. Uses which are specifically prohibited by this SMP may not be authorized as a conditional use.
- D. Uses which are classified or set forth in this SMP as conditional uses may be authorized provided that the applicant demonstrates all of the following:
 - 1. That the proposed use is consistent with the policies of RCW 90.58.020 and this SMP;
 - 2. That the proposed use will not interfere with the normal public use of public shorelines;
 - 3. That the proposed use of the site and design of the project is compatible with other authorized uses within the area and with uses planned for the area under the comprehensive plan and SMP;
 - 4. That the proposed use will cause no significant adverse effects to the shoreline environment;
 - 5. That the public interest suffers no substantial detrimental effect.
- E. In the granting of all conditional use permits, consideration shall be given to the cumulative impact of additional requests for like actions in the area. For example, if conditional use permits were granted for other developments in the area where similar circumstances exist, the total of the conditional uses shall also remain consistent with the policies of RCW 90.58.020 and shall not produce substantial adverse effects to the shoreline environment.

7.9 Shoreline Variances

- A. The purposed of a variance is to grant relief to specific bulk or dimensional requirements set forth in this SMP where extraordinary or unique circumstances relating to the property would impose unnecessary hardships on the applicant or thwart the policies set forth in RCW 90.58.020. The County may not grant variances from the use regulations of the SMP. Shoreline Variance Applications shall be processed consistent with this SMP and WWCC Chapter 14.07 (Project Permit Application Process) and Chapter 14.09 (Project Permit Classification and Review Process).
- B. Variance permits should be granted in circumstances where denial of the permit would conflict with the goals of the SMA as listed in RCW 90.58.020. In all instances the applicant must demonstrate extraordinary circumstances and that approval of the variance will not result in substantial detrimental effect to the public interest.

- C. Variance permits for development and/or uses that will be located landward of the OHWM, as defined in RCW 90.58.030(2)(b), and/or landward of any wetland ad defined in RCW 90.58.030(2)(h), may be authorized, provided the applicant can demonstrate all of the following:
 - 1. That the strict application of bulk, dimensional or performance standards set forth in this SMP precludes, or significantly interferes with, reasonable use of the property;
 - That the hardship described in Subsection (1) is specifically related to the property, and is
 the result of unique conditions such as irregular lot shape, size, or natural features and the
 application of the SMP, and not, for example, from deed restrictions or the applicant's own
 actions;
 - 3. That the design of the project is compatible with other authorized uses within the area and with uses planned for the area under the comprehensive plan and SMP and will not cause adverse impacts to the shoreline environment;
 - 4. That the variance will not constitute a grant of special privilege not enjoyed by the other properties in the area;
 - 5. That the variance requested is the minimum necessary to afford relief; and
 - 6. That the public interest will suffer no substantial detrimental effect.
- D. Variance Permits for development and/or uses that will be located waterward of the OHWM ad defined in RCW 90.58.030(2)(b), or within any wetland as defined in RCW 90.58.030(2)(h), may be authorized provided the applicant can demonstrate all of the following:
 - 1. That the strict application of bulk, dimensional or performance standards set forth in this SMP precludes, or significantly interferes with, all reasonable use of the property;
 - 2. That the proposal is consistent with the criteria established under Subsection (C) of this Section; and
 - 3. That the public rights of navigation and use of the shoreline will not be adversely affected.
- E. In the granting of all variance permits, consideration shall be given to the cumulative impacts of additional requests for like actions in the area. For example, if variances were granted to other developments and/or uses in the area where similar circumstances exist the total of the variances shall also remain consistent with the policies of RCW 90.58.020 and shall not cause substantial adverse effects to the shoreline environment.

7.10 Revisions to Permits

- A. When an applicant seeks to revise a shoreline substantial development permit, conditional use permit, or variance, whether such permit or variance was granted under this SMP or under the prior effective SMP, the SMP Administrator shall require the applicant to submit detailed plans and text describing the proposed changes to the project. If the Administrator determines that the proposed changes are within the general scope and intent of the original permit or variance, the revision may be approved without the need for the applicant to file a new permit application, provided the development is consistent with the SMA, WAC 173-27-100 (Revisions to Permits), and this SMP. If the proposed change constitutes substantial development, then a new permit is required.
- B. Within the "scope and intent" of the original permit, as referenced in Subsection (A), means the following:

- No additional over-water construction will be involved, except that pier, dock, or float construction may be increased by 500 square feet or 10 percent from the provisions of the original permit, whichever is less;
- 2. Lot coverage and height may be increased a maximum of 10 percent from the provisions of the original permit;
- 3. The revised permit does not authorize development to exceed height, lot coverage, setback, or any other requirements of this SMP except as authorized under a variance granted in the original permit;
- 4. Additional or revised landscaping is consistent with the conditions attached to the original permit and with the SMP;
- 5. The use authorized pursuant to the original permit is not changed;
- 6. No adverse environmental impact will be caused by the project revision; and
- C. If the revision, or the sum of the revision and any previously approved revisions, will violate the criteria specified in Subsection (B), the SMP Administrator shall require the applicant to apply for a new shoreline substantial development or conditional use permit or variance, as appropriate, in the manner provided herein.
- D. If proposed revisions to the original permit involve a conditional use or variance, the County shall submit the proposed revision to the Department of Ecology for approval, approval with conditions, or denial. Indication shall be made that the revision is being submitted under the requirements set forth in WAC 173-27-100. The Department of Ecology shall respond with its final decision on the proposed revision request within 15 days of the date of receipt per WAC 173-27-100(6). The County shall notify parties of record of the Department of Ecology's final decision.
- E. The revised permit becomes effective immediately upon final decision by local government or, when appropriate under Subsection (D) of this section, upon final action by Ecology.
- F. Appeals shall be in accordance with RCW 90.58.180 and shall be filed within twenty-one days from the date of receipt of the local government's action by the Department of Ecology or, when appropriate under Subsection (D) of this section, the date Ecology's final decision is transmitted to the County and the applicant. Construction undertaken pursuant to that portion of a revised permit not authorized under the original permit is at the applicant's own risk until the expiration of the appeals deadline. If an appeal is successful in proving that a revision is not within the scope and intent of the original permit, the decision shall have no bearing on the original permit.

7.11 Nonconforming Uses, Structures, and Lots

- A. Nonconforming uses or developments are those shoreline uses or developments lawfully constructed or established prior to the effective date of this SMP. The intent of this chapter is to provide regulations regarding nonconforming uses, structures, and lots as well as to establish residences as pre-existing legal uses, as allowed by SMA.
- B. Nonconforming Uses and Structures: Continuance and Discontinuance
 - Lots, structures, and uses that were legally established prior to adoption of this SMP were in compliance with the SMP at the time of initial establishment but, due to revision or amendment of the SMP, have become noncompliant are nonconforming uses that may continue, without regard to ownership changes, so long as in compliance with this chapter. A use of property that is unlawful under other local, state, or federal laws shall not be deemed a nonconforming use.

- 2. Any use which existed prior to adoption of this SMP or applicability of this SMP to the property and which is not listed as a permitted use shall be considered a nonconforming use.
- 3. If a nonconforming use is replaced by a conforming use for any length of time, use of the property shall not revert to the nonconforming use. The mere presence of a structure shall not constitute the continuance of a nonconforming use.
- 4. In accordance with WWCC Section 17.36.030 (Nonconforming uses of land), when a nonconforming use is discontinued for a period of one year or more without replacement by a conforming use, legal conforming use status expires and further use of the structure or lot must be in compliance with the provisions of Walla Walla County Code and this SMP.

C. Nonconforming Lots

- Any permitted use or structure may be erected on any existing lot or parcel. This provision shall apply even if said lot fails to meet the minimum dimensional requirements of this SMP, provided that such a structure or use is allowed within the shoreline environment. All uses of the nonconforming lot shall comply with all other provisions of this SMP, as well as underlying zoning requirements, including setbacks, dimensional standards, and lot coverage requirements.
- 2. Structures and customary accessory buildings on nonconforming lots shall be set back from the OHWM to the greatest extent feasible. Development proposed inside required buffers shall go through mitigation sequencing and shall require a mitigation plan.
- D. Alteration, Expansion, or Restoration of Nonconforming Uses and Structures
 - 1. Alteration, expansion, or restoration of nonconforming structures and uses are not allowed except as set forth in this SMP and in WWCC Chapter 17.36.
 - 2. Any nonconforming structure that is moved any distance must be brought into conformance with this SMP, the SMA, and the Walla Walla County Code.
 - 3. A structure for which a variance has been issued shall be considered a legal nonconforming structure, and the requirements of this Section shall apply as they apply to pre-existing nonconforming structures and uses.
 - 4. Legally existing structures used for a conforming use but which are nonconforming with regard to setbacks, buffers, or yards; area; bulk; height or density may be maintained and repaired and may be enlarged or expanded, provided that said enlargement does not increase the extent of nonconformity by further encroaching upon or extending into areas where construction or use would not be allowed for new development or uses.
 - 5. Alteration or expansion of a nonconforming use or structure is allowed if necessary to accommodate handicapped accessibility requirements, fire code, or other life safety related requirements mandated by local, state, or federal law.
- E. Pre-Existing Legal Residential Uses Conforming Legal Residential Structures
 - 1. Notwithstanding Subsections (A) through (D), the following shall apply only to pre-existing legal residential structures constructed prior to the effective date of this SMP:
 - a. Residential structures and appurtenant structures that were legally established and are used for a conforming use, but that do not meet standards for setbacks, buffers or yards; area; bulk; height; or density shall be considered a conforming structure.

- b. Redevelopment, expansion, or change of class of occupancy, of a legally constructed residential structure, including the expansion of the existing area of the structure up to twenty-five (25) percent, is allowed provided that the following criteria are met:
 - The enlargement, expansion or addition is in conformance with all other provisions of this SMP;
 - ii. The structure is located landward of the ordinary high water mark;
 - The expansion does not extend farther waterward than the existing primary residential structure;
 - iv. The enlargements, expansion or addition does not increase the degree of non-conformity;
 - v. Any expansion of the existing structure footprint between ten (10) and twenty-five (25) percent shall be mitigated by providing an equivalent area of shoreline buffer enhancement through planting of native vegetation.
 - vi. If the existing structure to be redeveloped is within a known hazard area, including a designated floodway, floodplain, or unmitigated geologically hazardous area, redevelopment must consider relocating to an area outside of the hazard, if feasible.
- c. Pre-existing legal residential structures that are damaged or destroyed to an extent of more than fifty percent of their replacement cost, or voluntarily removed, may be replaced, provided that the following criteria are met::
 - i. All other requirements of the Walla Walla County Code.
 - ii. A building permit must be obtained within one year of the act causing damage or destruction to the dwelling unit.
 - iii. Must be relocated outside of the shoreline buffer or as far from the shoreline as practicable if constraints of the lot provide no buildable area outside of the shoreline buffer.
- d. For purposes of this Section, "appurtenant structures" shall mean garages, sheds, and other legally established structures. Appurtenant structures do not include bulkheads and other shoreline modifications or over-water structures.
- e. Nothing in this Section shall:
 - Restrict the ability of this SMP to limit development, expansion, or replacement of over-water structures located in hazardous areas, such as floodplains and geologically hazardous areas; or
 - ii. Affect the application of other federal, state, County, or local requirements to residential structures.

7.12 Enforcement Authority

The County shall apply WAC 173-27 Part II (Shoreline Management Act Enforcement) to enforce the provision of this SMP and WWCC Chapter 14.13 (Enforcement and Penalties).

7.13 Amendments to the SMP

- A. This SMP shall be reviewed and amended as appropriate in accordance with the review periods required in the SMA and in order to:
 - 1. Assure that this SMP complies with applicable law and guidelines in effect at the time of the review; and
 - 2. Assure consistency of this SMP with the County's Comprehensive Plan and development regulations adopted under Chapter 36.70A RCW, if applicable, and other local requirements.
- B. This SMP and all amendments shall become effective 14 days from the date of Ecology's written notice of final approval.

- C. This SMP may be amended annually or more frequently as needed pursuant to RCW 36.70A.130(2)(a)(iii).
- D. Future applications for amendments to this SMP may be submitted by any party listed in WWCC Section 14.15.040B through the County's annual Development Regulation Amendment Process; amendments will only be considered once a year unless the Board of County Commissioners initiates amendments pursuant to Section 14.15.020.
- E. Applications for SMP amendments shall specify the changes requested and any and all reasons. Applications shall be made on forms specified by the County and shall contain information specified in WWCC Chapter 14.15 (Development Regulation Amendment Process).
- F. The County shall review the amendments in accordance with procedures of the SMA and implementing rules including, but not limited to, RCW 90.58.080 (Review of master programs) and WAC 173-26-100 (Local process for approving/amending shoreline master programs).
- G. Proposals to amend this SMP shall be heard by the Planning Commission in a public hearing. After conducting a hearing and evaluating testimony regarding the application, including a recommendation from the Shoreline Administrator, the Planning Commission shall submit its recommendation to the Board of County Commissioners, who shall approve or deny the proposed amendment following their open record hearing.
- H. Prior to approval, the County shall make a finding regarding the amendment.
 - 1. The proposed amendment must accomplish the following:
 - a. This Program and any future amendment hereto shall ensure no net loss of shoreline ecological functions and processes on a programmatic basis in accordance with the baseline functions present as of the Final Shoreline Analysis Report (September 2014).
 - 2. The proposed amendment must accomplish one of the following:
 - a. The proposed amendment would make this Program more consistent with the SMA and/or any applicable Department of Ecology SMP Guidelines.
 - b. The proposed amendment would make this Program more equitable in its application to persons or property due to changed conditions in an area.
- After approval by the County, the proposed amendment will be submitted to Ecology for approval in accordance with the procedures specified under RCW 90.58 and WAC 173-26-110 through 120.

7.14 Monitoring

- A. The County will track all shoreline permits and exemption activities to evaluate whether this SMP is achieving no net loss of shoreline ecological functions.
- B. Activities to be tracked will be consistent with WAC requirements and shall include development, conservation, restoration and mitigation efforts, such as:
 - 1. New shoreline development
 - 2. Shoreline variances and the nature of the variance
 - 3. Compliance issues
 - 4. Net changes in impervious surface areas, including associated stormwater management
 - 5. Net changes in fill or armoring
 - 6. Net change in linear feet of flood hazard structures
 - 7. Net changes in vegetation (area, character)

C. Using the information collected in Subsection (B), a no net loss report shall be prepared every eight years, as part of the County's SMP evaluation. Should the no net loss report show degradation of the baseline condition documented in the County's Shoreline Analysis Report (2014), changes to the SMP and/or Shoreline Restoration Plan shall be proposed at the time of the eight-year update to prevent further degradation and address the loss in ecological functions. The report will comply with the current WAC requirements at the time of submittal,

Appendix A Critical Areas in Shoreline Jurisdiction

TABLE OF CONTENTS

1.	.0	General Provisions	1
	1.1	Purpose	1
	1.2	Authority	1
	1.3	Applicability	1
	1.4	Severability	2
	1.5	Jurisdiction—Critical areas	2
	1.6	Critical area maps	2
	1.7	Most current, accurate, and complete scientific and technical information available	3
	1.8	Administrative procedures	4
	1.9	Fees	4
	1.10	Critical Areas Review	4
	1.11	Interpretation	6
	1.12	Relationship to other regulations	6
	1.13	Multiple designations	6
	1.14	Allowed activities	6
	1.15	Critical area reports—General requirements	9
	1.16	Critical area reports—Modifications to requirements	10
	1.17	Mitigation requirements	11
	1.18	Mitigation sequencing	12
	1.19	Mitigation plan requirements	12
	1.20	Bonds to ensure mitigation, maintenance and monitoring	13
	1.21	Notice on title	14
	1.22	Critical area inspections	14
	1.23	Unauthorized critical area alterations and enforcement	14
2.	.0	Critical aquifer recharge areas	15
	2.1	Designation	15
	2.2	Mapping of critical aquifer recharge areas	16
	2.3	Lawful or legal non-conforming uses	16
	2.4	Activities allowed in critical aquifer recharge areas	17
	2.5	Critical area report—additional requirements for critical aquifer recharge areas	18
	2.6	Performance standards—General requirements.	19
	2.7	Performance standards—Specific uses in critical aquifer recharge areas	19
	2.8 vulne	Performance standards—Specific uses in a Walla Walla River shallow gravel aquifer area of moderate erability.	21
	2.9	Uses prohibited in critical aquifer recharge areas	22

2.10	Uses prohibited in a Walla Walla River shallow gravel aquifer area of moderate vulnerability	22
3.0	Wetlands	23
3.1	Wetlands critical areas—Designation	23
3.2	Mapping of wetland areas	23
3.3	Critical area report—Additional requirements for wetland areas requirements	24
3.4	Activities allowed in wetlands	25
3.5	Performance standards—General requirements	25
3.6	Signs and fencing of wetlands	28
3.7	Performance standards—Wetland buffer averaging	28
3.8	Performance standards—Wetland buffer increase	29
3.9	Performance standards—Wetland buffer decrease	29
3.10	Performance standards—specific activities and uses	30
3.11	Performance standards—Mitigation requirements	32
3.12	Performance standards - wetland mitigation plan	33
3.13	8 Wetland mitigation banks	34
4.0	Frequently Flooded Areas	35
4.1	Frequently flooded areas—Designation	35
4.2	Mapping of frequently flooded areas	35
4.3	Frequently flooded areas—Regulation	35
5.0	Geologically Hazardous Areas	35
5.1	Geologically hazardous areas—Designation.	35
5.2	Mapping of geologically hazardous areas	37
5.3	Activities allowed in geologically hazardous areas	37
5.4	Critical area report—Additional requirements for geologically hazardous areas	37
5.5	Critical area report—Additional requirements for specific hazards	39
5.6	Performance standards—General requirements	40
5.7	Performance standards—Specific hazards	42
6.0	Fish and Wildlife Habitat Conservation Areas	43
6.1	Fish and wildlife habitat conservation areas—Designation.	43
6.2	Fish and wildlife habitat conservation areas—Mapping	45
6.3	Critical area report—Additional requirements for habitat conservation areas	45
6.4	Performance standards—General requirements	46
6.5	Performance standards—Specific habitats	48
6.6	Performance standards—Subdivisions	58
6.7	Fish and wildlife habitat conservation areas—Piped streams	58
6.8	Fish and wildlife habitat conservation areas—Mitigation standards	58

6.9	Fish and wildlife habitat conservation areas—Wind-farm mitigation standards	59
6.10	Fish and wildlife habitat conservation areas—Water bodies—Buffer averaging	59
6.11	Fish and wildlife habitat conservation areas—Water bodies—Buffer increase	60
6 12	Fish and wildlife habitat conservation areas—Water hodies—Ruffer decrease	60

APPENDIX A - CRITICAL AREAS IN SHORELINE JURISDICTION

1.0 General Provisions

1.1 Purpose

The purpose of this chapter is to designate and classify ecologically sensitive and hazardous areas in shoreline jurisdiction, and to protect these areas and their functions and values, in accordance with the Shoreline Management Act, while also allowing for reasonable use of private property.

1.2 Authority

- A. As provided herein, the SMP Administrator is given the authority to interpret and apply, and the responsibility to enforce this chapter to accomplish the stated purpose.
- B. The County may withhold, condition, or deny shoreline development permits or exemptions to ensure that the proposed action is consistent with this chapter.

1.3 Applicability

- A. The provisions of this chapter shall apply to all lands, all land uses and development activity, and all structures and facilities in the County, within shoreline jurisdiction, whether or not a permit or authorization is required, and shall apply to every person, firm, partnership, corporation, group, governmental agency, or other entity that owns, leases, or administers land within the County. No person, company, agency, or applicant shall alter a critical area or buffer except as consistent with the purposes and requirements of this chapter. Except for where specifically set forth, this chapter does not apply to lawful uses or legal non-conforming uses existing at the time of adoption. Agricultural uses or changes from one agricultural use to another are exempt from this ordinance. The provisions of this chapter shall not impinge upon water rights.
- B. The County shall not approve any permit or exemption, including but not limited to those listed below, or otherwise issue any authorization to alter the condition of any land, water, or vegetation, or to construct or alter any structure or improvement in, over, or on a critical area or associated buffer, without first ensuring compliance with the requirements of this chapter:
 - 1. Shoreline substantial development permit;
 - 2. Shoreline exemption;
 - 3. Shoreline variance
 - 4. Building permit;
 - 5. Conditional use permit;
 - 6. Clearing and grading permit;
 - 7. Short subdivision;
 - 8. Subdivision;
 - 9. Planned unit development;
 - 10. Binding site plan; or
 - 11. Any other adopted permit or required approval not expressly exempted by this chapter.

C. Approval or denial of a permit or development proposal pursuant to the provisions of this chapter does not discharge the obligation of the applicant to comply with the provisions of this chapter.

1.4 Severability

If any clause, sentence, paragraph, section, or part of this Chapter or the application thereof to any person or circumstances shall be judged by any court of competent jurisdiction to be invalid, such order or judgment shall be confined in its operation to the controversy in which it was rendered. The decision shall not affect or invalidate the remainder of any part thereof and to this end the provisions of each clause, sentence, paragraph, section, or part of this law are hereby declared to be severable.

1.5 Jurisdiction—Critical areas

- A. The County shall regulate all uses, activities, and developments within shoreline jurisdiction which are within, adjacent to, or likely to affect, one or more critical areas, consistent with the most current, accurate, and complete scientific and technical information available and the provisions herein.
- B. Critical areas regulated by this chapter include:
 - 1. Critical aquifer recharge areas as designated in Critical Aquifer Recharge Areas [Section 2.0];
 - 2. Wetlands as designated in Wetlands [Section 3.0];
 - 3. Frequently flooded areas as designated in Frequently Flooded Areas [Section 4.0];
 - 4. Geologically hazardous areas as designated in Geologically Hazardous Areas [Section 5.0]; and
 - 5. Fish and wildlife habitat conservation areas as designated in Fish and Wildlife Habitat Conservation Areas [Section 6.0].
- C. All areas within the County, in shoreline jurisdiction, meeting the definition of one or more critical areas, regardless of any formal identification, are hereby designated critical areas and are subject to the provisions of this chapter.
- D. Areas Adjacent to Critical Areas Subject to Regulation. To support the intent of this Chapter and ensure protection of the functions and values of critical areas, areas adjacent to critical areas shall also be considered to be within the jurisdiction of these requirements and regulations when the areas adjacent are also within shoreline jurisdiction. Jurisdiction of these requirements and regulations ends at the end of shoreline jurisdiction. Outside of shoreline jurisdiction critical areas shall be regulated by WWCC Chapter 18.08. Adjacent shall mean any activity located:
 - 1. On a site immediately adjoining a critical area;
 - 2. A distance equal to or less than the required critical area buffer width and building setback;
 - 3. A distance equal to or less than 200 feet upland from a stream, wetland, or water body;
 - 4. Within the floodway, floodplain, or channel migration zone; or
 - 5. A distance equal to or less than 200 feet from a critical aquifer recharge area.

1.6 Critical area maps

A. The approximate location and extent of critical areas will be displayed on various inventory maps available at the County Community Development Department. These maps will be updated as inventories are completed in compliance with the requirements of the Shoreline Management Act, and additional maps may be added as appropriate. These maps include:

- 1. Walla Walla County Critical Area Map 1: Critical Aquifer Recharge Areas
- 2. Walla Walla County Critical Area Maps 2a and 2b: Wetlands;
- 3. Walla Walla County Critical Area Map 3: Frequently Flooded Areas;
- Walla Walla County Critical Area Maps 4a, 4b, 4c and 4d: Geologic Hazard Areas Potential Liquefaction Susceptibility, Steep Slope/Landslide Hazards, Potential Water Erosion Susceptibility, and Potential Wind Erosion Susceptibility;
- 5. Walla Walla County Critical Area Map 5: Riparian Buffers Urban;
- 6. Walla Walla County Critical Area Map 6: Terrestrial Habitat;
- 7. Maps 7 and 7A: Walla Walla River Shallow Gravel Aquifer Critical Aquifer Recharge Area Map (December, 2011) and Walla River Shallow Gravel Aquifer Critical Aquifer Recharge Area Map Walla Walla Valley (December, 2011);
- 8. Maps 8 and 8A: Walla Walla River Shallow Gravel Aquifer- Recharge Vulnerability Map (December 2011); and Walla River Shallow Gravel Aquifer- Recharge Vulnerability Map Walla Walla Valley (December, 2011).

1.7 Most current, accurate, and complete scientific and technical information available

- A. Protect Functions and Values of Critical Areas With Special Consideration to Anadromous Fish.

 Critical area reports and decisions to alter critical areas shall rely on the most current, accurate, and complete scientific and technical information available e to protect the functions and values of critical areas and must give special consideration to conservation or protection measures necessary to preserve or enhance anadromous fish, such as salmon and bull trout, and their habitat
- B. Nonscientific Information. Nonscientific information may supplement scientific information, but it is not an adequate substitute for valid and available scientific information. Common sources of nonscientific information include anecdotal information, non-expert opinion and hearsay.
- C. Absence of Valid Scientific Information. Where there is an absence of valid scientific information or incomplete scientific information relating to a critical area leading to uncertainty about the risk to critical area function of permitting an alteration of or impact to the critical area, the SMP Administrator shall:
 - 1. Take a "precautionary or a no-risk approach," that strictly limits development and land use activities until the uncertainty is sufficiently resolved; and
 - 2. Require application of an effective adaptive management program that relies on scientific methods to evaluate how well regulatory and non-regulatory actions protect the critical area. An adaptive management program is a formal and deliberate scientific approach to taking action and obtaining information in the face of uncertainty. An adaptive management program shall:
 - a. Address funding for the research component of the adaptive management program;
 - b. Change course based on the results and interpretation of new information that resolves uncertainties; and
 - c. Commit to the appropriate timeframe and scale necessary to reliably evaluate regulatory and non-regulatory actions affecting protection of critical areas and anadromous fisheries.

1.8 Administrative procedures

The administrative procedures followed during the critical area review process shall conform to the standards and requirements of the County SMP. This shall include, but not be limited to, timing, appeals, and fees associated with applications covered by this chapter.

1.9 Fees

- A. The County has established fees, as established in WWCC Chapter 3.08 Land Development Application Fees, for critical area review processing, and other services provided by the County as required by this chapter. Basis for these fees shall include, but not be limited to, the cost of engineering and planning review time, cost of inspection time, costs for administration, and any other special costs attributable to the critical area review process.
- B. Unless otherwise indicated in this chapter, the applicant shall be responsible for the initiation, preparation, submission, and expense of all required reports, assessment(s), studies, plans, reconnaissance(s), peer review(s) by qualified consultants, and other work prepared in support of or necessary to review the application.

1.10 Critical Areas Review

- A. The approval or denial of an activity or modification within or adjacent to a critical area in shoreline jurisdiction shall be an administrative action of the SMP Administrator for actions requiring only a permit or approval requiring only ministerial action as defined by relevant County codes. The review process will be integrated with the review of the underlying shoreline permit or shoreline exemption. Public notice is required only if required by the underlying permit.
- B. If a project requires another permitting action by the County that requires a public hearing, consideration of critical areas will be integrated with the underlying permitting process.
- C. Preliminary Consultation. Any person preparing to submit an application for development or use of land that may be regulated by the provisions of this chapter shall hold a consultation meeting with the SMP Administrator or designee prior to submitting an application for development or other approval. At this meeting, the SMP Administrator or designee shall discuss the requirements of this chapter; provide critical area maps, scientific information, and other source materials; outline the review process; and work with the activity proponent to identify any potential concerns that might arise during the review process, in addition to discussing other permit procedures and requirements.
- D. The County shall perform the process discussed below:
 - 1. Verify the information submitted by the applicant for the applicable permit;
 - Evaluate the project area and vicinity for critical areas. Such evaluation may include a staff site visit if the SMP Administrator has reason to believe that a project may involve a critical area;
 - 3. For wetland and/or fish and wildlife habitat conservation areas, the County may require that boundaries be verified and mapped by a qualified professional. The scale of the boundary information shall be the same as the County maps, and such boundaries shall be submitted to the County as part of the application for the applicable permit if the project is within two hundred feet of a wetland, or fish and wildlife habitat critical area; and
 - 4. The SMP Administrator may require that the applicant mark the following boundaries on the site to reflect the proposed construction plan: the location of the building footprint, critical

area(s) boundaries, the outer extent of required critical area buffers, areas to remain undisturbed, and trees and vegetation to be removed.

- a. Field markings are intended to prevent disturbance of critical areas and buffers and may include such items such as temporary fences;
- If field markings are required by the SMP Administrator, the applicant shall obtain the SMP Administrator's approval on the field markings before beginning any permitted activities;
- c. The applicant shall maintain the field markings for critical area(s), critical area buffers, and areas to remain undisturbed throughout the duration of the permit.
- 5. Determine whether the proposed project is within a critical area or critical area buffer, or is likely to impact the functions or values of critical areas, and if so, require a critical area report; and
- 6. Determine if the proposed project adequately addresses the impacts and avoids impacts to the critical area associated with the project.
- E. Critical Areas Present and Potential Impact Likely. If the SMP Administrator determines that the proposed project is within a critical area or critical area buffer, or is likely to impact a critical area, the SMP Administrator shall:
 - Notify the applicant that a critical area report, SEPA checklist, and other applicable
 information must be submitted prior to further review of the project, and indicate each of
 the critical area types that should be addressed.
 - 2. Require a critical area report or other applicable information from the applicant that has been prepared by a qualified professional;
 - Review and evaluate the critical area report and other applicable information to determine
 whether the development proposal conforms to the purposes and performance standards of
 this chapter;
 - 4. Assess potential impacts to the critical area and determine if they are necessary and unavoidable;
 - 5. Determine if any mitigation, monitoring plans and bonding measures proposed by the applicant are sufficient to protect the functions and values of the critical area and public health, safety, and welfare concerns consistent with the goals, purposes, objectives, and requirements of this Chapter; and
 - 6. Include a summary of this analysis and the findings in any decision on the underlying permit(s). Critical area review findings may result in: a) no adverse impacts to critical area(s),b) list of applicable critical area(s) protection conditions for the underlying permit(s), or c) denial of permit based upon unavoidable impacts to critical area(s) functions and values.
- F. Independent Review. Based on a review of the information contained in the critical area report and the conditions of the development proposal site, the SMP Administrator may require independent review of any such study. This independent review shall be performed by a qualified professional selected by the County and paid for by the applicant. The purpose of such independent review is to assist the County in evaluating the effects on critical areas that may be caused by a development proposal and to facilitate the decision making process. Independent review may also include a requested for consultation with the State of Washington Department of Fish and Wildlife, Washington State Department of Ecology, State Department of Natural Resources, or other appropriate local, state, federal or tribal agency.

1.11 Interpretation

In the interpretation and application of this chapter, the provisions of this chapter shall be considered to be the minimum requirements necessary, shall be liberally construed to serve the purpose of this ordinance, and shall be deemed to neither limit nor repeal any other provisions under state statute.

1.12 Relationship to other regulations

- A. These critical area regulations shall apply as an overlay to the County's existing regulations. In the case of conflict among regulations, whichever provision or regulation provides the greater protection to the critical area involved shall apply.
- B. These critical area regulations shall apply concurrently with review conducted under the State Environmental Policy Act (SEPA), as locally adopted.
- C. Compliance with the provisions of this chapter does not constitute compliance with other federal, state, and local regulations and permit requirements that may be required (for example, Shoreline Substantial Development Permits, Hydraulic Project Approvals permits, U.S. Army Corps of Engineers Section 404 permits, National Pollutant Discharge Elimination System permits). The applicant is responsible for complying with these requirements, apart from the process established in this chapter. Where applicable, the community development SMP Administrator will encourage use of information such as permit applications to other agencies or special studies prepared in response to other regulatory requirements to support required documentation submitted for critical areas review.

1.13 Multiple designations

Where any parcel may be designated as having more than one critical area designation, the development standards for each category of critical area must be met. Where there is conflict between development standards of critical area categories, the most restrictive standards shall apply.

1.14 Allowed activities

The following developments, activities, and associated uses are allowed in critical areas, and do not require approval or submission of a critical area report, provided they are consistent with the provisions of other local, state, and federal laws and requirements. Allowed activities may intrude into the critical area or required buffer subject to any listed conditions, related permits, and in conformance with other portions of the Walla Walla County Code, and applicable state or federal law or regulation.

- A. Emergency actions are those activities necessary to prevent an immediate threat to life, to public health, safety, or welfare, or that pose an immediate risk of damage to private structures or improvements and that require remedial or preventative action in a time frame too short to allow for compliance with the procedural requirements of this chapter.
 - Emergency actions that create an impact on a critical area or its buffer shall be limited to
 those actions that are required to address the emergency and generally are limited to the
 actions necessary to remove the immediate threat. Additional actions to permanently
 address a deficiency generally do not qualify as emergency actions and require full
 compliance with the procedural requirements of this chapter. Emergency actions also must
 be carried out in a manner that has the least feasible impact on the critical area or its buffer.
 - 2. The person or agency undertaking emergency action shall notify the SMP Administrator within five working days following commencement of the emergency activity. Within twenty-one days, the SMP Administrator shall determine if the action taken was within the scope of the emergency actions allowed in this subsection. If the SMP Administrator

- determines that the action taken, or any part of the action taken, was beyond the scope of an allowed emergency action, then the enforcement provisions of SMP Section 7.0, Administration, Permits and Enforcement shall apply.
- 3. After the emergency, the person or agency undertaking the action shall submit a critical area report to assess effects on critical areas and conduct necessary restoration and/or mitigation for any impacts to the critical area and buffers resulting from the emergency action in accordance with an approved critical area report and mitigation plan. The person or agency undertaking the action shall apply for all approvals required by this chapter. Restoration and/or mitigation activities must be initiated within sixty days of the date of the emergency, unless an extension is approved by the SMP Administrator, and completed in a timely manner.
- B. Conservation and Restoration Activities. Conservation or restoration activities aimed at protecting the soil, water, vegetation, or wildlife;
- C. Minimal vegetation management that is part of ongoing maintenance of facilities, infrastructure, public right-of-ways, or utilities, provided the vegetation management activity does not expand further into the critical area or its buffer. Properties within the floodplain outside of other critical areas are exempted from this provision.
- D. Low impact activities such as lawful hunting, hiking, canoeing, nature study, photography, fishing, education or scientific research, and wildlife viewing that do not involve the construction of trails.
- E. Maintenance, operation and/or repair of existing rights-of-way, trails, roads, utilities, buildings and other facilities within critical areas and buffers; provided, that the activity does not further alter, impact, or encroach upon the sensitive area or buffer or further affect the functions of sensitive areas, and there is no increased risk to life or property as a result of the proposed operation, maintenance, or repair.
- F. Maintenance of existing, lawfully established landscaping and gardens within a regulated critical area or its buffer, including but not limited to mowing lawns, weeding, removal of noxious and invasive species, harvesting and replanting of garden crops, pruning and planting of ornamental vegetation or indigenous native species to maintain the condition and appearance of such areas as they existed prior to adoption of this code; provided, that native growth protection areas, mitigation sites, or other areas protected via conservation easements or similar restrictive covenants are not covered by this exception.
- G. Maintenance, repair or replacement of an existing legal nonconforming structure, consistent with the nonconforming structure provisions of WWCC Title 17, that does not further alter or increase the impact to the critical area or buffer and results in no increased risk to life or property. Changes in use of a nonconforming structure requires critical areas review.
- H. Replacement, modification, installation, or construction of utility facilities, lines, pipes, mains, equipment, or appurtenances, not including substations, when such facilities are located within the existing improved portion of the public right-of-way (road surface, shoulder, sidewalks, and fill slopes) or the improved portion of County-authorized private roadway; provided, that no fill or discharge occurs outside the existing improved area and with appropriate best management practices to control erosion, sedimentation and other potential impacts. Excluded from this allowed activity is work within a water body or wetland, including but not limited to culverts or bridge replacement or construction.
- I. Utility projects that have minor or short-duration impacts to critical areas and buffers, as determined by the SMP Administrator in accordance with the criteria below, and which do not significantly impact the functions or values of a sensitive area(s); provided, that such projects are

constructed with best management practices and appropriate restoration measures are provided. These activities shall not result in the transport of sediment or increased stormwater. Such allowed minor utility projects shall meet the following criteria:

- 1. There is no practical alternative to the proposed activity with less impact on sensitive areas;
- 2. The activity involves the placement of a utility pole, street signs, anchor, or vault or other small component of a utility facility; and
- 3. The activity involves disturbance of less than seventy-five square feet of the sensitive area and/or buffer.
- J. Public and private pedestrian trails, provided they are subject to the following:
 - 1. The trail surface shall not exceed six feet in width;
 - 2. The trail surface shall consist of gravel or pervious materials, including boardwalks;
 - 3. The trail shall meet all other County requirements including water quality standards;
 - 4. Sensitive area and/or buffer widths shall be increased, where possible, equal to the width of the trail corridor, including disturbed areas; and
 - 5. Trails proposed to be located in landslide or erosion hazard areas shall be constructed in a manner that does not increase the risk of landslide or erosion and in accordance with an approved geotechnical report.
- K. The following vegetation removal activities:
 - The removal of the noxious weeds or non-native invasive species designated by Washington State or the local weed control authority with hand labor and light equipment. Bare areas that remain after weed removal shall be re-vegetated with native shrubs and trees at natural densities. Some hand seeding may also be done over the bare areas with native vegetation.
 - 2. The removal of hazard trees from sensitive areas and buffers that are posing a threat to public safety, or an imminent risk of damage to a permanent structure.
 - 3. Measures to control a fire or halt the spread of disease or damaging insects consistent with the state Forest Practices Act, Chapter 76.09 RCW.
- L. Minor site investigative work necessary for land use submittals, such as surveys, soil logs, percolation tests, and other related activities, where such activities do not require construction of new roads, removal of native trees or shrubs, or displacement of more than five cubic yards of material. Investigations involving displacement of more than five cubic yards of material, including geotechnical soil borings, groundwater monitoring wells, percolation tests, and similar activities shall require submittal of specific plans and restoration plans. In every case, impacts to the sensitive area shall be minimized and disturbed areas shall be immediately restored.
- M. The application of herbicides, pesticides, organic or mineral-derived fertilizers, or other hazardous substances, connected with any allowed activity, provided that their use is conducted in accordance with applicable state and federal law.
- N. Forest practices governed by a valid forest practices permit granted by the Washington State Department of Natural Resources, except where:
 - 1. The lands have been or are proposed to be converted under a conversion option harvest plan to a use other than commercial forest product production as provided in RCW 76.09.050 and 76.09.240; or

- 2. On lands which have been platted after January 1, 1960, as provided in RCW 76.09.050 and 76.09.240.
- O. Activities undertaken to comply with a United States Environmental Protection Agency superfund related order, or a Washington Department of Ecology order pursuant to the Model Toxics Control Act that specifically preempts local regulations in the findings of the order.
- Project and facilities for restoration and enhancement of ecological functions of critical areas and related resources may be allowed within critical areas and buffers, upon approval of a restoration and mitigation plan in accordance with the provisions of this chapter, or for restoration of enhancement programs in an adopted shoreline restoration plan pursuant to Chapter 173-26 WAC, a watershed planning document prepared and adopted pursuant to Chapter 90.82 RCW, a watershed restoration project pursuant to RCW 89.08.460, a salmonid recovery plan, the salmon recovery board habitat project list, or identified by the Washington Department of Fish and Wildlife as essential for fish and wildlife habitat enhancement pursuant to RCW 77.55.290.
- Q. The repair and maintenance of existing drainage ditches.
- R. The installation of individual service lines for agricultural purposes and to existing uses.
- S. Normal and routine activities conducted by a public agency to control mosquitoes and weeds.
- T. Agricultural activities including farming, horticulture, normal maintenance and repair of irrigation delivery systems and drainage systems, ranching and grazing of animals and pest and weed control. This includes land lying idle under a government program, agricultural set-aside land and changes between agricultural activities.
- U. Normal and routine maintenance of agricultural ponds, livestock watering ponds and fish ponds.
- V. Intentional construction of artificial structures from upland areas for purposes of stormwater drainage or water quality control, grassy swales or ornamental landscape ponds, which are not a part of a critical mitigation plan, and are consistent with the Stormwater Management Manual for Eastern Washington (Ecology 2004) and the Clean Water Act.
- W. Normal maintenance and repair of the concrete-lined Mill Creek channel within the County's jurisdiction from Rooks Park to Gose Street for flood control purposes.
- X. Normal dredging required to maintain ongoing water navigational facilities including boat and barge slips, docking facilities, entrance channels and agricultural irrigation facilities, provided that other applicable permits are obtained.
- Y. Cases where a federal agency has jurisdictional control over a wetland and the SMP Administrator determines that those permit conditions would satisfy the requirements of this ordinance.

1.15 Critical area reports—General requirements

- A. Prepared by Qualified Professional. If required by Appendix A Section 1.10.D.5, the applicant shall submit a report prepared by a qualified professional.
- B. Incorporating Scientific and Technical Information. The report shall use scientifically valid methods and studies in the analysis of data and field reconnaissance and reference the source of science used. The report shall evaluate the proposal and all probable impacts to critical areas in accordance with the provisions of this chapter.
- C. Minimum Report Contents. At a minimum, the report shall contain the following:
 - 1. The name and contact information of the applicant, a description of the proposal, and identification of the permit requested;
 - 2. A copy of the site plan for the development proposal showing:
 - a. Identified critical areas, buffers, and the development proposal with dimensions;

- b. Limits of any areas to be cleared; and
- c. A description of the proposed stormwater management plan for the development and consideration of impacts to drainage alterations;
- 3. The names and professional qualifications of the persons preparing the report and documentation of any fieldwork performed on the site;
- 4. Identification and characterization of all critical areas, wetlands, water bodies, and buffers adjacent to the proposed project area;
- 5. A statement specifying the accuracy of the report, and all assumptions made and relied upon;
- 6. An assessment of the probable cumulative impacts to critical areas resulting from development of the site and the proposed development;
- 7. An analysis of site development alternatives;
- 8. A description of reasonable efforts made to apply mitigation sequencing pursuant to Appendix A Section 1.18 to avoid, minimize, and mitigate impacts to critical areas;
- 9. Plans for adequate mitigation, as needed, to offset any impacts, in accordance with Appendix A Section 1.17 through 1.19, including, but not limited to:
 - The impacts of any proposed development within or adjacent to a critical area or buffer on the critical area; and
 - b. The impacts of any proposed alteration of a critical area or buffer on the development proposal, other properties, and the environment;
- A discussion of the performance standards applicable to the critical area and proposed activity;
- 11. Financial guarantees to ensure compliance, if applicable; and
- 12. Any additional information required for the critical area as specified in the corresponding section.
- D. Unless otherwise provided, a report may be supplemented by or composed, in whole or in part, of any reports or studies required by other laws and regulations or previously prepared for and applicable to the development proposal site, as approved in advance by the director.

1.16 Critical area reports—Modifications to requirements

- A. Limitations to Study Area. The SMP Administrator may limit the required geographic area of the critical area report as appropriate if:
 - 1. The applicant, with assistance from the County, cannot obtain permission to access properties adjacent to the project area; or
 - 2. The proposed activity will affect only a limited part of the subject site.
- B. Modifications to Required Contents. The applicant may consult with the Director prior to or during preparation of the critical area report to obtain County approval of modifications to the required contents of the report where, in the judgment of a qualified professional, more or less information is required to adequately address the potential critical area impacts and required mitigation.
- C. Additional Information Requirements. The SMP Administrator may require additional information to be included in the critical area report when determined to be necessary to the

review of the proposed activity in accordance with this chapter. Additional information that may be required, includes, but is not limited to:

- Historical data, including original and subsequent mapping, aerial photographs, data compilations and summaries, and available reports and records relating to the site or past operations at the site;
- 2. Grading and drainage plans; and
- 3. Information specific to the type, location, and nature of the critical area.

1.17 Mitigation requirements

- A. The applicant shall avoid all identified impacts that degrade the functions and values of a critical area or areas. Unless otherwise provided in this chapter, if alteration to the critical area is unavoidable, all identified adverse impacts to or from critical areas and buffers resulting from a development proposal or alteration shall be mitigated using the most current, accurate, and complete scientific and technical information available in accordance with an approved critical area report and SEPA documents.
- B. Mitigation shall be in-kind and on-site, when possible, and sufficient to maintain the functions and values of the critical area, and to prevent risk from a hazard posed by a critical area.
- C. The SMP Administrator may approve off-site mitigation if the applicant demonstrates that no viable on-site mitigation opportunities exist. Compensatory mitigation proposed off-site shall be provided in the location that will provide the greatest ecological benefit and have the greatest likelihood of success. Preference will be given to off-site mitigation as close as possible to the impact area and within the same watershed sub-basin as the permitted alteration; provided, that off-site mitigation may occur within the County or within WRIA 32 upon demonstration through a watershed- or landscape-based analysis that mitigation within an alternative sub-basin of the watershed would have greater ecological benefit. Off-site mitigation sites preference shall be given to sites and restoration activities identified in an adopted shoreline restoration plan pursuant to Chapter 173-26 WAC, a watershed planning document prepared and adopted pursuant to Chapter 90.82 RCW, a watershed restoration project pursuant to RCW 89.08.460, a salmonid recovery plan, the salmon recovery board habitat project list, or identified by the Washington Department of Fish and Wildlife as essential for fish and wildlife habitat enhancement pursuant to RCW 77.55.290.
- D. The County may approve mitigation banking as a form of compensatory mitigation for wetlands and fish and wildlife habitat conservation area impacts when the provisions of this chapter require mitigation and when it is clearly demonstrated that the use of a mitigation bank will provide equivalent or greater replacement of critical area functions and values when compared to conventional on-site mitigation; provided, that all of the following criteria are met:
 - Mitigation banks shall only be used when they provide significant ecological benefits
 including long-term conservation of critical areas, important species, habitats and/or habitat
 linkages, and when they are consistent with the County's comprehensive plan and create a
 viable alternative to the piecemeal mitigation for individual project impacts to achieve
 ecosystem-based conservation goals.
 - 2. The mitigation bank shall be established in accordance with the Washington State Draft Mitigation Banking Rule, Chapter 173-700 WAC or as revised, and Chapter 90.84 RCW and the federal mitigation banking guidelines as outlined in the Federal Register, Volume 60, No. 228, November 28, 1995. These guidelines establish the procedural and technical criteria that banks must meet to obtain state and federal certification.

- 3. Preference shall be given to mitigation banks that implement restoration actions that have been identified in an adopted shoreline restoration plan, watershed planning document prepared and adopted pursuant to Chapter 90.82 RCW, a salmonid recovery plan or project that has been identified on the salmon recovery board habitat project list or by the Washington Department of Fish and Wildlife as essential for fish and wildlife habitat enhancement.
- E. Mitigation shall not be implemented until after County receipt of a report or other applicable information that includes a mitigation plan, and mitigation shall be in accordance with County provisions in the underlying permit(s).
- F. Mitigation monitoring shall be required for a minimum of five years. The project mitigation plan shall include monitoring elements that ensure certainty of success for the project natural value and functions. If the mitigation goals are not obtained within the initial five year period, the applicant remains responsible for restoration of the natural values and functions until the mitigation goals agreed to in the mitigation plan are achieved.

1.18 Mitigation sequencing

Applicants shall demonstrate that all reasonable efforts have been examined with the intent to avoid and minimize impacts to critical areas. When an alteration to a critical area is proposed, such alteration shall be avoided, minimized, or compensated for in the following order of preference:

- A. Avoiding the impact altogether by not taking a certain action or parts of an action;
- B. Minimizing impacts by limiting the degree or magnitude of the action and its implementation, by using appropriate technology, or by taking affirmative steps, such as project redesign, relocation, or timing, to avoid or reduce impacts;
- C. Rectifying the impact to wetlands, critical aquifer recharge areas, frequently flooded areas, and habitat conservation areas by repairing, enhancing, or restoring the affected environment to the historical conditions, or pre-development, or the conditions existing at the time of the initiation of the project;
- D. Minimizing or eliminating the hazard by restoring or stabilizing the hazard area through approved engineered or other methods;
- E. Reducing or eliminating the impact or hazard over time by maintenance and preservation operations during the life of the action;
- F. Compensating for the impact to wetlands, critical aquifer recharge areas, frequently flooded areas, and fish and wildlife habitat, and vegetation conservation areas by replacing, enhancing, or providing substitute resources or environments; and
- G. Monitoring the hazard or other required mitigation for a reasonable period of time and taking remedial action when necessary.
- H. Mitigation for individual actions may include a combination of the above measures.

1.19 Mitigation plan requirements

When mitigation is required, the applicant shall submit to the County a mitigation plan as part of the critical area report or other applicable information. The goals and objectives will be related to the functions and values of the impacted critical area, they include;

- A. Environmental Goals and Objectives. The mitigation plan shall include a written report identifying environmental goals and objectives of the compensation proposed and including:
 - 1. A description of the anticipated impacts to the critical areas and the mitigating actions proposed and the purposes of the compensation measures, including the site selection

- criteria; identification of compensation goals; identification of resource functions; and dates for beginning and completion of site compensation construction activities.
- A review of the most current, accurate, and complete scientific and technical information available supporting the proposed mitigation and a description of the report author's experience to date in restoring or creating the type of critical area proposed; and
- 3. An analysis of the likelihood of success of the compensation project.
- B. Performance Standards. The mitigation plan shall address the applicable performance standards identified in this chapter.
- C. Detailed Construction Plans. The mitigation plan shall include written specifications and descriptions of the mitigation proposed, such as:
 - 1. The proposed construction sequence, timing, and duration;
 - 2. Grading and excavation details;
 - Erosion and sediment control features;
 - 4. A vegetation planting plan specifying plant species, quantities, locations, size, spacing, and density; and
 - 5. Measures to protect and maintain plants until established.

These written specifications shall be accompanied by detailed site diagrams, scaled cross-sectional drawings, topographic maps showing slope percentage and final grade elevations, and any other drawings appropriate to show construction techniques or anticipated final outcome.

- D. Monitoring Program. The mitigation plan shall include a program for monitoring construction of the compensation project, and for assessing a completed project. A protocol shall be included outlining the schedule for site monitoring in years one, three and five after site construction, and how the monitoring data will be evaluated to determine if the performance standards are being met. A monitoring report shall be submitted as needed to document milestones, successes, problems, and contingency actions of the compensation project. At a minimum, a monitoring report shall be submitted to document mitigation plan performance in year five after site construction.
- E. Contingency Plan. The mitigation plan shall include identification of potential courses of action, and any corrective measures to be taken if monitoring or evaluation indicates project performance standards are not being met.
- F. Financial Guarantees. The mitigation plan shall include financial guarantees, if necessary, to ensure that the mitigation plan is fully implemented. Financial guarantees ensuring fulfillment of the compensation project, monitoring program, and any contingency measures shall be posted in accordance with Appendix A Section 1.20
- G. Other Permits. Other local, state, and federal regulatory jurisdictions may require permits for habitat mitigation projects. The applicant shall comply with all other appropriate regulatory permits, agreements, and authority, as required by each respective jurisdiction.

1.20 Bonds to ensure mitigation, maintenance and monitoring

A. When mitigation measures are necessary to implement after final project permit approval, the County shall require the applicant to post a performance bond or other security in a form and amount deemed acceptable by the County. In addition, if the development proposal is subject to mitigation, the applicant shall post a mitigation bond or other security in a form and amount deemed acceptable by the County to ensure mitigation is fully functional.

- B. The bond shall be in the amount of one hundred and twenty-five percent of the estimated cost of any uncompleted actions or the estimated cost of restoring the functions and values of the critical area that are at risk, whichever is greater.
- C. The bond shall be in the form of a surety bond, performance bond, assignment of savings account, or an irrevocable letter of credit guaranteed by an acceptable financial institution with terms and conditions acceptable to the County attorney.
- D. Bonds or other security authorized by this section shall remain in effect until the County determines, in writing, that the standards bonded for have been met. Bonds or other security shall be held by the County for a minimum of five years to ensure that the required mitigation has been fully implemented and demonstrated to function, and may be held for longer periods when necessary.
- E. Depletion, failure, or collection of bond funds shall not discharge the obligation of an applicant or violator to complete required mitigation, maintenance, monitoring, or restoration.
- F. Public development proposals shall be relieved from having to comply with the bonding requirements of this Section if public funds have previously been committed for mitigation, maintenance, monitoring, or restoration.
- G. Any failure to satisfy critical area requirements established by law or condition including, but not limited to, the failure to provide a monitoring report within thirty days after it is due or comply with other provisions of an approved mitigation plan shall constitute a default, and the County may demand payment of any financial guarantees or require other action authorized by the County code or any other law.
- H. Any funds recovered pursuant to this section shall be used to complete the required mitigation.

1.21 Notice on title

- A. In order to inform subsequent purchasers of real property of the existence of critical areas, the owner of any property containing a critical area or buffer on which a development proposal is submitted shall file a notice with the County auditor according to the direction of the County. The notice shall state the presence of the critical area or buffer on the property, the application of this chapter to the property, and the fact that limitations on actions in or affecting the critical area or buffer may exist. The notice shall "run with the land." Presence of critical areas and/or buffers shown on development permits recorded with the auditor need not be recorded separately.
- B. This notice on title shall not be required for a development proposal by a public agency or public or private utility:
 - 1. Within a recorded easement or right-of-way;
 - 2. Where the agency or utility has been adjudicated the right to an easement or right-of-way; or
 - 3. On the site of a permanent public facility.

1.22 Critical area inspections

Reasonable access to the site shall be provided to the County, state, and federal agency review staff for the purpose of inspections during any proposal review, restoration, emergency action, or monitoring period.

1.23 Unauthorized critical area alterations and enforcement

A. When a critical area or its buffer has been altered in violation of this chapter, all ongoing development work shall stop and the critical area shall be restored. The County shall have the

- authority to issue a stop work order to cease all ongoing development work, and order restoration, rehabilitation, replacement or where determined appropriate by the SMP Administrator, mitigation measures at the owner's or other responsible party's expense to compensate for violation of provisions of this chapter and other applicable County codes governing the underlying permit(s).
- B. Restoration/Mitigation Plan Required. All development work shall remain stopped until a restoration/mitigation plan is prepared by the violator and approved by the County. Such a plan shall be prepared by a qualified professional and shall describe how the actions proposed meet the minimum requirements described in Subsection C of this section and/or mitigation requirements outlined in Appendix A Sections 1.17, 1.18, and 1.19, if mitigation is determined to be appropriate by the SMP Administrator. The SMP Administrator shall, at the violator's expense, seek expert advice in determining the adequacy of the plan. Inadequate plans shall be returned to the applicant or violator for revision and resubmittal.
- C. Minimum Performance Standards for Restoration or Mitigation.
 - For alterations to critical aquifer recharge areas, frequently flooded areas, wetlands, and
 habitat conservation areas the following minimum performance standards shall be met for
 the restoration or mitigation of impacts to a critical area, provided that if the violator can
 demonstrate in a restoration/mitigation plan that greater functional and habitat values can
 be obtained, these standards may be modified by the SMP Administrator.
 - a. The historic structural and functional values shall be restored, including water quality and habitat functions;
 - b. The historic soil types and configuration shall be replicated;
 - c. The critical area and buffers shall be replanted with native vegetation that replicates the vegetation historically found on the site in species types, sizes, and densities; and
 - d. The historic functions and values should be replicated at the location of the alteration.
 - 2. For alterations to flood and geological hazards, the following minimum performance standards shall be met for the restoration of a critical area, provided that, if the violator can demonstrate that greater safety can be obtained, these standards may be modified:
 - a. The hazard shall be reduced to a level equal to, or less than, the pre-development hazard;
 - Any risk of personal injury resulting from the alteration shall be eliminated or minimized;
 and
 - c. The hazard area and buffers shall be replanted with native vegetation sufficient to minimize the hazard.
- D. Site Investigations. The SMP Administrator is authorized to make site inspections and take such actions as are necessary to enforce this chapter. The SMP Administrator shall present proper credentials and make a reasonable effort to contact any property owner before entering onto private property.
- E. Enforcement and Penalties. Any violation of this chapter shall be enforced under the provisions of SMP Section 7.0, Administration, Permits and Enforcement.

2.0 Critical aquifer recharge areas

2.1 Designation

A. Critical aquifer recharge areas (CARA) are areas with a critical recharging effect on aquifers used for potable water supply that are vulnerable to contamination that would affect water quality. Critical aquifer recharge areas function to protect human health from contaminated drinking

water (anti-degradation of ground water). Federal and state laws established three regulatory measures to account for susceptibility and value of groundwater resources: Wellhead Protection Areas, Sole Source Aquifer, and Susceptible Ground Water Management Areas and Special Protection Areas. The following areas are identified as CARA:

- 1. Wellhead Protection Areas. Group A water-supply purveyors using ground water must develop and implement wellhead protection programs that include delineation of protection areas around each well, inventorying of contamination sources within wellhead protection areas, and development and implementation of water supply contingency and spill response plans to address contamination incidents that could cause loss of a well. The State of Washington wellhead protection regulations exclude individual domestic wells and well systems that do not meet the definition of public water supplies.
- 2. Walla Walla County maintains a database of wellhead protection areas submitted by Group A community water systems required to prepare wellhead protection plans and periodically updates its database with DOH provided information from systems. Wellhead protection areas are defined by the boundaries of the ten year time of travel of ground water travel to the wellhead, or boundaries established using alternate criteria approved by the Washington State Department of Health, in accordance with WAC 246-290-135. The CARA delineated by the ten-year capture zones are shown on Map 1: Walla Walla County Critical Area Map Critical Aquifer Recharge Areas: 10 Year Time to Travel Zones Map 1.
- 3. Areas of the Walla River shallow gravel aquifer recharge area designated as CARA on Map 7: Walla Walla River Shallow Gravel Aquifer Critical Aquifer Recharge Area and Map 7A: Walla Walla River Shallow Gravel Aquifer Critical Aquifer Recharge Area, Walla Walla Valley. These areas have been designated as CARA based on the criteria in the Washington Department of Ecology "Critical Aquifer Recharge Area Guidance Document" (Publication 05-10-028) ("Ecology CARA document").
- B. In order to protect the public health and safety, prevent degradation of ground water, and for potentially usable potable water, and to provide for regulations that prevent and control risks to the degradation of ground water quality, development in critical aquifer recharge areas shall be subject to the standards described in Appendix A Sections 2.4 through 2.10

2.2 Mapping of critical aquifer recharge areas

- A. The approximate location and extent of critical aquifer recharge areas are shown on the following adopted critical areas maps: Walla Walla County Critical Area Map 1: Critical Aquifer Recharge Areas; Walla Walla County Critical Area Map 7: Walla Walla River Shallow Gravel Aquifer Critical Aquifer Recharge Area; and Map 7A: Walla Walla River Shallow Gravel Aquifer Critical Aquifer Recharge Area, Walla Walla Valley.
- B. Maps were completed at a coarse, Countywide scale using existing large-scale GIS mapping and the methodology outlined in the Ecology CARA document, rather than a site-specific assessment. The maps delineate the approximate location and extent of wellhead protection areas, Walla Walla River shallow gravel aquifer CARA, and Walla River shallow gravel aquifer areas of vulnerability. These maps are to be used as a guide for the County, project applicants, and/or property owners and may be updated as additional data becomes available.

2.3 Lawful or legal non-conforming uses

All lawful uses or legal non-conforming uses existing at the time of adoption of this code within a critical aquifer recharge area or area of moderate vulnerability must abide by the requirements of WWCC Chapter 11.05 as now or hereafter amended.

2.4 Activities allowed in critical aquifer recharge areas

In addition to those activities allowed in Appendix A Section 1.14, the activities listed in this Section are allowed in critical aquifer recharge areas, and do not require approval or submission of a critical area report. All activities shall be conducted in accordance with applicable best management practices, and activities involving the use of pesticides, herbicides and fertilizers shall not exceed the times and rates specified on the packaging.

- A. All residential uses;
- B. Development and improvement of parks, recreation facilities, open space, or conservation areas resulting in less than five percent total site impervious surface area that do not increase the use of a hazardous substance;
- C. Approved water system source development and associated infrastructure;
- D. Aquifer storage and recovery (ASR) facilities approved by the Department of Ecology;
- E. Public water pipelines and supply storage structures;
- F. The following underground storage tank (UST) systems, including any piping connected thereto, so long as all state and federal laws are followed;
 - 1. Any UST system holding hazardous wastes subject to Subtitle C of the Federal Solid Waste Disposal Act, or a mixture of such hazardous waste and other regulated substances;
 - 2. Any wastewater treatment tank system that is part of a wastewater treatment facility regulated under Section 402 or 307(b) of the Clean Water Act;
 - 3. Equipment or machinery that contains regulated substances for operational purposes such as hydraulic lift tanks and electrical equipment tanks;
 - 4. Any UST system whose capacity is one hundred ten (110) gallons or less;
 - 5. Any UST system that contains a de minimis concentration of regulated substances;
 - 6. Any emergency spill or overflow containment UST system that is expeditiously emptied after use;
 - 7. UST systems used for storing heating oil for consumptive use on the premises where stored;
 - 8. On-site domestic septic systems releasing less than five hundred gallons of effluent per day and that are limited to a maximum density of one system per one acre.
 - 9. Any pipeline storage tank facility (including gathering lines) regulated under:
 - a. The Natural Gas Pipeline Safety Act of 1968 (49 U.S.C. App. 1671, et seq.); or
 - b. The Hazardous Liquid Pipeline Safety Act of 1979 (49 U.S.C. App. 2001, et seq.); or
 - c. Which is an intrastate pipeline facility regulated under state laws comparable to the provisions of the laws referred to in Appendix A Subsection 2.4.F.9.a or b.;
 - 10. Stormwater or wastewater collection systems;
 - 11. Flow-through process tanks;
 - 12. Liquid traps or associated gathering lines directly related to oil or gas production and gathering operations; or
 - 13. Storage tanks situated in an underground area (such as a basement, cellar, vault, mineworking drift, shaft, or tunnel) if the storage tank is situated upon or above the surface of the floor.

- G. The application of herbicides, pesticides, organic or mineral-derived fertilizers, or other hazardous substances, connected with any allowed activity, provided that their use is conducted in accordance with applicable state and federal law.
- H. Normal and routine activities conducted by a public agency to control mosquitoes and weeds.
- I. Normal and routine maintenance of agricultural ponds, livestock watering ponds and fish ponds.

2.5 Critical area report—additional requirements for critical aquifer recharge areas

In addition to the general critical area report requirements of Appendix A Section 1.15, critical area reports for CARA must meet the requirements of this Section. Critical area reports for two or more types of critical areas must meet the report requirements for each relevant type of critical area.

- A. Preparation by a qualified professional.
- B. Level One Hydrogeologic Assessment. A level one hydrogeologic assessment shall include the following site- and proposal-related information at a minimum:
 - 1. Available information regarding geologic and hydrogeologic characteristics of the site including the surface location of the CARA located on site or immediately adjacent to the site, and permeability of the unsaturated zone;
 - 2. Ground water depth, flow direction, and gradient based on available information;
 - 3. Currently available data on wells and springs within one thousand three hundred feet of the project area;
 - 4. Location of other critical areas, including surface waters, within one thousand three hundred feet of the project area;
 - 5. Available historic water quality data for the area to be affected by the proposed activity; and
 - 6. Applicable best management practices proposed to be utilized. Applicants must demonstrate how they will integrate necessary and appropriate best management practices to prevent degradation of groundwater.
- C. Level Two Hydrogeologic Assessment. A level two hydrogeologic assessment shall include the following site- and proposal-related information at a minimum, in addition to the requirements for a level one hydrogeologic assessment:
 - 1. Historic water quality data for the area to be affected by the proposed activity compiled for at least the previous five year period;
 - 2. Ground water monitoring plan provisions;
 - 3. Discussion of the effects of the proposed project on the ground water quality and quantity, including:
 - a. Predictive evaluation of ground water withdrawal effects on nearby wells and surface water features; and
 - Predictive evaluation of contaminant transport based on potential releases to ground water; and
 - 4. A spill plan that identifies equipment and/or structures that could fail, resulting in an impact. Spill plans shall include provisions for regular inspection, repair, and replacement of structures and equipment that could fail.
- D. The SMP Administrator shall require as part of completing a critical areas report the applicable best management practices identified in the Ecology CARA document and how these practices are incorporated into the report.

E. For activities or uses that require preparation of a critical area report, the SMP Administrator shall conduct a review and issue a decision in accordance with the applicable provisions of Appendix A Subsection 1.10.E.

2.6 Performance standards—General requirements.

- A. The purpose of performance standards is to prevent contamination of the public drinking water supply provided in wellhead areas and by the Walla Walla River shallow gravel aquifer.
- B. The proposed activity must comply with the water source protection requirements and recommendations of the U.S. Environmental Protection Agency, Washington State Department of Health, Washington State Department of Ecology, and the Walla Walla County Health Department.
- C. The proposed activity must be designed and constructed in accordance with existing local, state and federal laws and regulations, including WWCC Title 11, Stormwater as required by the Eastern Washington Phase II Municipal Stormwater Permit (Ecology 2007) and the Ecology General Construction Permit (Ecology 2005), as applicable.
- D. For any use or activity located in a CARA or an area of moderate vulnerability and not included in Appendix A Section 2.4 or Appendix A Sections 2.7 through 2.10, unless provided otherwise in those sections, the SMP Administrator shall make a determination as follows:
 - 1. Sufficient information is available to evaluate the potential risk of contamination to the Walla Walla River shallow gravel aquifer from the use, activity or a hazardous substance and existing laws, regulations or facilities adequately mitigate the potential risk of contamination and documentation is provided to demonstrate compliance; or
 - 2. Sufficient information is available to evaluate the potential risk of contamination to the Walla Walla River shallow gravel aquifer from the use, activity or a hazardous substance but existing laws, regulations or facilities do not adequately mitigate any potential risk of contamination. The SMP Administrator shall require a Level One or Level Two Hydrogeologic Assessment, or such other information as necessary, and shall make a determination and issue a decision as provided in Appendix A Subsections 1.10.E.5 and 1.10.E.6; or
 - 3. Sufficient information is not available to evaluate the potential risk of contamination to the Walla Walla River shallow gravel aquifer from the use, activity or a hazardous substance. The SMP Administrator shall require a Level One or Level Two Hydrogeologic Assessment, or such other information as necessary, in order to evaluate the potential risk of contamination and shall make a determination and issue a decision as provided in Appendix A Subsections 1.10.E.5 and 1.10.E.6.

2.7 Performance standards—Specific uses in critical aquifer recharge areas.

- A. The following uses located in CARA require the preparation of a Level One Hydrogeologic Assessment:
 - 1. Biological research facilities;
 - Boat repair shops;
 - 3. Chemical manufacturers and reprocessing;
 - 4. Chemical research facilities;
 - 5. Commercial vehicle repair, recycling, and recyclable materials—automotive;
 - 6. Creosote and asphalt manufacture and treatment;

WALLA WALLA COUNTY SMP

- 7. Dry cleaners;
- 8. Funeral services;
- Furniture stripping;
- 10. Gasoline service stations;
- 11. Golf course;
- 12. Motor vehicle service garages (both private and government);
- 13. Petroleum and petroleum products refining, including reprocessing;
- 14. Photographic processing;
- 15. Pipelines;
- 16. Printing and publishing shops (that use printing liquids);
- 17. Sawmills [producing over ten thousand (10,000) board feet per day];
- 18. Septic systems, on site, that release greater than five hundred gallons of effluent per day;
- 19. Solid waste handling and processing;
- 20. Storage tanks, above- and below-ground, not included in 2.4.F
- 21. Transformers and capacitors, below grade;
- 22. Wood product preserving; and
- 23. Regulated waste treatment, storage, disposal facilities that handle hazardous material, excluding landfills.
- B. In addition to the uses listed in Appendix A Subsection 2.7.A, the following uses located in a Walla Walla River shallow gravel aquifer CARA require the preparation of a Level One Hydrogeologic Assessment:
 - 1. Greenhouses, commercial;
 - 2. Horticultural Nurseries, Retail; and
 - 3. Organic Waste Processing Facility.
- C. The following uses located in a Walla Walla River shallow gravel aquifer CARA require the preparation of a Level Two Hydrogeologic Assessment:
 - 1. Quarries, gravel/rock extractions (designated mineral lands); and
 - 2. Quarries, gravel/rock extractions (non-designated mineral lands).
- D. The following uses located in a Walla Walla River shallow gravel aquifer CARA shall be reviewed by the SMP Administrator in accordance with the provisions in Appendix A Subsection 2.6.D:
 - 1. Equestrian park with boarding facilities;
 - 2. Farm or residential UST systems of one thousand one hundred gallons or less capacity used for storing motor fuel for noncommercial purposes (i.e., not for resale);
 - 3. Generators, large quantity (dangerous, acutely hazardous, and toxic extremely hazardous waste);

- 4. Generators, medium quantity (dangerous, acutely hazardous, and toxic extremely hazardous waste);
- 5. Kennel, commercial;
- 6. Riding academy with boarding facilities;
- 7. Stables, public;
- 8. Surface impoundments, pits, ponds, or lagoons; and
- 9. Uses or activities in which a hazardous substance will be used, stored, transported, or disposed of.

2.8 Performance standards—Specific uses in a Walla Walla River shallow gravel aquifer area of moderate vulnerability.

- A. The uses listed in this Section could pose a potential risk to the Walla Walla River shallow gravel aquifer and therefore require special consideration when located in a Walla Walla River shallow gravel aquifer area of moderate vulnerability (Zone II) as delineated on Map 8 Walla Walla River Shallow Gravel Aquifer Vulnerability Map or on Map 8A Walla Walla River Shallow Gravel Aquifer Vulnerability Map Walla Walla Valley.
- B. The following uses require the preparation of a Level One Hydrogeologic Assessment:
 - 1. Chemical manufacturers and reprocessing;
 - 2. Chemical research facilities;
 - 3. Creosote and asphalt manufacture and treatment;
 - 4. Dry cleaners;
 - 5. Gasoline service stations;
 - 6. Petroleum and petroleum products refining, including reprocessing;
 - 7. Pipelines; and
 - 8. Regulated waste treatment, storage, disposal facilities that handle hazardous material, excluding landfills.
- C. The following uses require the preparation of a Level Two Hydrogeologic Assessment:
 - 1. Quarries, gravel/rock extractions (designated mineral lands); and
 - 2. Quarries, gravel/rock extractions (non-designated mineral lands).
- D. The following uses shall be reviewed by the SMP Administrator in accordance with the provisions in Appendix A Subsection 2.6.D:
 - 1. Equestrian park with boarding facilities;
 - 2. Farm or residential UST systems of one thousand one hundred gallons or less capacity used for storing motor fuel for noncommercial purposes (i.e., not for resale);
 - 3. Generators, large quantity (dangerous, acutely hazardous, and toxic extremely hazardous waste);
 - 4. Generators, medium quantity (dangerous, acutely hazardous, and toxic extremely hazardous waste);
 - 5. Kennel, commercial;

- 6. Riding academy with boarding facilities;
- 7. Stables, public;
- 8. Surface impoundments, pits, ponds, or lagoons; and
- 9. Uses or activities in which a hazardous substance will be used, stored, transported, or disposed of.

2.9 Uses prohibited in critical aquifer recharge areas

The following uses are prohibited in CARA:

- A. Dry wells on sites used for vehicle repair and servicing or dry cleaners. Dry wells existing on the site prior to facility establishment must be abandoned using techniques approved by the state Department of Ecology prior to commencement of the proposed activity;
- B. Landfills. Landfills, including hazardous or dangerous waste, municipal solid waste, special waste, woodwaste, and inert and demolition waste landfills;
- C. Underground Injection Wells. Class I, III, and IV wells and subclasses 5F01, 5D03, 5F04, 5W09, 5W10, 5W11, 5W31, 5X13, 5X14, 5X15, 5W20, 5X28, and 5N24 of Class V wells, unless otherwise approved by the state or federal government;
- D. Mining in areas determined to be highly susceptible or vulnerable to contamination in a public water system wellhead protection plan;
- E. Wood Treatment Facilities. Wood treatment facilities that allow any portion of the treatment process to occur over permeable surfaces (both natural and manmade); and
- F. Storage, Processing, or Disposal of Radioactive Substances. Facilities that store, process, or dispose of radioactive substances unless the SMP Administrator makes a determination as provided in Appendix A Subsection 2.6.D.

2.10 Uses prohibited in a Walla Walla River shallow gravel aquifer area of moderate vulnerability

The following uses are prohibited in a Walla Walla River area of moderate vulnerability (Zone II) in the shallow gravel aquifer as delineated on Map 8 Walla Walla River Shallow Gravel Aquifer Vulnerability Map or on Map 8A Walla Walla River Shallow Gravel Aquifer Recharge Area Vulnerability Map, Walla Walla Valley:

- A. Dry wells on sites used for vehicle repair and servicing or dry cleaners. Dry wells existing on the site prior to facility establishment must be abandoned using techniques approved by the state Department of Ecology prior to commencement of the proposed activity;
- B. Landfills. Landfills, including hazardous or dangerous waste, municipal solid waste, special waste, woodwaste, and inert and demolition waste landfills;
- C. Underground Injection Wells. Class I, III, and IV wells and subclasses 5F01, 5D03, 5F04, 5W09, 5W10, 5W11, 5W31, 5X13, 5X14, 5X15, 5W20, 5X28, and 5N24 of Class V wells, unless otherwise approved by the State or Federal government;
- D. Mining in areas determined to be highly susceptible or vulnerable to contamination in a public water system wellhead protection plan;
- E. Wood Treatment Facilities. Wood treatment facilities that allow any portion of the treatment process to occur over permeable surfaces (both natural and manmade); and
- F. Storage, Processing, or Disposal of Radioactive Substances. Facilities that store, process, or dispose of radioactive substances unless the SMP Administrator makes a determination as provided in Appendix A Subsection 2.6.D.

3.0 Wetlands

3.1 Wetlands critical areas—Designation

- A. Designating Wetlands. Wetlands are those areas, designated in accordance with the approved federal wetland delineation manual and applicable regional supplements that are inundated or saturated by surface or ground water at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation adapted for life in saturated soil conditions. All areas within Walla Walla County shoreline jurisdiction meeting the wetland designation criteria in the approved federal wetland delineation manual and applicable regional supplements, regardless of any formal identification, are hereby designated critical areas and are subject to the provisions of this Title.
- B. Wetland Ratings. Wetlands shall be rated according to the Washington Department of Ecology wetland rating system, as set forth in the *Washington State Wetland Rating System for Eastern Washington* (Ecology Publication #14-06-030, or as revised and approved by Ecology) which contains the definitions and methods for determining whether the criteria below are met:
 - 1. Category 1 Wetlands. Wetlands which are: alkali wetlands, wetlands that have been identified through the Washington Natural Heritage Program (DNR) as wetlands with high conservation value, bogs, mature old-growth forested wetlands over one-fourth acre with slow-growing trees, forests with stands of aspen, and wetlands that perform many functions very well function at a very high level (scores 22-27 points). These are wetlands which meet at least one of the following criteria: 1) represent a unique or rare wetland type; or 2) are more sensitive to disturbance than most wetlands; or 3) are relatively undisturbed and contain ecological attributes that are impossible to replace within a human lifetime; 4) provide a high level of functions; or 5) documented wetlands of local significance.
 - 2. Category II Wetlands. Category II wetlands are difficult, though not impossible, to replace, and provide high levels of some functions (scores between 19 and 21 points). These wetlands occur more commonly than Category I wetlands, but still need a relatively high level of protection.
 - 3. Category III wetlands. Category III wetlands are 1) vernal pools that are isolated, and 2) wetlands with a moderate level of functions (scores between 16 and 18 points). Wetlands scoring between 16 and 18 points generally have been disturbed in some ways, and are often smaller, less diverse and/or more isolated from other natural resources in the landscape than Category II wetlands.
 - 4. Category IV Wetlands. Category IV wetlands have the lowest levels of functions (scores fewer than 16 points) and are often heavily disturbed.

3.2 Mapping of wetland areas

- A. The approximate location and extent of known wetlands are shown on the Shoreline Inventory Maps. This information is to be used as a guide for the County, project applicants and/or property owners, and may be updated as new information becomes available. In some instances (uncertified boundaries), it is a reference and does not provide a final critical area designation.
- B. The exact location of a wetland's boundary shall be determined through the performance of a field investigation by a qualified professional applying the approved federal wetland delineation manual and applicable regional supplements, as required by WAC 173-22-035.

3.3 Critical area report—Additional requirements for wetland areas requirements

- A. Prepared by a qualified professional.
- B. Area Addressed in Critical Area Report. The following areas shall be addressed in a critical area report for wetlands:
 - 1. The project area of the proposed activity;
 - 2. All wetlands and recommended buffers within two hundred feet of the project area; and
 - 3. All shoreline areas, water features, flood plains, and other critical areas, and related buffers within two hundred feet of the project area.
- C. Wetland Analysis. In addition to the minimum required contents of critical area reports in Appendix A Section 1.15, a critical area report for wetlands shall contain an analysis of the wetlands including the following site- and proposal-related information at a minimum:
 - 1. A written assessment and accompanying maps of the wetlands and buffers within two hundred feet of the project area, or one half mile upstream or downstream if the wetland is a riverine wetland, including the following information at a minimum:
 - a. Wetland rating, wetland delineation and required buffers;
 - b. Existing wetland acreage;
 - c. Wetland category; vegetative, faunal, and hydrologic characteristics;
 - d. Soil and substrate conditions;
 - e. Topographic elevations, at least ten-foot contours; and
 - f. A discussion of the water sources supplying the wetland and documentation of hydrologic regime (locations of inlet and outlet features, water depths throughout the wetland, evidence of recharge or discharge, evidence of water depths throughout the year—drift lines, algal layers, moss lines, and sediment deposits).
 - A discussion of measures, including avoidance, minimization and mitigation, proposed to
 preserve existing wetlands and restore any wetlands that were degraded prior to the current
 proposed land use activity.
 - 3. Functional evaluation for the wetland and adjacent buffer using a local or state agency staff-recognized method and including the reference of the method and all data sheets.
 - 4. Proposed mitigation, if needed, including a written assessment and accompanying maps of the mitigation area, including the following information at a minimum:
 - a. Existing wetland acreage and proposed impact area;
 - b. Vegetative, faunal, and hydrologic conditions;
 - Relationship within watershed and to existing waterbodies;
 - d. Soil and substrate conditions, topographic elevations;
 - e. Existing and proposed adjacent site conditions;
 - f. Required wetland buffers; and
 - g. Property ownership.
 - 5. A discussion of ongoing management practices that will protect wetlands after the project site has been developed, including proposed monitoring and maintenance programs.
- D. Additional information may be required. When appropriate, the County may also require the critical area report to include an evaluation by the Department of Ecology or an independent qualified expert regarding the applicant's analysis and the effectiveness of any proposed mitigating measures or programs, and to include any recommendations as appropriate.

3.4 Activities allowed in wetlands

In addition to those activities allowed in Appendix A Section 1.14, the following are allowed in wetlands, and do not require approval or submission of a critical area report:

- A. Conservation or preservation of soil, water, vegetation, fish, shellfish, and other wildlife that does not entail changing the structure, or functions of the existing wetland.
- B. The harvesting of wild crops in a manner that is not injurious to natural reproduction of such crops and provided the harvesting does not require tilling of soil, planting of crops, or alteration of the wetland by changing existing topography, water conditions or water sources.
- C. Boat mooring, excluding docks.
- D. Drilling for utilities under a wetland provided that the drilling does not interrupt the ground water connection to the wetland or percolation of surface water down through the soil column. Specific studies by a hydrologist are necessary to determine whether the ground water connection to the wetland or percolation of surface water down through the soil column is disturbed.

3.5 Performance standards—General requirements

- A. Activities may only be permitted in a wetland or wetland buffer if the applicant can show that the proposed activity will not degrade the functions and values of the wetland and other critical areas
- B. Activities which do not meet the requirements of subsection A of this section, or that are not allowed activities as provided in this chapter shall be prohibited.
- C. Wetland buffers
 - Wetland buffer zones shall be required for all regulated activities adjacent to regulated wetlands. Any wetland created, restored or enhanced as compensation for approved wetland alterations shall also include the standard buffer required for the category of the created, restored or enhanced wetland.
 - 2. Buffers shall not include areas that are functionally and effectively disconnected from the wetland by a road or other substantially developed surface of sufficient width and with use characteristics such that buffer functions are not provided.
 - 3. Standard Buffer Widths. The standard buffer widths are based on wetland category, intensity of impacts, and wetland functions or special characteristics. The buffer is to be vegetated with native vegetation that are appropriate for the site conditions. If vegetation in the buffer is disturbed (grazed or mowed), proponents planning changes to land that will increase impacts to wetlands need to rehabilitate the buffer with native vegetation that are appropriate for the site conditions. The width of the buffer is measured in horizontal distance.
 - 4. Measurement of Wetland Buffers. All buffers shall be measured from the wetland boundary as surveyed in the field. The width of the wetland buffer shall be determined according to the wetland category and the proposed land use. The buffer for a wetland created, restored, or enhanced as compensation for wetland alterations shall be the same as the buffer required for the category of the created, restored, or enhanced wetland.

Table 3.5-1
Land Use Intensity Table: Types of Proposed Land Use that can result in High, Moderate, and Low Levels of Impacts to Adjacent Wetlands

Level of Impact from Proposed Change in Land Use	Types of Land Use Based on Common Zoning Designations				
High	Commercial				
	Urban				
	Industrial				
	Institutional				
	Retail sales				
	Residential (more than 1 unit/acre)				
	High-intensity recreation (golf courses, ball fields, etc.)				
Moderate	Residential (1 unit/acre or less)				
	Moderate-intensity open space (parks with biking, jogging, etc.)				
	Paved driveways and gravel driveways serving 3 or more residences				
	Paved trails				
Low	Low-intensity open space (hiking, bird-watching, preservation of natural				
	resources, etc.)				
	Timber management				
	Gravel driveways serving 2 or fewer residences				
	Unpaved trails				
	Utility corridor without a maintenance road and little or no vegetation				
	management.				

Table 3.5-2 Required Buffer Widths

Wetland Characteristics	Buffer Width by Impact of Proposed Land Use	Other Measures Recommended for Protection		
Category IV Wetlands (For wetlands scoring fewer than 16 points or more for all functions)				
Score for all 3 basic functions is less than 16 points	Low—25 ft. Moderate—40 ft. High—50 ft.	No recommendations at this time		
Category III Wetlands (For wetlands	scoring 16-19 points or more for all fur	nctions)		
Moderate level of function for habitat (score for habitat 5—7 points)*	Low—75 ft. Moderate—110 ft. High—150 ft.	No recommendations at this time		
*If wetland scores 8-9 habitat points, use row below for Category II buffers				
Score for habitat 3-4 points	Low—40 ft. Moderate—60 ft. High—80 ft.	No recommendations at this time		
Category II Wetlands (For wetlands t Characteristics" identified in the ratio	hat score 19—21 points or more for all ng system)	l functions or having the "Special		
High level of function for habitat (score for habitat 8—9 points)	Low—100 ft. Moderate—150 ft. High—200 ft.	Maintain connections to other habitat areas.		
Moderate level of function for habitat (score for habitat 5—7 points)	Low—75 ft. Moderate—110 ft. High—150 ft.	No recommendations at this time		
High level of function for water quality improvement and low for	Low—50 ft. Moderate—75 ft. High—100 ft.	No additional surface discharges of untreated runoff		

habitat (score for water quality 8—			
9 points; habitat less than 5 points)			
Vernal pool	Low—100 ft. Moderate—150 ft. High—200 ft. OR	No intensive grazing or tilling of wetland	
	Develop a regional plan to protect the most important vernal pool		
	complexes—buffers of vernal pools outside protection zones can then		
	be reduced to:		
	Low—40 ft. Moderate—60 ft. High—80 ft.		
Riparian forest	Buffer width to be based on score for habitat functions or water quality functions	Riparian forest wetlands need to be protected at a watershed or subbasin scale	
	quanty randons	Other protection based on needs to	
		protect habitat and/or water quality functions	
Not meeting above characteristic	Low—50 ft. Moderate—75 ft. High—100 ft.	No recommendations at this tim	
	hat score 22 points or more for all func	tions or having the "Special	
Characteristics" identified in the rati	ng system)		
Characteristics" identified in the rati Wetlands of High Conservation Value	Low—125 ft. Moderate—190 ft. High—250 ft.	wetland or its tributaries. No septic systems within 300 ft. of	
Wetlands of High Conservation	Low—125 ft. Moderate—190 ft.	wetland or its tributaries.	
Wetlands of High Conservation Value	Low—125 ft. Moderate—190 ft. High—250 ft. Low—125 ft. Moderate—190 ft.	wetland or its tributaries. No septic systems within 300 ft. of wetland. Restore degraded parts of buffer. No additional surface discharges to wetland or its tributaries.	
Wetlands of High Conservation Value	Low—125 ft. Moderate—190 ft. High—250 ft. Low—125 ft. Moderate—190 ft. High—250 ft. Low—100 ft. Moderate—150 ft.	wetland or its tributaries. No septic systems within 300 ft. of wetland. Restore degraded parts of buffer. No additional surface discharges to wetland or its tributaries. Restore degraded parts of buffer. No additional surface water discharges to wetland or its	
Wetlands of High Conservation Value Bogs	Low—125 ft. Moderate—190 ft. High—250 ft. Low—125 ft. Moderate—190 ft. High—250 ft. Low—100 ft.	No septic systems within 300 ft. of wetland. Restore degraded parts of buffer. No additional surface discharges to wetland or its tributaries. Restore degraded parts of buffer. No additional surface water	
Wetlands of High Conservation Value Bogs Alkali	Low—125 ft. Moderate—190 ft. High—250 ft. Low—125 ft. Moderate—190 ft. High—250 ft. Low—100 ft. Moderate—150 ft.	wetland or its tributaries. No septic systems within 300 ft. of wetland. Restore degraded parts of buffer. No additional surface discharges to wetland or its tributaries. Restore degraded parts of buffer. No additional surface water discharges to wetland or its tributaries	
Wetlands of High Conservation Value Bogs Alkali Forested High level of function for habitat	Low—125 ft. Moderate—190 ft. High—250 ft. Low—125 ft. Moderate—190 ft. High—250 ft. Low—100 ft. Moderate—150 ft. High—200 ft. Buffer width based on score for habitat functions or water quality functions Low—100 ft.	wetland or its tributaries. No septic systems within 300 ft. of wetland. Restore degraded parts of buffer. No additional surface discharges to wetland or its tributaries. Restore degraded parts of buffer. No additional surface water discharges to wetland or its tributaries Restore degraded parts of buffer If forested wetland scores high for habitat, need to maintain connections to other habitat areas Restore degraded parts of buffer.	
Wetlands of High Conservation Value Bogs Alkali Forested High level of function for habitat (score for habitat 8-9 points)	Low—125 ft. Moderate—190 ft. High—250 ft. Low—125 ft. Moderate—190 ft. High—250 ft. Low—100 ft. Moderate—150 ft. High—200 ft. Buffer width based on score for habitat functions or water quality functions Low—100 ft. Moderate—150 ft. High—200 ft. High—200 ft.	wetland or its tributaries. No septic systems within 300 ft. of wetland. Restore degraded parts of buffer. No additional surface discharges to wetland or its tributaries. Restore degraded parts of buffer. No additional surface water discharges to wetland or its tributaries Restore degraded parts of buffer If forested wetland scores high for habitat, need to maintain connections to other habitat areas	
Wetlands of High Conservation Value Bogs Alkali Forested High level of function for habitat (score for habitat 8-9 points) Moderate level of function for habitat 5—7	Low—125 ft. Moderate—190 ft. High—250 ft. Low—125 ft. Moderate—190 ft. High—250 ft. Low—100 ft. Moderate—150 ft. High—200 ft. Buffer width based on score for habitat functions or water quality functions Low—100 ft. Moderate—150 ft.	wetland or its tributaries. No septic systems within 300 ft. of wetland. Restore degraded parts of buffer. No additional surface discharges to wetland or its tributaries. Restore degraded parts of buffer. No additional surface water discharges to wetland or its tributaries restore degraded parts of buffer. If forested wetland scores high for habitat, need to maintain connections to other habitat areas Restore degraded parts of buffer. Maintain connections to other	
Wetlands of High Conservation Value Bogs Alkali Forested	Low—125 ft. Moderate—190 ft. High—250 ft. Low—125 ft. Moderate—190 ft. High—250 ft. Low—100 ft. Moderate—150 ft. High—200 ft. Buffer width based on score for habitat functions or water quality functions Low—100 ft. Moderate—150 ft. High—200 ft. Low—75 ft. Moderate—110 ft.	wetland or its tributaries. No septic systems within 300 ft. of wetland. Restore degraded parts of buffer. No additional surface discharges to wetland or its tributaries. Restore degraded parts of buffer. No additional surface water discharges to wetland or its tributaries Restore degraded parts of buffer. If forested wetland scores high for habitat, need to maintain connections to other habitat areas Restore degraded parts of buffer. Maintain connections to other habitat areas	

Moderate — 75 ft.	
High — 100 ft.	

3.6 Signs and fencing of wetlands

- A. Temporary Markers. The outer perimeter of the wetland or buffer and the limits of those areas to be disturbed pursuant to an approved permit or authorization shall be marked in the field in such a way as to ensure that no unauthorized intrusion will occur and is subject to inspection by the SMP Administrator prior to the commencement of permitted activities. This temporary marking shall be maintained throughout construction and shall not be removed until permanent signs, if required, are in place.
- B. Permanent Signs. As a condition of any permit or authorization issued pursuant to this chapter, the SMP Administrator may require the applicant to install permanent signs along the boundary of a wetland or buffer.
 - 1. Permanent signs shall be made of an enamel-coated metal face and attached to a metal post, or another non-treated material of equal durability. Signs must be posted at an interval of one per lot or every fifty feet, whichever is less, and must be maintained by the property owner in perpetuity. The sign shall be worded as follows or with alternative language approved by the SMP Administrator:

Protected Wetland Area
Do Not Disturb
Contact Walla Walla County
Regarding Uses and Restriction

2. The provisions of subsection A may be modified as necessary to ensure protection of sensitive features or wildlife.

C. Fencing.

- The SMP Administrator shall determine if fencing is necessary to protect the functions and values of the critical area. If found to be necessary, the SMP Administrator shall condition any permit or authorization issued pursuant to this chapter to require the applicant to install a permanent fence at the edge of the wetland buffer, when fencing will prevent future impacts to the wetland.
- 2. The applicant shall be required to install a permanent fence around the wetland or buffer when domestic grazing animals not connected to an agricultural use are present or may be introduced on site.
- 3. Fencing installed as part of a proposed activity or as required in this Section shall be designed so as to not interfere with species migration, including fish runs, and shall be constructed in a manner that minimizes impacts to the wetland and associated habitat.

3.7 Performance standards—Wetland buffer averaging

The permit approval authority may average wetland buffer widths on a case-by-case basis when the applicant demonstrates through a critical area study to the satisfaction of the SMP Administrator that all the following criteria are met:

A. Averaging to improve wetland protection may be permitted when all of the following conditions are met as demonstrated by a critical area report pursuant to Appendix A Section 3.3:

- 1. The wetland has significant differences in characteristics that affect its habitat functions, such as a wetland with a forested component adjacent to a degraded emergent component or a "dual-rated" wetland with a Category I area adjacent to a lower rated area;
- The buffer is increased adjacent to the higher-functioning area of habitat or more sensitive portion of the wetland and decreased adjacent to the lower-functioning or less sensitive portion;
- The total area of the buffer after averaging is equal to the area required without averaging and all increases in buffer dimension for averaging are generally parallel to the wetland edge;
- 4. The buffer at its narrowest point is never less than seventy-five percent of the required width
- B. Averaging to allow reasonable use of a parcel may be permitted when all of the following are met as demonstrated by a critical area report pursuant to Appendix A Section 3.3:
 - 1. There are no feasible alternatives to the site design that could be accomplished without buffer averaging;
 - 2. The averaged buffer will not result in degradation of the wetland's functions and values;
 - 3. The total buffer area after averaging is equal to the area required without averaging and all increases in buffer dimension for averaging are generally parallel to the wetland edge;
 - 4. The buffer at its narrowest point is never less than three-quarters of the required width except where the SMP Administrator finds that there is an existing feature such as a roadway that limits buffer dimension, or an essential element of a proposed development such as access that must be accommodated for reasonable use and requires a smaller buffer.
- C. The applicant implements all reasonable measures to reduce the adverse effects of adjacent land uses and ensure no net loss of wetland functions and values in conjunction with a wetland assessment study and mitigation plan.

3.8 Performance standards—Wetland buffer increase

The permit approval authority may increase the width of the standard buffer width on a case-by-case basis, based on a critical area report, when a larger buffer is required to protect critical habitats as outlined in Appendix A Section 6.0, or such increase is necessary to:

- A. Protect the function and value of that wetland from proximity impacts of adjacent land use, including noise, light and other disturbance, not sufficiently limited by buffers provided above;
- B. Maintain viable populations of priority species of fish and wildlife; or
- C. Protect wetlands or other critical areas from landslides, erosion or other hazards.

3.9 Performance standards—Wetland buffer decrease

The SMP Administrator shall have the authority to reduce the standard buffer widths identified in Appendix A Subsection 3.5.C, provided that the general standards for avoidance and minimization per Appendix A Subsection 1.18.A and B shall apply, and provided further that all of the following apply:

- A. The buffer reduction shall not adversely affect the functions and values of the adjacent wetlands;
- B. The buffer of a Category I or II wetland shall not be reduced to less than seventy-five percent of the required buffer or fifty feet, whichever is greater;

- C. The buffer of a Category III or IV wetland shall not be reduced to less than seventy-five percent of the required buffer, or twenty-five feet, whichever is greater;
- D. The applicant implements all reasonable measures to reduce the adverse effects of adjacent land uses and ensure no net loss of buffer functions and values. The specific measures that may be implemented include, but are not limited to, the following:
 - 1. Direct lights away from the wetland and buffer.
 - 2. Locate facilities that generate substantial noise (such as some manufacturing, industrial and recreational facilities) away from the wetland and buffer.
 - 3. Establish covenants limiting use of pesticides within two hundred feet of wetland.
 - 4. Implement integrated pest management programs.
 - 5. Infiltrate or treat, detain and disperse runoff into buffer.
 - 6. Post signs at the outer edge of the critical area or buffer to clearly indicate the location of the critical area according to the direction of the County.
 - 7. Plant buffer with native vegetation appropriate for the region to create screens or barriers to noise, light, human intrusion and discourage domestic animal intrusion.
 - 8. Use low impact development where appropriate.
 - 9. Establish a permanent conservation easement to protect the wetland and the associated buffer.

3.10 Performance standards—specific activities and uses

The following activities may be permitted within a wetland buffer in accordance with the review procedures of this chapter; provided they are not prohibited by any other applicable law and they are conducted in a manner to minimize impacts to the buffer and adjacent wetland:

- A. Passive Recreation. Passive recreation facilities designed and in accordance with the critical area report, including walkways and trails that are generally parallel to the perimeter of the wetland shall be located in the outer twenty-five percent of the buffer area;
- B. Stormwater Management Facilities. Stormwater management facilities are not allowed in buffers of Category I or II wetlands. Stormwater management facilities, limited to stormwater dispersion outfalls and bioswales, may be allowed within the outer twenty-five percent (25%) of the buffer of Category III or IV wetlands only, provided that:
 - 1. No other location is feasible; and
 - 2. The location of such facilities will not degrade the functions or values of the wetland.
- C. Subdivisions. The subdivision and short subdivision of land in wetlands and associated buffers is subject to the following:
 - 1. Land that is located wholly within a wetland or its buffer may not be subdivided;
 - 2. Land that is located partially within a wetland or its buffer may be divided provided that an accessible and contiguous portion of each new lot is located outside of the wetland and its buffer.
 - 3. Access roads and utilities serving the proposed subdivision may be permitted within the wetland and associated buffers only if the County determines that no other feasible

- alternative exists in and when consistent with this Title. Mitigation requirements outlined in Appendix A Section 3.11 apply to these roads.
- D. On-site sewage disposal system conventional drainfields may be permitted in the outer twenty-five percent of a Category II, III and IV wetland buffer when accessory to an approved residential structure, if the following conditions are met:
 - 1. It is not feasible to connect to a public sanitary sewer system;
 - 2. There is no reasonable location outside the wetland buffer based on analysis of conditions within the contiguous property owned by the applicant;
 - 3. The facility is located as far from the wetland edge as possible and is designed and constructed in a manner that minimizes disturbance of soils and vegetation, and no trees in excess of four inches in diameter are removed or disturbed;
 - 4. Clearing, grading, and excavation activities are limited to the minimum necessary and the area is restored following installation.
- E. Maintenance, repair, or operation of existing structures, facilities, or improved areas, including minor modification of existing serviceable structures within a buffer zone where modification does not adversely impact wetland functions, and subject to the provisions for nonconforming use and facilities.
- F. Access to private development sites may be permitted to cross Category II, III, or IV wetlands or their buffers, pursuant to the criteria in subsection F of this section; provided, that alternative access shall be pursued to the maximum extent feasible, including through the provisions of Chapter 8.24 RCW. Exceptions or deviations from technical standards for width or other dimensions, and specific construction standards to minimize impacts may be specified, including placement on elevated structures as an alternative to fill, if feasible.
- G. Utility lines and facilities providing local delivery service, not including facilities such as electrical substations, water and sewage pumping stations, water storage tanks, petroleum products pipelines and not including transformers or other facilities containing hazardous substances, may be located in Category II, III, and IV wetlands and their buffers and/or Category I wetland buffers if the following criteria are met:
 - 1. There is no reasonable location or route outside the wetland or wetland buffer based on analysis of system needs, available technology and alternative routes. Location within a wetland buffer shall be preferred over a location within a wetland.
 - 2. The utility line is located as far from the wetland edge as possible and in a manner that minimizes disturbance of soils and vegetation.
 - 3. Clearing, grading, and excavation activities are limited to the minimum necessary to install the utility line, which may include boring, and the area is restored following utility installation.
 - 4. Buried utility lines shall be constructed in a manner that prevents adverse impacts to subsurface drainage. This may include the use of trench plugs or other devices as needed to maintain hydrology.
 - 5. Impacts on wetland functions are mitigated in accordance with Appendix A Section 3.12.

3.11 Performance standards—Mitigation requirements

When the acreage required for compensatory mitigation is divided by the acreage of impact, the result is a number known variously as a replacement, compensation, or mitigation ratio. Compensatory mitigation ratios are used to help ensure that compensatory mitigation actions are adequate to offset unavoidable wetland impacts by requiring a greater amount of mitigation area than the area of impact. Requiring greater mitigation area helps compensate for the risk that a mitigation action will fail and for the time lag that occurs between the wetland impact and achieving a fully functioning mitigation site.

A. The SMP Administrator shall have the authority to adjust these ratios when a combination of mitigation approaches is proposed. In such cases, the area of altered wetland shall be replaced at a one-to-one ratio through re-establishment or creation, and the remainder of the area needed to meet the ratio can be replaced by enhancement at a two to- one ratio. For example, impacts to one acre of a Category II wetland requiring a three-to-one ratio for creation can be compensated by creating one acre and enhancing four acres (instead of the additional two acres of creation that would otherwise be required).

Table 3.11-1
Wetland Mitigation Ratios for Projects in Eastern Washington that do not alter the Type or HGM setting of a Compensation Site (Source: Ecology 2006)

Category and Type of Wetland Impacts	Re- establishment or Creation	Rehabilitation Only	Re- establishment or Creation (R/C) and Rehabilitation (RH)	1:1 Re- establishment or Creation (R/C) and Enhancement (E)	Enhancement Only
All Category IV	1.5:1	3:1	1:1 R/C and 1:1 RH	1:1 R/C and 2:1 E	6:1
All Category III	2:1	4:1	1:1 R/C and 2:1 RH	1:1 R/C and 4:1 E	8:1
Category II Forested	4:1	8:1	1:1 R/C and 4:1 RH	1:1 R/C and 6:1 E	16:1
Category II Vernal pool	2:1 Compensation must be seasonally ponded wetland	4:1 Compensation must be seasonally ponded wetland	1:1 R/C and 2:1 RH	Case by Case	Case-by-case
All other Category II	3:1	6:1	1:1 R/C and 4:1 RH	1:1 R/C and 8:1 E	12:1
Category I (Forested)	6:1	12:1	1:1 R/C and 10:1 RH	1:1 R/C and 20:1 E	24:1
Category I (based on score for functions)	4:1	8:1	1:1 R/C and 6:1 RH	1:1 R/C and 12:1 E	16:1
Category I (Wetland of High Conservation Value)	Not considered possible	6:1 rehabilitation of a Natural Heritage site	R/C Not Considered possible	R/C Not considered possible	Case by Case
Category I Alkali	Not considered possible	6:1 rehabilitation of a Natural Heritage site	R/C Not Considered possible	R/C Not considered possible	Case by Case

Category I (Bog)	Not considered	6:1	R/C Not	R/C Not	Case by Case
	possible	rehabilitation of	Considered	considered	
		a bog	possible	possible	

- B. Credit/Debit Method. To more fully protect functions and values, and as an alternative to the mitigation ratios found in the joint guidance "Wetland Mitigation in Washington State Parts I and II" (Ecology Publication #06-06-011a-b, Olympia, WA, March, 2006), the administrator may allow mitigation based on the "credit/debit" method developed by the Department of Ecology in "Calculating Credits and Debits for Compensatory Mitigation in Wetlands of Eastern Washington: Final Report" (Ecology Publication #11-06-015, August 2012, or as revised).
- C. Buffers. Replacement wetlands established pursuant to these mitigation provisions shall have adequate buffers to ensure their protection and sustainability. The buffer shall be based on the category and land-use intensity in Appendix A Subsection 3.5.C; provided, that the SMP Administrator shall have the authority to approve a smaller buffer when existing site constraints (such as a road) prohibit attainment of the standard buffer.
- D. Mitigation Maintenance and Monitoring. Mitigation areas will be maintained and monitored for a minimum of five years or a period necessary to establish that performance standards have been met after the mitigation has been completed. Annual maintenance and monitoring reports will be submitted to the County and, where applicable, the Department of Ecology, and shall include:
 - 1. Descriptive data for vegetation, soils, and hydrology.
 - 2. Itemized list of dead, dying, and replaced vegetation.
 - 3. Quantitative assessment of invasive species.
 - 4. Descriptive photographs.
 - 5. Statement of overall success of mitigation.
 - 6. Schedule of activities for the next year of maintenance and monitoring.

The County may extend maintenance and monitoring for mitigation projects that fail to achieve performance standards outlined in the mitigation plan.

3.12 Performance standards - wetland mitigation plan

In addition to meeting the requirements of Appendix A Section 1.19, a compensatory mitigation plan for wetland and wetland buffer impacts shall meet the following requirements:

- A. The plan shall be based on applicable portions of the Washington State Department of Ecology's Wetland Mitigation in Washington State Part 2: Developing Mitigation Plans, 2006, as amended, or other appropriate guidance document that is consistent with the most current, accurate, and complete scientific and technical information available.
- B. The plan shall contain sufficient information to demonstrate that the proposed activities are logistically feasible, constructible, ecologically sustainable, and likely to succeed. Specific information to be provided in the plan shall include:
 - 1. The rationale for site selection;
 - General description and scaled drawings of the activities proposed including, but not limited to, clearing, grading/excavation, drainage alterations, planting, invasive plant management, installation of habitat structures, irrigation, and other site treatments associated with the development activities and proposed mitigation action(s);

- 3. A description of the ecological functions and values that the proposed alteration will affect and the specific ecological functions and values the proposed mitigation area(s) shall provide, together with a description of required or recommended mitigation ratios and an assessment of factors that may affect the success of the mitigation program;
- 4. Overall goals of the plan, including wetland function, value, and acreage;
- 5. Description of baseline (existing) site conditions including topography, vegetation, soils, hydrology, habitat features (i.e., snags), surrounding land use, and other pertinent information;
- 6. Field data confirming the presence of adequate hydrology (surface and/or groundwater) to support existing and compensatory wetland area(s);
- 7. Nature of mitigation activities, including area of restored, created, enhanced and preserved wetland, by wetland type;
- 8. Detailed grading and planting plans showing proposed post-construction topography; general hydrologic patterns; spacing and distribution of plant species, size and type of proposed planting stock, watering or irrigation plans, and other pertinent information;
- 9. A description of site treatment measures including invasive species removal, use of mulch and fertilizer, placement of erosion and sediment control devices, and best management practices that will be used to protect existing wetlands and desirable vegetation;
- C. Specific measurable performance standards that the proposed mitigation action(s) shall achieve together with a description of how the mitigation action(s) will be evaluated and monitored to determine if the performance standards are being met and identification of potential courses of action, and any corrective measures to be taken if monitoring or evaluation indicates that project performance standards are not being met. The performance standards shall be tied to and directly related to the mitigation goals and objectives.
- D. Cost estimates for the installation of the mitigation program, monitoring, and potential corrective actions if project performance standards are not being met.
- E. Timing. Mitigation activities shall be timed to occur in the appropriate season based on weather and moisture conditions and shall occur as soon as possible after the permitted alteration.

3.13 Wetland mitigation banks

- A. Credits from a wetland mitigation bank may be approved for use as compensation for unavoidable impacts to wetlands when:
 - 1. The bank is certified under Chapter 173-700 WAC;
 - 2. The SMP Administrator determines that the wetland mitigation bank provides appropriate compensation for the authorized impacts; and
 - 3. The proposed use of credits is consistent with the terms and conditions of the bank's certification.
- B. Replacement ratios for projects using bank credits shall be consistent with replacement ratios specified in the bank's certification.
- C. Credits from a certified wetland mitigation bank may be used to compensate for impacts located within the service area specified in the bank's certification. In some cases, bank service areas may include portions of more than one adjacent drainage basin for specific wetland functions.

4.0 Frequently Flooded Areas

4.1 Frequently flooded areas—Designation

- A. All areas within the County meeting the frequently flooded definition, regardless of any formal identification, are hereby designated critical areas and are subject to the provisions of this Chapter. The flood areas are classified as either one of two types:
 - 1. Floodway: Floodways are defined as the channel of a stream and adjacent land areas which are required to carry and discharge the flood water or flood flows of any river or stream associated with a regulatory flood.
 - Floodway Fringe: The flood fringe is defined as that land area which is outside a stream's floodway, but is subject to periodic inundation due to flooding, associated with a regulatory flood.
- B. These flood areas have been accurately delineated based on hydrologic and hydraulic studies completed by the Federal Emergency Management Agency in 1983, and as subsequently revised and amended.
- C. The methodology and detail of these studies is accepted as the most current, accurate, and complete scientific and technical information available.

4.2 Mapping of frequently flooded areas

- A. The approximate location and extent of frequently flooded areas are shown on the adopted critical areas map: Walla Walla County Critical Area Map 3: Frequently Flooded Areas. This map is based on data obtained from the Federal Emergency Management Agency Flood Insurance rate Maps, December 1983, or as later revised.
- B. These maps are to be used as a guide for the County, project applicants, and/or property owners and may be continuously updated as new critical areas are identified. They are a reference and do not provide a final critical area designation.

4.3 Frequently flooded areas—Regulation

"Frequently flooded areas" are those same areas regulated by WWCC Chapter 18.12 Flood Damage Prevention, and are protected through regulations provided in that Chapter. Title 15 (Buildings and Construction) and Chapter 18.12 (Flood Damage Protection) of the Walla Walla County Code regulate proposed activities adjacent to or within frequently flooded areas. If allowed, any structures permitted in the designated flood areas in shoreline jurisdiction are subject to the flood-proofing regulations provided in Title 15 Buildings and Construction and Chapter 18.12 Flood Damage Prevention, as well as the flood protection measures of SMP Section 5.5 Flood Protection.

5.0 Geologically Hazardous Areas

5.1 Geologically hazardous areas—Designation.

A. Geologically hazardous areas include areas susceptible to erosion, sliding, earthquake, or other geological events. The following regulations, in combination with the performance standards for development, will guide development in these critical areas. The purpose of these regulations is to maintain the natural integrity of hazardous areas and their buffers in order to protect adjacent lands from the impacts of landslides, mudslides, subsidence, excessive erosion and seismic events, and to safeguard the public from these threats to life or property. Geologically hazardous

areas: are designated as those areas that are susceptible to one or more of the following types of hazards:

- 1. Erosion hazard;
- 2. Landslide hazard;
- 3. Seismic hazard;
- 4. Other geological events including, mass wasting, debris flows, rock falls, and differential settlement.
- B. Erosion Hazard Areas. Erosion hazard areas are those areas of Walla Walla County which:
 - Contain soils or soils complexes identified by the U.S. Department of Agriculture's Natural Resource Conservation Service or the Soil Survey for Walla Walla County as having "moderate to severe, "severe" or "very severe" erosion hazard potential; or
 - 2. Are impacted by shore land and/or stream bank erosion; or
 - 3. Areas with a slope greater than fifteen percent.
- C. Landslide Hazard Areas. Landslide hazard areas are those areas susceptible to landslides because of any combination of bedrock, soil, slope (gradient), slope aspect, structure, hydrology, or other physical factors. Potential landslide hazard areas exhibit one or more of the following characteristics:
 - Sensitive Sloped Areas. Slopes exceeding thirty-five percent with a vertical relief of ten or more feet except areas composed of competent rock and properly engineered slopes designed and approved by a geotechnical engineer licensed in the state of Washington and experienced with the site;
 - 2. Areas mapped by the Washington State Department of Natural Resources (slope stability mapping) as unstable ("U"), unstable old slides ("UOS"), or unstable recent slides ("URS");
 - 3. Areas designated by the U.S. Department of Agriculture's Natural Resource Conservation Service as having "severe" limitation for building site development;
 - 4. Areas that have shown evidence of historic failure or instability, including but not limited to back-rotated benches on slopes; areas with structures that exhibit structural damage such as settling and racking of building foundations; and areas that have toppling, leaning, or bowed trees caused by ground surface movement;
 - 5. Slopes greater than fifteen percent that have a relatively permeable geologic unit overlying a relatively impermeable unit and having springs or groundwater seepage;
 - 6. Areas potentially unstable as a result of rapid stream incision, stream bank erosion, and undercutting by wave action;
 - 7. Areas located in a canyon or active alluvial fan, presently or potentially subject to inundation by debris flows or catastrophic flooding;
 - 8. Areas designated as quaternary slumps, earthflows, mudflows, lahars, or landslides on maps published by the U.S. Geological Survey or Washington State Department of Natural Resources;
 - 9. Areas that are at risk of mass wasting due to seismic forces; and

- 10. Slopes having gradients steeper than eighty percent subject to rock fall during seismic shaking.
- D. Seismic hazard areas shall be as identified in Washington State Department of Natural Resources seismic hazard and liquefaction susceptibility maps for Eastern Washington and other geologic resources.
- E. Other Hazard Areas. Geologically hazard areas shall also include areas determined by the SMP Administrator those areas subject to severe risk of damage as a result of other geological events including mass wasting, debris flows, rock falls and differential settlement.

5.2 Mapping of geologically hazardous areas

- A. The approximate location and extent of geologically hazardous areas containing known or suspected risk are shown on the following adopted Critical Areas Maps: Walla Walla County Critical Area Maps 4a, 4b, 4c and 4d: Geologic Hazard Areas — Potential Liquefaction Susceptibility, Steep Slope/Landslide Hazards, Potential Water Erosion Susceptibility, and Potential Wind Erosion Susceptibility. The hazard areas outlined on these maps are based on the following data:
 - 1. USGS ten meter Digital Elevation Model (slope);
 - 2. USDA Soil Survey of Walla Walla County Area, Washington;
 - 3. Washington State Department of Natural Resources Liquefaction Susceptibility Map of Walla Walla County, Washington;
 - 4. Washington State Department of Natural Resources Site Class Map of Walla Walla County, Washington; and
 - 5. Walla Walla County Landslide Hazards.
- B. These maps are to be used as a guide for the County, project applicants and/or property owners, and may be updated as new information becomes available. They are a reference and do not provide a final critical area designation.

5.3 Activities allowed in geologically hazardous areas

In addition to those activities allowed in Appendix A Section 1.14, the following are allowed in geologically hazardous areas, and do not require approval or submission of a critical area report:

- A. Installation of fences.
- B. Hazard areas other than erosion and landslide hazard areas, and extreme slope hazard areas:
 - 1. Construction of new buildings with less than three thousand five hundred square feet of floor area or roof area, whichever is greater, and which are not residential structures or used as places of employment or public assembly;
 - 2. Additions that are two hundred fifty square feet or less to existing residences.

5.4 Critical area report—Additional requirements for geologically hazardous areas

- A. Prepared by a Qualified Professional.
- B. Area Addressed in Critical Area Report. The following areas shall be addressed in a critical area report for geologically hazardous areas:
 - 1. The project area of the proposed activity; and

- 2. All geologically hazardous areas within two hundred feet of the project area or that have potential to be affected by the proposal.
- C. Geotechnical Assessment. A critical area report for a geologically hazardous area shall contain an assessment of geological hazards including the following site- and proposal-related information at a minimum:
 - 1. Site and Construction Plans. The report shall include a copy of the site plans for the proposal showing:
 - a. The type and extent of geologic hazard areas, and any other critical areas, and buffers on, adjacent to, within two hundred feet of, or that are likely to impact the proposal;
 - b. Proposed development, including the location of existing and proposed structures, fill, storage of materials, and drainage facilities, with dimensions indicating distances to the floodplain;
 - c. The topography, in at least ten-foot contours, of the project area and all hazard areas addressed in the report; and
 - d. Clearing limits.
 - 2. Assessment of Geological Characteristics. The report shall include an assessment of the geologic characteristics and engineering properties of the soils, sediments, and/or rock of the project area and potentially affected adjacent properties, and a review of the site history regarding landslides, erosion, and prior grading. Soils analysis shall be accomplished in accordance with accepted taxonomic classification systems in use in the region. The assessment shall include, but not be limited to:
 - a. A description of the surface and subsurface geology, hydrology, soils, and vegetation found in the project area and in all hazard areas addressed in the report;
 - A detailed overview of the field investigations, published data and references; data and conclusions from past assessments of the site; and site specific measurements, test, investigations, or studies that support the identification of geologically hazardous areas; and
 - c. A description of the vulnerability of the site to seismic and other geologic events.
 - 3. Analysis of Proposal. The report shall contain a geotechnical analysis including a detailed description of the project, its relationship to the geologic hazard(s), and its potential impact upon the hazard area, the subject property and affected adjacent properties; and
 - 4. Minimum Buffer and Building Setback. The report shall make a recommendation for the minimum no-disturbance buffer and minimum building setback from any geologic hazard based upon the geotechnical analysis.
- D. Incorporation of Previous Study. Where a valid geotechnical report has been prepared within the last five years for a specific site, and where the proposed land use activity and surrounding site conditions are unchanged, said report may be incorporated into the required critical area report. The applicant shall submit a geotechnical assessment detailing any changed environmental conditions associated with the site.
- E. Mitigation of long-Term Impacts. When hazard mitigation is required, the mitigation plan shall specifically address how the activity maintains or reduces the pre-existing level of risk to the site and adjacent properties on a long-term basis (equal to or exceeding the projected lifespan of the activity or occupation). Proposed mitigation techniques shall be considered to provide long-term hazard reduction only if they do not require regular maintenance or other actions to maintain their function. Mitigation may also be required to avoid any increase in risk above the preexisting conditions following abandonment of the activity.

5.5 Critical area report—Additional requirements for specific hazards

In addition to the general critical area report requirements of Appendix A Section 1.15, critical area reports for geologically hazardous areas must meet the requirements of this Section. Critical area reports for two or more types of critical areas must meet the report requirements for each relevant type of critical area.

- A. Erosion, landslide and extreme slope hazard areas. In addition to the basic critical area report requirements, a critical area report for an erosion hazard or landslide hazard area shall include the following information at a minimum:
 - 1. Site Plan. The report shall include a copy of the site plan for the proposal showing:
 - a. The height of slope, slope gradient, and cross section of the project area;
 - The location of springs, seeps, or other surface expressions of ground water on or within two hundred feet of the project area or that have potential to be affected by the proposal; and
 - c. The location and description of surface water runoff;
 - 2. Geotechnical Analysis. The geotechnical analysis shall specifically include:
 - a. A description of the extent and type of vegetative cover;
 - b. An estimate of load capacity including surface and ground water conditions, public and private sewage disposal systems, fills and excavations and all structural development;
 - c. An estimate of slope stability and the effect construction and placement of structures will have on the slope over the estimated life of the structure;
 - d. An estimate of the bluff retreat rate that recognizes and reflects potential catastrophic events such as seismic activity or a one hundred year storm event;
 - e. Consideration of the run-out hazard of landslide debris and/or the impacts of landslide run-out on down slope properties.
 - f. A study of slope stability including an analysis of proposed angles of cut and fill and site grading;
 - g. Recommendations for building limitations, structural foundations, and an estimate of foundation settlement;
 - h. An analysis of proposed surface and subsurface drainage, and the vulnerability of the site to erosion:
 - 3. Hazards Analysis. The hazards analysis component of the critical areas report shall specifically include:
 - a. A description of the extent and type of vegetative cover;
 - b. A description of subsurface conditions based on data from site-specific explorations;
 - c. Descriptions of surface and ground water conditions, public and private sewage disposal systems, fills and excavations, and all structural improvements;
 - d. An estimate of slope stability and the effect construction and placement of structures will have on the slope over the estimated life of the structure;
 - e. An estimate of the bluff retreat rate that recognizes and reflects potential catastrophic events such as seismic activity or a one hundred-year storm event;
 - f. Consideration of the run-out hazard of landslide debris and/or the impacts of landslide run-out on down slope properties.
 - g. A study of slope stability including an analysis of proposed cuts, fills, and other site grading;
 - h. Recommendations for building siting limitations; and
 - An analysis of proposed surface and subsurface drainage, and the vulnerability of the site to erosion;

- 4. Geotechnical Engineering Report. The technical information for a project within a landslide hazard area shall include a geotechnical engineering report prepared by a licensed engineer that presents engineering recommendations for the following:
 - Parameters for design of site improvements including appropriate foundations and retaining structures. These should include allowable load and resistance capacities for bearing and lateral loads, installation considerations, and estimates of settlement performance;
 - b. Recommendations for drainage and subdrainage improvements;
 - c. Earthwork recommendations including clearing and site preparation criteria, fill placement and compaction criteria, temporary and permanent slope inclinations and protection, and temporary excavation support, if necessary; and
 - d. Mitigation of adverse site conditions including slope stabilization measures and seismically unstable soils, if appropriate;
- Erosion and Sediment Control Plan. For any development proposal on a site containing an
 erosion hazard area, an erosion and sediment control plan shall be required. The erosion and
 sediment control plan shall be prepared in compliance with requirements set forth in the
 County's construction standards;
- 6. Drainage Plan. The report shall include a drainage plan for the collection, transport, treatment, discharge and/or recycle of water. The drainage plan should consider on-site septic system disposal volumes where the additional volume will affect the erosion or landslide hazard area.
- 7. Mitigation Plans. Hazard and environmental mitigation plans for erosion and landslide hazard areas shall include the location and methods of drainage, surface water management, locations and methods of erosion control, a vegetation management and/or replanting plan and/or other means for maintaining long term soil stability.
- 8. Monitoring Surface Waters. If the SMP Administrator determines that there is a significant risk of damage to downstream receiving waters due to potential erosion from the site, based on the size of the project, the proximity to the receiving waters, or the sensitivity of the receiving waters, the critical area report shall include a plan to monitor the surface water discharge from the site. The monitoring plan shall include a recommended schedule for submitting monitoring reports to the County.
- A. Seismic Hazard Areas. In addition to the basic report requirements, a critical area report for a seismic hazard area shall also meet the following requirements:
 - 1. The site map shall show all known and mapped faults within two hundred feet of the project area or that have potential to be affected by the proposal.
 - The hazards analysis shall include a complete discussion of the potential impacts of seismic activity on the site (for example, forces generated, fault displacement and liquefaction potential).
 - 3. Where liquefaction risks of high, moderate to high or moderate exist, the report shall address soil and structural mitigation measures.

5.6 Performance standards—General requirements

A. Alterations of geologically hazardous areas or associated buffers may only occur for activities that:

- 1. Will not increase the threat of the geological hazard to adjacent properties beyond predevelopment conditions;
- 2. Will not adversely impact other critical areas;
- 3. Are designed so that the hazard to the project is eliminated or mitigated to a level equal to or less than pre-development conditions; and
- 4. Are determined to be safe as designed and under anticipated conditions by a qualified engineer or geologist, licensed in the state of Washington.
- B. Critical facilities shall not be sited within geologically hazardous areas unless there is no other practical alternative.
- C. In addition to the provisions of this chapter, alterations of geologically hazardous areas or associated buffers must conform to County construction Standards and building codes.
- D. Seismic Hazard Areas Standards. Development may be allowed in seismic hazard areas when all of the following apply:
 - 1. If evaluation of site-specific subsurface conditions by a qualified professional demonstrates that the proposed development site is not subject to the conditions indicating seismic risk, the provisions of this subsection shall not apply.
 - 2. If a site is subject to seismic risk, the applicant shall implement appropriate engineering design based on analysis by a qualified professional of the best available engineering and geological practices that either eliminates or minimizes the risk of structural damage or injury resulting from seismically induced settlement or soil liquefaction, including compliance with the following criteria:
 - a. Subdivision within a seismic hazard areas shall assure that each resulting lot has sufficient buildable area outside of the hazard area or that appropriate limitations on building and reference to appropriate standards are incorporated into subdivision approval and may be placed as restrictions on the face of the plat;
 - b. Structures in seismic hazard areas shall conform to applicable analysis and design criteria and provisions of building and construction codes as currently adopted by the County.
 - c. Public roads, bridges, utilities and trails shall be allowed when there are no feasible alternative locations and geotechnical analysis and design are provided that ensure the roadway, bridge and utility structures and facilities will not be susceptible to damage from seismic induced ground deformation. Mitigation measures shall be designed in accordance with the most recent version of the American Association of State Highway and Transportation Officials (AASHTO) Manual or other appropriate document.
 - 3. The SMP Administrator may waive or reduce engineering study and design requirements for alterations in seismic hazard areas for:
 - a. Mobile homes;
 - b. Additions or alterations to existing structures that do not increase occupancy or significantly affect the risk of structural damage or injury; and
 - c. Buildings that are not dwelling units or used as places of employment or public assembly.
 - 4. Critical facilities shall not be located in seismic hazard areas unless mitigation is provided which renders the proposed development as a stable as if it were not located within a seismic hazard area.

5.7 Performance standards—Specific hazards

- A. Erosion and Landslide Hazard Areas. Activities on sites containing erosion or landslide hazards shall meet the following requirements:
 - Buffer Required. A buffer shall be established from all edges of erosion or landslide hazard
 areas. The size of the buffer shall be determined by the SMP Administrator to eliminate or
 minimize the risk of property damage, death or injury resulting from erosion and landslides
 caused in whole or part by the development, based upon review of and concurrence with a
 critical area report prepared by a qualified professional.
 - a. Minimum Buffer. The minimum buffer shall be equal to the height of the slope or fifty feet, whichever is greater.
 - b. Buffer Reduction. The buffer may be reduced to a minimum of ten feet when a qualified professional demonstrates to the SMP Administrator's satisfaction that the reduction will adequately protect the proposed development, adjacent developments and uses and the subject critical area.
 - c. Increased Buffer. The buffer may be increased where the SMP Administrator determines a larger buffer is necessary to prevent risk of damage to proposed and existing development.
 - 2. Alterations. Alterations of an erosion or landslide hazard area and/or buffer may only occur for activities for which a geotechnical analysis is submitted and determines that:
 - The development will not increase surface water discharge or sedimentation to adjacent properties beyond pre-development conditions;
 - b. The development will not decrease slope stability on adjacent properties; and
 - Such alterations will not adversely impact other critical areas.
 - 3. Construction Standards. Development within an erosion or landslide hazard area and/or buffer shall be designed to meet the following basic requirements unless it can be demonstrated that an alternative design that deviates from one or more of these standards provides greater long-term slope stability while meeting all other provisions of this Chapter. The requirement for long-term slope stability shall exclude designs that require regular and periodic maintenance to maintain their level of function. In addition to those requirements outlined in Appendix A Section 5.6, the basic development Construction Standards within geologically hazardous areas are:
 - a. The proposed development shall not decrease the factor of safety for landslide occurrences below the limits of 1.5 for static conditions and 1.2 for dynamic conditions. Analysis of dynamic conditions shall be based on a minimum horizontal acceleration as established by the current version of the International Building Code.
 - b. Structures and improvements shall be clustered to avoid geologically hazardous areas and other critical areas.
 - c. Structures and improvements shall minimize alterations to the natural contour of the slope and foundations shall be tiered where possible to conform to existing topography.
 - d. Structures and improvements shall be located to preserve the most critical portion of the site and its natural landforms and vegetation.
 - e. The proposed development shall not result in greater risk or a need for increased buffers on neighboring properties.
 - f. The use of retaining walls that allow the maintenance of existing natural slope area is preferred over graded artificial slopes.
 - g. Development shall be designed to minimize impervious lot coverage.

- 4. Vegetation shall be Retained. Unless otherwise provided or as part of an approved alteration, removal of vegetation from an erosion or landslide hazard area or related buffer shall be prohibited;
- 5. Utility Lines and Pipes. Utility lines and pipes shall be permitted in erosion and landslide hazard areas only when the applicant demonstrates that no other practical alternative is available. The line or pipe shall be located above ground and properly anchored and/or designed so that it will continue to function in the event of an underlying slide. Stormwater conveyance shall be allowed consistent with local design and construction standards.
- 6. Point Discharges. Point discharges from surface water facilities and roof drains onto or upstream from an erosion or landslide hazard area shall be prohibited except as follows:
 - a. Conveyed via continuous storm pipe downslope to a point where there are no erosion hazards areas downstream from the discharge;
 - Discharged at flow durations matching predeveloped conditions, with adequate energy dissipation, into existing channels that previously conveyed stormwater runoff in the predeveloped state; or
 - c. Dispersed discharge upslope of the steep slope onto a low-gradient undisturbed buffer demonstrated to be adequate to infiltrate all surface and stormwater runoff, and where it can be demonstrated that such discharge will not increase the saturation of the slope;
- 7. Subdivisions. The division of land in erosion and landslide hazard areas and associated buffers is subject to the following:
 - a. Land that is located wholly within an erosion or landslide hazard area or its buffer may not be subdivided. Land that is located partially within an erosion or landslide hazard area or its buffer may be divided provided that each resulting lot has sufficient buildable area outside of, and will not affect, the erosion or landslide hazard or its buffer.
 - b. Access roads and utilities may be permitted within the erosion or landslide hazard area and associated buffers if the County determines that no other feasible alternative exists.
- 8. Prohibited Development. On-site sewage disposal systems, including drain fields, shall be prohibited within erosion and landslide hazard areas and related buffers.
- B. Extreme Slope Hazard Areas. Activities on sites containing extreme slope hazards shall be considered unbuildable. This includes, but is not limited to, construction of buildings, sewage disposal systems and roads. Construction of facilities shall not be permitted in extreme slope hazards areas.

6.0 Fish and Wildlife Habitat Conservation Areas

6.1 Fish and wildlife habitat conservation areas—Designation.

- A. Fish and wildlife habitat conservation areas include:
 - 1. Areas where state or federal designated endangered, threatened, and sensitive species have a primary association.
 - a. Federal designated endangered and threatened species are those fish, wildlife, and plant species identified by the U.S. Fish and Wildlife Service and the National Marine Fisheries Service that are in danger of extinction or threatened to become endangered. The U.S. Fish and Wildlife Service and the National Marine Fisheries Service should be consulted as necessary for current listing status.
 - b. State designated endangered, threatened, and sensitive species are those fish, wildlife and plant species native to the state of Washington identified by the state Department of

Fish and Wildlife, that are in danger of extinction, threatened to become endangered, vulnerable, or declining and are likely to become endangered or threatened in a significant portion of their range within the state without cooperative management or removal of threats. State designated endangered, threatened, and sensitive species are periodically recorded in WAC 232-12-014 (state endangered species), and WAC 232-12-011 (state threatened and sensitive species). The state Department of Fish and Wildlife maintains the most current listing and should be consulted as necessary for current listing status.

- 2. State priority habitats and areas associated with state priority species. Priority habitats and species are considered priorities for conservation and management. Priority species require protective measures for their perpetuation due to their population status, sensitivity to habitat alteration, and/or recreational, commercial, or tribal importance. Priority habitats are those habitat types or elements with unique or significant value to a diverse assemblage of species. A priority habitat may consist of a unique vegetation type or dominant plant species, a described successional stage, or a specific structural element. Priority habitats and species are identified by the state Department of Fish and Wildlife. A map of priority habitats and species in shoreline jurisdiction is included in the Shoreline Inventory.
- 3. Habitats and species of local importance. Habitats and species of local importance are those identified by the County, including those that possess unusual or unique habitat warranting protection because of species diversity or habitat system health indicators.
- 4. Naturally occurring ponds under twenty (20) acres. Naturally occurring ponds are those ponds under twenty (20) acres and their submerged aquatic beds that provide fish or wildlife habitat, including those artificial ponds intentionally created from dry areas in order to mitigate impacts to ponds. Naturally occurring ponds do not include ponds deliberately designed and created from dry sites, such as canals, detention facilities, wastewater treatment facilities, farm ponds, temporary construction ponds, and landscape amenities, unless such artificial ponds were intentionally created for mitigation.
- 5. Waters of the state. Waters of the state includes lakes, rivers, ponds, streams, inland waters, underground waters, salt waters, and all other surface waters and watercourses within the jurisdiction of the state of Washington, as classified in WAC 222-16-031.
- 6. Lakes, ponds, streams, and rivers planted with game fish by a governmental or tribal entity.
- State natural area preserves and natural resources conservation areas. Natural area
 preserves and natural resource conservation areas are defined, established, and managed by
 the state Department of Natural Resources.
- 8. Streams shall be designated in accordance with the Washington State Department of Natural Resources (DNR) stream type as provided in WAC 222-16-030. Streams are further categorized according to Ecosystem Diagnosis and Treatment (EDT)/Walla Walla Subbasin Plan priority protection reaches.
- 9. Areas of rare plant species and high quality ecosystems that are identified by the Washington State Department of Natural Resources through the Natural Heritage Program.
- B. All areas within the County meeting one or more of these criteria, regardless of any formal identification, are hereby designated critical areas and are subject to the provisions of this title.
- C. The following area of local importance: Hawk habitat identified on Critical Area Map 6, Terrestrial Habitat.

6.2 Fish and wildlife habitat conservation areas—Mapping

The approximate location and extent of conservation areas are shown on the critical area maps adopted by the County (Critical Area Map 5: Riparian Buffers – Urban and Critical Area Map 6: Terrestrial Habitat or latest version of these maps), and as most recently updated and the following critical area maps hereby adopted:

- A. Department of Fish and Wildlife Priority Habitat and Species Maps;
- B. Resident salmonid distribution maps contained in the Habitat Limiting Factors Reports published by the Washington Conservation Commission;
- C. Department of Natural Resources State Natural Area Preserves and Natural Resource Conservation Area Maps; and
- D. Additional data as determined necessary by the County.

The Walla Walla County Critical Areas Maps are to be used as a guide for the County, project applicants and/or property owners, and may be continuously updated as new critical areas are identified. In some instances, they are a reference and do not provide a final critical area designation.

6.3 Critical area report—Additional requirements for habitat conservation areas

- A. Prepared by a qualified professional.
- B. Area addressed in critical area report. The following topics shall be addressed in a critical area report for habitat conservation areas:
 - 1. The project area of the proposed activity;
 - 2. All habitat conservation areas and recommended buffers within 200 feet of the project area; and
 - 3. All shoreline areas, flood plains, and other critical areas, and related buffers within 200 feet of the project area.
- C. Habitat Assessment. A habitat assessment is an investigation of the project area to evaluate the presence or absence of a potential critical fish, wildlife, or plant species or habitat. A critical area report for a habitat conservation area shall contain an assessment of habitats including the following site- and proposal-related information at a minimum:
 - 1. Detailed description of vegetation on and adjacent to the project area;
 - 2. Identification of any species of local importance, priority species and habitats (PHS), or endangered, threatened, sensitive or candidate species that have a primary association with habitat on or adjacent to the project area, and assessment of potential project impacts to the use of the site by the species;
 - 3. A discussion of any federal, state, or local special management recommendations, including Department of Fish and Wildlife habitat management recommendations, that have been developed for species or habitats located on or adjacent to the project area;
 - 4. A discussion of measures, including avoidance, minimization and mitigation, proposed to preserve existing habitats or restore any habitat that was degraded prior to the current proposed land use activity and to be conducted in accordance with Appendix A Section 1.18, Mitigation Sequencing; and
 - 5. A discussion of ongoing management practices that will protect habitat after the project site has been developed, including proposed monitoring and maintenance programs.

- D. Additional Information May Be Required. When appropriate due to the type of habitat or species present or the project area conditions, the County may also require the habitat management plan to include:
 - 1. An evaluation by a qualified expert regarding the applicant's analysis and the effectiveness of any proposed mitigating measures or programs, to include any recommendations as appropriate; and
 - 2. Detailed surface and subsurface hydrologic features both on and adjacent to the site.

6.4 Performance standards—General requirements

- A. Alterations shall not degrade the functions and values of habitat. A habitat conservation area may be altered only if the proposed alteration of the habitat or the mitigation proposed does not degrade the quantitative and qualitative functions and values of the habitat. All new structures and land alterations shall be prohibited from habitat conservation areas, except in accordance with this chapter.
- B. Non-indigenous species shall not be introduced. No plant, wildlife, or fish species not indigenous to the region shall be introduced into a habitat conservation area unless authorized by a state or federal permit or approval.
- C. Mitigation shall result in contiguous corridors. Mitigation sites shall try to achieve contiguous functioning habitat corridors in accordance with a mitigation plan that is part of the critical area report to minimize the isolating effects of development on habitat areas, so long as mitigation of aquatic habitat is located within the same aquatic ecosystem as the area disturbed.
- D. Approvals of activities may be conditioned. The SMP Administrator shall condition approvals of activities allowed within or adjacent to a habitat conservation area or its buffers, as necessary to minimize or mitigate any potential adverse impacts. Conditions shall be based on the most current, accurate, and complete scientific and technical information available and may include, but are not limited to, the following:
 - 1. Establishment of buffer zones;
 - 2. Preservation of critically important vegetation and/or habitat features such as snags and downed wood;
 - 3. Limitation of access to the habitat area, including fencing to deter unauthorized access;
 - 4. Seasonal restriction of construction activities;
 - 5. Establishment of a duration and timetable for periodic review of mitigation activities; and
 - 6. Requirement of a performance bond, when necessary, to ensure completion and success of proposed mitigation.
- E. Mitigation and Equivalent or Greater Biological Functions. Mitigation of alterations to habitat conservation areas shall achieve equivalent or greater biologic and hydrologic functions and shall include mitigation for adverse impacts upstream or downstream of the development proposal site. Mitigation shall address each function affected by the alteration to achieve functional equivalency or improvement on a per function basis.
- F. Approvals and Scientific and Technical Information. Any approval of alterations or impacts to a habitat conservation area shall be supported by the most current, accurate, and complete scientific and technical information available.
- G. Buffers.

- 1. Establishment of Buffers. The SMP Administrator shall require the establishment of buffer areas for activities adjacent to habitat conservation areas when needed to protect habitat conservation areas. Buffers shall consist of an undisturbed area of native vegetation or areas identified for restoration established to protect the integrity, functions, and values of the affected habitat. Required buffer widths shall reflect the sensitivity of the habitat and the type and intensity of human activity proposed to be conducted nearby and shall be consistent with the management recommendations issued by the Washington Department of Fish and Wildlife.
- 2. Seasonal Restrictions. When a species is more susceptible to adverse impacts during specific periods of the year, seasonal restrictions may apply. Larger buffers may be required and activities may be further restricted during the specified season.
- H. Signs and Fencing of Habitat Conservation Areas.
 - Temporary Markers. The outer perimeter of the habitat conservation area or buffer and the limits of those areas to be disturbed pursuant to an approved permit or authorization shall be marked in the field in such a way as to ensure that no unauthorized intrusion will occur and verified by the SMP Administrator prior to the commencement of permitted activities. This temporary marking shall be maintained throughout construction and shall not be removed until permanent signs, if required, are in place.
 - 2. Permanent Signs. As a condition of any permit or authorization issued pursuant to this Chapter, the SMP Administrator may require that the applicant to install permanent signs along the boundary of a habitat conservation area or buffer.
 - a. Permanent signs shall be made of a metal face and attached to a metal post or another material of equal durability. Signs must be posted at an interval of one per lot or every fifty feet, whichever is less and must be maintained by the property owner in perpetuity. The sign shall be worded as follows or with alternative language approved by the SMP Administrator:

Habitat Conservation Area
Do Not Disturb
Contact Walla Walla County
Regarding Uses and Restriction

b. The provisions of subsection H.2.a may be modified by the SMP Administrator as necessary to assure protection of sensitive features or wildlife.

3. Fencing.

- a. The SMP Administrator shall determine if fencing is necessary to protect the functions and values of the critical area. If found to be necessary, the SMP Administrator shall condition any permit or authorization issued pursuant to this chapter to require the applicant to install a permanent fence at the edge of the habitat conservation area or buffer, when fencing will prevent future impacts to the habitat conservation area.
- b. The applicant shall be required to install a permanent fence around the habitat conservation area or buffer when domestic grazing animals not connected to an agricultural use are present or may be introduced on site.
- c. Fencing installed as part of a proposed activity or as required in this Subsection shall be designed so as to not interfere with species migration, including fish runs, and shall be constructed in a manner that minimizes habitat impacts.

- I. In areas designated as high density of wintering birds of prey, tree and perch removal connected with a development permit other than a single-family dwelling, shall be limited to hazard tree removals unless otherwise approved by the department, after review of a critical area report.
- J. In areas designated as Ferruginous Hawk Habitat tree removal connected with a development permit will be restricted to the non-nesting season August through January, and limited to hazard tree removal unless otherwise approved by the department after review of a critical area report.
- K. Between March 1st and May 31st, clearing and grading activities connected with a development permit are not allowed within 820 feet of an active Ferruginous Hawk nest. The applicant may use a species specific survey to demonstrate that a potential nest tree does not contain an active nest.

6.5 Performance standards—Specific habitats

- A. Endangered, threatened, and sensitive species.
 - No development shall be allowed within a habitat conservation area or buffer established as
 part of a habitat conservation plan with which state or federal endangered, threatened, or
 sensitive species have a primary association, unless provided for through a federal or state
 permit, or other approval.
 - 2. Whenever activities are proposed adjacent to a habitat conservation area within a habitat conservation plan with which state or federally endangered, threatened, or sensitive species have a primary association, such area shall be protected through the application of protection measures in accordance with a critical area report prepared by a qualified professional and submitted to the County. Approval for alteration of land adjacent to the habitat conservation area or its buffer shall not occur prior to consultation with the Department of Fish and Wildlife and the appropriate federal agency.
 - 3. Bald eagle habitat shall be protected pursuant to the Washington State Bald Eagle Protection Rules (WAC 232-12-292).
- B. Riparian habitat areas. Unless otherwise allowed in this chapter, all structures and activities shall be located outside of riparian habitat buffers.
 - 1. Establishment of Riparian Habitat Buffers. Buffers shall be established for habitats that include aquatic systems.
 - 2. Buffer Widths.
 - a. Water-Dependent Developments. For water-dependent developments, no buffer shall be required. Mitigation sequencing pursuant to SMP Section 5.1.D and Appendix A Section 1.18 shall be applied to avoid and minimize adverse impacts during development siting.
 - b. All Other Developments. For all other developments, the recommended buffer width is provided in Table 6.5-1 below. A riparian habitat shall have at least the buffer width recommended in Table 6.5-1 below, unless a greater width is required pursuant to Appendix A Section 6.11, or a lesser width is allowed pursuant to Appendix A Sections 6.10 or 6.12. Widths shall be measured outward, on the horizontal plane, from the ordinary high water mark or from the top of bank if the ordinary high water mark cannot be identified.
 - 3. The required buffer shall be extended to include any adjacent regulated wetland(s), landslide hazard areas and/or erosion hazard areas and required buffers, but shall not be extended across roads or other lawfully established structures or hardened surfaces that are functionally and effectively disconnected from the stream.

4. Buffers in conjunction with other critical areas. Where other critical areas defined in this chapter fall within the water body buffer, the buffer area shall be the most expansive of the buffers applicable to any applicable critical area.

Table 6.5-1 Recommended Minimum Riparian Buffer Widths for Six Categories of Waterways within Walla Walla County

Waterway Category	River Reach Included	Existing Conditions/Targeted Functions	Minimum Riparian Buffer Width(per side) ^{1,2}
1	-Columbia River (including Lake Wallula) within County limits -Snake River within County limits	-DNR Type S Stream -Provides limited rearing and migration habitat for anadromous fish species -1 SPTH for LWD recruitment³ (limited effect) and shade (limited effect) -Control sediment, nutrients, and stormwater runoff⁴ -Burbank stormwater addressed through Phase II NPDES -Wildlife migration corridor⁴	100 feet
2	Touchet River mainstem from Coppei Creek to County limits	-Summer steelhead spawning and rearing habitat -EDT priority protection reach -1 SPTH for LWD recruitment ³ and shade -Control sediment, nutrients, and stormwater runoff ⁴ -Wildlife migration corridor ⁴	100 feet
	Touchet River Mainstem from Whetstone Creek to Coppei	-Summer steelhead rearing habitat -1 SPTH for LWD recruitment3 and shade -Control sediment, nutrients, and stormwater runoff ⁴	100 feet
	Coppei Creek ⁶	-Summer steelhead spawning and rearing habitat -EDT priority protection reach	100 ⁽⁵⁾ feet

	-1 SPTH for LWD recruitment ³ and shade -Control for sediment, nutrients, and stormwater runoff ⁴ in higher gradient and steep slopes in upper segments -Wildlife migration corridor ⁴	
Walla Walla River mainstem from confluence with Dry Creek to confluence with Yellowhawk Creek	-EDT priority protection reach -LWD recruitment -1 SPTH for LWD recruitment ³ and shade -Control sediment, nutrients, and stormwater runoff ⁴ -Wildlife migration corridor	100 feet
Walla Walla River mainstem from Yellowhawk Creek to County limits/state line	-Summer steelhead rearing habitat -EDT priority protection reach -1 SPTH for LWD recruitment ³ and shade -Control sediment, nutrients, and stormwater runoff ⁴ -Wildlife migration corridor	100 feet
Mill Creek from Walla Walla River to Gose Street	-Summer steelhead spawning and rearing habitat and/or SRSRP protection reach -Control sediment, nutrients, and stormwater runoff ⁴ -Wildlife migration corridor	100 feet
Mill Creek from Bennington Diversion to County Line and upper headwaters	-Bull trout spawning and rearing habitat -Summer steelhead spawning and rearing habitat and/or SRSRP protection/restoration reach -Control sediment, nutrients, and stormwater runoff ⁴ -Wildlife migration corridor	100 feet

	Blue Creek ⁶	-Summer steelhead spawning and rearing habitat -SRSRP priority protection reach -1 SPTH for LWD recruitment ³ and shade -Controls for sediment, nutrients, and stormwater runoff ⁴ in higher gradient and steep slopes in upper segments - Wildlife migration corridor	100 ⁽⁵⁾ feet
	Cottonwood Creek (tributary to Yellowhawk Creek) ⁶	-Summer steelhead spawning and rearing habitat -1 SPTH for LWD recruitment3 and shade -Control sediment, nutrients, and stormwater runoff ⁴	75 feet
	Upper Dry Creek above Highway 125 Bridge ⁶	-Summer steelhead spawning and rearing habitat -1 SPTH for LWD recruitment ³ and shade -Controls for sediment, nutrients, and stormwater runoff ⁴ in higher gradient and steep slopes in upper segments	100 feet
3a	Touchet River mainstem from mouth to confluence with Whetstone Creek	-Summer steelhead migration habitat -1 SPTH for LWD recruitment ³ and shade -Control sediment, nutrients, and stormwater runoff ⁴ -Wildlife migration corridor	100 feet
	Dry Creek mainstem from mouth to Highway 125 Bridge ⁶	-Summer steelhead migration -Control sediment, nutrients, and stormwater runoff	75 feet
	Walla Walla mainstem from mouth to Dry Creek ^A	-Summer steelhead migration -1 SPTH for LWD recruitment ³ and shade	100 feet

	-Control sediment, nutrients, and stormwater runoff ⁴ -Wildlife migration corridor	
East Little Walla Walla River ⁶	-Salmonid limited rearing habitat (future restoration potential) -1 SPTH for LWD recruitment ³ and shade -Control sediment, nutrients, and stormwater runoff ⁴	75 feet
Pine Creek ⁶	-Summer steelhead limited rearing habitat (see SRSRP) -1 SPTH for LWD recruitment ³ and shade -Control sediment, nutrients, and stormwater runoff ⁴	75 feet
Yellowhawk Creek— Confluence with Walla Walla River to confluence with Cottonwood Creek	-Summer steelhead migration, limited rearing habitat and/or EDT priority protection reach -1 SPTH for LWD recruitment ³ and shade -Control sediment, nutrients, and stormwater runoff ⁴ -Wildlife migration corridor	75 - 100 feet ⁷
Lower Garrison Creek— College Place WWTP outfall to confluence with Walla Walla River ⁶	-Summer steelhead migration, limited rearing habitat and/or EDT priority protection reach -1 SPTH for LWD recruitment ³ and shade -Control sediment, nutrients, and stormwater runoff ⁴	50 feet
Lower Doan Creek— Confluence (future) to Last Chance Road ⁶	-Steelhead rearing habitat (future) -1 SPTH for LWD recruitment ³ and shade -Control sediment, nutrients, and stormwater runoff ⁴ -Wildlife habitat	75 feet

3b	Birch Creek (Walla Walla tributary) ⁶	-Resident fish habitat primarily -Influence on downstream listed species habitat -Control sediment, nutrients, and stormwater runoff ⁴	50 feet
	W. Little Walla Walla (Walla Walla tributary) ⁶		50 feet
	Mud Creek (1) (Walla Walla tributary) ⁶		50 feet
	Mudd Creek (2) (lower Dry Creek tributary) ⁶		75 feet
	Mud Creek (3) (upper Dry Creek tributary) ⁶		75 feet
	Stone Creek ⁶		50 feet
	Whetstone Creek (Touchet tributary) ⁶		50 feet
4	Bergevin Spring Branch (Dry Creek tributary) Gardena Creek (Walla Walla tributary) Grandview Spring Branch (Walla Walla tributary) Spring Valley Creek (1) (lower Dry Creek tributary) Spring Creek (2) (upper Dry Creek tributary) Warm Springs (Walla Walla tributary)	-Influence on downstream listed species habitat -Control sediment, nutrients, and stormwater runoff ⁴	50 feet
5	Little Mud Creek (Pine Creek tributary) ⁶	-Influence on downstream listed species habitat	50 feet
	Wilson Creek (Touchet tributary) ⁶	-Control sediment, nutrients, and stormwater runoff ⁴	
6a	Mill Creek from Gose Street to Bennington Lake dam diversion	-Flood channel -No riparian vegetation allowed within the channel -Trees outside the concrete channel section with potential to shade the channel should remain	35 feet (Also 35 foot tree removal restriction for concrete channel sections)
6b	Yellowhawk Creek— Russell Creek to Mill Creek	-Summer steelhead migration, limited rearing habitat and/or EDT priority protection reach -LWD recruitment -Shade	50 feet

	-Existing riparian average = 31 ft -Meet CREP minimum -Control sediment nutrients, and stormwater runoff ⁴	
Russell Creek—Depping Road to Yellowhawk ⁶	-Influence on downstream habitat -Existing riparian average = 21 ft -Meet CREP minimum -Control sediment, nutrients, and stormwater runoff ⁴	35 feet
Russell Creek— Headwaters to Depping Road ⁶	-Influence on downstream habitat -Existing riparian average = 32 ft -Meet CREP minimum -Control sediment, nutrients, and stormwater runoff ⁴	35 feet
Reser Creek—Wilbur Avenue to Russell Creek ⁶	-Influence on downstream habitat -Existing riparian average = 23 ft -Meet CREP minimum -Control sediment, nutrients, and stormwater runoff ⁴	35 feet
Reser Creek— Headwaters to Wilbur Avenue ⁶	-Influence on downstream habitat -Existing riparian average = 22 ft -Meet CREP minimum -Control sediment, nutrients, and stormwater runoff ⁴	35 feet
Caldwell Creek— Headwaters to Yellowhawk ⁶	-Influence on downstream habitat-Meet CREP minimum >-Control sediment, nutrients, and stormwater runoff ⁴	35 feet
Stone Creek— Headwaters to Teal Street ⁶	-Influence on downstream habitat -Existing riparian average = 20 ftMeet CREP minimum >-Control sediment,	35 feet

	nutrients, and stormwater runoff ⁴	
Doan Creek—Headwaters to Last Chance Road ⁶	-Influence on downstream habitat -Existing riparian average = 48 ft (with wetlands and CREP) -Meet CREP minimum -Control sediment, nutrients, and stormwater runoff4	75 feet
Garrison Creek—Lions Park in College Place to College Place WWTP outfall ⁶	-Summer steelhead rearing opportunity -Existing riparian average = 24 ft -Meet CREP minimum -Control sediment, nutrients, and stormwater runoff ⁴	35 feet
Garrison Creek— Yellowhawk to Lions Park (excluding wetland) ⁶	-Influence on downstream habitat -Existing riparian average = 24 ft -Meet CREP minimum -Control sediment, nutrients, and stormwater runoff ⁴ -Wildlife habitat	35 feet
Bryant Creek—Sprague Avenue to Fort Walla Walla park ⁶	-Influence on downstream habitat -Existing riparian average = 14 ft -Meet CREP minimum -Control sediment, nutrients, and stormwater runoff ⁴	35 feet
Titus Creek—Blackberry Lane to Mill Creek by community college ⁶	-Influence on downstream habitat -Existing riparian average = 25 ft -Meet CREP minimum -Control sediment, nutrients, and stormwater runoff ⁴	35 feet
Titus Creek—Mill Creek diversion to Blackberry Lane ⁶	-Influence on downstream habitat -Existing riparian average = 81 ft -Meet CREP minimum -Control sediment,	35 feet

	nutrients, and stormwater runoff ⁴	
All Other Creeks within city limits/UGA — Intermittent open channels with piped sections ⁶	-Influence on downstream habitat -Meet CREP minimum -Control sediment, nutrients, and stormwater runoff ⁴	35 feet

^{1.} In stream segments where CREP buffers are established, and are larger than the minimum buffer listed in Table 6.5-1, then CREP buffers become the minimum riparian buffer width.

- 2. Buffer width is measured for the ordinary high water mark.
- 3. 1 SPTH = 100 ft. Based on NRCS program in Walla Walla County (personal comm. with Larry Hooker, July 2008)
- 4. Source: Table 5-8 from Sheldon et al. 2005
- 5. As a higher gradient stream with steeper upland slopes in many areas and in a higher precipitation area, additional performance measures are recommended to ensure sediment is controlled during and post-construction.
- 6. Non shoreline waterbodies are subject to the riparian buffer widths and other critical area protections herein only when passing through shoreline jurisdiction.
- 7. The buffer for Yellowhawk Creek within shoreline jurisdiction is to be determined by a Riparian Habitat Buffer Determination or established as a standard 100 foot wide buffer.
 - 5. Yellowhawk Creek Riparian Buffer. The riparian buffer width for a parcel along Yellowhawk Creek shall be determined at the time of application through a Riparian Habitat Buffer Determination completed by a qualified professional or establishment of a standard 100-foot wide buffer. The riparian buffer width shall vary between 75 feet and 100 feet depending upon existing riparian buffer conditions reported in the Riparian Habitat Buffer Determination.
 - a. A Riparian Habitat Buffer Determination shall include the following:
 - Detailed description of vegetation within shoreline jurisdiction which evaluates the characteristics providing buffer functions, including but not limited to, vegetation type, height, density, and connectivity to the shoreline;
 - ii. Identification of riparian habitat corridors and connectivity to adjacent parcels; and
 - iii. A delineation of the riparian habitat buffer boundary. The buffer width boundary may vary between 75 and 100 feet across a site dependent upon the existing functional characteristics. However, in no instance shall the riparian buffer width be less than 75 feet.
 - b. In lieu of hiring a qualified professional, an applicant may opt for professional input from the Washington Department of Fish and Wildlife or the Washington Department of Ecology to determine the riparian buffer width.
 - c. Buffer reduction per Appendix A Section 6.12 is not allowed.
 - d. Buffer averaging per Appendix A Section 6.10 is not allowed unless reasonable use of the property is identified per Section 6.10.B, but in no instance shall the buffer width be less than 75 feet.
 - e. In lieu of a Riparian Habitat Buffer Determination, whether performed by a qualified professional, the Washington Department of Fish and Wildlife, or the Washington Department of Ecology, the applicant may opt for a 100-foot wide standard buffer. In such case, the 100-foot wide riparian buffer may be averaged or reduced according to Appendix A Sections 6.10 and 6.12, respectively.
 - 6. Uses and modifications allowed in riparian habitat buffers. The following uses are allowed in riparian habitat area buffers provided that mitigation sequencing (see Appendix A Section 1.18 and SMP Section 5.1.C and D) is demonstrated, and any adverse impacts to ecological functions are mitigated.

- a. Water-dependent uses. Consistent with the use allowances for each environment designation, water-dependent uses, modifications and activities may be located in shoreline buffers at the water's edge.
- b. Accessories to water-dependent uses. Uses, developments and activities accessory to water-dependent uses should be located outside any applicable standard or reduced shoreline buffer unless at least one of the following is met:
 - proximity to the water-dependent project elements is critical to the successful implementation of the facility's purpose and the elements are supportive of the water-dependent use and have no other utility (e.g., a road to a boat launch facility, facilities that support aquaculture);
 - ii. in parks or on other public lands where high-intensity recreational development is already legally established and whose use is primarily related to access to, enjoyment and use of the water, they do not conflict with or limit opportunities for other wateroriented uses; or
 - iii. the applicant's lot/site has topographical constraints where no other location of the development is feasible (e.g., the water-dependent use or activity is located on a parcel entirely or substantially encumbered by the required buffer).

In these circumstances, uses and modifications accessory to water-dependent uses must be designed and located to minimize intrusion into the buffer. All other accessory uses, developments and activities proposed to be located in a shoreline buffer must obtain a Shoreline Variance unless otherwise allowed by other regulations in this section or in the SMP.

- c. Water-oriented public access and recreation facilities. New development and redevelopment of water-oriented public access and recreation structures are allowed in shoreline buffers provided the applicant can demonstrate that the design applies mitigation sequencing and appropriate mitigation is provided to ensure no net loss of ecological functions. Applicants shall submit a management plan that specifically addresses compliance with these critical areas regulations in addition to SMP Sections 5.1 (Ecological Protection and Critical Areas), 5.3 (Shoreline Vegetation Conservation), and 5.2 (Water Quality). The County may review and condition the project to fully implement the policies of the Shoreline Management Act and its Master Program.
- d. Shoreline residential access. A private access pathway constructed of pervious materials may be installed, a maximum of four (4) feet wide, through the shoreline buffer to the OHWM. Impervious materials may be used as needed to construct a safe, tiered pathway down a slope. Raised boardwalks may also be constructed through wetland areas to reach the shoreline waterbody consistent with regulations in this article. A railing may be installed on one edge of the pathway, a maximum of 36 inches tall and of open construction. Pathways to the shoreline should take the most direct route feasible consistent with appropriate safety standards.

C. Anadromous Fish.

- All activities, uses, and alterations proposed to be located in water bodies used by anadromous fish or in areas that affect such water bodies shall give special consideration to the preservation and enhancement of anadromous fish habitat, including, but not limited to, adhering to the following standards:
 - a. Activities shall be timed to occur only during the allowable work window as designated by the Washington Department of Fish and Wildlife for the applicable species;
 - b. An alternative alignment or location for the activity is not feasible;
 - c. The activity is designed so that it will not degrade the functions or values of the fish habitat or other critical areas;

- d. Shoreline erosion control measures shall be designed to use bioengineering methods or soft armoring techniques, according to an approved critical area report, and
- e. Any impacts to the functions or values of the habitat conservation area are mitigated in accordance with an approved critical area report.
- Structures that prevent the migration of salmonids shall not be allowed in the portion of
 water bodies currently or historically used by anadromous fish. Fish bypass facilities shall be
 provided that allow the upstream migration of adult fish and shall prevent fry and juveniles
 migrating downstream from being trapped or harmed.
- 3. Fills, when authorized by the SMP, shall not adversely impact anadromous fish or their habitat or shall mitigate any unavoidable impacts and shall only be allowed for a water-dependent use.

6.6 Performance standards—Subdivisions

The subdivision and short subdivision of land in fish and wildlife habitat conservation areas and associated buffers is subject to the following:

- A. Land that is located wholly within a habitat conservation area or its buffer may not be subdivided.
- B. Land that is located partially within a habitat conservation area or its buffer may be divided provided that the developable portion of each new lot and its access is located outside of the habitat conservation area or its buffer.
- C. Access roads and utilities serving the proposed may be permitted within the habitat conservation area and associated buffers only if the County determines that no other feasible alternative exists and when consistent with this chapter.

6.7 Fish and wildlife habitat conservation areas—Piped streams

- A. Building over a natural stream that is located in an underground pipe or culvert, except as allowed in Appendix A Section 1.14 for transportation or utility crossings, is prohibited. Relocation of the piped stream system around structures is allowed. The relocated system shall be sized to convey the one hundred-year future land use condition runoff from the total upstream tributary area as determined from a hydrologic and hydraulic analysis performed in accordance with standards determined by the County.
- B. No riparian buffers are required along segments of piped or culverted streams unless designated by the County for removal. Any easements or setbacks from pipes or culverts shall be consistent with adopted County regulations or design standards as administered by the County public works department. Setback requirements will include an easement over the piped stream system and a building setback from the edge of the easement. The County will determine the setback requirement during the permit review process. The setback size will be dependent upon the required amount of space that would be needed for maintenance, operation and future replacement of the piped stream system.

6.8 Fish and wildlife habitat conservation areas—Mitigation standards

- A. Activities that adversely affect fish and wildlife habitat conservation areas and/or their buffers should generally be avoided through site design, including clustering. Unavoidable impacts to designated species or habitats shall be compensated for through habitat creation, restoration and/or enhancement to achieve no net loss of habitat functions and values in accordance with the purpose and goals of this chapter.
- B. When compensatory mitigation is required, the applicant shall submit a compensatory mitigation plan with sufficient information to demonstrate that the proposed activities are logistically

feasible, constructible, ecologically sustainable, and likely to succeed. In addition to the requirements of Appendix A Section 1.19, specific information to be provided in the plan shall include, but not be limited to:

- General description and scaled drawings of the activities proposed including, but not limited
 to, clearing, grading/excavation, drainage alterations, planting, invasive plant management,
 installation of habitat structures, irrigation, and other site treatments associated with the
 development activities and proposed mitigation action(s);
- 2. A description of the functions and values that the proposed mitigation area(s) shall provide, together with a description of required and an assessment of factors that may affect the success of the mitigation program; and
- 3. A description of known management objectives for the species or habitat.
- C. Required mitigation shall be completed as soon as possible following activities that will disturb fish and wildlife habitat conservation areas and during the appropriate season. Mitigation shall be completed prior to use or occupancy of the activity or development. Construction of mitigation projects shall be timed to reduce impacts to existing wildlife and flora.
- D. The SMP Administrator shall have authority to require monitoring of mitigation activities and submittal of annual monitoring reports to ensure and document that the goals and objectives of the mitigation are met. The frequency and duration of the monitoring shall be based on the specific needs of the project as determined by the SMP Administrator.

6.9 Fish and wildlife habitat conservation areas—Wind-farm mitigation standards

- A. No on site mitigation allowed, unless area is sufficient distance from power generation facilities to avoid impacts as demonstrated through critical areas report. Offsite habitat easements or wildlife (birds and bats) habitat replacement and/or enhancement are preferred.
- B. Mortality monitoring is required during the life of the wind farm. One season every 3 years throughout the service life of the farm. Seasons should alternate between fall (1 August to 15 October) and spring migration (1 March to 5 June).

6.10 Fish and wildlife habitat conservation areas—Water bodies—Buffer averaging

The SMP Administrator shall have the authority to average standard stream Buffer widths on a case-by-case basis when the applicant demonstrates to the satisfaction of the SMP Administrator that all the following criteria are met.

- A. Averaging to improve habitat protection may be permitted when all of the following conditions are met as demonstrated by a critical area report pursuant to Appendix A Sections 1.10, 1.15, and 6.3.
 - 1. The water body or buffer area has significant differences in characteristics that affect its habitat functions:
 - The buffer is increased adjacent to the higher-functioning area of habitat or more sensitive portion of the water body and decreased adjacent to the lower-functioning or less sensitive portion;
 - 3. The buffer averaging does not reduce the functions or values of the stream or riparian habitat, or the buffer averaging, in conjunction with vegetation enhancement, increases the habitat function;

- The total area of the buffer after averaging is equal to the area required without averaging and all increases in buffer dimension for averaging are generally parallel to the wetland edge;
- 5. The buffer at its narrowest point is never less than seventy-five percent of the standard buffer width;
- 6. The slopes adjacent to the stream within the buffer area are stable and the gradient does not exceed thirty percent.
- B. Averaging to allow reasonable use of a parcel may be permitted when all of the following are met as demonstrated by a critical areas report pursuant to Appendix A Sections 1.15 and 6.3.
 - 1. There are no feasible alternatives to the site design that could be accomplished without buffer averaging;
 - 2. The buffer averaging does not reduce the functions or values of the stream or riparian habitat, or the buffer averaging, in conjunction with vegetation enhancement, increases the habitat function;
 - 3. The total area of the buffer after averaging is equal to the area required without averaging and all increases in buffer dimension for averaging are generally parallel to the wetland edge or Ordinary High Water Mark, as applicable;
 - 4. The buffer at its narrowest point is never less than seventy-five percent of the standard buffer width except where the SMP Administrator finds that there is an existing feature such as a roadway that limits buffer dimension, or an essential element of a proposed development such as access that must be accommodated for reasonable use and requires a smaller buffer.
- C. The applicant implements all reasonable measures to reduce the adverse effects of adjacent land uses and ensure no net loss of functions and values in conjunction with a critical area mitigation plan.

6.11 Fish and wildlife habitat conservation areas—Water bodies—Buffer increase

The SMP Administrator shall have the authority to increase the width of a stream buffer on a case-by-case basis when such increase is necessary to achieve any of the following:

- A. Protect fish and wildlife habitat, maintain water quality, ensure adequate flow conveyance; provide adequate recruitment for large woody debris, maintain adequate stream temperatures, or maintain in-stream conditions.
- B. Compensate for degraded vegetation communities or steep slopes adjacent to the stream.
- C. Maintain areas for channel migration.
- D. Protect adjacent or downstream areas from erosion, landslides, or other hazards.

6.12 Fish and wildlife habitat conservation areas—Water bodies—Buffer decrease

The SMP Administrator shall have the authority to reduce buffer widths on a case-by-case basis, provided that the general standards for avoidance and minimization per 1.18.A and B shall apply, and when the applicant demonstrates to the satisfaction of the SMP Administrator that all of the following criteria are met:

A. The buffer reduction shall not adversely affect the habitat functions and values of the adjacent habitat conservation area or other critical area.

- B. The slopes adjacent to the habitat conservation area within the buffer area are stable and the gradient does not exceed thirty percent.
- C. The buffer shall not be reduced to less than seventy-five percent of the standard buffer as defined in Appendix A Subsection 6.5.B.2. A thirty-five-foot buffer cannot be decreased. Table 6.12-1 identifies potential buffer reductions with accompanying riparian habitat enhancement.

Table 6.12-1 Modified Buffer Widths with Approved Habitat Enhancement/Water Quality Treatment

No Habitat Enhancement	Modified Buffer Width with Approved Enhancement/Treatment ¹
100′	75′
75′	56'
50'	38'
35'	35'

¹ Buffer width reduction along Yellowhawk Creek in shoreline jurisdiction only applies when a standard 100-foot wide buffer has been established per Appendix A, Subsection 6.5,B.5.

D. Habitat enhancement plans prepared by a qualified professional must be provided to the County identifying existing conditions, and how the enhancement plan will improve riparian functions over existing conditions. A five year monitoring plan must be included. The plan must also address how land outside a reduced buffer would protect surface water quality. Habitat enhancement plans must be consistent with riparian native vegetation planting guides developed by the Walla Walla County Conservation District, as provided in Table 6.12-2.

Table 6.12-2
Walla Walla County Conservation District Suggested Native Plants by Precipitation and Riparian Zone

County Area	Zone #1—Generally 0'—35'	Zone #2—Generally 35'—75'	Zone #3—Generally 75' and greater
Western Walla Walla	Black Cottonwood—	Great Basin sage—deep	Western Juniper—
County: Wallula-Lowden.			sandy/silt-pH neutral
	alkaline soils (5'-20' from	Big Wyoming Sage—deep	loess, rocky soils (45'—
	shoreline)	well drained soils	100' from shoreline)
	Water Birch—moist soils,	Western juniper—sandy,	Choke Cherry—moist
	silts, ph neutral soils (3'—	pH neutral loess, rocky	soils, seasonally dry soils,
	12' from shoreline)	soils	seasonally wet
	Black Hawthorn—moist	Green rabbit brush—	Ponderosa Pine—well
	to well drained soils, silts	sandy well drained soils	drained soils, dry sites
	and gravel loess (5'—45'	Black Hawthorn—moist	(25'—50' from shoreline)
	from the shoreline)	to well drained soils, silts	Great Basin sage—deep
	Coyote Willow—moist	and gravel loess (5'—45'	well drained soils
	soils-ph neutral silts and	from the shoreline)	Creosote Bush—alkaline
	clays (3'—15' off	Common Snowberry—	soils
	shoreline)	well drained, slightly	Big Wyoming Sage—deep
	Red-osier Dogwood—	acidic soils (10'—20' off	well drained soils
	moist silts and soils, also	the shoreline)	Alkaline Sage— thin
	seasonally dry sites, pH	Choke Cherry—moist-dry	alkaline soils
	neutral to slightly alkaline	well drained soils, pH	Hop Sage—sandy loess

soils (2'-25' off the neutral to slightly acidic well drained soils shoreline) soils (5'-25') Green rabbit brush-Coyote Willow—moist sandy well drained soils soils, pH neutral to **Blue elderberry**—moist slightly alkaline soils (3'soils, loose sandy soils 15' off the shoreline). This Gray rabbit brush plant needs space to slightly alkaline well expand from the base. drained soils **Golden Current**—well drained pH neutral to slightly alkaline soils, (10'-25' off the shoreline). This plant needs room to expand and grow at the base. Can take moderate shade. Blue Elderberry- well drained soils, loess and silts, seasonally moist soils pH neutral to moderately alkaline soils (10'-45' off the shoreline). This plant needs room to expand and grow at the base. Central Walla Walla Black Cottonwood-Black Hawthorn-pH Smooth Sumac—well County: Lowden-College drained soils, silts & loess moist soils, silts, slightly neutral to slightly alkaline Place-10"-15" silts and soils (25'-40' off alkaline soils (5'-20' pH neutral to slightly precipitation zone from shoreline) shoreline) alkaline (25'—100' off Water Birch—moist soils, Ponderosa Pine—well shoreline) silts, pH neutral soils (3' drained soils, dry sites Buffalo Berry—well (25'-50' from shoreline) 12' from shoreline) drained soils, slightly Thin-leaf Alder—moist Mock-orange-well alkaline (25'—100' + off soils- neutral-slightly drained soils, slightly the shoreline) acidic silts and loess (3'acidic (15'-35' off Antelope-brush 15' off shoreline) shoreline) (Bitterbrush)—well White Alder—moist soils-Choke Cherry—moist-dry drained soils, ph neutral ph neutral to slightly well drained soils, pH to slightly acidic acidic silts, cobble (1'neutral to slightly acidic soils (5'-25' off 15' off shoreline) Coyote Willow—moist shoreline) Peach-leaf Willowsoils-ph neutral silts and clays (3'-15' off moist soils, pH neutralslightly alkaline (5'-25' shoreline) Peach-leaf Willow off the shoreline) moist soils-pH neutral-Smooth Sumac—well slightly alkaline (5'-25' drained soils, silts & loess, off the shoreline) pH neutral to slightly

	Red-osier Dogwood— moist-well drained soils, ph neutral to slightly alkaline (2'—25' off the shoreline) Antelope-brush (Bitterbrush)—well drained soils, pH neutral to slightly acidic	alkaline (25'—100' off shoreline) Blue Elderberry—well drained soils, pH neutral-slightly alkaline (15'—50' off the shoreline) Buffalo Berry—well drained soils, slightly alkaline (25'—100' + off the shoreline) Antelope-brush (Bitterbrush)—well drained soils, pH neutral to slightly acidic	
Eastern Walla Walla to Waitsburg and east to the Coppei and Mill Creek Drainages—17"—28" precipitation zone	Black Cottonwood— moist soils, silts, slightly alkaline soils (5'—20' from shoreline) Water Birch—moist soils, silts, ph neutral soils (5'— 12' from the shoreline) Black Hawthorn—moist to well drained soils, silts and gravel loess (5'—45' from the shoreline) Thin-leaf Alder—moist soils (5'—25' off the shoreline) Choke-cherry—moist soils, dry well drained loess, pH neutral to slightly acidic soils (5'— 35') off the shoreline). This plant needs room to expand from the base. Bitter Cherry—moist soils, well drained loess, slightly acidic to pH neutral soils (5'—40' off the shoreline). This plant needs room to expand from the base. Cascara—moist to well drained ph neutral silts and sandy loess, can take slightly acidic soils. Shade	Ponderosa Pine—Well drained silts, sandy loess, and slightly acidic soils (35′—100′ from shoreline) Douglas-Fir—loess, sandy soils, well drained silts, slightly acidic soils (25′—50′) from the shoreline Black Hawthorn—moist to well drained soils, silts and gravel loess (5′—45′ from the shoreline) Thin-leaf Alder—moist soils (5′—25′ off the shoreline) Choke-cherry—moist soils, dry well drained loess, pH neutral to slightly acidic soils (5′—35′ off the shoreline). This plant needs room to expand from the base. Bitter Cherry—moist soils, well drained loess, slightly acidic to pH neutral soils (5′—40′ off the shoreline). This plant needs room to expand from the base. Cascara —moist to well drained pH neutral silts and sandy loess, can take	Ponderosa Pine—well drained silts, sandy loess, and slightly acidic soils (35′—100′ from shoreline) Douglas-Fir—loess, sandy soils, well drained silts, slightly acidic soils (25′—50′ from the shoreline) Smooth Sumac—well drained loess, to slightly alkaline silts (12′—30′ off the shoreline). This plant needs space at the base to expand as it grows.

tolerant (5'—25' off the shoreline).

Pacific Willow—moist soils, pH neutral to slightly alkaline soils (5'— 12' off the shoreline). This plant needs to have room to expand at the base. Coyote Willow — moist soils—pH neutral to slightly alkaline soils. (3'-15' off the shoreline). This plant needs space to expand from the base. Red-osier Dogwoodmoist silts and soils, also seasonally dry sites, pH neutral to slightly alkaline soils (2'-25' off the shoreline)

White Alder—moist soils (3'—12' off the shoreline)

slightly acidic soils. Shade tolerant (5'—25' off the shoreline).

Coyote Willow — moist soils, pH neutral to slightly alkaline soils (3'-15' off the shoreline). This plant needs space to expand from the base. Smooth Sumac—well drained loess, to slightly alkaline silts (12'-30' off the shoreline). This plant needs space at the base to expand as it grows. Red-osier Dogwood moist silts and soils, also seasonally dry sites, pH neutral to slightly alkaline soils (2'-25' off the shoreline) Blue Elderberry—well drained soils, loess and silts, seasonally moist soils, pH neutral to moderately alkaline soils

moderately alkaline soils (10'—45' off the shoreline). This plant needs space to grow from the base, to expand out.

Mock-orange—well drained silts-rocky soils, seasonally moist sites (8'—20' off the shoreline). This plant will take moderate shade. It also needs space at the base to expand and grow.

Oceanspray—well drained pH neutral soils, can grow in slightly acidic.

drained pH neutral soils, can grow in slightly acidic soils (10'—35' off the shoreline). This plant needs space at the base to expand and grow.

Golden Current—well drained, pH neutral to

slightly alkaline soils

(10'—25' off the shoreline). This plant needs space to expand and grow at the base. Can take moderate shade.

Pacific Ninebark —well drained, slightly acidic to pH neutral soils, (10'—20' off the shoreline). This plant needs space at the base to expand.

Common Snowberry—well drained, slightly acidic soils (10'—20' off the shoreline)

Planting Densities:

Trees: 1 tree/8 feet

Shrubs: 1 plant/4 feet

Grasses: 6 pounds/acre