INSTRUCTIONS TO BIDDERS

Mail or deliver this entire completed bid package in a sealed envelope to be received no later than 2:00 P.M. on December 30, 2021

TO: Town of Watertown
Town Manager's Office
424 Main Street
Watertown, CT 06795

To be noted on the outside of the envelope:

DO NOT OPEN UNTIL 2:00 P.M. on December 30, 2021

Project # 153-PI-08 Mark & Marcia Werenko 636 Platt Road Watertown, CT 06795

Mandatory pre-bid conference 9:00 AM on December 23, 2021

636 Platt Road Watertown, CT 06795

All interested contractors are required to attend.

Note: Contractor is to submit the entire bid package and any addendum issued. All bids must be filled in completely. It is suggested that the contractor retain a copy of the entire bid package.

All bids shall remain in effect for forty-five (45) calendar days after the receipt of bids.

CONTRACTOR'S BUSINESS NAME:	

AN AFFIRMATIVE ACTION/ EQUAL OPPORTUNITY EMPLOYER
WBE/ SBE/ MBE & SECTION 3 DESIGNATED BUSINESSES
ARE ENCOURAGED TO APPLY

GENERAL CONDITIONS

OWNER: Mark & Marcia Werenko

ADDRESS: 636 Platt Road

Watertown, CT 06795

PROJECT: 153-PI-08

- 1. The Contractor, unless otherwise specified, shall provide all labor, materials, tools, equipment, and related items, and pay all necessary taxes, fees, and permit costs necessary to complete all of the work as detailed on the attached scope of work.
- 2. All rehabilitation, alterations and repairs shall be performed in accordance with applicable Building codes. All electrical, heating, and plumbing work shall be performed in accordance with applicable Building codes. Before commencing work, contractors and/or subcontractors shall obtain all necessary permits. Contractor shall provide copies of required permit(s) and sign off from the respective authority having jurisdiction to the Owner & Program Manager prior to any payment.
- 3. The Contractor certifies and acknowledges that he has familiarized himself with the requirements of the specifications and understands the extent and nature of the work specified here within. That he has inspected the premises and given full attention to all areas in which he will become specifically involved and has familiarize himself with the conditions relating to and affecting the work and his bid.
- 4. The selected Contractor must, prior to contract signing, supply the Town of Watertown and the Owner & Program Manager with the original certificates of insurance for general liability, auto liability, and worker's compensation, as applicable. General liability insurance shall be a broad form contractual endorsement with minimum limits of one million (\$1,000,000.00) dollars per occurrence for bodily injury and five hundred thousand (\$500,000.00) dollars per occurrence for property damage. Auto Liability insurance shall cover hired and non-hired autos in accordance with State law. Workers' Compensation Insurance shall have a minimum limit of one hundred thousand (\$100,000.00) dollars for each accident. The Contractor shall indemnify and save harmless the Owner and the Town of Watertown under these policies. The contractor shall name the Owner, the Town of Watertown and It's Agents as additional insured as their interests may appear on the General Liability Insurance.
- 5. The selected Contractor and all subcontractors are required to have a Dun & Bradstreet (DUN's) number and Commercial and Government Entity Code (CAGE) as a condition of contract award. If a business does not have a DUNS and CAGE registration, they will have thirty (30) days to obtain them or forfeit the award.

These numbers can be obtained from the following websites:

Duns & Bradstreet: http://fedgov.dnb.com/webform

Central Contracting Registration: https://www.sam.gov/portal/SAM/#1

- 6. The Owner may cancel this contract by _____ and not be liable to the Contractor or the Municipality. Should the Owner opt to cancel they must sign and send the attached cancellation notice, see Attachment A, to the Contractor, otherwise the Owner shall issue a Notice to proceed authorizing the contractor to commence with the proposed improvements. Should the Notice to Proceed not be issued prior to 10 consecutive calendar days from the date of the expiration date of the right to cancel then the Contract will become Null and void.
- 7. The Contractor shall commence work under this contract prior to _____ and complete the work by _____.
- 8. The Contractor and Owner agree that all services offered by the Municipality and A&E Services Group, LLC. (hereinafter referred to as the "Program Manager"), which may affect the Contractor and Owner, are offered to facilitate the project implementation and applicable program compliance. The Contractor and Owner agree to, upon review and acceptance of such services provided, indemnify, defend, save and hold harmless the Municipality and Project Manager, their officers, agents and employees from and against any and all damage, liability, loss, expense, judgment or deficiency of any nature whatsoever (including, without limitation, reasonable attorney's fees and other costs and expenses incident to any suit, action or proceeding) incurred or sustained by Municipality or Project Manager which shall arise out of or result from Project Manager 's actions performed in good faith of services pursuant to the Professional Services Contract. The Contractor and Owner agree that the Project Manager shall not be liable to the Contractor or Owner, its heirs, successors or assigns, for any act performed within the duties and scope of employment pursuant to Professional Services Contract.
- 9. All materials shall be new and of acceptable quality to what is specified. The property Owner shall select all colors for materials. All work performed, and materials utilized must be performed and installed in accordance with the applicable manufacturer's latest instructions and specifications. If there is a conflict between the specifications and manufacturer's installation instruction, the manufacturer's installation instructions shall prevail.
- 10. All work shall be neat and accurate and done in a manner in accordance with customary trade practices.
- 11. All manufacturers' warranties are to be extended to the property Owner free and clear of all liens.
- 12. The Contractor shall provide a written warranty and guarantee for labor and materials for a one (1) year period from the date of the Certificate of Completion. This guarantee shall be in addition to and not in limitation of, in lieu of, or modify any other guarantee that is due the property Owner from any manufacturer. See enclosed sample letter of warranty and guarantee.

- 13. The Contractor shall repair or replace all work, materials, and equipment which are found to be defective during the construction and guarantee period. Repair shall include any damage to surrounding work caused by the failure and/or necessary for the repair or replacement of the defect. All repairs and replacements shall be performed at no additional expense to the Owner and shall be completed prior to final payment.
- 14. The Contractor shall be responsible and take all necessary measures and precautions to protect and safe keeping of the surroundings from damage occurring due to the performance of their work. If such damage occurs, it will be repaired by the Contractor at no cost to the Owner. All on-site maintenance relating to the performance of the work shall be the responsibility of the Contractor until the Certificate of Completion is issued. The project shall be maintained in a habitable and safe condition daily if the project is to remain occupied
- 15. The Contractor shall be responsible to remove and lawfully dispose of all debris resulting from his work in accordance applicable laws and regulations unless otherwise specified.
- 16. The Contractor shall reinstall any accessories removed while performing the work.
- 17. No changes shall be made to the contracts scope of work by either the Owner or Contractor without the written consent of the Project Manager. Any approved change in the scope of work will not commence until a written change order is processed and fully executed by the property Owner, Contractor, and the Program Manager. Any work performed with out a fully executed change order may not be eligible for payment.
- 18. The Contractor may request a maximum of ___ progress payments. Payments will be made only for work completed, inspected, and approved by the local authority having jurisdiction over the work, the Owner, and Program Manager. The Contractor's request shall be in the form of an itemized bill, made to the Owner, for the portion of work completed to date. No payment will be made for materials stored on site. Payment requests shall be accompanied by a fully executed Lien Waiver, on a form provided by the Program Manager or other documentation, satisfactory to the Program Manager and Owner. The Contractor shall be responsible for obtaining the signatures and presenting them upon final payment.
- 19. Working hours shall be Monday Friday 8:00 AM 5:00 PM. Unless otherwise agreed to by the Owner. The Owner shall be responsible to make the property available to the Contractor during these hours. If the Owner is not available during these hours, they shall appoint someone to be there as their representative.
- 20. If the Contractor is delayed at any time in the progress of the work by any act or neglect of the Owner, or by changes ordered in the work or by labor disputes, fire, unusual delay in delivery of materials, transportation, adverse weather conditions not

reasonably anticipatable, unavoidable casualties, or any causes beyond the Contractor's control, or by delay authorized by the Owner pending dispute resolution or by any other cause which justifies the delay, the contract time shall be extended by Change Order for such reasonable time as may be agreed upon by all parties. It shall be the responsibility of the Contractor to request and document in writing the reasons for such extensions within three (3) calendar days of the occurrence.

- 21. If, through any cause, the Contractor shall fail to fulfill in a timely and proper manner his obligations under this Contract, or if the Contractor shall violate any of the covenants, agreements, or stipulations of this Contract, or if the Contractor does not commence or pursue the work as hereinafter stated within the contract period, then the Owner shall have the right to terminate this agreement and to hire a successor Contractor to perform the remaining work. Any such termination shall be by certified mail to the Contractor to the address noted in this agreement and shall be effective as of the date of mailing.
- 22. In the event of termination payments by the Owner to the original contractor and successor contractor shall be as follows:

The successor Contractor shall first be paid and then the terminated Contractor. Payments to the terminated Contractor shall be limited to those funds remaining after payment to the successor Contractor but shall not exceed the value of the work performed by the terminated Contractor. Should the total cost for work performed by the successor contractor under this contract exceed the amount stated in this agreement due to the Contractors termination, then the Owner shall have a cause of action against the terminated Contractor for any such additional cost.

- 23. All claims or disputes between the Owner and Contractor arising out of or related to the work shall be resolved by the Program Manager, Town Representative and Local Code Official. It is understood and agreed by the parties hereto that neither party will institute any form of legal action, including, but not limited to, attaching the assets of the other party, unless and until it has made a good faith attempt to have the dispute resolved in accordance with the provisions of this Section. Noncompliance with the conditions precedent constitutes a waiver of the right to assert said claim.
- 24. The Contractor will not discriminate against any employee or applicant for employment because of race, color, creed, religion, sex, sexual preference, national origin, or mental or physical disability during the performance of this agreement. The Contractor will take affirmative action to ensure that applicants are employed, and that employees are treated during employment, in all employment practices such as the following: employment, upgrading, demotion or transfer, recruitment, advertising, layoff or termination, rates of pay or other forms of compensation and selection for training, including apprenticeship, without regard to their race, color, creed, religion, sex, sexual preference, national origin or mental or physical disability. This provision will be inserted in all subcontracts for work covered by this agreement.

- 25. In the event of the Contractor's noncompliance with this equal opportunity clause or with any of the said rules, regulations, or orders, this contract may be canceled, terminated, or suspended in whole or in part and the Contractor may be declared ineligible for further contracts in accordance with procedures authorized in Presidential Executive Order 11246, or by rule, regulations, or order of the Secretary of Labor or as provided by law.
- 26. The premises herein shall be occupied during the construction work.
- 27. No officer, employee or member of the Governing Body of the Town of Watertown shall have any financial interest, direct or indirect, in this contract or the proceeds of this loan.
- 28. The Owner and/or Town retains the right to reject any or all bids or any part of any bid in part or in whole if deemed to be in the best interest of the Owner and/or Town.
- 29. Substitutions of materials from that specified are only allowed on an approved/equal basis. The Contractor must submit written documentation of the substitute item or material for approval by the Owner and Program prior to making such substitution. Any items or material substituted by the Contractor without prior written approval of the Owner and Program will at Contractor's expense be replaced if it is determined not to be equal to the item or material specified. Any surrounding, adjoining, or dependent items affected by replacement of unequal substituted material shall also be replaced, reworked, and reinstalled at no cost to the Owner.
- 30. Bids shall contain prices for general categories of work and/or items as specified on the attached sheet. In the event of a discrepancy between prices listed in the specifications and those on the cost summary sheet, the prices listed in the specification for that section shall prevail. In the case of a mathematical error by the Contractor, the correct sum of the individual line items in the specifications (not in the cost summary) shall be the Contractor's bid.
- 31. All bids shall remain in effect for forty-five (45) calendar days.
- 32. The Owner will supply all necessary power required by the Contractor at no additional cost to complete his work. Power shall be limited to the use of existing outlets and shall not exceed the existing capacity of the system. Power required over the capacity of the existing electrical system shall be the responsibility of the Contractor. Heating during construction shall be supplied by the owner.
- 33. Any and all rehabilitation work under this Agreement will comply with the requirements of the Federal Lead-Based Paint Poisoning Prevention Act (42 U.S.C. 4831) which prohibits the use of lead-based paint in residential structures constructed or rehabilitated with Federal Assistance in any form.

The construction or rehabilitation of residential structures receiving assistance under this contract is subject to the final regulations "Requirements for Notification, Evaluation and Reduction of Lead-Based Paint Hazards in Federally owned Residential Property and Housing Receiving Federal Assistance". The regulation is at 24 CFR Part 35. It implements sections 1012 and 1013 of the Residential Lead-Based Paint Hazard Reduction Act of 1992, Title X, of the Housing and Community Development Act of 1992. Sections 1012 and 1013 amend the Lead-Based Paint Poisoning Prevention Act of 1971.

The Owner shall have sole responsibility for assuring that his property conforms to the Lead-Based Paint Removal Requirements and neither the Municipality or Program Manager shall assume any liability whatsoever as a result of identifying volatile levels of Lead-Based Paint or its removal.

The Contractor shall adhere strictly to the provisions of the "Lead-Based Paint Poisoning Prevention Act". Specifically, the Contractor will not utilize lead-based paint as a finish or undercoat or any other use in or out of residential dwellings funded in whole and/or part by the Federal Government.

34. The specifications are complimentary. The Contractor is responsible for estimating all work described in the specifications. All work is to be included in the bid summary sheet by appropriate line item. The contract will only be awarded to general Contractors bidding on ALL line items.

GENERAL CONSTRUCTION NOTES

- 1. The Contractor shall perform the work to accommodate to the greatest extent reasonable the normal use of the premises by the Owner during the construction period.
- 2. It is the Owners intention to proceed with the dwelling occupied during the entire construction project. Coordinate with the Owner in all construction operations to minimize conflict, and to facilitate the Owner usage of the dwelling, parking, and access to the building. Working hours are Monday Friday, 8:00 AM 5:00 PM unless otherwise agreed to by the Owner.
- 3. The Contractor shall maintain containment within the work area when performing lead based paint reduction activities as required, until such time as clearance is received.
- 4. The Contractor shall coordinate any and all short-term interruptions or shutdowns with the Owner prior to commencing.
- 5. The Contractor shall take every precaution to ensure the safety of the occupant(s) during all phases of construction. The Contractor shall to the greatest extent reasonable maintain a least one exit for access. Coordinate restrictions and closures with Owner.
- 6. The Contractor shall be responsible for protecting the dwelling and contents from weather and or physical damage during construction.
- 7. The Contractor shall be responsible for any damage caused to the building and or contents caused by lack of said protection to the dwelling or contents until completion of the contract at no additional cost to the Owner.
- 8. The Contactor will be responsible for the movement of the owner's furnishings as required to facilitate the proposed work The Owner is responsible for the movement and safe keeping of valuable personal items and kick-knacks.
- 9. The Contractor shall assume full responsibility for the protection and safekeeping of his materials and products under this Contract stored on the site. The Contractor shall move any stored products under the Contractor's control which interfere with operations of the Owner.
- 10. Plants, shrubs, and lawn areas are to be protected from damage and debris. Repair and/ or replacement of all damage to existing landscaping shall be done at no additional cost to the Owner.

Project Meetings

- 1. The selected Contractor shall attend a contract signing and pre-construction meeting as scheduled by the Owner and Project Manager.
- 2. The selected Contractor shall attend periodic job meetings during the course of construction, on site, as required.

Product and Execution

- 1. Workers shall be experienced and skillful in performing the work assigned to them.
- 2. Contractor shall verify critical dimensions, operations and functions in the field before ordering or fabricating items which must fit adjoining construction. The Contractor shall verify all existing conditions and dimensions prior to the work. Any and all discrepancies shall be reported to the Owner and Project Manager prior to ordering any materials or performing the work.
- The Contractor shall follow manufacturer's instructions for assembly, installation and product adjustment. In the event of conflicting specifications, the specifications of the manufacturer shall prevail.
- 4. The Contractor shall notify the Owner and Project Manager, within 24 hours of discovery, in the event unforeseen circumstances. If the work is deemed additional or extra by the Project Manager then a change order will be negotiated, executed and authorized by the Contractor, Owner and Project Manager prior to the commencement of the work. Any work performed prior to the execution of a change order may not be considered for payment.
- 5. The specifications do not attempt to detail every task and procedure required to perform the work in full. The Contractor shall perform the work as required to complete the work in a professional manner using customary trade practices and standard work practices.

Removal of Debris and Site Maintenance

- The contractor shall include in their bid the cost of removal of job-related debris and lawful disposal of said debris.
- 2. The Contractor shall coordinate with the Owner for the placement of trash containers, if necessary, prior to the start of demolition.
- 3. The Contractor shall be responsible for the daily clean up and maintenance of the site.
- 4. The Owner shall not place anything in the dumpster without prior approval from the Contractor.

Material Delivery, Storage and Handling

- 1. The Contractor shall determine and comply with manufacturer's recommendation on product handling, storage installation and protection.
- 2. Products shall be delivered to the job site in their manufacturers' original containers, with labels intact and legible. Do not deliver materials to job site until they can be properly protected.
- 3. Maintain packaged materials with seals unbroken and labels intact until time of use.
- 4. The Owner and or Project Manager may reject materials and products which do not bear identification satisfactory to the Owner or Project Manager

Submittal

The following list of submittals is for the convenience of all parties concerned it is not necessarily a complete list of all submittals required.

- 1. Submit the following before the start of work:
 - a. Copy of building permit.
 - b. Material submittals.
- 2. Submittals before Certificate of Completion and final payment.
- a. Acceptance of work from local Building Official.
- b. All warranty and guarantee information.
- c. Signed and notarized lien waivers from first tier subcontractors and suppliers.

Warranties and Guarantees

1. The Contractor shall issue the Owner a written Notice of Guarantee after the date of receipt of Certificate of Completion. Submit to the Owner on letterhead in the following form:

Name of Project and date

I/We, (FIRM NAME), hereby warrant, and guarantee workmanship on labor for the renovations performed at 636 Platt Road, Watertown, CT as per contract signed on ______ for a period of ONE (1) YEAR from the date of the Certificate of Completion.

Signed Dated

End of Section

ROOFING

General

1. Work in this section shall be governed by the Contract Documents. Contractor shall provide all materials, labor, equipment, and services necessary, to perform and complete the work specified herein and or as required by job conditions.

Intent

The intention of this section of the specification includes but not limited to the following:

- 1. Remove and dispose of all roofing materials from the house and porch.
- 2. Remove and salvage siding on dormers.
- 3. Cut cast iron vent pipe and install coupling and 3" PVC vent piping.
- 4. Install architectural, asphalt strip type shingles and materials including but not limited to metal rake and drip edging, ice & water shield, shingle underlayment, ridge vents, plumbing boots, and flashings.

References

- ASTM D226 Standard Specifications for Asphalt Saturated Organic Felt used in Roofing & Waterproofing.
- 2. ASTM D 3018 Standard Specification for Class A Shingles Surfaced with Mineral Granules.
- ASTM 3161 Standard Test Method for Wind Resistance of Asphalt Shingles (Fan Induced Method).
- 4. ASTM 3462 Standard Specification for Asphalt Shingles Made from Glass felt and Surfaced with Mineral Granules.
- 5. ASTM 4586 Standard Specification for Asphalt Roof Cement, Asbestos Free.
- 6. ASTM D4869 Standard Specification for Asphalt Saturated Organic Felt Shingle Underlayment used in roofing.
- ASTM D 6757 Standard Specifications for Inorganic Underlayment for Use with Steep Slope Roofing.
- 8. ASTM E 108 Standard Test Methods for Fire Tests of Roof Coverings.

Materials

- 1. Seam tape As manufactured by 3M, Scotch or approved equal.
- 2. Rake & Drip Edge White aluminum rake & drip. Drip edge shall be 5" wide.
- 3. Leak Barrier CertainTeed Diamond Deck, Elephant Skin synthetic roofing underlayment, GAF Weather Watch, Grace or Harvey Titanium mineral surfaced leak barrier or approved equal.
- 4. Starter Shingles shall be manufactured by the shingle manufacturer.
- 5. Roof Shingles shall be CertainTeed Landmark, GAF Timberline Shingles, TAMKO Heritage, laminated asphalt shingles or approved equal. Shingles shall carry Underwriter's Laboratories labels, UL® 790 Class A Fire Resistance, UL® 997, Wind Resistance and ASTM D3462. Shingles shall be Class A, strip type, self-sealing.
- 6. Hip and ridge shingles shall be as manufactured by the roofing shingles used.
- 7. Ridge Vent CertainTeed Shingle Vent, GAF Cobra or approved equal.
- 8. Fasteners Aluminum or galvanized sharp pointed conventional roofing nails with smooth shanks, minimum 3/8" diameter head and of sufficient length to penetrate 3/4" into solid decking or penetrate through sheathing. Provide 6 nails per full shingle. Staples are not acceptable.
- 9. Roof boots/ Flashing Vents EPDM rubber-aluminum boots.
- 10. Flashing cement trowel grade non-asbestos mineral- fibered roofing mastic ASTM D-2822 Type 1 and ASTM D-4586 Type 1, equivalent to Karnak.
- 11. Chimney flashing Lead step and counter flashing.

Siding Removal

- 1. Remove and dispose of aluminum siding on all dormer walls.
- 2. Coordinate installation of leak barrier and flashing as required.

Shingle Removal

- 1. Remove and legally dispose of existing shingles and related roofing materials such as, but not limited to, gutters, underlayment, roof vents, plumbing boots, flashing materials, rake and drip edge, and fasteners from all roof sections of the house and garage roofs.
- 2. Contractor shall be responsible for any water damage to the structure and to owners' property as a result of inadequate protection from the elements.
- 3. Removal work shall be done in a manner and by such means as is necessary to protect the buildings and surrounding areas from damage; to cause minimum interruption to activities; to avoid hazard or injury to persons or property during the entire construction project.

Unit Price #1

Install new decking using new 1/2" x 4'x8' 4 ply CDX plywood decking. Provide APA exterior exposure plywood over existing skip sheathing. Include all required labor and materials in cost per 4' X 8' sheet. Do not include in base bid.

\$ _____/ 4 x 8 sheet

Preparation of Roof Deck

- 1. Install full coverage leak barrier on rear shed roof over bathroom, dormers over bedrooms and over front entrance. Leak barrier to extend on to fascia boards.
- 2. Install seam tape on sheathing joints.
- 3. Install two courses along of leak barrier at remaining eaves. Leak barrier to extend on fascia boards.
- 4. Install (18") eighteen-inch-wide strip of ice & water barrier along the rakes. Overlap and seal joints a minimum of 6".
- 5. Install a minimum of 18" x 18" piece of leak barrier around any roof penetrations such as vent, hoods, plumbing stacks etc.
- 6. Install leak barrier a from roof surface up on gable walls 10"-12".
- 7. Install full width of leak barrier centered in valleys.
- 8. Install new metal rake and drip edge on all rakes and eaves.
- 9. Install roofing underlayment over all roof decks to receive new roofing. Lap each course a minimum of 6" over lower course, and side lapping 4" at all joints.
- 10. Contractor to provide photographic evidence of underlayment installation and flashing details to Owner & Project Manager. Failure to provide photo documentation will result in removal of material to verify existence to the satisfaction of the Project Manager and Owner.

Shingle Roofing

- 1. Install shingles per manufacturer's written instructions.
- 2. Install starter course along eaves per manufacturer's written instructions.
- 3. Apply six nails per full shingle. Fasten shingles at or below nailing line. Maintain six-inch (6") clearance from butt end of proceeding course with any fasteners. Install shingles to meet appropriate wind zone requirements per the building code.

Plumbing Vent & Roof Boot

1. Install EPDM rubber-aluminum roof boot. Boot shall have soft rubber gasket and be sized to fit existing pipe.

Chimney flashing

- 1. Reflash masonry chimney.
- 2. Remove existing step & counter flashing.
- 3. Install lead step and counter flashing.
- 4. Cut wrigglet into mortar joints not masonry units and install and tuck point mortar joints.

End of Section

Cost \$ _____

GUTTERS

General

1. Work in this section shall be governed by the Contract Documents. Contractor shall provide all materials, labor, equipment and services necessary, to perform and complete the work specified herein and or as required by job conditions.

Intent

The intention of this section of the specification includes but not limited to the following:

- 1. Provide and install new seamless aluminum gutters and downspouts on all eaves of house.
- 2. Install gutter screens on all new gutters.

Installation

- 1. Remove and recycle to the greatest extent possible existing gutters and leaders.
- 2. Provide and install new white aluminum seamless gutters on all eaves on house.
- 3. Fasten gutters with concealed brackets and all-weather screws as applicable. Fasten gutters maximum 32" O.C.
- 4. Gutter shall have a minimum wall thickness of .032. Gutters shall be pitched towards downspouts.
- 5. Install downspouts and leader pipes. Contractor shall duplicate downspout locations.

 Leader shall have a minimum wall thickness of .019. Leader pipe shall be fastened to the building every 8' using concealed brackets. Confirm locations of downspouts with Owner and Project Manager.
- 6. Color of gutters and leaders to be white.
- 7. Gutters shall be cleaned and metal gutter guard such as Titian Aluminum K-Style gutter guards as manufactured by Amerimax Home Products. installed on all gutters upon completion of roofing work.

End of Section

	_			
Cost	S			

VINYL SIDING

General

Work in this section shall be governed by the Contract Documents. Contractor shall provide all materials, labor, equipment and services necessary, to perform and complete the work specified herein and or as required by job conditions.

Intent

The intent of the proposed work shall include but not limited to the following:

- 1. Install white double 4" vinyl clad board siding on all dormers
- 2. Install aluminum coil stock on exterior trims all dormers.

References

- 1. ASTM D 635-Standard Method for Rate of Burning of Self-Supporting Plastics in a Horizontal Position.
- 2. ASTM D 638 Standard Methods for Tensile Properties of Plastics.
- 3. ASTM D 648-Test Method for Deflection Temperature of Plastics under Flexural Load.
- 4. ASTM D 696-Standard Test Method for Coefficient of Linear Thermal Expansion of Plastic Between -30 degree C and 30 degrees C.
- 5. ASTM D 1435-Standard Practice Method for Outdoor Weathering of Plastics.
- 6. ASTM D 1929 Standard Test Method for Ignition Properties of Plastics.
- ASTM D 2843-Standard Test Method for Density of Smoke from Burning or Decomposition of Plastics.
- ASTM D 3679 Standard Specification for Rigid Poly Siding.
- 9. ASTM D 4101 Standard Specification for Propylene Plastic Injection and Extrusion.
- ASTM D 4216 Standard Specification for Rigid Poly Compounds and Related Plastic Building Product Compounds.
- 11. ASTM D 4226 Standard Test Methods for Impact Resistance of PVC Building Products.
- 12. ASTM D 4477 Standard Specification for Rigid Poly Soffit.
- 13. ASTM D 5206 Standard Wind load Resistance Test.

- 14. ASTM E 84 Standard Test Method for Surface Burning Characteristics of Building Materials.
- 15. ASTM E 119 Standard Test Methods for Fire Test of Building Construction and Materials.

Manufacturer

- 1. Install one of the following manufacturers of siding:
 - a. Fairfield, .044, double 4" siding as manufactured by Style Crest Inc.
 - b. Carvedwood, .044, double 4" siding as manufactured by Mastic.
 - c. Timberlake, .044 double 4" siding as manufactured by Kaykan.
- 2. Install one of the following manufacturers of coil stock:
 - a. Alcoa, aluminum coil stock, minimum .019 thickness.

Accessories

- 1. Install the following accessories for complete installation as required.
 - a. Aluminum starter strip.
 - b. 3 ½" wide corner posts.
 - c. Under sill.
 - d. J-channel.

Fasteners

- 1. 2" minimum galvanized or corrosion resistant nail as recommended by manufacturer of siding products for the installation of the siding, soffit and ceiling material.
- 2. $1'' 1\frac{1}{4}$ color coated nails to match aluminum coil stock.

Installation

- 1. Install double 4" clapboard style solid vinyl siding. Install all products in accordance to the latest printed installation instruction of the manufacturer.
- 2. All materials shall be installed true, plumb and square, in accordance to customary trade practices. Fasten siding panels by placing nail centered in nailing slot. Fasten siding every 16" on center. Drive nails straight leaving space between head of the nail and the panel to allow for expansion and contraction. Allow spacing at both ends of the panels and trim for expansion and contraction.

Aluminum Cladding

- 1. Install aluminum coil stock over the following items including but not limited to, all exterior door and window casings, rakes, fascia, returns, trims, posts, and headers.
- 2. Coil stock shall be formed and fashioned to follow existing design and contour of material being covered.
- 3. Windows shall be trimmed with full sill coverage. Sills shall be installed first and cut formed and fitted in such a manner to provide a counter flashing for the casings to ensure

4. positive water drainage. Casings shall be cut, formed and fitted to the sill and extend onto the head casing. The head casing shall be installed last overlapping the side casings and cut with a 45-degree angle.

Cleaning

- 1. The contractor shall clean up the job site on a daily basis. All nails, screws, metal and vinyl scraps shall be raked, or swept from sidewalks and grass areas.
- 2. Upon completion of work the Contractor shall wipe clean the siding material of all finger prints smudges or other markings.

End of Section

Cost \$ _____

COST SUMMARY PAGE

ROOFING		\$
GUTTERS		\$
VINYL SIDING		\$
	TOTAL.	\$

PROPERTY OWNER VERIFICATION

I/we the undersigned Owner(s) acknowledge that I have fully read and understand the attached project specifications. I understand this to be the scope of work and the extent of the renovations to be performed at the property location shown below.

636 Platt Road, Watertown, CT 06795

I understand that any revisions to these specifications changing the scope of work can be made only for unforeseen circumstances. This is for my protection and for providing a clear understanding to the contractor who will provide a quote for the proposed work.

DATE: Dec 14, 2021 OWNER: Mark Werenko

DATE: Dec 14, 2021 OWNER: Marca Werenko

Section 2- Page 13

Amount Written:

I, the undersigned agree to provide all labor, material, permits, taxes, insurance, equipment and related fees, necessary to complete the work as specified above for the property located at:

636 Platt Road, Watertown, CT 06795 All work will be performed in accordance to applicable codes. Small, Minority, Women-Owned Business Concern Representation The bidder represents and certifies as part of its bid/offer that it -(a) is, is not a small business concern. "Small business concern," as used in this provision, means a concern, including its affiliates, that is independently owned and operated, not dominant in the field of operation in which it is bidding, and qualified as a small business under the criteria and size standards in 13 CFR 121. (b) is, is not a women-owned business. "Women-owned business enterprise," as used in this provision, means a business that is at least 51 percent owned by a woman or women who are U.S. citizens and who also control and operate the business. (c) is, is not a minority business enterprise. "Minority business enterprise," as used in this provision, means a business which is at least 51 percent owned or controlled by one or more minority group members or, in the case of a publicly owned business, at least 51 percent of its voting stock is owned by one or more minority group members, and whose management and daily operations are controlled by one or more such individuals. For the purpose of this definition, minority group members are (check the blocks applicable to you): Black Americans Asian Pacific Americans Hispanic Americans Asian Indian Americans Native Americans Hasidic Jewish Americans (d) is, is not a bonafide Section 3 Company. "Section 3 company," as used in this provision, means that it meets the following definition: 1. 51% or more of the ownership of this company is owned by Section 3 residents, as defined by HUD. 2. Currently, at least 30% of the employees of the company are Section 3 residents, as defined by HUD. 3. At least 30% of the employees of the company were Section 3 residents, as defined by HUD, within three vears of the date of first employment with this company. 4. I commit to subcontract at least 25% of the total value of this contract to Section 3 subcontractors, as these companies are defined above, and to provide the necessary evidence to substantiate this, prior to the award of contract. ****************************** Company Name: Address: CT Consumer Phone: Protection # Email: EIN or SSN#: **DUNS#** CAGE# Date: Print Name: Signature: Total Bid Amount: \$

Section 2- Page 14

(This information must be submitted in order to have your bid considered responsive)