Weather Station ID	Date	Mean Air Temp (deg F)	Mean Dew Point (deg F)	Mean Humidity (1)	Mean Wind Speed (mph)	Total Precipitation (inches)
KWALACEY1	1/1/2010	49	46	90	7	0.6
KWALACEY1	1/2/2010	46	44	93	3	0.25
KWALACEY1	1/3/2010	42	41	98	0	0
KWALACEY1	1/4/2010	46	45	98	1	0.72
KWALACEY1	1/5/2010	48	48	99	1	0.12
KWALACEY1	1/6/2010	42	42	97	1	0.05
KWALACEY1	1/7/2010	36	35	95	1	0.08
KWALACEY1	1/8/2010	41	41	98	1	0.83
KWALACEY1	1/9/2010	46	45	97	1	0.01
KWALACEY1	1/10/2010	44	44	99	1	0.03
KWALACEY1	1/11/2010	48	47	98	2	0.5
KWALACEY1	1/12/2010	52	49	88	4	0.18
KWALACEY1	1/13/2010	47	45	92	5	0.43
KWALACEY1	1/14/2010	50	42	76	6	0.17
KWALACEY1	1/15/2010	49	38	73	6	0.6
KWALACEY1	1/16/2010	41	41	98	1	0.04
KWALACEY1	1/17/2010	50	44	82	4	0.11
KWALACEY1	1/18/2010	52	39	62	8	0.02
KWALACEY1	1/19/2010	55	37	53	8	0
KWALACEY1	1/20/2010	48	39	73	1	0
KWALACEY1	1/21/2010	44	37	79	2	0
KWALACEY1	1/22/2010	38	35	90	1	0
KWALACEY1	1/23/2010	44	39	82	2	0.01
KWALACEY1	1/24/2010	39	38	95	1	0.36
KWALACEY1	1/25/2010	45	41	85	3	0.02
KWALACEY1	1/26/2010	41	39	93	1	0.13
KWALACEY1	1/27/2010	38	37	97	0	0.01
KWALACEY1	1/28/2010	41	39	95	0	0
KWALACEY1	1/29/2010	44	42	94	1	0.05
KWALACEY1	1/30/2010	44	44	98	0	0.23
KWALACEY1	1/31/2010	46	44	94	2	0.02
KWALACEY1	2/1/2010	40	39	97	1	0.23
KWALACEY1	2/2/2010	42	41	94	1	0.01
KWALACEY1	2/3/2010	43	42	97	1	0.22
KWALACEY1	2/4/2010	44	42	91	1	0.09
KWALACEY1	2/5/2010	47	42	83	2	0.01
KWALACEY1	2/6/2010	44	41	89	1	0.12
KWALACEY1	2/7/2010	45	44	95	0	0.05
KWALACEY1	2/8/2010	40	39	96	1	0
KWALACEY1	2/9/2010	37	36	96	1	0
KWALACEY1	2/10/2010	36	35	97	0	0.14
KWALACEY1	2/11/2010	49	45	86	4	0.08
KWALACEY1	2/12/2010	46	43	87	5	0.6
KWALACEY1	2/13/2010	45	44	96	1	0.13
KWALACEY1	2/14/2010	48	45	91	2	0.17
KWALACEY1	2/15/2010	41	39	93	1	0.14
KWALACEY1	2/16/2010	49	44	85	3	0.11
KWALACEY1	2/17/2010	42	39	88	1	0
KWALACEY1	2/18/2010	42	34	57	2	0
KWALACEY1	2/19/2010	29	21	43	1	0
KWALACEY1	2/20/2010	38	30	77	1	0.01
KWALACEY1	2/21/2010	38	28	72	1	0
KWALACEY1	2/22/2010	38	27	70	1	0.01
KWALACEY1	2/23/2010	39	36	89	0	0.26
KWALACEY1	2/24/2010	46	43	89	3	0.09
KWALACEY1	2/25/2010	48	42	79	3	0.02
KWALACEY1	2/26/2010	49	46	90	2	0.35
KWALACEY1	2/27/2010	50	44	81	5	0.06
KWALACEY1	2/28/2010	45	42	90	1	0.01
KWALACEY1	3/1/2010	45	42	90	1	0
KWALACEY1	3/2/2010	48	45	92	2	0.38
KWALACEY1	3/3/2010	44	42	91	1	0.01
KWALACEY1	3/4/2010	44	39	84	1	0
KWALACEY1	3/5/2010	43	36	79	1	0
KWALACEY1	3/6/2010	43	36	79	1	0
KWALACEY1	3/7/2010	42	38	86	3	0.06
KWALACEY1	3/8/2010	38	33	84	2	0.01
KWALACEY1	3/9/2010	36	29	78	3	0
KWALACEY1	3/10/2010	43	33	69	6	0
KWALACEY1	3/11/2010	45	39	81	7	0.37
KWALACEY1	3/12/2010	41	40	97	2	0.39
KWALACEY1	3/13/2010	43	39	84	3	0
KWALACEY1	3/14/2010	45	38	76	1	0
KWALACEY1	3/15/2010	50	42	78	1	0
KWALACEY1	3/16/2010	48	44	84	3	0.06
KWALACEY1	3/17/2010	45	36	75	2	0.04
KWALACEY1	3/18/2010	39	32	76	2	0

Weather Station ID	Date	Mean Air Temp (deg F)	Mean Dew Point (deg F)	Mean Humidity (1)	Mean Wind Speed (mph)	Total Precipitation (inches)
KWALACEY1	3/19/2010	44	33	69	2	0
KWALACEY1	3/20/2010	48	36	69	2	0.01
KWALACEY1	3/21/2010	50	45	84	4	0.15
KWALACEY1	3/22/2010	47	39	77	3	0.01
KWALACEY1	3/23/2010	44	38	80	1	0
KWALACEY1	3/24/2010	49	39	74	1	0
KWALACEY1	3/25/2010	48	43	85	6	0.45
KWALACEY1	3/26/2010	45	40	85	4	0.21
KWALACEY1	3/27/2010	48	38	73	1	0
KWALACEY1	3/28/2010	50	44	82	6	0.46
KWALACEY1	3/29/2010	45	41	86	8	1.24
KWALACEY1	3/30/2010	40	38	91	3	0.48
KWALACEY1	3/31/2010	41	36	86	2	0.01
KWALACEY1	4/1/2010	42	36	82	4	0.06
KWALACEY1	4/2/2010	42	37	83	8	0.73
KWALACEY1	4/3/2010	40	37	88	5	0.23
KWALACEY1	4/4/2010	44	36	75	5	0.06
KWALACEY1	4/5/2010	43	37	78	6	0.15
KWALACEY1	4/6/2010	44	40	84	5	0.21
KWALACEY1	4/7/2010	46	40	81	3	0.11
KWALACEY1	4/8/2010	42	35	78	9	0.1
KWALACEY1	4/9/2010	42	33	73	4	0.06
KWALACEY1	4/10/2010	42	31	68	3	0.01
KWALACEY1	4/11/2010	50	38	64	2	0
KWALACEY1	4/12/2010	49	42	79	1	0.06
KWALACEY1	4/13/2010	49	41	75	4	0.07
KWALACEY1	4/14/2010	46	36	71	2	0
KWALACEY1	4/15/2010	50	43	78	2	0.04
KWALACEY1	4/16/2010	53	44	76	2	0.01
KWALACEY1	4/17/2010	53	48	86	2	0.13
KWALACEY1	4/18/2010	55	47	76	1	0.01
KWALACEY1	4/19/2010	57	48	75	2	0.02
KWALACEY1	4/20/2010	50	48	93	2	0.13
KWALACEY1	4/21/2010	48	43	85	2	0.21
KWALACEY1	4/22/2010	48	40	75	2	0
KWALACEY1	4/23/2010	48	39	76	4	0.05
KWALACEY1	4/24/2010	46	41	82	5	0.12
KWALACEY1	4/25/2010	49	40	72	1	0
KWALACEY1	4/26/2010	50	44	82	2	0.13
KWALACEY1	4/27/2010	50	44	83	4	0.16
KWALACEY1	4/28/2010	47	42	82	4	0.29
KWALACEY1	4/29/2010	48	40	76	5	0.03
KWALACEY1	4/30/2010	48	41	78	5	0.04
KWALACEY1	5/1/2010	49	42	78	6	0.01
KWALACEY1	5/2/2010	48	42	81	5	0.05
KWALACEY1	5/3/2010	46	40	80	10	0.45
KWALACEY1	5/4/2010	42	37	82	5	0.05
KWALACEY1	5/5/2010	44	38	81	2	0.05
KWALACEY1	5/6/2010	49	40	72	2	0
KWALACEY1	5/7/2010	49	38	70	3	0
KWALACEY1	5/8/2010	51	36	63	2	0
KWALACEY1	5/9/2010	53	37	61	2	0
KWALACEY1	5/10/2010	48	44	87	2	0.4
KWALACEY1	5/11/2010	51	45	80	4	0
KWALACEY1	5/12/2010	53	44	72	2	0
KWALACEY1	5/13/2010	54	42	69	2	0
KWALACEY1	5/14/2010	57	45	68	2	0
KWALACEY1	5/15/2010	58	47	70	2	0
KWALACEY1	5/16/2010	59	50	73	2	0
KWALACEY1	5/17/2010	58	52	81	2	0.03
KWALACEY1	5/18/2010	56	50	81	3	0.21
KWALACEY1	5/19/2010	54	46	77	4	0.33
KWALACEY1	5/20/2010	46	42	84	5	0.34
KWALACEY1	5/21/2010	46	42	86	3	0.14
KWALACEY1	5/22/2010	50	42	77	4	0.07
KWALACEY1	5/23/2010	49	42	79	4	0.02
KWALACEY1	5/24/2010	51	41	72	2	0
KWALACEY1	5/25/2010	52	49	89	2	0.21
KWALACEY1	5/26/2010	52	50	93	2	0.25
KWALACEY1	5/27/2010	51	46	85	2	0.04
KWALACEY1	5/28/2010	50	48	94	5	0.88
KWALACEY1	5/29/2010	51	46	85	4	0.07
KWALACEY1	5/30/2010	50	48	92	0	0.09
KWALACEY1	5/31/2010	58	54	90	3	0.3
KWALACEY1	6/1/2010	54	50	86	1	0.18
KWALACEY1	6/2/2010	56	53	88	5	0.27
KWALACEY1	6/3/2010	53	44	73	2	0.04

Weather Station ID	Date	Mean Air Temp (deg F)	Mean Dew Point (deg F)	Mean Humidity (1)	Mean Wind Speed (mph)	Total Precipitation (inches)
KWALACEY1	6/4/2010	54	48	82	3	0.26
KWALACEY1	6/5/2010	56	45	70	2	0
KWALACEY1	6/6/2010	56	54	94	1	0.47
KWALACEY1	6/7/2010	59	49	73	4	0
KWALACEY1	6/8/2010	57	49	76	2	0.09
KWALACEY1	6/9/2010	55	52	90	3	0.39
KWALACEY1	6/10/2010	53	50	89	5	0.16
KWALACEY1	6/11/2010	56	50	81	3	0
KWALACEY1	6/12/2010	60	50	74	2	0
KWALACEY1	6/13/2010	58	49	74	4	0
KWALACEY1	6/14/2010	54	44	72	4	0
KWALACEY1	6/15/2010	50	44	80	3	0.37
KWALACEY1	6/16/2010	52	48	86	2	0.13
KWALACEY1	6/17/2010	54	48	80	3	0
KWALACEY1	6/18/2010	57	50	79	1	0.22
KWALACEY1	6/19/2010	52	51	95	2	0.45
KWALACEY1	6/20/2010	53	51	92	3	0.09
KWALACEY1	6/21/2010	55	50	84	2	0
KWALACEY1	6/22/2010	61	52	76	2	0.02
KWALACEY1	6/23/2010	65	53	68	2	0
KWALACEY1	6/24/2010	63	53	72	3	0
KWALACEY1	6/25/2010	58	52	82	5	0
KWALACEY1	6/26/2010	60	49	69	3	0
KWALACEY1	6/27/2010	61	53	77	2	0
KWALACEY1	6/28/2010	61	54	80	4	0
KWALACEY1	6/29/2010	56	46	70	4	0
KWALACEY1	6/30/2010	53	44	74	2	0
KWALACEY1	7/1/2010	54	49	84	1	0.14
KWALACEY1	7/2/2010	57	53	88	2	0.21
KWALACEY1	7/3/2010	57	48	73	3	0
KWALACEY1	7/4/2010	57	51	82	4	0
KWALACEY1	7/5/2010	56	49	77	2	0
KWALACEY1	7/6/2010	62	50	68	3	0
KWALACEY1	7/7/2010	70	53	60	2	0
KWALACEY1	7/8/2010	74	54	56	1	0
KWALACEY1	7/9/2010	74	56	59	2	0
KWALACEY1	7/10/2010	69	59	70	5	0
KWALACEY1	7/11/2010	64	59	84	6	0
KWALACEY1	7/12/2010	58	47	70	8	0
KWALACEY1	7/13/2010	59	48	69	3	0
KWALACEY1	7/14/2010	64	49	64	2	0
KWALACEY1	7/15/2010	64	53	69	2	0
KWALACEY1	7/16/2010	57	50	79	5	0
KWALACEY1	7/17/2010	58	51	81	2	0
KWALACEY1	7/18/2010	57	51	82	4	0
KWALACEY1	7/19/2010	58	52	81	3	0
KWALACEY1	7/20/2010	60	53	81	2	0
KWALACEY1	7/21/2010	63	54	75	2	0
KWALACEY1	7/22/2010	59	52	80	6	0
KWALACEY1	7/23/2010	62	52	73	2	0
KWALACEY1	7/24/2010	68	54	65	2	0
KWALACEY1	7/25/2010	69	52	61	2	0
KWALACEY1	7/26/2010	68	54	64	1	0
KWALACEY1	7/27/2010	63	54	75	3	0
KWALACEY1	7/28/2010	60	54	81	3	0
KWALACEY1	7/29/2010	59	53	82	2	0
KWALACEY1	7/30/2010	61	54	80	1	0
KWALACEY1	7/31/2010	59	54	85	4	0
KWALACEY1	8/1/2010	61	56	82	2	0
KWALACEY1	8/2/2010	62	56	82	1	0
KWALACEY1	8/3/2010	63	57	82	2	0
KWALACEY1	8/4/2010	66	58	78	2	0
KWALACEY1	8/5/2010	70	60	73	2	0
KWALACEY1	8/6/2010	60	55	82	5	0
KWALACEY1	8/7/2010	61	58	90	3	0.1
KWALACEY1	8/8/2010	61	56	83	4	0
KWALACEY1	8/9/2010	58	54	87	3	0
KWALACEY1	8/10/2010	60	53	80	2	0
KWALACEY1	8/11/2010	62	54	78	1	0
KWALACEY1	8/12/2010	63	56	79	2	0
KWALACEY1	8/13/2010	68	55	66	3	0
KWALACEY1	8/14/2010	73	54	57	2	0
KWALACEY1	8/15/2010	75	54	54	2	0
KWALACEY1	8/16/2010	72	56	62	1	0
KWALACEY1	8/17/2010	70	57	66	3	0
KWALACEY1	8/18/2010	61	54	76	5	0
KWALACEY1	8/19/2010	61	52	74	4	0

Weather Station ID	Date	Mean Air Temp (deg F)	Mean Dew Point (deg F)	Mean Humidity (1)	Mean Wind Speed (mph)	Total Precipitation (inches)
KWALACEY1	8/20/2010	57	48	72	3	0
KWALACEY1	8/21/2010	56	49	78	2	0
KWALACEY1	8/22/2010	60	50	71	5	0
KWALACEY1	8/23/2010	60	48	69	2	0
KWALACEY1	8/24/2010	65	49	61	1	0
KWALACEY1	8/25/2010	69	52	61	1	0
KWALACEY1	8/26/2010	60	51	71	6	0
KWALACEY1	8/27/2010	58	48	71	3	0
KWALACEY1	8/28/2010	55	46	74	2	0
KWALACEY1	8/29/2010	56	47	73	3	0
KWALACEY1	8/30/2010	58	47	69	1	0
KWALACEY1	8/31/2010	56	49	80	4	0.23
KWALACEY1	9/1/2010	59	54	85	2	0.02
KWALACEY1	9/2/2010	60	49	72	2	0.01
KWALACEY1	9/3/2010	65	52	68	3	0
KWALACEY1	9/4/2010	58	49	73	5	0.02
KWALACEY1	9/5/2010	57	48	73	4	0
KWALACEY1	9/6/2010	56	52	84	2	0.1
KWALACEY1	9/7/2010	58	55	89	1	0.78
KWALACEY1	9/8/2010	56	54	93	2	0.41
KWALACEY1	9/9/2010	56	52	86	2	0
KWALACEY1	9/10/2010	57	52	84	2	0.01
KWALACEY1	9/11/2010	55	49	82	1	0
KWALACEY1	9/12/2010	59	54	83	2	0
KWALACEY1	9/13/2010	58	55	88	1	0.01
KWALACEY1	9/14/2010	58	55	89	0	0.01
KWALACEY1	9/15/2010	59	56	92	1	0.19
KWALACEY1	9/16/2010	62	61	96	1	0.32
KWALACEY1	9/17/2010	61	60	96	1	0.65
KWALACEY1	9/18/2010	64	62	93	1	0.58
KWALACEY1	9/19/2010	60	58	93	1	0.18
KWALACEY1	9/20/2010	57	55	93	3	0.55
KWALACEY1	9/21/2010	54	49	85	1	0.01
KWALACEY1	9/22/2010	54	50	87	1	0
KWALACEY1	9/23/2010	54	50	89	3	0.16
KWALACEY1	9/24/2010	59	53	83	1	0
KWALACEY1	9/25/2010	60	53	80	2	0.01
KWALACEY1	9/26/2010	64	60	89	2	0.11
KWALACEY1	9/27/2010	67	63	88	2	0
KWALACEY1	9/28/2010	64	60	87	2	0
KWALACEY1	9/29/2010	54	52	92	1	0.01
KWALACEY1	9/30/2010	57	54	90	2	0
KWALACEY1	10/1/2010	55	53	92	2	0.01
KWALACEY1	10/2/2010					
KWALACEY1	10/3/2010	56	53	89	2	0
KWALACEY1	10/4/2010	51	48	89	1	0
KWALACEY1	10/5/2010	50	45	85	1	0.01
KWALACEY1	10/6/2010	51	46	85	1	0
KWALACEY1	10/7/2010	52	49	88	1	0.01
KWALACEY1	10/8/2010	57	52	84	1	0.07
KWALACEY1	10/9/2010	61	58	92	3	0.34
KWALACEY1	10/10/2010	57	54	90	3	0.41
KWALACEY1	10/11/2010	46	43	88	1	0.01
KWALACEY1	10/12/2010	44	41	89	0	0
KWALACEY1	10/13/2010	49	44	87	0	0.01
KWALACEY1	10/14/2010	49	45	87	2	0.08
KWALACEY1	10/15/2010	46	40	82	1	0
KWALACEY1	10/16/2010	42	38	84	1	0
KWALACEY1	10/17/2010	41	36	85	1	0.01
KWALACEY1	10/18/2010	45	40	83	0	0

Well Name	Date Time	DTW (ft bmp)	DTW (ft bgs)	Comments
SW Well 1	4/26/2010 9:00	181.90	179.44	manual measurement
SW Well 1	5/14/2010 13:35	181.41	178.95	manual measurement
SW Well 1	7/7/2010 19:40	180.07	177.61	manual measurement
SW Well 1	8/18/2010 11:00	179.56	177.10	manual measurements; installed transducer
SW Well 1	8/25/2010 13:59	179.22	176.76	manual measurement
SW Well 1	8/26/2010 14:22	179.42	176.96	manual measurement
SW Well 1	10/6/2010 9:20	179.20	176.74	manual measurement
SW Well 1	10/7/2010 10:34	179.20	176.74	manual measurement
SW Well 1	10/7/2010 12:30	179.32	176.86	manual measurement; downloaded data
SW Well 1	10/8/2010 9:17	179.31	176.85	manual measurement; access port not on all the way
SW Well 1	10/8/2010 14:58	179.27	176.81	manual measurement; downloaded data
SW Well 1	10/9/2010 10:22	179.36	176.90	manual measurement
SW Well 1	10/10/2010 9:59	179.45	176.99	manual measurement
SW Well 1	10/13/2010 13:03	179.35	176.89	manual measurement; removed transducer
Thompson Creek Monitoring Well	4/26/2010 9:55	7.05	3.25	manual measurement
Thompson Creek Monitoring Well	5/14/2010 9:30	7.34	3.54	manual measurement
Thompson Creek Monitoring Well	7/7/2010 18:50	7.68	3.88	manual measurement
Thompson Creek Monitoring Well	8/18/2010 13:17	8.84	5.04	manual measurement
Thompson Creek Monitoring Well	8/25/2010 8:22	8.85	5.05	manual measurement
Thompson Creek Monitoring Well	10/6/2010 10:30	9.02	5.22	manual measurement
Thompson Creek Monitoring Well	10/7/2010 9:51	8.74	4.94	manual measurement; downloaded data
Thompson Creek Monitoring Well	10/7/2010 11:34	8.34	4.54	manual measurement; downloaded data
Thompson Creek Monitoring Well	10/9/2010 8:30	9.09	5.29	manual measurement; raining
Thompson Creek Monitoring Well	10/10/2010 8:59	8.58	4.78	manual measurement
Thompson Creek Monitoring Well	10/13/2010 15:40	8.81	5.01	manual measurement
North Test Well	4/26/2010 9:40	174.48	172.56	manual measurement
North Test Well	7/7/2010 19:00	173.37	171.45	manual measurement
North Test Well	7/13/2010 9:10	173.60	171.68	manual measurements; installed transducer
North Test Well	8/18/2010 11:50	173.09	171.17	manual measurement
North Test Well	8/25/2010 14:08	172.95	171.03	manual measurement
North Test Well	8/26/2010 14:30	173.18	171.26	manual measurement
North Test Well	10/6/2010 9:00	172.98	171.06	manual measurement
North Test Well	10/7/2010 10:11	172.95	171.03	manual measurement; downloaded data
North Test Well	10/7/2010 12:02	173.08	171.16	manual measurement
North Test Well	10/8/2010 9:27	173.01	171.09	manual measurement; downloaded data
North Test Well	10/8/2010 14:22	173.04	171.12	manual measurement
North Test Well	10/9/2010 9:35	173.03	171.11	manual measurement
North Test Well	10/10/2010 9:39	173.13	171.21	manual measurement
North Test Well	10/13/2010 13:32	173.01	171.09	manual measurement
South Test Well	4/26/2010 9:30	159.00	155.73	manual measurement
South Test Well	7/7/2010 20:01	158.12	154.85	manual measurement
South Test Well	8/18/2010 11:37	157.95	154.68	manual measurement
South Test Well	10/6/2010 9:30	158.04	154.77	manual measurement
South Test Well	10/7/2010 10:19	157.93	154.66	manual measurement
South Test Well	10/7/2010 12:13	158.10	154.83	manual measurement; downloaded data
South Test Well	10/8/2010 9:10	157.95	154.68	manual measurement
South Test Well	10/8/2010 14:35	157.90	154.63	manual measurement
South Test Well	10/9/2010 10:01	158.20	154.93	manual measurement
South Test Well	10/10/2010 9:48	157.74	154.47	manual measurement
South Test Well	10/13/2010 13:20	158.32	155.05	manual measurement
P2	7/12/2010 10:56	51.63	50.13	manual measurement
P2	8/18/2010 12:55	52.80	51.30	manual measurements; installed transducer
P2	8/25/2010 13:02	52.90	51.40	manual measurement
P2	8/26/2010 13:56	53.06	51.56	manual measurement
P2	10/6/2010 8:35	54.81	53.31	manual measurement
P2	10/7/2010 10:02	54.80	53.30	manual measurement
P2	10/7/2010 13:44	54.83	53.33	manual measurement
P2	10/8/2010 8:47	54.91	53.41	manual measurement
P2	10/9/2010 9:06	54.95	53.45	manual measurement
P2	10/10/2010 9:16	55.02	53.52	manual measurement
P2	10/13/2010 10:59	55.00	53.50	manual measurement; removed transducer; S/N 2526018
P18	7/12/2010 11:49	57.35	54.94	manual measurement
P18	8/18/2010 12:10	57.35	54.94	manual measurements; installed transducer
P18	8/25/2010 13:11	57.39	54.98	manual measurement
P18	8/26/2010 14:04	57.41	55.00	manual measurement
P18	10/6/2010 8:45	57.42	55.01	manual measurement; probe hit bottom of well; dry
P18	10/8/2010 8:53	57.41	55.00	manual measurement; probe hit bottom of well; dry
P18	10/9/2010 9:23	57.41	55.00	manual measurement; probe hit bottom of well; dry

Well Name	Date Time	DTW (ft bmp)	DTW (ft bgs)	Comments
P18	10/10/2010 9:25	57.41	55.00	manual measurement; probe hit bottom of well; dry
P18	10/13/2010 10:52	57.43	55.02	manual measurement; dry; removed transducer; S/N 2526014
Baker Well	8/18/2010 14:37	52.81	52.16	manual measurements; installed transducer
Baker Well	10/6/2010 10:50	52.12	51.47	manual measurement; took WL after pump shut off
Baker Well	10/8/2010 10:25	50.97	50.32	manual measurement; pump off
Baker Well	10/9/2010 11:16	51.82	51.17	manual measurement; pump turned on and off during visit
Baker Well	10/10/2010 8:34	57.38	56.73	manual measurement
Baker Well	10/13/2010 15:30	51.65	51.00	manual measurement; pump off
Purvis Well	7/7/2010 17:25	74.80	74.44	manual measurement
Purvis Well	8/18/2010 15:32	85.14	84.78	manual measurements; installed transducer; well off
Purvis Well	10/6/2010 11:00	81.35	80.99	manual measurement
Purvis Well	10/8/2010 11:25	83.27	82.91	manual measurement; pump off
Purvis Well	10/9/2010 11:30	83.93	83.57	manual measurement
Purvis Well	10/10/2010 8:52	89.27	88.91	manual measurement; pump off
Purvis Well	10/13/2010 15:10	83.69	83.33	manual measurement; pump off
P3	7/12/2010 12:10	58.29	55.55	manual measurement
P3	7/18/2010 10:26	58.57	55.83	manual measurement
P3	8/18/2010 10:22	58.57	55.83	manual measurement
P3	8/25/2010 13:18	58.68	55.94	manual measurement
P3	8/26/2010 14:11	58.63	55.89	manual measurement
P3	9/17/2010 11:05	58.82	56.08	manual measurement
P3	10/6/2010 8:55	59.02	56.28	manual measurement
P3	10/7/2010 10:06	59.03	56.29	manual measurement
P3	10/7/2010 13:53	59.03	56.29	manual measurement
P3	10/7/2010 16:47	59.03	56.29	manual measurement
P3	10/8/2010 9:03	59.03	56.29	manual measurement
P3	10/8/2010 14:14	58.90	56.16	manual measurement
P3	10/9/2010 9:28	59.04	56.30	manual measurement
P3	10/10/2010 9:31	59.05	56.31	manual measurement
P3	10/13/2010 13:37	59.05	56.31	manual measurement
West Test Well	4/26/2010 9:00	179.65	178.27	manual measurement
West Test Well	8/25/2010 13:59	176.95	175.57	manual measurement
West Test Well	10/6/2010 9:15	176.71	175.33	manual measurement
West Test Well	10/7/2010 10:26	176.65	175.27	manual measurement
West Test Well	10/7/2010 10:33	176.80	175.42	manual measurement
West Test Well	10/8/2010 9:20	176.81	175.43	manual measurement
West Test Well	10/9/2010 10:37	176.84	175.46	manual measurement
West Test Well	10/10/2010 10:02	176.75	175.37	manual measurement
West Test Well	10/13/2010 12:40	176.75	175.37	manual measurement

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	4/26/2010 9:30:00	171.29	33.00	0.00	171.29	179.44	179.44	262.68	
SW Well 1	4/26/2010 13:30:00	171.22	32.89	-0.11	171.29	179.52	179.45	262.67	
SW Well 1	4/26/2010 17:30:00	171.17	32.85	-0.15	171.26	179.57	179.47	262.65	
SW Well 1	4/26/2010 21:30:00	171.05	32.72	-0.29	171.23	179.68	179.50	262.62	
SW Well 1	4/27/2010 1:30:00	170.97	32.59	-0.41	171.22	179.77	179.51	262.61	
SW Well 1	4/27/2010 5:30:00	170.93	32.66	-0.34	171.14	179.80	179.59	262.53	
SW Well 1	4/27/2010 9:30:00	170.90	32.68	-0.32	171.09	179.84	179.64	262.48	
SW Well 1	4/27/2010 13:30:00	170.90	32.69	-0.31	171.10	179.83	179.64	262.48	
SW Well 1	4/27/2010 17:30:00	170.93	32.73	-0.28	171.10	179.80	179.63	262.49	
SW Well 1	4/27/2010 21:30:00	170.95	32.81	-0.19	171.07	179.78	179.66	262.46	
SW Well 1	4/28/2010 1:30:00	170.99	32.88	-0.12	171.06	179.74	179.67	262.45	
SW Well 1	4/28/2010 5:30:00	171.04	32.94	-0.06	171.08	179.69	179.65	262.47	
SW Well 1	4/28/2010 9:30:00	171.08	33.01	0.01	171.07	179.66	179.66	262.46	
SW Well 1	4/28/2010 13:30:00	171.13	33.07	0.06	171.09	179.60	179.64	262.48	
SW Well 1	4/28/2010 17:30:00	171.19	33.09	0.09	171.14	179.54	179.60	262.52	
SW Well 1	4/28/2010 21:30:00	171.23	33.16	0.16	171.13	179.50	179.60	262.52	
SW Well 1	4/29/2010 1:30:00	171.28	33.22	0.22	171.14	179.46	179.59	262.53	
SW Well 1	4/29/2010 5:30:00	171.34	33.27	0.27	171.17	179.39	179.56	262.56	
SW Well 1	4/29/2010 9:30:00	171.37	33.34	0.34	171.16	179.36	179.57	262.55	
SW Well 1	4/29/2010 13:30:00	171.42	33.37	0.37	171.19	179.32	179.55	262.57	
SW Well 1	4/29/2010 17:30:00	171.49	33.41	0.40	171.24	179.25	179.50	262.62	
SW Well 1	4/29/2010 21:30:00	171.54	33.50	0.50	171.23	179.19	179.50	262.62	
SW Well 1	4/30/2010 1:30:00	171.59	33.56	0.56	171.24	179.14	179.49	262.63	
SW Well 1	4/30/2010 5:30:00	171.64	33.58	0.57	171.28	179.10	179.45	262.67	
SW Well 1	4/30/2010 9:30:00	171.67	33.61	0.61	171.29	179.07	179.44	262.68	
SW Well 1	4/30/2010 13:30:00	171.67	33.57	0.56	171.32	179.07	179.42	262.70	
SW Well 1	4/30/2010 17:30:00	171.69	33.52	0.52	171.37	179.04	179.36	262.76	
SW Well 1	4/30/2010 21:30:00	171.68	33.51	0.50	171.37	179.05	179.36	262.76	
SW Well 1	5/1/2010 1:30:00	171.64	33.42	0.42	171.38	179.09	179.35	262.77	
SW Well 1	5/1/2010 5:30:00	171.60	33.33	0.33	171.40	179.13	179.33	262.79	
SW Well 1	5/1/2010 9:30:00	171.58	33.35	0.35	171.37	179.15	179.37	262.75	
SW Well 1	5/1/2010 13:30:00	171.56	33.37	0.37	171.33	179.18	179.40	262.72	
SW Well 1	5/1/2010 17:30:00	171.59	33.39	0.39	171.35	179.14	179.39	262.73	
SW Well 1	5/1/2010 21:30:00	171.63	33.47	0.47	171.34	179.11	179.40	262.72	
SW Well 1	5/2/2010 1:30:00	171.67	33.56	0.55	171.33	179.06	179.40	262.72	
SW Well 1	5/2/2010 5:30:00	171.71	33.58	0.57	171.35	179.03	179.38	262.74	
SW Well 1	5/2/2010 9:30:00	171.75	33.61	0.61	171.37	178.99	179.36	262.76	
SW Well 1	5/2/2010 13:30:00	171.74	33.55	0.55	171.40	179.00	179.34	262.78	
SW Well 1	5/2/2010 17:30:00	171.73	33.49	0.48	171.43	179.00	179.30	262.82	
SW Well 1	5/2/2010 21:30:00	171.67	33.34	0.33	171.47	179.06	179.27	262.85	
SW Well 1	5/3/2010 1:30:00	171.61	33.22	0.22	171.48	179.12	179.26	262.86	
SW Well 1	5/3/2010 5:30:00	171.54	33.14	0.13	171.46	179.19	179.27	262.85	
SW Well 1	5/3/2010 9:30:00	171.54	33.31	0.31	171.35	179.19	179.38	262.74	
SW Well 1	5/3/2010 13:30:00	171.57	33.40	0.39	171.33	179.16	179.40	262.72	
SW Well 1	5/3/2010 17:30:00	171.64	33.53	0.52	171.31	179.10	179.42	262.70	
SW Well 1	5/3/2010 21:30:00	171.74	33.64	0.64	171.34	179.00	179.39	262.73	
SW Well 1	5/4/2010 1:30:00	171.81	33.72	0.72	171.36	178.93	179.37	262.75	
SW Well 1	5/4/2010 5:30:00	171.86	33.75	0.75	171.40	178.87	179.34	262.78	
SW Well 1	5/4/2010 9:30:00	171.92	33.78	0.78	171.43	178.82	179.30	262.82	
SW Well 1	5/4/2010 13:30:00	171.93	33.76	0.75	171.46	178.80	179.27	262.85	
SW Well 1	5/4/2010 17:30:00	171.93	33.70	0.70	171.50	178.80	179.24	262.88	
SW Well 1	5/4/2010 21:30:00	171.94	33.67	0.67	171.52	178.79	179.21	262.91	
SW Well 1	5/5/2010 1:30:00	171.92	33.64	0.64	171.52	178.82	179.21	262.91	
SW Well 1	5/5/2010 5:30:00	171.90	33.63	0.62	171.51	178.83	179.22	262.90	
SW Well 1	5/5/2010 9:30:00	171.91	33.65	0.64	171.51	178.83	179.22	262.90	
SW Well 1	5/5/2010 13:30:00	171.89	33.63	0.62	171.51	178.84	179.23	262.89	
SW Well 1	5/5/2010 17:30:00	171.90	33.65	0.65	171.50	178.83	179.24	262.88	
SW Well 1	5/5/2010 21:30:00	171.93	33.68	0.68	171.51	178.80	179.22	262.90	
SW Well 1	5/6/2010 1:30:00	171.96	33.71	0.71	171.51	178.78	179.22	262.90	
SW Well 1	5/6/2010 5:30:00	171.97	33.73	0.73	171.52	178.76	179.21	262.91	
SW Well 1	5/6/2010 9:30:00	171.99	33.76	0.76	171.52	178.74	179.21	262.91	
SW Well 1	5/6/2010 13:30:00	172.01	33.74	0.74	171.55	178.72	179.18	262.94	
SW Well 1	5/6/2010 17:30:00	171.99	33.68	0.67	171.58	178.74	179.16	262.96	
SW Well 1	5/6/2010 21:30:00	171.99	33.68	0.68	171.57	178.74	179.16	262.96	
SW Well 1	5/7/2010 1:30:00	171.99	33.67	0.67	171.57	178.75	179.16	262.96	
SW Well 1	5/7/2010 5:30:00	171.97	33.63	0.63	171.58	178.76	179.15	262.97	
SW Well 1	5/7/2010 9:30:00	171.95	33.61	0.60	171.57	178.79	179.16	262.96	
SW Well 1	5/7/2010 13:30:00	171.92	33.52	0.52	171.60	178.81	179.13	262.99	
SW Well 1	5/7/2010 17:30:00	171.89	33.47	0.47	171.59	178.85	179.14	262.98	
SW Well 1	5/7/2010 21:30:00	171.86	33.48	0.47	171.57	178.87	179.16	262.96	
SW Well 1	5/8/2010 1:30:00	171.85	33.46	0.46	171.57	178.88	179.16	262.96	
SW Well 1	5/8/2010 5:30:00	171.82	33.43	0.43	171.56	178.91	179.18	262.94	
SW Well 1	5/8/2010 9:30:00	171.81	33.43	0.43	171.54	178.93	179.19	262.93	
SW Well 1	5/8/2010 13:30:00	171.80	33.38	0.38	171.56	178.93	179.17	262.95	
SW Well 1	5/8/2010 17:30:00	171.78	33.33	0.33	171.57	178.96	179.16	262.96	
SW Well 1	5/8/2010 21:30:00	171.77	33.37	0.37	171.54	178.97	179.19	262.93	
SW Well 1	5/9/2010 1:30:00	171.78	33.37	0.37	171.55	178.95	179.18	262.94	
SW Well 1	5/9/2010 5:30:00	171.76	33.35	0.35	171.54	178.97	179.19	262.93	
SW Well 1	5/9/2010 9:30:00	171.75	33.34	0.34	171.53	178.99	179.20	262.92	
SW Well 1	5/9/2010 13:30:00	171.74	33.26	0.26	171.58	179.00	179.16	262.96	
SW Well 1	5/9/2010 17:30:00	171.70	33.16	0.16	171.60	179.04	179.13	262.99	
SW Well 1	5/9/2010 21:30:00	171.66	33.18	0.18	171.55	179.07	179.18	262.94	
SW Well 1	5/10/2010 1:30:00	171.66	33.21	0.20	171.53	179.07	179.20	262.92	
SW Well 1	5/10/2010 5:30:00	171.66	33.20	0.20	171.53	179.07	179.20	262.92	
SW Well 1	5/10/2010 9:30:00	171.65	33.24	0.24	171.50	179.08	179.23	262.89	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	5/10/2010 13:30:00	171.68	33.28	0.27	171.51	179.05	179.22	262.90	
SW Well 1	5/10/2010 17:30:00	171.74	33.33	0.33	171.53	179.00	179.20	262.92	
SW Well 1	5/10/2010 21:30:00	171.77	33.42	0.42	171.51	178.97	179.23	262.89	
SW Well 1	5/11/2010 1:30:00	171.83	33.50	0.49	171.52	178.90	179.21	262.91	
SW Well 1	5/11/2010 5:30:00	171.89	33.58	0.57	171.54	178.84	179.20	262.92	
SW Well 1	5/11/2010 9:30:00	171.94	33.66	0.66	171.53	178.79	179.20	262.92	
SW Well 1	5/11/2010 13:30:00	172.01	33.68	0.68	171.59	178.72	179.14	262.98	
SW Well 1	5/11/2010 17:30:00	172.06	33.68	0.68	171.64	178.68	179.10	263.02	
SW Well 1	5/11/2010 21:30:00	172.07	33.70	0.69	171.64	178.66	179.09	263.03	
SW Well 1	5/12/2010 1:30:00	172.10	33.71	0.71	171.66	178.64	179.08	263.04	
SW Well 1	5/12/2010 5:30:00	172.12	33.72	0.71	171.68	178.61	179.06	263.06	
SW Well 1	5/12/2010 9:30:00	172.12	33.72	0.72	171.67	178.61	179.06	263.06	
SW Well 1	5/12/2010 13:30:00	172.11	33.65	0.64	171.71	178.62	179.02	263.10	
SW Well 1	5/12/2010 17:30:00	172.12	33.61	0.61	171.74	178.61	178.99	263.13	
SW Well 1	5/12/2010 21:30:00	172.09	33.59	0.58	171.73	178.65	179.01	263.11	
SW Well 1	5/13/2010 1:30:00	172.07	33.57	0.57	171.72	178.66	179.02	263.10	
SW Well 1	5/13/2010 5:30:00	172.06	33.55	0.55	171.72	178.68	179.02	263.10	
SW Well 1	5/13/2010 9:30:00	172.03	33.54	0.53	171.70	178.70	179.03	263.09	
SW Well 1	5/13/2010 13:30:00	172.02	33.47	0.47	171.73	178.72	179.01	263.11	
SW Well 1	5/13/2010 17:30:00	172.00	33.40	0.39	171.76	178.73	178.97	263.15	
SW Well 1	5/13/2010 21:30:00	171.96	33.39	0.39	171.72	178.77	179.01	263.11	
SW Well 1	5/14/2010 1:30:00	171.94	33.40	0.39	171.69	178.79	179.04	263.08	
SW Well 1	5/14/2010 5:30:00	171.96	33.41	0.41	171.70	178.78	179.03	263.09	
SW Well 1	5/14/2010 9:30:00	171.94	33.43	0.42	171.68	178.79	179.06	263.06	
SW Well 1	5/14/2010 13:30:00	171.51	33.40	0.40	171.27	179.22	179.47	262.65	
SW Well 1	5/14/2010 17:30:00	171.94	33.35	0.35	171.72	178.79	179.01	263.11	
SW Well 1	5/14/2010 21:30:00	171.95	33.38	0.38	171.71	178.79	179.02	263.10	
SW Well 1	5/15/2010 1:30:00	171.94	33.40	0.40	171.69	178.79	179.04	263.08	
SW Well 1	5/15/2010 5:30:00	171.96	33.42	0.41	171.71	178.77	179.03	263.09	
SW Well 1	5/15/2010 9:30:00	171.96	33.43	0.43	171.70	178.77	179.04	263.08	
SW Well 1	5/15/2010 13:30:00	171.94	33.38	0.38	171.71	178.79	179.03	263.09	
SW Well 1	5/15/2010 17:30:00	171.95	33.32	0.31	171.75	178.79	178.98	263.14	
SW Well 1	5/15/2010 21:30:00	171.94	33.33	0.33	171.74	178.79	179.00	263.12	
SW Well 1	5/16/2010 1:30:00	171.92	33.32	0.32	171.72	178.81	179.01	263.11	
SW Well 1	5/16/2010 5:30:00	171.92	33.29	0.29	171.74	178.82	178.99	263.13	
SW Well 1	5/16/2010 9:30:00	171.89	33.24	0.24	171.74	178.85	178.99	263.13	
SW Well 1	5/16/2010 13:30:00	171.83	33.17	0.16	171.73	178.90	179.01	263.11	
SW Well 1	5/16/2010 17:30:00	171.82	33.11	0.11	171.75	178.92	178.99	263.13	
SW Well 1	5/16/2010 21:30:00	171.81	33.11	0.11	171.74	178.93	178.99	263.13	
SW Well 1	5/17/2010 1:30:00	171.78	33.12	0.11	171.71	178.96	179.03	263.09	
SW Well 1	5/17/2010 5:30:00	171.76	33.07	0.07	171.72	178.97	179.02	263.10	
SW Well 1	5/17/2010 9:30:00	171.76	33.10	0.09	171.70	178.97	179.03	263.09	
SW Well 1	5/17/2010 13:30:00	171.73	33.06	0.05	171.69	179.00	179.04	263.08	
SW Well 1	5/17/2010 17:30:00	171.73	33.03	0.02	171.71	179.00	179.02	263.10	
SW Well 1	5/17/2010 21:30:00	171.77	33.11	0.11	171.70	178.97	179.03	263.09	
SW Well 1	5/18/2010 1:30:00	171.78	33.16	0.15	171.68	178.96	179.05	263.07	
SW Well 1	5/18/2010 5:30:00	171.80	33.17	0.17	171.69	178.93	179.04	263.08	
SW Well 1	5/18/2010 9:30:00	171.83	33.20	0.20	171.71	178.90	179.03	263.09	
SW Well 1	5/18/2010 13:30:00	171.85	33.24	0.24	171.71	178.88	179.03	263.09	
SW Well 1	5/18/2010 17:30:00	171.91	33.31	0.31	171.72	178.83	179.02	263.10	
SW Well 1	5/18/2010 21:30:00	171.98	33.38	0.38	171.74	178.76	178.99	263.13	
SW Well 1	5/19/2010 1:30:00	172.00	33.38	0.37	171.77	178.73	178.96	263.16	
SW Well 1	5/19/2010 5:30:00	171.99	33.31	0.31	171.80	178.74	178.93	263.19	
SW Well 1	5/19/2010 9:30:00	171.94	33.13	0.13	171.86	178.79	178.87	263.25	
SW Well 1	5/19/2010 13:30:00		33.03	0.03					
SW Well 1	5/19/2010 17:30:00		33.07	0.07					
SW Well 1	5/19/2010 21:30:00		33.21	0.21					
SW Well 1	5/20/2010 1:30:00		33.34	0.34					
SW Well 1	5/20/2010 5:30:00		33.45	0.45					
SW Well 1	5/20/2010 9:30:00		33.54	0.54					
SW Well 1	5/20/2010 13:30:00	171.98	33.55	0.55	171.64	178.76	179.10	263.02	
SW Well 1	5/20/2010 17:30:00	172.02	33.52	0.52	171.70	178.72	179.04	263.08	
SW Well 1	5/20/2010 21:30:00	172.04	33.47	0.46	171.75	178.69	178.98	263.14	
SW Well 1	5/21/2010 1:30:00	172.02	33.37	0.37	171.79	178.72	178.95	263.17	
SW Well 1	5/21/2010 5:30:00	171.96	33.28	0.28	171.78	178.78	178.95	263.17	
SW Well 1	5/21/2010 9:30:00	171.92	33.24	0.24	171.78	178.81	178.96	263.16	
SW Well 1	5/21/2010 13:30:00	171.89	33.19	0.19	171.78	178.84	178.96	263.16	
SW Well 1	5/21/2010 17:30:00	171.85	33.16	0.16	171.75	178.89	178.99	263.13	
SW Well 1	5/21/2010 21:30:00	171.85	33.19	0.19	171.73	178.89	179.00	263.12	
SW Well 1	5/22/2010 1:30:00	171.85	33.20	0.20	171.73	178.88	179.00	263.12	
SW Well 1	5/22/2010 5:30:00	171.85	33.25	0.24	171.70	178.88	179.03	263.09	
SW Well 1	5/22/2010 9:30:00	171.88	33.27	0.27	171.71	178.86	179.02	263.10	
SW Well 1	5/22/2010 13:30:00	171.90	33.28	0.27	171.73	178.84	179.00	263.12	
SW Well 1	5/22/2010 17:30:00	171.92	33.28	0.28	171.74	178.82	178.99	263.13	
SW Well 1	5/22/2010 21:30:00	171.95	33.35	0.35	171.73	178.79	179.00	263.12	
SW Well 1	5/23/2010 1:30:00	171.99	33.39	0.38	171.75	178.75	178.98	263.14	
SW Well 1	5/23/2010 5:30:00	171.98	33.37	0.37	171.75	178.75	178.98	263.14	
SW Well 1	5/23/2010 9:30:00	171.99	33.37	0.37	171.76	178.74	178.97	263.15	
SW Well 1	5/23/2010 13:30:00	172.01	33.34	0.34	171.80	178.72	178.93	263.19	
SW Well 1	5/23/2010 17:30:00	172.00	33.29	0.29	171.82	178.73	178.91	263.21	
SW Well 1	5/23/2010 21:30:00	171.99	33.30	0.30	171.80	178.75	178.93	263.19	
SW Well 1	5/24/2010 1:30:00	171.99	33.29	0.29	171.82	178.74	178.92	263.20	
SW Well 1	5/24/2010 5:30:00	171.98	33.28	0.28	171.80	178.76	178.93	263.19	
SW Well 1	5/24/2010 9:30:00	171.97	33.30	0.30	171.79	178.76	178.95	263.17	
SW Well 1	5/24/2010 13:30:00	171.99	33.29	0.29	171.82	178.74	178.92	263.20	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	5/24/2010 17:30:00	171.99	33.27	0.27	171.82	178.74	178.91	263.21	
SW Well 1	5/24/2010 21:30:00	171.98	33.27	0.27	171.82	178.75	178.92	263.20	
SW Well 1	5/25/2010 1:30:00	171.98	33.25	0.25	171.82	178.76	178.91	263.21	
SW Well 1	5/25/2010 5:30:00	171.97	33.22	0.22	171.84	178.76	178.90	263.22	
SW Well 1	5/25/2010 9:30:00	171.96	33.24	0.24	171.81	178.78	178.92	263.20	
SW Well 1	5/25/2010 13:30:00	171.96	33.23	0.23	171.82	178.77	178.91	263.21	
SW Well 1	5/25/2010 17:30:00	171.99	33.21	0.21	171.85	178.75	178.88	263.24	
SW Well 1	5/25/2010 21:30:00	171.96	33.19	0.19	171.84	178.77	178.89	263.23	
SW Well 1	5/26/2010 1:30:00	171.94	33.14	0.14	171.85	178.80	178.88	263.24	
SW Well 1	5/26/2010 5:30:00	171.92	33.10	0.09	171.86	178.81	178.87	263.25	
SW Well 1	5/26/2010 9:30:00	171.89	33.11	0.11	171.82	178.84	178.91	263.21	
SW Well 1	5/26/2010 13:30:00	171.92	33.16	0.16	171.82	178.82	178.92	263.20	
SW Well 1	5/26/2010 17:30:00	171.98	33.26	0.26	171.82	178.76	178.92	263.20	
SW Well 1	5/26/2010 21:30:00	172.00	33.30	0.30	171.82	178.73	178.92	263.20	
SW Well 1	5/27/2010 1:30:00	172.03	33.28	0.28	171.85	178.71	178.88	263.24	
SW Well 1	5/27/2010 5:30:00	172.04	33.27	0.26	171.88	178.69	178.86	263.26	
SW Well 1	5/27/2010 9:30:00	172.02	33.24	0.24	171.87	178.72	178.87	263.25	
SW Well 1	5/27/2010 13:30:00	172.02	33.22	0.22	171.88	178.72	178.85	263.27	
SW Well 1	5/27/2010 17:30:00	172.04	33.25	0.25	171.89	178.69	178.85	263.27	
SW Well 1	5/27/2010 21:30:00	172.06	33.28	0.28	171.88	178.68	178.85	263.27	
SW Well 1	5/28/2010 1:30:00	172.06	33.31	0.30	171.88	178.67	178.86	263.26	
SW Well 1	5/28/2010 5:30:00	172.11	33.35	0.35	171.89	178.63	178.84	263.28	
SW Well 1	5/28/2010 9:30:00	172.13	33.41	0.41	171.88	178.60	178.85	263.27	
SW Well 1	5/28/2010 13:30:00	172.19	33.49	0.49	171.88	178.55	178.85	263.27	
SW Well 1	5/28/2010 17:30:00	172.27	33.56	0.56	171.92	178.47	178.81	263.31	
SW Well 1	5/28/2010 21:30:00	172.31	33.60	0.60	171.94	178.42	178.79	263.33	
SW Well 1	5/29/2010 1:30:00	172.33	33.61	0.61	171.96	178.40	178.78	263.34	
SW Well 1	5/29/2010 5:30:00	172.38	33.64	0.63	171.99	178.35	178.74	263.38	
SW Well 1	5/29/2010 9:30:00	172.40	33.68	0.68	171.98	178.33	178.75	263.37	
SW Well 1	5/29/2010 13:30:00	172.42	33.69	0.68	171.99	178.32	178.74	263.38	
SW Well 1	5/29/2010 17:30:00	172.45	33.65	0.65	172.05	178.28	178.68	263.44	
SW Well 1	5/29/2010 21:30:00	172.46	33.64	0.63	172.07	178.27	178.67	263.45	
SW Well 1	5/30/2010 1:30:00	172.42	33.58	0.57	172.06	178.31	178.67	263.45	
SW Well 1	5/30/2010 5:30:00	172.40	33.52	0.52	172.08	178.33	178.65	263.47	
SW Well 1	5/30/2010 9:30:00	172.38	33.49	0.49	172.07	178.36	178.66	263.46	
SW Well 1	5/30/2010 13:30:00	172.32	33.42	0.42	172.06	178.41	178.68	263.44	
SW Well 1	5/30/2010 17:30:00	172.31	33.35	0.35	172.09	178.43	178.64	263.48	
SW Well 1	5/30/2010 21:30:00	172.27	33.29	0.29	172.09	178.46	178.64	263.48	
SW Well 1	5/31/2010 1:30:00	172.22	33.25	0.24	172.07	178.52	178.67	263.45	
SW Well 1	5/31/2010 5:30:00	172.18	33.19	0.19	172.07	178.55	178.67	263.45	
SW Well 1	5/31/2010 9:30:00	172.16	33.20	0.20	172.03	178.58	178.70	263.42	
SW Well 1	5/31/2010 13:30:00	172.14	33.22	0.22	172.00	178.59	178.73	263.39	
SW Well 1	5/31/2010 17:30:00	172.16	33.26	0.26	172.00	178.57	178.73	263.39	
SW Well 1	5/31/2010 21:30:00	172.19	33.30	0.30	172.01	178.54	178.72	263.40	
SW Well 1	6/1/2010 1:30:00	172.20	33.31	0.31	172.01	178.53	178.72	263.40	
SW Well 1	6/1/2010 5:30:00	172.22	33.31	0.31	172.03	178.52	178.71	263.41	
SW Well 1	6/1/2010 9:30:00	172.24	33.30	0.30	172.05	178.50	178.68	263.44	
SW Well 1	6/1/2010 13:30:00	172.22	33.28	0.28	172.05	178.51	178.69	263.43	
SW Well 1	6/1/2010 17:30:00	172.20	33.23	0.22	172.07	178.53	178.67	263.45	
SW Well 1	6/1/2010 21:30:00	172.18	33.14	0.14	172.10	178.55	178.64	263.48	
SW Well 1	6/2/2010 1:30:00	172.13	33.06	0.05	172.09	178.61	178.64	263.48	
SW Well 1	6/2/2010 5:30:00	172.07	32.96	-0.04	172.10	178.66	178.63	263.49	
SW Well 1	6/2/2010 9:30:00	172.03	32.95	-0.06	172.07	178.70	178.67	263.45	
SW Well 1	6/2/2010 13:30:00	172.01	32.98	-0.03	172.02	178.73	178.71	263.41	
SW Well 1	6/2/2010 17:30:00	172.03	33.06	0.06	171.99	178.71	178.74	263.38	
SW Well 1	6/2/2010 21:30:00	172.10	33.20	0.20	171.98	178.63	178.75	263.37	
SW Well 1	6/3/2010 1:30:00	172.16	33.30	0.30	171.97	178.58	178.76	263.36	
SW Well 1	6/3/2010 5:30:00	172.21	33.33	0.33	172.01	178.52	178.73	263.39	
SW Well 1	6/3/2010 9:30:00	172.25	33.33	0.33	172.05	178.48	178.69	263.43	
SW Well 1	6/3/2010 13:30:00	172.24	33.26	0.26	172.08	178.49	178.65	263.47	
SW Well 1	6/3/2010 17:30:00	172.22	33.17	0.17	172.12	178.51	178.62	263.50	
SW Well 1	6/3/2010 21:30:00	172.19	33.11	0.11	172.13	178.54	178.61	263.51	
SW Well 1	6/4/2010 1:30:00	172.14	33.00	0.00	172.14	178.59	178.59	263.53	
SW Well 1	6/4/2010 5:30:00	172.10	32.97	-0.04	172.12	178.64	178.62	263.50	
SW Well 1	6/4/2010 9:30:00	172.12	33.10	0.10	172.05	178.62	178.68	263.44	
SW Well 1	6/4/2010 13:30:00	172.16	33.23	0.22	172.02	178.57	178.71	263.41	
SW Well 1	6/4/2010 17:30:00	172.23	33.33	0.32	172.03	178.51	178.71	263.41	
SW Well 1	6/4/2010 21:30:00	172.31	33.41	0.41	172.05	178.43	178.68	263.44	
SW Well 1	6/5/2010 1:30:00	172.38	33.51	0.50	172.07	178.35	178.66	263.46	
SW Well 1	6/5/2010 5:30:00	172.44	33.55	0.54	172.10	178.30	178.64	263.48	
SW Well 1	6/5/2010 9:30:00	172.48	33.56	0.56	172.13	178.26	178.60	263.52	
SW Well 1	6/5/2010 13:30:00	172.48	33.47	0.47	172.19	178.25	178.54	263.58	
SW Well 1	6/5/2010 17:30:00	172.46	33.40	0.39	172.22	178.27	178.52	263.60	
SW Well 1	6/5/2010 21:30:00	172.44	33.36	0.35	172.22	178.29	178.51	263.61	
SW Well 1	6/6/2010 1:30:00	172.42	33.32	0.32	172.22	178.31	178.51	263.61	
SW Well 1	6/6/2010 5:30:00	172.41	33.33	0.33	172.21	178.32	178.53	263.59	
SW Well 1	6/6/2010 9:30:00	172.41	33.32	0.31	172.21	178.33	178.52	263.60	
SW Well 1	6/6/2010 13:30:00	172.40	33.32	0.32	172.21	178.33	178.52	263.60	
SW Well 1	6/6/2010 17:30:00	172.42	33.35	0.34	172.20	178.32	178.53	263.59	
SW Well 1	6/6/2010 21:30:00	172.44	33.39	0.38	172.20	178.30	178.54	263.58	
SW Well 1	6/7/2010 1:30:00	172.48	33.45	0.44	172.20	178.26	178.53	263.59	
SW Well 1	6/7/2010 5:30:00	172.51	33.50	0.50	172.20	178.23	178.53	263.59	
SW Well 1	6/7/2010 9:30:00	172.55	33.55	0.55	172.20	178.19	178.53	263.59	
SW Well 1	6/7/2010 13:30:00	172.59	33.55	0.55	172.25	178.14	178.48	263.64	
SW Well 1	6/7/2010 17:30:00	172.59	33.51	0.51	172.27	178.14	178.46	263.66	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	6/7/2010 21:30:00	172.60	33.52	0.52	172.28	178.13	178.46	263.66	
SW Well 1	6/8/2010 1:30:00	172.61	33.49	0.49	172.30	178.12	178.43	263.69	
SW Well 1	6/8/2010 5:30:00	172.58	33.44	0.43	172.31	178.16	178.43	263.69	
SW Well 1	6/8/2010 9:30:00	172.54	33.38	0.37	172.31	178.19	178.43	263.69	
SW Well 1	6/8/2010 13:30:00	172.50	33.24	0.24	172.35	178.24	178.39	263.73	
SW Well 1	6/8/2010 17:30:00	172.44	33.16	0.16	172.34	178.29	178.39	263.73	
SW Well 1	6/8/2010 21:30:00	172.40	33.16	0.15	172.30	178.33	178.43	263.69	
SW Well 1	6/9/2010 1:30:00	172.38	33.15	0.15	172.28	178.36	178.45	263.67	
SW Well 1	6/9/2010 5:30:00	172.35	33.11	0.11	172.28	178.38	178.45	263.67	
SW Well 1	6/9/2010 9:30:00	172.32	33.11	0.11	172.25	178.41	178.48	263.64	
SW Well 1	6/9/2010 13:30:00	172.34	33.13	0.13	172.26	178.40	178.48	263.64	
SW Well 1	6/9/2010 17:30:00	172.36	33.16	0.16	172.26	178.37	178.47	263.65	
SW Well 1	6/9/2010 21:30:00	172.38	33.25	0.24	172.23	178.35	178.50	263.62	
SW Well 1	6/10/2010 1:30:00	172.42	33.28	0.28	172.24	178.32	178.49	263.63	
SW Well 1	6/10/2010 5:30:00	172.45	33.30	0.30	172.27	178.28	178.47	263.65	
SW Well 1	6/10/2010 9:30:00	172.47	33.36	0.36	172.25	178.26	178.49	263.63	
SW Well 1	6/10/2010 13:30:00	172.52	33.43	0.42	172.26	178.21	178.47	263.65	
SW Well 1	6/10/2010 17:30:00	172.59	33.48	0.48	172.30	178.14	178.44	263.68	
SW Well 1	6/10/2010 21:30:00	172.64	33.56	0.56	172.29	178.09	178.44	263.68	
SW Well 1	6/11/2010 1:30:00	172.69	33.62	0.62	172.31	178.04	178.42	263.70	
SW Well 1	6/11/2010 5:30:00	172.75	33.66	0.66	172.34	177.98	178.39	263.73	
SW Well 1	6/11/2010 9:30:00	172.78	33.72	0.71	172.34	177.95	178.40	263.72	
SW Well 1	6/11/2010 13:30:00	172.84	33.76	0.75	172.37	177.90	178.36	263.76	
SW Well 1	6/11/2010 17:30:00	172.89	33.75	0.75	172.42	177.85	178.31	263.81	
SW Well 1	6/11/2010 21:30:00	172.90	33.75	0.74	172.44	177.83	178.29	263.83	
SW Well 1	6/12/2010 1:30:00	172.91	33.76	0.76	172.44	177.82	178.29	263.83	
SW Well 1	6/12/2010 5:30:00	172.93	33.74	0.74	172.47	177.80	178.26	263.86	
SW Well 1	6/12/2010 9:30:00	172.91	33.72	0.72	172.46	177.83	178.27	263.85	
SW Well 1	6/12/2010 13:30:00	172.88	33.64	0.64	172.49	177.85	178.25	263.87	
SW Well 1	6/12/2010 17:30:00	172.87	33.56	0.56	172.53	177.86	178.20	263.92	
SW Well 1	6/12/2010 21:30:00	172.85	33.54	0.54	172.51	177.89	178.22	263.90	
SW Well 1	6/13/2010 1:30:00	172.82	33.54	0.54	172.49	177.91	178.25	263.87	
SW Well 1	6/13/2010 5:30:00	172.83	33.56	0.56	172.49	177.90	178.25	263.87	
SW Well 1	6/13/2010 9:30:00	172.83	33.60	0.60	172.46	177.91	178.28	263.84	
SW Well 1	6/13/2010 13:30:00	172.83	33.60	0.60	172.45	177.91	178.28	263.84	
SW Well 1	6/13/2010 17:30:00	172.86	33.58	0.58	172.50	177.87	178.23	263.89	
SW Well 1	6/13/2010 21:30:00	172.87	33.60	0.60	172.50	177.86	178.23	263.89	
SW Well 1	6/14/2010 1:30:00	172.87	33.63	0.63	172.48	177.86	178.25	263.87	
SW Well 1	6/14/2010 5:30:00	172.90	33.63	0.63	172.51	177.84	178.23	263.89	
SW Well 1	6/14/2010 9:30:00	172.90	33.64	0.63	172.50	177.84	178.23	263.89	
SW Well 1	6/14/2010 13:30:00	172.87	33.58	0.58	172.51	177.87	178.23	263.89	
SW Well 1	6/14/2010 17:30:00	172.87	33.52	0.52	172.55	177.86	178.18	263.94	
SW Well 1	6/14/2010 21:30:00	172.87	33.51	0.51	172.55	177.87	178.18	263.94	
SW Well 1	6/15/2010 1:30:00	172.83	33.50	0.49	172.52	177.91	178.21	263.91	
SW Well 1	6/15/2010 5:30:00	172.82	33.45	0.45	172.54	177.92	178.20	263.92	
SW Well 1	6/15/2010 9:30:00	172.80	33.44	0.43	172.53	177.93	178.20	263.92	
SW Well 1	6/15/2010 13:30:00	172.77	33.43	0.43	172.50	177.96	178.23	263.89	
SW Well 1	6/15/2010 17:30:00	172.78	33.41	0.41	172.53	177.95	178.21	263.91	
SW Well 1	6/15/2010 21:30:00	172.78	33.41	0.40	172.53	177.95	178.20	263.92	
SW Well 1	6/16/2010 1:30:00	172.77	33.40	0.40	172.52	177.97	178.21	263.91	
SW Well 1	6/16/2010 5:30:00	172.76	33.38	0.38	172.53	177.97	178.21	263.91	
SW Well 1	6/16/2010 9:30:00	172.76	33.39	0.39	172.52	177.97	178.21	263.91	
SW Well 1	6/16/2010 13:30:00	172.76	33.41	0.41	172.50	177.98	178.23	263.89	
SW Well 1	6/16/2010 17:30:00	172.77	33.43	0.42	172.51	177.96	178.22	263.90	
SW Well 1	6/16/2010 21:30:00	172.80	33.44	0.44	172.53	177.93	178.20	263.92	
SW Well 1	6/17/2010 1:30:00	172.81	33.46	0.46	172.53	177.92	178.20	263.92	
SW Well 1	6/17/2010 5:30:00	172.82	33.48	0.47	172.52	177.92	178.21	263.91	
SW Well 1	6/17/2010 9:30:00	172.85	33.50	0.49	172.54	177.89	178.19	263.93	
SW Well 1	6/17/2010 13:30:00	172.86	33.51	0.51	172.54	177.87	178.19	263.93	
SW Well 1	6/17/2010 17:30:00	172.87	33.50	0.49	172.56	177.87	178.17	263.95	
SW Well 1	6/17/2010 21:30:00	172.89	33.48	0.47	172.59	177.85	178.14	263.98	
SW Well 1	6/18/2010 1:30:00	172.87	33.45	0.45	172.60	177.86	178.14	263.98	
SW Well 1	6/18/2010 5:30:00	172.84	33.42	0.41	172.58	177.89	178.15	263.97	
SW Well 1	6/18/2010 9:30:00	172.84	33.39	0.39	172.60	177.89	178.13	263.99	
SW Well 1	6/18/2010 13:30:00	172.81	33.33	0.33	172.61	177.92	178.13	263.99	
SW Well 1	6/18/2010 17:30:00	172.78	33.29	0.29	172.60	177.96	178.13	263.99	
SW Well 1	6/18/2010 21:30:00	172.78	33.29	0.29	172.60	177.96	178.14	263.98	
SW Well 1	6/19/2010 1:30:00	172.80	33.36	0.35	172.58	177.94	178.16	263.96	
SW Well 1	6/19/2010 5:30:00	172.80	33.37	0.37	172.57	177.93	178.16	263.96	
SW Well 1	6/19/2010 9:30:00	172.84	33.43	0.43	172.57	177.90	178.16	263.96	
SW Well 1	6/19/2010 13:30:00	172.87	33.46	0.45	172.59	177.86	178.14	263.98	
SW Well 1	6/19/2010 17:30:00	172.89	33.46	0.46	172.60	177.84	178.13	263.99	
SW Well 1	6/19/2010 21:30:00	172.90	33.48	0.47	172.61	177.83	178.12	264.00	
SW Well 1	6/20/2010 1:30:00	172.92	33.48	0.47	172.62	177.82	178.11	264.01	
SW Well 1	6/20/2010 5:30:00	172.92	33.49	0.48	172.62	177.81	178.11	264.01	
SW Well 1	6/20/2010 9:30:00	172.94	33.50	0.50	172.63	177.80	178.10	264.02	
SW Well 1	6/20/2010 13:30:00	172.97	33.51	0.50	172.65	177.77	178.08	264.04	
SW Well 1	6/20/2010 17:30:00	172.96	33.50	0.50	172.65	177.77	178.08	264.04	
SW Well 1	6/20/2010 21:30:00	172.98	33.52	0.52	172.65	177.76	178.08	264.04	
SW Well 1	6/21/2010 1:30:00	173.00	33.52	0.52	172.68	177.74	178.06	264.06	
SW Well 1	6/21/2010 5:30:00	172.98	33.52	0.52	172.66	177.75	178.07	264.05	
SW Well 1	6/21/2010 9:30:00	172.99	33.53	0.52	172.67	177.74	178.07	264.05	
SW Well 1	6/21/2010 13:30:00	173.01	33.53	0.53	172.68	177.72	178.05	264.07	
SW Well 1	6/21/2010 17:30:00	173.01	33.50	0.49	172.71	177.72	178.03	264.09	
SW Well 1	6/21/2010 21:30:00	173.00	33.49	0.49	172.70	177.73	178.03	264.09	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	6/22/2010 1:30:00	173.01	33.49	0.49	172.71	177.72	178.02	264.10	
SW Well 1	6/22/2010 5:30:00	173.00	33.48	0.47	172.71	177.73	178.02	264.10	
SW Well 1	6/22/2010 9:30:00	172.99	33.50	0.49	172.68	177.74	178.05	264.07	
SW Well 1	6/22/2010 13:30:00	173.00	33.45	0.45	172.72	177.73	178.01	264.11	
SW Well 1	6/22/2010 17:30:00	173.00	33.41	0.41	172.74	177.74	177.99	264.13	
SW Well 1	6/22/2010 21:30:00	172.97	33.39	0.39	172.73	177.76	178.00	264.12	
SW Well 1	6/23/2010 1:30:00	172.97	33.38	0.38	172.73	177.77	178.00	264.12	
SW Well 1	6/23/2010 5:30:00	172.96	33.37	0.37	172.73	177.78	178.00	264.12	
SW Well 1	6/23/2010 9:30:00	172.93	33.39	0.38	172.70	177.80	178.04	264.08	
SW Well 1	6/23/2010 13:30:00	172.95	33.34	0.34	172.74	177.78	177.99	264.13	
SW Well 1	6/23/2010 17:30:00	172.94	33.29	0.29	172.76	177.79	177.97	264.15	
SW Well 1	6/23/2010 21:30:00	172.93	33.33	0.32	172.73	177.80	178.00	264.12	
SW Well 1	6/24/2010 1:30:00	172.94	33.34	0.34	172.73	177.79	178.00	264.12	
SW Well 1	6/24/2010 5:30:00	172.95	33.34	0.34	172.74	177.78	177.99	264.13	
SW Well 1	6/24/2010 9:30:00	172.93	33.35	0.35	172.72	177.80	178.02	264.10	
SW Well 1	6/24/2010 13:30:00	172.93	33.30	0.29	172.75	177.80	177.98	264.14	
SW Well 1	6/24/2010 17:30:00	172.93	33.25	0.25	172.78	177.80	177.95	264.17	
SW Well 1	6/24/2010 21:30:00	172.93	33.26	0.26	172.77	177.81	177.97	264.15	
SW Well 1	6/25/2010 1:30:00	172.91	33.27	0.26	172.75	177.82	177.99	264.13	
SW Well 1	6/25/2010 5:30:00	172.93	33.27	0.27	172.76	177.81	177.97	264.15	
SW Well 1	6/25/2010 9:30:00	172.92	33.31	0.31	172.73	177.81	178.00	264.12	
SW Well 1	6/25/2010 13:30:00	172.94	33.34	0.34	172.73	177.79	178.00	264.12	
SW Well 1	6/25/2010 17:30:00	172.97	33.32	0.31	172.78	177.76	177.96	264.16	
SW Well 1	6/25/2010 21:30:00	172.98	33.35	0.35	172.76	177.75	177.97	264.15	
SW Well 1	6/26/2010 1:30:00	173.01	33.39	0.39	172.77	177.73	177.97	264.15	
SW Well 1	6/26/2010 5:30:00	173.03	33.41	0.41	172.78	177.70	177.96	264.16	
SW Well 1	6/26/2010 9:30:00	173.05	33.45	0.45	172.77	177.69	177.97	264.15	
SW Well 1	6/26/2010 13:30:00	173.05	33.43	0.43	172.79	177.68	177.95	264.17	
SW Well 1	6/26/2010 17:30:00	173.07	33.36	0.36	172.84	177.67	177.89	264.23	
SW Well 1	6/26/2010 21:30:00	173.07	33.37	0.37	172.84	177.67	177.89	264.23	
SW Well 1	6/27/2010 1:30:00	173.05	33.37	0.36	172.83	177.68	177.91	264.21	
SW Well 1	6/27/2010 5:30:00	173.06	33.36	0.35	172.84	177.67	177.89	264.23	
SW Well 1	6/27/2010 9:30:00	173.04	33.34	0.34	172.83	177.70	177.91	264.21	
SW Well 1	6/27/2010 13:30:00	173.01	33.29	0.28	172.84	177.72	177.90	264.22	
SW Well 1	6/27/2010 17:30:00	173.01	33.23	0.23	172.87	177.72	177.86	264.26	
SW Well 1	6/27/2010 21:30:00	173.00	33.22	0.22	172.86	177.74	177.87	264.25	
SW Well 1	6/28/2010 1:30:00	172.97	33.20	0.20	172.84	177.77	177.89	264.23	
SW Well 1	6/28/2010 5:30:00	172.97	33.19	0.19	172.85	177.77	177.89	264.23	
SW Well 1	6/28/2010 9:30:00	172.96	33.21	0.21	172.83	177.78	177.91	264.21	
SW Well 1	6/28/2010 13:30:00	172.94	33.19	0.19	172.82	177.79	177.91	264.21	
SW Well 1	6/28/2010 17:30:00	172.97	33.20	0.19	172.85	177.77	177.88	264.24	
SW Well 1	6/28/2010 21:30:00	172.99	33.24	0.24	172.84	177.74	177.89	264.23	
SW Well 1	6/29/2010 1:30:00	173.00	33.28	0.28	172.83	177.73	177.91	264.21	
SW Well 1	6/29/2010 5:30:00	173.03	33.30	0.30	172.84	177.71	177.89	264.23	
SW Well 1	6/29/2010 9:30:00	173.05	33.33	0.33	172.84	177.69	177.89	264.23	
SW Well 1	6/29/2010 13:30:00	173.04	33.31	0.31	172.85	177.70	177.89	264.23	
SW Well 1	6/29/2010 17:30:00	173.06	33.30	0.29	172.88	177.67	177.86	264.26	
SW Well 1	6/29/2010 21:30:00	173.08	33.33	0.33	172.88	177.65	177.85	264.27	
SW Well 1	6/30/2010 1:30:00	173.10	33.39	0.39	172.86	177.64	177.88	264.24	
SW Well 1	6/30/2010 5:30:00	173.12	33.42	0.41	172.86	177.61	177.87	264.25	
SW Well 1	6/30/2010 9:30:00	173.15	33.44	0.44	172.88	177.58	177.85	264.27	
SW Well 1	6/30/2010 13:30:00	173.14	33.40	0.39	172.90	177.59	177.83	264.29	
SW Well 1	6/30/2010 17:30:00	173.13	33.31	0.31	172.94	177.60	177.80	264.32	
SW Well 1	6/30/2010 21:30:00	173.12	33.27	0.27	172.95	177.61	177.78	264.34	
SW Well 1	7/1/2010 1:30:00	173.08	33.26	0.26	172.92	177.65	177.81	264.31	
SW Well 1	7/1/2010 5:30:00	173.08	33.26	0.26	172.92	177.65	177.81	264.31	
SW Well 1	7/1/2010 9:30:00	173.07	33.24	0.23	172.92	177.67	177.81	264.31	
SW Well 1	7/1/2010 13:30:00	173.04	33.21	0.20	172.92	177.69	177.82	264.30	
SW Well 1	7/1/2010 17:30:00	173.04	33.18	0.18	172.93	177.70	177.81	264.31	
SW Well 1	7/1/2010 21:30:00	173.04	33.16	0.16	172.94	177.70	177.79	264.33	
SW Well 1	7/2/2010 1:30:00	173.01	33.14	0.13	172.93	177.72	177.80	264.32	
SW Well 1	7/2/2010 5:30:00	173.01	33.17	0.16	172.91	177.72	177.82	264.30	
SW Well 1	7/2/2010 9:30:00	173.04	33.21	0.21	172.91	177.70	177.83	264.29	
SW Well 1	7/2/2010 13:30:00	173.04	33.23	0.23	172.90	177.69	177.83	264.29	
SW Well 1	7/2/2010 17:30:00	173.08	33.25	0.25	172.92	177.66	177.81	264.31	
SW Well 1	7/2/2010 21:30:00	173.10	33.27	0.27	172.93	177.64	177.80	264.32	
SW Well 1	7/3/2010 1:30:00	173.12	33.32	0.32	172.92	177.62	177.82	264.30	
SW Well 1	7/3/2010 5:30:00	173.14	33.36	0.35	172.92	177.60	177.81	264.31	
SW Well 1	7/3/2010 9:30:00	173.19	33.39	0.39	172.95	177.55	177.79	264.33	
SW Well 1	7/3/2010 13:30:00	173.21	33.41	0.41	172.96	177.53	177.78	264.34	
SW Well 1	7/3/2010 17:30:00	173.23	33.39	0.39	172.98	177.51	177.75	264.37	
SW Well 1	7/3/2010 21:30:00	173.25	33.40	0.40	173.00	177.49	177.74	264.38	
SW Well 1	7/4/2010 1:30:00	173.26	33.44	0.43	172.99	177.47	177.74	264.38	
SW Well 1	7/4/2010 5:30:00	173.27	33.44	0.44	173.00	177.46	177.74	264.38	
SW Well 1	7/4/2010 9:30:00	173.29	33.46	0.46	173.01	177.44	177.73	264.39	
SW Well 1	7/4/2010 13:30:00	173.31	33.45	0.45	173.03	177.43	177.70	264.42	
SW Well 1	7/4/2010 17:30:00	173.30	33.42	0.42	173.04	177.43	177.69	264.43	
SW Well 1	7/4/2010 21:30:00	173.32	33.45	0.44	173.05	177.41	177.68	264.44	
SW Well 1	7/5/2010 1:30:00	173.33	33.47	0.47	173.04	177.40	177.69	264.43	
SW Well 1	7/5/2010 5:30:00	173.33	33.48	0.47	173.04	177.40	177.70	264.42	
SW Well 1	7/5/2010 9:30:00	173.36	33.49	0.49	173.05	177.38	177.68	264.44	
SW Well 1	7/5/2010 13:30:00	173.38	33.50	0.49	173.07	177.36	177.66	264.46	
SW Well 1	7/5/2010 17:30:00	173.37	33.45	0.45	173.09	177.36	177.64	264.48	
SW Well 1	7/5/2010 21:30:00	173.37	33.46	0.45	173.09	177.36	177.64	264.48	
SW Well 1	7/6/2010 1:30:00	173.37	33.47	0.47	173.08	177.36	177.66	264.46	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	7/6/2010 5:30:00	173.37	33.48	0.48	173.07	177.36	177.66	264.46	
SW Well 1	7/6/2010 9:30:00	173.36	33.45	0.45	173.08	177.37	177.65	264.47	
SW Well 1	7/6/2010 13:30:00	173.36	33.37	0.36	173.14	177.37	177.60	264.52	
SW Well 1	7/6/2010 17:30:00	173.32	33.26	0.26	173.16	177.42	177.57	264.55	
SW Well 1	7/6/2010 21:30:00	173.28	33.22	0.22	173.14	177.46	177.59	264.53	
SW Well 1	7/7/2010 1:30:00	173.26	33.23	0.23	173.12	177.47	177.62	264.50	
SW Well 1	7/7/2010 5:30:00	173.23	33.23	0.23	173.09	177.50	177.64	264.48	
SW Well 1	7/7/2010 9:30:00	173.22	33.21	0.21	173.09	177.52	177.65	264.47	
SW Well 1	7/7/2010 13:30:00	173.21	33.13	0.13	173.13	177.53	177.60	264.52	
SW Well 1	7/7/2010 17:30:00	173.18	33.05	0.05	173.15	177.55	177.58	264.54	
SW Well 1	7/7/2010 21:30:00	173.20	33.07	0.07	173.16	177.53	177.58	264.54	
SW Well 1	7/8/2010 1:30:00	173.21	33.11	0.11	173.14	177.53	177.59	264.53	
SW Well 1	7/8/2010 5:30:00	173.20	33.14	0.13	173.12	177.53	177.62	264.50	
SW Well 1	7/8/2010 9:30:00	173.20	33.14	0.14	173.11	177.53	177.62	264.50	
SW Well 1	7/8/2010 13:30:00	173.22	33.09	0.09	173.16	177.52	177.57	264.55	
SW Well 1	7/8/2010 17:30:00	173.21	33.02	0.02	173.20	177.52	177.54	264.58	
SW Well 1	7/8/2010 21:30:00	173.20	33.05	0.05	173.17	177.53	177.56	264.56	
SW Well 1	7/9/2010 1:30:00	173.22	33.11	0.10	173.15	177.52	177.58	264.54	
SW Well 1	7/9/2010 5:30:00	173.24	33.15	0.15	173.15	177.50	177.59	264.53	
SW Well 1	7/9/2010 9:30:00	173.22	33.15	0.14	173.13	177.51	177.60	264.52	
SW Well 1	7/9/2010 13:30:00	173.25	33.09	0.08	173.20	177.49	177.54	264.58	
SW Well 1	7/9/2010 17:30:00	173.25	33.03	0.03	173.23	177.49	177.51	264.61	
SW Well 1	7/9/2010 21:30:00	173.24	33.06	0.06	173.20	177.50	177.53	264.59	
SW Well 1	7/10/2010 1:30:00	173.24	33.09	0.09	173.18	177.50	177.55	264.57	
SW Well 1	7/10/2010 5:30:00	173.26	33.14	0.14	173.18	177.47	177.56	264.56	
SW Well 1	7/10/2010 9:30:00	173.27	33.17	0.16	173.17	177.46	177.57	264.55	
SW Well 1	7/10/2010 13:30:00	173.29	33.13	0.13	173.21	177.45	177.53	264.59	
SW Well 1	7/10/2010 17:30:00	173.30	33.07	0.07	173.26	177.43	177.47	264.65	
SW Well 1	7/10/2010 21:30:00	173.29	33.10	0.10	173.23	177.44	177.50	264.62	
SW Well 1	7/11/2010 1:30:00	173.30	33.13	0.13	173.22	177.43	177.51	264.61	
SW Well 1	7/11/2010 5:30:00	173.32	33.14	0.14	173.23	177.42	177.50	264.62	
SW Well 1	7/11/2010 9:30:00	173.30	33.15	0.14	173.21	177.43	177.52	264.60	
SW Well 1	7/11/2010 13:30:00	173.29	33.09	0.09	173.24	177.44	177.50	264.62	
SW Well 1	7/11/2010 17:30:00	173.32	33.04	0.04	173.29	177.42	177.44	264.68	
SW Well 1	7/11/2010 21:30:00	173.29	33.06	0.06	173.26	177.44	177.48	264.64	
SW Well 1	7/12/2010 1:30:00	173.29	33.11	0.10	173.22	177.45	177.51	264.61	
SW Well 1	7/12/2010 5:30:00	173.30	33.13	0.12	173.22	177.43	177.51	264.61	
SW Well 1	7/12/2010 9:30:00	173.30	33.15	0.15	173.21	177.43	177.52	264.60	
SW Well 1	7/12/2010 13:30:00	173.32	33.18	0.17	173.21	177.42	177.53	264.59	
SW Well 1	7/12/2010 17:30:00	173.37	33.18	0.18	173.26	177.36	177.47	264.65	
SW Well 1	7/12/2010 21:30:00	173.39	33.24	0.24	173.24	177.34	177.49	264.63	
SW Well 1	7/13/2010 1:30:00	173.40	33.29	0.29	173.22	177.33	177.51	264.61	
SW Well 1	7/13/2010 5:30:00	173.43	33.32	0.31	173.24	177.30	177.50	264.62	
SW Well 1	7/13/2010 9:30:00	173.46	33.35	0.34	173.25	177.28	177.49	264.63	
SW Well 1	7/13/2010 13:30:00	173.46	33.32	0.32	173.27	177.27	177.47	264.65	
SW Well 1	7/13/2010 17:30:00	173.50	33.28	0.28	173.32	177.24	177.41	264.71	
SW Well 1	7/13/2010 21:30:00	173.51	33.33	0.33	173.31	177.22	177.42	264.70	
SW Well 1	7/14/2010 1:30:00	173.52	33.40	0.39	173.27	177.22	177.46	264.66	
SW Well 1	7/14/2010 5:30:00	173.54	33.43	0.43	173.28	177.19	177.46	264.66	
SW Well 1	7/14/2010 9:30:00	173.57	33.40	0.40	173.32	177.17	177.41	264.71	
SW Well 1	7/14/2010 13:30:00	173.53	33.31	0.31	173.34	177.20	177.39	264.73	
SW Well 1	7/14/2010 17:30:00	173.54	33.24	0.23	173.40	177.19	177.33	264.79	
SW Well 1	7/14/2010 21:30:00	173.53	33.23	0.23	173.39	177.20	177.34	264.78	
SW Well 1	7/15/2010 1:30:00	173.51	33.29	0.29	173.34	177.22	177.40	264.72	
SW Well 1	7/15/2010 5:30:00	173.53	33.33	0.33	173.32	177.21	177.41	264.71	
SW Well 1	7/15/2010 9:30:00	173.54	33.32	0.31	173.35	177.19	177.39	264.73	
SW Well 1	7/15/2010 13:30:00	173.52	33.25	0.24	173.37	177.22	177.37	264.75	
SW Well 1	7/15/2010 17:30:00	173.51	33.18	0.18	173.40	177.22	177.33	264.79	
SW Well 1	7/15/2010 21:30:00	173.53	33.20	0.20	173.40	177.21	177.33	264.79	
SW Well 1	7/16/2010 1:30:00	173.51	33.27	0.27	173.35	177.22	177.39	264.73	
SW Well 1	7/16/2010 5:30:00	173.52	33.30	0.30	173.33	177.22	177.40	264.72	
SW Well 1	7/16/2010 9:30:00	173.55	33.33	0.33	173.34	177.18	177.39	264.73	
SW Well 1	7/16/2010 13:30:00	173.55	33.31	0.31	173.36	177.18	177.37	264.75	
SW Well 1	7/16/2010 17:30:00	173.55	33.24	0.24	173.40	177.18	177.33	264.79	
SW Well 1	7/16/2010 21:30:00	173.57	33.27	0.27	173.40	177.17	177.34	264.78	
SW Well 1	7/17/2010 1:30:00	173.57	33.33	0.33	173.36	177.17	177.37	264.75	
SW Well 1	7/17/2010 5:30:00	173.57	33.36	0.36	173.35	177.16	177.38	264.74	
SW Well 1	7/17/2010 9:30:00	173.60	33.37	0.37	173.37	177.14	177.37	264.75	
SW Well 1	7/17/2010 13:30:00	173.60	33.34	0.34	173.39	177.13	177.34	264.78	
SW Well 1	7/17/2010 17:30:00	173.58	33.23	0.22	173.44	177.15	177.29	264.83	
SW Well 1	7/17/2010 21:30:00	173.59	33.24	0.24	173.44	177.15	177.29	264.83	
SW Well 1	7/18/2010 1:30:00	173.59	33.31	0.31	173.40	177.15	177.34	264.78	
SW Well 1	7/18/2010 5:30:00	173.58	33.34	0.34	173.37	177.15	177.36	264.76	
SW Well 1	7/18/2010 9:30:00	173.61	33.37	0.36	173.39	177.12	177.35	264.77	
SW Well 1	7/18/2010 13:30:00	173.64	33.36	0.36	173.42	177.10	177.32	264.80	
SW Well 1	7/18/2010 17:30:00	173.62	33.27	0.27	173.45	177.11	177.28	264.84	
SW Well 1	7/18/2010 21:30:00	173.64	33.31	0.31	173.44	177.10	177.29	264.83	
SW Well 1	7/19/2010 1:30:00	173.64	33.36	0.36	173.41	177.10	177.32	264.80	
SW Well 1	7/19/2010 5:30:00	173.64	33.40	0.39	173.40	177.09	177.33	264.79	
SW Well 1	7/19/2010 9:30:00	173.67	33.42	0.42	173.41	177.06	177.32	264.80	
SW Well 1	7/19/2010 13:30:00	173.69	33.38	0.38	173.45	177.04	177.28	264.84	
SW Well 1	7/19/2010 17:30:00	173.67	33.26	0.26	173.51	177.07	177.23	264.89	
SW Well 1	7/19/2010 21:30:00	173.65	33.26	0.26	173.49	177.08	177.24	264.88	
SW Well 1	7/20/2010 1:30:00	173.64	33.29	0.28	173.46	177.10	177.27	264.85	
SW Well 1	7/20/2010 5:30:00	173.60	33.27	0.26	173.44	177.13	177.29	264.83	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	7/20/2010 9:30:00	173.60	33.26	0.26	173.44	177.14	177.30	264.82	
SW Well 1	7/20/2010 13:30:00	173.59	33.19	0.18	173.47	177.15	177.26	264.86	
SW Well 1	7/20/2010 17:30:00	173.57	33.08	0.08	173.52	177.17	177.22	264.90	
SW Well 1	7/20/2010 21:30:00	173.54	33.11	0.10	173.48	177.19	177.26	264.86	
SW Well 1	7/21/2010 1:30:00	173.55	33.16	0.16	173.45	177.18	177.28	264.84	
SW Well 1	7/21/2010 5:30:00	173.53	33.19	0.19	173.42	177.20	177.32	264.80	
SW Well 1	7/21/2010 9:30:00	173.53	33.20	0.20	173.41	177.20	177.32	264.80	
SW Well 1	7/21/2010 13:30:00	173.55	33.11	0.11	173.48	177.18	177.25	264.87	
SW Well 1	7/21/2010 17:30:00	173.53	33.03	0.03	173.52	177.20	177.22	264.90	
SW Well 1	7/21/2010 21:30:00	173.51	33.04	0.04	173.48	177.22	177.25	264.87	
SW Well 1	7/22/2010 1:30:00	173.51	33.07	0.06	173.47	177.22	177.26	264.86	
SW Well 1	7/22/2010 5:30:00	173.50	33.11	0.11	173.43	177.23	177.30	264.82	
SW Well 1	7/22/2010 9:30:00	173.51	33.15	0.15	173.42	177.22	177.32	264.80	
SW Well 1	7/22/2010 13:30:00	173.56	33.17	0.17	173.45	177.18	177.28	264.84	
SW Well 1	7/22/2010 17:30:00	173.59	33.19	0.19	173.47	177.15	177.26	264.86	
SW Well 1	7/22/2010 21:30:00	173.61	33.23	0.23	173.47	177.12	177.26	264.86	
SW Well 1	7/23/2010 1:30:00	173.64	33.31	0.31	173.45	177.09	177.28	264.84	
SW Well 1	7/23/2010 5:30:00	173.67	33.34	0.34	173.46	177.07	177.28	264.84	
SW Well 1	7/23/2010 9:30:00	173.67	33.35	0.35	173.45	177.07	177.28	264.84	
SW Well 1	7/23/2010 13:30:00	173.69	33.28	0.28	173.52	177.04	177.22	264.90	
SW Well 1	7/23/2010 17:30:00	173.70	33.19	0.18	173.58	177.04	177.15	264.97	
SW Well 1	7/23/2010 21:30:00	173.68	33.21	0.20	173.56	177.05	177.18	264.94	
SW Well 1	7/24/2010 1:30:00	173.67	33.24	0.24	173.53	177.06	177.21	264.91	
SW Well 1	7/24/2010 5:30:00	173.68	33.28	0.28	173.51	177.05	177.22	264.90	
SW Well 1	7/24/2010 9:30:00	173.67	33.24	0.24	173.52	177.07	177.21	264.91	
SW Well 1	7/24/2010 13:30:00	173.65	33.13	0.13	173.57	177.08	177.16	264.96	
SW Well 1	7/24/2010 17:30:00	173.64	33.04	0.04	173.62	177.09	177.11	265.01	
SW Well 1	7/24/2010 21:30:00	173.61	33.04	0.04	173.59	177.12	177.14	264.98	
SW Well 1	7/25/2010 1:30:00	173.60	33.09	0.09	173.54	177.14	177.19	264.93	
SW Well 1	7/25/2010 5:30:00	173.60	33.13	0.12	173.53	177.13	177.21	264.91	
SW Well 1	7/25/2010 9:30:00	173.58	33.10	0.10	173.52	177.15	177.21	264.91	
SW Well 1	7/25/2010 13:30:00	173.57	33.00	0.00	173.56	177.17	177.17	264.95	
SW Well 1	7/25/2010 17:30:00	173.57	32.90	-0.10	173.63	177.17	177.11	265.01	
SW Well 1	7/25/2010 21:30:00	173.54	32.94	-0.06	173.58	177.19	177.16	264.96	
SW Well 1	7/26/2010 1:30:00	173.52	32.98	-0.02	173.53	177.22	177.20	264.92	
SW Well 1	7/26/2010 5:30:00	173.53	33.03	0.03	173.52	177.20	177.22	264.90	
SW Well 1	7/26/2010 9:30:00	173.51	32.99	-0.01	173.52	177.22	177.22	264.90	
SW Well 1	7/26/2010 13:30:00	173.49	32.89	-0.11	173.56	177.25	177.18	264.94	
SW Well 1	7/26/2010 17:30:00	173.48	32.79	-0.21	173.61	177.25	177.12	265.00	
SW Well 1	7/26/2010 21:30:00	173.47	32.86	-0.15	173.56	177.26	177.17	264.95	
SW Well 1	7/27/2010 1:30:00	173.47	32.93	-0.07	173.52	177.26	177.22	264.90	
SW Well 1	7/27/2010 5:30:00	173.50	33.02	0.02	173.49	177.23	177.24	264.88	
SW Well 1	7/27/2010 9:30:00	173.53	33.06	0.06	173.49	177.21	177.24	264.88	
SW Well 1	7/27/2010 13:30:00	173.53	33.00	0.00	173.53	177.21	177.21	264.91	
SW Well 1	7/27/2010 17:30:00	173.55	32.93	-0.07	173.59	177.18	177.14	264.98	
SW Well 1	7/27/2010 21:30:00	173.57	32.99	-0.02	173.58	177.17	177.16	264.96	
SW Well 1	7/28/2010 1:30:00	173.57	33.09	0.08	173.51	177.17	177.22	264.90	
SW Well 1	7/28/2010 5:30:00	173.61	33.13	0.12	173.54	177.12	177.20	264.92	
SW Well 1	7/28/2010 9:30:00	173.63	33.17	0.16	173.52	177.11	177.21	264.91	
SW Well 1	7/28/2010 13:30:00	173.63	33.11	0.10	173.56	177.11	177.17	264.95	
SW Well 1	7/28/2010 17:30:00	173.64	33.03	0.03	173.62	177.09	177.11	265.01	
SW Well 1	7/28/2010 21:30:00	173.67	33.14	0.14	173.59	177.06	177.14	264.98	
SW Well 1	7/29/2010 1:30:00	173.69	33.24	0.24	173.54	177.04	177.19	264.93	
SW Well 1	7/29/2010 5:30:00	173.74	33.28	0.28	173.56	177.00	177.17	264.95	
SW Well 1	7/29/2010 9:30:00	173.76	33.29	0.29	173.58	176.97	177.15	264.97	
SW Well 1	7/29/2010 13:30:00	173.74	33.23	0.23	173.60	176.99	177.13	264.99	
SW Well 1	7/29/2010 17:30:00	173.75	33.11	0.11	173.68	176.98	177.05	265.07	
SW Well 1	7/29/2010 21:30:00	173.75	33.15	0.14	173.66	176.98	177.07	265.05	
SW Well 1	7/30/2010 1:30:00	173.73	33.21	0.20	173.60	177.00	177.13	264.99	
SW Well 1	7/30/2010 5:30:00	173.74	33.22	0.22	173.61	176.99	177.13	264.99	
SW Well 1	7/30/2010 9:30:00	173.76	33.23	0.23	173.62	176.97	177.11	265.01	
SW Well 1	7/30/2010 13:30:00	173.74	33.15	0.15	173.64	177.00	177.09	265.03	
SW Well 1	7/30/2010 17:30:00	173.72	33.03	0.03	173.70	177.01	177.03	265.09	
SW Well 1	7/30/2010 21:30:00	173.71	33.07	0.06	173.67	177.02	177.06	265.06	
SW Well 1	7/31/2010 1:30:00	173.69	33.12	0.12	173.61	177.04	177.12	265.00	
SW Well 1	7/31/2010 5:30:00	173.71	33.15	0.14	173.62	177.03	177.12	265.00	
SW Well 1	7/31/2010 9:30:00	173.73	33.17	0.17	173.63	177.00	177.11	265.01	
SW Well 1	7/31/2010 13:30:00	173.72	33.13	0.13	173.64	177.01	177.09	265.03	
SW Well 1	7/31/2010 17:30:00	173.72	33.05	0.05	173.69	177.01	177.04	265.08	
SW Well 1	7/31/2010 21:30:00	173.74	33.12	0.12	173.66	177.00	177.07	265.05	
SW Well 1	8/1/2010 1:30:00	173.73	33.17	0.17	173.63	177.00	177.11	265.01	
SW Well 1	8/1/2010 5:30:00	173.75	33.21	0.21	173.62	176.98	177.11	265.01	
SW Well 1	8/1/2010 9:30:00	173.78	33.22	0.22	173.65	176.95	177.09	265.03	
SW Well 1	8/1/2010 13:30:00	173.78	33.17	0.16	173.67	176.96	177.06	265.06	
SW Well 1	8/1/2010 17:30:00	173.78	33.12	0.11	173.70	176.96	177.03	265.09	
SW Well 1	8/1/2010 21:30:00	173.79	33.16	0.15	173.70	176.94	177.04	265.08	
SW Well 1	8/2/2010 1:30:00	173.78	33.21	0.20	173.66	176.95	177.08	265.04	
SW Well 1	8/2/2010 5:30:00	173.78	33.23	0.22	173.64	176.95	177.09	265.03	
SW Well 1	8/2/2010 9:30:00	173.82	33.25	0.25	173.67	176.91	177.06	265.06	
SW Well 1	8/2/2010 13:30:00	173.82	33.19	0.18	173.71	176.91	177.03	265.09	
SW Well 1	8/2/2010 17:30:00	173.80	33.10	0.09	173.74	176.93	176.99	265.13	
SW Well 1	8/2/2010 21:30:00	173.81	33.13	0.13	173.73	176.93	177.01	265.11	
SW Well 1	8/3/2010 1:30:00	173.80	33.20	0.19	173.68	176.93	177.05	265.07	
SW Well 1	8/3/2010 5:30:00	173.81	33.22	0.22	173.67	176.93	177.06	265.06	
SW Well 1	8/3/2010 9:30:00	173.84	33.26	0.25	173.68	176.90	177.05	265.07	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	8/3/2010 13:30:00	173.84	33.18	0.18	173.73	176.90	177.01	265.11	
SW Well 1	8/3/2010 17:30:00	173.83	33.09	0.09	173.77	176.90	176.96	265.16	
SW Well 1	8/3/2010 21:30:00	173.83	33.13	0.13	173.75	176.90	176.98	265.14	
SW Well 1	8/4/2010 1:30:00	173.81	33.17	0.16	173.71	176.92	177.02	265.10	
SW Well 1	8/4/2010 5:30:00	173.81	33.20	0.20	173.69	176.92	177.04	265.08	
SW Well 1	8/4/2010 9:30:00	173.82	33.20	0.20	173.70	176.91	177.03	265.09	
SW Well 1	8/4/2010 13:30:00	173.81	33.09	0.09	173.76	176.92	176.97	265.15	
SW Well 1	8/4/2010 17:30:00	173.78	33.00	-0.01	173.79	176.95	176.95	265.17	
SW Well 1	8/4/2010 21:30:00	173.78	33.01	0.00	173.77	176.96	176.96	265.16	
SW Well 1	8/5/2010 1:30:00	173.75	33.02	0.01	173.74	176.98	176.99	265.13	
SW Well 1	8/5/2010 5:30:00	173.74	33.04	0.04	173.71	177.00	177.02	265.10	
SW Well 1	8/5/2010 9:30:00	173.74	33.04	0.04	173.71	177.00	177.02	265.10	
SW Well 1	8/5/2010 13:30:00	173.73	32.95	-0.06	173.76	177.00	176.97	265.15	
SW Well 1	8/5/2010 17:30:00	173.70	32.86	-0.14	173.79	177.04	176.95	265.17	
SW Well 1	8/5/2010 21:30:00	173.69	32.92	-0.09	173.74	177.04	176.99	265.13	
SW Well 1	8/6/2010 1:30:00	173.71	32.99	-0.01	173.71	177.03	177.02	265.10	
SW Well 1	8/6/2010 5:30:00	173.71	33.03	0.03	173.69	177.03	177.05	265.07	
SW Well 1	8/6/2010 9:30:00	173.72	33.08	0.07	173.67	177.01	177.06	265.06	
SW Well 1	8/6/2010 13:30:00	173.75	33.06	0.05	173.72	176.98	177.01	265.11	
SW Well 1	8/6/2010 17:30:00	173.76	32.99	-0.02	173.77	176.97	176.96	265.16	
SW Well 1	8/6/2010 21:30:00	173.76	33.04	0.04	173.74	176.97	177.00	265.12	
SW Well 1	8/7/2010 1:30:00	173.77	33.07	0.07	173.73	176.97	177.01	265.11	
SW Well 1	8/7/2010 5:30:00	173.77	33.06	0.06	173.73	176.97	177.00	265.12	
SW Well 1	8/7/2010 9:30:00	173.75	33.06	0.05	173.72	176.98	177.01	265.11	
SW Well 1	8/7/2010 13:30:00	173.77	33.03	0.02	173.75	176.97	176.98	265.14	
SW Well 1	8/7/2010 17:30:00	173.78	33.01	0.01	173.78	176.95	176.95	265.17	
SW Well 1	8/7/2010 21:30:00	173.76	33.02	0.02	173.75	176.97	176.98	265.14	
SW Well 1	8/8/2010 1:30:00	173.77	33.04	0.03	173.75	176.97	176.99	265.13	
SW Well 1	8/8/2010 5:30:00	173.78	33.06	0.06	173.74	176.96	176.99	265.13	
SW Well 1	8/8/2010 9:30:00	173.77	33.10	0.10	173.71	176.97	177.03	265.09	
SW Well 1	8/8/2010 13:30:00	173.80	33.08	0.08	173.75	176.93	176.98	265.14	
SW Well 1	8/8/2010 17:30:00	173.82	33.05	0.05	173.79	176.91	176.94	265.18	
SW Well 1	8/8/2010 21:30:00	173.81	33.10	0.09	173.76	176.92	176.98	265.14	
SW Well 1	8/9/2010 1:30:00	173.82	33.10	0.10	173.76	176.91	176.97	265.15	
SW Well 1	8/9/2010 5:30:00	173.83	33.10	0.10	173.77	176.90	176.97	265.15	
SW Well 1	8/9/2010 9:30:00	173.81	33.12	0.11	173.74	176.92	176.99	265.13	
SW Well 1	8/9/2010 13:30:00	173.83	33.11	0.11	173.76	176.90	176.97	265.15	
SW Well 1	8/9/2010 17:30:00	173.85	33.08	0.08	173.80	176.88	176.93	265.19	
SW Well 1	8/9/2010 21:30:00	173.85	33.11	0.11	173.78	176.89	176.95	265.17	
SW Well 1	8/10/2010 1:30:00	173.83	33.11	0.11	173.76	176.90	176.97	265.15	
SW Well 1	8/10/2010 5:30:00	173.85	33.11	0.11	173.78	176.88	176.95	265.17	
SW Well 1	8/10/2010 9:30:00	173.84	33.12	0.11	173.77	176.90	176.97	265.15	
SW Well 1	8/10/2010 13:30:00	173.81	33.07	0.07	173.77	176.92	176.96	265.16	
SW Well 1	8/10/2010 17:30:00	173.85	33.03	0.03	173.83	176.89	176.90	265.22	
SW Well 1	8/10/2010 21:30:00	173.84	33.07	0.06	173.80	176.90	176.93	265.19	
SW Well 1	8/11/2010 1:30:00	173.83	33.12	0.12	173.76	176.90	176.98	265.14	
SW Well 1	8/11/2010 5:30:00	173.86	33.16	0.15	173.77	176.87	176.97	265.15	
SW Well 1	8/11/2010 9:30:00	173.86	33.15	0.15	173.77	176.87	176.96	265.16	
SW Well 1	8/11/2010 13:30:00	173.85	33.09	0.09	173.80	176.88	176.94	265.18	
SW Well 1	8/11/2010 17:30:00	173.88	33.04	0.04	173.85	176.86	176.88	265.24	
SW Well 1	8/11/2010 21:30:00	173.88	33.10	0.09	173.83	176.85	176.91	265.21	
SW Well 1	8/12/2010 1:30:00	173.88	33.16	0.15	173.78	176.86	176.95	265.17	
SW Well 1	8/12/2010 5:30:00	173.91	33.18	0.17	173.80	176.83	176.93	265.19	
SW Well 1	8/12/2010 9:30:00	173.92	33.18	0.18	173.81	176.81	176.92	265.20	
SW Well 1	8/12/2010 13:30:00	173.88	33.08	0.08	173.84	176.85	176.90	265.22	
SW Well 1	8/12/2010 17:30:00	173.88	32.98	-0.02	173.89	176.86	176.84	265.28	
SW Well 1	8/12/2010 21:30:00	173.86	32.99	-0.01	173.87	176.87	176.87	265.25	
SW Well 1	8/13/2010 1:30:00	173.84	33.05	0.05	173.81	176.90	176.92	265.20	
SW Well 1	8/13/2010 5:30:00	173.85	33.08	0.08	173.80	176.88	176.93	265.19	
SW Well 1	8/13/2010 9:30:00	173.87	33.08	0.08	173.82	176.86	176.91	265.21	
SW Well 1	8/13/2010 13:30:00	173.85	33.00	-0.01	173.85	176.89	176.88	265.24	
SW Well 1	8/13/2010 17:30:00	173.85	32.94	-0.07	173.89	176.89	176.85	265.27	
SW Well 1	8/13/2010 21:30:00	173.85	32.98	-0.03	173.86	176.89	176.87	265.25	
SW Well 1	8/14/2010 1:30:00	173.84	33.04	0.04	173.82	176.90	176.92	265.20	
SW Well 1	8/14/2010 5:30:00	173.85	33.07	0.07	173.81	176.88	176.92	265.20	
SW Well 1	8/14/2010 9:30:00	173.88	33.07	0.07	173.84	176.86	176.90	265.22	
SW Well 1	8/14/2010 13:30:00	173.86	32.97	-0.04	173.88	176.87	176.85	265.27	
SW Well 1	8/14/2010 17:30:00	173.85	32.91	-0.09	173.91	176.88	176.82	265.30	
SW Well 1	8/14/2010 21:30:00	173.87	32.97	-0.03	173.89	176.86	176.84	265.28	
SW Well 1	8/15/2010 1:30:00	173.86	33.02	0.01	173.85	176.87	176.88	265.24	
SW Well 1	8/15/2010 5:30:00	173.88	33.08	0.08	173.83	176.86	176.90	265.22	
SW Well 1	8/15/2010 9:30:00	173.90	33.09	0.08	173.85	176.83	176.88	265.24	
SW Well 1	8/15/2010 13:30:00	173.90	32.99	-0.01	173.91	176.83	176.82	265.30	
SW Well 1	8/15/2010 17:30:00	173.88	32.93	-0.08	173.93	176.85	176.80	265.32	
SW Well 1	8/15/2010 21:30:00	173.89	32.97	-0.04	173.91	176.84	176.82	265.30	
SW Well 1	8/16/2010 1:30:00	173.89	33.03	0.03	173.87	176.84	176.86	265.26	
SW Well 1	8/16/2010 5:30:00	173.90	33.08	0.08	173.85	176.83	176.88	265.24	
SW Well 1	8/16/2010 9:30:00	173.93	33.09	0.09	173.88	176.80	176.86	265.26	
SW Well 1	8/16/2010 13:30:00	173.92	32.98	-0.02	173.94	176.81	176.80	265.32	
SW Well 1	8/16/2010 17:30:00	173.90	32.89	-0.11	173.97	176.83	176.76	265.36	
SW Well 1	8/16/2010 21:30:00	173.88	32.90	-0.10	173.94	176.86	176.79	265.33	
SW Well 1	8/17/2010 1:30:00	173.86	32.92	-0.09	173.91	176.87	176.82	265.30	
SW Well 1	8/17/2010 5:30:00	173.83	32.93	-0.07	173.88	176.90	176.86	265.26	
SW Well 1	8/17/2010 9:30:00	173.83	32.90	-0.10	173.89	176.90	176.84	265.28	
SW Well 1	8/17/2010 13:30:00	173.81	32.81	-0.19	173.93	176.92	176.80	265.32	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	8/17/2010 17:30:00	173.79	32.75	-0.25	173.95	176.94	176.78	265.34	
SW Well 1	8/17/2010 21:30:00	173.81	32.87	-0.13	173.89	176.92	176.84	265.28	
SW Well 1	8/18/2010 1:30:00	173.85	33.04	0.03	173.82	176.89	176.91	265.21	
SW Well 1	8/18/2010 5:30:00	173.87	33.05	0.05	173.84	176.86	176.90	265.23	
SW Well 1	8/18/2010 9:30:00	173.90	33.09	0.09	173.85	176.83	176.89	265.23	
SW Well 1	8/18/2010 12:00:00	70.13	33.13	0.13	70.05	177.10	177.10	265.02	
SW Well 1	8/18/2010 12:15:00	70.14	33.13	0.13	70.06	177.10	177.10	265.02	
SW Well 1	8/18/2010 12:30:00	70.14	33.14	0.13	70.05	177.10	177.10	265.02	
SW Well 1	8/18/2010 12:45:00	70.14	33.14	0.14	70.05	177.09	177.10	265.02	
SW Well 1	8/18/2010 13:00:00	70.14	33.14	0.14	70.05	177.09	177.10	265.02	
SW Well 1	8/18/2010 13:15:00	70.14	33.15	0.15	70.05	177.09	177.10	265.02	
SW Well 1	8/18/2010 13:30:00	70.14	33.15	0.15	70.05	177.09	177.11	265.01	
SW Well 1	8/18/2010 13:45:00	70.14	33.15	0.15	70.05	177.09	177.10	265.02	
SW Well 1	8/18/2010 14:00:00	70.14	33.15	0.14	70.05	177.09	177.10	265.02	
SW Well 1	8/18/2010 14:15:00	70.14	33.14	0.14	70.06	177.09	177.10	265.02	
SW Well 1	8/18/2010 14:30:00	70.14	33.14	0.14	70.06	177.09	177.10	265.02	
SW Well 1	8/18/2010 14:45:00	70.15	33.14	0.14	70.06	177.09	177.09	265.03	
SW Well 1	8/18/2010 15:00:00	70.14	33.14	0.13	70.06	177.09	177.09	265.03	
SW Well 1	8/18/2010 15:15:00	70.15	33.13	0.13	70.07	177.09	177.09	265.03	
SW Well 1	8/18/2010 15:30:00	70.15	33.13	0.13	70.07	177.09	177.09	265.03	
SW Well 1	8/18/2010 15:45:00	70.14	33.13	0.13	70.07	177.09	177.09	265.03	
SW Well 1	8/18/2010 16:00:00	70.14	33.13	0.12	70.07	177.09	177.09	265.03	
SW Well 1	8/18/2010 16:15:00	70.14	33.12	0.12	70.07	177.09	177.08	265.04	
SW Well 1	8/18/2010 16:30:00	70.15	33.12	0.12	70.07	177.09	177.08	265.04	
SW Well 1	8/18/2010 16:45:00	70.14	33.12	0.12	70.07	177.09	177.08	265.04	
SW Well 1	8/18/2010 17:00:00	70.14	33.12	0.11	70.07	177.09	177.08	265.04	
SW Well 1	8/18/2010 17:15:00	70.14	33.11	0.11	70.08	177.09	177.08	265.04	
SW Well 1	8/18/2010 17:30:00	70.14	33.11	0.11	70.08	177.09	177.08	265.04	
SW Well 1	8/18/2010 17:45:00	70.14	33.13	0.13	70.06	177.09	177.09	265.03	
SW Well 1	8/18/2010 18:00:00	70.14	33.15	0.15	70.05	177.09	177.10	265.02	
SW Well 1	8/18/2010 18:15:00	70.14	33.17	0.17	70.03	177.09	177.12	265.00	
SW Well 1	8/18/2010 18:30:00	70.14	33.19	0.19	70.02	177.09	177.13	264.99	
SW Well 1	8/18/2010 18:45:00	70.14	33.21	0.21	70.01	177.09	177.15	264.97	
SW Well 1	8/18/2010 19:00:00	70.14	33.24	0.23	70.00	177.09	177.15	264.97	
SW Well 1	8/18/2010 19:15:00	70.14	33.26	0.25	69.99	177.09	177.17	264.95	
SW Well 1	8/18/2010 19:30:00	70.14	33.28	0.28	69.97	177.09	177.18	264.94	
SW Well 1	8/18/2010 19:45:00	70.15	33.30	0.30	69.96	177.09	177.19	264.93	
SW Well 1	8/18/2010 20:00:00	70.14	33.32	0.32	69.95	177.09	177.21	264.91	
SW Well 1	8/18/2010 20:15:00	70.14	33.34	0.34	69.93	177.09	177.22	264.90	
SW Well 1	8/18/2010 20:30:00	70.15	33.36	0.36	69.92	177.09	177.23	264.89	
SW Well 1	8/18/2010 20:45:00	70.15	33.38	0.38	69.91	177.09	177.24	264.88	
SW Well 1	8/18/2010 21:00:00	70.15	33.40	0.40	69.90	177.08	177.25	264.87	
SW Well 1	8/18/2010 21:15:00	70.15	33.42	0.42	69.89	177.08	177.26	264.86	
SW Well 1	8/18/2010 21:30:00	70.15	33.45	0.44	69.88	177.08	177.28	264.84	
SW Well 1	8/18/2010 21:45:00	70.15	33.45	0.44	69.88	177.08	177.28	264.84	
SW Well 1	8/18/2010 22:00:00	70.15	33.45	0.45	69.87	177.08	177.28	264.84	
SW Well 1	8/18/2010 22:15:00	70.15	33.45	0.45	69.87	177.08	177.28	264.84	
SW Well 1	8/18/2010 22:30:00	70.15	33.45	0.45	69.87	177.08	177.28	264.84	
SW Well 1	8/18/2010 22:45:00	70.16	33.45	0.45	69.88	177.08	177.28	264.84	
SW Well 1	8/18/2010 23:00:00	70.16	33.45	0.45	69.87	177.08	177.28	264.84	
SW Well 1	8/18/2010 23:15:00	70.16	33.46	0.45	69.87	177.08	177.28	264.84	
SW Well 1	8/18/2010 23:30:00	70.16	33.46	0.46	69.87	177.08	177.28	264.84	
SW Well 1	8/18/2010 23:45:00	70.16	33.46	0.46	69.87	177.08	177.28	264.84	
SW Well 1	8/19/2010 0:00:00	70.16	33.46	0.46	69.87	177.08	177.28	264.84	
SW Well 1	8/19/2010 0:15:00	70.16	33.46	0.46	69.87	177.07	177.28	264.84	
SW Well 1	8/19/2010 0:30:00	70.16	33.46	0.46	69.88	177.07	177.28	264.84	
SW Well 1	8/19/2010 0:45:00	70.16	33.47	0.46	69.87	177.07	177.28	264.84	
SW Well 1	8/19/2010 1:00:00	70.16	33.47	0.47	69.87	177.07	177.28	264.84	
SW Well 1	8/19/2010 1:15:00	70.16	33.47	0.47	69.87	177.07	177.28	264.84	
SW Well 1	8/19/2010 1:30:00	70.16	33.47	0.47	69.87	177.07	177.28	264.84	
SW Well 1	8/19/2010 1:45:00	70.16	33.47	0.47	69.87	177.07	177.28	264.84	
SW Well 1	8/19/2010 2:00:00	70.16	33.47	0.47	69.87	177.07	177.28	264.84	
SW Well 1	8/19/2010 2:15:00	70.16	33.47	0.47	69.87	177.07	177.28	264.84	
SW Well 1	8/19/2010 2:30:00	70.16	33.47	0.47	69.87	177.07	177.28	264.84	
SW Well 1	8/19/2010 2:45:00	70.16	33.48	0.47	69.87	177.07	177.28	264.84	
SW Well 1	8/19/2010 3:00:00	70.16	33.48	0.47	69.87	177.07	177.29	264.83	
SW Well 1	8/19/2010 3:15:00	70.17	33.48	0.48	69.87	177.07	177.28	264.84	
SW Well 1	8/19/2010 3:30:00	70.16	33.48	0.48	69.87	177.07	177.29	264.83	
SW Well 1	8/19/2010 3:45:00	70.16	33.48	0.48	69.87	177.07	177.29	264.83	
SW Well 1	8/19/2010 4:00:00	70.16	33.48	0.48	69.87	177.07	177.29	264.83	
SW Well 1	8/19/2010 4:15:00	70.16	33.48	0.48	69.87	177.07	177.29	264.83	
SW Well 1	8/19/2010 4:30:00	70.17	33.48	0.48	69.87	177.07	177.28	264.84	
SW Well 1	8/19/2010 4:45:00	70.16	33.48	0.48	69.86	177.07	177.29	264.83	
SW Well 1	8/19/2010 5:00:00	70.16	33.48	0.48	69.86	177.07	177.29	264.83	
SW Well 1	8/19/2010 5:15:00	70.16	33.49	0.48	69.86	177.07	177.29	264.83	
SW Well 1	8/19/2010 5:30:00	70.16	33.49	0.48	69.86	177.07	177.29	264.83	
SW Well 1	8/19/2010 5:45:00	70.16	33.49	0.49	69.86	177.07	177.29	264.83	
SW Well 1	8/19/2010 6:00:00	70.16	33.49	0.49	69.86	177.07	177.30	264.82	
SW Well 1	8/19/2010 6:15:00	70.16	33.49	0.49	69.86	177.07	177.29	264.83	
SW Well 1	8/19/2010 6:30:00	70.17	33.49	0.49	69.86	177.07	177.29	264.83	
SW Well 1	8/19/2010 6:45:00	70.17	33.50	0.49	69.86	177.07	177.29	264.83	
SW Well 1	8/19/2010 7:00:00	70.17	33.50	0.50	69.86	177.06	177.29	264.83	
SW Well 1	8/19/2010 7:15:00	70.17	33.50	0.50	69.86	177.07	177.30	264.82	
SW Well 1	8/19/2010 7:30:00	70.17	33.50	0.50	69.86	177.07	177.30	264.82	
SW Well 1	8/19/2010 7:45:00	70.17	33.51	0.50	69.85	177.07	177.30	264.82	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	8/19/2010 8:00:00	70.17	33.51	0.51	69.86	177.06	177.30	264.82	
SW Well 1	8/19/2010 8:15:00	70.17	33.51	0.51	69.86	177.06	177.30	264.82	
SW Well 1	8/19/2010 8:30:00	70.17	33.51	0.51	69.85	177.07	177.30	264.82	
SW Well 1	8/19/2010 8:45:00	70.17	33.51	0.51	69.85	177.06	177.30	264.82	
SW Well 1	8/19/2010 9:00:00	70.17	33.52	0.51	69.85	177.06	177.30	264.82	
SW Well 1	8/19/2010 9:15:00	70.18	33.52	0.52	69.85	177.06	177.30	264.82	
SW Well 1	8/19/2010 9:30:00	70.18	33.52	0.52	69.86	177.05	177.30	264.82	
SW Well 1	8/19/2010 9:45:00	70.18	33.52	0.52	69.85	177.06	177.30	264.82	
SW Well 1	8/19/2010 10:00:00	70.18	33.52	0.52	69.85	177.06	177.30	264.82	
SW Well 1	8/19/2010 10:15:00	70.18	33.52	0.52	69.86	177.05	177.30	264.82	
SW Well 1	8/19/2010 10:30:00	70.18	33.52	0.52	69.86	177.05	177.30	264.82	
SW Well 1	8/19/2010 10:45:00	70.18	33.52	0.52	69.86	177.05	177.29	264.83	
SW Well 1	8/19/2010 11:00:00	70.19	33.52	0.52	69.86	177.05	177.29	264.83	
SW Well 1	8/19/2010 11:15:00	70.19	33.52	0.52	69.86	177.05	177.29	264.83	
SW Well 1	8/19/2010 11:30:00	70.19	33.52	0.52	69.86	177.05	177.29	264.83	
SW Well 1	8/19/2010 11:45:00	70.19	33.52	0.52	69.87	177.04	177.29	264.83	
SW Well 1	8/19/2010 12:00:00	70.19	33.52	0.52	69.87	177.04	177.29	264.83	
SW Well 1	8/19/2010 12:15:00	70.19	33.52	0.52	69.87	177.04	177.29	264.83	
SW Well 1	8/19/2010 12:30:00	70.19	33.52	0.52	69.87	177.04	177.29	264.83	
SW Well 1	8/19/2010 12:45:00	70.19	33.52	0.52	69.87	177.04	177.29	264.83	
SW Well 1	8/19/2010 13:00:00	70.19	33.52	0.52	69.87	177.04	177.28	264.84	
SW Well 1	8/19/2010 13:15:00	70.19	33.52	0.52	69.87	177.04	177.28	264.84	
SW Well 1	8/19/2010 13:30:00	70.20	33.52	0.52	69.88	177.03	177.28	264.84	
SW Well 1	8/19/2010 13:45:00	70.20	33.52	0.51	69.88	177.03	177.27	264.85	
SW Well 1	8/19/2010 14:00:00	70.20	33.51	0.51	69.89	177.03	177.27	264.85	
SW Well 1	8/19/2010 14:15:00	70.20	33.50	0.50	69.89	177.03	177.27	264.85	
SW Well 1	8/19/2010 14:30:00	70.20	33.50	0.50	69.89	177.03	177.26	264.86	
SW Well 1	8/19/2010 14:45:00	70.20	33.49	0.49	69.90	177.03	177.26	264.86	
SW Well 1	8/19/2010 15:00:00	70.20	33.49	0.48	69.90	177.03	177.25	264.87	
SW Well 1	8/19/2010 15:15:00	70.20	33.48	0.48	69.90	177.03	177.25	264.87	
SW Well 1	8/19/2010 15:30:00	70.20	33.47	0.47	69.91	177.03	177.24	264.88	
SW Well 1	8/19/2010 15:45:00	70.20	33.47	0.47	69.91	177.03	177.24	264.88	
SW Well 1	8/19/2010 16:00:00	70.20	33.46	0.46	69.92	177.03	177.24	264.88	
SW Well 1	8/19/2010 16:15:00	70.20	33.46	0.45	69.92	177.03	177.23	264.89	
SW Well 1	8/19/2010 16:30:00	70.20	33.45	0.45	69.92	177.03	177.23	264.89	
SW Well 1	8/19/2010 16:45:00	70.20	33.44	0.44	69.93	177.03	177.23	264.89	
SW Well 1	8/19/2010 17:00:00	70.20	33.44	0.44	69.93	177.03	177.22	264.90	
SW Well 1	8/19/2010 17:15:00	70.20	33.43	0.43	69.93	177.03	177.22	264.90	
SW Well 1	8/19/2010 17:30:00	70.20	33.43	0.42	69.93	177.03	177.22	264.90	
SW Well 1	8/19/2010 17:45:00	70.20	33.43	0.42	69.93	177.03	177.22	264.90	
SW Well 1	8/19/2010 18:00:00	70.19	33.43	0.42	69.93	177.04	177.22	264.90	
SW Well 1	8/19/2010 18:15:00	70.19	33.43	0.42	69.93	177.04	177.22	264.90	
SW Well 1	8/19/2010 18:30:00	70.19	33.43	0.42	69.93	177.04	177.22	264.90	
SW Well 1	8/19/2010 18:45:00	70.19	33.43	0.42	69.93	177.04	177.23	264.89	
SW Well 1	8/19/2010 19:00:00	70.19	33.43	0.42	69.93	177.04	177.23	264.89	
SW Well 1	8/19/2010 19:15:00	70.19	33.43	0.42	69.93	177.04	177.23	264.89	
SW Well 1	8/19/2010 19:30:00	70.19	33.43	0.42	69.93	177.04	177.23	264.89	
SW Well 1	8/19/2010 19:45:00	70.19	33.43	0.42	69.93	177.04	177.23	264.89	
SW Well 1	8/19/2010 20:00:00	70.19	33.43	0.42	69.93	177.04	177.22	264.90	
SW Well 1	8/19/2010 20:15:00	70.19	33.43	0.42	69.93	177.04	177.22	264.90	
SW Well 1	8/19/2010 20:30:00	70.19	33.43	0.42	69.93	177.04	177.23	264.89	
SW Well 1	8/19/2010 20:45:00	70.19	33.43	0.42	69.93	177.04	177.22	264.90	
SW Well 1	8/19/2010 21:00:00	70.19	33.43	0.42	69.93	177.04	177.22	264.90	
SW Well 1	8/19/2010 21:15:00	70.19	33.43	0.42	69.93	177.04	177.22	264.90	
SW Well 1	8/19/2010 21:30:00	70.19	33.43	0.42	69.93	177.04	177.22	264.90	
SW Well 1	8/19/2010 21:45:00	70.19	33.43	0.42	69.93	177.04	177.22	264.90	
SW Well 1	8/19/2010 22:00:00	70.19	33.43	0.42	69.93	177.04	177.23	264.89	
SW Well 1	8/19/2010 22:15:00	70.19	33.43	0.42	69.93	177.04	177.23	264.89	
SW Well 1	8/19/2010 22:30:00	70.19	33.43	0.42	69.93	177.04	177.23	264.89	
SW Well 1	8/19/2010 22:45:00	70.19	33.43	0.43	69.93	177.04	177.23	264.89	
SW Well 1	8/19/2010 23:00:00	70.19	33.43	0.43	69.93	177.04	177.23	264.89	
SW Well 1	8/19/2010 23:15:00	70.19	33.43	0.43	69.93	177.04	177.22	264.90	
SW Well 1	8/19/2010 23:30:00	70.19	33.43	0.43	69.93	177.04	177.23	264.89	
SW Well 1	8/19/2010 23:45:00	70.19	33.43	0.43	69.93	177.04	177.22	264.90	
SW Well 1	8/20/2010 0:00:00	70.19	33.43	0.43	69.93	177.04	177.23	264.89	
SW Well 1	8/20/2010 0:15:00	70.19	33.43	0.43	69.93	177.04	177.23	264.89	
SW Well 1	8/20/2010 0:30:00	70.19	33.43	0.43	69.93	177.04	177.22	264.90	
SW Well 1	8/20/2010 0:45:00	70.19	33.43	0.43	69.93	177.04	177.22	264.90	
SW Well 1	8/20/2010 1:00:00	70.19	33.43	0.43	69.93	177.04	177.22	264.90	
SW Well 1	8/20/2010 1:15:00	70.19	33.43	0.43	69.93	177.04	177.23	264.89	
SW Well 1	8/20/2010 1:30:00	70.19	33.43	0.43	69.93	177.04	177.23	264.89	
SW Well 1	8/20/2010 1:45:00	70.19	33.43	0.43	69.93	177.04	177.23	264.89	
SW Well 1	8/20/2010 2:00:00	70.19	33.43	0.43	69.93	177.04	177.22	264.90	
SW Well 1	8/20/2010 2:15:00	70.19	33.43	0.42	69.93	177.04	177.22	264.90	
SW Well 1	8/20/2010 2:30:00	70.19	33.43	0.42	69.93	177.04	177.22	264.90	
SW Well 1	8/20/2010 2:45:00	70.19	33.42	0.42	69.93	177.04	177.22	264.90	
SW Well 1	8/20/2010 3:00:00	70.19	33.42	0.42	69.93	177.04	177.22	264.90	
SW Well 1	8/20/2010 3:15:00	70.19	33.42	0.42	69.93	177.04	177.22	264.90	
SW Well 1	8/20/2010 3:30:00	70.19	33.42	0.42	69.93	177.04	177.22	264.90	
SW Well 1	8/20/2010 3:45:00	70.19	33.42	0.42	69.93	177.04	177.22	264.90	
SW Well 1	8/20/2010 4:00:00	70.19	33.42	0.42	69.93	177.04	177.22	264.90	
SW Well 1	8/20/2010 4:15:00	70.19	33.42	0.42	69.93	177.05	177.23	264.89	
SW Well 1	8/20/2010 4:30:00	70.19	33.42	0.42	69.93	177.05	177.23	264.89	
SW Well 1	8/20/2010 4:45:00	70.18	33.42	0.41	69.93	177.05	177.23	264.89	
SW Well 1	8/20/2010 5:00:00	70.18	33.42	0.41	69.93	177.05	177.23	264.89	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	8/20/2010 5:15:00	70.18	33.41	0.41	69.93	177.05	177.23	264.89	
SW Well 1	8/20/2010 5:30:00	70.18	33.41	0.41	69.92	177.05	177.23	264.89	
SW Well 1	8/20/2010 5:45:00	70.18	33.41	0.41	69.93	177.05	177.23	264.89	
SW Well 1	8/20/2010 6:00:00	70.18	33.41	0.41	69.92	177.05	177.23	264.89	
SW Well 1	8/20/2010 6:15:00	70.18	33.41	0.41	69.92	177.05	177.23	264.89	
SW Well 1	8/20/2010 6:30:00	70.18	33.41	0.41	69.92	177.05	177.23	264.89	
SW Well 1	8/20/2010 6:45:00	70.18	33.41	0.41	69.92	177.05	177.23	264.89	
SW Well 1	8/20/2010 7:00:00	70.18	33.41	0.41	69.92	177.05	177.23	264.89	
SW Well 1	8/20/2010 7:15:00	70.18	33.41	0.41	69.92	177.06	177.23	264.89	
SW Well 1	8/20/2010 7:30:00	70.18	33.42	0.41	69.92	177.06	177.23	264.89	
SW Well 1	8/20/2010 7:45:00	70.18	33.42	0.41	69.92	177.06	177.24	264.88	
SW Well 1	8/20/2010 8:00:00	70.18	33.42	0.41	69.92	177.06	177.24	264.88	
SW Well 1	8/20/2010 8:15:00	70.17	33.42	0.41	69.91	177.06	177.24	264.88	
SW Well 1	8/20/2010 8:30:00	70.17	33.42	0.41	69.91	177.06	177.24	264.88	
SW Well 1	8/20/2010 8:45:00	70.17	33.42	0.41	69.91	177.06	177.24	264.88	
SW Well 1	8/20/2010 9:00:00	70.17	33.42	0.41	69.91	177.06	177.24	264.88	
SW Well 1	8/20/2010 9:15:00	70.17	33.42	0.41	69.91	177.07	177.24	264.88	
SW Well 1	8/20/2010 9:30:00	70.17	33.42	0.41	69.91	177.07	177.24	264.88	
SW Well 1	8/20/2010 9:45:00	70.17	33.41	0.41	69.91	177.07	177.24	264.88	
SW Well 1	8/20/2010 10:00:00	70.16	33.41	0.40	69.91	177.07	177.24	264.88	
SW Well 1	8/20/2010 10:15:00	70.17	33.40	0.40	69.92	177.07	177.23	264.89	
SW Well 1	8/20/2010 10:30:00	70.17	33.40	0.39	69.92	177.07	177.23	264.89	
SW Well 1	8/20/2010 10:45:00	70.16	33.39	0.39	69.92	177.07	177.23	264.89	
SW Well 1	8/20/2010 11:00:00	70.16	33.38	0.38	69.93	177.07	177.23	264.89	
SW Well 1	8/20/2010 11:15:00	70.16	33.38	0.38	69.93	177.07	177.22	264.90	
SW Well 1	8/20/2010 11:30:00	70.16	33.37	0.37	69.93	177.07	177.22	264.90	
SW Well 1	8/20/2010 11:45:00	70.17	33.37	0.37	69.94	177.07	177.21	264.91	
SW Well 1	8/20/2010 12:00:00	70.16	33.36	0.36	69.94	177.07	177.21	264.91	
SW Well 1	8/20/2010 12:15:00	70.16	33.36	0.36	69.94	177.07	177.21	264.91	
SW Well 1	8/20/2010 12:30:00	70.16	33.35	0.35	69.95	177.07	177.21	264.91	
SW Well 1	8/20/2010 12:45:00	70.16	33.35	0.35	69.95	177.07	177.20	264.92	
SW Well 1	8/20/2010 13:00:00	70.16	33.34	0.34	69.95	177.07	177.20	264.92	
SW Well 1	8/20/2010 13:15:00	70.16	33.34	0.33	69.96	177.07	177.20	264.92	
SW Well 1	8/20/2010 13:30:00	70.16	33.33	0.33	69.96	177.07	177.19	264.93	
SW Well 1	8/20/2010 13:45:00	70.16	33.32	0.32	69.96	177.07	177.19	264.93	
SW Well 1	8/20/2010 14:00:00	70.16	33.32	0.32	69.97	177.07	177.19	264.93	
SW Well 1	8/20/2010 14:15:00	70.16	33.31	0.31	69.97	177.07	177.18	264.94	
SW Well 1	8/20/2010 14:30:00	70.16	33.30	0.30	69.97	177.07	177.18	264.94	
SW Well 1	8/20/2010 14:45:00	70.16	33.30	0.29	69.98	177.07	177.17	264.95	
SW Well 1	8/20/2010 15:00:00	70.16	33.29	0.29	69.98	177.07	177.17	264.95	
SW Well 1	8/20/2010 15:15:00	70.16	33.28	0.28	69.98	177.07	177.17	264.95	
SW Well 1	8/20/2010 15:30:00	70.16	33.28	0.27	69.99	177.07	177.16	264.96	
SW Well 1	8/20/2010 15:45:00	70.16	33.27	0.27	69.99	177.07	177.16	264.96	
SW Well 1	8/20/2010 16:00:00	70.16	33.26	0.26	69.99	177.08	177.16	264.96	
SW Well 1	8/20/2010 16:15:00	70.15	33.26	0.25	69.99	177.08	177.16	264.96	
SW Well 1	8/20/2010 16:30:00	70.15	33.25	0.25	70.00	177.08	177.16	264.96	
SW Well 1	8/20/2010 16:45:00	70.15	33.24	0.24	70.00	177.09	177.16	264.96	
SW Well 1	8/20/2010 17:00:00	70.15	33.23	0.23	70.00	177.09	177.15	264.97	
SW Well 1	8/20/2010 17:15:00	70.14	33.23	0.23	70.00	177.09	177.15	264.97	
SW Well 1	8/20/2010 17:30:00	70.14	33.22	0.22	70.00	177.10	177.15	264.97	
SW Well 1	8/20/2010 17:45:00	70.14	33.22	0.22	70.00	177.10	177.15	264.97	
SW Well 1	8/20/2010 18:00:00	70.14	33.22	0.22	70.00	177.10	177.15	264.97	
SW Well 1	8/20/2010 18:15:00	70.13	33.22	0.22	70.00	177.10	177.16	264.96	
SW Well 1	8/20/2010 18:30:00	70.13	33.22	0.22	69.99	177.10	177.16	264.96	
SW Well 1	8/20/2010 18:45:00	70.12	33.22	0.22	69.99	177.11	177.16	264.96	
SW Well 1	8/20/2010 19:00:00	70.12	33.22	0.21	69.99	177.11	177.17	264.95	
SW Well 1	8/20/2010 19:15:00	70.12	33.22	0.21	69.98	177.12	177.17	264.95	
SW Well 1	8/20/2010 19:30:00	70.12	33.22	0.21	69.98	177.12	177.17	264.95	
SW Well 1	8/20/2010 19:45:00	70.12	33.21	0.21	69.98	177.12	177.17	264.95	
SW Well 1	8/20/2010 20:00:00	70.11	33.21	0.21	69.98	177.12	177.17	264.95	
SW Well 1	8/20/2010 20:15:00	70.12	33.21	0.21	69.98	177.12	177.17	264.95	
SW Well 1	8/20/2010 20:30:00	70.11	33.21	0.21	69.98	177.12	177.17	264.95	
SW Well 1	8/20/2010 20:45:00	70.11	33.21	0.21	69.98	177.12	177.18	264.94	
SW Well 1	8/20/2010 21:00:00	70.11	33.21	0.21	69.98	177.12	177.18	264.94	
SW Well 1	8/20/2010 21:15:00	70.11	33.21	0.21	69.98	177.13	177.18	264.94	
SW Well 1	8/20/2010 21:30:00	70.11	33.21	0.21	69.98	177.13	177.18	264.94	
SW Well 1	8/20/2010 21:45:00	70.10	33.21	0.21	69.97	177.13	177.18	264.94	
SW Well 1	8/20/2010 22:00:00	70.11	33.21	0.21	69.97	177.13	177.18	264.94	
SW Well 1	8/20/2010 22:15:00	70.10	33.21	0.21	69.97	177.13	177.18	264.94	
SW Well 1	8/20/2010 22:30:00	70.10	33.21	0.21	69.97	177.14	177.19	264.93	
SW Well 1	8/20/2010 22:45:00	70.09	33.22	0.21	69.96	177.14	177.19	264.93	
SW Well 1	8/20/2010 23:00:00	70.09	33.22	0.22	69.96	177.14	177.19	264.93	
SW Well 1	8/20/2010 23:15:00	70.09	33.22	0.22	69.95	177.14	177.20	264.92	
SW Well 1	8/20/2010 23:30:00	70.09	33.22	0.22	69.95	177.14	177.20	264.92	
SW Well 1	8/20/2010 23:45:00	70.09	33.22	0.22	69.96	177.14	177.20	264.92	
SW Well 1	8/21/2010 0:00:00	70.09	33.22	0.22	69.95	177.14	177.20	264.92	
SW Well 1	8/21/2010 0:15:00	70.09	33.22	0.22	69.95	177.14	177.20	264.92	
SW Well 1	8/21/2010 0:30:00	70.09	33.22	0.22	69.95	177.14	177.20	264.92	
SW Well 1	8/21/2010 0:45:00	70.09	33.23	0.22	69.95	177.14	177.20	264.92	
SW Well 1	8/21/2010 1:00:00	70.09	33.23	0.22	69.95	177.14	177.20	264.92	
SW Well 1	8/21/2010 1:15:00	70.09	33.23	0.23	69.95	177.14	177.20	264.92	
SW Well 1	8/21/2010 1:30:00	70.09	33.23	0.23	69.95	177.14	177.21	264.91	
SW Well 1	8/21/2010 1:45:00	70.09	33.23	0.23	69.94	177.15	177.21	264.91	
SW Well 1	8/21/2010 2:00:00	70.09	33.23	0.23	69.94	177.15	177.21	264.91	
SW Well 1	8/21/2010 2:15:00	70.09	33.23	0.23	69.95	177.14	177.21	264.91	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	8/21/2010 2:30:00	70.09	33.24	0.23	69.94	177.15	177.21	264.91	
SW Well 1	8/21/2010 2:45:00	70.09	33.24	0.24	69.94	177.14	177.21	264.91	
SW Well 1	8/21/2010 3:00:00	70.09	33.24	0.24	69.94	177.15	177.22	264.90	
SW Well 1	8/21/2010 3:15:00	70.09	33.24	0.24	69.94	177.14	177.21	264.91	
SW Well 1	8/21/2010 3:30:00	70.09	33.24	0.24	69.94	177.15	177.22	264.90	
SW Well 1	8/21/2010 3:45:00	70.09	33.24	0.24	69.94	177.15	177.22	264.90	
SW Well 1	8/21/2010 4:00:00	70.09	33.25	0.24	69.93	177.15	177.22	264.90	
SW Well 1	8/21/2010 4:15:00	70.09	33.25	0.24	69.94	177.14	177.22	264.90	
SW Well 1	8/21/2010 4:30:00	70.09	33.25	0.25	69.93	177.15	177.22	264.90	
SW Well 1	8/21/2010 4:45:00	70.09	33.25	0.25	69.93	177.15	177.22	264.90	
SW Well 1	8/21/2010 5:00:00	70.08	33.25	0.25	69.93	177.15	177.23	264.89	
SW Well 1	8/21/2010 5:15:00	70.08	33.25	0.25	69.93	177.15	177.23	264.89	
SW Well 1	8/21/2010 5:30:00	70.08	33.26	0.25	69.92	177.15	177.23	264.89	
SW Well 1	8/21/2010 5:45:00	70.08	33.26	0.26	69.92	177.15	177.23	264.89	
SW Well 1	8/21/2010 6:00:00	70.08	33.26	0.26	69.92	177.15	177.23	264.89	
SW Well 1	8/21/2010 6:15:00	70.08	33.27	0.26	69.92	177.15	177.24	264.88	
SW Well 1	8/21/2010 6:30:00	70.08	33.27	0.27	69.91	177.16	177.24	264.88	
SW Well 1	8/21/2010 6:45:00	70.07	33.27	0.27	69.90	177.16	177.25	264.87	
SW Well 1	8/21/2010 7:00:00	70.08	33.28	0.28	69.91	177.16	177.25	264.87	
SW Well 1	8/21/2010 7:15:00	70.08	33.28	0.28	69.91	177.15	177.25	264.87	
SW Well 1	8/21/2010 7:30:00	70.08	33.29	0.28	69.90	177.16	177.25	264.87	
SW Well 1	8/21/2010 7:45:00	70.08	33.29	0.29	69.90	177.16	177.25	264.87	
SW Well 1	8/21/2010 8:00:00	70.08	33.29	0.29	69.90	177.16	177.26	264.86	
SW Well 1	8/21/2010 8:15:00	70.08	33.30	0.29	69.89	177.16	177.26	264.86	
SW Well 1	8/21/2010 8:30:00	70.08	33.30	0.30	69.89	177.16	177.26	264.86	
SW Well 1	8/21/2010 8:45:00	70.07	33.30	0.30	69.89	177.16	177.27	264.85	
SW Well 1	8/21/2010 9:00:00	70.08	33.31	0.31	69.89	177.16	177.27	264.85	
SW Well 1	8/21/2010 9:15:00	70.07	33.31	0.31	69.88	177.16	177.27	264.85	
SW Well 1	8/21/2010 9:30:00	70.07	33.32	0.31	69.88	177.16	177.28	264.84	
SW Well 1	8/21/2010 9:45:00	70.07	33.30	0.30	69.88	177.16	177.27	264.85	
SW Well 1	8/21/2010 10:00:00	70.07	33.29	0.28	69.90	177.16	177.26	264.86	
SW Well 1	8/21/2010 10:15:00	70.08	33.27	0.27	69.91	177.16	177.24	264.88	
SW Well 1	8/21/2010 10:30:00	70.08	33.26	0.26	69.92	177.16	177.24	264.88	
SW Well 1	8/21/2010 10:45:00	70.08	33.24	0.24	69.93	177.15	177.22	264.90	
SW Well 1	8/21/2010 11:00:00	70.08	33.23	0.23	69.94	177.15	177.21	264.91	
SW Well 1	8/21/2010 11:15:00	70.08	33.21	0.21	69.95	177.15	177.20	264.92	
SW Well 1	8/21/2010 11:30:00	70.09	33.20	0.20	69.96	177.15	177.19	264.93	
SW Well 1	8/21/2010 11:45:00	70.09	33.18	0.18	69.97	177.15	177.18	264.94	
SW Well 1	8/21/2010 12:00:00	70.09	33.17	0.17	69.98	177.14	177.17	264.95	
SW Well 1	8/21/2010 12:15:00	70.09	33.16	0.15	69.99	177.15	177.16	264.96	
SW Well 1	8/21/2010 12:30:00	70.09	33.14	0.14	70.00	177.14	177.15	264.97	
SW Well 1	8/21/2010 12:45:00	70.09	33.13	0.12	70.02	177.14	177.14	264.98	
SW Well 1	8/21/2010 13:00:00	70.10	33.11	0.11	70.03	177.14	177.12	265.00	
SW Well 1	8/21/2010 13:15:00	70.10	33.10	0.09	70.04	177.14	177.12	265.00	
SW Well 1	8/21/2010 13:30:00	70.10	33.08	0.08	70.05	177.13	177.10	265.02	
SW Well 1	8/21/2010 13:45:00	70.11	33.11	0.11	70.04	177.13	177.11	265.01	
SW Well 1	8/21/2010 14:00:00	70.11	33.14	0.13	70.03	177.12	177.13	264.99	
SW Well 1	8/21/2010 14:15:00	70.11	33.16	0.16	70.01	177.12	177.14	264.98	
SW Well 1	8/21/2010 14:30:00	70.11	33.19	0.19	70.00	177.12	177.16	264.96	
SW Well 1	8/21/2010 14:45:00	70.11	33.21	0.21	69.98	177.12	177.17	264.95	
SW Well 1	8/21/2010 15:00:00	70.12	33.24	0.24	69.97	177.12	177.19	264.93	
SW Well 1	8/21/2010 15:15:00	70.11	33.27	0.27	69.95	177.12	177.21	264.91	
SW Well 1	8/21/2010 15:30:00	70.12	33.29	0.29	69.93	177.12	177.22	264.90	
SW Well 1	8/21/2010 15:45:00	70.12	33.32	0.32	69.92	177.11	177.23	264.89	
SW Well 1	8/21/2010 16:00:00	70.12	33.35	0.35	69.91	177.11	177.25	264.87	
SW Well 1	8/21/2010 16:15:00	70.12	33.37	0.37	69.89	177.11	177.26	264.86	
SW Well 1	8/21/2010 16:30:00	70.12	33.40	0.40	69.88	177.11	177.28	264.84	
SW Well 1	8/21/2010 16:45:00	70.12	33.43	0.43	69.86	177.11	177.29	264.83	
SW Well 1	8/21/2010 17:00:00	70.13	33.45	0.45	69.85	177.10	177.31	264.81	
SW Well 1	8/21/2010 17:15:00	70.13	33.48	0.48	69.83	177.10	177.32	264.80	
SW Well 1	8/21/2010 17:30:00	70.13	33.51	0.50	69.81	177.10	177.34	264.78	
SW Well 1	8/21/2010 17:45:00	70.13	33.51	0.51	69.81	177.10	177.34	264.78	
SW Well 1	8/21/2010 18:00:00	70.13	33.52	0.52	69.81	177.10	177.34	264.78	
SW Well 1	8/21/2010 18:15:00	70.13	33.52	0.52	69.81	177.10	177.35	264.77	
SW Well 1	8/21/2010 18:30:00	70.13	33.53	0.53	69.81	177.10	177.35	264.77	
SW Well 1	8/21/2010 18:45:00	70.13	33.53	0.53	69.80	177.10	177.35	264.77	
SW Well 1	8/21/2010 19:00:00	70.14	33.54	0.54	69.80	177.10	177.35	264.77	
SW Well 1	8/21/2010 19:15:00	70.14	33.55	0.54	69.80	177.10	177.36	264.76	
SW Well 1	8/21/2010 19:30:00	70.14	33.55	0.55	69.80	177.10	177.36	264.76	
SW Well 1	8/21/2010 19:45:00	70.14	33.56	0.56	69.80	177.09	177.36	264.76	
SW Well 1	8/21/2010 20:00:00	70.14	33.56	0.56	69.79	177.09	177.36	264.76	
SW Well 1	8/21/2010 20:15:00	70.14	33.57	0.57	69.79	177.09	177.36	264.76	
SW Well 1	8/21/2010 20:30:00	70.14	33.57	0.57	69.79	177.09	177.37	264.75	
SW Well 1	8/21/2010 20:45:00	70.14	33.58	0.58	69.79	177.09	177.37	264.75	
SW Well 1	8/21/2010 21:00:00	70.14	33.58	0.58	69.78	177.09	177.37	264.75	
SW Well 1	8/21/2010 21:15:00	70.14	33.59	0.59	69.78	177.09	177.37	264.75	
SW Well 1	8/21/2010 21:30:00	70.14	33.60	0.59	69.78	177.09	177.38	264.74	
SW Well 1	8/21/2010 21:45:00	70.15	33.60	0.60	69.78	177.09	177.38	264.74	
SW Well 1	8/21/2010 22:00:00	70.15	33.60	0.60	69.77	177.09	177.38	264.74	
SW Well 1	8/21/2010 22:15:00	70.15	33.61	0.61	69.77	177.09	177.38	264.74	
SW Well 1	8/21/2010 22:30:00	70.15	33.61	0.61	69.77	177.09	177.39	264.73	
SW Well 1	8/21/2010 22:45:00	70.15	33.62	0.61	69.77	177.09	177.39	264.73	
SW Well 1	8/21/2010 23:00:00	70.15	33.62	0.62	69.77	177.08	177.39	264.73	
SW Well 1	8/21/2010 23:15:00	70.15	33.62	0.62	69.76	177.08	177.39	264.73	
SW Well 1	8/21/2010 23:30:00	70.16	33.63	0.63	69.77	177.08	177.39	264.73	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	8/21/2010 23:45:00	70.16	33.63	0.63	69.76	177.08	177.39	264.73	
SW Well 1	8/22/2010 0:00:00	70.16	33.64	0.64	69.77	177.07	177.38	264.74	
SW Well 1	8/22/2010 0:15:00	70.17	33.64	0.64	69.77	177.07	177.38	264.74	
SW Well 1	8/22/2010 0:30:00	70.17	33.65	0.64	69.77	177.07	177.39	264.73	
SW Well 1	8/22/2010 0:45:00	70.17	33.65	0.65	69.77	177.07	177.39	264.73	
SW Well 1	8/22/2010 1:00:00	70.18	33.65	0.65	69.77	177.06	177.38	264.74	
SW Well 1	8/22/2010 1:15:00	70.18	33.66	0.66	69.77	177.06	177.39	264.73	
SW Well 1	8/22/2010 1:30:00	70.18	33.66	0.66	69.77	177.05	177.38	264.74	
SW Well 1	8/22/2010 1:45:00	70.18	33.67	0.66	69.77	177.05	177.38	264.74	
SW Well 1	8/22/2010 2:00:00	70.19	33.67	0.67	69.77	177.05	177.38	264.74	
SW Well 1	8/22/2010 2:15:00	70.19	33.68	0.67	69.77	177.04	177.38	264.74	
SW Well 1	8/22/2010 2:30:00	70.19	33.68	0.68	69.77	177.04	177.38	264.74	
SW Well 1	8/22/2010 2:45:00	70.19	33.69	0.68	69.77	177.04	177.38	264.74	
SW Well 1	8/22/2010 3:00:00	70.19	33.69	0.69	69.77	177.04	177.39	264.73	
SW Well 1	8/22/2010 3:15:00	70.20	33.70	0.69	69.77	177.03	177.39	264.73	
SW Well 1	8/22/2010 3:30:00	70.20	33.70	0.70	69.77	177.03	177.38	264.74	
SW Well 1	8/22/2010 3:45:00	70.21	33.71	0.70	69.77	177.03	177.38	264.74	
SW Well 1	8/22/2010 4:00:00	70.21	33.71	0.71	69.77	177.03	177.39	264.73	
SW Well 1	8/22/2010 4:15:00	70.21	33.71	0.71	69.77	177.02	177.39	264.73	
SW Well 1	8/22/2010 4:30:00	70.21	33.72	0.72	69.76	177.02	177.39	264.73	
SW Well 1	8/22/2010 4:45:00	70.21	33.72	0.72	69.77	177.02	177.39	264.73	
SW Well 1	8/22/2010 5:00:00	70.22	33.73	0.73	69.77	177.01	177.39	264.73	
SW Well 1	8/22/2010 5:15:00	70.22	33.73	0.73	69.76	177.01	177.39	264.73	
SW Well 1	8/22/2010 5:30:00	70.22	33.74	0.74	69.77	177.01	177.39	264.73	
SW Well 1	8/22/2010 5:45:00	70.23	33.74	0.74	69.76	177.01	177.39	264.73	
SW Well 1	8/22/2010 6:00:00	70.23	33.75	0.75	69.76	177.01	177.39	264.73	
SW Well 1	8/22/2010 6:15:00	70.23	33.75	0.75	69.76	177.00	177.39	264.73	
SW Well 1	8/22/2010 6:30:00	70.23	33.76	0.76	69.76	177.00	177.39	264.73	
SW Well 1	8/22/2010 6:45:00	70.23	33.77	0.76	69.76	177.00	177.40	264.72	
SW Well 1	8/22/2010 7:00:00	70.23	33.77	0.77	69.76	177.00	177.40	264.72	
SW Well 1	8/22/2010 7:15:00	70.23	33.78	0.77	69.75	177.00	177.40	264.72	
SW Well 1	8/22/2010 7:30:00	70.24	33.78	0.78	69.75	177.00	177.40	264.72	
SW Well 1	8/22/2010 7:45:00	70.24	33.79	0.78	69.75	177.00	177.40	264.72	
SW Well 1	8/22/2010 8:00:00	70.24	33.79	0.79	69.75	176.99	177.40	264.72	
SW Well 1	8/22/2010 8:15:00	70.24	33.80	0.80	69.75	176.99	177.41	264.71	
SW Well 1	8/22/2010 8:30:00	70.24	33.80	0.80	69.74	176.99	177.41	264.71	
SW Well 1	8/22/2010 8:45:00	70.25	33.81	0.81	69.75	176.99	177.41	264.71	
SW Well 1	8/22/2010 9:00:00	70.25	33.81	0.81	69.74	176.99	177.41	264.71	
SW Well 1	8/22/2010 9:15:00	70.25	33.82	0.82	69.74	176.99	177.42	264.70	
SW Well 1	8/22/2010 9:30:00	70.25	33.82	0.82	69.74	176.98	177.41	264.71	
SW Well 1	8/22/2010 9:45:00	70.25	33.76	0.76	69.78	176.98	177.37	264.75	
SW Well 1	8/22/2010 10:00:00	70.25	33.70	0.69	69.82	176.98	177.33	264.79	
SW Well 1	8/22/2010 10:15:00	70.25	33.63	0.63	69.86	176.98	177.29	264.83	
SW Well 1	8/22/2010 10:30:00	70.26	33.57	0.56	69.91	176.97	177.24	264.88	
SW Well 1	8/22/2010 10:45:00	70.26	33.50	0.50	69.95	176.97	177.20	264.92	
SW Well 1	8/22/2010 11:00:00	70.26	33.44	0.44	69.99	176.97	177.16	264.96	
SW Well 1	8/22/2010 11:15:00	70.27	33.37	0.37	70.04	176.96	177.12	265.00	
SW Well 1	8/22/2010 11:30:00	70.27	33.31	0.31	70.08	176.96	177.08	265.04	
SW Well 1	8/22/2010 11:45:00	70.28	33.24	0.24	70.13	176.96	177.03	265.09	
SW Well 1	8/22/2010 12:00:00	70.28	33.18	0.18	70.17	176.95	176.98	265.14	
SW Well 1	8/22/2010 12:15:00	70.28	33.12	0.11	70.21	176.95	176.94	265.18	
SW Well 1	8/22/2010 12:30:00	70.28	33.05	0.05	70.25	176.95	176.90	265.22	
SW Well 1	8/22/2010 12:45:00	70.29	32.99	-0.01	70.30	176.94	176.86	265.26	
SW Well 1	8/22/2010 13:00:00	70.30	32.92	-0.08	70.35	176.94	176.81	265.31	
SW Well 1	8/22/2010 13:15:00	70.30	32.86	-0.14	70.39	176.93	176.77	265.35	
SW Well 1	8/22/2010 13:30:00	70.31	32.79	-0.21	70.44	176.93	176.72	265.40	
SW Well 1	8/22/2010 13:45:00	70.31	32.85	-0.15	70.40	176.92	176.75	265.37	
SW Well 1	8/22/2010 14:00:00	70.31	32.91	-0.09	70.37	176.92	176.79	265.33	
SW Well 1	8/22/2010 14:15:00	70.32	32.97	-0.03	70.34	176.91	176.81	265.31	
SW Well 1	8/22/2010 14:30:00	70.32	33.03	0.02	70.31	176.91	176.85	265.27	
SW Well 1	8/22/2010 14:45:00	70.33	33.08	0.08	70.28	176.91	176.88	265.24	
SW Well 1	8/22/2010 15:00:00	70.33	33.14	0.14	70.24	176.90	176.91	265.21	
SW Well 1	8/22/2010 15:15:00	70.34	33.20	0.20	70.21	176.89	176.94	265.18	
SW Well 1	8/22/2010 15:30:00	70.34	33.26	0.26	70.18	176.89	176.97	265.15	
SW Well 1	8/22/2010 15:45:00	70.34	33.32	0.31	70.15	176.89	177.01	265.11	
SW Well 1	8/22/2010 16:00:00	70.35	33.37	0.37	70.11	176.89	177.04	265.08	
SW Well 1	8/22/2010 16:15:00	70.35	33.43	0.43	70.09	176.88	177.07	265.05	
SW Well 1	8/22/2010 16:30:00	70.35	33.49	0.49	70.05	176.88	177.10	265.02	
SW Well 1	8/22/2010 16:45:00	70.36	33.55	0.55	70.02	176.87	177.13	264.99	
SW Well 1	8/22/2010 17:00:00	70.37	33.61	0.60	69.99	176.87	177.16	264.96	
SW Well 1	8/22/2010 17:15:00	70.37	33.66	0.66	69.95	176.87	177.20	264.92	
SW Well 1	8/22/2010 17:30:00	70.37	33.72	0.72	69.92	176.86	177.23	264.89	
SW Well 1	8/22/2010 17:45:00	70.37	33.73	0.72	69.92	176.86	177.23	264.89	
SW Well 1	8/22/2010 18:00:00	70.37	33.73	0.73	69.92	176.86	177.23	264.89	
SW Well 1	8/22/2010 18:15:00	70.38	33.73	0.73	69.92	176.86	177.23	264.89	
SW Well 1	8/22/2010 18:30:00	70.38	33.74	0.74	69.92	176.85	177.23	264.89	
SW Well 1	8/22/2010 18:45:00	70.39	33.74	0.74	69.93	176.85	177.23	264.89	
SW Well 1	8/22/2010 19:00:00	70.39	33.75	0.74	69.92	176.85	177.23	264.89	
SW Well 1	8/22/2010 19:15:00	70.39	33.75	0.75	69.92	176.85	177.23	264.89	
SW Well 1	8/22/2010 19:30:00	70.39	33.75	0.75	69.92	176.85	177.24	264.88	
SW Well 1	8/22/2010 19:45:00	70.39	33.76	0.76	69.92	176.84	177.23	264.89	
SW Well 1	8/22/2010 20:00:00	70.39	33.76	0.76	69.92	176.84	177.24	264.88	
SW Well 1	8/22/2010 20:15:00	70.39	33.77	0.76	69.92	176.84	177.23	264.89	
SW Well 1	8/22/2010 20:30:00	70.40	33.77	0.77	69.92	176.84	177.23	264.89	
SW Well 1	8/22/2010 20:45:00	70.40	33.77	0.77	69.92	176.84	177.24	264.88	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	8/22/2010 21:00:00	70.40	33.78	0.78	69.92	176.83	177.23	264.89	
SW Well 1	8/22/2010 21:15:00	70.41	33.78	0.78	69.92	176.83	177.23	264.89	
SW Well 1	8/22/2010 21:30:00	70.41	33.79	0.78	69.92	176.82	177.23	264.89	
SW Well 1	8/22/2010 21:45:00	70.41	33.79	0.79	69.92	176.82	177.23	264.89	
SW Well 1	8/22/2010 22:00:00	70.41	33.79	0.79	69.92	176.82	177.23	264.89	
SW Well 1	8/22/2010 22:15:00	70.42	33.79	0.79	69.92	176.82	177.23	264.89	
SW Well 1	8/22/2010 22:30:00	70.42	33.80	0.80	69.92	176.82	177.23	264.89	
SW Well 1	8/22/2010 22:45:00	70.42	33.80	0.80	69.92	176.82	177.23	264.89	
SW Well 1	8/22/2010 23:00:00	70.42	33.80	0.80	69.92	176.81	177.23	264.89	
SW Well 1	8/22/2010 23:15:00	70.42	33.81	0.81	69.92	176.81	177.23	264.89	
SW Well 1	8/22/2010 23:30:00	70.42	33.81	0.81	69.92	176.81	177.23	264.89	
SW Well 1	8/22/2010 23:45:00	70.43	33.81	0.81	69.92	176.80	177.23	264.89	
SW Well 1	8/23/2010 0:00:00	70.43	33.82	0.82	69.93	176.80	177.23	264.89	
SW Well 1	8/23/2010 0:15:00	70.44	33.82	0.82	69.93	176.79	177.22	264.90	
SW Well 1	8/23/2010 0:30:00	70.44	33.82	0.82	69.93	176.79	177.22	264.90	
SW Well 1	8/23/2010 0:45:00	70.44	33.83	0.83	69.93	176.79	177.22	264.90	
SW Well 1	8/23/2010 1:00:00	70.45	33.83	0.83	69.93	176.78	177.22	264.90	
SW Well 1	8/23/2010 1:15:00	70.45	33.83	0.83	69.93	176.78	177.22	264.90	
SW Well 1	8/23/2010 1:30:00	70.46	33.84	0.84	69.94	176.78	177.22	264.90	
SW Well 1	8/23/2010 1:45:00	70.46	33.84	0.84	69.94	176.77	177.21	264.91	
SW Well 1	8/23/2010 2:00:00	70.46	33.84	0.84	69.94	176.77	177.22	264.90	
SW Well 1	8/23/2010 2:15:00	70.46	33.84	0.84	69.94	176.77	177.21	264.91	
SW Well 1	8/23/2010 2:30:00	70.47	33.84	0.84	69.95	176.76	177.20	264.92	
SW Well 1	8/23/2010 2:45:00	70.48	33.85	0.84	69.95	176.76	177.20	264.92	
SW Well 1	8/23/2010 3:00:00	70.48	33.85	0.85	69.95	176.75	177.20	264.92	
SW Well 1	8/23/2010 3:15:00	70.48	33.85	0.85	69.96	176.75	177.20	264.92	
SW Well 1	8/23/2010 3:30:00	70.48	33.85	0.85	69.96	176.75	177.20	264.92	
SW Well 1	8/23/2010 3:45:00	70.49	33.85	0.85	69.96	176.74	177.19	264.93	
SW Well 1	8/23/2010 4:00:00	70.49	33.85	0.85	69.96	176.74	177.19	264.93	
SW Well 1	8/23/2010 4:15:00	70.49	33.86	0.85	69.97	176.74	177.19	264.93	
SW Well 1	8/23/2010 4:30:00	70.50	33.86	0.85	69.97	176.73	177.19	264.93	
SW Well 1	8/23/2010 4:45:00	70.50	33.86	0.86	69.97	176.73	177.19	264.93	
SW Well 1	8/23/2010 5:00:00	70.50	33.86	0.86	69.97	176.73	177.18	264.94	
SW Well 1	8/23/2010 5:15:00	70.51	33.86	0.86	69.97	176.73	177.18	264.94	
SW Well 1	8/23/2010 5:30:00	70.51	33.86	0.86	69.97	176.73	177.18	264.94	
SW Well 1	8/23/2010 5:45:00	70.51	33.86	0.86	69.98	176.72	177.18	264.94	
SW Well 1	8/23/2010 6:00:00	70.51	33.86	0.86	69.98	176.72	177.18	264.94	
SW Well 1	8/23/2010 6:15:00	70.51	33.87	0.86	69.97	176.72	177.18	264.94	
SW Well 1	8/23/2010 6:30:00	70.51	33.87	0.86	69.97	176.72	177.18	264.94	
SW Well 1	8/23/2010 6:45:00	70.51	33.87	0.87	69.98	176.72	177.18	264.94	
SW Well 1	8/23/2010 7:00:00	70.52	33.87	0.87	69.98	176.71	177.17	264.95	
SW Well 1	8/23/2010 7:15:00	70.52	33.87	0.87	69.98	176.71	177.17	264.95	
SW Well 1	8/23/2010 7:30:00	70.52	33.87	0.87	69.98	176.71	177.17	264.95	
SW Well 1	8/23/2010 7:45:00	70.53	33.87	0.87	69.99	176.71	177.17	264.95	
SW Well 1	8/23/2010 8:00:00	70.53	33.87	0.87	69.99	176.71	177.17	264.95	
SW Well 1	8/23/2010 8:15:00	70.53	33.87	0.87	69.99	176.71	177.17	264.95	
SW Well 1	8/23/2010 8:30:00	70.53	33.87	0.87	69.99	176.71	177.17	264.95	
SW Well 1	8/23/2010 8:45:00	70.53	33.88	0.87	69.98	176.71	177.17	264.95	
SW Well 1	8/23/2010 9:00:00	70.52	33.88	0.87	69.98	176.71	177.17	264.95	
SW Well 1	8/23/2010 9:15:00	70.52	33.88	0.88	69.98	176.71	177.17	264.95	
SW Well 1	8/23/2010 9:30:00	70.52	33.88	0.88	69.98	176.71	177.17	264.95	
SW Well 1	8/23/2010 9:45:00	70.52	33.85	0.85	69.99	176.71	177.16	264.96	
SW Well 1	8/23/2010 10:00:00	70.53	33.83	0.83	70.01	176.71	177.14	264.98	
SW Well 1	8/23/2010 10:15:00	70.52	33.80	0.80	70.02	176.71	177.13	264.99	
SW Well 1	8/23/2010 10:30:00	70.53	33.78	0.78	70.04	176.71	177.11	265.01	
SW Well 1	8/23/2010 10:45:00	70.53	33.76	0.75	70.06	176.71	177.10	265.02	
SW Well 1	8/23/2010 11:00:00	70.53	33.73	0.73	70.08	176.70	177.08	265.04	
SW Well 1	8/23/2010 11:15:00	70.53	33.71	0.71	70.09	176.70	177.06	265.06	
SW Well 1	8/23/2010 11:30:00	70.53	33.68	0.68	70.11	176.70	177.05	265.07	
SW Well 1	8/23/2010 11:45:00	70.53	33.66	0.66	70.12	176.70	177.03	265.09	
SW Well 1	8/23/2010 12:00:00	70.53	33.63	0.63	70.14	176.70	177.02	265.10	
SW Well 1	8/23/2010 12:15:00	70.53	33.61	0.61	70.15	176.70	177.00	265.12	
SW Well 1	8/23/2010 12:30:00	70.53	33.59	0.58	70.17	176.70	176.99	265.13	
SW Well 1	8/23/2010 12:45:00	70.53	33.56	0.56	70.18	176.70	176.97	265.15	
SW Well 1	8/23/2010 13:00:00	70.53	33.54	0.53	70.20	176.70	176.95	265.17	
SW Well 1	8/23/2010 13:15:00	70.54	33.51	0.51	70.22	176.70	176.93	265.19	
SW Well 1	8/23/2010 13:30:00	70.54	33.49	0.49	70.24	176.70	176.92	265.20	
SW Well 1	8/23/2010 13:45:00	70.54	33.48	0.48	70.24	176.70	176.92	265.20	
SW Well 1	8/23/2010 14:00:00	70.54	33.48	0.48	70.24	176.69	176.91	265.21	
SW Well 1	8/23/2010 14:15:00	70.54	33.48	0.47	70.24	176.70	176.91	265.21	
SW Well 1	8/23/2010 14:30:00	70.54	33.47	0.47	70.25	176.69	176.90	265.22	
SW Well 1	8/23/2010 14:45:00	70.55	33.47	0.47	70.26	176.69	176.90	265.22	
SW Well 1	8/23/2010 15:00:00	70.55	33.47	0.46	70.26	176.69	176.90	265.22	
SW Well 1	8/23/2010 15:15:00	70.54	33.46	0.46	70.26	176.69	176.90	265.22	
SW Well 1	8/23/2010 15:30:00	70.55	33.46	0.46	70.26	176.69	176.89	265.23	
SW Well 1	8/23/2010 15:45:00	70.55	33.45	0.45	70.27	176.68	176.89	265.23	
SW Well 1	8/23/2010 16:00:00	70.55	33.45	0.45	70.27	176.68	176.88	265.24	
SW Well 1	8/23/2010 16:15:00	70.55	33.45	0.45	70.27	176.68	176.88	265.24	
SW Well 1	8/23/2010 16:30:00	70.55	33.44	0.44	70.27	176.69	176.88	265.24	
SW Well 1	8/23/2010 16:45:00	70.54	33.44	0.44	70.27	176.69	176.88	265.24	
SW Well 1	8/23/2010 17:00:00	70.55	33.44	0.43	70.28	176.69	176.88	265.24	
SW Well 1	8/23/2010 17:15:00	70.54	33.43	0.43	70.27	176.69	176.88	265.24	
SW Well 1	8/23/2010 17:30:00	70.55	33.43	0.43	70.28	176.69	176.87	265.25	
SW Well 1	8/23/2010 17:45:00	70.55	33.43	0.43	70.28	176.69	176.87	265.25	
SW Well 1	8/23/2010 18:00:00	70.54	33.43	0.42	70.28	176.69	176.88	265.24	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	8/23/2010 18:15:00	70.54	33.42	0.42	70.28	176.69	176.87	265.25	
SW Well 1	8/23/2010 18:30:00	70.54	33.42	0.42	70.28	176.70	176.88	265.24	
SW Well 1	8/23/2010 18:45:00	70.53	33.42	0.42	70.27	176.70	176.88	265.24	
SW Well 1	8/23/2010 19:00:00	70.53	33.42	0.42	70.27	176.70	176.88	265.24	
SW Well 1	8/23/2010 19:15:00	70.53	33.42	0.42	70.27	176.70	176.88	265.24	
SW Well 1	8/23/2010 19:30:00	70.53	33.42	0.42	70.27	176.70	176.88	265.24	
SW Well 1	8/23/2010 19:45:00	70.53	33.42	0.41	70.27	176.70	176.88	265.24	
SW Well 1	8/23/2010 20:00:00	70.53	33.41	0.41	70.27	176.71	176.88	265.24	
SW Well 1	8/23/2010 20:15:00	70.53	33.41	0.41	70.27	176.71	176.88	265.24	
SW Well 1	8/23/2010 20:30:00	70.52	33.41	0.41	70.27	176.71	176.89	265.23	
SW Well 1	8/23/2010 20:45:00	70.52	33.41	0.41	70.27	176.71	176.88	265.24	
SW Well 1	8/23/2010 21:00:00	70.52	33.41	0.41	70.27	176.71	176.88	265.24	
SW Well 1	8/23/2010 21:15:00	70.52	33.41	0.41	70.27	176.71	176.89	265.23	
SW Well 1	8/23/2010 21:30:00	70.52	33.41	0.40	70.27	176.71	176.89	265.23	
SW Well 1	8/23/2010 21:45:00	70.52	33.41	0.41	70.27	176.71	176.89	265.23	
SW Well 1	8/23/2010 22:00:00	70.51	33.41	0.41	70.26	176.72	176.89	265.23	
SW Well 1	8/23/2010 22:15:00	70.51	33.41	0.41	70.26	176.72	176.89	265.23	
SW Well 1	8/23/2010 22:30:00	70.51	33.41	0.41	70.26	176.72	176.90	265.22	
SW Well 1	8/23/2010 22:45:00	70.51	33.41	0.41	70.26	176.72	176.90	265.22	
SW Well 1	8/23/2010 23:00:00	70.51	33.41	0.41	70.25	176.73	176.90	265.22	
SW Well 1	8/23/2010 23:15:00	70.50	33.41	0.41	70.25	176.73	176.91	265.21	
SW Well 1	8/23/2010 23:30:00	70.50	33.42	0.41	70.25	176.73	176.91	265.21	
SW Well 1	8/23/2010 23:45:00	70.50	33.42	0.41	70.24	176.73	176.91	265.21	
SW Well 1	8/24/2010 0:00:00	70.50	33.42	0.42	70.24	176.73	176.91	265.21	
SW Well 1	8/24/2010 0:15:00	70.50	33.42	0.42	70.24	176.73	176.91	265.21	
SW Well 1	8/24/2010 0:30:00	70.49	33.42	0.42	70.24	176.74	176.92	265.20	
SW Well 1	8/24/2010 0:45:00	70.49	33.42	0.42	70.23	176.74	176.92	265.20	
SW Well 1	8/24/2010 1:00:00	70.49	33.42	0.42	70.23	176.74	176.92	265.20	
SW Well 1	8/24/2010 1:15:00	70.49	33.42	0.42	70.23	176.74	176.92	265.20	
SW Well 1	8/24/2010 1:30:00	70.49	33.42	0.42	70.23	176.74	176.93	265.19	
SW Well 1	8/24/2010 1:45:00	70.49	33.43	0.42	70.23	176.74	176.93	265.19	
SW Well 1	8/24/2010 2:00:00	70.49	33.43	0.43	70.23	176.74	176.93	265.19	
SW Well 1	8/24/2010 2:15:00	70.49	33.43	0.43	70.22	176.74	176.93	265.19	
SW Well 1	8/24/2010 2:30:00	70.49	33.43	0.43	70.22	176.74	176.93	265.19	
SW Well 1	8/24/2010 2:45:00	70.49	33.44	0.44	70.22	176.74	176.93	265.19	
SW Well 1	8/24/2010 3:00:00	70.49	33.44	0.44	70.22	176.74	176.93	265.19	
SW Well 1	8/24/2010 3:15:00	70.49	33.44	0.44	70.22	176.74	176.94	265.18	
SW Well 1	8/24/2010 3:30:00	70.49	33.45	0.44	70.22	176.74	176.93	265.19	
SW Well 1	8/24/2010 3:45:00	70.49	33.45	0.45	70.21	176.74	176.94	265.18	
SW Well 1	8/24/2010 4:00:00	70.49	33.45	0.45	70.21	176.74	176.94	265.18	
SW Well 1	8/24/2010 4:15:00	70.49	33.45	0.45	70.21	176.74	176.94	265.18	
SW Well 1	8/24/2010 4:30:00	70.49	33.46	0.45	70.21	176.75	176.95	265.17	
SW Well 1	8/24/2010 4:45:00	70.49	33.46	0.46	70.20	176.75	176.95	265.17	
SW Well 1	8/24/2010 5:00:00	70.49	33.46	0.46	70.20	176.75	176.95	265.17	
SW Well 1	8/24/2010 5:15:00	70.48	33.46	0.46	70.20	176.75	176.96	265.16	
SW Well 1	8/24/2010 5:30:00	70.48	33.47	0.46	70.20	176.75	176.96	265.16	
SW Well 1	8/24/2010 5:45:00	70.48	33.46	0.46	70.19	176.75	176.96	265.16	
SW Well 1	8/24/2010 6:00:00	70.48	33.46	0.46	70.19	176.76	176.96	265.16	
SW Well 1	8/24/2010 6:15:00	70.48	33.46	0.45	70.19	176.76	176.96	265.16	
SW Well 1	8/24/2010 6:30:00	70.47	33.45	0.45	70.19	176.76	176.96	265.16	
SW Well 1	8/24/2010 6:45:00	70.48	33.45	0.45	70.20	176.76	176.96	265.16	
SW Well 1	8/24/2010 7:00:00	70.47	33.45	0.44	70.20	176.76	176.96	265.16	
SW Well 1	8/24/2010 7:15:00	70.47	33.44	0.44	70.20	176.76	176.96	265.16	
SW Well 1	8/24/2010 7:30:00	70.47	33.44	0.44	70.20	176.77	176.96	265.16	
SW Well 1	8/24/2010 7:45:00	70.47	33.44	0.44	70.20	176.77	176.96	265.16	
SW Well 1	8/24/2010 8:00:00	70.46	33.43	0.43	70.19	176.77	176.96	265.16	
SW Well 1	8/24/2010 8:15:00	70.46	33.43	0.43	70.19	176.78	176.96	265.16	
SW Well 1	8/24/2010 8:30:00	70.45	33.43	0.43	70.19	176.78	176.97	265.15	
SW Well 1	8/24/2010 8:45:00	70.45	33.42	0.42	70.19	176.78	176.97	265.15	
SW Well 1	8/24/2010 9:00:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	8/24/2010 9:15:00	70.44	33.42	0.42	70.18	176.80	176.98	265.14	
SW Well 1	8/24/2010 9:30:00	70.43	33.42	0.41	70.18	176.80	176.98	265.14	
SW Well 1	8/24/2010 9:45:00	70.43	33.40	0.40	70.18	176.80	176.97	265.15	
SW Well 1	8/24/2010 10:00:00	70.43	33.38	0.38	70.19	176.80	176.96	265.16	
SW Well 1	8/24/2010 10:15:00	70.42	33.37	0.36	70.20	176.81	176.96	265.16	
SW Well 1	8/24/2010 10:30:00	70.42	33.35	0.35	70.20	176.82	176.95	265.17	
SW Well 1	8/24/2010 10:45:00	70.42	33.33	0.33	70.21	176.82	176.94	265.18	
SW Well 1	8/24/2010 11:00:00	70.41	33.32	0.32	70.22	176.82	176.94	265.18	
SW Well 1	8/24/2010 11:15:00	70.41	33.30	0.30	70.22	176.82	176.93	265.19	
SW Well 1	8/24/2010 11:30:00	70.41	33.28	0.28	70.23	176.83	176.92	265.20	
SW Well 1	8/24/2010 11:45:00	70.41	33.27	0.27	70.24	176.83	176.91	265.21	
SW Well 1	8/24/2010 12:00:00	70.40	33.25	0.25	70.25	176.83	176.91	265.21	
SW Well 1	8/24/2010 12:15:00	70.40	33.24	0.23	70.25	176.84	176.90	265.22	
SW Well 1	8/24/2010 12:30:00	70.39	33.22	0.22	70.26	176.84	176.90	265.22	
SW Well 1	8/24/2010 12:45:00	70.39	33.20	0.20	70.26	176.84	176.89	265.23	
SW Well 1	8/24/2010 13:00:00	70.39	33.19	0.18	70.27	176.84	176.88	265.24	
SW Well 1	8/24/2010 13:15:00	70.39	33.17	0.17	70.28	176.84	176.87	265.25	
SW Well 1	8/24/2010 13:30:00	70.39	33.15	0.15	70.29	176.85	176.86	265.26	
SW Well 1	8/24/2010 13:45:00	70.38	33.15	0.14	70.29	176.85	176.86	265.26	
SW Well 1	8/24/2010 14:00:00	70.38	33.14	0.13	70.29	176.86	176.86	265.26	
SW Well 1	8/24/2010 14:15:00	70.38	33.13	0.13	70.30	176.86	176.86	265.27	
SW Well 1	8/24/2010 14:30:00	70.37	33.12	0.12	70.30	176.86	176.85	265.27	
SW Well 1	8/24/2010 14:45:00	70.37	33.11	0.11	70.30	176.86	176.85	265.27	
SW Well 1	8/24/2010 15:00:00	70.37	33.10	0.10	70.31	176.86	176.85	265.27	
SW Well 1	8/24/2010 15:15:00	70.37	33.09	0.09	70.31	176.86	176.84	265.28	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	8/24/2010 15:30:00	70.37	33.09	0.08	70.31	176.87	176.84	265.28	
SW Well 1	8/24/2010 15:45:00	70.37	33.08	0.07	70.32	176.87	176.83	265.29	
SW Well 1	8/24/2010 16:00:00	70.37	33.07	0.07	70.33	176.87	176.83	265.29	
SW Well 1	8/24/2010 16:15:00	70.36	33.06	0.06	70.33	176.87	176.83	265.29	
SW Well 1	8/24/2010 16:30:00	70.36	33.05	0.05	70.33	176.87	176.83	265.29	
SW Well 1	8/24/2010 16:45:00	70.36	33.04	0.04	70.33	176.87	176.82	265.30	
SW Well 1	8/24/2010 17:00:00	70.35	33.03	0.03	70.33	176.88	176.82	265.30	
SW Well 1	8/24/2010 17:15:00	70.35	33.02	0.02	70.34	176.88	176.81	265.31	
SW Well 1	8/24/2010 17:30:00	70.35	33.02	0.01	70.34	176.88	176.81	265.31	
SW Well 1	8/24/2010 17:45:00	70.35	33.02	0.02	70.34	176.88	176.81	265.31	
SW Well 1	8/24/2010 18:00:00	70.34	33.02	0.02	70.33	176.89	176.82	265.30	
SW Well 1	8/24/2010 18:15:00	70.34	33.02	0.02	70.33	176.89	176.83	265.29	
SW Well 1	8/24/2010 18:30:00	70.34	33.03	0.03	70.32	176.89	176.83	265.29	
SW Well 1	8/24/2010 18:45:00	70.34	33.03	0.03	70.32	176.90	176.84	265.28	
SW Well 1	8/24/2010 19:00:00	70.33	33.03	0.03	70.31	176.90	176.84	265.28	
SW Well 1	8/24/2010 19:15:00	70.33	33.04	0.03	70.31	176.90	176.84	265.28	
SW Well 1	8/24/2010 19:30:00	70.33	33.04	0.04	70.30	176.91	176.85	265.27	
SW Well 1	8/24/2010 19:45:00	70.33	33.04	0.04	70.30	176.91	176.85	265.27	
SW Well 1	8/24/2010 20:00:00	70.32	33.04	0.04	70.29	176.91	176.86	265.26	
SW Well 1	8/24/2010 20:15:00	70.32	33.05	0.05	70.29	176.92	176.87	265.25	
SW Well 1	8/24/2010 20:30:00	70.32	33.05	0.05	70.28	176.92	176.87	265.25	
SW Well 1	8/24/2010 20:45:00	70.32	33.05	0.05	70.28	176.92	176.87	265.25	
SW Well 1	8/24/2010 21:00:00	70.31	33.06	0.05	70.28	176.92	176.88	265.24	
SW Well 1	8/24/2010 21:15:00	70.31	33.06	0.06	70.28	176.92	176.88	265.24	
SW Well 1	8/24/2010 21:30:00	70.31	33.06	0.06	70.27	176.93	176.88	265.24	
SW Well 1	8/24/2010 21:45:00	70.30	33.06	0.06	70.26	176.93	176.89	265.23	
SW Well 1	8/24/2010 22:00:00	70.30	33.07	0.06	70.26	176.94	176.90	265.22	
SW Well 1	8/24/2010 22:15:00	70.30	33.07	0.07	70.26	176.94	176.90	265.22	
SW Well 1	8/24/2010 22:30:00	70.29	33.07	0.07	70.25	176.94	176.90	265.22	
SW Well 1	8/24/2010 22:45:00	70.29	33.07	0.07	70.25	176.94	176.91	265.21	
SW Well 1	8/24/2010 23:00:00	70.28	33.07	0.07	70.24	176.95	176.91	265.21	
SW Well 1	8/24/2010 23:15:00	70.28	33.07	0.07	70.24	176.95	176.92	265.20	
SW Well 1	8/24/2010 23:30:00	70.28	33.08	0.07	70.23	176.96	176.92	265.20	
SW Well 1	8/24/2010 23:45:00	70.28	33.08	0.08	70.23	176.96	176.92	265.20	
SW Well 1	8/25/2010 0:00:00	70.28	33.08	0.08	70.23	176.96	176.93	265.19	
SW Well 1	8/25/2010 0:15:00	70.27	33.08	0.08	70.22	176.96	176.93	265.19	
SW Well 1	8/25/2010 0:30:00	70.27	33.08	0.08	70.22	176.96	176.93	265.19	
SW Well 1	8/25/2010 0:45:00	70.27	33.08	0.08	70.22	176.96	176.93	265.19	
SW Well 1	8/25/2010 1:00:00	70.27	33.09	0.08	70.22	176.96	176.93	265.19	
SW Well 1	8/25/2010 1:15:00	70.27	33.09	0.09	70.22	176.96	176.94	265.18	
SW Well 1	8/25/2010 1:30:00	70.27	33.09	0.09	70.21	176.96	176.94	265.18	
SW Well 1	8/25/2010 1:45:00	70.27	33.09	0.09	70.21	176.96	176.94	265.18	
SW Well 1	8/25/2010 2:00:00	70.27	33.10	0.10	70.21	176.96	176.95	265.17	
SW Well 1	8/25/2010 2:15:00	70.27	33.10	0.10	70.21	176.96	176.95	265.17	
SW Well 1	8/25/2010 2:30:00	70.27	33.11	0.11	70.20	176.96	176.95	265.17	
SW Well 1	8/25/2010 2:45:00	70.27	33.11	0.11	70.20	176.96	176.95	265.17	
SW Well 1	8/25/2010 3:00:00	70.26	33.12	0.11	70.19	176.97	176.96	265.16	
SW Well 1	8/25/2010 3:15:00	70.26	33.12	0.12	70.19	176.97	176.96	265.16	
SW Well 1	8/25/2010 3:30:00	70.27	33.13	0.12	70.19	176.96	176.96	265.16	
SW Well 1	8/25/2010 3:45:00	70.27	33.13	0.13	70.19	176.96	176.97	265.15	
SW Well 1	8/25/2010 4:00:00	70.27	33.13	0.13	70.19	176.96	176.96	265.16	
SW Well 1	8/25/2010 4:15:00	70.27	33.14	0.14	70.19	176.96	176.97	265.15	
SW Well 1	8/25/2010 4:30:00	70.27	33.14	0.14	70.18	176.96	176.97	265.15	
SW Well 1	8/25/2010 4:45:00	70.27	33.15	0.15	70.18	176.96	176.97	265.15	
SW Well 1	8/25/2010 5:00:00	70.27	33.15	0.15	70.18	176.96	176.97	265.15	
SW Well 1	8/25/2010 5:15:00	70.27	33.16	0.15	70.18	176.96	176.98	265.14	
SW Well 1	8/25/2010 5:30:00	70.27	33.16	0.16	70.17	176.96	176.98	265.14	
SW Well 1	8/25/2010 5:45:00	70.27	33.16	0.15	70.17	176.96	176.98	265.14	
SW Well 1	8/25/2010 6:00:00	70.27	33.15	0.15	70.17	176.96	176.98	265.14	
SW Well 1	8/25/2010 6:15:00	70.27	33.15	0.15	70.18	176.96	176.98	265.14	
SW Well 1	8/25/2010 6:30:00	70.27	33.14	0.14	70.18	176.96	176.97	265.15	
SW Well 1	8/25/2010 6:45:00	70.26	33.14	0.14	70.18	176.97	176.97	265.15	
SW Well 1	8/25/2010 7:00:00	70.26	33.13	0.13	70.18	176.97	176.97	265.15	
SW Well 1	8/25/2010 7:15:00	70.26	33.13	0.13	70.18	176.97	176.97	265.15	
SW Well 1	8/25/2010 7:30:00	70.26	33.13	0.12	70.19	176.97	176.97	265.15	
SW Well 1	8/25/2010 7:45:00	70.26	33.12	0.12	70.19	176.97	176.97	265.15	
SW Well 1	8/25/2010 8:00:00	70.26	33.12	0.12	70.19	176.98	176.97	265.15	
SW Well 1	8/25/2010 8:15:00	70.26	33.11	0.11	70.19	176.98	176.97	265.15	
SW Well 1	8/25/2010 8:30:00	70.25	33.11	0.11	70.19	176.98	176.97	265.15	
SW Well 1	8/25/2010 8:45:00	70.25	33.10	0.10	70.19	176.98	176.97	265.15	
SW Well 1	8/25/2010 9:00:00	70.25	33.10	0.10	70.19	176.98	176.97	265.15	
SW Well 1	8/25/2010 9:15:00	70.25	33.10	0.09	70.19	176.99	176.97	265.15	
SW Well 1	8/25/2010 9:30:00	70.24	33.09	0.09	70.19	176.99	176.97	265.15	
SW Well 1	8/25/2010 9:45:00	70.24	33.08	0.08	70.19	177.00	176.97	265.15	
SW Well 1	8/25/2010 10:00:00	70.24	33.07	0.07	70.19	177.00	176.96	265.16	
SW Well 1	8/25/2010 10:15:00	70.23	33.07	0.06	70.19	177.00	176.96	265.16	
SW Well 1	8/25/2010 10:30:00	70.23	33.06	0.06	70.19	177.00	176.96	265.16	
SW Well 1	8/25/2010 10:45:00	70.23	33.05	0.05	70.20	177.00	176.95	265.17	
SW Well 1	8/25/2010 11:00:00	70.23	33.04	0.04	70.21	177.00	176.95	265.17	
SW Well 1	8/25/2010 11:15:00	70.23	33.03	0.03	70.21	177.01	176.95	265.17	
SW Well 1	8/25/2010 11:30:00	70.22	33.02	0.02	70.21	177.01	176.95	265.17	
SW Well 1	8/25/2010 11:45:00	70.22	33.02	0.01	70.21	177.01	176.94	265.18	
SW Well 1	8/25/2010 12:00:00	70.22	33.01	0.00	70.22	177.01	176.94	265.18	
SW Well 1	8/25/2010 12:15:00	70.21	33.00	0.00	70.22	177.02	176.94	265.18	
SW Well 1	8/25/2010 12:30:00	70.21	32.99	-0.01	70.22	177.02	176.94	265.18	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	8/25/2010 12:45:00	70.21	32.98	-0.02	70.22	177.02	176.93	265.19	
SW Well 1	8/25/2010 13:00:00	70.21	32.97	-0.03	70.23	177.02	176.93	265.19	
SW Well 1	8/25/2010 13:15:00	70.21	32.96	-0.04	70.23	177.02	176.92	265.20	
SW Well 1	8/25/2010 13:30:00	70.21	32.96	-0.05	70.23	177.03	176.92	265.20	
SW Well 1	8/25/2010 13:45:00	70.21	32.95	-0.05	70.24	177.03	176.92	265.20	
SW Well 1	8/25/2010 14:00:00	69.98	32.94	-0.06	70.02	177.25	177.13	264.99	
SW Well 1	8/25/2010 14:15:00	70.19	32.94	-0.06	70.23	177.04	176.92	265.20	
SW Well 1	8/25/2010 14:30:00	70.19	32.93	-0.07	70.23	177.04	176.92	265.20	
SW Well 1	8/25/2010 14:45:00	70.19	32.93	-0.07	70.24	177.04	176.92	265.20	
SW Well 1	8/25/2010 15:00:00	70.19	32.92	-0.08	70.24	177.04	176.91	265.21	
SW Well 1	8/25/2010 15:15:00	70.19	32.92	-0.09	70.24	177.04	176.91	265.21	
SW Well 1	8/25/2010 15:30:00	70.19	32.91	-0.09	70.25	177.04	176.91	265.21	
SW Well 1	8/25/2010 15:45:00	70.19	32.90	-0.10	70.25	177.05	176.91	265.21	
SW Well 1	8/25/2010 16:00:00	70.19	32.90	-0.10	70.25	177.05	176.90	265.22	
SW Well 1	8/25/2010 16:15:00	70.18	32.89	-0.11	70.25	177.05	176.90	265.22	
SW Well 1	8/25/2010 16:30:00	70.18	32.89	-0.12	70.25	177.05	176.90	265.22	
SW Well 1	8/25/2010 16:45:00	70.18	32.88	-0.12	70.26	177.05	176.90	265.22	
SW Well 1	8/25/2010 17:00:00	70.18	32.88	-0.13	70.26	177.05	176.90	265.22	
SW Well 1	8/25/2010 17:15:00	70.18	32.87	-0.13	70.26	177.05	176.89	265.23	
SW Well 1	8/25/2010 17:30:00	70.18	32.86	-0.14	70.26	177.05	176.89	265.23	
SW Well 1	8/25/2010 17:45:00	70.17	32.87	-0.14	70.26	177.06	176.90	265.22	
SW Well 1	8/25/2010 18:00:00	70.18	32.87	-0.13	70.26	177.06	176.90	265.22	
SW Well 1	8/25/2010 18:15:00	70.17	32.87	-0.13	70.25	177.06	176.90	265.22	
SW Well 1	8/25/2010 18:30:00	70.17	32.87	-0.13	70.25	177.07	176.91	265.21	
SW Well 1	8/25/2010 18:45:00	70.16	32.87	-0.13	70.24	177.07	176.91	265.21	
SW Well 1	8/25/2010 19:00:00	70.16	32.87	-0.13	70.24	177.07	176.91	265.21	
SW Well 1	8/25/2010 19:15:00	70.16	32.88	-0.13	70.23	177.08	176.92	265.20	
SW Well 1	8/25/2010 19:30:00	70.16	32.88	-0.12	70.24	177.07	176.92	265.20	
SW Well 1	8/25/2010 19:45:00	70.16	32.88	-0.12	70.23	177.07	176.92	265.20	
SW Well 1	8/25/2010 20:00:00	70.16	32.88	-0.12	70.23	177.08	176.92	265.20	
SW Well 1	8/25/2010 20:15:00	70.16	32.88	-0.12	70.23	177.08	176.93	265.19	
SW Well 1	8/25/2010 20:30:00	70.16	32.89	-0.12	70.23	177.08	176.93	265.19	
SW Well 1	8/25/2010 20:45:00	70.15	32.89	-0.11	70.22	177.08	176.93	265.19	
SW Well 1	8/25/2010 21:00:00	70.15	32.89	-0.11	70.22	177.09	176.94	265.18	
SW Well 1	8/25/2010 21:15:00	70.15	32.89	-0.11	70.22	177.09	176.94	265.18	
SW Well 1	8/25/2010 21:30:00	70.15	32.89	-0.11	70.21	177.09	176.94	265.18	
SW Well 1	8/25/2010 21:45:00	70.14	32.90	-0.11	70.21	177.09	176.94	265.18	
SW Well 1	8/25/2010 22:00:00	70.14	32.90	-0.10	70.20	177.09	176.95	265.17	
SW Well 1	8/25/2010 22:15:00	70.14	32.90	-0.10	70.20	177.10	176.96	265.16	
SW Well 1	8/25/2010 22:30:00	70.14	32.91	-0.10	70.20	177.10	176.96	265.16	
SW Well 1	8/25/2010 22:45:00	70.13	32.91	-0.09	70.19	177.10	176.96	265.16	
SW Well 1	8/25/2010 23:00:00	70.13	32.91	-0.09	70.18	177.10	176.97	265.15	
SW Well 1	8/25/2010 23:15:00	70.13	32.92	-0.09	70.18	177.10	176.97	265.15	
SW Well 1	8/25/2010 23:30:00	70.12	32.92	-0.08	70.17	177.11	176.98	265.14	
SW Well 1	8/25/2010 23:45:00	70.12	32.92	-0.08	70.17	177.11	176.99	265.13	
SW Well 1	8/26/2010 0:00:00	70.12	32.93	-0.08	70.17	177.11	176.99	265.13	
SW Well 1	8/26/2010 0:15:00	70.12	32.93	-0.07	70.16	177.11	176.99	265.13	
SW Well 1	8/26/2010 0:30:00	70.12	32.93	-0.07	70.16	177.11	176.99	265.13	
SW Well 1	8/26/2010 0:45:00	70.12	32.94	-0.07	70.16	177.11	176.99	265.13	
SW Well 1	8/26/2010 1:00:00	70.12	32.94	-0.06	70.16	177.11	177.00	265.12	
SW Well 1	8/26/2010 1:15:00	70.12	32.94	-0.06	70.15	177.12	177.00	265.12	
SW Well 1	8/26/2010 1:30:00	70.12	32.95	-0.05	70.15	177.11	177.00	265.12	
SW Well 1	8/26/2010 1:45:00	70.12	32.95	-0.05	70.15	177.11	177.00	265.12	
SW Well 1	8/26/2010 2:00:00	70.12	32.96	-0.04	70.15	177.11	177.01	265.11	
SW Well 1	8/26/2010 2:15:00	70.12	32.96	-0.04	70.15	177.11	177.01	265.11	
SW Well 1	8/26/2010 2:30:00	70.12	32.97	-0.03	70.14	177.11	177.01	265.11	
SW Well 1	8/26/2010 2:45:00	70.12	32.98	-0.03	70.14	177.11	177.02	265.10	
SW Well 1	8/26/2010 3:00:00	70.12	32.98	-0.02	70.14	177.11	177.02	265.10	
SW Well 1	8/26/2010 3:15:00	70.12	32.99	-0.02	70.13	177.11	177.02	265.10	
SW Well 1	8/26/2010 3:30:00	70.13	32.99	-0.01	70.14	177.10	177.02	265.10	
SW Well 1	8/26/2010 3:45:00	70.14	33.00	0.00	70.14	177.10	177.02	265.10	
SW Well 1	8/26/2010 4:00:00	70.14	33.00	0.00	70.13	177.10	177.02	265.10	
SW Well 1	8/26/2010 4:15:00	70.14	33.01	0.01	70.13	177.10	177.02	265.10	
SW Well 1	8/26/2010 4:30:00	70.14	33.02	0.01	70.13	177.10	177.03	265.09	
SW Well 1	8/26/2010 4:45:00	70.14	33.02	0.02	70.12	177.10	177.03	265.09	
SW Well 1	8/26/2010 5:00:00	70.14	33.03	0.02	70.12	177.09	177.03	265.09	
SW Well 1	8/26/2010 5:15:00	70.14	33.03	0.03	70.12	177.09	177.03	265.09	
SW Well 1	8/26/2010 5:30:00	70.14	33.04	0.04	70.12	177.09	177.04	265.08	
SW Well 1	8/26/2010 5:45:00	70.14	33.04	0.04	70.11	177.09	177.04	265.08	
SW Well 1	8/26/2010 6:00:00	70.15	33.05	0.05	70.12	177.09	177.04	265.08	
SW Well 1	8/26/2010 6:15:00	70.14	33.06	0.06	70.11	177.09	177.04	265.08	
SW Well 1	8/26/2010 6:30:00	70.15	33.06	0.06	70.11	177.08	177.04	265.08	
SW Well 1	8/26/2010 6:45:00	70.16	33.07	0.07	70.11	177.08	177.04	265.08	
SW Well 1	8/26/2010 7:00:00	70.16	33.08	0.08	70.11	177.08	177.05	265.07	
SW Well 1	8/26/2010 7:15:00	70.16	33.08	0.08	70.10	177.08	177.05	265.07	
SW Well 1	8/26/2010 7:30:00	70.16	33.09	0.09	70.10	177.08	177.05	265.07	
SW Well 1	8/26/2010 7:45:00	70.16	33.10	0.10	70.10	177.08	177.06	265.06	
SW Well 1	8/26/2010 8:00:00	70.16	33.10	0.10	70.09	177.08	177.06	265.06	
SW Well 1	8/26/2010 8:15:00	70.16	33.11	0.11	70.09	177.08	177.07	265.05	
SW Well 1	8/26/2010 8:30:00	70.16	33.12	0.11	70.08	177.08	177.07	265.05	
SW Well 1	8/26/2010 8:45:00	70.16	33.12	0.12	70.08	177.07	177.07	265.05	
SW Well 1	8/26/2010 9:00:00	70.16	33.13	0.13	70.08	177.08	177.08	265.04	
SW Well 1	8/26/2010 9:15:00	70.16	33.14	0.13	70.07	177.08	177.08	265.04	
SW Well 1	8/26/2010 9:30:00	70.16	33.14	0.14	70.07	177.07	177.08	265.04	
SW Well 1	8/26/2010 9:45:00	70.16	33.14	0.14	70.07	177.07	177.08	265.04	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	8/26/2010 10:00:00	70.16	33.14	0.14	70.07	177.07	177.08	265.04	
SW Well 1	8/26/2010 10:15:00	70.16	33.14	0.14	70.08	177.07	177.08	265.04	
SW Well 1	8/26/2010 10:30:00	70.17	33.14	0.14	70.08	177.07	177.07	265.05	
SW Well 1	8/26/2010 10:45:00	70.16	33.14	0.14	70.08	177.07	177.08	265.04	
SW Well 1	8/26/2010 11:00:00	70.17	33.14	0.14	70.08	177.07	177.07	265.05	
SW Well 1	8/26/2010 11:15:00	70.17	33.14	0.14	70.08	177.07	177.07	265.05	
SW Well 1	8/26/2010 11:30:00	70.16	33.14	0.13	70.08	177.07	177.07	265.05	
SW Well 1	8/26/2010 11:45:00	70.17	33.14	0.13	70.08	177.07	177.07	265.05	
SW Well 1	8/26/2010 12:00:00	70.17	33.13	0.13	70.09	177.06	177.07	265.05	
SW Well 1	8/26/2010 12:15:00	70.17	33.13	0.13	70.09	177.06	177.06	265.06	
SW Well 1	8/26/2010 12:30:00	70.17	33.13	0.13	70.09	177.06	177.06	265.06	
SW Well 1	8/26/2010 12:45:00	70.18	33.13	0.13	70.10	177.05	177.06	265.06	
SW Well 1	8/26/2010 13:00:00	70.18	33.13	0.13	70.10	177.05	177.05	265.07	
SW Well 1	8/26/2010 13:15:00	70.18	33.13	0.13	70.10	177.05	177.05	265.07	
SW Well 1	8/26/2010 13:30:00	70.19	33.13	0.13	70.11	177.05	177.05	265.07	
SW Well 1	8/26/2010 13:45:00	70.19	33.13	0.13	70.11	177.04	177.04	265.08	
SW Well 1	8/26/2010 14:00:00	70.20	33.14	0.14	70.11	177.03	177.04	265.08	
SW Well 1	8/26/2010 14:15:00	70.20	33.14	0.14	70.12	177.03	177.04	265.08	
SW Well 1	8/26/2010 14:30:00	70.22	33.15	0.14	70.13	177.01	177.02	265.10	
SW Well 1	8/26/2010 14:45:00	70.23	33.15	0.15	70.14	177.00	177.02	265.10	
SW Well 1	8/26/2010 15:00:00	70.23	33.15	0.15	70.14	177.00	177.02	265.10	
SW Well 1	8/26/2010 15:15:00	70.23	33.16	0.15	70.13	177.00	177.02	265.10	
SW Well 1	8/26/2010 15:30:00	70.23	33.16	0.16	70.13	177.00	177.02	265.10	
SW Well 1	8/26/2010 15:45:00	70.23	33.16	0.16	70.13	177.00	177.02	265.10	
SW Well 1	8/26/2010 16:00:00	70.24	33.17	0.17	70.14	176.99	177.02	265.10	
SW Well 1	8/26/2010 16:15:00	70.25	33.17	0.17	70.14	176.99	177.01	265.11	
SW Well 1	8/26/2010 16:30:00	70.25	33.18	0.17	70.14	176.98	177.01	265.11	
SW Well 1	8/26/2010 16:45:00	70.25	33.18	0.18	70.14	176.98	177.01	265.11	
SW Well 1	8/26/2010 17:00:00	70.26	33.18	0.18	70.14	176.98	177.01	265.11	
SW Well 1	8/26/2010 17:15:00	70.26	33.19	0.19	70.15	176.97	177.01	265.11	
SW Well 1	8/26/2010 17:30:00	70.26	33.19	0.19	70.15	176.97	177.01	265.11	
SW Well 1	8/26/2010 17:45:00	70.27	33.20	0.20	70.15	176.96	177.01	265.11	
SW Well 1	8/26/2010 18:00:00	70.27	33.20	0.20	70.14	176.96	177.01	265.11	
SW Well 1	8/26/2010 18:15:00	70.27	33.21	0.21	70.14	176.96	177.01	265.11	
SW Well 1	8/26/2010 18:30:00	70.28	33.22	0.21	70.14	176.96	177.01	265.11	
SW Well 1	8/26/2010 18:45:00	70.28	33.22	0.22	70.14	176.95	177.01	265.11	
SW Well 1	8/26/2010 19:00:00	70.28	33.23	0.23	70.14	176.95	177.01	265.11	
SW Well 1	8/26/2010 19:15:00	70.28	33.23	0.23	70.14	176.95	177.01	265.11	
SW Well 1	8/26/2010 19:30:00	70.29	33.24	0.24	70.14	176.94	177.01	265.11	
SW Well 1	8/26/2010 19:45:00	70.29	33.25	0.24	70.14	176.94	177.02	265.10	
SW Well 1	8/26/2010 20:00:00	70.29	33.25	0.25	70.14	176.94	177.02	265.10	
SW Well 1	8/26/2010 20:15:00	70.29	33.26	0.26	70.13	176.94	177.02	265.10	
SW Well 1	8/26/2010 20:30:00	70.30	33.26	0.26	70.13	176.94	177.02	265.10	
SW Well 1	8/26/2010 20:45:00	70.30	33.27	0.27	70.13	176.94	177.02	265.10	
SW Well 1	8/26/2010 21:00:00	70.30	33.28	0.27	70.13	176.93	177.02	265.10	
SW Well 1	8/26/2010 21:15:00	70.30	33.28	0.28	70.13	176.93	177.03	265.09	
SW Well 1	8/26/2010 21:30:00	70.30	33.29	0.29	70.13	176.93	177.03	265.09	
SW Well 1	8/26/2010 21:45:00	70.30	33.29	0.29	70.12	176.93	177.03	265.09	
SW Well 1	8/26/2010 22:00:00	70.30	33.30	0.29	70.12	176.93	177.03	265.09	
SW Well 1	8/26/2010 22:15:00	70.30	33.30	0.30	70.12	176.93	177.04	265.08	
SW Well 1	8/26/2010 22:30:00	70.30	33.30	0.30	70.11	176.93	177.04	265.08	
SW Well 1	8/26/2010 22:45:00	70.30	33.31	0.31	70.11	176.93	177.04	265.08	
SW Well 1	8/26/2010 23:00:00	70.30	33.31	0.31	70.11	176.93	177.05	265.07	
SW Well 1	8/26/2010 23:15:00	70.30	33.32	0.31	70.11	176.93	177.05	265.07	
SW Well 1	8/26/2010 23:30:00	70.30	33.32	0.32	70.10	176.93	177.05	265.07	
SW Well 1	8/26/2010 23:45:00	70.30	33.32	0.32	70.10	176.93	177.05	265.07	
SW Well 1	8/27/2010 0:00:00	70.30	33.33	0.33	70.10	176.93	177.05	265.07	
SW Well 1	8/27/2010 0:15:00	70.31	33.33	0.33	70.11	176.92	177.05	265.07	
SW Well 1	8/27/2010 0:30:00	70.31	33.34	0.33	70.10	176.92	177.05	265.07	
SW Well 1	8/27/2010 0:45:00	70.31	33.34	0.34	70.10	176.93	177.06	265.06	
SW Well 1	8/27/2010 1:00:00	70.31	33.34	0.34	70.09	176.93	177.06	265.06	
SW Well 1	8/27/2010 1:15:00	70.31	33.35	0.35	70.09	176.93	177.06	265.06	
SW Well 1	8/27/2010 1:30:00	70.31	33.35	0.35	70.09	176.92	177.06	265.06	
SW Well 1	8/27/2010 1:45:00	70.32	33.36	0.35	70.10	176.91	177.05	265.07	
SW Well 1	8/27/2010 2:00:00	70.32	33.36	0.36	70.10	176.91	177.05	265.07	
SW Well 1	8/27/2010 2:15:00	70.32	33.36	0.36	70.10	176.91	177.05	265.07	
SW Well 1	8/27/2010 2:30:00	70.32	33.36	0.36	70.10	176.91	177.05	265.07	
SW Well 1	8/27/2010 2:45:00	70.33	33.36	0.36	70.10	176.91	177.05	265.07	
SW Well 1	8/27/2010 3:00:00	70.33	33.37	0.36	70.11	176.90	177.05	265.07	
SW Well 1	8/27/2010 3:15:00	70.34	33.37	0.37	70.11	176.90	177.05	265.07	
SW Well 1	8/27/2010 3:30:00	70.34	33.37	0.37	70.11	176.90	177.05	265.07	
SW Well 1	8/27/2010 3:45:00	70.34	33.37	0.37	70.11	176.89	177.04	265.08	
SW Well 1	8/27/2010 4:00:00	70.34	33.37	0.37	70.11	176.89	177.04	265.08	
SW Well 1	8/27/2010 4:15:00	70.34	33.38	0.37	70.11	176.89	177.04	265.08	
SW Well 1	8/27/2010 4:30:00	70.35	33.38	0.38	70.11	176.89	177.04	265.08	
SW Well 1	8/27/2010 4:45:00	70.35	33.38	0.38	70.11	176.89	177.04	265.08	
SW Well 1	8/27/2010 5:00:00	70.35	33.38	0.38	70.11	176.88	177.04	265.08	
SW Well 1	8/27/2010 5:15:00	70.35	33.38	0.38	70.11	176.88	177.04	265.08	
SW Well 1	8/27/2010 5:30:00	70.35	33.39	0.38	70.12	176.88	177.04	265.08	
SW Well 1	8/27/2010 5:45:00	70.35	33.38	0.38	70.12	176.88	177.04	265.08	
SW Well 1	8/27/2010 6:00:00	70.35	33.38	0.38	70.12	176.88	177.03	265.09	
SW Well 1	8/27/2010 6:15:00	70.36	33.38	0.37	70.13	176.87	177.03	265.09	
SW Well 1	8/27/2010 6:30:00	70.36	33.37	0.37	70.13	176.87	177.02	265.10	
SW Well 1	8/27/2010 6:45:00	70.36	33.37	0.37	70.13	176.87	177.02	265.10	
SW Well 1	8/27/2010 7:00:00	70.36	33.37	0.36	70.14	176.87	177.02	265.10	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	8/27/2010 7:15:00	70.37	33.36	0.36	70.14	176.87	177.01	265.11	
SW Well 1	8/27/2010 7:30:00	70.36	33.36	0.36	70.14	176.87	177.01	265.11	
SW Well 1	8/27/2010 7:45:00	70.36	33.35	0.35	70.14	176.87	177.01	265.11	
SW Well 1	8/27/2010 8:00:00	70.37	33.35	0.35	70.15	176.87	177.00	265.12	
SW Well 1	8/27/2010 8:15:00	70.37	33.35	0.35	70.15	176.87	177.00	265.12	
SW Well 1	8/27/2010 8:30:00	70.36	33.34	0.34	70.15	176.87	177.00	265.12	
SW Well 1	8/27/2010 8:45:00	70.36	33.34	0.34	70.15	176.87	177.00	265.12	
SW Well 1	8/27/2010 9:00:00	70.36	33.34	0.34	70.15	176.87	177.00	265.12	
SW Well 1	8/27/2010 9:15:00	70.35	33.33	0.33	70.15	176.88	177.01	265.11	
SW Well 1	8/27/2010 9:30:00	70.35	33.33	0.33	70.15	176.88	177.00	265.12	
SW Well 1	8/27/2010 9:45:00	70.35	33.32	0.32	70.15	176.88	177.00	265.12	
SW Well 1	8/27/2010 10:00:00	70.35	33.31	0.31	70.15	176.89	177.00	265.12	
SW Well 1	8/27/2010 10:15:00	70.34	33.30	0.30	70.16	176.89	177.00	265.12	
SW Well 1	8/27/2010 10:30:00	70.34	33.29	0.29	70.16	176.89	176.99	265.13	
SW Well 1	8/27/2010 10:45:00	70.34	33.28	0.28	70.17	176.89	176.99	265.13	
SW Well 1	8/27/2010 11:00:00	70.34	33.27	0.27	70.17	176.89	176.98	265.14	
SW Well 1	8/27/2010 11:15:00	70.34	33.27	0.26	70.17	176.89	176.98	265.14	
SW Well 1	8/27/2010 11:30:00	70.34	33.26	0.25	70.18	176.90	176.98	265.14	
SW Well 1	8/27/2010 11:45:00	70.34	33.25	0.24	70.18	176.90	176.97	265.15	
SW Well 1	8/27/2010 12:00:00	70.33	33.24	0.24	70.18	176.90	176.97	265.15	
SW Well 1	8/27/2010 12:15:00	70.33	33.23	0.23	70.19	176.91	176.97	265.15	
SW Well 1	8/27/2010 12:30:00	70.32	33.22	0.22	70.19	176.91	176.97	265.15	
SW Well 1	8/27/2010 12:45:00	70.32	33.21	0.21	70.19	176.91	176.96	265.16	
SW Well 1	8/27/2010 13:00:00	70.32	33.20	0.20	70.20	176.91	176.96	265.16	
SW Well 1	8/27/2010 13:15:00	70.32	33.19	0.19	70.20	176.91	176.95	265.17	
SW Well 1	8/27/2010 13:30:00	70.32	33.18	0.18	70.20	176.92	176.95	265.17	
SW Well 1	8/27/2010 13:45:00	70.32	33.18	0.17	70.21	176.92	176.95	265.17	
SW Well 1	8/27/2010 14:00:00	70.32	33.17	0.17	70.21	176.92	176.94	265.18	
SW Well 1	8/27/2010 14:15:00	70.32	33.16	0.16	70.22	176.92	176.94	265.18	
SW Well 1	8/27/2010 14:30:00	70.31	33.16	0.15	70.22	176.92	176.94	265.18	
SW Well 1	8/27/2010 14:45:00	70.31	33.15	0.15	70.22	176.92	176.93	265.19	
SW Well 1	8/27/2010 15:00:00	70.31	33.14	0.14	70.22	176.93	176.93	265.19	
SW Well 1	8/27/2010 15:15:00	70.30	33.13	0.13	70.22	176.93	176.93	265.19	
SW Well 1	8/27/2010 15:30:00	70.30	33.13	0.13	70.22	176.93	176.93	265.19	
SW Well 1	8/27/2010 15:45:00	70.30	33.12	0.12	70.23	176.93	176.93	265.19	
SW Well 1	8/27/2010 16:00:00	70.30	33.11	0.11	70.23	176.93	176.92	265.20	
SW Well 1	8/27/2010 16:15:00	70.30	33.11	0.11	70.23	176.94	176.92	265.20	
SW Well 1	8/27/2010 16:30:00	70.30	33.10	0.10	70.23	176.94	176.92	265.20	
SW Well 1	8/27/2010 16:45:00	70.30	33.09	0.09	70.24	176.94	176.91	265.21	
SW Well 1	8/27/2010 17:00:00	70.30	33.09	0.09	70.24	176.94	176.91	265.21	
SW Well 1	8/27/2010 17:15:00	70.30	33.08	0.08	70.25	176.94	176.91	265.21	
SW Well 1	8/27/2010 17:30:00	70.30	33.07	0.07	70.25	176.94	176.90	265.22	
SW Well 1	8/27/2010 17:45:00	70.30	33.07	0.07	70.25	176.94	176.90	265.22	
SW Well 1	8/27/2010 18:00:00	70.29	33.07	0.07	70.25	176.94	176.91	265.21	
SW Well 1	8/27/2010 18:15:00	70.29	33.07	0.07	70.24	176.94	176.91	265.21	
SW Well 1	8/27/2010 18:30:00	70.29	33.07	0.07	70.24	176.94	176.91	265.21	
SW Well 1	8/27/2010 18:45:00	70.28	33.07	0.07	70.24	176.95	176.91	265.21	
SW Well 1	8/27/2010 19:00:00	70.28	33.07	0.07	70.24	176.95	176.91	265.21	
SW Well 1	8/27/2010 19:15:00	70.28	33.07	0.07	70.24	176.95	176.91	265.21	
SW Well 1	8/27/2010 19:30:00	70.28	33.07	0.07	70.24	176.95	176.92	265.20	
SW Well 1	8/27/2010 19:45:00	70.28	33.07	0.07	70.24	176.95	176.92	265.20	
SW Well 1	8/27/2010 20:00:00	70.28	33.07	0.07	70.23	176.96	176.92	265.20	
SW Well 1	8/27/2010 20:15:00	70.27	33.07	0.07	70.23	176.96	176.93	265.19	
SW Well 1	8/27/2010 20:30:00	70.27	33.07	0.07	70.22	176.96	176.93	265.19	
SW Well 1	8/27/2010 20:45:00	70.27	33.07	0.07	70.22	176.96	176.93	265.19	
SW Well 1	8/27/2010 21:00:00	70.27	33.07	0.07	70.22	176.96	176.93	265.19	
SW Well 1	8/27/2010 21:15:00	70.26	33.07	0.07	70.22	176.97	176.93	265.19	
SW Well 1	8/27/2010 21:30:00	70.26	33.07	0.07	70.22	176.97	176.94	265.18	
SW Well 1	8/27/2010 21:45:00	70.26	33.08	0.07	70.21	176.98	176.94	265.18	
SW Well 1	8/27/2010 22:00:00	70.25	33.08	0.08	70.20	176.98	176.95	265.17	
SW Well 1	8/27/2010 22:15:00	70.25	33.09	0.08	70.20	176.98	176.96	265.16	
SW Well 1	8/27/2010 22:30:00	70.25	33.09	0.09	70.19	176.99	176.96	265.16	
SW Well 1	8/27/2010 22:45:00	70.24	33.09	0.09	70.18	176.99	176.97	265.15	
SW Well 1	8/27/2010 23:00:00	70.24	33.10	0.10	70.18	176.99	176.97	265.15	
SW Well 1	8/27/2010 23:15:00	70.24	33.10	0.10	70.17	177.00	176.98	265.14	
SW Well 1	8/27/2010 23:30:00	70.23	33.11	0.11	70.17	177.00	176.99	265.13	
SW Well 1	8/27/2010 23:45:00	70.23	33.11	0.11	70.16	177.00	176.99	265.13	
SW Well 1	8/28/2010 0:00:00	70.23	33.12	0.11	70.16	177.00	177.00	265.12	
SW Well 1	8/28/2010 0:15:00	70.23	33.12	0.12	70.15	177.01	177.00	265.12	
SW Well 1	8/28/2010 0:30:00	70.23	33.13	0.12	70.15	177.01	177.01	265.11	
SW Well 1	8/28/2010 0:45:00	70.23	33.13	0.13	70.15	177.01	177.01	265.11	
SW Well 1	8/28/2010 1:00:00	70.22	33.13	0.13	70.14	177.01	177.01	265.11	
SW Well 1	8/28/2010 1:15:00	70.22	33.14	0.14	70.14	177.01	177.02	265.10	
SW Well 1	8/28/2010 1:30:00	70.22	33.14	0.14	70.13	177.01	177.02	265.10	
SW Well 1	8/28/2010 1:45:00	70.22	33.15	0.14	70.13	177.01	177.03	265.09	
SW Well 1	8/28/2010 2:00:00	70.22	33.15	0.15	70.13	177.01	177.03	265.09	
SW Well 1	8/28/2010 2:15:00	70.21	33.15	0.15	70.12	177.02	177.03	265.09	
SW Well 1	8/28/2010 2:30:00	70.21	33.16	0.16	70.11	177.02	177.04	265.08	
SW Well 1	8/28/2010 2:45:00	70.21	33.16	0.16	70.11	177.02	177.04	265.08	
SW Well 1	8/28/2010 3:00:00	70.21	33.16	0.16	70.11	177.02	177.04	265.08	
SW Well 1	8/28/2010 3:15:00	70.21	33.17	0.17	70.11	177.02	177.04	265.08	
SW Well 1	8/28/2010 3:30:00	70.21	33.17	0.17	70.11	177.02	177.05	265.07	
SW Well 1	8/28/2010 3:45:00	70.21	33.18	0.17	70.11	177.02	177.05	265.07	
SW Well 1	8/28/2010 4:00:00	70.21	33.18	0.18	70.10	177.02	177.05	265.07	
SW Well 1	8/28/2010 4:15:00	70.21	33.18	0.18	70.10	177.02	177.05	265.07	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	8/28/2010 4:30:00	70.21	33.19	0.18	70.10	177.02	177.05	265.07	
SW Well 1	8/28/2010 4:45:00	70.21	33.19	0.19	70.10	177.02	177.06	265.06	
SW Well 1	8/28/2010 5:00:00	70.21	33.19	0.19	70.10	177.02	177.06	265.06	
SW Well 1	8/28/2010 5:15:00	70.21	33.20	0.20	70.09	177.02	177.06	265.06	
SW Well 1	8/28/2010 5:30:00	70.21	33.20	0.20	70.09	177.02	177.06	265.06	
SW Well 1	8/28/2010 5:45:00	70.21	33.20	0.20	70.09	177.02	177.06	265.06	
SW Well 1	8/28/2010 6:00:00	70.21	33.20	0.20	70.09	177.02	177.07	265.05	
SW Well 1	8/28/2010 6:15:00	70.21	33.20	0.20	70.09	177.02	177.06	265.06	
SW Well 1	8/28/2010 6:30:00	70.21	33.20	0.20	70.09	177.02	177.06	265.06	
SW Well 1	8/28/2010 6:45:00	70.22	33.20	0.20	70.10	177.01	177.06	265.06	
SW Well 1	8/28/2010 7:00:00	70.22	33.20	0.20	70.10	177.01	177.06	265.06	
SW Well 1	8/28/2010 7:15:00	70.22	33.20	0.20	70.10	177.01	177.06	265.06	
SW Well 1	8/28/2010 7:30:00	70.22	33.20	0.20	70.10	177.01	177.06	265.06	
SW Well 1	8/28/2010 7:45:00	70.21	33.20	0.20	70.09	177.02	177.06	265.06	
SW Well 1	8/28/2010 8:00:00	70.21	33.20	0.19	70.09	177.02	177.06	265.06	
SW Well 1	8/28/2010 8:15:00	70.21	33.20	0.19	70.09	177.02	177.06	265.06	
SW Well 1	8/28/2010 8:30:00	70.21	33.20	0.19	70.09	177.02	177.06	265.06	
SW Well 1	8/28/2010 8:45:00	70.21	33.20	0.19	70.09	177.02	177.06	265.06	
SW Well 1	8/28/2010 9:00:00	70.21	33.19	0.19	70.09	177.03	177.07	265.05	
SW Well 1	8/28/2010 9:15:00	70.21	33.19	0.19	70.09	177.02	177.06	265.06	
SW Well 1	8/28/2010 9:30:00	70.21	33.19	0.19	70.09	177.03	177.07	265.05	
SW Well 1	8/28/2010 9:45:00	70.20	33.18	0.18	70.09	177.03	177.06	265.06	
SW Well 1	8/28/2010 10:00:00	70.20	33.17	0.17	70.10	177.03	177.06	265.06	
SW Well 1	8/28/2010 10:15:00	70.20	33.16	0.16	70.10	177.03	177.06	265.06	
SW Well 1	8/28/2010 10:30:00	70.20	33.15	0.15	70.11	177.03	177.05	265.07	
SW Well 1	8/28/2010 10:45:00	70.19	33.14	0.14	70.11	177.04	177.05	265.07	
SW Well 1	8/28/2010 11:00:00	70.19	33.13	0.13	70.11	177.04	177.04	265.08	
SW Well 1	8/28/2010 11:15:00	70.19	33.12	0.12	70.12	177.04	177.04	265.08	
SW Well 1	8/28/2010 11:30:00	70.19	33.11	0.11	70.12	177.05	177.03	265.09	
SW Well 1	8/28/2010 11:45:00	70.19	33.10	0.10	70.13	177.05	177.03	265.09	
SW Well 1	8/28/2010 12:00:00	70.18	33.09	0.09	70.13	177.05	177.02	265.10	
SW Well 1	8/28/2010 12:15:00	70.18	33.08	0.08	70.13	177.05	177.02	265.10	
SW Well 1	8/28/2010 12:30:00	70.18	33.07	0.07	70.14	177.05	177.02	265.10	
SW Well 1	8/28/2010 12:45:00	70.18	33.06	0.05	70.15	177.05	177.01	265.11	
SW Well 1	8/28/2010 13:00:00	70.18	33.05	0.04	70.15	177.06	177.01	265.11	
SW Well 1	8/28/2010 13:15:00	70.17	33.04	0.03	70.15	177.06	177.00	265.12	
SW Well 1	8/28/2010 13:30:00	70.17	33.03	0.02	70.16	177.06	177.00	265.12	
SW Well 1	8/28/2010 13:45:00	70.17	33.02	0.02	70.16	177.06	176.99	265.13	
SW Well 1	8/28/2010 14:00:00	70.17	33.02	0.01	70.16	177.06	176.99	265.13	
SW Well 1	8/28/2010 14:15:00	70.17	33.01	0.01	70.16	177.07	176.99	265.13	
SW Well 1	8/28/2010 14:30:00	70.17	33.01	0.00	70.17	177.07	176.99	265.13	
SW Well 1	8/28/2010 14:45:00	70.17	33.00	0.00	70.17	177.07	176.99	265.13	
SW Well 1	8/28/2010 15:00:00	70.16	33.00	-0.01	70.17	177.07	176.99	265.13	
SW Well 1	8/28/2010 15:15:00	70.16	32.99	-0.01	70.17	177.07	176.99	265.13	
SW Well 1	8/28/2010 15:30:00	70.16	32.99	-0.02	70.17	177.07	176.98	265.14	
SW Well 1	8/28/2010 15:45:00	70.16	32.98	-0.02	70.17	177.07	176.98	265.14	
SW Well 1	8/28/2010 16:00:00	70.16	32.98	-0.03	70.18	177.07	176.98	265.14	
SW Well 1	8/28/2010 16:15:00	70.16	32.97	-0.03	70.18	177.07	176.97	265.15	
SW Well 1	8/28/2010 16:30:00	70.16	32.97	-0.04	70.18	177.07	176.97	265.15	
SW Well 1	8/28/2010 16:45:00	70.16	32.96	-0.04	70.19	177.07	176.97	265.15	
SW Well 1	8/28/2010 17:00:00	70.16	32.96	-0.05	70.18	177.08	176.97	265.15	
SW Well 1	8/28/2010 17:15:00	70.16	32.95	-0.05	70.19	177.08	176.97	265.15	
SW Well 1	8/28/2010 17:30:00	70.16	32.95	-0.06	70.19	177.08	176.96	265.16	
SW Well 1	8/28/2010 17:45:00	70.16	32.95	-0.05	70.19	177.08	176.96	265.16	
SW Well 1	8/28/2010 18:00:00	70.16	32.95	-0.05	70.19	177.08	176.97	265.15	
SW Well 1	8/28/2010 18:15:00	70.16	32.95	-0.05	70.19	177.08	176.97	265.15	
SW Well 1	8/28/2010 18:30:00	70.16	32.95	-0.05	70.18	177.08	176.97	265.15	
SW Well 1	8/28/2010 18:45:00	70.15	32.96	-0.05	70.18	177.08	176.97	265.15	
SW Well 1	8/28/2010 19:00:00	70.16	32.96	-0.04	70.18	177.08	176.97	265.15	
SW Well 1	8/28/2010 19:15:00	70.15	32.96	-0.04	70.18	177.08	176.98	265.14	
SW Well 1	8/28/2010 19:30:00	70.15	32.96	-0.04	70.17	177.09	176.98	265.14	
SW Well 1	8/28/2010 19:45:00	70.15	32.97	-0.04	70.17	177.09	176.98	265.14	
SW Well 1	8/28/2010 20:00:00	70.15	32.97	-0.03	70.17	177.08	176.98	265.14	
SW Well 1	8/28/2010 20:15:00	70.15	32.97	-0.03	70.17	177.08	176.98	265.14	
SW Well 1	8/28/2010 20:30:00	70.16	32.97	-0.03	70.17	177.08	176.98	265.14	
SW Well 1	8/28/2010 20:45:00	70.16	32.98	-0.03	70.17	177.08	176.98	265.14	
SW Well 1	8/28/2010 21:00:00	70.16	32.98	-0.02	70.17	177.08	176.98	265.14	
SW Well 1	8/28/2010 21:15:00	70.16	32.98	-0.02	70.17	177.08	176.99	265.13	
SW Well 1	8/28/2010 21:30:00	70.15	32.98	-0.02	70.16	177.08	176.99	265.13	
SW Well 1	8/28/2010 21:45:00	70.15	32.99	-0.01	70.16	177.08	176.99	265.13	
SW Well 1	8/28/2010 22:00:00	70.15	32.99	-0.01	70.15	177.09	177.00	265.12	
SW Well 1	8/28/2010 22:15:00	70.14	33.00	0.00	70.15	177.09	177.01	265.11	
SW Well 1	8/28/2010 22:30:00	70.14	33.00	0.00	70.14	177.09	177.01	265.11	
SW Well 1	8/28/2010 22:45:00	70.14	33.01	0.00	70.14	177.09	177.02	265.10	
SW Well 1	8/28/2010 23:00:00	70.14	33.01	0.01	70.13	177.09	177.02	265.10	
SW Well 1	8/28/2010 23:15:00	70.14	33.02	0.01	70.13	177.10	177.03	265.09	
SW Well 1	8/28/2010 23:30:00	70.14	33.02	0.02	70.12	177.10	177.03	265.09	
SW Well 1	8/28/2010 23:45:00	70.14	33.03	0.02	70.12	177.10	177.03	265.09	
SW Well 1	8/29/2010 0:00:00	70.14	33.03	0.03	70.12	177.10	177.04	265.08	
SW Well 1	8/29/2010 0:15:00	70.14	33.04	0.03	70.12	177.10	177.04	265.08	
SW Well 1	8/29/2010 0:30:00	70.14	33.04	0.04	70.11	177.10	177.04	265.08	
SW Well 1	8/29/2010 0:45:00	70.14	33.04	0.04	70.11	177.10	177.04	265.08	
SW Well 1	8/29/2010 1:00:00	70.13	33.05	0.05	70.10	177.10	177.05	265.07	
SW Well 1	8/29/2010 1:15:00	70.13	33.05	0.05	70.10	177.10	177.05	265.07	
SW Well 1	8/29/2010 1:30:00	70.13	33.06	0.06	70.10	177.10	177.06	265.06	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	8/29/2010 1:45:00	70.14	33.07	0.06	70.10	177.10	177.06	265.06	
SW Well 1	8/29/2010 2:00:00	70.14	33.07	0.07	70.09	177.10	177.06	265.06	
SW Well 1	8/29/2010 2:15:00	70.14	33.08	0.08	70.09	177.10	177.06	265.06	
SW Well 1	8/29/2010 2:30:00	70.14	33.08	0.08	70.09	177.10	177.07	265.05	
SW Well 1	8/29/2010 2:45:00	70.14	33.09	0.09	70.09	177.09	177.07	265.05	
SW Well 1	8/29/2010 3:00:00	70.14	33.10	0.09	70.08	177.10	177.08	265.04	
SW Well 1	8/29/2010 3:15:00	70.14	33.10	0.10	70.08	177.09	177.08	265.04	
SW Well 1	8/29/2010 3:30:00	70.14	33.11	0.11	70.07	177.09	177.08	265.04	
SW Well 1	8/29/2010 3:45:00	70.14	33.11	0.11	70.07	177.09	177.08	265.04	
SW Well 1	8/29/2010 4:00:00	70.15	33.12	0.12	70.07	177.09	177.08	265.04	
SW Well 1	8/29/2010 4:15:00	70.15	33.13	0.12	70.07	177.09	177.08	265.04	
SW Well 1	8/29/2010 4:30:00	70.15	33.13	0.13	70.07	177.08	177.08	265.04	
SW Well 1	8/29/2010 4:45:00	70.16	33.14	0.14	70.07	177.08	177.08	265.04	
SW Well 1	8/29/2010 5:00:00	70.16	33.14	0.14	70.07	177.07	177.08	265.04	
SW Well 1	8/29/2010 5:15:00	70.16	33.15	0.15	70.07	177.07	177.08	265.04	
SW Well 1	8/29/2010 5:30:00	70.16	33.16	0.15	70.06	177.07	177.09	265.03	
SW Well 1	8/29/2010 5:45:00	70.16	33.16	0.15	70.07	177.07	177.09	265.03	
SW Well 1	8/29/2010 6:00:00	70.17	33.16	0.15	70.07	177.07	177.08	265.04	
SW Well 1	8/29/2010 6:15:00	70.17	33.16	0.15	70.07	177.07	177.08	265.04	
SW Well 1	8/29/2010 6:30:00	70.17	33.16	0.15	70.08	177.06	177.08	265.04	
SW Well 1	8/29/2010 6:45:00	70.17	33.16	0.15	70.08	177.06	177.08	265.04	
SW Well 1	8/29/2010 7:00:00	70.18	33.15	0.15	70.08	177.06	177.07	265.05	
SW Well 1	8/29/2010 7:15:00	70.18	33.15	0.15	70.08	177.06	177.07	265.05	
SW Well 1	8/29/2010 7:30:00	70.18	33.15	0.15	70.08	177.05	177.07	265.05	
SW Well 1	8/29/2010 7:45:00	70.18	33.15	0.15	70.08	177.05	177.07	265.05	
SW Well 1	8/29/2010 8:00:00	70.18	33.15	0.15	70.08	177.05	177.07	265.05	
SW Well 1	8/29/2010 8:15:00	70.18	33.15	0.15	70.08	177.05	177.07	265.05	
SW Well 1	8/29/2010 8:30:00	70.18	33.15	0.15	70.08	177.05	177.07	265.05	
SW Well 1	8/29/2010 8:45:00	70.18	33.15	0.15	70.09	177.05	177.06	265.06	
SW Well 1	8/29/2010 9:00:00	70.18	33.15	0.15	70.09	177.05	177.06	265.06	
SW Well 1	8/29/2010 9:15:00	70.18	33.15	0.15	70.09	177.05	177.06	265.06	
SW Well 1	8/29/2010 9:30:00	70.18	33.15	0.15	70.09	177.05	177.07	265.05	
SW Well 1	8/29/2010 9:45:00	70.18	33.15	0.15	70.09	177.05	177.06	265.06	
SW Well 1	8/29/2010 10:00:00	70.18	33.15	0.14	70.09	177.05	177.06	265.06	
SW Well 1	8/29/2010 10:15:00	70.18	33.14	0.14	70.10	177.05	177.06	265.06	
SW Well 1	8/29/2010 10:30:00	70.18	33.14	0.14	70.10	177.05	177.06	265.06	
SW Well 1	8/29/2010 10:45:00	70.18	33.14	0.13	70.10	177.05	177.05	265.07	
SW Well 1	8/29/2010 11:00:00	70.18	33.13	0.13	70.10	177.05	177.05	265.07	
SW Well 1	8/29/2010 11:15:00	70.18	33.13	0.13	70.10	177.05	177.05	265.07	
SW Well 1	8/29/2010 11:30:00	70.18	33.13	0.12	70.10	177.05	177.05	265.07	
SW Well 1	8/29/2010 11:45:00	70.18	33.12	0.12	70.11	177.05	177.05	265.07	
SW Well 1	8/29/2010 12:00:00	70.18	33.12	0.12	70.11	177.05	177.04	265.08	
SW Well 1	8/29/2010 12:15:00	70.18	33.12	0.11	70.11	177.05	177.05	265.07	
SW Well 1	8/29/2010 12:30:00	70.18	33.11	0.11	70.11	177.05	177.04	265.08	
SW Well 1	8/29/2010 12:45:00	70.18	33.11	0.11	70.11	177.05	177.04	265.08	
SW Well 1	8/29/2010 13:00:00	70.18	33.11	0.10	70.11	177.06	177.04	265.08	
SW Well 1	8/29/2010 13:15:00	70.18	33.10	0.10	70.12	177.05	177.04	265.08	
SW Well 1	8/29/2010 13:30:00	70.18	33.10	0.10	70.11	177.06	177.04	265.08	
SW Well 1	8/29/2010 13:45:00	70.18	33.10	0.09	70.12	177.06	177.04	265.08	
SW Well 1	8/29/2010 14:00:00	70.17	33.09	0.09	70.12	177.06	177.04	265.08	
SW Well 1	8/29/2010 14:15:00	70.18	33.09	0.09	70.12	177.06	177.03	265.09	
SW Well 1	8/29/2010 14:30:00	70.17	33.08	0.08	70.12	177.06	177.03	265.09	
SW Well 1	8/29/2010 14:45:00	70.17	33.08	0.08	70.12	177.06	177.03	265.09	
SW Well 1	8/29/2010 15:00:00	70.17	33.07	0.07	70.13	177.06	177.03	265.09	
SW Well 1	8/29/2010 15:15:00	70.17	33.07	0.07	70.13	177.06	177.03	265.09	
SW Well 1	8/29/2010 15:30:00	70.17	33.07	0.06	70.13	177.06	177.02	265.10	
SW Well 1	8/29/2010 15:45:00	70.17	33.06	0.06	70.13	177.06	177.02	265.10	
SW Well 1	8/29/2010 16:00:00	70.17	33.06	0.06	70.14	177.06	177.02	265.10	
SW Well 1	8/29/2010 16:15:00	70.18	33.05	0.05	70.14	177.06	177.01	265.11	
SW Well 1	8/29/2010 16:30:00	70.17	33.05	0.05	70.14	177.06	177.01	265.11	
SW Well 1	8/29/2010 16:45:00	70.17	33.04	0.04	70.14	177.06	177.01	265.11	
SW Well 1	8/29/2010 17:00:00	70.17	33.04	0.04	70.15	177.06	177.01	265.11	
SW Well 1	8/29/2010 17:15:00	70.18	33.04	0.03	70.15	177.06	177.00	265.12	
SW Well 1	8/29/2010 17:30:00	70.17	33.03	0.03	70.15	177.06	177.00	265.12	
SW Well 1	8/29/2010 17:45:00	70.18	33.04	0.03	70.15	177.06	177.00	265.12	
SW Well 1	8/29/2010 18:00:00	70.18	33.04	0.04	70.15	177.06	177.00	265.12	
SW Well 1	8/29/2010 18:15:00	70.18	33.04	0.04	70.15	177.06	177.00	265.12	
SW Well 1	8/29/2010 18:30:00	70.18	33.04	0.04	70.15	177.06	177.00	265.12	
SW Well 1	8/29/2010 18:45:00	70.18	33.05	0.05	70.15	177.06	177.01	265.11	
SW Well 1	8/29/2010 19:00:00	70.18	33.05	0.05	70.15	177.05	177.00	265.12	
SW Well 1	8/29/2010 19:15:00	70.18	33.05	0.05	70.15	177.05	177.01	265.11	
SW Well 1	8/29/2010 19:30:00	70.18	33.06	0.05	70.15	177.05	177.00	265.12	
SW Well 1	8/29/2010 19:45:00	70.18	33.06	0.06	70.15	177.05	177.01	265.11	
SW Well 1	8/29/2010 20:00:00	70.18	33.06	0.06	70.14	177.05	177.01	265.11	
SW Well 1	8/29/2010 20:15:00	70.18	33.07	0.06	70.14	177.05	177.01	265.11	
SW Well 1	8/29/2010 20:30:00	70.18	33.07	0.07	70.14	177.05	177.01	265.11	
SW Well 1	8/29/2010 20:45:00	70.18	33.07	0.07	70.14	177.05	177.01	265.11	
SW Well 1	8/29/2010 21:00:00	70.18	33.07	0.07	70.14	177.05	177.02	265.10	
SW Well 1	8/29/2010 21:15:00	70.18	33.08	0.08	70.14	177.05	177.02	265.10	
SW Well 1	8/29/2010 21:30:00	70.18	33.08	0.08	70.13	177.05	177.02	265.10	
SW Well 1	8/29/2010 21:45:00	70.18	33.08	0.08	70.13	177.05	177.03	265.09	
SW Well 1	8/29/2010 22:00:00	70.18	33.09	0.08	70.12	177.06	177.03	265.09	
SW Well 1	8/29/2010 22:15:00	70.18	33.09	0.09	70.12	177.06	177.03	265.09	
SW Well 1	8/29/2010 22:30:00	70.17	33.09	0.09	70.12	177.06	177.04	265.08	
SW Well 1	8/29/2010 22:45:00	70.17	33.09	0.09	70.12	177.06	177.04	265.08	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	8/29/2010 23:00:00	70.17	33.09	0.09	70.11	177.07	177.04	265.08	
SW Well 1	8/29/2010 23:15:00	70.17	33.10	0.09	70.11	177.07	177.05	265.07	
SW Well 1	8/29/2010 23:30:00	70.17	33.10	0.10	70.11	177.07	177.05	265.07	
SW Well 1	8/29/2010 23:45:00	70.17	33.10	0.10	70.11	177.07	177.05	265.07	
SW Well 1	8/30/2010 0:00:00	70.17	33.10	0.10	70.10	177.07	177.05	265.07	
SW Well 1	8/30/2010 0:15:00	70.17	33.10	0.10	70.10	177.07	177.05	265.07	
SW Well 1	8/30/2010 0:30:00	70.16	33.11	0.10	70.10	177.07	177.06	265.06	
SW Well 1	8/30/2010 0:45:00	70.16	33.11	0.11	70.10	177.07	177.06	265.06	
SW Well 1	8/30/2010 1:00:00	70.16	33.11	0.11	70.10	177.07	177.06	265.06	
SW Well 1	8/30/2010 1:15:00	70.16	33.11	0.11	70.09	177.07	177.06	265.06	
SW Well 1	8/30/2010 1:30:00	70.16	33.12	0.11	70.09	177.07	177.06	265.06	
SW Well 1	8/30/2010 1:45:00	70.16	33.12	0.11	70.09	177.07	177.06	265.06	
SW Well 1	8/30/2010 2:00:00	70.17	33.12	0.12	70.09	177.07	177.06	265.06	
SW Well 1	8/30/2010 2:15:00	70.16	33.12	0.12	70.09	177.07	177.06	265.06	
SW Well 1	8/30/2010 2:30:00	70.16	33.12	0.12	70.09	177.07	177.07	265.05	
SW Well 1	8/30/2010 2:45:00	70.16	33.12	0.12	70.09	177.07	177.07	265.05	
SW Well 1	8/30/2010 3:00:00	70.16	33.13	0.12	70.09	177.07	177.07	265.05	
SW Well 1	8/30/2010 3:15:00	70.16	33.13	0.13	70.08	177.07	177.07	265.05	
SW Well 1	8/30/2010 3:30:00	70.16	33.13	0.13	70.08	177.07	177.07	265.05	
SW Well 1	8/30/2010 3:45:00	70.16	33.13	0.13	70.08	177.07	177.07	265.05	
SW Well 1	8/30/2010 4:00:00	70.16	33.13	0.13	70.08	177.07	177.07	265.05	
SW Well 1	8/30/2010 4:15:00	70.16	33.14	0.13	70.08	177.07	177.07	265.05	
SW Well 1	8/30/2010 4:30:00	70.17	33.14	0.14	70.08	177.07	177.07	265.05	
SW Well 1	8/30/2010 4:45:00	70.17	33.14	0.14	70.09	177.06	177.07	265.05	
SW Well 1	8/30/2010 5:00:00	70.17	33.14	0.14	70.08	177.06	177.07	265.05	
SW Well 1	8/30/2010 5:15:00	70.17	33.14	0.14	70.08	177.07	177.07	265.05	
SW Well 1	8/30/2010 5:30:00	70.17	33.15	0.14	70.08	177.06	177.07	265.05	
SW Well 1	8/30/2010 5:45:00	70.17	33.15	0.15	70.08	177.06	177.07	265.05	
SW Well 1	8/30/2010 6:00:00	70.17	33.15	0.15	70.08	177.06	177.08	265.04	
SW Well 1	8/30/2010 6:15:00	70.18	33.16	0.15	70.08	177.06	177.07	265.05	
SW Well 1	8/30/2010 6:30:00	70.18	33.16	0.16	70.08	177.05	177.07	265.05	
SW Well 1	8/30/2010 6:45:00	70.18	33.16	0.16	70.08	177.05	177.07	265.05	
SW Well 1	8/30/2010 7:00:00	70.19	33.16	0.16	70.09	177.05	177.07	265.05	
SW Well 1	8/30/2010 7:15:00	70.19	33.17	0.17	70.08	177.05	177.07	265.05	
SW Well 1	8/30/2010 7:30:00	70.19	33.17	0.17	70.09	177.04	177.07	265.05	
SW Well 1	8/30/2010 7:45:00	70.19	33.17	0.17	70.09	177.04	177.07	265.05	
SW Well 1	8/30/2010 8:00:00	70.19	33.18	0.18	70.09	177.04	177.07	265.05	
SW Well 1	8/30/2010 8:15:00	70.19	33.18	0.18	70.08	177.04	177.07	265.05	
SW Well 1	8/30/2010 8:30:00	70.19	33.18	0.18	70.08	177.04	177.07	265.05	
SW Well 1	8/30/2010 8:45:00	70.20	33.19	0.18	70.08	177.03	177.07	265.05	
SW Well 1	8/30/2010 9:00:00	70.20	33.19	0.19	70.08	177.03	177.07	265.05	
SW Well 1	8/30/2010 9:15:00	70.20	33.19	0.19	70.08	177.03	177.07	265.05	
SW Well 1	8/30/2010 9:30:00	70.20	33.20	0.19	70.08	177.03	177.07	265.05	
SW Well 1	8/30/2010 9:45:00	70.20	33.19	0.19	70.08	177.03	177.07	265.05	
SW Well 1	8/30/2010 10:00:00	70.21	33.19	0.19	70.09	177.03	177.07	265.05	
SW Well 1	8/30/2010 10:15:00	70.21	33.19	0.19	70.09	177.03	177.06	265.06	
SW Well 1	8/30/2010 10:30:00	70.20	33.19	0.19	70.09	177.03	177.07	265.05	
SW Well 1	8/30/2010 10:45:00	70.21	33.19	0.18	70.09	177.03	177.06	265.06	
SW Well 1	8/30/2010 11:00:00	70.21	33.18	0.18	70.09	177.03	177.06	265.06	
SW Well 1	8/30/2010 11:15:00	70.21	33.18	0.18	70.09	177.03	177.06	265.06	
SW Well 1	8/30/2010 11:30:00	70.21	33.18	0.18	70.10	177.03	177.06	265.06	
SW Well 1	8/30/2010 11:45:00	70.21	33.18	0.18	70.10	177.03	177.06	265.06	
SW Well 1	8/30/2010 12:00:00	70.21	33.18	0.17	70.10	177.03	177.06	265.06	
SW Well 1	8/30/2010 12:15:00	70.21	33.17	0.17	70.10	177.03	177.05	265.07	
SW Well 1	8/30/2010 12:30:00	70.21	33.17	0.17	70.11	177.02	177.05	265.07	
SW Well 1	8/30/2010 12:45:00	70.21	33.17	0.17	70.11	177.02	177.05	265.07	
SW Well 1	8/30/2010 13:00:00	70.21	33.17	0.17	70.11	177.02	177.05	265.07	
SW Well 1	8/30/2010 13:15:00	70.21	33.17	0.16	70.11	177.02	177.04	265.08	
SW Well 1	8/30/2010 13:30:00	70.21	33.16	0.16	70.11	177.02	177.04	265.08	
SW Well 1	8/30/2010 13:45:00	70.21	33.16	0.16	70.11	177.02	177.04	265.08	
SW Well 1	8/30/2010 14:00:00	70.21	33.16	0.16	70.11	177.02	177.04	265.08	
SW Well 1	8/30/2010 14:15:00	70.21	33.16	0.16	70.11	177.02	177.04	265.08	
SW Well 1	8/30/2010 14:30:00	70.21	33.16	0.16	70.12	177.02	177.04	265.08	
SW Well 1	8/30/2010 14:45:00	70.21	33.16	0.16	70.12	177.02	177.04	265.08	
SW Well 1	8/30/2010 15:00:00	70.21	33.16	0.16	70.12	177.02	177.04	265.08	
SW Well 1	8/30/2010 15:15:00	70.21	33.16	0.16	70.12	177.02	177.04	265.08	
SW Well 1	8/30/2010 15:30:00	70.22	33.16	0.16	70.12	177.01	177.03	265.09	
SW Well 1	8/30/2010 15:45:00	70.22	33.16	0.16	70.12	177.01	177.03	265.09	
SW Well 1	8/30/2010 16:00:00	70.23	33.16	0.16	70.13	177.01	177.03	265.09	
SW Well 1	8/30/2010 16:15:00	70.23	33.16	0.16	70.13	177.01	177.03	265.09	
SW Well 1	8/30/2010 16:30:00	70.23	33.16	0.16	70.13	177.01	177.03	265.09	
SW Well 1	8/30/2010 16:45:00	70.23	33.16	0.16	70.13	177.00	177.02	265.10	
SW Well 1	8/30/2010 17:00:00	70.23	33.16	0.16	70.13	177.00	177.02	265.10	
SW Well 1	8/30/2010 17:15:00	70.23	33.16	0.16	70.13	177.00	177.02	265.10	
SW Well 1	8/30/2010 17:30:00	70.23	33.16	0.15	70.14	177.00	177.02	265.10	
SW Well 1	8/30/2010 17:45:00	70.24	33.16	0.16	70.14	177.00	177.02	265.10	
SW Well 1	8/30/2010 18:00:00	70.24	33.17	0.16	70.14	177.00	177.02	265.10	
SW Well 1	8/30/2010 18:15:00	70.24	33.17	0.17	70.13	177.00	177.02	265.10	
SW Well 1	8/30/2010 18:30:00	70.25	33.18	0.17	70.14	176.99	177.02	265.10	
SW Well 1	8/30/2010 18:45:00	70.24	33.18	0.18	70.13	176.99	177.02	265.10	
SW Well 1	8/30/2010 19:00:00	70.25	33.19	0.18	70.13	176.99	177.02	265.10	
SW Well 1	8/30/2010 19:15:00	70.25	33.19	0.19	70.13	176.99	177.03	265.09	
SW Well 1	8/30/2010 19:30:00	70.25	33.20	0.19	70.13	176.98	177.02	265.10	
SW Well 1	8/30/2010 19:45:00	70.26	33.20	0.20	70.13	176.98	177.02	265.10	
SW Well 1	8/30/2010 20:00:00	70.26	33.20	0.20	70.13	176.97	177.02	265.10	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	8/30/2010 20:15:00	70.26	33.21	0.21	70.13	176.97	177.02	265.10	
SW Well 1	8/30/2010 20:30:00	70.27	33.21	0.21	70.14	176.96	177.02	265.10	
SW Well 1	8/30/2010 20:45:00	70.27	33.22	0.22	70.13	176.96	177.02	265.10	
SW Well 1	8/30/2010 21:00:00	70.27	33.22	0.22	70.13	176.96	177.02	265.10	
SW Well 1	8/30/2010 21:15:00	70.27	33.23	0.23	70.13	176.96	177.03	265.09	
SW Well 1	8/30/2010 21:30:00	70.27	33.23	0.23	70.13	176.96	177.03	265.09	
SW Well 1	8/30/2010 21:45:00	70.27	33.24	0.24	70.13	176.96	177.03	265.09	
SW Well 1	8/30/2010 22:00:00	70.28	33.24	0.24	70.13	176.96	177.03	265.09	
SW Well 1	8/30/2010 22:15:00	70.28	33.25	0.25	70.12	176.96	177.03	265.09	
SW Well 1	8/30/2010 22:30:00	70.27	33.25	0.25	70.12	176.96	177.04	265.08	
SW Well 1	8/30/2010 22:45:00	70.28	33.26	0.26	70.12	176.96	177.04	265.08	
SW Well 1	8/30/2010 23:00:00	70.28	33.26	0.26	70.11	176.96	177.04	265.08	
SW Well 1	8/30/2010 23:15:00	70.28	33.27	0.26	70.12	176.95	177.04	265.08	
SW Well 1	8/30/2010 23:30:00	70.28	33.27	0.27	70.11	176.95	177.04	265.08	
SW Well 1	8/30/2010 23:45:00	70.28	33.28	0.27	70.11	176.95	177.04	265.08	
SW Well 1	8/31/2010 0:00:00	70.28	33.28	0.28	70.11	176.95	177.05	265.07	
SW Well 1	8/31/2010 0:15:00	70.28	33.29	0.28	70.10	176.95	177.05	265.07	
SW Well 1	8/31/2010 0:30:00	70.28	33.29	0.29	70.10	176.95	177.05	265.07	
SW Well 1	8/31/2010 0:45:00	70.28	33.30	0.29	70.10	176.95	177.05	265.07	
SW Well 1	8/31/2010 1:00:00	70.29	33.30	0.30	70.10	176.94	177.05	265.07	
SW Well 1	8/31/2010 1:15:00	70.29	33.31	0.30	70.10	176.94	177.05	265.07	
SW Well 1	8/31/2010 1:30:00	70.29	33.31	0.31	70.10	176.94	177.06	265.06	
SW Well 1	8/31/2010 1:45:00	70.29	33.31	0.31	70.10	176.94	177.06	265.06	
SW Well 1	8/31/2010 2:00:00	70.29	33.31	0.31	70.10	176.94	177.06	265.06	
SW Well 1	8/31/2010 2:15:00	70.29	33.32	0.31	70.10	176.94	177.06	265.06	
SW Well 1	8/31/2010 2:30:00	70.30	33.32	0.32	70.10	176.93	177.05	265.07	
SW Well 1	8/31/2010 2:45:00	70.30	33.32	0.32	70.10	176.94	177.05	265.07	
SW Well 1	8/31/2010 3:00:00	70.30	33.32	0.32	70.10	176.93	177.05	265.07	
SW Well 1	8/31/2010 3:15:00	70.30	33.32	0.32	70.10	176.93	177.05	265.07	
SW Well 1	8/31/2010 3:30:00	70.30	33.32	0.32	70.10	176.93	177.05	265.07	
SW Well 1	8/31/2010 3:45:00	70.30	33.33	0.32	70.10	176.93	177.05	265.07	
SW Well 1	8/31/2010 4:00:00	70.30	33.33	0.33	70.10	176.93	177.05	265.07	
SW Well 1	8/31/2010 4:15:00	70.30	33.33	0.33	70.10	176.93	177.05	265.07	
SW Well 1	8/31/2010 4:30:00	70.31	33.33	0.33	70.10	176.93	177.05	265.07	
SW Well 1	8/31/2010 4:45:00	70.31	33.33	0.33	70.10	176.93	177.05	265.07	
SW Well 1	8/31/2010 5:00:00	70.31	33.34	0.33	70.10	176.93	177.05	265.07	
SW Well 1	8/31/2010 5:15:00	70.31	33.34	0.34	70.10	176.93	177.05	265.07	
SW Well 1	8/31/2010 5:30:00	70.31	33.34	0.34	70.10	176.92	177.05	265.07	
SW Well 1	8/31/2010 5:45:00	70.32	33.34	0.34	70.11	176.92	177.05	265.07	
SW Well 1	8/31/2010 6:00:00	70.32	33.34	0.34	70.11	176.92	177.05	265.07	
SW Well 1	8/31/2010 6:15:00	70.32	33.34	0.34	70.11	176.91	177.04	265.08	
SW Well 1	8/31/2010 6:30:00	70.32	33.34	0.34	70.11	176.91	177.04	265.08	
SW Well 1	8/31/2010 6:45:00	70.32	33.34	0.34	70.11	176.91	177.04	265.08	
SW Well 1	8/31/2010 7:00:00	70.33	33.34	0.34	70.12	176.91	177.04	265.08	
SW Well 1	8/31/2010 7:15:00	70.33	33.34	0.34	70.12	176.90	177.03	265.09	
SW Well 1	8/31/2010 7:30:00	70.34	33.34	0.34	70.12	176.90	177.03	265.09	
SW Well 1	8/31/2010 7:45:00	70.34	33.34	0.34	70.12	176.90	177.03	265.09	
SW Well 1	8/31/2010 8:00:00	70.34	33.34	0.34	70.13	176.89	177.03	265.09	
SW Well 1	8/31/2010 8:15:00	70.34	33.34	0.34	70.13	176.89	177.03	265.09	
SW Well 1	8/31/2010 8:30:00	70.34	33.34	0.34	70.13	176.89	177.02	265.10	
SW Well 1	8/31/2010 8:45:00	70.34	33.34	0.34	70.13	176.89	177.02	265.10	
SW Well 1	8/31/2010 9:00:00	70.34	33.34	0.34	70.13	176.89	177.02	265.10	
SW Well 1	8/31/2010 9:15:00	70.34	33.34	0.34	70.13	176.89	177.02	265.10	
SW Well 1	8/31/2010 9:30:00	70.34	33.35	0.34	70.13	176.89	177.03	265.09	
SW Well 1	8/31/2010 9:45:00	70.34	33.34	0.34	70.13	176.90	177.03	265.09	
SW Well 1	8/31/2010 10:00:00	70.34	33.34	0.33	70.13	176.89	177.02	265.10	
SW Well 1	8/31/2010 10:15:00	70.34	33.33	0.33	70.13	176.89	177.02	265.10	
SW Well 1	8/31/2010 10:30:00	70.34	33.33	0.32	70.13	176.90	177.02	265.10	
SW Well 1	8/31/2010 10:45:00	70.34	33.32	0.32	70.14	176.89	177.01	265.11	
SW Well 1	8/31/2010 11:00:00	70.34	33.32	0.32	70.14	176.89	177.01	265.11	
SW Well 1	8/31/2010 11:15:00	70.34	33.31	0.31	70.14	176.90	177.01	265.11	
SW Well 1	8/31/2010 11:30:00	70.34	33.31	0.31	70.15	176.90	177.01	265.11	
SW Well 1	8/31/2010 11:45:00	70.34	33.30	0.30	70.15	176.90	177.01	265.11	
SW Well 1	8/31/2010 12:00:00	70.33	33.30	0.30	70.15	176.90	177.01	265.11	
SW Well 1	8/31/2010 12:15:00	70.33	33.29	0.29	70.15	176.90	177.00	265.12	
SW Well 1	8/31/2010 12:30:00	70.33	33.29	0.29	70.15	176.90	177.00	265.12	
SW Well 1	8/31/2010 12:45:00	70.33	33.28	0.28	70.15	176.91	177.00	265.12	
SW Well 1	8/31/2010 13:00:00	70.33	33.28	0.28	70.15	176.91	177.00	265.12	
SW Well 1	8/31/2010 13:15:00	70.33	33.28	0.27	70.16	176.91	177.00	265.12	
SW Well 1	8/31/2010 13:30:00	70.33	33.27	0.27	70.16	176.91	176.99	265.13	
SW Well 1	8/31/2010 13:45:00	70.32	33.27	0.26	70.16	176.91	176.99	265.13	
SW Well 1	8/31/2010 14:00:00	70.32	33.26	0.26	70.16	176.91	177.00	265.12	
SW Well 1	8/31/2010 14:15:00	70.32	33.26	0.26	70.16	176.91	176.99	265.13	
SW Well 1	8/31/2010 14:30:00	70.32	33.25	0.25	70.17	176.91	176.99	265.13	
SW Well 1	8/31/2010 14:45:00	70.31	33.25	0.25	70.16	176.92	177.00	265.12	
SW Well 1	8/31/2010 15:00:00	70.32	33.24	0.24	70.17	176.92	176.99	265.13	
SW Well 1	8/31/2010 15:15:00	70.32	33.24	0.24	70.17	176.92	176.99	265.13	
SW Well 1	8/31/2010 15:30:00	70.32	33.23	0.23	70.17	176.92	176.98	265.14	
SW Well 1	8/31/2010 15:45:00	70.31	33.23	0.23	70.17	176.92	176.98	265.14	
SW Well 1	8/31/2010 16:00:00	70.31	33.23	0.22	70.17	176.92	176.98	265.14	
SW Well 1	8/31/2010 16:15:00	70.31	33.22	0.22	70.17	176.93	176.98	265.14	
SW Well 1	8/31/2010 16:30:00	70.31	33.22	0.21	70.17	176.93	176.98	265.14	
SW Well 1	8/31/2010 16:45:00	70.31	33.21	0.21	70.18	176.93	176.98	265.14	
SW Well 1	8/31/2010 17:00:00	70.30	33.21	0.21	70.18	176.93	176.98	265.14	
SW Well 1	8/31/2010 17:15:00	70.30	33.20	0.20	70.18	176.93	176.98	265.14	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	8/31/2010 17:30:00	70.30	33.20	0.20	70.18	176.93	176.97	265.15	
SW Well 1	8/31/2010 17:45:00	70.31	33.20	0.20	70.18	176.93	176.97	265.15	
SW Well 1	8/31/2010 18:00:00	70.31	33.20	0.20	70.18	176.93	176.97	265.15	
SW Well 1	8/31/2010 18:15:00	70.30	33.20	0.20	70.18	176.93	176.98	265.14	
SW Well 1	8/31/2010 18:30:00	70.30	33.21	0.20	70.18	176.93	176.98	265.14	
SW Well 1	8/31/2010 18:45:00	70.30	33.21	0.21	70.17	176.93	176.98	265.14	
SW Well 1	8/31/2010 19:00:00	70.30	33.21	0.21	70.17	176.93	176.98	265.14	
SW Well 1	8/31/2010 19:15:00	70.30	33.21	0.21	70.17	176.93	176.99	265.13	
SW Well 1	8/31/2010 19:30:00	70.30	33.22	0.21	70.17	176.93	176.99	265.13	
SW Well 1	8/31/2010 19:45:00	70.30	33.22	0.22	70.17	176.93	176.98	265.14	
SW Well 1	8/31/2010 20:00:00	70.31	33.22	0.22	70.17	176.93	176.98	265.14	
SW Well 1	8/31/2010 20:15:00	70.30	33.22	0.22	70.17	176.93	176.99	265.13	
SW Well 1	8/31/2010 20:30:00	70.31	33.23	0.22	70.17	176.93	176.99	265.13	
SW Well 1	8/31/2010 20:45:00	70.31	33.23	0.23	70.17	176.92	176.98	265.14	
SW Well 1	8/31/2010 21:00:00	70.31	33.23	0.23	70.17	176.93	176.99	265.13	
SW Well 1	8/31/2010 21:15:00	70.31	33.23	0.23	70.16	176.93	176.99	265.13	
SW Well 1	8/31/2010 21:30:00	70.31	33.23	0.23	70.16	176.93	176.99	265.13	
SW Well 1	8/31/2010 21:45:00	70.31	33.24	0.23	70.16	176.93	176.99	265.13	
SW Well 1	8/31/2010 22:00:00	70.30	33.24	0.24	70.16	176.93	177.00	265.12	
SW Well 1	8/31/2010 22:15:00	70.31	33.24	0.24	70.16	176.93	176.99	265.13	
SW Well 1	8/31/2010 22:30:00	70.30	33.24	0.24	70.15	176.93	177.00	265.12	
SW Well 1	8/31/2010 22:45:00	70.30	33.24	0.24	70.15	176.93	177.00	265.12	
SW Well 1	8/31/2010 23:00:00	70.30	33.25	0.24	70.15	176.93	177.00	265.12	
SW Well 1	8/31/2010 23:15:00	70.30	33.25	0.25	70.15	176.93	177.00	265.12	
SW Well 1	8/31/2010 23:30:00	70.30	33.25	0.25	70.14	176.93	177.01	265.11	
SW Well 1	8/31/2010 23:45:00	70.30	33.25	0.25	70.14	176.93	177.01	265.11	
SW Well 1	9/1/2010 0:00:00	70.30	33.25	0.25	70.14	176.94	177.01	265.11	
SW Well 1	9/1/2010 0:15:00	70.30	33.26	0.25	70.14	176.94	177.02	265.10	
SW Well 1	9/1/2010 0:30:00	70.30	33.26	0.26	70.14	176.93	177.01	265.11	
SW Well 1	9/1/2010 0:45:00	70.30	33.26	0.26	70.14	176.93	177.02	265.10	
SW Well 1	9/1/2010 1:00:00	70.30	33.26	0.26	70.14	176.93	177.02	265.10	
SW Well 1	9/1/2010 1:15:00	70.30	33.26	0.26	70.14	176.93	177.02	265.10	
SW Well 1	9/1/2010 1:30:00	70.30	33.27	0.26	70.13	176.93	177.02	265.10	
SW Well 1	9/1/2010 1:45:00	70.30	33.27	0.26	70.13	176.94	177.02	265.10	
SW Well 1	9/1/2010 2:00:00	70.30	33.27	0.26	70.13	176.94	177.02	265.10	
SW Well 1	9/1/2010 2:15:00	70.30	33.27	0.26	70.13	176.94	177.02	265.10	
SW Well 1	9/1/2010 2:30:00	70.29	33.27	0.26	70.13	176.94	177.03	265.09	
SW Well 1	9/1/2010 2:45:00	70.29	33.27	0.26	70.13	176.94	177.03	265.09	
SW Well 1	9/1/2010 3:00:00	70.29	33.27	0.26	70.12	176.94	177.03	265.09	
SW Well 1	9/1/2010 3:15:00	70.29	33.27	0.26	70.12	176.94	177.03	265.09	
SW Well 1	9/1/2010 3:30:00	70.29	33.27	0.26	70.13	176.94	177.02	265.10	
SW Well 1	9/1/2010 3:45:00	70.29	33.26	0.26	70.13	176.94	177.02	265.10	
SW Well 1	9/1/2010 4:00:00	70.29	33.26	0.26	70.13	176.94	177.02	265.10	
SW Well 1	9/1/2010 4:15:00	70.29	33.26	0.26	70.13	176.94	177.02	265.10	
SW Well 1	9/1/2010 4:30:00	70.29	33.26	0.26	70.13	176.94	177.03	265.09	
SW Well 1	9/1/2010 4:45:00	70.29	33.26	0.26	70.13	176.94	177.03	265.09	
SW Well 1	9/1/2010 5:00:00	70.30	33.26	0.26	70.13	176.94	177.02	265.10	
SW Well 1	9/1/2010 5:15:00	70.29	33.26	0.26	70.13	176.94	177.02	265.10	
SW Well 1	9/1/2010 5:30:00	70.30	33.26	0.26	70.13	176.94	177.02	265.10	
SW Well 1	9/1/2010 5:45:00	70.30	33.27	0.27	70.13	176.94	177.02	265.10	
SW Well 1	9/1/2010 6:00:00	70.30	33.27	0.27	70.13	176.93	177.02	265.10	
SW Well 1	9/1/2010 6:15:00	70.30	33.28	0.28	70.13	176.94	177.03	265.09	
SW Well 1	9/1/2010 6:30:00	70.30	33.28	0.28	70.13	176.93	177.03	265.09	
SW Well 1	9/1/2010 6:45:00	70.31	33.29	0.28	70.13	176.93	177.02	265.10	
SW Well 1	9/1/2010 7:00:00	70.31	33.29	0.29	70.13	176.93	177.03	265.09	
SW Well 1	9/1/2010 7:15:00	70.31	33.30	0.29	70.13	176.92	177.02	265.10	
SW Well 1	9/1/2010 7:30:00	70.32	33.30	0.30	70.13	176.92	177.02	265.10	
SW Well 1	9/1/2010 7:45:00	70.32	33.31	0.30	70.13	176.92	177.03	265.09	
SW Well 1	9/1/2010 8:00:00	70.32	33.31	0.31	70.12	176.92	177.03	265.09	
SW Well 1	9/1/2010 8:15:00	70.32	33.31	0.31	70.13	176.91	177.03	265.09	
SW Well 1	9/1/2010 8:30:00	70.32	33.32	0.32	70.13	176.91	177.03	265.09	
SW Well 1	9/1/2010 8:45:00	70.32	33.32	0.32	70.12	176.91	177.03	265.09	
SW Well 1	9/1/2010 9:00:00	70.32	33.33	0.33	70.12	176.91	177.03	265.09	
SW Well 1	9/1/2010 9:15:00	70.33	33.33	0.33	70.13	176.90	177.03	265.09	
SW Well 1	9/1/2010 9:30:00	70.33	33.34	0.34	70.12	176.90	177.03	265.09	
SW Well 1	9/1/2010 9:45:00	70.34	33.34	0.34	70.12	176.90	177.03	265.09	
SW Well 1	9/1/2010 10:00:00	70.34	33.35	0.34	70.12	176.89	177.03	265.09	
SW Well 1	9/1/2010 10:15:00	70.35	33.35	0.35	70.13	176.89	177.02	265.10	
SW Well 1	9/1/2010 10:30:00	70.35	33.35	0.35	70.13	176.88	177.02	265.10	
SW Well 1	9/1/2010 10:45:00	70.35	33.36	0.36	70.13	176.88	177.02	265.10	
SW Well 1	9/1/2010 11:00:00	70.35	33.36	0.36	70.13	176.88	177.02	265.10	
SW Well 1	9/1/2010 11:15:00	70.36	33.37	0.36	70.13	176.87	177.02	265.10	
SW Well 1	9/1/2010 11:30:00	70.36	33.37	0.37	70.13	176.87	177.02	265.10	
SW Well 1	9/1/2010 11:45:00	70.36	33.37	0.37	70.13	176.87	177.02	265.10	
SW Well 1	9/1/2010 12:00:00	70.37	33.38	0.38	70.13	176.87	177.02	265.10	
SW Well 1	9/1/2010 12:15:00	70.37	33.38	0.38	70.13	176.87	177.02	265.10	
SW Well 1	9/1/2010 12:30:00	70.37	33.39	0.38	70.13	176.86	177.02	265.10	
SW Well 1	9/1/2010 12:45:00	70.37	33.39	0.39	70.13	176.86	177.02	265.10	
SW Well 1	9/1/2010 13:00:00	70.37	33.39	0.39	70.13	176.86	177.02	265.10	
SW Well 1	9/1/2010 13:15:00	70.37	33.40	0.40	70.13	176.86	177.03	265.09	
SW Well 1	9/1/2010 13:30:00	70.38	33.40	0.40	70.13	176.86	177.03	265.09	
SW Well 1	9/1/2010 13:45:00	70.38	33.40	0.40	70.13	176.85	177.02	265.10	
SW Well 1	9/1/2010 14:00:00	70.38	33.40	0.40	70.13	176.85	177.02	265.10	
SW Well 1	9/1/2010 14:15:00	70.39	33.41	0.40	70.13	176.85	177.02	265.10	
SW Well 1	9/1/2010 14:30:00	70.39	33.41	0.40	70.14	176.84	177.02	265.10	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/1/2010 14:45:00	70.39	33.41	0.41	70.14	176.84	177.02	265.10	
SW Well 1	9/1/2010 15:00:00	70.39	33.41	0.41	70.14	176.84	177.02	265.10	
SW Well 1	9/1/2010 15:15:00	70.39	33.41	0.41	70.14	176.84	177.01	265.11	
SW Well 1	9/1/2010 15:30:00	70.40	33.41	0.41	70.14	176.84	177.01	265.11	
SW Well 1	9/1/2010 15:45:00	70.40	33.41	0.41	70.15	176.83	177.01	265.11	
SW Well 1	9/1/2010 16:00:00	70.40	33.41	0.41	70.15	176.83	177.01	265.11	
SW Well 1	9/1/2010 16:15:00	70.40	33.41	0.41	70.15	176.83	177.01	265.11	
SW Well 1	9/1/2010 16:30:00	70.40	33.41	0.41	70.15	176.83	177.01	265.11	
SW Well 1	9/1/2010 16:45:00	70.41	33.41	0.41	70.15	176.83	177.00	265.12	
SW Well 1	9/1/2010 17:00:00	70.40	33.41	0.41	70.15	176.83	177.01	265.11	
SW Well 1	9/1/2010 17:15:00	70.41	33.42	0.41	70.15	176.83	177.00	265.12	
SW Well 1	9/1/2010 17:30:00	70.41	33.42	0.41	70.15	176.82	177.00	265.12	
SW Well 1	9/1/2010 17:45:00	70.41	33.42	0.42	70.15	176.82	177.00	265.12	
SW Well 1	9/1/2010 18:00:00	70.41	33.42	0.42	70.15	176.82	177.00	265.12	
SW Well 1	9/1/2010 18:15:00	70.41	33.42	0.42	70.15	176.82	177.00	265.12	
SW Well 1	9/1/2010 18:30:00	70.42	33.43	0.42	70.15	176.82	177.00	265.12	
SW Well 1	9/1/2010 18:45:00	70.42	33.43	0.43	70.15	176.82	177.00	265.12	
SW Well 1	9/1/2010 19:00:00	70.42	33.43	0.43	70.15	176.81	177.00	265.12	
SW Well 1	9/1/2010 19:15:00	70.42	33.43	0.43	70.15	176.81	177.00	265.12	
SW Well 1	9/1/2010 19:30:00	70.42	33.44	0.43	70.15	176.81	177.00	265.12	
SW Well 1	9/1/2010 19:45:00	70.43	33.44	0.44	70.16	176.80	177.00	265.12	
SW Well 1	9/1/2010 20:00:00	70.43	33.44	0.44	70.16	176.80	177.00	265.12	
SW Well 1	9/1/2010 20:15:00	70.43	33.44	0.44	70.16	176.80	177.00	265.12	
SW Well 1	9/1/2010 20:30:00	70.44	33.45	0.44	70.16	176.80	176.99	265.13	
SW Well 1	9/1/2010 20:45:00	70.44	33.45	0.45	70.16	176.80	176.99	265.13	
SW Well 1	9/1/2010 21:00:00	70.44	33.45	0.45	70.17	176.79	176.99	265.13	
SW Well 1	9/1/2010 21:15:00	70.44	33.45	0.45	70.16	176.79	176.99	265.13	
SW Well 1	9/1/2010 21:30:00	70.45	33.46	0.45	70.17	176.78	176.99	265.13	
SW Well 1	9/1/2010 21:45:00	70.44	33.46	0.46	70.16	176.79	176.99	265.13	
SW Well 1	9/1/2010 22:00:00	70.44	33.46	0.46	70.16	176.79	176.99	265.13	
SW Well 1	9/1/2010 22:15:00	70.45	33.46	0.46	70.16	176.78	176.99	265.13	
SW Well 1	9/1/2010 22:30:00	70.45	33.47	0.46	70.16	176.78	176.99	265.13	
SW Well 1	9/1/2010 22:45:00	70.45	33.47	0.47	70.16	176.78	177.00	265.12	
SW Well 1	9/1/2010 23:00:00	70.45	33.47	0.47	70.16	176.78	176.99	265.13	
SW Well 1	9/1/2010 23:15:00	70.45	33.47	0.47	70.16	176.78	177.00	265.12	
SW Well 1	9/1/2010 23:30:00	70.45	33.48	0.47	70.16	176.78	177.00	265.12	
SW Well 1	9/1/2010 23:45:00	70.45	33.48	0.48	70.16	176.78	177.00	265.12	
SW Well 1	9/2/2010 0:00:00	70.46	33.48	0.48	70.16	176.78	177.00	265.12	
SW Well 1	9/2/2010 0:15:00	70.46	33.48	0.48	70.16	176.78	177.00	265.12	
SW Well 1	9/2/2010 0:30:00	70.46	33.49	0.48	70.15	176.78	177.00	265.12	
SW Well 1	9/2/2010 0:45:00	70.46	33.49	0.49	70.16	176.77	177.00	265.12	
SW Well 1	9/2/2010 1:00:00	70.46	33.49	0.49	70.15	176.78	177.00	265.12	
SW Well 1	9/2/2010 1:15:00	70.46	33.49	0.49	70.15	176.77	177.00	265.12	
SW Well 1	9/2/2010 1:30:00	70.46	33.50	0.49	70.15	176.77	177.00	265.12	
SW Well 1	9/2/2010 1:45:00	70.46	33.50	0.50	70.15	176.77	177.00	265.12	
SW Well 1	9/2/2010 2:00:00	70.46	33.50	0.50	70.15	176.78	177.01	265.11	
SW Well 1	9/2/2010 2:15:00	70.46	33.50	0.50	70.15	176.77	177.00	265.12	
SW Well 1	9/2/2010 2:30:00	70.46	33.50	0.50	70.14	176.78	177.01	265.11	
SW Well 1	9/2/2010 2:45:00	70.46	33.50	0.50	70.15	176.77	177.01	265.11	
SW Well 1	9/2/2010 3:00:00	70.46	33.51	0.50	70.15	176.77	177.01	265.11	
SW Well 1	9/2/2010 3:15:00	70.46	33.51	0.51	70.15	176.77	177.01	265.11	
SW Well 1	9/2/2010 3:30:00	70.46	33.51	0.51	70.14	176.77	177.01	265.11	
SW Well 1	9/2/2010 3:45:00	70.46	33.51	0.51	70.14	176.77	177.01	265.11	
SW Well 1	9/2/2010 4:00:00	70.46	33.51	0.51	70.14	176.77	177.01	265.11	
SW Well 1	9/2/2010 4:15:00	70.46	33.51	0.51	70.14	176.77	177.01	265.11	
SW Well 1	9/2/2010 4:30:00	70.46	33.51	0.51	70.14	176.78	177.02	265.10	
SW Well 1	9/2/2010 4:45:00	70.46	33.52	0.51	70.14	176.77	177.01	265.11	
SW Well 1	9/2/2010 5:00:00	70.46	33.52	0.52	70.14	176.78	177.02	265.10	
SW Well 1	9/2/2010 5:15:00	70.46	33.52	0.52	70.13	176.78	177.02	265.10	
SW Well 1	9/2/2010 5:30:00	70.46	33.52	0.52	70.13	176.78	177.02	265.10	
SW Well 1	9/2/2010 5:45:00	70.46	33.52	0.52	70.14	176.77	177.02	265.10	
SW Well 1	9/2/2010 6:00:00	70.46	33.52	0.52	70.14	176.78	177.02	265.10	
SW Well 1	9/2/2010 6:15:00	70.46	33.52	0.51	70.14	176.78	177.02	265.10	
SW Well 1	9/2/2010 6:30:00	70.46	33.51	0.51	70.14	176.77	177.01	265.11	
SW Well 1	9/2/2010 6:45:00	70.46	33.51	0.51	70.14	176.77	177.01	265.11	
SW Well 1	9/2/2010 7:00:00	70.46	33.51	0.51	70.14	176.77	177.01	265.11	
SW Well 1	9/2/2010 7:15:00	70.46	33.51	0.51	70.14	176.77	177.01	265.11	
SW Well 1	9/2/2010 7:30:00	70.46	33.51	0.51	70.15	176.77	177.01	265.11	
SW Well 1	9/2/2010 7:45:00	70.47	33.51	0.51	70.15	176.77	177.00	265.12	
SW Well 1	9/2/2010 8:00:00	70.46	33.51	0.50	70.15	176.77	177.00	265.12	
SW Well 1	9/2/2010 8:15:00	70.46	33.51	0.50	70.15	176.77	177.00	265.12	
SW Well 1	9/2/2010 8:30:00	70.46	33.50	0.50	70.15	176.77	177.00	265.12	
SW Well 1	9/2/2010 8:45:00	70.46	33.50	0.50	70.15	176.77	177.01	265.11	
SW Well 1	9/2/2010 9:00:00	70.46	33.50	0.50	70.15	176.77	177.00	265.12	
SW Well 1	9/2/2010 9:15:00	70.46	33.50	0.50	70.15	176.77	177.00	265.12	
SW Well 1	9/2/2010 9:30:00	70.46	33.50	0.50	70.15	176.77	177.00	265.12	
SW Well 1	9/2/2010 9:45:00	70.46	33.49	0.49	70.16	176.77	176.99	265.13	
SW Well 1	9/2/2010 10:00:00	70.46	33.48	0.48	70.17	176.77	176.99	265.13	
SW Well 1	9/2/2010 10:15:00	70.46	33.47	0.47	70.17	176.77	176.98	265.14	
SW Well 1	9/2/2010 10:30:00	70.46	33.46	0.46	70.18	176.77	176.98	265.14	
SW Well 1	9/2/2010 10:45:00	70.46	33.45	0.45	70.19	176.77	176.97	265.15	
SW Well 1	9/2/2010 11:00:00	70.46	33.44	0.44	70.19	176.77	176.97	265.15	
SW Well 1	9/2/2010 11:15:00	70.46	33.43	0.43	70.19	176.77	176.96	265.16	
SW Well 1	9/2/2010 11:30:00	70.46	33.42	0.42	70.20	176.77	176.95	265.17	
SW Well 1	9/2/2010 11:45:00	70.46	33.41	0.41	70.20	176.78	176.95	265.17	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/2/2010 12:00:00	70.46	33.40	0.40	70.21	176.78	176.95	265.17	
SW Well 1	9/2/2010 12:15:00	70.46	33.39	0.39	70.21	176.78	176.94	265.18	
SW Well 1	9/2/2010 12:30:00	70.45	33.38	0.38	70.22	176.78	176.94	265.18	
SW Well 1	9/2/2010 12:45:00	70.45	33.37	0.37	70.22	176.78	176.93	265.19	
SW Well 1	9/2/2010 13:00:00	70.45	33.36	0.36	70.23	176.78	176.93	265.19	
SW Well 1	9/2/2010 13:15:00	70.45	33.35	0.35	70.23	176.78	176.92	265.20	
SW Well 1	9/2/2010 13:30:00	70.44	33.34	0.34	70.23	176.79	176.92	265.20	
SW Well 1	9/2/2010 13:45:00	70.44	33.33	0.33	70.23	176.79	176.92	265.20	
SW Well 1	9/2/2010 14:00:00	70.44	33.33	0.32	70.23	176.80	176.92	265.20	
SW Well 1	9/2/2010 14:15:00	70.43	33.32	0.32	70.24	176.80	176.92	265.20	
SW Well 1	9/2/2010 14:30:00	70.43	33.31	0.31	70.24	176.80	176.92	265.20	
SW Well 1	9/2/2010 14:45:00	70.43	33.30	0.30	70.24	176.80	176.91	265.21	
SW Well 1	9/2/2010 15:00:00	70.43	33.30	0.29	70.25	176.80	176.91	265.21	
SW Well 1	9/2/2010 15:15:00	70.42	33.29	0.29	70.24	176.81	176.91	265.21	
SW Well 1	9/2/2010 15:30:00	70.42	33.28	0.28	70.25	176.81	176.91	265.21	
SW Well 1	9/2/2010 15:45:00	70.42	33.27	0.27	70.25	176.82	176.91	265.21	
SW Well 1	9/2/2010 16:00:00	70.41	33.27	0.26	70.25	176.82	176.91	265.21	
SW Well 1	9/2/2010 16:15:00	70.41	33.26	0.26	70.25	176.82	176.90	265.22	
SW Well 1	9/2/2010 16:30:00	70.41	33.25	0.25	70.25	176.83	176.90	265.22	
SW Well 1	9/2/2010 16:45:00	70.41	33.24	0.24	70.25	176.83	176.90	265.22	
SW Well 1	9/2/2010 17:00:00	70.41	33.24	0.23	70.26	176.83	176.89	265.23	
SW Well 1	9/2/2010 17:15:00	70.40	33.23	0.23	70.26	176.83	176.89	265.23	
SW Well 1	9/2/2010 17:30:00	70.40	33.22	0.22	70.26	176.84	176.89	265.23	
SW Well 1	9/2/2010 17:45:00	70.39	33.22	0.22	70.26	176.84	176.90	265.22	
SW Well 1	9/2/2010 18:00:00	70.39	33.22	0.22	70.25	176.84	176.90	265.22	
SW Well 1	9/2/2010 18:15:00	70.39	33.22	0.22	70.25	176.85	176.90	265.22	
SW Well 1	9/2/2010 18:30:00	70.38	33.22	0.21	70.24	176.86	176.91	265.21	
SW Well 1	9/2/2010 18:45:00	70.38	33.21	0.21	70.25	176.86	176.91	265.21	
SW Well 1	9/2/2010 19:00:00	70.38	33.21	0.21	70.25	176.85	176.90	265.22	
SW Well 1	9/2/2010 19:15:00	70.37	33.21	0.21	70.24	176.86	176.91	265.21	
SW Well 1	9/2/2010 19:30:00	70.37	33.21	0.21	70.24	176.86	176.91	265.21	
SW Well 1	9/2/2010 19:45:00	70.37	33.21	0.21	70.24	176.86	176.91	265.21	
SW Well 1	9/2/2010 20:00:00	70.37	33.21	0.20	70.24	176.87	176.91	265.21	
SW Well 1	9/2/2010 20:15:00	70.37	33.20	0.20	70.24	176.87	176.91	265.21	
SW Well 1	9/2/2010 20:30:00	70.37	33.20	0.20	70.24	176.87	176.91	265.21	
SW Well 1	9/2/2010 20:45:00	70.36	33.20	0.20	70.24	176.87	176.92	265.20	
SW Well 1	9/2/2010 21:00:00	70.36	33.20	0.20	70.24	176.87	176.91	265.21	
SW Well 1	9/2/2010 21:15:00	70.36	33.20	0.20	70.24	176.87	176.92	265.20	
SW Well 1	9/2/2010 21:30:00	70.36	33.20	0.19	70.24	176.87	176.91	265.21	
SW Well 1	9/2/2010 21:45:00	70.35	33.20	0.19	70.23	176.88	176.92	265.20	
SW Well 1	9/2/2010 22:00:00	70.35	33.20	0.20	70.23	176.88	176.92	265.20	
SW Well 1	9/2/2010 22:15:00	70.35	33.20	0.20	70.23	176.88	176.92	265.20	
SW Well 1	9/2/2010 22:30:00	70.35	33.20	0.20	70.23	176.88	176.93	265.19	
SW Well 1	9/2/2010 22:45:00	70.35	33.20	0.20	70.23	176.88	176.93	265.19	
SW Well 1	9/2/2010 23:00:00	70.35	33.20	0.20	70.22	176.89	176.93	265.19	
SW Well 1	9/2/2010 23:15:00	70.34	33.20	0.20	70.22	176.89	176.93	265.19	
SW Well 1	9/2/2010 23:30:00	70.34	33.20	0.20	70.22	176.89	176.94	265.18	
SW Well 1	9/2/2010 23:45:00	70.34	33.20	0.20	70.22	176.89	176.94	265.18	
SW Well 1	9/3/2010 0:00:00	70.34	33.20	0.20	70.21	176.89	176.94	265.18	
SW Well 1	9/3/2010 0:15:00	70.34	33.20	0.20	70.21	176.90	176.94	265.18	
SW Well 1	9/3/2010 0:30:00	70.34	33.20	0.20	70.21	176.90	176.94	265.18	
SW Well 1	9/3/2010 0:45:00	70.33	33.20	0.20	70.21	176.90	176.95	265.17	
SW Well 1	9/3/2010 1:00:00	70.34	33.20	0.20	70.21	176.90	176.94	265.18	
SW Well 1	9/3/2010 1:15:00	70.33	33.21	0.20	70.20	176.90	176.95	265.17	
SW Well 1	9/3/2010 1:30:00	70.34	33.21	0.20	70.21	176.90	176.95	265.17	
SW Well 1	9/3/2010 1:45:00	70.34	33.21	0.21	70.21	176.90	176.95	265.17	
SW Well 1	9/3/2010 2:00:00	70.33	33.21	0.21	70.20	176.90	176.95	265.17	
SW Well 1	9/3/2010 2:15:00	70.33	33.21	0.21	70.20	176.91	176.96	265.16	
SW Well 1	9/3/2010 2:30:00	70.33	33.22	0.21	70.19	176.91	176.96	265.16	
SW Well 1	9/3/2010 2:45:00	70.32	33.22	0.22	70.19	176.91	176.96	265.16	
SW Well 1	9/3/2010 3:00:00	70.32	33.22	0.22	70.19	176.91	176.97	265.15	
SW Well 1	9/3/2010 3:15:00	70.32	33.22	0.22	70.19	176.91	176.97	265.15	
SW Well 1	9/3/2010 3:30:00	70.32	33.22	0.22	70.18	176.91	176.97	265.15	
SW Well 1	9/3/2010 3:45:00	70.32	33.23	0.22	70.18	176.92	176.98	265.14	
SW Well 1	9/3/2010 4:00:00	70.31	33.23	0.23	70.17	176.92	176.98	265.14	
SW Well 1	9/3/2010 4:15:00	70.31	33.23	0.23	70.16	176.93	176.99	265.13	
SW Well 1	9/3/2010 4:30:00	70.31	33.23	0.23	70.17	176.92	176.99	265.13	
SW Well 1	9/3/2010 4:45:00	70.31	33.24	0.23	70.17	176.92	176.99	265.13	
SW Well 1	9/3/2010 5:00:00	70.31	33.24	0.24	70.16	176.93	176.99	265.13	
SW Well 1	9/3/2010 5:15:00	70.30	33.24	0.24	70.16	176.93	177.00	265.12	
SW Well 1	9/3/2010 5:30:00	70.30	33.24	0.24	70.15	176.93	177.00	265.12	
SW Well 1	9/3/2010 5:45:00	70.30	33.24	0.24	70.15	176.94	177.01	265.11	
SW Well 1	9/3/2010 6:00:00	70.30	33.24	0.24	70.15	176.93	177.01	265.11	
SW Well 1	9/3/2010 6:15:00	70.30	33.25	0.24	70.15	176.94	177.01	265.11	
SW Well 1	9/3/2010 6:30:00	70.30	33.25	0.24	70.14	176.94	177.01	265.11	
SW Well 1	9/3/2010 6:45:00	70.30	33.25	0.24	70.14	176.94	177.01	265.11	
SW Well 1	9/3/2010 7:00:00	70.30	33.25	0.25	70.14	176.94	177.01	265.11	
SW Well 1	9/3/2010 7:15:00	70.30	33.25	0.25	70.15	176.93	177.01	265.11	
SW Well 1	9/3/2010 7:30:00	70.30	33.25	0.25	70.15	176.93	177.01	265.11	
SW Well 1	9/3/2010 7:45:00	70.30	33.25	0.25	70.15	176.93	177.01	265.11	
SW Well 1	9/3/2010 8:00:00	70.30	33.25	0.25	70.14	176.94	177.01	265.11	
SW Well 1	9/3/2010 8:15:00	70.30	33.25	0.25	70.14	176.94	177.01	265.11	
SW Well 1	9/3/2010 8:30:00	70.30	33.25	0.25	70.14	176.94	177.01	265.11	
SW Well 1	9/3/2010 8:45:00	70.30	33.25	0.25	70.14	176.94	177.01	265.11	
SW Well 1	9/3/2010 9:00:00	70.30	33.25	0.25	70.14	176.94	177.01	265.11	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/3/2010 9:15:00	70.29	33.25	0.25	70.14	176.94	177.02	265.10	
SW Well 1	9/3/2010 9:30:00	70.30	33.26	0.25	70.14	176.94	177.01	265.11	
SW Well 1	9/3/2010 9:45:00	70.30	33.25	0.25	70.14	176.94	177.01	265.11	
SW Well 1	9/3/2010 10:00:00	70.30	33.25	0.24	70.15	176.93	177.01	265.11	
SW Well 1	9/3/2010 10:15:00	70.30	33.24	0.24	70.15	176.93	177.00	265.12	
SW Well 1	9/3/2010 10:30:00	70.30	33.24	0.24	70.16	176.93	177.00	265.12	
SW Well 1	9/3/2010 10:45:00	70.30	33.23	0.23	70.16	176.93	177.00	265.12	
SW Well 1	9/3/2010 11:00:00	70.30	33.23	0.23	70.16	176.93	176.99	265.13	
SW Well 1	9/3/2010 11:15:00	70.30	33.23	0.22	70.16	176.93	176.99	265.13	
SW Well 1	9/3/2010 11:30:00	70.30	33.22	0.22	70.17	176.93	176.99	265.13	
SW Well 1	9/3/2010 11:45:00	70.31	33.22	0.22	70.17	176.93	176.98	265.14	
SW Well 1	9/3/2010 12:00:00	70.31	33.21	0.21	70.18	176.93	176.98	265.14	
SW Well 1	9/3/2010 12:15:00	70.30	33.21	0.21	70.17	176.93	176.98	265.14	
SW Well 1	9/3/2010 12:30:00	70.30	33.21	0.20	70.18	176.93	176.98	265.14	
SW Well 1	9/3/2010 12:45:00	70.31	33.20	0.20	70.18	176.93	176.97	265.15	
SW Well 1	9/3/2010 13:00:00	70.31	33.20	0.20	70.19	176.93	176.97	265.15	
SW Well 1	9/3/2010 13:15:00	70.30	33.19	0.19	70.18	176.93	176.97	265.15	
SW Well 1	9/3/2010 13:30:00	70.30	33.19	0.19	70.19	176.93	176.97	265.15	
SW Well 1	9/3/2010 13:45:00	70.31	33.19	0.19	70.19	176.93	176.96	265.16	
SW Well 1	9/3/2010 14:00:00	70.31	33.18	0.18	70.19	176.93	176.96	265.16	
SW Well 1	9/3/2010 14:15:00	70.31	33.18	0.18	70.20	176.93	176.96	265.16	
SW Well 1	9/3/2010 14:30:00	70.31	33.18	0.18	70.20	176.93	176.96	265.16	
SW Well 1	9/3/2010 14:45:00	70.30	33.18	0.17	70.19	176.93	176.96	265.16	
SW Well 1	9/3/2010 15:00:00	70.30	33.17	0.17	70.20	176.93	176.96	265.16	
SW Well 1	9/3/2010 15:15:00	70.30	33.17	0.17	70.20	176.93	176.96	265.16	
SW Well 1	9/3/2010 15:30:00	70.30	33.17	0.17	70.20	176.93	176.95	265.17	
SW Well 1	9/3/2010 15:45:00	70.30	33.17	0.16	70.20	176.93	176.95	265.17	
SW Well 1	9/3/2010 16:00:00	70.30	33.16	0.16	70.20	176.93	176.95	265.17	
SW Well 1	9/3/2010 16:15:00	70.30	33.16	0.16	70.20	176.93	176.95	265.17	
SW Well 1	9/3/2010 16:30:00	70.30	33.16	0.16	70.20	176.93	176.95	265.17	
SW Well 1	9/3/2010 16:45:00	70.30	33.16	0.15	70.20	176.93	176.95	265.17	
SW Well 1	9/3/2010 17:00:00	70.30	33.15	0.15	70.21	176.93	176.95	265.17	
SW Well 1	9/3/2010 17:15:00	70.30	33.15	0.15	70.21	176.93	176.95	265.17	
SW Well 1	9/3/2010 17:30:00	70.30	33.15	0.15	70.21	176.93	176.95	265.17	
SW Well 1	9/3/2010 17:45:00	70.30	33.15	0.15	70.21	176.93	176.95	265.17	
SW Well 1	9/3/2010 18:00:00	70.30	33.16	0.15	70.20	176.93	176.95	265.17	
SW Well 1	9/3/2010 18:15:00	70.30	33.16	0.16	70.20	176.93	176.95	265.17	
SW Well 1	9/3/2010 18:30:00	70.30	33.17	0.16	70.20	176.93	176.96	265.16	
SW Well 1	9/3/2010 18:45:00	70.30	33.17	0.17	70.19	176.94	176.96	265.16	
SW Well 1	9/3/2010 19:00:00	70.30	33.17	0.17	70.19	176.94	176.96	265.16	
SW Well 1	9/3/2010 19:15:00	70.30	33.18	0.18	70.19	176.93	176.96	265.16	
SW Well 1	9/3/2010 19:30:00	70.30	33.18	0.18	70.18	176.94	176.97	265.15	
SW Well 1	9/3/2010 19:45:00	70.30	33.19	0.19	70.18	176.93	176.97	265.15	
SW Well 1	9/3/2010 20:00:00	70.30	33.19	0.19	70.18	176.93	176.97	265.15	
SW Well 1	9/3/2010 20:15:00	70.30	33.20	0.19	70.18	176.93	176.97	265.15	
SW Well 1	9/3/2010 20:30:00	70.30	33.20	0.20	70.18	176.93	176.97	265.15	
SW Well 1	9/3/2010 20:45:00	70.30	33.21	0.20	70.18	176.93	176.98	265.14	
SW Well 1	9/3/2010 21:00:00	70.30	33.21	0.21	70.17	176.93	176.98	265.14	
SW Well 1	9/3/2010 21:15:00	70.31	33.21	0.21	70.18	176.93	176.98	265.14	
SW Well 1	9/3/2010 21:30:00	70.31	33.22	0.22	70.18	176.92	176.98	265.14	
SW Well 1	9/3/2010 21:45:00	70.31	33.22	0.22	70.17	176.92	176.98	265.14	
SW Well 1	9/3/2010 22:00:00	70.31	33.23	0.23	70.17	176.92	176.98	265.14	
SW Well 1	9/3/2010 22:15:00	70.31	33.23	0.23	70.17	176.92	176.99	265.13	
SW Well 1	9/3/2010 22:30:00	70.32	33.24	0.23	70.17	176.92	176.98	265.14	
SW Well 1	9/3/2010 22:45:00	70.32	33.24	0.24	70.17	176.92	176.99	265.13	
SW Well 1	9/3/2010 23:00:00	70.32	33.25	0.24	70.17	176.91	176.99	265.13	
SW Well 1	9/3/2010 23:15:00	70.32	33.25	0.25	70.17	176.91	176.98	265.14	
SW Well 1	9/3/2010 23:30:00	70.32	33.25	0.25	70.17	176.91	176.99	265.13	
SW Well 1	9/3/2010 23:45:00	70.32	33.26	0.26	70.16	176.91	176.99	265.13	
SW Well 1	9/4/2010 0:00:00	70.33	33.26	0.26	70.16	176.91	176.99	265.13	
SW Well 1	9/4/2010 0:15:00	70.33	33.27	0.27	70.16	176.91	176.99	265.13	
SW Well 1	9/4/2010 0:30:00	70.33	33.27	0.27	70.16	176.91	176.99	265.13	
SW Well 1	9/4/2010 0:45:00	70.33	33.28	0.27	70.16	176.90	176.99	265.13	
SW Well 1	9/4/2010 1:00:00	70.33	33.28	0.28	70.16	176.90	177.00	265.12	
SW Well 1	9/4/2010 1:15:00	70.33	33.29	0.28	70.16	176.90	177.00	265.12	
SW Well 1	9/4/2010 1:30:00	70.34	33.29	0.29	70.16	176.90	177.00	265.12	
SW Well 1	9/4/2010 1:45:00	70.34	33.29	0.29	70.15	176.90	177.00	265.12	
SW Well 1	9/4/2010 2:00:00	70.34	33.30	0.29	70.15	176.90	177.00	265.12	
SW Well 1	9/4/2010 2:15:00	70.34	33.30	0.30	70.15	176.90	177.00	265.12	
SW Well 1	9/4/2010 2:30:00	70.34	33.30	0.30	70.15	176.89	177.00	265.12	
SW Well 1	9/4/2010 2:45:00	70.34	33.30	0.30	70.15	176.89	177.00	265.12	
SW Well 1	9/4/2010 3:00:00	70.34	33.31	0.30	70.15	176.89	177.00	265.12	
SW Well 1	9/4/2010 3:15:00	70.34	33.31	0.31	70.15	176.89	177.00	265.12	
SW Well 1	9/4/2010 3:30:00	70.34	33.31	0.31	70.15	176.89	177.00	265.12	
SW Well 1	9/4/2010 3:45:00	70.35	33.31	0.31	70.15	176.89	177.00	265.12	
SW Well 1	9/4/2010 4:00:00	70.35	33.32	0.31	70.15	176.89	177.00	265.12	
SW Well 1	9/4/2010 4:15:00	70.34	33.32	0.32	70.15	176.89	177.01	265.11	
SW Well 1	9/4/2010 4:30:00	70.35	33.32	0.32	70.15	176.89	177.00	265.12	
SW Well 1	9/4/2010 4:45:00	70.35	33.32	0.32	70.15	176.89	177.01	265.11	
SW Well 1	9/4/2010 5:00:00	70.35	33.33	0.32	70.15	176.89	177.01	265.11	
SW Well 1	9/4/2010 5:15:00	70.35	33.33	0.33	70.14	176.89	177.01	265.11	
SW Well 1	9/4/2010 5:30:00	70.35	33.33	0.33	70.14	176.89	177.01	265.11	
SW Well 1	9/4/2010 5:45:00	70.34	33.33	0.33	70.14	176.89	177.02	265.10	
SW Well 1	9/4/2010 6:00:00	70.35	33.34	0.34	70.14	176.89	177.02	265.10	
SW Well 1	9/4/2010 6:15:00	70.35	33.34	0.34	70.13	176.89	177.02	265.10	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/4/2010 6:30:00	70.35	33.35	0.35	70.13	176.88	177.02	265.10	
SW Well 1	9/4/2010 6:45:00	70.35	33.35	0.35	70.13	176.89	177.03	265.09	
SW Well 1	9/4/2010 7:00:00	70.35	33.36	0.36	70.13	176.88	177.02	265.10	
SW Well 1	9/4/2010 7:15:00	70.36	33.36	0.36	70.13	176.87	177.02	265.10	
SW Well 1	9/4/2010 7:30:00	70.36	33.37	0.37	70.13	176.87	177.02	265.10	
SW Well 1	9/4/2010 7:45:00	70.36	33.37	0.37	70.13	176.87	177.03	265.09	
SW Well 1	9/4/2010 8:00:00	70.36	33.38	0.38	70.13	176.87	177.03	265.09	
SW Well 1	9/4/2010 8:15:00	70.36	33.38	0.38	70.13	176.87	177.03	265.09	
SW Well 1	9/4/2010 8:30:00	70.36	33.39	0.39	70.12	176.87	177.03	265.09	
SW Well 1	9/4/2010 8:45:00	70.36	33.39	0.39	70.12	176.87	177.03	265.09	
SW Well 1	9/4/2010 9:00:00	70.37	33.40	0.40	70.12	176.87	177.03	265.09	
SW Well 1	9/4/2010 9:15:00	70.37	33.40	0.40	70.12	176.87	177.04	265.08	
SW Well 1	9/4/2010 9:30:00	70.37	33.41	0.41	70.11	176.87	177.04	265.08	
SW Well 1	9/4/2010 9:45:00	70.37	33.41	0.40	70.12	176.86	177.03	265.09	
SW Well 1	9/4/2010 10:00:00	70.37	33.40	0.40	70.12	176.86	177.03	265.09	
SW Well 1	9/4/2010 10:15:00	70.38	33.40	0.40	70.13	176.86	177.03	265.09	
SW Well 1	9/4/2010 10:30:00	70.37	33.40	0.40	70.13	176.86	177.03	265.09	
SW Well 1	9/4/2010 10:45:00	70.38	33.40	0.40	70.13	176.86	177.02	265.10	
SW Well 1	9/4/2010 11:00:00	70.38	33.40	0.40	70.14	176.85	177.02	265.10	
SW Well 1	9/4/2010 11:15:00	70.39	33.40	0.39	70.14	176.85	177.01	265.11	
SW Well 1	9/4/2010 11:30:00	70.39	33.39	0.39	70.14	176.85	177.01	265.11	
SW Well 1	9/4/2010 11:45:00	70.39	33.39	0.39	70.14	176.85	177.01	265.11	
SW Well 1	9/4/2010 12:00:00	70.39	33.39	0.39	70.15	176.84	177.01	265.11	
SW Well 1	9/4/2010 12:15:00	70.39	33.39	0.39	70.15	176.84	177.00	265.12	
SW Well 1	9/4/2010 12:30:00	70.40	33.39	0.39	70.16	176.84	177.00	265.12	
SW Well 1	9/4/2010 12:45:00	70.40	33.39	0.38	70.16	176.84	176.99	265.13	
SW Well 1	9/4/2010 13:00:00	70.40	33.38	0.38	70.16	176.83	176.99	265.13	
SW Well 1	9/4/2010 13:15:00	70.40	33.38	0.38	70.16	176.83	176.99	265.13	
SW Well 1	9/4/2010 13:30:00	70.40	33.38	0.38	70.17	176.83	176.99	265.13	
SW Well 1	9/4/2010 13:45:00	70.41	33.38	0.38	70.17	176.83	176.98	265.14	
SW Well 1	9/4/2010 14:00:00	70.41	33.38	0.37	70.18	176.82	176.98	265.14	
SW Well 1	9/4/2010 14:15:00	70.41	33.37	0.37	70.18	176.82	176.97	265.15	
SW Well 1	9/4/2010 14:30:00	70.41	33.37	0.37	70.18	176.82	176.97	265.15	
SW Well 1	9/4/2010 14:45:00	70.41	33.37	0.37	70.18	176.82	176.97	265.15	
SW Well 1	9/4/2010 15:00:00	70.41	33.36	0.36	70.18	176.82	176.97	265.15	
SW Well 1	9/4/2010 15:15:00	70.41	33.36	0.36	70.19	176.82	176.96	265.16	
SW Well 1	9/4/2010 15:30:00	70.42	33.36	0.36	70.19	176.82	176.96	265.16	
SW Well 1	9/4/2010 15:45:00	70.42	33.36	0.35	70.20	176.82	176.96	265.16	
SW Well 1	9/4/2010 16:00:00	70.42	33.35	0.35	70.20	176.82	176.96	265.16	
SW Well 1	9/4/2010 16:15:00	70.42	33.35	0.35	70.20	176.82	176.95	265.17	
SW Well 1	9/4/2010 16:30:00	70.41	33.35	0.35	70.20	176.82	176.96	265.16	
SW Well 1	9/4/2010 16:45:00	70.41	33.35	0.34	70.20	176.82	176.95	265.17	
SW Well 1	9/4/2010 17:00:00	70.41	33.34	0.34	70.20	176.82	176.95	265.17	
SW Well 1	9/4/2010 17:15:00	70.41	33.34	0.34	70.20	176.82	176.95	265.17	
SW Well 1	9/4/2010 17:30:00	70.41	33.34	0.34	70.20	176.82	176.95	265.17	
SW Well 1	9/4/2010 17:45:00	70.41	33.34	0.34	70.20	176.82	176.95	265.17	
SW Well 1	9/4/2010 18:00:00	70.41	33.34	0.34	70.20	176.82	176.96	265.16	
SW Well 1	9/4/2010 18:15:00	70.41	33.34	0.34	70.20	176.82	176.96	265.16	
SW Well 1	9/4/2010 18:30:00	70.41	33.35	0.34	70.20	176.82	176.96	265.16	
SW Well 1	9/4/2010 18:45:00	70.41	33.35	0.35	70.19	176.82	176.96	265.16	
SW Well 1	9/4/2010 19:00:00	70.41	33.35	0.35	70.19	176.82	176.96	265.16	
SW Well 1	9/4/2010 19:15:00	70.41	33.35	0.35	70.19	176.83	176.97	265.15	
SW Well 1	9/4/2010 19:30:00	70.41	33.36	0.35	70.19	176.83	176.97	265.15	
SW Well 1	9/4/2010 19:45:00	70.41	33.36	0.36	70.18	176.83	176.97	265.15	
SW Well 1	9/4/2010 20:00:00	70.41	33.36	0.36	70.18	176.83	176.97	265.15	
SW Well 1	9/4/2010 20:15:00	70.41	33.36	0.36	70.19	176.82	176.97	265.15	
SW Well 1	9/4/2010 20:30:00	70.41	33.36	0.36	70.18	176.82	176.97	265.15	
SW Well 1	9/4/2010 20:45:00	70.41	33.37	0.36	70.19	176.82	176.97	265.15	
SW Well 1	9/4/2010 21:00:00	70.41	33.37	0.37	70.19	176.82	176.97	265.15	
SW Well 1	9/4/2010 21:15:00	70.41	33.37	0.37	70.18	176.82	176.97	265.15	
SW Well 1	9/4/2010 21:30:00	70.41	33.37	0.37	70.18	176.82	176.97	265.15	
SW Well 1	9/4/2010 21:45:00	70.41	33.37	0.37	70.17	176.83	176.98	265.14	
SW Well 1	9/4/2010 22:00:00	70.41	33.38	0.37	70.17	176.83	176.98	265.14	
SW Well 1	9/4/2010 22:15:00	70.40	33.38	0.38	70.17	176.83	176.99	265.13	
SW Well 1	9/4/2010 22:30:00	70.41	33.38	0.38	70.17	176.83	176.98	265.14	
SW Well 1	9/4/2010 22:45:00	70.41	33.38	0.38	70.17	176.83	176.98	265.14	
SW Well 1	9/4/2010 23:00:00	70.41	33.38	0.38	70.17	176.83	176.98	265.14	
SW Well 1	9/4/2010 23:15:00	70.41	33.38	0.38	70.17	176.82	176.98	265.14	
SW Well 1	9/4/2010 23:30:00	70.41	33.39	0.38	70.17	176.82	176.98	265.14	
SW Well 1	9/4/2010 23:45:00	70.41	33.39	0.39	70.17	176.82	176.98	265.14	
SW Well 1	9/5/2010 0:00:00	70.41	33.39	0.39	70.17	176.82	176.98	265.14	
SW Well 1	9/5/2010 0:15:00	70.42	33.39	0.39	70.17	176.82	176.98	265.14	
SW Well 1	9/5/2010 0:30:00	70.42	33.39	0.39	70.18	176.81	176.98	265.14	
SW Well 1	9/5/2010 0:45:00	70.42	33.40	0.39	70.17	176.82	176.98	265.14	
SW Well 1	9/5/2010 1:00:00	70.42	33.40	0.40	70.17	176.81	176.98	265.14	
SW Well 1	9/5/2010 1:15:00	70.42	33.40	0.40	70.17	176.82	176.98	265.14	
SW Well 1	9/5/2010 1:30:00	70.42	33.40	0.40	70.17	176.81	176.98	265.14	
SW Well 1	9/5/2010 1:45:00	70.42	33.40	0.40	70.17	176.81	176.98	265.14	
SW Well 1	9/5/2010 2:00:00	70.42	33.40	0.40	70.17	176.81	176.98	265.14	
SW Well 1	9/5/2010 2:15:00	70.42	33.41	0.40	70.17	176.81	176.98	265.14	
SW Well 1	9/5/2010 2:30:00	70.42	33.41	0.41	70.17	176.81	176.98	265.14	
SW Well 1	9/5/2010 2:45:00	70.43	33.41	0.41	70.18	176.80	176.98	265.14	
SW Well 1	9/5/2010 3:00:00	70.43	33.41	0.41	70.17	176.80	176.98	265.14	
SW Well 1	9/5/2010 3:15:00	70.43	33.41	0.41	70.17	176.80	176.98	265.14	
SW Well 1	9/5/2010 3:30:00	70.42	33.42	0.41	70.17	176.81	176.99	265.13	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/5/2010 3:45:00	70.42	33.42	0.42	70.17	176.81	176.99	265.13	
SW Well 1	9/5/2010 4:00:00	70.42	33.42	0.42	70.17	176.81	176.99	265.13	
SW Well 1	9/5/2010 4:15:00	70.42	33.42	0.42	70.16	176.81	176.99	265.13	
SW Well 1	9/5/2010 4:30:00	70.42	33.42	0.42	70.16	176.81	176.99	265.13	
SW Well 1	9/5/2010 4:45:00	70.43	33.42	0.42	70.17	176.80	176.99	265.13	
SW Well 1	9/5/2010 5:00:00	70.42	33.43	0.42	70.16	176.81	176.99	265.13	
SW Well 1	9/5/2010 5:15:00	70.42	33.43	0.43	70.16	176.81	176.99	265.13	
SW Well 1	9/5/2010 5:30:00	70.42	33.43	0.43	70.16	176.81	177.00	265.12	
SW Well 1	9/5/2010 5:45:00	70.42	33.43	0.43	70.16	176.81	177.00	265.12	
SW Well 1	9/5/2010 6:00:00	70.42	33.44	0.44	70.15	176.81	177.00	265.12	
SW Well 1	9/5/2010 6:15:00	70.42	33.44	0.44	70.15	176.81	177.01	265.11	
SW Well 1	9/5/2010 6:30:00	70.42	33.45	0.44	70.15	176.81	177.01	265.11	
SW Well 1	9/5/2010 6:45:00	70.42	33.45	0.45	70.15	176.81	177.01	265.11	
SW Well 1	9/5/2010 7:00:00	70.42	33.45	0.45	70.14	176.81	177.01	265.11	
SW Well 1	9/5/2010 7:15:00	70.42	33.46	0.46	70.14	176.81	177.01	265.11	
SW Well 1	9/5/2010 7:30:00	70.43	33.46	0.46	70.14	176.80	177.01	265.11	
SW Well 1	9/5/2010 7:45:00	70.43	33.47	0.46	70.14	176.80	177.01	265.11	
SW Well 1	9/5/2010 8:00:00	70.42	33.47	0.47	70.13	176.81	177.02	265.10	
SW Well 1	9/5/2010 8:15:00	70.42	33.47	0.47	70.13	176.81	177.02	265.10	
SW Well 1	9/5/2010 8:30:00	70.42	33.48	0.48	70.13	176.81	177.02	265.10	
SW Well 1	9/5/2010 8:45:00	70.42	33.48	0.48	70.12	176.81	177.03	265.09	
SW Well 1	9/5/2010 9:00:00	70.42	33.49	0.48	70.12	176.81	177.03	265.09	
SW Well 1	9/5/2010 9:15:00	70.43	33.49	0.49	70.13	176.80	177.02	265.10	
SW Well 1	9/5/2010 9:30:00	70.43	33.49	0.49	70.13	176.80	177.03	265.09	
SW Well 1	9/5/2010 9:45:00	70.43	33.49	0.49	70.13	176.80	177.03	265.09	
SW Well 1	9/5/2010 10:00:00	70.43	33.49	0.49	70.13	176.80	177.02	265.10	
SW Well 1	9/5/2010 10:15:00	70.44	33.49	0.49	70.14	176.80	177.02	265.10	
SW Well 1	9/5/2010 10:30:00	70.43	33.49	0.48	70.13	176.80	177.02	265.10	
SW Well 1	9/5/2010 10:45:00	70.44	33.48	0.48	70.14	176.80	177.02	265.10	
SW Well 1	9/5/2010 11:00:00	70.44	33.48	0.48	70.14	176.80	177.01	265.11	
SW Well 1	9/5/2010 11:15:00	70.44	33.48	0.48	70.14	176.79	177.01	265.11	
SW Well 1	9/5/2010 11:30:00	70.44	33.48	0.47	70.15	176.79	177.00	265.12	
SW Well 1	9/5/2010 11:45:00	70.44	33.47	0.47	70.15	176.79	177.00	265.12	
SW Well 1	9/5/2010 12:00:00	70.45	33.47	0.47	70.16	176.78	177.00	265.12	
SW Well 1	9/5/2010 12:15:00	70.45	33.47	0.47	70.16	176.78	177.00	265.12	
SW Well 1	9/5/2010 12:30:00	70.45	33.47	0.46	70.16	176.78	176.99	265.13	
SW Well 1	9/5/2010 12:45:00	70.45	33.46	0.46	70.16	176.78	176.99	265.13	
SW Well 1	9/5/2010 13:00:00	70.46	33.46	0.46	70.17	176.78	176.98	265.14	
SW Well 1	9/5/2010 13:15:00	70.46	33.46	0.46	70.17	176.77	176.98	265.14	
SW Well 1	9/5/2010 13:30:00	70.46	33.46	0.46	70.18	176.77	176.98	265.14	
SW Well 1	9/5/2010 13:45:00	70.46	33.46	0.45	70.18	176.77	176.97	265.15	
SW Well 1	9/5/2010 14:00:00	70.47	33.45	0.45	70.19	176.77	176.97	265.15	
SW Well 1	9/5/2010 14:15:00	70.47	33.45	0.45	70.19	176.76	176.96	265.16	
SW Well 1	9/5/2010 14:30:00	70.47	33.45	0.45	70.19	176.76	176.96	265.16	
SW Well 1	9/5/2010 14:45:00	70.47	33.45	0.45	70.20	176.76	176.96	265.16	
SW Well 1	9/5/2010 15:00:00	70.47	33.44	0.44	70.20	176.76	176.96	265.16	
SW Well 1	9/5/2010 15:15:00	70.47	33.44	0.44	70.20	176.76	176.96	265.16	
SW Well 1	9/5/2010 15:30:00	70.48	33.44	0.44	70.20	176.76	176.95	265.17	
SW Well 1	9/5/2010 15:45:00	70.48	33.44	0.44	70.20	176.76	176.95	265.17	
SW Well 1	9/5/2010 16:00:00	70.48	33.44	0.43	70.21	176.76	176.95	265.17	
SW Well 1	9/5/2010 16:15:00	70.48	33.43	0.43	70.21	176.76	176.95	265.17	
SW Well 1	9/5/2010 16:30:00	70.48	33.43	0.43	70.21	176.76	176.95	265.17	
SW Well 1	9/5/2010 16:45:00	70.48	33.43	0.43	70.21	176.76	176.94	265.18	
SW Well 1	9/5/2010 17:00:00	70.48	33.43	0.43	70.21	176.76	176.94	265.18	
SW Well 1	9/5/2010 17:15:00	70.48	33.43	0.42	70.21	176.76	176.94	265.18	
SW Well 1	9/5/2010 17:30:00	70.48	33.42	0.42	70.21	176.76	176.94	265.18	
SW Well 1	9/5/2010 17:45:00	70.48	33.42	0.42	70.21	176.76	176.94	265.18	
SW Well 1	9/5/2010 18:00:00	70.48	33.43	0.42	70.21	176.76	176.94	265.18	
SW Well 1	9/5/2010 18:15:00	70.48	33.43	0.42	70.21	176.76	176.94	265.18	
SW Well 1	9/5/2010 18:30:00	70.47	33.43	0.43	70.21	176.76	176.95	265.17	
SW Well 1	9/5/2010 18:45:00	70.47	33.43	0.43	70.21	176.76	176.95	265.17	
SW Well 1	9/5/2010 19:00:00	70.47	33.43	0.43	70.20	176.77	176.95	265.17	
SW Well 1	9/5/2010 19:15:00	70.47	33.43	0.43	70.20	176.77	176.95	265.17	
SW Well 1	9/5/2010 19:30:00	70.47	33.43	0.43	70.20	176.77	176.95	265.17	
SW Well 1	9/5/2010 19:45:00	70.47	33.43	0.43	70.20	176.77	176.95	265.17	
SW Well 1	9/5/2010 20:00:00	70.47	33.43	0.43	70.20	176.77	176.95	265.17	
SW Well 1	9/5/2010 20:15:00	70.46	33.43	0.43	70.19	176.77	176.96	265.16	
SW Well 1	9/5/2010 20:30:00	70.46	33.44	0.43	70.19	176.77	176.96	265.16	
SW Well 1	9/5/2010 20:45:00	70.46	33.44	0.43	70.19	176.77	176.96	265.16	
SW Well 1	9/5/2010 21:00:00	70.47	33.44	0.44	70.20	176.77	176.96	265.16	
SW Well 1	9/5/2010 21:15:00	70.47	33.44	0.44	70.20	176.77	176.96	265.16	
SW Well 1	9/5/2010 21:30:00	70.46	33.44	0.44	70.19	176.77	176.96	265.16	
SW Well 1	9/5/2010 21:45:00	70.46	33.44	0.44	70.19	176.77	176.96	265.16	
SW Well 1	9/5/2010 22:00:00	70.47	33.44	0.44	70.19	176.77	176.96	265.16	
SW Well 1	9/5/2010 22:15:00	70.46	33.44	0.44	70.19	176.77	176.96	265.16	
SW Well 1	9/5/2010 22:30:00	70.46	33.44	0.44	70.19	176.77	176.97	265.15	
SW Well 1	9/5/2010 22:45:00	70.46	33.44	0.44	70.19	176.77	176.96	265.16	
SW Well 1	9/5/2010 23:00:00	70.47	33.44	0.44	70.19	176.77	176.96	265.16	
SW Well 1	9/5/2010 23:15:00	70.47	33.44	0.44	70.19	176.77	176.96	265.16	
SW Well 1	9/5/2010 23:30:00	70.47	33.44	0.44	70.19	176.77	176.96	265.16	
SW Well 1	9/5/2010 23:45:00	70.46	33.44	0.44	70.19	176.77	176.97	265.15	
SW Well 1	9/6/2010 0:00:00	70.46	33.45	0.44	70.19	176.77	176.97	265.15	
SW Well 1	9/6/2010 0:15:00	70.46	33.45	0.44	70.19	176.77	176.97	265.15	
SW Well 1	9/6/2010 0:30:00	70.47	33.45	0.44	70.19	176.77	176.96	265.16	
SW Well 1	9/6/2010 0:45:00	70.47	33.45	0.44	70.19	176.77	176.96	265.16	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/6/2010 1:00:00	70.47	33.45	0.44	70.19	176.77	176.96	265.16	
SW Well 1	9/6/2010 1:15:00	70.47	33.45	0.45	70.19	176.77	176.96	265.16	
SW Well 1	9/6/2010 1:30:00	70.47	33.45	0.45	70.19	176.77	176.96	265.16	
SW Well 1	9/6/2010 1:45:00	70.47	33.45	0.45	70.19	176.77	176.96	265.16	
SW Well 1	9/6/2010 2:00:00	70.48	33.45	0.45	70.20	176.76	176.96	265.16	
SW Well 1	9/6/2010 2:15:00	70.48	33.45	0.45	70.20	176.76	176.96	265.16	
SW Well 1	9/6/2010 2:30:00	70.48	33.45	0.45	70.20	176.76	176.96	265.16	
SW Well 1	9/6/2010 2:45:00	70.48	33.45	0.45	70.20	176.75	176.95	265.17	
SW Well 1	9/6/2010 3:00:00	70.48	33.45	0.45	70.20	176.75	176.95	265.17	
SW Well 1	9/6/2010 3:15:00	70.48	33.45	0.45	70.20	176.75	176.95	265.17	
SW Well 1	9/6/2010 3:30:00	70.48	33.45	0.45	70.20	176.75	176.95	265.17	
SW Well 1	9/6/2010 3:45:00	70.48	33.45	0.45	70.21	176.75	176.95	265.17	
SW Well 1	9/6/2010 4:00:00	70.48	33.45	0.45	70.20	176.75	176.95	265.17	
SW Well 1	9/6/2010 4:15:00	70.48	33.45	0.45	70.20	176.75	176.95	265.17	
SW Well 1	9/6/2010 4:30:00	70.48	33.45	0.45	70.20	176.75	176.95	265.17	
SW Well 1	9/6/2010 4:45:00	70.48	33.45	0.45	70.20	176.76	176.96	265.16	
SW Well 1	9/6/2010 5:00:00	70.48	33.45	0.45	70.20	176.76	176.96	265.16	
SW Well 1	9/6/2010 5:15:00	70.47	33.45	0.45	70.19	176.76	176.96	265.16	
SW Well 1	9/6/2010 5:30:00	70.47	33.45	0.45	70.19	176.76	176.96	265.16	
SW Well 1	9/6/2010 5:45:00	70.47	33.45	0.44	70.19	176.77	176.96	265.16	
SW Well 1	9/6/2010 6:00:00	70.47	33.44	0.44	70.19	176.77	176.96	265.16	
SW Well 1	9/6/2010 6:15:00	70.46	33.44	0.44	70.19	176.77	176.97	265.15	
SW Well 1	9/6/2010 6:30:00	70.46	33.44	0.43	70.19	176.77	176.96	265.16	
SW Well 1	9/6/2010 6:45:00	70.45	33.43	0.43	70.18	176.78	176.97	265.15	
SW Well 1	9/6/2010 7:00:00	70.45	33.43	0.43	70.19	176.78	176.97	265.15	
SW Well 1	9/6/2010 7:15:00	70.45	33.43	0.42	70.18	176.78	176.97	265.15	
SW Well 1	9/6/2010 7:30:00	70.45	33.42	0.42	70.19	176.78	176.97	265.15	
SW Well 1	9/6/2010 7:45:00	70.45	33.42	0.42	70.19	176.78	176.96	265.16	
SW Well 1	9/6/2010 8:00:00	70.44	33.42	0.41	70.19	176.79	176.97	265.15	
SW Well 1	9/6/2010 8:15:00	70.44	33.41	0.41	70.18	176.80	176.97	265.15	
SW Well 1	9/6/2010 8:30:00	70.44	33.41	0.41	70.18	176.80	176.97	265.15	
SW Well 1	9/6/2010 8:45:00	70.43	33.41	0.40	70.18	176.80	176.97	265.15	
SW Well 1	9/6/2010 9:00:00	70.43	33.40	0.40	70.18	176.80	176.97	265.15	
SW Well 1	9/6/2010 9:15:00	70.43	33.40	0.40	70.18	176.80	176.97	265.15	
SW Well 1	9/6/2010 9:30:00	70.42	33.40	0.39	70.18	176.81	176.98	265.14	
SW Well 1	9/6/2010 9:45:00	70.42	33.39	0.39	70.18	176.81	176.98	265.14	
SW Well 1	9/6/2010 10:00:00	70.42	33.39	0.39	70.18	176.82	176.98	265.14	
SW Well 1	9/6/2010 10:15:00	70.42	33.38	0.38	70.18	176.81	176.97	265.15	
SW Well 1	9/6/2010 10:30:00	70.42	33.38	0.38	70.19	176.81	176.97	265.15	
SW Well 1	9/6/2010 10:45:00	70.42	33.37	0.37	70.19	176.81	176.96	265.16	
SW Well 1	9/6/2010 11:00:00	70.42	33.37	0.37	70.19	176.82	176.96	265.16	
SW Well 1	9/6/2010 11:15:00	70.42	33.36	0.36	70.19	176.82	176.96	265.16	
SW Well 1	9/6/2010 11:30:00	70.41	33.36	0.36	70.19	176.82	176.96	265.16	
SW Well 1	9/6/2010 11:45:00	70.41	33.35	0.35	70.20	176.82	176.96	265.16	
SW Well 1	9/6/2010 12:00:00	70.41	33.35	0.35	70.20	176.82	176.96	265.16	
SW Well 1	9/6/2010 12:15:00	70.41	33.34	0.34	70.20	176.82	176.95	265.17	
SW Well 1	9/6/2010 12:30:00	70.41	33.34	0.34	70.20	176.82	176.95	265.17	
SW Well 1	9/6/2010 12:45:00	70.41	33.33	0.33	70.20	176.83	176.95	265.17	
SW Well 1	9/6/2010 13:00:00	70.41	33.33	0.33	70.20	176.83	176.95	265.17	
SW Well 1	9/6/2010 13:15:00	70.41	33.32	0.32	70.21	176.82	176.94	265.18	
SW Well 1	9/6/2010 13:30:00	70.41	33.32	0.32	70.21	176.83	176.95	265.17	
SW Well 1	9/6/2010 13:45:00	70.41	33.31	0.31	70.22	176.82	176.94	265.18	
SW Well 1	9/6/2010 14:00:00	70.41	33.31	0.31	70.22	176.83	176.94	265.18	
SW Well 1	9/6/2010 14:15:00	70.41	33.30	0.30	70.22	176.82	176.93	265.19	
SW Well 1	9/6/2010 14:30:00	70.41	33.30	0.29	70.23	176.82	176.93	265.19	
SW Well 1	9/6/2010 14:45:00	70.41	33.29	0.29	70.23	176.83	176.93	265.19	
SW Well 1	9/6/2010 15:00:00	70.41	33.28	0.28	70.23	176.82	176.92	265.20	
SW Well 1	9/6/2010 15:15:00	70.41	33.28	0.28	70.23	176.83	176.92	265.20	
SW Well 1	9/6/2010 15:30:00	70.41	33.27	0.27	70.24	176.83	176.92	265.20	
SW Well 1	9/6/2010 15:45:00	70.40	33.27	0.26	70.24	176.83	176.92	265.20	
SW Well 1	9/6/2010 16:00:00	70.40	33.26	0.26	70.24	176.83	176.91	265.21	
SW Well 1	9/6/2010 16:15:00	70.40	33.25	0.25	70.24	176.83	176.91	265.21	
SW Well 1	9/6/2010 16:30:00	70.40	33.25	0.25	70.24	176.84	176.91	265.21	
SW Well 1	9/6/2010 16:45:00	70.39	33.24	0.24	70.24	176.84	176.91	265.21	
SW Well 1	9/6/2010 17:00:00	70.39	33.24	0.23	70.24	176.84	176.91	265.21	
SW Well 1	9/6/2010 17:15:00	70.39	33.23	0.23	70.24	176.85	176.91	265.21	
SW Well 1	9/6/2010 17:30:00	70.38	33.22	0.22	70.24	176.85	176.91	265.21	
SW Well 1	9/6/2010 17:45:00	70.38	33.22	0.22	70.24	176.86	176.91	265.21	
SW Well 1	9/6/2010 18:00:00	70.37	33.22	0.22	70.24	176.86	176.91	265.21	
SW Well 1	9/6/2010 18:15:00	70.37	33.22	0.22	70.24	176.86	176.91	265.21	
SW Well 1	9/6/2010 18:30:00	70.37	33.22	0.21	70.24	176.86	176.92	265.20	
SW Well 1	9/6/2010 18:45:00	70.37	33.21	0.21	70.23	176.87	176.92	265.20	
SW Well 1	9/6/2010 19:00:00	70.36	33.21	0.21	70.23	176.87	176.92	265.20	
SW Well 1	9/6/2010 19:15:00	70.36	33.21	0.21	70.23	176.87	176.92	265.20	
SW Well 1	9/6/2010 19:30:00	70.35	33.21	0.21	70.23	176.88	176.93	265.19	
SW Well 1	9/6/2010 19:45:00	70.35	33.21	0.20	70.23	176.88	176.93	265.19	
SW Well 1	9/6/2010 20:00:00	70.35	33.20	0.20	70.23	176.88	176.93	265.19	
SW Well 1	9/6/2010 20:15:00	70.35	33.20	0.20	70.23	176.88	176.93	265.19	
SW Well 1	9/6/2010 20:30:00	70.35	33.20	0.20	70.22	176.89	176.93	265.19	
SW Well 1	9/6/2010 20:45:00	70.34	33.20	0.20	70.22	176.89	176.93	265.19	
SW Well 1	9/6/2010 21:00:00	70.34	33.20	0.19	70.22	176.89	176.94	265.18	
SW Well 1	9/6/2010 21:15:00	70.33	33.19	0.19	70.21	176.90	176.94	265.18	
SW Well 1	9/6/2010 21:30:00	70.33	33.19	0.19	70.21	176.91	176.94	265.18	
SW Well 1	9/6/2010 21:45:00	70.32	33.19	0.19	70.21	176.91	176.95	265.17	
SW Well 1	9/6/2010 22:00:00	70.32	33.18	0.18	70.21	176.91	176.95	265.17	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/6/2010 22:15:00	70.32	33.18	0.18	70.20	176.92	176.95	265.17	
SW Well 1	9/6/2010 22:30:00	70.32	33.18	0.18	70.21	176.92	176.95	265.17	
SW Well 1	9/6/2010 22:45:00	70.31	33.18	0.17	70.20	176.92	176.95	265.17	
SW Well 1	9/6/2010 23:00:00	70.31	33.17	0.17	70.20	176.93	176.95	265.17	
SW Well 1	9/6/2010 23:15:00	70.30	33.17	0.17	70.20	176.93	176.95	265.17	
SW Well 1	9/6/2010 23:30:00	70.30	33.17	0.16	70.20	176.93	176.96	265.16	
SW Well 1	9/6/2010 23:45:00	70.30	33.16	0.16	70.20	176.93	176.95	265.17	
SW Well 1	9/7/2010 0:00:00	70.30	33.16	0.16	70.20	176.94	176.96	265.16	
SW Well 1	9/7/2010 0:15:00	70.30	33.16	0.16	70.20	176.94	176.95	265.17	
SW Well 1	9/7/2010 0:30:00	70.30	33.15	0.15	70.20	176.94	176.95	265.17	
SW Well 1	9/7/2010 0:45:00	70.30	33.15	0.15	70.20	176.94	176.95	265.17	
SW Well 1	9/7/2010 1:00:00	70.29	33.15	0.15	70.20	176.94	176.95	265.17	
SW Well 1	9/7/2010 1:15:00	70.29	33.15	0.14	70.20	176.94	176.95	265.17	
SW Well 1	9/7/2010 1:30:00	70.29	33.14	0.14	70.21	176.94	176.95	265.17	
SW Well 1	9/7/2010 1:45:00	70.29	33.14	0.14	70.20	176.94	176.95	265.17	
SW Well 1	9/7/2010 2:00:00	70.29	33.14	0.14	70.21	176.94	176.95	265.17	
SW Well 1	9/7/2010 2:15:00	70.29	33.13	0.13	70.21	176.94	176.94	265.18	
SW Well 1	9/7/2010 2:30:00	70.29	33.13	0.13	70.21	176.94	176.95	265.17	
SW Well 1	9/7/2010 2:45:00	70.29	33.13	0.13	70.21	176.94	176.95	265.17	
SW Well 1	9/7/2010 3:00:00	70.29	33.13	0.13	70.21	176.94	176.94	265.18	
SW Well 1	9/7/2010 3:15:00	70.29	33.12	0.12	70.21	176.94	176.94	265.18	
SW Well 1	9/7/2010 3:30:00	70.28	33.12	0.12	70.21	176.95	176.94	265.18	
SW Well 1	9/7/2010 3:45:00	70.28	33.12	0.12	70.21	176.95	176.94	265.18	
SW Well 1	9/7/2010 4:00:00	70.28	33.12	0.12	70.21	176.95	176.95	265.17	
SW Well 1	9/7/2010 4:15:00	70.28	33.12	0.11	70.21	176.95	176.94	265.18	
SW Well 1	9/7/2010 4:30:00	70.28	33.11	0.11	70.21	176.95	176.94	265.18	
SW Well 1	9/7/2010 4:45:00	70.28	33.11	0.11	70.21	176.96	176.94	265.18	
SW Well 1	9/7/2010 5:00:00	70.27	33.11	0.11	70.21	176.96	176.95	265.17	
SW Well 1	9/7/2010 5:15:00	70.27	33.11	0.10	70.20	176.96	176.95	265.17	
SW Well 1	9/7/2010 5:30:00	70.26	33.10	0.10	70.20	176.97	176.95	265.17	
SW Well 1	9/7/2010 5:45:00	70.26	33.10	0.10	70.20	176.97	176.95	265.17	
SW Well 1	9/7/2010 6:00:00	70.26	33.10	0.10	70.20	176.97	176.95	265.17	
SW Well 1	9/7/2010 6:15:00	70.26	33.10	0.10	70.20	176.97	176.96	265.16	
SW Well 1	9/7/2010 6:30:00	70.26	33.10	0.10	70.19	176.98	176.96	265.16	
SW Well 1	9/7/2010 6:45:00	70.25	33.10	0.10	70.19	176.98	176.96	265.16	
SW Well 1	9/7/2010 7:00:00	70.25	33.10	0.10	70.19	176.98	176.96	265.16	
SW Well 1	9/7/2010 7:15:00	70.25	33.10	0.10	70.19	176.98	176.97	265.15	
SW Well 1	9/7/2010 7:30:00	70.25	33.10	0.10	70.18	176.99	176.97	265.15	
SW Well 1	9/7/2010 7:45:00	70.24	33.10	0.10	70.18	176.99	176.98	265.14	
SW Well 1	9/7/2010 8:00:00	70.24	33.10	0.10	70.17	177.00	176.98	265.14	
SW Well 1	9/7/2010 8:15:00	70.23	33.11	0.10	70.17	177.00	176.99	265.13	
SW Well 1	9/7/2010 8:30:00	70.23	33.11	0.10	70.16	177.00	176.99	265.13	
SW Well 1	9/7/2010 8:45:00	70.23	33.11	0.10	70.16	177.00	176.99	265.13	
SW Well 1	9/7/2010 9:00:00	70.22	33.11	0.10	70.16	177.01	177.00	265.12	
SW Well 1	9/7/2010 9:15:00	70.22	33.11	0.10	70.15	177.01	177.00	265.12	
SW Well 1	9/7/2010 9:30:00	70.21	33.11	0.10	70.15	177.02	177.00	265.12	
SW Well 1	9/7/2010 9:45:00	70.21	33.10	0.10	70.15	177.02	177.00	265.12	
SW Well 1	9/7/2010 10:00:00	70.21	33.10	0.10	70.15	177.02	177.00	265.12	
SW Well 1	9/7/2010 10:15:00	70.21	33.10	0.10	70.15	177.03	177.01	265.11	
SW Well 1	9/7/2010 10:30:00	70.20	33.09	0.09	70.14	177.03	177.01	265.11	
SW Well 1	9/7/2010 10:45:00	70.20	33.09	0.09	70.15	177.03	177.01	265.11	
SW Well 1	9/7/2010 11:00:00	70.20	33.09	0.09	70.14	177.03	177.01	265.11	
SW Well 1	9/7/2010 11:15:00	70.20	33.09	0.08	70.15	177.03	177.01	265.11	
SW Well 1	9/7/2010 11:30:00	70.20	33.08	0.08	70.15	177.03	177.01	265.11	
SW Well 1	9/7/2010 11:45:00	70.20	33.08	0.08	70.15	177.03	177.00	265.12	
SW Well 1	9/7/2010 12:00:00	70.19	33.08	0.07	70.15	177.04	177.01	265.11	
SW Well 1	9/7/2010 12:15:00	70.19	33.07	0.07	70.15	177.04	177.01	265.11	
SW Well 1	9/7/2010 12:30:00	70.19	33.07	0.07	70.15	177.04	177.00	265.12	
SW Well 1	9/7/2010 12:45:00	70.19	33.07	0.07	70.15	177.04	177.00	265.12	
SW Well 1	9/7/2010 13:00:00	70.19	33.06	0.06	70.16	177.04	177.00	265.12	
SW Well 1	9/7/2010 13:15:00	70.19	33.06	0.06	70.15	177.04	177.00	265.12	
SW Well 1	9/7/2010 13:30:00	70.19	33.06	0.06	70.16	177.04	177.00	265.12	
SW Well 1	9/7/2010 13:45:00	70.19	33.06	0.05	70.16	177.04	176.99	265.13	
SW Well 1	9/7/2010 14:00:00	70.19	33.05	0.05	70.16	177.04	177.00	265.12	
SW Well 1	9/7/2010 14:15:00	70.19	33.05	0.05	70.16	177.04	176.99	265.13	
SW Well 1	9/7/2010 14:30:00	70.19	33.05	0.05	70.16	177.04	176.99	265.13	
SW Well 1	9/7/2010 14:45:00	70.19	33.05	0.04	70.17	177.04	176.99	265.13	
SW Well 1	9/7/2010 15:00:00	70.19	33.04	0.04	70.17	177.04	176.99	265.13	
SW Well 1	9/7/2010 15:15:00	70.19	33.04	0.04	70.17	177.04	176.98	265.14	
SW Well 1	9/7/2010 15:30:00	70.19	33.04	0.04	70.17	177.04	176.98	265.14	
SW Well 1	9/7/2010 15:45:00	70.20	33.04	0.04	70.18	177.03	176.98	265.14	
SW Well 1	9/7/2010 16:00:00	70.19	33.03	0.03	70.17	177.04	176.98	265.14	
SW Well 1	9/7/2010 16:15:00	70.19	33.03	0.03	70.18	177.04	176.98	265.14	
SW Well 1	9/7/2010 16:30:00	70.19	33.03	0.03	70.18	177.04	176.98	265.14	
SW Well 1	9/7/2010 16:45:00	70.19	33.03	0.03	70.18	177.04	176.98	265.14	
SW Well 1	9/7/2010 17:00:00	70.19	33.02	0.02	70.18	177.04	176.97	265.15	
SW Well 1	9/7/2010 17:15:00	70.19	33.02	0.02	70.18	177.04	176.98	265.14	
SW Well 1	9/7/2010 17:30:00	70.19	33.02	0.02	70.18	177.04	176.97	265.15	
SW Well 1	9/7/2010 17:45:00	70.19	33.02	0.02	70.18	177.04	176.98	265.14	
SW Well 1	9/7/2010 18:00:00	70.19	33.02	0.02	70.18	177.04	176.98	265.14	
SW Well 1	9/7/2010 18:15:00	70.19	33.02	0.02	70.18	177.04	176.98	265.14	
SW Well 1	9/7/2010 18:30:00	70.19	33.03	0.02	70.17	177.05	176.98	265.14	
SW Well 1	9/7/2010 18:45:00	70.18	33.03	0.03	70.17	177.05	176.99	265.13	
SW Well 1	9/7/2010 19:00:00	70.18	33.03	0.03	70.17	177.05	176.99	265.13	
SW Well 1	9/7/2010 19:15:00	70.18	33.03	0.03	70.16	177.05	176.99	265.13	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/7/2010 19:30:00	70.18	33.03	0.03	70.16	177.06	177.00	265.12	
SW Well 1	9/7/2010 19:45:00	70.18	33.03	0.03	70.16	177.06	177.00	265.12	
SW Well 1	9/7/2010 20:00:00	70.18	33.04	0.03	70.15	177.06	177.00	265.12	
SW Well 1	9/7/2010 20:15:00	70.18	33.04	0.03	70.16	177.05	177.00	265.12	
SW Well 1	9/7/2010 20:30:00	70.18	33.04	0.04	70.16	177.05	177.00	265.12	
SW Well 1	9/7/2010 20:45:00	70.18	33.04	0.04	70.15	177.06	177.00	265.12	
SW Well 1	9/7/2010 21:00:00	70.18	33.04	0.04	70.15	177.06	177.00	265.12	
SW Well 1	9/7/2010 21:15:00	70.17	33.04	0.04	70.15	177.06	177.01	265.11	
SW Well 1	9/7/2010 21:30:00	70.17	33.04	0.04	70.14	177.07	177.01	265.11	
SW Well 1	9/7/2010 21:45:00	70.17	33.04	0.04	70.14	177.07	177.01	265.11	
SW Well 1	9/7/2010 22:00:00	70.17	33.05	0.04	70.14	177.07	177.01	265.11	
SW Well 1	9/7/2010 22:15:00	70.16	33.05	0.04	70.14	177.07	177.02	265.10	
SW Well 1	9/7/2010 22:30:00	70.16	33.05	0.04	70.14	177.07	177.02	265.10	
SW Well 1	9/7/2010 22:45:00	70.16	33.05	0.04	70.13	177.07	177.02	265.10	
SW Well 1	9/7/2010 23:00:00	70.16	33.05	0.05	70.13	177.08	177.03	265.09	
SW Well 1	9/7/2010 23:15:00	70.16	33.05	0.05	70.13	177.08	177.03	265.09	
SW Well 1	9/7/2010 23:30:00	70.16	33.05	0.05	70.13	177.08	177.03	265.09	
SW Well 1	9/7/2010 23:45:00	70.16	33.05	0.05	70.13	177.08	177.03	265.09	
SW Well 1	9/8/2010 0:00:00	70.16	33.05	0.05	70.13	177.07	177.02	265.10	
SW Well 1	9/8/2010 0:15:00	70.16	33.05	0.05	70.13	177.07	177.02	265.10	
SW Well 1	9/8/2010 0:30:00	70.16	33.05	0.05	70.13	177.07	177.03	265.09	
SW Well 1	9/8/2010 0:45:00	70.16	33.05	0.05	70.13	177.07	177.03	265.09	
SW Well 1	9/8/2010 1:00:00	70.16	33.05	0.05	70.13	177.07	177.03	265.09	
SW Well 1	9/8/2010 1:15:00	70.16	33.05	0.05	70.13	177.07	177.03	265.09	
SW Well 1	9/8/2010 1:30:00	70.16	33.05	0.05	70.13	177.07	177.03	265.09	
SW Well 1	9/8/2010 1:45:00	70.16	33.05	0.05	70.13	177.07	177.03	265.09	
SW Well 1	9/8/2010 2:00:00	70.16	33.05	0.05	70.13	177.07	177.02	265.10	
SW Well 1	9/8/2010 2:15:00	70.16	33.06	0.05	70.13	177.07	177.02	265.10	
SW Well 1	9/8/2010 2:30:00	70.17	33.06	0.05	70.13	177.07	177.02	265.10	
SW Well 1	9/8/2010 2:45:00	70.17	33.06	0.06	70.14	177.06	177.02	265.10	
SW Well 1	9/8/2010 3:00:00	70.17	33.06	0.06	70.14	177.06	177.02	265.10	
SW Well 1	9/8/2010 3:15:00	70.18	33.06	0.06	70.14	177.06	177.01	265.11	
SW Well 1	9/8/2010 3:30:00	70.18	33.06	0.06	70.14	177.06	177.01	265.11	
SW Well 1	9/8/2010 3:45:00	70.18	33.06	0.06	70.14	177.06	177.01	265.11	
SW Well 1	9/8/2010 4:00:00	70.18	33.06	0.06	70.14	177.06	177.02	265.10	
SW Well 1	9/8/2010 4:15:00	70.18	33.06	0.06	70.14	177.06	177.02	265.10	
SW Well 1	9/8/2010 4:30:00	70.18	33.06	0.06	70.14	177.05	177.01	265.11	
SW Well 1	9/8/2010 4:45:00	70.18	33.06	0.06	70.14	177.05	177.01	265.11	
SW Well 1	9/8/2010 5:00:00	70.18	33.06	0.06	70.14	177.05	177.01	265.11	
SW Well 1	9/8/2010 5:15:00	70.18	33.07	0.06	70.14	177.05	177.01	265.11	
SW Well 1	9/8/2010 5:30:00	70.18	33.07	0.06	70.14	177.05	177.01	265.11	
SW Well 1	9/8/2010 5:45:00	70.18	33.07	0.07	70.14	177.05	177.01	265.11	
SW Well 1	9/8/2010 6:00:00	70.18	33.07	0.07	70.14	177.05	177.01	265.11	
SW Well 1	9/8/2010 6:15:00	70.18	33.07	0.07	70.14	177.05	177.02	265.10	
SW Well 1	9/8/2010 6:30:00	70.18	33.08	0.07	70.14	177.05	177.02	265.10	
SW Well 1	9/8/2010 6:45:00	70.18	33.08	0.08	70.14	177.05	177.02	265.10	
SW Well 1	9/8/2010 7:00:00	70.18	33.08	0.08	70.13	177.05	177.02	265.10	
SW Well 1	9/8/2010 7:15:00	70.18	33.08	0.08	70.13	177.05	177.02	265.10	
SW Well 1	9/8/2010 7:30:00	70.18	33.09	0.08	70.13	177.05	177.02	265.10	
SW Well 1	9/8/2010 7:45:00	70.18	33.09	0.09	70.13	177.05	177.02	265.10	
SW Well 1	9/8/2010 8:00:00	70.18	33.09	0.09	70.12	177.05	177.03	265.09	
SW Well 1	9/8/2010 8:15:00	70.18	33.09	0.09	70.12	177.06	177.04	265.08	
SW Well 1	9/8/2010 8:30:00	70.18	33.10	0.09	70.12	177.06	177.04	265.08	
SW Well 1	9/8/2010 8:45:00	70.18	33.10	0.10	70.12	177.06	177.04	265.08	
SW Well 1	9/8/2010 9:00:00	70.17	33.10	0.10	70.11	177.06	177.04	265.08	
SW Well 1	9/8/2010 9:15:00	70.17	33.10	0.10	70.11	177.06	177.05	265.07	
SW Well 1	9/8/2010 9:30:00	70.17	33.11	0.10	70.10	177.07	177.05	265.07	
SW Well 1	9/8/2010 9:45:00	70.17	33.10	0.10	70.10	177.07	177.05	265.07	
SW Well 1	9/8/2010 10:00:00	70.17	33.10	0.10	70.10	177.07	177.05	265.07	
SW Well 1	9/8/2010 10:15:00	70.17	33.10	0.10	70.10	177.07	177.05	265.07	
SW Well 1	9/8/2010 10:30:00	70.16	33.10	0.10	70.10	177.07	177.05	265.07	
SW Well 1	9/8/2010 10:45:00	70.16	33.10	0.10	70.10	177.07	177.05	265.07	
SW Well 1	9/8/2010 11:00:00	70.16	33.10	0.10	70.10	177.07	177.05	265.07	
SW Well 1	9/8/2010 11:15:00	70.16	33.10	0.10	70.10	177.07	177.05	265.07	
SW Well 1	9/8/2010 11:30:00	70.16	33.10	0.10	70.10	177.07	177.05	265.07	
SW Well 1	9/8/2010 11:45:00	70.16	33.10	0.10	70.10	177.07	177.05	265.07	
SW Well 1	9/8/2010 12:00:00	70.16	33.10	0.10	70.10	177.07	177.05	265.07	
SW Well 1	9/8/2010 12:15:00	70.16	33.10	0.10	70.10	177.07	177.05	265.07	
SW Well 1	9/8/2010 12:30:00	70.16	33.10	0.10	70.10	177.07	177.06	265.06	
SW Well 1	9/8/2010 12:45:00	70.16	33.10	0.10	70.10	177.07	177.05	265.07	
SW Well 1	9/8/2010 13:00:00	70.16	33.10	0.10	70.10	177.07	177.05	265.07	
SW Well 1	9/8/2010 13:15:00	70.17	33.10	0.10	70.10	177.07	177.05	265.07	
SW Well 1	9/8/2010 13:30:00	70.17	33.10	0.10	70.11	177.07	177.05	265.07	
SW Well 1	9/8/2010 13:45:00	70.17	33.10	0.10	70.11	177.06	177.04	265.08	
SW Well 1	9/8/2010 14:00:00	70.17	33.10	0.10	70.11	177.06	177.04	265.08	
SW Well 1	9/8/2010 14:15:00	70.18	33.10	0.10	70.11	177.06	177.04	265.08	
SW Well 1	9/8/2010 14:30:00	70.18	33.10	0.10	70.12	177.05	177.04	265.08	
SW Well 1	9/8/2010 14:45:00	70.18	33.10	0.10	70.12	177.05	177.03	265.09	
SW Well 1	9/8/2010 15:00:00	70.18	33.10	0.10	70.12	177.05	177.03	265.09	
SW Well 1	9/8/2010 15:15:00	70.19	33.10	0.10	70.13	177.05	177.03	265.09	
SW Well 1	9/8/2010 15:30:00	70.18	33.10	0.10	70.12	177.05	177.03	265.09	
SW Well 1	9/8/2010 15:45:00	70.19	33.10	0.10	70.13	177.05	177.03	265.09	
SW Well 1	9/8/2010 16:00:00	70.19	33.10	0.09	70.13	177.04	177.02	265.10	
SW Well 1	9/8/2010 16:15:00	70.19	33.10	0.09	70.13	177.04	177.02	265.10	
SW Well 1	9/8/2010 16:30:00	70.19	33.10	0.09	70.13	177.04	177.02	265.10	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/8/2010 16:45:00	70.19	33.10	0.09	70.13	177.04	177.02	265.10	
SW Well 1	9/8/2010 17:00:00	70.19	33.10	0.09	70.14	177.04	177.02	265.10	
SW Well 1	9/8/2010 17:15:00	70.19	33.09	0.09	70.14	177.04	177.02	265.10	
SW Well 1	9/8/2010 17:30:00	70.19	33.09	0.09	70.14	177.04	177.02	265.10	
SW Well 1	9/8/2010 17:45:00	70.20	33.10	0.09	70.14	177.03	177.01	265.11	
SW Well 1	9/8/2010 18:00:00	70.20	33.10	0.09	70.14	177.03	177.01	265.11	
SW Well 1	9/8/2010 18:15:00	70.20	33.10	0.09	70.14	177.03	177.01	265.11	
SW Well 1	9/8/2010 18:30:00	70.20	33.10	0.10	70.14	177.03	177.02	265.10	
SW Well 1	9/8/2010 18:45:00	70.20	33.10	0.10	70.14	177.03	177.02	265.10	
SW Well 1	9/8/2010 19:00:00	70.20	33.10	0.10	70.14	177.03	177.02	265.10	
SW Well 1	9/8/2010 19:15:00	70.19	33.10	0.10	70.13	177.04	177.02	265.10	
SW Well 1	9/8/2010 19:30:00	70.19	33.10	0.10	70.13	177.04	177.03	265.09	
SW Well 1	9/8/2010 19:45:00	70.19	33.10	0.10	70.13	177.04	177.03	265.09	
SW Well 1	9/8/2010 20:00:00	70.19	33.10	0.10	70.13	177.04	177.03	265.09	
SW Well 1	9/8/2010 20:15:00	70.19	33.11	0.10	70.13	177.04	177.03	265.09	
SW Well 1	9/8/2010 20:30:00	70.19	33.11	0.10	70.12	177.05	177.03	265.09	
SW Well 1	9/8/2010 20:45:00	70.19	33.11	0.10	70.12	177.04	177.03	265.09	
SW Well 1	9/8/2010 21:00:00	70.19	33.11	0.11	70.12	177.05	177.03	265.09	
SW Well 1	9/8/2010 21:15:00	70.18	33.11	0.11	70.12	177.05	177.04	265.08	
SW Well 1	9/8/2010 21:30:00	70.18	33.11	0.11	70.12	177.05	177.04	265.08	
SW Well 1	9/8/2010 21:45:00	70.18	33.11	0.11	70.11	177.05	177.04	265.08	
SW Well 1	9/8/2010 22:00:00	70.18	33.11	0.11	70.11	177.05	177.04	265.08	
SW Well 1	9/8/2010 22:15:00	70.18	33.12	0.11	70.11	177.05	177.04	265.08	
SW Well 1	9/8/2010 22:30:00	70.18	33.12	0.11	70.11	177.05	177.05	265.07	
SW Well 1	9/8/2010 22:45:00	70.18	33.12	0.12	70.11	177.05	177.05	265.07	
SW Well 1	9/8/2010 23:00:00	70.18	33.12	0.12	70.10	177.06	177.05	265.07	
SW Well 1	9/8/2010 23:15:00	70.18	33.12	0.12	70.10	177.05	177.05	265.07	
SW Well 1	9/8/2010 23:30:00	70.18	33.12	0.12	70.10	177.05	177.05	265.07	
SW Well 1	9/8/2010 23:45:00	70.18	33.13	0.12	70.10	177.06	177.06	265.06	
SW Well 1	9/9/2010 0:00:00	70.18	33.13	0.13	70.10	177.05	177.05	265.07	
SW Well 1	9/9/2010 0:15:00	70.18	33.13	0.13	70.10	177.05	177.05	265.07	
SW Well 1	9/9/2010 0:30:00	70.18	33.13	0.13	70.10	177.05	177.05	265.07	
SW Well 1	9/9/2010 0:45:00	70.18	33.13	0.13	70.10	177.05	177.06	265.06	
SW Well 1	9/9/2010 1:00:00	70.18	33.13	0.13	70.10	177.05	177.06	265.06	
SW Well 1	9/9/2010 1:15:00	70.18	33.14	0.13	70.10	177.05	177.05	265.07	
SW Well 1	9/9/2010 1:30:00	70.19	33.14	0.14	70.10	177.05	177.05	265.07	
SW Well 1	9/9/2010 1:45:00	70.18	33.14	0.14	70.10	177.05	177.06	265.06	
SW Well 1	9/9/2010 2:00:00	70.19	33.14	0.14	70.10	177.05	177.05	265.07	
SW Well 1	9/9/2010 2:15:00	70.19	33.14	0.14	70.10	177.04	177.05	265.07	
SW Well 1	9/9/2010 2:30:00	70.19	33.15	0.14	70.10	177.04	177.05	265.07	
SW Well 1	9/9/2010 2:45:00	70.20	33.15	0.15	70.11	177.03	177.05	265.07	
SW Well 1	9/9/2010 3:00:00	70.20	33.15	0.15	70.11	177.03	177.05	265.07	
SW Well 1	9/9/2010 3:15:00	70.20	33.15	0.15	70.11	177.03	177.05	265.07	
SW Well 1	9/9/2010 3:30:00	70.20	33.15	0.15	70.11	177.03	177.05	265.07	
SW Well 1	9/9/2010 3:45:00	70.21	33.16	0.15	70.11	177.02	177.04	265.08	
SW Well 1	9/9/2010 4:00:00	70.21	33.16	0.16	70.11	177.02	177.04	265.08	
SW Well 1	9/9/2010 4:15:00	70.21	33.16	0.16	70.12	177.02	177.04	265.08	
SW Well 1	9/9/2010 4:30:00	70.22	33.16	0.16	70.12	177.01	177.04	265.08	
SW Well 1	9/9/2010 4:45:00	70.22	33.16	0.16	70.12	177.01	177.04	265.08	
SW Well 1	9/9/2010 5:00:00	70.22	33.17	0.16	70.12	177.01	177.03	265.09	
SW Well 1	9/9/2010 5:15:00	70.22	33.17	0.17	70.12	177.01	177.04	265.08	
SW Well 1	9/9/2010 5:30:00	70.23	33.17	0.17	70.12	177.00	177.03	265.09	
SW Well 1	9/9/2010 5:45:00	70.23	33.17	0.17	70.12	177.00	177.03	265.09	
SW Well 1	9/9/2010 6:00:00	70.23	33.18	0.18	70.12	177.00	177.03	265.09	
SW Well 1	9/9/2010 6:15:00	70.23	33.18	0.18	70.12	177.00	177.04	265.08	
SW Well 1	9/9/2010 6:30:00	70.23	33.19	0.18	70.12	177.00	177.03	265.09	
SW Well 1	9/9/2010 6:45:00	70.23	33.19	0.19	70.12	177.00	177.04	265.08	
SW Well 1	9/9/2010 7:00:00	70.23	33.19	0.19	70.11	177.00	177.04	265.08	
SW Well 1	9/9/2010 7:15:00	70.23	33.20	0.20	70.11	177.00	177.04	265.08	
SW Well 1	9/9/2010 7:30:00	70.24	33.20	0.20	70.11	177.00	177.04	265.08	
SW Well 1	9/9/2010 7:45:00	70.24	33.20	0.20	70.11	177.00	177.04	265.08	
SW Well 1	9/9/2010 8:00:00	70.24	33.21	0.21	70.11	177.00	177.04	265.08	
SW Well 1	9/9/2010 8:15:00	70.24	33.21	0.21	70.11	177.00	177.05	265.07	
SW Well 1	9/9/2010 8:30:00	70.24	33.22	0.21	70.10	177.00	177.05	265.07	
SW Well 1	9/9/2010 8:45:00	70.24	33.22	0.22	70.10	177.00	177.05	265.07	
SW Well 1	9/9/2010 9:00:00	70.24	33.22	0.22	70.10	177.00	177.05	265.07	
SW Well 1	9/9/2010 9:15:00	70.24	33.23	0.23	70.10	177.00	177.06	265.06	
SW Well 1	9/9/2010 9:30:00	70.24	33.23	0.23	70.10	176.99	177.05	265.07	
SW Well 1	9/9/2010 9:45:00	70.24	33.23	0.23	70.09	177.00	177.06	265.06	
SW Well 1	9/9/2010 10:00:00	70.24	33.24	0.23	70.10	176.99	177.06	265.06	
SW Well 1	9/9/2010 10:15:00	70.24	33.24	0.24	70.09	176.99	177.06	265.06	
SW Well 1	9/9/2010 10:30:00	70.24	33.24	0.24	70.09	177.00	177.07	265.05	
SW Well 1	9/9/2010 10:45:00	70.24	33.24	0.24	70.09	177.00	177.07	265.05	
SW Well 1	9/9/2010 11:00:00	70.24	33.25	0.24	70.09	176.99	177.06	265.06	
SW Well 1	9/9/2010 11:15:00	70.24	33.25	0.25	70.08	177.00	177.07	265.05	
SW Well 1	9/9/2010 11:30:00	70.24	33.25	0.25	70.09	176.99	177.07	265.05	
SW Well 1	9/9/2010 11:45:00	70.24	33.25	0.25	70.08	176.99	177.07	265.05	
SW Well 1	9/9/2010 12:00:00	70.24	33.26	0.25	70.08	176.99	177.07	265.05	
SW Well 1	9/9/2010 12:15:00	70.24	33.26	0.26	70.08	176.99	177.07	265.05	
SW Well 1	9/9/2010 12:30:00	70.25	33.26	0.26	70.08	176.99	177.07	265.05	
SW Well 1	9/9/2010 12:45:00	70.25	33.26	0.26	70.08	176.99	177.07	265.05	
SW Well 1	9/9/2010 13:00:00	70.25	33.27	0.26	70.08	176.98	177.07	265.05	
SW Well 1	9/9/2010 13:15:00	70.25	33.27	0.27	70.09	176.98	177.07	265.05	
SW Well 1	9/9/2010 13:30:00	70.25	33.27	0.27	70.09	176.98	177.07	265.05	
SW Well 1	9/9/2010 13:45:00	70.26	33.27	0.27	70.09	176.98	177.07	265.05	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/9/2010 14:00:00	70.26	33.28	0.27	70.09	176.97	177.06	265.06	
SW Well 1	9/9/2010 14:15:00	70.26	33.28	0.27	70.09	176.97	177.06	265.06	
SW Well 1	9/9/2010 14:30:00	70.27	33.28	0.28	70.10	176.96	177.06	265.06	
SW Well 1	9/9/2010 14:45:00	70.28	33.28	0.28	70.10	176.96	177.05	265.07	
SW Well 1	9/9/2010 15:00:00	70.28	33.28	0.28	70.10	176.96	177.05	265.07	
SW Well 1	9/9/2010 15:15:00	70.28	33.28	0.28	70.11	176.95	177.05	265.07	
SW Well 1	9/9/2010 15:30:00	70.28	33.29	0.28	70.11	176.95	177.05	265.07	
SW Well 1	9/9/2010 15:45:00	70.28	33.29	0.28	70.11	176.95	177.05	265.07	
SW Well 1	9/9/2010 16:00:00	70.29	33.29	0.29	70.11	176.94	177.04	265.08	
SW Well 1	9/9/2010 16:15:00	70.29	33.29	0.29	70.11	176.94	177.04	265.08	
SW Well 1	9/9/2010 16:30:00	70.30	33.29	0.29	70.12	176.94	177.04	265.08	
SW Well 1	9/9/2010 16:45:00	70.30	33.29	0.29	70.12	176.93	177.04	265.08	
SW Well 1	9/9/2010 17:00:00	70.30	33.29	0.29	70.12	176.93	177.03	265.09	
SW Well 1	9/9/2010 17:15:00	70.30	33.30	0.29	70.12	176.93	177.03	265.09	
SW Well 1	9/9/2010 17:30:00	70.31	33.30	0.30	70.13	176.92	177.03	265.09	
SW Well 1	9/9/2010 17:45:00	70.31	33.30	0.30	70.13	176.92	177.03	265.09	
SW Well 1	9/9/2010 18:00:00	70.32	33.30	0.30	70.13	176.92	177.03	265.09	
SW Well 1	9/9/2010 18:15:00	70.32	33.31	0.30	70.13	176.92	177.03	265.09	
SW Well 1	9/9/2010 18:30:00	70.32	33.31	0.31	70.13	176.91	177.03	265.09	
SW Well 1	9/9/2010 18:45:00	70.32	33.31	0.31	70.13	176.91	177.03	265.09	
SW Well 1	9/9/2010 19:00:00	70.32	33.32	0.31	70.13	176.91	177.03	265.09	
SW Well 1	9/9/2010 19:15:00	70.32	33.32	0.32	70.12	176.91	177.03	265.09	
SW Well 1	9/9/2010 19:30:00	70.32	33.32	0.32	70.12	176.91	177.03	265.09	
SW Well 1	9/9/2010 19:45:00	70.32	33.32	0.32	70.12	176.91	177.03	265.09	
SW Well 1	9/9/2010 20:00:00	70.33	33.33	0.33	70.13	176.91	177.03	265.09	
SW Well 1	9/9/2010 20:15:00	70.33	33.33	0.33	70.12	176.91	177.03	265.09	
SW Well 1	9/9/2010 20:30:00	70.33	33.33	0.33	70.12	176.91	177.03	265.09	
SW Well 1	9/9/2010 20:45:00	70.32	33.34	0.33	70.12	176.91	177.04	265.08	
SW Well 1	9/9/2010 21:00:00	70.33	33.34	0.34	70.12	176.91	177.04	265.08	
SW Well 1	9/9/2010 21:15:00	70.32	33.34	0.34	70.11	176.91	177.04	265.08	
SW Well 1	9/9/2010 21:30:00	70.33	33.35	0.34	70.11	176.91	177.04	265.08	
SW Well 1	9/9/2010 21:45:00	70.33	33.35	0.35	70.12	176.90	177.04	265.08	
SW Well 1	9/9/2010 22:00:00	70.33	33.35	0.35	70.12	176.90	177.04	265.08	
SW Well 1	9/9/2010 22:15:00	70.33	33.35	0.35	70.11	176.90	177.04	265.08	
SW Well 1	9/9/2010 22:30:00	70.33	33.36	0.35	70.11	176.91	177.05	265.07	
SW Well 1	9/9/2010 22:45:00	70.33	33.36	0.36	70.11	176.91	177.05	265.07	
SW Well 1	9/9/2010 23:00:00	70.33	33.36	0.36	70.11	176.90	177.05	265.07	
SW Well 1	9/9/2010 23:15:00	70.33	33.36	0.36	70.10	176.91	177.05	265.07	
SW Well 1	9/9/2010 23:30:00	70.33	33.37	0.36	70.10	176.91	177.05	265.07	
SW Well 1	9/9/2010 23:45:00	70.33	33.37	0.37	70.10	176.91	177.05	265.07	
SW Well 1	9/10/2010 0:00:00	70.33	33.37	0.37	70.10	176.91	177.06	265.06	
SW Well 1	9/10/2010 0:15:00	70.33	33.37	0.37	70.10	176.90	177.05	265.07	
SW Well 1	9/10/2010 0:30:00	70.33	33.38	0.37	70.10	176.90	177.05	265.07	
SW Well 1	9/10/2010 0:45:00	70.34	33.38	0.38	70.10	176.90	177.05	265.07	
SW Well 1	9/10/2010 1:00:00	70.34	33.38	0.38	70.10	176.90	177.05	265.07	
SW Well 1	9/10/2010 1:15:00	70.34	33.38	0.38	70.10	176.90	177.06	265.06	
SW Well 1	9/10/2010 1:30:00	70.34	33.39	0.38	70.10	176.89	177.05	265.07	
SW Well 1	9/10/2010 1:45:00	70.34	33.39	0.39	70.10	176.89	177.05	265.07	
SW Well 1	9/10/2010 2:00:00	70.34	33.39	0.39	70.10	176.89	177.05	265.07	
SW Well 1	9/10/2010 2:15:00	70.35	33.39	0.39	70.11	176.89	177.05	265.07	
SW Well 1	9/10/2010 2:30:00	70.35	33.39	0.39	70.11	176.88	177.05	265.07	
SW Well 1	9/10/2010 2:45:00	70.35	33.39	0.39	70.11	176.88	177.04	265.08	
SW Well 1	9/10/2010 3:00:00	70.35	33.39	0.39	70.11	176.88	177.04	265.08	
SW Well 1	9/10/2010 3:15:00	70.36	33.39	0.39	70.11	176.87	177.04	265.08	
SW Well 1	9/10/2010 3:30:00	70.37	33.40	0.39	70.12	176.87	177.03	265.09	
SW Well 1	9/10/2010 3:45:00	70.37	33.40	0.40	70.12	176.87	177.03	265.09	
SW Well 1	9/10/2010 4:00:00	70.37	33.40	0.40	70.12	176.86	177.03	265.09	
SW Well 1	9/10/2010 4:15:00	70.37	33.40	0.40	70.13	176.86	177.03	265.09	
SW Well 1	9/10/2010 4:30:00	70.38	33.40	0.40	70.13	176.86	177.02	265.10	
SW Well 1	9/10/2010 4:45:00	70.38	33.40	0.40	70.13	176.85	177.02	265.10	
SW Well 1	9/10/2010 5:00:00	70.38	33.40	0.40	70.13	176.85	177.02	265.10	
SW Well 1	9/10/2010 5:15:00	70.39	33.40	0.40	70.14	176.85	177.02	265.10	
SW Well 1	9/10/2010 5:30:00	70.39	33.41	0.40	70.14	176.85	177.02	265.10	
SW Well 1	9/10/2010 5:45:00	70.39	33.41	0.41	70.14	176.84	177.01	265.11	
SW Well 1	9/10/2010 6:00:00	70.39	33.41	0.41	70.14	176.84	177.01	265.11	
SW Well 1	9/10/2010 6:15:00	70.40	33.41	0.41	70.14	176.84	177.01	265.11	
SW Well 1	9/10/2010 6:30:00	70.40	33.41	0.41	70.14	176.84	177.01	265.11	
SW Well 1	9/10/2010 6:45:00	70.41	33.42	0.41	70.15	176.83	177.01	265.11	
SW Well 1	9/10/2010 7:00:00	70.41	33.42	0.42	70.15	176.83	177.01	265.11	
SW Well 1	9/10/2010 7:15:00	70.41	33.42	0.42	70.15	176.82	177.00	265.12	
SW Well 1	9/10/2010 7:30:00	70.41	33.42	0.42	70.15	176.82	177.01	265.11	
SW Well 1	9/10/2010 7:45:00	70.41	33.43	0.42	70.15	176.82	177.01	265.11	
SW Well 1	9/10/2010 8:00:00	70.41	33.43	0.43	70.14	176.82	177.01	265.11	
SW Well 1	9/10/2010 8:15:00	70.41	33.43	0.43	70.14	176.82	177.01	265.11	
SW Well 1	9/10/2010 8:30:00	70.41	33.43	0.43	70.14	176.82	177.01	265.11	
SW Well 1	9/10/2010 8:45:00	70.41	33.44	0.43	70.14	176.82	177.01	265.11	
SW Well 1	9/10/2010 9:00:00	70.41	33.44	0.44	70.14	176.82	177.01	265.11	
SW Well 1	9/10/2010 9:15:00	70.41	33.44	0.44	70.14	176.82	177.02	265.10	
SW Well 1	9/10/2010 9:30:00	70.41	33.44	0.44	70.13	176.83	177.02	265.10	
SW Well 1	9/10/2010 9:45:00	70.41	33.44	0.44	70.14	176.82	177.02	265.10	
SW Well 1	9/10/2010 10:00:00	70.41	33.44	0.44	70.14	176.82	177.02	265.10	
SW Well 1	9/10/2010 10:15:00	70.41	33.44	0.44	70.14	176.82	177.02	265.10	
SW Well 1	9/10/2010 10:30:00	70.41	33.44	0.44	70.14	176.82	177.02	265.10	
SW Well 1	9/10/2010 10:45:00	70.41	33.44	0.44	70.14	176.82	177.02	265.10	
SW Well 1	9/10/2010 11:00:00	70.41	33.44	0.44	70.14	176.82	177.02	265.10	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/10/2010 11:15:00	70.41	33.44	0.44	70.14	176.82	177.02	265.10	
SW Well 1	9/10/2010 11:30:00	70.41	33.44	0.44	70.14	176.82	177.02	265.10	
SW Well 1	9/10/2010 11:45:00	70.41	33.44	0.44	70.14	176.82	177.02	265.10	
SW Well 1	9/10/2010 12:00:00	70.41	33.44	0.44	70.13	176.83	177.02	265.10	
SW Well 1	9/10/2010 12:15:00	70.41	33.44	0.44	70.13	176.83	177.02	265.10	
SW Well 1	9/10/2010 12:30:00	70.41	33.44	0.44	70.14	176.82	177.02	265.10	
SW Well 1	9/10/2010 12:45:00	70.41	33.44	0.44	70.14	176.82	177.02	265.10	
SW Well 1	9/10/2010 13:00:00	70.41	33.44	0.44	70.14	176.82	177.02	265.10	
SW Well 1	9/10/2010 13:15:00	70.41	33.44	0.44	70.14	176.82	177.01	265.11	
SW Well 1	9/10/2010 13:30:00	70.41	33.44	0.44	70.14	176.82	177.01	265.11	
SW Well 1	9/10/2010 13:45:00	70.41	33.44	0.44	70.14	176.82	177.01	265.11	
SW Well 1	9/10/2010 14:00:00	70.42	33.44	0.44	70.14	176.82	177.01	265.11	
SW Well 1	9/10/2010 14:15:00	70.42	33.44	0.44	70.14	176.82	177.01	265.11	
SW Well 1	9/10/2010 14:30:00	70.42	33.44	0.44	70.15	176.81	177.00	265.12	
SW Well 1	9/10/2010 14:45:00	70.43	33.44	0.44	70.16	176.80	177.00	265.12	
SW Well 1	9/10/2010 15:00:00	70.43	33.44	0.44	70.16	176.80	177.00	265.12	
SW Well 1	9/10/2010 15:15:00	70.43	33.44	0.44	70.16	176.80	177.00	265.12	
SW Well 1	9/10/2010 15:30:00	70.43	33.44	0.43	70.16	176.80	176.99	265.13	
SW Well 1	9/10/2010 15:45:00	70.43	33.44	0.43	70.16	176.80	176.99	265.13	
SW Well 1	9/10/2010 16:00:00	70.43	33.43	0.43	70.16	176.80	176.99	265.13	
SW Well 1	9/10/2010 16:15:00	70.44	33.43	0.43	70.17	176.80	176.99	265.13	
SW Well 1	9/10/2010 16:30:00	70.44	33.43	0.43	70.17	176.80	176.98	265.14	
SW Well 1	9/10/2010 16:45:00	70.44	33.43	0.43	70.17	176.80	176.98	265.14	
SW Well 1	9/10/2010 17:00:00	70.44	33.43	0.43	70.17	176.80	176.98	265.14	
SW Well 1	9/10/2010 17:15:00	70.44	33.43	0.43	70.17	176.79	176.98	265.14	
SW Well 1	9/10/2010 17:30:00	70.44	33.43	0.43	70.17	176.80	176.98	265.14	
SW Well 1	9/10/2010 17:45:00	70.44	33.43	0.43	70.17	176.79	176.98	265.14	
SW Well 1	9/10/2010 18:00:00	70.44	33.43	0.43	70.17	176.79	176.98	265.14	
SW Well 1	9/10/2010 18:15:00	70.44	33.43	0.43	70.18	176.79	176.98	265.14	
SW Well 1	9/10/2010 18:30:00	70.44	33.43	0.43	70.18	176.79	176.98	265.14	
SW Well 1	9/10/2010 18:45:00	70.44	33.43	0.43	70.18	176.79	176.98	265.14	
SW Well 1	9/10/2010 19:00:00	70.45	33.43	0.43	70.18	176.78	176.97	265.15	
SW Well 1	9/10/2010 19:15:00	70.45	33.43	0.43	70.18	176.78	176.97	265.15	
SW Well 1	9/10/2010 19:30:00	70.45	33.44	0.43	70.18	176.78	176.97	265.15	
SW Well 1	9/10/2010 19:45:00	70.45	33.44	0.43	70.18	176.78	176.97	265.15	
SW Well 1	9/10/2010 20:00:00	70.45	33.44	0.43	70.18	176.78	176.98	265.14	
SW Well 1	9/10/2010 20:15:00	70.45	33.44	0.44	70.18	176.78	176.97	265.15	
SW Well 1	9/10/2010 20:30:00	70.45	33.44	0.44	70.18	176.78	176.97	265.15	
SW Well 1	9/10/2010 20:45:00	70.45	33.44	0.44	70.18	176.78	176.98	265.14	
SW Well 1	9/10/2010 21:00:00	70.45	33.44	0.44	70.18	176.78	176.98	265.14	
SW Well 1	9/10/2010 21:15:00	70.45	33.44	0.44	70.18	176.78	176.98	265.14	
SW Well 1	9/10/2010 21:30:00	70.44	33.44	0.44	70.17	176.79	176.98	265.14	
SW Well 1	9/10/2010 21:45:00	70.44	33.44	0.44	70.17	176.79	176.98	265.14	
SW Well 1	9/10/2010 22:00:00	70.44	33.44	0.44	70.17	176.79	176.98	265.14	
SW Well 1	9/10/2010 22:15:00	70.44	33.44	0.44	70.17	176.79	176.99	265.13	
SW Well 1	9/10/2010 22:30:00	70.44	33.44	0.44	70.16	176.80	176.99	265.13	
SW Well 1	9/10/2010 22:45:00	70.44	33.44	0.44	70.16	176.80	176.99	265.13	
SW Well 1	9/10/2010 23:00:00	70.43	33.44	0.44	70.16	176.80	177.00	265.12	
SW Well 1	9/10/2010 23:15:00	70.44	33.45	0.44	70.16	176.80	176.99	265.13	
SW Well 1	9/10/2010 23:30:00	70.43	33.45	0.44	70.16	176.80	177.00	265.12	
SW Well 1	9/10/2010 23:45:00	70.43	33.45	0.44	70.16	176.80	177.00	265.12	
SW Well 1	9/11/2010 0:00:00	70.43	33.45	0.45	70.16	176.80	177.00	265.12	
SW Well 1	9/11/2010 0:15:00	70.43	33.45	0.45	70.15	176.80	177.00	265.12	
SW Well 1	9/11/2010 0:30:00	70.43	33.45	0.45	70.15	176.80	177.00	265.12	
SW Well 1	9/11/2010 0:45:00	70.43	33.45	0.45	70.15	176.80	177.00	265.12	
SW Well 1	9/11/2010 1:00:00	70.43	33.45	0.45	70.15	176.80	177.00	265.12	
SW Well 1	9/11/2010 1:15:00	70.43	33.45	0.45	70.15	176.80	177.00	265.12	
SW Well 1	9/11/2010 1:30:00	70.43	33.45	0.45	70.15	176.80	177.00	265.12	
SW Well 1	9/11/2010 1:45:00	70.43	33.45	0.45	70.15	176.80	177.01	265.11	
SW Well 1	9/11/2010 2:00:00	70.43	33.45	0.45	70.15	176.80	177.00	265.12	
SW Well 1	9/11/2010 2:15:00	70.44	33.46	0.45	70.15	176.80	177.00	265.12	
SW Well 1	9/11/2010 2:30:00	70.43	33.46	0.46	70.15	176.80	177.00	265.12	
SW Well 1	9/11/2010 2:45:00	70.44	33.46	0.46	70.15	176.80	177.00	265.12	
SW Well 1	9/11/2010 3:00:00	70.44	33.46	0.46	70.15	176.80	177.00	265.12	
SW Well 1	9/11/2010 3:15:00	70.44	33.46	0.46	70.15	176.79	177.00	265.12	
SW Well 1	9/11/2010 3:30:00	70.44	33.46	0.46	70.15	176.79	177.00	265.12	
SW Well 1	9/11/2010 3:45:00	70.44	33.47	0.46	70.15	176.79	177.00	265.12	
SW Well 1	9/11/2010 4:00:00	70.44	33.47	0.46	70.16	176.79	177.00	265.12	
SW Well 1	9/11/2010 4:15:00	70.44	33.47	0.47	70.15	176.79	177.00	265.12	
SW Well 1	9/11/2010 4:30:00	70.44	33.47	0.47	70.15	176.79	177.00	265.12	
SW Well 1	9/11/2010 4:45:00	70.45	33.47	0.47	70.16	176.78	177.00	265.12	
SW Well 1	9/11/2010 5:00:00	70.45	33.47	0.47	70.16	176.78	176.99	265.13	
SW Well 1	9/11/2010 5:15:00	70.46	33.47	0.47	70.16	176.78	176.99	265.13	
SW Well 1	9/11/2010 5:30:00	70.46	33.48	0.47	70.16	176.78	176.99	265.13	
SW Well 1	9/11/2010 5:45:00	70.46	33.48	0.48	70.16	176.77	176.99	265.13	
SW Well 1	9/11/2010 6:00:00	70.46	33.48	0.48	70.17	176.77	176.99	265.13	
SW Well 1	9/11/2010 6:15:00	70.46	33.48	0.48	70.16	176.77	176.99	265.13	
SW Well 1	9/11/2010 6:30:00	70.47	33.49	0.48	70.17	176.77	176.99	265.13	
SW Well 1	9/11/2010 6:45:00	70.47	33.49	0.49	70.17	176.77	176.99	265.13	
SW Well 1	9/11/2010 7:00:00	70.47	33.49	0.49	70.17	176.76	176.99	265.13	
SW Well 1	9/11/2010 7:15:00	70.47	33.49	0.49	70.17	176.76	176.99	265.13	
SW Well 1	9/11/2010 7:30:00	70.47	33.50	0.49	70.16	176.76	176.99	265.13	
SW Well 1	9/11/2010 7:45:00	70.47	33.50	0.50	70.16	176.76	176.99	265.13	
SW Well 1	9/11/2010 8:00:00	70.47	33.50	0.50	70.16	176.76	176.99	265.13	
SW Well 1	9/11/2010 8:15:00	70.47	33.50	0.50	70.16	176.76	176.99	265.13	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/11/2010 8:30:00	70.47	33.51	0.50	70.16	176.76	177.00	265.12	
SW Well 1	9/11/2010 8:45:00	70.47	33.51	0.51	70.16	176.76	177.00	265.12	
SW Well 1	9/11/2010 9:00:00	70.48	33.51	0.51	70.16	176.76	176.99	265.13	
SW Well 1	9/11/2010 9:15:00	70.48	33.51	0.51	70.16	176.76	177.00	265.12	
SW Well 1	9/11/2010 9:30:00	70.47	33.52	0.51	70.15	176.76	177.00	265.12	
SW Well 1	9/11/2010 9:45:00	70.47	33.51	0.51	70.15	176.76	177.00	265.12	
SW Well 1	9/11/2010 10:00:00	70.47	33.51	0.51	70.16	176.76	177.00	265.12	
SW Well 1	9/11/2010 10:15:00	70.47	33.51	0.50	70.16	176.76	177.00	265.12	
SW Well 1	9/11/2010 10:30:00	70.47	33.50	0.50	70.16	176.77	177.00	265.12	
SW Well 1	9/11/2010 10:45:00	70.47	33.50	0.50	70.16	176.77	177.00	265.12	
SW Well 1	9/11/2010 11:00:00	70.47	33.50	0.49	70.16	176.76	176.99	265.13	
SW Well 1	9/11/2010 11:15:00	70.47	33.49	0.49	70.16	176.77	176.99	265.13	
SW Well 1	9/11/2010 11:30:00	70.46	33.49	0.49	70.16	176.77	176.99	265.13	
SW Well 1	9/11/2010 11:45:00	70.47	33.49	0.48	70.17	176.77	176.99	265.13	
SW Well 1	9/11/2010 12:00:00	70.46	33.48	0.48	70.17	176.77	176.99	265.13	
SW Well 1	9/11/2010 12:15:00	70.46	33.48	0.48	70.16	176.77	176.99	265.13	
SW Well 1	9/11/2010 12:30:00	70.46	33.48	0.47	70.17	176.77	176.99	265.13	
SW Well 1	9/11/2010 12:45:00	70.46	33.47	0.47	70.16	176.78	176.99	265.13	
SW Well 1	9/11/2010 13:00:00	70.46	33.47	0.47	70.17	176.78	176.99	265.13	
SW Well 1	9/11/2010 13:15:00	70.46	33.47	0.46	70.17	176.78	176.99	265.13	
SW Well 1	9/11/2010 13:30:00	70.46	33.46	0.46	70.17	176.78	176.98	265.14	
SW Well 1	9/11/2010 13:45:00	70.45	33.46	0.46	70.17	176.78	176.99	265.13	
SW Well 1	9/11/2010 14:00:00	70.45	33.45	0.45	70.17	176.78	176.98	265.14	
SW Well 1	9/11/2010 14:15:00	70.45	33.45	0.45	70.17	176.78	176.98	265.14	
SW Well 1	9/11/2010 14:30:00	70.45	33.44	0.44	70.18	176.78	176.98	265.14	
SW Well 1	9/11/2010 14:45:00	70.45	33.44	0.44	70.18	176.78	176.97	265.15	
SW Well 1	9/11/2010 15:00:00	70.45	33.44	0.43	70.18	176.78	176.97	265.15	
SW Well 1	9/11/2010 15:15:00	70.45	33.43	0.43	70.19	176.78	176.97	265.15	
SW Well 1	9/11/2010 15:30:00	70.45	33.43	0.42	70.19	176.78	176.97	265.15	
SW Well 1	9/11/2010 15:45:00	70.45	33.42	0.42	70.19	176.78	176.96	265.16	
SW Well 1	9/11/2010 16:00:00	70.45	33.42	0.41	70.19	176.78	176.96	265.16	
SW Well 1	9/11/2010 16:15:00	70.45	33.41	0.41	70.20	176.78	176.96	265.16	
SW Well 1	9/11/2010 16:30:00	70.45	33.41	0.41	70.20	176.78	176.95	265.17	
SW Well 1	9/11/2010 16:45:00	70.45	33.40	0.40	70.20	176.78	176.95	265.17	
SW Well 1	9/11/2010 17:00:00	70.45	33.40	0.40	70.20	176.78	176.95	265.17	
SW Well 1	9/11/2010 17:15:00	70.45	33.39	0.39	70.21	176.78	176.95	265.17	
SW Well 1	9/11/2010 17:30:00	70.46	33.39	0.39	70.21	176.78	176.94	265.18	
SW Well 1	9/11/2010 17:45:00	70.46	33.39	0.39	70.21	176.78	176.94	265.18	
SW Well 1	9/11/2010 18:00:00	70.45	33.39	0.39	70.21	176.78	176.94	265.18	
SW Well 1	9/11/2010 18:15:00	70.45	33.39	0.39	70.21	176.78	176.94	265.18	
SW Well 1	9/11/2010 18:30:00	70.45	33.39	0.39	70.21	176.78	176.94	265.18	
SW Well 1	9/11/2010 18:45:00	70.46	33.39	0.39	70.21	176.78	176.94	265.18	
SW Well 1	9/11/2010 19:00:00	70.45	33.39	0.39	70.21	176.78	176.94	265.18	
SW Well 1	9/11/2010 19:15:00	70.45	33.39	0.39	70.21	176.78	176.94	265.18	
SW Well 1	9/11/2010 19:30:00	70.45	33.39	0.39	70.21	176.78	176.94	265.18	
SW Well 1	9/11/2010 19:45:00	70.45	33.39	0.39	70.21	176.78	176.94	265.18	
SW Well 1	9/11/2010 20:00:00	70.45	33.39	0.39	70.21	176.78	176.95	265.17	
SW Well 1	9/11/2010 20:15:00	70.45	33.39	0.39	70.21	176.78	176.95	265.17	
SW Well 1	9/11/2010 20:30:00	70.45	33.39	0.39	70.21	176.78	176.94	265.18	
SW Well 1	9/11/2010 20:45:00	70.45	33.39	0.39	70.21	176.78	176.94	265.18	
SW Well 1	9/11/2010 21:00:00	70.45	33.39	0.39	70.21	176.78	176.94	265.18	
SW Well 1	9/11/2010 21:15:00	70.45	33.39	0.39	70.21	176.78	176.94	265.18	
SW Well 1	9/11/2010 21:30:00	70.45	33.39	0.39	70.21	176.78	176.95	265.17	
SW Well 1	9/11/2010 21:45:00	70.44	33.39	0.39	70.20	176.79	176.95	265.17	
SW Well 1	9/11/2010 22:00:00	70.44	33.39	0.39	70.20	176.79	176.96	265.16	
SW Well 1	9/11/2010 22:15:00	70.44	33.40	0.39	70.20	176.79	176.96	265.16	
SW Well 1	9/11/2010 22:30:00	70.44	33.40	0.40	70.19	176.80	176.96	265.16	
SW Well 1	9/11/2010 22:45:00	70.44	33.40	0.40	70.19	176.80	176.96	265.16	
SW Well 1	9/11/2010 23:00:00	70.44	33.40	0.40	70.19	176.80	176.96	265.16	
SW Well 1	9/11/2010 23:15:00	70.44	33.40	0.40	70.19	176.80	176.97	265.15	
SW Well 1	9/11/2010 23:30:00	70.43	33.40	0.40	70.18	176.80	176.97	265.15	
SW Well 1	9/11/2010 23:45:00	70.43	33.41	0.40	70.18	176.80	176.97	265.15	
SW Well 1	9/12/2010 0:00:00	70.43	33.41	0.40	70.18	176.80	176.98	265.14	
SW Well 1	9/12/2010 0:15:00	70.42	33.41	0.41	70.17	176.81	176.98	265.14	
SW Well 1	9/12/2010 0:30:00	70.42	33.41	0.41	70.17	176.81	176.99	265.13	
SW Well 1	9/12/2010 0:45:00	70.42	33.41	0.41	70.17	176.81	176.98	265.14	
SW Well 1	9/12/2010 1:00:00	70.42	33.41	0.41	70.17	176.81	176.99	265.13	
SW Well 1	9/12/2010 1:15:00	70.42	33.41	0.41	70.17	176.81	176.99	265.13	
SW Well 1	9/12/2010 1:30:00	70.42	33.42	0.41	70.17	176.81	176.99	265.13	
SW Well 1	9/12/2010 1:45:00	70.42	33.42	0.41	70.16	176.81	176.99	265.13	
SW Well 1	9/12/2010 2:00:00	70.42	33.42	0.41	70.16	176.81	176.99	265.13	
SW Well 1	9/12/2010 2:15:00	70.42	33.42	0.41	70.16	176.81	176.99	265.13	
SW Well 1	9/12/2010 2:30:00	70.42	33.42	0.41	70.16	176.81	176.99	265.13	
SW Well 1	9/12/2010 2:45:00	70.42	33.42	0.41	70.16	176.81	176.99	265.13	
SW Well 1	9/12/2010 3:00:00	70.42	33.41	0.41	70.16	176.82	176.99	265.13	
SW Well 1	9/12/2010 3:15:00	70.42	33.41	0.41	70.16	176.81	176.99	265.13	
SW Well 1	9/12/2010 3:30:00	70.42	33.41	0.41	70.16	176.81	176.99	265.13	
SW Well 1	9/12/2010 3:45:00	70.42	33.41	0.41	70.16	176.81	176.99	265.13	
SW Well 1	9/12/2010 4:00:00	70.42	33.41	0.41	70.16	176.81	176.99	265.13	
SW Well 1	9/12/2010 4:15:00	70.42	33.41	0.41	70.16	176.81	176.99	265.13	
SW Well 1	9/12/2010 4:30:00	70.42	33.41	0.41	70.17	176.81	176.99	265.13	
SW Well 1	9/12/2010 4:45:00	70.42	33.41	0.41	70.17	176.81	176.98	265.14	
SW Well 1	9/12/2010 5:00:00	70.42	33.41	0.41	70.17	176.81	176.98	265.14	
SW Well 1	9/12/2010 5:15:00	70.43	33.41	0.41	70.17	176.80	176.98	265.14	
SW Well 1	9/12/2010 5:30:00	70.43	33.41	0.41	70.17	176.80	176.98	265.14	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/12/2010 5:45:00	70.42	33.41	0.41	70.17	176.81	176.98	265.14	
SW Well 1	9/12/2010 6:00:00	70.43	33.41	0.41	70.17	176.80	176.98	265.14	
SW Well 1	9/12/2010 6:15:00	70.43	33.41	0.41	70.17	176.80	176.98	265.14	
SW Well 1	9/12/2010 6:30:00	70.43	33.41	0.41	70.18	176.80	176.98	265.14	
SW Well 1	9/12/2010 6:45:00	70.44	33.41	0.41	70.18	176.80	176.97	265.15	
SW Well 1	9/12/2010 7:00:00	70.44	33.42	0.41	70.18	176.79	176.97	265.15	
SW Well 1	9/12/2010 7:15:00	70.44	33.42	0.41	70.18	176.79	176.97	265.15	
SW Well 1	9/12/2010 7:30:00	70.44	33.42	0.41	70.18	176.79	176.97	265.15	
SW Well 1	9/12/2010 7:45:00	70.44	33.42	0.41	70.18	176.79	176.97	265.15	
SW Well 1	9/12/2010 8:00:00	70.44	33.42	0.41	70.18	176.79	176.97	265.15	
SW Well 1	9/12/2010 8:15:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	9/12/2010 8:30:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	9/12/2010 8:45:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	9/12/2010 9:00:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	9/12/2010 9:15:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	9/12/2010 9:30:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	9/12/2010 9:45:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	9/12/2010 10:00:00	70.44	33.42	0.41	70.18	176.79	176.97	265.15	
SW Well 1	9/12/2010 10:15:00	70.44	33.41	0.41	70.18	176.79	176.97	265.15	
SW Well 1	9/12/2010 10:30:00	70.44	33.41	0.41	70.19	176.79	176.97	265.15	
SW Well 1	9/12/2010 10:45:00	70.44	33.41	0.41	70.19	176.79	176.97	265.15	
SW Well 1	9/12/2010 11:00:00	70.44	33.41	0.41	70.18	176.80	176.97	265.15	
SW Well 1	9/12/2010 11:15:00	70.43	33.41	0.40	70.18	176.80	176.97	265.15	
SW Well 1	9/12/2010 11:30:00	70.43	33.40	0.40	70.18	176.80	176.97	265.15	
SW Well 1	9/12/2010 11:45:00	70.43	33.40	0.40	70.18	176.80	176.97	265.15	
SW Well 1	9/12/2010 12:00:00	70.43	33.40	0.40	70.19	176.80	176.97	265.15	
SW Well 1	9/12/2010 12:15:00	70.43	33.40	0.40	70.18	176.80	176.97	265.15	
SW Well 1	9/12/2010 12:30:00	70.43	33.40	0.39	70.18	176.80	176.97	265.15	
SW Well 1	9/12/2010 12:45:00	70.43	33.39	0.39	70.18	176.80	176.97	265.15	
SW Well 1	9/12/2010 13:00:00	70.43	33.39	0.39	70.19	176.80	176.97	265.15	
SW Well 1	9/12/2010 13:15:00	70.43	33.39	0.39	70.19	176.80	176.97	265.15	
SW Well 1	9/12/2010 13:30:00	70.43	33.39	0.39	70.19	176.80	176.97	265.15	
SW Well 1	9/12/2010 13:45:00	70.43	33.39	0.39	70.19	176.80	176.96	265.16	
SW Well 1	9/12/2010 14:00:00	70.42	33.39	0.38	70.19	176.81	176.97	265.15	
SW Well 1	9/12/2010 14:15:00	70.42	33.38	0.38	70.19	176.81	176.97	265.15	
SW Well 1	9/12/2010 14:30:00	70.42	33.38	0.38	70.19	176.81	176.97	265.15	
SW Well 1	9/12/2010 14:45:00	70.42	33.38	0.38	70.19	176.81	176.97	265.15	
SW Well 1	9/12/2010 15:00:00	70.42	33.38	0.38	70.19	176.81	176.96	265.16	
SW Well 1	9/12/2010 15:15:00	70.42	33.38	0.38	70.19	176.81	176.96	265.16	
SW Well 1	9/12/2010 15:30:00	70.42	33.38	0.37	70.19	176.81	176.96	265.16	
SW Well 1	9/12/2010 15:45:00	70.42	33.38	0.37	70.19	176.81	176.96	265.16	
SW Well 1	9/12/2010 16:00:00	70.42	33.37	0.37	70.19	176.81	176.96	265.16	
SW Well 1	9/12/2010 16:15:00	70.42	33.37	0.37	70.19	176.81	176.96	265.16	
SW Well 1	9/12/2010 16:30:00	70.43	33.37	0.37	70.20	176.80	176.95	265.17	
SW Well 1	9/12/2010 16:45:00	70.43	33.37	0.37	70.20	176.80	176.95	265.17	
SW Well 1	9/12/2010 17:00:00	70.43	33.37	0.37	70.20	176.80	176.95	265.17	
SW Well 1	9/12/2010 17:15:00	70.43	33.37	0.36	70.20	176.80	176.95	265.17	
SW Well 1	9/12/2010 17:30:00	70.43	33.37	0.36	70.20	176.80	176.95	265.17	
SW Well 1	9/12/2010 17:45:00	70.43	33.37	0.36	70.20	176.80	176.95	265.17	
SW Well 1	9/12/2010 18:00:00	70.43	33.37	0.36	70.20	176.80	176.95	265.17	
SW Well 1	9/12/2010 18:15:00	70.43	33.37	0.36	70.20	176.80	176.95	265.17	
SW Well 1	9/12/2010 18:30:00	70.43	33.37	0.37	70.20	176.80	176.95	265.17	
SW Well 1	9/12/2010 18:45:00	70.43	33.37	0.37	70.20	176.80	176.95	265.17	
SW Well 1	9/12/2010 19:00:00	70.43	33.37	0.37	70.20	176.80	176.95	265.17	
SW Well 1	9/12/2010 19:15:00	70.43	33.37	0.37	70.20	176.80	176.95	265.17	
SW Well 1	9/12/2010 19:30:00	70.43	33.37	0.37	70.20	176.80	176.95	265.17	
SW Well 1	9/12/2010 19:45:00	70.43	33.37	0.37	70.20	176.80	176.95	265.17	
SW Well 1	9/12/2010 20:00:00	70.43	33.37	0.37	70.20	176.80	176.95	265.17	
SW Well 1	9/12/2010 20:15:00	70.43	33.37	0.37	70.20	176.80	176.95	265.17	
SW Well 1	9/12/2010 20:30:00	70.44	33.37	0.37	70.21	176.80	176.95	265.17	
SW Well 1	9/12/2010 20:45:00	70.44	33.37	0.37	70.21	176.80	176.95	265.17	
SW Well 1	9/12/2010 21:00:00	70.44	33.37	0.37	70.21	176.80	176.95	265.17	
SW Well 1	9/12/2010 21:15:00	70.43	33.37	0.37	70.20	176.80	176.95	265.17	
SW Well 1	9/12/2010 21:30:00	70.43	33.38	0.37	70.20	176.80	176.95	265.17	
SW Well 1	9/12/2010 21:45:00	70.43	33.38	0.37	70.20	176.80	176.95	265.17	
SW Well 1	9/12/2010 22:00:00	70.43	33.38	0.38	70.20	176.80	176.95	265.17	
SW Well 1	9/12/2010 22:15:00	70.43	33.38	0.38	70.19	176.80	176.96	265.16	
SW Well 1	9/12/2010 22:30:00	70.43	33.38	0.38	70.19	176.80	176.96	265.16	
SW Well 1	9/12/2010 22:45:00	70.43	33.38	0.38	70.19	176.80	176.96	265.16	
SW Well 1	9/12/2010 23:00:00	70.42	33.38	0.38	70.19	176.81	176.97	265.15	
SW Well 1	9/12/2010 23:15:00	70.42	33.38	0.38	70.19	176.81	176.97	265.15	
SW Well 1	9/12/2010 23:30:00	70.42	33.38	0.38	70.19	176.81	176.97	265.15	
SW Well 1	9/12/2010 23:45:00	70.42	33.39	0.38	70.18	176.81	176.97	265.15	
SW Well 1	9/13/2010 0:00:00	70.42	33.39	0.38	70.18	176.82	176.98	265.14	
SW Well 1	9/13/2010 0:15:00	70.42	33.39	0.39	70.18	176.82	176.98	265.14	
SW Well 1	9/13/2010 0:30:00	70.42	33.39	0.39	70.18	176.82	176.98	265.14	
SW Well 1	9/13/2010 0:45:00	70.42	33.39	0.39	70.18	176.82	176.98	265.14	
SW Well 1	9/13/2010 1:00:00	70.42	33.39	0.39	70.17	176.82	176.98	265.14	
SW Well 1	9/13/2010 1:15:00	70.42	33.39	0.39	70.17	176.82	176.98	265.14	
SW Well 1	9/13/2010 1:30:00	70.42	33.39	0.39	70.17	176.82	176.98	265.14	
SW Well 1	9/13/2010 1:45:00	70.41	33.40	0.39	70.17	176.82	176.98	265.14	
SW Well 1	9/13/2010 2:00:00	70.42	33.40	0.39	70.17	176.82	176.98	265.14	
SW Well 1	9/13/2010 2:15:00	70.42	33.40	0.40	70.17	176.82	176.98	265.14	
SW Well 1	9/13/2010 2:30:00	70.41	33.40	0.40	70.17	176.82	176.99	265.13	
SW Well 1	9/13/2010 2:45:00	70.41	33.40	0.40	70.17	176.82	176.99	265.13	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/13/2010 3:00:00	70.41	33.40	0.40	70.17	176.82	176.99	265.13	
SW Well 1	9/13/2010 3:15:00	70.41	33.40	0.40	70.16	176.82	176.99	265.13	
SW Well 1	9/13/2010 3:30:00	70.41	33.40	0.40	70.16	176.82	176.99	265.13	
SW Well 1	9/13/2010 3:45:00	70.42	33.40	0.40	70.17	176.82	176.99	265.13	
SW Well 1	9/13/2010 4:00:00	70.42	33.41	0.40	70.17	176.82	176.99	265.13	
SW Well 1	9/13/2010 4:15:00	70.42	33.41	0.41	70.17	176.81	176.98	265.14	
SW Well 1	9/13/2010 4:30:00	70.42	33.41	0.41	70.16	176.82	176.99	265.13	
SW Well 1	9/13/2010 4:45:00	70.42	33.41	0.41	70.16	176.82	176.99	265.13	
SW Well 1	9/13/2010 5:00:00	70.42	33.41	0.41	70.17	176.81	176.99	265.13	
SW Well 1	9/13/2010 5:15:00	70.42	33.41	0.41	70.17	176.81	176.99	265.13	
SW Well 1	9/13/2010 5:30:00	70.42	33.41	0.41	70.17	176.81	176.99	265.13	
SW Well 1	9/13/2010 5:45:00	70.42	33.41	0.41	70.17	176.81	176.98	265.14	
SW Well 1	9/13/2010 6:00:00	70.42	33.41	0.41	70.17	176.81	176.99	265.13	
SW Well 1	9/13/2010 6:15:00	70.42	33.41	0.41	70.17	176.81	176.99	265.13	
SW Well 1	9/13/2010 6:30:00	70.43	33.41	0.41	70.17	176.80	176.98	265.14	
SW Well 1	9/13/2010 6:45:00	70.43	33.41	0.41	70.17	176.80	176.98	265.14	
SW Well 1	9/13/2010 7:00:00	70.43	33.41	0.41	70.18	176.80	176.98	265.14	
SW Well 1	9/13/2010 7:15:00	70.43	33.42	0.41	70.18	176.80	176.98	265.14	
SW Well 1	9/13/2010 7:30:00	70.43	33.42	0.41	70.18	176.80	176.98	265.14	
SW Well 1	9/13/2010 7:45:00	70.44	33.42	0.41	70.18	176.80	176.97	265.15	
SW Well 1	9/13/2010 8:00:00	70.44	33.42	0.41	70.18	176.80	176.97	265.15	
SW Well 1	9/13/2010 8:15:00	70.44	33.42	0.41	70.18	176.80	176.97	265.15	
SW Well 1	9/13/2010 8:30:00	70.44	33.42	0.41	70.18	176.80	176.97	265.15	
SW Well 1	9/13/2010 8:45:00	70.44	33.42	0.42	70.18	176.80	176.98	265.14	
SW Well 1	9/13/2010 9:00:00	70.44	33.42	0.42	70.18	176.80	176.98	265.14	
SW Well 1	9/13/2010 9:15:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	9/13/2010 9:30:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	9/13/2010 9:45:00	70.44	33.41	0.41	70.18	176.79	176.97	265.15	
SW Well 1	9/13/2010 10:00:00	70.44	33.41	0.41	70.19	176.79	176.97	265.15	
SW Well 1	9/13/2010 10:15:00	70.44	33.41	0.41	70.19	176.79	176.97	265.15	
SW Well 1	9/13/2010 10:30:00	70.44	33.41	0.40	70.19	176.79	176.96	265.16	
SW Well 1	9/13/2010 10:45:00	70.44	33.40	0.40	70.19	176.80	176.97	265.15	
SW Well 1	9/13/2010 11:00:00	70.44	33.40	0.40	70.19	176.80	176.96	265.16	
SW Well 1	9/13/2010 11:15:00	70.44	33.40	0.39	70.19	176.80	176.96	265.16	
SW Well 1	9/13/2010 11:30:00	70.43	33.39	0.39	70.19	176.80	176.96	265.16	
SW Well 1	9/13/2010 11:45:00	70.43	33.39	0.39	70.19	176.80	176.96	265.16	
SW Well 1	9/13/2010 12:00:00	70.43	33.39	0.39	70.19	176.80	176.96	265.16	
SW Well 1	9/13/2010 12:15:00	70.43	33.38	0.38	70.19	176.80	176.96	265.16	
SW Well 1	9/13/2010 12:30:00	70.43	33.38	0.38	70.19	176.80	176.96	265.16	
SW Well 1	9/13/2010 12:45:00	70.43	33.38	0.38	70.19	176.80	176.96	265.16	
SW Well 1	9/13/2010 13:00:00	70.43	33.38	0.37	70.20	176.80	176.96	265.16	
SW Well 1	9/13/2010 13:15:00	70.42	33.37	0.37	70.19	176.81	176.96	265.16	
SW Well 1	9/13/2010 13:30:00	70.43	33.37	0.37	70.20	176.80	176.95	265.17	
SW Well 1	9/13/2010 13:45:00	70.42	33.37	0.36	70.20	176.81	176.95	265.17	
SW Well 1	9/13/2010 14:00:00	70.42	33.36	0.36	70.20	176.81	176.95	265.17	
SW Well 1	9/13/2010 14:15:00	70.42	33.36	0.36	70.20	176.81	176.95	265.17	
SW Well 1	9/13/2010 14:30:00	70.42	33.35	0.35	70.20	176.81	176.95	265.17	
SW Well 1	9/13/2010 14:45:00	70.42	33.35	0.35	70.20	176.81	176.95	265.17	
SW Well 1	9/13/2010 15:00:00	70.42	33.35	0.34	70.21	176.81	176.95	265.17	
SW Well 1	9/13/2010 15:15:00	70.42	33.34	0.34	70.21	176.82	176.95	265.17	
SW Well 1	9/13/2010 15:30:00	70.42	33.34	0.34	70.21	176.82	176.95	265.17	
SW Well 1	9/13/2010 15:45:00	70.41	33.33	0.33	70.21	176.82	176.95	265.17	
SW Well 1	9/13/2010 16:00:00	70.41	33.33	0.33	70.21	176.82	176.94	265.18	
SW Well 1	9/13/2010 16:15:00	70.41	33.33	0.33	70.21	176.82	176.94	265.18	
SW Well 1	9/13/2010 16:30:00	70.41	33.32	0.32	70.21	176.82	176.94	265.18	
SW Well 1	9/13/2010 16:45:00	70.41	33.32	0.32	70.21	176.82	176.94	265.18	
SW Well 1	9/13/2010 17:00:00	70.41	33.32	0.31	70.21	176.82	176.94	265.18	
SW Well 1	9/13/2010 17:15:00	70.41	33.31	0.31	70.22	176.82	176.94	265.18	
SW Well 1	9/13/2010 17:30:00	70.41	33.31	0.31	70.22	176.82	176.93	265.19	
SW Well 1	9/13/2010 17:45:00	70.41	33.31	0.31	70.22	176.82	176.94	265.18	
SW Well 1	9/13/2010 18:00:00	70.41	33.31	0.31	70.22	176.82	176.94	265.18	
SW Well 1	9/13/2010 18:15:00	70.41	33.31	0.31	70.21	176.83	176.94	265.18	
SW Well 1	9/13/2010 18:30:00	70.41	33.31	0.31	70.21	176.83	176.94	265.18	
SW Well 1	9/13/2010 18:45:00	70.41	33.31	0.31	70.22	176.82	176.94	265.18	
SW Well 1	9/13/2010 19:00:00	70.41	33.32	0.31	70.21	176.83	176.94	265.18	
SW Well 1	9/13/2010 19:15:00	70.41	33.32	0.31	70.21	176.83	176.94	265.18	
SW Well 1	9/13/2010 19:30:00	70.41	33.32	0.32	70.21	176.82	176.94	265.18	
SW Well 1	9/13/2010 19:45:00	70.41	33.32	0.32	70.21	176.82	176.94	265.18	
SW Well 1	9/13/2010 20:00:00	70.41	33.32	0.32	70.21	176.82	176.94	265.18	
SW Well 1	9/13/2010 20:15:00	70.41	33.32	0.32	70.21	176.82	176.94	265.18	
SW Well 1	9/13/2010 20:30:00	70.41	33.32	0.32	70.21	176.82	176.94	265.18	
SW Well 1	9/13/2010 20:45:00	70.41	33.32	0.32	70.21	176.82	176.94	265.18	
SW Well 1	9/13/2010 21:00:00	70.41	33.32	0.32	70.21	176.82	176.94	265.18	
SW Well 1	9/13/2010 21:15:00	70.41	33.33	0.32	70.21	176.82	176.95	265.17	
SW Well 1	9/13/2010 21:30:00	70.41	33.33	0.32	70.20	176.83	176.95	265.17	
SW Well 1	9/13/2010 21:45:00	70.41	33.33	0.33	70.20	176.83	176.95	265.17	
SW Well 1	9/13/2010 22:00:00	70.41	33.33	0.33	70.20	176.83	176.95	265.17	
SW Well 1	9/13/2010 22:15:00	70.40	33.33	0.33	70.20	176.83	176.96	265.16	
SW Well 1	9/13/2010 22:30:00	70.40	33.33	0.33	70.20	176.83	176.96	265.16	
SW Well 1	9/13/2010 22:45:00	70.40	33.33	0.33	70.20	176.83	176.96	265.16	
SW Well 1	9/13/2010 23:00:00	70.40	33.33	0.33	70.20	176.83	176.96	265.16	
SW Well 1	9/13/2010 23:15:00	70.39	33.33	0.33	70.19	176.84	176.96	265.16	
SW Well 1	9/13/2010 23:30:00	70.39	33.33	0.33	70.19	176.84	176.97	265.15	
SW Well 1	9/13/2010 23:45:00	70.40	33.33	0.33	70.19	176.84	176.96	265.16	
SW Well 1	9/14/2010 0:00:00	70.39	33.33	0.33	70.19	176.84	176.97	265.15	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/14/2010 0:15:00	70.39	33.33	0.33	70.19	176.84	176.97	265.15	
SW Well 1	9/14/2010 0:30:00	70.39	33.33	0.33	70.18	176.84	176.97	265.15	
SW Well 1	9/14/2010 0:45:00	70.39	33.33	0.33	70.18	176.84	176.97	265.15	
SW Well 1	9/14/2010 1:00:00	70.39	33.33	0.33	70.18	176.84	176.97	265.15	
SW Well 1	9/14/2010 1:15:00	70.39	33.34	0.33	70.18	176.84	176.97	265.15	
SW Well 1	9/14/2010 1:30:00	70.39	33.34	0.33	70.18	176.85	176.98	265.14	
SW Well 1	9/14/2010 1:45:00	70.38	33.34	0.34	70.17	176.85	176.98	265.14	
SW Well 1	9/14/2010 2:00:00	70.39	33.34	0.34	70.18	176.85	176.98	265.14	
SW Well 1	9/14/2010 2:15:00	70.39	33.34	0.34	70.18	176.85	176.98	265.14	
SW Well 1	9/14/2010 2:30:00	70.39	33.34	0.34	70.17	176.85	176.98	265.14	
SW Well 1	9/14/2010 2:45:00	70.38	33.34	0.34	70.17	176.85	176.98	265.14	
SW Well 1	9/14/2010 3:00:00	70.38	33.34	0.34	70.17	176.85	176.99	265.13	
SW Well 1	9/14/2010 3:15:00	70.38	33.35	0.34	70.17	176.85	176.99	265.13	
SW Well 1	9/14/2010 3:30:00	70.38	33.35	0.35	70.17	176.85	176.99	265.13	
SW Well 1	9/14/2010 3:45:00	70.38	33.35	0.35	70.17	176.85	176.99	265.13	
SW Well 1	9/14/2010 4:00:00	70.38	33.35	0.35	70.16	176.86	176.99	265.13	
SW Well 1	9/14/2010 4:15:00	70.38	33.35	0.35	70.16	176.85	176.99	265.13	
SW Well 1	9/14/2010 4:30:00	70.38	33.35	0.35	70.16	176.86	176.99	265.13	
SW Well 1	9/14/2010 4:45:00	70.38	33.35	0.35	70.16	176.85	176.99	265.13	
SW Well 1	9/14/2010 5:00:00	70.38	33.36	0.35	70.16	176.85	176.99	265.13	
SW Well 1	9/14/2010 5:15:00	70.39	33.36	0.36	70.16	176.85	176.99	265.13	
SW Well 1	9/14/2010 5:30:00	70.39	33.36	0.36	70.16	176.85	176.99	265.13	
SW Well 1	9/14/2010 5:45:00	70.39	33.36	0.36	70.16	176.85	176.99	265.13	
SW Well 1	9/14/2010 6:00:00	70.39	33.36	0.36	70.16	176.85	176.99	265.13	
SW Well 1	9/14/2010 6:15:00	70.39	33.36	0.36	70.17	176.84	176.99	265.13	
SW Well 1	9/14/2010 6:30:00	70.39	33.36	0.36	70.16	176.84	176.99	265.13	
SW Well 1	9/14/2010 6:45:00	70.39	33.37	0.36	70.16	176.84	176.99	265.13	
SW Well 1	9/14/2010 7:00:00	70.39	33.37	0.37	70.17	176.84	176.99	265.13	
SW Well 1	9/14/2010 7:15:00	70.39	33.37	0.37	70.17	176.84	176.99	265.13	
SW Well 1	9/14/2010 7:30:00	70.39	33.37	0.37	70.16	176.84	176.99	265.13	
SW Well 1	9/14/2010 7:45:00	70.39	33.37	0.37	70.16	176.84	176.99	265.13	
SW Well 1	9/14/2010 8:00:00	70.39	33.37	0.37	70.16	176.84	176.99	265.13	
SW Well 1	9/14/2010 8:15:00	70.40	33.37	0.37	70.17	176.84	176.99	265.13	
SW Well 1	9/14/2010 8:30:00	70.40	33.38	0.37	70.17	176.84	176.99	265.13	
SW Well 1	9/14/2010 8:45:00	70.40	33.38	0.37	70.16	176.84	176.99	265.13	
SW Well 1	9/14/2010 9:00:00	70.40	33.38	0.38	70.17	176.83	176.99	265.13	
SW Well 1	9/14/2010 9:15:00	70.40	33.38	0.38	70.17	176.83	176.99	265.13	
SW Well 1	9/14/2010 9:30:00	70.41	33.38	0.38	70.17	176.83	176.98	265.14	
SW Well 1	9/14/2010 9:45:00	70.41	33.38	0.38	70.17	176.83	176.98	265.14	
SW Well 1	9/14/2010 10:00:00	70.41	33.38	0.38	70.17	176.83	176.98	265.14	
SW Well 1	9/14/2010 10:15:00	70.41	33.38	0.38	70.18	176.82	176.98	265.14	
SW Well 1	9/14/2010 10:30:00	70.41	33.38	0.38	70.18	176.82	176.98	265.14	
SW Well 1	9/14/2010 10:45:00	70.41	33.38	0.37	70.18	176.82	176.98	265.14	
SW Well 1	9/14/2010 11:00:00	70.41	33.38	0.37	70.18	176.82	176.98	265.14	
SW Well 1	9/14/2010 11:15:00	70.41	33.38	0.37	70.18	176.82	176.98	265.14	
SW Well 1	9/14/2010 11:30:00	70.41	33.37	0.37	70.18	176.82	176.98	265.14	
SW Well 1	9/14/2010 11:45:00	70.41	33.37	0.37	70.18	176.82	176.98	265.14	
SW Well 1	9/14/2010 12:00:00	70.41	33.37	0.37	70.18	176.82	176.97	265.15	
SW Well 1	9/14/2010 12:15:00	70.41	33.37	0.37	70.18	176.82	176.97	265.15	
SW Well 1	9/14/2010 12:30:00	70.41	33.37	0.37	70.18	176.82	176.97	265.15	
SW Well 1	9/14/2010 12:45:00	70.41	33.37	0.37	70.18	176.82	176.97	265.15	
SW Well 1	9/14/2010 13:00:00	70.41	33.37	0.37	70.18	176.82	176.97	265.15	
SW Well 1	9/14/2010 13:15:00	70.41	33.37	0.37	70.18	176.83	176.98	265.14	
SW Well 1	9/14/2010 13:30:00	70.41	33.37	0.37	70.18	176.83	176.98	265.14	
SW Well 1	9/14/2010 13:45:00	70.41	33.36	0.36	70.18	176.82	176.97	265.15	
SW Well 1	9/14/2010 14:00:00	70.41	33.36	0.36	70.18	176.83	176.97	265.15	
SW Well 1	9/14/2010 14:15:00	70.41	33.36	0.35	70.19	176.83	176.97	265.15	
SW Well 1	9/14/2010 14:30:00	70.41	33.35	0.35	70.19	176.83	176.97	265.15	
SW Well 1	9/14/2010 14:45:00	70.40	33.35	0.35	70.19	176.83	176.97	265.15	
SW Well 1	9/14/2010 15:00:00	70.40	33.34	0.34	70.19	176.83	176.97	265.15	
SW Well 1	9/14/2010 15:15:00	70.40	33.34	0.34	70.19	176.83	176.96	265.16	
SW Well 1	9/14/2010 15:30:00	70.40	33.34	0.33	70.19	176.84	176.96	265.16	
SW Well 1	9/14/2010 15:45:00	70.40	33.33	0.33	70.19	176.84	176.96	265.16	
SW Well 1	9/14/2010 16:00:00	70.39	33.33	0.33	70.19	176.84	176.96	265.16	
SW Well 1	9/14/2010 16:15:00	70.39	33.33	0.32	70.19	176.84	176.96	265.16	
SW Well 1	9/14/2010 16:30:00	70.40	33.32	0.32	70.20	176.84	176.95	265.17	
SW Well 1	9/14/2010 16:45:00	70.39	33.32	0.32	70.20	176.84	176.96	265.16	
SW Well 1	9/14/2010 17:00:00	70.39	33.31	0.31	70.20	176.84	176.95	265.17	
SW Well 1	9/14/2010 17:15:00	70.39	33.31	0.31	70.20	176.84	176.95	265.17	
SW Well 1	9/14/2010 17:30:00	70.39	33.31	0.30	70.20	176.84	176.95	265.17	
SW Well 1	9/14/2010 17:45:00	70.39	33.31	0.30	70.20	176.84	176.95	265.17	
SW Well 1	9/14/2010 18:00:00	70.39	33.30	0.30	70.21	176.84	176.95	265.17	
SW Well 1	9/14/2010 18:15:00	70.39	33.30	0.30	70.21	176.84	176.95	265.17	
SW Well 1	9/14/2010 18:30:00	70.39	33.30	0.30	70.20	176.84	176.95	265.17	
SW Well 1	9/14/2010 18:45:00	70.39	33.30	0.30	70.20	176.84	176.95	265.17	
SW Well 1	9/14/2010 19:00:00	70.39	33.30	0.30	70.21	176.84	176.95	265.17	
SW Well 1	9/14/2010 19:15:00	70.39	33.30	0.30	70.20	176.84	176.95	265.17	
SW Well 1	9/14/2010 19:30:00	70.39	33.30	0.30	70.20	176.85	176.95	265.17	
SW Well 1	9/14/2010 19:45:00	70.39	33.30	0.29	70.21	176.84	176.95	265.17	
SW Well 1	9/14/2010 20:00:00	70.39	33.30	0.29	70.20	176.85	176.95	265.17	
SW Well 1	9/14/2010 20:15:00	70.39	33.30	0.29	70.20	176.85	176.95	265.17	
SW Well 1	9/14/2010 20:30:00	70.39	33.29	0.29	70.20	176.85	176.95	265.17	
SW Well 1	9/14/2010 20:45:00	70.39	33.29	0.29	70.20	176.85	176.95	265.17	
SW Well 1	9/14/2010 21:00:00	70.39	33.29	0.29	70.21	176.85	176.95	265.17	
SW Well 1	9/14/2010 21:15:00	70.39	33.29	0.29	70.21	176.85	176.95	265.17	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/14/2010 21:30:00	70.39	33.29	0.29	70.21	176.85	176.95	265.17	
SW Well 1	9/14/2010 21:45:00	70.38	33.29	0.29	70.20	176.85	176.95	265.17	
SW Well 1	9/14/2010 22:00:00	70.38	33.29	0.28	70.20	176.85	176.95	265.17	
SW Well 1	9/14/2010 22:15:00	70.38	33.28	0.28	70.20	176.86	176.95	265.17	
SW Well 1	9/14/2010 22:30:00	70.38	33.28	0.28	70.20	176.86	176.95	265.17	
SW Well 1	9/14/2010 22:45:00	70.37	33.28	0.28	70.20	176.86	176.95	265.17	
SW Well 1	9/14/2010 23:00:00	70.37	33.28	0.28	70.20	176.86	176.95	265.17	
SW Well 1	9/14/2010 23:15:00	70.37	33.28	0.28	70.20	176.86	176.96	265.16	
SW Well 1	9/14/2010 23:30:00	70.37	33.28	0.27	70.20	176.86	176.95	265.17	
SW Well 1	9/14/2010 23:45:00	70.37	33.27	0.27	70.20	176.87	176.96	265.16	
SW Well 1	9/15/2010 0:00:00	70.37	33.27	0.27	70.20	176.87	176.96	265.16	
SW Well 1	9/15/2010 0:15:00	70.36	33.27	0.27	70.19	176.87	176.96	265.16	
SW Well 1	9/15/2010 0:30:00	70.36	33.27	0.27	70.20	176.87	176.96	265.16	
SW Well 1	9/15/2010 0:45:00	70.36	33.27	0.27	70.19	176.87	176.96	265.16	
SW Well 1	9/15/2010 1:00:00	70.36	33.27	0.26	70.19	176.87	176.96	265.16	
SW Well 1	9/15/2010 1:15:00	70.36	33.26	0.26	70.20	176.87	176.96	265.16	
SW Well 1	9/15/2010 1:30:00	70.35	33.26	0.26	70.19	176.88	176.97	265.15	
SW Well 1	9/15/2010 1:45:00	70.35	33.26	0.26	70.19	176.88	176.97	265.15	
SW Well 1	9/15/2010 2:00:00	70.35	33.26	0.26	70.19	176.88	176.96	265.16	
SW Well 1	9/15/2010 2:15:00	70.35	33.26	0.26	70.19	176.89	176.97	265.15	
SW Well 1	9/15/2010 2:30:00	70.35	33.26	0.26	70.19	176.89	176.97	265.15	
SW Well 1	9/15/2010 2:45:00	70.35	33.26	0.26	70.19	176.89	176.97	265.15	
SW Well 1	9/15/2010 3:00:00	70.34	33.26	0.26	70.18	176.89	176.97	265.15	
SW Well 1	9/15/2010 3:15:00	70.34	33.26	0.26	70.18	176.89	176.97	265.15	
SW Well 1	9/15/2010 3:30:00	70.34	33.26	0.25	70.18	176.89	176.97	265.15	
SW Well 1	9/15/2010 3:45:00	70.34	33.26	0.25	70.18	176.89	176.97	265.15	
SW Well 1	9/15/2010 4:00:00	70.34	33.26	0.25	70.18	176.89	176.97	265.15	
SW Well 1	9/15/2010 4:15:00	70.34	33.25	0.25	70.18	176.89	176.97	265.15	
SW Well 1	9/15/2010 4:30:00	70.34	33.25	0.25	70.18	176.90	176.98	265.14	
SW Well 1	9/15/2010 4:45:00	70.33	33.25	0.25	70.18	176.90	176.98	265.14	
SW Well 1	9/15/2010 5:00:00	70.33	33.25	0.25	70.17	176.91	176.98	265.14	
SW Well 1	9/15/2010 5:15:00	70.33	33.25	0.25	70.17	176.91	176.98	265.14	
SW Well 1	9/15/2010 5:30:00	70.33	33.25	0.25	70.18	176.90	176.98	265.14	
SW Well 1	9/15/2010 5:45:00	70.33	33.25	0.25	70.18	176.90	176.98	265.14	
SW Well 1	9/15/2010 6:00:00	70.33	33.25	0.25	70.17	176.90	176.98	265.14	
SW Well 1	9/15/2010 6:15:00	70.33	33.26	0.25	70.17	176.91	176.98	265.14	
SW Well 1	9/15/2010 6:30:00	70.33	33.26	0.26	70.17	176.90	176.98	265.14	
SW Well 1	9/15/2010 6:45:00	70.33	33.26	0.26	70.17	176.91	176.99	265.13	
SW Well 1	9/15/2010 7:00:00	70.33	33.26	0.26	70.17	176.91	176.99	265.13	
SW Well 1	9/15/2010 7:15:00	70.33	33.26	0.26	70.17	176.91	176.99	265.13	
SW Well 1	9/15/2010 7:30:00	70.33	33.27	0.26	70.16	176.91	176.99	265.13	
SW Well 1	9/15/2010 7:45:00	70.33	33.27	0.26	70.16	176.91	176.99	265.13	
SW Well 1	9/15/2010 8:00:00	70.33	33.27	0.27	70.16	176.91	176.99	265.13	
SW Well 1	9/15/2010 8:15:00	70.33	33.27	0.27	70.16	176.91	176.99	265.13	
SW Well 1	9/15/2010 8:30:00	70.33	33.27	0.27	70.16	176.91	176.99	265.13	
SW Well 1	9/15/2010 8:45:00	70.33	33.27	0.27	70.16	176.91	177.00	265.12	
SW Well 1	9/15/2010 9:00:00	70.33	33.28	0.27	70.16	176.91	177.00	265.12	
SW Well 1	9/15/2010 9:15:00	70.34	33.28	0.28	70.16	176.90	176.99	265.13	
SW Well 1	9/15/2010 9:30:00	70.33	33.28	0.28	70.16	176.91	177.00	265.12	
SW Well 1	9/15/2010 9:45:00	70.33	33.28	0.28	70.16	176.91	177.00	265.12	
SW Well 1	9/15/2010 10:00:00	70.33	33.28	0.27	70.16	176.91	177.00	265.12	
SW Well 1	9/15/2010 10:15:00	70.32	33.27	0.27	70.15	176.91	177.00	265.12	
SW Well 1	9/15/2010 10:30:00	70.33	33.27	0.27	70.16	176.91	176.99	265.13	
SW Well 1	9/15/2010 10:45:00	70.33	33.27	0.27	70.16	176.91	176.99	265.13	
SW Well 1	9/15/2010 11:00:00	70.33	33.27	0.27	70.16	176.91	176.99	265.13	
SW Well 1	9/15/2010 11:15:00	70.32	33.27	0.26	70.16	176.91	176.99	265.13	
SW Well 1	9/15/2010 11:30:00	70.33	33.26	0.26	70.16	176.91	176.99	265.13	
SW Well 1	9/15/2010 11:45:00	70.32	33.26	0.26	70.16	176.91	176.99	265.13	
SW Well 1	9/15/2010 12:00:00	70.33	33.26	0.26	70.17	176.91	176.99	265.13	
SW Well 1	9/15/2010 12:15:00	70.33	33.26	0.26	70.17	176.91	176.99	265.13	
SW Well 1	9/15/2010 12:30:00	70.33	33.26	0.25	70.17	176.91	176.98	265.14	
SW Well 1	9/15/2010 12:45:00	70.33	33.25	0.25	70.17	176.90	176.98	265.14	
SW Well 1	9/15/2010 13:00:00	70.33	33.25	0.25	70.17	176.91	176.98	265.14	
SW Well 1	9/15/2010 13:15:00	70.33	33.25	0.25	70.18	176.90	176.98	265.14	
SW Well 1	9/15/2010 13:30:00	70.34	33.25	0.25	70.18	176.90	176.97	265.15	
SW Well 1	9/15/2010 13:45:00	70.34	33.25	0.24	70.18	176.90	176.97	265.15	
SW Well 1	9/15/2010 14:00:00	70.32	33.24	0.24	70.17	176.91	176.98	265.14	
SW Well 1	9/15/2010 14:15:00	70.32	33.24	0.24	70.18	176.91	176.98	265.14	
SW Well 1	9/15/2010 14:30:00	70.32	33.24	0.23	70.18	176.91	176.98	265.14	
SW Well 1	9/15/2010 14:45:00	70.32	33.23	0.23	70.18	176.91	176.98	265.14	
SW Well 1	9/15/2010 15:00:00	70.32	33.23	0.23	70.18	176.91	176.97	265.15	
SW Well 1	9/15/2010 15:15:00	70.32	33.23	0.23	70.18	176.91	176.97	265.15	
SW Well 1	9/15/2010 15:30:00	70.32	33.23	0.22	70.18	176.91	176.97	265.15	
SW Well 1	9/15/2010 15:45:00	70.32	33.22	0.22	70.19	176.91	176.97	265.15	
SW Well 1	9/15/2010 16:00:00	70.32	33.22	0.22	70.18	176.92	176.97	265.15	
SW Well 1	9/15/2010 16:15:00	70.32	33.22	0.22	70.18	176.92	176.97	265.15	
SW Well 1	9/15/2010 16:30:00	70.32	33.21	0.21	70.18	176.92	176.97	265.15	
SW Well 1	9/15/2010 16:45:00	70.31	33.21	0.21	70.18	176.92	176.97	265.15	
SW Well 1	9/15/2010 17:00:00	70.31	33.21	0.21	70.18	176.93	176.97	265.15	
SW Well 1	9/15/2010 17:15:00	70.31	33.21	0.20	70.18	176.92	176.97	265.15	
SW Well 1	9/15/2010 17:30:00	70.31	33.20	0.20	70.19	176.92	176.97	265.15	
SW Well 1	9/15/2010 17:45:00	70.31	33.20	0.20	70.19	176.92	176.97	265.15	
SW Well 1	9/15/2010 18:00:00	70.31	33.20	0.20	70.18	176.93	176.97	265.15	
SW Well 1	9/15/2010 18:15:00	70.31	33.20	0.20	70.18	176.93	176.97	265.15	
SW Well 1	9/15/2010 18:30:00	70.31	33.20	0.20	70.18	176.93	176.97	265.15	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/15/2010 18:45:00	70.30	33.20	0.20	70.18	176.93	176.98	265.14	
SW Well 1	9/15/2010 19:00:00	70.30	33.20	0.20	70.18	176.93	176.98	265.14	
SW Well 1	9/15/2010 19:15:00	70.30	33.20	0.20	70.18	176.93	176.98	265.14	
SW Well 1	9/15/2010 19:30:00	70.30	33.20	0.20	70.18	176.93	176.98	265.14	
SW Well 1	9/15/2010 19:45:00	70.30	33.20	0.20	70.18	176.93	176.98	265.14	
SW Well 1	9/15/2010 20:00:00	70.30	33.20	0.20	70.18	176.93	176.98	265.14	
SW Well 1	9/15/2010 20:15:00	70.30	33.20	0.20	70.18	176.93	176.97	265.15	
SW Well 1	9/15/2010 20:30:00	70.31	33.20	0.20	70.18	176.93	176.97	265.15	
SW Well 1	9/15/2010 20:45:00	70.30	33.20	0.20	70.18	176.93	176.97	265.15	
SW Well 1	9/15/2010 21:00:00	70.30	33.20	0.20	70.18	176.93	176.97	265.15	
SW Well 1	9/15/2010 21:15:00	70.30	33.20	0.20	70.18	176.93	176.97	265.15	
SW Well 1	9/15/2010 21:30:00	70.30	33.20	0.20	70.18	176.93	176.97	265.15	
SW Well 1	9/15/2010 21:45:00	70.30	33.20	0.20	70.18	176.93	176.98	265.14	
SW Well 1	9/15/2010 22:00:00	70.30	33.21	0.21	70.18	176.93	176.98	265.14	
SW Well 1	9/15/2010 22:15:00	70.30	33.21	0.21	70.17	176.93	176.98	265.14	
SW Well 1	9/15/2010 22:30:00	70.30	33.21	0.21	70.17	176.93	176.98	265.14	
SW Well 1	9/15/2010 22:45:00	70.31	33.22	0.21	70.17	176.93	176.98	265.14	
SW Well 1	9/15/2010 23:00:00	70.30	33.22	0.22	70.17	176.93	176.98	265.14	
SW Well 1	9/15/2010 23:15:00	70.30	33.22	0.22	70.17	176.93	176.99	265.13	
SW Well 1	9/15/2010 23:30:00	70.31	33.22	0.22	70.17	176.93	176.98	265.14	
SW Well 1	9/15/2010 23:45:00	70.31	33.23	0.22	70.17	176.92	176.98	265.14	
SW Well 1	9/16/2010 0:00:00	70.31	33.23	0.23	70.17	176.93	176.99	265.13	
SW Well 1	9/16/2010 0:15:00	70.31	33.23	0.23	70.17	176.92	176.98	265.14	
SW Well 1	9/16/2010 0:30:00	70.31	33.23	0.23	70.17	176.92	176.99	265.13	
SW Well 1	9/16/2010 0:45:00	70.31	33.24	0.23	70.17	176.92	176.99	265.13	
SW Well 1	9/16/2010 1:00:00	70.31	33.24	0.24	70.16	176.93	176.99	265.13	
SW Well 1	9/16/2010 1:15:00	70.31	33.24	0.24	70.16	176.93	177.00	265.12	
SW Well 1	9/16/2010 1:30:00	70.30	33.24	0.24	70.15	176.93	177.00	265.12	
SW Well 1	9/16/2010 1:45:00	70.31	33.24	0.24	70.16	176.93	177.00	265.12	
SW Well 1	9/16/2010 2:00:00	70.31	33.25	0.24	70.16	176.93	177.00	265.12	
SW Well 1	9/16/2010 2:15:00	70.31	33.25	0.24	70.16	176.93	177.00	265.12	
SW Well 1	9/16/2010 2:30:00	70.30	33.25	0.24	70.15	176.93	177.00	265.12	
SW Well 1	9/16/2010 2:45:00	70.31	33.25	0.24	70.16	176.93	177.00	265.12	
SW Well 1	9/16/2010 3:00:00	70.31	33.25	0.24	70.16	176.93	177.00	265.12	
SW Well 1	9/16/2010 3:15:00	70.31	33.25	0.25	70.15	176.93	177.00	265.12	
SW Well 1	9/16/2010 3:30:00	70.31	33.25	0.25	70.16	176.92	177.00	265.12	
SW Well 1	9/16/2010 3:45:00	70.30	33.25	0.25	70.15	176.93	177.00	265.12	
SW Well 1	9/16/2010 4:00:00	70.31	33.25	0.25	70.15	176.93	177.00	265.12	
SW Well 1	9/16/2010 4:15:00	70.31	33.25	0.25	70.15	176.93	177.00	265.12	
SW Well 1	9/16/2010 4:30:00	70.31	33.25	0.25	70.15	176.93	177.00	265.12	
SW Well 1	9/16/2010 4:45:00	70.31	33.25	0.25	70.15	176.93	177.00	265.12	
SW Well 1	9/16/2010 5:00:00	70.31	33.25	0.25	70.15	176.93	177.00	265.12	
SW Well 1	9/16/2010 5:15:00	70.30	33.25	0.25	70.15	176.93	177.01	265.11	
SW Well 1	9/16/2010 5:30:00	70.31	33.25	0.25	70.15	176.93	177.00	265.12	
SW Well 1	9/16/2010 5:45:00	70.31	33.25	0.25	70.15	176.93	177.00	265.12	
SW Well 1	9/16/2010 6:00:00	70.31	33.25	0.25	70.15	176.93	177.00	265.12	
SW Well 1	9/16/2010 6:15:00	70.31	33.25	0.25	70.15	176.93	177.00	265.12	
SW Well 1	9/16/2010 6:30:00	70.31	33.26	0.25	70.15	176.93	177.00	265.12	
SW Well 1	9/16/2010 6:45:00	70.31	33.26	0.25	70.15	176.93	177.00	265.12	
SW Well 1	9/16/2010 7:00:00	70.31	33.26	0.25	70.15	176.93	177.00	265.12	
SW Well 1	9/16/2010 7:15:00	70.31	33.26	0.26	70.15	176.92	177.00	265.12	
SW Well 1	9/16/2010 7:30:00	70.31	33.26	0.26	70.15	176.92	177.00	265.12	
SW Well 1	9/16/2010 7:45:00	70.31	33.26	0.26	70.15	176.92	177.00	265.12	
SW Well 1	9/16/2010 8:00:00	70.32	33.26	0.26	70.15	176.92	177.00	265.12	
SW Well 1	9/16/2010 8:15:00	70.32	33.26	0.26	70.15	176.92	177.00	265.12	
SW Well 1	9/16/2010 8:30:00	70.31	33.26	0.26	70.15	176.92	177.00	265.12	
SW Well 1	9/16/2010 8:45:00	70.31	33.26	0.26	70.15	176.92	177.00	265.12	
SW Well 1	9/16/2010 9:00:00	70.32	33.26	0.26	70.15	176.92	177.00	265.12	
SW Well 1	9/16/2010 9:15:00	70.32	33.26	0.26	70.15	176.92	177.00	265.12	
SW Well 1	9/16/2010 9:30:00	70.32	33.27	0.26	70.16	176.91	177.00	265.12	
SW Well 1	9/16/2010 9:45:00	70.32	33.26	0.26	70.15	176.92	177.00	265.12	
SW Well 1	9/16/2010 10:00:00	70.32	33.26	0.26	70.16	176.91	177.00	265.12	
SW Well 1	9/16/2010 10:15:00	70.32	33.26	0.26	70.16	176.91	177.00	265.12	
SW Well 1	9/16/2010 10:30:00	70.32	33.26	0.26	70.16	176.91	176.99	265.13	
SW Well 1	9/16/2010 10:45:00	70.33	33.26	0.26	70.17	176.91	176.99	265.13	
SW Well 1	9/16/2010 11:00:00	70.32	33.26	0.26	70.16	176.91	176.99	265.13	
SW Well 1	9/16/2010 11:15:00	70.32	33.26	0.26	70.16	176.91	176.99	265.13	
SW Well 1	9/16/2010 11:30:00	70.32	33.26	0.26	70.16	176.91	176.99	265.13	
SW Well 1	9/16/2010 11:45:00	70.33	33.26	0.26	70.17	176.91	176.99	265.13	
SW Well 1	9/16/2010 12:00:00	70.33	33.26	0.26	70.17	176.91	176.99	265.13	
SW Well 1	9/16/2010 12:15:00	70.33	33.26	0.25	70.17	176.90	176.98	265.14	
SW Well 1	9/16/2010 12:30:00	70.33	33.26	0.25	70.17	176.90	176.98	265.14	
SW Well 1	9/16/2010 12:45:00	70.33	33.26	0.25	70.17	176.90	176.98	265.14	
SW Well 1	9/16/2010 13:00:00	70.33	33.25	0.25	70.17	176.90	176.98	265.14	
SW Well 1	9/16/2010 13:15:00	70.33	33.25	0.25	70.17	176.90	176.98	265.14	
SW Well 1	9/16/2010 13:30:00	70.33	33.25	0.25	70.18	176.90	176.98	265.14	
SW Well 1	9/16/2010 13:45:00	70.33	33.25	0.25	70.18	176.90	176.98	265.14	
SW Well 1	9/16/2010 14:00:00	70.33	33.25	0.24	70.18	176.90	176.97	265.15	
SW Well 1	9/16/2010 14:15:00	70.33	33.24	0.24	70.18	176.91	176.98	265.14	
SW Well 1	9/16/2010 14:30:00	70.33	33.24	0.24	70.18	176.91	176.97	265.15	
SW Well 1	9/16/2010 14:45:00	70.33	33.24	0.23	70.18	176.91	176.97	265.15	
SW Well 1	9/16/2010 15:00:00	70.32	33.23	0.23	70.18	176.91	176.98	265.14	
SW Well 1	9/16/2010 15:15:00	70.32	33.23	0.23	70.18	176.91	176.97	265.15	
SW Well 1	9/16/2010 15:30:00	70.32	33.22	0.22	70.18	176.91	176.97	265.15	
SW Well 1	9/16/2010 15:45:00	70.32	33.22	0.22	70.18	176.91	176.97	265.15	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/16/2010 16:00:00	70.32	33.22	0.22	70.19	176.91	176.97	265.15	
SW Well 1	9/16/2010 16:15:00	70.32	33.21	0.21	70.19	176.91	176.96	265.16	
SW Well 1	9/16/2010 16:30:00	70.32	33.21	0.21	70.19	176.91	176.96	265.16	
SW Well 1	9/16/2010 16:45:00	70.32	33.21	0.20	70.19	176.92	176.97	265.15	
SW Well 1	9/16/2010 17:00:00	70.32	33.20	0.20	70.19	176.92	176.96	265.16	
SW Well 1	9/16/2010 17:15:00	70.32	33.20	0.20	70.19	176.92	176.96	265.16	
SW Well 1	9/16/2010 17:30:00	70.32	33.20	0.19	70.19	176.92	176.96	265.16	
SW Well 1	9/16/2010 17:45:00	70.31	33.20	0.19	70.19	176.92	176.96	265.16	
SW Well 1	9/16/2010 18:00:00	70.31	33.20	0.20	70.19	176.93	176.97	265.15	
SW Well 1	9/16/2010 18:15:00	70.31	33.20	0.20	70.19	176.93	176.97	265.15	
SW Well 1	9/16/2010 18:30:00	70.31	33.20	0.20	70.18	176.93	176.97	265.15	
SW Well 1	9/16/2010 18:45:00	70.31	33.20	0.20	70.18	176.93	176.97	265.15	
SW Well 1	9/16/2010 19:00:00	70.31	33.20	0.20	70.18	176.93	176.97	265.15	
SW Well 1	9/16/2010 19:15:00	70.31	33.20	0.20	70.18	176.93	176.97	265.15	
SW Well 1	9/16/2010 19:30:00	70.31	33.20	0.20	70.19	176.92	176.97	265.15	
SW Well 1	9/16/2010 19:45:00	70.31	33.20	0.20	70.19	176.92	176.97	265.15	
SW Well 1	9/16/2010 20:00:00	70.31	33.20	0.20	70.18	176.93	176.97	265.15	
SW Well 1	9/16/2010 20:15:00	70.31	33.21	0.20	70.18	176.93	176.97	265.15	
SW Well 1	9/16/2010 20:30:00	70.31	33.21	0.20	70.18	176.93	176.97	265.15	
SW Well 1	9/16/2010 20:45:00	70.31	33.21	0.21	70.18	176.93	176.97	265.15	
SW Well 1	9/16/2010 21:00:00	70.31	33.21	0.21	70.18	176.93	176.97	265.15	
SW Well 1	9/16/2010 21:15:00	70.31	33.21	0.21	70.18	176.92	176.97	265.15	
SW Well 1	9/16/2010 21:30:00	70.31	33.21	0.21	70.18	176.93	176.98	265.14	
SW Well 1	9/16/2010 21:45:00	70.30	33.21	0.21	70.17	176.93	176.98	265.14	
SW Well 1	9/16/2010 22:00:00	70.30	33.21	0.21	70.17	176.93	176.98	265.14	
SW Well 1	9/16/2010 22:15:00	70.30	33.21	0.21	70.17	176.93	176.98	265.14	
SW Well 1	9/16/2010 22:30:00	70.30	33.21	0.21	70.17	176.93	176.98	265.14	
SW Well 1	9/16/2010 22:45:00	70.31	33.21	0.21	70.18	176.93	176.98	265.14	
SW Well 1	9/16/2010 23:00:00	70.30	33.21	0.21	70.17	176.93	176.98	265.14	
SW Well 1	9/16/2010 23:15:00	70.30	33.21	0.21	70.17	176.93	176.98	265.14	
SW Well 1	9/16/2010 23:30:00	70.30	33.21	0.21	70.17	176.93	176.98	265.14	
SW Well 1	9/16/2010 23:45:00	70.31	33.21	0.21	70.18	176.93	176.97	265.15	
SW Well 1	9/17/2010 0:00:00	70.31	33.21	0.21	70.18	176.93	176.97	265.15	
SW Well 1	9/17/2010 0:15:00	70.30	33.21	0.21	70.18	176.93	176.98	265.14	
SW Well 1	9/17/2010 0:30:00	70.30	33.21	0.21	70.18	176.93	176.98	265.14	
SW Well 1	9/17/2010 0:45:00	70.30	33.21	0.21	70.18	176.93	176.98	265.14	
SW Well 1	9/17/2010 1:00:00	70.30	33.21	0.21	70.17	176.93	176.98	265.14	
SW Well 1	9/17/2010 1:15:00	70.30	33.21	0.21	70.18	176.93	176.98	265.14	
SW Well 1	9/17/2010 1:30:00	70.30	33.21	0.20	70.18	176.93	176.98	265.14	
SW Well 1	9/17/2010 1:45:00	70.30	33.21	0.20	70.18	176.93	176.98	265.14	
SW Well 1	9/17/2010 2:00:00	70.30	33.20	0.20	70.17	176.94	176.98	265.14	
SW Well 1	9/17/2010 2:15:00	70.30	33.20	0.20	70.17	176.94	176.98	265.14	
SW Well 1	9/17/2010 2:30:00	70.30	33.20	0.20	70.18	176.93	176.98	265.14	
SW Well 1	9/17/2010 2:45:00	70.30	33.20	0.20	70.18	176.93	176.98	265.14	
SW Well 1	9/17/2010 3:00:00	70.30	33.20	0.20	70.18	176.93	176.98	265.14	
SW Well 1	9/17/2010 3:15:00	70.30	33.20	0.19	70.18	176.93	176.98	265.14	
SW Well 1	9/17/2010 3:30:00	70.29	33.19	0.19	70.17	176.94	176.98	265.14	
SW Well 1	9/17/2010 3:45:00	70.30	33.19	0.19	70.18	176.94	176.98	265.14	
SW Well 1	9/17/2010 4:00:00	70.29	33.19	0.19	70.17	176.94	176.98	265.14	
SW Well 1	9/17/2010 4:15:00	70.29	33.19	0.19	70.17	176.94	176.98	265.14	
SW Well 1	9/17/2010 4:30:00	70.29	33.19	0.19	70.17	176.94	176.98	265.14	
SW Well 1	9/17/2010 4:45:00	70.29	33.19	0.18	70.17	176.94	176.98	265.14	
SW Well 1	9/17/2010 5:00:00	70.29	33.19	0.18	70.17	176.94	176.98	265.14	
SW Well 1	9/17/2010 5:15:00	70.28	33.18	0.18	70.17	176.95	176.98	265.14	
SW Well 1	9/17/2010 5:30:00	70.28	33.18	0.18	70.17	176.95	176.99	265.13	
SW Well 1	9/17/2010 5:45:00	70.28	33.18	0.18	70.16	176.96	176.99	265.13	
SW Well 1	9/17/2010 6:00:00	70.27	33.18	0.18	70.16	176.96	176.99	265.13	
SW Well 1	9/17/2010 6:15:00	70.28	33.18	0.18	70.17	176.96	176.99	265.13	
SW Well 1	9/17/2010 6:30:00	70.28	33.18	0.18	70.17	176.96	176.99	265.13	
SW Well 1	9/17/2010 6:45:00	70.28	33.18	0.18	70.17	176.96	176.99	265.13	
SW Well 1	9/17/2010 7:00:00	70.28	33.18	0.18	70.17	176.96	176.99	265.13	
SW Well 1	9/17/2010 7:15:00	70.27	33.18	0.17	70.16	176.96	176.99	265.13	
SW Well 1	9/17/2010 7:30:00	70.27	33.18	0.17	70.16	176.96	176.99	265.13	
SW Well 1	9/17/2010 7:45:00	70.27	33.17	0.17	70.16	176.96	176.99	265.13	
SW Well 1	9/17/2010 8:00:00	70.27	33.17	0.17	70.16	176.96	176.99	265.13	
SW Well 1	9/17/2010 8:15:00	70.26	33.17	0.17	70.16	176.97	177.00	265.12	
SW Well 1	9/17/2010 8:30:00	70.27	33.17	0.17	70.16	176.96	176.99	265.13	
SW Well 1	9/17/2010 8:45:00	70.27	33.17	0.17	70.16	176.96	176.99	265.13	
SW Well 1	9/17/2010 9:00:00	70.27	33.17	0.17	70.16	176.96	176.99	265.13	
SW Well 1	9/17/2010 9:15:00	70.27	33.17	0.17	70.16	176.96	176.99	265.13	
SW Well 1	9/17/2010 9:30:00	70.26	33.17	0.17	70.16	176.97	176.99	265.13	
SW Well 1	9/17/2010 9:45:00	70.27	33.17	0.16	70.17	176.96	176.99	265.13	
SW Well 1	9/17/2010 10:00:00	70.26	33.16	0.16	70.16	176.97	176.99	265.13	
SW Well 1	9/17/2010 10:15:00	70.26	33.16	0.16	70.17	176.97	176.99	265.13	
SW Well 1	9/17/2010 10:30:00	70.26	33.16	0.16	70.17	176.97	176.99	265.13	
SW Well 1	9/17/2010 10:45:00	70.26	33.15	0.15	70.17	176.97	176.98	265.14	
SW Well 1	9/17/2010 11:00:00	70.29	33.15	0.15	70.19	176.94	176.96	265.16	
SW Well 1	9/17/2010 11:15:00	70.29	33.15	0.15	70.20	176.94	176.96	265.16	
SW Well 1	9/17/2010 11:30:00	70.29	33.15	0.14	70.20	176.94	176.96	265.16	
SW Well 1	9/17/2010 11:45:00	70.29	33.14	0.14	70.20	176.94	176.95	265.17	
SW Well 1	9/17/2010 12:00:00	70.28	33.14	0.14	70.20	176.95	176.96	265.16	
SW Well 1	9/17/2010 12:15:00	70.28	33.14	0.14	70.20	176.95	176.95	265.17	
SW Well 1	9/17/2010 12:30:00	70.29	33.14	0.13	70.21	176.94	176.95	265.17	
SW Well 1	9/17/2010 12:45:00	70.29	33.13	0.13	70.21	176.94	176.95	265.17	
SW Well 1	9/17/2010 13:00:00	70.28	33.13	0.13	70.20	176.95	176.95	265.17	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/17/2010 13:15:00	70.28	33.13	0.12	70.21	176.95	176.95	265.17	
SW Well 1	9/17/2010 13:30:00	70.28	33.12	0.12	70.20	176.95	176.95	265.17	
SW Well 1	9/17/2010 13:45:00	70.28	33.12	0.12	70.21	176.95	176.94	265.18	
SW Well 1	9/17/2010 14:00:00	70.28	33.12	0.12	70.21	176.95	176.95	265.17	
SW Well 1	9/17/2010 14:15:00	70.28	33.12	0.12	70.21	176.95	176.95	265.17	
SW Well 1	9/17/2010 14:30:00	70.28	33.12	0.12	70.21	176.95	176.95	265.17	
SW Well 1	9/17/2010 14:45:00	70.28	33.12	0.12	70.20	176.96	176.95	265.17	
SW Well 1	9/17/2010 15:00:00	70.28	33.12	0.11	70.21	176.96	176.95	265.17	
SW Well 1	9/17/2010 15:15:00	70.28	33.11	0.11	70.21	176.96	176.95	265.17	
SW Well 1	9/17/2010 15:30:00	70.28	33.11	0.11	70.21	176.96	176.95	265.17	
SW Well 1	9/17/2010 15:45:00	70.27	33.11	0.11	70.20	176.96	176.95	265.17	
SW Well 1	9/17/2010 16:00:00	70.28	33.11	0.11	70.21	176.96	176.94	265.18	
SW Well 1	9/17/2010 16:15:00	70.27	33.11	0.11	70.21	176.96	176.95	265.17	
SW Well 1	9/17/2010 16:30:00	70.28	33.11	0.11	70.21	176.95	176.94	265.18	
SW Well 1	9/17/2010 16:45:00	70.28	33.11	0.10	70.21	176.96	176.94	265.18	
SW Well 1	9/17/2010 17:00:00	70.28	33.10	0.10	70.21	176.96	176.94	265.18	
SW Well 1	9/17/2010 17:15:00	70.28	33.10	0.10	70.21	176.96	176.94	265.18	
SW Well 1	9/17/2010 17:30:00	70.28	33.10	0.10	70.21	176.96	176.94	265.18	
SW Well 1	9/17/2010 17:45:00	70.27	33.10	0.10	70.21	176.96	176.94	265.18	
SW Well 1	9/17/2010 18:00:00	70.27	33.10	0.10	70.20	176.96	176.95	265.17	
SW Well 1	9/17/2010 18:15:00	70.27	33.10	0.10	70.20	176.96	176.95	265.17	
SW Well 1	9/17/2010 18:30:00	70.26	33.11	0.10	70.20	176.97	176.95	265.17	
SW Well 1	9/17/2010 18:45:00	70.26	33.11	0.10	70.20	176.97	176.96	265.16	
SW Well 1	9/17/2010 19:00:00	70.26	33.11	0.11	70.19	176.97	176.96	265.16	
SW Well 1	9/17/2010 19:15:00	70.26	33.11	0.11	70.19	176.98	176.96	265.16	
SW Well 1	9/17/2010 19:30:00	70.26	33.11	0.11	70.19	176.98	176.96	265.16	
SW Well 1	9/17/2010 19:45:00	70.25	33.11	0.11	70.19	176.98	176.97	265.15	
SW Well 1	9/17/2010 20:00:00	70.26	33.11	0.11	70.19	176.98	176.96	265.16	
SW Well 1	9/17/2010 20:15:00	70.26	33.11	0.11	70.19	176.98	176.96	265.16	
SW Well 1	9/17/2010 20:30:00	70.26	33.11	0.11	70.19	176.97	176.96	265.16	
SW Well 1	9/17/2010 20:45:00	70.26	33.11	0.11	70.19	176.97	176.96	265.16	
SW Well 1	9/17/2010 21:00:00	70.26	33.11	0.11	70.19	176.97	176.96	265.16	
SW Well 1	9/17/2010 21:15:00	70.26	33.12	0.11	70.19	176.97	176.96	265.16	
SW Well 1	9/17/2010 21:30:00	70.26	33.12	0.11	70.19	176.97	176.96	265.16	
SW Well 1	9/17/2010 21:45:00	70.26	33.12	0.12	70.19	176.97	176.97	265.15	
SW Well 1	9/17/2010 22:00:00	70.26	33.12	0.12	70.19	176.97	176.97	265.15	
SW Well 1	9/17/2010 22:15:00	70.26	33.12	0.12	70.19	176.97	176.97	265.15	
SW Well 1	9/17/2010 22:30:00	70.26	33.12	0.12	70.19	176.97	176.97	265.15	
SW Well 1	9/17/2010 22:45:00	70.27	33.13	0.12	70.20	176.96	176.96	265.16	
SW Well 1	9/17/2010 23:00:00	70.28	33.13	0.13	70.20	176.95	176.95	265.17	
SW Well 1	9/17/2010 23:15:00	70.28	33.13	0.13	70.20	176.95	176.95	265.17	
SW Well 1	9/17/2010 23:30:00	70.28	33.13	0.13	70.20	176.95	176.95	265.17	
SW Well 1	9/17/2010 23:45:00	70.28	33.13	0.13	70.19	176.96	176.96	265.16	
SW Well 1	9/18/2010 0:00:00	70.28	33.14	0.13	70.19	176.96	176.96	265.16	
SW Well 1	9/18/2010 0:15:00	70.28	33.14	0.14	70.20	176.95	176.96	265.16	
SW Well 1	9/18/2010 0:30:00	70.28	33.14	0.14	70.19	176.95	176.96	265.16	
SW Well 1	9/18/2010 0:45:00	70.28	33.14	0.14	70.19	176.95	176.96	265.16	
SW Well 1	9/18/2010 1:00:00	70.28	33.14	0.14	70.20	176.95	176.96	265.16	
SW Well 1	9/18/2010 1:15:00	70.28	33.15	0.14	70.19	176.95	176.96	265.16	
SW Well 1	9/18/2010 1:30:00	70.28	33.15	0.15	70.19	176.95	176.96	265.16	
SW Well 1	9/18/2010 1:45:00	70.28	33.15	0.15	70.18	176.96	176.97	265.15	
SW Well 1	9/18/2010 2:00:00	70.28	33.15	0.15	70.18	176.96	176.97	265.15	
SW Well 1	9/18/2010 2:15:00	70.28	33.15	0.15	70.19	176.95	176.96	265.16	
SW Well 1	9/18/2010 2:30:00	70.28	33.15	0.15	70.19	176.95	176.96	265.16	
SW Well 1	9/18/2010 2:45:00	70.28	33.15	0.15	70.19	176.95	176.96	265.16	
SW Well 1	9/18/2010 3:00:00	70.28	33.15	0.15	70.19	176.95	176.97	265.15	
SW Well 1	9/18/2010 3:15:00	70.28	33.15	0.15	70.19	176.95	176.96	265.16	
SW Well 1	9/18/2010 3:30:00	70.28	33.16	0.15	70.19	176.95	176.96	265.16	
SW Well 1	9/18/2010 3:45:00	70.28	33.16	0.15	70.18	176.96	176.97	265.15	
SW Well 1	9/18/2010 4:00:00	70.28	33.16	0.16	70.18	176.96	176.97	265.15	
SW Well 1	9/18/2010 4:15:00	70.28	33.16	0.16	70.18	176.96	176.97	265.15	
SW Well 1	9/18/2010 4:30:00	70.28	33.16	0.16	70.18	176.95	176.97	265.15	
SW Well 1	9/18/2010 4:45:00	70.28	33.16	0.16	70.18	176.96	176.98	265.14	
SW Well 1	9/18/2010 5:00:00	70.28	33.16	0.16	70.18	176.96	176.98	265.14	
SW Well 1	9/18/2010 5:15:00	70.28	33.16	0.16	70.18	176.96	176.98	265.14	
SW Well 1	9/18/2010 5:30:00	70.27	33.16	0.16	70.17	176.96	176.98	265.14	
SW Well 1	9/18/2010 5:45:00	70.27	33.16	0.16	70.17	176.96	176.98	265.14	
SW Well 1	9/18/2010 6:00:00	70.27	33.16	0.16	70.17	176.96	176.98	265.14	
SW Well 1	9/18/2010 6:15:00	70.27	33.16	0.16	70.17	176.96	176.98	265.14	
SW Well 1	9/18/2010 6:30:00	70.27	33.16	0.16	70.17	176.96	176.99	265.13	
SW Well 1	9/18/2010 6:45:00	70.26	33.16	0.16	70.16	176.97	176.99	265.13	
SW Well 1	9/18/2010 7:00:00	70.27	33.16	0.16	70.17	176.96	176.99	265.13	
SW Well 1	9/18/2010 7:15:00	70.26	33.16	0.16	70.16	176.97	176.99	265.13	
SW Well 1	9/18/2010 7:30:00	70.26	33.16	0.16	70.16	176.97	176.99	265.13	
SW Well 1	9/18/2010 7:45:00	70.27	33.16	0.16	70.17	176.96	176.99	265.13	
SW Well 1	9/18/2010 8:00:00	70.27	33.16	0.16	70.17	176.96	176.99	265.13	
SW Well 1	9/18/2010 8:15:00	70.26	33.16	0.16	70.16	176.97	176.99	265.13	
SW Well 1	9/18/2010 8:30:00	70.26	33.16	0.16	70.16	176.97	176.99	265.13	
SW Well 1	9/18/2010 8:45:00	70.26	33.16	0.16	70.16	176.97	176.99	265.13	
SW Well 1	9/18/2010 9:00:00	70.26	33.16	0.16	70.16	176.97	176.99	265.13	
SW Well 1	9/18/2010 9:15:00	70.27	33.16	0.16	70.17	176.96	176.99	265.13	
SW Well 1	9/18/2010 9:30:00	70.26	33.16	0.16	70.16	176.97	176.99	265.13	
SW Well 1	9/18/2010 9:45:00	70.26	33.16	0.16	70.17	176.97	176.99	265.13	
SW Well 1	9/18/2010 10:00:00	70.27	33.15	0.15	70.17	176.96	176.98	265.14	
SW Well 1	9/18/2010 10:15:00	70.26	33.15	0.15	70.17	176.97	176.98	265.14	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/18/2010 10:30:00	70.26	33.14	0.14	70.17	176.97	176.98	265.14	
SW Well 1	9/18/2010 10:45:00	70.26	33.14	0.14	70.18	176.97	176.98	265.14	
SW Well 1	9/18/2010 11:00:00	70.26	33.14	0.13	70.18	176.97	176.97	265.15	
SW Well 1	9/18/2010 11:15:00	70.26	33.13	0.13	70.18	176.97	176.97	265.15	
SW Well 1	9/18/2010 11:30:00	70.26	33.13	0.12	70.18	176.97	176.97	265.15	
SW Well 1	9/18/2010 11:45:00	70.26	33.12	0.12	70.19	176.97	176.97	265.15	
SW Well 1	9/18/2010 12:00:00	70.26	33.12	0.12	70.19	176.98	176.97	265.15	
SW Well 1	9/18/2010 12:15:00	70.26	33.11	0.11	70.19	176.98	176.97	265.15	
SW Well 1	9/18/2010 12:30:00	70.27	33.11	0.11	70.20	176.96	176.95	265.17	
SW Well 1	9/18/2010 12:45:00	70.26	33.10	0.10	70.20	176.97	176.96	265.16	
SW Well 1	9/18/2010 13:00:00	70.26	33.10	0.10	70.20	176.98	176.96	265.16	
SW Well 1	9/18/2010 13:15:00	70.26	33.09	0.09	70.20	176.98	176.95	265.17	
SW Well 1	9/18/2010 13:30:00	70.26	33.09	0.09	70.21	176.97	176.95	265.17	
SW Well 1	9/18/2010 13:45:00	70.26	33.09	0.09	70.20	176.98	176.95	265.17	
SW Well 1	9/18/2010 14:00:00	70.26	33.08	0.08	70.21	176.97	176.94	265.18	
SW Well 1	9/18/2010 14:15:00	70.26	33.08	0.08	70.21	176.98	176.95	265.17	
SW Well 1	9/18/2010 14:30:00	70.25	33.08	0.08	70.21	176.98	176.95	265.17	
SW Well 1	9/18/2010 14:45:00	70.26	33.08	0.07	70.21	176.97	176.94	265.18	
SW Well 1	9/18/2010 15:00:00	70.26	33.07	0.07	70.21	176.98	176.94	265.18	
SW Well 1	9/18/2010 15:15:00	70.25	33.07	0.07	70.21	176.98	176.95	265.17	
SW Well 1	9/18/2010 15:30:00	70.25	33.07	0.07	70.21	176.98	176.94	265.18	
SW Well 1	9/18/2010 15:45:00	70.25	33.06	0.06	70.21	176.98	176.94	265.18	
SW Well 1	9/18/2010 16:00:00	70.25	33.06	0.06	70.21	176.98	176.94	265.18	
SW Well 1	9/18/2010 16:15:00	70.25	33.06	0.06	70.22	176.98	176.94	265.18	
SW Well 1	9/18/2010 16:30:00	70.25	33.06	0.05	70.22	176.98	176.94	265.18	
SW Well 1	9/18/2010 16:45:00	70.25	33.05	0.05	70.21	176.99	176.94	265.18	
SW Well 1	9/18/2010 17:00:00	70.25	33.05	0.05	70.22	176.98	176.93	265.19	
SW Well 1	9/18/2010 17:15:00	70.25	33.05	0.05	70.22	176.98	176.93	265.19	
SW Well 1	9/18/2010 17:30:00	70.25	33.05	0.04	70.22	176.98	176.93	265.19	
SW Well 1	9/18/2010 17:45:00	70.25	33.04	0.04	70.22	176.98	176.93	265.19	
SW Well 1	9/18/2010 18:00:00	70.24	33.04	0.04	70.22	176.99	176.94	265.18	
SW Well 1	9/18/2010 18:15:00	70.24	33.04	0.04	70.21	177.00	176.94	265.18	
SW Well 1	9/18/2010 18:30:00	70.23	33.04	0.03	70.21	177.00	176.94	265.18	
SW Well 1	9/18/2010 18:45:00	70.24	33.03	0.03	70.22	177.00	176.94	265.18	
SW Well 1	9/18/2010 19:00:00	70.23	33.03	0.03	70.21	177.00	176.94	265.18	
SW Well 1	9/18/2010 19:15:00	70.23	33.03	0.03	70.21	177.01	176.95	265.17	
SW Well 1	9/18/2010 19:30:00	70.22	33.03	0.03	70.21	177.01	176.95	265.17	
SW Well 1	9/18/2010 19:45:00	70.22	33.03	0.02	70.21	177.01	176.95	265.17	
SW Well 1	9/18/2010 20:00:00	70.22	33.02	0.02	70.21	177.01	176.95	265.17	
SW Well 1	9/18/2010 20:15:00	70.22	33.02	0.02	70.21	177.01	176.94	265.18	
SW Well 1	9/18/2010 20:30:00	70.22	33.02	0.02	70.21	177.01	176.95	265.17	
SW Well 1	9/18/2010 20:45:00	70.21	33.02	0.02	70.20	177.02	176.95	265.17	
SW Well 1	9/18/2010 21:00:00	70.21	33.02	0.01	70.21	177.02	176.95	265.17	
SW Well 1	9/18/2010 21:15:00	70.21	33.01	0.01	70.20	177.02	176.95	265.17	
SW Well 1	9/18/2010 21:30:00	70.21	33.01	0.01	70.20	177.02	176.95	265.17	
SW Well 1	9/18/2010 21:45:00	70.21	33.01	0.01	70.20	177.03	176.95	265.17	
SW Well 1	9/18/2010 22:00:00	70.21	33.01	0.01	70.20	177.03	176.95	265.17	
SW Well 1	9/18/2010 22:15:00	70.21	33.01	0.01	70.20	177.03	176.95	265.17	
SW Well 1	9/18/2010 22:30:00	70.20	33.01	0.00	70.20	177.03	176.95	265.17	
SW Well 1	9/18/2010 22:45:00	70.20	33.00	0.00	70.20	177.03	176.95	265.17	
SW Well 1	9/18/2010 23:00:00	70.20	33.00	0.00	70.20	177.03	176.95	265.17	
SW Well 1	9/18/2010 23:15:00	70.20	33.00	0.00	70.20	177.03	176.95	265.17	
SW Well 1	9/18/2010 23:30:00	70.20	33.00	0.00	70.20	177.03	176.95	265.17	
SW Well 1	9/18/2010 23:45:00	70.20	33.00	0.00	70.20	177.03	176.95	265.17	
SW Well 1	9/19/2010 0:00:00	70.19	33.00	-0.01	70.20	177.04	176.96	265.16	
SW Well 1	9/19/2010 0:15:00	70.20	32.99	-0.01	70.21	177.03	176.95	265.17	
SW Well 1	9/19/2010 0:30:00	70.19	32.99	-0.01	70.20	177.04	176.95	265.17	
SW Well 1	9/19/2010 0:45:00	70.19	32.99	-0.01	70.20	177.04	176.95	265.17	
SW Well 1	9/19/2010 1:00:00	70.19	32.99	-0.01	70.20	177.04	176.96	265.16	
SW Well 1	9/19/2010 1:15:00	70.19	32.99	-0.01	70.20	177.04	176.95	265.17	
SW Well 1	9/19/2010 1:30:00	70.19	32.99	-0.02	70.20	177.04	176.95	265.17	
SW Well 1	9/19/2010 1:45:00	70.19	32.98	-0.02	70.20	177.04	176.95	265.17	
SW Well 1	9/19/2010 2:00:00	70.19	32.98	-0.02	70.20	177.04	176.95	265.17	
SW Well 1	9/19/2010 2:15:00	70.19	32.98	-0.02	70.20	177.04	176.95	265.17	
SW Well 1	9/19/2010 2:30:00	70.19	32.98	-0.03	70.20	177.05	176.95	265.17	
SW Well 1	9/19/2010 2:45:00	70.19	32.97	-0.03	70.20	177.05	176.95	265.17	
SW Well 1	9/19/2010 3:00:00	70.19	32.97	-0.03	70.20	177.05	176.95	265.17	
SW Well 1	9/19/2010 3:15:00	70.18	32.97	-0.03	70.20	177.05	176.95	265.17	
SW Well 1	9/19/2010 3:30:00	70.18	32.97	-0.04	70.20	177.05	176.95	265.17	
SW Well 1	9/19/2010 3:45:00	70.18	32.96	-0.04	70.20	177.06	176.96	265.16	
SW Well 1	9/19/2010 4:00:00	70.18	32.96	-0.04	70.20	177.06	176.95	265.17	
SW Well 1	9/19/2010 4:15:00	70.18	32.96	-0.04	70.20	177.06	176.95	265.17	
SW Well 1	9/19/2010 4:30:00	70.17	32.96	-0.04	70.20	177.06	176.96	265.16	
SW Well 1	9/19/2010 4:45:00	70.17	32.96	-0.05	70.20	177.07	176.96	265.16	
SW Well 1	9/19/2010 5:00:00	70.16	32.95	-0.05	70.19	177.07	176.96	265.16	
SW Well 1	9/19/2010 5:15:00	70.16	32.95	-0.05	70.20	177.07	176.96	265.16	
SW Well 1	9/19/2010 5:30:00	70.16	32.95	-0.05	70.19	177.08	176.97	265.15	
SW Well 1	9/19/2010 5:45:00	70.16	32.95	-0.05	70.19	177.08	176.97	265.15	
SW Well 1	9/19/2010 6:00:00	70.16	32.95	-0.05	70.19	177.08	176.97	265.15	
SW Well 1	9/19/2010 6:15:00	70.16	32.95	-0.05	70.19	177.08	176.97	265.15	
SW Well 1	9/19/2010 6:30:00	70.15	32.96	-0.05	70.18	177.08	176.97	265.15	
SW Well 1	9/19/2010 6:45:00	70.15	32.96	-0.04	70.17	177.09	176.98	265.14	
SW Well 1	9/19/2010 7:00:00	70.15	32.96	-0.04	70.17	177.09	176.98	265.14	
SW Well 1	9/19/2010 7:15:00	70.14	32.96	-0.04	70.17	177.09	176.98	265.14	
SW Well 1	9/19/2010 7:30:00	70.14	32.96	-0.04	70.17	177.09	176.99	265.13	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/19/2010 7:45:00	70.14	32.96	-0.04	70.17	177.09	176.99	265.13	
SW Well 1	9/19/2010 8:00:00	70.14	32.97	-0.04	70.16	177.10	177.00	265.12	
SW Well 1	9/19/2010 8:15:00	70.14	32.97	-0.03	70.16	177.09	176.99	265.13	
SW Well 1	9/19/2010 8:30:00	70.14	32.97	-0.03	70.16	177.10	177.00	265.12	
SW Well 1	9/19/2010 8:45:00	70.14	32.97	-0.03	70.15	177.10	177.00	265.12	
SW Well 1	9/19/2010 9:00:00	70.14	32.97	-0.03	70.15	177.10	177.00	265.12	
SW Well 1	9/19/2010 9:15:00	70.14	32.98	-0.03	70.15	177.10	177.00	265.12	
SW Well 1	9/19/2010 9:30:00	70.14	32.98	-0.03	70.15	177.10	177.00	265.12	
SW Well 1	9/19/2010 9:45:00	70.14	32.98	-0.02	70.15	177.10	177.00	265.12	
SW Well 1	9/19/2010 10:00:00	70.14	32.98	-0.02	70.15	177.10	177.01	265.11	
SW Well 1	9/19/2010 10:15:00	70.14	32.99	-0.02	70.15	177.10	177.01	265.11	
SW Well 1	9/19/2010 10:30:00	70.14	32.99	-0.01	70.14	177.10	177.01	265.11	
SW Well 1	9/19/2010 10:45:00	70.14	32.99	-0.01	70.14	177.10	177.01	265.11	
SW Well 1	9/19/2010 11:00:00	70.14	32.99	-0.01	70.14	177.10	177.01	265.11	
SW Well 1	9/19/2010 11:15:00	70.14	33.00	-0.01	70.14	177.10	177.01	265.11	
SW Well 1	9/19/2010 11:30:00	70.14	33.00	0.00	70.14	177.09	177.01	265.11	
SW Well 1	9/19/2010 11:45:00	70.15	33.00	0.00	70.15	177.09	177.01	265.11	
SW Well 1	9/19/2010 12:00:00	70.15	33.01	0.00	70.15	177.09	177.01	265.11	
SW Well 1	9/19/2010 12:15:00	70.15	33.01	0.01	70.15	177.08	177.01	265.11	
SW Well 1	9/19/2010 12:30:00	70.15	33.01	0.01	70.14	177.09	177.01	265.11	
SW Well 1	9/19/2010 12:45:00	70.15	33.01	0.01	70.14	177.08	177.01	265.11	
SW Well 1	9/19/2010 13:00:00	70.15	33.02	0.01	70.14	177.08	177.01	265.11	
SW Well 1	9/19/2010 13:15:00	70.15	33.02	0.02	70.14	177.08	177.01	265.11	
SW Well 1	9/19/2010 13:30:00	70.16	33.02	0.02	70.14	177.08	177.01	265.11	
SW Well 1	9/19/2010 13:45:00	70.16	33.02	0.02	70.14	177.08	177.01	265.11	
SW Well 1	9/19/2010 14:00:00	70.16	33.02	0.02	70.14	177.08	177.01	265.11	
SW Well 1	9/19/2010 14:15:00	70.16	33.02	0.02	70.15	177.07	177.01	265.11	
SW Well 1	9/19/2010 14:30:00	70.16	33.02	0.02	70.15	177.07	177.01	265.11	
SW Well 1	9/19/2010 14:45:00	70.16	33.02	0.02	70.15	177.07	177.01	265.11	
SW Well 1	9/19/2010 15:00:00	70.16	33.02	0.02	70.15	177.07	177.01	265.11	
SW Well 1	9/19/2010 15:15:00	70.17	33.02	0.02	70.15	177.07	177.00	265.12	
SW Well 1	9/19/2010 15:30:00	70.17	33.02	0.02	70.15	177.07	177.00	265.12	
SW Well 1	9/19/2010 15:45:00	70.17	33.02	0.02	70.16	177.06	177.00	265.12	
SW Well 1	9/19/2010 16:00:00	70.17	33.02	0.02	70.15	177.07	177.00	265.12	
SW Well 1	9/19/2010 16:15:00	70.17	33.02	0.02	70.15	177.07	177.00	265.12	
SW Well 1	9/19/2010 16:30:00	70.17	33.02	0.02	70.15	177.07	177.00	265.12	
SW Well 1	9/19/2010 16:45:00	70.17	33.02	0.02	70.15	177.07	177.00	265.12	
SW Well 1	9/19/2010 17:00:00	70.17	33.02	0.02	70.16	177.06	177.00	265.12	
SW Well 1	9/19/2010 17:15:00	70.17	33.02	0.02	70.15	177.07	177.00	265.12	
SW Well 1	9/19/2010 17:30:00	70.17	33.02	0.02	70.15	177.07	177.00	265.12	
SW Well 1	9/19/2010 17:45:00	70.17	33.02	0.02	70.16	177.06	177.00	265.12	
SW Well 1	9/19/2010 18:00:00	70.17	33.03	0.02	70.16	177.06	177.00	265.12	
SW Well 1	9/19/2010 18:15:00	70.17	33.03	0.02	70.15	177.07	177.00	265.12	
SW Well 1	9/19/2010 18:30:00	70.17	33.03	0.03	70.15	177.07	177.00	265.12	
SW Well 1	9/19/2010 18:45:00	70.17	33.03	0.03	70.15	177.07	177.00	265.12	
SW Well 1	9/19/2010 19:00:00	70.16	33.03	0.03	70.15	177.07	177.01	265.11	
SW Well 1	9/19/2010 19:15:00	70.16	33.03	0.03	70.15	177.07	177.01	265.11	
SW Well 1	9/19/2010 19:30:00	70.17	33.03	0.03	70.15	177.07	177.01	265.11	
SW Well 1	9/19/2010 19:45:00	70.17	33.03	0.03	70.15	177.07	177.01	265.11	
SW Well 1	9/19/2010 20:00:00	70.17	33.03	0.03	70.15	177.06	177.00	265.12	
SW Well 1	9/19/2010 20:15:00	70.17	33.04	0.03	70.15	177.07	177.01	265.11	
SW Well 1	9/19/2010 20:30:00	70.17	33.04	0.03	70.15	177.07	177.01	265.11	
SW Well 1	9/19/2010 20:45:00	70.16	33.04	0.04	70.14	177.07	177.01	265.11	
SW Well 1	9/19/2010 21:00:00	70.16	33.04	0.04	70.14	177.07	177.01	265.11	
SW Well 1	9/19/2010 21:15:00	70.16	33.04	0.04	70.14	177.07	177.01	265.11	
SW Well 1	9/19/2010 21:30:00	70.16	33.04	0.04	70.13	177.07	177.02	265.10	
SW Well 1	9/19/2010 21:45:00	70.16	33.04	0.04	70.13	177.07	177.02	265.10	
SW Well 1	9/19/2010 22:00:00	70.16	33.04	0.04	70.13	177.07	177.02	265.10	
SW Well 1	9/19/2010 22:15:00	70.16	33.04	0.04	70.14	177.07	177.02	265.10	
SW Well 1	9/19/2010 22:30:00	70.16	33.04	0.04	70.13	177.07	177.02	265.10	
SW Well 1	9/19/2010 22:45:00	70.16	33.04	0.04	70.14	177.07	177.02	265.10	
SW Well 1	9/19/2010 23:00:00	70.16	33.05	0.04	70.13	177.07	177.02	265.10	
SW Well 1	9/19/2010 23:15:00	70.16	33.05	0.04	70.14	177.07	177.02	265.10	
SW Well 1	9/19/2010 23:30:00	70.16	33.05	0.04	70.14	177.07	177.02	265.10	
SW Well 1	9/19/2010 23:45:00	70.16	33.05	0.05	70.13	177.07	177.02	265.10	
SW Well 1	9/20/2010 0:00:00	70.16	33.05	0.05	70.13	177.07	177.02	265.10	
SW Well 1	9/20/2010 0:15:00	70.17	33.05	0.05	70.14	177.07	177.02	265.10	
SW Well 1	9/20/2010 0:30:00	70.17	33.05	0.05	70.14	177.06	177.01	265.11	
SW Well 1	9/20/2010 0:45:00	70.17	33.05	0.05	70.14	177.06	177.01	265.11	
SW Well 1	9/20/2010 1:00:00	70.18	33.05	0.05	70.14	177.06	177.01	265.11	
SW Well 1	9/20/2010 1:15:00	70.18	33.05	0.05	70.14	177.06	177.01	265.11	
SW Well 1	9/20/2010 1:30:00	70.18	33.05	0.05	70.15	177.05	177.01	265.11	
SW Well 1	9/20/2010 1:45:00	70.18	33.05	0.05	70.15	177.05	177.00	265.12	
SW Well 1	9/20/2010 2:00:00	70.18	33.06	0.05	70.15	177.05	177.00	265.12	
SW Well 1	9/20/2010 2:15:00	70.19	33.06	0.05	70.15	177.05	177.00	265.12	
SW Well 1	9/20/2010 2:30:00	70.19	33.06	0.06	70.15	177.05	177.00	265.12	
SW Well 1	9/20/2010 2:45:00	70.19	33.06	0.06	70.15	177.05	177.00	265.12	
SW Well 1	9/20/2010 3:00:00	70.19	33.06	0.06	70.15	177.05	177.00	265.12	
SW Well 1	9/20/2010 3:15:00	70.19	33.06	0.06	70.15	177.05	177.01	265.11	
SW Well 1	9/20/2010 3:30:00	70.19	33.06	0.06	70.15	177.04	177.00	265.12	
SW Well 1	9/20/2010 3:45:00	70.19	33.06	0.06	70.15	177.05	177.01	265.11	
SW Well 1	9/20/2010 4:00:00	70.19	33.07	0.06	70.15	177.04	177.00	265.12	
SW Well 1	9/20/2010 4:15:00	70.19	33.07	0.07	70.15	177.04	177.00	265.12	
SW Well 1	9/20/2010 4:30:00	70.19	33.07	0.07	70.15	177.04	177.01	265.11	
SW Well 1	9/20/2010 4:45:00	70.19	33.07	0.07	70.15	177.04	177.01	265.11	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/20/2010 5:00:00	70.19	33.07	0.07	70.15	177.04	177.01	265.11	
SW Well 1	9/20/2010 5:15:00	70.19	33.07	0.07	70.14	177.05	177.01	265.11	
SW Well 1	9/20/2010 5:30:00	70.19	33.07	0.07	70.15	177.04	177.01	265.11	
SW Well 1	9/20/2010 5:45:00	70.19	33.08	0.08	70.14	177.04	177.01	265.11	
SW Well 1	9/20/2010 6:00:00	70.19	33.08	0.08	70.14	177.04	177.01	265.11	
SW Well 1	9/20/2010 6:15:00	70.19	33.09	0.09	70.14	177.04	177.02	265.10	
SW Well 1	9/20/2010 6:30:00	70.19	33.09	0.09	70.13	177.04	177.02	265.10	
SW Well 1	9/20/2010 6:45:00	70.19	33.10	0.09	70.13	177.04	177.02	265.10	
SW Well 1	9/20/2010 7:00:00	70.19	33.10	0.10	70.13	177.04	177.02	265.10	
SW Well 1	9/20/2010 7:15:00	70.19	33.10	0.10	70.13	177.04	177.03	265.09	
SW Well 1	9/20/2010 7:30:00	70.19	33.11	0.11	70.12	177.04	177.03	265.09	
SW Well 1	9/20/2010 7:45:00	70.19	33.11	0.11	70.12	177.04	177.03	265.09	
SW Well 1	9/20/2010 8:00:00	70.19	33.12	0.12	70.12	177.04	177.03	265.09	
SW Well 1	9/20/2010 8:15:00	70.19	33.12	0.12	70.12	177.04	177.03	265.09	
SW Well 1	9/20/2010 8:30:00	70.19	33.13	0.12	70.12	177.04	177.04	265.08	
SW Well 1	9/20/2010 8:45:00	70.20	33.13	0.13	70.12	177.03	177.04	265.08	
SW Well 1	9/20/2010 9:00:00	70.20	33.14	0.13	70.12	177.03	177.03	265.09	
SW Well 1	9/20/2010 9:15:00	70.21	33.14	0.14	70.12	177.03	177.03	265.09	
SW Well 1	9/20/2010 9:30:00	70.21	33.14	0.14	70.13	177.02	177.03	265.09	
SW Well 1	9/20/2010 9:45:00	70.21	33.15	0.14	70.12	177.03	177.04	265.08	
SW Well 1	9/20/2010 10:00:00	70.21	33.15	0.15	70.12	177.02	177.04	265.08	
SW Well 1	9/20/2010 10:15:00	70.21	33.15	0.15	70.12	177.02	177.04	265.08	
SW Well 1	9/20/2010 10:30:00	70.21	33.16	0.15	70.11	177.02	177.04	265.08	
SW Well 1	9/20/2010 10:45:00	70.21	33.16	0.16	70.11	177.02	177.04	265.08	
SW Well 1	9/20/2010 11:00:00	70.21	33.16	0.16	70.11	177.02	177.04	265.08	
SW Well 1	9/20/2010 11:15:00	70.21	33.17	0.16	70.11	177.02	177.04	265.08	
SW Well 1	9/20/2010 11:30:00	70.21	33.17	0.17	70.11	177.02	177.04	265.08	
SW Well 1	9/20/2010 11:45:00	70.22	33.17	0.17	70.11	177.01	177.04	265.08	
SW Well 1	9/20/2010 12:00:00	70.22	33.17	0.17	70.12	177.01	177.04	265.08	
SW Well 1	9/20/2010 12:15:00	70.23	33.18	0.17	70.12	177.01	177.04	265.08	
SW Well 1	9/20/2010 12:30:00	70.23	33.18	0.18	70.11	177.01	177.04	265.08	
SW Well 1	9/20/2010 12:45:00	70.23	33.18	0.18	70.12	177.00	177.03	265.09	
SW Well 1	9/20/2010 13:00:00	70.24	33.19	0.18	70.12	177.00	177.03	265.09	
SW Well 1	9/20/2010 13:15:00	70.24	33.19	0.19	70.13	176.99	177.03	265.09	
SW Well 1	9/20/2010 13:30:00	70.24	33.19	0.19	70.12	176.99	177.03	265.09	
SW Well 1	9/20/2010 13:45:00	70.24	33.19	0.19	70.12	176.99	177.03	265.09	
SW Well 1	9/20/2010 14:00:00	70.25	33.19	0.19	70.13	176.99	177.03	265.09	
SW Well 1	9/20/2010 14:15:00	70.25	33.19	0.19	70.13	176.98	177.02	265.10	
SW Well 1	9/20/2010 14:30:00	70.25	33.19	0.19	70.13	176.98	177.02	265.10	
SW Well 1	9/20/2010 14:45:00	70.25	33.19	0.19	70.14	176.98	177.02	265.10	
SW Well 1	9/20/2010 15:00:00	70.25	33.19	0.19	70.14	176.98	177.02	265.10	
SW Well 1	9/20/2010 15:15:00	70.26	33.19	0.19	70.14	176.98	177.01	265.11	
SW Well 1	9/20/2010 15:30:00	70.26	33.19	0.19	70.14	176.98	177.01	265.11	
SW Well 1	9/20/2010 15:45:00	70.26	33.19	0.19	70.14	176.98	177.01	265.11	
SW Well 1	9/20/2010 16:00:00	70.26	33.19	0.19	70.14	176.97	177.01	265.11	
SW Well 1	9/20/2010 16:15:00	70.26	33.19	0.19	70.15	176.97	177.01	265.11	
SW Well 1	9/20/2010 16:30:00	70.26	33.19	0.19	70.14	176.97	177.01	265.11	
SW Well 1	9/20/2010 16:45:00	70.27	33.19	0.19	70.15	176.96	177.00	265.12	
SW Well 1	9/20/2010 17:00:00	70.27	33.19	0.19	70.16	176.96	177.00	265.12	
SW Well 1	9/20/2010 17:15:00	70.28	33.19	0.19	70.16	176.96	176.99	265.13	
SW Well 1	9/20/2010 17:30:00	70.27	33.19	0.19	70.16	176.96	177.00	265.12	
SW Well 1	9/20/2010 17:45:00	70.27	33.19	0.19	70.15	176.96	177.00	265.12	
SW Well 1	9/20/2010 18:00:00	70.27	33.19	0.19	70.15	176.96	177.00	265.12	
SW Well 1	9/20/2010 18:15:00	70.27	33.19	0.19	70.15	176.96	177.00	265.12	
SW Well 1	9/20/2010 18:30:00	70.27	33.19	0.19	70.15	176.96	177.00	265.12	
SW Well 1	9/20/2010 18:45:00	70.27	33.19	0.19	70.15	176.96	177.00	265.12	
SW Well 1	9/20/2010 19:00:00	70.27	33.19	0.19	70.15	176.96	177.00	265.12	
SW Well 1	9/20/2010 19:15:00	70.26	33.20	0.19	70.14	176.97	177.01	265.11	
SW Well 1	9/20/2010 19:30:00	70.26	33.20	0.19	70.14	176.97	177.01	265.11	
SW Well 1	9/20/2010 19:45:00	70.26	33.20	0.19	70.14	176.97	177.01	265.11	
SW Well 1	9/20/2010 20:00:00	70.26	33.20	0.20	70.14	176.97	177.01	265.11	
SW Well 1	9/20/2010 20:15:00	70.26	33.20	0.20	70.14	176.97	177.01	265.11	
SW Well 1	9/20/2010 20:30:00	70.27	33.20	0.20	70.15	176.96	177.01	265.11	
SW Well 1	9/20/2010 20:45:00	70.27	33.20	0.20	70.15	176.96	177.01	265.11	
SW Well 1	9/20/2010 21:00:00	70.26	33.20	0.20	70.14	176.97	177.01	265.11	
SW Well 1	9/20/2010 21:15:00	70.26	33.20	0.20	70.14	176.97	177.01	265.11	
SW Well 1	9/20/2010 21:30:00	70.26	33.20	0.20	70.14	176.97	177.01	265.11	
SW Well 1	9/20/2010 21:45:00	70.26	33.20	0.20	70.14	176.97	177.01	265.11	
SW Well 1	9/20/2010 22:00:00	70.26	33.20	0.20	70.14	176.97	177.02	265.10	
SW Well 1	9/20/2010 22:15:00	70.26	33.20	0.20	70.14	176.97	177.02	265.10	
SW Well 1	9/20/2010 22:30:00	70.26	33.21	0.20	70.14	176.97	177.02	265.10	
SW Well 1	9/20/2010 22:45:00	70.26	33.21	0.20	70.14	176.97	177.02	265.10	
SW Well 1	9/20/2010 23:00:00	70.26	33.21	0.20	70.14	176.97	177.02	265.10	
SW Well 1	9/20/2010 23:15:00	70.26	33.21	0.21	70.14	176.97	177.02	265.10	
SW Well 1	9/20/2010 23:30:00	70.26	33.21	0.21	70.14	176.97	177.02	265.10	
SW Well 1	9/20/2010 23:45:00	70.27	33.21	0.21	70.14	176.96	177.01	265.11	
SW Well 1	9/21/2010 0:00:00	70.27	33.21	0.21	70.14	176.96	177.01	265.11	
SW Well 1	9/21/2010 0:15:00	70.27	33.21	0.21	70.14	176.96	177.01	265.11	
SW Well 1	9/21/2010 0:30:00	70.27	33.21	0.21	70.14	176.96	177.02	265.10	
SW Well 1	9/21/2010 0:45:00	70.27	33.21	0.21	70.14	176.96	177.01	265.11	
SW Well 1	9/21/2010 1:00:00	70.28	33.21	0.21	70.15	176.96	177.01	265.11	
SW Well 1	9/21/2010 1:15:00	70.28	33.21	0.21	70.15	176.96	177.01	265.11	
SW Well 1	9/21/2010 1:30:00	70.28	33.21	0.21	70.15	176.96	177.01	265.11	
SW Well 1	9/21/2010 1:45:00	70.28	33.21	0.21	70.14	176.96	177.01	265.11	
SW Well 1	9/21/2010 2:00:00	70.28	33.21	0.21	70.14	176.96	177.01	265.11	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/21/2010 2:15:00	70.28	33.22	0.21	70.15	176.95	177.01	265.11	
SW Well 1	9/21/2010 2:30:00	70.28	33.22	0.21	70.15	176.95	177.00	265.12	
SW Well 1	9/21/2010 2:45:00	70.28	33.22	0.21	70.15	176.95	177.00	265.12	
SW Well 1	9/21/2010 3:00:00	70.28	33.22	0.22	70.15	176.95	177.00	265.12	
SW Well 1	9/21/2010 3:15:00	70.28	33.22	0.22	70.15	176.95	177.01	265.11	
SW Well 1	9/21/2010 3:30:00	70.28	33.22	0.22	70.15	176.95	177.00	265.12	
SW Well 1	9/21/2010 3:45:00	70.28	33.22	0.22	70.15	176.95	177.00	265.12	
SW Well 1	9/21/2010 4:00:00	70.28	33.22	0.22	70.15	176.95	177.01	265.11	
SW Well 1	9/21/2010 4:15:00	70.28	33.22	0.22	70.15	176.95	177.01	265.11	
SW Well 1	9/21/2010 4:30:00	70.29	33.22	0.22	70.15	176.94	177.00	265.12	
SW Well 1	9/21/2010 4:45:00	70.29	33.22	0.22	70.15	176.94	177.00	265.12	
SW Well 1	9/21/2010 5:00:00	70.29	33.22	0.22	70.15	176.94	177.00	265.12	
SW Well 1	9/21/2010 5:15:00	70.29	33.22	0.22	70.15	176.94	177.00	265.12	
SW Well 1	9/21/2010 5:30:00	70.29	33.23	0.22	70.15	176.94	177.00	265.12	
SW Well 1	9/21/2010 5:45:00	70.29	33.23	0.22	70.15	176.94	177.00	265.12	
SW Well 1	9/21/2010 6:00:00	70.29	33.23	0.23	70.15	176.94	177.01	265.11	
SW Well 1	9/21/2010 6:15:00	70.29	33.23	0.23	70.15	176.94	177.01	265.11	
SW Well 1	9/21/2010 6:30:00	70.29	33.23	0.23	70.15	176.94	177.01	265.11	
SW Well 1	9/21/2010 6:45:00	70.28	33.23	0.23	70.14	176.95	177.01	265.11	
SW Well 1	9/21/2010 7:00:00	70.28	33.23	0.23	70.14	176.95	177.01	265.11	
SW Well 1	9/21/2010 7:15:00	70.28	33.24	0.23	70.14	176.95	177.01	265.11	
SW Well 1	9/21/2010 7:30:00	70.28	33.24	0.23	70.14	176.95	177.02	265.10	
SW Well 1	9/21/2010 7:45:00	70.28	33.24	0.24	70.13	176.95	177.02	265.10	
SW Well 1	9/21/2010 8:00:00	70.28	33.24	0.24	70.14	176.95	177.02	265.10	
SW Well 1	9/21/2010 8:15:00	70.28	33.24	0.24	70.13	176.96	177.03	265.09	
SW Well 1	9/21/2010 8:30:00	70.28	33.24	0.24	70.13	176.96	177.03	265.09	
SW Well 1	9/21/2010 8:45:00	70.28	33.24	0.24	70.13	176.96	177.03	265.09	
SW Well 1	9/21/2010 9:00:00	70.28	33.25	0.24	70.12	176.96	177.03	265.09	
SW Well 1	9/21/2010 9:15:00	70.28	33.25	0.25	70.12	176.96	177.03	265.09	
SW Well 1	9/21/2010 9:30:00	70.28	33.25	0.25	70.12	176.96	177.03	265.09	
SW Well 1	9/21/2010 9:45:00	70.27	33.24	0.24	70.12	176.96	177.03	265.09	
SW Well 1	9/21/2010 10:00:00	70.27	33.24	0.24	70.12	176.96	177.03	265.09	
SW Well 1	9/21/2010 10:15:00	70.27	33.24	0.23	70.13	176.96	177.03	265.09	
SW Well 1	9/21/2010 10:30:00	70.27	33.23	0.23	70.13	176.96	177.03	265.09	
SW Well 1	9/21/2010 10:45:00	70.27	33.23	0.23	70.13	176.96	177.03	265.09	
SW Well 1	9/21/2010 11:00:00	70.27	33.22	0.22	70.13	176.96	177.02	265.10	
SW Well 1	9/21/2010 11:15:00	70.27	33.22	0.22	70.13	176.96	177.02	265.10	
SW Well 1	9/21/2010 11:30:00	70.26	33.22	0.21	70.13	176.97	177.02	265.10	
SW Well 1	9/21/2010 11:45:00	70.26	33.21	0.21	70.13	176.97	177.02	265.10	
SW Well 1	9/21/2010 12:00:00	70.27	33.21	0.21	70.14	176.96	177.01	265.11	
SW Well 1	9/21/2010 12:15:00	70.27	33.20	0.20	70.14	176.96	177.01	265.11	
SW Well 1	9/21/2010 12:30:00	70.27	33.20	0.20	70.15	176.96	177.01	265.11	
SW Well 1	9/21/2010 12:45:00	70.27	33.19	0.19	70.15	176.96	177.01	265.11	
SW Well 1	9/21/2010 13:00:00	70.27	33.19	0.19	70.15	176.96	177.00	265.12	
SW Well 1	9/21/2010 13:15:00	70.27	33.19	0.18	70.15	176.96	177.00	265.12	
SW Well 1	9/21/2010 13:30:00	70.27	33.18	0.18	70.16	176.96	176.99	265.13	
SW Well 1	9/21/2010 13:45:00	70.27	33.18	0.18	70.16	176.96	176.99	265.13	
SW Well 1	9/21/2010 14:00:00	70.27	33.17	0.17	70.17	176.96	176.99	265.13	
SW Well 1	9/21/2010 14:15:00	70.27	33.17	0.17	70.17	176.96	176.98	265.14	
SW Well 1	9/21/2010 14:30:00	70.27	33.16	0.16	70.17	176.96	176.99	265.13	
SW Well 1	9/21/2010 14:45:00	70.27	33.16	0.16	70.17	176.96	176.98	265.14	
SW Well 1	9/21/2010 15:00:00	70.27	33.15	0.15	70.18	176.96	176.98	265.14	
SW Well 1	9/21/2010 15:15:00	70.27	33.15	0.15	70.18	176.96	176.97	265.15	
SW Well 1	9/21/2010 15:30:00	70.27	33.15	0.14	70.18	176.96	176.97	265.15	
SW Well 1	9/21/2010 15:45:00	70.27	33.14	0.14	70.19	176.96	176.97	265.15	
SW Well 1	9/21/2010 16:00:00	70.27	33.14	0.13	70.19	176.96	176.96	265.16	
SW Well 1	9/21/2010 16:15:00	70.27	33.13	0.13	70.19	176.96	176.96	265.16	
SW Well 1	9/21/2010 16:30:00	70.27	33.13	0.12	70.19	176.96	176.96	265.16	
SW Well 1	9/21/2010 16:45:00	70.27	33.12	0.12	70.19	176.96	176.96	265.16	
SW Well 1	9/21/2010 17:00:00	70.27	33.12	0.12	70.20	176.96	176.96	265.16	
SW Well 1	9/21/2010 17:15:00	70.26	33.11	0.11	70.20	176.97	176.96	265.16	
SW Well 1	9/21/2010 17:30:00	70.26	33.11	0.11	70.20	176.97	176.96	265.16	
SW Well 1	9/21/2010 17:45:00	70.26	33.11	0.11	70.20	176.97	176.96	265.16	
SW Well 1	9/21/2010 18:00:00	70.26	33.11	0.11	70.20	176.97	176.96	265.16	
SW Well 1	9/21/2010 18:15:00	70.26	33.11	0.11	70.19	176.97	176.96	265.16	
SW Well 1	9/21/2010 18:30:00	70.26	33.12	0.11	70.19	176.97	176.96	265.16	
SW Well 1	9/21/2010 18:45:00	70.26	33.12	0.12	70.19	176.97	176.97	265.15	
SW Well 1	9/21/2010 19:00:00	70.26	33.12	0.12	70.19	176.97	176.97	265.15	
SW Well 1	9/21/2010 19:15:00	70.26	33.12	0.12	70.19	176.97	176.97	265.15	
SW Well 1	9/21/2010 19:30:00	70.26	33.13	0.12	70.18	176.98	176.97	265.15	
SW Well 1	9/21/2010 19:45:00	70.26	33.13	0.13	70.18	176.98	176.97	265.15	
SW Well 1	9/21/2010 20:00:00	70.26	33.13	0.13	70.18	176.97	176.97	265.15	
SW Well 1	9/21/2010 20:15:00	70.26	33.13	0.13	70.18	176.98	176.98	265.14	
SW Well 1	9/21/2010 20:30:00	70.26	33.13	0.13	70.18	176.98	176.98	265.14	
SW Well 1	9/21/2010 20:45:00	70.25	33.14	0.13	70.17	176.98	176.98	265.14	
SW Well 1	9/21/2010 21:00:00	70.25	33.14	0.14	70.16	176.98	176.99	265.13	
SW Well 1	9/21/2010 21:15:00	70.25	33.14	0.14	70.16	176.98	176.99	265.13	
SW Well 1	9/21/2010 21:30:00	70.25	33.14	0.14	70.16	176.98	176.99	265.13	
SW Well 1	9/21/2010 21:45:00	70.25	33.14	0.14	70.16	176.99	177.00	265.12	
SW Well 1	9/21/2010 22:00:00	70.25	33.14	0.14	70.16	176.99	177.00	265.12	
SW Well 1	9/21/2010 22:15:00	70.24	33.14	0.14	70.15	176.99	177.00	265.12	
SW Well 1	9/21/2010 22:30:00	70.24	33.14	0.14	70.15	176.99	177.00	265.12	
SW Well 1	9/21/2010 22:45:00	70.24	33.14	0.14	70.15	177.00	177.00	265.12	
SW Well 1	9/21/2010 23:00:00	70.24	33.14	0.14	70.15	176.99	177.00	265.12	
SW Well 1	9/21/2010 23:15:00	70.24	33.14	0.14	70.15	177.00	177.01	265.11	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/21/2010 23:30:00	70.24	33.15	0.14	70.15	177.00	177.01	265.11	
SW Well 1	9/21/2010 23:45:00	70.24	33.15	0.14	70.15	176.99	177.00	265.12	
SW Well 1	9/22/2010 0:00:00	70.24	33.15	0.14	70.15	176.99	177.00	265.12	
SW Well 1	9/22/2010 0:15:00	70.24	33.15	0.14	70.15	177.00	177.01	265.11	
SW Well 1	9/22/2010 0:30:00	70.24	33.15	0.14	70.15	176.99	177.00	265.12	
SW Well 1	9/22/2010 0:45:00	70.24	33.15	0.14	70.15	176.99	177.00	265.12	
SW Well 1	9/22/2010 1:00:00	70.25	33.15	0.15	70.15	176.99	177.00	265.12	
SW Well 1	9/22/2010 1:15:00	70.25	33.15	0.15	70.15	176.99	177.00	265.12	
SW Well 1	9/22/2010 1:30:00	70.25	33.15	0.15	70.15	176.99	177.00	265.12	
SW Well 1	9/22/2010 1:45:00	70.25	33.15	0.15	70.15	176.99	177.00	265.12	
SW Well 1	9/22/2010 2:00:00	70.25	33.15	0.15	70.16	176.98	177.00	265.12	
SW Well 1	9/22/2010 2:15:00	70.25	33.15	0.15	70.15	176.98	177.00	265.12	
SW Well 1	9/22/2010 2:30:00	70.25	33.16	0.15	70.15	176.98	177.00	265.12	
SW Well 1	9/22/2010 2:45:00	70.25	33.16	0.16	70.15	176.98	177.00	265.12	
SW Well 1	9/22/2010 3:00:00	70.25	33.16	0.16	70.16	176.98	177.00	265.12	
SW Well 1	9/22/2010 3:15:00	70.25	33.16	0.16	70.15	176.98	177.00	265.12	
SW Well 1	9/22/2010 3:30:00	70.26	33.16	0.16	70.16	176.98	177.00	265.12	
SW Well 1	9/22/2010 3:45:00	70.25	33.16	0.16	70.15	176.98	177.00	265.12	
SW Well 1	9/22/2010 4:00:00	70.26	33.17	0.16	70.15	176.98	177.00	265.12	
SW Well 1	9/22/2010 4:15:00	70.26	33.17	0.17	70.15	176.98	177.00	265.12	
SW Well 1	9/22/2010 4:30:00	70.26	33.17	0.17	70.15	176.98	177.00	265.12	
SW Well 1	9/22/2010 4:45:00	70.26	33.17	0.17	70.15	176.97	177.00	265.12	
SW Well 1	9/22/2010 5:00:00	70.26	33.17	0.17	70.15	176.97	177.00	265.12	
SW Well 1	9/22/2010 5:15:00	70.26	33.18	0.17	70.15	176.98	177.00	265.12	
SW Well 1	9/22/2010 5:30:00	70.26	33.18	0.18	70.15	176.98	177.01	265.11	
SW Well 1	9/22/2010 5:45:00	70.26	33.18	0.18	70.15	176.98	177.01	265.11	
SW Well 1	9/22/2010 6:00:00	70.26	33.18	0.18	70.15	176.98	177.01	265.11	
SW Well 1	9/22/2010 6:15:00	70.26	33.18	0.18	70.15	176.98	177.01	265.11	
SW Well 1	9/22/2010 6:30:00	70.26	33.18	0.18	70.14	176.98	177.01	265.11	
SW Well 1	9/22/2010 6:45:00	70.26	33.19	0.18	70.14	176.98	177.01	265.11	
SW Well 1	9/22/2010 7:00:00	70.26	33.19	0.18	70.14	176.98	177.01	265.11	
SW Well 1	9/22/2010 7:15:00	70.26	33.19	0.19	70.14	176.98	177.01	265.11	
SW Well 1	9/22/2010 7:30:00	70.25	33.19	0.19	70.14	176.98	177.02	265.10	
SW Well 1	9/22/2010 7:45:00	70.25	33.19	0.19	70.14	176.98	177.02	265.10	
SW Well 1	9/22/2010 8:00:00	70.25	33.19	0.19	70.13	176.98	177.02	265.10	
SW Well 1	9/22/2010 8:15:00	70.25	33.19	0.19	70.13	176.98	177.02	265.10	
SW Well 1	9/22/2010 8:30:00	70.25	33.20	0.19	70.12	176.99	177.03	265.09	
SW Well 1	9/22/2010 8:45:00	70.25	33.20	0.20	70.12	176.99	177.03	265.09	
SW Well 1	9/22/2010 9:00:00	70.25	33.20	0.20	70.12	176.99	177.03	265.09	
SW Well 1	9/22/2010 9:15:00	70.24	33.20	0.20	70.12	176.99	177.04	265.08	
SW Well 1	9/22/2010 9:30:00	70.24	33.20	0.20	70.12	176.99	177.04	265.08	
SW Well 1	9/22/2010 9:45:00	70.24	33.20	0.20	70.12	177.00	177.04	265.08	
SW Well 1	9/22/2010 10:00:00	70.24	33.19	0.19	70.12	177.00	177.04	265.08	
SW Well 1	9/22/2010 10:15:00	70.24	33.19	0.19	70.12	177.00	177.03	265.09	
SW Well 1	9/22/2010 10:30:00	70.23	33.19	0.19	70.12	177.00	177.04	265.08	
SW Well 1	9/22/2010 10:45:00	70.23	33.18	0.18	70.12	177.00	177.03	265.09	
SW Well 1	9/22/2010 11:00:00	70.23	33.18	0.18	70.12	177.00	177.03	265.09	
SW Well 1	9/22/2010 11:15:00	70.23	33.18	0.17	70.13	177.00	177.03	265.09	
SW Well 1	9/22/2010 11:30:00	70.23	33.17	0.17	70.13	177.00	177.03	265.09	
SW Well 1	9/22/2010 11:45:00	70.23	33.17	0.17	70.13	177.00	177.02	265.10	
SW Well 1	9/22/2010 12:00:00	70.23	33.17	0.16	70.13	177.00	177.03	265.09	
SW Well 1	9/22/2010 12:15:00	70.23	33.16	0.16	70.13	177.00	177.02	265.10	
SW Well 1	9/22/2010 12:30:00	70.23	33.16	0.16	70.13	177.00	177.02	265.10	
SW Well 1	9/22/2010 12:45:00	70.23	33.15	0.15	70.14	177.00	177.02	265.10	
SW Well 1	9/22/2010 13:00:00	70.23	33.15	0.15	70.14	177.00	177.01	265.11	
SW Well 1	9/22/2010 13:15:00	70.23	33.15	0.14	70.14	177.00	177.01	265.11	
SW Well 1	9/22/2010 13:30:00	70.23	33.14	0.14	70.15	177.00	177.01	265.11	
SW Well 1	9/22/2010 13:45:00	70.24	33.14	0.14	70.15	177.00	177.00	265.12	
SW Well 1	9/22/2010 14:00:00	70.23	33.14	0.13	70.15	177.00	177.00	265.12	
SW Well 1	9/22/2010 14:15:00	70.23	33.13	0.13	70.15	177.00	177.00	265.12	
SW Well 1	9/22/2010 14:30:00	70.23	33.13	0.13	70.15	177.00	177.00	265.12	
SW Well 1	9/22/2010 14:45:00	70.23	33.13	0.13	70.16	177.00	177.00	265.12	
SW Well 1	9/22/2010 15:00:00	70.23	33.12	0.12	70.16	177.00	177.00	265.12	
SW Well 1	9/22/2010 15:15:00	70.24	33.12	0.12	70.16	177.00	176.99	265.13	
SW Well 1	9/22/2010 15:30:00	70.24	33.12	0.12	70.17	177.00	176.99	265.13	
SW Well 1	9/22/2010 15:45:00	70.24	33.11	0.11	70.17	177.00	176.99	265.13	
SW Well 1	9/22/2010 16:00:00	70.24	33.11	0.11	70.17	177.00	176.98	265.14	
SW Well 1	9/22/2010 16:15:00	70.24	33.11	0.11	70.17	176.99	176.98	265.14	
SW Well 1	9/22/2010 16:30:00	70.24	33.11	0.10	70.18	176.99	176.98	265.14	
SW Well 1	9/22/2010 16:45:00	70.24	33.10	0.10	70.18	176.99	176.98	265.14	
SW Well 1	9/22/2010 17:00:00	70.24	33.10	0.10	70.18	177.00	176.98	265.14	
SW Well 1	9/22/2010 17:15:00	70.24	33.10	0.09	70.18	176.99	176.97	265.15	
SW Well 1	9/22/2010 17:30:00	70.24	33.09	0.09	70.18	176.99	176.97	265.15	
SW Well 1	9/22/2010 17:45:00	70.24	33.10	0.09	70.18	177.00	176.97	265.15	
SW Well 1	9/22/2010 18:00:00	70.24	33.10	0.10	70.18	177.00	176.98	265.14	
SW Well 1	9/22/2010 18:15:00	70.24	33.10	0.10	70.18	177.00	176.98	265.14	
SW Well 1	9/22/2010 18:30:00	70.24	33.10	0.10	70.17	177.00	176.98	265.14	
SW Well 1	9/22/2010 18:45:00	70.24	33.11	0.10	70.17	177.00	176.98	265.14	
SW Well 1	9/22/2010 19:00:00	70.24	33.11	0.11	70.17	177.00	176.98	265.14	
SW Well 1	9/22/2010 19:15:00	70.24	33.11	0.11	70.17	177.00	176.99	265.13	
SW Well 1	9/22/2010 19:30:00	70.24	33.12	0.11	70.17	177.00	176.99	265.13	
SW Well 1	9/22/2010 19:45:00	70.23	33.12	0.12	70.16	177.00	176.99	265.13	
SW Well 1	9/22/2010 20:00:00	70.24	33.12	0.12	70.16	177.00	176.99	265.13	
SW Well 1	9/22/2010 20:15:00	70.23	33.12	0.12	70.16	177.00	177.00	265.12	
SW Well 1	9/22/2010 20:30:00	70.23	33.13	0.12	70.16	177.00	177.00	265.12	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/22/2010 20:45:00	70.23	33.13	0.13	70.15	177.00	177.00	265.12	
SW Well 1	9/22/2010 21:00:00	70.23	33.13	0.13	70.15	177.00	177.00	265.12	
SW Well 1	9/22/2010 21:15:00	70.23	33.13	0.13	70.15	177.00	177.01	265.11	
SW Well 1	9/22/2010 21:30:00	70.23	33.14	0.13	70.15	177.00	177.01	265.11	
SW Well 1	9/22/2010 21:45:00	70.23	33.14	0.14	70.14	177.00	177.01	265.11	
SW Well 1	9/22/2010 22:00:00	70.23	33.14	0.14	70.14	177.00	177.01	265.11	
SW Well 1	9/22/2010 22:15:00	70.23	33.14	0.14	70.14	177.01	177.02	265.10	
SW Well 1	9/22/2010 22:30:00	70.23	33.15	0.14	70.14	177.00	177.01	265.11	
SW Well 1	9/22/2010 22:45:00	70.23	33.15	0.15	70.13	177.01	177.02	265.10	
SW Well 1	9/22/2010 23:00:00	70.23	33.15	0.15	70.13	177.01	177.02	265.10	
SW Well 1	9/22/2010 23:15:00	70.23	33.15	0.15	70.13	177.01	177.02	265.10	
SW Well 1	9/22/2010 23:30:00	70.23	33.16	0.15	70.13	177.01	177.02	265.10	
SW Well 1	9/22/2010 23:45:00	70.23	33.16	0.16	70.13	177.01	177.03	265.09	
SW Well 1	9/23/2010 0:00:00	70.23	33.16	0.16	70.13	177.00	177.02	265.10	
SW Well 1	9/23/2010 0:15:00	70.23	33.16	0.16	70.13	177.00	177.02	265.10	
SW Well 1	9/23/2010 0:30:00	70.23	33.16	0.16	70.13	177.00	177.03	265.09	
SW Well 1	9/23/2010 0:45:00	70.23	33.17	0.17	70.13	177.00	177.03	265.09	
SW Well 1	9/23/2010 1:00:00	70.23	33.17	0.17	70.13	177.00	177.03	265.09	
SW Well 1	9/23/2010 1:15:00	70.23	33.17	0.17	70.13	177.00	177.03	265.09	
SW Well 1	9/23/2010 1:30:00	70.24	33.17	0.17	70.13	177.00	177.02	265.10	
SW Well 1	9/23/2010 1:45:00	70.24	33.18	0.17	70.13	176.99	177.02	265.10	
SW Well 1	9/23/2010 2:00:00	70.24	33.18	0.18	70.13	176.99	177.02	265.10	
SW Well 1	9/23/2010 2:15:00	70.25	33.18	0.18	70.13	176.99	177.02	265.10	
SW Well 1	9/23/2010 2:30:00	70.25	33.18	0.18	70.14	176.98	177.02	265.10	
SW Well 1	9/23/2010 2:45:00	70.26	33.19	0.18	70.14	176.98	177.01	265.11	
SW Well 1	9/23/2010 3:00:00	70.26	33.19	0.19	70.14	176.97	177.01	265.11	
SW Well 1	9/23/2010 3:15:00	70.26	33.19	0.19	70.14	176.97	177.01	265.11	
SW Well 1	9/23/2010 3:30:00	70.26	33.19	0.19	70.14	176.97	177.01	265.11	
SW Well 1	9/23/2010 3:45:00	70.26	33.20	0.20	70.14	176.97	177.01	265.11	
SW Well 1	9/23/2010 4:00:00	70.26	33.20	0.20	70.14	176.97	177.02	265.10	
SW Well 1	9/23/2010 4:15:00	70.26	33.20	0.20	70.13	176.98	177.02	265.10	
SW Well 1	9/23/2010 4:30:00	70.26	33.20	0.20	70.14	176.97	177.02	265.10	
SW Well 1	9/23/2010 4:45:00	70.27	33.21	0.21	70.14	176.96	177.01	265.11	
SW Well 1	9/23/2010 5:00:00	70.27	33.21	0.21	70.14	176.96	177.01	265.11	
SW Well 1	9/23/2010 5:15:00	70.27	33.21	0.21	70.14	176.96	177.02	265.10	
SW Well 1	9/23/2010 5:30:00	70.27	33.22	0.21	70.14	176.96	177.01	265.11	
SW Well 1	9/23/2010 5:45:00	70.27	33.22	0.21	70.14	176.96	177.01	265.11	
SW Well 1	9/23/2010 6:00:00	70.27	33.22	0.22	70.14	176.96	177.02	265.10	
SW Well 1	9/23/2010 6:15:00	70.27	33.22	0.22	70.14	176.96	177.02	265.10	
SW Well 1	9/23/2010 6:30:00	70.27	33.22	0.22	70.13	176.96	177.02	265.10	
SW Well 1	9/23/2010 6:45:00	70.26	33.22	0.22	70.13	176.97	177.03	265.09	
SW Well 1	9/23/2010 7:00:00	70.26	33.22	0.22	70.13	176.97	177.03	265.09	
SW Well 1	9/23/2010 7:15:00	70.27	33.22	0.22	70.13	176.96	177.02	265.10	
SW Well 1	9/23/2010 7:30:00	70.27	33.22	0.22	70.13	176.96	177.02	265.10	
SW Well 1	9/23/2010 7:45:00	70.26	33.23	0.22	70.13	176.97	177.03	265.09	
SW Well 1	9/23/2010 8:00:00	70.26	33.23	0.22	70.12	176.97	177.03	265.09	
SW Well 1	9/23/2010 8:15:00	70.26	33.23	0.23	70.12	176.97	177.03	265.09	
SW Well 1	9/23/2010 8:30:00	70.26	33.23	0.23	70.12	176.97	177.03	265.09	
SW Well 1	9/23/2010 8:45:00	70.27	33.23	0.23	70.13	176.96	177.03	265.09	
SW Well 1	9/23/2010 9:00:00	70.27	33.23	0.23	70.13	176.96	177.03	265.09	
SW Well 1	9/23/2010 9:15:00	70.27	33.23	0.23	70.13	176.96	177.02	265.10	
SW Well 1	9/23/2010 9:30:00	70.27	33.23	0.23	70.12	176.96	177.03	265.09	
SW Well 1	9/23/2010 9:45:00	70.26	33.24	0.23	70.12	176.97	177.03	265.09	
SW Well 1	9/23/2010 10:00:00	70.27	33.24	0.24	70.12	176.96	177.03	265.09	
SW Well 1	9/23/2010 10:15:00	70.27	33.24	0.24	70.12	176.96	177.03	265.09	
SW Well 1	9/23/2010 10:30:00	70.27	33.24	0.24	70.12	176.96	177.03	265.09	
SW Well 1	9/23/2010 10:45:00	70.27	33.25	0.24	70.12	176.96	177.04	265.08	
SW Well 1	9/23/2010 11:00:00	70.26	33.25	0.25	70.11	176.97	177.04	265.08	
SW Well 1	9/23/2010 11:15:00	70.26	33.25	0.25	70.11	176.97	177.04	265.08	
SW Well 1	9/23/2010 11:30:00	70.27	33.26	0.25	70.11	176.96	177.04	265.08	
SW Well 1	9/23/2010 11:45:00	70.27	33.26	0.26	70.11	176.96	177.04	265.08	
SW Well 1	9/23/2010 12:00:00	70.27	33.26	0.26	70.11	176.96	177.04	265.08	
SW Well 1	9/23/2010 12:15:00	70.28	33.26	0.26	70.11	176.96	177.04	265.08	
SW Well 1	9/23/2010 12:30:00	70.28	33.27	0.26	70.12	176.95	177.04	265.08	
SW Well 1	9/23/2010 12:45:00	70.28	33.27	0.27	70.12	176.95	177.04	265.08	
SW Well 1	9/23/2010 13:00:00	70.29	33.27	0.27	70.12	176.94	177.03	265.09	
SW Well 1	9/23/2010 13:15:00	70.29	33.27	0.27	70.12	176.94	177.03	265.09	
SW Well 1	9/23/2010 13:30:00	70.29	33.28	0.27	70.12	176.94	177.03	265.09	
SW Well 1	9/23/2010 13:45:00	70.30	33.28	0.28	70.12	176.94	177.03	265.09	
SW Well 1	9/23/2010 14:00:00	70.30	33.28	0.28	70.12	176.94	177.03	265.09	
SW Well 1	9/23/2010 14:15:00	70.30	33.28	0.28	70.12	176.93	177.03	265.09	
SW Well 1	9/23/2010 14:30:00	70.30	33.29	0.28	70.12	176.93	177.03	265.09	
SW Well 1	9/23/2010 14:45:00	70.30	33.29	0.29	70.13	176.93	177.03	265.09	
SW Well 1	9/23/2010 15:00:00	70.31	33.29	0.29	70.13	176.93	177.02	265.10	
SW Well 1	9/23/2010 15:15:00	70.31	33.29	0.29	70.13	176.93	177.03	265.09	
SW Well 1	9/23/2010 15:30:00	70.31	33.29	0.29	70.13	176.92	177.02	265.10	
SW Well 1	9/23/2010 15:45:00	70.32	33.30	0.29	70.13	176.92	177.02	265.10	
SW Well 1	9/23/2010 16:00:00	70.32	33.30	0.30	70.14	176.91	177.02	265.10	
SW Well 1	9/23/2010 16:15:00	70.32	33.30	0.30	70.14	176.91	177.02	265.10	
SW Well 1	9/23/2010 16:30:00	70.32	33.30	0.30	70.13	176.91	177.02	265.10	
SW Well 1	9/23/2010 16:45:00	70.33	33.30	0.30	70.14	176.91	177.01	265.11	
SW Well 1	9/23/2010 17:00:00	70.34	33.31	0.30	70.15	176.90	177.01	265.11	
SW Well 1	9/23/2010 17:15:00	70.33	33.31	0.31	70.14	176.90	177.01	265.11	
SW Well 1	9/23/2010 17:30:00	70.33	33.31	0.31	70.14	176.90	177.01	265.11	
SW Well 1	9/23/2010 17:45:00	70.34	33.31	0.31	70.14	176.89	177.01	265.11	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/23/2010 18:00:00	70.34	33.32	0.31	70.14	176.89	177.01	265.11	
SW Well 1	9/23/2010 18:15:00	70.34	33.32	0.32	70.14	176.89	177.01	265.11	
SW Well 1	9/23/2010 18:30:00	70.34	33.32	0.32	70.14	176.89	177.02	265.10	
SW Well 1	9/23/2010 18:45:00	70.34	33.33	0.32	70.14	176.89	177.01	265.11	
SW Well 1	9/23/2010 19:00:00	70.34	33.33	0.33	70.14	176.89	177.02	265.10	
SW Well 1	9/23/2010 19:15:00	70.35	33.33	0.33	70.14	176.89	177.01	265.11	
SW Well 1	9/23/2010 19:30:00	70.34	33.34	0.33	70.13	176.89	177.02	265.10	
SW Well 1	9/23/2010 19:45:00	70.34	33.34	0.34	70.13	176.89	177.02	265.10	
SW Well 1	9/23/2010 20:00:00	70.35	33.34	0.34	70.13	176.89	177.02	265.10	
SW Well 1	9/23/2010 20:15:00	70.34	33.35	0.35	70.13	176.89	177.03	265.09	
SW Well 1	9/23/2010 20:30:00	70.35	33.35	0.35	70.13	176.88	177.02	265.10	
SW Well 1	9/23/2010 20:45:00	70.35	33.35	0.35	70.13	176.89	177.03	265.09	
SW Well 1	9/23/2010 21:00:00	70.35	33.36	0.36	70.13	176.88	177.02	265.10	
SW Well 1	9/23/2010 21:15:00	70.35	33.36	0.36	70.13	176.88	177.03	265.09	
SW Well 1	9/23/2010 21:30:00	70.35	33.36	0.36	70.13	176.88	177.03	265.09	
SW Well 1	9/23/2010 21:45:00	70.35	33.37	0.36	70.13	176.88	177.03	265.09	
SW Well 1	9/23/2010 22:00:00	70.36	33.37	0.36	70.13	176.87	177.02	265.10	
SW Well 1	9/23/2010 22:15:00	70.36	33.37	0.37	70.14	176.87	177.02	265.10	
SW Well 1	9/23/2010 22:30:00	70.36	33.37	0.37	70.13	176.87	177.02	265.10	
SW Well 1	9/23/2010 22:45:00	70.36	33.37	0.37	70.13	176.87	177.02	265.10	
SW Well 1	9/23/2010 23:00:00	70.36	33.37	0.37	70.13	176.87	177.02	265.10	
SW Well 1	9/23/2010 23:15:00	70.37	33.37	0.37	70.14	176.87	177.02	265.10	
SW Well 1	9/23/2010 23:30:00	70.36	33.37	0.37	70.13	176.87	177.02	265.10	
SW Well 1	9/23/2010 23:45:00	70.36	33.38	0.37	70.13	176.87	177.02	265.10	
SW Well 1	9/24/2010 0:00:00	70.36	33.38	0.37	70.13	176.87	177.02	265.10	
SW Well 1	9/24/2010 0:15:00	70.37	33.38	0.38	70.13	176.87	177.02	265.10	
SW Well 1	9/24/2010 0:30:00	70.37	33.38	0.38	70.13	176.87	177.02	265.10	
SW Well 1	9/24/2010 0:45:00	70.36	33.38	0.38	70.13	176.87	177.03	265.09	
SW Well 1	9/24/2010 1:00:00	70.37	33.38	0.38	70.13	176.87	177.02	265.10	
SW Well 1	9/24/2010 1:15:00	70.37	33.38	0.38	70.13	176.86	177.02	265.10	
SW Well 1	9/24/2010 1:30:00	70.37	33.38	0.38	70.14	176.86	177.02	265.10	
SW Well 1	9/24/2010 1:45:00	70.38	33.39	0.39	70.14	176.86	177.02	265.10	
SW Well 1	9/24/2010 2:00:00	70.38	33.39	0.39	70.14	176.85	177.01	265.11	
SW Well 1	9/24/2010 2:15:00	70.39	33.39	0.39	70.14	176.85	177.01	265.11	
SW Well 1	9/24/2010 2:30:00	70.39	33.40	0.40	70.14	176.84	177.01	265.11	
SW Well 1	9/24/2010 2:45:00	70.40	33.40	0.40	70.15	176.84	177.00	265.12	
SW Well 1	9/24/2010 3:00:00	70.40	33.40	0.40	70.15	176.84	177.01	265.11	
SW Well 1	9/24/2010 3:15:00	70.40	33.41	0.41	70.15	176.83	177.00	265.12	
SW Well 1	9/24/2010 3:30:00	70.41	33.41	0.41	70.15	176.83	177.00	265.12	
SW Well 1	9/24/2010 3:45:00	70.41	33.41	0.41	70.15	176.82	177.00	265.12	
SW Well 1	9/24/2010 4:00:00	70.42	33.42	0.42	70.16	176.82	177.00	265.12	
SW Well 1	9/24/2010 4:15:00	70.42	33.42	0.42	70.16	176.82	177.00	265.12	
SW Well 1	9/24/2010 4:30:00	70.42	33.42	0.42	70.16	176.81	177.00	265.12	
SW Well 1	9/24/2010 4:45:00	70.42	33.43	0.43	70.16	176.81	176.99	265.13	
SW Well 1	9/24/2010 5:00:00	70.42	33.43	0.43	70.16	176.81	177.00	265.12	
SW Well 1	9/24/2010 5:15:00	70.42	33.43	0.43	70.16	176.81	177.00	265.12	
SW Well 1	9/24/2010 5:30:00	70.43	33.44	0.44	70.16	176.80	177.00	265.12	
SW Well 1	9/24/2010 5:45:00	70.43	33.44	0.44	70.16	176.80	176.99	265.13	
SW Well 1	9/24/2010 6:00:00	70.44	33.44	0.44	70.17	176.79	176.99	265.13	
SW Well 1	9/24/2010 6:15:00	70.44	33.44	0.44	70.17	176.79	176.98	265.14	
SW Well 1	9/24/2010 6:30:00	70.44	33.45	0.44	70.17	176.79	176.99	265.13	
SW Well 1	9/24/2010 6:45:00	70.44	33.45	0.45	70.17	176.79	176.99	265.13	
SW Well 1	9/24/2010 7:00:00	70.44	33.45	0.45	70.17	176.79	176.99	265.13	
SW Well 1	9/24/2010 7:15:00	70.45	33.45	0.45	70.17	176.78	176.99	265.13	
SW Well 1	9/24/2010 7:30:00	70.45	33.46	0.45	70.17	176.78	176.99	265.13	
SW Well 1	9/24/2010 7:45:00	70.45	33.46	0.46	70.17	176.78	176.98	265.14	
SW Well 1	9/24/2010 8:00:00	70.45	33.46	0.46	70.16	176.78	176.99	265.13	
SW Well 1	9/24/2010 8:15:00	70.45	33.46	0.46	70.16	176.78	176.99	265.13	
SW Well 1	9/24/2010 8:30:00	70.45	33.46	0.46	70.16	176.78	176.99	265.13	
SW Well 1	9/24/2010 8:45:00	70.44	33.47	0.46	70.16	176.79	177.00	265.12	
SW Well 1	9/24/2010 9:00:00	70.44	33.47	0.47	70.16	176.79	177.00	265.12	
SW Well 1	9/24/2010 9:15:00	70.44	33.47	0.47	70.15	176.79	177.00	265.12	
SW Well 1	9/24/2010 9:30:00	70.44	33.47	0.47	70.15	176.79	177.00	265.12	
SW Well 1	9/24/2010 9:45:00	70.44	33.47	0.47	70.15	176.79	177.00	265.12	
SW Well 1	9/24/2010 10:00:00	70.45	33.48	0.47	70.15	176.78	177.00	265.12	
SW Well 1	9/24/2010 10:15:00	70.45	33.48	0.48	70.16	176.78	177.00	265.12	
SW Well 1	9/24/2010 10:30:00	70.45	33.48	0.48	70.16	176.78	177.00	265.12	
SW Well 1	9/24/2010 10:45:00	70.46	33.48	0.48	70.16	176.78	177.00	265.12	
SW Well 1	9/24/2010 11:00:00	70.46	33.48	0.48	70.16	176.78	177.00	265.12	
SW Well 1	9/24/2010 11:15:00	70.46	33.48	0.48	70.16	176.78	177.00	265.12	
SW Well 1	9/24/2010 11:30:00	70.46	33.49	0.48	70.16	176.77	176.99	265.13	
SW Well 1	9/24/2010 11:45:00	70.46	33.49	0.49	70.16	176.77	177.00	265.12	
SW Well 1	9/24/2010 12:00:00	70.46	33.49	0.49	70.16	176.77	177.00	265.12	
SW Well 1	9/24/2010 12:15:00	70.46	33.49	0.49	70.15	176.78	177.00	265.12	
SW Well 1	9/24/2010 12:30:00	70.46	33.49	0.49	70.15	176.77	177.00	265.12	
SW Well 1	9/24/2010 12:45:00	70.46	33.49	0.49	70.16	176.77	177.00	265.12	
SW Well 1	9/24/2010 13:00:00	70.46	33.50	0.49	70.16	176.77	177.00	265.12	
SW Well 1	9/24/2010 13:15:00	70.46	33.50	0.50	70.16	176.77	177.00	265.12	
SW Well 1	9/24/2010 13:30:00	70.47	33.50	0.50	70.16	176.77	177.00	265.12	
SW Well 1	9/24/2010 13:45:00	70.47	33.50	0.49	70.16	176.77	176.99	265.13	
SW Well 1	9/24/2010 14:00:00	70.47	33.49	0.49	70.16	176.77	176.99	265.13	
SW Well 1	9/24/2010 14:15:00	70.47	33.49	0.49	70.16	176.77	176.99	265.13	
SW Well 1	9/24/2010 14:30:00	70.47	33.49	0.48	70.17	176.77	176.99	265.13	
SW Well 1	9/24/2010 14:45:00	70.47	33.48	0.48	70.17	176.76	176.98	265.14	
SW Well 1	9/24/2010 15:00:00	70.47	33.48	0.48	70.17	176.76	176.98	265.14	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/24/2010 15:15:00	70.48	33.48	0.47	70.18	176.76	176.97	265.15	
SW Well 1	9/24/2010 15:30:00	70.48	33.47	0.47	70.18	176.76	176.97	265.15	
SW Well 1	9/24/2010 15:45:00	70.48	33.47	0.47	70.19	176.75	176.96	265.16	
SW Well 1	9/24/2010 16:00:00	70.48	33.47	0.46	70.20	176.75	176.96	265.16	
SW Well 1	9/24/2010 16:15:00	70.48	33.46	0.46	70.20	176.75	176.96	265.16	
SW Well 1	9/24/2010 16:30:00	70.49	33.46	0.46	70.20	176.75	176.95	265.17	
SW Well 1	9/24/2010 16:45:00	70.49	33.46	0.45	70.21	176.74	176.95	265.17	
SW Well 1	9/24/2010 17:00:00	70.49	33.45	0.45	70.21	176.75	176.95	265.17	
SW Well 1	9/24/2010 17:15:00	70.49	33.45	0.45	70.21	176.74	176.94	265.18	
SW Well 1	9/24/2010 17:30:00	70.49	33.45	0.44	70.21	176.74	176.94	265.18	
SW Well 1	9/24/2010 17:45:00	70.49	33.45	0.44	70.22	176.74	176.94	265.18	
SW Well 1	9/24/2010 18:00:00	70.49	33.44	0.44	70.22	176.74	176.94	265.18	
SW Well 1	9/24/2010 18:15:00	70.49	33.44	0.44	70.21	176.75	176.94	265.18	
SW Well 1	9/24/2010 18:30:00	70.49	33.44	0.44	70.22	176.74	176.94	265.18	
SW Well 1	9/24/2010 18:45:00	70.49	33.44	0.44	70.21	176.75	176.94	265.18	
SW Well 1	9/24/2010 19:00:00	70.49	33.44	0.44	70.22	176.74	176.94	265.18	
SW Well 1	9/24/2010 19:15:00	70.49	33.44	0.44	70.22	176.74	176.94	265.18	
SW Well 1	9/24/2010 19:30:00	70.49	33.44	0.44	70.22	176.74	176.93	265.19	
SW Well 1	9/24/2010 19:45:00	70.49	33.44	0.44	70.22	176.74	176.93	265.19	
SW Well 1	9/24/2010 20:00:00	70.49	33.44	0.43	70.22	176.74	176.93	265.19	
SW Well 1	9/24/2010 20:15:00	70.49	33.44	0.43	70.22	176.75	176.94	265.18	
SW Well 1	9/24/2010 20:30:00	70.49	33.43	0.43	70.22	176.75	176.94	265.18	
SW Well 1	9/24/2010 20:45:00	70.49	33.43	0.43	70.22	176.75	176.93	265.19	
SW Well 1	9/24/2010 21:00:00	70.48	33.43	0.43	70.22	176.75	176.94	265.18	
SW Well 1	9/24/2010 21:15:00	70.48	33.43	0.43	70.22	176.75	176.94	265.18	
SW Well 1	9/24/2010 21:30:00	70.48	33.43	0.43	70.21	176.75	176.94	265.18	
SW Well 1	9/24/2010 21:45:00	70.48	33.43	0.43	70.21	176.76	176.95	265.17	
SW Well 1	9/24/2010 22:00:00	70.48	33.43	0.43	70.21	176.76	176.95	265.17	
SW Well 1	9/24/2010 22:15:00	70.48	33.43	0.43	70.21	176.76	176.95	265.17	
SW Well 1	9/24/2010 22:30:00	70.47	33.43	0.43	70.20	176.76	176.95	265.17	
SW Well 1	9/24/2010 22:45:00	70.47	33.43	0.43	70.20	176.77	176.96	265.16	
SW Well 1	9/24/2010 23:00:00	70.47	33.44	0.43	70.20	176.77	176.96	265.16	
SW Well 1	9/24/2010 23:15:00	70.47	33.44	0.43	70.20	176.77	176.96	265.16	
SW Well 1	9/24/2010 23:30:00	70.47	33.44	0.43	70.20	176.77	176.96	265.16	
SW Well 1	9/24/2010 23:45:00	70.47	33.44	0.44	70.20	176.77	176.96	265.16	
SW Well 1	9/25/2010 0:00:00	70.47	33.44	0.44	70.20	176.77	176.96	265.16	
SW Well 1	9/25/2010 0:15:00	70.47	33.44	0.44	70.20	176.76	176.95	265.17	
SW Well 1	9/25/2010 0:30:00	70.47	33.44	0.44	70.20	176.77	176.96	265.16	
SW Well 1	9/25/2010 0:45:00	70.47	33.44	0.44	70.19	176.77	176.96	265.16	
SW Well 1	9/25/2010 1:00:00	70.47	33.44	0.44	70.20	176.76	176.96	265.16	
SW Well 1	9/25/2010 1:15:00	70.47	33.44	0.44	70.19	176.77	176.96	265.16	
SW Well 1	9/25/2010 1:30:00	70.47	33.44	0.44	70.19	176.77	176.96	265.16	
SW Well 1	9/25/2010 1:45:00	70.47	33.44	0.44	70.20	176.76	176.96	265.16	
SW Well 1	9/25/2010 2:00:00	70.47	33.44	0.44	70.20	176.76	176.96	265.16	
SW Well 1	9/25/2010 2:15:00	70.47	33.44	0.44	70.20	176.76	176.96	265.16	
SW Well 1	9/25/2010 2:30:00	70.47	33.44	0.44	70.20	176.76	176.96	265.16	
SW Well 1	9/25/2010 2:45:00	70.47	33.44	0.44	70.20	176.76	176.95	265.17	
SW Well 1	9/25/2010 3:00:00	70.47	33.44	0.44	70.20	176.76	176.95	265.17	
SW Well 1	9/25/2010 3:15:00	70.47	33.44	0.44	70.20	176.76	176.95	265.17	
SW Well 1	9/25/2010 3:30:00	70.47	33.44	0.44	70.20	176.76	176.95	265.17	
SW Well 1	9/25/2010 3:45:00	70.47	33.44	0.44	70.20	176.76	176.95	265.17	
SW Well 1	9/25/2010 4:00:00	70.48	33.44	0.44	70.20	176.76	176.95	265.17	
SW Well 1	9/25/2010 4:15:00	70.48	33.44	0.44	70.20	176.76	176.95	265.17	
SW Well 1	9/25/2010 4:30:00	70.48	33.44	0.44	70.20	176.76	176.95	265.17	
SW Well 1	9/25/2010 4:45:00	70.48	33.44	0.44	70.21	176.76	176.95	265.17	
SW Well 1	9/25/2010 5:00:00	70.48	33.44	0.43	70.21	176.75	176.94	265.18	
SW Well 1	9/25/2010 5:15:00	70.48	33.44	0.43	70.21	176.75	176.94	265.18	
SW Well 1	9/25/2010 5:30:00	70.48	33.44	0.43	70.21	176.75	176.94	265.18	
SW Well 1	9/25/2010 5:45:00	70.48	33.44	0.43	70.21	176.75	176.94	265.18	
SW Well 1	9/25/2010 6:00:00	70.48	33.43	0.43	70.21	176.75	176.94	265.18	
SW Well 1	9/25/2010 6:15:00	70.48	33.43	0.43	70.22	176.75	176.94	265.18	
SW Well 1	9/25/2010 6:30:00	70.48	33.43	0.43	70.22	176.75	176.94	265.18	
SW Well 1	9/25/2010 6:45:00	70.48	33.43	0.43	70.22	176.75	176.94	265.18	
SW Well 1	9/25/2010 7:00:00	70.48	33.43	0.43	70.22	176.75	176.94	265.18	
SW Well 1	9/25/2010 7:15:00	70.48	33.43	0.43	70.21	176.75	176.94	265.18	
SW Well 1	9/25/2010 7:30:00	70.48	33.43	0.43	70.21	176.75	176.94	265.18	
SW Well 1	9/25/2010 7:45:00	70.48	33.43	0.43	70.21	176.75	176.94	265.18	
SW Well 1	9/25/2010 8:00:00	70.47	33.43	0.43	70.21	176.76	176.95	265.17	
SW Well 1	9/25/2010 8:15:00	70.48	33.43	0.43	70.21	176.76	176.94	265.18	
SW Well 1	9/25/2010 8:30:00	70.47	33.43	0.42	70.21	176.76	176.95	265.17	
SW Well 1	9/25/2010 8:45:00	70.47	33.43	0.42	70.21	176.76	176.95	265.17	
SW Well 1	9/25/2010 9:00:00	70.47	33.42	0.42	70.20	176.77	176.95	265.17	
SW Well 1	9/25/2010 9:15:00	70.46	33.42	0.42	70.20	176.77	176.95	265.17	
SW Well 1	9/25/2010 9:30:00	70.46	33.42	0.42	70.20	176.77	176.96	265.16	
SW Well 1	9/25/2010 9:45:00	70.46	33.42	0.41	70.20	176.77	176.95	265.17	
SW Well 1	9/25/2010 10:00:00	70.46	33.41	0.41	70.20	176.78	176.95	265.17	
SW Well 1	9/25/2010 10:15:00	70.45	33.40	0.40	70.20	176.78	176.95	265.17	
SW Well 1	9/25/2010 10:30:00	70.45	33.40	0.40	70.20	176.78	176.95	265.17	
SW Well 1	9/25/2010 10:45:00	70.45	33.39	0.39	70.21	176.78	176.95	265.17	
SW Well 1	9/25/2010 11:00:00	70.45	33.38	0.38	70.21	176.78	176.94	265.18	
SW Well 1	9/25/2010 11:15:00	70.44	33.38	0.38	70.21	176.79	176.94	265.18	
SW Well 1	9/25/2010 11:30:00	70.44	33.37	0.37	70.21	176.79	176.94	265.18	
SW Well 1	9/25/2010 11:45:00	70.44	33.37	0.36	70.21	176.80	176.94	265.18	
SW Well 1	9/25/2010 12:00:00	70.44	33.36	0.36	70.21	176.80	176.94	265.18	
SW Well 1	9/25/2010 12:15:00	70.43	33.35	0.35	70.21	176.80	176.94	265.18	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/25/2010 12:30:00	70.43	33.35	0.34	70.22	176.80	176.93	265.19	
SW Well 1	9/25/2010 12:45:00	70.43	33.34	0.34	70.22	176.80	176.93	265.19	
SW Well 1	9/25/2010 13:00:00	70.43	33.33	0.33	70.22	176.80	176.93	265.19	
SW Well 1	9/25/2010 13:15:00	70.42	33.33	0.32	70.22	176.81	176.93	265.19	
SW Well 1	9/25/2010 13:30:00	70.42	33.32	0.32	70.23	176.81	176.93	265.19	
SW Well 1	9/25/2010 13:45:00	70.43	33.32	0.31	70.23	176.80	176.92	265.20	
SW Well 1	9/25/2010 14:00:00	70.42	33.31	0.31	70.23	176.81	176.92	265.20	
SW Well 1	9/25/2010 14:15:00	70.42	33.31	0.30	70.24	176.81	176.92	265.20	
SW Well 1	9/25/2010 14:30:00	70.42	33.30	0.30	70.23	176.81	176.92	265.20	
SW Well 1	9/25/2010 14:45:00	70.42	33.30	0.29	70.24	176.81	176.92	265.20	
SW Well 1	9/25/2010 15:00:00	70.42	33.29	0.29	70.24	176.81	176.91	265.21	
SW Well 1	9/25/2010 15:15:00	70.42	33.29	0.29	70.24	176.81	176.91	265.21	
SW Well 1	9/25/2010 15:30:00	70.42	33.28	0.28	70.24	176.82	176.91	265.21	
SW Well 1	9/25/2010 15:45:00	70.42	33.28	0.28	70.24	176.82	176.91	265.21	
SW Well 1	9/25/2010 16:00:00	70.41	33.27	0.27	70.24	176.82	176.91	265.21	
SW Well 1	9/25/2010 16:15:00	70.41	33.27	0.27	70.25	176.82	176.91	265.21	
SW Well 1	9/25/2010 16:30:00	70.42	33.26	0.26	70.25	176.82	176.90	265.22	
SW Well 1	9/25/2010 16:45:00	70.41	33.26	0.26	70.25	176.82	176.90	265.22	
SW Well 1	9/25/2010 17:00:00	70.41	33.26	0.25	70.26	176.82	176.90	265.22	
SW Well 1	9/25/2010 17:15:00	70.41	33.25	0.25	70.26	176.82	176.89	265.23	
SW Well 1	9/25/2010 17:30:00	70.41	33.25	0.24	70.26	176.82	176.89	265.23	
SW Well 1	9/25/2010 17:45:00	70.41	33.25	0.24	70.26	176.82	176.90	265.22	
SW Well 1	9/25/2010 18:00:00	70.41	33.25	0.24	70.26	176.82	176.89	265.23	
SW Well 1	9/25/2010 18:15:00	70.41	33.25	0.24	70.26	176.82	176.90	265.22	
SW Well 1	9/25/2010 18:30:00	70.41	33.25	0.24	70.26	176.82	176.90	265.22	
SW Well 1	9/25/2010 18:45:00	70.41	33.25	0.25	70.26	176.82	176.89	265.23	
SW Well 1	9/25/2010 19:00:00	70.41	33.25	0.25	70.26	176.82	176.90	265.22	
SW Well 1	9/25/2010 19:15:00	70.41	33.25	0.25	70.25	176.83	176.90	265.22	
SW Well 1	9/25/2010 19:30:00	70.41	33.25	0.25	70.25	176.83	176.90	265.22	
SW Well 1	9/25/2010 19:45:00	70.41	33.25	0.25	70.25	176.83	176.90	265.22	
SW Well 1	9/25/2010 20:00:00	70.41	33.25	0.25	70.25	176.83	176.90	265.22	
SW Well 1	9/25/2010 20:15:00	70.40	33.25	0.25	70.25	176.83	176.91	265.21	
SW Well 1	9/25/2010 20:30:00	70.40	33.25	0.25	70.24	176.84	176.91	265.21	
SW Well 1	9/25/2010 20:45:00	70.39	33.25	0.25	70.24	176.84	176.91	265.21	
SW Well 1	9/25/2010 21:00:00	70.39	33.25	0.25	70.24	176.84	176.92	265.20	
SW Well 1	9/25/2010 21:15:00	70.39	33.25	0.25	70.23	176.85	176.92	265.20	
SW Well 1	9/25/2010 21:30:00	70.38	33.25	0.25	70.23	176.85	176.93	265.19	
SW Well 1	9/25/2010 21:45:00	70.37	33.25	0.25	70.22	176.86	176.93	265.19	
SW Well 1	9/25/2010 22:00:00	70.37	33.25	0.25	70.22	176.86	176.93	265.19	
SW Well 1	9/25/2010 22:15:00	70.37	33.25	0.25	70.21	176.87	176.94	265.18	
SW Well 1	9/25/2010 22:30:00	70.37	33.25	0.25	70.22	176.86	176.94	265.18	
SW Well 1	9/25/2010 22:45:00	70.37	33.25	0.25	70.21	176.87	176.94	265.18	
SW Well 1	9/25/2010 23:00:00	70.36	33.26	0.25	70.20	176.87	176.95	265.17	
SW Well 1	9/25/2010 23:15:00	70.36	33.26	0.25	70.20	176.87	176.95	265.17	
SW Well 1	9/25/2010 23:30:00	70.36	33.26	0.25	70.20	176.87	176.95	265.17	
SW Well 1	9/25/2010 23:45:00	70.36	33.26	0.26	70.20	176.87	176.95	265.17	
SW Well 1	9/26/2010 0:00:00	70.37	33.26	0.26	70.21	176.87	176.95	265.17	
SW Well 1	9/26/2010 0:15:00	70.37	33.26	0.26	70.21	176.86	176.94	265.18	
SW Well 1	9/26/2010 0:30:00	70.37	33.26	0.26	70.21	176.87	176.95	265.17	
SW Well 1	9/26/2010 0:45:00	70.36	33.26	0.26	70.20	176.87	176.95	265.17	
SW Well 1	9/26/2010 1:00:00	70.37	33.26	0.26	70.20	176.87	176.95	265.17	
SW Well 1	9/26/2010 1:15:00	70.35	33.26	0.26	70.19	176.88	176.96	265.16	
SW Well 1	9/26/2010 1:30:00	70.36	33.26	0.26	70.20	176.87	176.96	265.16	
SW Well 1	9/26/2010 1:45:00	70.37	33.26	0.26	70.21	176.86	176.94	265.18	
SW Well 1	9/26/2010 2:00:00	70.35	33.26	0.26	70.19	176.88	176.96	265.16	
SW Well 1	9/26/2010 2:15:00	70.35	33.26	0.25	70.20	176.88	176.96	265.16	
SW Well 1	9/26/2010 2:30:00	70.34	33.25	0.25	70.19	176.89	176.97	265.15	
SW Well 1	9/26/2010 2:45:00	70.34	33.25	0.25	70.18	176.90	176.97	265.15	
SW Well 1	9/26/2010 3:00:00	70.32	33.25	0.25	70.17	176.91	176.99	265.13	
SW Well 1	9/26/2010 3:15:00	70.32	33.25	0.24	70.17	176.91	176.98	265.14	
SW Well 1	9/26/2010 3:30:00	70.32	33.24	0.24	70.17	176.92	176.99	265.13	
SW Well 1	9/26/2010 3:45:00	70.34	33.24	0.24	70.19	176.89	176.96	265.16	
SW Well 1	9/26/2010 4:00:00	70.35	33.24	0.24	70.20	176.89	176.95	265.17	
SW Well 1	9/26/2010 4:15:00	70.37	33.24	0.23	70.23	176.86	176.92	265.20	
SW Well 1	9/26/2010 4:30:00	70.37	33.23	0.23	70.22	176.87	176.93	265.19	
SW Well 1	9/26/2010 4:45:00	70.36	33.23	0.23	70.22	176.87	176.94	265.18	
SW Well 1	9/26/2010 5:00:00	70.36	33.23	0.23	70.22	176.87	176.94	265.18	
SW Well 1	9/26/2010 5:15:00	70.37	33.22	0.22	70.23	176.87	176.93	265.19	
SW Well 1	9/26/2010 5:30:00	70.36	33.22	0.22	70.22	176.87	176.93	265.19	
SW Well 1	9/26/2010 5:45:00	70.36	33.22	0.22	70.22	176.87	176.93	265.19	
SW Well 1	9/26/2010 6:00:00	70.36	33.22	0.22	70.22	176.87	176.93	265.19	
SW Well 1	9/26/2010 6:15:00	70.36	33.23	0.22	70.22	176.87	176.93	265.19	
SW Well 1	9/26/2010 6:30:00	70.35	33.23	0.23	70.21	176.88	176.94	265.18	
SW Well 1	9/26/2010 6:45:00	70.35	33.23	0.23	70.21	176.88	176.94	265.18	
SW Well 1	9/26/2010 7:00:00	70.35	33.23	0.23	70.21	176.88	176.94	265.18	
SW Well 1	9/26/2010 7:15:00	70.36	33.23	0.23	70.22	176.87	176.94	265.18	
SW Well 1	9/26/2010 7:30:00	70.36	33.23	0.23	70.22	176.87	176.93	265.19	
SW Well 1	9/26/2010 7:45:00	70.36	33.23	0.23	70.21	176.87	176.94	265.18	
SW Well 1	9/26/2010 8:00:00	70.36	33.24	0.23	70.21	176.87	176.94	265.18	
SW Well 1	9/26/2010 8:15:00	70.36	33.24	0.23	70.22	176.87	176.94	265.18	
SW Well 1	9/26/2010 8:30:00	70.36	33.24	0.24	70.21	176.87	176.94	265.18	
SW Well 1	9/26/2010 8:45:00	70.36	33.24	0.24	70.21	176.87	176.94	265.18	
SW Well 1	9/26/2010 9:00:00	70.36	33.24	0.24	70.21	176.87	176.94	265.18	
SW Well 1	9/26/2010 9:15:00	70.35	33.24	0.24	70.21	176.88	176.95	265.17	
SW Well 1	9/26/2010 9:30:00	70.35	33.24	0.24	70.20	176.88	176.95	265.17	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/26/2010 9:45:00	70.35	33.25	0.24	70.20	176.88	176.95	265.17	
SW Well 1	9/26/2010 10:00:00	70.35	33.25	0.25	70.20	176.88	176.95	265.17	
SW Well 1	9/26/2010 10:15:00	70.35	33.25	0.25	70.20	176.88	176.95	265.17	
SW Well 1	9/26/2010 10:30:00	70.36	33.25	0.25	70.20	176.87	176.95	265.17	
SW Well 1	9/26/2010 10:45:00	70.36	33.26	0.25	70.20	176.87	176.95	265.17	
SW Well 1	9/26/2010 11:00:00	70.35	33.26	0.26	70.20	176.88	176.96	265.16	
SW Well 1	9/26/2010 11:15:00	70.36	33.26	0.26	70.20	176.87	176.96	265.16	
SW Well 1	9/26/2010 11:30:00	70.36	33.26	0.26	70.20	176.87	176.96	265.16	
SW Well 1	9/26/2010 11:45:00	70.36	33.27	0.26	70.19	176.87	176.96	265.16	
SW Well 1	9/26/2010 12:00:00	70.35	33.27	0.27	70.19	176.88	176.97	265.15	
SW Well 1	9/26/2010 12:15:00	70.35	33.27	0.27	70.19	176.88	176.97	265.15	
SW Well 1	9/26/2010 12:30:00	70.35	33.27	0.27	70.18	176.88	176.97	265.15	
SW Well 1	9/26/2010 12:45:00	70.35	33.28	0.27	70.18	176.88	176.97	265.15	
SW Well 1	9/26/2010 13:00:00	70.35	33.28	0.28	70.18	176.88	176.97	265.15	
SW Well 1	9/26/2010 13:15:00	70.35	33.28	0.28	70.18	176.88	176.98	265.14	
SW Well 1	9/26/2010 13:30:00	70.35	33.28	0.28	70.18	176.88	176.97	265.15	
SW Well 1	9/26/2010 13:45:00	70.36	33.28	0.28	70.18	176.87	176.97	265.15	
SW Well 1	9/26/2010 14:00:00	70.35	33.28	0.28	70.18	176.88	176.97	265.15	
SW Well 1	9/26/2010 14:15:00	70.35	33.28	0.28	70.18	176.88	176.97	265.15	
SW Well 1	9/26/2010 14:30:00	70.36	33.28	0.28	70.18	176.87	176.97	265.15	
SW Well 1	9/26/2010 14:45:00	70.35	33.28	0.28	70.18	176.88	176.97	265.15	
SW Well 1	9/26/2010 15:00:00	70.36	33.28	0.28	70.19	176.87	176.97	265.15	
SW Well 1	9/26/2010 15:15:00	70.36	33.28	0.28	70.19	176.87	176.96	265.16	
SW Well 1	9/26/2010 15:30:00	70.36	33.28	0.28	70.19	176.87	176.96	265.16	
SW Well 1	9/26/2010 15:45:00	70.36	33.28	0.28	70.19	176.87	176.96	265.16	
SW Well 1	9/26/2010 16:00:00	70.36	33.28	0.28	70.19	176.87	176.96	265.16	
SW Well 1	9/26/2010 16:15:00	70.37	33.28	0.28	70.20	176.87	176.96	265.16	
SW Well 1	9/26/2010 16:30:00	70.37	33.28	0.27	70.20	176.86	176.95	265.17	
SW Well 1	9/26/2010 16:45:00	70.37	33.28	0.27	70.20	176.86	176.95	265.17	
SW Well 1	9/26/2010 17:00:00	70.37	33.28	0.27	70.20	176.86	176.95	265.17	
SW Well 1	9/26/2010 17:15:00	70.37	33.27	0.27	70.20	176.86	176.95	265.17	
SW Well 1	9/26/2010 17:30:00	70.38	33.27	0.27	70.21	176.86	176.95	265.17	
SW Well 1	9/26/2010 17:45:00	70.38	33.28	0.27	70.21	176.86	176.95	265.17	
SW Well 1	9/26/2010 18:00:00	70.38	33.28	0.27	70.21	176.86	176.95	265.17	
SW Well 1	9/26/2010 18:15:00	70.38	33.28	0.28	70.21	176.86	176.95	265.17	
SW Well 1	9/26/2010 18:30:00	70.38	33.28	0.28	70.20	176.86	176.95	265.17	
SW Well 1	9/26/2010 18:45:00	70.38	33.28	0.28	70.20	176.86	176.95	265.17	
SW Well 1	9/26/2010 19:00:00	70.38	33.28	0.28	70.20	176.86	176.95	265.17	
SW Well 1	9/26/2010 19:15:00	70.38	33.28	0.28	70.20	176.86	176.95	265.17	
SW Well 1	9/26/2010 19:30:00	70.38	33.29	0.28	70.20	176.86	176.95	265.17	
SW Well 1	9/26/2010 19:45:00	70.38	33.29	0.28	70.20	176.86	176.95	265.17	
SW Well 1	9/26/2010 20:00:00	70.38	33.29	0.29	70.20	176.86	176.95	265.17	
SW Well 1	9/26/2010 20:15:00	70.38	33.29	0.29	70.20	176.85	176.95	265.17	
SW Well 1	9/26/2010 20:30:00	70.38	33.29	0.29	70.20	176.85	176.95	265.17	
SW Well 1	9/26/2010 20:45:00	70.38	33.29	0.29	70.20	176.85	176.95	265.17	
SW Well 1	9/26/2010 21:00:00	70.38	33.29	0.29	70.20	176.85	176.95	265.17	
SW Well 1	9/26/2010 21:15:00	70.38	33.29	0.29	70.20	176.86	176.96	265.16	
SW Well 1	9/26/2010 21:30:00	70.38	33.30	0.29	70.19	176.86	176.96	265.16	
SW Well 1	9/26/2010 21:45:00	70.38	33.30	0.30	70.20	176.85	176.96	265.16	
SW Well 1	9/26/2010 22:00:00	70.38	33.30	0.30	70.19	176.86	176.96	265.16	
SW Well 1	9/26/2010 22:15:00	70.38	33.30	0.30	70.19	176.86	176.96	265.16	
SW Well 1	9/26/2010 22:30:00	70.38	33.30	0.30	70.19	176.86	176.96	265.16	
SW Well 1	9/26/2010 22:45:00	70.38	33.30	0.30	70.19	176.86	176.96	265.16	
SW Well 1	9/26/2010 23:00:00	70.37	33.30	0.30	70.19	176.86	176.97	265.15	
SW Well 1	9/26/2010 23:15:00	70.37	33.30	0.30	70.19	176.86	176.97	265.15	
SW Well 1	9/26/2010 23:30:00	70.37	33.31	0.30	70.19	176.86	176.97	265.15	
SW Well 1	9/26/2010 23:45:00	70.37	33.31	0.30	70.18	176.86	176.97	265.15	
SW Well 1	9/27/2010 0:00:00	70.37	33.31	0.31	70.18	176.86	176.97	265.15	
SW Well 1	9/27/2010 0:15:00	70.37	33.31	0.31	70.18	176.86	176.97	265.15	
SW Well 1	9/27/2010 0:30:00	70.37	33.31	0.31	70.18	176.86	176.97	265.15	
SW Well 1	9/27/2010 0:45:00	70.37	33.31	0.31	70.18	176.86	176.97	265.15	
SW Well 1	9/27/2010 1:00:00	70.37	33.31	0.31	70.18	176.86	176.97	265.15	
SW Well 1	9/27/2010 1:15:00	70.37	33.31	0.31	70.18	176.86	176.97	265.15	
SW Well 1	9/27/2010 1:30:00	70.37	33.31	0.31	70.18	176.86	176.97	265.15	
SW Well 1	9/27/2010 1:45:00	70.37	33.31	0.31	70.18	176.86	176.97	265.15	
SW Well 1	9/27/2010 2:00:00	70.37	33.32	0.31	70.18	176.86	176.97	265.15	
SW Well 1	9/27/2010 2:15:00	70.37	33.32	0.31	70.18	176.86	176.97	265.15	
SW Well 1	9/27/2010 2:30:00	70.38	33.32	0.31	70.18	176.86	176.97	265.15	
SW Well 1	9/27/2010 2:45:00	70.38	33.32	0.32	70.19	176.85	176.97	265.15	
SW Well 1	9/27/2010 3:00:00	70.38	33.32	0.32	70.18	176.85	176.97	265.15	
SW Well 1	9/27/2010 3:15:00	70.39	33.32	0.32	70.19	176.85	176.97	265.15	
SW Well 1	9/27/2010 3:30:00	70.39	33.32	0.32	70.19	176.85	176.97	265.15	
SW Well 1	9/27/2010 3:45:00	70.39	33.32	0.32	70.19	176.84	176.96	265.16	
SW Well 1	9/27/2010 4:00:00	70.39	33.32	0.32	70.19	176.84	176.96	265.16	
SW Well 1	9/27/2010 4:15:00	70.39	33.32	0.32	70.19	176.84	176.96	265.16	
SW Well 1	9/27/2010 4:30:00	70.39	33.32	0.32	70.19	176.84	176.96	265.16	
SW Well 1	9/27/2010 4:45:00	70.39	33.32	0.32	70.19	176.84	176.96	265.16	
SW Well 1	9/27/2010 5:00:00	70.39	33.32	0.32	70.19	176.84	176.96	265.16	
SW Well 1	9/27/2010 5:15:00	70.40	33.33	0.32	70.20	176.84	176.96	265.16	
SW Well 1	9/27/2010 5:30:00	70.40	33.33	0.32	70.20	176.84	176.96	265.16	
SW Well 1	9/27/2010 5:45:00	70.40	33.33	0.32	70.20	176.83	176.95	265.17	
SW Well 1	9/27/2010 6:00:00	70.40	33.33	0.32	70.20	176.83	176.95	265.17	
SW Well 1	9/27/2010 6:15:00	70.40	33.33	0.32	70.20	176.83	176.95	265.17	
SW Well 1	9/27/2010 6:30:00	70.41	33.33	0.32	70.20	176.83	176.95	265.17	
SW Well 1	9/27/2010 6:45:00	70.41	33.32	0.32	70.21	176.82	176.94	265.18	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/27/2010 7:00:00	70.41	33.32	0.32	70.21	176.82	176.94	265.18	
SW Well 1	9/27/2010 7:15:00	70.41	33.32	0.32	70.21	176.82	176.94	265.18	
SW Well 1	9/27/2010 7:30:00	70.41	33.32	0.32	70.21	176.83	176.95	265.17	
SW Well 1	9/27/2010 7:45:00	70.41	33.32	0.32	70.21	176.82	176.94	265.18	
SW Well 1	9/27/2010 8:00:00	70.41	33.32	0.32	70.21	176.82	176.94	265.18	
SW Well 1	9/27/2010 8:15:00	70.41	33.32	0.32	70.21	176.82	176.94	265.18	
SW Well 1	9/27/2010 8:30:00	70.41	33.32	0.32	70.21	176.82	176.94	265.18	
SW Well 1	9/27/2010 8:45:00	70.41	33.32	0.32	70.21	176.82	176.94	265.18	
SW Well 1	9/27/2010 9:00:00	70.41	33.32	0.32	70.21	176.82	176.94	265.18	
SW Well 1	9/27/2010 9:15:00	70.41	33.32	0.32	70.21	176.82	176.94	265.18	
SW Well 1	9/27/2010 9:30:00	70.41	33.32	0.32	70.21	176.82	176.94	265.18	
SW Well 1	9/27/2010 9:45:00	70.41	33.32	0.32	70.21	176.82	176.94	265.18	
SW Well 1	9/27/2010 10:00:00	70.41	33.32	0.32	70.21	176.82	176.94	265.18	
SW Well 1	9/27/2010 10:15:00	70.41	33.32	0.32	70.21	176.82	176.94	265.18	
SW Well 1	9/27/2010 10:30:00	70.41	33.32	0.32	70.21	176.83	176.95	265.17	
SW Well 1	9/27/2010 10:45:00	70.41	33.32	0.32	70.21	176.82	176.94	265.18	
SW Well 1	9/27/2010 11:00:00	70.41	33.32	0.32	70.22	176.82	176.94	265.18	
SW Well 1	9/27/2010 11:15:00	70.41	33.32	0.32	70.21	176.82	176.94	265.18	
SW Well 1	9/27/2010 11:30:00	70.41	33.32	0.32	70.22	176.82	176.94	265.18	
SW Well 1	9/27/2010 11:45:00	70.41	33.32	0.32	70.21	176.82	176.94	265.18	
SW Well 1	9/27/2010 12:00:00	70.41	33.32	0.32	70.21	176.83	176.95	265.17	
SW Well 1	9/27/2010 12:15:00	70.41	33.32	0.32	70.21	176.82	176.94	265.18	
SW Well 1	9/27/2010 12:30:00	70.41	33.32	0.32	70.21	176.82	176.94	265.18	
SW Well 1	9/27/2010 12:45:00	70.41	33.32	0.32	70.21	176.82	176.94	265.18	
SW Well 1	9/27/2010 13:00:00	70.41	33.32	0.32	70.21	176.83	176.95	265.17	
SW Well 1	9/27/2010 13:15:00	70.41	33.32	0.32	70.21	176.83	176.95	265.17	
SW Well 1	9/27/2010 13:30:00	70.41	33.32	0.32	70.21	176.83	176.95	265.17	
SW Well 1	9/27/2010 13:45:00	70.41	33.32	0.31	70.21	176.83	176.94	265.18	
SW Well 1	9/27/2010 14:00:00	70.40	33.31	0.31	70.21	176.83	176.94	265.18	
SW Well 1	9/27/2010 14:15:00	70.40	33.31	0.31	70.21	176.84	176.95	265.17	
SW Well 1	9/27/2010 14:30:00	70.40	33.30	0.30	70.21	176.84	176.94	265.18	
SW Well 1	9/27/2010 14:45:00	70.40	33.30	0.30	70.21	176.84	176.94	265.18	
SW Well 1	9/27/2010 15:00:00	70.40	33.29	0.29	70.22	176.84	176.94	265.18	
SW Well 1	9/27/2010 15:15:00	70.40	33.29	0.29	70.22	176.84	176.94	265.18	
SW Well 1	9/27/2010 15:30:00	70.40	33.29	0.28	70.22	176.83	176.93	265.19	
SW Well 1	9/27/2010 15:45:00	70.40	33.28	0.28	70.22	176.84	176.93	265.19	
SW Well 1	9/27/2010 16:00:00	70.40	33.28	0.28	70.23	176.83	176.92	265.20	
SW Well 1	9/27/2010 16:15:00	70.40	33.27	0.27	70.23	176.84	176.92	265.20	
SW Well 1	9/27/2010 16:30:00	70.40	33.27	0.27	70.23	176.84	176.92	265.20	
SW Well 1	9/27/2010 16:45:00	70.40	33.26	0.26	70.23	176.84	176.92	265.20	
SW Well 1	9/27/2010 17:00:00	70.40	33.26	0.26	70.24	176.83	176.91	265.21	
SW Well 1	9/27/2010 17:15:00	70.40	33.26	0.25	70.24	176.84	176.91	265.21	
SW Well 1	9/27/2010 17:30:00	70.40	33.25	0.25	70.24	176.84	176.91	265.21	
SW Well 1	9/27/2010 17:45:00	70.40	33.26	0.25	70.24	176.84	176.91	265.21	
SW Well 1	9/27/2010 18:00:00	70.40	33.26	0.26	70.24	176.84	176.92	265.20	
SW Well 1	9/27/2010 18:15:00	70.40	33.26	0.26	70.24	176.83	176.91	265.21	
SW Well 1	9/27/2010 18:30:00	70.40	33.26	0.26	70.24	176.83	176.92	265.20	
SW Well 1	9/27/2010 18:45:00	70.40	33.27	0.27	70.24	176.83	176.92	265.20	
SW Well 1	9/27/2010 19:00:00	70.40	33.27	0.27	70.23	176.83	176.92	265.20	
SW Well 1	9/27/2010 19:15:00	70.41	33.27	0.27	70.24	176.83	176.92	265.20	
SW Well 1	9/27/2010 19:30:00	70.41	33.28	0.27	70.24	176.82	176.92	265.20	
SW Well 1	9/27/2010 19:45:00	70.41	33.28	0.28	70.24	176.82	176.92	265.20	
SW Well 1	9/27/2010 20:00:00	70.41	33.28	0.28	70.23	176.82	176.92	265.20	
SW Well 1	9/27/2010 20:15:00	70.41	33.29	0.28	70.23	176.82	176.92	265.20	
SW Well 1	9/27/2010 20:30:00	70.41	33.29	0.29	70.23	176.82	176.92	265.20	
SW Well 1	9/27/2010 20:45:00	70.41	33.29	0.29	70.23	176.82	176.92	265.20	
SW Well 1	9/27/2010 21:00:00	70.41	33.30	0.29	70.23	176.82	176.93	265.19	
SW Well 1	9/27/2010 21:15:00	70.41	33.30	0.30	70.22	176.83	176.93	265.19	
SW Well 1	9/27/2010 21:30:00	70.41	33.30	0.30	70.22	176.83	176.93	265.19	
SW Well 1	9/27/2010 21:45:00	70.41	33.30	0.30	70.22	176.83	176.93	265.19	
SW Well 1	9/27/2010 22:00:00	70.41	33.30	0.30	70.22	176.83	176.93	265.19	
SW Well 1	9/27/2010 22:15:00	70.40	33.30	0.30	70.22	176.83	176.94	265.18	
SW Well 1	9/27/2010 22:30:00	70.40	33.30	0.30	70.21	176.84	176.94	265.18	
SW Well 1	9/27/2010 22:45:00	70.40	33.30	0.30	70.22	176.83	176.94	265.18	
SW Well 1	9/27/2010 23:00:00	70.40	33.30	0.30	70.21	176.84	176.94	265.18	
SW Well 1	9/27/2010 23:15:00	70.39	33.30	0.29	70.21	176.84	176.94	265.18	
SW Well 1	9/27/2010 23:30:00	70.39	33.30	0.29	70.21	176.84	176.94	265.18	
SW Well 1	9/27/2010 23:45:00	70.39	33.29	0.29	70.21	176.84	176.94	265.18	
SW Well 1	9/28/2010 0:00:00	70.39	33.29	0.29	70.21	176.84	176.95	265.17	
SW Well 1	9/28/2010 0:15:00	70.39	33.29	0.29	70.20	176.85	176.95	265.17	
SW Well 1	9/28/2010 0:30:00	70.39	33.29	0.29	70.21	176.85	176.95	265.17	
SW Well 1	9/28/2010 0:45:00	70.39	33.29	0.29	70.21	176.85	176.95	265.17	
SW Well 1	9/28/2010 1:00:00	70.39	33.29	0.29	70.21	176.85	176.95	265.17	
SW Well 1	9/28/2010 1:15:00	70.39	33.29	0.29	70.21	176.84	176.94	265.18	
SW Well 1	9/28/2010 1:30:00	70.39	33.29	0.29	70.21	176.84	176.94	265.18	
SW Well 1	9/28/2010 1:45:00	70.39	33.29	0.29	70.21	176.85	176.95	265.17	
SW Well 1	9/28/2010 2:00:00	70.39	33.29	0.29	70.21	176.84	176.94	265.18	
SW Well 1	9/28/2010 2:15:00	70.39	33.29	0.29	70.21	176.84	176.94	265.18	
SW Well 1	9/28/2010 2:30:00	70.39	33.29	0.29	70.21	176.84	176.94	265.18	
SW Well 1	9/28/2010 2:45:00	70.39	33.29	0.29	70.20	176.85	176.95	265.17	
SW Well 1	9/28/2010 3:00:00	70.39	33.29	0.29	70.20	176.85	176.95	265.17	
SW Well 1	9/28/2010 3:15:00	70.39	33.29	0.29	70.21	176.84	176.95	265.17	
SW Well 1	9/28/2010 3:30:00	70.39	33.29	0.29	70.21	176.84	176.95	265.17	
SW Well 1	9/28/2010 3:45:00	70.39	33.30	0.29	70.20	176.85	176.95	265.17	
SW Well 1	9/28/2010 4:00:00	70.39	33.30	0.29	70.21	176.84	176.95	265.17	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/28/2010 4:15:00	70.39	33.30	0.29	70.21	176.84	176.94	265.18	
SW Well 1	9/28/2010 4:30:00	70.40	33.30	0.30	70.21	176.84	176.94	265.18	
SW Well 1	9/28/2010 4:45:00	70.40	33.30	0.30	70.21	176.84	176.94	265.18	
SW Well 1	9/28/2010 5:00:00	70.40	33.30	0.30	70.22	176.83	176.94	265.18	
SW Well 1	9/28/2010 5:15:00	70.40	33.30	0.30	70.22	176.83	176.94	265.18	
SW Well 1	9/28/2010 5:30:00	70.41	33.30	0.30	70.22	176.83	176.93	265.19	
SW Well 1	9/28/2010 5:45:00	70.41	33.30	0.30	70.22	176.83	176.94	265.18	
SW Well 1	9/28/2010 6:00:00	70.41	33.31	0.30	70.22	176.82	176.93	265.19	
SW Well 1	9/28/2010 6:15:00	70.41	33.31	0.31	70.22	176.82	176.94	265.18	
SW Well 1	9/28/2010 6:30:00	70.41	33.31	0.31	70.22	176.82	176.93	265.19	
SW Well 1	9/28/2010 6:45:00	70.42	33.32	0.32	70.22	176.82	176.93	265.19	
SW Well 1	9/28/2010 7:00:00	70.42	33.32	0.32	70.22	176.82	176.94	265.18	
SW Well 1	9/28/2010 7:15:00	70.42	33.32	0.32	70.22	176.81	176.93	265.19	
SW Well 1	9/28/2010 7:30:00	70.42	33.33	0.33	70.22	176.81	176.93	265.19	
SW Well 1	9/28/2010 7:45:00	70.43	33.33	0.33	70.22	176.80	176.93	265.19	
SW Well 1	9/28/2010 8:00:00	70.42	33.33	0.33	70.22	176.81	176.94	265.18	
SW Well 1	9/28/2010 8:15:00	70.42	33.34	0.34	70.21	176.81	176.94	265.18	
SW Well 1	9/28/2010 8:30:00	70.42	33.34	0.34	70.21	176.81	176.94	265.18	
SW Well 1	9/28/2010 8:45:00	70.42	33.34	0.34	70.21	176.81	176.95	265.17	
SW Well 1	9/28/2010 9:00:00	70.43	33.35	0.35	70.21	176.80	176.94	265.18	
SW Well 1	9/28/2010 9:15:00	70.43	33.35	0.35	70.22	176.80	176.94	265.18	
SW Well 1	9/28/2010 9:30:00	70.43	33.36	0.35	70.21	176.80	176.94	265.18	
SW Well 1	9/28/2010 9:45:00	70.43	33.36	0.35	70.21	176.80	176.94	265.18	
SW Well 1	9/28/2010 10:00:00	70.43	33.36	0.36	70.21	176.80	176.94	265.18	
SW Well 1	9/28/2010 10:15:00	70.43	33.36	0.36	70.21	176.80	176.94	265.18	
SW Well 1	9/28/2010 10:30:00	70.44	33.36	0.36	70.21	176.80	176.94	265.18	
SW Well 1	9/28/2010 10:45:00	70.44	33.36	0.36	70.21	176.80	176.94	265.18	
SW Well 1	9/28/2010 11:00:00	70.44	33.36	0.36	70.21	176.80	176.94	265.18	
SW Well 1	9/28/2010 11:15:00	70.44	33.36	0.36	70.21	176.80	176.94	265.18	
SW Well 1	9/28/2010 11:30:00	70.44	33.36	0.36	70.22	176.79	176.93	265.19	
SW Well 1	9/28/2010 11:45:00	70.45	33.37	0.36	70.22	176.78	176.93	265.19	
SW Well 1	9/28/2010 12:00:00	70.45	33.37	0.36	70.22	176.78	176.93	265.19	
SW Well 1	9/28/2010 12:15:00	70.44	33.37	0.37	70.22	176.79	176.94	265.18	
SW Well 1	9/28/2010 12:30:00	70.44	33.37	0.37	70.22	176.79	176.94	265.18	
SW Well 1	9/28/2010 12:45:00	70.44	33.37	0.37	70.22	176.79	176.94	265.18	
SW Well 1	9/28/2010 13:00:00	70.44	33.37	0.37	70.21	176.79	176.94	265.18	
SW Well 1	9/28/2010 13:15:00	70.44	33.37	0.37	70.21	176.79	176.94	265.18	
SW Well 1	9/28/2010 13:30:00	70.44	33.37	0.37	70.21	176.80	176.95	265.17	
SW Well 1	9/28/2010 13:45:00	70.44	33.38	0.37	70.20	176.80	176.95	265.17	
SW Well 1	9/28/2010 14:00:00	70.44	33.38	0.37	70.21	176.79	176.95	265.17	
SW Well 1	9/28/2010 14:15:00	70.44	33.38	0.38	70.21	176.79	176.95	265.17	
SW Well 1	9/28/2010 14:30:00	70.44	33.38	0.38	70.21	176.79	176.94	265.18	
SW Well 1	9/28/2010 14:45:00	70.44	33.38	0.38	70.21	176.79	176.94	265.18	
SW Well 1	9/28/2010 15:00:00	70.44	33.38	0.38	70.21	176.79	176.95	265.17	
SW Well 1	9/28/2010 15:15:00	70.44	33.38	0.38	70.21	176.79	176.95	265.17	
SW Well 1	9/28/2010 15:30:00	70.44	33.38	0.38	70.21	176.79	176.95	265.17	
SW Well 1	9/28/2010 15:45:00	70.45	33.39	0.38	70.21	176.78	176.94	265.18	
SW Well 1	9/28/2010 16:00:00	70.45	33.39	0.39	70.21	176.78	176.94	265.18	
SW Well 1	9/28/2010 16:15:00	70.46	33.39	0.39	70.22	176.78	176.94	265.18	
SW Well 1	9/28/2010 16:30:00	70.46	33.39	0.39	70.21	176.78	176.94	265.18	
SW Well 1	9/28/2010 16:45:00	70.46	33.39	0.39	70.21	176.78	176.94	265.18	
SW Well 1	9/28/2010 17:00:00	70.46	33.39	0.39	70.22	176.77	176.94	265.18	
SW Well 1	9/28/2010 17:15:00	70.47	33.39	0.39	70.22	176.77	176.93	265.19	
SW Well 1	9/28/2010 17:30:00	70.47	33.40	0.39	70.22	176.77	176.93	265.19	
SW Well 1	9/28/2010 17:45:00	70.47	33.40	0.39	70.22	176.77	176.93	265.19	
SW Well 1	9/28/2010 18:00:00	70.47	33.40	0.40	70.23	176.76	176.93	265.19	
SW Well 1	9/28/2010 18:15:00	70.47	33.40	0.40	70.22	176.76	176.93	265.19	
SW Well 1	9/28/2010 18:30:00	70.47	33.40	0.40	70.22	176.76	176.93	265.19	
SW Well 1	9/28/2010 18:45:00	70.48	33.40	0.40	70.23	176.76	176.93	265.19	
SW Well 1	9/28/2010 19:00:00	70.47	33.41	0.40	70.22	176.76	176.93	265.19	
SW Well 1	9/28/2010 19:15:00	70.47	33.41	0.40	70.22	176.77	176.94	265.18	
SW Well 1	9/28/2010 19:30:00	70.47	33.41	0.41	70.21	176.77	176.94	265.18	
SW Well 1	9/28/2010 19:45:00	70.47	33.41	0.41	70.21	176.77	176.94	265.18	
SW Well 1	9/28/2010 20:00:00	70.47	33.41	0.41	70.22	176.76	176.94	265.18	
SW Well 1	9/28/2010 20:15:00	70.47	33.41	0.41	70.21	176.77	176.94	265.18	
SW Well 1	9/28/2010 20:30:00	70.47	33.42	0.41	70.21	176.76	176.94	265.18	
SW Well 1	9/28/2010 20:45:00	70.48	33.42	0.41	70.22	176.76	176.94	265.18	
SW Well 1	9/28/2010 21:00:00	70.48	33.42	0.42	70.22	176.76	176.94	265.18	
SW Well 1	9/28/2010 21:15:00	70.48	33.42	0.42	70.22	176.75	176.93	265.19	
SW Well 1	9/28/2010 21:30:00	70.48	33.42	0.42	70.22	176.75	176.93	265.19	
SW Well 1	9/28/2010 21:45:00	70.48	33.42	0.42	70.22	176.75	176.94	265.18	
SW Well 1	9/28/2010 22:00:00	70.48	33.42	0.42	70.22	176.75	176.93	265.19	
SW Well 1	9/28/2010 22:15:00	70.48	33.42	0.42	70.22	176.75	176.93	265.19	
SW Well 1	9/28/2010 22:30:00	70.48	33.42	0.42	70.22	176.75	176.93	265.19	
SW Well 1	9/28/2010 22:45:00	70.48	33.42	0.42	70.22	176.75	176.94	265.18	
SW Well 1	9/28/2010 23:00:00	70.48	33.43	0.42	70.22	176.75	176.94	265.18	
SW Well 1	9/28/2010 23:15:00	70.48	33.43	0.42	70.22	176.75	176.94	265.18	
SW Well 1	9/28/2010 23:30:00	70.48	33.43	0.42	70.22	176.75	176.94	265.18	
SW Well 1	9/28/2010 23:45:00	70.48	33.43	0.43	70.22	176.75	176.94	265.18	
SW Well 1	9/29/2010 0:00:00	70.48	33.43	0.43	70.22	176.75	176.94	265.18	
SW Well 1	9/29/2010 0:15:00	70.48	33.43	0.43	70.21	176.76	176.94	265.18	
SW Well 1	9/29/2010 0:30:00	70.47	33.43	0.43	70.21	176.76	176.95	265.17	
SW Well 1	9/29/2010 0:45:00	70.48	33.43	0.43	70.21	176.76	176.94	265.18	
SW Well 1	9/29/2010 1:00:00	70.48	33.43	0.43	70.21	176.76	176.94	265.18	
SW Well 1	9/29/2010 1:15:00	70.47	33.43	0.43	70.21	176.76	176.95	265.17	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/29/2010 1:30:00	70.47	33.43	0.43	70.21	176.76	176.95	265.17	
SW Well 1	9/29/2010 1:45:00	70.47	33.43	0.43	70.20	176.76	176.95	265.17	
SW Well 1	9/29/2010 2:00:00	70.47	33.43	0.43	70.20	176.76	176.95	265.17	
SW Well 1	9/29/2010 2:15:00	70.48	33.44	0.43	70.21	176.76	176.95	265.17	
SW Well 1	9/29/2010 2:30:00	70.48	33.44	0.44	70.20	176.76	176.95	265.17	
SW Well 1	9/29/2010 2:45:00	70.48	33.44	0.44	70.20	176.76	176.95	265.17	
SW Well 1	9/29/2010 3:00:00	70.48	33.44	0.44	70.20	176.76	176.95	265.17	
SW Well 1	9/29/2010 3:15:00	70.48	33.44	0.44	70.21	176.75	176.95	265.17	
SW Well 1	9/29/2010 3:30:00	70.48	33.45	0.44	70.20	176.76	176.95	265.17	
SW Well 1	9/29/2010 3:45:00	70.48	33.45	0.44	70.20	176.76	176.95	265.17	
SW Well 1	9/29/2010 4:00:00	70.48	33.45	0.45	70.20	176.75	176.95	265.17	
SW Well 1	9/29/2010 4:15:00	70.48	33.45	0.45	70.20	176.76	176.96	265.16	
SW Well 1	9/29/2010 4:30:00	70.48	33.45	0.45	70.20	176.76	176.96	265.16	
SW Well 1	9/29/2010 4:45:00	70.48	33.45	0.45	70.20	176.75	176.95	265.17	
SW Well 1	9/29/2010 5:00:00	70.48	33.46	0.45	70.20	176.75	176.96	265.16	
SW Well 1	9/29/2010 5:15:00	70.48	33.46	0.46	70.20	176.75	176.96	265.16	
SW Well 1	9/29/2010 5:30:00	70.48	33.46	0.46	70.20	176.75	176.95	265.17	
SW Well 1	9/29/2010 5:45:00	70.48	33.46	0.46	70.20	176.75	176.95	265.17	
SW Well 1	9/29/2010 6:00:00	70.48	33.46	0.46	70.20	176.75	176.96	265.16	
SW Well 1	9/29/2010 6:15:00	70.48	33.46	0.46	70.20	176.75	176.96	265.16	
SW Well 1	9/29/2010 6:30:00	70.49	33.46	0.46	70.20	176.75	176.95	265.17	
SW Well 1	9/29/2010 6:45:00	70.49	33.46	0.46	70.20	176.75	176.95	265.17	
SW Well 1	9/29/2010 7:00:00	70.49	33.47	0.46	70.20	176.74	176.95	265.17	
SW Well 1	9/29/2010 7:15:00	70.49	33.47	0.47	70.20	176.74	176.95	265.17	
SW Well 1	9/29/2010 7:30:00	70.49	33.47	0.47	70.20	176.74	176.95	265.17	
SW Well 1	9/29/2010 7:45:00	70.49	33.47	0.47	70.20	176.74	176.95	265.17	
SW Well 1	9/29/2010 8:00:00	70.49	33.47	0.47	70.20	176.74	176.95	265.17	
SW Well 1	9/29/2010 8:15:00	70.49	33.47	0.47	70.20	176.74	176.95	265.17	
SW Well 1	9/29/2010 8:30:00	70.49	33.47	0.47	70.20	176.74	176.95	265.17	
SW Well 1	9/29/2010 8:45:00	70.50	33.47	0.47	70.21	176.73	176.95	265.17	
SW Well 1	9/29/2010 9:00:00	70.50	33.48	0.47	70.20	176.73	176.95	265.17	
SW Well 1	9/29/2010 9:15:00	70.50	33.48	0.47	70.21	176.73	176.95	265.17	
SW Well 1	9/29/2010 9:30:00	70.50	33.48	0.48	70.20	176.73	176.95	265.17	
SW Well 1	9/29/2010 9:45:00	70.50	33.47	0.47	70.21	176.73	176.95	265.17	
SW Well 1	9/29/2010 10:00:00	70.50	33.47	0.47	70.21	176.73	176.94	265.18	
SW Well 1	9/29/2010 10:15:00	70.50	33.46	0.46	70.21	176.73	176.94	265.18	
SW Well 1	9/29/2010 10:30:00	70.50	33.46	0.46	70.21	176.73	176.94	265.18	
SW Well 1	9/29/2010 10:45:00	70.49	33.46	0.45	70.21	176.74	176.94	265.18	
SW Well 1	9/29/2010 11:00:00	70.50	33.45	0.45	70.22	176.73	176.93	265.19	
SW Well 1	9/29/2010 11:15:00	70.49	33.45	0.44	70.22	176.74	176.94	265.18	
SW Well 1	9/29/2010 11:30:00	70.49	33.44	0.44	70.22	176.74	176.93	265.19	
SW Well 1	9/29/2010 11:45:00	70.49	33.44	0.44	70.22	176.74	176.93	265.19	
SW Well 1	9/29/2010 12:00:00	70.49	33.43	0.43	70.22	176.74	176.93	265.19	
SW Well 1	9/29/2010 12:15:00	70.49	33.43	0.43	70.22	176.75	176.93	265.19	
SW Well 1	9/29/2010 12:30:00	70.48	33.42	0.42	70.22	176.75	176.93	265.19	
SW Well 1	9/29/2010 12:45:00	70.49	33.42	0.42	70.23	176.75	176.93	265.19	
SW Well 1	9/29/2010 13:00:00	70.48	33.42	0.41	70.23	176.75	176.93	265.19	
SW Well 1	9/29/2010 13:15:00	70.48	33.41	0.41	70.23	176.75	176.92	265.20	
SW Well 1	9/29/2010 13:30:00	70.48	33.41	0.40	70.23	176.75	176.93	265.19	
SW Well 1	9/29/2010 13:45:00	70.48	33.40	0.40	70.23	176.75	176.92	265.20	
SW Well 1	9/29/2010 14:00:00	70.48	33.39	0.39	70.23	176.76	176.92	265.20	
SW Well 1	9/29/2010 14:15:00	70.47	33.38	0.38	70.23	176.76	176.92	265.20	
SW Well 1	9/29/2010 14:30:00	70.47	33.38	0.37	70.23	176.77	176.92	265.20	
SW Well 1	9/29/2010 14:45:00	70.47	33.37	0.37	70.24	176.77	176.91	265.21	
SW Well 1	9/29/2010 15:00:00	70.46	33.36	0.36	70.24	176.77	176.91	265.21	
SW Well 1	9/29/2010 15:15:00	70.46	33.35	0.35	70.24	176.77	176.91	265.21	
SW Well 1	9/29/2010 15:30:00	70.46	33.35	0.34	70.25	176.77	176.91	265.21	
SW Well 1	9/29/2010 15:45:00	70.46	33.34	0.34	70.25	176.78	176.91	265.21	
SW Well 1	9/29/2010 16:00:00	70.46	33.33	0.33	70.25	176.78	176.90	265.22	
SW Well 1	9/29/2010 16:15:00	70.45	33.32	0.32	70.25	176.78	176.90	265.22	
SW Well 1	9/29/2010 16:30:00	70.45	33.32	0.32	70.26	176.78	176.90	265.22	
SW Well 1	9/29/2010 16:45:00	70.45	33.31	0.31	70.26	176.78	176.89	265.23	
SW Well 1	9/29/2010 17:00:00	70.45	33.30	0.30	70.26	176.78	176.89	265.23	
SW Well 1	9/29/2010 17:15:00	70.44	33.30	0.29	70.26	176.79	176.89	265.23	
SW Well 1	9/29/2010 17:30:00	70.44	33.29	0.29	70.27	176.79	176.89	265.23	
SW Well 1	9/29/2010 17:45:00	70.44	33.29	0.29	70.27	176.79	176.89	265.23	
SW Well 1	9/29/2010 18:00:00	70.44	33.29	0.29	70.27	176.79	176.89	265.23	
SW Well 1	9/29/2010 18:15:00	70.44	33.29	0.29	70.26	176.79	176.89	265.23	
SW Well 1	9/29/2010 18:30:00	70.44	33.29	0.29	70.26	176.80	176.90	265.22	
SW Well 1	9/29/2010 18:45:00	70.44	33.29	0.29	70.26	176.80	176.90	265.22	
SW Well 1	9/29/2010 19:00:00	70.44	33.29	0.29	70.26	176.80	176.90	265.22	
SW Well 1	9/29/2010 19:15:00	70.44	33.29	0.29	70.26	176.80	176.90	265.22	
SW Well 1	9/29/2010 19:30:00	70.44	33.29	0.29	70.26	176.80	176.90	265.22	
SW Well 1	9/29/2010 19:45:00	70.44	33.29	0.29	70.26	176.80	176.90	265.22	
SW Well 1	9/29/2010 20:00:00	70.43	33.29	0.29	70.25	176.80	176.90	265.22	
SW Well 1	9/29/2010 20:15:00	70.43	33.29	0.29	70.25	176.80	176.90	265.22	
SW Well 1	9/29/2010 20:30:00	70.43	33.29	0.29	70.25	176.80	176.90	265.22	
SW Well 1	9/29/2010 20:45:00	70.43	33.29	0.29	70.25	176.80	176.90	265.22	
SW Well 1	9/29/2010 21:00:00	70.43	33.29	0.29	70.25	176.80	176.90	265.22	
SW Well 1	9/29/2010 21:15:00	70.43	33.29	0.29	70.25	176.80	176.90	265.22	
SW Well 1	9/29/2010 21:30:00	70.42	33.29	0.29	70.25	176.81	176.91	265.21	
SW Well 1	9/29/2010 21:45:00	70.42	33.29	0.29	70.25	176.81	176.91	265.21	
SW Well 1	9/29/2010 22:00:00	70.42	33.29	0.29	70.25	176.81	176.91	265.21	
SW Well 1	9/29/2010 22:15:00	70.42	33.29	0.29	70.24	176.81	176.91	265.21	
SW Well 1	9/29/2010 22:30:00	70.42	33.29	0.29	70.24	176.82	176.92	265.20	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/29/2010 22:45:00	70.41	33.29	0.29	70.24	176.82	176.92	265.20	
SW Well 1	9/29/2010 23:00:00	70.41	33.29	0.29	70.23	176.82	176.92	265.20	
SW Well 1	9/29/2010 23:15:00	70.41	33.29	0.29	70.23	176.82	176.92	265.20	
SW Well 1	9/29/2010 23:30:00	70.41	33.29	0.28	70.23	176.83	176.93	265.19	
SW Well 1	9/29/2010 23:45:00	70.41	33.29	0.28	70.23	176.83	176.93	265.19	
SW Well 1	9/30/2010 0:00:00	70.41	33.29	0.28	70.23	176.83	176.93	265.19	
SW Well 1	9/30/2010 0:15:00	70.40	33.29	0.28	70.22	176.83	176.93	265.19	
SW Well 1	9/30/2010 0:30:00	70.40	33.29	0.28	70.22	176.84	176.93	265.19	
SW Well 1	9/30/2010 0:45:00	70.39	33.29	0.28	70.22	176.84	176.94	265.18	
SW Well 1	9/30/2010 1:00:00	70.39	33.29	0.28	70.21	176.84	176.94	265.18	
SW Well 1	9/30/2010 1:15:00	70.39	33.29	0.28	70.21	176.84	176.94	265.18	
SW Well 1	9/30/2010 1:30:00	70.39	33.29	0.28	70.21	176.85	176.94	265.18	
SW Well 1	9/30/2010 1:45:00	70.39	33.28	0.28	70.21	176.85	176.94	265.18	
SW Well 1	9/30/2010 2:00:00	70.38	33.28	0.28	70.21	176.85	176.94	265.18	
SW Well 1	9/30/2010 2:15:00	70.38	33.28	0.27	70.21	176.85	176.94	265.18	
SW Well 1	9/30/2010 2:30:00	70.38	33.27	0.27	70.21	176.85	176.94	265.18	
SW Well 1	9/30/2010 2:45:00	70.38	33.27	0.27	70.21	176.86	176.94	265.18	
SW Well 1	9/30/2010 3:00:00	70.37	33.27	0.26	70.21	176.86	176.94	265.18	
SW Well 1	9/30/2010 3:15:00	70.37	33.26	0.26	70.21	176.86	176.95	265.17	
SW Well 1	9/30/2010 3:30:00	70.37	33.26	0.26	70.21	176.87	176.95	265.17	
SW Well 1	9/30/2010 3:45:00	70.37	33.26	0.26	70.21	176.87	176.95	265.17	
SW Well 1	9/30/2010 4:00:00	70.37	33.25	0.25	70.21	176.87	176.94	265.18	
SW Well 1	9/30/2010 4:15:00	70.36	33.25	0.25	70.21	176.87	176.95	265.17	
SW Well 1	9/30/2010 4:30:00	70.36	33.25	0.25	70.21	176.87	176.94	265.18	
SW Well 1	9/30/2010 4:45:00	70.36	33.25	0.24	70.21	176.87	176.95	265.17	
SW Well 1	9/30/2010 5:00:00	70.36	33.24	0.24	70.21	176.87	176.94	265.18	
SW Well 1	9/30/2010 5:15:00	70.36	33.24	0.24	70.21	176.87	176.94	265.18	
SW Well 1	9/30/2010 5:30:00	70.35	33.24	0.23	70.21	176.88	176.94	265.18	
SW Well 1	9/30/2010 5:45:00	70.35	33.24	0.23	70.21	176.88	176.94	265.18	
SW Well 1	9/30/2010 6:00:00	70.35	33.23	0.23	70.21	176.88	176.95	265.17	
SW Well 1	9/30/2010 6:15:00	70.35	33.23	0.23	70.21	176.88	176.95	265.17	
SW Well 1	9/30/2010 6:30:00	70.35	33.23	0.23	70.21	176.88	176.95	265.17	
SW Well 1	9/30/2010 6:45:00	70.35	33.23	0.23	70.21	176.88	176.95	265.17	
SW Well 1	9/30/2010 7:00:00	70.35	33.23	0.23	70.21	176.88	176.95	265.17	
SW Well 1	9/30/2010 7:15:00	70.35	33.23	0.23	70.21	176.88	176.95	265.17	
SW Well 1	9/30/2010 7:30:00	70.35	33.23	0.23	70.21	176.88	176.95	265.17	
SW Well 1	9/30/2010 7:45:00	70.35	33.23	0.23	70.21	176.88	176.95	265.17	
SW Well 1	9/30/2010 8:00:00	70.35	33.23	0.23	70.21	176.88	176.95	265.17	
SW Well 1	9/30/2010 8:15:00	70.35	33.23	0.23	70.21	176.88	176.94	265.18	
SW Well 1	9/30/2010 8:30:00	70.35	33.23	0.23	70.21	176.88	176.94	265.18	
SW Well 1	9/30/2010 8:45:00	70.35	33.23	0.23	70.21	176.88	176.94	265.18	
SW Well 1	9/30/2010 9:00:00	70.35	33.23	0.23	70.21	176.88	176.94	265.18	
SW Well 1	9/30/2010 9:15:00	70.35	33.23	0.22	70.21	176.88	176.94	265.18	
SW Well 1	9/30/2010 9:30:00	70.35	33.23	0.22	70.21	176.88	176.94	265.18	
SW Well 1	9/30/2010 9:45:00	70.35	33.22	0.22	70.21	176.89	176.94	265.18	
SW Well 1	9/30/2010 10:00:00	70.35	33.22	0.21	70.21	176.89	176.94	265.18	
SW Well 1	9/30/2010 10:15:00	70.35	33.21	0.21	70.22	176.89	176.94	265.18	
SW Well 1	9/30/2010 10:30:00	70.35	33.21	0.20	70.22	176.89	176.93	265.19	
SW Well 1	9/30/2010 10:45:00	70.34	33.20	0.20	70.22	176.89	176.93	265.19	
SW Well 1	9/30/2010 11:00:00	70.34	33.20	0.19	70.22	176.89	176.93	265.19	
SW Well 1	9/30/2010 11:15:00	70.34	33.19	0.19	70.22	176.89	176.93	265.19	
SW Well 1	9/30/2010 11:30:00	70.34	33.19	0.18	70.22	176.89	176.93	265.19	
SW Well 1	9/30/2010 11:45:00	70.34	33.18	0.18	70.22	176.90	176.93	265.19	
SW Well 1	9/30/2010 12:00:00	70.34	33.17	0.17	70.23	176.90	176.93	265.19	
SW Well 1	9/30/2010 12:15:00	70.33	33.17	0.17	70.23	176.90	176.93	265.19	
SW Well 1	9/30/2010 12:30:00	70.33	33.16	0.16	70.23	176.91	176.93	265.19	
SW Well 1	9/30/2010 12:45:00	70.32	33.16	0.16	70.23	176.91	176.93	265.19	
SW Well 1	9/30/2010 13:00:00	70.32	33.15	0.15	70.23	176.91	176.93	265.19	
SW Well 1	9/30/2010 13:15:00	70.32	33.15	0.15	70.22	176.92	176.93	265.19	
SW Well 1	9/30/2010 13:30:00	70.32	33.14	0.14	70.23	176.92	176.93	265.19	
SW Well 1	9/30/2010 13:45:00	70.31	33.14	0.14	70.22	176.93	176.93	265.19	
SW Well 1	9/30/2010 14:00:00	70.30	33.13	0.13	70.22	176.93	176.93	265.19	
SW Well 1	9/30/2010 14:15:00	70.30	33.13	0.12	70.22	176.93	176.93	265.19	
SW Well 1	9/30/2010 14:30:00	70.30	33.12	0.12	70.23	176.93	176.93	265.19	
SW Well 1	9/30/2010 14:45:00	70.30	33.11	0.11	70.23	176.94	176.93	265.19	
SW Well 1	9/30/2010 15:00:00	70.29	33.11	0.11	70.23	176.94	176.93	265.19	
SW Well 1	9/30/2010 15:15:00	70.29	33.10	0.10	70.23	176.94	176.92	265.20	
SW Well 1	9/30/2010 15:30:00	70.29	33.10	0.09	70.23	176.94	176.92	265.20	
SW Well 1	9/30/2010 15:45:00	70.29	33.09	0.09	70.23	176.94	176.92	265.20	
SW Well 1	9/30/2010 16:00:00	70.28	33.09	0.08	70.23	176.95	176.92	265.20	
SW Well 1	9/30/2010 16:15:00	70.28	33.08	0.08	70.24	176.95	176.92	265.20	
SW Well 1	9/30/2010 16:30:00	70.28	33.07	0.07	70.24	176.95	176.92	265.20	
SW Well 1	9/30/2010 16:45:00	70.28	33.07	0.07	70.24	176.96	176.92	265.20	
SW Well 1	9/30/2010 17:00:00	70.28	33.06	0.06	70.24	176.96	176.91	265.21	
SW Well 1	9/30/2010 17:15:00	70.28	33.06	0.05	70.24	176.96	176.91	265.21	
SW Well 1	9/30/2010 17:30:00	70.27	33.05	0.05	70.24	176.96	176.91	265.21	
SW Well 1	9/30/2010 17:45:00	70.27	33.05	0.05	70.24	176.96	176.92	265.20	
SW Well 1	9/30/2010 18:00:00	70.26	33.05	0.05	70.23	176.97	176.92	265.20	
SW Well 1	9/30/2010 18:15:00	70.27	33.06	0.05	70.23	176.96	176.92	265.20	
SW Well 1	9/30/2010 18:30:00	70.26	33.06	0.05	70.23	176.97	176.92	265.20	
SW Well 1	9/30/2010 18:45:00	70.26	33.06	0.06	70.23	176.97	176.92	265.20	
SW Well 1	9/30/2010 19:00:00	70.26	33.06	0.06	70.23	176.97	176.93	265.19	
SW Well 1	9/30/2010 19:15:00	70.26	33.06	0.06	70.23	176.97	176.93	265.19	
SW Well 1	9/30/2010 19:30:00	70.26	33.06	0.06	70.23	176.97	176.93	265.19	
SW Well 1	9/30/2010 19:45:00	70.26	33.07	0.06	70.22	176.97	176.93	265.19	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	9/30/2010 20:00:00	70.26	33.07	0.07	70.22	176.97	176.93	265.19	
SW Well 1	9/30/2010 20:15:00	70.26	33.07	0.07	70.22	176.97	176.94	265.18	
SW Well 1	9/30/2010 20:30:00	70.26	33.07	0.07	70.22	176.97	176.94	265.18	
SW Well 1	9/30/2010 20:45:00	70.26	33.07	0.07	70.21	176.98	176.94	265.18	
SW Well 1	9/30/2010 21:00:00	70.25	33.07	0.07	70.21	176.98	176.95	265.17	
SW Well 1	9/30/2010 21:15:00	70.25	33.08	0.07	70.21	176.98	176.95	265.17	
SW Well 1	9/30/2010 21:30:00	70.25	33.08	0.08	70.21	176.98	176.95	265.17	
SW Well 1	9/30/2010 21:45:00	70.25	33.08	0.08	70.20	176.98	176.95	265.17	
SW Well 1	9/30/2010 22:00:00	70.25	33.08	0.08	70.20	176.98	176.95	265.17	
SW Well 1	9/30/2010 22:15:00	70.25	33.09	0.09	70.20	176.98	176.95	265.17	
SW Well 1	9/30/2010 22:30:00	70.25	33.09	0.09	70.20	176.98	176.96	265.16	
SW Well 1	9/30/2010 22:45:00	70.25	33.09	0.09	70.20	176.98	176.96	265.16	
SW Well 1	9/30/2010 23:00:00	70.25	33.10	0.10	70.19	176.98	176.96	265.16	
SW Well 1	9/30/2010 23:15:00	70.25	33.10	0.10	70.19	176.98	176.96	265.16	
SW Well 1	9/30/2010 23:30:00	70.25	33.10	0.10	70.19	176.98	176.96	265.16	
SW Well 1	9/30/2010 23:45:00	70.25	33.11	0.10	70.19	176.98	176.97	265.15	
SW Well 1	10/1/2010 0:00:00	70.25	33.11	0.11	70.18	176.98	176.97	265.15	
SW Well 1	10/1/2010 0:15:00	70.25	33.11	0.11	70.18	176.98	176.97	265.15	
SW Well 1	10/1/2010 0:30:00	70.25	33.12	0.11	70.18	176.98	176.98	265.14	
SW Well 1	10/1/2010 0:45:00	70.25	33.12	0.12	70.18	176.98	176.98	265.14	
SW Well 1	10/1/2010 1:00:00	70.25	33.12	0.12	70.17	176.98	176.98	265.14	
SW Well 1	10/1/2010 1:15:00	70.24	33.13	0.12	70.16	176.99	176.99	265.13	
SW Well 1	10/1/2010 1:30:00	70.24	33.13	0.13	70.16	176.99	176.99	265.13	
SW Well 1	10/1/2010 1:45:00	70.25	33.13	0.13	70.16	176.99	176.99	265.13	
SW Well 1	10/1/2010 2:00:00	70.24	33.14	0.14	70.15	176.99	177.00	265.12	
SW Well 1	10/1/2010 2:15:00	70.25	33.15	0.14	70.16	176.99	177.00	265.12	
SW Well 1	10/1/2010 2:30:00	70.25	33.15	0.15	70.15	176.99	177.00	265.12	
SW Well 1	10/1/2010 2:45:00	70.24	33.16	0.16	70.14	176.99	177.01	265.11	
SW Well 1	10/1/2010 3:00:00	70.25	33.16	0.16	70.14	176.99	177.01	265.11	
SW Well 1	10/1/2010 3:15:00	70.25	33.17	0.17	70.14	176.99	177.01	265.11	
SW Well 1	10/1/2010 3:30:00	70.25	33.18	0.17	70.14	176.98	177.01	265.11	
SW Well 1	10/1/2010 3:45:00	70.25	33.18	0.18	70.14	176.98	177.02	265.10	
SW Well 1	10/1/2010 4:00:00	70.25	33.19	0.19	70.13	176.98	177.02	265.10	
SW Well 1	10/1/2010 4:15:00	70.25	33.19	0.19	70.13	176.98	177.02	265.10	
SW Well 1	10/1/2010 4:30:00	70.25	33.20	0.20	70.13	176.98	177.02	265.10	
SW Well 1	10/1/2010 4:45:00	70.25	33.21	0.20	70.13	176.98	177.03	265.09	
SW Well 1	10/1/2010 5:00:00	70.25	33.21	0.21	70.12	176.98	177.03	265.09	
SW Well 1	10/1/2010 5:15:00	70.25	33.22	0.22	70.12	176.98	177.03	265.09	
SW Well 1	10/1/2010 5:30:00	70.26	33.22	0.22	70.12	176.98	177.03	265.09	
SW Well 1	10/1/2010 5:45:00	70.26	33.23	0.23	70.12	176.97	177.04	265.08	
SW Well 1	10/1/2010 6:00:00	70.26	33.24	0.24	70.11	176.97	177.04	265.08	
SW Well 1	10/1/2010 6:15:00	70.26	33.25	0.24	70.11	176.97	177.04	265.08	
SW Well 1	10/1/2010 6:30:00	70.27	33.25	0.25	70.11	176.96	177.04	265.08	
SW Well 1	10/1/2010 6:45:00	70.27	33.26	0.26	70.11	176.96	177.05	265.07	
SW Well 1	10/1/2010 7:00:00	70.27	33.27	0.27	70.10	176.96	177.05	265.07	
SW Well 1	10/1/2010 7:15:00	70.28	33.28	0.27	70.11	176.96	177.05	265.07	
SW Well 1	10/1/2010 7:30:00	70.28	33.28	0.28	70.11	176.95	177.05	265.07	
SW Well 1	10/1/2010 7:45:00	70.28	33.29	0.29	70.10	176.95	177.05	265.07	
SW Well 1	10/1/2010 8:00:00	70.28	33.30	0.30	70.10	176.95	177.05	265.07	
SW Well 1	10/1/2010 8:15:00	70.29	33.31	0.30	70.10	176.94	177.05	265.07	
SW Well 1	10/1/2010 8:30:00	70.29	33.31	0.31	70.09	176.94	177.06	265.06	
SW Well 1	10/1/2010 8:45:00	70.30	33.32	0.32	70.10	176.94	177.06	265.06	
SW Well 1	10/1/2010 9:00:00	70.30	33.33	0.33	70.10	176.93	177.06	265.06	
SW Well 1	10/1/2010 9:15:00	70.30	33.34	0.33	70.10	176.93	177.06	265.06	
SW Well 1	10/1/2010 9:30:00	70.31	33.34	0.34	70.09	176.93	177.06	265.06	
SW Well 1	10/1/2010 9:45:00	70.31	33.35	0.34	70.10	176.92	177.06	265.06	
SW Well 1	10/1/2010 10:00:00	70.32	33.35	0.35	70.10	176.91	177.05	265.07	
SW Well 1	10/1/2010 10:15:00	70.32	33.35	0.35	70.11	176.91	177.05	265.07	
SW Well 1	10/1/2010 10:30:00	70.33	33.36	0.35	70.11	176.91	177.05	265.07	
SW Well 1	10/1/2010 10:45:00	70.33	33.36	0.36	70.11	176.90	177.04	265.08	
SW Well 1	10/1/2010 11:00:00	70.34	33.36	0.36	70.11	176.90	177.04	265.08	
SW Well 1	10/1/2010 11:15:00	70.34	33.36	0.36	70.11	176.89	177.04	265.08	
SW Well 1	10/1/2010 11:30:00	70.34	33.37	0.36	70.12	176.89	177.04	265.08	
SW Well 1	10/1/2010 11:45:00	70.34	33.37	0.37	70.11	176.89	177.04	265.08	
SW Well 1	10/1/2010 12:00:00	70.35	33.37	0.37	70.12	176.89	177.04	265.08	
SW Well 1	10/1/2010 12:15:00	70.35	33.38	0.37	70.12	176.88	177.04	265.08	
SW Well 1	10/1/2010 12:30:00	70.35	33.38	0.38	70.12	176.88	177.03	265.09	
SW Well 1	10/1/2010 12:45:00	70.36	33.38	0.38	70.12	176.87	177.03	265.09	
SW Well 1	10/1/2010 13:00:00	70.36	33.38	0.38	70.13	176.87	177.03	265.09	
SW Well 1	10/1/2010 13:15:00	70.37	33.39	0.39	70.13	176.87	177.03	265.09	
SW Well 1	10/1/2010 13:30:00	70.37	33.39	0.39	70.13	176.86	177.02	265.10	
SW Well 1	10/1/2010 13:45:00	70.37	33.39	0.39	70.13	176.86	177.02	265.10	
SW Well 1	10/1/2010 14:00:00	70.37	33.39	0.39	70.13	176.86	177.02	265.10	
SW Well 1	10/1/2010 14:15:00	70.37	33.39	0.39	70.13	176.86	177.02	265.10	
SW Well 1	10/1/2010 14:30:00	70.38	33.39	0.39	70.14	176.86	177.02	265.10	
SW Well 1	10/1/2010 14:45:00	70.38	33.39	0.39	70.14	176.86	177.02	265.10	
SW Well 1	10/1/2010 15:00:00	70.38	33.39	0.38	70.14	176.86	177.02	265.10	
SW Well 1	10/1/2010 15:15:00	70.38	33.39	0.38	70.14	176.85	177.01	265.11	
SW Well 1	10/1/2010 15:30:00	70.38	33.39	0.38	70.14	176.85	177.01	265.11	
SW Well 1	10/1/2010 15:45:00	70.38	33.38	0.38	70.14	176.85	177.01	265.11	
SW Well 1	10/1/2010 16:00:00	70.39	33.38	0.38	70.15	176.85	177.01	265.11	
SW Well 1	10/1/2010 16:15:00	70.39	33.38	0.38	70.15	176.85	177.01	265.11	
SW Well 1	10/1/2010 16:30:00	70.39	33.38	0.38	70.15	176.85	177.01	265.11	
SW Well 1	10/1/2010 16:45:00	70.39	33.38	0.38	70.15	176.84	177.00	265.12	
SW Well 1	10/1/2010 17:00:00	70.39	33.38	0.38	70.15	176.84	177.00	265.12	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	10/1/2010 17:15:00	70.39	33.38	0.38	70.16	176.84	177.00	265.12	
SW Well 1	10/1/2010 17:30:00	70.39	33.38	0.38	70.16	176.84	177.00	265.12	
SW Well 1	10/1/2010 17:45:00	70.39	33.38	0.38	70.16	176.84	177.00	265.12	
SW Well 1	10/1/2010 18:00:00	70.39	33.38	0.38	70.16	176.84	177.00	265.12	
SW Well 1	10/1/2010 18:15:00	70.40	33.39	0.38	70.16	176.84	176.99	265.13	
SW Well 1	10/1/2010 18:30:00	70.40	33.39	0.39	70.16	176.83	176.99	265.13	
SW Well 1	10/1/2010 18:45:00	70.40	33.39	0.39	70.16	176.83	176.99	265.13	
SW Well 1	10/1/2010 19:00:00	70.40	33.39	0.39	70.16	176.83	176.99	265.13	
SW Well 1	10/1/2010 19:15:00	70.41	33.39	0.39	70.17	176.82	176.99	265.13	
SW Well 1	10/1/2010 19:30:00	70.41	33.39	0.39	70.17	176.82	176.99	265.13	
SW Well 1	10/1/2010 19:45:00	70.41	33.40	0.39	70.16	176.82	176.99	265.13	
SW Well 1	10/1/2010 20:00:00	70.41	33.40	0.40	70.16	176.82	176.99	265.13	
SW Well 1	10/1/2010 20:15:00	70.41	33.40	0.40	70.17	176.82	176.99	265.13	
SW Well 1	10/1/2010 20:30:00	70.42	33.40	0.40	70.17	176.82	176.99	265.13	
SW Well 1	10/1/2010 20:45:00	70.42	33.40	0.40	70.17	176.82	176.99	265.13	
SW Well 1	10/1/2010 21:00:00	70.42	33.40	0.40	70.17	176.82	176.99	265.13	
SW Well 1	10/1/2010 21:15:00	70.42	33.41	0.40	70.17	176.81	176.98	265.14	
SW Well 1	10/1/2010 21:30:00	70.42	33.41	0.41	70.17	176.81	176.99	265.13	
SW Well 1	10/1/2010 21:45:00	70.42	33.41	0.41	70.17	176.81	176.98	265.14	
SW Well 1	10/1/2010 22:00:00	70.42	33.41	0.41	70.17	176.81	176.98	265.14	
SW Well 1	10/1/2010 22:15:00	70.42	33.41	0.41	70.17	176.81	176.98	265.14	
SW Well 1	10/1/2010 22:30:00	70.42	33.41	0.41	70.17	176.81	176.98	265.14	
SW Well 1	10/1/2010 22:45:00	70.43	33.41	0.41	70.17	176.80	176.98	265.14	
SW Well 1	10/1/2010 23:00:00	70.43	33.41	0.41	70.18	176.80	176.98	265.14	
SW Well 1	10/1/2010 23:15:00	70.43	33.41	0.41	70.18	176.80	176.98	265.14	
SW Well 1	10/1/2010 23:30:00	70.44	33.41	0.41	70.18	176.80	176.97	265.15	
SW Well 1	10/1/2010 23:45:00	70.44	33.41	0.41	70.18	176.80	176.97	265.15	
SW Well 1	10/2/2010 0:00:00	70.44	33.41	0.41	70.18	176.80	176.97	265.15	
SW Well 1	10/2/2010 0:15:00	70.43	33.41	0.41	70.18	176.80	176.98	265.14	
SW Well 1	10/2/2010 0:30:00	70.44	33.42	0.41	70.18	176.80	176.97	265.15	
SW Well 1	10/2/2010 0:45:00	70.44	33.42	0.41	70.18	176.80	176.97	265.15	
SW Well 1	10/2/2010 1:00:00	70.44	33.42	0.41	70.18	176.79	176.97	265.15	
SW Well 1	10/2/2010 1:15:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	10/2/2010 1:30:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	10/2/2010 1:45:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	10/2/2010 2:00:00	70.44	33.42	0.42	70.19	176.79	176.97	265.15	
SW Well 1	10/2/2010 2:15:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	10/2/2010 2:30:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	10/2/2010 2:45:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	10/2/2010 3:00:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	10/2/2010 3:15:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	10/2/2010 3:30:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	10/2/2010 3:45:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	10/2/2010 4:00:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	10/2/2010 4:15:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	10/2/2010 4:30:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	10/2/2010 4:45:00	70.44	33.42	0.42	70.18	176.80	176.98	265.14	
SW Well 1	10/2/2010 5:00:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	10/2/2010 5:15:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	10/2/2010 5:30:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	10/2/2010 5:45:00	70.44	33.42	0.42	70.18	176.80	176.98	265.14	
SW Well 1	10/2/2010 6:00:00	70.44	33.42	0.42	70.18	176.80	176.98	265.14	
SW Well 1	10/2/2010 6:15:00	70.44	33.42	0.42	70.18	176.80	176.98	265.14	
SW Well 1	10/2/2010 6:30:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	10/2/2010 6:45:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	10/2/2010 7:00:00	70.44	33.42	0.42	70.18	176.80	176.98	265.14	
SW Well 1	10/2/2010 7:15:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	10/2/2010 7:30:00	70.44	33.42	0.42	70.18	176.80	176.98	265.14	
SW Well 1	10/2/2010 7:45:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	10/2/2010 8:00:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	10/2/2010 8:15:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	10/2/2010 8:30:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	10/2/2010 8:45:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	10/2/2010 9:00:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	10/2/2010 9:15:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	10/2/2010 9:30:00	70.44	33.43	0.42	70.18	176.79	176.97	265.15	
SW Well 1	10/2/2010 9:45:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	10/2/2010 10:00:00	70.44	33.42	0.41	70.19	176.79	176.97	265.15	
SW Well 1	10/2/2010 10:15:00	70.44	33.41	0.41	70.19	176.79	176.96	265.16	
SW Well 1	10/2/2010 10:30:00	70.44	33.41	0.40	70.19	176.79	176.96	265.16	
SW Well 1	10/2/2010 10:45:00	70.45	33.40	0.40	70.20	176.78	176.95	265.17	
SW Well 1	10/2/2010 11:00:00	70.45	33.40	0.40	70.20	176.78	176.95	265.17	
SW Well 1	10/2/2010 11:15:00	70.45	33.39	0.39	70.21	176.78	176.95	265.17	
SW Well 1	10/2/2010 11:30:00	70.45	33.39	0.39	70.21	176.78	176.95	265.17	
SW Well 1	10/2/2010 11:45:00	70.45	33.38	0.38	70.21	176.78	176.94	265.18	
SW Well 1	10/2/2010 12:00:00	70.45	33.38	0.38	70.21	176.78	176.94	265.18	
SW Well 1	10/2/2010 12:15:00	70.45	33.37	0.37	70.22	176.78	176.94	265.18	
SW Well 1	10/2/2010 12:30:00	70.44	33.37	0.37	70.22	176.79	176.94	265.18	
SW Well 1	10/2/2010 12:45:00	70.45	33.37	0.36	70.22	176.78	176.93	265.19	
SW Well 1	10/2/2010 13:00:00	70.44	33.36	0.36	70.22	176.79	176.93	265.19	
SW Well 1	10/2/2010 13:15:00	70.44	33.36	0.35	70.22	176.79	176.93	265.19	
SW Well 1	10/2/2010 13:30:00	70.44	33.35	0.35	70.23	176.79	176.93	265.19	
SW Well 1	10/2/2010 13:45:00	70.44	33.35	0.34	70.23	176.79	176.92	265.20	
SW Well 1	10/2/2010 14:00:00	70.44	33.34	0.34	70.23	176.79	176.92	265.20	
SW Well 1	10/2/2010 14:15:00	70.44	33.33	0.33	70.23	176.80	176.92	265.20	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	10/2/2010 14:30:00	70.44	33.33	0.33	70.23	176.80	176.92	265.20	
SW Well 1	10/2/2010 14:45:00	70.43	33.32	0.32	70.23	176.80	176.92	265.20	
SW Well 1	10/2/2010 15:00:00	70.43	33.32	0.31	70.24	176.80	176.92	265.20	
SW Well 1	10/2/2010 15:15:00	70.43	33.31	0.31	70.24	176.80	176.91	265.21	
SW Well 1	10/2/2010 15:30:00	70.43	33.30	0.30	70.24	176.80	176.91	265.21	
SW Well 1	10/2/2010 15:45:00	70.42	33.30	0.30	70.24	176.81	176.91	265.21	
SW Well 1	10/2/2010 16:00:00	70.42	33.29	0.29	70.24	176.81	176.91	265.21	
SW Well 1	10/2/2010 16:15:00	70.42	33.29	0.28	70.24	176.82	176.91	265.21	
SW Well 1	10/2/2010 16:30:00	70.42	33.28	0.28	70.24	176.82	176.91	265.21	
SW Well 1	10/2/2010 16:45:00	70.41	33.27	0.27	70.24	176.82	176.91	265.21	
SW Well 1	10/2/2010 17:00:00	70.41	33.27	0.27	70.24	176.82	176.91	265.21	
SW Well 1	10/2/2010 17:15:00	70.41	33.26	0.26	70.24	176.83	176.91	265.21	
SW Well 1	10/2/2010 17:30:00	70.41	33.26	0.25	70.25	176.83	176.91	265.21	
SW Well 1	10/2/2010 17:45:00	70.40	33.25	0.25	70.24	176.83	176.91	265.21	
SW Well 1	10/2/2010 18:00:00	70.40	33.25	0.25	70.24	176.84	176.91	265.21	
SW Well 1	10/2/2010 18:15:00	70.39	33.25	0.25	70.24	176.84	176.92	265.20	
SW Well 1	10/2/2010 18:30:00	70.39	33.25	0.25	70.24	176.84	176.91	265.21	
SW Well 1	10/2/2010 18:45:00	70.39	33.25	0.25	70.24	176.84	176.92	265.20	
SW Well 1	10/2/2010 19:00:00	70.39	33.25	0.25	70.23	176.85	176.92	265.20	
SW Well 1	10/2/2010 19:15:00	70.39	33.25	0.25	70.23	176.85	176.92	265.20	
SW Well 1	10/2/2010 19:30:00	70.38	33.25	0.24	70.23	176.85	176.92	265.20	
SW Well 1	10/2/2010 19:45:00	70.39	33.24	0.24	70.23	176.85	176.92	265.20	
SW Well 1	10/2/2010 20:00:00	70.38	33.24	0.24	70.23	176.85	176.92	265.20	
SW Well 1	10/2/2010 20:15:00	70.38	33.24	0.24	70.23	176.86	176.93	265.19	
SW Well 1	10/2/2010 20:30:00	70.38	33.24	0.24	70.23	176.86	176.93	265.19	
SW Well 1	10/2/2010 20:45:00	70.37	33.24	0.24	70.23	176.86	176.93	265.19	
SW Well 1	10/2/2010 21:00:00	70.37	33.24	0.24	70.23	176.86	176.93	265.19	
SW Well 1	10/2/2010 21:15:00	70.37	33.24	0.24	70.22	176.86	176.93	265.19	
SW Well 1	10/2/2010 21:30:00	70.37	33.24	0.23	70.22	176.86	176.93	265.19	
SW Well 1	10/2/2010 21:45:00	70.37	33.24	0.24	70.22	176.86	176.93	265.19	
SW Well 1	10/2/2010 22:00:00	70.37	33.24	0.24	70.22	176.87	176.93	265.19	
SW Well 1	10/2/2010 22:15:00	70.37	33.24	0.24	70.22	176.86	176.93	265.19	
SW Well 1	10/2/2010 22:30:00	70.37	33.24	0.24	70.22	176.86	176.93	265.19	
SW Well 1	10/2/2010 22:45:00	70.37	33.24	0.24	70.22	176.86	176.93	265.19	
SW Well 1	10/2/2010 23:00:00	70.37	33.24	0.24	70.22	176.87	176.94	265.18	
SW Well 1	10/2/2010 23:15:00	70.36	33.24	0.24	70.21	176.87	176.94	265.18	
SW Well 1	10/2/2010 23:30:00	70.36	33.24	0.24	70.21	176.87	176.94	265.18	
SW Well 1	10/2/2010 23:45:00	70.37	33.24	0.24	70.22	176.87	176.94	265.18	
SW Well 1	10/3/2010 0:00:00	70.37	33.24	0.24	70.22	176.87	176.94	265.18	
SW Well 1	10/3/2010 0:15:00	70.36	33.24	0.24	70.21	176.87	176.94	265.18	
SW Well 1	10/3/2010 0:30:00	70.37	33.24	0.24	70.22	176.87	176.94	265.18	
SW Well 1	10/3/2010 0:45:00	70.36	33.25	0.24	70.21	176.87	176.95	265.17	
SW Well 1	10/3/2010 1:00:00	70.36	33.25	0.24	70.21	176.87	176.94	265.18	
SW Well 1	10/3/2010 1:15:00	70.36	33.25	0.24	70.21	176.87	176.94	265.18	
SW Well 1	10/3/2010 1:30:00	70.36	33.25	0.24	70.21	176.87	176.94	265.18	
SW Well 1	10/3/2010 1:45:00	70.36	33.25	0.25	70.21	176.87	176.95	265.17	
SW Well 1	10/3/2010 2:00:00	70.36	33.25	0.25	70.21	176.87	176.94	265.18	
SW Well 1	10/3/2010 2:15:00	70.36	33.25	0.25	70.21	176.87	176.94	265.18	
SW Well 1	10/3/2010 2:30:00	70.36	33.25	0.25	70.21	176.87	176.95	265.17	
SW Well 1	10/3/2010 2:45:00	70.35	33.25	0.25	70.20	176.88	176.95	265.17	
SW Well 1	10/3/2010 3:00:00	70.35	33.25	0.25	70.20	176.88	176.96	265.16	
SW Well 1	10/3/2010 3:15:00	70.35	33.25	0.25	70.20	176.88	176.95	265.17	
SW Well 1	10/3/2010 3:30:00	70.35	33.25	0.25	70.20	176.88	176.95	265.17	
SW Well 1	10/3/2010 3:45:00	70.35	33.25	0.25	70.20	176.88	176.96	265.16	
SW Well 1	10/3/2010 4:00:00	70.35	33.25	0.25	70.20	176.88	176.96	265.16	
SW Well 1	10/3/2010 4:15:00	70.35	33.25	0.25	70.19	176.89	176.96	265.16	
SW Well 1	10/3/2010 4:30:00	70.35	33.25	0.25	70.19	176.89	176.96	265.16	
SW Well 1	10/3/2010 4:45:00	70.34	33.25	0.25	70.19	176.89	176.97	265.15	
SW Well 1	10/3/2010 5:00:00	70.34	33.25	0.25	70.19	176.89	176.97	265.15	
SW Well 1	10/3/2010 5:15:00	70.34	33.25	0.25	70.19	176.89	176.97	265.15	
SW Well 1	10/3/2010 5:30:00	70.34	33.25	0.25	70.19	176.89	176.97	265.15	
SW Well 1	10/3/2010 5:45:00	70.34	33.25	0.25	70.18	176.89	176.97	265.15	
SW Well 1	10/3/2010 6:00:00	70.34	33.25	0.25	70.18	176.90	176.98	265.14	
SW Well 1	10/3/2010 6:15:00	70.34	33.26	0.25	70.18	176.89	176.97	265.15	
SW Well 1	10/3/2010 6:30:00	70.34	33.26	0.26	70.18	176.90	176.98	265.14	
SW Well 1	10/3/2010 6:45:00	70.34	33.26	0.26	70.17	176.90	176.98	265.14	
SW Well 1	10/3/2010 7:00:00	70.34	33.26	0.26	70.17	176.90	176.98	265.14	
SW Well 1	10/3/2010 7:15:00	70.34	33.26	0.26	70.17	176.90	176.98	265.14	
SW Well 1	10/3/2010 7:30:00	70.33	33.27	0.26	70.17	176.90	176.99	265.13	
SW Well 1	10/3/2010 7:45:00	70.33	33.27	0.27	70.17	176.90	176.99	265.13	
SW Well 1	10/3/2010 8:00:00	70.33	33.27	0.27	70.16	176.90	176.99	265.13	
SW Well 1	10/3/2010 8:15:00	70.33	33.27	0.27	70.16	176.90	176.99	265.13	
SW Well 1	10/3/2010 8:30:00	70.33	33.28	0.27	70.16	176.90	176.99	265.13	
SW Well 1	10/3/2010 8:45:00	70.34	33.28	0.28	70.16	176.90	176.99	265.13	
SW Well 1	10/3/2010 9:00:00	70.34	33.28	0.28	70.16	176.90	176.99	265.13	
SW Well 1	10/3/2010 9:15:00	70.34	33.28	0.28	70.16	176.90	176.99	265.13	
SW Well 1	10/3/2010 9:30:00	70.34	33.28	0.28	70.16	176.90	176.99	265.13	
SW Well 1	10/3/2010 9:45:00	70.34	33.28	0.28	70.16	176.89	176.99	265.13	
SW Well 1	10/3/2010 10:00:00	70.34	33.28	0.28	70.16	176.89	176.99	265.13	
SW Well 1	10/3/2010 10:15:00	70.34	33.28	0.28	70.16	176.89	176.99	265.13	
SW Well 1	10/3/2010 10:30:00	70.34	33.28	0.28	70.17	176.89	176.99	265.13	
SW Well 1	10/3/2010 10:45:00	70.34	33.28	0.28	70.17	176.89	176.99	265.13	
SW Well 1	10/3/2010 11:00:00	70.35	33.29	0.28	70.17	176.89	176.98	265.14	
SW Well 1	10/3/2010 11:15:00	70.35	33.29	0.28	70.17	176.89	176.98	265.14	
SW Well 1	10/3/2010 11:30:00	70.35	33.29	0.28	70.17	176.89	176.98	265.14	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	10/3/2010 11:45:00	70.35	33.29	0.28	70.17	176.88	176.98	265.14	
SW Well 1	10/3/2010 12:00:00	70.35	33.29	0.28	70.17	176.88	176.98	265.14	
SW Well 1	10/3/2010 12:15:00	70.35	33.29	0.28	70.18	176.88	176.98	265.14	
SW Well 1	10/3/2010 12:30:00	70.35	33.29	0.28	70.18	176.88	176.98	265.14	
SW Well 1	10/3/2010 12:45:00	70.36	33.29	0.28	70.18	176.87	176.97	265.15	
SW Well 1	10/3/2010 13:00:00	70.35	33.29	0.28	70.18	176.88	176.98	265.14	
SW Well 1	10/3/2010 13:15:00	70.36	33.29	0.28	70.18	176.87	176.97	265.15	
SW Well 1	10/3/2010 13:30:00	70.36	33.29	0.28	70.18	176.87	176.97	265.15	
SW Well 1	10/3/2010 13:45:00	70.36	33.29	0.28	70.18	176.87	176.97	265.15	
SW Well 1	10/3/2010 14:00:00	70.36	33.28	0.28	70.18	176.87	176.97	265.15	
SW Well 1	10/3/2010 14:15:00	70.36	33.28	0.28	70.18	176.87	176.97	265.15	
SW Well 1	10/3/2010 14:30:00	70.36	33.28	0.28	70.19	176.87	176.97	265.15	
SW Well 1	10/3/2010 14:45:00	70.36	33.28	0.28	70.19	176.87	176.97	265.15	
SW Well 1	10/3/2010 15:00:00	70.36	33.28	0.28	70.19	176.87	176.96	265.16	
SW Well 1	10/3/2010 15:15:00	70.36	33.28	0.28	70.19	176.87	176.96	265.16	
SW Well 1	10/3/2010 15:30:00	70.36	33.28	0.28	70.19	176.87	176.96	265.16	
SW Well 1	10/3/2010 15:45:00	70.36	33.28	0.27	70.19	176.87	176.96	265.16	
SW Well 1	10/3/2010 16:00:00	70.36	33.28	0.27	70.19	176.87	176.97	265.15	
SW Well 1	10/3/2010 16:15:00	70.36	33.27	0.27	70.19	176.87	176.96	265.16	
SW Well 1	10/3/2010 16:30:00	70.35	33.27	0.27	70.19	176.88	176.97	265.15	
SW Well 1	10/3/2010 16:45:00	70.36	33.27	0.27	70.19	176.87	176.96	265.16	
SW Well 1	10/3/2010 17:00:00	70.36	33.27	0.27	70.19	176.87	176.96	265.16	
SW Well 1	10/3/2010 17:15:00	70.36	33.27	0.27	70.19	176.87	176.96	265.16	
SW Well 1	10/3/2010 17:30:00	70.36	33.27	0.27	70.19	176.87	176.96	265.16	
SW Well 1	10/3/2010 17:45:00	70.35	33.27	0.27	70.19	176.88	176.97	265.15	
SW Well 1	10/3/2010 18:00:00	70.35	33.27	0.27	70.18	176.88	176.97	265.15	
SW Well 1	10/3/2010 18:15:00	70.35	33.28	0.28	70.18	176.88	176.97	265.15	
SW Well 1	10/3/2010 18:30:00	70.35	33.28	0.28	70.17	176.89	176.98	265.14	
SW Well 1	10/3/2010 18:45:00	70.35	33.28	0.28	70.18	176.88	176.98	265.14	
SW Well 1	10/3/2010 19:00:00	70.35	33.29	0.28	70.17	176.88	176.98	265.14	
SW Well 1	10/3/2010 19:15:00	70.35	33.29	0.29	70.18	176.88	176.98	265.14	
SW Well 1	10/3/2010 19:30:00	70.35	33.29	0.29	70.17	176.88	176.98	265.14	
SW Well 1	10/3/2010 19:45:00	70.35	33.29	0.29	70.17	176.88	176.98	265.14	
SW Well 1	10/3/2010 20:00:00	70.35	33.30	0.30	70.17	176.88	176.99	265.13	
SW Well 1	10/3/2010 20:15:00	70.35	33.30	0.30	70.17	176.88	176.98	265.14	
SW Well 1	10/3/2010 20:30:00	70.35	33.30	0.30	70.16	176.88	176.99	265.13	
SW Well 1	10/3/2010 20:45:00	70.35	33.31	0.30	70.16	176.88	176.99	265.13	
SW Well 1	10/3/2010 21:00:00	70.35	33.31	0.31	70.16	176.88	176.99	265.13	
SW Well 1	10/3/2010 21:15:00	70.36	33.31	0.31	70.17	176.87	176.99	265.13	
SW Well 1	10/3/2010 21:30:00	70.35	33.31	0.31	70.16	176.88	176.99	265.13	
SW Well 1	10/3/2010 21:45:00	70.35	33.32	0.32	70.16	176.88	177.00	265.12	
SW Well 1	10/3/2010 22:00:00	70.36	33.32	0.32	70.16	176.87	176.99	265.13	
SW Well 1	10/3/2010 22:15:00	70.35	33.33	0.32	70.15	176.88	177.00	265.12	
SW Well 1	10/3/2010 22:30:00	70.36	33.33	0.33	70.16	176.87	177.00	265.12	
SW Well 1	10/3/2010 22:45:00	70.36	33.33	0.33	70.15	176.87	177.00	265.12	
SW Well 1	10/3/2010 23:00:00	70.36	33.34	0.33	70.15	176.87	177.00	265.12	
SW Well 1	10/3/2010 23:15:00	70.37	33.34	0.34	70.16	176.87	177.00	265.12	
SW Well 1	10/3/2010 23:30:00	70.37	33.34	0.34	70.15	176.87	177.00	265.12	
SW Well 1	10/3/2010 23:45:00	70.37	33.35	0.35	70.16	176.86	177.00	265.12	
SW Well 1	10/4/2010 0:00:00	70.37	33.35	0.35	70.15	176.86	177.00	265.12	
SW Well 1	10/4/2010 0:15:00	70.37	33.35	0.35	70.15	176.86	177.00	265.12	
SW Well 1	10/4/2010 0:30:00	70.37	33.36	0.36	70.15	176.86	177.00	265.12	
SW Well 1	10/4/2010 0:45:00	70.38	33.36	0.36	70.15	176.86	177.00	265.12	
SW Well 1	10/4/2010 1:00:00	70.38	33.37	0.36	70.15	176.86	177.00	265.12	
SW Well 1	10/4/2010 1:15:00	70.38	33.37	0.37	70.15	176.86	177.00	265.12	
SW Well 1	10/4/2010 1:30:00	70.38	33.37	0.37	70.15	176.85	177.00	265.12	
SW Well 1	10/4/2010 1:45:00	70.39	33.38	0.37	70.15	176.85	177.00	265.12	
SW Well 1	10/4/2010 2:00:00	70.39	33.38	0.38	70.15	176.85	177.00	265.12	
SW Well 1	10/4/2010 2:15:00	70.39	33.38	0.38	70.15	176.85	177.00	265.12	
SW Well 1	10/4/2010 2:30:00	70.39	33.39	0.38	70.15	176.84	177.00	265.12	
SW Well 1	10/4/2010 2:45:00	70.39	33.39	0.39	70.15	176.84	177.01	265.11	
SW Well 1	10/4/2010 3:00:00	70.39	33.39	0.39	70.15	176.84	177.00	265.12	
SW Well 1	10/4/2010 3:15:00	70.39	33.40	0.39	70.15	176.84	177.01	265.11	
SW Well 1	10/4/2010 3:30:00	70.39	33.40	0.40	70.15	176.84	177.01	265.11	
SW Well 1	10/4/2010 3:45:00	70.39	33.40	0.40	70.14	176.84	177.01	265.11	
SW Well 1	10/4/2010 4:00:00	70.39	33.41	0.40	70.14	176.84	177.01	265.11	
SW Well 1	10/4/2010 4:15:00	70.39	33.41	0.41	70.14	176.84	177.01	265.11	
SW Well 1	10/4/2010 4:30:00	70.39	33.41	0.41	70.14	176.84	177.02	265.10	
SW Well 1	10/4/2010 4:45:00	70.39	33.42	0.41	70.14	176.84	177.02	265.10	
SW Well 1	10/4/2010 5:00:00	70.40	33.42	0.42	70.14	176.84	177.02	265.10	
SW Well 1	10/4/2010 5:15:00	70.40	33.42	0.42	70.14	176.84	177.02	265.10	
SW Well 1	10/4/2010 5:30:00	70.40	33.43	0.42	70.13	176.84	177.02	265.10	
SW Well 1	10/4/2010 5:45:00	70.39	33.43	0.43	70.13	176.84	177.03	265.09	
SW Well 1	10/4/2010 6:00:00	70.40	33.43	0.43	70.13	176.84	177.02	265.10	
SW Well 1	10/4/2010 6:15:00	70.39	33.44	0.44	70.12	176.84	177.04	265.08	
SW Well 1	10/4/2010 6:30:00	70.39	33.44	0.44	70.12	176.84	177.03	265.09	
SW Well 1	10/4/2010 6:45:00	70.39	33.45	0.45	70.12	176.84	177.04	265.08	
SW Well 1	10/4/2010 7:00:00	70.40	33.45	0.45	70.12	176.84	177.04	265.08	
SW Well 1	10/4/2010 7:15:00	70.40	33.46	0.45	70.12	176.84	177.04	265.08	
SW Well 1	10/4/2010 7:30:00	70.40	33.46	0.46	70.11	176.84	177.04	265.08	
SW Well 1	10/4/2010 7:45:00	70.40	33.46	0.46	70.11	176.83	177.04	265.08	
SW Well 1	10/4/2010 8:00:00	70.40	33.47	0.47	70.11	176.83	177.04	265.08	
SW Well 1	10/4/2010 8:15:00	70.40	33.47	0.47	70.11	176.83	177.04	265.08	
SW Well 1	10/4/2010 8:30:00	70.40	33.48	0.47	70.11	176.83	177.05	265.07	
SW Well 1	10/4/2010 8:45:00	70.40	33.48	0.48	70.10	176.83	177.05	265.07	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	10/4/2010 9:00:00	70.41	33.49	0.48	70.11	176.83	177.05	265.07	
SW Well 1	10/4/2010 9:15:00	70.41	33.49	0.49	70.10	176.83	177.05	265.07	
SW Well 1	10/4/2010 9:30:00	70.41	33.49	0.49	70.10	176.83	177.05	265.07	
SW Well 1	10/4/2010 9:45:00	70.41	33.49	0.49	70.11	176.82	177.05	265.07	
SW Well 1	10/4/2010 10:00:00	70.41	33.49	0.49	70.11	176.82	177.05	265.07	
SW Well 1	10/4/2010 10:15:00	70.41	33.49	0.49	70.11	176.82	177.04	265.08	
SW Well 1	10/4/2010 10:30:00	70.41	33.49	0.49	70.11	176.82	177.04	265.08	
SW Well 1	10/4/2010 10:45:00	70.42	33.49	0.49	70.11	176.82	177.04	265.08	
SW Well 1	10/4/2010 11:00:00	70.42	33.49	0.49	70.12	176.81	177.04	265.08	
SW Well 1	10/4/2010 11:15:00	70.42	33.49	0.49	70.12	176.81	177.03	265.09	
SW Well 1	10/4/2010 11:30:00	70.43	33.49	0.49	70.13	176.80	177.03	265.09	
SW Well 1	10/4/2010 11:45:00	70.43	33.49	0.49	70.13	176.80	177.03	265.09	
SW Well 1	10/4/2010 12:00:00	70.43	33.49	0.49	70.13	176.80	177.02	265.10	
SW Well 1	10/4/2010 12:15:00	70.44	33.49	0.49	70.13	176.80	177.02	265.10	
SW Well 1	10/4/2010 12:30:00	70.44	33.49	0.49	70.14	176.79	177.02	265.10	
SW Well 1	10/4/2010 12:45:00	70.45	33.49	0.49	70.15	176.78	177.01	265.11	
SW Well 1	10/4/2010 13:00:00	70.45	33.49	0.48	70.15	176.78	177.01	265.11	
SW Well 1	10/4/2010 13:15:00	70.45	33.49	0.48	70.15	176.78	177.01	265.11	
SW Well 1	10/4/2010 13:30:00	70.45	33.49	0.48	70.15	176.78	177.00	265.12	
SW Well 1	10/4/2010 13:45:00	70.46	33.49	0.48	70.15	176.78	177.00	265.12	
SW Well 1	10/4/2010 14:00:00	70.46	33.49	0.49	70.16	176.77	177.00	265.12	
SW Well 1	10/4/2010 14:15:00	70.46	33.49	0.49	70.16	176.77	177.00	265.12	
SW Well 1	10/4/2010 14:30:00	70.46	33.49	0.49	70.16	176.77	176.99	265.13	
SW Well 1	10/4/2010 14:45:00	70.46	33.49	0.49	70.16	176.77	176.99	265.13	
SW Well 1	10/4/2010 15:00:00	70.47	33.49	0.49	70.16	176.77	176.99	265.13	
SW Well 1	10/4/2010 15:15:00	70.47	33.49	0.49	70.17	176.76	176.99	265.13	
SW Well 1	10/4/2010 15:30:00	70.47	33.49	0.49	70.17	176.76	176.99	265.13	
SW Well 1	10/4/2010 15:45:00	70.48	33.49	0.49	70.17	176.76	176.98	265.14	
SW Well 1	10/4/2010 16:00:00	70.48	33.49	0.49	70.17	176.76	176.98	265.14	
SW Well 1	10/4/2010 16:15:00	70.48	33.49	0.49	70.17	176.76	176.98	265.14	
SW Well 1	10/4/2010 16:30:00	70.48	33.49	0.49	70.17	176.75	176.98	265.14	
SW Well 1	10/4/2010 16:45:00	70.48	33.49	0.49	70.18	176.75	176.98	265.14	
SW Well 1	10/4/2010 17:00:00	70.48	33.49	0.49	70.17	176.75	176.98	265.14	
SW Well 1	10/4/2010 17:15:00	70.48	33.49	0.49	70.18	176.75	176.98	265.14	
SW Well 1	10/4/2010 17:30:00	70.48	33.50	0.49	70.18	176.75	176.98	265.14	
SW Well 1	10/4/2010 17:45:00	70.48	33.50	0.50	70.17	176.75	176.98	265.14	
SW Well 1	10/4/2010 18:00:00	70.48	33.51	0.50	70.17	176.75	176.98	265.14	
SW Well 1	10/4/2010 18:15:00	70.49	33.51	0.51	70.17	176.75	176.98	265.14	
SW Well 1	10/4/2010 18:30:00	70.49	33.52	0.51	70.17	176.75	176.99	265.13	
SW Well 1	10/4/2010 18:45:00	70.49	33.52	0.52	70.16	176.75	176.99	265.13	
SW Well 1	10/4/2010 19:00:00	70.49	33.53	0.53	70.16	176.74	176.99	265.13	
SW Well 1	10/4/2010 19:15:00	70.49	33.53	0.53	70.16	176.74	176.99	265.13	
SW Well 1	10/4/2010 19:30:00	70.49	33.54	0.54	70.16	176.74	177.00	265.12	
SW Well 1	10/4/2010 19:45:00	70.49	33.54	0.54	70.15	176.74	177.00	265.12	
SW Well 1	10/4/2010 20:00:00	70.49	33.55	0.55	70.15	176.74	177.00	265.12	
SW Well 1	10/4/2010 20:15:00	70.50	33.56	0.55	70.15	176.73	177.00	265.12	
SW Well 1	10/4/2010 20:30:00	70.50	33.56	0.56	70.15	176.73	177.00	265.12	
SW Well 1	10/4/2010 20:45:00	70.50	33.57	0.56	70.15	176.73	177.01	265.11	
SW Well 1	10/4/2010 21:00:00	70.50	33.57	0.57	70.14	176.73	177.01	265.11	
SW Well 1	10/4/2010 21:15:00	70.50	33.58	0.58	70.15	176.73	177.01	265.11	
SW Well 1	10/4/2010 21:30:00	70.50	33.58	0.58	70.14	176.73	177.01	265.11	
SW Well 1	10/4/2010 21:45:00	70.51	33.59	0.59	70.14	176.73	177.01	265.11	
SW Well 1	10/4/2010 22:00:00	70.51	33.59	0.59	70.14	176.72	177.01	265.11	
SW Well 1	10/4/2010 22:15:00	70.51	33.60	0.60	70.14	176.72	177.01	265.11	
SW Well 1	10/4/2010 22:30:00	70.52	33.61	0.60	70.14	176.71	177.01	265.11	
SW Well 1	10/4/2010 22:45:00	70.53	33.61	0.61	70.15	176.71	177.01	265.11	
SW Well 1	10/4/2010 23:00:00	70.53	33.62	0.61	70.15	176.71	177.01	265.11	
SW Well 1	10/4/2010 23:15:00	70.53	33.62	0.62	70.14	176.71	177.01	265.11	
SW Well 1	10/4/2010 23:30:00	70.53	33.63	0.63	70.14	176.71	177.02	265.10	
SW Well 1	10/4/2010 23:45:00	70.53	33.63	0.63	70.14	176.70	177.01	265.11	
SW Well 1	10/5/2010 0:00:00	70.54	33.64	0.64	70.14	176.70	177.01	265.11	
SW Well 1	10/5/2010 0:15:00	70.55	33.64	0.64	70.15	176.69	177.01	265.11	
SW Well 1	10/5/2010 0:30:00	70.55	33.65	0.65	70.14	176.69	177.01	265.11	
SW Well 1	10/5/2010 0:45:00	70.55	33.66	0.65	70.14	176.68	177.01	265.11	
SW Well 1	10/5/2010 1:00:00	70.55	33.66	0.66	70.14	176.68	177.01	265.11	
SW Well 1	10/5/2010 1:15:00	70.56	33.67	0.66	70.15	176.68	177.01	265.11	
SW Well 1	10/5/2010 1:30:00	70.56	33.67	0.67	70.15	176.67	177.01	265.11	
SW Well 1	10/5/2010 1:45:00	70.57	33.68	0.68	70.15	176.67	177.01	265.11	
SW Well 1	10/5/2010 2:00:00	70.57	33.69	0.68	70.15	176.66	177.01	265.11	
SW Well 1	10/5/2010 2:15:00	70.58	33.69	0.69	70.15	176.66	177.01	265.11	
SW Well 1	10/5/2010 2:30:00	70.58	33.70	0.70	70.15	176.65	177.01	265.11	
SW Well 1	10/5/2010 2:45:00	70.58	33.71	0.70	70.15	176.65	177.01	265.11	
SW Well 1	10/5/2010 3:00:00	70.59	33.71	0.71	70.15	176.64	177.01	265.11	
SW Well 1	10/5/2010 3:15:00	70.59	33.72	0.72	70.15	176.64	177.01	265.11	
SW Well 1	10/5/2010 3:30:00	70.60	33.73	0.72	70.15	176.63	177.00	265.12	
SW Well 1	10/5/2010 3:45:00	70.60	33.73	0.73	70.15	176.63	177.01	265.11	
SW Well 1	10/5/2010 4:00:00	70.60	33.74	0.74	70.14	176.63	177.01	265.11	
SW Well 1	10/5/2010 4:15:00	70.60	33.75	0.74	70.14	176.63	177.01	265.11	
SW Well 1	10/5/2010 4:30:00	70.61	33.75	0.75	70.15	176.62	177.01	265.11	
SW Well 1	10/5/2010 4:45:00	70.62	33.76	0.76	70.15	176.62	177.01	265.11	
SW Well 1	10/5/2010 5:00:00	70.62	33.77	0.76	70.14	176.62	177.01	265.11	
SW Well 1	10/5/2010 5:15:00	70.62	33.77	0.77	70.14	176.61	177.01	265.11	
SW Well 1	10/5/2010 5:30:00	70.62	33.78	0.78	70.13	176.62	177.02	265.10	
SW Well 1	10/5/2010 5:45:00	70.62	33.79	0.78	70.13	176.61	177.02	265.10	
SW Well 1	10/5/2010 6:00:00	70.62	33.79	0.79	70.13	176.61	177.02	265.10	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	10/5/2010 6:15:00	70.62	33.80	0.79	70.13	176.61	177.02	265.10	
SW Well 1	10/5/2010 6:30:00	70.62	33.80	0.80	70.13	176.61	177.03	265.09	
SW Well 1	10/5/2010 6:45:00	70.62	33.81	0.80	70.12	176.61	177.03	265.09	
SW Well 1	10/5/2010 7:00:00	70.63	33.81	0.81	70.13	176.61	177.03	265.09	
SW Well 1	10/5/2010 7:15:00	70.62	33.82	0.81	70.12	176.61	177.04	265.08	
SW Well 1	10/5/2010 7:30:00	70.63	33.82	0.82	70.12	176.60	177.03	265.09	
SW Well 1	10/5/2010 7:45:00	70.63	33.83	0.82	70.12	176.60	177.03	265.09	
SW Well 1	10/5/2010 8:00:00	70.63	33.83	0.83	70.12	176.60	177.04	265.08	
SW Well 1	10/5/2010 8:15:00	70.64	33.84	0.83	70.12	176.60	177.04	265.08	
SW Well 1	10/5/2010 8:30:00	70.64	33.84	0.84	70.12	176.59	177.04	265.08	
SW Well 1	10/5/2010 8:45:00	70.64	33.85	0.84	70.12	176.59	177.04	265.08	
SW Well 1	10/5/2010 9:00:00	70.64	33.85	0.85	70.12	176.59	177.04	265.08	
SW Well 1	10/5/2010 9:15:00	70.65	33.86	0.85	70.12	176.59	177.04	265.08	
SW Well 1	10/5/2010 9:30:00	70.65	33.86	0.86	70.11	176.59	177.04	265.08	
SW Well 1	10/5/2010 9:45:00	70.65	33.86	0.86	70.12	176.58	177.03	265.09	
SW Well 1	10/5/2010 10:00:00	70.65	33.85	0.85	70.12	176.58	177.03	265.09	
SW Well 1	10/5/2010 10:15:00	70.65	33.85	0.85	70.13	176.58	177.02	265.10	
SW Well 1	10/5/2010 10:30:00	70.65	33.84	0.84	70.13	176.58	177.02	265.10	
SW Well 1	10/5/2010 10:45:00	70.66	33.84	0.84	70.14	176.57	177.02	265.10	
SW Well 1	10/5/2010 11:00:00	70.66	33.84	0.83	70.14	176.57	177.01	265.11	
SW Well 1	10/5/2010 11:15:00	70.66	33.83	0.83	70.15	176.57	177.01	265.11	
SW Well 1	10/5/2010 11:30:00	70.67	33.83	0.83	70.15	176.57	177.00	265.12	
SW Well 1	10/5/2010 11:45:00	70.67	33.82	0.82	70.16	176.57	177.00	265.12	
SW Well 1	10/5/2010 12:00:00	70.67	33.82	0.82	70.16	176.56	176.99	265.13	
SW Well 1	10/5/2010 12:15:00	70.67	33.81	0.81	70.17	176.56	176.98	265.14	
SW Well 1	10/5/2010 12:30:00	70.67	33.81	0.81	70.17	176.56	176.98	265.14	
SW Well 1	10/5/2010 12:45:00	70.68	33.81	0.80	70.18	176.55	176.97	265.15	
SW Well 1	10/5/2010 13:00:00	70.68	33.80	0.80	70.18	176.55	176.97	265.15	
SW Well 1	10/5/2010 13:15:00	70.68	33.80	0.80	70.18	176.55	176.97	265.15	
SW Well 1	10/5/2010 13:30:00	70.68	33.79	0.79	70.19	176.55	176.96	265.16	
SW Well 1	10/5/2010 13:45:00	70.68	33.79	0.78	70.19	176.55	176.96	265.16	
SW Well 1	10/5/2010 14:00:00	70.68	33.78	0.78	70.20	176.55	176.96	265.16	
SW Well 1	10/5/2010 14:15:00	70.68	33.77	0.77	70.20	176.55	176.95	265.17	
SW Well 1	10/5/2010 14:30:00	70.68	33.77	0.77	70.21	176.55	176.95	265.17	
SW Well 1	10/5/2010 14:45:00	70.69	33.76	0.76	70.21	176.55	176.94	265.18	
SW Well 1	10/5/2010 15:00:00	70.69	33.76	0.75	70.22	176.54	176.93	265.19	
SW Well 1	10/5/2010 15:15:00	70.69	33.75	0.75	70.23	176.54	176.93	265.19	
SW Well 1	10/5/2010 15:30:00	70.69	33.74	0.74	70.23	176.54	176.92	265.20	
SW Well 1	10/5/2010 15:45:00	70.69	33.74	0.73	70.23	176.54	176.92	265.20	
SW Well 1	10/5/2010 16:00:00	70.69	33.73	0.73	70.24	176.54	176.91	265.21	
SW Well 1	10/5/2010 16:15:00	70.69	33.72	0.72	70.25	176.54	176.91	265.21	
SW Well 1	10/5/2010 16:30:00	70.69	33.72	0.72	70.25	176.54	176.90	265.22	
SW Well 1	10/5/2010 16:45:00	70.69	33.71	0.71	70.25	176.54	176.90	265.22	
SW Well 1	10/5/2010 17:00:00	70.69	33.70	0.70	70.26	176.54	176.90	265.22	
SW Well 1	10/5/2010 17:15:00	70.69	33.70	0.70	70.26	176.54	176.90	265.22	
SW Well 1	10/5/2010 17:30:00	70.69	33.69	0.69	70.26	176.54	176.89	265.23	
SW Well 1	10/5/2010 17:45:00	70.68	33.69	0.69	70.25	176.55	176.90	265.22	
SW Well 1	10/5/2010 18:00:00	70.69	33.69	0.69	70.26	176.55	176.90	265.22	
SW Well 1	10/5/2010 18:15:00	70.68	33.69	0.69	70.26	176.55	176.90	265.22	
SW Well 1	10/5/2010 18:30:00	70.68	33.69	0.69	70.26	176.55	176.90	265.22	
SW Well 1	10/5/2010 18:45:00	70.68	33.69	0.68	70.25	176.55	176.90	265.22	
SW Well 1	10/5/2010 19:00:00	70.68	33.69	0.68	70.25	176.55	176.90	265.22	
SW Well 1	10/5/2010 19:15:00	70.67	33.69	0.68	70.25	176.56	176.90	265.22	
SW Well 1	10/5/2010 19:30:00	70.67	33.68	0.68	70.25	176.56	176.91	265.21	
SW Well 1	10/5/2010 19:45:00	70.67	33.68	0.68	70.25	176.56	176.91	265.21	
SW Well 1	10/5/2010 20:00:00	70.67	33.68	0.68	70.24	176.57	176.91	265.21	
SW Well 1	10/5/2010 20:15:00	70.66	33.68	0.68	70.24	176.57	176.91	265.21	
SW Well 1	10/5/2010 20:30:00	70.66	33.68	0.68	70.24	176.57	176.92	265.20	
SW Well 1	10/5/2010 20:45:00	70.66	33.68	0.68	70.24	176.57	176.91	265.21	
SW Well 1	10/5/2010 21:00:00	70.66	33.68	0.68	70.24	176.57	176.91	265.21	
SW Well 1	10/5/2010 21:15:00	70.66	33.68	0.67	70.24	176.57	176.91	265.21	
SW Well 1	10/5/2010 21:30:00	70.65	33.68	0.67	70.24	176.58	176.92	265.20	
SW Well 1	10/5/2010 21:45:00	70.65	33.67	0.67	70.23	176.58	176.92	265.20	
SW Well 1	10/5/2010 22:00:00	70.65	33.67	0.67	70.23	176.59	176.92	265.20	
SW Well 1	10/5/2010 22:15:00	70.64	33.67	0.67	70.23	176.59	176.93	265.19	
SW Well 1	10/5/2010 22:30:00	70.64	33.67	0.66	70.23	176.59	176.92	265.20	
SW Well 1	10/5/2010 22:45:00	70.64	33.66	0.66	70.23	176.59	176.92	265.20	
SW Well 1	10/5/2010 23:00:00	70.64	33.66	0.66	70.23	176.59	176.92	265.20	
SW Well 1	10/5/2010 23:15:00	70.64	33.66	0.66	70.23	176.59	176.92	265.20	
SW Well 1	10/5/2010 23:30:00	70.64	33.66	0.66	70.23	176.60	176.93	265.19	
SW Well 1	10/5/2010 23:45:00	70.64	33.66	0.65	70.23	176.59	176.92	265.20	
SW Well 1	10/6/2010 0:00:00	70.64	33.65	0.65	70.24	176.59	176.92	265.20	
SW Well 1	10/6/2010 0:15:00	70.64	33.65	0.65	70.23	176.60	176.92	265.20	
SW Well 1	10/6/2010 0:30:00	70.63	33.65	0.65	70.23	176.60	176.92	265.20	
SW Well 1	10/6/2010 0:45:00	70.64	33.65	0.64	70.24	176.60	176.92	265.20	
SW Well 1	10/6/2010 1:00:00	70.64	33.64	0.64	70.24	176.60	176.92	265.20	
SW Well 1	10/6/2010 1:15:00	70.64	33.64	0.64	70.24	176.60	176.92	265.20	
SW Well 1	10/6/2010 1:30:00	70.64	33.64	0.64	70.24	176.60	176.91	265.21	
SW Well 1	10/6/2010 1:45:00	70.63	33.64	0.64	70.24	176.60	176.92	265.20	
SW Well 1	10/6/2010 2:00:00	70.63	33.64	0.63	70.24	176.60	176.92	265.20	
SW Well 1	10/6/2010 2:15:00	70.63	33.63	0.63	70.24	176.61	176.92	265.20	
SW Well 1	10/6/2010 2:30:00	70.63	33.63	0.63	70.24	176.61	176.92	265.20	
SW Well 1	10/6/2010 2:45:00	70.63	33.63	0.63	70.24	176.60	176.91	265.21	
SW Well 1	10/6/2010 3:00:00	70.63	33.63	0.62	70.24	176.60	176.91	265.21	
SW Well 1	10/6/2010 3:15:00	70.63	33.62	0.62	70.24	176.61	176.91	265.21	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	10/6/2010 3:30:00	70.62	33.62	0.62	70.24	176.61	176.92	265.20	
SW Well 1	10/6/2010 3:45:00	70.62	33.62	0.62	70.24	176.61	176.91	265.21	
SW Well 1	10/6/2010 4:00:00	70.62	33.62	0.62	70.24	176.61	176.91	265.21	
SW Well 1	10/6/2010 4:15:00	70.62	33.62	0.61	70.24	176.61	176.92	265.20	
SW Well 1	10/6/2010 4:30:00	70.62	33.61	0.61	70.24	176.61	176.91	265.21	
SW Well 1	10/6/2010 4:45:00	70.61	33.61	0.61	70.23	176.62	176.92	265.20	
SW Well 1	10/6/2010 5:00:00	70.61	33.61	0.61	70.23	176.62	176.92	265.20	
SW Well 1	10/6/2010 5:15:00	70.61	33.61	0.60	70.24	176.62	176.92	265.20	
SW Well 1	10/6/2010 5:30:00	70.61	33.60	0.60	70.24	176.62	176.92	265.20	
SW Well 1	10/6/2010 5:45:00	70.60	33.60	0.60	70.23	176.63	176.92	265.20	
SW Well 1	10/6/2010 6:00:00	70.60	33.59	0.59	70.23	176.63	176.92	265.20	
SW Well 1	10/6/2010 6:15:00	70.60	33.59	0.59	70.24	176.63	176.92	265.20	
SW Well 1	10/6/2010 6:30:00	70.59	33.58	0.58	70.23	176.64	176.93	265.19	
SW Well 1	10/6/2010 6:45:00	70.58	33.58	0.58	70.23	176.65	176.93	265.19	
SW Well 1	10/6/2010 7:00:00	70.58	33.57	0.57	70.23	176.65	176.93	265.19	
SW Well 1	10/6/2010 7:15:00	70.58	33.57	0.57	70.22	176.66	176.93	265.19	
SW Well 1	10/6/2010 7:30:00	70.57	33.56	0.56	70.22	176.66	176.93	265.19	
SW Well 1	10/6/2010 7:45:00	70.57	33.56	0.56	70.22	176.66	176.93	265.19	
SW Well 1	10/6/2010 8:00:00	70.56	33.55	0.55	70.22	176.67	176.94	265.18	
SW Well 1	10/6/2010 8:15:00	70.56	33.55	0.55	70.22	176.67	176.93	265.19	
SW Well 1	10/6/2010 8:30:00	70.55	33.54	0.54	70.22	176.68	176.94	265.18	
SW Well 1	10/6/2010 8:45:00	70.55	33.54	0.54	70.22	176.68	176.93	265.19	
SW Well 1	10/6/2010 9:00:00	70.55	33.53	0.53	70.22	176.68	176.93	265.19	
SW Well 1	10/6/2010 9:15:00		33.53	0.53					
SW Well 1	10/6/2010 9:30:00	70.55	33.52	0.52	70.23	176.68	176.92	265.20	
SW Well 1	10/6/2010 9:45:00	70.55	33.51	0.51	70.23	176.68	176.92	265.20	
SW Well 1	10/6/2010 10:00:00	70.55	33.50	0.50	70.24	176.68	176.91	265.21	
SW Well 1	10/6/2010 10:15:00	70.54	33.49	0.49	70.24	176.69	176.92	265.20	
SW Well 1	10/6/2010 10:30:00	70.54	33.48	0.48	70.24	176.69	176.91	265.21	
SW Well 1	10/6/2010 10:45:00	70.54	33.47	0.47	70.25	176.70	176.91	265.21	
SW Well 1	10/6/2010 11:00:00	70.53	33.46	0.46	70.25	176.70	176.90	265.22	
SW Well 1	10/6/2010 11:15:00	70.53	33.45	0.45	70.25	176.70	176.90	265.22	
SW Well 1	10/6/2010 11:30:00	70.52	33.44	0.44	70.25	176.71	176.90	265.22	
SW Well 1	10/6/2010 11:45:00	70.52	33.43	0.42	70.26	176.71	176.89	265.23	
SW Well 1	10/6/2010 12:00:00	70.52	33.42	0.41	70.26	176.71	176.89	265.23	
SW Well 1	10/6/2010 12:15:00	70.51	33.40	0.40	70.26	176.72	176.89	265.23	
SW Well 1	10/6/2010 12:30:00	70.51	33.39	0.39	70.27	176.72	176.89	265.23	
SW Well 1	10/6/2010 12:45:00	70.51	33.38	0.38	70.27	176.73	176.88	265.24	
SW Well 1	10/6/2010 13:00:00	70.51	33.37	0.37	70.28	176.73	176.88	265.24	
SW Well 1	10/6/2010 13:15:00	70.50	33.36	0.36	70.28	176.73	176.87	265.25	
SW Well 1	10/6/2010 13:30:00	70.50	33.35	0.35	70.28	176.73	176.87	265.25	
SW Well 1	10/6/2010 13:45:00	70.49	33.34	0.34	70.28	176.74	176.87	265.25	
SW Well 1	10/6/2010 14:00:00	70.49	33.33	0.33	70.28	176.75	176.87	265.25	
SW Well 1	10/6/2010 14:15:00	70.48	33.32	0.32	70.29	176.75	176.87	265.25	
SW Well 1	10/6/2010 14:30:00	70.48	33.31	0.31	70.29	176.75	176.86	265.26	
SW Well 1	10/6/2010 14:45:00	70.48	33.30	0.29	70.29	176.76	176.86	265.26	
SW Well 1	10/6/2010 15:00:00	70.47	33.29	0.28	70.29	176.76	176.86	265.26	
SW Well 1	10/6/2010 15:15:00	70.47	33.28	0.27	70.30	176.76	176.85	265.27	
SW Well 1	10/6/2010 15:30:00	70.47	33.27	0.26	70.30	176.77	176.85	265.27	
SW Well 1	10/6/2010 15:45:00	70.47	33.25	0.25	70.31	176.77	176.84	265.28	
SW Well 1	10/6/2010 16:00:00	70.46	33.24	0.24	70.31	176.77	176.84	265.28	
SW Well 1	10/6/2010 16:15:00	70.46	33.23	0.23	70.32	176.77	176.84	265.28	
SW Well 1	10/6/2010 16:30:00	70.46	33.22	0.22	70.32	176.78	176.84	265.28	
SW Well 1	10/6/2010 16:45:00	70.45	33.21	0.21	70.32	176.78	176.83	265.29	
SW Well 1	10/6/2010 17:00:00	70.44	33.20	0.20	70.32	176.79	176.83	265.29	
SW Well 1	10/6/2010 17:15:00	70.44	33.19	0.19	70.32	176.79	176.83	265.29	
SW Well 1	10/6/2010 17:30:00	70.44	33.18	0.18	70.33	176.80	176.83	265.29	
SW Well 1	10/6/2010 17:45:00	70.43	33.18	0.18	70.32	176.80	176.83	265.29	
SW Well 1	10/6/2010 18:00:00	70.42	33.18	0.18	70.31	176.81	176.84	265.28	
SW Well 1	10/6/2010 18:15:00	70.42	33.18	0.18	70.31	176.81	176.85	265.27	
SW Well 1	10/6/2010 18:30:00	70.41	33.19	0.18	70.30	176.82	176.85	265.27	
SW Well 1	10/6/2010 18:45:00	70.41	33.19	0.18	70.29	176.82	176.86	265.26	
SW Well 1	10/6/2010 19:00:00	70.41	33.19	0.19	70.29	176.83	176.86	265.26	
SW Well 1	10/6/2010 19:15:00	70.41	33.19	0.19	70.29	176.83	176.86	265.26	
SW Well 1	10/6/2010 19:30:00	70.40	33.19	0.19	70.28	176.83	176.87	265.25	
SW Well 1	10/6/2010 19:45:00	70.39	33.19	0.19	70.28	176.84	176.88	265.24	
SW Well 1	10/6/2010 20:00:00	70.39	33.19	0.19	70.27	176.84	176.88	265.24	
SW Well 1	10/6/2010 20:15:00	70.38	33.19	0.19	70.26	176.85	176.89	265.23	
SW Well 1	10/6/2010 20:30:00	70.37	33.20	0.19	70.25	176.86	176.90	265.22	
SW Well 1	10/6/2010 20:45:00	70.37	33.20	0.20	70.25	176.86	176.90	265.22	
SW Well 1	10/6/2010 21:00:00	70.37	33.20	0.20	70.25	176.86	176.91	265.21	
SW Well 1	10/6/2010 21:15:00	70.36	33.20	0.20	70.24	176.87	176.91	265.21	
SW Well 1	10/6/2010 21:30:00	70.36	33.20	0.20	70.24	176.87	176.92	265.20	
SW Well 1	10/6/2010 21:45:00	70.36	33.20	0.20	70.23	176.87	176.92	265.20	
SW Well 1	10/6/2010 22:00:00	70.35	33.20	0.20	70.23	176.88	176.92	265.20	
SW Well 1	10/6/2010 22:15:00	70.35	33.20	0.20	70.22	176.89	176.93	265.19	
SW Well 1	10/6/2010 22:30:00	70.35	33.21	0.20	70.22	176.89	176.93	265.19	
SW Well 1	10/6/2010 22:45:00	70.34	33.21	0.20	70.22	176.89	176.94	265.18	
SW Well 1	10/6/2010 23:00:00	70.34	33.21	0.21	70.21	176.89	176.94	265.18	
SW Well 1	10/6/2010 23:15:00	70.34	33.21	0.21	70.21	176.89	176.94	265.18	
SW Well 1	10/6/2010 23:30:00	70.34	33.21	0.21	70.21	176.90	176.95	265.17	
SW Well 1	10/6/2010 23:45:00	70.34	33.21	0.21	70.21	176.90	176.95	265.17	
SW Well 1	10/7/2010 0:00:00	70.34	33.21	0.21	70.20	176.90	176.95	265.17	
SW Well 1	10/7/2010 0:15:00	70.34	33.21	0.21	70.20	176.90	176.95	265.17	
SW Well 1	10/7/2010 0:30:00	70.33	33.21	0.21	70.20	176.90	176.95	265.17	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	10/7/2010 0:45:00	70.34	33.22	0.21	70.20	176.90	176.95	265.17	
SW Well 1	10/7/2010 1:00:00	70.33	33.22	0.21	70.20	176.90	176.96	265.16	
SW Well 1	10/7/2010 1:15:00	70.34	33.22	0.22	70.20	176.90	176.95	265.17	
SW Well 1	10/7/2010 1:30:00	70.34	33.22	0.22	70.20	176.89	176.95	265.17	
SW Well 1	10/7/2010 1:45:00	70.34	33.22	0.22	70.20	176.90	176.95	265.17	
SW Well 1	10/7/2010 2:00:00	70.34	33.22	0.22	70.20	176.89	176.95	265.17	
SW Well 1	10/7/2010 2:15:00	70.34	33.23	0.22	70.20	176.89	176.95	265.17	
SW Well 1	10/7/2010 2:30:00	70.34	33.23	0.23	70.20	176.89	176.96	265.16	
SW Well 1	10/7/2010 2:45:00	70.34	33.23	0.23	70.20	176.89	176.95	265.17	
SW Well 1	10/7/2010 3:00:00	70.34	33.23	0.23	70.20	176.89	176.95	265.17	
SW Well 1	10/7/2010 3:15:00	70.34	33.23	0.23	70.20	176.89	176.96	265.16	
SW Well 1	10/7/2010 3:30:00	70.34	33.24	0.23	70.20	176.89	176.96	265.16	
SW Well 1	10/7/2010 3:45:00	70.34	33.24	0.24	70.19	176.89	176.96	265.16	
SW Well 1	10/7/2010 4:00:00	70.34	33.24	0.24	70.19	176.89	176.96	265.16	
SW Well 1	10/7/2010 4:15:00	70.34	33.24	0.24	70.19	176.89	176.96	265.16	
SW Well 1	10/7/2010 4:30:00	70.35	33.25	0.24	70.19	176.89	176.96	265.16	
SW Well 1	10/7/2010 4:45:00	70.35	33.25	0.25	70.20	176.88	176.96	265.16	
SW Well 1	10/7/2010 5:00:00	70.35	33.25	0.25	70.20	176.88	176.96	265.16	
SW Well 1	10/7/2010 5:15:00	70.35	33.25	0.25	70.19	176.89	176.96	265.16	
SW Well 1	10/7/2010 5:30:00	70.35	33.26	0.25	70.19	176.89	176.96	265.16	
SW Well 1	10/7/2010 5:45:00	70.35	33.26	0.26	70.19	176.88	176.96	265.16	
SW Well 1	10/7/2010 6:00:00	70.35	33.26	0.26	70.19	176.88	176.96	265.16	
SW Well 1	10/7/2010 6:15:00	70.35	33.26	0.26	70.19	176.88	176.96	265.16	
SW Well 1	10/7/2010 6:30:00	70.35	33.26	0.26	70.18	176.89	176.97	265.15	
SW Well 1	10/7/2010 6:45:00	70.35	33.27	0.26	70.18	176.89	176.97	265.15	
SW Well 1	10/7/2010 7:00:00	70.35	33.27	0.27	70.18	176.89	176.97	265.15	
SW Well 1	10/7/2010 7:15:00	70.35	33.27	0.27	70.18	176.89	176.97	265.15	
SW Well 1	10/7/2010 7:30:00	70.35	33.27	0.27	70.18	176.89	176.97	265.15	
SW Well 1	10/7/2010 7:45:00	70.34	33.27	0.27	70.17	176.89	176.98	265.14	
SW Well 1	10/7/2010 8:00:00	70.34	33.28	0.27	70.17	176.89	176.98	265.14	
SW Well 1	10/7/2010 8:15:00	70.34	33.28	0.28	70.17	176.89	176.99	265.13	
SW Well 1	10/7/2010 8:30:00	70.34	33.28	0.28	70.17	176.89	176.99	265.13	
SW Well 1	10/7/2010 8:45:00	70.34	33.28	0.28	70.16	176.89	176.99	265.13	
SW Well 1	10/7/2010 9:00:00	70.34	33.28	0.28	70.16	176.89	176.99	265.13	
SW Well 1	10/7/2010 9:15:00	70.34	33.29	0.28	70.16	176.89	176.99	265.13	
SW Well 1	10/7/2010 9:30:00	70.34	33.29	0.29	70.16	176.89	176.99	265.13	
SW Well 1	10/7/2010 9:45:00	70.34	33.29	0.29	70.16	176.89	176.99	265.13	
SW Well 1	10/7/2010 10:00:00	70.34	33.29	0.29	70.16	176.89	176.99	265.13	
SW Well 1	10/7/2010 10:15:00	70.34	33.29	0.29	70.16	176.89	177.00	265.12	
SW Well 1	10/7/2010 10:30:00		33.29	0.29					
SW Well 1	10/7/2010 10:45:00	70.34	33.29	0.29	70.16	176.89	177.00	265.12	
SW Well 1	10/7/2010 11:00:00	70.34	33.30	0.29	70.16	176.89	177.00	265.12	
SW Well 1	10/7/2010 11:15:00	70.34	33.30	0.30	70.15	176.89	177.00	265.12	
SW Well 1	10/7/2010 11:30:00	70.34	33.30	0.30	70.15	176.89	177.00	265.12	
SW Well 1	10/7/2010 11:45:00	70.34	33.30	0.30	70.16	176.89	177.00	265.12	
SW Well 1	10/7/2010 12:00:00	70.34	33.30	0.30	70.16	176.89	177.00	265.12	
SW Well 1	10/7/2010 12:15:00	70.35	33.30	0.30	70.16	176.89	176.99	265.13	
SW Well 1	10/7/2010 12:30:00	70.35	33.30	0.30	70.16	176.89	177.00	265.12	
SW Well 1	10/7/2010 12:45:00	70.36	33.31	0.30	70.17	176.87	176.98	265.14	
SW Well 1	10/7/2010 13:00:00	70.37	33.31	0.31	70.18	176.87	176.98	265.14	
SW Well 1	10/7/2010 13:15:00	70.37	33.31	0.31	70.18	176.86	176.97	265.15	
SW Well 1	10/7/2010 13:30:00	70.37	33.31	0.31	70.18	176.86	176.97	265.15	
SW Well 1	10/7/2010 13:45:00	70.38	33.32	0.31	70.18	176.85	176.97	265.15	
SW Well 1	10/7/2010 14:00:00	70.38	33.32	0.32	70.18	176.85	176.97	265.15	
SW Well 1	10/7/2010 14:15:00	70.39	33.33	0.32	70.18	176.85	176.97	265.15	
SW Well 1	10/7/2010 14:30:00	70.39	33.33	0.33	70.19	176.84	176.97	265.15	
SW Well 1	10/7/2010 14:45:00	70.39	33.33	0.33	70.18	176.84	176.97	265.15	
SW Well 1	10/7/2010 15:00:00	70.39	33.34	0.33	70.19	176.84	176.97	265.15	
SW Well 1	10/7/2010 15:15:00	70.40	33.34	0.33	70.19	176.84	176.96	265.16	
SW Well 1	10/7/2010 15:30:00	70.40	33.34	0.34	70.19	176.83	176.96	265.16	
SW Well 1	10/7/2010 15:45:00	70.41	33.35	0.34	70.19	176.83	176.96	265.16	
SW Well 1	10/7/2010 16:00:00	70.41	33.35	0.35	70.19	176.82	176.96	265.16	
SW Well 1	10/7/2010 16:15:00	70.41	33.35	0.35	70.20	176.82	176.96	265.16	
SW Well 1	10/7/2010 16:30:00	70.41	33.35	0.35	70.20	176.82	176.96	265.16	
SW Well 1	10/7/2010 16:45:00	70.41	33.35	0.35	70.20	176.82	176.96	265.16	
SW Well 1	10/7/2010 17:00:00	70.42	33.35	0.35	70.20	176.82	176.95	265.17	
SW Well 1	10/7/2010 17:15:00	70.42	33.36	0.35	70.20	176.82	176.96	265.16	
SW Well 1	10/7/2010 17:30:00	70.42	33.35	0.35	70.20	176.82	176.95	265.17	
SW Well 1	10/7/2010 17:45:00	70.42	33.35	0.35	70.20	176.81	176.95	265.17	
SW Well 1	10/7/2010 18:00:00	70.42	33.36	0.35	70.20	176.81	176.95	265.17	
SW Well 1	10/7/2010 18:15:00	70.42	33.36	0.36	70.20	176.81	176.95	265.17	
SW Well 1	10/7/2010 18:30:00	70.42	33.36	0.36	70.20	176.81	176.95	265.17	
SW Well 1	10/7/2010 18:45:00	70.42	33.37	0.36	70.20	176.81	176.96	265.16	
SW Well 1	10/7/2010 19:00:00	70.43	33.37	0.37	70.20	176.80	176.96	265.16	
SW Well 1	10/7/2010 19:15:00	70.42	33.38	0.37	70.19	176.81	176.96	265.16	
SW Well 1	10/7/2010 19:30:00	70.43	33.38	0.38	70.19	176.80	176.96	265.16	
SW Well 1	10/7/2010 19:45:00	70.43	33.38	0.38	70.19	176.80	176.96	265.16	
SW Well 1	10/7/2010 20:00:00	70.43	33.39	0.38	70.19	176.80	176.96	265.16	
SW Well 1	10/7/2010 20:15:00	70.43	33.39	0.39	70.19	176.80	176.97	265.15	
SW Well 1	10/7/2010 20:30:00	70.42	33.39	0.39	70.18	176.81	176.97	265.15	
SW Well 1	10/7/2010 20:45:00	70.42	33.39	0.39	70.18	176.81	176.97	265.15	
SW Well 1	10/7/2010 21:00:00	70.42	33.39	0.39	70.18	176.81	176.97	265.15	
SW Well 1	10/7/2010 21:15:00	70.42	33.40	0.39	70.18	176.81	176.97	265.15	
SW Well 1	10/7/2010 21:30:00	70.42	33.40	0.40	70.18	176.81	176.98	265.14	
SW Well 1	10/7/2010 21:45:00	70.42	33.40	0.40	70.18	176.81	176.98	265.14	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	10/7/2010 22:00:00	70.42	33.41	0.40	70.17	176.81	176.98	265.14	
SW Well 1	10/7/2010 22:15:00	70.42	33.41	0.40	70.17	176.81	176.98	265.14	
SW Well 1	10/7/2010 22:30:00	70.42	33.40	0.40	70.18	176.81	176.98	265.14	
SW Well 1	10/7/2010 22:45:00	70.42	33.41	0.40	70.17	176.81	176.98	265.14	
SW Well 1	10/7/2010 23:00:00	70.42	33.40	0.40	70.18	176.81	176.98	265.14	
SW Well 1	10/7/2010 23:15:00	70.42	33.40	0.40	70.17	176.81	176.98	265.14	
SW Well 1	10/7/2010 23:30:00	70.42	33.40	0.40	70.18	176.81	176.98	265.14	
SW Well 1	10/7/2010 23:45:00	70.42	33.40	0.40	70.18	176.81	176.98	265.14	
SW Well 1	10/8/2010 0:00:00	70.43	33.40	0.40	70.18	176.80	176.97	265.15	
SW Well 1	10/8/2010 0:15:00	70.43	33.40	0.40	70.18	176.80	176.97	265.15	
SW Well 1	10/8/2010 0:30:00	70.43	33.40	0.40	70.18	176.80	176.97	265.15	
SW Well 1	10/8/2010 0:45:00	70.43	33.40	0.40	70.18	176.80	176.97	265.15	
SW Well 1	10/8/2010 1:00:00	70.44	33.40	0.40	70.19	176.80	176.97	265.15	
SW Well 1	10/8/2010 1:15:00	70.44	33.40	0.40	70.19	176.80	176.97	265.15	
SW Well 1	10/8/2010 1:30:00	70.44	33.40	0.40	70.19	176.79	176.96	265.16	
SW Well 1	10/8/2010 1:45:00	70.45	33.40	0.40	70.20	176.78	176.95	265.17	
SW Well 1	10/8/2010 2:00:00	70.45	33.41	0.40	70.20	176.78	176.96	265.16	
SW Well 1	10/8/2010 2:15:00	70.45	33.40	0.40	70.20	176.78	176.95	265.17	
SW Well 1	10/8/2010 2:30:00	70.46	33.41	0.40	70.21	176.78	176.95	265.17	
SW Well 1	10/8/2010 2:45:00	70.46	33.41	0.41	70.21	176.77	176.95	265.17	
SW Well 1	10/8/2010 3:00:00	70.46	33.41	0.41	70.21	176.77	176.94	265.18	
SW Well 1	10/8/2010 3:15:00	70.46	33.41	0.40	70.21	176.77	176.94	265.18	
SW Well 1	10/8/2010 3:30:00	70.47	33.41	0.41	70.21	176.77	176.94	265.18	
SW Well 1	10/8/2010 3:45:00	70.47	33.41	0.41	70.22	176.76	176.94	265.18	
SW Well 1	10/8/2010 4:00:00	70.47	33.41	0.41	70.22	176.76	176.94	265.18	
SW Well 1	10/8/2010 4:15:00	70.47	33.40	0.40	70.22	176.76	176.93	265.19	
SW Well 1	10/8/2010 4:30:00	70.47	33.40	0.40	70.22	176.76	176.93	265.19	
SW Well 1	10/8/2010 4:45:00	70.48	33.40	0.40	70.23	176.76	176.93	265.19	
SW Well 1	10/8/2010 5:00:00	70.48	33.41	0.41	70.23	176.75	176.92	265.20	
SW Well 1	10/8/2010 5:15:00	70.48	33.41	0.40	70.23	176.75	176.92	265.20	
SW Well 1	10/8/2010 5:30:00	70.48	33.41	0.40	70.23	176.75	176.92	265.20	
SW Well 1	10/8/2010 5:45:00	70.48	33.41	0.40	70.23	176.75	176.92	265.20	
SW Well 1	10/8/2010 6:00:00	70.49	33.41	0.40	70.24	176.75	176.92	265.20	
SW Well 1	10/8/2010 6:15:00	70.49	33.41	0.40	70.24	176.75	176.92	265.20	
SW Well 1	10/8/2010 6:30:00	70.49	33.40	0.40	70.24	176.75	176.91	265.21	
SW Well 1	10/8/2010 6:45:00	70.48	33.40	0.40	70.24	176.75	176.92	265.20	
SW Well 1	10/8/2010 7:00:00	70.48	33.40	0.40	70.24	176.75	176.92	265.20	
SW Well 1	10/8/2010 7:15:00	70.49	33.41	0.40	70.24	176.75	176.92	265.20	
SW Well 1	10/8/2010 7:30:00	70.49	33.41	0.40	70.24	176.75	176.92	265.20	
SW Well 1	10/8/2010 7:45:00	70.49	33.41	0.41	70.24	176.75	176.92	265.20	
SW Well 1	10/8/2010 8:00:00	70.49	33.41	0.41	70.23	176.75	176.92	265.20	
SW Well 1	10/8/2010 8:15:00	70.49	33.41	0.41	70.23	176.75	176.92	265.20	
SW Well 1	10/8/2010 8:30:00	70.49	33.42	0.42	70.23	176.75	176.92	265.20	
SW Well 1	10/8/2010 8:45:00	70.49	33.42	0.42	70.23	176.75	176.93	265.19	
SW Well 1	10/8/2010 9:00:00	70.49	33.43	0.42	70.22	176.75	176.93	265.19	
SW Well 1	10/8/2010 9:15:00	70.48	33.43	0.42	70.22	176.75	176.93	265.19	
SW Well 1	10/8/2010 9:30:00	70.45	33.43	0.43	70.19	176.78	176.97	265.15	
SW Well 1	10/8/2010 9:45:00	70.45	33.43	0.43	70.19	176.78	176.97	265.15	
SW Well 1	10/8/2010 10:00:00	70.45	33.43	0.43	70.18	176.78	176.97	265.15	
SW Well 1	10/8/2010 10:15:00	70.45	33.43	0.43	70.18	176.78	176.97	265.15	
SW Well 1	10/8/2010 10:30:00	70.45	33.43	0.43	70.18	176.78	176.97	265.15	
SW Well 1	10/8/2010 10:45:00	70.45	33.44	0.43	70.18	176.78	176.98	265.14	
SW Well 1	10/8/2010 11:00:00	70.45	33.44	0.43	70.18	176.78	176.98	265.14	
SW Well 1	10/8/2010 11:15:00	70.45	33.44	0.43	70.18	176.78	176.97	265.15	
SW Well 1	10/8/2010 11:30:00	70.44	33.43	0.42	70.18	176.79	176.98	265.14	
SW Well 1	10/8/2010 11:45:00	70.44	33.43	0.43	70.18	176.79	176.97	265.15	
SW Well 1	10/8/2010 12:00:00	70.44	33.43	0.43	70.18	176.79	176.98	265.14	
SW Well 1	10/8/2010 12:15:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	10/8/2010 12:30:00	70.44	33.41	0.41	70.18	176.80	176.97	265.15	
SW Well 1	10/8/2010 12:45:00	70.44	33.41	0.41	70.19	176.79	176.97	265.15	
SW Well 1	10/8/2010 13:00:00	70.44	33.41	0.41	70.19	176.79	176.97	265.15	
SW Well 1	10/8/2010 13:15:00	70.44	33.40	0.40	70.19	176.79	176.96	265.16	
SW Well 1	10/8/2010 13:30:00	70.44	33.40	0.40	70.19	176.79	176.96	265.16	
SW Well 1	10/8/2010 13:45:00	70.44	33.39	0.39	70.19	176.80	176.96	265.16	
SW Well 1	10/8/2010 14:00:00	70.44	33.38	0.38	70.20	176.80	176.95	265.17	
SW Well 1	10/8/2010 14:15:00	70.43	33.37	0.37	70.20	176.80	176.95	265.17	
SW Well 1	10/8/2010 14:30:00	70.44	33.37	0.37	70.21	176.80	176.95	265.17	
SW Well 1	10/8/2010 14:45:00	70.44	33.36	0.36	70.21	176.80	176.94	265.18	
SW Well 1	10/8/2010 15:00:00		33.36	0.36					
SW Well 1	10/8/2010 15:15:00	70.47	33.36	0.36	70.25	176.76	176.91	265.21	
SW Well 1	10/8/2010 15:30:00	70.47	33.36	0.36	70.25	176.76	176.91	265.21	
SW Well 1	10/8/2010 15:45:00	70.47	33.36	0.36	70.25	176.76	176.91	265.21	
SW Well 1	10/8/2010 16:00:00	70.47	33.36	0.36	70.25	176.77	176.91	265.21	
SW Well 1	10/8/2010 16:15:00	70.46	33.35	0.35	70.25	176.77	176.91	265.21	
SW Well 1	10/8/2010 16:30:00	70.47	33.35	0.35	70.25	176.76	176.90	265.22	
SW Well 1	10/8/2010 16:45:00	70.47	33.35	0.34	70.25	176.77	176.90	265.22	
SW Well 1	10/8/2010 17:00:00	70.48	33.35	0.35	70.26	176.76	176.90	265.22	
SW Well 1	10/8/2010 17:15:00	70.47	33.34	0.34	70.25	176.77	176.90	265.22	
SW Well 1	10/8/2010 17:30:00	70.47	33.34	0.34	70.25	176.77	176.90	265.22	
SW Well 1	10/8/2010 17:45:00	70.46	33.33	0.33	70.26	176.77	176.90	265.22	
SW Well 1	10/8/2010 18:00:00	70.47	33.34	0.34	70.26	176.77	176.90	265.22	
SW Well 1	10/8/2010 18:15:00	70.47	33.34	0.33	70.26	176.77	176.89	265.23	
SW Well 1	10/8/2010 18:30:00	70.47	33.34	0.34	70.26	176.77	176.90	265.22	
SW Well 1	10/8/2010 18:45:00	70.46	33.34	0.34	70.25	176.77	176.90	265.22	
SW Well 1	10/8/2010 19:00:00	70.46	33.33	0.33	70.25	176.77	176.90	265.22	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	10/8/2010 19:15:00	70.46	33.33	0.33	70.25	176.78	176.90	265.22	
SW Well 1	10/8/2010 19:30:00	70.46	33.33	0.33	70.25	176.78	176.90	265.22	
SW Well 1	10/8/2010 19:45:00	70.45	33.33	0.33	70.25	176.78	176.91	265.21	
SW Well 1	10/8/2010 20:00:00	70.45	33.33	0.32	70.25	176.78	176.91	265.21	
SW Well 1	10/8/2010 20:15:00	70.44	33.32	0.32	70.24	176.79	176.91	265.21	
SW Well 1	10/8/2010 20:30:00	70.44	33.32	0.32	70.24	176.79	176.91	265.21	
SW Well 1	10/8/2010 20:45:00	70.44	33.31	0.31	70.24	176.80	176.91	265.21	
SW Well 1	10/8/2010 21:00:00	70.43	33.31	0.31	70.24	176.80	176.91	265.21	
SW Well 1	10/8/2010 21:15:00	70.43	33.31	0.31	70.24	176.80	176.91	265.21	
SW Well 1	10/8/2010 21:30:00	70.42	33.30	0.30	70.24	176.81	176.92	265.20	
SW Well 1	10/8/2010 21:45:00	70.43	33.32	0.31	70.24	176.80	176.92	265.20	
SW Well 1	10/8/2010 22:00:00	70.43	33.32	0.31	70.23	176.80	176.92	265.20	
SW Well 1	10/8/2010 22:15:00	70.42	33.32	0.31	70.23	176.81	176.93	265.19	
SW Well 1	10/8/2010 22:30:00	70.43	33.33	0.33	70.23	176.80	176.93	265.19	
SW Well 1	10/8/2010 22:45:00	70.43	33.33	0.33	70.22	176.80	176.93	265.19	
SW Well 1	10/8/2010 23:00:00	70.42	33.33	0.33	70.22	176.81	176.93	265.19	
SW Well 1	10/8/2010 23:15:00	70.42	33.33	0.33	70.22	176.81	176.94	265.18	
SW Well 1	10/8/2010 23:30:00	70.42	33.33	0.33	70.21	176.81	176.94	265.18	
SW Well 1	10/8/2010 23:45:00	70.42	33.33	0.33	70.21	176.82	176.94	265.18	
SW Well 1	10/9/2010 0:00:00	70.42	33.33	0.33	70.21	176.81	176.94	265.18	
SW Well 1	10/9/2010 0:15:00	70.42	33.34	0.33	70.21	176.81	176.94	265.18	
SW Well 1	10/9/2010 0:30:00	70.42	33.34	0.34	70.21	176.81	176.94	265.18	
SW Well 1	10/9/2010 0:45:00	70.42	33.34	0.34	70.21	176.81	176.94	265.18	
SW Well 1	10/9/2010 1:00:00	70.42	33.35	0.34	70.21	176.81	176.95	265.17	
SW Well 1	10/9/2010 1:15:00	70.42	33.34	0.34	70.21	176.81	176.94	265.18	
SW Well 1	10/9/2010 1:30:00	70.42	33.35	0.35	70.21	176.81	176.95	265.17	
SW Well 1	10/9/2010 1:45:00	70.43	33.35	0.35	70.21	176.80	176.94	265.18	
SW Well 1	10/9/2010 2:00:00	70.43	33.36	0.35	70.21	176.80	176.95	265.17	
SW Well 1	10/9/2010 2:15:00	70.43	33.36	0.36	70.21	176.80	176.95	265.17	
SW Well 1	10/9/2010 2:30:00	70.44	33.37	0.37	70.21	176.80	176.95	265.17	
SW Well 1	10/9/2010 2:45:00	70.44	33.37	0.37	70.21	176.80	176.94	265.18	
SW Well 1	10/9/2010 3:00:00	70.43	33.37	0.36	70.21	176.80	176.95	265.17	
SW Well 1	10/9/2010 3:15:00	70.44	33.36	0.36	70.21	176.80	176.94	265.18	
SW Well 1	10/9/2010 3:30:00	70.44	33.37	0.37	70.21	176.79	176.94	265.18	
SW Well 1	10/9/2010 3:45:00	70.44	33.38	0.37	70.21	176.79	176.94	265.18	
SW Well 1	10/9/2010 4:00:00	70.45	33.38	0.38	70.22	176.78	176.94	265.18	
SW Well 1	10/9/2010 4:15:00	70.46	33.39	0.38	70.22	176.78	176.94	265.18	
SW Well 1	10/9/2010 4:30:00	70.46	33.39	0.38	70.22	176.78	176.94	265.18	
SW Well 1	10/9/2010 4:45:00	70.46	33.38	0.38	70.22	176.78	176.94	265.18	
SW Well 1	10/9/2010 5:00:00	70.46	33.39	0.38	70.22	176.78	176.94	265.18	
SW Well 1	10/9/2010 5:15:00	70.46	33.39	0.38	70.22	176.77	176.93	265.19	
SW Well 1	10/9/2010 5:30:00	70.46	33.39	0.39	70.22	176.77	176.93	265.19	
SW Well 1	10/9/2010 5:45:00	70.47	33.39	0.39	70.22	176.77	176.93	265.19	
SW Well 1	10/9/2010 6:00:00	70.47	33.40	0.40	70.22	176.76	176.93	265.19	
SW Well 1	10/9/2010 6:15:00	70.47	33.40	0.40	70.22	176.76	176.93	265.19	
SW Well 1	10/9/2010 6:30:00	70.47	33.39	0.39	70.23	176.77	176.93	265.19	
SW Well 1	10/9/2010 6:45:00	70.47	33.39	0.39	70.23	176.77	176.93	265.19	
SW Well 1	10/9/2010 7:00:00	70.47	33.39	0.39	70.23	176.77	176.93	265.19	
SW Well 1	10/9/2010 7:15:00	70.47	33.39	0.39	70.22	176.77	176.93	265.19	
SW Well 1	10/9/2010 7:30:00	70.47	33.39	0.39	70.23	176.77	176.93	265.19	
SW Well 1	10/9/2010 7:45:00	70.47	33.39	0.39	70.23	176.76	176.93	265.19	
SW Well 1	10/9/2010 8:00:00	70.47	33.40	0.39	70.22	176.77	176.93	265.19	
SW Well 1	10/9/2010 8:15:00	70.47	33.40	0.39	70.22	176.77	176.93	265.19	
SW Well 1	10/9/2010 8:30:00	70.47	33.40	0.40	70.23	176.76	176.93	265.19	
SW Well 1	10/9/2010 8:45:00	70.47	33.41	0.40	70.22	176.76	176.93	265.19	
SW Well 1	10/9/2010 9:00:00	70.48	33.41	0.41	70.22	176.76	176.93	265.19	
SW Well 1	10/9/2010 9:15:00	70.48	33.42	0.42	70.22	176.76	176.94	265.18	
SW Well 1	10/9/2010 9:30:00	70.48	33.43	0.42	70.21	176.76	176.94	265.18	
SW Well 1	10/9/2010 9:45:00	70.48	33.43	0.43	70.21	176.76	176.94	265.18	
SW Well 1	10/9/2010 10:00:00	70.47	33.43	0.43	70.20	176.76	176.95	265.17	
SW Well 1	10/9/2010 10:15:00	70.47	33.43	0.43	70.21	176.76	176.95	265.17	
SW Well 1	10/9/2010 10:30:00		33.43	0.43					
SW Well 1	10/9/2010 10:45:00	70.45	33.43	0.43	70.19	176.78	176.97	265.15	
SW Well 1	10/9/2010 11:00:00	70.45	33.43	0.42	70.19	176.78	176.97	265.15	
SW Well 1	10/9/2010 11:15:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	10/9/2010 11:30:00	70.45	33.42	0.42	70.19	176.78	176.97	265.15	
SW Well 1	10/9/2010 11:45:00	70.45	33.42	0.42	70.19	176.78	176.97	265.15	
SW Well 1	10/9/2010 12:00:00	70.45	33.42	0.42	70.19	176.78	176.96	265.16	
SW Well 1	10/9/2010 12:15:00	70.44	33.42	0.42	70.18	176.79	176.97	265.15	
SW Well 1	10/9/2010 12:30:00	70.44	33.41	0.41	70.19	176.79	176.96	265.16	
SW Well 1	10/9/2010 12:45:00	70.44	33.41	0.40	70.19	176.79	176.96	265.16	
SW Well 1	10/9/2010 13:00:00	70.44	33.40	0.40	70.19	176.79	176.96	265.16	
SW Well 1	10/9/2010 13:15:00	70.44	33.40	0.39	70.20	176.79	176.96	265.16	
SW Well 1	10/9/2010 13:30:00	70.44	33.39	0.39	70.20	176.80	176.96	265.16	
SW Well 1	10/9/2010 13:45:00	70.44	33.38	0.38	70.20	176.80	176.95	265.17	
SW Well 1	10/9/2010 14:00:00	70.44	33.37	0.37	70.21	176.80	176.95	265.17	
SW Well 1	10/9/2010 14:15:00	70.44	33.37	0.37	70.21	176.80	176.95	265.17	
SW Well 1	10/9/2010 14:30:00	70.43	33.36	0.36	70.21	176.80	176.95	265.17	
SW Well 1	10/9/2010 14:45:00	70.43	33.36	0.35	70.21	176.80	176.94	265.18	
SW Well 1	10/9/2010 15:00:00	70.44	33.35	0.35	70.22	176.80	176.94	265.18	
SW Well 1	10/9/2010 15:15:00	70.43	33.35	0.35	70.22	176.80	176.94	265.18	
SW Well 1	10/9/2010 15:30:00	70.44	33.34	0.34	70.22	176.80	176.93	265.19	
SW Well 1	10/9/2010 15:45:00	70.44	33.34	0.34	70.23	176.79	176.93	265.19	
SW Well 1	10/9/2010 16:00:00	70.44	33.34	0.34	70.23	176.79	176.92	265.20	
SW Well 1	10/9/2010 16:15:00	70.44	33.34	0.33	70.23	176.79	176.92	265.20	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	10/9/2010 16:30:00	70.44	33.33	0.33	70.23	176.79	176.92	265.20	
SW Well 1	10/9/2010 16:45:00	70.44	33.33	0.33	70.23	176.80	176.92	265.20	
SW Well 1	10/9/2010 17:00:00	70.44	33.33	0.32	70.24	176.80	176.92	265.20	
SW Well 1	10/9/2010 17:15:00	70.44	33.32	0.32	70.24	176.80	176.91	265.21	
SW Well 1	10/9/2010 17:30:00	70.44	33.32	0.32	70.24	176.80	176.91	265.21	
SW Well 1	10/9/2010 17:45:00	70.44	33.32	0.32	70.24	176.80	176.92	265.20	
SW Well 1	10/9/2010 18:00:00	70.43	33.32	0.31	70.24	176.80	176.92	265.20	
SW Well 1	10/9/2010 18:15:00	70.44	33.32	0.32	70.24	176.80	176.92	265.20	
SW Well 1	10/9/2010 18:30:00	70.43	33.32	0.31	70.24	176.80	176.92	265.20	
SW Well 1	10/9/2010 18:45:00	70.43	33.32	0.32	70.24	176.80	176.92	265.20	
SW Well 1	10/9/2010 19:00:00	70.44	33.33	0.32	70.24	176.80	176.92	265.20	
SW Well 1	10/9/2010 19:15:00	70.43	33.33	0.33	70.23	176.80	176.93	265.19	
SW Well 1	10/9/2010 19:30:00	70.43	33.34	0.33	70.22	176.80	176.93	265.19	
SW Well 1	10/9/2010 19:45:00	70.43	33.34	0.33	70.22	176.80	176.93	265.19	
SW Well 1	10/9/2010 20:00:00	70.43	33.34	0.34	70.22	176.80	176.93	265.19	
SW Well 1	10/9/2010 20:15:00	70.42	33.34	0.33	70.22	176.81	176.94	265.18	
SW Well 1	10/9/2010 20:30:00	70.42	33.34	0.33	70.22	176.81	176.94	265.18	
SW Well 1	10/9/2010 20:45:00	70.42	33.34	0.34	70.21	176.81	176.94	265.18	
SW Well 1	10/9/2010 21:00:00	70.42	33.34	0.33	70.21	176.82	176.94	265.18	
SW Well 1	10/9/2010 21:15:00	70.42	33.33	0.33	70.21	176.82	176.94	265.18	
SW Well 1	10/9/2010 21:30:00	70.41	33.33	0.33	70.20	176.82	176.95	265.17	
SW Well 1	10/9/2010 21:45:00	70.41	33.33	0.33	70.20	176.83	176.95	265.17	
SW Well 1	10/9/2010 22:00:00	70.41	33.34	0.33	70.20	176.82	176.95	265.17	
SW Well 1	10/9/2010 22:15:00	70.40	33.33	0.33	70.20	176.83	176.96	265.16	
SW Well 1	10/9/2010 22:30:00	70.40	33.33	0.33	70.20	176.83	176.96	265.16	
SW Well 1	10/9/2010 22:45:00	70.40	33.33	0.33	70.20	176.83	176.96	265.16	
SW Well 1	10/9/2010 23:00:00	70.40	33.33	0.33	70.19	176.84	176.96	265.16	
SW Well 1	10/9/2010 23:15:00	70.40	33.33	0.33	70.19	176.84	176.96	265.16	
SW Well 1	10/9/2010 23:30:00	70.40	33.34	0.34	70.19	176.84	176.97	265.15	
SW Well 1	10/9/2010 23:45:00	70.39	33.34	0.34	70.18	176.84	176.97	265.15	
SW Well 1	10/10/2010 0:00:00	70.39	33.34	0.33	70.18	176.84	176.97	265.15	
SW Well 1	10/10/2010 0:15:00	70.39	33.34	0.34	70.18	176.84	176.97	265.15	
SW Well 1	10/10/2010 0:30:00	70.39	33.34	0.34	70.18	176.84	176.97	265.15	
SW Well 1	10/10/2010 0:45:00	70.39	33.34	0.34	70.18	176.84	176.97	265.15	
SW Well 1	10/10/2010 1:00:00	70.39	33.34	0.33	70.19	176.84	176.97	265.15	
SW Well 1	10/10/2010 1:15:00	70.39	33.34	0.34	70.18	176.84	176.97	265.15	
SW Well 1	10/10/2010 1:30:00	70.39	33.35	0.34	70.18	176.84	176.97	265.15	
SW Well 1	10/10/2010 1:45:00	70.40	33.35	0.35	70.18	176.84	176.97	265.15	
SW Well 1	10/10/2010 2:00:00	70.40	33.35	0.35	70.18	176.84	176.97	265.15	
SW Well 1	10/10/2010 2:15:00	70.40	33.36	0.35	70.18	176.83	176.97	265.15	
SW Well 1	10/10/2010 2:30:00	70.40	33.36	0.36	70.18	176.83	176.97	265.15	
SW Well 1	10/10/2010 2:45:00	70.41	33.37	0.36	70.18	176.83	176.97	265.15	
SW Well 1	10/10/2010 3:00:00	70.41	33.37	0.36	70.18	176.83	176.97	265.15	
SW Well 1	10/10/2010 3:15:00	70.41	33.37	0.37	70.18	176.82	176.97	265.15	
SW Well 1	10/10/2010 3:30:00	70.41	33.36	0.36	70.18	176.82	176.97	265.15	
SW Well 1	10/10/2010 3:45:00	70.42	33.38	0.38	70.19	176.81	176.97	265.15	
SW Well 1	10/10/2010 4:00:00	70.42	33.38	0.38	70.19	176.81	176.96	265.16	
SW Well 1	10/10/2010 4:15:00	70.43	33.39	0.38	70.19	176.80	176.96	265.16	
SW Well 1	10/10/2010 4:30:00	70.42	33.39	0.38	70.19	176.81	176.97	265.15	
SW Well 1	10/10/2010 4:45:00	70.44	33.40	0.40	70.19	176.80	176.96	265.16	
SW Well 1	10/10/2010 5:00:00	70.44	33.41	0.41	70.19	176.79	176.96	265.16	
SW Well 1	10/10/2010 5:15:00	70.44	33.41	0.41	70.19	176.79	176.97	265.15	
SW Well 1	10/10/2010 5:30:00	70.45	33.43	0.42	70.19	176.78	176.97	265.15	
SW Well 1	10/10/2010 5:45:00	70.44	33.43	0.42	70.18	176.79	176.97	265.15	
SW Well 1	10/10/2010 6:00:00	70.45	33.44	0.43	70.18	176.78	176.97	265.15	
SW Well 1	10/10/2010 6:15:00	70.46	33.45	0.44	70.18	176.78	176.97	265.15	
SW Well 1	10/10/2010 6:30:00	70.46	33.46	0.45	70.18	176.77	176.98	265.14	
SW Well 1	10/10/2010 6:45:00	70.47	33.47	0.47	70.18	176.77	176.98	265.14	
SW Well 1	10/10/2010 7:00:00	70.47	33.48	0.48	70.17	176.76	176.98	265.14	
SW Well 1	10/10/2010 7:15:00	70.48	33.49	0.48	70.17	176.76	176.98	265.14	
SW Well 1	10/10/2010 7:30:00	70.48	33.49	0.49	70.17	176.76	176.98	265.14	
SW Well 1	10/10/2010 7:45:00	70.48	33.50	0.49	70.17	176.76	176.99	265.13	
SW Well 1	10/10/2010 8:00:00	70.48	33.53	0.53	70.15	176.75	177.00	265.12	
SW Well 1	10/10/2010 8:15:00	70.49	33.55	0.54	70.15	176.75	177.00	265.12	
SW Well 1	10/10/2010 8:30:00	70.49	33.54	0.54	70.15	176.74	177.00	265.12	
SW Well 1	10/10/2010 8:45:00	70.50	33.55	0.54	70.16	176.73	176.99	265.13	
SW Well 1	10/10/2010 9:00:00	70.49	33.55	0.54	70.15	176.75	177.00	265.12	
SW Well 1	10/10/2010 9:15:00	70.49	33.54	0.53	70.16	176.74	176.99	265.13	
SW Well 1	10/10/2010 9:30:00	70.49	33.55	0.54	70.15	176.75	177.00	265.12	
SW Well 1	10/10/2010 9:45:00	70.49	33.55	0.55	70.15	176.75	177.01	265.11	
SW Well 1	10/10/2010 10:00:00	70.49	33.56	0.56	70.15	176.74	177.01	265.11	
SW Well 1	10/10/2010 10:15:00	70.50	33.56	0.56	70.15	176.73	177.00	265.12	
SW Well 1	10/10/2010 10:30:00	70.50	33.57	0.57	70.15	176.73	177.01	265.11	
SW Well 1	10/10/2010 10:45:00	70.50	33.57	0.56	70.15	176.73	177.01	265.11	
SW Well 1	10/10/2010 11:00:00	70.50	33.57	0.56	70.15	176.73	177.01	265.11	
SW Well 1	10/10/2010 11:15:00	70.50	33.57	0.56	70.15	176.73	177.01	265.11	
SW Well 1	10/10/2010 11:30:00	70.50	33.57	0.56	70.15	176.73	177.01	265.11	
SW Well 1	10/10/2010 11:45:00	70.50	33.57	0.56	70.15	176.73	177.00	265.12	
SW Well 1	10/10/2010 12:00:00	70.50	33.56	0.56	70.15	176.73	177.00	265.12	
SW Well 1	10/10/2010 12:15:00	70.50	33.56	0.56	70.16	176.73	177.00	265.12	
SW Well 1	10/10/2010 12:30:00	70.51	33.56	0.56	70.16	176.73	177.00	265.12	
SW Well 1	10/10/2010 12:45:00	70.51	33.56	0.56	70.16	176.73	176.99	265.13	
SW Well 1	10/10/2010 13:00:00	70.50	33.56	0.55	70.16	176.73	177.00	265.12	
SW Well 1	10/10/2010 13:15:00	70.51	33.56	0.56	70.16	176.72	176.99	265.13	
SW Well 1	10/10/2010 13:30:00	70.51	33.56	0.56	70.16	176.72	176.99	265.13	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	10/10/2010 13:45:00	70.51	33.56	0.56	70.17	176.72	176.99	265.13	
SW Well 1	10/10/2010 14:00:00	70.51	33.56	0.55	70.17	176.72	176.99	265.13	
SW Well 1	10/10/2010 14:15:00	70.51	33.56	0.55	70.17	176.72	176.99	265.13	
SW Well 1	10/10/2010 14:30:00	70.51	33.55	0.55	70.17	176.72	176.98	265.14	
SW Well 1	10/10/2010 14:45:00	70.51	33.55	0.55	70.17	176.72	176.98	265.14	
SW Well 1	10/10/2010 15:00:00	70.52	33.55	0.55	70.18	176.71	176.98	265.14	
SW Well 1	10/10/2010 15:15:00	70.52	33.54	0.54	70.18	176.71	176.97	265.15	
SW Well 1	10/10/2010 15:30:00	70.52	33.54	0.54	70.19	176.71	176.97	265.15	
SW Well 1	10/10/2010 15:45:00	70.52	33.54	0.54	70.19	176.71	176.96	265.16	
SW Well 1	10/10/2010 16:00:00	70.52	33.54	0.53	70.19	176.71	176.96	265.16	
SW Well 1	10/10/2010 16:15:00	70.53	33.53	0.53	70.20	176.71	176.96	265.16	
SW Well 1	10/10/2010 16:30:00	70.53	33.54	0.54	70.20	176.70	176.96	265.16	
SW Well 1	10/10/2010 16:45:00	70.53	33.54	0.54	70.20	176.70	176.95	265.17	
SW Well 1	10/10/2010 17:00:00	70.53	33.54	0.54	70.20	176.70	176.95	265.17	
SW Well 1	10/10/2010 17:15:00	70.53	33.54	0.53	70.20	176.70	176.95	265.17	
SW Well 1	10/10/2010 17:30:00	70.53	33.54	0.54	70.20	176.70	176.95	265.17	
SW Well 1	10/10/2010 17:45:00	70.53	33.54	0.53	70.20	176.70	176.95	265.17	
SW Well 1	10/10/2010 18:00:00	70.54	33.54	0.54	70.20	176.70	176.95	265.17	
SW Well 1	10/10/2010 18:15:00	70.54	33.55	0.54	70.20	176.69	176.95	265.17	
SW Well 1	10/10/2010 18:30:00	70.54	33.55	0.55	70.20	176.69	176.95	265.17	
SW Well 1	10/10/2010 18:45:00	70.55	33.56	0.56	70.20	176.69	176.95	265.17	
SW Well 1	10/10/2010 19:00:00	70.55	33.56	0.56	70.20	176.69	176.96	265.16	
SW Well 1	10/10/2010 19:15:00	70.55	33.57	0.57	70.19	176.69	176.96	265.16	
SW Well 1	10/10/2010 19:30:00	70.55	33.58	0.57	70.19	176.68	176.96	265.16	
SW Well 1	10/10/2010 19:45:00	70.55	33.58	0.58	70.19	176.68	176.96	265.16	
SW Well 1	10/10/2010 20:00:00	70.55	33.59	0.59	70.19	176.68	176.97	265.15	
SW Well 1	10/10/2010 20:15:00	70.55	33.59	0.59	70.19	176.68	176.97	265.15	
SW Well 1	10/10/2010 20:30:00	70.55	33.59	0.59	70.18	176.69	176.97	265.15	
SW Well 1	10/10/2010 20:45:00	70.55	33.60	0.60	70.18	176.68	176.97	265.15	
SW Well 1	10/10/2010 21:00:00	70.55	33.60	0.60	70.17	176.69	176.98	265.14	
SW Well 1	10/10/2010 21:15:00	70.55	33.61	0.61	70.17	176.69	176.99	265.13	
SW Well 1	10/10/2010 21:30:00	70.55	33.62	0.62	70.16	176.69	176.99	265.13	
SW Well 1	10/10/2010 21:45:00	70.55	33.63	0.62	70.16	176.68	176.99	265.13	
SW Well 1	10/10/2010 22:00:00	70.55	33.63	0.63	70.16	176.69	177.00	265.12	
SW Well 1	10/10/2010 22:15:00	70.55	33.64	0.64	70.15	176.69	177.00	265.12	
SW Well 1	10/10/2010 22:30:00	70.55	33.64	0.64	70.15	176.68	177.00	265.12	
SW Well 1	10/10/2010 22:45:00	70.55	33.65	0.65	70.14	176.69	177.01	265.11	
SW Well 1	10/10/2010 23:00:00	70.55	33.65	0.65	70.14	176.69	177.01	265.11	
SW Well 1	10/10/2010 23:15:00	70.55	33.66	0.66	70.14	176.68	177.01	265.11	
SW Well 1	10/10/2010 23:30:00	70.55	33.67	0.67	70.13	176.68	177.02	265.10	
SW Well 1	10/10/2010 23:45:00	70.55	33.68	0.68	70.13	176.68	177.03	265.09	
SW Well 1	10/11/2010 0:00:00	70.55	33.69	0.69	70.13	176.68	177.03	265.09	
SW Well 1	10/11/2010 0:15:00	70.55	33.69	0.69	70.12	176.68	177.03	265.09	
SW Well 1	10/11/2010 0:30:00	70.55	33.70	0.70	70.12	176.68	177.04	265.08	
SW Well 1	10/11/2010 0:45:00	70.55	33.70	0.70	70.12	176.68	177.04	265.08	
SW Well 1	10/11/2010 1:00:00	70.55	33.71	0.71	70.11	176.68	177.04	265.08	
SW Well 1	10/11/2010 1:15:00	70.55	33.72	0.72	70.11	176.68	177.04	265.08	
SW Well 1	10/11/2010 1:30:00	70.56	33.72	0.72	70.11	176.68	177.04	265.08	
SW Well 1	10/11/2010 1:45:00	70.56	33.73	0.72	70.11	176.68	177.05	265.07	
SW Well 1	10/11/2010 2:00:00	70.56	33.73	0.73	70.11	176.67	177.05	265.07	
SW Well 1	10/11/2010 2:15:00	70.56	33.74	0.74	70.10	176.67	177.05	265.07	
SW Well 1	10/11/2010 2:30:00	70.57	33.75	0.75	70.10	176.67	177.05	265.07	
SW Well 1	10/11/2010 2:45:00	70.57	33.76	0.75	70.10	176.66	177.05	265.07	
SW Well 1	10/11/2010 3:00:00	70.57	33.77	0.76	70.10	176.66	177.06	265.06	
SW Well 1	10/11/2010 3:15:00	70.58	33.77	0.77	70.10	176.66	177.06	265.06	
SW Well 1	10/11/2010 3:30:00	70.58	33.78	0.77	70.10	176.66	177.06	265.06	
SW Well 1	10/11/2010 3:45:00	70.58	33.78	0.78	70.10	176.65	177.06	265.06	
SW Well 1	10/11/2010 4:00:00	70.58	33.79	0.79	70.10	176.65	177.06	265.06	
SW Well 1	10/11/2010 4:15:00	70.58	33.79	0.79	70.09	176.65	177.06	265.06	
SW Well 1	10/11/2010 4:30:00	70.59	33.80	0.79	70.10	176.64	177.06	265.06	
SW Well 1	10/11/2010 4:45:00	70.59	33.80	0.80	70.09	176.64	177.06	265.06	
SW Well 1	10/11/2010 5:00:00	70.60	33.81	0.81	70.10	176.64	177.06	265.06	
SW Well 1	10/11/2010 5:15:00	70.60	33.82	0.81	70.10	176.63	177.06	265.06	
SW Well 1	10/11/2010 5:30:00	70.60	33.82	0.82	70.09	176.63	177.06	265.06	
SW Well 1	10/11/2010 5:45:00	70.60	33.83	0.82	70.09	176.63	177.06	265.06	
SW Well 1	10/11/2010 6:00:00	70.61	33.83	0.83	70.09	176.63	177.06	265.06	
SW Well 1	10/11/2010 6:15:00	70.61	33.84	0.83	70.09	176.62	177.06	265.06	
SW Well 1	10/11/2010 6:30:00	70.62	33.84	0.84	70.09	176.62	177.06	265.06	
SW Well 1	10/11/2010 6:45:00	70.62	33.85	0.84	70.10	176.61	177.06	265.06	
SW Well 1	10/11/2010 7:00:00	70.62	33.85	0.85	70.10	176.61	177.06	265.06	
SW Well 1	10/11/2010 7:15:00	70.63	33.86	0.86	70.10	176.61	177.06	265.06	
SW Well 1	10/11/2010 7:30:00	70.63	33.86	0.86	70.10	176.60	177.06	265.06	
SW Well 1	10/11/2010 7:45:00	70.63	33.87	0.87	70.09	176.60	177.06	265.06	
SW Well 1	10/11/2010 8:00:00	70.64	33.88	0.87	70.09	176.60	177.06	265.06	
SW Well 1	10/11/2010 8:15:00	70.63	33.87	0.87	70.09	176.60	177.06	265.06	
SW Well 1	10/11/2010 8:30:00	70.64	33.88	0.87	70.09	176.60	177.06	265.06	
SW Well 1	10/11/2010 8:45:00	70.64	33.88	0.87	70.10	176.59	177.06	265.06	
SW Well 1	10/11/2010 9:00:00	70.64	33.87	0.87	70.10	176.59	177.05	265.07	
SW Well 1	10/11/2010 9:15:00	70.64	33.87	0.86	70.11	176.59	177.05	265.07	
SW Well 1	10/11/2010 9:30:00	70.65	33.87	0.87	70.11	176.58	177.04	265.08	
SW Well 1	10/11/2010 9:45:00	70.65	33.86	0.86	70.12	176.58	177.04	265.08	
SW Well 1	10/11/2010 10:00:00	70.65	33.85	0.84	70.13	176.58	177.03	265.09	
SW Well 1	10/11/2010 10:15:00	70.65	33.84	0.83	70.13	176.58	177.02	265.10	
SW Well 1	10/11/2010 10:30:00	70.65	33.82	0.82	70.14	176.58	177.01	265.11	
SW Well 1	10/11/2010 10:45:00	70.65	33.82	0.81	70.14	176.59	177.01	265.11	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	10/11/2010 11:00:00	70.65	33.81	0.81	70.15	176.58	177.00	265.12	
SW Well 1	10/11/2010 11:15:00	70.65	33.81	0.81	70.15	176.58	177.00	265.12	
SW Well 1	10/11/2010 11:30:00	70.65	33.80	0.80	70.15	176.58	177.00	265.12	
SW Well 1	10/11/2010 11:45:00	70.65	33.80	0.79	70.16	176.58	177.00	265.12	
SW Well 1	10/11/2010 12:00:00	70.65	33.80	0.79	70.16	176.58	176.99	265.13	
SW Well 1	10/11/2010 12:15:00	70.66	33.80	0.79	70.17	176.57	176.99	265.13	
SW Well 1	10/11/2010 12:30:00	70.65	33.79	0.79	70.16	176.58	176.99	265.13	
SW Well 1	10/11/2010 12:45:00	70.65	33.79	0.78	70.17	176.58	176.99	265.13	
SW Well 1	10/11/2010 13:00:00	70.65	33.78	0.78	70.17	176.58	176.98	265.14	
SW Well 1	10/11/2010 13:15:00	70.65	33.78	0.78	70.17	176.58	176.98	265.14	
SW Well 1	10/11/2010 13:30:00	70.65	33.77	0.77	70.18	176.58	176.98	265.14	
SW Well 1	10/11/2010 13:45:00	70.66	33.78	0.77	70.18	176.57	176.98	265.14	
SW Well 1	10/11/2010 14:00:00	70.66	33.77	0.77	70.18	176.57	176.97	265.15	
SW Well 1	10/11/2010 14:15:00	70.66	33.77	0.76	70.18	176.57	176.97	265.15	
SW Well 1	10/11/2010 14:30:00	70.66	33.77	0.76	70.18	176.57	176.97	265.15	
SW Well 1	10/11/2010 14:45:00	70.66	33.76	0.76	70.19	176.57	176.96	265.16	
SW Well 1	10/11/2010 15:00:00	70.65	33.75	0.74	70.19	176.58	176.96	265.16	
SW Well 1	10/11/2010 15:15:00	70.65	33.74	0.74	70.20	176.58	176.96	265.16	
SW Well 1	10/11/2010 15:30:00	70.66	33.74	0.74	70.20	176.57	176.96	265.16	
SW Well 1	10/11/2010 15:45:00	70.66	33.74	0.74	70.20	176.57	176.95	265.17	
SW Well 1	10/11/2010 16:00:00	70.67	33.75	0.75	70.20	176.57	176.95	265.17	
SW Well 1	10/11/2010 16:15:00	70.67	33.75	0.75	70.21	176.56	176.95	265.17	
SW Well 1	10/11/2010 16:30:00	70.67	33.75	0.75	70.20	176.57	176.95	265.17	
SW Well 1	10/11/2010 16:45:00	70.67	33.74	0.74	70.21	176.57	176.95	265.17	
SW Well 1	10/11/2010 17:00:00	70.67	33.74	0.74	70.21	176.57	176.94	265.18	
SW Well 1	10/11/2010 17:15:00	70.67	33.74	0.73	70.21	176.57	176.94	265.18	
SW Well 1	10/11/2010 17:30:00	70.67	33.73	0.73	70.21	176.57	176.94	265.18	
SW Well 1	10/11/2010 17:45:00	70.67	33.73	0.73	70.21	176.57	176.94	265.18	
SW Well 1	10/11/2010 18:00:00	70.67	33.73	0.73	70.21	176.57	176.94	265.18	
SW Well 1	10/11/2010 18:15:00	70.67	33.73	0.73	70.22	176.57	176.94	265.18	
SW Well 1	10/11/2010 18:30:00	70.67	33.73	0.73	70.22	176.57	176.94	265.18	
SW Well 1	10/11/2010 18:45:00	70.67	33.75	0.74	70.21	176.56	176.94	265.18	
SW Well 1	10/11/2010 19:00:00	70.67	33.75	0.75	70.21	176.56	176.94	265.18	
SW Well 1	10/11/2010 19:15:00	70.67	33.76	0.75	70.21	176.56	176.95	265.17	
SW Well 1	10/11/2010 19:30:00	70.67	33.76	0.76	70.20	176.56	176.95	265.17	
SW Well 1	10/11/2010 19:45:00	70.68	33.77	0.77	70.20	176.55	176.95	265.17	
SW Well 1	10/11/2010 20:00:00	70.67	33.77	0.77	70.20	176.56	176.96	265.16	
SW Well 1	10/11/2010 20:15:00	70.67	33.78	0.78	70.19	176.56	176.96	265.16	
SW Well 1	10/11/2010 20:30:00	70.67	33.78	0.77	70.19	176.56	176.96	265.16	
SW Well 1	10/11/2010 20:45:00	70.67	33.78	0.77	70.19	176.57	176.97	265.15	
SW Well 1	10/11/2010 21:00:00	70.67	33.79	0.78	70.18	176.56	176.97	265.15	
SW Well 1	10/11/2010 21:15:00	70.67	33.79	0.79	70.18	176.56	176.97	265.15	
SW Well 1	10/11/2010 21:30:00	70.67	33.80	0.80	70.18	176.56	176.98	265.14	
SW Well 1	10/11/2010 21:45:00	70.67	33.81	0.80	70.18	176.56	176.98	265.14	
SW Well 1	10/11/2010 22:00:00	70.67	33.81	0.80	70.17	176.56	176.98	265.14	
SW Well 1	10/11/2010 22:15:00	70.67	33.82	0.81	70.16	176.56	176.99	265.13	
SW Well 1	10/11/2010 22:30:00	70.67	33.82	0.81	70.16	176.57	176.99	265.13	
SW Well 1	10/11/2010 22:45:00	70.67	33.82	0.82	70.16	176.57	177.00	265.12	
SW Well 1	10/11/2010 23:00:00	70.66	33.82	0.81	70.15	176.57	177.00	265.12	
SW Well 1	10/11/2010 23:15:00	70.66	33.82	0.81	70.15	176.57	177.00	265.12	
SW Well 1	10/11/2010 23:30:00	70.66	33.82	0.82	70.15	176.57	177.00	265.12	
SW Well 1	10/11/2010 23:45:00	70.65	33.82	0.81	70.15	176.58	177.00	265.12	
SW Well 1	10/12/2010 0:00:00	70.65	33.82	0.81	70.15	176.58	177.00	265.12	
SW Well 1	10/12/2010 0:15:00	70.65	33.81	0.81	70.15	176.58	177.01	265.11	
SW Well 1	10/12/2010 0:30:00	70.65	33.81	0.81	70.15	176.58	177.01	265.11	
SW Well 1	10/12/2010 0:45:00	70.65	33.81	0.81	70.14	176.59	177.01	265.11	
SW Well 1	10/12/2010 1:00:00	70.65	33.81	0.80	70.15	176.59	177.01	265.11	
SW Well 1	10/12/2010 1:15:00	70.65	33.81	0.80	70.15	176.59	177.01	265.11	
SW Well 1	10/12/2010 1:30:00	70.65	33.81	0.81	70.15	176.59	177.01	265.11	
SW Well 1	10/12/2010 1:45:00	70.64	33.81	0.80	70.14	176.59	177.01	265.11	
SW Well 1	10/12/2010 2:00:00	70.64	33.81	0.80	70.14	176.59	177.01	265.11	
SW Well 1	10/12/2010 2:15:00	70.64	33.81	0.81	70.14	176.59	177.01	265.11	
SW Well 1	10/12/2010 2:30:00	70.64	33.81	0.80	70.14	176.59	177.01	265.11	
SW Well 1	10/12/2010 2:45:00	70.64	33.81	0.80	70.14	176.59	177.01	265.11	
SW Well 1	10/12/2010 3:00:00	70.64	33.81	0.81	70.14	176.59	177.01	265.11	
SW Well 1	10/12/2010 3:15:00	70.64	33.80	0.80	70.14	176.60	177.01	265.11	
SW Well 1	10/12/2010 3:30:00	70.63	33.80	0.79	70.14	176.60	177.02	265.10	
SW Well 1	10/12/2010 3:45:00	70.63	33.79	0.79	70.14	176.60	177.01	265.11	
SW Well 1	10/12/2010 4:00:00	70.63	33.79	0.78	70.14	176.61	177.01	265.11	
SW Well 1	10/12/2010 4:15:00	70.64	33.79	0.79	70.15	176.60	177.01	265.11	
SW Well 1	10/12/2010 4:30:00	70.64	33.79	0.79	70.15	176.60	177.01	265.11	
SW Well 1	10/12/2010 4:45:00	70.64	33.79	0.79	70.15	176.60	177.01	265.11	
SW Well 1	10/12/2010 5:00:00	70.64	33.80	0.79	70.14	176.60	177.01	265.11	
SW Well 1	10/12/2010 5:15:00	70.64	33.80	0.79	70.14	176.60	177.01	265.11	
SW Well 1	10/12/2010 5:30:00	70.63	33.79	0.79	70.14	176.60	177.01	265.11	
SW Well 1	10/12/2010 5:45:00	70.63	33.79	0.79	70.14	176.60	177.01	265.11	
SW Well 1	10/12/2010 6:00:00	70.63	33.79	0.79	70.14	176.60	177.01	265.11	
SW Well 1	10/12/2010 6:15:00	70.63	33.79	0.79	70.14	176.60	177.01	265.11	
SW Well 1	10/12/2010 6:30:00	70.64	33.80	0.80	70.14	176.60	177.01	265.11	
SW Well 1	10/12/2010 6:45:00	70.64	33.81	0.80	70.14	176.59	177.01	265.11	
SW Well 1	10/12/2010 7:00:00	70.64	33.80	0.80	70.14	176.60	177.01	265.11	
SW Well 1	10/12/2010 7:15:00	70.64	33.80	0.80	70.14	176.60	177.01	265.11	
SW Well 1	10/12/2010 7:30:00	70.63	33.80	0.80	70.14	176.60	177.02	265.10	
SW Well 1	10/12/2010 7:45:00	70.63	33.80	0.80	70.14	176.60	177.02	265.10	
SW Well 1	10/12/2010 8:00:00	70.63	33.80	0.80	70.14	176.60	177.02	265.10	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	10/12/2010 8:15:00	70.63	33.80	0.80	70.14	176.60	177.02	265.10	
SW Well 1	10/12/2010 8:30:00	70.63	33.79	0.79	70.14	176.61	177.02	265.10	
SW Well 1	10/12/2010 8:45:00	70.62	33.79	0.78	70.14	176.61	177.02	265.10	
SW Well 1	10/12/2010 9:00:00	70.63	33.79	0.78	70.14	176.60	177.01	265.11	
SW Well 1	10/12/2010 9:15:00	70.62	33.77	0.77	70.15	176.61	177.01	265.11	
SW Well 1	10/12/2010 9:30:00	70.62	33.75	0.75	70.15	176.61	177.00	265.12	
SW Well 1	10/12/2010 9:45:00	70.63	33.75	0.75	70.16	176.61	176.99	265.13	
SW Well 1	10/12/2010 10:00:00	70.62	33.73	0.73	70.17	176.61	176.99	265.13	
SW Well 1	10/12/2010 10:15:00	70.63	33.74	0.73	70.18	176.60	176.98	265.14	
SW Well 1	10/12/2010 10:30:00	70.62	33.72	0.72	70.18	176.61	176.98	265.14	
SW Well 1	10/12/2010 10:45:00	70.62	33.71	0.71	70.18	176.61	176.97	265.15	
SW Well 1	10/12/2010 11:00:00	70.62	33.70	0.70	70.19	176.61	176.97	265.15	
SW Well 1	10/12/2010 11:15:00	70.62	33.70	0.70	70.19	176.61	176.97	265.15	
SW Well 1	10/12/2010 11:30:00	70.62	33.70	0.69	70.19	176.61	176.97	265.15	
SW Well 1	10/12/2010 11:45:00	70.62	33.69	0.69	70.19	176.61	176.96	265.16	
SW Well 1	10/12/2010 12:00:00	70.62	33.69	0.69	70.19	176.61	176.96	265.16	
SW Well 1	10/12/2010 12:15:00	70.62	33.68	0.68	70.19	176.62	176.96	265.16	
SW Well 1	10/12/2010 12:30:00	70.61	33.68	0.67	70.19	176.62	176.96	265.16	
SW Well 1	10/12/2010 12:45:00	70.62	33.67	0.67	70.20	176.62	176.96	265.16	
SW Well 1	10/12/2010 13:00:00	70.61	33.67	0.67	70.20	176.62	176.96	265.16	
SW Well 1	10/12/2010 13:15:00	70.61	33.67	0.66	70.20	176.63	176.96	265.16	
SW Well 1	10/12/2010 13:30:00	70.60	33.66	0.66	70.20	176.63	176.96	265.16	
SW Well 1	10/12/2010 13:45:00	70.60	33.65	0.64	70.20	176.63	176.95	265.17	
SW Well 1	10/12/2010 14:00:00	70.60	33.64	0.63	70.20	176.64	176.95	265.17	
SW Well 1	10/12/2010 14:15:00	70.59	33.63	0.62	70.21	176.64	176.95	265.17	
SW Well 1	10/12/2010 14:30:00	70.59	33.62	0.62	70.21	176.64	176.95	265.17	
SW Well 1	10/12/2010 14:45:00	70.59	33.61	0.61	70.21	176.64	176.94	265.18	
SW Well 1	10/12/2010 15:00:00	70.59	33.61	0.60	70.21	176.64	176.94	265.18	
SW Well 1	10/12/2010 15:15:00	70.59	33.60	0.60	70.22	176.64	176.94	265.18	
SW Well 1	10/12/2010 15:30:00	70.59	33.60	0.59	70.22	176.64	176.93	265.19	
SW Well 1	10/12/2010 15:45:00	70.58	33.59	0.59	70.22	176.65	176.94	265.18	
SW Well 1	10/12/2010 16:00:00	70.58	33.59	0.59	70.22	176.65	176.93	265.19	
SW Well 1	10/12/2010 16:15:00	70.58	33.58	0.58	70.22	176.65	176.93	265.19	
SW Well 1	10/12/2010 16:30:00	70.58	33.57	0.57	70.22	176.66	176.93	265.19	
SW Well 1	10/12/2010 16:45:00	70.58	33.57	0.57	70.22	176.66	176.93	265.19	
SW Well 1	10/12/2010 17:00:00	70.58	33.57	0.57	70.22	176.66	176.93	265.19	
SW Well 1	10/12/2010 17:15:00	70.58	33.57	0.56	70.23	176.66	176.93	265.19	
SW Well 1	10/12/2010 17:30:00	70.58	33.57	0.56	70.23	176.66	176.93	265.19	
SW Well 1	10/12/2010 17:45:00	70.57	33.56	0.56	70.22	176.66	176.93	265.19	
SW Well 1	10/12/2010 18:00:00	70.58	33.57	0.56	70.23	176.66	176.93	265.19	
SW Well 1	10/12/2010 18:15:00	70.57	33.56	0.56	70.22	176.66	176.93	265.19	
SW Well 1	10/12/2010 18:30:00	70.57	33.57	0.57	70.22	176.66	176.93	265.19	
SW Well 1	10/12/2010 18:45:00	70.57	33.57	0.57	70.22	176.66	176.93	265.19	
SW Well 1	10/12/2010 19:00:00	70.57	33.58	0.57	70.22	176.66	176.94	265.18	
SW Well 1	10/12/2010 19:15:00	70.57	33.58	0.58	70.21	176.66	176.94	265.18	
SW Well 1	10/12/2010 19:30:00	70.57	33.58	0.58	70.21	176.66	176.95	265.17	
SW Well 1	10/12/2010 19:45:00	70.57	33.59	0.59	70.20	176.66	176.95	265.17	
SW Well 1	10/12/2010 20:00:00	70.57	33.59	0.59	70.20	176.66	176.95	265.17	
SW Well 1	10/12/2010 20:15:00	70.56	33.59	0.59	70.19	176.67	176.96	265.16	
SW Well 1	10/12/2010 20:30:00	70.56	33.60	0.59	70.19	176.67	176.96	265.16	
SW Well 1	10/12/2010 20:45:00	70.56	33.60	0.60	70.19	176.67	176.96	265.16	
SW Well 1	10/12/2010 21:00:00	70.56	33.60	0.60	70.18	176.68	176.97	265.15	
SW Well 1	10/12/2010 21:15:00	70.56	33.61	0.61	70.18	176.68	176.97	265.15	
SW Well 1	10/12/2010 21:30:00	70.55	33.61	0.61	70.18	176.68	176.98	265.14	
SW Well 1	10/12/2010 21:45:00	70.55	33.61	0.61	70.18	176.68	176.98	265.14	
SW Well 1	10/12/2010 22:00:00	70.55	33.61	0.61	70.17	176.68	176.98	265.14	
SW Well 1	10/12/2010 22:15:00	70.54	33.61	0.61	70.17	176.69	176.99	265.13	
SW Well 1	10/12/2010 22:30:00	70.54	33.61	0.61	70.16	176.69	176.99	265.13	
SW Well 1	10/12/2010 22:45:00	70.54	33.62	0.61	70.16	176.69	176.99	265.13	
SW Well 1	10/12/2010 23:00:00	70.54	33.62	0.62	70.16	176.70	177.00	265.12	
SW Well 1	10/12/2010 23:15:00	70.54	33.62	0.62	70.15	176.70	177.00	265.12	
SW Well 1	10/12/2010 23:30:00	70.54	33.62	0.62	70.15	176.70	177.00	265.12	
SW Well 1	10/12/2010 23:45:00	70.53	33.62	0.62	70.14	176.70	177.01	265.11	
SW Well 1	10/13/2010 0:00:00	70.53	33.63	0.62	70.14	176.70	177.01	265.11	
SW Well 1	10/13/2010 0:15:00	70.53	33.63	0.63	70.14	176.71	177.02	265.10	
SW Well 1	10/13/2010 0:30:00	70.53	33.63	0.63	70.14	176.71	177.02	265.10	
SW Well 1	10/13/2010 0:45:00	70.51	33.62	0.62	70.13	176.72	177.02	265.10	
SW Well 1	10/13/2010 1:00:00	70.52	33.62	0.62	70.14	176.71	177.02	265.10	
SW Well 1	10/13/2010 1:15:00	70.51	33.62	0.61	70.13	176.72	177.02	265.10	
SW Well 1	10/13/2010 1:30:00	70.51	33.61	0.61	70.13	176.73	177.03	265.09	
SW Well 1	10/13/2010 1:45:00	70.51	33.62	0.61	70.13	176.73	177.03	265.09	
SW Well 1	10/13/2010 2:00:00	70.50	33.61	0.61	70.12	176.73	177.03	265.09	
SW Well 1	10/13/2010 2:15:00	70.50	33.61	0.61	70.12	176.73	177.03	265.09	
SW Well 1	10/13/2010 2:30:00	70.50	33.61	0.61	70.12	176.73	177.03	265.09	
SW Well 1	10/13/2010 2:45:00	70.50	33.61	0.61	70.12	176.73	177.03	265.09	
SW Well 1	10/13/2010 3:00:00	70.49	33.61	0.60	70.12	176.74	177.03	265.09	
SW Well 1	10/13/2010 3:15:00	70.49	33.60	0.60	70.12	176.74	177.03	265.09	
SW Well 1	10/13/2010 3:30:00	70.49	33.60	0.60	70.12	176.75	177.04	265.08	
SW Well 1	10/13/2010 3:45:00	70.49	33.60	0.60	70.12	176.75	177.04	265.08	
SW Well 1	10/13/2010 4:00:00	70.49	33.60	0.59	70.12	176.75	177.04	265.08	
SW Well 1	10/13/2010 4:15:00	70.49	33.60	0.60	70.12	176.75	177.04	265.08	
SW Well 1	10/13/2010 4:30:00	70.48	33.60	0.59	70.12	176.75	177.04	265.08	
SW Well 1	10/13/2010 4:45:00	70.48	33.59	0.59	70.11	176.75	177.04	265.08	
SW Well 1	10/13/2010 5:00:00	70.48	33.59	0.59	70.11	176.76	177.04	265.08	
SW Well 1	10/13/2010 5:15:00	70.48	33.59	0.58	70.11	176.76	177.04	265.08	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
SW Well 1	10/13/2010 5:30:00	70.48	33.59	0.58	70.11	176.76	177.04	265.08	
SW Well 1	10/13/2010 5:45:00	70.47	33.58	0.58	70.11	176.76	177.04	265.08	
SW Well 1	10/13/2010 6:00:00	70.47	33.57	0.57	70.11	176.77	177.04	265.08	
SW Well 1	10/13/2010 6:15:00	70.47	33.57	0.57	70.12	176.77	177.04	265.08	
SW Well 1	10/13/2010 6:30:00	70.47	33.57	0.56	70.12	176.77	177.04	265.08	
SW Well 1	10/13/2010 6:45:00	70.46	33.56	0.56	70.12	176.77	177.04	265.08	
SW Well 1	10/13/2010 7:00:00	70.46	33.56	0.56	70.12	176.77	177.04	265.08	
SW Well 1	10/13/2010 7:15:00	70.46	33.56	0.55	70.12	176.77	177.04	265.08	
SW Well 1	10/13/2010 7:30:00	70.46	33.56	0.55	70.12	176.77	177.04	265.08	
SW Well 1	10/13/2010 7:45:00	70.46	33.55	0.55	70.12	176.77	177.04	265.08	
SW Well 1	10/13/2010 8:00:00	70.46	33.55	0.55	70.12	176.77	177.03	265.09	
SW Well 1	10/13/2010 8:15:00	70.46	33.55	0.54	70.12	176.78	177.04	265.08	
SW Well 1	10/13/2010 8:30:00	70.46	33.54	0.54	70.12	176.78	177.03	265.09	
SW Well 1	10/13/2010 8:45:00	70.46	33.54	0.54	70.12	176.78	177.03	265.09	
SW Well 1	10/13/2010 9:00:00	70.45	33.54	0.53	70.12	176.78	177.03	265.09	
SW Well 1	10/13/2010 9:15:00	70.45	33.54	0.54	70.12	176.78	177.04	265.08	
SW Well 1	10/13/2010 9:30:00	70.45	33.53	0.53	70.12	176.78	177.03	265.09	
SW Well 1	10/13/2010 9:45:00	70.45	33.53	0.53	70.12	176.78	177.03	265.09	
SW Well 1	10/13/2010 10:00:00	70.45	33.53	0.52	70.12	176.78	177.03	265.09	
SW Well 1	10/13/2010 10:15:00	70.45	33.52	0.52	70.13	176.78	177.03	265.09	
SW Well 1	10/13/2010 10:30:00	70.44	33.51	0.51	70.13	176.79	177.03	265.09	
SW Well 1	10/13/2010 10:45:00	70.44	33.51	0.51	70.13	176.79	177.02	265.10	
SW Well 1	10/13/2010 11:00:00	70.44	33.51	0.51	70.13	176.79	177.03	265.09	
SW Well 1	10/13/2010 11:15:00	70.44	33.51	0.51	70.12	176.80	177.03	265.09	
SW Well 1	10/13/2010 11:30:00	70.43	33.51	0.51	70.12	176.80	177.04	265.08	
SW Well 1	10/13/2010 11:45:00	70.43	33.51	0.51	70.11	176.80	177.04	265.08	
SW Well 1	10/13/2010 12:00:00	70.42	33.51	0.51	70.11	176.81	177.05	265.07	
SW Well 1	10/13/2010 12:15:00	70.42	33.51	0.51	70.10	176.82	177.05	265.07	
SW Well 1	10/13/2010 12:30:00	70.42	33.51	0.51	70.10	176.82	177.05	265.07	
SW Well 1	10/13/2010 12:45:00	70.42	33.51	0.51	70.10	176.82	177.05	265.07	
Thompson Creek Monitoring Well	4/26/2010 13:30:00	43.45	32.89	0.00	43.45	3.25	3.25	329.54	
Thompson Creek Monitoring Well	4/26/2010 17:30:00	43.39	32.85	-0.04	43.42	3.31	3.28	329.51	
Thompson Creek Monitoring Well	4/26/2010 21:30:00	43.27	32.72	-0.17	43.40	3.43	3.30	329.49	
Thompson Creek Monitoring Well	4/27/2010 1:30:00	43.16	32.59	-0.30	43.38	3.54	3.32	329.47	
Thompson Creek Monitoring Well	4/27/2010 5:30:00	43.21	32.66	-0.23	43.38	3.49	3.32	329.47	
Thompson Creek Monitoring Well	4/27/2010 9:30:00	43.22	32.68	-0.21	43.37	3.48	3.32	329.47	
Thompson Creek Monitoring Well	4/27/2010 13:30:00	43.22	32.69	-0.20	43.37	3.48	3.33	329.46	
Thompson Creek Monitoring Well	4/27/2010 17:30:00	43.27	32.73	-0.16	43.39	3.42	3.30	329.49	
Thompson Creek Monitoring Well	4/27/2010 21:30:00	43.40	32.81	-0.08	43.46	3.29	3.24	329.55	
Thompson Creek Monitoring Well	4/28/2010 1:30:00	43.44	32.88	-0.01	43.44	3.26	3.25	329.54	
Thompson Creek Monitoring Well	4/28/2010 5:30:00	43.47	32.94	0.05	43.44	3.22	3.26	329.53	
Thompson Creek Monitoring Well	4/28/2010 9:30:00	43.52	33.01	0.12	43.43	3.17	3.26	329.53	
Thompson Creek Monitoring Well	4/28/2010 13:30:00	43.57	33.07	0.18	43.44	3.12	3.26	329.53	
Thompson Creek Monitoring Well	4/28/2010 17:30:00	43.59	33.09	0.20	43.44	3.11	3.26	329.53	
Thompson Creek Monitoring Well	4/28/2010 21:30:00	43.72	33.16	0.27	43.52	2.98	3.18	329.61	
Thompson Creek Monitoring Well	4/29/2010 1:30:00	43.75	33.22	0.33	43.51	2.94	3.19	329.60	
Thompson Creek Monitoring Well	4/29/2010 5:30:00	43.78	33.27	0.38	43.50	2.91	3.20	329.59	
Thompson Creek Monitoring Well	4/29/2010 9:30:00	43.84	33.34	0.45	43.50	2.86	3.19	329.60	
Thompson Creek Monitoring Well	4/29/2010 13:30:00	43.87	33.37	0.48	43.50	2.83	3.19	329.60	
Thompson Creek Monitoring Well	4/29/2010 17:30:00	43.89	33.41	0.52	43.50	2.80	3.19	329.60	
Thompson Creek Monitoring Well	4/29/2010 21:30:00	43.97	33.50	0.61	43.51	2.73	3.19	329.60	
Thompson Creek Monitoring Well	4/30/2010 1:30:00	44.02	33.56	0.67	43.52	2.68	3.18	329.61	
Thompson Creek Monitoring Well	4/30/2010 5:30:00	44.03	33.58	0.69	43.51	2.67	3.18	329.61	
Thompson Creek Monitoring Well	4/30/2010 9:30:00	44.06	33.61	0.72	43.52	2.64	3.18	329.61	
Thompson Creek Monitoring Well	4/30/2010 13:30:00	44.02	33.57	0.68	43.51	2.68	3.19	329.60	
Thompson Creek Monitoring Well	4/30/2010 17:30:00	43.97	33.52	0.63	43.50	2.73	3.20	329.59	
Thompson Creek Monitoring Well	4/30/2010 21:30:00	43.94	33.51	0.62	43.48	2.75	3.22	329.58	
Thompson Creek Monitoring Well	5/1/2010 1:30:00	43.87	33.42	0.53	43.47	2.83	3.23	329.56	
Thompson Creek Monitoring Well	5/1/2010 5:30:00	43.78	33.33	0.44	43.45	2.92	3.25	329.54	
Thompson Creek Monitoring Well	5/1/2010 9:30:00	43.78	33.35	0.46	43.44	2.91	3.26	329.53	
Thompson Creek Monitoring Well	5/1/2010 13:30:00	43.80	33.37	0.48	43.44	2.90	3.26	329.53	
Thompson Creek Monitoring Well	5/1/2010 17:30:00	43.82	33.39	0.50	43.44	2.88	3.26	329.53	
Thompson Creek Monitoring Well	5/1/2010 21:30:00	43.88	33.47	0.58	43.44	2.82	3.25	329.54	
Thompson Creek Monitoring Well	5/2/2010 1:30:00	43.95	33.56	0.67	43.45	2.75	3.25	329.54	
Thompson Creek Monitoring Well	5/2/2010 5:30:00	43.96	33.58	0.69	43.44	2.74	3.25	329.54	
Thompson Creek Monitoring Well	5/2/2010 9:30:00	43.99	33.61	0.72	43.45	2.70	3.24	329.55	
Thompson Creek Monitoring Well	5/2/2010 13:30:00	43.93	33.55	0.66	43.44	2.76	3.26	329.53	
Thompson Creek Monitoring Well	5/2/2010 17:30:00	43.87	33.49	0.60	43.42	2.82	3.27	329.52	
Thompson Creek Monitoring Well	5/2/2010 21:30:00	43.74	33.34	0.45	43.40	2.96	3.29	329.50	
Thompson Creek Monitoring Well	5/3/2010 1:30:00	43.64	33.22	0.33	43.40	3.05	3.30	329.49	
Thompson Creek Monitoring Well	5/3/2010 5:30:00	43.75	33.14	0.25	43.56	2.95	3.13	329.66	
Thompson Creek Monitoring Well	5/3/2010 9:30:00	43.87	33.31	0.42	43.56	2.83	3.14	329.65	
Thompson Creek Monitoring Well	5/3/2010 13:30:00	43.92	33.40	0.51	43.54	2.77	3.15	329.64	
Thompson Creek Monitoring Well	5/3/2010 17:30:00	44.01	33.53	0.64	43.53	2.69	3.16	329.63	
Thompson Creek Monitoring Well	5/3/2010 21:30:00	44.10	33.64	0.75	43.53	2.60	3.17	329.62	
Thompson Creek Monitoring Well	5/4/2010 1:30:00	44.15	33.72	0.83	43.53	2.54	3.17	329.62	
Thompson Creek Monitoring Well	5/4/2010 5:30:00	44.17	33.75	0.86	43.52	2.52	3.17	329.62	
Thompson Creek Monitoring Well	5/4/2010 9:30:00	44.20	33.78	0.89	43.53	2.50	3.17	329.62	
Thompson Creek Monitoring Well	5/4/2010 13:30:00	44.17	33.76	0.87	43.51	2.53	3.18	329.61	
Thompson Creek Monitoring Well	5/4/2010 17:30:00	44.11	33.70	0.81	43.50	2.59	3.20	329.59	
Thompson Creek Monitoring Well	5/4/2010 21:30:00	44.08	33.67	0.78	43.49	2.62	3.21	329.58	
Thompson Creek Monitoring Well	5/5/2010 1:30:00	44.04	33.64	0.75	43.48	2.65	3.22	329.57	
Thompson Creek Monitoring Well	5/5/2010 5:30:00	44.02	33.63	0.74	43.47	2.68	3.23	329.56	
Thompson Creek Monitoring Well	5/5/2010 9:30:00	44.03	33.65	0.76	43.47	2.66	3.23	329.56	
Thompson Creek Monitoring Well	5/5/2010 13:30:00	44.01	33.63	0.74	43.45	2.69	3.24	329.55	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Thompson Creek Monitoring Well	5/5/2010 17:30:00	44.03	33.65	0.76	43.45	2.67	3.24	329.55	
Thompson Creek Monitoring Well	5/5/2010 21:30:00	44.05	33.68	0.79	43.45	2.65	3.24	329.55	
Thompson Creek Monitoring Well	5/6/2010 1:30:00	44.07	33.71	0.82	43.45	2.62	3.24	329.55	
Thompson Creek Monitoring Well	5/6/2010 5:30:00	44.08	33.73	0.84	43.45	2.61	3.24	329.55	
Thompson Creek Monitoring Well	5/6/2010 9:30:00	44.10	33.76	0.87	43.45	2.59	3.25	329.54	
Thompson Creek Monitoring Well	5/6/2010 13:30:00	44.09	33.74	0.85	43.45	2.61	3.25	329.54	
Thompson Creek Monitoring Well	5/6/2010 17:30:00	44.02	33.68	0.79	43.43	2.68	3.27	329.52	
Thompson Creek Monitoring Well	5/6/2010 21:30:00	44.02	33.68	0.79	43.42	2.68	3.27	329.52	
Thompson Creek Monitoring Well	5/7/2010 1:30:00	44.00	33.67	0.78	43.41	2.70	3.28	329.51	
Thompson Creek Monitoring Well	5/7/2010 5:30:00	43.96	33.63	0.74	43.41	2.73	3.29	329.50	
Thompson Creek Monitoring Well	5/7/2010 9:30:00	43.93	33.61	0.72	43.39	2.77	3.30	329.49	
Thompson Creek Monitoring Well	5/7/2010 13:30:00	43.85	33.52	0.63	43.37	2.85	3.32	329.47	
Thompson Creek Monitoring Well	5/7/2010 17:30:00	43.80	33.47	0.58	43.36	2.90	3.34	329.45	
Thompson Creek Monitoring Well	5/7/2010 21:30:00	43.79	33.48	0.59	43.35	2.91	3.35	329.44	
Thompson Creek Monitoring Well	5/8/2010 1:30:00	43.77	33.46	0.57	43.34	2.93	3.36	329.43	
Thompson Creek Monitoring Well	5/8/2010 5:30:00	43.74	33.43	0.54	43.33	2.96	3.37	329.43	
Thompson Creek Monitoring Well	5/8/2010 9:30:00	43.73	33.43	0.54	43.32	2.97	3.37	329.42	
Thompson Creek Monitoring Well	5/8/2010 13:30:00	43.68	33.38	0.49	43.31	3.02	3.39	329.40	
Thompson Creek Monitoring Well	5/8/2010 17:30:00	43.63	33.33	0.44	43.29	3.07	3.40	329.39	
Thompson Creek Monitoring Well	5/8/2010 21:30:00	43.65	33.37	0.48	43.29	3.04	3.40	329.39	
Thompson Creek Monitoring Well	5/9/2010 1:30:00	43.65	33.37	0.48	43.29	3.05	3.41	329.38	
Thompson Creek Monitoring Well	5/9/2010 5:30:00	43.63	33.35	0.46	43.28	3.07	3.42	329.37	
Thompson Creek Monitoring Well	5/9/2010 9:30:00	43.61	33.34	0.45	43.27	3.08	3.42	329.37	
Thompson Creek Monitoring Well	5/9/2010 13:30:00	43.53	33.26	0.37	43.25	3.16	3.44	329.35	
Thompson Creek Monitoring Well	5/9/2010 17:30:00	43.43	33.16	0.27	43.23	3.26	3.47	329.32	
Thompson Creek Monitoring Well	5/9/2010 21:30:00	43.44	33.18	0.29	43.22	3.26	3.48	329.31	
Thompson Creek Monitoring Well	5/10/2010 1:30:00	43.46	33.21	0.32	43.22	3.23	3.47	329.32	
Thompson Creek Monitoring Well	5/10/2010 5:30:00	43.65	33.20	0.31	43.41	3.05	3.28	329.51	
Thompson Creek Monitoring Well	5/10/2010 9:30:00	43.64	33.24	0.35	43.38	3.06	3.32	329.47	
Thompson Creek Monitoring Well	5/10/2010 13:30:00	43.64	33.28	0.39	43.35	3.06	3.35	329.44	
Thompson Creek Monitoring Well	5/10/2010 17:30:00	43.67	33.33	0.44	43.34	3.03	3.36	329.43	
Thompson Creek Monitoring Well	5/10/2010 21:30:00	43.74	33.42	0.53	43.34	2.96	3.36	329.43	
Thompson Creek Monitoring Well	5/11/2010 1:30:00	43.80	33.50	0.61	43.34	2.90	3.36	329.43	
Thompson Creek Monitoring Well	5/11/2010 5:30:00	43.86	33.58	0.69	43.34	2.84	3.35	329.44	
Thompson Creek Monitoring Well	5/11/2010 9:30:00	43.93	33.66	0.77	43.35	2.77	3.34	329.45	
Thompson Creek Monitoring Well	5/11/2010 13:30:00	43.95	33.68	0.79	43.35	2.75	3.34	329.45	
Thompson Creek Monitoring Well	5/11/2010 17:30:00	43.94	33.68	0.79	43.35	2.76	3.35	329.44	
Thompson Creek Monitoring Well	5/11/2010 21:30:00	43.95	33.70	0.81	43.34	2.75	3.35	329.44	
Thompson Creek Monitoring Well	5/12/2010 1:30:00	43.96	33.71	0.82	43.35	2.74	3.35	329.44	
Thompson Creek Monitoring Well	5/12/2010 5:30:00	43.96	33.72	0.83	43.34	2.73	3.35	329.44	
Thompson Creek Monitoring Well	5/12/2010 9:30:00	43.96	33.72	0.83	43.34	2.73	3.36	329.43	
Thompson Creek Monitoring Well	5/12/2010 13:30:00	43.89	33.65	0.76	43.32	2.81	3.37	329.42	
Thompson Creek Monitoring Well	5/12/2010 17:30:00	43.85	33.61	0.72	43.31	2.85	3.39	329.40	
Thompson Creek Monitoring Well	5/12/2010 21:30:00	43.82	33.59	0.70	43.30	2.88	3.40	329.39	
Thompson Creek Monitoring Well	5/13/2010 1:30:00	43.80	33.57	0.68	43.29	2.90	3.41	329.38	
Thompson Creek Monitoring Well	5/13/2010 5:30:00	43.78	33.55	0.66	43.28	2.92	3.41	329.38	
Thompson Creek Monitoring Well	5/13/2010 9:30:00	43.76	33.54	0.65	43.27	2.94	3.42	329.37	
Thompson Creek Monitoring Well	5/13/2010 13:30:00	43.69	33.47	0.58	43.26	3.00	3.44	329.35	
Thompson Creek Monitoring Well	5/13/2010 17:30:00	43.61	33.40	0.51	43.23	3.09	3.47	329.32	
Thompson Creek Monitoring Well	5/13/2010 21:30:00	43.60	33.39	0.50	43.22	3.10	3.48	329.31	
Thompson Creek Monitoring Well	5/14/2010 1:30:00	43.60	33.40	0.51	43.22	3.10	3.48	329.31	
Thompson Creek Monitoring Well	5/14/2010 5:30:00	43.61	33.41	0.52	43.21	3.09	3.48	329.31	
Thompson Creek Monitoring Well	5/14/2010 9:30:00	43.61	33.43	0.54	43.21	3.08	3.49	329.30	
Thompson Creek Monitoring Well	5/14/2010 13:30:00	43.57	33.40	0.51	43.19	3.12	3.50	329.29	
Thompson Creek Monitoring Well	5/14/2010 17:30:00	43.52	33.35	0.46	43.17	3.18	3.52	329.27	
Thompson Creek Monitoring Well	5/14/2010 21:30:00	43.54	33.38	0.49	43.17	3.15	3.52	329.27	
Thompson Creek Monitoring Well	5/15/2010 1:30:00	43.56	33.40	0.51	43.17	3.14	3.52	329.27	
Thompson Creek Monitoring Well	5/15/2010 5:30:00	43.57	33.42	0.53	43.17	3.13	3.52	329.27	
Thompson Creek Monitoring Well	5/15/2010 9:30:00	43.58	33.43	0.54	43.17	3.12	3.53	329.26	
Thompson Creek Monitoring Well	5/15/2010 13:30:00	43.52	33.38	0.49	43.15	3.18	3.54	329.25	
Thompson Creek Monitoring Well	5/15/2010 17:30:00	43.45	33.32	0.43	43.13	3.25	3.57	329.22	
Thompson Creek Monitoring Well	5/15/2010 21:30:00	43.46	33.33	0.44	43.13	3.24	3.57	329.22	
Thompson Creek Monitoring Well	5/16/2010 1:30:00	43.45	33.32	0.43	43.13	3.24	3.57	329.22	
Thompson Creek Monitoring Well	5/16/2010 5:30:00	43.42	33.29	0.40	43.12	3.28	3.58	329.21	
Thompson Creek Monitoring Well	5/16/2010 9:30:00	43.37	33.24	0.35	43.11	3.33	3.59	329.20	
Thompson Creek Monitoring Well	5/16/2010 13:30:00	43.29	33.17	0.28	43.08	3.40	3.61	329.18	
Thompson Creek Monitoring Well	5/16/2010 17:30:00	43.23	33.11	0.22	43.06	3.47	3.63	329.16	
Thompson Creek Monitoring Well	5/16/2010 21:30:00	43.22	33.11	0.22	43.05	3.48	3.64	329.15	
Thompson Creek Monitoring Well	5/17/2010 1:30:00	43.22	33.12	0.23	43.05	3.47	3.64	329.15	
Thompson Creek Monitoring Well	5/17/2010 5:30:00	43.18	33.07	0.18	43.05	3.51	3.65	329.14	
Thompson Creek Monitoring Well	5/17/2010 9:30:00	43.20	33.10	0.21	43.04	3.50	3.65	329.14	
Thompson Creek Monitoring Well	5/17/2010 13:30:00	43.16	33.06	0.17	43.04	3.53	3.66	329.13	
Thompson Creek Monitoring Well	5/17/2010 17:30:00	43.12	33.03	0.14	43.02	3.58	3.68	329.11	
Thompson Creek Monitoring Well	5/17/2010 21:30:00	43.20	33.11	0.22	43.03	3.50	3.67	329.13	
Thompson Creek Monitoring Well	5/18/2010 1:30:00	43.24	33.16	0.27	43.04	3.46	3.66	329.13	
Thompson Creek Monitoring Well	5/18/2010 5:30:00	43.25	33.17	0.28	43.04	3.45	3.66	329.13	
Thompson Creek Monitoring Well	5/18/2010 9:30:00	43.28	33.20	0.31	43.04	3.42	3.65	329.14	
Thompson Creek Monitoring Well	5/18/2010 13:30:00	43.31	33.24	0.35	43.05	3.38	3.64	329.15	
Thompson Creek Monitoring Well	5/18/2010 17:30:00	43.38	33.31	0.42	43.07	3.32	3.63	329.16	
Thompson Creek Monitoring Well	5/18/2010 21:30:00	43.45	33.38	0.49	43.08	3.25	3.61	329.18	
Thompson Creek Monitoring Well	5/19/2010 1:30:00	43.45	33.38	0.49	43.08	3.25	3.61	329.18	
Thompson Creek Monitoring Well	5/19/2010 5:30:00	43.39	33.31	0.42	43.08	3.30	3.62	329.17	
Thompson Creek Monitoring Well	5/19/2010 9:30:00	43.23	33.13	0.24	43.05	3.47	3.65	329.14	
Thompson Creek Monitoring Well	5/19/2010 13:30:00	43.13	33.03	0.14	43.02	3.57	3.67	329.12	
Thompson Creek Monitoring Well	5/19/2010 17:30:00	43.36	33.07	0.18	43.22	3.34	3.47	329.32	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Thompson Creek Monitoring Well	5/19/2010 21:30:00	43.39	33.21	0.32	43.15	3.31	3.55	329.24	
Thompson Creek Monitoring Well	5/20/2010 1:30:00	43.48	33.34	0.45	43.14	3.22	3.56	329.23	
Thompson Creek Monitoring Well	5/20/2010 5:30:00	43.57	33.45	0.56	43.15	3.13	3.55	329.24	
Thompson Creek Monitoring Well	5/20/2010 9:30:00	43.72	33.54	0.65	43.23	2.98	3.46	329.33	
Thompson Creek Monitoring Well	5/20/2010 13:30:00	43.73	33.55	0.66	43.24	2.97	3.46	329.33	
Thompson Creek Monitoring Well	5/20/2010 17:30:00	43.74	33.52	0.63	43.26	2.96	3.43	329.36	
Thompson Creek Monitoring Well	5/20/2010 21:30:00	43.71	33.47	0.58	43.27	2.99	3.42	329.37	
Thompson Creek Monitoring Well	5/21/2010 1:30:00	43.61	33.37	0.49	43.25	3.08	3.45	329.34	
Thompson Creek Monitoring Well	5/21/2010 5:30:00	43.51	33.28	0.39	43.22	3.19	3.48	329.31	
Thompson Creek Monitoring Well	5/21/2010 9:30:00	43.46	33.24	0.35	43.20	3.24	3.50	329.29	
Thompson Creek Monitoring Well	5/21/2010 13:30:00	43.43	33.19	0.30	43.20	3.26	3.49	329.30	
Thompson Creek Monitoring Well	5/21/2010 17:30:00	43.38	33.16	0.27	43.17	3.32	3.52	329.27	
Thompson Creek Monitoring Well	5/21/2010 21:30:00	43.39	33.19	0.30	43.16	3.31	3.54	329.25	
Thompson Creek Monitoring Well	5/22/2010 1:30:00	43.40	33.20	0.31	43.16	3.30	3.54	329.25	
Thompson Creek Monitoring Well	5/22/2010 5:30:00	43.46	33.25	0.36	43.19	3.24	3.50	329.29	
Thompson Creek Monitoring Well	5/22/2010 9:30:00	43.48	33.27	0.38	43.20	3.21	3.50	329.29	
Thompson Creek Monitoring Well	5/22/2010 13:30:00	43.47	33.28	0.39	43.18	3.23	3.52	329.27	
Thompson Creek Monitoring Well	5/22/2010 17:30:00	43.46	33.28	0.39	43.16	3.24	3.54	329.25	
Thompson Creek Monitoring Well	5/22/2010 21:30:00	43.49	33.35	0.46	43.15	3.21	3.55	329.24	
Thompson Creek Monitoring Well	5/23/2010 1:30:00	43.52	33.39	0.50	43.15	3.18	3.55	329.24	
Thompson Creek Monitoring Well	5/23/2010 5:30:00	43.50	33.37	0.48	43.13	3.20	3.56	329.23	
Thompson Creek Monitoring Well	5/23/2010 9:30:00	43.49	33.37	0.48	43.13	3.21	3.57	329.22	
Thompson Creek Monitoring Well	5/23/2010 13:30:00	43.45	33.34	0.45	43.11	3.25	3.58	329.21	
Thompson Creek Monitoring Well	5/23/2010 17:30:00	43.40	33.29	0.40	43.09	3.30	3.60	329.19	
Thompson Creek Monitoring Well	5/23/2010 21:30:00	43.40	33.30	0.41	43.09	3.30	3.61	329.18	
Thompson Creek Monitoring Well	5/24/2010 1:30:00	43.38	33.29	0.40	43.08	3.32	3.62	329.17	
Thompson Creek Monitoring Well	5/24/2010 5:30:00	43.37	33.28	0.39	43.07	3.33	3.62	329.17	
Thompson Creek Monitoring Well	5/24/2010 9:30:00	43.37	33.30	0.41	43.06	3.32	3.63	329.16	
Thompson Creek Monitoring Well	5/24/2010 13:30:00	43.35	33.29	0.40	43.05	3.34	3.64	329.15	
Thompson Creek Monitoring Well	5/24/2010 17:30:00	43.33	33.27	0.38	43.04	3.37	3.66	329.13	
Thompson Creek Monitoring Well	5/24/2010 21:30:00	43.32	33.27	0.38	43.03	3.38	3.67	329.12	
Thompson Creek Monitoring Well	5/25/2010 1:30:00	43.30	33.25	0.36	43.02	3.40	3.67	329.12	
Thompson Creek Monitoring Well	5/25/2010 5:30:00	43.26	33.22	0.33	43.02	3.43	3.68	329.11	
Thompson Creek Monitoring Well	5/25/2010 9:30:00	43.28	33.24	0.35	43.02	3.42	3.68	329.11	
Thompson Creek Monitoring Well	5/25/2010 13:30:00	43.27	33.23	0.34	43.01	3.43	3.68	329.11	
Thompson Creek Monitoring Well	5/25/2010 17:30:00	43.24	33.21	0.32	43.00	3.46	3.70	329.09	
Thompson Creek Monitoring Well	5/25/2010 21:30:00	43.25	33.19	0.30	43.02	3.45	3.68	329.11	
Thompson Creek Monitoring Well	5/26/2010 1:30:00	43.22	33.14	0.25	43.04	3.47	3.66	329.13	
Thompson Creek Monitoring Well	5/26/2010 5:30:00	43.24	33.10	0.21	43.08	3.46	3.61	329.18	
Thompson Creek Monitoring Well	5/26/2010 9:30:00	43.24	33.11	0.23	43.07	3.46	3.62	329.17	
Thompson Creek Monitoring Well	5/26/2010 13:30:00	43.43	33.16	0.27	43.23	3.27	3.47	329.32	
Thompson Creek Monitoring Well	5/26/2010 17:30:00	43.54	33.26	0.37	43.26	3.15	3.43	329.36	
Thompson Creek Monitoring Well	5/26/2010 21:30:00	43.52	33.30	0.41	43.21	3.18	3.48	329.31	
Thompson Creek Monitoring Well	5/27/2010 1:30:00	43.48	33.28	0.39	43.19	3.21	3.51	329.28	
Thompson Creek Monitoring Well	5/27/2010 5:30:00	43.45	33.27	0.38	43.17	3.25	3.53	329.26	
Thompson Creek Monitoring Well	5/27/2010 9:30:00	43.42	33.24	0.35	43.16	3.27	3.54	329.25	
Thompson Creek Monitoring Well	5/27/2010 13:30:00	43.39	33.22	0.33	43.14	3.31	3.56	329.23	
Thompson Creek Monitoring Well	5/27/2010 17:30:00	43.40	33.25	0.36	43.13	3.30	3.57	329.22	
Thompson Creek Monitoring Well	5/27/2010 21:30:00	43.42	33.28	0.39	43.12	3.28	3.57	329.22	
Thompson Creek Monitoring Well	5/28/2010 1:30:00	43.43	33.31	0.42	43.12	3.27	3.58	329.21	
Thompson Creek Monitoring Well	5/28/2010 5:30:00	43.46	33.35	0.46	43.11	3.24	3.58	329.21	
Thompson Creek Monitoring Well	5/28/2010 9:30:00	43.54	33.41	0.52	43.15	3.16	3.55	329.24	
Thompson Creek Monitoring Well	5/28/2010 13:30:00	43.88	33.49	0.60	43.43	2.82	3.27	329.52	
Thompson Creek Monitoring Well	5/28/2010 17:30:00	44.07	33.56	0.67	43.57	2.63	3.13	329.66	
Thompson Creek Monitoring Well	5/28/2010 21:30:00	44.16	33.60	0.71	43.63	2.54	3.07	329.72	
Thompson Creek Monitoring Well	5/29/2010 1:30:00	44.27	33.61	0.72	43.73	2.43	2.97	329.82	
Thompson Creek Monitoring Well	5/29/2010 5:30:00	44.26	33.64	0.75	43.70	2.44	3.00	329.79	
Thompson Creek Monitoring Well	5/29/2010 9:30:00	44.27	33.68	0.79	43.67	2.43	3.02	329.77	
Thompson Creek Monitoring Well	5/29/2010 13:30:00	44.23	33.69	0.80	43.63	2.47	3.07	329.72	
Thompson Creek Monitoring Well	5/29/2010 17:30:00	44.16	33.65	0.76	43.59	2.54	3.11	329.68	
Thompson Creek Monitoring Well	5/29/2010 21:30:00	44.11	33.64	0.75	43.55	2.59	3.15	329.64	
Thompson Creek Monitoring Well	5/30/2010 1:30:00	44.03	33.58	0.69	43.52	2.67	3.18	329.61	
Thompson Creek Monitoring Well	5/30/2010 5:30:00	43.96	33.52	0.63	43.49	2.74	3.21	329.58	
Thompson Creek Monitoring Well	5/30/2010 9:30:00	43.92	33.49	0.60	43.46	2.78	3.23	329.56	
Thompson Creek Monitoring Well	5/30/2010 13:30:00	43.84	33.42	0.53	43.44	2.86	3.26	329.53	
Thompson Creek Monitoring Well	5/30/2010 17:30:00	43.75	33.35	0.46	43.41	2.95	3.29	329.50	
Thompson Creek Monitoring Well	5/30/2010 21:30:00	43.69	33.29	0.40	43.38	3.01	3.31	329.48	
Thompson Creek Monitoring Well	5/31/2010 1:30:00	43.64	33.25	0.36	43.38	3.05	3.32	329.47	
Thompson Creek Monitoring Well	5/31/2010 5:30:00	43.69	33.19	0.30	43.47	3.00	3.23	329.56	
Thompson Creek Monitoring Well	5/31/2010 9:30:00	43.81	33.20	0.31	43.58	2.88	3.11	329.68	
Thompson Creek Monitoring Well	5/31/2010 13:30:00	43.84	33.22	0.33	43.58	2.86	3.11	329.68	
Thompson Creek Monitoring Well	5/31/2010 17:30:00	43.84	33.26	0.37	43.56	2.86	3.14	329.65	
Thompson Creek Monitoring Well	5/31/2010 21:30:00	43.83	33.30	0.41	43.52	2.87	3.17	329.62	
Thompson Creek Monitoring Well	6/1/2010 1:30:00	43.82	33.31	0.42	43.50	2.88	3.20	329.59	
Thompson Creek Monitoring Well	6/1/2010 5:30:00	43.79	33.31	0.42	43.48	2.90	3.22	329.57	
Thompson Creek Monitoring Well	6/1/2010 9:30:00	43.77	33.30	0.41	43.46	2.93	3.23	329.56	
Thompson Creek Monitoring Well	6/1/2010 13:30:00	43.74	33.28	0.39	43.44	2.96	3.26	329.53	
Thompson Creek Monitoring Well	6/1/2010 17:30:00	43.66	33.23	0.34	43.41	3.03	3.29	329.50	
Thompson Creek Monitoring Well	6/1/2010 21:30:00	43.57	33.14	0.25	43.39	3.12	3.31	329.48	
Thompson Creek Monitoring Well	6/2/2010 1:30:00	43.59	33.06	0.17	43.47	3.10	3.23	329.56	
Thompson Creek Monitoring Well	6/2/2010 5:30:00	43.64	32.96	0.07	43.59	3.06	3.11	329.68	
Thompson Creek Monitoring Well	6/2/2010 9:30:00	43.63	32.95	0.06	43.59	3.06	3.10	329.69	
Thompson Creek Monitoring Well	6/2/2010 13:30:00	43.63	32.98	0.09	43.57	3.06	3.13	329.66	
Thompson Creek Monitoring Well	6/2/2010 17:30:00	43.66	33.06	0.17	43.53	3.04	3.16	329.63	
Thompson Creek Monitoring Well	6/2/2010 21:30:00	43.76	33.20	0.31	43.53	2.93	3.17	329.62	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Thompson Creek Monitoring Well	6/3/2010 1:30:00	43.83	33.30	0.41	43.52	2.86	3.17	329.62	
Thompson Creek Monitoring Well	6/3/2010 5:30:00	43.85	33.33	0.44	43.52	2.85	3.18	329.61	
Thompson Creek Monitoring Well	6/3/2010 9:30:00	43.83	33.33	0.44	43.50	2.86	3.19	329.60	
Thompson Creek Monitoring Well	6/3/2010 13:30:00	43.75	33.26	0.37	43.47	2.94	3.22	329.57	
Thompson Creek Monitoring Well	6/3/2010 17:30:00	43.64	33.17	0.28	43.43	3.05	3.26	329.53	
Thompson Creek Monitoring Well	6/3/2010 21:30:00	43.58	33.11	0.22	43.41	3.12	3.29	329.50	
Thompson Creek Monitoring Well	6/4/2010 1:30:00	43.47	33.00	0.11	43.39	3.23	3.31	329.48	
Thompson Creek Monitoring Well	6/4/2010 5:30:00	43.55	32.97	0.08	43.49	3.15	3.21	329.58	
Thompson Creek Monitoring Well	6/4/2010 9:30:00	43.69	33.10	0.21	43.53	3.01	3.17	329.62	
Thompson Creek Monitoring Well	6/4/2010 13:30:00	43.77	33.23	0.34	43.52	2.92	3.18	329.61	
Thompson Creek Monitoring Well	6/4/2010 17:30:00	43.83	33.33	0.44	43.50	2.87	3.20	329.59	
Thompson Creek Monitoring Well	6/4/2010 21:30:00	43.89	33.41	0.52	43.50	2.81	3.20	329.59	
Thompson Creek Monitoring Well	6/5/2010 1:30:00	43.96	33.51	0.62	43.50	2.74	3.20	329.59	
Thompson Creek Monitoring Well	6/5/2010 5:30:00	43.99	33.55	0.66	43.50	2.71	3.20	329.59	
Thompson Creek Monitoring Well	6/5/2010 9:30:00	43.99	33.56	0.67	43.49	2.70	3.21	329.58	
Thompson Creek Monitoring Well	6/5/2010 13:30:00	43.90	33.47	0.58	43.47	2.79	3.23	329.56	
Thompson Creek Monitoring Well	6/5/2010 17:30:00	43.81	33.40	0.51	43.43	2.89	3.27	329.52	
Thompson Creek Monitoring Well	6/5/2010 21:30:00	43.76	33.36	0.47	43.41	2.94	3.29	329.50	
Thompson Creek Monitoring Well	6/6/2010 1:30:00	43.73	33.32	0.43	43.40	2.97	3.29	329.50	
Thompson Creek Monitoring Well	6/6/2010 5:30:00	43.73	33.33	0.45	43.40	2.96	3.30	329.49	
Thompson Creek Monitoring Well	6/6/2010 9:30:00	43.88	33.32	0.43	43.56	2.81	3.13	329.66	
Thompson Creek Monitoring Well	6/6/2010 13:30:00	43.92	33.32	0.43	43.60	2.77	3.09	329.70	
Thompson Creek Monitoring Well	6/6/2010 17:30:00	44.07	33.35	0.46	43.73	2.63	2.97	329.82	
Thompson Creek Monitoring Well	6/6/2010 21:30:00	44.10	33.39	0.50	43.72	2.60	2.97	329.82	
Thompson Creek Monitoring Well	6/7/2010 1:30:00	44.10	33.45	0.56	43.69	2.59	3.01	329.78	
Thompson Creek Monitoring Well	6/7/2010 5:30:00	44.12	33.50	0.61	43.66	2.58	3.03	329.76	
Thompson Creek Monitoring Well	6/7/2010 9:30:00	44.15	33.55	0.66	43.65	2.55	3.05	329.74	
Thompson Creek Monitoring Well	6/7/2010 13:30:00	44.11	33.55	0.66	43.62	2.58	3.08	329.71	
Thompson Creek Monitoring Well	6/7/2010 17:30:00	44.06	33.51	0.63	43.59	2.64	3.10	329.69	
Thompson Creek Monitoring Well	6/7/2010 21:30:00	44.05	33.52	0.63	43.57	2.65	3.12	329.67	
Thompson Creek Monitoring Well	6/8/2010 1:30:00	44.01	33.49	0.60	43.55	2.69	3.14	329.65	
Thompson Creek Monitoring Well	6/8/2010 5:30:00	43.95	33.44	0.55	43.53	2.75	3.16	329.63	
Thompson Creek Monitoring Well	6/8/2010 9:30:00	43.88	33.38	0.49	43.51	2.82	3.18	329.61	
Thompson Creek Monitoring Well	6/8/2010 13:30:00	43.74	33.24	0.35	43.48	2.95	3.22	329.57	
Thompson Creek Monitoring Well	6/8/2010 17:30:00	43.64	33.16	0.27	43.44	3.05	3.26	329.53	
Thompson Creek Monitoring Well	6/8/2010 21:30:00	43.61	33.16	0.27	43.41	3.08	3.28	329.51	
Thompson Creek Monitoring Well	6/9/2010 1:30:00	43.61	33.15	0.26	43.41	3.09	3.28	329.51	
Thompson Creek Monitoring Well	6/9/2010 5:30:00	43.60	33.11	0.22	43.43	3.10	3.27	329.52	
Thompson Creek Monitoring Well	6/9/2010 9:30:00	43.67	33.11	0.22	43.50	3.02	3.19	329.60	
Thompson Creek Monitoring Well	6/9/2010 13:30:00	43.67	33.13	0.24	43.48	3.03	3.21	329.58	
Thompson Creek Monitoring Well	6/9/2010 17:30:00	43.68	33.16	0.27	43.48	3.02	3.22	329.57	
Thompson Creek Monitoring Well	6/9/2010 21:30:00	43.77	33.25	0.36	43.50	2.93	3.19	329.60	
Thompson Creek Monitoring Well	6/10/2010 1:30:00	43.78	33.28	0.39	43.49	2.92	3.21	329.58	
Thompson Creek Monitoring Well	6/10/2010 5:30:00	43.80	33.30	0.41	43.49	2.90	3.21	329.58	
Thompson Creek Monitoring Well	6/10/2010 9:30:00	43.96	33.36	0.47	43.61	2.73	3.09	329.70	
Thompson Creek Monitoring Well	6/10/2010 13:30:00	44.02	33.43	0.54	43.62	2.68	3.08	329.71	
Thompson Creek Monitoring Well	6/10/2010 17:30:00	44.04	33.48	0.59	43.59	2.66	3.10	329.69	
Thompson Creek Monitoring Well	6/10/2010 21:30:00	44.09	33.56	0.67	43.59	2.60	3.11	329.68	
Thompson Creek Monitoring Well	6/11/2010 1:30:00	44.13	33.62	0.73	43.58	2.57	3.11	329.68	
Thompson Creek Monitoring Well	6/11/2010 5:30:00	44.16	33.66	0.77	43.58	2.54	3.12	329.67	
Thompson Creek Monitoring Well	6/11/2010 9:30:00	44.19	33.72	0.83	43.57	2.50	3.12	329.67	
Thompson Creek Monitoring Well	6/11/2010 13:30:00	44.21	33.76	0.87	43.56	2.48	3.13	329.66	
Thompson Creek Monitoring Well	6/11/2010 17:30:00	44.20	33.75	0.86	43.55	2.50	3.15	329.64	
Thompson Creek Monitoring Well	6/11/2010 21:30:00	44.18	33.75	0.86	43.54	2.52	3.16	329.63	
Thompson Creek Monitoring Well	6/12/2010 1:30:00	44.19	33.76	0.87	43.54	2.51	3.16	329.63	
Thompson Creek Monitoring Well	6/12/2010 5:30:00	44.17	33.74	0.85	43.52	2.53	3.17	329.62	
Thompson Creek Monitoring Well	6/12/2010 9:30:00	44.14	33.72	0.83	43.52	2.56	3.18	329.61	
Thompson Creek Monitoring Well	6/12/2010 13:30:00	44.06	33.64	0.75	43.49	2.64	3.20	329.59	
Thompson Creek Monitoring Well	6/12/2010 17:30:00	43.96	33.56	0.67	43.46	2.74	3.24	329.55	
Thompson Creek Monitoring Well	6/12/2010 21:30:00	43.93	33.54	0.65	43.44	2.77	3.26	329.53	
Thompson Creek Monitoring Well	6/13/2010 1:30:00	43.93	33.54	0.65	43.44	2.77	3.26	329.53	
Thompson Creek Monitoring Well	6/13/2010 5:30:00	43.94	33.56	0.67	43.43	2.76	3.26	329.53	
Thompson Creek Monitoring Well	6/13/2010 9:30:00	43.96	33.60	0.71	43.43	2.73	3.27	329.52	
Thompson Creek Monitoring Well	6/13/2010 13:30:00	43.96	33.60	0.71	43.42	2.74	3.28	329.51	
Thompson Creek Monitoring Well	6/13/2010 17:30:00	43.92	33.58	0.69	43.40	2.78	3.30	329.49	
Thompson Creek Monitoring Well	6/13/2010 21:30:00	43.92	33.60	0.71	43.39	2.77	3.31	329.48	
Thompson Creek Monitoring Well	6/14/2010 1:30:00	43.95	33.63	0.74	43.39	2.75	3.31	329.48	
Thompson Creek Monitoring Well	6/14/2010 5:30:00	43.95	33.63	0.74	43.39	2.75	3.31	329.48	
Thompson Creek Monitoring Well	6/14/2010 9:30:00	43.94	33.64	0.75	43.38	2.75	3.31	329.48	
Thompson Creek Monitoring Well	6/14/2010 13:30:00	43.90	33.58	0.69	43.37	2.80	3.32	329.47	
Thompson Creek Monitoring Well	6/14/2010 17:30:00	43.82	33.52	0.63	43.34	2.88	3.35	329.44	
Thompson Creek Monitoring Well	6/14/2010 21:30:00	43.80	33.51	0.62	43.33	2.90	3.36	329.43	
Thompson Creek Monitoring Well	6/15/2010 1:30:00	43.78	33.50	0.61	43.32	2.92	3.37	329.42	
Thompson Creek Monitoring Well	6/15/2010 5:30:00	43.74	33.45	0.56	43.31	2.96	3.38	329.41	
Thompson Creek Monitoring Well	6/15/2010 9:30:00	43.72	33.44	0.55	43.31	2.98	3.39	329.40	
Thompson Creek Monitoring Well	6/15/2010 13:30:00	43.71	33.43	0.54	43.30	2.99	3.39	329.40	
Thompson Creek Monitoring Well	6/15/2010 17:30:00	43.75	33.41	0.52	43.36	2.94	3.34	329.45	
Thompson Creek Monitoring Well	6/15/2010 21:30:00	43.72	33.41	0.52	43.34	2.97	3.36	329.43	
Thompson Creek Monitoring Well	6/16/2010 1:30:00	43.71	33.40	0.51	43.33	2.98	3.37	329.42	
Thompson Creek Monitoring Well	6/16/2010 5:30:00	43.71	33.38	0.49	43.34	2.99	3.36	329.43	
Thompson Creek Monitoring Well	6/16/2010 9:30:00	43.74	33.39	0.50	43.36	2.96	3.33	329.46	
Thompson Creek Monitoring Well	6/16/2010 13:30:00	43.74	33.41	0.52	43.35	2.95	3.34	329.45	
Thompson Creek Monitoring Well	6/16/2010 17:30:00	43.74	33.43	0.54	43.34	2.95	3.36	329.44	
Thompson Creek Monitoring Well	6/16/2010 21:30:00	43.75	33.44	0.55	43.34	2.95	3.36	329.43	
Thompson Creek Monitoring Well	6/17/2010 1:30:00	43.76	33.46	0.57	43.33	2.94	3.36	329.43	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Thompson Creek Monitoring Well	6/17/2010 5:30:00	43.77	33.48	0.59	43.33	2.93	3.37	329.42	
Thompson Creek Monitoring Well	6/17/2010 9:30:00	43.79	33.50	0.61	43.33	2.91	3.37	329.42	
Thompson Creek Monitoring Well	6/17/2010 13:30:00	43.79	33.51	0.62	43.32	2.91	3.38	329.41	
Thompson Creek Monitoring Well	6/17/2010 17:30:00	43.77	33.50	0.61	43.31	2.93	3.38	329.41	
Thompson Creek Monitoring Well	6/17/2010 21:30:00	43.75	33.48	0.59	43.30	2.95	3.39	329.40	
Thompson Creek Monitoring Well	6/18/2010 1:30:00	43.72	33.45	0.56	43.30	2.98	3.40	329.39	
Thompson Creek Monitoring Well	6/18/2010 5:30:00	43.69	33.42	0.53	43.29	3.01	3.41	329.38	
Thompson Creek Monitoring Well	6/18/2010 9:30:00	43.65	33.39	0.50	43.28	3.04	3.42	329.37	
Thompson Creek Monitoring Well	6/18/2010 13:30:00	43.59	33.33	0.44	43.26	3.11	3.44	329.36	
Thompson Creek Monitoring Well	6/18/2010 17:30:00	43.54	33.29	0.40	43.24	3.15	3.46	329.33	
Thompson Creek Monitoring Well	6/18/2010 21:30:00	43.54	33.29	0.40	43.23	3.16	3.46	329.33	
Thompson Creek Monitoring Well	6/19/2010 1:30:00	43.85	33.36	0.47	43.50	2.85	3.20	329.59	
Thompson Creek Monitoring Well	6/19/2010 5:30:00	43.80	33.37	0.48	43.44	2.89	3.25	329.54	
Thompson Creek Monitoring Well	6/19/2010 9:30:00	44.13	33.43	0.54	43.73	2.57	2.97	329.82	
Thompson Creek Monitoring Well	6/19/2010 13:30:00	44.09	33.46	0.57	43.67	2.60	3.03	329.76	
Thompson Creek Monitoring Well	6/19/2010 17:30:00	44.08	33.46	0.57	43.65	2.62	3.05	329.74	
Thompson Creek Monitoring Well	6/19/2010 21:30:00	44.06	33.48	0.59	43.62	2.64	3.08	329.71	
Thompson Creek Monitoring Well	6/20/2010 1:30:00	44.03	33.48	0.59	43.59	2.67	3.11	329.68	
Thompson Creek Monitoring Well	6/20/2010 5:30:00	44.01	33.49	0.60	43.57	2.68	3.13	329.66	
Thompson Creek Monitoring Well	6/20/2010 9:30:00	44.00	33.50	0.61	43.55	2.69	3.15	329.64	
Thompson Creek Monitoring Well	6/20/2010 13:30:00	44.03	33.51	0.62	43.57	2.67	3.13	329.66	
Thompson Creek Monitoring Well	6/20/2010 17:30:00	44.02	33.50	0.61	43.56	2.68	3.14	329.65	
Thompson Creek Monitoring Well	6/20/2010 21:30:00	44.02	33.52	0.63	43.54	2.68	3.15	329.64	
Thompson Creek Monitoring Well	6/21/2010 1:30:00	44.00	33.52	0.63	43.53	2.70	3.17	329.62	
Thompson Creek Monitoring Well	6/21/2010 5:30:00	43.99	33.52	0.63	43.51	2.71	3.18	329.61	
Thompson Creek Monitoring Well	6/21/2010 9:30:00	43.98	33.53	0.64	43.50	2.72	3.20	329.59	
Thompson Creek Monitoring Well	6/21/2010 13:30:00	43.96	33.53	0.64	43.48	2.73	3.21	329.58	
Thompson Creek Monitoring Well	6/21/2010 17:30:00	43.92	33.50	0.61	43.47	2.78	3.23	329.56	
Thompson Creek Monitoring Well	6/21/2010 21:30:00	43.90	33.49	0.60	43.45	2.80	3.25	329.54	
Thompson Creek Monitoring Well	6/22/2010 1:30:00	43.89	33.49	0.60	43.44	2.80	3.25	329.54	
Thompson Creek Monitoring Well	6/22/2010 5:30:00	43.87	33.48	0.59	43.43	2.82	3.26	329.53	
Thompson Creek Monitoring Well	6/22/2010 9:30:00	43.88	33.50	0.61	43.43	2.82	3.27	329.52	
Thompson Creek Monitoring Well	6/22/2010 13:30:00	43.83	33.45	0.56	43.41	2.86	3.29	329.50	
Thompson Creek Monitoring Well	6/22/2010 17:30:00	43.77	33.41	0.52	43.38	2.93	3.32	329.47	
Thompson Creek Monitoring Well	6/22/2010 21:30:00	43.74	33.39	0.50	43.36	2.96	3.33	329.46	
Thompson Creek Monitoring Well	6/23/2010 1:30:00	43.73	33.38	0.49	43.36	2.97	3.34	329.45	
Thompson Creek Monitoring Well	6/23/2010 5:30:00	43.71	33.37	0.48	43.35	2.98	3.34	329.45	
Thompson Creek Monitoring Well	6/23/2010 9:30:00	43.72	33.39	0.50	43.35	2.98	3.35	329.44	
Thompson Creek Monitoring Well	6/23/2010 13:30:00	43.67	33.34	0.45	43.33	3.03	3.37	329.42	
Thompson Creek Monitoring Well	6/23/2010 17:30:00	43.60	33.29	0.40	43.30	3.10	3.40	329.39	
Thompson Creek Monitoring Well	6/23/2010 21:30:00	43.62	33.33	0.44	43.29	3.07	3.40	329.39	
Thompson Creek Monitoring Well	6/24/2010 1:30:00	43.63	33.34	0.45	43.29	3.06	3.41	329.38	
Thompson Creek Monitoring Well	6/24/2010 5:30:00	43.63	33.34	0.45	43.29	3.07	3.41	329.38	
Thompson Creek Monitoring Well	6/24/2010 9:30:00	43.63	33.35	0.46	43.28	3.06	3.41	329.38	
Thompson Creek Monitoring Well	6/24/2010 13:30:00	43.57	33.30	0.41	43.27	3.12	3.43	329.36	
Thompson Creek Monitoring Well	6/24/2010 17:30:00	43.51	33.25	0.36	43.24	3.18	3.46	329.33	
Thompson Creek Monitoring Well	6/24/2010 21:30:00	43.51	33.26	0.37	43.23	3.19	3.46	329.33	
Thompson Creek Monitoring Well	6/25/2010 1:30:00	43.51	33.27	0.38	43.23	3.18	3.47	329.32	
Thompson Creek Monitoring Well	6/25/2010 5:30:00	43.52	33.27	0.38	43.23	3.18	3.47	329.32	
Thompson Creek Monitoring Well	6/25/2010 9:30:00	43.55	33.31	0.42	43.24	3.14	3.46	329.33	
Thompson Creek Monitoring Well	6/25/2010 13:30:00	43.57	33.34	0.45	43.23	3.13	3.46	329.33	
Thompson Creek Monitoring Well	6/25/2010 17:30:00	43.54	33.32	0.43	43.22	3.16	3.48	329.31	
Thompson Creek Monitoring Well	6/25/2010 21:30:00	43.56	33.35	0.46	43.21	3.14	3.49	329.30	
Thompson Creek Monitoring Well	6/26/2010 1:30:00	43.59	33.39	0.50	43.22	3.10	3.48	329.31	
Thompson Creek Monitoring Well	6/26/2010 5:30:00	43.61	33.41	0.52	43.22	3.09	3.48	329.31	
Thompson Creek Monitoring Well	6/26/2010 9:30:00	43.64	33.45	0.56	43.22	3.05	3.48	329.31	
Thompson Creek Monitoring Well	6/26/2010 13:30:00	43.62	33.43	0.54	43.21	3.08	3.48	329.31	
Thompson Creek Monitoring Well	6/26/2010 17:30:00	43.55	33.36	0.47	43.19	3.15	3.51	329.28	
Thompson Creek Monitoring Well	6/26/2010 21:30:00	43.54	33.37	0.48	43.18	3.16	3.52	329.27	
Thompson Creek Monitoring Well	6/27/2010 1:30:00	43.53	33.37	0.48	43.17	3.17	3.52	329.27	
Thompson Creek Monitoring Well	6/27/2010 5:30:00	43.53	33.36	0.47	43.18	3.17	3.52	329.27	
Thompson Creek Monitoring Well	6/27/2010 9:30:00	43.51	33.34	0.45	43.17	3.18	3.52	329.27	
Thompson Creek Monitoring Well	6/27/2010 13:30:00	43.45	33.29	0.40	43.15	3.25	3.54	329.25	
Thompson Creek Monitoring Well	6/27/2010 17:30:00	43.40	33.23	0.34	43.14	3.30	3.56	329.23	
Thompson Creek Monitoring Well	6/27/2010 21:30:00	43.38	33.22	0.33	43.13	3.32	3.57	329.22	
Thompson Creek Monitoring Well	6/28/2010 1:30:00	43.36	33.20	0.31	43.13	3.34	3.57	329.22	
Thompson Creek Monitoring Well	6/28/2010 5:30:00	43.35	33.19	0.31	43.13	3.34	3.57	329.22	
Thompson Creek Monitoring Well	6/28/2010 9:30:00	43.37	33.21	0.32	43.12	3.33	3.57	329.22	
Thompson Creek Monitoring Well	6/28/2010 13:30:00	43.35	33.19	0.31	43.12	3.35	3.58	329.21	
Thompson Creek Monitoring Well	6/28/2010 17:30:00	43.33	33.20	0.31	43.10	3.36	3.59	329.20	
Thompson Creek Monitoring Well	6/28/2010 21:30:00	43.37	33.24	0.35	43.10	3.33	3.59	329.20	
Thompson Creek Monitoring Well	6/29/2010 1:30:00	43.40	33.28	0.39	43.10	3.30	3.59	329.20	
Thompson Creek Monitoring Well	6/29/2010 5:30:00	43.41	33.30	0.41	43.10	3.28	3.59	329.20	
Thompson Creek Monitoring Well	6/29/2010 9:30:00	43.44	33.33	0.44	43.11	3.26	3.59	329.20	
Thompson Creek Monitoring Well	6/29/2010 13:30:00	43.42	33.31	0.42	43.10	3.28	3.60	329.19	
Thompson Creek Monitoring Well	6/29/2010 17:30:00	43.40	33.30	0.41	43.09	3.30	3.60	329.19	
Thompson Creek Monitoring Well	6/29/2010 21:30:00	43.42	33.33	0.44	43.08	3.28	3.61	329.18	
Thompson Creek Monitoring Well	6/30/2010 1:30:00	43.46	33.39	0.50	43.09	3.23	3.61	329.18	
Thompson Creek Monitoring Well	6/30/2010 5:30:00	43.48	33.42	0.53	43.08	3.22	3.61	329.18	
Thompson Creek Monitoring Well	6/30/2010 9:30:00	43.51	33.44	0.55	43.09	3.19	3.60	329.19	
Thompson Creek Monitoring Well	6/30/2010 13:30:00	43.47	33.40	0.51	43.09	3.22	3.60	329.19	
Thompson Creek Monitoring Well	6/30/2010 17:30:00	43.39	33.31	0.42	43.07	3.31	3.63	329.16	
Thompson Creek Monitoring Well	6/30/2010 21:30:00	43.34	33.27	0.38	43.05	3.36	3.65	329.14	
Thompson Creek Monitoring Well	7/1/2010 1:30:00	43.32	33.26	0.37	43.04	3.38	3.65	329.14	
Thompson Creek Monitoring Well	7/1/2010 5:30:00	43.32	33.26	0.37	43.04	3.38	3.66	329.13	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Thompson Creek Monitoring Well	7/1/2010 9:30:00	43.30	33.24	0.35	43.04	3.40	3.66	329.13	
Thompson Creek Monitoring Well	7/1/2010 13:30:00	43.28	33.21	0.32	43.04	3.42	3.66	329.13	
Thompson Creek Monitoring Well	7/1/2010 17:30:00	43.25	33.18	0.29	43.03	3.45	3.67	329.12	
Thompson Creek Monitoring Well	7/1/2010 21:30:00	43.23	33.16	0.27	43.02	3.47	3.67	329.12	
Thompson Creek Monitoring Well	7/2/2010 1:30:00	43.22	33.14	0.25	43.03	3.48	3.67	329.12	
Thompson Creek Monitoring Well	7/2/2010 5:30:00	43.25	33.17	0.28	43.04	3.45	3.66	329.13	
Thompson Creek Monitoring Well	7/2/2010 9:30:00	43.29	33.21	0.32	43.05	3.41	3.65	329.14	
Thompson Creek Monitoring Well	7/2/2010 13:30:00	43.31	33.23	0.34	43.06	3.38	3.64	329.15	
Thompson Creek Monitoring Well	7/2/2010 17:30:00	43.33	33.25	0.36	43.06	3.36	3.64	329.15	
Thompson Creek Monitoring Well	7/2/2010 21:30:00	43.37	33.27	0.38	43.08	3.33	3.62	329.17	
Thompson Creek Monitoring Well	7/3/2010 1:30:00	43.41	33.32	0.43	43.08	3.29	3.61	329.18	
Thompson Creek Monitoring Well	7/3/2010 5:30:00	43.44	33.36	0.47	43.09	3.26	3.61	329.18	
Thompson Creek Monitoring Well	7/3/2010 9:30:00	43.48	33.39	0.50	43.10	3.22	3.60	329.20	
Thompson Creek Monitoring Well	7/3/2010 13:30:00	43.49	33.41	0.52	43.10	3.21	3.60	329.19	
Thompson Creek Monitoring Well	7/3/2010 17:30:00	43.47	33.39	0.50	43.09	3.23	3.61	329.18	
Thompson Creek Monitoring Well	7/3/2010 21:30:00	43.47	33.40	0.51	43.08	3.23	3.61	329.18	
Thompson Creek Monitoring Well	7/4/2010 1:30:00	43.49	33.44	0.55	43.08	3.20	3.61	329.18	
Thompson Creek Monitoring Well	7/4/2010 5:30:00	43.50	33.44	0.55	43.09	3.19	3.61	329.18	
Thompson Creek Monitoring Well	7/4/2010 9:30:00	43.53	33.46	0.57	43.10	3.17	3.60	329.19	
Thompson Creek Monitoring Well	7/4/2010 13:30:00	43.51	33.45	0.56	43.09	3.19	3.60	329.19	
Thompson Creek Monitoring Well	7/4/2010 17:30:00	43.48	33.42	0.53	43.09	3.21	3.61	329.18	
Thompson Creek Monitoring Well	7/4/2010 21:30:00	43.50	33.45	0.56	43.08	3.20	3.61	329.18	
Thompson Creek Monitoring Well	7/5/2010 1:30:00	43.51	33.47	0.58	43.07	3.19	3.62	329.17	
Thompson Creek Monitoring Well	7/5/2010 5:30:00	43.52	33.48	0.59	43.08	3.18	3.62	329.17	
Thompson Creek Monitoring Well	7/5/2010 9:30:00	43.53	33.49	0.60	43.08	3.17	3.62	329.17	
Thompson Creek Monitoring Well	7/5/2010 13:30:00	43.54	33.50	0.61	43.08	3.16	3.61	329.18	
Thompson Creek Monitoring Well	7/5/2010 17:30:00	43.50	33.45	0.56	43.07	3.20	3.62	329.17	
Thompson Creek Monitoring Well	7/5/2010 21:30:00	43.49	33.46	0.57	43.06	3.21	3.64	329.15	
Thompson Creek Monitoring Well	7/6/2010 1:30:00	43.49	33.47	0.58	43.05	3.21	3.64	329.15	
Thompson Creek Monitoring Well	7/6/2010 5:30:00	43.50	33.48	0.59	43.05	3.20	3.65	329.14	
Thompson Creek Monitoring Well	7/6/2010 9:30:00	43.47	33.45	0.56	43.05	3.23	3.65	329.14	
Thompson Creek Monitoring Well	7/6/2010 13:30:00	43.40	33.37	0.48	43.04	3.29	3.65	329.14	
Thompson Creek Monitoring Well	7/6/2010 17:30:00	43.29	33.26	0.37	43.02	3.40	3.68	329.11	
Thompson Creek Monitoring Well	7/6/2010 21:30:00	43.25	33.22	0.33	43.00	3.45	3.70	329.09	
Thompson Creek Monitoring Well	7/7/2010 1:30:00	43.25	33.23	0.34	42.99	3.45	3.71	329.08	
Thompson Creek Monitoring Well	7/7/2010 5:30:00	43.24	33.23	0.34	42.98	3.46	3.71	329.08	
Thompson Creek Monitoring Well	7/7/2010 9:30:00	43.23	33.21	0.32	42.98	3.47	3.71	329.08	
Thompson Creek Monitoring Well	7/7/2010 13:30:00	43.16	33.13	0.24	42.98	3.54	3.72	329.07	
Thompson Creek Monitoring Well	7/7/2010 17:30:00	43.07	33.05	0.16	42.95	3.62	3.74	329.05	
Thompson Creek Monitoring Well	7/7/2010 21:30:00	43.08	33.07	0.18	42.95	3.61	3.75	329.04	
Thompson Creek Monitoring Well	7/8/2010 1:30:00	43.12	33.11	0.22	42.95	3.58	3.75	329.04	
Thompson Creek Monitoring Well	7/8/2010 5:30:00	43.14	33.14	0.25	42.95	3.56	3.75	329.04	
Thompson Creek Monitoring Well	7/8/2010 9:30:00	43.14	33.14	0.25	42.95	3.55	3.74	329.05	
Thompson Creek Monitoring Well	7/8/2010 13:30:00	43.10	33.09	0.20	42.95	3.60	3.75	329.04	
Thompson Creek Monitoring Well	7/8/2010 17:30:00	43.03	33.02	0.13	42.93	3.66	3.76	329.03	
Thompson Creek Monitoring Well	7/8/2010 21:30:00	43.04	33.05	0.16	42.92	3.65	3.77	329.02	
Thompson Creek Monitoring Well	7/9/2010 1:30:00	43.08	33.11	0.22	42.92	3.61	3.78	329.01	
Thompson Creek Monitoring Well	7/9/2010 5:30:00	43.12	33.15	0.26	42.92	3.58	3.77	329.02	
Thompson Creek Monitoring Well	7/9/2010 9:30:00	43.13	33.15	0.26	42.94	3.57	3.76	329.03	
Thompson Creek Monitoring Well	7/9/2010 13:30:00	43.08	33.09	0.20	42.93	3.62	3.76	329.03	
Thompson Creek Monitoring Well	7/9/2010 17:30:00	43.02	33.03	0.14	42.92	3.67	3.78	329.01	
Thompson Creek Monitoring Well	7/9/2010 21:30:00	43.03	33.06	0.17	42.91	3.66	3.79	329.00	
Thompson Creek Monitoring Well	7/10/2010 1:30:00	43.05	33.09	0.20	42.90	3.64	3.80	328.99	
Thompson Creek Monitoring Well	7/10/2010 5:30:00	43.09	33.14	0.25	42.90	3.61	3.79	329.00	
Thompson Creek Monitoring Well	7/10/2010 9:30:00	43.12	33.17	0.28	42.91	3.57	3.78	329.01	
Thompson Creek Monitoring Well	7/10/2010 13:30:00	43.09	33.13	0.24	42.91	3.60	3.78	329.01	
Thompson Creek Monitoring Well	7/10/2010 17:30:00	43.04	33.07	0.18	42.90	3.66	3.80	328.99	
Thompson Creek Monitoring Well	7/10/2010 21:30:00	43.04	33.10	0.21	42.88	3.65	3.81	328.98	
Thompson Creek Monitoring Well	7/11/2010 1:30:00	43.06	33.13	0.24	42.88	3.64	3.82	328.97	
Thompson Creek Monitoring Well	7/11/2010 5:30:00	43.07	33.14	0.25	42.88	3.62	3.81	328.98	
Thompson Creek Monitoring Well	7/11/2010 9:30:00	43.08	33.15	0.26	42.89	3.62	3.81	328.98	
Thompson Creek Monitoring Well	7/11/2010 13:30:00	43.04	33.09	0.20	42.89	3.65	3.81	328.98	
Thompson Creek Monitoring Well	7/11/2010 17:30:00	42.99	33.04	0.15	42.87	3.71	3.83	328.96	
Thompson Creek Monitoring Well	7/11/2010 21:30:00	42.97	33.06	0.17	42.84	3.72	3.85	328.94	
Thompson Creek Monitoring Well	7/12/2010 1:30:00	43.00	33.11	0.22	42.83	3.70	3.86	328.93	
Thompson Creek Monitoring Well	7/12/2010 5:30:00	43.01	33.13	0.24	42.83	3.69	3.87	328.92	
Thompson Creek Monitoring Well	7/12/2010 9:30:00	43.05	33.15	0.26	42.85	3.65	3.85	328.94	
Thompson Creek Monitoring Well	7/12/2010 13:30:00	43.07	33.18	0.29	42.85	3.63	3.84	328.95	
Thompson Creek Monitoring Well	7/12/2010 17:30:00	43.08	33.18	0.29	42.86	3.62	3.84	328.95	
Thompson Creek Monitoring Well	7/12/2010 21:30:00	43.09	33.24	0.35	42.83	3.60	3.87	328.92	
Thompson Creek Monitoring Well	7/13/2010 1:30:00	43.11	33.29	0.40	42.81	3.58	3.89	328.90	
Thompson Creek Monitoring Well	7/13/2010 5:30:00	43.14	33.32	0.43	42.82	3.56	3.88	328.91	
Thompson Creek Monitoring Well	7/13/2010 9:30:00	43.19	33.35	0.46	42.85	3.51	3.85	328.94	
Thompson Creek Monitoring Well	7/13/2010 13:30:00	43.18	33.32	0.43	42.86	3.52	3.84	328.95	
Thompson Creek Monitoring Well	7/13/2010 17:30:00	43.15	33.28	0.39	42.86	3.55	3.84	328.95	
Thompson Creek Monitoring Well	7/13/2010 21:30:00	43.16	33.33	0.44	42.83	3.53	3.86	328.93	
Thompson Creek Monitoring Well	7/14/2010 1:30:00	43.19	33.40	0.51	42.81	3.50	3.88	328.91	
Thompson Creek Monitoring Well	7/14/2010 5:30:00	43.21	33.43	0.54	42.80	3.49	3.90	328.89	
Thompson Creek Monitoring Well	7/14/2010 9:30:00	43.22	33.40	0.51	42.83	3.48	3.86	328.93	
Thompson Creek Monitoring Well	7/14/2010 13:30:00	43.16	33.31	0.42	42.85	3.53	3.85	328.94	
Thompson Creek Monitoring Well	7/14/2010 17:30:00	43.10	33.24	0.35	42.84	3.60	3.86	328.93	
Thompson Creek Monitoring Well	7/14/2010 21:30:00	43.06	33.23	0.34	42.81	3.63	3.89	328.90	
Thompson Creek Monitoring Well	7/15/2010 1:30:00	43.09	33.29	0.40	42.79	3.61	3.91	328.88	
Thompson Creek Monitoring Well	7/15/2010 5:30:00	43.11	33.33	0.44	42.78	3.59	3.92	328.87	
Thompson Creek Monitoring Well	7/15/2010 9:30:00	43.12	33.32	0.43	42.80	3.57	3.90	328.90	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Thompson Creek Monitoring Well	7/15/2010 13:30:00	43.08	33.25	0.36	42.81	3.62	3.89	328.91	
Thompson Creek Monitoring Well	7/15/2010 17:30:00	43.02	33.18	0.29	42.80	3.68	3.90	328.89	
Thompson Creek Monitoring Well	7/15/2010 21:30:00	43.01	33.20	0.31	42.77	3.69	3.92	328.87	
Thompson Creek Monitoring Well	7/16/2010 1:30:00	43.04	33.27	0.38	42.75	3.66	3.94	328.85	
Thompson Creek Monitoring Well	7/16/2010 5:30:00	43.06	33.30	0.41	42.75	3.64	3.95	328.84	
Thompson Creek Monitoring Well	7/16/2010 9:30:00	43.10	33.33	0.45	42.77	3.60	3.93	328.86	
Thompson Creek Monitoring Well	7/16/2010 13:30:00	43.09	33.31	0.42	42.78	3.60	3.92	328.87	
Thompson Creek Monitoring Well	7/16/2010 17:30:00	43.04	33.24	0.35	42.78	3.65	3.91	328.88	
Thompson Creek Monitoring Well	7/16/2010 21:30:00	43.04	33.27	0.38	42.75	3.66	3.95	328.84	
Thompson Creek Monitoring Well	7/17/2010 1:30:00	43.06	33.33	0.44	42.73	3.63	3.97	328.82	
Thompson Creek Monitoring Well	7/17/2010 5:30:00	43.08	33.36	0.47	42.73	3.61	3.97	328.82	
Thompson Creek Monitoring Well	7/17/2010 9:30:00	43.11	33.37	0.48	42.75	3.59	3.95	328.84	
Thompson Creek Monitoring Well	7/17/2010 13:30:00	43.10	33.34	0.45	42.76	3.60	3.93	328.86	
Thompson Creek Monitoring Well	7/17/2010 17:30:00	43.02	33.23	0.34	42.76	3.68	3.93	328.86	
Thompson Creek Monitoring Well	7/17/2010 21:30:00	43.00	33.24	0.35	42.74	3.69	3.96	328.83	
Thompson Creek Monitoring Well	7/18/2010 1:30:00	43.04	33.31	0.42	42.72	3.66	3.98	328.81	
Thompson Creek Monitoring Well	7/18/2010 5:30:00	43.06	33.34	0.45	42.73	3.63	3.97	328.82	
Thompson Creek Monitoring Well	7/18/2010 9:30:00	43.09	33.37	0.48	42.74	3.60	3.96	328.83	
Thompson Creek Monitoring Well	7/18/2010 13:30:00	43.10	33.36	0.47	42.75	3.60	3.95	328.84	
Thompson Creek Monitoring Well	7/18/2010 17:30:00	43.04	33.27	0.38	42.75	3.66	3.94	328.85	
Thompson Creek Monitoring Well	7/18/2010 21:30:00	43.04	33.31	0.42	42.73	3.66	3.97	328.82	
Thompson Creek Monitoring Well	7/19/2010 1:30:00	43.06	33.36	0.47	42.70	3.64	3.99	328.80	
Thompson Creek Monitoring Well	7/19/2010 5:30:00	43.10	33.40	0.51	42.72	3.60	3.98	328.81	
Thompson Creek Monitoring Well	7/19/2010 9:30:00	43.13	33.42	0.53	42.73	3.57	3.97	328.82	
Thompson Creek Monitoring Well	7/19/2010 13:30:00	43.11	33.38	0.49	42.74	3.59	3.96	328.83	
Thompson Creek Monitoring Well	7/19/2010 17:30:00	43.02	33.26	0.37	42.74	3.68	3.96	328.83	
Thompson Creek Monitoring Well	7/19/2010 21:30:00	42.98	33.26	0.37	42.70	3.71	3.99	328.80	
Thompson Creek Monitoring Well	7/20/2010 1:30:00	42.98	33.29	0.40	42.68	3.72	4.02	328.77	
Thompson Creek Monitoring Well	7/20/2010 5:30:00	42.95	33.27	0.38	42.67	3.74	4.02	328.77	
Thompson Creek Monitoring Well	7/20/2010 9:30:00	42.96	33.26	0.37	42.68	3.74	4.01	328.78	
Thompson Creek Monitoring Well	7/20/2010 13:30:00	42.92	33.19	0.30	42.70	3.78	4.00	328.79	
Thompson Creek Monitoring Well	7/20/2010 17:30:00	42.83	33.08	0.19	42.69	3.86	4.01	328.78	
Thompson Creek Monitoring Well	7/20/2010 21:30:00	42.83	33.11	0.22	42.67	3.87	4.03	328.76	
Thompson Creek Monitoring Well	7/21/2010 1:30:00	42.85	33.16	0.27	42.65	3.84	4.05	328.74	
Thompson Creek Monitoring Well	7/21/2010 5:30:00	42.86	33.19	0.30	42.64	3.84	4.06	328.73	
Thompson Creek Monitoring Well	7/21/2010 9:30:00	42.88	33.20	0.31	42.65	3.81	4.05	328.74	
Thompson Creek Monitoring Well	7/21/2010 13:30:00	42.84	33.11	0.22	42.67	3.86	4.02	328.77	
Thompson Creek Monitoring Well	7/21/2010 17:30:00	42.78	33.03	0.14	42.67	3.92	4.03	328.76	
Thompson Creek Monitoring Well	7/21/2010 21:30:00	42.76	33.04	0.15	42.64	3.94	4.05	328.74	
Thompson Creek Monitoring Well	7/22/2010 1:30:00	42.76	33.07	0.18	42.62	3.94	4.07	328.72	
Thompson Creek Monitoring Well	7/22/2010 5:30:00	42.78	33.11	0.22	42.61	3.92	4.09	328.70	
Thompson Creek Monitoring Well	7/22/2010 9:30:00	42.82	33.15	0.27	42.63	3.87	4.07	328.72	
Thompson Creek Monitoring Well	7/22/2010 13:30:00	42.86	33.17	0.28	42.65	3.83	4.04	328.75	
Thompson Creek Monitoring Well	7/22/2010 17:30:00	42.88	33.19	0.30	42.65	3.82	4.05	328.74	
Thompson Creek Monitoring Well	7/22/2010 21:30:00	42.90	33.23	0.34	42.64	3.80	4.05	328.74	
Thompson Creek Monitoring Well	7/23/2010 1:30:00	42.94	33.31	0.42	42.63	3.75	4.07	328.72	
Thompson Creek Monitoring Well	7/23/2010 5:30:00	42.97	33.34	0.45	42.63	3.73	4.07	328.72	
Thompson Creek Monitoring Well	7/23/2010 9:30:00	42.99	33.35	0.46	42.64	3.71	4.06	328.73	
Thompson Creek Monitoring Well	7/23/2010 13:30:00	42.96	33.28	0.39	42.66	3.74	4.04	328.75	
Thompson Creek Monitoring Well	7/23/2010 17:30:00	42.89	33.19	0.30	42.67	3.81	4.03	328.76	
Thompson Creek Monitoring Well	7/23/2010 21:30:00	42.88	33.21	0.32	42.64	3.82	4.05	328.74	
Thompson Creek Monitoring Well	7/24/2010 1:30:00	42.87	33.24	0.35	42.61	3.83	4.09	328.70	
Thompson Creek Monitoring Well	7/24/2010 5:30:00	42.88	33.28	0.39	42.59	3.82	4.11	328.68	
Thompson Creek Monitoring Well	7/24/2010 9:30:00	42.87	33.24	0.35	42.61	3.83	4.09	328.70	
Thompson Creek Monitoring Well	7/24/2010 13:30:00	42.80	33.13	0.24	42.62	3.89	4.07	328.72	
Thompson Creek Monitoring Well	7/24/2010 17:30:00	42.74	33.04	0.15	42.62	3.96	4.08	328.72	
Thompson Creek Monitoring Well	7/24/2010 21:30:00	42.70	33.04	0.15	42.59	3.99	4.10	328.69	
Thompson Creek Monitoring Well	7/25/2010 1:30:00	42.72	33.09	0.20	42.57	3.98	4.13	328.66	
Thompson Creek Monitoring Well	7/25/2010 5:30:00	42.72	33.13	0.24	42.54	3.98	4.15	328.64	
Thompson Creek Monitoring Well	7/25/2010 9:30:00	42.71	33.10	0.21	42.55	3.99	4.15	328.64	
Thompson Creek Monitoring Well	7/25/2010 13:30:00	42.65	33.00	0.11	42.57	4.04	4.13	328.66	
Thompson Creek Monitoring Well	7/25/2010 17:30:00	42.58	32.90	0.02	42.56	4.12	4.13	328.66	
Thompson Creek Monitoring Well	7/25/2010 21:30:00	42.58	32.94	0.05	42.54	4.11	4.15	328.64	
Thompson Creek Monitoring Well	7/26/2010 1:30:00	42.57	32.98	0.09	42.50	4.12	4.19	328.60	
Thompson Creek Monitoring Well	7/26/2010 5:30:00	42.58	33.03	0.14	42.48	4.11	4.22	328.57	
Thompson Creek Monitoring Well	7/26/2010 9:30:00	42.57	32.99	0.10	42.49	4.12	4.20	328.59	
Thompson Creek Monitoring Well	7/26/2010 13:30:00	42.51	32.89	0.00	42.51	4.18	4.18	328.61	
Thompson Creek Monitoring Well	7/26/2010 17:30:00	42.44	32.79	-0.10	42.51	4.26	4.18	328.61	
Thompson Creek Monitoring Well	7/26/2010 21:30:00	42.47	32.86	-0.03	42.50	4.22	4.20	328.59	
Thompson Creek Monitoring Well	7/27/2010 1:30:00	42.50	32.93	0.04	42.47	4.19	4.23	328.56	
Thompson Creek Monitoring Well	7/27/2010 5:30:00	42.54	33.02	0.13	42.45	4.15	4.25	328.54	
Thompson Creek Monitoring Well	7/27/2010 9:30:00	42.59	33.06	0.17	42.46	4.11	4.23	328.56	
Thompson Creek Monitoring Well	7/27/2010 13:30:00	42.57	33.00	0.11	42.49	4.12	4.21	328.58	
Thompson Creek Monitoring Well	7/27/2010 17:30:00	42.54	32.93	0.04	42.51	4.15	4.19	328.60	
Thompson Creek Monitoring Well	7/27/2010 21:30:00	42.56	32.99	0.10	42.48	4.14	4.21	328.58	
Thompson Creek Monitoring Well	7/28/2010 1:30:00	42.60	33.09	0.20	42.45	4.10	4.24	328.55	
Thompson Creek Monitoring Well	7/28/2010 5:30:00	42.63	33.13	0.24	42.45	4.07	4.25	328.54	
Thompson Creek Monitoring Well	7/28/2010 9:30:00	42.66	33.17	0.28	42.46	4.03	4.24	328.55	
Thompson Creek Monitoring Well	7/28/2010 13:30:00	42.64	33.11	0.22	42.48	4.06	4.22	328.57	
Thompson Creek Monitoring Well	7/28/2010 17:30:00	42.61	33.03	0.14	42.50	4.09	4.20	328.59	
Thompson Creek Monitoring Well	7/28/2010 21:30:00	42.67	33.14	0.25	42.49	4.02	4.21	328.58	
Thompson Creek Monitoring Well	7/29/2010 1:30:00	42.72	33.24	0.35	42.45	3.98	4.24	328.55	
Thompson Creek Monitoring Well	7/29/2010 5:30:00	42.74	33.28	0.39	42.45	3.95	4.25	328.54	
Thompson Creek Monitoring Well	7/29/2010 9:30:00	42.76	33.29	0.40	42.45	3.94	4.24	328.55	
Thompson Creek Monitoring Well	7/29/2010 13:30:00	42.73	33.23	0.34	42.48	3.96	4.22	328.57	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Thompson Creek Monitoring Well	7/29/2010 17:30:00	42.66	33.11	0.22	42.49	4.04	4.21	328.58	
Thompson Creek Monitoring Well	7/29/2010 21:30:00	42.65	33.15	0.26	42.46	4.05	4.24	328.55	
Thompson Creek Monitoring Well	7/30/2010 1:30:00	42.66	33.21	0.32	42.43	4.03	4.27	328.52	
Thompson Creek Monitoring Well	7/30/2010 5:30:00	42.67	33.22	0.33	42.42	4.03	4.28	328.51	
Thompson Creek Monitoring Well	7/30/2010 9:30:00	42.68	33.23	0.34	42.42	4.02	4.27	328.52	
Thompson Creek Monitoring Well	7/30/2010 13:30:00	42.64	33.15	0.26	42.45	4.05	4.25	328.54	
Thompson Creek Monitoring Well	7/30/2010 17:30:00	42.56	33.03	0.14	42.46	4.14	4.24	328.55	
Thompson Creek Monitoring Well	7/30/2010 21:30:00	42.56	33.07	0.18	42.43	4.14	4.27	328.52	
Thompson Creek Monitoring Well	7/31/2010 1:30:00	42.58	33.12	0.23	42.41	4.11	4.29	328.50	
Thompson Creek Monitoring Well	7/31/2010 5:30:00	42.59	33.15	0.26	42.39	4.11	4.30	328.49	
Thompson Creek Monitoring Well	7/31/2010 9:30:00	42.61	33.17	0.28	42.40	4.08	4.29	328.50	
Thompson Creek Monitoring Well	7/31/2010 13:30:00	42.60	33.13	0.24	42.42	4.10	4.28	328.51	
Thompson Creek Monitoring Well	7/31/2010 17:30:00	42.55	33.05	0.16	42.43	4.15	4.27	328.52	
Thompson Creek Monitoring Well	7/31/2010 21:30:00	42.59	33.12	0.23	42.41	4.11	4.28	328.51	
Thompson Creek Monitoring Well	8/1/2010 1:30:00	42.60	33.17	0.28	42.39	4.10	4.31	328.48	
Thompson Creek Monitoring Well	8/1/2010 5:30:00	42.63	33.21	0.32	42.39	4.07	4.31	328.48	
Thompson Creek Monitoring Well	8/1/2010 9:30:00	42.65	33.22	0.33	42.40	4.05	4.30	328.49	
Thompson Creek Monitoring Well	8/1/2010 13:30:00	42.62	33.17	0.28	42.41	4.08	4.28	328.51	
Thompson Creek Monitoring Well	8/1/2010 17:30:00	42.58	33.12	0.23	42.41	4.11	4.28	328.51	
Thompson Creek Monitoring Well	8/1/2010 21:30:00	42.59	33.16	0.27	42.39	4.10	4.30	328.49	
Thompson Creek Monitoring Well	8/2/2010 1:30:00	42.60	33.21	0.32	42.37	4.09	4.33	328.46	
Thompson Creek Monitoring Well	8/2/2010 5:30:00	42.62	33.23	0.34	42.36	4.08	4.33	328.46	
Thompson Creek Monitoring Well	8/2/2010 9:30:00	42.64	33.25	0.36	42.37	4.05	4.32	328.47	
Thompson Creek Monitoring Well	8/2/2010 13:30:00	42.62	33.19	0.30	42.39	4.08	4.30	328.49	
Thompson Creek Monitoring Well	8/2/2010 17:30:00	42.56	33.10	0.21	42.40	4.14	4.30	328.49	
Thompson Creek Monitoring Well	8/2/2010 21:30:00	42.56	33.13	0.25	42.38	4.13	4.32	328.47	
Thompson Creek Monitoring Well	8/3/2010 1:30:00	42.59	33.20	0.31	42.36	4.11	4.34	328.45	
Thompson Creek Monitoring Well	8/3/2010 5:30:00	42.60	33.22	0.33	42.35	4.10	4.34	328.45	
Thompson Creek Monitoring Well	8/3/2010 9:30:00	42.63	33.26	0.37	42.36	4.06	4.34	328.45	
Thompson Creek Monitoring Well	8/3/2010 13:30:00	42.60	33.18	0.29	42.37	4.10	4.32	328.47	
Thompson Creek Monitoring Well	8/3/2010 17:30:00	42.53	33.09	0.20	42.38	4.17	4.32	328.47	
Thompson Creek Monitoring Well	8/3/2010 21:30:00	42.54	33.13	0.24	42.36	4.16	4.33	328.46	
Thompson Creek Monitoring Well	8/4/2010 1:30:00	42.54	33.17	0.28	42.33	4.16	4.36	328.43	
Thompson Creek Monitoring Well	8/4/2010 5:30:00	42.55	33.20	0.31	42.32	4.14	4.38	328.41	
Thompson Creek Monitoring Well	8/4/2010 9:30:00	42.56	33.20	0.31	42.33	4.14	4.37	328.42	
Thompson Creek Monitoring Well	8/4/2010 13:30:00	42.49	33.09	0.20	42.34	4.21	4.36	328.43	
Thompson Creek Monitoring Well	8/4/2010 17:30:00	42.41	33.00	0.11	42.33	4.28	4.36	328.43	
Thompson Creek Monitoring Well	8/4/2010 21:30:00	42.41	33.01	0.12	42.32	4.29	4.38	328.41	
Thompson Creek Monitoring Well	8/5/2010 1:30:00	42.40	33.02	0.13	42.30	4.30	4.40	328.39	
Thompson Creek Monitoring Well	8/5/2010 5:30:00	42.39	33.04	0.15	42.28	4.30	4.42	328.37	
Thompson Creek Monitoring Well	8/5/2010 9:30:00	42.40	33.04	0.15	42.29	4.29	4.41	328.38	
Thompson Creek Monitoring Well	8/5/2010 13:30:00	42.34	32.95	0.06	42.30	4.35	4.40	328.39	
Thompson Creek Monitoring Well	8/5/2010 17:30:00	42.27	32.86	-0.03	42.29	4.43	4.40	328.39	
Thompson Creek Monitoring Well	8/5/2010 21:30:00	42.30	32.92	0.03	42.28	4.39	4.41	328.38	
Thompson Creek Monitoring Well	8/6/2010 1:30:00	42.33	32.99	0.10	42.25	4.37	4.45	328.35	
Thompson Creek Monitoring Well	8/6/2010 5:30:00	42.35	33.03	0.14	42.24	4.35	4.45	328.34	
Thompson Creek Monitoring Well	8/6/2010 9:30:00	42.40	33.08	0.19	42.26	4.30	4.44	328.35	
Thompson Creek Monitoring Well	8/6/2010 13:30:00	42.39	33.06	0.17	42.27	4.30	4.43	328.36	
Thompson Creek Monitoring Well	8/6/2010 17:30:00	42.35	32.99	0.10	42.28	4.35	4.42	328.37	
Thompson Creek Monitoring Well	8/6/2010 21:30:00	42.37	33.04	0.15	42.25	4.33	4.44	328.35	
Thompson Creek Monitoring Well	8/7/2010 1:30:00	42.37	33.07	0.18	42.23	4.33	4.46	328.33	
Thompson Creek Monitoring Well	8/7/2010 5:30:00	42.35	33.06	0.17	42.22	4.35	4.47	328.32	
Thompson Creek Monitoring Well	8/7/2010 9:30:00	42.35	33.06	0.17	42.23	4.34	4.47	328.32	
Thompson Creek Monitoring Well	8/7/2010 13:30:00	42.35	33.03	0.14	42.24	4.35	4.45	328.34	
Thompson Creek Monitoring Well	8/7/2010 17:30:00	42.32	33.01	0.12	42.23	4.38	4.47	328.32	
Thompson Creek Monitoring Well	8/7/2010 21:30:00	42.32	33.02	0.13	42.22	4.37	4.47	328.32	
Thompson Creek Monitoring Well	8/8/2010 1:30:00	42.33	33.04	0.15	42.22	4.37	4.48	328.31	
Thompson Creek Monitoring Well	8/8/2010 5:30:00	42.34	33.06	0.17	42.21	4.36	4.48	328.31	
Thompson Creek Monitoring Well	8/8/2010 9:30:00	42.39	33.10	0.21	42.23	4.31	4.47	328.32	
Thompson Creek Monitoring Well	8/8/2010 13:30:00	42.39	33.08	0.19	42.24	4.31	4.45	328.34	
Thompson Creek Monitoring Well	8/8/2010 17:30:00	42.37	33.05	0.16	42.25	4.33	4.45	328.34	
Thompson Creek Monitoring Well	8/8/2010 21:30:00	42.38	33.10	0.21	42.23	4.32	4.47	328.32	
Thompson Creek Monitoring Well	8/9/2010 1:30:00	42.37	33.10	0.21	42.21	4.33	4.49	328.30	
Thompson Creek Monitoring Well	8/9/2010 5:30:00	42.36	33.10	0.21	42.20	4.34	4.50	328.29	
Thompson Creek Monitoring Well	8/9/2010 9:30:00	42.37	33.12	0.23	42.20	4.32	4.49	328.30	
Thompson Creek Monitoring Well	8/9/2010 13:30:00	42.39	33.11	0.22	42.22	4.31	4.47	328.32	
Thompson Creek Monitoring Well	8/9/2010 17:30:00	42.36	33.08	0.19	42.21	4.34	4.48	328.31	
Thompson Creek Monitoring Well	8/9/2010 21:30:00	42.37	33.11	0.22	42.20	4.33	4.49	328.30	
Thompson Creek Monitoring Well	8/10/2010 1:30:00	42.35	33.11	0.22	42.19	4.34	4.51	328.28	
Thompson Creek Monitoring Well	8/10/2010 5:30:00	42.34	33.11	0.22	42.18	4.35	4.52	328.27	
Thompson Creek Monitoring Well	8/10/2010 9:30:00	42.35	33.12	0.23	42.18	4.34	4.51	328.28	
Thompson Creek Monitoring Well	8/10/2010 13:30:00	42.33	33.07	0.18	42.20	4.36	4.50	328.29	
Thompson Creek Monitoring Well	8/10/2010 17:30:00	42.31	33.03	0.14	42.20	4.39	4.49	328.30	
Thompson Creek Monitoring Well	8/10/2010 21:30:00	42.32	33.07	0.18	42.18	4.38	4.51	328.28	
Thompson Creek Monitoring Well	8/11/2010 1:30:00	42.33	33.12	0.23	42.16	4.37	4.54	328.25	
Thompson Creek Monitoring Well	8/11/2010 5:30:00	42.34	33.16	0.27	42.14	4.36	4.56	328.23	
Thompson Creek Monitoring Well	8/11/2010 9:30:00	42.37	33.15	0.26	42.17	4.33	4.53	328.26	
Thompson Creek Monitoring Well	8/11/2010 13:30:00	42.35	33.09	0.20	42.19	4.35	4.50	328.29	
Thompson Creek Monitoring Well	8/11/2010 17:30:00	42.31	33.04	0.15	42.20	4.39	4.50	328.29	
Thompson Creek Monitoring Well	8/11/2010 21:30:00	42.34	33.10	0.21	42.19	4.35	4.51	328.28	
Thompson Creek Monitoring Well	8/12/2010 1:30:00	42.36	33.16	0.27	42.16	4.33	4.53	328.26	
Thompson Creek Monitoring Well	8/12/2010 5:30:00	42.37	33.18	0.29	42.15	4.33	4.54	328.25	
Thompson Creek Monitoring Well	8/12/2010 9:30:00	42.37	33.18	0.29	42.15	4.33	4.55	328.24	
Thompson Creek Monitoring Well	8/12/2010 13:30:00	42.31	33.08	0.19	42.16	4.39	4.53	328.26	
Thompson Creek Monitoring Well	8/12/2010 17:30:00	42.23	32.98	0.09	42.16	4.47	4.54	328.25	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Thompson Creek Monitoring Well	8/12/2010 21:30:00	42.22	32.99	0.10	42.14	4.48	4.56	328.23	
Thompson Creek Monitoring Well	8/13/2010 1:30:00	42.24	33.05	0.16	42.12	4.45	4.57	328.22	
Thompson Creek Monitoring Well	8/13/2010 5:30:00	42.25	33.08	0.19	42.10	4.45	4.59	328.20	
Thompson Creek Monitoring Well	8/13/2010 9:30:00	42.27	33.08	0.20	42.13	4.42	4.57	328.22	
Thompson Creek Monitoring Well	8/13/2010 13:30:00	42.22	33.00	0.11	42.14	4.48	4.56	328.23	
Thompson Creek Monitoring Well	8/13/2010 17:30:00	42.17	32.94	0.05	42.14	4.53	4.56	328.23	
Thompson Creek Monitoring Well	8/13/2010 21:30:00	42.19	32.98	0.09	42.13	4.50	4.57	328.22	
Thompson Creek Monitoring Well	8/14/2010 1:30:00	42.22	33.04	0.15	42.11	4.48	4.59	328.20	
Thompson Creek Monitoring Well	8/14/2010 5:30:00	42.22	33.07	0.18	42.08	4.48	4.61	328.18	
Thompson Creek Monitoring Well	8/14/2010 9:30:00	42.23	33.07	0.18	42.10	4.46	4.60	328.19	
Thompson Creek Monitoring Well	8/14/2010 13:30:00	42.17	32.97	0.08	42.11	4.53	4.58	328.21	
Thompson Creek Monitoring Well	8/14/2010 17:30:00	42.13	32.91	0.02	42.11	4.57	4.58	328.21	
Thompson Creek Monitoring Well	8/14/2010 21:30:00	42.17	32.97	0.08	42.11	4.52	4.58	328.21	
Thompson Creek Monitoring Well	8/15/2010 1:30:00	42.19	33.02	0.13	42.09	4.51	4.61	328.18	
Thompson Creek Monitoring Well	8/15/2010 5:30:00	42.21	33.08	0.19	42.07	4.49	4.63	328.16	
Thompson Creek Monitoring Well	8/15/2010 9:30:00	42.24	33.09	0.20	42.09	4.46	4.61	328.18	
Thompson Creek Monitoring Well	8/15/2010 13:30:00	42.17	32.99	0.10	42.10	4.52	4.60	328.19	
Thompson Creek Monitoring Well	8/15/2010 17:30:00	42.13	32.93	0.04	42.10	4.57	4.60	328.19	
Thompson Creek Monitoring Well	8/15/2010 21:30:00	42.14	32.97	0.08	42.09	4.55	4.61	328.18	
Thompson Creek Monitoring Well	8/16/2010 1:30:00	42.18	33.03	0.14	42.07	4.52	4.62	328.17	
Thompson Creek Monitoring Well	8/16/2010 5:30:00	42.20	33.08	0.20	42.05	4.50	4.65	328.14	
Thompson Creek Monitoring Well	8/16/2010 9:30:00	42.21	33.09	0.20	42.06	4.49	4.64	328.15	
Thompson Creek Monitoring Well	8/16/2010 13:30:00	42.14	32.98	0.09	42.07	4.55	4.62	328.17	
Thompson Creek Monitoring Well	8/16/2010 17:30:00	42.06	32.89	0.00	42.06	4.63	4.64	328.15	
Thompson Creek Monitoring Well	8/16/2010 21:30:00	42.05	32.90	0.01	42.04	4.65	4.66	328.13	
Thompson Creek Monitoring Well	8/17/2010 1:30:00	42.03	32.92	0.03	42.01	4.67	4.69	328.10	
Thompson Creek Monitoring Well	8/17/2010 5:30:00	42.01	32.93	0.04	41.98	4.69	4.72	328.08	
Thompson Creek Monitoring Well	8/17/2010 9:30:00	42.00	32.90	0.01	41.99	4.70	4.71	328.08	
Thompson Creek Monitoring Well	8/17/2010 13:30:00	41.96	32.81	-0.08	42.01	4.74	4.68	328.11	
Thompson Creek Monitoring Well	8/17/2010 17:30:00	41.90	32.75	-0.14	42.01	4.79	4.69	328.10	
Thompson Creek Monitoring Well	8/17/2010 21:30:00	41.99	32.87	-0.02	42.01	4.70	4.69	328.10	
Thompson Creek Monitoring Well	8/18/2010 1:30:00	42.10	33.04	0.15	41.98	4.60	4.71	328.08	
Thompson Creek Monitoring Well	8/18/2010 5:30:00	42.10	33.05	0.16	41.98	4.59	4.71	328.08	
Thompson Creek Monitoring Well	8/18/2010 9:30:00	42.14	33.09	0.20	41.99	4.56	4.71	328.08	
Thompson Creek Monitoring Well	8/18/2010 13:30:00	42.76	33.15	0.26	42.57	3.93	4.13	328.66	
Thompson Creek Monitoring Well	8/18/2010 17:30:00	42.38	33.11	0.22	42.21	4.32	4.48	328.31	
Thompson Creek Monitoring Well	8/18/2010 21:30:00	42.31	33.45	0.56	41.89	4.39	4.81	327.98	
Thompson Creek Monitoring Well	8/19/2010 1:30:00	42.25	33.47	0.58	41.82	4.44	4.88	327.91	
Thompson Creek Monitoring Well	8/19/2010 5:30:00	42.21	33.49	0.60	41.77	4.48	4.93	327.86	
Thompson Creek Monitoring Well	8/19/2010 9:30:00	42.22	33.52	0.63	41.75	4.48	4.95	327.84	
Thompson Creek Monitoring Well	8/19/2010 13:30:00	42.19	33.52	0.63	41.71	4.51	4.98	327.81	
Thompson Creek Monitoring Well	8/19/2010 17:30:00	42.13	33.43	0.54	41.72	4.57	4.97	327.82	
Thompson Creek Monitoring Well	8/19/2010 21:30:00	42.13	33.43	0.54	41.73	4.56	4.97	327.82	
Thompson Creek Monitoring Well	8/20/2010 1:30:00	42.11	33.43	0.54	41.70	4.59	5.00	327.79	
Thompson Creek Monitoring Well	8/20/2010 5:30:00	42.08	33.41	0.52	41.69	4.62	5.01	327.78	
Thompson Creek Monitoring Well	8/20/2010 9:30:00	42.08	33.42	0.53	41.68	4.62	5.01	327.78	
Thompson Creek Monitoring Well	8/20/2010 13:30:00	42.02	33.33	0.44	41.69	4.67	5.00	327.79	
Thompson Creek Monitoring Well	8/20/2010 17:30:00	41.93	33.22	0.33	41.68	4.76	5.01	327.78	
Thompson Creek Monitoring Well	8/20/2010 21:30:00	41.91	33.21	0.32	41.67	4.79	5.03	327.76	
Thompson Creek Monitoring Well	8/21/2010 1:30:00	41.90	33.23	0.34	41.65	4.79	5.05	327.74	
Thompson Creek Monitoring Well	8/21/2010 5:30:00	41.91	33.26	0.37	41.63	4.79	5.06	327.73	
Thompson Creek Monitoring Well	8/21/2010 9:30:00	41.95	33.32	0.43	41.63	4.75	5.07	327.72	
Thompson Creek Monitoring Well	8/21/2010 13:30:00	41.97	33.08	0.19	41.83	4.72	4.87	327.92	
Thompson Creek Monitoring Well	8/21/2010 17:30:00	41.97	33.51	0.62	41.51	4.72	5.19	327.60	
Thompson Creek Monitoring Well	8/21/2010 21:30:00	42.04	33.60	0.71	41.51	4.66	5.19	327.60	
Thompson Creek Monitoring Well	8/22/2010 1:30:00	42.07	33.66	0.77	41.49	4.63	5.21	327.58	
Thompson Creek Monitoring Well	8/22/2010 5:30:00	42.13	33.74	0.85	41.49	4.57	5.21	327.58	
Thompson Creek Monitoring Well	8/22/2010 9:30:00	42.20	33.82	0.93	41.50	4.49	5.19	327.60	
Thompson Creek Monitoring Well	8/22/2010 13:30:00	42.25	32.79	-0.10	42.32	4.44	4.37	328.42	
Thompson Creek Monitoring Well	8/22/2010 17:30:00	42.30	33.72	0.83	41.67	4.40	5.02	327.77	
Thompson Creek Monitoring Well	8/22/2010 21:30:00	42.36	33.79	0.90	41.69	4.34	5.01	327.78	
Thompson Creek Monitoring Well	8/23/2010 1:30:00	42.41	33.84	0.95	41.69	4.29	5.00	327.79	
Thompson Creek Monitoring Well	8/23/2010 5:30:00	42.44	33.86	0.97	41.71	4.25	4.98	327.81	
Thompson Creek Monitoring Well	8/23/2010 9:30:00	42.47	33.88	0.99	41.73	4.23	4.97	327.82	
Thompson Creek Monitoring Well	8/23/2010 13:30:00	42.42	33.49	0.60	41.97	4.27	4.72	328.07	
Thompson Creek Monitoring Well	8/23/2010 17:30:00	42.33	33.43	0.54	41.93	4.36	4.77	328.02	
Thompson Creek Monitoring Well	8/23/2010 21:30:00	42.31	33.41	0.52	41.92	4.39	4.77	328.02	
Thompson Creek Monitoring Well	8/24/2010 1:30:00	42.26	33.42	0.53	41.86	4.43	4.83	327.96	
Thompson Creek Monitoring Well	8/24/2010 5:30:00	42.22	33.47	0.58	41.78	4.48	4.91	327.88	
Thompson Creek Monitoring Well	8/24/2010 9:30:00	42.17	33.42	0.53	41.77	4.53	4.92	327.87	
Thompson Creek Monitoring Well	8/24/2010 13:30:00	42.07	33.15	0.26	41.87	4.63	4.83	327.96	
Thompson Creek Monitoring Well	8/24/2010 17:30:00	41.96	33.02	0.13	41.86	4.74	4.83	327.96	
Thompson Creek Monitoring Well	8/24/2010 21:30:00	41.97	33.06	0.17	41.84	4.73	4.86	327.93	
Thompson Creek Monitoring Well	8/25/2010 1:30:00	41.94	33.09	0.20	41.79	4.75	4.90	327.89	
Thompson Creek Monitoring Well	8/25/2010 5:30:00	41.94	33.16	0.27	41.73	4.76	4.97	327.83	
Thompson Creek Monitoring Well	8/25/2010 9:30:00	41.92	33.09	0.20	41.77	4.77	4.92	327.87	
Thompson Creek Monitoring Well	8/25/2010 13:30:00	41.84	32.96	0.07	41.78	4.86	4.91	327.88	
Thompson Creek Monitoring Well	8/25/2010 17:30:00	41.76	32.86	-0.02	41.77	4.94	4.92	327.87	
Thompson Creek Monitoring Well	8/25/2010 21:30:00	41.74	32.89	0.00	41.74	4.96	4.96	327.83	
Thompson Creek Monitoring Well	8/26/2010 1:30:00	41.74	32.95	0.06	41.70	4.95	5.00	327.79	
Thompson Creek Monitoring Well	8/26/2010 5:30:00	41.77	33.04	0.15	41.66	4.92	5.04	327.75	
Thompson Creek Monitoring Well	8/26/2010 9:30:00	41.85	33.14	0.25	41.66	4.84	5.03	327.76	
Thompson Creek Monitoring Well	8/26/2010 13:30:00	41.92	33.13	0.24	41.74	4.77	4.95	327.84	
Thompson Creek Monitoring Well	8/26/2010 17:30:00	41.96	33.19	0.30	41.74	4.73	4.96	327.83	
Thompson Creek Monitoring Well	8/26/2010 21:30:00	42.02	33.29	0.40	41.72	4.68	4.98	327.81	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Thompson Creek Monitoring Well	8/27/2010 1:30:00	42.01	33.35	0.46	41.66	4.69	5.04	327.75	
Thompson Creek Monitoring Well	8/27/2010 5:30:00	42.02	33.39	0.50	41.64	4.68	5.05	327.74	
Thompson Creek Monitoring Well	8/27/2010 9:30:00	41.99	33.33	0.44	41.66	4.70	5.03	327.76	
Thompson Creek Monitoring Well	8/27/2010 13:30:00	41.91	33.18	0.29	41.69	4.79	5.01	327.78	
Thompson Creek Monitoring Well	8/27/2010 17:30:00	42.05	33.07	0.18	41.91	4.65	4.79	328.00	
Thompson Creek Monitoring Well	8/27/2010 21:30:00	41.94	33.07	0.18	41.80	4.76	4.90	327.89	
Thompson Creek Monitoring Well	8/28/2010 1:30:00	41.87	33.14	0.25	41.68	4.83	5.02	327.77	
Thompson Creek Monitoring Well	8/28/2010 5:30:00	41.82	33.20	0.31	41.58	4.88	5.11	327.68	
Thompson Creek Monitoring Well	8/28/2010 9:30:00	41.80	33.19	0.30	41.57	4.90	5.12	327.67	
Thompson Creek Monitoring Well	8/28/2010 13:30:00	41.74	33.03	0.14	41.64	4.96	5.06	327.73	
Thompson Creek Monitoring Well	8/28/2010 17:30:00	41.67	32.95	0.06	41.63	5.03	5.07	327.72	
Thompson Creek Monitoring Well	8/28/2010 21:30:00	41.69	32.98	0.09	41.62	5.01	5.08	327.71	
Thompson Creek Monitoring Well	8/29/2010 1:30:00	41.70	33.06	0.17	41.57	5.00	5.13	327.66	
Thompson Creek Monitoring Well	8/29/2010 5:30:00	41.74	33.16	0.27	41.54	4.95	5.15	327.64	
Thompson Creek Monitoring Well	8/29/2010 9:30:00	41.75	33.15	0.26	41.55	4.95	5.14	327.65	
Thompson Creek Monitoring Well	8/29/2010 13:30:00	41.74	33.10	0.21	41.58	4.96	5.12	327.67	
Thompson Creek Monitoring Well	8/29/2010 17:30:00	41.68	33.03	0.14	41.57	5.02	5.12	327.67	
Thompson Creek Monitoring Well	8/29/2010 21:30:00	41.71	33.08	0.19	41.56	4.99	5.13	327.66	
Thompson Creek Monitoring Well	8/30/2010 1:30:00	41.69	33.12	0.23	41.52	5.01	5.18	327.61	
Thompson Creek Monitoring Well	8/30/2010 5:30:00	41.70	33.15	0.26	41.50	5.00	5.19	327.60	
Thompson Creek Monitoring Well	8/30/2010 9:30:00	41.75	33.20	0.31	41.52	4.95	5.18	327.61	
Thompson Creek Monitoring Well	8/30/2010 13:30:00	41.77	33.16	0.27	41.56	4.93	5.14	327.65	
Thompson Creek Monitoring Well	8/30/2010 17:30:00	41.78	33.16	0.27	41.57	4.92	5.12	327.67	
Thompson Creek Monitoring Well	8/30/2010 21:30:00	41.85	33.23	0.34	41.59	4.85	5.11	327.68	
Thompson Creek Monitoring Well	8/31/2010 1:30:00	41.88	33.31	0.42	41.56	4.82	5.13	327.66	
Thompson Creek Monitoring Well	8/31/2010 5:30:00	41.88	33.34	0.45	41.54	4.82	5.15	327.64	
Thompson Creek Monitoring Well	8/31/2010 9:30:00	41.88	33.35	0.46	41.53	4.82	5.16	327.63	
Thompson Creek Monitoring Well	8/31/2010 13:30:00	41.81	33.27	0.38	41.52	4.89	5.17	327.62	
Thompson Creek Monitoring Well	8/31/2010 17:30:00	41.76	33.20	0.31	41.53	4.94	5.17	327.62	
Thompson Creek Monitoring Well	8/31/2010 21:30:00	41.78	33.23	0.34	41.53	4.91	5.17	327.62	
Thompson Creek Monitoring Well	9/1/2010 1:30:00	41.82	33.27	0.38	41.53	4.88	5.16	327.63	
Thompson Creek Monitoring Well	9/1/2010 5:30:00	41.81	33.26	0.37	41.53	4.89	5.17	327.62	
Thompson Creek Monitoring Well	9/1/2010 9:30:00	41.89	33.34	0.45	41.55	4.81	5.14	327.65	
Thompson Creek Monitoring Well	9/1/2010 13:30:00	41.97	33.40	0.51	41.59	4.72	5.11	327.68	
Thompson Creek Monitoring Well	9/1/2010 17:30:00	42.00	33.42	0.53	41.61	4.70	5.09	327.70	
Thompson Creek Monitoring Well	9/1/2010 21:30:00	42.04	33.46	0.57	41.61	4.66	5.08	327.71	
Thompson Creek Monitoring Well	9/2/2010 1:30:00	42.04	33.50	0.61	41.58	4.66	5.11	327.68	
Thompson Creek Monitoring Well	9/2/2010 5:30:00	42.02	33.52	0.63	41.55	4.67	5.15	327.64	
Thompson Creek Monitoring Well	9/2/2010 9:30:00	42.00	33.50	0.61	41.54	4.70	5.15	327.64	
Thompson Creek Monitoring Well	9/2/2010 13:30:00	41.90	33.34	0.45	41.56	4.79	5.13	327.66	
Thompson Creek Monitoring Well	9/2/2010 17:30:00	41.80	33.22	0.33	41.55	4.90	5.14	327.65	
Thompson Creek Monitoring Well	9/2/2010 21:30:00	41.77	33.20	0.31	41.54	4.92	5.15	327.64	
Thompson Creek Monitoring Well	9/3/2010 1:30:00	41.75	33.21	0.32	41.52	4.94	5.18	327.61	
Thompson Creek Monitoring Well	9/3/2010 5:30:00	41.75	33.24	0.35	41.49	4.94	5.21	327.58	
Thompson Creek Monitoring Well	9/3/2010 9:30:00	41.76	33.26	0.37	41.49	4.94	5.21	327.58	
Thompson Creek Monitoring Well	9/3/2010 13:30:00	41.74	33.19	0.30	41.51	4.96	5.18	327.61	
Thompson Creek Monitoring Well	9/3/2010 17:30:00	41.71	33.15	0.26	41.52	4.98	5.18	327.61	
Thompson Creek Monitoring Well	9/3/2010 21:30:00	41.78	33.22	0.33	41.53	4.92	5.16	327.63	
Thompson Creek Monitoring Well	9/4/2010 1:30:00	41.82	33.29	0.40	41.52	4.88	5.18	327.61	
Thompson Creek Monitoring Well	9/4/2010 5:30:00	41.84	33.33	0.44	41.51	4.86	5.19	327.60	
Thompson Creek Monitoring Well	9/4/2010 9:30:00	41.89	33.41	0.52	41.50	4.81	5.20	327.59	
Thompson Creek Monitoring Well	9/4/2010 13:30:00	41.88	33.38	0.49	41.51	4.82	5.19	327.60	
Thompson Creek Monitoring Well	9/4/2010 17:30:00	41.85	33.34	0.45	41.51	4.85	5.19	327.60	
Thompson Creek Monitoring Well	9/4/2010 21:30:00	41.86	33.37	0.48	41.49	4.84	5.20	327.59	
Thompson Creek Monitoring Well	9/5/2010 1:30:00	41.85	33.40	0.51	41.46	4.85	5.23	327.56	
Thompson Creek Monitoring Well	9/5/2010 5:30:00	41.86	33.43	0.54	41.45	4.84	5.24	327.55	
Thompson Creek Monitoring Well	9/5/2010 9:30:00	41.92	33.49	0.60	41.46	4.78	5.23	327.56	
Thompson Creek Monitoring Well	9/5/2010 13:30:00	41.90	33.46	0.57	41.48	4.79	5.22	327.57	
Thompson Creek Monitoring Well	9/5/2010 17:30:00	41.88	33.42	0.53	41.48	4.82	5.22	327.57	
Thompson Creek Monitoring Well	9/5/2010 21:30:00	41.89	33.44	0.55	41.47	4.81	5.22	327.57	
Thompson Creek Monitoring Well	9/6/2010 1:30:00	41.86	33.45	0.56	41.44	4.83	5.25	327.54	
Thompson Creek Monitoring Well	9/6/2010 5:30:00	41.85	33.45	0.56	41.43	4.85	5.27	327.52	
Thompson Creek Monitoring Well	9/6/2010 9:30:00	41.79	33.40	0.51	41.41	4.91	5.29	327.50	
Thompson Creek Monitoring Well	9/6/2010 13:30:00	41.73	33.32	0.43	41.41	4.97	5.29	327.50	
Thompson Creek Monitoring Well	9/6/2010 17:30:00	41.65	33.22	0.33	41.40	5.05	5.30	327.49	
Thompson Creek Monitoring Well	9/6/2010 21:30:00	41.61	33.19	0.30	41.38	5.09	5.31	327.48	
Thompson Creek Monitoring Well	9/7/2010 1:30:00	41.55	33.14	0.25	41.36	5.14	5.33	327.46	
Thompson Creek Monitoring Well	9/7/2010 5:30:00	41.51	33.10	0.21	41.35	5.19	5.35	327.44	
Thompson Creek Monitoring Well	9/7/2010 9:30:00	41.51	33.11	0.22	41.35	5.19	5.35	327.44	
Thompson Creek Monitoring Well	9/7/2010 13:30:00	41.47	33.06	0.17	41.35	5.22	5.35	327.44	
Thompson Creek Monitoring Well	9/7/2010 17:30:00	41.45	33.02	0.13	41.35	5.25	5.35	327.44	
Thompson Creek Monitoring Well	9/7/2010 21:30:00	41.47	33.04	0.15	41.35	5.23	5.34	327.45	
Thompson Creek Monitoring Well	9/8/2010 1:30:00	41.65	33.05	0.16	41.52	5.05	5.17	327.62	
Thompson Creek Monitoring Well	9/8/2010 5:30:00	41.77	33.07	0.18	41.64	4.93	5.06	327.73	
Thompson Creek Monitoring Well	9/8/2010 9:30:00	41.90	33.11	0.22	41.74	4.80	4.96	327.83	
Thompson Creek Monitoring Well	9/8/2010 13:30:00	41.97	33.10	0.21	41.81	4.73	4.89	327.90	
Thompson Creek Monitoring Well	9/8/2010 17:30:00	41.97	33.09	0.21	41.82	4.72	4.88	327.91	
Thompson Creek Monitoring Well	9/8/2010 21:30:00	41.98	33.11	0.22	41.82	4.71	4.88	327.91	
Thompson Creek Monitoring Well	9/9/2010 1:30:00	42.00	33.14	0.25	41.81	4.70	4.88	327.91	
Thompson Creek Monitoring Well	9/9/2010 5:30:00	42.02	33.17	0.28	41.81	4.68	4.89	327.90	
Thompson Creek Monitoring Well	9/9/2010 9:30:00	42.06	33.23	0.34	41.81	4.63	4.89	327.90	
Thompson Creek Monitoring Well	9/9/2010 13:30:00	42.10	33.27	0.38	41.82	4.59	4.88	327.91	
Thompson Creek Monitoring Well	9/9/2010 17:30:00	42.12	33.30	0.41	41.82	4.57	4.88	327.91	
Thompson Creek Monitoring Well	9/9/2010 21:30:00	42.15	33.35	0.46	41.81	4.55	4.89	327.90	
Thompson Creek Monitoring Well	9/10/2010 1:30:00	42.16	33.39	0.50	41.79	4.54	4.91	327.88	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Thompson Creek Monitoring Well	9/10/2010 5:30:00	42.16	33.41	0.52	41.77	4.54	4.92	327.87	
Thompson Creek Monitoring Well	9/10/2010 9:30:00	42.19	33.44	0.55	41.77	4.51	4.92	327.87	
Thompson Creek Monitoring Well	9/10/2010 13:30:00	42.19	33.44	0.56	41.78	4.50	4.92	327.87	
Thompson Creek Monitoring Well	9/10/2010 17:30:00	42.17	33.43	0.54	41.77	4.53	4.93	327.86	
Thompson Creek Monitoring Well	9/10/2010 21:30:00	42.17	33.44	0.55	41.76	4.53	4.94	327.85	
Thompson Creek Monitoring Well	9/11/2010 1:30:00	42.16	33.45	0.56	41.73	4.54	4.96	327.83	
Thompson Creek Monitoring Well	9/11/2010 5:30:00	42.15	33.48	0.59	41.71	4.55	4.99	327.80	
Thompson Creek Monitoring Well	9/11/2010 9:30:00	42.16	33.52	0.63	41.69	4.53	5.00	327.79	
Thompson Creek Monitoring Well	9/11/2010 13:30:00	42.13	33.46	0.57	41.70	4.57	4.99	327.80	
Thompson Creek Monitoring Well	9/11/2010 17:30:00	42.07	33.39	0.50	41.70	4.62	5.00	327.79	
Thompson Creek Monitoring Well	9/11/2010 21:30:00	42.06	33.39	0.50	41.69	4.63	5.01	327.78	
Thompson Creek Monitoring Well	9/12/2010 1:30:00	42.06	33.42	0.53	41.66	4.64	5.03	327.76	
Thompson Creek Monitoring Well	9/12/2010 5:30:00	42.03	33.41	0.52	41.64	4.67	5.06	327.73	
Thompson Creek Monitoring Well	9/12/2010 9:30:00	42.03	33.42	0.53	41.63	4.67	5.06	327.73	
Thompson Creek Monitoring Well	9/12/2010 13:30:00	42.02	33.39	0.50	41.64	4.68	5.05	327.74	
Thompson Creek Monitoring Well	9/12/2010 17:30:00	42.00	33.37	0.48	41.64	4.70	5.05	327.74	
Thompson Creek Monitoring Well	9/12/2010 21:30:00	42.00	33.38	0.49	41.63	4.70	5.06	327.73	
Thompson Creek Monitoring Well	9/13/2010 1:30:00	41.99	33.39	0.50	41.61	4.71	5.09	327.70	
Thompson Creek Monitoring Well	9/13/2010 5:30:00	41.98	33.41	0.52	41.59	4.71	5.11	327.68	
Thompson Creek Monitoring Well	9/13/2010 9:30:00	41.98	33.42	0.53	41.59	4.71	5.11	327.68	
Thompson Creek Monitoring Well	9/13/2010 13:30:00	41.94	33.37	0.48	41.58	4.75	5.11	327.68	
Thompson Creek Monitoring Well	9/13/2010 17:30:00	41.89	33.31	0.42	41.58	4.81	5.12	327.67	
Thompson Creek Monitoring Well	9/13/2010 21:30:00	41.90	33.33	0.44	41.57	4.79	5.12	327.67	
Thompson Creek Monitoring Well	9/14/2010 1:30:00	41.89	33.34	0.45	41.55	4.81	5.15	327.64	
Thompson Creek Monitoring Well	9/14/2010 5:30:00	41.89	33.36	0.47	41.54	4.81	5.16	327.63	
Thompson Creek Monitoring Well	9/14/2010 9:30:00	41.91	33.38	0.49	41.54	4.79	5.16	327.63	
Thompson Creek Monitoring Well	9/14/2010 13:30:00	41.90	33.37	0.48	41.54	4.80	5.16	327.63	
Thompson Creek Monitoring Well	9/14/2010 17:30:00	41.85	33.31	0.42	41.53	4.85	5.16	327.63	
Thompson Creek Monitoring Well	9/14/2010 21:30:00	41.83	33.29	0.40	41.53	4.87	5.17	327.62	
Thompson Creek Monitoring Well	9/15/2010 1:30:00	41.78	33.26	0.37	41.50	4.92	5.20	327.59	
Thompson Creek Monitoring Well	9/15/2010 5:30:00	41.75	33.25	0.36	41.47	4.95	5.22	327.57	
Thompson Creek Monitoring Well	9/15/2010 9:30:00	41.77	33.28	0.39	41.48	4.92	5.22	327.57	
Thompson Creek Monitoring Well	9/15/2010 13:30:00	41.75	33.25	0.36	41.48	4.95	5.21	327.58	
Thompson Creek Monitoring Well	9/15/2010 17:30:00	41.71	33.20	0.31	41.48	4.99	5.22	327.57	
Thompson Creek Monitoring Well	9/15/2010 21:30:00	41.70	33.20	0.31	41.47	4.99	5.23	327.56	
Thompson Creek Monitoring Well	9/16/2010 1:30:00	41.74	33.24	0.35	41.48	4.95	5.22	327.57	
Thompson Creek Monitoring Well	9/16/2010 5:30:00	41.75	33.25	0.36	41.48	4.95	5.22	327.57	
Thompson Creek Monitoring Well	9/16/2010 9:30:00	41.78	33.27	0.38	41.49	4.92	5.20	327.59	
Thompson Creek Monitoring Well	9/16/2010 13:30:00	41.84	33.25	0.36	41.57	4.85	5.13	327.66	
Thompson Creek Monitoring Well	9/16/2010 17:30:00	41.83	33.20	0.31	41.60	4.87	5.10	327.69	
Thompson Creek Monitoring Well	9/16/2010 21:30:00	41.86	33.21	0.32	41.62	4.84	5.08	327.71	
Thompson Creek Monitoring Well	9/17/2010 1:30:00	41.86	33.21	0.32	41.62	4.84	5.08	327.71	
Thompson Creek Monitoring Well	9/17/2010 5:30:00	41.84	33.18	0.29	41.62	4.86	5.08	327.71	
Thompson Creek Monitoring Well	9/17/2010 9:30:00	41.82	33.17	0.28	41.61	4.87	5.08	327.71	
Thompson Creek Monitoring Well	9/17/2010 13:30:00	41.78	33.12	0.23	41.61	4.91	5.09	327.70	
Thompson Creek Monitoring Well	9/17/2010 17:30:00	41.77	33.10	0.21	41.61	4.93	5.09	327.70	
Thompson Creek Monitoring Well	9/17/2010 21:30:00	41.79	33.12	0.23	41.62	4.91	5.08	327.71	
Thompson Creek Monitoring Well	9/18/2010 1:30:00	42.51	33.15	0.26	42.31	4.19	4.38	328.41	
Thompson Creek Monitoring Well	9/18/2010 5:30:00	42.56	33.16	0.27	42.36	4.13	4.34	328.45	
Thompson Creek Monitoring Well	9/18/2010 9:30:00	42.50	33.16	0.27	42.30	4.20	4.40	328.39	
Thompson Creek Monitoring Well	9/18/2010 13:30:00	42.40	33.09	0.20	42.25	4.29	4.44	328.35	
Thompson Creek Monitoring Well	9/18/2010 17:30:00	42.34	33.05	0.16	42.22	4.36	4.48	328.31	
Thompson Creek Monitoring Well	9/18/2010 21:30:00	42.33	33.01	0.12	42.24	4.36	4.46	328.33	
Thompson Creek Monitoring Well	9/19/2010 1:30:00	42.49	32.99	0.10	42.42	4.21	4.28	328.51	
Thompson Creek Monitoring Well	9/19/2010 5:30:00	42.45	32.95	0.06	42.41	4.24	4.29	328.50	
Thompson Creek Monitoring Well	9/19/2010 9:30:00	42.44	32.98	0.09	42.37	4.26	4.32	328.47	
Thompson Creek Monitoring Well	9/19/2010 13:30:00	42.48	33.02	0.13	42.38	4.22	4.32	328.47	
Thompson Creek Monitoring Well	9/19/2010 17:30:00	42.50	33.02	0.13	42.40	4.20	4.30	328.49	
Thompson Creek Monitoring Well	9/19/2010 21:30:00	42.49	33.04	0.15	42.38	4.20	4.32	328.47	
Thompson Creek Monitoring Well	9/20/2010 1:30:00	42.48	33.05	0.16	42.35	4.22	4.34	328.45	
Thompson Creek Monitoring Well	9/20/2010 5:30:00	42.47	33.07	0.18	42.33	4.23	4.37	328.42	
Thompson Creek Monitoring Well	9/20/2010 9:30:00	42.52	33.14	0.25	42.33	4.18	4.37	328.42	
Thompson Creek Monitoring Well	9/20/2010 13:30:00	42.70	33.19	0.30	42.47	4.00	4.23	328.56	
Thompson Creek Monitoring Well	9/20/2010 17:30:00	42.67	33.19	0.30	42.45	4.02	4.25	328.54	
Thompson Creek Monitoring Well	9/20/2010 21:30:00	42.76	33.20	0.31	42.52	3.94	4.18	328.61	
Thompson Creek Monitoring Well	9/21/2010 1:30:00	42.73	33.21	0.32	42.49	3.97	4.21	328.58	
Thompson Creek Monitoring Well	9/21/2010 5:30:00	42.69	33.23	0.34	42.44	4.01	4.26	328.53	
Thompson Creek Monitoring Well	9/21/2010 9:30:00	42.68	33.25	0.36	42.41	4.02	4.29	328.50	
Thompson Creek Monitoring Well	9/21/2010 13:30:00	42.61	33.18	0.29	42.39	4.09	4.30	328.49	
Thompson Creek Monitoring Well	9/21/2010 17:30:00	42.53	33.11	0.22	42.36	4.17	4.33	328.46	
Thompson Creek Monitoring Well	9/21/2010 21:30:00	42.53	33.14	0.25	42.34	4.16	4.35	328.44	
Thompson Creek Monitoring Well	9/22/2010 1:30:00	42.50	33.15	0.26	42.30	4.20	4.39	328.40	
Thompson Creek Monitoring Well	9/22/2010 5:30:00	42.48	33.18	0.29	42.26	4.22	4.43	328.36	
Thompson Creek Monitoring Well	9/22/2010 9:30:00	42.47	33.20	0.31	42.24	4.22	4.46	328.33	
Thompson Creek Monitoring Well	9/22/2010 13:30:00	42.43	33.14	0.25	42.23	4.27	4.46	328.33	
Thompson Creek Monitoring Well	9/22/2010 17:30:00	42.38	33.09	0.20	42.23	4.32	4.47	328.32	
Thompson Creek Monitoring Well	9/22/2010 21:30:00	42.40	33.14	0.25	42.22	4.29	4.48	328.31	
Thompson Creek Monitoring Well	9/23/2010 1:30:00	42.40	33.17	0.28	42.19	4.29	4.51	328.28	
Thompson Creek Monitoring Well	9/23/2010 5:30:00	42.42	33.22	0.33	42.17	4.28	4.52	328.27	
Thompson Creek Monitoring Well	9/23/2010 9:30:00	42.42	33.23	0.34	42.16	4.28	4.53	328.26	
Thompson Creek Monitoring Well	9/23/2010 13:30:00	42.47	33.28	0.39	42.18	4.22	4.51	328.28	
Thompson Creek Monitoring Well	9/23/2010 17:30:00	42.51	33.31	0.42	42.20	4.18	4.50	328.29	
Thompson Creek Monitoring Well	9/23/2010 21:30:00	42.55	33.36	0.47	42.20	4.14	4.50	328.29	
Thompson Creek Monitoring Well	9/24/2010 1:30:00	42.56	33.38	0.49	42.19	4.13	4.50	328.29	
Thompson Creek Monitoring Well	9/24/2010 5:30:00	42.60	33.44	0.55	42.19	4.10	4.51	328.28	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Thompson Creek Monitoring Well	9/24/2010 9:30:00	42.62	33.47	0.58	42.18	4.08	4.51	328.28	
Thompson Creek Monitoring Well	9/24/2010 13:30:00	42.65	33.50	0.61	42.19	4.04	4.50	328.29	
Thompson Creek Monitoring Well	9/24/2010 17:30:00	42.61	33.45	0.56	42.19	4.09	4.51	328.28	
Thompson Creek Monitoring Well	9/24/2010 21:30:00	42.58	33.43	0.54	42.18	4.11	4.52	328.27	
Thompson Creek Monitoring Well	9/25/2010 1:30:00	42.56	33.44	0.55	42.15	4.13	4.55	328.24	
Thompson Creek Monitoring Well	9/25/2010 5:30:00	42.53	33.44	0.55	42.12	4.17	4.58	328.21	
Thompson Creek Monitoring Well	9/25/2010 9:30:00	42.50	33.42	0.53	42.09	4.20	4.60	328.19	
Thompson Creek Monitoring Well	9/25/2010 13:30:00	42.42	33.32	0.43	42.10	4.27	4.60	328.19	
Thompson Creek Monitoring Well	9/25/2010 17:30:00	42.36	33.25	0.36	42.09	4.34	4.60	328.19	
Thompson Creek Monitoring Well	9/25/2010 21:30:00	42.36	33.25	0.36	42.08	4.34	4.61	328.18	
Thompson Creek Monitoring Well	9/26/2010 1:30:00	42.35	33.26	0.38	42.07	4.35	4.63	328.16	
Thompson Creek Monitoring Well	9/26/2010 5:30:00	42.30	33.22	0.33	42.05	4.40	4.65	328.14	
Thompson Creek Monitoring Well	9/26/2010 9:30:00	42.31	33.24	0.35	42.04	4.39	4.66	328.13	
Thompson Creek Monitoring Well	9/26/2010 13:30:00	42.35	33.28	0.39	42.05	4.35	4.64	328.15	
Thompson Creek Monitoring Well	9/26/2010 17:30:00	42.34	33.27	0.38	42.05	4.36	4.65	328.14	
Thompson Creek Monitoring Well	9/26/2010 21:30:00	42.36	33.30	0.41	42.05	4.34	4.65	328.14	
Thompson Creek Monitoring Well	9/27/2010 1:30:00	42.36	33.31	0.42	42.04	4.33	4.65	328.14	
Thompson Creek Monitoring Well	9/27/2010 5:30:00	42.37	33.33	0.44	42.04	4.33	4.66	328.13	
Thompson Creek Monitoring Well	9/27/2010 9:30:00	42.36	33.32	0.43	42.03	4.34	4.66	328.13	
Thompson Creek Monitoring Well	9/27/2010 13:30:00	42.36	33.32	0.43	42.04	4.33	4.66	328.13	
Thompson Creek Monitoring Well	9/27/2010 17:30:00	42.78	33.25	0.36	42.51	3.92	4.19	328.60	
Thompson Creek Monitoring Well	9/27/2010 21:30:00	42.69	33.30	0.41	42.38	4.01	4.32	328.47	
Thompson Creek Monitoring Well	9/28/2010 1:30:00	42.58	33.29	0.40	42.28	4.12	4.42	328.37	
Thompson Creek Monitoring Well	9/28/2010 5:30:00	42.52	33.30	0.41	42.21	4.18	4.48	328.31	
Thompson Creek Monitoring Well	9/28/2010 9:30:00	42.53	33.36	0.47	42.18	4.17	4.52	328.27	
Thompson Creek Monitoring Well	9/28/2010 13:30:00	42.52	33.37	0.48	42.15	4.18	4.54	328.25	
Thompson Creek Monitoring Well	9/28/2010 17:30:00	42.51	33.40	0.51	42.13	4.18	4.56	328.23	
Thompson Creek Monitoring Well	9/28/2010 21:30:00	42.51	33.42	0.53	42.11	4.19	4.59	328.20	
Thompson Creek Monitoring Well	9/29/2010 1:30:00	42.48	33.43	0.54	42.08	4.21	4.62	328.17	
Thompson Creek Monitoring Well	9/29/2010 5:30:00	42.47	33.46	0.57	42.04	4.23	4.66	328.13	
Thompson Creek Monitoring Well	9/29/2010 9:30:00	42.46	33.48	0.59	42.01	4.24	4.68	328.11	
Thompson Creek Monitoring Well	9/29/2010 13:30:00	42.39	33.41	0.52	42.01	4.30	4.69	328.10	
Thompson Creek Monitoring Well	9/29/2010 17:30:00	42.30	33.29	0.40	42.00	4.40	4.70	328.09	
Thompson Creek Monitoring Well	9/29/2010 21:30:00	42.29	33.29	0.40	41.99	4.41	4.71	328.08	
Thompson Creek Monitoring Well	9/30/2010 1:30:00	42.25	33.29	0.40	41.96	4.44	4.74	328.05	
Thompson Creek Monitoring Well	9/30/2010 5:30:00	42.20	33.24	0.35	41.94	4.50	4.76	328.03	
Thompson Creek Monitoring Well	9/30/2010 9:30:00	42.19	33.23	0.34	41.94	4.50	4.76	328.03	
Thompson Creek Monitoring Well	9/30/2010 13:30:00	42.12	33.14	0.25	41.93	4.57	4.76	328.03	
Thompson Creek Monitoring Well	9/30/2010 17:30:00	42.05	33.05	0.16	41.93	4.65	4.77	328.02	
Thompson Creek Monitoring Well	9/30/2010 21:30:00	42.07	33.08	0.19	41.93	4.63	4.77	328.02	
Thompson Creek Monitoring Well	10/1/2010 1:30:00	42.09	33.13	0.24	41.91	4.60	4.78	328.01	
Thompson Creek Monitoring Well	10/1/2010 5:30:00	42.15	33.22	0.33	41.90	4.54	4.80	327.99	
Thompson Creek Monitoring Well	10/1/2010 9:30:00	42.25	33.34	0.45	41.91	4.44	4.78	328.01	
Thompson Creek Monitoring Well	10/1/2010 13:30:00	42.33	33.39	0.50	41.95	4.37	4.74	328.05	
Thompson Creek Monitoring Well	10/1/2010 17:30:00	42.33	33.38	0.49	41.96	4.37	4.74	328.05	
Thompson Creek Monitoring Well	10/1/2010 21:30:00	42.35	33.41	0.52	41.96	4.35	4.74	328.05	
Thompson Creek Monitoring Well	10/2/2010 1:30:00	42.35	33.42	0.53	41.95	4.35	4.74	328.05	
Thompson Creek Monitoring Well	10/2/2010 5:30:00	42.34	33.42	0.53	41.94	4.36	4.76	328.03	
Thompson Creek Monitoring Well	10/2/2010 9:30:00	42.34	33.43	0.54	41.94	4.36	4.76	328.03	
Thompson Creek Monitoring Well	10/2/2010 13:30:00	42.27	33.35	0.46	41.92	4.42	4.77	328.02	
Thompson Creek Monitoring Well	10/2/2010 17:30:00	42.18	33.26	0.37	41.90	4.52	4.79	328.00	
Thompson Creek Monitoring Well	10/2/2010 21:30:00	42.16	33.24	0.35	41.89	4.54	4.80	327.99	
Thompson Creek Monitoring Well	10/3/2010 1:30:00	42.15	33.25	0.36	41.88	4.54	4.81	327.98	
Thompson Creek Monitoring Well	10/3/2010 5:30:00	42.15	33.25	0.36	41.87	4.55	4.82	327.97	
Thompson Creek Monitoring Well	10/3/2010 9:30:00	42.17	33.28	0.39	41.88	4.52	4.82	327.97	
Thompson Creek Monitoring Well	10/3/2010 13:30:00	42.18	33.29	0.40	41.88	4.52	4.82	327.97	
Thompson Creek Monitoring Well	10/3/2010 17:30:00	42.16	33.27	0.38	41.88	4.53	4.82	327.97	
Thompson Creek Monitoring Well	10/3/2010 21:30:00	42.20	33.31	0.42	41.88	4.50	4.82	327.97	
Thompson Creek Monitoring Well	10/4/2010 1:30:00	42.22	33.37	0.48	41.86	4.48	4.84	327.95	
Thompson Creek Monitoring Well	10/4/2010 5:30:00	42.24	33.43	0.54	41.84	4.46	4.86	327.93	
Thompson Creek Monitoring Well	10/4/2010 9:30:00	42.29	33.49	0.60	41.84	4.40	4.86	327.93	
Thompson Creek Monitoring Well	10/4/2010 13:30:00	42.32	33.49	0.60	41.87	4.38	4.82	327.97	
Thompson Creek Monitoring Well	10/4/2010 17:30:00	42.34	33.50	0.61	41.89	4.35	4.81	327.98	
Thompson Creek Monitoring Well	10/4/2010 21:30:00	42.41	33.58	0.69	41.89	4.28	4.80	327.99	
Thompson Creek Monitoring Well	10/5/2010 1:30:00	42.47	33.67	0.78	41.88	4.23	4.82	327.97	
Thompson Creek Monitoring Well	10/5/2010 5:30:00	42.54	33.78	0.89	41.87	4.16	4.83	327.96	
Thompson Creek Monitoring Well	10/5/2010 9:30:00	42.60	33.86	0.97	41.87	4.09	4.82	327.97	
Thompson Creek Monitoring Well	10/5/2010 13:30:00	42.57	33.79	0.90	41.89	4.13	4.80	327.99	
Thompson Creek Monitoring Well	10/5/2010 17:30:00	42.50	33.69	0.80	41.89	4.20	4.80	327.99	
Thompson Creek Monitoring Well	10/5/2010 21:30:00	42.47	33.68	0.79	41.88	4.23	4.82	327.97	
Thompson Creek Monitoring Well	10/6/2010 1:30:00	42.39	33.64	0.75	41.82	4.31	4.87	327.92	
Thompson Creek Monitoring Well	10/6/2010 5:30:00	42.31	33.60	0.71	41.78	4.38	4.92	327.87	
Thompson Creek Monitoring Well	10/6/2010 9:30:00	42.23	33.52	0.63	41.76	4.46	4.94	327.85	
Thompson Creek Monitoring Well	10/6/2010 10:45:00	42.75	33.47	0.58	42.31	3.95	4.38	328.41	
Thompson Creek Monitoring Well	10/6/2010 11:00:00	42.73	33.46	0.57	42.30	3.97	4.40	328.39	
Thompson Creek Monitoring Well	10/6/2010 11:15:00	42.70	33.45	0.56	42.28	4.00	4.42	328.37	
Thompson Creek Monitoring Well	10/6/2010 11:30:00	42.66	33.44	0.55	42.25	4.03	4.44	328.35	
Thompson Creek Monitoring Well	10/6/2010 11:45:00	42.64	33.43	0.54	42.24	4.06	4.46	328.33	
Thompson Creek Monitoring Well	10/6/2010 12:00:00	42.61	33.42	0.53	42.22	4.08	4.48	328.31	
Thompson Creek Monitoring Well	10/6/2010 12:15:00	42.59	33.40	0.52	42.20	4.11	4.50	328.29	
Thompson Creek Monitoring Well	10/6/2010 12:30:00	42.56	33.39	0.50	42.18	4.14	4.51	328.28	
Thompson Creek Monitoring Well	10/6/2010 12:45:00	42.54	33.38	0.49	42.17	4.16	4.53	328.26	
Thompson Creek Monitoring Well	10/6/2010 13:00:00	42.52	33.37	0.48	42.15	4.18	4.54	328.25	
Thompson Creek Monitoring Well	10/6/2010 13:15:00	42.49	33.36	0.47	42.14	4.21	4.56	328.23	
Thompson Creek Monitoring Well	10/6/2010 13:30:00	42.47	33.35	0.46	42.12	4.23	4.57	328.22	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Thompson Creek Monitoring Well	10/6/2010 13:45:00	42.44	33.34	0.45	42.10	4.25	4.59	328.20	
Thompson Creek Monitoring Well	10/6/2010 14:00:00	42.41	33.33	0.44	42.08	4.28	4.61	328.18	
Thompson Creek Monitoring Well	10/6/2010 14:15:00	42.39	33.32	0.43	42.07	4.31	4.63	328.16	
Thompson Creek Monitoring Well	10/6/2010 14:30:00	42.37	33.31	0.42	42.06	4.32	4.64	328.15	
Thompson Creek Monitoring Well	10/6/2010 14:45:00	42.35	33.30	0.41	42.04	4.35	4.65	328.14	
Thompson Creek Monitoring Well	10/6/2010 15:00:00	42.33	33.29	0.40	42.03	4.37	4.66	328.13	
Thompson Creek Monitoring Well	10/6/2010 15:15:00	42.31	33.28	0.39	42.02	4.38	4.67	328.12	
Thompson Creek Monitoring Well	10/6/2010 15:30:00	42.30	33.27	0.38	42.02	4.40	4.68	328.11	
Thompson Creek Monitoring Well	10/6/2010 15:45:00	42.28	33.25	0.37	42.01	4.41	4.69	328.10	
Thompson Creek Monitoring Well	10/6/2010 16:00:00	42.27	33.24	0.35	42.00	4.43	4.69	328.10	
Thompson Creek Monitoring Well	10/6/2010 16:15:00	42.26	33.23	0.34	42.00	4.44	4.70	328.09	
Thompson Creek Monitoring Well	10/6/2010 16:30:00	42.24	33.22	0.33	41.99	4.45	4.70	328.09	
Thompson Creek Monitoring Well	10/6/2010 16:45:00	42.23	33.21	0.32	41.99	4.46	4.71	328.08	
Thompson Creek Monitoring Well	10/6/2010 17:00:00	42.22	33.20	0.31	41.98	4.48	4.71	328.08	
Thompson Creek Monitoring Well	10/6/2010 17:15:00	42.21	33.19	0.30	41.98	4.49	4.72	328.07	
Thompson Creek Monitoring Well	10/6/2010 17:30:00	42.20	33.18	0.29	41.98	4.50	4.72	328.07	
Thompson Creek Monitoring Well	10/6/2010 17:45:00	42.19	33.18	0.29	41.97	4.51	4.73	328.06	
Thompson Creek Monitoring Well	10/6/2010 18:00:00	42.18	33.18	0.29	41.96	4.52	4.74	328.05	
Thompson Creek Monitoring Well	10/6/2010 18:15:00	42.17	33.18	0.29	41.95	4.53	4.75	328.04	
Thompson Creek Monitoring Well	10/6/2010 18:30:00	42.16	33.19	0.30	41.94	4.54	4.76	328.03	
Thompson Creek Monitoring Well	10/6/2010 18:45:00	42.16	33.19	0.30	41.93	4.54	4.76	328.03	
Thompson Creek Monitoring Well	10/6/2010 19:00:00	42.15	33.19	0.30	41.93	4.55	4.77	328.02	
Thompson Creek Monitoring Well	10/6/2010 19:15:00	42.15	33.19	0.30	41.92	4.55	4.77	328.02	
Thompson Creek Monitoring Well	10/6/2010 19:30:00	42.15	33.19	0.30	41.92	4.55	4.78	328.01	
Thompson Creek Monitoring Well	10/6/2010 19:45:00	42.14	33.19	0.30	41.91	4.56	4.78	328.01	
Thompson Creek Monitoring Well	10/6/2010 20:00:00	42.14	33.19	0.30	41.91	4.56	4.79	328.00	
Thompson Creek Monitoring Well	10/6/2010 20:15:00	42.13	33.19	0.31	41.90	4.57	4.80	327.99	
Thompson Creek Monitoring Well	10/6/2010 20:30:00	42.12	33.20	0.31	41.89	4.57	4.80	327.99	
Thompson Creek Monitoring Well	10/6/2010 20:45:00	42.12	33.20	0.31	41.89	4.57	4.81	327.98	
Thompson Creek Monitoring Well	10/6/2010 21:00:00	42.12	33.20	0.31	41.89	4.58	4.81	327.98	
Thompson Creek Monitoring Well	10/6/2010 21:15:00	42.12	33.20	0.31	41.88	4.58	4.81	327.98	
Thompson Creek Monitoring Well	10/6/2010 21:30:00	42.12	33.20	0.31	41.88	4.58	4.81	327.98	
Thompson Creek Monitoring Well	10/6/2010 21:45:00	42.11	33.20	0.31	41.88	4.58	4.82	327.97	
Thompson Creek Monitoring Well	10/6/2010 22:00:00	42.11	33.20	0.31	41.88	4.59	4.82	327.97	
Thompson Creek Monitoring Well	10/6/2010 22:15:00	42.11	33.20	0.32	41.87	4.59	4.83	327.96	
Thompson Creek Monitoring Well	10/6/2010 22:30:00	42.11	33.21	0.32	41.87	4.59	4.83	327.96	
Thompson Creek Monitoring Well	10/6/2010 22:45:00	42.10	33.21	0.32	41.86	4.60	4.84	327.95	
Thompson Creek Monitoring Well	10/6/2010 23:00:00	42.10	33.21	0.32	41.86	4.60	4.84	327.95	
Thompson Creek Monitoring Well	10/6/2010 23:15:00	42.09	33.21	0.32	41.85	4.60	4.84	327.95	
Thompson Creek Monitoring Well	10/6/2010 23:30:00	42.09	33.21	0.32	41.85	4.61	4.85	327.94	
Thompson Creek Monitoring Well	10/6/2010 23:45:00	42.09	33.21	0.32	41.84	4.61	4.85	327.94	
Thompson Creek Monitoring Well	10/7/2010 0:00:00	42.09	33.21	0.32	41.84	4.61	4.85	327.94	
Thompson Creek Monitoring Well	10/7/2010 0:15:00	42.09	33.21	0.32	41.84	4.61	4.85	327.94	
Thompson Creek Monitoring Well	10/7/2010 0:30:00	42.08	33.21	0.33	41.83	4.62	4.86	327.93	
Thompson Creek Monitoring Well	10/7/2010 0:45:00	42.08	33.22	0.33	41.84	4.62	4.86	327.93	
Thompson Creek Monitoring Well	10/7/2010 1:00:00	42.08	33.22	0.33	41.83	4.62	4.87	327.92	
Thompson Creek Monitoring Well	10/7/2010 1:15:00	42.07	33.22	0.33	41.83	4.62	4.87	327.92	
Thompson Creek Monitoring Well	10/7/2010 1:30:00	42.08	33.22	0.33	41.83	4.62	4.87	327.92	
Thompson Creek Monitoring Well	10/7/2010 1:45:00	42.08	33.22	0.33	41.83	4.62	4.87	327.92	
Thompson Creek Monitoring Well	10/7/2010 2:00:00	42.07	33.22	0.33	41.82	4.62	4.87	327.92	
Thompson Creek Monitoring Well	10/7/2010 2:15:00	42.07	33.23	0.34	41.82	4.63	4.88	327.91	
Thompson Creek Monitoring Well	10/7/2010 2:30:00	42.07	33.23	0.34	41.82	4.63	4.88	327.91	
Thompson Creek Monitoring Well	10/7/2010 2:45:00	42.07	33.23	0.34	41.82	4.63	4.88	327.91	
Thompson Creek Monitoring Well	10/7/2010 3:00:00	42.07	33.23	0.34	41.81	4.63	4.88	327.91	
Thompson Creek Monitoring Well	10/7/2010 3:15:00	42.07	33.23	0.35	41.81	4.63	4.89	327.90	
Thompson Creek Monitoring Well	10/7/2010 3:30:00	42.07	33.24	0.35	41.81	4.63	4.89	327.90	
Thompson Creek Monitoring Well	10/7/2010 3:45:00	42.06	33.24	0.35	41.80	4.63	4.89	327.90	
Thompson Creek Monitoring Well	10/7/2010 4:00:00	42.06	33.24	0.35	41.79	4.64	4.90	327.89	
Thompson Creek Monitoring Well	10/7/2010 4:15:00	42.06	33.24	0.35	41.79	4.64	4.90	327.89	
Thompson Creek Monitoring Well	10/7/2010 4:30:00	42.06	33.25	0.36	41.79	4.63	4.90	327.89	
Thompson Creek Monitoring Well	10/7/2010 4:45:00	42.06	33.25	0.36	41.79	4.63	4.90	327.89	
Thompson Creek Monitoring Well	10/7/2010 5:00:00	42.07	33.25	0.36	41.79	4.63	4.90	327.89	
Thompson Creek Monitoring Well	10/7/2010 5:15:00	42.06	33.25	0.36	41.79	4.63	4.91	327.88	
Thompson Creek Monitoring Well	10/7/2010 5:30:00	42.06	33.26	0.37	41.79	4.63	4.91	327.88	
Thompson Creek Monitoring Well	10/7/2010 5:45:00	42.07	33.26	0.37	41.79	4.63	4.91	327.88	
Thompson Creek Monitoring Well	10/7/2010 6:00:00	42.07	33.26	0.37	41.79	4.63	4.90	327.89	
Thompson Creek Monitoring Well	10/7/2010 6:15:00	42.07	33.26	0.37	41.79	4.63	4.91	327.88	
Thompson Creek Monitoring Well	10/7/2010 6:30:00	42.07	33.26	0.37	41.79	4.63	4.91	327.88	
Thompson Creek Monitoring Well	10/7/2010 6:45:00	42.07	33.27	0.38	41.79	4.63	4.91	327.88	
Thompson Creek Monitoring Well	10/7/2010 7:00:00	42.07	33.27	0.38	41.79	4.62	4.91	327.88	
Thompson Creek Monitoring Well	10/7/2010 7:15:00	42.08	33.27	0.38	41.79	4.62	4.90	327.89	
Thompson Creek Monitoring Well	10/7/2010 7:30:00	42.08	33.27	0.38	41.80	4.61	4.90	327.89	
Thompson Creek Monitoring Well	10/7/2010 7:45:00	42.08	33.27	0.38	41.79	4.62	4.91	327.88	
Thompson Creek Monitoring Well	10/7/2010 8:00:00	42.08	33.28	0.39	41.79	4.61	4.90	327.89	
Thompson Creek Monitoring Well	10/7/2010 8:15:00	42.08	33.28	0.39	41.79	4.61	4.90	327.89	
Thompson Creek Monitoring Well	10/7/2010 8:30:00	42.09	33.28	0.39	41.79	4.61	4.90	327.89	
Thompson Creek Monitoring Well	10/7/2010 8:45:00	42.09	33.28	0.39	41.80	4.61	4.90	327.89	
Thompson Creek Monitoring Well	10/7/2010 9:00:00	42.09	33.28	0.39	41.80	4.60	4.90	327.89	
Thompson Creek Monitoring Well	10/7/2010 9:15:00	42.10	33.29	0.40	41.80	4.60	4.89	327.90	
Thompson Creek Monitoring Well	10/7/2010 9:30:00	42.11	33.29	0.40	41.81	4.59	4.89	327.90	
Thompson Creek Monitoring Well	10/7/2010 9:45:00	42.11	33.29	0.40	41.81	4.59	4.89	327.90	
Thompson Creek Monitoring Well	10/7/2010 10:00:00	42.07	33.29	0.40	41.77	4.62	4.92	327.87	
Thompson Creek Monitoring Well	10/7/2010 10:15:00	42.07	33.29	0.40	41.77	4.63	4.93	327.86	
Thompson Creek Monitoring Well	10/7/2010 10:30:00	42.07	33.29	0.40	41.77	4.63	4.93	327.86	
Thompson Creek Monitoring Well	10/7/2010 10:45:00	42.07	33.29	0.41	41.76	4.63	4.93	327.86	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Thompson Creek Monitoring Well	10/7/2010 11:00:00	42.06	33.30	0.41	41.76	4.63	4.94	327.85	
Thompson Creek Monitoring Well	10/7/2010 11:15:00	42.06	33.30	0.41	41.76	4.63	4.94	327.85	
Thompson Creek Monitoring Well	10/7/2010 11:30:00	42.08	33.30	0.41	41.78	4.61	4.92	327.87	
Thompson Creek Monitoring Well	10/7/2010 11:45:00	42.41	33.30	0.41	42.10	4.28	4.59	328.20	
Thompson Creek Monitoring Well	10/7/2010 12:00:00	42.40	33.30	0.41	42.09	4.29	4.60	328.19	
Thompson Creek Monitoring Well	10/7/2010 12:15:00	42.38	33.30	0.41	42.07	4.31	4.62	328.17	
Thompson Creek Monitoring Well	10/7/2010 12:30:00	42.37	33.30	0.42	42.05	4.33	4.64	328.15	
Thompson Creek Monitoring Well	10/7/2010 12:45:00	42.35	33.31	0.42	42.04	4.35	4.66	328.13	
Thompson Creek Monitoring Well	10/7/2010 13:00:00	42.34	33.31	0.42	42.02	4.36	4.67	328.12	
Thompson Creek Monitoring Well	10/7/2010 13:15:00	42.32	33.31	0.42	42.01	4.37	4.69	328.10	
Thompson Creek Monitoring Well	10/7/2010 13:30:00	42.31	33.31	0.42	42.00	4.38	4.70	328.09	
Thompson Creek Monitoring Well	10/7/2010 13:45:00	42.31	33.32	0.43	41.99	4.39	4.71	328.08	
Thompson Creek Monitoring Well	10/7/2010 14:00:00	42.30	33.32	0.43	41.97	4.40	4.72	328.07	
Thompson Creek Monitoring Well	10/7/2010 14:15:00	42.29	33.33	0.44	41.96	4.41	4.74	328.05	
Thompson Creek Monitoring Well	10/7/2010 14:30:00	42.28	33.33	0.44	41.95	4.42	4.75	328.04	
Thompson Creek Monitoring Well	10/7/2010 14:45:00	42.27	33.33	0.45	41.94	4.42	4.76	328.03	
Thompson Creek Monitoring Well	10/7/2010 15:00:00	42.27	33.34	0.45	41.93	4.43	4.76	328.03	
Thompson Creek Monitoring Well	10/7/2010 15:15:00	42.26	33.34	0.45	41.92	4.44	4.77	328.02	
Thompson Creek Monitoring Well	10/7/2010 15:30:00	42.26	33.34	0.45	41.92	4.44	4.78	328.01	
Thompson Creek Monitoring Well	10/7/2010 15:45:00	42.25	33.35	0.46	41.91	4.44	4.79	328.01	
Thompson Creek Monitoring Well	10/7/2010 16:00:00	42.25	33.35	0.46	41.90	4.45	4.79	328.00	
Thompson Creek Monitoring Well	10/7/2010 16:15:00	42.25	33.35	0.46	41.90	4.45	4.79	328.00	
Thompson Creek Monitoring Well	10/7/2010 16:30:00	42.24	33.35	0.46	41.90	4.46	4.80	327.99	
Thompson Creek Monitoring Well	10/7/2010 16:45:00	42.24	33.35	0.46	41.89	4.46	4.81	327.98	
Thompson Creek Monitoring Well	10/7/2010 17:00:00	42.23	33.35	0.46	41.89	4.46	4.81	327.98	
Thompson Creek Monitoring Well	10/7/2010 17:15:00	42.23	33.36	0.47	41.88	4.47	4.82	327.97	
Thompson Creek Monitoring Well	10/7/2010 17:30:00	42.22	33.35	0.46	41.87	4.48	4.82	327.97	
Thompson Creek Monitoring Well	10/7/2010 17:45:00	42.22	33.35	0.46	41.87	4.48	4.82	327.97	
Thompson Creek Monitoring Well	10/7/2010 18:00:00	42.22	33.36	0.47	41.87	4.48	4.83	327.96	
Thompson Creek Monitoring Well	10/7/2010 18:15:00	42.22	33.36	0.47	41.87	4.48	4.83	327.96	
Thompson Creek Monitoring Well	10/7/2010 18:30:00	42.22	33.36	0.47	41.86	4.48	4.84	327.95	
Thompson Creek Monitoring Well	10/7/2010 18:45:00	42.22	33.37	0.48	41.86	4.48	4.84	327.95	
Thompson Creek Monitoring Well	10/7/2010 19:00:00	42.22	33.37	0.48	41.85	4.48	4.84	327.95	
Thompson Creek Monitoring Well	10/7/2010 19:15:00	42.22	33.38	0.49	41.85	4.48	4.84	327.95	
Thompson Creek Monitoring Well	10/7/2010 19:30:00	42.22	33.38	0.49	41.85	4.48	4.84	327.95	
Thompson Creek Monitoring Well	10/7/2010 19:45:00	42.22	33.38	0.49	41.85	4.48	4.85	327.94	
Thompson Creek Monitoring Well	10/7/2010 20:00:00	42.22	33.39	0.50	41.85	4.48	4.85	327.94	
Thompson Creek Monitoring Well	10/7/2010 20:15:00	42.22	33.39	0.50	41.84	4.48	4.85	327.94	
Thompson Creek Monitoring Well	10/7/2010 20:30:00	42.22	33.39	0.50	41.84	4.48	4.86	327.94	
Thompson Creek Monitoring Well	10/7/2010 20:45:00	42.22	33.39	0.50	41.84	4.48	4.86	327.93	
Thompson Creek Monitoring Well	10/7/2010 21:00:00	42.22	33.39	0.50	41.84	4.48	4.86	327.93	
Thompson Creek Monitoring Well	10/7/2010 21:15:00	42.22	33.40	0.51	41.84	4.48	4.86	327.93	
Thompson Creek Monitoring Well	10/7/2010 21:30:00	42.22	33.40	0.51	41.83	4.48	4.86	327.93	
Thompson Creek Monitoring Well	10/7/2010 21:45:00	42.22	33.40	0.51	41.83	4.48	4.86	327.93	
Thompson Creek Monitoring Well	10/7/2010 22:00:00	42.21	33.41	0.52	41.83	4.48	4.87	327.92	
Thompson Creek Monitoring Well	10/7/2010 22:15:00	42.21	33.41	0.52	41.82	4.49	4.87	327.92	
Thompson Creek Monitoring Well	10/7/2010 22:30:00	42.21	33.40	0.51	41.82	4.49	4.87	327.92	
Thompson Creek Monitoring Well	10/7/2010 22:45:00	42.21	33.41	0.52	41.82	4.49	4.87	327.92	
Thompson Creek Monitoring Well	10/7/2010 23:00:00	42.20	33.40	0.51	41.82	4.49	4.88	327.91	
Thompson Creek Monitoring Well	10/7/2010 23:15:00	42.20	33.40	0.52	41.82	4.49	4.88	327.91	
Thompson Creek Monitoring Well	10/7/2010 23:30:00	42.20	33.40	0.51	41.82	4.49	4.88	327.91	
Thompson Creek Monitoring Well	10/7/2010 23:45:00	42.20	33.40	0.51	41.81	4.50	4.89	327.90	
Thompson Creek Monitoring Well	10/8/2010 0:00:00	42.20	33.40	0.51	41.81	4.50	4.88	327.91	
Thompson Creek Monitoring Well	10/8/2010 0:15:00	42.19	33.40	0.51	41.81	4.50	4.89	327.90	
Thompson Creek Monitoring Well	10/8/2010 0:30:00	42.19	33.40	0.52	41.81	4.50	4.89	327.90	
Thompson Creek Monitoring Well	10/8/2010 0:45:00	42.19	33.40	0.52	41.80	4.51	4.89	327.90	
Thompson Creek Monitoring Well	10/8/2010 1:00:00	42.19	33.40	0.51	41.80	4.51	4.89	327.90	
Thompson Creek Monitoring Well	10/8/2010 1:15:00	42.19	33.40	0.51	41.80	4.51	4.89	327.90	
Thompson Creek Monitoring Well	10/8/2010 1:30:00	42.18	33.40	0.51	41.80	4.51	4.90	327.89	
Thompson Creek Monitoring Well	10/8/2010 1:45:00	42.19	33.40	0.51	41.80	4.51	4.89	327.90	
Thompson Creek Monitoring Well	10/8/2010 2:00:00	42.19	33.41	0.52	41.80	4.51	4.90	327.89	
Thompson Creek Monitoring Well	10/8/2010 2:15:00	42.18	33.40	0.51	41.80	4.51	4.90	327.89	
Thompson Creek Monitoring Well	10/8/2010 2:30:00	42.18	33.41	0.52	41.80	4.51	4.90	327.89	
Thompson Creek Monitoring Well	10/8/2010 2:45:00	42.19	33.41	0.52	41.80	4.51	4.90	327.89	
Thompson Creek Monitoring Well	10/8/2010 3:00:00	42.19	33.41	0.52	41.79	4.51	4.90	327.89	
Thompson Creek Monitoring Well	10/8/2010 3:15:00	42.18	33.41	0.52	41.79	4.51	4.90	327.89	
Thompson Creek Monitoring Well	10/8/2010 3:30:00	42.19	33.41	0.52	41.79	4.51	4.90	327.89	
Thompson Creek Monitoring Well	10/8/2010 3:45:00	42.18	33.41	0.52	41.79	4.51	4.91	327.88	
Thompson Creek Monitoring Well	10/8/2010 4:00:00	42.18	33.41	0.52	41.79	4.52	4.91	327.88	
Thompson Creek Monitoring Well	10/8/2010 4:15:00	42.17	33.40	0.52	41.78	4.53	4.91	327.88	
Thompson Creek Monitoring Well	10/8/2010 4:30:00	42.17	33.40	0.51	41.78	4.53	4.91	327.88	
Thompson Creek Monitoring Well	10/8/2010 4:45:00	42.17	33.40	0.52	41.78	4.53	4.91	327.88	
Thompson Creek Monitoring Well	10/8/2010 5:00:00	42.17	33.41	0.52	41.78	4.52	4.91	327.88	
Thompson Creek Monitoring Well	10/8/2010 5:15:00	42.17	33.41	0.52	41.79	4.52	4.91	327.88	
Thompson Creek Monitoring Well	10/8/2010 5:30:00	42.17	33.41	0.52	41.78	4.53	4.92	327.87	
Thompson Creek Monitoring Well	10/8/2010 5:45:00	42.17	33.41	0.52	41.78	4.53	4.92	327.87	
Thompson Creek Monitoring Well	10/8/2010 6:00:00	42.17	33.41	0.52	41.78	4.53	4.91	327.88	
Thompson Creek Monitoring Well	10/8/2010 6:15:00	42.17	33.41	0.52	41.78	4.53	4.92	327.87	
Thompson Creek Monitoring Well	10/8/2010 6:30:00	42.16	33.40	0.51	41.78	4.53	4.92	327.87	
Thompson Creek Monitoring Well	10/8/2010 6:45:00	42.16	33.40	0.51	41.78	4.53	4.92	327.87	
Thompson Creek Monitoring Well	10/8/2010 7:00:00	42.16	33.40	0.51	41.78	4.54	4.92	327.87	
Thompson Creek Monitoring Well	10/8/2010 7:15:00	42.16	33.41	0.52	41.78	4.53	4.92	327.87	
Thompson Creek Monitoring Well	10/8/2010 7:30:00	42.16	33.41	0.52	41.78	4.53	4.92	327.87	
Thompson Creek Monitoring Well	10/8/2010 7:45:00	42.17	33.41	0.52	41.78	4.53	4.92	327.87	
Thompson Creek Monitoring Well	10/8/2010 8:00:00	42.17	33.41	0.52	41.78	4.53	4.92	327.87	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Thompson Creek Monitoring Well	10/8/2010 8:15:00	42.17	33.41	0.52	41.78	4.53	4.92	327.87	
Thompson Creek Monitoring Well	10/8/2010 8:30:00	42.17	33.42	0.53	41.78	4.52	4.92	327.87	
Thompson Creek Monitoring Well	10/8/2010 8:45:00	42.17	33.42	0.53	41.78	4.52	4.92	327.87	
Thompson Creek Monitoring Well	10/8/2010 9:00:00	42.18	33.43	0.54	41.78	4.52	4.92	327.87	
Thompson Creek Monitoring Well	10/8/2010 9:15:00	42.18	33.43	0.54	41.77	4.52	4.92	327.87	
Thompson Creek Monitoring Well	10/8/2010 9:30:00	42.18	33.43	0.54	41.77	4.52	4.92	327.87	
Thompson Creek Monitoring Well	10/8/2010 9:45:00	42.18	33.43	0.54	41.78	4.52	4.92	327.87	
Thompson Creek Monitoring Well	10/8/2010 10:00:00	42.18	33.43	0.54	41.77	4.52	4.92	327.87	
Thompson Creek Monitoring Well	10/8/2010 10:15:00	42.18	33.43	0.54	41.77	4.52	4.93	327.87	
Thompson Creek Monitoring Well	10/8/2010 10:30:00	42.18	33.43	0.54	41.77	4.52	4.92	327.87	
Thompson Creek Monitoring Well	10/8/2010 10:45:00	42.18	33.44	0.55	41.77	4.51	4.92	327.87	
Thompson Creek Monitoring Well	10/8/2010 11:00:00	42.18	33.44	0.55	41.77	4.52	4.93	327.86	
Thompson Creek Monitoring Well	10/8/2010 11:15:00	42.18	33.44	0.55	41.77	4.52	4.93	327.86	
Thompson Creek Monitoring Well	10/8/2010 11:30:00	42.17	33.43	0.54	41.76	4.53	4.93	327.86	
Thompson Creek Monitoring Well	10/8/2010 11:45:00	42.17	33.43	0.54	41.77	4.53	4.93	327.86	
Thompson Creek Monitoring Well	10/8/2010 12:00:00	42.17	33.43	0.54	41.76	4.53	4.93	327.86	
Thompson Creek Monitoring Well	10/8/2010 12:15:00	42.16	33.42	0.53	41.76	4.54	4.93	327.86	
Thompson Creek Monitoring Well	10/8/2010 12:30:00	42.16	33.41	0.52	41.76	4.54	4.93	327.86	
Thompson Creek Monitoring Well	10/8/2010 12:45:00	42.15	33.41	0.52	41.76	4.54	4.93	327.86	
Thompson Creek Monitoring Well	10/8/2010 13:00:00	42.15	33.41	0.52	41.76	4.55	4.94	327.85	
Thompson Creek Monitoring Well	10/8/2010 13:15:00	42.14	33.40	0.51	41.76	4.55	4.94	327.85	
Thompson Creek Monitoring Well	10/8/2010 13:30:00	42.14	33.40	0.51	41.76	4.56	4.94	327.85	
Thompson Creek Monitoring Well	10/8/2010 13:45:00	42.13	33.39	0.50	41.75	4.56	4.94	327.85	
Thompson Creek Monitoring Well	10/8/2010 14:00:00	42.12	33.38	0.49	41.75	4.58	4.95	327.85	
Thompson Creek Monitoring Well	10/8/2010 14:15:00	42.11	33.37	0.48	41.75	4.58	4.95	327.84	
Thompson Creek Monitoring Well	10/8/2010 14:30:00	42.11	33.37	0.48	41.75	4.59	4.95	327.84	
Thompson Creek Monitoring Well	10/8/2010 14:45:00	42.10	33.36	0.47	41.75	4.60	4.95	327.84	
Thompson Creek Monitoring Well	10/8/2010 15:00:00	42.10	33.36	0.47	41.74	4.60	4.95	327.84	
Thompson Creek Monitoring Well	10/8/2010 15:15:00	42.10	33.36	0.47	41.75	4.60	4.95	327.84	
Thompson Creek Monitoring Well	10/8/2010 15:30:00	42.10	33.36	0.47	41.75	4.60	4.95	327.84	
Thompson Creek Monitoring Well	10/8/2010 15:45:00	42.10	33.36	0.47	41.75	4.60	4.95	327.84	
Thompson Creek Monitoring Well	10/8/2010 16:00:00	42.10	33.36	0.47	41.74	4.60	4.95	327.84	
Thompson Creek Monitoring Well	10/8/2010 16:15:00	42.09	33.35	0.46	41.74	4.61	4.95	327.84	
Thompson Creek Monitoring Well	10/8/2010 16:30:00	42.09	33.35	0.46	41.74	4.60	4.95	327.84	
Thompson Creek Monitoring Well	10/8/2010 16:45:00	42.09	33.35	0.46	41.74	4.61	4.95	327.84	
Thompson Creek Monitoring Well	10/8/2010 17:00:00	42.09	33.35	0.46	41.74	4.60	4.95	327.84	
Thompson Creek Monitoring Well	10/8/2010 17:15:00	42.08	33.34	0.45	41.74	4.61	4.95	327.84	
Thompson Creek Monitoring Well	10/8/2010 17:30:00	42.08	33.34	0.45	41.74	4.61	4.95	327.84	
Thompson Creek Monitoring Well	10/8/2010 17:45:00	42.07	33.33	0.44	41.74	4.62	4.96	327.83	
Thompson Creek Monitoring Well	10/8/2010 18:00:00	42.08	33.34	0.45	41.74	4.62	4.96	327.83	
Thompson Creek Monitoring Well	10/8/2010 18:15:00	42.08	33.34	0.45	41.74	4.62	4.95	327.84	
Thompson Creek Monitoring Well	10/8/2010 18:30:00	42.08	33.34	0.45	41.74	4.62	4.96	327.84	
Thompson Creek Monitoring Well	10/8/2010 18:45:00	42.08	33.34	0.45	41.74	4.62	4.96	327.83	
Thompson Creek Monitoring Well	10/8/2010 19:00:00	42.07	33.33	0.45	41.74	4.63	4.96	327.83	
Thompson Creek Monitoring Well	10/8/2010 19:15:00	42.07	33.33	0.45	41.74	4.63	4.96	327.83	
Thompson Creek Monitoring Well	10/8/2010 19:30:00	42.07	33.33	0.44	41.74	4.63	4.96	327.83	
Thompson Creek Monitoring Well	10/8/2010 19:45:00	42.06	33.33	0.44	41.73	4.63	4.96	327.83	
Thompson Creek Monitoring Well	10/8/2010 20:00:00	42.06	33.33	0.44	41.73	4.63	4.96	327.83	
Thompson Creek Monitoring Well	10/8/2010 20:15:00	42.06	33.32	0.43	41.73	4.64	4.97	327.82	
Thompson Creek Monitoring Well	10/8/2010 20:30:00	42.05	33.32	0.43	41.73	4.65	4.97	327.82	
Thompson Creek Monitoring Well	10/8/2010 20:45:00	42.05	33.31	0.42	41.73	4.65	4.96	327.83	
Thompson Creek Monitoring Well	10/8/2010 21:00:00	42.05	33.31	0.42	41.73	4.65	4.97	327.82	
Thompson Creek Monitoring Well	10/8/2010 21:15:00	42.04	33.31	0.42	41.73	4.65	4.97	327.82	
Thompson Creek Monitoring Well	10/8/2010 21:30:00	42.03	33.30	0.41	41.73	4.66	4.97	327.82	
Thompson Creek Monitoring Well	10/8/2010 21:45:00	42.05	33.32	0.43	41.73	4.65	4.97	327.82	
Thompson Creek Monitoring Well	10/8/2010 22:00:00	42.05	33.32	0.43	41.72	4.65	4.97	327.82	
Thompson Creek Monitoring Well	10/8/2010 22:15:00	42.05	33.32	0.43	41.73	4.65	4.97	327.82	
Thompson Creek Monitoring Well	10/8/2010 22:30:00	42.06	33.33	0.44	41.73	4.64	4.97	327.82	
Thompson Creek Monitoring Well	10/8/2010 22:45:00	42.06	33.33	0.44	41.73	4.63	4.97	327.82	
Thompson Creek Monitoring Well	10/8/2010 23:00:00	42.06	33.33	0.44	41.73	4.64	4.97	327.82	
Thompson Creek Monitoring Well	10/8/2010 23:15:00	42.06	33.33	0.44	41.73	4.64	4.97	327.82	
Thompson Creek Monitoring Well	10/8/2010 23:30:00	42.06	33.33	0.44	41.73	4.64	4.97	327.82	
Thompson Creek Monitoring Well	10/8/2010 23:45:00	42.06	33.33	0.44	41.73	4.64	4.97	327.82	
Thompson Creek Monitoring Well	10/9/2010 0:00:00	42.06	33.33	0.45	41.73	4.64	4.97	327.82	
Thompson Creek Monitoring Well	10/9/2010 0:15:00	42.06	33.34	0.45	41.73	4.63	4.97	327.82	
Thompson Creek Monitoring Well	10/9/2010 0:30:00	42.07	33.34	0.45	41.73	4.63	4.97	327.82	
Thompson Creek Monitoring Well	10/9/2010 0:45:00	42.07	33.34	0.45	41.73	4.63	4.96	327.83	
Thompson Creek Monitoring Well	10/9/2010 1:00:00	42.07	33.35	0.46	41.73	4.63	4.97	327.82	
Thompson Creek Monitoring Well	10/9/2010 1:15:00	42.07	33.34	0.45	41.73	4.63	4.97	327.82	
Thompson Creek Monitoring Well	10/9/2010 1:30:00	42.08	33.35	0.46	41.73	4.62	4.96	327.83	
Thompson Creek Monitoring Well	10/9/2010 1:45:00	42.08	33.35	0.46	41.73	4.62	4.96	327.83	
Thompson Creek Monitoring Well	10/9/2010 2:00:00	42.09	33.36	0.47	41.73	4.61	4.96	327.83	
Thompson Creek Monitoring Well	10/9/2010 2:15:00	42.09	33.36	0.47	41.73	4.61	4.96	327.83	
Thompson Creek Monitoring Well	10/9/2010 2:30:00	42.09	33.37	0.48	41.73	4.60	4.96	327.83	
Thompson Creek Monitoring Well	10/9/2010 2:45:00	42.09	33.37	0.48	41.73	4.60	4.96	327.83	
Thompson Creek Monitoring Well	10/9/2010 3:00:00	42.09	33.37	0.48	41.73	4.61	4.96	327.83	
Thompson Creek Monitoring Well	10/9/2010 3:15:00	42.09	33.36	0.47	41.73	4.61	4.97	327.82	
Thompson Creek Monitoring Well	10/9/2010 3:30:00	42.10	33.37	0.48	41.73	4.60	4.96	327.83	
Thompson Creek Monitoring Well	10/9/2010 3:45:00	42.10	33.38	0.49	41.73	4.60	4.96	327.83	
Thompson Creek Monitoring Well	10/9/2010 4:00:00	42.10	33.38	0.49	41.73	4.59	4.96	327.83	
Thompson Creek Monitoring Well	10/9/2010 4:15:00	42.11	33.39	0.50	41.74	4.59	4.96	327.83	
Thompson Creek Monitoring Well	10/9/2010 4:30:00	42.11	33.39	0.50	41.74	4.59	4.96	327.83	
Thompson Creek Monitoring Well	10/9/2010 4:45:00	42.11	33.38	0.49	41.74	4.59	4.96	327.83	
Thompson Creek Monitoring Well	10/9/2010 5:00:00	42.11	33.39	0.50	41.74	4.59	4.96	327.83	
Thompson Creek Monitoring Well	10/9/2010 5:15:00	42.11	33.39	0.50	41.74	4.59	4.96	327.83	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Thompson Creek Monitoring Well	10/9/2010 5:30:00	42.11	33.39	0.50	41.74	4.59	4.96	327.83	
Thompson Creek Monitoring Well	10/9/2010 5:45:00	42.12	33.39	0.50	41.74	4.58	4.96	327.83	
Thompson Creek Monitoring Well	10/9/2010 6:00:00	42.12	33.40	0.51	41.74	4.58	4.96	327.83	
Thompson Creek Monitoring Well	10/9/2010 6:15:00	42.12	33.40	0.51	41.74	4.57	4.96	327.83	
Thompson Creek Monitoring Well	10/9/2010 6:30:00	42.12	33.39	0.50	41.74	4.58	4.96	327.83	
Thompson Creek Monitoring Well	10/9/2010 6:45:00	42.12	33.39	0.50	41.74	4.58	4.96	327.83	
Thompson Creek Monitoring Well	10/9/2010 7:00:00	42.12	33.39	0.50	41.74	4.58	4.96	327.83	
Thompson Creek Monitoring Well	10/9/2010 7:15:00	42.12	33.39	0.50	41.74	4.58	4.96	327.83	
Thompson Creek Monitoring Well	10/9/2010 7:30:00	42.11	33.39	0.50	41.74	4.58	4.96	327.83	
Thompson Creek Monitoring Well	10/9/2010 7:45:00	42.12	33.39	0.50	41.74	4.58	4.96	327.83	
Thompson Creek Monitoring Well	10/9/2010 8:00:00	42.12	33.40	0.51	41.74	4.58	4.96	327.83	
Thompson Creek Monitoring Well	10/9/2010 8:15:00	42.12	33.40	0.51	41.74	4.58	4.96	327.83	
Thompson Creek Monitoring Well	10/9/2010 8:30:00	42.12	33.40	0.51	41.74	4.57	4.96	327.83	
Thompson Creek Monitoring Well	10/9/2010 8:45:00		33.41	0.52					
Thompson Creek Monitoring Well	10/9/2010 9:00:00	42.54	33.41	0.52	42.15	4.16	4.55	328.24	
Thompson Creek Monitoring Well	10/9/2010 9:15:00	42.53	33.42	0.53	42.13	4.17	4.57	328.22	
Thompson Creek Monitoring Well	10/9/2010 9:30:00	42.51	33.43	0.54	42.11	4.19	4.59	328.20	
Thompson Creek Monitoring Well	10/9/2010 9:45:00	42.49	33.43	0.54	42.09	4.21	4.61	328.18	
Thompson Creek Monitoring Well	10/9/2010 10:00:00	42.48	33.43	0.54	42.07	4.22	4.63	328.16	
Thompson Creek Monitoring Well	10/9/2010 10:15:00	42.46	33.43	0.54	42.05	4.24	4.65	328.14	
Thompson Creek Monitoring Well	10/9/2010 10:30:00	42.44	33.43	0.54	42.04	4.25	4.66	328.13	
Thompson Creek Monitoring Well	10/9/2010 10:45:00	42.43	33.43	0.54	42.02	4.27	4.68	328.12	
Thompson Creek Monitoring Well	10/9/2010 11:00:00	42.41	33.43	0.54	42.01	4.29	4.69	328.10	
Thompson Creek Monitoring Well	10/9/2010 11:15:00	42.40	33.42	0.53	41.99	4.30	4.70	328.09	
Thompson Creek Monitoring Well	10/9/2010 11:30:00	42.38	33.42	0.53	41.98	4.31	4.71	328.08	
Thompson Creek Monitoring Well	10/9/2010 11:45:00	42.38	33.42	0.53	41.98	4.32	4.72	328.07	
Thompson Creek Monitoring Well	10/9/2010 12:00:00	42.37	33.42	0.53	41.97	4.33	4.73	328.06	
Thompson Creek Monitoring Well	10/9/2010 12:15:00	42.35	33.42	0.53	41.96	4.34	4.74	328.05	
Thompson Creek Monitoring Well	10/9/2010 12:30:00	42.34	33.41	0.52	41.95	4.36	4.75	328.04	
Thompson Creek Monitoring Well	10/9/2010 12:45:00	42.33	33.41	0.52	41.94	4.37	4.75	328.04	
Thompson Creek Monitoring Well	10/9/2010 13:00:00	42.31	33.40	0.51	41.93	4.38	4.76	328.03	
Thompson Creek Monitoring Well	10/9/2010 13:15:00	42.30	33.40	0.51	41.92	4.39	4.77	328.02	
Thompson Creek Monitoring Well	10/9/2010 13:30:00	42.29	33.39	0.50	41.92	4.41	4.78	328.01	
Thompson Creek Monitoring Well	10/9/2010 13:45:00	42.28	33.38	0.49	41.91	4.42	4.79	328.00	
Thompson Creek Monitoring Well	10/9/2010 14:00:00	42.57	33.37	0.48	42.21	4.13	4.49	328.30	
Thompson Creek Monitoring Well	10/9/2010 14:15:00	42.55	33.37	0.48	42.19	4.15	4.51	328.28	
Thompson Creek Monitoring Well	10/9/2010 14:30:00	42.52	33.36	0.47	42.16	4.18	4.53	328.26	
Thompson Creek Monitoring Well	10/9/2010 14:45:00	42.49	33.36	0.47	42.14	4.21	4.55	328.24	
Thompson Creek Monitoring Well	10/9/2010 15:00:00	42.47	33.35	0.46	42.12	4.23	4.58	328.21	
Thompson Creek Monitoring Well	10/9/2010 15:15:00	42.45	33.35	0.46	42.10	4.25	4.59	328.20	
Thompson Creek Monitoring Well	10/9/2010 15:30:00	42.42	33.34	0.45	42.08	4.27	4.61	328.18	
Thompson Creek Monitoring Well	10/9/2010 15:45:00	42.41	33.34	0.45	42.07	4.28	4.62	328.17	
Thompson Creek Monitoring Well	10/9/2010 16:00:00	42.40	33.34	0.45	42.06	4.30	4.64	328.15	
Thompson Creek Monitoring Well	10/9/2010 16:15:00	42.38	33.34	0.45	42.05	4.31	4.65	328.14	
Thompson Creek Monitoring Well	10/9/2010 16:30:00	42.37	33.33	0.44	42.04	4.33	4.66	328.13	
Thompson Creek Monitoring Well	10/9/2010 16:45:00	42.36	33.33	0.44	42.03	4.34	4.67	328.12	
Thompson Creek Monitoring Well	10/9/2010 17:00:00	42.35	33.33	0.44	42.02	4.35	4.67	328.12	
Thompson Creek Monitoring Well	10/9/2010 17:15:00	42.34	33.32	0.43	42.01	4.36	4.68	328.11	
Thompson Creek Monitoring Well	10/9/2010 17:30:00	42.33	33.32	0.43	42.01	4.36	4.69	328.10	
Thompson Creek Monitoring Well	10/9/2010 17:45:00	42.33	33.32	0.43	42.00	4.37	4.69	328.10	
Thompson Creek Monitoring Well	10/9/2010 18:00:00	42.31	33.32	0.43	41.99	4.38	4.70	328.09	
Thompson Creek Monitoring Well	10/9/2010 18:15:00	42.32	33.32	0.43	41.99	4.38	4.70	328.09	
Thompson Creek Monitoring Well	10/9/2010 18:30:00	42.31	33.32	0.43	41.99	4.39	4.71	328.08	
Thompson Creek Monitoring Well	10/9/2010 18:45:00	42.31	33.32	0.43	41.99	4.39	4.71	328.08	
Thompson Creek Monitoring Well	10/9/2010 19:00:00	42.31	33.33	0.44	41.98	4.39	4.71	328.08	
Thompson Creek Monitoring Well	10/9/2010 19:15:00	42.31	33.33	0.44	41.98	4.38	4.71	328.08	
Thompson Creek Monitoring Well	10/9/2010 19:30:00	42.31	33.34	0.45	41.98	4.38	4.72	328.07	
Thompson Creek Monitoring Well	10/9/2010 19:45:00	42.31	33.34	0.45	41.97	4.39	4.72	328.07	
Thompson Creek Monitoring Well	10/9/2010 20:00:00	42.31	33.34	0.45	41.97	4.39	4.73	328.06	
Thompson Creek Monitoring Well	10/9/2010 20:15:00	42.30	33.34	0.45	41.97	4.39	4.73	328.06	
Thompson Creek Monitoring Well	10/9/2010 20:30:00	42.30	33.34	0.45	41.97	4.39	4.73	328.06	
Thompson Creek Monitoring Well	10/9/2010 20:45:00	42.30	33.34	0.45	41.96	4.39	4.73	328.06	
Thompson Creek Monitoring Well	10/9/2010 21:00:00	42.30	33.34	0.45	41.96	4.40	4.74	328.05	
Thompson Creek Monitoring Well	10/9/2010 21:15:00	42.29	33.33	0.44	41.96	4.41	4.74	328.05	
Thompson Creek Monitoring Well	10/9/2010 21:30:00	42.29	33.33	0.44	41.95	4.41	4.74	328.05	
Thompson Creek Monitoring Well	10/9/2010 21:45:00	42.28	33.33	0.44	41.95	4.42	4.75	328.04	
Thompson Creek Monitoring Well	10/9/2010 22:00:00	42.29	33.34	0.45	41.95	4.41	4.75	328.04	
Thompson Creek Monitoring Well	10/9/2010 22:15:00	42.27	33.33	0.44	41.94	4.42	4.75	328.04	
Thompson Creek Monitoring Well	10/9/2010 22:30:00	42.28	33.33	0.44	41.94	4.42	4.75	328.04	
Thompson Creek Monitoring Well	10/9/2010 22:45:00	42.27	33.33	0.44	41.94	4.43	4.76	328.03	
Thompson Creek Monitoring Well	10/9/2010 23:00:00	42.27	33.33	0.44	41.94	4.43	4.76	328.03	
Thompson Creek Monitoring Well	10/9/2010 23:15:00	42.27	33.33	0.45	41.94	4.42	4.76	328.03	
Thompson Creek Monitoring Well	10/9/2010 23:30:00	42.28	33.34	0.45	41.94	4.42	4.76	328.03	
Thompson Creek Monitoring Well	10/9/2010 23:45:00	42.27	33.34	0.45	41.93	4.42	4.76	328.03	
Thompson Creek Monitoring Well	10/10/2010 0:00:00	42.27	33.34	0.45	41.93	4.43	4.76	328.03	
Thompson Creek Monitoring Well	10/10/2010 0:15:00	42.27	33.34	0.45	41.94	4.42	4.76	328.03	
Thompson Creek Monitoring Well	10/10/2010 0:30:00	42.27	33.34	0.45	41.93	4.43	4.77	328.02	
Thompson Creek Monitoring Well	10/10/2010 0:45:00	42.27	33.34	0.45	41.93	4.43	4.77	328.02	
Thompson Creek Monitoring Well	10/10/2010 1:00:00	42.26	33.34	0.45	41.93	4.43	4.77	328.02	
Thompson Creek Monitoring Well	10/10/2010 1:15:00	42.27	33.34	0.45	41.93	4.43	4.77	328.02	
Thompson Creek Monitoring Well	10/10/2010 1:30:00	42.27	33.35	0.46	41.92	4.43	4.77	328.02	
Thompson Creek Monitoring Well	10/10/2010 1:45:00	42.27	33.35	0.46	41.92	4.43	4.77	328.02	
Thompson Creek Monitoring Well	10/10/2010 2:00:00	42.27	33.35	0.46	41.93	4.42	4.77	328.02	
Thompson Creek Monitoring Well	10/10/2010 2:15:00	42.28	33.36	0.47	41.93	4.42	4.77	328.02	
Thompson Creek Monitoring Well	10/10/2010 2:30:00	42.28	33.36	0.47	41.92	4.42	4.77	328.02	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Thompson Creek Monitoring Well	10/10/2010 2:45:00	42.28	33.37	0.48	41.92	4.42	4.77	328.02	
Thompson Creek Monitoring Well	10/10/2010 3:00:00	42.28	33.37	0.48	41.92	4.42	4.77	328.02	
Thompson Creek Monitoring Well	10/10/2010 3:15:00	42.28	33.37	0.48	41.92	4.42	4.78	328.02	
Thompson Creek Monitoring Well	10/10/2010 3:30:00	42.27	33.36	0.47	41.92	4.42	4.78	328.01	
Thompson Creek Monitoring Well	10/10/2010 3:45:00	42.29	33.38	0.49	41.93	4.40	4.77	328.02	
Thompson Creek Monitoring Well	10/10/2010 4:00:00	42.29	33.38	0.49	41.92	4.40	4.77	328.02	
Thompson Creek Monitoring Well	10/10/2010 4:15:00	42.30	33.39	0.50	41.93	4.40	4.77	328.02	
Thompson Creek Monitoring Well	10/10/2010 4:30:00	42.30	33.39	0.50	41.93	4.40	4.77	328.02	
Thompson Creek Monitoring Well	10/10/2010 4:45:00	42.32	33.40	0.51	41.93	4.38	4.76	328.03	
Thompson Creek Monitoring Well	10/10/2010 5:00:00	42.33	33.41	0.52	41.94	4.37	4.76	328.03	
Thompson Creek Monitoring Well	10/10/2010 5:15:00	42.34	33.41	0.52	41.95	4.35	4.75	328.04	
Thompson Creek Monitoring Well	10/10/2010 5:30:00	42.36	33.43	0.54	41.96	4.33	4.74	328.05	
Thompson Creek Monitoring Well	10/10/2010 5:45:00	42.37	33.43	0.54	41.97	4.33	4.73	328.06	
Thompson Creek Monitoring Well	10/10/2010 6:00:00	42.39	33.44	0.55	41.98	4.31	4.72	328.07	
Thompson Creek Monitoring Well	10/10/2010 6:15:00	42.41	33.45	0.56	41.99	4.29	4.71	328.08	
Thompson Creek Monitoring Well	10/10/2010 6:30:00	42.42	33.46	0.57	42.00	4.28	4.70	328.09	
Thompson Creek Monitoring Well	10/10/2010 6:45:00	42.45	33.47	0.58	42.01	4.25	4.69	328.10	
Thompson Creek Monitoring Well	10/10/2010 7:00:00	42.46	33.48	0.59	42.02	4.24	4.68	328.11	
Thompson Creek Monitoring Well	10/10/2010 7:15:00	42.47	33.49	0.60	42.02	4.22	4.67	328.12	
Thompson Creek Monitoring Well	10/10/2010 7:30:00	42.48	33.49	0.60	42.03	4.21	4.66	328.13	
Thompson Creek Monitoring Well	10/10/2010 7:45:00	42.49	33.50	0.61	42.04	4.20	4.66	328.13	
Thompson Creek Monitoring Well	10/10/2010 8:00:00	42.51	33.53	0.64	42.03	4.19	4.67	328.12	
Thompson Creek Monitoring Well	10/10/2010 8:15:00	42.52	33.55	0.66	42.03	4.17	4.67	328.12	
Thompson Creek Monitoring Well	10/10/2010 8:30:00	42.55	33.54	0.65	42.06	4.15	4.64	328.15	
Thompson Creek Monitoring Well	10/10/2010 8:45:00	42.57	33.55	0.66	42.08	4.13	4.62	328.17	
Thompson Creek Monitoring Well	10/10/2010 9:00:00	43.14	33.55	0.66	42.65	3.55	4.05	328.74	
Thompson Creek Monitoring Well	10/10/2010 9:15:00	43.10	33.54	0.65	42.62	3.59	4.08	328.71	
Thompson Creek Monitoring Well	10/10/2010 9:30:00	43.09	33.55	0.66	42.60	3.61	4.10	328.69	
Thompson Creek Monitoring Well	10/10/2010 9:45:00	43.07	33.55	0.66	42.58	3.62	4.12	328.67	
Thompson Creek Monitoring Well	10/10/2010 10:00:00	43.07	33.56	0.67	42.56	3.63	4.13	328.66	
Thompson Creek Monitoring Well	10/10/2010 10:15:00	43.06	33.56	0.67	42.55	3.64	4.14	328.65	
Thompson Creek Monitoring Well	10/10/2010 10:30:00	43.05	33.57	0.68	42.54	3.64	4.15	328.64	
Thompson Creek Monitoring Well	10/10/2010 10:45:00	43.04	33.57	0.68	42.53	3.66	4.16	328.63	
Thompson Creek Monitoring Well	10/10/2010 11:00:00	43.03	33.57	0.68	42.52	3.66	4.17	328.62	
Thompson Creek Monitoring Well	10/10/2010 11:15:00	43.03	33.57	0.68	42.52	3.67	4.18	328.61	
Thompson Creek Monitoring Well	10/10/2010 11:30:00	43.02	33.57	0.68	42.51	3.68	4.19	328.60	
Thompson Creek Monitoring Well	10/10/2010 11:45:00	43.01	33.57	0.68	42.50	3.69	4.19	328.60	
Thompson Creek Monitoring Well	10/10/2010 12:00:00	43.00	33.56	0.67	42.50	3.70	4.20	328.59	
Thompson Creek Monitoring Well	10/10/2010 12:15:00	42.99	33.56	0.67	42.49	3.70	4.20	328.59	
Thompson Creek Monitoring Well	10/10/2010 12:30:00	42.99	33.56	0.67	42.49	3.71	4.21	328.58	
Thompson Creek Monitoring Well	10/10/2010 12:45:00	42.98	33.56	0.67	42.48	3.71	4.22	328.57	
Thompson Creek Monitoring Well	10/10/2010 13:00:00	42.97	33.56	0.67	42.47	3.72	4.22	328.57	
Thompson Creek Monitoring Well	10/10/2010 13:15:00	42.98	33.56	0.67	42.47	3.72	4.23	328.56	
Thompson Creek Monitoring Well	10/10/2010 13:30:00	42.97	33.56	0.67	42.46	3.73	4.23	328.56	
Thompson Creek Monitoring Well	10/10/2010 13:45:00	42.96	33.56	0.67	42.46	3.74	4.24	328.55	
Thompson Creek Monitoring Well	10/10/2010 14:00:00	42.95	33.56	0.67	42.45	3.75	4.25	328.54	
Thompson Creek Monitoring Well	10/10/2010 14:15:00	42.94	33.56	0.67	42.44	3.75	4.25	328.54	
Thompson Creek Monitoring Well	10/10/2010 14:30:00	42.94	33.55	0.66	42.44	3.76	4.26	328.53	
Thompson Creek Monitoring Well	10/10/2010 14:45:00	42.93	33.55	0.66	42.43	3.77	4.26	328.53	
Thompson Creek Monitoring Well	10/10/2010 15:00:00	42.92	33.55	0.66	42.43	3.78	4.27	328.52	
Thompson Creek Monitoring Well	10/10/2010 15:15:00	42.91	33.54	0.65	42.42	3.78	4.27	328.52	
Thompson Creek Monitoring Well	10/10/2010 15:30:00	42.91	33.54	0.65	42.42	3.79	4.28	328.51	
Thompson Creek Monitoring Well	10/10/2010 15:45:00	42.90	33.54	0.65	42.41	3.79	4.28	328.51	
Thompson Creek Monitoring Well	10/10/2010 16:00:00	42.90	33.54	0.65	42.41	3.80	4.29	328.50	
Thompson Creek Monitoring Well	10/10/2010 16:15:00	42.89	33.53	0.64	42.41	3.81	4.29	328.50	
Thompson Creek Monitoring Well	10/10/2010 16:30:00	42.89	33.54	0.65	42.40	3.80	4.29	328.50	
Thompson Creek Monitoring Well	10/10/2010 16:45:00	42.89	33.54	0.65	42.40	3.81	4.29	328.50	
Thompson Creek Monitoring Well	10/10/2010 17:00:00	42.89	33.54	0.65	42.40	3.81	4.30	328.49	
Thompson Creek Monitoring Well	10/10/2010 17:15:00	42.88	33.54	0.65	42.39	3.82	4.30	328.49	
Thompson Creek Monitoring Well	10/10/2010 17:30:00	42.87	33.54	0.65	42.39	3.82	4.31	328.48	
Thompson Creek Monitoring Well	10/10/2010 17:45:00	42.87	33.54	0.65	42.38	3.83	4.31	328.48	
Thompson Creek Monitoring Well	10/10/2010 18:00:00	42.87	33.54	0.65	42.38	3.83	4.32	328.47	
Thompson Creek Monitoring Well	10/10/2010 18:15:00	42.87	33.55	0.66	42.37	3.83	4.32	328.47	
Thompson Creek Monitoring Well	10/10/2010 18:30:00	42.86	33.55	0.66	42.37	3.83	4.33	328.46	
Thompson Creek Monitoring Well	10/10/2010 18:45:00	42.87	33.56	0.67	42.36	3.83	4.33	328.46	
Thompson Creek Monitoring Well	10/10/2010 19:00:00	42.86	33.56	0.67	42.36	3.83	4.34	328.45	
Thompson Creek Monitoring Well	10/10/2010 19:15:00	42.86	33.57	0.68	42.35	3.83	4.34	328.45	
Thompson Creek Monitoring Well	10/10/2010 19:30:00	42.86	33.58	0.69	42.35	3.83	4.35	328.44	
Thompson Creek Monitoring Well	10/10/2010 19:45:00	42.86	33.58	0.69	42.34	3.84	4.36	328.43	
Thompson Creek Monitoring Well	10/10/2010 20:00:00	42.86	33.59	0.70	42.34	3.84	4.36	328.43	
Thompson Creek Monitoring Well	10/10/2010 20:15:00	42.86	33.59	0.70	42.33	3.84	4.36	328.43	
Thompson Creek Monitoring Well	10/10/2010 20:30:00	42.85	33.59	0.70	42.33	3.84	4.37	328.42	
Thompson Creek Monitoring Well	10/10/2010 20:45:00	42.85	33.60	0.71	42.32	3.84	4.38	328.41	
Thompson Creek Monitoring Well	10/10/2010 21:00:00	42.85	33.60	0.71	42.32	3.85	4.38	328.41	
Thompson Creek Monitoring Well	10/10/2010 21:15:00	42.85	33.61	0.72	42.31	3.85	4.39	328.40	
Thompson Creek Monitoring Well	10/10/2010 21:30:00	42.85	33.62	0.73	42.30	3.85	4.39	328.40	
Thompson Creek Monitoring Well	10/10/2010 21:45:00	42.85	33.63	0.74	42.30	3.85	4.40	328.39	
Thompson Creek Monitoring Well	10/10/2010 22:00:00	42.85	33.63	0.74	42.29	3.85	4.40	328.39	
Thompson Creek Monitoring Well	10/10/2010 22:15:00	42.85	33.64	0.75	42.29	3.85	4.41	328.38	
Thompson Creek Monitoring Well	10/10/2010 22:30:00	42.85	33.64	0.75	42.29	3.85	4.41	328.38	
Thompson Creek Monitoring Well	10/10/2010 22:45:00	42.85	33.65	0.76	42.28	3.85	4.42	328.37	
Thompson Creek Monitoring Well	10/10/2010 23:00:00	42.85	33.65	0.76	42.27	3.85	4.42	328.37	
Thompson Creek Monitoring Well	10/10/2010 23:15:00	42.85	33.66	0.77	42.27	3.84	4.42	328.37	
Thompson Creek Monitoring Well	10/10/2010 23:30:00	42.86	33.67	0.78	42.27	3.84	4.43	328.36	
Thompson Creek Monitoring Well	10/10/2010 23:45:00	42.86	33.68	0.79	42.26	3.84	4.43	328.36	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Thompson Creek Monitoring Well	10/11/2010 0:00:00	42.86	33.69	0.80	42.26	3.84	4.44	328.35	
Thompson Creek Monitoring Well	10/11/2010 0:15:00	42.86	33.69	0.80	42.26	3.84	4.44	328.35	
Thompson Creek Monitoring Well	10/11/2010 0:30:00	42.86	33.70	0.81	42.25	3.84	4.44	328.35	
Thompson Creek Monitoring Well	10/11/2010 0:45:00	42.86	33.70	0.81	42.25	3.84	4.45	328.34	
Thompson Creek Monitoring Well	10/11/2010 1:00:00	42.86	33.71	0.82	42.24	3.84	4.45	328.34	
Thompson Creek Monitoring Well	10/11/2010 1:15:00	42.86	33.72	0.83	42.24	3.84	4.46	328.33	
Thompson Creek Monitoring Well	10/11/2010 1:30:00	42.86	33.72	0.83	42.24	3.84	4.46	328.33	
Thompson Creek Monitoring Well	10/11/2010 1:45:00	42.86	33.73	0.84	42.24	3.83	4.46	328.33	
Thompson Creek Monitoring Well	10/11/2010 2:00:00	42.87	33.73	0.84	42.23	3.83	4.46	328.33	
Thompson Creek Monitoring Well	10/11/2010 2:15:00	42.87	33.74	0.85	42.23	3.83	4.47	328.32	
Thompson Creek Monitoring Well	10/11/2010 2:30:00	42.87	33.75	0.86	42.22	3.83	4.47	328.32	
Thompson Creek Monitoring Well	10/11/2010 2:45:00	42.87	33.76	0.87	42.22	3.83	4.48	328.31	
Thompson Creek Monitoring Well	10/11/2010 3:00:00	42.87	33.77	0.88	42.22	3.82	4.48	328.31	
Thompson Creek Monitoring Well	10/11/2010 3:15:00	42.87	33.77	0.88	42.21	3.82	4.48	328.31	
Thompson Creek Monitoring Well	10/11/2010 3:30:00	42.87	33.78	0.89	42.21	3.82	4.49	328.30	
Thompson Creek Monitoring Well	10/11/2010 3:45:00	42.87	33.78	0.89	42.21	3.82	4.49	328.30	
Thompson Creek Monitoring Well	10/11/2010 4:00:00	42.88	33.79	0.90	42.20	3.82	4.49	328.30	
Thompson Creek Monitoring Well	10/11/2010 4:15:00	42.88	33.79	0.90	42.20	3.82	4.50	328.29	
Thompson Creek Monitoring Well	10/11/2010 4:30:00	42.88	33.80	0.91	42.20	3.82	4.50	328.29	
Thompson Creek Monitoring Well	10/11/2010 4:45:00	42.87	33.80	0.91	42.19	3.82	4.51	328.28	
Thompson Creek Monitoring Well	10/11/2010 5:00:00	42.88	33.81	0.92	42.19	3.82	4.51	328.28	
Thompson Creek Monitoring Well	10/11/2010 5:15:00	42.88	33.82	0.93	42.19	3.82	4.51	328.28	
Thompson Creek Monitoring Well	10/11/2010 5:30:00	42.88	33.82	0.93	42.19	3.81	4.51	328.28	
Thompson Creek Monitoring Well	10/11/2010 5:45:00	42.88	33.83	0.94	42.18	3.81	4.51	328.28	
Thompson Creek Monitoring Well	10/11/2010 6:00:00	42.89	33.83	0.94	42.18	3.81	4.52	328.27	
Thompson Creek Monitoring Well	10/11/2010 6:15:00	42.89	33.84	0.95	42.18	3.81	4.52	328.27	
Thompson Creek Monitoring Well	10/11/2010 6:30:00	42.89	33.84	0.95	42.18	3.80	4.52	328.27	
Thompson Creek Monitoring Well	10/11/2010 6:45:00	42.89	33.85	0.96	42.17	3.80	4.52	328.27	
Thompson Creek Monitoring Well	10/11/2010 7:00:00	42.90	33.85	0.96	42.17	3.80	4.52	328.27	
Thompson Creek Monitoring Well	10/11/2010 7:15:00	42.90	33.86	0.97	42.17	3.80	4.52	328.27	
Thompson Creek Monitoring Well	10/11/2010 7:30:00	42.90	33.86	0.97	42.17	3.80	4.53	328.26	
Thompson Creek Monitoring Well	10/11/2010 7:45:00	42.90	33.87	0.98	42.17	3.79	4.53	328.26	
Thompson Creek Monitoring Well	10/11/2010 8:00:00	42.91	33.88	0.99	42.17	3.79	4.53	328.26	
Thompson Creek Monitoring Well	10/11/2010 8:15:00	42.90	33.87	0.98	42.16	3.80	4.53	328.26	
Thompson Creek Monitoring Well	10/11/2010 8:30:00	42.91	33.88	0.99	42.17	3.79	4.53	328.26	
Thompson Creek Monitoring Well	10/11/2010 8:45:00	42.91	33.88	0.99	42.17	3.79	4.53	328.26	
Thompson Creek Monitoring Well	10/11/2010 9:00:00	42.91	33.87	0.98	42.17	3.79	4.53	328.26	
Thompson Creek Monitoring Well	10/11/2010 9:15:00	42.91	33.87	0.98	42.18	3.79	4.52	328.27	
Thompson Creek Monitoring Well	10/11/2010 9:30:00	42.92	33.87	0.98	42.18	3.78	4.51	328.28	
Thompson Creek Monitoring Well	10/11/2010 9:45:00	42.92	33.86	0.97	42.19	3.77	4.50	328.29	
Thompson Creek Monitoring Well	10/11/2010 10:00:00	42.92	33.85	0.96	42.20	3.78	4.50	328.29	
Thompson Creek Monitoring Well	10/11/2010 10:15:00	42.92	33.84	0.95	42.21	3.78	4.49	328.30	
Thompson Creek Monitoring Well	10/11/2010 10:30:00	42.92	33.82	0.93	42.21	3.78	4.48	328.31	
Thompson Creek Monitoring Well	10/11/2010 10:45:00	42.91	33.82	0.93	42.22	3.78	4.48	328.31	
Thompson Creek Monitoring Well	10/11/2010 11:00:00	42.91	33.81	0.92	42.22	3.78	4.47	328.32	
Thompson Creek Monitoring Well	10/11/2010 11:15:00	42.92	33.81	0.92	42.23	3.78	4.47	328.32	
Thompson Creek Monitoring Well	10/11/2010 11:30:00	42.91	33.80	0.91	42.23	3.78	4.47	328.32	
Thompson Creek Monitoring Well	10/11/2010 11:45:00	42.91	33.80	0.91	42.23	3.78	4.46	328.33	
Thompson Creek Monitoring Well	10/11/2010 12:00:00	42.91	33.80	0.91	42.23	3.78	4.46	328.33	
Thompson Creek Monitoring Well	10/11/2010 12:15:00	42.91	33.80	0.91	42.23	3.78	4.46	328.33	
Thompson Creek Monitoring Well	10/11/2010 12:30:00	42.91	33.79	0.90	42.23	3.78	4.46	328.33	
Thompson Creek Monitoring Well	10/11/2010 12:45:00	42.91	33.79	0.90	42.23	3.79	4.46	328.33	
Thompson Creek Monitoring Well	10/11/2010 13:00:00	42.90	33.78	0.89	42.23	3.79	4.46	328.33	
Thompson Creek Monitoring Well	10/11/2010 13:15:00	42.91	33.78	0.89	42.24	3.79	4.46	328.33	
Thompson Creek Monitoring Well	10/11/2010 13:30:00	42.90	33.77	0.88	42.23	3.80	4.46	328.33	
Thompson Creek Monitoring Well	10/11/2010 13:45:00	42.90	33.78	0.89	42.23	3.80	4.46	328.33	
Thompson Creek Monitoring Well	10/11/2010 14:00:00	42.90	33.77	0.88	42.24	3.80	4.46	328.33	
Thompson Creek Monitoring Well	10/11/2010 14:15:00	42.90	33.77	0.88	42.24	3.80	4.46	328.33	
Thompson Creek Monitoring Well	10/11/2010 14:30:00	42.89	33.77	0.88	42.23	3.81	4.46	328.33	
Thompson Creek Monitoring Well	10/11/2010 14:45:00	42.88	33.76	0.87	42.23	3.81	4.46	328.33	
Thompson Creek Monitoring Well	10/11/2010 15:00:00	42.87	33.75	0.86	42.23	3.82	4.46	328.33	
Thompson Creek Monitoring Well	10/11/2010 15:15:00	42.87	33.74	0.85	42.23	3.82	4.46	328.33	
Thompson Creek Monitoring Well	10/11/2010 15:30:00	42.87	33.74	0.85	42.23	3.83	4.47	328.32	
Thompson Creek Monitoring Well	10/11/2010 15:45:00	42.87	33.74	0.85	42.23	3.82	4.46	328.33	
Thompson Creek Monitoring Well	10/11/2010 16:00:00	42.88	33.75	0.86	42.23	3.82	4.46	328.33	
Thompson Creek Monitoring Well	10/11/2010 16:15:00	42.88	33.75	0.86	42.23	3.82	4.46	328.33	
Thompson Creek Monitoring Well	10/11/2010 16:30:00	42.88	33.75	0.86	42.23	3.82	4.46	328.33	
Thompson Creek Monitoring Well	10/11/2010 16:45:00	42.87	33.74	0.85	42.23	3.83	4.47	328.32	
Thompson Creek Monitoring Well	10/11/2010 17:00:00	42.86	33.74	0.85	42.23	3.83	4.47	328.32	
Thompson Creek Monitoring Well	10/11/2010 17:15:00	42.86	33.74	0.85	42.23	3.84	4.47	328.32	
Thompson Creek Monitoring Well	10/11/2010 17:30:00	42.86	33.73	0.84	42.22	3.84	4.47	328.32	
Thompson Creek Monitoring Well	10/11/2010 17:45:00	42.85	33.73	0.84	42.22	3.85	4.48	328.31	
Thompson Creek Monitoring Well	10/11/2010 18:00:00	42.85	33.73	0.84	42.22	3.85	4.48	328.31	
Thompson Creek Monitoring Well	10/11/2010 18:15:00	42.84	33.73	0.84	42.21	3.85	4.48	328.31	
Thompson Creek Monitoring Well	10/11/2010 18:30:00	42.84	33.73	0.84	42.21	3.85	4.48	328.31	
Thompson Creek Monitoring Well	10/11/2010 18:45:00	42.85	33.75	0.86	42.21	3.84	4.49	328.30	
Thompson Creek Monitoring Well	10/11/2010 19:00:00	42.85	33.75	0.86	42.21	3.84	4.49	328.30	
Thompson Creek Monitoring Well	10/11/2010 19:15:00	42.85	33.76	0.87	42.20	3.84	4.49	328.30	
Thompson Creek Monitoring Well	10/11/2010 19:30:00	42.86	33.76	0.88	42.20	3.84	4.50	328.29	
Thompson Creek Monitoring Well	10/11/2010 19:45:00	42.86	33.77	0.88	42.20	3.84	4.50	328.29	
Thompson Creek Monitoring Well	10/11/2010 20:00:00	42.85	33.77	0.88	42.19	3.85	4.51	328.29	
Thompson Creek Monitoring Well	10/11/2010 20:15:00	42.86	33.78	0.89	42.19	3.84	4.51	328.28	
Thompson Creek Monitoring Well	10/11/2010 20:30:00	42.85	33.78	0.89	42.18	3.85	4.51	328.28	
Thompson Creek Monitoring Well	10/11/2010 20:45:00	42.84	33.78	0.89	42.18	3.85	4.52	328.27	
Thompson Creek Monitoring Well	10/11/2010 21:00:00	42.85	33.79	0.90	42.18	3.85	4.52	328.27	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Thompson Creek Monitoring Well	10/11/2010 21:15:00	42.85	33.79	0.90	42.17	3.85	4.52	328.27	
Thompson Creek Monitoring Well	10/11/2010 21:30:00	42.85	33.80	0.91	42.17	3.84	4.53	328.26	
Thompson Creek Monitoring Well	10/11/2010 21:45:00	42.85	33.81	0.92	42.17	3.84	4.53	328.26	
Thompson Creek Monitoring Well	10/11/2010 22:00:00	42.85	33.81	0.92	42.16	3.85	4.53	328.26	
Thompson Creek Monitoring Well	10/11/2010 22:15:00	42.85	33.82	0.93	42.16	3.84	4.54	328.25	
Thompson Creek Monitoring Well	10/11/2010 22:30:00	42.85	33.82	0.93	42.16	3.85	4.54	328.25	
Thompson Creek Monitoring Well	10/11/2010 22:45:00	42.85	33.82	0.93	42.15	3.85	4.54	328.25	
Thompson Creek Monitoring Well	10/11/2010 23:00:00	42.84	33.82	0.93	42.15	3.85	4.55	328.24	
Thompson Creek Monitoring Well	10/11/2010 23:15:00	42.84	33.82	0.93	42.15	3.85	4.55	328.24	
Thompson Creek Monitoring Well	10/11/2010 23:30:00	42.84	33.82	0.93	42.14	3.86	4.55	328.24	
Thompson Creek Monitoring Well	10/11/2010 23:45:00	42.84	33.82	0.93	42.14	3.86	4.56	328.23	
Thompson Creek Monitoring Well	10/12/2010 0:00:00	42.83	33.82	0.93	42.14	3.86	4.56	328.23	
Thompson Creek Monitoring Well	10/12/2010 0:15:00	42.83	33.81	0.92	42.13	3.87	4.56	328.23	
Thompson Creek Monitoring Well	10/12/2010 0:30:00	42.82	33.81	0.92	42.13	3.87	4.57	328.22	
Thompson Creek Monitoring Well	10/12/2010 0:45:00	42.82	33.81	0.92	42.13	3.88	4.57	328.22	
Thompson Creek Monitoring Well	10/12/2010 1:00:00	42.81	33.81	0.92	42.12	3.89	4.57	328.22	
Thompson Creek Monitoring Well	10/12/2010 1:15:00	42.81	33.81	0.92	42.12	3.89	4.58	328.21	
Thompson Creek Monitoring Well	10/12/2010 1:30:00	42.81	33.81	0.92	42.12	3.89	4.58	328.21	
Thompson Creek Monitoring Well	10/12/2010 1:45:00	42.80	33.81	0.92	42.12	3.89	4.58	328.21	
Thompson Creek Monitoring Well	10/12/2010 2:00:00	42.80	33.81	0.92	42.12	3.89	4.58	328.21	
Thompson Creek Monitoring Well	10/12/2010 2:15:00	42.80	33.81	0.92	42.11	3.89	4.58	328.21	
Thompson Creek Monitoring Well	10/12/2010 2:30:00	42.80	33.81	0.92	42.11	3.90	4.59	328.20	
Thompson Creek Monitoring Well	10/12/2010 2:45:00	42.79	33.81	0.92	42.11	3.90	4.59	328.20	
Thompson Creek Monitoring Well	10/12/2010 3:00:00	42.79	33.81	0.92	42.10	3.90	4.59	328.20	
Thompson Creek Monitoring Well	10/12/2010 3:15:00	42.78	33.80	0.91	42.10	3.92	4.60	328.19	
Thompson Creek Monitoring Well	10/12/2010 3:30:00	42.77	33.80	0.91	42.09	3.92	4.60	328.19	
Thompson Creek Monitoring Well	10/12/2010 3:45:00	42.77	33.79	0.90	42.09	3.93	4.61	328.18	
Thompson Creek Monitoring Well	10/12/2010 4:00:00	42.76	33.79	0.90	42.09	3.94	4.61	328.18	
Thompson Creek Monitoring Well	10/12/2010 4:15:00	42.76	33.79	0.90	42.09	3.94	4.61	328.18	
Thompson Creek Monitoring Well	10/12/2010 4:30:00	42.76	33.79	0.90	42.08	3.94	4.62	328.17	
Thompson Creek Monitoring Well	10/12/2010 4:45:00	42.76	33.79	0.90	42.08	3.94	4.62	328.17	
Thompson Creek Monitoring Well	10/12/2010 5:00:00	42.76	33.80	0.91	42.08	3.94	4.62	328.17	
Thompson Creek Monitoring Well	10/12/2010 5:15:00	42.76	33.80	0.91	42.07	3.94	4.62	328.17	
Thompson Creek Monitoring Well	10/12/2010 5:30:00	42.75	33.79	0.90	42.07	3.95	4.63	328.16	
Thompson Creek Monitoring Well	10/12/2010 5:45:00	42.74	33.79	0.90	42.07	3.95	4.63	328.16	
Thompson Creek Monitoring Well	10/12/2010 6:00:00	42.74	33.79	0.90	42.06	3.96	4.63	328.16	
Thompson Creek Monitoring Well	10/12/2010 6:15:00	42.74	33.79	0.90	42.07	3.95	4.63	328.16	
Thompson Creek Monitoring Well	10/12/2010 6:30:00	42.74	33.80	0.91	42.06	3.95	4.64	328.15	
Thompson Creek Monitoring Well	10/12/2010 6:45:00	42.75	33.81	0.92	42.06	3.95	4.64	328.15	
Thompson Creek Monitoring Well	10/12/2010 7:00:00	42.74	33.80	0.91	42.06	3.96	4.64	328.15	
Thompson Creek Monitoring Well	10/12/2010 7:15:00	42.74	33.80	0.91	42.05	3.96	4.64	328.15	
Thompson Creek Monitoring Well	10/12/2010 7:30:00	42.73	33.80	0.91	42.05	3.96	4.64	328.15	
Thompson Creek Monitoring Well	10/12/2010 7:45:00	42.73	33.80	0.91	42.05	3.96	4.65	328.14	
Thompson Creek Monitoring Well	10/12/2010 8:00:00	42.73	33.80	0.91	42.05	3.96	4.65	328.14	
Thompson Creek Monitoring Well	10/12/2010 8:15:00	42.73	33.80	0.91	42.05	3.97	4.65	328.14	
Thompson Creek Monitoring Well	10/12/2010 8:30:00	42.73	33.79	0.90	42.05	3.97	4.65	328.14	
Thompson Creek Monitoring Well	10/12/2010 8:45:00	42.72	33.79	0.90	42.05	3.98	4.65	328.14	
Thompson Creek Monitoring Well	10/12/2010 9:00:00	42.73	33.79	0.90	42.05	3.97	4.64	328.15	
Thompson Creek Monitoring Well	10/12/2010 9:15:00	42.72	33.77	0.88	42.06	3.98	4.64	328.15	
Thompson Creek Monitoring Well	10/12/2010 9:30:00	42.71	33.75	0.86	42.06	3.98	4.63	328.16	
Thompson Creek Monitoring Well	10/12/2010 9:45:00	42.72	33.75	0.86	42.07	3.98	4.62	328.17	
Thompson Creek Monitoring Well	10/12/2010 10:00:00	42.71	33.73	0.84	42.08	3.99	4.62	328.17	
Thompson Creek Monitoring Well	10/12/2010 10:15:00	42.72	33.74	0.85	42.09	3.97	4.61	328.18	
Thompson Creek Monitoring Well	10/12/2010 10:30:00	42.72	33.72	0.83	42.09	3.98	4.60	328.19	
Thompson Creek Monitoring Well	10/12/2010 10:45:00	42.72	33.71	0.82	42.10	3.98	4.60	328.19	
Thompson Creek Monitoring Well	10/12/2010 11:00:00	42.71	33.70	0.81	42.10	3.98	4.59	328.20	
Thompson Creek Monitoring Well	10/12/2010 11:15:00	42.71	33.70	0.81	42.11	3.98	4.59	328.20	
Thompson Creek Monitoring Well	10/12/2010 11:30:00	42.72	33.70	0.81	42.11	3.98	4.59	328.20	
Thompson Creek Monitoring Well	10/12/2010 11:45:00	42.72	33.69	0.81	42.11	3.98	4.58	328.21	
Thompson Creek Monitoring Well	10/12/2010 12:00:00	42.72	33.69	0.80	42.12	3.98	4.58	328.21	
Thompson Creek Monitoring Well	10/12/2010 12:15:00	42.72	33.68	0.79	42.12	3.98	4.58	328.21	
Thompson Creek Monitoring Well	10/12/2010 12:30:00	42.71	33.68	0.79	42.12	3.98	4.57	328.22	
Thompson Creek Monitoring Well	10/12/2010 12:45:00	42.71	33.67	0.78	42.12	3.99	4.57	328.22	
Thompson Creek Monitoring Well	10/12/2010 13:00:00	42.71	33.67	0.78	42.12	3.99	4.57	328.22	
Thompson Creek Monitoring Well	10/12/2010 13:15:00	42.70	33.67	0.78	42.12	3.99	4.57	328.22	
Thompson Creek Monitoring Well	10/12/2010 13:30:00	42.70	33.66	0.77	42.12	4.00	4.57	328.22	
Thompson Creek Monitoring Well	10/12/2010 13:45:00	42.69	33.65	0.76	42.12	4.01	4.58	328.21	
Thompson Creek Monitoring Well	10/12/2010 14:00:00	42.68	33.64	0.75	42.12	4.02	4.58	328.21	
Thompson Creek Monitoring Well	10/12/2010 14:15:00	42.67	33.63	0.74	42.12	4.03	4.58	328.21	
Thompson Creek Monitoring Well	10/12/2010 14:30:00	42.67	33.62	0.73	42.12	4.03	4.58	328.21	
Thompson Creek Monitoring Well	10/12/2010 14:45:00	42.66	33.61	0.72	42.12	4.04	4.58	328.21	
Thompson Creek Monitoring Well	10/12/2010 15:00:00	42.66	33.61	0.72	42.12	4.04	4.58	328.21	
Thompson Creek Monitoring Well	10/12/2010 15:15:00	42.65	33.60	0.71	42.12	4.05	4.58	328.21	
Thompson Creek Monitoring Well	10/12/2010 15:30:00	42.65	33.60	0.71	42.12	4.05	4.58	328.21	
Thompson Creek Monitoring Well	10/12/2010 15:45:00	42.64	33.59	0.70	42.12	4.06	4.58	328.21	
Thompson Creek Monitoring Well	10/12/2010 16:00:00	42.64	33.59	0.70	42.12	4.06	4.58	328.21	
Thompson Creek Monitoring Well	10/12/2010 16:15:00	42.64	33.58	0.69	42.12	4.06	4.58	328.21	
Thompson Creek Monitoring Well	10/12/2010 16:30:00	42.63	33.57	0.68	42.11	4.07	4.58	328.21	
Thompson Creek Monitoring Well	10/12/2010 16:45:00	42.62	33.57	0.68	42.11	4.07	4.58	328.21	
Thompson Creek Monitoring Well	10/12/2010 17:00:00	42.62	33.57	0.68	42.11	4.07	4.58	328.21	
Thompson Creek Monitoring Well	10/12/2010 17:15:00	42.62	33.57	0.68	42.11	4.08	4.58	328.21	
Thompson Creek Monitoring Well	10/12/2010 17:30:00	42.62	33.57	0.68	42.11	4.08	4.58	328.21	
Thompson Creek Monitoring Well	10/12/2010 17:45:00	42.62	33.56	0.67	42.11	4.08	4.59	328.20	
Thompson Creek Monitoring Well	10/12/2010 18:00:00	42.62	33.57	0.68	42.11	4.08	4.59	328.20	
Thompson Creek Monitoring Well	10/12/2010 18:15:00	42.61	33.56	0.67	42.11	4.08	4.59	328.20	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Thompson Creek Monitoring Well	10/12/2010 18:30:00	42.62	33.57	0.68	42.10	4.08	4.59	328.20	
Thompson Creek Monitoring Well	10/12/2010 18:45:00	42.61	33.57	0.68	42.10	4.08	4.59	328.20	
Thompson Creek Monitoring Well	10/12/2010 19:00:00	42.61	33.58	0.69	42.10	4.08	4.60	328.19	
Thompson Creek Monitoring Well	10/12/2010 19:15:00	42.61	33.58	0.69	42.10	4.08	4.60	328.19	
Thompson Creek Monitoring Well	10/12/2010 19:30:00	42.62	33.58	0.70	42.09	4.08	4.60	328.19	
Thompson Creek Monitoring Well	10/12/2010 19:45:00	42.62	33.59	0.70	42.09	4.08	4.61	328.18	
Thompson Creek Monitoring Well	10/12/2010 20:00:00	42.62	33.59	0.70	42.09	4.08	4.61	328.18	
Thompson Creek Monitoring Well	10/12/2010 20:15:00	42.61	33.59	0.70	42.08	4.09	4.61	328.18	
Thompson Creek Monitoring Well	10/12/2010 20:30:00	42.61	33.60	0.71	42.08	4.09	4.62	328.17	
Thompson Creek Monitoring Well	10/12/2010 20:45:00	42.61	33.60	0.71	42.08	4.09	4.62	328.17	
Thompson Creek Monitoring Well	10/12/2010 21:00:00	42.61	33.60	0.71	42.07	4.09	4.63	328.16	
Thompson Creek Monitoring Well	10/12/2010 21:15:00	42.61	33.61	0.72	42.07	4.09	4.63	328.16	
Thompson Creek Monitoring Well	10/12/2010 21:30:00	42.60	33.61	0.72	42.06	4.09	4.63	328.16	
Thompson Creek Monitoring Well	10/12/2010 21:45:00	42.60	33.61	0.72	42.06	4.10	4.64	328.15	
Thompson Creek Monitoring Well	10/12/2010 22:00:00	42.60	33.61	0.72	42.05	4.10	4.64	328.15	
Thompson Creek Monitoring Well	10/12/2010 22:15:00	42.59	33.61	0.72	42.05	4.11	4.65	328.14	
Thompson Creek Monitoring Well	10/12/2010 22:30:00	42.59	33.61	0.72	42.04	4.11	4.65	328.14	
Thompson Creek Monitoring Well	10/12/2010 22:45:00	42.59	33.62	0.73	42.04	4.11	4.65	328.14	
Thompson Creek Monitoring Well	10/12/2010 23:00:00	42.59	33.62	0.73	42.04	4.11	4.66	328.13	
Thompson Creek Monitoring Well	10/12/2010 23:15:00	42.59	33.62	0.73	42.04	4.11	4.66	328.13	
Thompson Creek Monitoring Well	10/12/2010 23:30:00	42.58	33.62	0.73	42.03	4.11	4.67	328.12	
Thompson Creek Monitoring Well	10/12/2010 23:45:00	42.58	33.62	0.73	42.03	4.12	4.67	328.12	
Thompson Creek Monitoring Well	10/13/2010 0:00:00	42.58	33.63	0.74	42.02	4.12	4.67	328.12	
Thompson Creek Monitoring Well	10/13/2010 0:15:00	42.57	33.63	0.74	42.02	4.12	4.68	328.11	
Thompson Creek Monitoring Well	10/13/2010 0:30:00	42.57	33.63	0.74	42.02	4.13	4.68	328.11	
Thompson Creek Monitoring Well	10/13/2010 0:45:00	42.56	33.62	0.73	42.01	4.14	4.69	328.10	
Thompson Creek Monitoring Well	10/13/2010 1:00:00	42.55	33.62	0.73	42.01	4.14	4.69	328.10	
Thompson Creek Monitoring Well	10/13/2010 1:15:00	42.55	33.62	0.73	42.00	4.15	4.69	328.10	
Thompson Creek Monitoring Well	10/13/2010 1:30:00	42.54	33.61	0.72	42.00	4.16	4.70	328.09	
Thompson Creek Monitoring Well	10/13/2010 1:45:00	42.54	33.62	0.73	42.00	4.16	4.70	328.09	
Thompson Creek Monitoring Well	10/13/2010 2:00:00	42.53	33.61	0.72	41.99	4.17	4.71	328.08	
Thompson Creek Monitoring Well	10/13/2010 2:15:00	42.53	33.61	0.72	41.99	4.17	4.71	328.08	
Thompson Creek Monitoring Well	10/13/2010 2:30:00	42.53	33.61	0.72	41.99	4.17	4.71	328.08	
Thompson Creek Monitoring Well	10/13/2010 2:45:00	42.52	33.61	0.72	41.98	4.17	4.71	328.08	
Thompson Creek Monitoring Well	10/13/2010 3:00:00	42.52	33.61	0.72	41.98	4.18	4.72	328.07	
Thompson Creek Monitoring Well	10/13/2010 3:15:00	42.51	33.60	0.71	41.98	4.19	4.72	328.07	
Thompson Creek Monitoring Well	10/13/2010 3:30:00	42.51	33.60	0.71	41.97	4.19	4.72	328.07	
Thompson Creek Monitoring Well	10/13/2010 3:45:00	42.51	33.60	0.71	41.97	4.19	4.72	328.07	
Thompson Creek Monitoring Well	10/13/2010 4:00:00	42.50	33.60	0.71	41.97	4.20	4.73	328.06	
Thompson Creek Monitoring Well	10/13/2010 4:15:00	42.50	33.60	0.71	41.97	4.20	4.73	328.06	
Thompson Creek Monitoring Well	10/13/2010 4:30:00	42.50	33.60	0.71	41.97	4.20	4.73	328.06	
Thompson Creek Monitoring Well	10/13/2010 4:45:00	42.49	33.59	0.70	41.96	4.21	4.73	328.06	
Thompson Creek Monitoring Well	10/13/2010 5:00:00	42.48	33.59	0.70	41.96	4.21	4.74	328.05	
Thompson Creek Monitoring Well	10/13/2010 5:15:00	42.48	33.59	0.70	41.96	4.21	4.74	328.05	
Thompson Creek Monitoring Well	10/13/2010 5:30:00	42.48	33.59	0.70	41.96	4.22	4.74	328.05	
Thompson Creek Monitoring Well	10/13/2010 5:45:00	42.48	33.58	0.69	41.96	4.22	4.74	328.05	
Thompson Creek Monitoring Well	10/13/2010 6:00:00	42.47	33.57	0.68	41.96	4.23	4.74	328.05	
Thompson Creek Monitoring Well	10/13/2010 6:15:00	42.46	33.57	0.68	41.95	4.24	4.74	328.05	
Thompson Creek Monitoring Well	10/13/2010 6:30:00	42.46	33.57	0.68	41.95	4.24	4.74	328.05	
Thompson Creek Monitoring Well	10/13/2010 6:45:00	42.45	33.56	0.67	41.95	4.24	4.75	328.04	
Thompson Creek Monitoring Well	10/13/2010 7:00:00	42.45	33.56	0.67	41.94	4.25	4.75	328.04	
Thompson Creek Monitoring Well	10/13/2010 7:15:00	42.45	33.56	0.67	41.94	4.25	4.75	328.04	
Thompson Creek Monitoring Well	10/13/2010 7:30:00	42.45	33.56	0.67	41.94	4.25	4.75	328.04	
Thompson Creek Monitoring Well	10/13/2010 7:45:00	42.44	33.55	0.66	41.94	4.25	4.75	328.04	
Thompson Creek Monitoring Well	10/13/2010 8:00:00	42.44	33.55	0.66	41.94	4.26	4.75	328.04	
Thompson Creek Monitoring Well	10/13/2010 8:15:00	42.44	33.55	0.66	41.94	4.26	4.75	328.04	
Thompson Creek Monitoring Well	10/13/2010 8:30:00	42.44	33.54	0.65	41.95	4.26	4.75	328.04	
Thompson Creek Monitoring Well	10/13/2010 8:45:00	42.43	33.54	0.65	41.94	4.26	4.75	328.04	
Thompson Creek Monitoring Well	10/13/2010 9:00:00	42.43	33.54	0.65	41.95	4.27	4.75	328.04	
Thompson Creek Monitoring Well	10/13/2010 9:15:00	42.43	33.54	0.65	41.95	4.26	4.75	328.04	
Thompson Creek Monitoring Well	10/13/2010 9:30:00	42.43	33.53	0.64	41.95	4.27	4.75	328.04	
Thompson Creek Monitoring Well	10/13/2010 9:45:00	42.43	33.53	0.64	41.95	4.27	4.75	328.05	
Thompson Creek Monitoring Well	10/13/2010 10:00:00	42.43	33.53	0.64	41.95	4.27	4.74	328.05	
Thompson Creek Monitoring Well	10/13/2010 10:15:00	42.43	33.52	0.63	41.96	4.27	4.74	328.05	
Thompson Creek Monitoring Well	10/13/2010 10:30:00	42.42	33.51	0.62	41.96	4.27	4.74	328.05	
Thompson Creek Monitoring Well	10/13/2010 10:45:00	42.42	33.51	0.62	41.96	4.27	4.74	328.05	
Thompson Creek Monitoring Well	10/13/2010 11:00:00	42.42	33.51	0.62	41.96	4.28	4.74	328.05	
Thompson Creek Monitoring Well	10/13/2010 11:15:00	42.41	33.51	0.62	41.95	4.28	4.75	328.04	
Thompson Creek Monitoring Well	10/13/2010 11:30:00	42.41	33.51	0.62	41.94	4.29	4.75	328.04	
Thompson Creek Monitoring Well	10/13/2010 11:45:00	42.40	33.51	0.62	41.94	4.30	4.76	328.03	
Thompson Creek Monitoring Well	10/13/2010 12:00:00	42.39	33.51	0.62	41.93	4.30	4.77	328.02	
Thompson Creek Monitoring Well	10/13/2010 12:15:00	42.39	33.51	0.62	41.92	4.31	4.77	328.02	
Thompson Creek Monitoring Well	10/13/2010 12:30:00	42.38	33.51	0.62	41.92	4.31	4.78	328.01	
Thompson Creek Monitoring Well	10/13/2010 12:45:00	42.38	33.51	0.62	41.91	4.32	4.78	328.01	
Thompson Creek Monitoring Well	10/13/2010 13:00:00	42.37	33.51	0.62	41.90	4.33	4.79	328.00	
Thompson Creek Monitoring Well	10/13/2010 13:15:00	42.36	33.51	0.62	41.90	4.34	4.80	327.99	
Thompson Creek Monitoring Well	10/13/2010 13:30:00	42.35	33.51	0.62	41.88	4.35	4.81	327.98	
Thompson Creek Monitoring Well	10/13/2010 13:45:00	42.34	33.51	0.62	41.88	4.35	4.82	327.97	
Thompson Creek Monitoring Well	10/13/2010 14:00:00	42.34	33.51	0.62	41.88	4.36	4.82	327.97	
Thompson Creek Monitoring Well	10/13/2010 14:15:00	42.33	33.51	0.62	41.87	4.36	4.83	327.96	
Thompson Creek Monitoring Well	10/13/2010 14:30:00	42.33	33.51	0.62	41.87	4.36	4.83	327.96	
Thompson Creek Monitoring Well	10/13/2010 14:45:00	42.33	33.51	0.62	41.86	4.37	4.83	327.96	
Thompson Creek Monitoring Well	10/13/2010 15:00:00	42.33	33.51	0.62	41.86	4.37	4.83	327.96	
Thompson Creek Monitoring Well	10/13/2010 15:15:00	42.33	33.51	0.62	41.86	4.37	4.83	327.96	
Thompson Creek Monitoring Well	10/13/2010 15:30:00	42.32	33.51	0.62	41.85	4.38	4.84	327.95	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
North Test Well	7/13/2010 9:30:00	69.32	33.35	0.00	69.32	171.68	171.68	282.19	
North Test Well	7/13/2010 13:30:00	69.34	33.32	-0.02	69.35	171.66	171.65	282.22	
North Test Well	7/13/2010 17:30:00	69.36	33.28	-0.07	69.39	171.64	171.61	282.26	
North Test Well	7/13/2010 21:30:00	69.38	33.33	-0.02	69.39	171.62	171.61	282.26	
North Test Well	7/14/2010 1:30:00	69.39	33.40	0.05	69.36	171.61	171.64	282.23	
North Test Well	7/14/2010 5:30:00	69.41	33.43	0.09	69.37	171.59	171.63	282.24	
North Test Well	7/14/2010 9:30:00	69.43	33.40	0.06	69.40	171.58	171.60	282.27	
North Test Well	7/14/2010 13:30:00	69.41	33.31	-0.03	69.43	171.59	171.57	282.30	
North Test Well	7/14/2010 17:30:00	69.42	33.24	-0.11	69.47	171.58	171.53	282.34	
North Test Well	7/14/2010 21:30:00	69.41	33.23	-0.11	69.47	171.59	171.53	282.34	
North Test Well	7/15/2010 1:30:00	69.40	33.29	-0.06	69.43	171.61	171.57	282.30	
North Test Well	7/15/2010 5:30:00	69.40	33.33	-0.01	69.41	171.60	171.59	282.28	
North Test Well	7/15/2010 9:30:00	69.41	33.32	-0.03	69.42	171.59	171.58	282.29	
North Test Well	7/15/2010 13:30:00	69.40	33.25	-0.10	69.45	171.60	171.55	282.32	
North Test Well	7/15/2010 17:30:00	69.39	33.18	-0.17	69.48	171.61	171.52	282.35	
North Test Well	7/15/2010 21:30:00	69.40	33.20	-0.15	69.47	171.61	171.53	282.34	
North Test Well	7/16/2010 1:30:00	69.39	33.27	-0.08	69.43	171.62	171.57	282.30	
North Test Well	7/16/2010 5:30:00	69.39	33.30	-0.04	69.42	171.61	171.58	282.29	
North Test Well	7/16/2010 9:30:00	69.41	33.33	-0.01	69.42	171.59	171.58	282.29	
North Test Well	7/16/2010 13:30:00	69.42	33.31	-0.04	69.44	171.58	171.56	282.31	
North Test Well	7/16/2010 17:30:00	69.42	33.24	-0.11	69.47	171.58	171.53	282.34	
North Test Well	7/16/2010 21:30:00	69.43	33.27	-0.07	69.46	171.57	171.54	282.33	
North Test Well	7/17/2010 1:30:00	69.43	33.33	-0.01	69.43	171.58	171.57	282.30	
North Test Well	7/17/2010 5:30:00	69.43	33.36	0.02	69.42	171.57	171.58	282.29	
North Test Well	7/17/2010 9:30:00	69.45	33.37	0.03	69.44	171.55	171.56	282.31	
North Test Well	7/17/2010 13:30:00	69.46	33.34	0.00	69.46	171.54	171.54	282.33	
North Test Well	7/17/2010 17:30:00	69.44	33.23	-0.12	69.50	171.56	171.50	282.37	
North Test Well	7/17/2010 21:30:00	69.45	33.24	-0.10	69.50	171.55	171.50	282.37	
North Test Well	7/18/2010 1:30:00	69.44	33.31	-0.03	69.46	171.56	171.54	282.33	
North Test Well	7/18/2010 5:30:00	69.44	33.34	0.00	69.44	171.56	171.56	282.31	
North Test Well	7/18/2010 9:30:00	69.46	33.37	0.02	69.45	171.54	171.55	282.32	
North Test Well	7/18/2010 13:30:00	69.47	33.36	0.02	69.47	171.53	171.53	282.34	
North Test Well	7/18/2010 17:30:00	69.47	33.27	-0.07	69.50	171.54	171.50	282.37	
North Test Well	7/18/2010 21:30:00	69.47	33.31	-0.04	69.49	171.53	171.51	282.36	
North Test Well	7/19/2010 1:30:00	69.48	33.36	0.02	69.47	171.52	171.53	282.34	
North Test Well	7/19/2010 5:30:00	69.49	33.40	0.05	69.46	171.51	171.54	282.33	
North Test Well	7/19/2010 9:30:00	69.51	33.42	0.07	69.47	171.49	171.53	282.34	
North Test Well	7/19/2010 13:30:00	69.52	33.38	0.04	69.50	171.48	171.50	282.37	
North Test Well	7/19/2010 17:30:00	69.50	33.26	-0.08	69.55	171.50	171.45	282.42	
North Test Well	7/19/2010 21:30:00	69.49	33.26	-0.09	69.54	171.51	171.46	282.41	
North Test Well	7/20/2010 1:30:00	69.48	33.29	-0.06	69.51	171.52	171.49	282.38	
North Test Well	7/20/2010 5:30:00	69.46	33.27	-0.08	69.50	171.54	171.50	282.37	
North Test Well	7/20/2010 9:30:00	69.45	33.26	-0.08	69.49	171.55	171.51	282.36	
North Test Well	7/20/2010 13:30:00	69.44	33.19	-0.16	69.52	171.56	171.48	282.39	
North Test Well	7/20/2010 17:30:00	69.41	33.08	-0.27	69.55	171.59	171.45	282.42	
North Test Well	7/20/2010 21:30:00	69.40	33.11	-0.24	69.52	171.60	171.48	282.39	
North Test Well	7/21/2010 1:30:00	69.39	33.16	-0.18	69.49	171.61	171.51	282.36	
North Test Well	7/21/2010 5:30:00	69.38	33.19	-0.15	69.46	171.62	171.54	282.33	
North Test Well	7/21/2010 9:30:00	69.38	33.20	-0.14	69.45	171.62	171.55	282.32	
North Test Well	7/21/2010 13:30:00	69.38	33.11	-0.23	69.50	171.62	171.50	282.37	
North Test Well	7/21/2010 17:30:00	69.37	33.03	-0.31	69.53	171.63	171.47	282.40	
North Test Well	7/21/2010 21:30:00	69.35	33.04	-0.30	69.51	171.65	171.49	282.38	
North Test Well	7/22/2010 1:30:00	69.35	33.07	-0.28	69.49	171.65	171.51	282.36	
North Test Well	7/22/2010 5:30:00	69.34	33.11	-0.23	69.46	171.66	171.54	282.33	
North Test Well	7/22/2010 9:30:00	69.35	33.15	-0.19	69.45	171.65	171.55	282.32	
North Test Well	7/22/2010 13:30:00	69.37	33.17	-0.17	69.46	171.63	171.54	282.33	
North Test Well	7/22/2010 17:30:00	69.39	33.19	-0.16	69.48	171.61	171.52	282.35	
North Test Well	7/22/2010 21:30:00	69.41	33.23	-0.11	69.47	171.59	171.53	282.34	
North Test Well	7/23/2010 1:30:00	69.44	33.31	-0.03	69.46	171.56	171.54	282.33	
North Test Well	7/23/2010 5:30:00	69.47	33.34	0.00	69.47	171.53	171.53	282.34	
North Test Well	7/23/2010 9:30:00	69.48	33.35	0.01	69.48	171.52	171.52	282.35	
North Test Well	7/23/2010 13:30:00	69.50	33.28	-0.06	69.53	171.51	171.47	282.40	
North Test Well	7/23/2010 17:30:00	69.50	33.19	-0.16	69.58	171.50	171.42	282.45	
North Test Well	7/23/2010 21:30:00	69.50	33.21	-0.14	69.57	171.51	171.43	282.44	
North Test Well	7/24/2010 1:30:00	69.49	33.24	-0.10	69.55	171.51	171.45	282.42	
North Test Well	7/24/2010 5:30:00	69.50	33.28	-0.06	69.53	171.50	171.47	282.40	
North Test Well	7/24/2010 9:30:00	69.48	33.24	-0.10	69.54	171.52	171.46	282.41	
North Test Well	7/24/2010 13:30:00	69.47	33.13	-0.21	69.58	171.53	171.42	282.45	
North Test Well	7/24/2010 17:30:00	69.46	33.04	-0.30	69.62	171.54	171.38	282.49	
North Test Well	7/24/2010 21:30:00	69.43	33.04	-0.31	69.60	171.57	171.40	282.47	
North Test Well	7/25/2010 1:30:00	69.42	33.09	-0.25	69.56	171.58	171.44	282.43	
North Test Well	7/25/2010 5:30:00	69.42	33.13	-0.22	69.53	171.58	171.47	282.40	
North Test Well	7/25/2010 9:30:00	69.40	33.10	-0.25	69.53	171.60	171.47	282.40	
North Test Well	7/25/2010 13:30:00	69.38	33.00	-0.34	69.56	171.62	171.44	282.43	
North Test Well	7/25/2010 17:30:00	69.37	32.90	-0.44	69.60	171.63	171.40	282.47	
North Test Well	7/25/2010 21:30:00	69.36	32.94	-0.40	69.57	171.64	171.43	282.44	
North Test Well	7/26/2010 1:30:00	69.33	32.98	-0.36	69.53	171.67	171.47	282.40	
North Test Well	7/26/2010 5:30:00	69.34	33.03	-0.32	69.51	171.66	171.49	282.38	
North Test Well	7/26/2010 9:30:00	69.32	32.99	-0.35	69.51	171.68	171.49	282.38	
North Test Well	7/26/2010 13:30:00	69.30	32.89	-0.45	69.55	171.70	171.45	282.42	
North Test Well	7/26/2010 17:30:00	69.29	32.79	-0.55	69.58	171.71	171.42	282.45	
North Test Well	7/26/2010 21:30:00	69.28	32.86	-0.49	69.54	171.72	171.46	282.41	
North Test Well	7/27/2010 1:30:00	69.28	32.93	-0.41	69.50	171.72	171.50	282.37	
North Test Well	7/27/2010 5:30:00	69.29	33.02	-0.33	69.47	171.71	171.53	282.34	
North Test Well	7/27/2010 9:30:00	69.31	33.06	-0.29	69.46	171.69	171.54	282.33	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
North Test Well	7/27/2010 13:30:00	69.32	33.00	-0.34	69.50	171.69	171.50	282.37	
North Test Well	7/27/2010 17:30:00	69.33	32.93	-0.41	69.55	171.67	171.45	282.42	
North Test Well	7/27/2010 21:30:00	69.34	32.99	-0.36	69.53	171.66	171.47	282.40	
North Test Well	7/28/2010 1:30:00	69.35	33.09	-0.26	69.49	171.65	171.51	282.36	
North Test Well	7/28/2010 5:30:00	69.38	33.13	-0.22	69.50	171.62	171.50	282.37	
North Test Well	7/28/2010 9:30:00	69.40	33.17	-0.18	69.49	171.60	171.51	282.36	
North Test Well	7/28/2010 13:30:00	69.40	33.11	-0.24	69.53	171.60	171.47	282.40	
North Test Well	7/28/2010 17:30:00	69.42	33.03	-0.31	69.58	171.58	171.42	282.45	
North Test Well	7/28/2010 21:30:00	69.45	33.14	-0.21	69.56	171.55	171.44	282.43	
North Test Well	7/29/2010 1:30:00	69.46	33.24	-0.11	69.52	171.54	171.48	282.39	
North Test Well	7/29/2010 5:30:00	69.50	33.28	-0.06	69.53	171.51	171.47	282.40	
North Test Well	7/29/2010 9:30:00	69.51	33.29	-0.05	69.54	171.49	171.46	282.41	
North Test Well	7/29/2010 13:30:00	69.52	33.23	-0.11	69.58	171.48	171.42	282.45	
North Test Well	7/29/2010 17:30:00	69.52	33.11	-0.23	69.64	171.48	171.36	282.51	
North Test Well	7/29/2010 21:30:00	69.52	33.15	-0.20	69.63	171.48	171.37	282.50	
North Test Well	7/30/2010 1:30:00	69.51	33.21	-0.14	69.59	171.49	171.41	282.46	
North Test Well	7/30/2010 5:30:00	69.52	33.22	-0.12	69.58	171.48	171.42	282.45	
North Test Well	7/30/2010 9:30:00	69.53	33.23	-0.12	69.59	171.47	171.41	282.46	
North Test Well	7/30/2010 13:30:00	69.51	33.15	-0.19	69.61	171.49	171.39	282.48	
North Test Well	7/30/2010 17:30:00	69.50	33.03	-0.32	69.67	171.50	171.33	282.54	
North Test Well	7/30/2010 21:30:00	69.49	33.07	-0.28	69.64	171.51	171.36	282.51	
North Test Well	7/31/2010 1:30:00	69.48	33.12	-0.22	69.60	171.52	171.40	282.47	
North Test Well	7/31/2010 5:30:00	69.48	33.15	-0.20	69.59	171.52	171.41	282.46	
North Test Well	7/31/2010 9:30:00	69.49	33.17	-0.18	69.58	171.51	171.42	282.45	
North Test Well	7/31/2010 13:30:00	69.49	33.13	-0.21	69.60	171.51	171.40	282.47	
North Test Well	7/31/2010 17:30:00	69.48	33.05	-0.30	69.64	171.52	171.36	282.51	
North Test Well	7/31/2010 21:30:00	69.50	33.12	-0.22	69.62	171.50	171.38	282.49	
North Test Well	8/1/2010 1:30:00	69.50	33.17	-0.18	69.59	171.51	171.41	282.46	
North Test Well	8/1/2010 5:30:00	69.51	33.21	-0.13	69.58	171.49	171.42	282.45	
North Test Well	8/1/2010 9:30:00	69.53	33.22	-0.12	69.60	171.47	171.40	282.47	
North Test Well	8/1/2010 13:30:00	69.53	33.17	-0.18	69.63	171.47	171.37	282.50	
North Test Well	8/1/2010 17:30:00	69.54	33.12	-0.23	69.66	171.47	171.34	282.53	
North Test Well	8/1/2010 21:30:00	69.54	33.16	-0.19	69.64	171.46	171.36	282.51	
North Test Well	8/2/2010 1:30:00	69.54	33.21	-0.14	69.61	171.46	171.39	282.48	
North Test Well	8/2/2010 5:30:00	69.54	33.23	-0.12	69.61	171.46	171.39	282.48	
North Test Well	8/2/2010 9:30:00	69.57	33.25	-0.09	69.62	171.44	171.38	282.49	
North Test Well	8/2/2010 13:30:00	69.56	33.19	-0.16	69.65	171.44	171.35	282.52	
North Test Well	8/2/2010 17:30:00	69.55	33.10	-0.25	69.68	171.45	171.32	282.55	
North Test Well	8/2/2010 21:30:00	69.56	33.13	-0.21	69.67	171.44	171.33	282.54	
North Test Well	8/3/2010 1:30:00	69.56	33.20	-0.15	69.64	171.44	171.36	282.51	
North Test Well	8/3/2010 5:30:00	69.56	33.22	-0.13	69.63	171.44	171.37	282.50	
North Test Well	8/3/2010 9:30:00	69.58	33.26	-0.09	69.63	171.42	171.37	282.50	
North Test Well	8/3/2010 13:30:00	69.58	33.18	-0.16	69.66	171.42	171.34	282.53	
North Test Well	8/3/2010 17:30:00	69.57	33.09	-0.25	69.70	171.43	171.30	282.57	
North Test Well	8/3/2010 21:30:00	69.57	33.13	-0.22	69.69	171.43	171.31	282.56	
North Test Well	8/4/2010 1:30:00	69.56	33.17	-0.18	69.66	171.44	171.34	282.53	
North Test Well	8/4/2010 5:30:00	69.56	33.20	-0.15	69.64	171.44	171.36	282.51	
North Test Well	8/4/2010 9:30:00	69.57	33.20	-0.14	69.64	171.44	171.36	282.51	
North Test Well	8/4/2010 13:30:00	69.56	33.09	-0.25	69.69	171.44	171.31	282.56	
North Test Well	8/4/2010 17:30:00	69.54	33.00	-0.35	69.72	171.47	171.28	282.59	
North Test Well	8/4/2010 21:30:00	69.52	33.01	-0.34	69.70	171.48	171.30	282.57	
North Test Well	8/5/2010 1:30:00	69.51	33.02	-0.33	69.68	171.50	171.32	282.55	
North Test Well	8/5/2010 5:30:00	69.49	33.04	-0.31	69.65	171.51	171.35	282.52	
North Test Well	8/5/2010 9:30:00	69.48	33.04	-0.30	69.65	171.52	171.35	282.52	
North Test Well	8/5/2010 13:30:00	69.47	32.95	-0.40	69.68	171.53	171.32	282.55	
North Test Well	8/5/2010 17:30:00	69.45	32.86	-0.48	69.70	171.55	171.30	282.57	
North Test Well	8/5/2010 21:30:00	69.44	32.92	-0.43	69.67	171.56	171.33	282.54	
North Test Well	8/6/2010 1:30:00	69.44	32.99	-0.35	69.63	171.56	171.37	282.50	
North Test Well	8/6/2010 5:30:00	69.44	33.03	-0.31	69.61	171.56	171.39	282.48	
North Test Well	8/6/2010 9:30:00	69.45	33.08	-0.27	69.60	171.55	171.40	282.47	
North Test Well	8/6/2010 13:30:00	69.47	33.06	-0.29	69.63	171.53	171.37	282.50	
North Test Well	8/6/2010 17:30:00	69.48	32.99	-0.36	69.67	171.52	171.33	282.54	
North Test Well	8/6/2010 21:30:00	69.48	33.04	-0.31	69.65	171.52	171.35	282.52	
North Test Well	8/7/2010 1:30:00	69.49	33.07	-0.27	69.63	171.51	171.37	282.50	
North Test Well	8/7/2010 5:30:00	69.49	33.06	-0.29	69.64	171.51	171.36	282.51	
North Test Well	8/7/2010 9:30:00	69.48	33.06	-0.29	69.64	171.52	171.36	282.51	
North Test Well	8/7/2010 13:30:00	69.49	33.03	-0.32	69.66	171.51	171.34	282.53	
North Test Well	8/7/2010 17:30:00	69.50	33.01	-0.34	69.68	171.50	171.32	282.55	
North Test Well	8/7/2010 21:30:00	69.49	33.02	-0.32	69.66	171.51	171.34	282.53	
North Test Well	8/8/2010 1:30:00	69.49	33.04	-0.31	69.65	171.51	171.35	282.52	
North Test Well	8/8/2010 5:30:00	69.49	33.06	-0.28	69.64	171.51	171.36	282.51	
North Test Well	8/8/2010 9:30:00	69.49	33.10	-0.24	69.62	171.51	171.38	282.49	
North Test Well	8/8/2010 13:30:00	69.51	33.08	-0.26	69.65	171.49	171.35	282.52	
North Test Well	8/8/2010 17:30:00	69.53	33.05	-0.29	69.68	171.47	171.32	282.55	
North Test Well	8/8/2010 21:30:00	69.53	33.10	-0.25	69.66	171.47	171.34	282.53	
North Test Well	8/9/2010 1:30:00	69.53	33.10	-0.24	69.66	171.47	171.34	282.53	
North Test Well	8/9/2010 5:30:00	69.54	33.10	-0.24	69.66	171.47	171.34	282.53	
North Test Well	8/9/2010 9:30:00	69.53	33.12	-0.23	69.65	171.47	171.35	282.52	
North Test Well	8/9/2010 13:30:00	69.54	33.11	-0.23	69.66	171.46	171.34	282.53	
North Test Well	8/9/2010 17:30:00	69.55	33.08	-0.26	69.69	171.45	171.31	282.56	
North Test Well	8/9/2010 21:30:00	69.55	33.11	-0.24	69.68	171.45	171.32	282.55	
North Test Well	8/10/2010 1:30:00	69.54	33.11	-0.23	69.67	171.46	171.33	282.54	
North Test Well	8/10/2010 5:30:00	69.55	33.11	-0.23	69.68	171.45	171.32	282.55	
North Test Well	8/10/2010 9:30:00	69.54	33.12	-0.23	69.66	171.46	171.34	282.53	
North Test Well	8/10/2010 13:30:00	69.54	33.07	-0.27	69.68	171.47	171.32	282.55	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
North Test Well	8/10/2010 17:30:00	69.55	33.03	-0.31	69.71	171.45	171.29	282.58	
North Test Well	8/10/2010 21:30:00	69.54	33.07	-0.28	69.69	171.46	171.31	282.56	
North Test Well	8/11/2010 1:30:00	69.54	33.12	-0.22	69.66	171.46	171.34	282.53	
North Test Well	8/11/2010 5:30:00	69.56	33.16	-0.19	69.66	171.44	171.34	282.53	
North Test Well	8/11/2010 9:30:00	69.56	33.15	-0.19	69.67	171.44	171.33	282.54	
North Test Well	8/11/2010 13:30:00	69.56	33.09	-0.25	69.69	171.44	171.31	282.56	
North Test Well	8/11/2010 17:30:00	69.57	33.04	-0.30	69.73	171.43	171.27	282.60	
North Test Well	8/11/2010 21:30:00	69.58	33.10	-0.25	69.71	171.42	171.29	282.58	
North Test Well	8/12/2010 1:30:00	69.58	33.16	-0.19	69.68	171.42	171.32	282.55	
North Test Well	8/12/2010 5:30:00	69.60	33.18	-0.17	69.69	171.40	171.31	282.56	
North Test Well	8/12/2010 9:30:00	69.61	33.18	-0.16	69.69	171.39	171.31	282.56	
North Test Well	8/12/2010 13:30:00	69.59	33.08	-0.26	69.73	171.41	171.27	282.60	
North Test Well	8/12/2010 17:30:00	69.58	32.98	-0.36	69.77	171.42	171.23	282.64	
North Test Well	8/12/2010 21:30:00	69.57	32.99	-0.35	69.75	171.44	171.25	282.62	
North Test Well	8/13/2010 1:30:00	69.55	33.05	-0.29	69.71	171.45	171.29	282.58	
North Test Well	8/13/2010 5:30:00	69.55	33.08	-0.26	69.69	171.45	171.31	282.56	
North Test Well	8/13/2010 9:30:00	69.56	33.08	-0.26	69.70	171.44	171.30	282.57	
North Test Well	8/13/2010 13:30:00	69.54	33.00	-0.35	69.73	171.46	171.27	282.60	
North Test Well	8/13/2010 17:30:00	69.54	32.94	-0.41	69.76	171.46	171.24	282.63	
North Test Well	8/13/2010 21:30:00	69.54	32.98	-0.37	69.74	171.46	171.26	282.61	
North Test Well	8/14/2010 1:30:00	69.54	33.04	-0.31	69.70	171.46	171.30	282.57	
North Test Well	8/14/2010 5:30:00	69.55	33.07	-0.27	69.69	171.45	171.31	282.56	
North Test Well	8/14/2010 9:30:00	69.56	33.07	-0.28	69.71	171.44	171.29	282.58	
North Test Well	8/14/2010 13:30:00	69.55	32.97	-0.38	69.75	171.45	171.25	282.62	
North Test Well	8/14/2010 17:30:00	69.54	32.91	-0.44	69.77	171.46	171.23	282.64	
North Test Well	8/14/2010 21:30:00	69.56	32.97	-0.37	69.75	171.44	171.25	282.62	
North Test Well	8/15/2010 1:30:00	69.55	33.02	-0.33	69.72	171.45	171.28	282.59	
North Test Well	8/15/2010 5:30:00	69.56	33.08	-0.26	69.70	171.44	171.30	282.57	
North Test Well	8/15/2010 9:30:00	69.58	33.09	-0.26	69.72	171.42	171.28	282.59	
North Test Well	8/15/2010 13:30:00	69.58	32.99	-0.36	69.76	171.43	171.24	282.63	
North Test Well	8/15/2010 17:30:00	69.57	32.93	-0.42	69.79	171.43	171.21	282.66	
North Test Well	8/15/2010 21:30:00	69.58	32.97	-0.38	69.78	171.42	171.22	282.65	
North Test Well	8/16/2010 1:30:00	69.58	33.03	-0.31	69.74	171.42	171.26	282.61	
North Test Well	8/16/2010 5:30:00	69.59	33.08	-0.26	69.72	171.41	171.28	282.59	
North Test Well	8/16/2010 9:30:00	69.61	33.09	-0.25	69.74	171.40	171.26	282.61	
North Test Well	8/16/2010 13:30:00	69.60	32.98	-0.36	69.79	171.40	171.21	282.66	
North Test Well	8/16/2010 17:30:00	69.58	32.89	-0.45	69.82	171.42	171.18	282.69	
North Test Well	8/16/2010 21:30:00	69.57	32.90	-0.44	69.81	171.43	171.19	282.68	
North Test Well	8/17/2010 1:30:00	69.55	32.92	-0.43	69.77	171.45	171.23	282.64	
North Test Well	8/17/2010 5:30:00	69.53	32.93	-0.42	69.75	171.47	171.25	282.62	
North Test Well	8/17/2010 9:30:00	69.52	32.90	-0.44	69.75	171.48	171.25	282.62	
North Test Well	8/17/2010 13:30:00	69.51	32.81	-0.53	69.79	171.50	171.21	282.66	
North Test Well	8/17/2010 17:30:00	69.48	32.75	-0.60	69.80	171.52	171.20	282.67	
North Test Well	8/17/2010 21:30:00	69.50	32.87	-0.47	69.75	171.50	171.25	282.62	
North Test Well	8/18/2010 1:30:00	69.51	33.04	-0.31	69.68	171.49	171.32	282.55	
North Test Well	8/18/2010 5:30:00	69.53	33.05	-0.29	69.69	171.47	171.31	282.56	
North Test Well	8/18/2010 9:30:00	69.56	33.09	-0.25	69.70	171.44	171.30	282.57	
North Test Well	8/18/2010 13:30:00	69.56	33.15	-0.19	69.66	171.44	171.34	282.53	
North Test Well	8/18/2010 17:30:00	69.56	33.11	-0.23	69.69	171.44	171.31	282.56	
North Test Well	8/18/2010 21:30:00	69.57	33.45	0.10	69.52	171.43	171.48	282.39	
North Test Well	8/19/2010 1:30:00	69.58	33.47	0.13	69.52	171.42	171.48	282.39	
North Test Well	8/19/2010 5:30:00	69.58	33.49	0.14	69.51	171.42	171.49	282.38	
North Test Well	8/19/2010 9:30:00	69.60	33.52	0.18	69.51	171.40	171.49	282.38	
North Test Well	8/19/2010 13:30:00	69.61	33.52	0.18	69.52	171.39	171.48	282.39	
North Test Well	8/19/2010 17:30:00	69.61	33.43	0.08	69.57	171.39	171.43	282.44	
North Test Well	8/19/2010 21:30:00	69.62	33.43	0.08	69.57	171.38	171.43	282.44	
North Test Well	8/20/2010 1:30:00	69.61	33.43	0.09	69.56	171.39	171.44	282.43	
North Test Well	8/20/2010 5:30:00	69.60	33.41	0.07	69.57	171.40	171.43	282.44	
North Test Well	8/20/2010 9:30:00	69.59	33.42	0.07	69.55	171.41	171.45	282.42	
North Test Well	8/20/2010 13:30:00	69.59	33.33	-0.01	69.60	171.41	171.40	282.47	
North Test Well	8/20/2010 17:30:00	69.56	33.22	-0.12	69.63	171.44	171.37	282.50	
North Test Well	8/20/2010 21:30:00	69.54	33.21	-0.13	69.61	171.46	171.39	282.48	
North Test Well	8/21/2010 1:30:00	69.52	33.23	-0.12	69.58	171.48	171.42	282.45	
North Test Well	8/21/2010 5:30:00	69.51	33.26	-0.09	69.55	171.49	171.45	282.42	
North Test Well	8/21/2010 9:30:00	69.50	33.32	-0.03	69.51	171.50	171.49	282.38	
North Test Well	8/21/2010 13:30:00	69.51	33.08	-0.26	69.65	171.49	171.35	282.52	
North Test Well	8/21/2010 17:30:00	69.53	33.51	0.16	69.44	171.47	171.56	282.31	
North Test Well	8/21/2010 21:30:00	69.54	33.60	0.25	69.41	171.46	171.59	282.28	
North Test Well	8/22/2010 1:30:00	69.57	33.66	0.32	69.40	171.43	171.60	282.27	
North Test Well	8/22/2010 5:30:00	69.61	33.74	0.39	69.40	171.40	171.60	282.27	
North Test Well	8/22/2010 9:30:00	69.64	33.82	0.48	69.38	171.37	171.62	282.25	
North Test Well	8/22/2010 13:30:00	69.68	32.79	-0.55	69.98	171.32	171.02	282.85	
North Test Well	8/22/2010 17:30:00	69.74	33.72	0.38	69.54	171.26	171.46	282.41	
North Test Well	8/22/2010 21:30:00	69.78	33.79	0.44	69.54	171.22	171.46	282.41	
North Test Well	8/23/2010 1:30:00	69.82	33.84	0.49	69.56	171.18	171.44	282.43	
North Test Well	8/23/2010 5:30:00	69.87	33.86	0.52	69.59	171.13	171.41	282.46	
North Test Well	8/23/2010 9:30:00	69.89	33.88	0.53	69.61	171.11	171.39	282.48	
North Test Well	8/23/2010 13:30:00	69.91	33.49	0.14	69.84	171.09	171.16	282.71	
North Test Well	8/23/2010 17:30:00	69.92	33.43	0.08	69.88	171.08	171.12	282.75	
North Test Well	8/23/2010 21:30:00	69.91	33.41	0.06	69.88	171.09	171.12	282.75	
North Test Well	8/24/2010 1:30:00	69.90	33.42	0.08	69.85	171.11	171.15	282.72	
North Test Well	8/24/2010 5:30:00	69.88	33.47	0.12	69.82	171.12	171.18	282.69	
North Test Well	8/24/2010 9:30:00	69.85	33.42	0.07	69.81	171.15	171.19	282.68	
North Test Well	8/24/2010 13:30:00	69.80	33.15	-0.19	69.91	171.20	171.09	282.78	
North Test Well	8/24/2010 17:30:00	69.77	33.02	-0.33	69.94	171.23	171.06	282.81	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
North Test Well	8/24/2010 21:30:00	69.73	33.06	-0.28	69.88	171.27	171.12	282.75	
North Test Well	8/25/2010 1:30:00	69.69	33.09	-0.25	69.83	171.31	171.17	282.70	
North Test Well	8/25/2010 5:30:00	69.68	33.16	-0.18	69.78	171.32	171.22	282.65	
North Test Well	8/25/2010 9:30:00	69.65	33.09	-0.25	69.79	171.35	171.21	282.66	
North Test Well	8/25/2010 13:30:00	69.62	32.96	-0.39	69.83	171.38	171.17	282.70	
North Test Well	8/25/2010 17:30:00	69.59	32.86	-0.48	69.85	171.41	171.15	282.72	
North Test Well	8/25/2010 21:30:00	69.57	32.89	-0.45	69.80	171.44	171.20	282.67	
North Test Well	8/26/2010 1:30:00	69.54	32.95	-0.40	69.75	171.46	171.25	282.62	
North Test Well	8/26/2010 5:30:00	69.55	33.04	-0.31	69.71	171.45	171.29	282.58	
North Test Well	8/26/2010 9:30:00	69.56	33.14	-0.20	69.66	171.44	171.34	282.53	
North Test Well	8/26/2010 13:30:00	69.58	33.13	-0.21	69.69	171.42	171.31	282.56	
North Test Well	8/26/2010 17:30:00	69.62	33.19	-0.15	69.70	171.38	171.30	282.57	
North Test Well	8/26/2010 21:30:00	69.66	33.29	-0.06	69.69	171.34	171.31	282.56	
North Test Well	8/27/2010 1:30:00	69.67	33.35	0.01	69.67	171.33	171.33	282.54	
North Test Well	8/27/2010 5:30:00	69.71	33.39	0.04	69.68	171.30	171.32	282.55	
North Test Well	8/27/2010 9:30:00	69.71	33.33	-0.01	69.72	171.29	171.28	282.59	
North Test Well	8/27/2010 13:30:00	69.69	33.18	-0.16	69.78	171.31	171.22	282.65	
North Test Well	8/27/2010 17:30:00	69.68	33.07	-0.27	69.82	171.33	171.18	282.69	
North Test Well	8/27/2010 21:30:00	69.65	33.07	-0.27	69.79	171.35	171.21	282.66	
North Test Well	8/28/2010 1:30:00	69.62	33.14	-0.20	69.72	171.38	171.28	282.59	
North Test Well	8/28/2010 5:30:00	69.61	33.20	-0.14	69.68	171.40	171.32	282.55	
North Test Well	8/28/2010 9:30:00	69.59	33.19	-0.15	69.67	171.41	171.33	282.54	
North Test Well	8/28/2010 13:30:00	69.56	33.03	-0.32	69.73	171.44	171.27	282.60	
North Test Well	8/28/2010 17:30:00	69.54	32.95	-0.40	69.76	171.46	171.24	282.63	
North Test Well	8/28/2010 21:30:00	69.54	32.98	-0.36	69.73	171.47	171.27	282.60	
North Test Well	8/29/2010 1:30:00	69.52	33.06	-0.29	69.67	171.48	171.33	282.54	
North Test Well	8/29/2010 5:30:00	69.54	33.16	-0.19	69.64	171.47	171.36	282.51	
North Test Well	8/29/2010 9:30:00	69.54	33.15	-0.19	69.65	171.46	171.35	282.52	
North Test Well	8/29/2010 13:30:00	69.54	33.10	-0.24	69.67	171.46	171.33	282.54	
North Test Well	8/29/2010 17:30:00	69.54	33.03	-0.31	69.70	171.46	171.30	282.57	
North Test Well	8/29/2010 21:30:00	69.55	33.08	-0.26	69.69	171.45	171.31	282.56	
North Test Well	8/30/2010 1:30:00	69.54	33.12	-0.23	69.66	171.46	171.34	282.53	
North Test Well	8/30/2010 5:30:00	69.54	33.15	-0.20	69.65	171.46	171.35	282.52	
North Test Well	8/30/2010 9:30:00	69.56	33.20	-0.15	69.64	171.44	171.36	282.51	
North Test Well	8/30/2010 13:30:00	69.57	33.16	-0.18	69.67	171.43	171.33	282.54	
North Test Well	8/30/2010 17:30:00	69.59	33.16	-0.19	69.69	171.41	171.31	282.56	
North Test Well	8/30/2010 21:30:00	69.62	33.23	-0.11	69.68	171.38	171.32	282.55	
North Test Well	8/31/2010 1:30:00	69.64	33.31	-0.03	69.66	171.36	171.34	282.53	
North Test Well	8/31/2010 5:30:00	69.66	33.34	-0.01	69.67	171.34	171.33	282.54	
North Test Well	8/31/2010 9:30:00	69.68	33.35	0.00	69.68	171.32	171.32	282.55	
North Test Well	8/31/2010 13:30:00	69.68	33.27	-0.07	69.72	171.32	171.28	282.59	
North Test Well	8/31/2010 17:30:00	69.67	33.20	-0.15	69.74	171.33	171.26	282.61	
North Test Well	8/31/2010 21:30:00	69.67	33.23	-0.11	69.73	171.33	171.27	282.60	
North Test Well	9/1/2010 1:30:00	69.66	33.27	-0.08	69.70	171.34	171.30	282.57	
North Test Well	9/1/2010 5:30:00	69.66	33.26	-0.08	69.70	171.34	171.30	282.57	
North Test Well	9/1/2010 9:30:00	69.69	33.34	-0.01	69.69	171.31	171.31	282.56	
North Test Well	9/1/2010 13:30:00	69.72	33.40	0.06	69.69	171.28	171.31	282.56	
North Test Well	9/1/2010 17:30:00	69.75	33.42	0.07	69.71	171.25	171.29	282.58	
North Test Well	9/1/2010 21:30:00	69.78	33.46	0.11	69.72	171.22	171.28	282.59	
North Test Well	9/2/2010 1:30:00	69.80	33.50	0.15	69.72	171.20	171.28	282.59	
North Test Well	9/2/2010 5:30:00	69.81	33.52	0.18	69.71	171.19	171.29	282.58	
North Test Well	9/2/2010 9:30:00	69.81	33.50	0.15	69.73	171.19	171.27	282.60	
North Test Well	9/2/2010 13:30:00	69.80	33.34	0.00	69.80	171.20	171.20	282.67	
North Test Well	9/2/2010 17:30:00	69.76	33.22	-0.12	69.83	171.24	171.17	282.70	
North Test Well	9/2/2010 21:30:00	69.74	33.20	-0.15	69.82	171.26	171.18	282.69	
North Test Well	9/3/2010 1:30:00	69.71	33.21	-0.14	69.79	171.29	171.21	282.66	
North Test Well	9/3/2010 5:30:00	69.68	33.24	-0.10	69.74	171.32	171.26	282.61	
North Test Well	9/3/2010 9:30:00	69.68	33.26	-0.09	69.72	171.33	171.28	282.59	
North Test Well	9/3/2010 13:30:00	69.67	33.19	-0.16	69.76	171.33	171.24	282.63	
North Test Well	9/3/2010 17:30:00	69.66	33.15	-0.20	69.77	171.34	171.23	282.64	
North Test Well	9/3/2010 21:30:00	69.67	33.22	-0.13	69.74	171.33	171.26	282.61	
North Test Well	9/4/2010 1:30:00	69.69	33.29	-0.05	69.72	171.31	171.28	282.59	
North Test Well	9/4/2010 5:30:00	69.70	33.33	-0.01	69.71	171.30	171.29	282.58	
North Test Well	9/4/2010 9:30:00	69.72	33.41	0.06	69.69	171.28	171.31	282.56	
North Test Well	9/4/2010 13:30:00	69.75	33.38	0.04	69.73	171.26	171.27	282.60	
North Test Well	9/4/2010 17:30:00	69.75	33.34	-0.01	69.76	171.25	171.24	282.63	
North Test Well	9/4/2010 21:30:00	69.76	33.37	0.03	69.74	171.24	171.26	282.61	
North Test Well	9/5/2010 1:30:00	69.77	33.40	0.06	69.74	171.23	171.26	282.61	
North Test Well	9/5/2010 5:30:00	69.77	33.43	0.09	69.73	171.23	171.27	282.60	
North Test Well	9/5/2010 9:30:00	69.79	33.49	0.15	69.71	171.21	171.29	282.58	
North Test Well	9/5/2010 13:30:00	69.81	33.46	0.11	69.75	171.19	171.25	282.62	
North Test Well	9/5/2010 17:30:00	69.82	33.42	0.08	69.77	171.19	171.23	282.64	
North Test Well	9/5/2010 21:30:00	69.82	33.44	0.10	69.76	171.19	171.24	282.63	
North Test Well	9/6/2010 1:30:00	69.82	33.45	0.10	69.76	171.18	171.24	282.63	
North Test Well	9/6/2010 5:30:00	69.82	33.45	0.10	69.76	171.18	171.24	282.63	
North Test Well	9/6/2010 9:30:00	69.79	33.40	0.05	69.76	171.21	171.24	282.63	
North Test Well	9/6/2010 13:30:00	69.78	33.32	-0.03	69.79	171.22	171.21	282.66	
North Test Well	9/6/2010 17:30:00	69.75	33.22	-0.12	69.81	171.25	171.19	282.68	
North Test Well	9/6/2010 21:30:00	69.71	33.19	-0.15	69.79	171.30	171.21	282.66	
North Test Well	9/7/2010 1:30:00	69.67	33.14	-0.20	69.78	171.33	171.22	282.65	
North Test Well	9/7/2010 5:30:00	69.64	33.10	-0.24	69.77	171.36	171.23	282.64	
North Test Well	9/7/2010 9:30:00	69.60	33.11	-0.24	69.73	171.40	171.27	282.60	
North Test Well	9/7/2010 13:30:00	69.58	33.06	-0.29	69.73	171.43	171.27	282.60	
North Test Well	9/7/2010 17:30:00	69.56	33.02	-0.32	69.73	171.44	171.27	282.60	
North Test Well	9/7/2010 21:30:00	69.54	33.04	-0.30	69.70	171.46	171.30	282.57	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
North Test Well	9/8/2010 1:30:00	69.52	33.05	-0.29	69.68	171.48	171.32	282.55	
North Test Well	9/8/2010 5:30:00	69.53	33.07	-0.28	69.68	171.47	171.32	282.55	
North Test Well	9/8/2010 9:30:00	69.52	33.11	-0.24	69.65	171.48	171.35	282.52	
North Test Well	9/8/2010 13:30:00	69.52	33.10	-0.24	69.65	171.48	171.35	282.52	
North Test Well	9/8/2010 17:30:00	69.54	33.09	-0.25	69.67	171.46	171.33	282.54	
North Test Well	9/8/2010 21:30:00	69.53	33.11	-0.23	69.65	171.47	171.35	282.52	
North Test Well	9/9/2010 1:30:00	69.54	33.14	-0.21	69.64	171.47	171.36	282.51	
North Test Well	9/9/2010 5:30:00	69.56	33.17	-0.17	69.66	171.44	171.34	282.53	
North Test Well	9/9/2010 9:30:00	69.58	33.23	-0.11	69.64	171.43	171.36	282.51	
North Test Well	9/9/2010 13:30:00	69.59	33.27	-0.07	69.63	171.41	171.37	282.50	
North Test Well	9/9/2010 17:30:00	69.63	33.30	-0.05	69.66	171.37	171.34	282.53	
North Test Well	9/9/2010 21:30:00	69.65	33.35	0.00	69.65	171.35	171.35	282.52	
North Test Well	9/10/2010 1:30:00	69.67	33.39	0.04	69.65	171.33	171.35	282.52	
North Test Well	9/10/2010 5:30:00	69.71	33.41	0.06	69.68	171.29	171.32	282.55	
North Test Well	9/10/2010 9:30:00	69.73	33.44	0.10	69.68	171.27	171.32	282.55	
North Test Well	9/10/2010 13:30:00	69.75	33.44	0.10	69.69	171.26	171.31	282.56	
North Test Well	9/10/2010 17:30:00	69.76	33.43	0.08	69.72	171.24	171.28	282.59	
North Test Well	9/10/2010 21:30:00	69.78	33.44	0.10	69.72	171.23	171.28	282.59	
North Test Well	9/11/2010 1:30:00	69.77	33.45	0.11	69.71	171.23	171.29	282.58	
North Test Well	9/11/2010 5:30:00	69.79	33.48	0.13	69.72	171.21	171.28	282.59	
North Test Well	9/11/2010 9:30:00	69.81	33.52	0.17	69.72	171.19	171.28	282.59	
North Test Well	9/11/2010 13:30:00	69.80	33.46	0.12	69.73	171.20	171.27	282.60	
North Test Well	9/11/2010 17:30:00	69.80	33.39	0.05	69.77	171.20	171.23	282.64	
North Test Well	9/11/2010 21:30:00	69.79	33.39	0.05	69.77	171.21	171.23	282.64	
North Test Well	9/12/2010 1:30:00	69.78	33.42	0.07	69.74	171.22	171.26	282.61	
North Test Well	9/12/2010 5:30:00	69.78	33.41	0.07	69.74	171.22	171.26	282.61	
North Test Well	9/12/2010 9:30:00	69.78	33.42	0.07	69.74	171.22	171.26	282.61	
North Test Well	9/12/2010 13:30:00	69.78	33.39	0.04	69.75	171.22	171.25	282.62	
North Test Well	9/12/2010 17:30:00	69.77	33.37	0.02	69.76	171.23	171.24	282.63	
North Test Well	9/12/2010 21:30:00	69.78	33.38	0.03	69.76	171.22	171.24	282.63	
North Test Well	9/13/2010 1:30:00	69.77	33.39	0.05	69.74	171.23	171.26	282.61	
North Test Well	9/13/2010 5:30:00	69.77	33.41	0.07	69.73	171.23	171.27	282.60	
North Test Well	9/13/2010 9:30:00	69.78	33.42	0.07	69.74	171.22	171.26	282.61	
North Test Well	9/13/2010 13:30:00	69.77	33.37	0.02	69.76	171.23	171.24	282.63	
North Test Well	9/13/2010 17:30:00	69.76	33.31	-0.04	69.78	171.24	171.22	282.65	
North Test Well	9/13/2010 21:30:00	69.76	33.33	-0.02	69.77	171.24	171.23	282.64	
North Test Well	9/14/2010 1:30:00	69.74	33.34	-0.01	69.74	171.26	171.26	282.61	
North Test Well	9/14/2010 5:30:00	69.74	33.36	0.01	69.73	171.26	171.27	282.60	
North Test Well	9/14/2010 9:30:00	69.75	33.38	0.04	69.73	171.25	171.27	282.60	
North Test Well	9/14/2010 13:30:00	69.75	33.37	0.02	69.74	171.25	171.26	282.61	
North Test Well	9/14/2010 17:30:00	69.74	33.31	-0.04	69.76	171.26	171.24	282.63	
North Test Well	9/14/2010 21:30:00	69.73	33.29	-0.05	69.76	171.27	171.24	282.63	
North Test Well	9/15/2010 1:30:00	69.71	33.26	-0.08	69.75	171.30	171.25	282.62	
North Test Well	9/15/2010 5:30:00	69.69	33.25	-0.09	69.74	171.31	171.26	282.61	
North Test Well	9/15/2010 9:30:00	69.68	33.28	-0.07	69.72	171.32	171.28	282.59	
North Test Well	9/15/2010 13:30:00	69.68	33.25	-0.10	69.74	171.32	171.26	282.61	
North Test Well	9/15/2010 17:30:00	69.66	33.20	-0.14	69.74	171.34	171.26	282.61	
North Test Well	9/15/2010 21:30:00	69.65	33.20	-0.14	69.73	171.35	171.27	282.60	
North Test Well	9/16/2010 1:30:00	69.65	33.24	-0.10	69.71	171.35	171.29	282.58	
North Test Well	9/16/2010 5:30:00	69.65	33.25	-0.09	69.70	171.35	171.30	282.57	
North Test Well	9/16/2010 9:30:00	69.66	33.27	-0.08	69.71	171.34	171.29	282.58	
North Test Well	9/16/2010 13:30:00	69.67	33.25	-0.09	69.72	171.33	171.28	282.59	
North Test Well	9/16/2010 17:30:00	69.65	33.20	-0.15	69.73	171.35	171.27	282.60	
North Test Well	9/16/2010 21:30:00	69.65	33.21	-0.13	69.72	171.35	171.28	282.59	
North Test Well	9/17/2010 1:30:00	69.65	33.21	-0.14	69.72	171.36	171.28	282.59	
North Test Well	9/17/2010 5:30:00	69.63	33.18	-0.16	69.71	171.37	171.29	282.58	
North Test Well	9/17/2010 9:30:00	69.62	33.17	-0.18	69.71	171.38	171.29	282.58	
North Test Well	9/17/2010 13:30:00	69.61	33.12	-0.22	69.72	171.39	171.28	282.59	
North Test Well	9/17/2010 17:30:00	69.60	33.10	-0.24	69.72	171.40	171.28	282.59	
North Test Well	9/17/2010 21:30:00	69.59	33.12	-0.23	69.71	171.41	171.29	282.58	
North Test Well	9/18/2010 1:30:00	69.59	33.15	-0.20	69.69	171.41	171.31	282.56	
North Test Well	9/18/2010 5:30:00	69.59	33.16	-0.18	69.68	171.41	171.32	282.55	
North Test Well	9/18/2010 9:30:00	69.58	33.16	-0.18	69.68	171.42	171.32	282.55	
North Test Well	9/18/2010 13:30:00	69.57	33.09	-0.25	69.71	171.43	171.29	282.58	
North Test Well	9/18/2010 17:30:00	69.57	33.05	-0.30	69.72	171.44	171.28	282.59	
North Test Well	9/18/2010 21:30:00	69.54	33.01	-0.33	69.71	171.47	171.29	282.58	
North Test Well	9/19/2010 1:30:00	69.51	32.99	-0.36	69.70	171.49	171.30	282.57	
North Test Well	9/19/2010 5:30:00	69.48	32.95	-0.40	69.69	171.52	171.31	282.56	
North Test Well	9/19/2010 9:30:00	69.47	32.98	-0.37	69.66	171.53	171.34	282.53	
North Test Well	9/19/2010 13:30:00	69.48	33.02	-0.32	69.65	171.52	171.35	282.52	
North Test Well	9/19/2010 17:30:00	69.48	33.02	-0.32	69.65	171.52	171.35	282.52	
North Test Well	9/19/2010 21:30:00	69.47	33.04	-0.30	69.64	171.53	171.36	282.51	
North Test Well	9/20/2010 1:30:00	69.49	33.05	-0.29	69.64	171.51	171.36	282.51	
North Test Well	9/20/2010 5:30:00	69.49	33.07	-0.27	69.64	171.51	171.36	282.51	
North Test Well	9/20/2010 9:30:00	69.52	33.14	-0.20	69.63	171.48	171.37	282.50	
North Test Well	9/20/2010 13:30:00	69.54	33.19	-0.15	69.62	171.46	171.38	282.49	
North Test Well	9/20/2010 17:30:00	69.56	33.19	-0.16	69.64	171.44	171.36	282.51	
North Test Well	9/20/2010 21:30:00	69.57	33.20	-0.14	69.64	171.44	171.36	282.51	
North Test Well	9/21/2010 1:30:00	69.58	33.21	-0.13	69.65	171.42	171.35	282.52	
North Test Well	9/21/2010 5:30:00	69.59	33.23	-0.12	69.65	171.41	171.35	282.52	
North Test Well	9/21/2010 9:30:00	69.58	33.25	-0.10	69.63	171.42	171.37	282.50	
North Test Well	9/21/2010 13:30:00	69.58	33.18	-0.16	69.67	171.42	171.33	282.54	
North Test Well	9/21/2010 17:30:00	69.58	33.11	-0.24	69.70	171.43	171.30	282.57	
North Test Well	9/21/2010 21:30:00	69.57	33.14	-0.20	69.68	171.43	171.32	282.55	
North Test Well	9/22/2010 1:30:00	69.56	33.15	-0.20	69.67	171.44	171.33	282.54	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
North Test Well	9/22/2010 5:30:00	69.57	33.18	-0.17	69.65	171.44	171.35	282.52	
North Test Well	9/22/2010 9:30:00	69.56	33.20	-0.14	69.63	171.44	171.37	282.50	
North Test Well	9/22/2010 13:30:00	69.55	33.14	-0.20	69.66	171.45	171.34	282.53	
North Test Well	9/22/2010 17:30:00	69.55	33.09	-0.25	69.68	171.45	171.32	282.55	
North Test Well	9/22/2010 21:30:00	69.55	33.14	-0.21	69.66	171.45	171.34	282.53	
North Test Well	9/23/2010 1:30:00	69.55	33.17	-0.17	69.64	171.45	171.36	282.51	
North Test Well	9/23/2010 5:30:00	69.57	33.22	-0.13	69.64	171.43	171.36	282.51	
North Test Well	9/23/2010 9:30:00	69.58	33.23	-0.11	69.63	171.43	171.37	282.50	
North Test Well	9/23/2010 13:30:00	69.60	33.28	-0.07	69.63	171.40	171.37	282.50	
North Test Well	9/23/2010 17:30:00	69.62	33.31	-0.03	69.64	171.38	171.36	282.51	
North Test Well	9/23/2010 21:30:00	69.65	33.36	0.02	69.64	171.35	171.36	282.51	
North Test Well	9/24/2010 1:30:00	69.67	33.38	0.04	69.65	171.33	171.35	282.52	
North Test Well	9/24/2010 5:30:00	69.72	33.44	0.09	69.67	171.28	171.33	282.54	
North Test Well	9/24/2010 9:30:00	69.73	33.47	0.13	69.67	171.27	171.33	282.54	
North Test Well	9/24/2010 13:30:00	69.76	33.50	0.16	69.68	171.24	171.32	282.55	
North Test Well	9/24/2010 17:30:00	69.78	33.45	0.10	69.73	171.22	171.27	282.60	
North Test Well	9/24/2010 21:30:00	69.78	33.43	0.09	69.74	171.22	171.26	282.61	
North Test Well	9/25/2010 1:30:00	69.78	33.44	0.10	69.73	171.22	171.27	282.60	
North Test Well	9/25/2010 5:30:00	69.79	33.44	0.09	69.74	171.21	171.26	282.61	
North Test Well	9/25/2010 9:30:00	69.77	33.42	0.08	69.73	171.23	171.27	282.60	
North Test Well	9/25/2010 13:30:00	69.75	33.32	-0.02	69.76	171.25	171.24	282.63	
North Test Well	9/25/2010 17:30:00	69.73	33.25	-0.10	69.79	171.27	171.21	282.66	
North Test Well	9/25/2010 21:30:00	69.71	33.25	-0.09	69.76	171.29	171.24	282.63	
North Test Well	9/26/2010 1:30:00	69.69	33.26	-0.08	69.73	171.31	171.27	282.60	
North Test Well	9/26/2010 5:30:00	69.68	33.22	-0.12	69.75	171.32	171.25	282.62	
North Test Well	9/26/2010 9:30:00	69.67	33.24	-0.10	69.73	171.33	171.27	282.60	
North Test Well	9/26/2010 13:30:00	69.67	33.28	-0.06	69.71	171.33	171.29	282.58	
North Test Well	9/26/2010 17:30:00	69.68	33.27	-0.07	69.72	171.32	171.28	282.59	
North Test Well	9/26/2010 21:30:00	69.69	33.30	-0.05	69.71	171.31	171.29	282.58	
North Test Well	9/27/2010 1:30:00	69.69	33.31	-0.03	69.71	171.31	171.29	282.58	
North Test Well	9/27/2010 5:30:00	69.71	33.33	-0.02	69.72	171.30	171.28	282.59	
North Test Well	9/27/2010 9:30:00	69.71	33.32	-0.02	69.72	171.29	171.28	282.59	
North Test Well	9/27/2010 13:30:00	69.71	33.32	-0.02	69.73	171.29	171.27	282.60	
North Test Well	9/27/2010 17:30:00	69.71	33.25	-0.09	69.76	171.29	171.24	282.63	
North Test Well	9/27/2010 21:30:00	69.72	33.30	-0.04	69.74	171.28	171.26	282.61	
North Test Well	9/28/2010 1:30:00	69.71	33.29	-0.06	69.74	171.29	171.26	282.61	
North Test Well	9/28/2010 5:30:00	69.72	33.30	-0.04	69.74	171.28	171.26	282.61	
North Test Well	9/28/2010 9:30:00	69.74	33.36	0.01	69.73	171.26	171.27	282.60	
North Test Well	9/28/2010 13:30:00	69.74	33.37	0.03	69.73	171.26	171.27	282.60	
North Test Well	9/28/2010 17:30:00	69.77	33.40	0.05	69.74	171.23	171.26	282.61	
North Test Well	9/28/2010 21:30:00	69.78	33.42	0.08	69.74	171.22	171.26	282.61	
North Test Well	9/29/2010 1:30:00	69.78	33.43	0.09	69.73	171.22	171.27	282.60	
North Test Well	9/29/2010 5:30:00	69.79	33.46	0.11	69.73	171.21	171.27	282.60	
North Test Well	9/29/2010 9:30:00	69.81	33.48	0.13	69.74	171.19	171.26	282.61	
North Test Well	9/29/2010 13:30:00	69.79	33.41	0.06	69.76	171.21	171.24	282.63	
North Test Well	9/29/2010 17:30:00	69.77	33.29	-0.06	69.80	171.23	171.20	282.67	
North Test Well	9/29/2010 21:30:00	69.75	33.29	-0.06	69.78	171.25	171.22	282.65	
North Test Well	9/30/2010 1:30:00	69.72	33.29	-0.06	69.75	171.28	171.25	282.62	
North Test Well	9/30/2010 5:30:00	69.69	33.24	-0.11	69.75	171.31	171.25	282.62	
North Test Well	9/30/2010 9:30:00	69.68	33.23	-0.12	69.75	171.32	171.25	282.62	
North Test Well	9/30/2010 13:30:00	69.64	33.14	-0.20	69.75	171.36	171.25	282.62	
North Test Well	9/30/2010 17:30:00	69.61	33.05	-0.29	69.77	171.39	171.23	282.64	
North Test Well	9/30/2010 21:30:00	69.59	33.08	-0.27	69.73	171.41	171.27	282.60	
North Test Well	10/1/2010 1:30:00	69.58	33.13	-0.22	69.69	171.43	171.31	282.56	
North Test Well	10/1/2010 5:30:00	69.59	33.22	-0.12	69.65	171.41	171.35	282.52	
North Test Well	10/1/2010 9:30:00	69.62	33.34	0.00	69.62	171.38	171.38	282.49	
North Test Well	10/1/2010 13:30:00	69.66	33.39	0.05	69.64	171.34	171.36	282.51	
North Test Well	10/1/2010 17:30:00	69.69	33.38	0.04	69.67	171.31	171.33	282.54	
North Test Well	10/1/2010 21:30:00	69.72	33.41	0.06	69.68	171.28	171.32	282.55	
North Test Well	10/2/2010 1:30:00	69.74	33.42	0.07	69.70	171.26	171.30	282.57	
North Test Well	10/2/2010 5:30:00	69.74	33.42	0.07	69.70	171.26	171.30	282.57	
North Test Well	10/2/2010 9:30:00	69.75	33.43	0.08	69.71	171.25	171.29	282.58	
North Test Well	10/2/2010 13:30:00	69.75	33.35	0.01	69.75	171.25	171.25	282.62	
North Test Well	10/2/2010 17:30:00	69.72	33.26	-0.09	69.77	171.28	171.23	282.64	
North Test Well	10/2/2010 21:30:00	69.70	33.24	-0.11	69.76	171.30	171.24	282.63	
North Test Well	10/3/2010 1:30:00	69.69	33.25	-0.10	69.74	171.31	171.26	282.61	
North Test Well	10/3/2010 5:30:00	69.68	33.25	-0.09	69.73	171.33	171.27	282.60	
North Test Well	10/3/2010 9:30:00	69.67	33.28	-0.06	69.70	171.33	171.30	282.57	
North Test Well	10/3/2010 13:30:00	69.68	33.29	-0.06	69.71	171.32	171.29	282.58	
North Test Well	10/3/2010 17:30:00	69.67	33.27	-0.08	69.71	171.33	171.29	282.58	
North Test Well	10/3/2010 21:30:00	69.68	33.31	-0.03	69.69	171.33	171.31	282.56	
North Test Well	10/4/2010 1:30:00	69.69	33.37	0.03	69.68	171.31	171.32	282.55	
North Test Well	10/4/2010 5:30:00	69.71	33.43	0.08	69.66	171.30	171.34	282.53	
North Test Well	10/4/2010 9:30:00	69.72	33.49	0.15	69.64	171.28	171.36	282.51	
North Test Well	10/4/2010 13:30:00	69.75	33.49	0.14	69.68	171.25	171.32	282.55	
North Test Well	10/4/2010 17:30:00	69.78	33.50	0.15	69.70	171.22	171.30	282.57	
North Test Well	10/4/2010 21:30:00	69.81	33.58	0.24	69.68	171.19	171.32	282.55	
North Test Well	10/5/2010 1:30:00	69.86	33.67	0.33	69.68	171.14	171.32	282.55	
North Test Well	10/5/2010 5:30:00	69.90	33.78	0.44	69.67	171.10	171.33	282.54	
North Test Well	10/5/2010 9:30:00	69.94	33.86	0.52	69.67	171.06	171.33	282.54	
North Test Well	10/5/2010 13:30:00	69.97	33.79	0.45	69.74	171.03	171.26	282.61	
North Test Well	10/5/2010 17:30:00	69.99	33.69	0.35	69.80	171.01	171.20	282.67	
North Test Well	10/5/2010 21:30:00	69.97	33.68	0.33	69.80	171.03	171.20	282.67	
North Test Well	10/6/2010 1:30:00	69.96	33.64	0.30	69.80	171.04	171.20	282.67	
North Test Well	10/6/2010 5:30:00	69.94	33.60	0.26	69.80	171.06	171.20	282.67	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
North Test Well	10/6/2010 9:30:00	69.90	33.52	0.18	69.80	171.10	171.20	282.67	
North Test Well	10/6/2010 13:00	69.89	33.37	0.03	69.88	171.11	171.12	282.75	
North Test Well	10/6/2010 13:15	69.89	33.36	0.02	69.88	171.11	171.12	282.75	
North Test Well	10/6/2010 13:30	69.89	33.35	0.01	69.88	171.12	171.12	282.75	
North Test Well	10/6/2010 13:45	69.88	33.34	-0.01	69.88	171.12	171.12	282.75	
North Test Well	10/6/2010 14:00	69.87	33.33	-0.02	69.88	171.13	171.12	282.75	
North Test Well	10/6/2010 14:15	69.87	33.32	-0.03	69.89	171.13	171.11	282.76	
North Test Well	10/6/2010 14:30	69.87	33.31	-0.04	69.89	171.13	171.11	282.76	
North Test Well	10/6/2010 14:45	69.86	33.30	-0.05	69.89	171.14	171.11	282.76	
North Test Well	10/6/2010 15:00	69.86	33.29	-0.06	69.89	171.14	171.11	282.76	
North Test Well	10/6/2010 15:15	69.86	33.28	-0.07	69.89	171.14	171.11	282.76	
North Test Well	10/6/2010 15:30	69.86	33.27	-0.08	69.90	171.15	171.10	282.77	
North Test Well	10/6/2010 15:45	69.85	33.25	-0.09	69.90	171.15	171.10	282.77	
North Test Well	10/6/2010 16:00	69.85	33.24	-0.10	69.90	171.15	171.10	282.77	
North Test Well	10/6/2010 16:15	69.85	33.23	-0.11	69.91	171.15	171.09	282.78	
North Test Well	10/6/2010 16:30	69.84	33.22	-0.12	69.90	171.16	171.10	282.77	
North Test Well	10/6/2010 16:45	69.84	33.21	-0.13	69.91	171.16	171.09	282.78	
North Test Well	10/6/2010 17:00	69.83	33.20	-0.14	69.91	171.17	171.09	282.78	
North Test Well	10/6/2010 17:15	69.83	33.19	-0.15	69.91	171.17	171.09	282.78	
North Test Well	10/6/2010 17:30	69.82	33.18	-0.16	69.91	171.18	171.09	282.78	
North Test Well	10/6/2010 17:45	69.82	33.18	-0.16	69.91	171.18	171.09	282.78	
North Test Well	10/6/2010 18:00	69.82	33.18	-0.16	69.90	171.19	171.10	282.77	
North Test Well	10/6/2010 18:15	69.81	33.18	-0.16	69.90	171.19	171.10	282.77	
North Test Well	10/6/2010 18:30	69.81	33.19	-0.16	69.89	171.19	171.11	282.76	
North Test Well	10/6/2010 18:45	69.80	33.19	-0.16	69.89	171.20	171.11	282.76	
North Test Well	10/6/2010 19:00	69.80	33.19	-0.16	69.88	171.20	171.12	282.75	
North Test Well	10/6/2010 19:15	69.80	33.19	-0.16	69.88	171.20	171.12	282.75	
North Test Well	10/6/2010 19:30	69.79	33.19	-0.15	69.88	171.21	171.12	282.75	
North Test Well	10/6/2010 19:45	69.79	33.19	-0.15	69.87	171.21	171.13	282.74	
North Test Well	10/6/2010 20:00	69.78	33.19	-0.15	69.86	171.22	171.14	282.73	
North Test Well	10/6/2010 20:15	69.78	33.19	-0.15	69.86	171.22	171.14	282.73	
North Test Well	10/6/2010 20:30	69.77	33.20	-0.15	69.85	171.23	171.15	282.72	
North Test Well	10/6/2010 20:45	69.77	33.20	-0.15	69.85	171.23	171.15	282.72	
North Test Well	10/6/2010 21:00	69.77	33.20	-0.15	69.85	171.23	171.15	282.72	
North Test Well	10/6/2010 21:15	69.77	33.20	-0.15	69.84	171.23	171.16	282.71	
North Test Well	10/6/2010 21:30	69.76	33.20	-0.14	69.84	171.24	171.16	282.71	
North Test Well	10/6/2010 21:45	69.76	33.20	-0.14	69.84	171.24	171.16	282.71	
North Test Well	10/6/2010 22:00	69.76	33.20	-0.14	69.83	171.24	171.17	282.70	
North Test Well	10/6/2010 22:15	69.75	33.20	-0.14	69.83	171.25	171.17	282.70	
North Test Well	10/6/2010 22:30	69.75	33.21	-0.14	69.83	171.25	171.17	282.70	
North Test Well	10/6/2010 22:45	69.75	33.21	-0.14	69.82	171.25	171.18	282.69	
North Test Well	10/6/2010 23:00	69.75	33.21	-0.14	69.82	171.26	171.18	282.69	
North Test Well	10/6/2010 23:15	69.74	33.21	-0.14	69.82	171.26	171.18	282.69	
North Test Well	10/6/2010 23:30	69.74	33.21	-0.13	69.81	171.26	171.19	282.68	
North Test Well	10/6/2010 23:45	69.74	33.21	-0.13	69.81	171.26	171.19	282.68	
North Test Well	10/7/2010 0:00	69.74	33.21	-0.13	69.81	171.26	171.19	282.68	
North Test Well	10/7/2010 0:15	69.74	33.21	-0.13	69.81	171.26	171.19	282.68	
North Test Well	10/7/2010 0:30	69.74	33.21	-0.13	69.81	171.26	171.19	282.68	
North Test Well	10/7/2010 0:45	69.74	33.22	-0.13	69.80	171.26	171.20	282.67	
North Test Well	10/7/2010 1:00	69.73	33.22	-0.13	69.80	171.27	171.20	282.67	
North Test Well	10/7/2010 1:15	69.73	33.22	-0.13	69.80	171.27	171.20	282.67	
North Test Well	10/7/2010 1:30	69.74	33.22	-0.13	69.80	171.26	171.20	282.67	
North Test Well	10/7/2010 1:45	69.73	33.22	-0.12	69.80	171.27	171.20	282.67	
North Test Well	10/7/2010 2:00	69.73	33.22	-0.12	69.80	171.27	171.20	282.67	
North Test Well	10/7/2010 2:15	69.73	33.23	-0.12	69.79	171.27	171.21	282.66	
North Test Well	10/7/2010 2:30	69.73	33.23	-0.12	69.79	171.27	171.21	282.66	
North Test Well	10/7/2010 2:45	69.73	33.23	-0.11	69.79	171.27	171.21	282.66	
North Test Well	10/7/2010 3:00	69.73	33.23	-0.11	69.79	171.27	171.21	282.66	
North Test Well	10/7/2010 3:15	69.73	33.23	-0.11	69.79	171.27	171.21	282.66	
North Test Well	10/7/2010 3:30	69.73	33.24	-0.11	69.79	171.27	171.21	282.66	
North Test Well	10/7/2010 3:45	69.73	33.24	-0.11	69.79	171.27	171.21	282.66	
North Test Well	10/7/2010 4:00	69.73	33.24	-0.10	69.78	171.27	171.22	282.65	
North Test Well	10/7/2010 4:15	69.73	33.24	-0.10	69.78	171.27	171.22	282.65	
North Test Well	10/7/2010 4:30	69.73	33.25	-0.10	69.78	171.27	171.22	282.65	
North Test Well	10/7/2010 4:45	69.73	33.25	-0.10	69.78	171.27	171.22	282.65	
North Test Well	10/7/2010 5:00	69.73	33.25	-0.09	69.78	171.27	171.22	282.65	
North Test Well	10/7/2010 5:15	69.73	33.25	-0.09	69.77	171.27	171.23	282.64	
North Test Well	10/7/2010 5:30	69.72	33.26	-0.09	69.77	171.28	171.23	282.64	
North Test Well	10/7/2010 5:45	69.73	33.26	-0.09	69.77	171.27	171.23	282.64	
North Test Well	10/7/2010 6:00	69.73	33.26	-0.09	69.77	171.27	171.23	282.64	
North Test Well	10/7/2010 6:15	69.72	33.26	-0.08	69.77	171.28	171.23	282.64	
North Test Well	10/7/2010 6:30	69.72	33.26	-0.08	69.77	171.28	171.23	282.64	
North Test Well	10/7/2010 6:45	69.72	33.27	-0.08	69.77	171.28	171.23	282.64	
North Test Well	10/7/2010 7:00	69.72	33.27	-0.08	69.76	171.28	171.24	282.63	
North Test Well	10/7/2010 7:15	69.72	33.27	-0.08	69.76	171.28	171.24	282.63	
North Test Well	10/7/2010 7:30	69.72	33.27	-0.07	69.76	171.28	171.24	282.63	
North Test Well	10/7/2010 7:45	69.72	33.27	-0.07	69.75	171.28	171.25	282.62	
North Test Well	10/7/2010 8:00	69.72	33.28	-0.07	69.75	171.28	171.25	282.62	
North Test Well	10/7/2010 8:15	69.72	33.28	-0.07	69.75	171.28	171.25	282.62	
North Test Well	10/7/2010 8:30	69.72	33.28	-0.07	69.75	171.29	171.25	282.62	
North Test Well	10/7/2010 8:45	69.72	33.28	-0.06	69.75	171.29	171.25	282.62	
North Test Well	10/7/2010 9:00	69.72	33.28	-0.06	69.75	171.29	171.25	282.62	
North Test Well	10/7/2010 9:15	69.72	33.29	-0.06	69.75	171.28	171.25	282.62	
North Test Well	10/7/2010 9:30	69.72	33.29	-0.06	69.75	171.28	171.25	282.62	
North Test Well	10/7/2010 9:45	69.72	33.29	-0.06	69.75	171.28	171.25	282.62	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
North Test Well	10/7/2010 10:00	69.72	33.29	-0.05	69.75	171.28	171.25	282.62	
North Test Well	10/7/2010 10:15	69.71	33.29	-0.05	69.73	171.30	171.27	282.60	
North Test Well	10/7/2010 10:30	69.71	33.29	-0.05	69.74	171.29	171.26	282.61	
North Test Well	10/7/2010 10:45	69.71	33.29	-0.05	69.73	171.30	171.27	282.60	
North Test Well	10/7/2010 11:00	69.71	33.30	-0.05	69.73	171.30	171.27	282.60	
North Test Well	10/7/2010 11:15	69.71	33.30	-0.05	69.73	171.30	171.27	282.60	
North Test Well	10/7/2010 11:30	69.71	33.30	-0.05	69.73	171.29	171.27	282.60	
North Test Well	10/7/2010 11:45	69.71	33.30	-0.04	69.73	171.29	171.27	282.60	
North Test Well	10/7/2010 12:00		33.30	-0.04					
North Test Well	10/7/2010 12:15	69.70	33.30	-0.04	69.73	171.30	171.27	282.60	
North Test Well	10/7/2010 12:30	69.70	33.30	-0.04	69.72	171.30	171.28	282.59	
North Test Well	10/7/2010 12:45	69.70	33.31	-0.04	69.72	171.30	171.28	282.59	
North Test Well	10/7/2010 13:00	69.71	33.31	-0.04	69.73	171.29	171.27	282.60	
North Test Well	10/7/2010 13:15	69.71	33.31	-0.04	69.73	171.29	171.27	282.60	
North Test Well	10/7/2010 13:30	69.71	33.31	-0.03	69.73	171.29	171.27	282.60	
North Test Well	10/7/2010 13:45	69.71	33.32	-0.03	69.73	171.29	171.27	282.60	
North Test Well	10/7/2010 14:00	69.72	33.32	-0.02	69.73	171.29	171.27	282.60	
North Test Well	10/7/2010 14:15	69.72	33.33	-0.02	69.73	171.28	171.27	282.60	
North Test Well	10/7/2010 14:30	69.72	33.33	-0.01	69.73	171.28	171.27	282.60	
North Test Well	10/7/2010 14:45	69.72	33.33	-0.01	69.73	171.28	171.27	282.60	
North Test Well	10/7/2010 15:00	69.73	33.34	-0.01	69.73	171.27	171.27	282.60	
North Test Well	10/7/2010 15:15	69.73	33.34	-0.01	69.73	171.27	171.27	282.60	
North Test Well	10/7/2010 15:30	69.73	33.34	-0.01	69.73	171.27	171.27	282.60	
North Test Well	10/7/2010 15:45	69.73	33.35	0.00	69.73	171.27	171.27	282.60	
North Test Well	10/7/2010 16:00	69.73	33.35	0.00	69.73	171.27	171.27	282.60	
North Test Well	10/7/2010 16:15	69.74	33.35	0.00	69.73	171.26	171.27	282.60	
North Test Well	10/7/2010 16:30	69.74	33.35	0.01	69.74	171.26	171.26	282.61	
North Test Well	10/7/2010 16:45	69.74	33.35	0.01	69.73	171.26	171.27	282.60	
North Test Well	10/7/2010 17:00	69.74	33.35	0.01	69.73	171.26	171.27	282.60	
North Test Well	10/7/2010 17:15	69.74	33.36	0.01	69.73	171.26	171.27	282.60	
North Test Well	10/7/2010 17:30	69.74	33.35	0.01	69.73	171.26	171.27	282.60	
North Test Well	10/7/2010 17:45	69.74	33.35	0.01	69.74	171.26	171.26	282.61	
North Test Well	10/7/2010 18:00	69.74	33.36	0.01	69.74	171.26	171.26	282.61	
North Test Well	10/7/2010 18:15	69.74	33.36	0.01	69.74	171.26	171.26	282.61	
North Test Well	10/7/2010 18:30	69.74	33.36	0.02	69.73	171.26	171.27	282.60	
North Test Well	10/7/2010 18:45	69.75	33.37	0.02	69.73	171.26	171.27	282.60	
North Test Well	10/7/2010 19:00	69.75	33.37	0.03	69.73	171.25	171.27	282.60	
North Test Well	10/7/2010 19:15	69.75	33.38	0.03	69.73	171.26	171.27	282.60	
North Test Well	10/7/2010 19:30	69.75	33.38	0.03	69.73	171.25	171.27	282.60	
North Test Well	10/7/2010 19:45	69.75	33.38	0.04	69.73	171.25	171.27	282.60	
North Test Well	10/7/2010 20:00	69.75	33.39	0.04	69.73	171.25	171.27	282.60	
North Test Well	10/7/2010 20:15	69.75	33.39	0.04	69.73	171.25	171.27	282.60	
North Test Well	10/7/2010 20:30	69.75	33.39	0.04	69.72	171.25	171.28	282.59	
North Test Well	10/7/2010 20:45	69.75	33.39	0.05	69.72	171.25	171.28	282.59	
North Test Well	10/7/2010 21:00	69.75	33.39	0.05	69.72	171.25	171.28	282.59	
North Test Well	10/7/2010 21:15	69.75	33.40	0.05	69.72	171.25	171.28	282.59	
North Test Well	10/7/2010 21:30	69.75	33.40	0.05	69.72	171.25	171.28	282.59	
North Test Well	10/7/2010 21:45	69.75	33.40	0.06	69.72	171.25	171.28	282.59	
North Test Well	10/7/2010 22:00	69.75	33.41	0.06	69.72	171.25	171.28	282.59	
North Test Well	10/7/2010 22:15	69.75	33.41	0.06	69.72	171.25	171.28	282.59	
North Test Well	10/7/2010 22:30	69.75	33.40	0.06	69.72	171.25	171.28	282.59	
North Test Well	10/7/2010 22:45	69.75	33.41	0.06	69.72	171.25	171.28	282.59	
North Test Well	10/7/2010 23:00	69.75	33.40	0.06	69.72	171.25	171.28	282.59	
North Test Well	10/7/2010 23:15	69.75	33.40	0.06	69.72	171.25	171.28	282.59	
North Test Well	10/7/2010 23:30	69.75	33.40	0.06	69.72	171.25	171.28	282.59	
North Test Well	10/7/2010 23:45	69.75	33.40	0.06	69.72	171.25	171.28	282.59	
North Test Well	10/8/2010 0:00	69.76	33.40	0.06	69.72	171.25	171.28	282.59	
North Test Well	10/8/2010 0:15	69.76	33.40	0.06	69.72	171.25	171.28	282.59	
North Test Well	10/8/2010 0:30	69.76	33.40	0.06	69.73	171.24	171.27	282.60	
North Test Well	10/8/2010 0:45	69.76	33.40	0.06	69.73	171.24	171.27	282.60	
North Test Well	10/8/2010 1:00	69.76	33.40	0.06	69.73	171.24	171.27	282.60	
North Test Well	10/8/2010 1:15	69.76	33.40	0.06	69.73	171.24	171.27	282.60	
North Test Well	10/8/2010 1:30	69.76	33.40	0.06	69.73	171.24	171.27	282.60	
North Test Well	10/8/2010 1:45	69.77	33.40	0.06	69.74	171.23	171.26	282.61	
North Test Well	10/8/2010 2:00	69.77	33.41	0.06	69.73	171.23	171.27	282.60	
North Test Well	10/8/2010 2:15	69.77	33.40	0.06	69.74	171.23	171.26	282.61	
North Test Well	10/8/2010 2:30	69.77	33.41	0.06	69.74	171.23	171.26	282.61	
North Test Well	10/8/2010 2:45	69.78	33.41	0.06	69.74	171.22	171.26	282.61	
North Test Well	10/8/2010 3:00	69.78	33.41	0.07	69.74	171.22	171.26	282.61	
North Test Well	10/8/2010 3:15	69.78	33.41	0.06	69.75	171.22	171.25	282.62	
North Test Well	10/8/2010 3:30	69.78	33.41	0.07	69.75	171.22	171.25	282.62	
North Test Well	10/8/2010 3:45	69.78	33.41	0.07	69.74	171.22	171.26	282.61	
North Test Well	10/8/2010 4:00	69.78	33.41	0.06	69.75	171.22	171.25	282.62	
North Test Well	10/8/2010 4:15	69.78	33.40	0.06	69.75	171.22	171.25	282.62	
North Test Well	10/8/2010 4:30	69.78	33.40	0.06	69.75	171.22	171.25	282.62	
North Test Well	10/8/2010 4:45	69.79	33.40	0.06	69.75	171.22	171.25	282.62	
North Test Well	10/8/2010 5:00	69.79	33.41	0.06	69.75	171.21	171.25	282.62	
North Test Well	10/8/2010 5:15	69.79	33.41	0.06	69.75	171.21	171.25	282.62	
North Test Well	10/8/2010 5:30	69.79	33.41	0.06	69.75	171.21	171.25	282.62	
North Test Well	10/8/2010 5:45	69.79	33.41	0.06	69.76	171.21	171.24	282.63	
North Test Well	10/8/2010 6:00	69.79	33.41	0.06	69.76	171.21	171.24	282.63	
North Test Well	10/8/2010 6:15	69.79	33.41	0.06	69.76	171.21	171.24	282.63	
North Test Well	10/8/2010 6:30	69.79	33.40	0.06	69.76	171.21	171.24	282.63	
North Test Well	10/8/2010 6:45	69.79	33.40	0.06	69.76	171.21	171.24	282.63	
North Test Well	10/8/2010 7:00	69.79	33.40	0.06	69.76	171.21	171.24	282.63	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
North Test Well	10/8/2010 7:15	69.79	33.41	0.06	69.76	171.21	171.24	282.63	
North Test Well	10/8/2010 7:30	69.79	33.41	0.06	69.76	171.21	171.24	282.63	
North Test Well	10/8/2010 7:45	69.79	33.41	0.06	69.76	171.21	171.24	282.63	
North Test Well	10/8/2010 8:00	69.79	33.41	0.07	69.76	171.21	171.24	282.63	
North Test Well	10/8/2010 8:15	69.79	33.41	0.07	69.76	171.21	171.24	282.63	
North Test Well	10/8/2010 8:30	69.79	33.42	0.07	69.76	171.21	171.24	282.63	
North Test Well	10/8/2010 8:45	69.79	33.42	0.08	69.75	171.21	171.25	282.62	
North Test Well	10/8/2010 9:00	69.79	33.43	0.08	69.75	171.21	171.25	282.62	
North Test Well	10/8/2010 9:15	69.79	33.43	0.08	69.75	171.21	171.25	282.62	
North Test Well	10/8/2010 9:30	69.80	33.43	0.08	69.75	171.20	171.25	282.62	
North Test Well	10/8/2010 9:45	69.80	33.43	0.09	69.75	171.20	171.25	282.62	
North Test Well	10/8/2010 10:00	69.80	33.43	0.09	69.75	171.20	171.25	282.62	
North Test Well	10/8/2010 10:15	69.79	33.43	0.08	69.75	171.21	171.25	282.62	
North Test Well	10/8/2010 10:30	69.80	33.43	0.09	69.75	171.20	171.25	282.62	
North Test Well	10/8/2010 10:45	69.80	33.44	0.09	69.75	171.20	171.25	282.62	
North Test Well	10/8/2010 11:00	69.79	33.44	0.09	69.75	171.21	171.25	282.62	
North Test Well	10/8/2010 11:15	69.80	33.44	0.09	69.75	171.20	171.25	282.62	
North Test Well	10/8/2010 11:30	69.79	33.43	0.08	69.75	171.21	171.25	282.62	
North Test Well	10/8/2010 11:45	69.79	33.43	0.08	69.75	171.21	171.25	282.62	
North Test Well	10/8/2010 12:00	69.80	33.43	0.09	69.75	171.20	171.25	282.62	
North Test Well	10/8/2010 12:15	69.79	33.42	0.07	69.75	171.21	171.25	282.62	
North Test Well	10/8/2010 12:30	69.79	33.41	0.07	69.75	171.21	171.25	282.62	
North Test Well	10/8/2010 12:45	69.79	33.41	0.07	69.76	171.21	171.24	282.63	
North Test Well	10/8/2010 13:00	69.79	33.41	0.06	69.76	171.21	171.24	282.63	
North Test Well	10/8/2010 13:15	69.79	33.40	0.06	69.76	171.21	171.24	282.63	
North Test Well	10/8/2010 13:30	69.79	33.40	0.05	69.76	171.21	171.24	282.63	
North Test Well	10/8/2010 13:45	69.79	33.39	0.05	69.76	171.21	171.24	282.63	
North Test Well	10/8/2010 14:00	69.79	33.38	0.04	69.77	171.21	171.23	282.64	
North Test Well	10/8/2010 14:15	69.79	33.37	0.03	69.77	171.22	171.23	282.64	
North Test Well	10/8/2010 14:30	69.78	33.37	0.02	69.77	171.22	171.23	282.64	
North Test Well	10/8/2010 14:45	69.78	33.36	0.02	69.77	171.22	171.23	282.64	
North Test Well	10/8/2010 15:00	69.78	33.36	0.01	69.78	171.22	171.22	282.65	
North Test Well	10/8/2010 15:15	69.79	33.36	0.02	69.78	171.21	171.22	282.65	
North Test Well	10/8/2010 15:30	69.79	33.36	0.02	69.78	171.21	171.22	282.65	
North Test Well	10/8/2010 15:45	69.79	33.36	0.02	69.78	171.21	171.22	282.65	
North Test Well	10/8/2010 16:00	69.79	33.36	0.01	69.78	171.21	171.22	282.65	
North Test Well	10/8/2010 16:15	69.78	33.35	0.01	69.78	171.22	171.22	282.65	
North Test Well	10/8/2010 16:30	69.79	33.35	0.01	69.79	171.21	171.21	282.66	
North Test Well	10/8/2010 16:45	69.79	33.35	0.00	69.79	171.21	171.21	282.66	
North Test Well	10/8/2010 17:00	69.79	33.35	0.01	69.79	171.21	171.21	282.66	
North Test Well	10/8/2010 17:15	69.79	33.34	0.00	69.79	171.22	171.21	282.66	
North Test Well	10/8/2010 17:30	69.79	33.34	0.00	69.79	171.22	171.21	282.66	
North Test Well	10/8/2010 17:45	69.78	33.33	-0.01	69.79	171.22	171.21	282.66	
North Test Well	10/8/2010 18:00	69.79	33.34	-0.01	69.79	171.21	171.21	282.66	
North Test Well	10/8/2010 18:15	69.79	33.34	-0.01	69.79	171.22	171.21	282.66	
North Test Well	10/8/2010 18:30	69.79	33.34	0.00	69.79	171.21	171.21	282.66	
North Test Well	10/8/2010 18:45	69.78	33.34	0.00	69.79	171.22	171.21	282.66	
North Test Well	10/8/2010 19:00	69.78	33.33	-0.01	69.78	171.22	171.22	282.65	
North Test Well	10/8/2010 19:15	69.78	33.33	-0.01	69.78	171.22	171.22	282.65	
North Test Well	10/8/2010 19:30	69.78	33.33	-0.01	69.78	171.22	171.22	282.65	
North Test Well	10/8/2010 19:45	69.78	33.33	-0.01	69.78	171.22	171.22	282.65	
North Test Well	10/8/2010 20:00	69.77	33.33	-0.02	69.78	171.23	171.22	282.65	
North Test Well	10/8/2010 20:15	69.77	33.32	-0.02	69.78	171.23	171.22	282.65	
North Test Well	10/8/2010 20:30	69.77	33.32	-0.03	69.78	171.23	171.22	282.65	
North Test Well	10/8/2010 20:45	69.76	33.31	-0.03	69.78	171.24	171.22	282.65	
North Test Well	10/8/2010 21:00	69.76	33.31	-0.03	69.78	171.24	171.22	282.65	
North Test Well	10/8/2010 21:15	69.76	33.31	-0.03	69.78	171.24	171.22	282.65	
North Test Well	10/8/2010 21:30	69.76	33.30	-0.04	69.78	171.25	171.22	282.65	
North Test Well	10/8/2010 21:45	69.76	33.32	-0.03	69.78	171.24	171.22	282.65	
North Test Well	10/8/2010 22:00	69.76	33.32	-0.03	69.78	171.24	171.22	282.65	
North Test Well	10/8/2010 22:15	69.76	33.32	-0.03	69.77	171.24	171.23	282.64	
North Test Well	10/8/2010 22:30	69.76	33.33	-0.02	69.77	171.24	171.23	282.64	
North Test Well	10/8/2010 22:45	69.76	33.33	-0.01	69.77	171.24	171.23	282.64	
North Test Well	10/8/2010 23:00	69.76	33.33	-0.01	69.77	171.24	171.23	282.64	
North Test Well	10/8/2010 23:15	69.76	33.33	-0.02	69.76	171.25	171.24	282.63	
North Test Well	10/8/2010 23:30	69.76	33.33	-0.01	69.76	171.24	171.24	282.63	
North Test Well	10/8/2010 23:45	69.76	33.33	-0.01	69.76	171.25	171.24	282.63	
North Test Well	10/9/2010 0:00	69.76	33.33	-0.01	69.76	171.25	171.24	282.63	
North Test Well	10/9/2010 0:15	69.76	33.34	-0.01	69.76	171.24	171.24	282.63	
North Test Well	10/9/2010 0:30	69.76	33.34	-0.01	69.76	171.24	171.24	282.63	
North Test Well	10/9/2010 0:45	69.76	33.34	0.00	69.76	171.24	171.24	282.63	
North Test Well	10/9/2010 1:00	69.76	33.35	0.00	69.76	171.25	171.25	282.63	
North Test Well	10/9/2010 1:15	69.76	33.34	0.00	69.76	171.25	171.24	282.63	
North Test Well	10/9/2010 1:30	69.76	33.35	0.01	69.76	171.24	171.24	282.63	
North Test Well	10/9/2010 1:45	69.76	33.35	0.01	69.75	171.24	171.25	282.62	
North Test Well	10/9/2010 2:00	69.76	33.36	0.01	69.76	171.24	171.24	282.63	
North Test Well	10/9/2010 2:15	69.76	33.36	0.01	69.75	171.24	171.25	282.62	
North Test Well	10/9/2010 2:30	69.77	33.37	0.02	69.75	171.23	171.25	282.62	
North Test Well	10/9/2010 2:45	69.76	33.37	0.02	69.75	171.24	171.25	282.62	
North Test Well	10/9/2010 3:00	69.76	33.37	0.02	69.75	171.24	171.25	282.62	
North Test Well	10/9/2010 3:15	69.76	33.36	0.02	69.75	171.24	171.25	282.62	
North Test Well	10/9/2010 3:30	69.77	33.37	0.03	69.76	171.23	171.24	282.63	
North Test Well	10/9/2010 3:45	69.77	33.38	0.03	69.75	171.23	171.25	282.62	
North Test Well	10/9/2010 4:00	69.77	33.38	0.04	69.75	171.23	171.25	282.62	
North Test Well	10/9/2010 4:15	69.78	33.39	0.04	69.75	171.22	171.25	282.62	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
North Test Well	10/9/2010 4:30	69.78	33.39	0.04	69.75	171.22	171.25	282.62	
North Test Well	10/9/2010 4:45	69.77	33.38	0.04	69.75	171.23	171.25	282.62	
North Test Well	10/9/2010 5:00	69.78	33.39	0.04	69.75	171.22	171.25	282.62	
North Test Well	10/9/2010 5:15	69.78	33.39	0.04	69.75	171.22	171.25	282.62	
North Test Well	10/9/2010 5:30	69.78	33.39	0.04	69.75	171.22	171.25	282.62	
North Test Well	10/9/2010 5:45	69.78	33.39	0.05	69.75	171.22	171.25	282.62	
North Test Well	10/9/2010 6:00	69.78	33.40	0.05	69.75	171.22	171.25	282.62	
North Test Well	10/9/2010 6:15	69.78	33.40	0.05	69.75	171.22	171.25	282.62	
North Test Well	10/9/2010 6:30	69.78	33.39	0.05	69.75	171.22	171.25	282.62	
North Test Well	10/9/2010 6:45	69.78	33.39	0.05	69.75	171.22	171.25	282.62	
North Test Well	10/9/2010 7:00	69.78	33.39	0.05	69.75	171.22	171.25	282.62	
North Test Well	10/9/2010 7:15	69.78	33.39	0.05	69.75	171.22	171.25	282.62	
North Test Well	10/9/2010 7:30	69.78	33.39	0.05	69.75	171.22	171.25	282.62	
North Test Well	10/9/2010 7:45	69.78	33.39	0.05	69.75	171.22	171.25	282.62	
North Test Well	10/9/2010 8:00	69.78	33.40	0.05	69.75	171.22	171.25	282.62	
North Test Well	10/9/2010 8:15	69.78	33.40	0.05	69.75	171.22	171.25	282.62	
North Test Well	10/9/2010 8:30	69.78	33.40	0.05	69.75	171.22	171.25	282.62	
North Test Well	10/9/2010 8:45	69.78	33.41	0.06	69.75	171.22	171.25	282.62	
North Test Well	10/9/2010 9:00	69.79	33.41	0.07	69.75	171.22	171.25	282.62	
North Test Well	10/9/2010 9:15	69.79	33.42	0.08	69.75	171.22	171.25	282.62	
North Test Well	10/9/2010 9:30	69.79	33.43	0.08	69.74	171.22	171.26	282.61	
North Test Well	10/9/2010 9:45:00		33.43	0.08					
North Test Well	10/9/2010 10:00:00	69.79	33.43	0.09	69.74	171.22	171.26	282.61	
North Test Well	10/9/2010 10:15:00	69.79	33.43	0.09	69.74	171.22	171.26	282.61	
North Test Well	10/9/2010 10:30:00	69.79	33.43	0.09	69.74	171.21	171.26	282.61	
North Test Well	10/9/2010 10:45:00	69.78	33.43	0.08	69.74	171.22	171.26	282.61	
North Test Well	10/9/2010 11:00:00	69.78	33.43	0.08	69.74	171.22	171.26	282.61	
North Test Well	10/9/2010 11:15:00	69.78	33.42	0.08	69.74	171.22	171.26	282.61	
North Test Well	10/9/2010 11:30:00	69.78	33.42	0.08	69.74	171.22	171.26	282.61	
North Test Well	10/9/2010 11:45:00	69.78	33.42	0.08	69.74	171.22	171.26	282.61	
North Test Well	10/9/2010 12:00:00	69.78	33.42	0.08	69.74	171.22	171.26	282.61	
North Test Well	10/9/2010 12:15:00	69.78	33.42	0.08	69.74	171.22	171.26	282.61	
North Test Well	10/9/2010 12:30:00	69.78	33.41	0.07	69.74	171.22	171.26	282.61	
North Test Well	10/9/2010 12:45:00	69.78	33.41	0.06	69.75	171.22	171.25	282.62	
North Test Well	10/9/2010 13:00:00	69.78	33.40	0.05	69.75	171.22	171.25	282.62	
North Test Well	10/9/2010 13:15:00	69.78	33.40	0.05	69.75	171.22	171.25	282.62	
North Test Well	10/9/2010 13:30:00	69.77	33.39	0.04	69.75	171.23	171.25	282.62	
North Test Well	10/9/2010 13:45:00	69.77	33.38	0.04	69.75	171.23	171.25	282.62	
North Test Well	10/9/2010 14:00:00	69.77	33.37	0.03	69.76	171.23	171.24	282.63	
North Test Well	10/9/2010 14:15:00		33.37	0.03					
North Test Well	10/9/2010 14:30:00	69.77	33.36	0.02	69.76	171.23	171.24	282.63	
North Test Well	10/9/2010 14:45:00	69.77	33.36	0.01	69.77	171.23	171.23	282.64	
North Test Well	10/9/2010 15:00:00	69.77	33.35	0.01	69.77	171.23	171.23	282.64	
North Test Well	10/9/2010 15:15:00	69.77	33.35	0.01	69.77	171.23	171.23	282.64	
North Test Well	10/9/2010 15:30:00	69.77	33.34	0.00	69.77	171.23	171.23	282.64	
North Test Well	10/9/2010 15:45:00	69.78	33.34	0.00	69.78	171.22	171.22	282.65	
North Test Well	10/9/2010 16:00:00	69.78	33.34	0.00	69.78	171.22	171.22	282.65	
North Test Well	10/9/2010 16:15:00	69.78	33.34	-0.01	69.78	171.22	171.22	282.65	
North Test Well	10/9/2010 16:30:00	69.78	33.33	-0.01	69.78	171.22	171.22	282.65	
North Test Well	10/9/2010 16:45:00	69.78	33.33	-0.01	69.78	171.22	171.22	282.65	
North Test Well	10/9/2010 17:00:00	69.77	33.33	-0.02	69.78	171.23	171.22	282.65	
North Test Well	10/9/2010 17:15:00	69.77	33.32	-0.03	69.78	171.23	171.22	282.65	
North Test Well	10/9/2010 17:30:00	69.77	33.32	-0.03	69.79	171.23	171.21	282.66	
North Test Well	10/9/2010 17:45:00	69.78	33.32	-0.02	69.79	171.22	171.21	282.66	
North Test Well	10/9/2010 18:00:00	69.77	33.32	-0.03	69.78	171.23	171.22	282.65	
North Test Well	10/9/2010 18:15:00	69.77	33.32	-0.02	69.79	171.23	171.21	282.66	
North Test Well	10/9/2010 18:30:00	69.77	33.32	-0.03	69.78	171.23	171.22	282.65	
North Test Well	10/9/2010 18:45:00	69.77	33.32	-0.03	69.79	171.23	171.21	282.66	
North Test Well	10/9/2010 19:00:00	69.77	33.33	-0.02	69.78	171.23	171.22	282.65	
North Test Well	10/9/2010 19:15:00	69.78	33.33	-0.01	69.78	171.22	171.22	282.65	
North Test Well	10/9/2010 19:30:00	69.77	33.34	-0.01	69.78	171.23	171.22	282.65	
North Test Well	10/9/2010 19:45:00	69.77	33.34	-0.01	69.77	171.23	171.23	282.64	
North Test Well	10/9/2010 20:00:00	69.77	33.34	0.00	69.78	171.23	171.22	282.65	
North Test Well	10/9/2010 20:15:00	69.77	33.34	-0.01	69.77	171.23	171.23	282.64	
North Test Well	10/9/2010 20:30:00	69.76	33.34	-0.01	69.77	171.24	171.23	282.64	
North Test Well	10/9/2010 20:45:00	69.77	33.34	-0.01	69.77	171.23	171.23	282.64	
North Test Well	10/9/2010 21:00:00	69.76	33.34	-0.01	69.77	171.24	171.23	282.64	
North Test Well	10/9/2010 21:15:00	69.76	33.33	-0.01	69.77	171.24	171.23	282.64	
North Test Well	10/9/2010 21:30:00	69.76	33.33	-0.01	69.76	171.24	171.24	282.63	
North Test Well	10/9/2010 21:45:00	69.75	33.33	-0.02	69.76	171.25	171.24	282.63	
North Test Well	10/9/2010 22:00:00	69.76	33.34	-0.01	69.76	171.24	171.24	282.63	
North Test Well	10/9/2010 22:15:00	69.75	33.33	-0.02	69.76	171.25	171.24	282.63	
North Test Well	10/9/2010 22:30:00	69.75	33.33	-0.01	69.76	171.25	171.24	282.63	
North Test Well	10/9/2010 22:45:00	69.75	33.33	-0.02	69.76	171.25	171.24	282.63	
North Test Well	10/9/2010 23:00:00	69.75	33.33	-0.02	69.76	171.25	171.24	282.63	
North Test Well	10/9/2010 23:15:00	69.75	33.33	-0.01	69.76	171.25	171.24	282.63	
North Test Well	10/9/2010 23:30:00	69.75	33.34	0.00	69.76	171.25	171.24	282.63	
North Test Well	10/9/2010 23:45:00	69.75	33.34	0.00	69.75	171.25	171.25	282.62	
North Test Well	10/10/2010 0:00:00	69.75	33.34	-0.01	69.75	171.25	171.25	282.62	
North Test Well	10/10/2010 0:15:00	69.75	33.34	0.00	69.75	171.25	171.25	282.62	
North Test Well	10/10/2010 0:30:00	69.75	33.34	0.00	69.75	171.25	171.25	282.62	
North Test Well	10/10/2010 0:45:00	69.75	33.34	-0.01	69.75	171.25	171.25	282.62	
North Test Well	10/10/2010 1:00:00	69.75	33.34	-0.01	69.75	171.26	171.25	282.62	
North Test Well	10/10/2010 1:15:00	69.75	33.34	0.00	69.75	171.25	171.25	282.62	
North Test Well	10/10/2010 1:30:00	69.75	33.35	0.00	69.75	171.25	171.25	282.62	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
North Test Well	10/10/2010 1:45:00	69.75	33.35	0.00	69.75	171.25	171.25	282.62	
North Test Well	10/10/2010 2:00:00	69.75	33.35	0.01	69.75	171.25	171.25	282.62	
North Test Well	10/10/2010 2:15:00	69.75	33.36	0.01	69.75	171.25	171.25	282.62	
North Test Well	10/10/2010 2:30:00	69.75	33.36	0.02	69.74	171.25	171.26	282.61	
North Test Well	10/10/2010 2:45:00	69.75	33.37	0.02	69.74	171.25	171.26	282.61	
North Test Well	10/10/2010 3:00:00	69.76	33.37	0.02	69.75	171.24	171.25	282.62	
North Test Well	10/10/2010 3:15:00	69.76	33.37	0.02	69.74	171.24	171.26	282.61	
North Test Well	10/10/2010 3:30:00	69.75	33.36	0.02	69.74	171.25	171.26	282.61	
North Test Well	10/10/2010 3:45:00	69.77	33.38	0.03	69.75	171.23	171.25	282.62	
North Test Well	10/10/2010 4:00:00	69.76	33.38	0.04	69.74	171.24	171.26	282.61	
North Test Well	10/10/2010 4:15:00	69.77	33.39	0.04	69.75	171.23	171.25	282.62	
North Test Well	10/10/2010 4:30:00	69.76	33.39	0.04	69.74	171.24	171.26	282.61	
North Test Well	10/10/2010 4:45:00	69.78	33.40	0.05	69.75	171.22	171.25	282.62	
North Test Well	10/10/2010 5:00:00	69.78	33.41	0.06	69.75	171.22	171.25	282.62	
North Test Well	10/10/2010 5:15:00	69.78	33.41	0.07	69.74	171.22	171.26	282.61	
North Test Well	10/10/2010 5:30:00	69.79	33.43	0.08	69.74	171.22	171.26	282.61	
North Test Well	10/10/2010 5:45:00	69.78	33.43	0.08	69.74	171.22	171.26	282.61	
North Test Well	10/10/2010 6:00:00	69.79	33.44	0.09	69.74	171.22	171.26	282.61	
North Test Well	10/10/2010 6:15:00	69.79	33.45	0.10	69.74	171.21	171.26	282.61	
North Test Well	10/10/2010 6:30:00	69.79	33.46	0.11	69.73	171.21	171.27	282.60	
North Test Well	10/10/2010 6:45:00	69.80	33.47	0.12	69.73	171.20	171.27	282.60	
North Test Well	10/10/2010 7:00:00	69.80	33.48	0.14	69.73	171.20	171.27	282.60	
North Test Well	10/10/2010 7:15:00	69.80	33.49	0.14	69.73	171.20	171.27	282.60	
North Test Well	10/10/2010 7:30:00	69.80	33.49	0.15	69.72	171.20	171.28	282.59	
North Test Well	10/10/2010 7:45:00	69.80	33.50	0.15	69.72	171.20	171.28	282.59	
North Test Well	10/10/2010 8:00:00	69.80	33.53	0.19	69.71	171.20	171.29	282.58	
North Test Well	10/10/2010 8:15:00	69.81	33.55	0.20	69.70	171.19	171.30	282.57	
North Test Well	10/10/2010 8:30:00	69.81	33.54	0.20	69.71	171.19	171.29	282.58	
North Test Well	10/10/2010 8:45:00	69.82	33.55	0.20	69.71	171.18	171.29	282.58	
North Test Well	10/10/2010 9:00:00	69.81	33.55	0.20	69.70	171.19	171.30	282.57	
North Test Well	10/10/2010 9:15:00	69.81	33.54	0.19	69.71	171.19	171.29	282.58	
North Test Well	10/10/2010 9:30:00	69.81	33.55	0.20	69.70	171.19	171.30	282.57	
North Test Well	10/10/2010 9:45:00	69.80	33.55	0.20	69.69	171.20	171.31	282.56	
North Test Well	10/10/2010 10:00:00	69.80	33.56	0.22	69.68	171.20	171.32	282.55	
North Test Well	10/10/2010 10:15:00	69.80	33.56	0.22	69.69	171.20	171.31	282.56	
North Test Well	10/10/2010 10:30:00	69.80	33.57	0.22	69.68	171.20	171.32	282.55	
North Test Well	10/10/2010 10:45:00	69.80	33.57	0.22	69.68	171.20	171.32	282.55	
North Test Well	10/10/2010 11:00:00	69.80	33.57	0.22	69.68	171.20	171.32	282.55	
North Test Well	10/10/2010 11:15:00	69.80	33.57	0.22	69.69	171.20	171.31	282.56	
North Test Well	10/10/2010 11:30:00	69.80	33.57	0.22	69.69	171.20	171.31	282.56	
North Test Well	10/10/2010 11:45:00	69.80	33.57	0.22	69.69	171.20	171.31	282.56	
North Test Well	10/10/2010 12:00:00	69.80	33.56	0.22	69.69	171.20	171.31	282.56	
North Test Well	10/10/2010 12:15:00	69.81	33.56	0.21	69.69	171.19	171.31	282.56	
North Test Well	10/10/2010 12:30:00	69.81	33.56	0.22	69.70	171.19	171.30	282.57	
North Test Well	10/10/2010 12:45:00	69.81	33.56	0.22	69.70	171.19	171.30	282.57	
North Test Well	10/10/2010 13:00:00	69.81	33.56	0.21	69.70	171.19	171.30	282.57	
North Test Well	10/10/2010 13:15:00	69.82	33.56	0.22	69.70	171.19	171.30	282.57	
North Test Well	10/10/2010 13:30:00	69.82	33.56	0.22	69.70	171.19	171.30	282.57	
North Test Well	10/10/2010 13:45:00	69.82	33.56	0.22	69.70	171.19	171.30	282.57	
North Test Well	10/10/2010 14:00:00	69.82	33.56	0.21	69.70	171.19	171.30	282.57	
North Test Well	10/10/2010 14:15:00	69.82	33.56	0.21	69.71	171.18	171.29	282.58	
North Test Well	10/10/2010 14:30:00	69.82	33.55	0.21	69.71	171.18	171.29	282.58	
North Test Well	10/10/2010 14:45:00	69.82	33.55	0.20	69.71	171.18	171.29	282.58	
North Test Well	10/10/2010 15:00:00	69.82	33.55	0.21	69.71	171.18	171.29	282.58	
North Test Well	10/10/2010 15:15:00	69.82	33.54	0.20	69.72	171.18	171.28	282.59	
North Test Well	10/10/2010 15:30:00	69.83	33.54	0.20	69.72	171.18	171.28	282.59	
North Test Well	10/10/2010 15:45:00	69.83	33.54	0.19	69.72	171.17	171.28	282.59	
North Test Well	10/10/2010 16:00:00	69.83	33.54	0.19	69.73	171.17	171.27	282.60	
North Test Well	10/10/2010 16:15:00	69.83	33.53	0.19	69.73	171.17	171.27	282.60	
North Test Well	10/10/2010 16:30:00	69.84	33.54	0.20	69.73	171.16	171.27	282.60	
North Test Well	10/10/2010 16:45:00	69.84	33.54	0.20	69.73	171.16	171.27	282.60	
North Test Well	10/10/2010 17:00:00	69.84	33.54	0.20	69.73	171.16	171.27	282.60	
North Test Well	10/10/2010 17:15:00	69.84	33.54	0.19	69.73	171.16	171.27	282.60	
North Test Well	10/10/2010 17:30:00	69.84	33.54	0.19	69.74	171.16	171.26	282.61	
North Test Well	10/10/2010 17:45:00	69.84	33.54	0.19	69.74	171.16	171.26	282.61	
North Test Well	10/10/2010 18:00:00	69.84	33.54	0.20	69.74	171.16	171.26	282.61	
North Test Well	10/10/2010 18:15:00	69.85	33.55	0.20	69.74	171.15	171.26	282.61	
North Test Well	10/10/2010 18:30:00	69.85	33.55	0.21	69.74	171.15	171.26	282.61	
North Test Well	10/10/2010 18:45:00	69.85	33.56	0.21	69.74	171.15	171.26	282.61	
North Test Well	10/10/2010 19:00:00	69.85	33.56	0.22	69.73	171.15	171.27	282.60	
North Test Well	10/10/2010 19:15:00	69.85	33.57	0.23	69.73	171.15	171.27	282.60	
North Test Well	10/10/2010 19:30:00	69.85	33.58	0.23	69.73	171.15	171.27	282.60	
North Test Well	10/10/2010 19:45:00	69.85	33.58	0.24	69.73	171.15	171.27	282.60	
North Test Well	10/10/2010 20:00:00	69.86	33.59	0.24	69.73	171.15	171.27	282.60	
North Test Well	10/10/2010 20:15:00	69.85	33.59	0.24	69.72	171.15	171.28	282.59	
North Test Well	10/10/2010 20:30:00	69.85	33.59	0.25	69.72	171.15	171.28	282.59	
North Test Well	10/10/2010 20:45:00	69.86	33.60	0.25	69.72	171.15	171.28	282.59	
North Test Well	10/10/2010 21:00:00	69.85	33.60	0.26	69.72	171.15	171.28	282.59	
North Test Well	10/10/2010 21:15:00	69.86	33.61	0.26	69.72	171.15	171.28	282.59	
North Test Well	10/10/2010 21:30:00	69.86	33.62	0.27	69.71	171.14	171.29	282.58	
North Test Well	10/10/2010 21:45:00	69.86	33.63	0.28	69.71	171.14	171.29	282.58	
North Test Well	10/10/2010 22:00:00	69.86	33.63	0.29	69.71	171.14	171.29	282.58	
North Test Well	10/10/2010 22:15:00	69.86	33.64	0.29	69.70	171.14	171.30	282.57	
North Test Well	10/10/2010 22:30:00	69.86	33.64	0.30	69.70	171.14	171.30	282.57	
North Test Well	10/10/2010 22:45:00	69.86	33.65	0.30	69.70	171.14	171.30	282.57	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
North Test Well	10/10/2010 23:00:00	69.86	33.65	0.31	69.70	171.14	171.30	282.57	
North Test Well	10/10/2010 23:15:00	69.86	33.66	0.32	69.70	171.14	171.30	282.57	
North Test Well	10/10/2010 23:30:00	69.86	33.67	0.33	69.69	171.14	171.31	282.56	
North Test Well	10/10/2010 23:45:00	69.87	33.68	0.34	69.69	171.13	171.31	282.56	
North Test Well	10/11/2010 0:00:00	69.87	33.69	0.34	69.69	171.13	171.31	282.56	
North Test Well	10/11/2010 0:15:00	69.87	33.69	0.35	69.68	171.13	171.32	282.55	
North Test Well	10/11/2010 0:30:00	69.87	33.70	0.35	69.68	171.13	171.32	282.55	
North Test Well	10/11/2010 0:45:00	69.87	33.70	0.36	69.68	171.13	171.32	282.55	
North Test Well	10/11/2010 1:00:00	69.87	33.71	0.37	69.68	171.13	171.32	282.55	
North Test Well	10/11/2010 1:15:00	69.87	33.72	0.37	69.68	171.13	171.32	282.55	
North Test Well	10/11/2010 1:30:00	69.88	33.72	0.38	69.68	171.12	171.32	282.55	
North Test Well	10/11/2010 1:45:00	69.88	33.73	0.38	69.68	171.12	171.32	282.55	
North Test Well	10/11/2010 2:00:00	69.88	33.73	0.39	69.68	171.12	171.32	282.55	
North Test Well	10/11/2010 2:15:00	69.88	33.74	0.40	69.67	171.12	171.33	282.54	
North Test Well	10/11/2010 2:30:00	69.89	33.75	0.40	69.67	171.12	171.33	282.54	
North Test Well	10/11/2010 2:45:00	69.89	33.76	0.41	69.67	171.11	171.33	282.54	
North Test Well	10/11/2010 3:00:00	69.89	33.77	0.42	69.67	171.11	171.33	282.54	
North Test Well	10/11/2010 3:15:00	69.89	33.77	0.43	69.67	171.11	171.33	282.54	
North Test Well	10/11/2010 3:30:00	69.90	33.78	0.43	69.67	171.11	171.33	282.54	
North Test Well	10/11/2010 3:45:00	69.90	33.78	0.44	69.66	171.11	171.34	282.53	
North Test Well	10/11/2010 4:00:00	69.90	33.79	0.44	69.67	171.10	171.33	282.54	
North Test Well	10/11/2010 4:15:00	69.90	33.79	0.45	69.67	171.10	171.33	282.54	
North Test Well	10/11/2010 4:30:00	69.90	33.80	0.45	69.66	171.10	171.34	282.53	
North Test Well	10/11/2010 4:45:00	69.91	33.80	0.46	69.66	171.09	171.34	282.53	
North Test Well	10/11/2010 5:00:00	69.91	33.81	0.46	69.67	171.09	171.33	282.54	
North Test Well	10/11/2010 5:15:00	69.92	33.82	0.47	69.67	171.08	171.33	282.54	
North Test Well	10/11/2010 5:30:00	69.92	33.82	0.48	69.66	171.08	171.34	282.53	
North Test Well	10/11/2010 5:45:00	69.92	33.83	0.48	69.67	171.08	171.33	282.54	
North Test Well	10/11/2010 6:00:00	69.92	33.83	0.49	69.67	171.08	171.33	282.54	
North Test Well	10/11/2010 6:15:00	69.93	33.84	0.49	69.67	171.08	171.33	282.54	
North Test Well	10/11/2010 6:30:00	69.93	33.84	0.50	69.67	171.07	171.33	282.54	
North Test Well	10/11/2010 6:45:00	69.93	33.85	0.50	69.67	171.07	171.33	282.54	
North Test Well	10/11/2010 7:00:00	69.93	33.85	0.51	69.66	171.07	171.34	282.53	
North Test Well	10/11/2010 7:15:00	69.94	33.86	0.51	69.67	171.06	171.33	282.54	
North Test Well	10/11/2010 7:30:00	69.94	33.86	0.52	69.66	171.06	171.34	282.53	
North Test Well	10/11/2010 7:45:00	69.94	33.87	0.53	69.66	171.06	171.34	282.53	
North Test Well	10/11/2010 8:00:00	69.95	33.88	0.53	69.67	171.05	171.33	282.54	
North Test Well	10/11/2010 8:15:00	69.94	33.87	0.53	69.67	171.06	171.33	282.54	
North Test Well	10/11/2010 8:30:00	69.95	33.88	0.53	69.67	171.05	171.33	282.54	
North Test Well	10/11/2010 8:45:00	69.95	33.88	0.53	69.67	171.05	171.33	282.54	
North Test Well	10/11/2010 9:00:00	69.95	33.87	0.52	69.67	171.05	171.33	282.54	
North Test Well	10/11/2010 9:15:00	69.95	33.87	0.52	69.68	171.05	171.32	282.55	
North Test Well	10/11/2010 9:30:00	69.96	33.87	0.52	69.68	171.04	171.32	282.55	
North Test Well	10/11/2010 9:45:00	69.96	33.86	0.52	69.69	171.04	171.31	282.56	
North Test Well	10/11/2010 10:00:00	69.96	33.85	0.50	69.69	171.04	171.31	282.56	
North Test Well	10/11/2010 10:15:00	69.96	33.84	0.49	69.70	171.04	171.30	282.57	
North Test Well	10/11/2010 10:30:00	69.96	33.82	0.48	69.71	171.04	171.29	282.58	
North Test Well	10/11/2010 10:45:00	69.96	33.82	0.47	69.71	171.04	171.29	282.58	
North Test Well	10/11/2010 11:00:00	69.96	33.81	0.47	69.72	171.04	171.28	282.59	
North Test Well	10/11/2010 11:15:00	69.97	33.81	0.46	69.72	171.03	171.28	282.59	
North Test Well	10/11/2010 11:30:00	69.97	33.80	0.46	69.72	171.03	171.28	282.59	
North Test Well	10/11/2010 11:45:00	69.97	33.80	0.45	69.73	171.03	171.27	282.60	
North Test Well	10/11/2010 12:00:00	69.97	33.80	0.45	69.73	171.03	171.27	282.60	
North Test Well	10/11/2010 12:15:00	69.97	33.80	0.45	69.73	171.03	171.27	282.60	
North Test Well	10/11/2010 12:30:00	69.97	33.79	0.45	69.74	171.03	171.26	282.61	
North Test Well	10/11/2010 12:45:00	69.97	33.79	0.44	69.74	171.03	171.26	282.61	
North Test Well	10/11/2010 13:00:00	69.97	33.78	0.44	69.74	171.03	171.26	282.61	
North Test Well	10/11/2010 13:15:00	69.97	33.78	0.43	69.74	171.03	171.26	282.61	
North Test Well	10/11/2010 13:30:00	69.97	33.77	0.43	69.74	171.03	171.26	282.61	
North Test Well	10/11/2010 13:45:00	69.98	33.78	0.43	69.75	171.02	171.25	282.62	
North Test Well	10/11/2010 14:00:00	69.98	33.77	0.43	69.75	171.02	171.25	282.62	
North Test Well	10/11/2010 14:15:00	69.98	33.77	0.42	69.76	171.02	171.24	282.63	
North Test Well	10/11/2010 14:30:00	69.98	33.77	0.42	69.76	171.02	171.24	282.63	
North Test Well	10/11/2010 14:45:00	69.98	33.76	0.41	69.76	171.02	171.24	282.63	
North Test Well	10/11/2010 15:00:00	69.98	33.75	0.40	69.76	171.02	171.24	282.63	
North Test Well	10/11/2010 15:15:00	69.98	33.74	0.40	69.77	171.02	171.23	282.64	
North Test Well	10/11/2010 15:30:00	69.98	33.74	0.40	69.77	171.02	171.23	282.64	
North Test Well	10/11/2010 15:45:00	69.99	33.74	0.40	69.78	171.01	171.22	282.65	
North Test Well	10/11/2010 16:00:00	69.99	33.75	0.40	69.78	171.01	171.22	282.65	
North Test Well	10/11/2010 16:15:00	70.00	33.75	0.41	69.78	171.01	171.22	282.65	
North Test Well	10/11/2010 16:30:00	69.99	33.75	0.40	69.78	171.01	171.22	282.65	
North Test Well	10/11/2010 16:45:00	69.99	33.74	0.40	69.78	171.01	171.22	282.65	
North Test Well	10/11/2010 17:00:00	69.99	33.74	0.39	69.78	171.01	171.22	282.65	
North Test Well	10/11/2010 17:15:00	69.99	33.74	0.39	69.79	171.01	171.21	282.66	
North Test Well	10/11/2010 17:30:00	69.99	33.73	0.39	69.79	171.01	171.21	282.66	
North Test Well	10/11/2010 17:45:00	70.00	33.73	0.39	69.79	171.01	171.21	282.66	
North Test Well	10/11/2010 18:00:00	70.00	33.73	0.39	69.79	171.01	171.21	282.66	
North Test Well	10/11/2010 18:15:00	70.00	33.73	0.38	69.79	171.01	171.21	282.66	
North Test Well	10/11/2010 18:30:00	70.00	33.73	0.38	69.79	171.01	171.21	282.66	
North Test Well	10/11/2010 18:45:00	70.00	33.75	0.40	69.79	171.00	171.21	282.66	
North Test Well	10/11/2010 19:00:00	70.00	33.75	0.41	69.79	171.00	171.21	282.66	
North Test Well	10/11/2010 19:15:00	70.00	33.76	0.41	69.78	171.00	171.22	282.65	
North Test Well	10/11/2010 19:30:00	70.00	33.76	0.42	69.78	171.00	171.22	282.65	
North Test Well	10/11/2010 19:45:00	70.01	33.77	0.43	69.78	170.99	171.22	282.65	
North Test Well	10/11/2010 20:00:00	70.00	33.77	0.42	69.78	171.00	171.22	282.65	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
North Test Well	10/11/2010 20:15:00	70.01	33.78	0.43	69.78	170.99	171.22	282.65	
North Test Well	10/11/2010 20:30:00	70.00	33.78	0.43	69.78	171.00	171.22	282.65	
North Test Well	10/11/2010 20:45:00	70.00	33.78	0.43	69.78	171.00	171.22	282.65	
North Test Well	10/11/2010 21:00:00	70.01	33.79	0.44	69.77	170.99	171.23	282.64	
North Test Well	10/11/2010 21:15:00	70.01	33.79	0.45	69.77	170.99	171.23	282.64	
North Test Well	10/11/2010 21:30:00	70.01	33.80	0.45	69.77	170.99	171.23	282.64	
North Test Well	10/11/2010 21:45:00	70.01	33.81	0.46	69.76	170.99	171.24	282.63	
North Test Well	10/11/2010 22:00:00	70.01	33.81	0.46	69.76	170.99	171.24	282.63	
North Test Well	10/11/2010 22:15:00	70.01	33.82	0.47	69.76	170.99	171.24	282.63	
North Test Well	10/11/2010 22:30:00	70.01	33.82	0.47	69.76	170.99	171.24	282.63	
North Test Well	10/11/2010 22:45:00	70.01	33.82	0.48	69.76	170.99	171.24	282.63	
North Test Well	10/11/2010 23:00:00	70.00	33.82	0.47	69.75	171.00	171.25	282.62	
North Test Well	10/11/2010 23:15:00	70.00	33.82	0.47	69.75	171.00	171.25	282.62	
North Test Well	10/11/2010 23:30:00	70.00	33.82	0.47	69.75	171.00	171.25	282.62	
North Test Well	10/11/2010 23:45:00	70.00	33.82	0.47	69.75	171.00	171.25	282.62	
North Test Well	10/12/2010 0:00:00	70.00	33.82	0.47	69.75	171.00	171.25	282.62	
North Test Well	10/12/2010 0:15:00	70.00	33.81	0.47	69.75	171.00	171.25	282.62	
North Test Well	10/12/2010 0:30:00	70.00	33.81	0.47	69.75	171.00	171.25	282.62	
North Test Well	10/12/2010 0:45:00	70.00	33.81	0.47	69.75	171.00	171.25	282.62	
North Test Well	10/12/2010 1:00:00	70.00	33.81	0.46	69.75	171.00	171.25	282.62	
North Test Well	10/12/2010 1:15:00	70.00	33.81	0.46	69.76	171.00	171.24	282.63	
North Test Well	10/12/2010 1:30:00	70.00	33.81	0.46	69.75	171.00	171.25	282.62	
North Test Well	10/12/2010 1:45:00	70.00	33.81	0.46	69.76	171.00	171.24	282.63	
North Test Well	10/12/2010 2:00:00	70.00	33.81	0.46	69.76	171.00	171.24	282.63	
North Test Well	10/12/2010 2:15:00	70.00	33.81	0.46	69.75	171.00	171.25	282.62	
North Test Well	10/12/2010 2:30:00	70.00	33.81	0.46	69.75	171.00	171.25	282.62	
North Test Well	10/12/2010 2:45:00	70.00	33.81	0.46	69.75	171.00	171.25	282.62	
North Test Well	10/12/2010 3:00:00	70.00	33.81	0.46	69.75	171.00	171.25	282.62	
North Test Well	10/12/2010 3:15:00	69.99	33.80	0.45	69.75	171.01	171.25	282.62	
North Test Well	10/12/2010 3:30:00	69.99	33.80	0.45	69.75	171.01	171.25	282.62	
North Test Well	10/12/2010 3:45:00	69.99	33.79	0.45	69.75	171.01	171.25	282.62	
North Test Well	10/12/2010 4:00:00	69.99	33.79	0.44	69.76	171.01	171.24	282.63	
North Test Well	10/12/2010 4:15:00	70.00	33.79	0.44	69.76	171.01	171.24	282.63	
North Test Well	10/12/2010 4:30:00	70.00	33.79	0.44	69.76	171.01	171.24	282.63	
North Test Well	10/12/2010 4:45:00	70.00	33.79	0.45	69.76	171.01	171.24	282.63	
North Test Well	10/12/2010 5:00:00	70.00	33.80	0.45	69.76	171.00	171.24	282.63	
North Test Well	10/12/2010 5:15:00	70.00	33.80	0.45	69.76	171.00	171.24	282.63	
North Test Well	10/12/2010 5:30:00	69.99	33.79	0.45	69.76	171.01	171.24	282.63	
North Test Well	10/12/2010 5:45:00	69.99	33.79	0.45	69.76	171.01	171.24	282.63	
North Test Well	10/12/2010 6:00:00	69.99	33.79	0.44	69.76	171.01	171.24	282.63	
North Test Well	10/12/2010 6:15:00	70.00	33.79	0.45	69.76	171.00	171.24	282.63	
North Test Well	10/12/2010 6:30:00	70.00	33.80	0.46	69.76	171.00	171.24	282.63	
North Test Well	10/12/2010 6:45:00	70.00	33.81	0.46	69.76	171.00	171.24	282.63	
North Test Well	10/12/2010 7:00:00	70.00	33.80	0.45	69.75	171.01	171.25	282.62	
North Test Well	10/12/2010 7:15:00	70.00	33.80	0.46	69.75	171.01	171.25	282.62	
North Test Well	10/12/2010 7:30:00	69.99	33.80	0.45	69.75	171.01	171.25	282.62	
North Test Well	10/12/2010 7:45:00	70.00	33.80	0.46	69.75	171.01	171.25	282.62	
North Test Well	10/12/2010 8:00:00	70.00	33.80	0.45	69.75	171.01	171.25	282.62	
North Test Well	10/12/2010 8:15:00	70.00	33.80	0.46	69.75	171.01	171.25	282.62	
North Test Well	10/12/2010 8:30:00	69.99	33.79	0.45	69.76	171.01	171.24	282.63	
North Test Well	10/12/2010 8:45:00	69.99	33.79	0.44	69.76	171.01	171.24	282.63	
North Test Well	10/12/2010 9:00:00	70.00	33.79	0.44	69.76	171.00	171.24	282.63	
North Test Well	10/12/2010 9:15:00	69.99	33.77	0.42	69.76	171.01	171.24	282.63	
North Test Well	10/12/2010 9:30:00	69.99	33.75	0.41	69.77	171.01	171.23	282.64	
North Test Well	10/12/2010 9:45:00	69.99	33.75	0.40	69.78	171.01	171.22	282.65	
North Test Well	10/12/2010 10:00:00	69.99	33.73	0.39	69.78	171.01	171.22	282.65	
North Test Well	10/12/2010 10:15:00	70.00	33.74	0.39	69.79	171.01	171.21	282.66	
North Test Well	10/12/2010 10:30:00	69.99	33.72	0.38	69.79	171.01	171.21	282.66	
North Test Well	10/12/2010 10:45:00	69.99	33.71	0.37	69.79	171.01	171.21	282.66	
North Test Well	10/12/2010 11:00:00	69.99	33.70	0.36	69.80	171.01	171.20	282.67	
North Test Well	10/12/2010 11:15:00	69.99	33.70	0.35	69.80	171.01	171.20	282.67	
North Test Well	10/12/2010 11:30:00	69.99	33.70	0.35	69.80	171.01	171.20	282.67	
North Test Well	10/12/2010 11:45:00	69.99	33.69	0.35	69.80	171.01	171.20	282.67	
North Test Well	10/12/2010 12:00:00	69.99	33.69	0.34	69.81	171.01	171.19	282.68	
North Test Well	10/12/2010 12:15:00	69.98	33.68	0.34	69.80	171.02	171.20	282.67	
North Test Well	10/12/2010 12:30:00	69.98	33.68	0.33	69.81	171.02	171.19	282.68	
North Test Well	10/12/2010 12:45:00	69.98	33.67	0.33	69.81	171.02	171.19	282.68	
North Test Well	10/12/2010 13:00:00	69.98	33.67	0.33	69.81	171.02	171.19	282.68	
North Test Well	10/12/2010 13:15:00	69.98	33.67	0.32	69.81	171.02	171.19	282.68	
North Test Well	10/12/2010 13:30:00	69.98	33.66	0.31	69.81	171.02	171.19	282.68	
North Test Well	10/12/2010 13:45:00	69.97	33.65	0.30	69.81	171.03	171.19	282.68	
North Test Well	10/12/2010 14:00:00	69.97	33.64	0.29	69.81	171.03	171.19	282.68	
North Test Well	10/12/2010 14:15:00	69.97	33.63	0.28	69.82	171.03	171.18	282.69	
North Test Well	10/12/2010 14:30:00	69.97	33.62	0.28	69.82	171.03	171.18	282.69	
North Test Well	10/12/2010 14:45:00	69.97	33.61	0.27	69.82	171.04	171.18	282.69	
North Test Well	10/12/2010 15:00:00	69.97	33.61	0.26	69.83	171.04	171.17	282.70	
North Test Well	10/12/2010 15:15:00	69.96	33.60	0.26	69.83	171.04	171.17	282.70	
North Test Well	10/12/2010 15:30:00	69.96	33.60	0.25	69.83	171.04	171.17	282.70	
North Test Well	10/12/2010 15:45:00	69.96	33.59	0.24	69.83	171.04	171.17	282.70	
North Test Well	10/12/2010 16:00:00	69.96	33.59	0.24	69.83	171.04	171.17	282.70	
North Test Well	10/12/2010 16:15:00	69.96	33.58	0.24	69.83	171.04	171.17	282.70	
North Test Well	10/12/2010 16:30:00	69.96	33.57	0.23	69.83	171.05	171.17	282.70	
North Test Well	10/12/2010 16:45:00	69.96	33.57	0.23	69.84	171.05	171.16	282.71	
North Test Well	10/12/2010 17:00:00	69.96	33.57	0.22	69.84	171.04	171.16	282.71	
North Test Well	10/12/2010 17:15:00	69.96	33.57	0.22	69.84	171.05	171.16	282.71	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
North Test Well	10/12/2010 17:30:00	69.96	33.57	0.22	69.84	171.05	171.16	282.71	
North Test Well	10/12/2010 17:45:00	69.96	33.56	0.22	69.84	171.05	171.16	282.71	
North Test Well	10/12/2010 18:00:00	69.96	33.57	0.22	69.84	171.05	171.16	282.71	
North Test Well	10/12/2010 18:15:00	69.95	33.56	0.22	69.84	171.05	171.16	282.71	
North Test Well	10/12/2010 18:30:00	69.95	33.57	0.23	69.83	171.05	171.17	282.70	
North Test Well	10/12/2010 18:45:00	69.95	33.57	0.23	69.83	171.05	171.17	282.70	
North Test Well	10/12/2010 19:00:00	69.95	33.58	0.23	69.83	171.05	171.17	282.70	
North Test Well	10/12/2010 19:15:00	69.95	33.58	0.23	69.83	171.05	171.17	282.70	
North Test Well	10/12/2010 19:30:00	69.95	33.58	0.24	69.82	171.05	171.18	282.69	
North Test Well	10/12/2010 19:45:00	69.95	33.59	0.25	69.82	171.05	171.18	282.69	
North Test Well	10/12/2010 20:00:00	69.95	33.59	0.25	69.82	171.05	171.18	282.69	
North Test Well	10/12/2010 20:15:00	69.95	33.59	0.25	69.81	171.05	171.19	282.68	
North Test Well	10/12/2010 20:30:00	69.95	33.60	0.25	69.81	171.05	171.19	282.68	
North Test Well	10/12/2010 20:45:00	69.94	33.60	0.25	69.81	171.06	171.19	282.68	
North Test Well	10/12/2010 21:00:00	69.94	33.60	0.26	69.80	171.06	171.20	282.67	
North Test Well	10/12/2010 21:15:00	69.94	33.61	0.26	69.80	171.06	171.20	282.67	
North Test Well	10/12/2010 21:30:00	69.94	33.61	0.26	69.80	171.06	171.20	282.67	
North Test Well	10/12/2010 21:45:00	69.94	33.61	0.27	69.80	171.06	171.20	282.67	
North Test Well	10/12/2010 22:00:00	69.93	33.61	0.27	69.79	171.07	171.21	282.66	
North Test Well	10/12/2010 22:15:00	69.93	33.61	0.26	69.79	171.07	171.21	282.66	
North Test Well	10/12/2010 22:30:00	69.93	33.61	0.27	69.79	171.07	171.21	282.66	
North Test Well	10/12/2010 22:45:00	69.93	33.62	0.27	69.79	171.07	171.21	282.66	
North Test Well	10/12/2010 23:00:00	69.93	33.62	0.27	69.79	171.07	171.21	282.66	
North Test Well	10/12/2010 23:15:00	69.93	33.62	0.28	69.78	171.07	171.22	282.65	
North Test Well	10/12/2010 23:30:00	69.93	33.62	0.28	69.78	171.07	171.22	282.65	
North Test Well	10/12/2010 23:45:00	69.92	33.62	0.28	69.77	171.08	171.23	282.64	
North Test Well	10/13/2010 0:00:00	69.92	33.63	0.28	69.77	171.08	171.23	282.64	
North Test Well	10/13/2010 0:15:00	69.92	33.63	0.28	69.77	171.08	171.23	282.64	
North Test Well	10/13/2010 0:30:00	69.92	33.63	0.28	69.77	171.08	171.23	282.64	
North Test Well	10/13/2010 0:45:00	69.91	33.62	0.27	69.77	171.09	171.23	282.64	
North Test Well	10/13/2010 1:00:00	69.91	33.62	0.27	69.76	171.09	171.24	282.63	
North Test Well	10/13/2010 1:15:00	69.91	33.62	0.27	69.76	171.09	171.24	282.63	
North Test Well	10/13/2010 1:30:00	69.90	33.61	0.27	69.76	171.10	171.24	282.63	
North Test Well	10/13/2010 1:45:00	69.90	33.62	0.27	69.76	171.10	171.24	282.63	
North Test Well	10/13/2010 2:00:00	69.90	33.61	0.27	69.76	171.10	171.24	282.63	
North Test Well	10/13/2010 2:15:00	69.90	33.61	0.26	69.76	171.10	171.24	282.63	
North Test Well	10/13/2010 2:30:00	69.90	33.61	0.26	69.76	171.10	171.24	282.63	
North Test Well	10/13/2010 2:45:00	69.90	33.61	0.26	69.76	171.10	171.24	282.63	
North Test Well	10/13/2010 3:00:00	69.90	33.61	0.26	69.76	171.11	171.24	282.63	
North Test Well	10/13/2010 3:15:00	69.89	33.60	0.26	69.75	171.11	171.25	282.62	
North Test Well	10/13/2010 3:30:00	69.89	33.60	0.25	69.75	171.11	171.25	282.62	
North Test Well	10/13/2010 3:45:00	69.89	33.60	0.26	69.75	171.11	171.25	282.62	
North Test Well	10/13/2010 4:00:00	69.89	33.60	0.25	69.75	171.11	171.25	282.62	
North Test Well	10/13/2010 4:15:00	69.89	33.60	0.25	69.75	171.11	171.25	282.62	
North Test Well	10/13/2010 4:30:00	69.89	33.60	0.25	69.75	171.12	171.25	282.62	
North Test Well	10/13/2010 4:45:00	69.88	33.59	0.25	69.75	171.12	171.25	282.62	
North Test Well	10/13/2010 5:00:00	69.88	33.59	0.25	69.75	171.12	171.25	282.62	
North Test Well	10/13/2010 5:15:00	69.88	33.59	0.24	69.75	171.12	171.25	282.62	
North Test Well	10/13/2010 5:30:00	69.88	33.59	0.24	69.75	171.12	171.25	282.62	
North Test Well	10/13/2010 5:45:00	69.88	33.58	0.24	69.75	171.12	171.25	282.62	
North Test Well	10/13/2010 6:00:00	69.87	33.57	0.23	69.75	171.13	171.25	282.62	
North Test Well	10/13/2010 6:15:00	69.87	33.57	0.22	69.75	171.13	171.25	282.62	
North Test Well	10/13/2010 6:30:00	69.87	33.57	0.22	69.75	171.13	171.25	282.62	
North Test Well	10/13/2010 6:45:00	69.87	33.56	0.22	69.75	171.13	171.25	282.62	
North Test Well	10/13/2010 7:00:00	69.86	33.56	0.21	69.75	171.14	171.25	282.62	
North Test Well	10/13/2010 7:15:00	69.86	33.56	0.21	69.75	171.14	171.25	282.62	
North Test Well	10/13/2010 7:30:00	69.86	33.56	0.21	69.75	171.14	171.25	282.62	
North Test Well	10/13/2010 7:45:00	69.86	33.55	0.21	69.75	171.14	171.25	282.62	
North Test Well	10/13/2010 8:00:00	69.86	33.55	0.21	69.75	171.14	171.25	282.62	
North Test Well	10/13/2010 8:15:00	69.86	33.55	0.20	69.75	171.14	171.25	282.62	
North Test Well	10/13/2010 8:30:00	69.86	33.54	0.20	69.75	171.14	171.25	282.62	
North Test Well	10/13/2010 8:45:00	69.86	33.54	0.20	69.75	171.14	171.25	282.62	
North Test Well	10/13/2010 9:00:00	69.86	33.54	0.19	69.75	171.15	171.25	282.62	
North Test Well	10/13/2010 9:15:00	69.86	33.54	0.19	69.75	171.14	171.25	282.62	
North Test Well	10/13/2010 9:30:00	69.86	33.53	0.19	69.75	171.15	171.25	282.62	
North Test Well	10/13/2010 9:45:00	69.85	33.53	0.18	69.76	171.15	171.24	282.63	
North Test Well	10/13/2010 10:00:00	69.85	33.53	0.18	69.76	171.15	171.24	282.63	
North Test Well	10/13/2010 10:15:00	69.85	33.52	0.17	69.76	171.15	171.24	282.63	
North Test Well	10/13/2010 10:30:00	69.85	33.51	0.17	69.76	171.15	171.24	282.63	
North Test Well	10/13/2010 10:45:00	69.85	33.51	0.16	69.76	171.15	171.24	282.63	
North Test Well	10/13/2010 11:00:00	69.84	33.51	0.16	69.76	171.16	171.24	282.63	
North Test Well	10/13/2010 11:15:00	69.84	33.51	0.16	69.75	171.16	171.25	282.62	
North Test Well	10/13/2010 11:30:00	69.83	33.51	0.16	69.75	171.17	171.25	282.62	
North Test Well	10/13/2010 11:45:00	69.83	33.51	0.16	69.74	171.17	171.26	282.61	
North Test Well	10/13/2010 12:00:00	69.83	33.51	0.16	69.74	171.17	171.26	282.61	
North Test Well	10/13/2010 12:15:00	69.82	33.51	0.16	69.74	171.18	171.26	282.61	
North Test Well	10/13/2010 12:30:00	69.82	33.51	0.16	69.74	171.18	171.26	282.61	
North Test Well	10/13/2010 12:45:00	69.82	33.51	0.16	69.73	171.18	171.27	282.60	
North Test Well	10/13/2010 13:00:00	69.82	33.51	0.16	69.73	171.19	171.27	282.60	
North Test Well	10/13/2010 13:15:00	69.81	33.51	0.16	69.73	171.19	171.27	282.60	
South Test Well	4/26/2010 13:30	65.29	32.89	0.00	65.29	155.73	155.73	298.75	
South Test Well	4/26/2010 17:30	65.24	32.85	-0.04	65.26	155.78	155.76	298.11	
South Test Well	4/26/2010 21:30	65.13	32.72	-0.17	65.22	155.89	155.80	298.07	
South Test Well	4/27/2010 1:30	65.03	32.59	-0.30	65.19	155.99	155.83	298.04	
South Test Well	4/27/2010 5:30	65.01	32.66	-0.23	65.13	156.01	155.89	297.98	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
South Test Well	4/27/2010 9:30	64.98	32.68	-0.21	65.09	156.05	155.94	297.93	
South Test Well	4/27/2010 13:30	64.97	32.69	-0.20	65.08	156.05	155.94	297.93	
South Test Well	4/27/2010 17:30	65.01	32.73	-0.16	65.09	156.02	155.93	297.94	
South Test Well	4/27/2010 21:30	65.03	32.81	-0.08	65.07	155.99	155.95	297.92	
South Test Well	4/28/2010 1:30	65.07	32.88	-0.01	65.07	155.96	155.95	297.92	
South Test Well	4/28/2010 5:30	65.12	32.94	0.05	65.09	155.90	155.93	297.94	
South Test Well	4/28/2010 9:30	65.15	33.01	0.12	65.09	155.87	155.94	297.93	
South Test Well	4/28/2010 13:30	65.20	33.07	0.18	65.11	155.82	155.92	297.95	
South Test Well	4/28/2010 17:30	65.25	33.09	0.20	65.15	155.77	155.88	297.99	
South Test Well	4/28/2010 21:30	65.31	33.16	0.27	65.16	155.72	155.86	298.01	
South Test Well	4/29/2010 1:30	65.34	33.22	0.33	65.17	155.68	155.85	298.02	
South Test Well	4/29/2010 5:30	65.40	33.27	0.38	65.19	155.63	155.83	298.04	
South Test Well	4/29/2010 9:30	65.44	33.34	0.45	65.20	155.59	155.82	298.05	
South Test Well	4/29/2010 13:30	65.47	33.37	0.48	65.22	155.55	155.81	298.06	
South Test Well	4/29/2010 17:30	65.53	33.41	0.52	65.25	155.50	155.77	298.10	
South Test Well	4/29/2010 21:30	65.59	33.50	0.61	65.27	155.43	155.75	298.12	
South Test Well	4/30/2010 1:30	65.64	33.56	0.67	65.28	155.39	155.74	298.13	
South Test Well	4/30/2010 5:30	65.68	33.58	0.69	65.31	155.35	155.71	298.16	
South Test Well	4/30/2010 9:30	65.71	33.61	0.72	65.33	155.31	155.69	298.18	
South Test Well	4/30/2010 13:30	65.70	33.57	0.68	65.34	155.32	155.68	298.19	
South Test Well	4/30/2010 17:30	65.72	33.52	0.63	65.38	155.31	155.64	298.23	
South Test Well	4/30/2010 21:30	65.71	33.51	0.62	65.38	155.31	155.64	298.23	
South Test Well	5/1/2010 1:30	65.67	33.42	0.53	65.39	155.35	155.64	298.23	
South Test Well	5/1/2010 5:30	65.62	33.33	0.44	65.39	155.40	155.64	298.23	
South Test Well	5/1/2010 9:30	65.60	33.35	0.46	65.36	155.42	155.66	298.21	
South Test Well	5/1/2010 13:30	65.58	33.37	0.48	65.33	155.44	155.69	298.18	
South Test Well	5/1/2010 17:30	65.61	33.39	0.50	65.34	155.41	155.68	298.19	
South Test Well	5/1/2010 21:30	65.66	33.47	0.58	65.35	155.37	155.68	298.19	
South Test Well	5/2/2010 1:30	65.70	33.56	0.67	65.34	155.32	155.68	298.19	
South Test Well	5/2/2010 5:30	65.73	33.58	0.69	65.37	155.29	155.66	298.21	
South Test Well	5/2/2010 9:30	65.77	33.61	0.72	65.38	155.26	155.64	298.23	
South Test Well	5/2/2010 13:30	65.75	33.55	0.66	65.40	155.27	155.62	298.25	
South Test Well	5/2/2010 17:30	65.74	33.49	0.60	65.42	155.28	155.60	298.27	
South Test Well	5/2/2010 21:30	65.68	33.34	0.45	65.44	155.35	155.58	298.29	
South Test Well	5/3/2010 1:30	65.61	33.22	0.33	65.43	155.42	155.59	298.28	
South Test Well	5/3/2010 5:30	65.54	33.14	0.25	65.41	155.48	155.61	298.26	
South Test Well	5/3/2010 9:30	65.55	33.31	0.42	65.33	155.47	155.69	298.18	
South Test Well	5/3/2010 13:30	65.59	33.40	0.51	65.32	155.43	155.70	298.17	
South Test Well	5/3/2010 17:30	65.66	33.53	0.64	65.32	155.36	155.70	298.17	
South Test Well	5/3/2010 21:30	65.75	33.64	0.75	65.35	155.27	155.67	298.20	
South Test Well	5/4/2010 1:30	65.83	33.72	0.83	65.39	155.20	155.64	298.23	
South Test Well	5/4/2010 5:30	65.88	33.75	0.86	65.42	155.15	155.61	298.26	
South Test Well	5/4/2010 9:30	65.92	33.78	0.89	65.45	155.10	155.58	298.29	
South Test Well	5/4/2010 13:30	65.93	33.76	0.87	65.47	155.09	155.55	298.32	
South Test Well	5/4/2010 17:30	65.92	33.70	0.81	65.49	155.10	155.53	298.34	
South Test Well	5/4/2010 21:30	65.92	33.67	0.78	65.51	155.10	155.52	298.35	
South Test Well	5/5/2010 1:30	65.90	33.64	0.75	65.50	155.12	155.52	298.35	
South Test Well	5/5/2010 5:30	65.89	33.63	0.74	65.50	155.14	155.53	298.34	
South Test Well	5/5/2010 9:30	65.89	33.65	0.76	65.49	155.13	155.53	298.34	
South Test Well	5/5/2010 13:30	65.88	33.63	0.74	65.49	155.14	155.53	298.34	
South Test Well	5/5/2010 17:30	65.89	33.65	0.76	65.49	155.13	155.54	298.33	
South Test Well	5/5/2010 21:30	65.91	33.68	0.79	65.49	155.11	155.53	298.34	
South Test Well	5/6/2010 1:30	65.94	33.71	0.82	65.50	155.09	155.52	298.35	
South Test Well	5/6/2010 5:30	65.95	33.73	0.84	65.51	155.07	155.52	298.35	
South Test Well	5/6/2010 9:30	65.97	33.76	0.87	65.51	155.05	155.51	298.36	
South Test Well	5/6/2010 13:30	65.99	33.74	0.85	65.53	155.04	155.49	298.38	
South Test Well	5/6/2010 17:30	65.96	33.68	0.79	65.55	155.06	155.48	298.39	
South Test Well	5/6/2010 21:30	65.96	33.68	0.79	65.54	155.07	155.48	298.39	
South Test Well	5/7/2010 1:30	65.96	33.67	0.78	65.54	155.07	155.48	298.39	
South Test Well	5/7/2010 5:30	65.93	33.63	0.74	65.54	155.09	155.48	298.39	
South Test Well	5/7/2010 9:30	65.91	33.61	0.72	65.53	155.11	155.49	298.38	
South Test Well	5/7/2010 13:30	65.88	33.52	0.63	65.54	155.15	155.48	298.39	
South Test Well	5/7/2010 17:30	65.84	33.47	0.58	65.53	155.18	155.49	298.38	
South Test Well	5/7/2010 21:30	65.82	33.48	0.59	65.50	155.21	155.52	298.35	
South Test Well	5/8/2010 1:30	65.81	33.46	0.57	65.50	155.22	155.52	298.35	
South Test Well	5/8/2010 5:30	65.78	33.43	0.54	65.49	155.24	155.53	298.34	
South Test Well	5/8/2010 9:30	65.77	33.43	0.54	65.48	155.26	155.55	298.32	
South Test Well	5/8/2010 13:30	65.75	33.38	0.49	65.49	155.27	155.53	298.34	
South Test Well	5/8/2010 17:30	65.72	33.33	0.44	65.49	155.30	155.53	298.34	
South Test Well	5/8/2010 21:30	65.72	33.37	0.48	65.46	155.31	155.56	298.31	
South Test Well	5/9/2010 1:30	65.72	33.37	0.48	65.46	155.30	155.56	298.31	
South Test Well	5/9/2010 5:30	65.71	33.35	0.46	65.47	155.31	155.56	298.31	
South Test Well	5/9/2010 9:30	65.69	33.34	0.45	65.45	155.33	155.57	298.30	
South Test Well	5/9/2010 13:30	65.67	33.26	0.37	65.47	155.35	155.55	298.32	
South Test Well	5/9/2010 17:30	65.62	33.16	0.27	65.48	155.40	155.54	298.33	
South Test Well	5/9/2010 21:30	65.60	33.18	0.29	65.44	155.43	155.58	298.29	
South Test Well	5/10/2010 1:30	65.59	33.21	0.32	65.43	155.43	155.60	298.27	
South Test Well	5/10/2010 5:30	65.60	33.20	0.31	65.43	155.43	155.59	298.28	
South Test Well	5/10/2010 9:30	65.59	33.24	0.35	65.41	155.43	155.61	298.26	
South Test Well	5/10/2010 13:30	65.62	33.28	0.39	65.41	155.40	155.61	298.26	
South Test Well	5/10/2010 17:30	65.66	33.33	0.44	65.43	155.36	155.59	298.28	
South Test Well	5/10/2010 21:30	65.71	33.42	0.53	65.42	155.32	155.60	298.27	
South Test Well	5/11/2010 1:30	65.77	33.50	0.61	65.45	155.26	155.58	298.29	
South Test Well	5/11/2010 5:30	65.83	33.58	0.69	65.47	155.19	155.56	298.31	
South Test Well	5/11/2010 9:30	65.88	33.66	0.77	65.47	155.14	155.55	298.32	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
South Test Well	5/11/2010 13:30	65.93	33.68	0.79	65.51	155.09	155.51	298.36	
South Test Well	5/11/2010 17:30	65.98	33.68	0.79	65.56	155.05	155.47	298.40	
South Test Well	5/11/2010 21:30	65.99	33.70	0.81	65.56	155.03	155.46	298.41	
South Test Well	5/12/2010 1:30	66.01	33.71	0.82	65.57	155.01	155.45	298.42	
South Test Well	5/12/2010 5:30	66.03	33.72	0.83	65.59	154.99	155.43	298.44	
South Test Well	5/12/2010 9:30	66.02	33.72	0.83	65.58	155.00	155.44	298.43	
South Test Well	5/12/2010 13:30	66.01	33.65	0.76	65.61	155.01	155.42	298.45	
South Test Well	5/12/2010 17:30	66.01	33.61	0.72	65.63	155.01	155.40	298.47	
South Test Well	5/12/2010 21:30	65.98	33.59	0.70	65.61	155.04	155.41	298.46	
South Test Well	5/13/2010 1:30	65.96	33.57	0.68	65.60	155.06	155.42	298.45	
South Test Well	5/13/2010 5:30	65.96	33.55	0.66	65.61	155.07	155.42	298.45	
South Test Well	5/13/2010 9:30	65.93	33.54	0.65	65.58	155.10	155.44	298.43	
South Test Well	5/13/2010 13:30	65.90	33.47	0.58	65.59	155.13	155.43	298.44	
South Test Well	5/13/2010 17:30	65.87	33.40	0.51	65.60	155.15	155.42	298.45	
South Test Well	5/13/2010 21:30	65.84	33.39	0.50	65.58	155.18	155.44	298.43	
South Test Well	5/14/2010 1:30	65.83	33.40	0.51	65.56	155.20	155.47	298.40	
South Test Well	5/14/2010 5:30	65.83	33.41	0.52	65.56	155.19	155.47	298.40	
South Test Well	5/14/2010 9:30	65.83	33.43	0.54	65.54	155.20	155.48	298.39	
South Test Well	5/14/2010 13:30	65.81	33.40	0.51	65.54	155.21	155.48	298.39	
South Test Well	5/14/2010 17:30	65.81	33.35	0.46	65.57	155.21	155.45	298.42	
South Test Well	5/14/2010 21:30	65.82	33.38	0.49	65.56	155.20	155.46	298.41	
South Test Well	5/15/2010 1:30	65.82	33.40	0.51	65.55	155.20	155.48	298.39	
South Test Well	5/15/2010 5:30	65.84	33.42	0.53	65.56	155.19	155.47	298.40	
South Test Well	5/15/2010 9:30	65.84	33.43	0.54	65.55	155.19	155.47	298.40	
South Test Well	5/15/2010 13:30	65.81	33.38	0.49	65.55	155.21	155.47	298.40	
South Test Well	5/15/2010 17:30	65.81	33.32	0.43	65.58	155.22	155.44	298.43	
South Test Well	5/15/2010 21:30	65.81	33.33	0.44	65.57	155.22	155.45	298.42	
South Test Well	5/16/2010 1:30	65.79	33.32	0.43	65.56	155.24	155.47	298.40	
South Test Well	5/16/2010 5:30	65.77	33.29	0.40	65.56	155.25	155.46	298.41	
South Test Well	5/16/2010 9:30	65.74	33.24	0.35	65.55	155.28	155.47	298.40	
South Test Well	5/16/2010 13:30	65.69	33.17	0.28	65.54	155.34	155.49	298.38	
South Test Well	5/16/2010 17:30	65.66	33.11	0.22	65.54	155.36	155.48	298.39	
South Test Well	5/16/2010 21:30	65.65	33.11	0.22	65.53	155.37	155.49	298.38	
South Test Well	5/17/2010 1:30	65.63	33.12	0.23	65.51	155.39	155.51	298.36	
South Test Well	5/17/2010 5:30	65.61	33.07	0.18	65.51	155.41	155.51	298.36	
South Test Well	5/17/2010 9:30	65.61	33.10	0.21	65.50	155.42	155.52	298.35	
South Test Well	5/17/2010 13:30	65.57	33.06	0.17	65.48	155.45	155.54	298.33	
South Test Well	5/17/2010 17:30	65.56	33.03	0.14	65.49	155.46	155.53	298.34	
South Test Well	5/17/2010 21:30	65.60	33.11	0.22	65.48	155.42	155.54	298.33	
South Test Well	5/18/2010 1:30	65.62	33.16	0.27	65.47	155.41	155.55	298.32	
South Test Well	5/18/2010 5:30	65.64	33.17	0.28	65.49	155.38	155.53	298.34	
South Test Well	5/18/2010 9:30	65.67	33.20	0.31	65.50	155.35	155.52	298.35	
South Test Well	5/18/2010 13:30	65.69	33.24	0.35	65.50	155.34	155.52	298.35	
South Test Well	5/18/2010 17:30	65.73	33.31	0.42	65.50	155.30	155.52	298.35	
South Test Well	5/18/2010 21:30	65.79	33.38	0.49	65.53	155.23	155.49	298.38	
South Test Well	5/19/2010 1:30	65.81	33.38	0.49	65.55	155.21	155.47	298.40	
South Test Well	5/19/2010 5:30	65.80	33.31	0.42	65.58	155.22	155.45	298.42	
South Test Well	5/19/2010 9:30	65.73	33.13	0.24	65.61	155.29	155.42	298.45	
South Test Well	5/19/2010 13:30	65.67	33.03	0.14	65.60	155.35	155.43	298.44	
South Test Well	5/19/2010 17:30	65.62	33.07	0.18	65.53	155.40	155.50	298.37	
South Test Well	5/19/2010 21:30	65.67	33.21	0.32	65.50	155.36	155.53	298.34	
South Test Well	5/20/2010 1:30	65.74	33.34	0.45	65.50	155.29	155.52	298.35	
South Test Well	5/20/2010 5:30	65.82	33.45	0.56	65.52	155.21	155.51	298.36	
South Test Well	5/20/2010 9:30	65.89	33.54	0.65	65.54	155.14	155.48	298.39	
South Test Well	5/20/2010 13:30	65.93	33.55	0.66	65.58	155.09	155.44	298.43	
South Test Well	5/20/2010 17:30	65.95	33.52	0.63	65.61	155.08	155.41	298.46	
South Test Well	5/20/2010 21:30	65.95	33.47	0.58	65.64	155.07	155.38	298.49	
South Test Well	5/21/2010 1:30	65.92	33.37	0.49	65.66	155.10	155.36	298.51	
South Test Well	5/21/2010 5:30	65.86	33.28	0.39	65.65	155.16	155.37	298.50	
South Test Well	5/21/2010 9:30	65.82	33.24	0.35	65.63	155.20	155.39	298.48	
South Test Well	5/21/2010 13:30	65.78	33.19	0.30	65.62	155.24	155.40	298.47	
South Test Well	5/21/2010 17:30	65.75	33.16	0.27	65.60	155.28	155.42	298.45	
South Test Well	5/21/2010 21:30	65.74	33.19	0.30	65.58	155.28	155.44	298.43	
South Test Well	5/22/2010 1:30	65.75	33.20	0.31	65.58	155.27	155.44	298.43	
South Test Well	5/22/2010 5:30	65.76	33.25	0.36	65.57	155.26	155.45	298.42	
South Test Well	5/22/2010 9:30	65.77	33.27	0.38	65.57	155.25	155.45	298.42	
South Test Well	5/22/2010 13:30	65.80	33.28	0.39	65.59	155.23	155.43	298.44	
South Test Well	5/22/2010 17:30	65.81	33.28	0.39	65.60	155.22	155.43	298.44	
South Test Well	5/22/2010 21:30	65.83	33.35	0.46	65.59	155.19	155.43	298.44	
South Test Well	5/23/2010 1:30	65.87	33.39	0.50	65.61	155.15	155.41	298.46	
South Test Well	5/23/2010 5:30	65.88	33.37	0.48	65.62	155.15	155.40	298.47	
South Test Well	5/23/2010 9:30	65.88	33.37	0.48	65.62	155.14	155.40	298.47	
South Test Well	5/23/2010 13:30	65.88	33.34	0.45	65.65	155.14	155.38	298.49	
South Test Well	5/23/2010 17:30	65.87	33.29	0.40	65.66	155.16	155.37	298.50	
South Test Well	5/23/2010 21:30	65.86	33.30	0.41	65.64	155.16	155.38	298.49	
South Test Well	5/24/2010 1:30	65.85	33.29	0.40	65.64	155.17	155.38	298.49	
South Test Well	5/24/2010 5:30	65.85	33.28	0.39	65.64	155.18	155.38	298.49	
South Test Well	5/24/2010 9:30	65.84	33.30	0.41	65.62	155.19	155.41	298.46	
South Test Well	5/24/2010 13:30	65.85	33.29	0.40	65.64	155.18	155.39	298.48	
South Test Well	5/24/2010 17:30	65.85	33.27	0.38	65.65	155.17	155.37	298.50	
South Test Well	5/24/2010 21:30	65.84	33.27	0.38	65.64	155.18	155.38	298.49	
South Test Well	5/25/2010 1:30	65.84	33.25	0.36	65.65	155.19	155.38	298.49	
South Test Well	5/25/2010 5:30	65.82	33.22	0.33	65.65	155.20	155.38	298.49	
South Test Well	5/25/2010 9:30	65.81	33.24	0.35	65.62	155.22	155.40	298.47	
South Test Well	5/25/2010 13:30	65.81	33.23	0.34	65.63	155.21	155.39	298.48	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
South Test Well	5/25/2010 17:30	65.83	33.21	0.32	65.65	155.20	155.37	298.50	
South Test Well	5/25/2010 21:30	65.81	33.19	0.30	65.65	155.22	155.38	298.49	
South Test Well	5/26/2010 1:30	65.78	33.14	0.25	65.65	155.24	155.37	298.50	
South Test Well	5/26/2010 5:30	65.76	33.10	0.21	65.65	155.27	155.37	298.50	
South Test Well	5/26/2010 9:30	65.73	33.11	0.23	65.61	155.29	155.41	298.46	
South Test Well	5/26/2010 13:30	65.75	33.16	0.27	65.61	155.27	155.42	298.45	
South Test Well	5/26/2010 17:30	65.81	33.26	0.37	65.61	155.21	155.41	298.46	
South Test Well	5/26/2010 21:30	65.84	33.30	0.41	65.62	155.18	155.40	298.47	
South Test Well	5/27/2010 1:30	65.85	33.28	0.39	65.64	155.17	155.38	298.49	
South Test Well	5/27/2010 5:30	65.86	33.27	0.38	65.66	155.16	155.36	298.51	
South Test Well	5/27/2010 9:30	65.84	33.24	0.35	65.65	155.18	155.37	298.50	
South Test Well	5/27/2010 13:30	65.83	33.22	0.33	65.65	155.20	155.37	298.50	
South Test Well	5/27/2010 17:30	65.86	33.25	0.36	65.67	155.16	155.36	298.51	
South Test Well	5/27/2010 21:30	65.88	33.28	0.39	65.67	155.15	155.36	298.51	
South Test Well	5/28/2010 1:30	65.88	33.31	0.42	65.66	155.14	155.36	298.51	
South Test Well	5/28/2010 5:30	65.92	33.35	0.46	65.68	155.10	155.35	298.52	
South Test Well	5/28/2010 9:30	65.95	33.41	0.52	65.67	155.08	155.35	298.52	
South Test Well	5/28/2010 13:30	66.00	33.49	0.60	65.68	155.02	155.34	298.53	
South Test Well	5/28/2010 17:30	66.07	33.56	0.67	65.72	154.95	155.31	298.56	
South Test Well	5/28/2010 21:30	66.12	33.60	0.71	65.75	154.90	155.28	298.59	
South Test Well	5/29/2010 1:30	66.15	33.61	0.72	65.76	154.88	155.26	298.61	
South Test Well	5/29/2010 5:30	66.19	33.64	0.75	65.79	154.84	155.23	298.64	
South Test Well	5/29/2010 9:30	66.21	33.68	0.79	65.79	154.82	155.24	298.63	
South Test Well	5/29/2010 13:30	66.22	33.69	0.80	65.79	154.81	155.23	298.64	
South Test Well	5/29/2010 17:30	66.23	33.65	0.76	65.83	154.79	155.19	298.68	
South Test Well	5/29/2010 21:30	66.24	33.64	0.75	65.84	154.79	155.18	298.69	
South Test Well	5/30/2010 1:30	66.20	33.58	0.69	65.84	154.82	155.18	298.69	
South Test Well	5/30/2010 5:30	66.18	33.52	0.63	65.85	154.84	155.18	298.69	
South Test Well	5/30/2010 9:30	66.15	33.49	0.60	65.83	154.87	155.19	298.68	
South Test Well	5/30/2010 13:30	66.10	33.42	0.53	65.81	154.93	155.21	298.66	
South Test Well	5/30/2010 17:30	66.07	33.35	0.46	65.82	154.96	155.20	298.67	
South Test Well	5/30/2010 21:30	66.03	33.29	0.40	65.82	154.99	155.20	298.67	
South Test Well	5/31/2010 1:30	65.98	33.25	0.36	65.79	155.04	155.23	298.64	
South Test Well	5/31/2010 5:30	65.95	33.19	0.30	65.79	155.08	155.24	298.63	
South Test Well	5/31/2010 9:30	65.92	33.20	0.31	65.76	155.10	155.26	298.61	
South Test Well	5/31/2010 13:30	65.91	33.22	0.33	65.73	155.12	155.29	298.58	
South Test Well	5/31/2010 17:30	65.93	33.26	0.37	65.73	155.09	155.29	298.58	
South Test Well	5/31/2010 21:30	65.96	33.30	0.41	65.74	155.06	155.28	298.59	
South Test Well	6/1/2010 1:30	65.97	33.31	0.42	65.75	155.05	155.28	298.59	
South Test Well	6/1/2010 5:30	65.98	33.31	0.42	65.76	155.04	155.27	298.60	
South Test Well	6/1/2010 9:30	65.99	33.30	0.41	65.77	155.04	155.26	298.61	
South Test Well	6/1/2010 13:30	65.97	33.28	0.39	65.76	155.05	155.26	298.61	
South Test Well	6/1/2010 17:30	65.95	33.23	0.34	65.77	155.07	155.25	298.62	
South Test Well	6/1/2010 21:30	65.92	33.14	0.25	65.79	155.10	155.24	298.63	
South Test Well	6/2/2010 1:30	65.87	33.06	0.17	65.78	155.15	155.24	298.63	
South Test Well	6/2/2010 5:30	65.80	32.96	0.07	65.76	155.22	155.26	298.61	
South Test Well	6/2/2010 9:30	65.77	32.95	0.06	65.74	155.25	155.28	298.59	
South Test Well	6/2/2010 13:30	65.75	32.98	0.09	65.70	155.28	155.32	298.55	
South Test Well	6/2/2010 17:30	65.77	33.06	0.17	65.68	155.25	155.34	298.53	
South Test Well	6/2/2010 21:30	65.84	33.20	0.31	65.68	155.18	155.35	298.52	
South Test Well	6/3/2010 1:30	65.91	33.30	0.41	65.69	155.11	155.33	298.54	
South Test Well	6/3/2010 5:30	65.96	33.33	0.44	65.72	155.07	155.30	298.57	
South Test Well	6/3/2010 9:30	65.99	33.33	0.44	65.75	155.04	155.27	298.60	
South Test Well	6/3/2010 13:30	65.98	33.26	0.37	65.78	155.05	155.25	298.62	
South Test Well	6/3/2010 17:30	65.94	33.17	0.28	65.79	155.08	155.23	298.64	
South Test Well	6/3/2010 21:30	65.91	33.11	0.22	65.79	155.11	155.23	298.64	
South Test Well	6/4/2010 1:30	65.85	33.00	0.11	65.79	155.17	155.23	298.64	
South Test Well	6/4/2010 5:30	65.81	32.97	0.08	65.76	155.22	155.26	298.61	
South Test Well	6/4/2010 9:30	65.84	33.10	0.21	65.72	155.19	155.30	298.57	
South Test Well	6/4/2010 13:30	65.89	33.23	0.34	65.71	155.13	155.31	298.56	
South Test Well	6/4/2010 17:30	65.96	33.33	0.44	65.72	155.07	155.30	298.57	
South Test Well	6/4/2010 21:30	66.03	33.41	0.52	65.75	155.00	155.27	298.60	
South Test Well	6/5/2010 1:30	66.11	33.51	0.62	65.78	154.92	155.24	298.63	
South Test Well	6/5/2010 5:30	66.15	33.55	0.66	65.81	154.87	155.22	298.65	
South Test Well	6/5/2010 9:30	66.19	33.56	0.67	65.83	154.83	155.19	298.68	
South Test Well	6/5/2010 13:30	66.19	33.47	0.58	65.88	154.84	155.15	298.72	
South Test Well	6/5/2010 17:30	66.16	33.40	0.51	65.89	154.87	155.14	298.73	
South Test Well	6/5/2010 21:30	66.13	33.36	0.47	65.89	154.89	155.14	298.73	
South Test Well	6/6/2010 1:30	66.11	33.32	0.43	65.88	154.91	155.14	298.73	
South Test Well	6/6/2010 5:30	66.11	33.33	0.45	65.87	154.92	155.15	298.72	
South Test Well	6/6/2010 9:30	66.09	33.32	0.43	65.86	154.93	155.16	298.71	
South Test Well	6/6/2010 13:30	66.10	33.32	0.43	65.87	154.93	155.16	298.71	
South Test Well	6/6/2010 17:30	66.11	33.35	0.46	65.86	154.92	155.16	298.71	
South Test Well	6/6/2010 21:30	66.13	33.39	0.50	65.86	154.90	155.16	298.71	
South Test Well	6/7/2010 1:30	66.17	33.45	0.56	65.87	154.86	155.15	298.72	
South Test Well	6/7/2010 5:30	66.20	33.50	0.61	65.87	154.83	155.15	298.72	
South Test Well	6/7/2010 9:30	66.23	33.55	0.66	65.88	154.79	155.14	298.73	
South Test Well	6/7/2010 13:30	66.26	33.55	0.66	65.91	154.76	155.11	298.76	
South Test Well	6/7/2010 17:30	66.27	33.51	0.63	65.94	154.75	155.09	298.78	
South Test Well	6/7/2010 21:30	66.27	33.52	0.63	65.94	154.75	155.08	298.79	
South Test Well	6/8/2010 1:30	66.27	33.49	0.60	65.95	154.75	155.07	298.80	
South Test Well	6/8/2010 5:30	66.25	33.44	0.55	65.96	154.78	155.07	298.80	
South Test Well	6/8/2010 9:30	66.20	33.38	0.49	65.94	154.82	155.08	298.79	
South Test Well	6/8/2010 13:30	66.15	33.24	0.35	65.96	154.88	155.07	298.80	
South Test Well	6/8/2010 17:30	66.10	33.16	0.27	65.95	154.93	155.07	298.80	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
South Test Well	6/8/2010 21:30	66.05	33.16	0.27	65.91	154.97	155.12	298.75	
South Test Well	6/9/2010 1:30	66.03	33.15	0.26	65.89	154.99	155.13	298.74	
South Test Well	6/9/2010 5:30	66.00	33.11	0.22	65.89	155.02	155.14	298.73	
South Test Well	6/9/2010 9:30	65.98	33.11	0.22	65.86	155.05	155.16	298.71	
South Test Well	6/9/2010 13:30	65.99	33.13	0.24	65.86	155.04	155.17	298.70	
South Test Well	6/9/2010 17:30	66.01	33.16	0.27	65.86	155.02	155.16	298.71	
South Test Well	6/9/2010 21:30	66.03	33.25	0.36	65.85	154.99	155.18	298.69	
South Test Well	6/10/2010 1:30	66.07	33.28	0.39	65.86	154.95	155.16	298.71	
South Test Well	6/10/2010 5:30	66.10	33.30	0.41	65.88	154.92	155.14	298.73	
South Test Well	6/10/2010 9:30	66.13	33.36	0.47	65.88	154.90	155.15	298.72	
South Test Well	6/10/2010 13:30	66.18	33.43	0.54	65.89	154.85	155.13	298.74	
South Test Well	6/10/2010 17:30	66.24	33.48	0.59	65.92	154.79	155.10	298.77	
South Test Well	6/10/2010 21:30	66.29	33.56	0.67	65.93	154.74	155.09	298.78	
South Test Well	6/11/2010 1:30	66.34	33.62	0.73	65.95	154.68	155.07	298.80	
South Test Well	6/11/2010 5:30	66.39	33.66	0.77	65.98	154.63	155.04	298.83	
South Test Well	6/11/2010 9:30	66.42	33.72	0.83	65.98	154.60	155.04	298.83	
South Test Well	6/11/2010 13:30	66.46	33.76	0.87	66.01	154.56	155.02	298.85	
South Test Well	6/11/2010 17:30	66.51	33.75	0.86	66.05	154.51	154.97	298.90	
South Test Well	6/11/2010 21:30	66.53	33.75	0.86	66.07	154.50	154.95	298.92	
South Test Well	6/12/2010 1:30	66.54	33.76	0.87	66.07	154.49	154.95	298.92	
South Test Well	6/12/2010 5:30	66.54	33.74	0.85	66.09	154.48	154.93	298.94	
South Test Well	6/12/2010 9:30	66.53	33.72	0.83	66.08	154.50	154.94	298.93	
South Test Well	6/12/2010 13:30	66.49	33.64	0.75	66.09	154.53	154.93	298.94	
South Test Well	6/12/2010 17:30	66.47	33.56	0.67	66.12	154.55	154.91	298.96	
South Test Well	6/12/2010 21:30	66.45	33.54	0.65	66.10	154.57	154.92	298.95	
South Test Well	6/13/2010 1:30	66.42	33.54	0.65	66.08	154.60	154.94	298.93	
South Test Well	6/13/2010 5:30	66.44	33.56	0.67	66.08	154.59	154.94	298.93	
South Test Well	6/13/2010 9:30	66.44	33.60	0.71	66.06	154.59	154.96	298.91	
South Test Well	6/13/2010 13:30	66.43	33.60	0.71	66.06	154.59	154.97	298.90	
South Test Well	6/13/2010 17:30	66.45	33.58	0.69	66.09	154.57	154.94	298.93	
South Test Well	6/13/2010 21:30	66.47	33.60	0.71	66.09	154.55	154.93	298.94	
South Test Well	6/14/2010 1:30	66.48	33.63	0.74	66.08	154.55	154.94	298.93	
South Test Well	6/14/2010 5:30	66.49	33.63	0.74	66.10	154.53	154.93	298.94	
South Test Well	6/14/2010 9:30	66.50	33.64	0.75	66.10	154.53	154.92	298.95	
South Test Well	6/14/2010 13:30	66.47	33.58	0.69	66.10	154.56	154.92	298.95	
South Test Well	6/14/2010 17:30	66.45	33.52	0.63	66.12	154.57	154.91	298.96	
South Test Well	6/14/2010 21:30	66.45	33.51	0.62	66.12	154.58	154.91	298.96	
South Test Well	6/15/2010 1:30	66.41	33.50	0.61	66.09	154.61	154.93	298.94	
South Test Well	6/15/2010 5:30	66.40	33.45	0.56	66.10	154.63	154.92	298.95	
South Test Well	6/15/2010 9:30	66.38	33.44	0.55	66.09	154.65	154.94	298.93	
South Test Well	6/15/2010 13:30	66.35	33.43	0.54	66.07	154.67	154.96	298.91	
South Test Well	6/15/2010 17:30	66.35	33.41	0.52	66.07	154.67	154.95	298.92	
South Test Well	6/15/2010 21:30	66.35	33.41	0.52	66.08	154.67	154.95	298.92	
South Test Well	6/16/2010 1:30	66.34	33.40	0.51	66.07	154.69	154.96	298.91	
South Test Well	6/16/2010 5:30	66.33	33.38	0.49	66.07	154.69	154.96	298.91	
South Test Well	6/16/2010 9:30	66.33	33.39	0.50	66.07	154.69	154.96	298.91	
South Test Well	6/16/2010 13:30	66.33	33.41	0.52	66.05	154.70	154.97	298.90	
South Test Well	6/16/2010 17:30	66.34	33.43	0.54	66.05	154.68	154.97	298.90	
South Test Well	6/16/2010 21:30	66.37	33.44	0.55	66.07	154.66	154.95	298.92	
South Test Well	6/17/2010 1:30	66.37	33.46	0.57	66.07	154.65	154.95	298.92	
South Test Well	6/17/2010 5:30	66.39	33.48	0.59	66.07	154.64	154.95	298.92	
South Test Well	6/17/2010 9:30	66.41	33.50	0.61	66.09	154.61	154.94	298.93	
South Test Well	6/17/2010 13:30	66.42	33.51	0.62	66.09	154.60	154.93	298.94	
South Test Well	6/17/2010 17:30	66.42	33.50	0.61	66.10	154.60	154.92	298.95	
South Test Well	6/17/2010 21:30	66.43	33.48	0.59	66.12	154.60	154.91	298.96	
South Test Well	6/18/2010 1:30	66.41	33.45	0.56	66.12	154.61	154.91	298.96	
South Test Well	6/18/2010 5:30	66.39	33.42	0.53	66.11	154.63	154.91	298.96	
South Test Well	6/18/2010 9:30	66.38	33.39	0.50	66.11	154.64	154.91	298.96	
South Test Well	6/18/2010 13:30	66.35	33.33	0.44	66.11	154.68	154.91	298.96	
South Test Well	6/18/2010 17:30	66.31	33.29	0.40	66.10	154.71	154.92	298.95	
South Test Well	6/18/2010 21:30	66.31	33.29	0.40	66.09	154.71	154.93	298.94	
South Test Well	6/19/2010 1:30	66.33	33.36	0.47	66.08	154.69	154.94	298.93	
South Test Well	6/19/2010 5:30	66.34	33.37	0.48	66.09	154.68	154.94	298.93	
South Test Well	6/19/2010 9:30	66.37	33.43	0.54	66.09	154.65	154.94	298.93	
South Test Well	6/19/2010 13:30	66.41	33.46	0.57	66.10	154.62	154.92	298.95	
South Test Well	6/19/2010 17:30	66.42	33.46	0.57	66.11	154.61	154.91	298.96	
South Test Well	6/19/2010 21:30	66.44	33.48	0.59	66.12	154.59	154.90	298.97	
South Test Well	6/20/2010 1:30	66.45	33.48	0.59	66.14	154.58	154.89	298.98	
South Test Well	6/20/2010 5:30	66.45	33.49	0.60	66.13	154.58	154.89	298.98	
South Test Well	6/20/2010 9:30	66.46	33.50	0.61	66.13	154.57	154.89	298.98	
South Test Well	6/20/2010 13:30	66.48	33.51	0.62	66.15	154.54	154.87	299.00	
South Test Well	6/20/2010 17:30	66.48	33.50	0.61	66.16	154.54	154.87	299.00	
South Test Well	6/20/2010 21:30	66.49	33.52	0.63	66.16	154.53	154.86	299.01	
South Test Well	6/21/2010 1:30	66.50	33.52	0.63	66.17	154.52	154.85	299.02	
South Test Well	6/21/2010 5:30	66.50	33.52	0.63	66.16	154.52	154.86	299.01	
South Test Well	6/21/2010 9:30	66.50	33.53	0.64	66.16	154.52	154.86	299.01	
South Test Well	6/21/2010 13:30	66.52	33.53	0.64	66.18	154.50	154.84	299.03	
South Test Well	6/21/2010 17:30	66.52	33.50	0.61	66.20	154.51	154.83	299.04	
South Test Well	6/21/2010 21:30	66.51	33.49	0.60	66.19	154.51	154.83	299.04	
South Test Well	6/22/2010 1:30	66.51	33.49	0.60	66.19	154.51	154.83	299.04	
South Test Well	6/22/2010 5:30	66.50	33.48	0.59	66.19	154.52	154.83	299.04	
South Test Well	6/22/2010 9:30	66.50	33.50	0.61	66.17	154.53	154.85	299.02	
South Test Well	6/22/2010 13:30	66.50	33.45	0.56	66.20	154.52	154.82	299.05	
South Test Well	6/22/2010 17:30	66.49	33.41	0.52	66.21	154.54	154.81	299.06	
South Test Well	6/22/2010 21:30	66.47	33.39	0.50	66.20	154.56	154.82	299.05	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
South Test Well	6/23/2010 1:30	66.46	33.38	0.49	66.20	154.57	154.83	299.04	
South Test Well	6/23/2010 5:30	66.45	33.37	0.48	66.19	154.58	154.83	299.04	
South Test Well	6/23/2010 9:30	66.43	33.39	0.50	66.17	154.59	154.86	299.01	
South Test Well	6/23/2010 13:30	66.43	33.34	0.45	66.19	154.60	154.84	299.03	
South Test Well	6/23/2010 17:30	66.42	33.29	0.40	66.20	154.60	154.82	299.05	
South Test Well	6/23/2010 21:30	66.41	33.33	0.44	66.18	154.61	154.84	299.03	
South Test Well	6/24/2010 1:30	66.42	33.34	0.45	66.18	154.60	154.85	299.02	
South Test Well	6/24/2010 5:30	66.42	33.34	0.45	66.19	154.60	154.84	299.03	
South Test Well	6/24/2010 9:30	66.41	33.35	0.46	66.17	154.61	154.86	299.01	
South Test Well	6/24/2010 13:30	66.41	33.30	0.41	66.19	154.62	154.83	299.04	
South Test Well	6/24/2010 17:30	66.40	33.25	0.36	66.21	154.62	154.81	299.06	
South Test Well	6/24/2010 21:30	66.39	33.26	0.37	66.19	154.63	154.83	299.04	
South Test Well	6/25/2010 1:30	66.38	33.27	0.38	66.18	154.64	154.84	299.03	
South Test Well	6/25/2010 5:30	66.38	33.27	0.38	66.18	154.64	154.84	299.03	
South Test Well	6/25/2010 9:30	66.39	33.31	0.42	66.16	154.64	154.86	299.01	
South Test Well	6/25/2010 13:30	66.41	33.34	0.45	66.17	154.62	154.86	299.01	
South Test Well	6/25/2010 17:30	66.43	33.32	0.43	66.20	154.60	154.82	299.05	
South Test Well	6/25/2010 21:30	66.44	33.35	0.46	66.20	154.58	154.83	299.04	
South Test Well	6/26/2010 1:30	66.46	33.39	0.50	66.19	154.56	154.83	299.04	
South Test Well	6/26/2010 5:30	66.49	33.41	0.52	66.21	154.54	154.82	299.05	
South Test Well	6/26/2010 9:30	66.50	33.45	0.56	66.20	154.52	154.82	299.05	
South Test Well	6/26/2010 13:30	66.50	33.43	0.54	66.21	154.52	154.81	299.06	
South Test Well	6/26/2010 17:30	66.51	33.36	0.47	66.25	154.52	154.77	299.10	
South Test Well	6/26/2010 21:30	66.50	33.37	0.48	66.25	154.52	154.77	299.10	
South Test Well	6/27/2010 1:30	66.49	33.37	0.48	66.24	154.53	154.78	299.09	
South Test Well	6/27/2010 5:30	66.50	33.36	0.47	66.25	154.53	154.77	299.10	
South Test Well	6/27/2010 9:30	66.48	33.34	0.45	66.24	154.55	154.79	299.08	
South Test Well	6/27/2010 13:30	66.45	33.29	0.40	66.23	154.58	154.79	299.08	
South Test Well	6/27/2010 17:30	66.43	33.23	0.34	66.25	154.59	154.77	299.10	
South Test Well	6/27/2010 21:30	66.42	33.22	0.33	66.24	154.60	154.78	299.09	
South Test Well	6/28/2010 1:30	66.39	33.20	0.31	66.23	154.63	154.80	299.07	
South Test Well	6/28/2010 5:30	66.39	33.19	0.31	66.23	154.63	154.80	299.07	
South Test Well	6/28/2010 9:30	66.38	33.21	0.32	66.21	154.64	154.81	299.06	
South Test Well	6/28/2010 13:30	66.37	33.19	0.31	66.20	154.66	154.82	299.05	
South Test Well	6/28/2010 17:30	66.38	33.20	0.31	66.22	154.64	154.81	299.06	
South Test Well	6/28/2010 21:30	66.40	33.24	0.35	66.22	154.62	154.81	299.06	
South Test Well	6/29/2010 1:30	66.41	33.28	0.39	66.21	154.61	154.82	299.05	
South Test Well	6/29/2010 5:30	66.44	33.30	0.41	66.22	154.59	154.80	299.07	
South Test Well	6/29/2010 9:30	66.46	33.33	0.44	66.22	154.57	154.80	299.07	
South Test Well	6/29/2010 13:30	66.45	33.31	0.42	66.22	154.58	154.80	299.07	
South Test Well	6/29/2010 17:30	66.46	33.30	0.41	66.25	154.56	154.78	299.09	
South Test Well	6/29/2010 21:30	66.49	33.33	0.44	66.25	154.54	154.77	299.10	
South Test Well	6/30/2010 1:30	66.50	33.39	0.50	66.23	154.52	154.79	299.08	
South Test Well	6/30/2010 5:30	66.53	33.42	0.53	66.25	154.50	154.78	299.09	
South Test Well	6/30/2010 9:30	66.55	33.44	0.55	66.26	154.47	154.76	299.11	
South Test Well	6/30/2010 13:30	66.54	33.40	0.51	66.27	154.48	154.75	299.12	
South Test Well	6/30/2010 17:30	66.52	33.31	0.42	66.30	154.50	154.73	299.14	
South Test Well	6/30/2010 21:30	66.50	33.27	0.38	66.30	154.52	154.72	299.15	
South Test Well	7/1/2010 1:30	66.47	33.26	0.37	66.28	154.55	154.75	299.12	
South Test Well	7/1/2010 5:30	66.46	33.26	0.37	66.27	154.56	154.76	299.11	
South Test Well	7/1/2010 9:30	66.45	33.24	0.35	66.26	154.58	154.76	299.11	
South Test Well	7/1/2010 13:30	66.42	33.21	0.32	66.26	154.60	154.77	299.10	
South Test Well	7/1/2010 17:30	66.41	33.18	0.29	66.26	154.61	154.77	299.10	
South Test Well	7/1/2010 21:30	66.41	33.16	0.27	66.26	154.62	154.76	299.11	
South Test Well	7/2/2010 1:30	66.38	33.14	0.25	66.25	154.64	154.77	299.10	
South Test Well	7/2/2010 5:30	66.38	33.17	0.28	66.24	154.64	154.79	299.08	
South Test Well	7/2/2010 9:30	66.40	33.21	0.32	66.23	154.62	154.79	299.08	
South Test Well	7/2/2010 13:30	66.41	33.23	0.34	66.23	154.61	154.79	299.08	
South Test Well	7/2/2010 17:30	66.45	33.25	0.36	66.25	154.58	154.77	299.10	
South Test Well	7/2/2010 21:30	66.47	33.27	0.38	66.26	154.56	154.76	299.11	
South Test Well	7/3/2010 1:30	66.49	33.32	0.43	66.26	154.54	154.77	299.10	
South Test Well	7/3/2010 5:30	66.51	33.36	0.47	66.26	154.52	154.76	299.11	
South Test Well	7/3/2010 9:30	66.54	33.39	0.50	66.28	154.48	154.75	299.13	
South Test Well	7/3/2010 13:30	66.56	33.41	0.52	66.29	154.46	154.73	299.14	
South Test Well	7/3/2010 17:30	66.58	33.39	0.50	66.31	154.44	154.71	299.16	
South Test Well	7/3/2010 21:30	66.60	33.40	0.51	66.32	154.43	154.70	299.17	
South Test Well	7/4/2010 1:30	66.61	33.44	0.55	66.32	154.41	154.70	299.17	
South Test Well	7/4/2010 5:30	66.62	33.44	0.55	66.32	154.41	154.70	299.17	
South Test Well	7/4/2010 9:30	66.64	33.46	0.57	66.34	154.38	154.69	299.18	
South Test Well	7/4/2010 13:30	66.65	33.45	0.56	66.35	154.38	154.67	299.20	
South Test Well	7/4/2010 17:30	66.64	33.42	0.53	66.36	154.38	154.66	299.21	
South Test Well	7/4/2010 21:30	66.66	33.45	0.56	66.36	154.37	154.66	299.21	
South Test Well	7/5/2010 1:30	66.67	33.47	0.58	66.36	154.36	154.66	299.21	
South Test Well	7/5/2010 5:30	66.67	33.48	0.59	66.36	154.35	154.66	299.21	
South Test Well	7/5/2010 9:30	66.68	33.49	0.60	66.36	154.34	154.66	299.21	
South Test Well	7/5/2010 13:30	66.70	33.50	0.61	66.38	154.32	154.64	299.23	
South Test Well	7/5/2010 17:30	66.69	33.45	0.56	66.39	154.33	154.63	299.24	
South Test Well	7/5/2010 21:30	66.70	33.46	0.57	66.40	154.33	154.63	299.24	
South Test Well	7/6/2010 1:30	66.70	33.47	0.58	66.39	154.33	154.64	299.23	
South Test Well	7/6/2010 5:30	66.69	33.48	0.59	66.38	154.33	154.65	299.22	
South Test Well	7/6/2010 9:30	66.68	33.45	0.56	66.38	154.34	154.64	299.23	
South Test Well	7/6/2010 13:30	66.67	33.37	0.48	66.41	154.36	154.61	299.26	
South Test Well	7/6/2010 17:30	66.62	33.26	0.37	66.42	154.41	154.60	299.27	
South Test Well	7/6/2010 21:30	66.58	33.22	0.33	66.40	154.44	154.62	299.25	
South Test Well	7/7/2010 1:30	66.56	33.23	0.34	66.38	154.46	154.65	299.22	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
South Test Well	7/7/2010 5:30	66.54	33.23	0.34	66.36	154.49	154.67	299.20	
South Test Well	7/7/2010 9:30	66.52	33.21	0.32	66.35	154.51	154.68	299.19	
South Test Well	7/7/2010 13:30	66.50	33.13	0.24	66.37	154.52	154.65	299.22	
South Test Well	7/7/2010 17:30	66.47	33.05	0.16	66.38	154.56	154.64	299.23	
South Test Well	7/7/2010 21:30	66.50	33.07	0.18	66.41	154.52	154.62	299.25	
South Test Well	7/8/2010 1:30	66.51	33.11	0.22	66.39	154.52	154.63	299.24	
South Test Well	7/8/2010 5:30	66.51	33.14	0.25	66.38	154.52	154.65	299.22	
South Test Well	7/8/2010 9:30	66.50	33.14	0.25	66.37	154.52	154.66	299.21	
South Test Well	7/8/2010 13:30	66.51	33.09	0.20	66.40	154.52	154.62	299.25	
South Test Well	7/8/2010 17:30	66.50	33.02	0.13	66.43	154.53	154.60	299.27	
South Test Well	7/8/2010 21:30	66.49	33.05	0.16	66.40	154.53	154.62	299.25	
South Test Well	7/9/2010 1:30	66.50	33.11	0.22	66.39	154.52	154.63	299.24	
South Test Well	7/9/2010 5:30	66.52	33.15	0.26	66.38	154.50	154.64	299.23	
South Test Well	7/9/2010 9:30	66.52	33.15	0.26	66.38	154.51	154.64	299.23	
South Test Well	7/9/2010 13:30	66.52	33.09	0.20	66.41	154.51	154.61	299.26	
South Test Well	7/9/2010 17:30	66.52	33.03	0.14	66.44	154.51	154.58	299.29	
South Test Well	7/9/2010 21:30	66.51	33.06	0.17	66.42	154.51	154.60	299.27	
South Test Well	7/10/2010 1:30	66.52	33.09	0.20	66.41	154.50	154.61	299.26	
South Test Well	7/10/2010 5:30	66.54	33.14	0.25	66.41	154.48	154.62	299.25	
South Test Well	7/10/2010 9:30	66.54	33.17	0.28	66.40	154.48	154.63	299.24	
South Test Well	7/10/2010 13:30	66.55	33.13	0.24	66.42	154.48	154.61	299.26	
South Test Well	7/10/2010 17:30	66.56	33.07	0.18	66.46	154.47	154.56	299.31	
South Test Well	7/10/2010 21:30	66.56	33.10	0.21	66.44	154.47	154.58	299.29	
South Test Well	7/11/2010 1:30	66.56	33.13	0.24	66.43	154.47	154.60	299.27	
South Test Well	7/11/2010 5:30	66.57	33.14	0.25	66.44	154.45	154.59	299.28	
South Test Well	7/11/2010 9:30	66.56	33.15	0.26	66.42	154.47	154.60	299.27	
South Test Well	7/11/2010 13:30	66.55	33.09	0.20	66.44	154.48	154.59	299.28	
South Test Well	7/11/2010 17:30	66.55	33.04	0.15	66.47	154.47	154.56	299.31	
South Test Well	7/11/2010 21:30	66.54	33.06	0.17	66.45	154.48	154.57	299.30	
South Test Well	7/12/2010 1:30	66.53	33.11	0.22	66.41	154.49	154.61	299.26	
South Test Well	7/12/2010 5:30	66.54	33.13	0.24	66.41	154.48	154.61	299.26	
South Test Well	7/12/2010 9:30	66.55	33.15	0.26	66.41	154.47	154.61	299.26	
South Test Well	7/12/2010 13:30	66.56	33.18	0.29	66.40	154.47	154.62	299.25	
South Test Well	7/12/2010 17:30	66.60	33.18	0.29	66.45	154.42	154.58	299.29	
South Test Well	7/12/2010 21:30	66.63	33.24	0.35	66.44	154.40	154.58	299.29	
South Test Well	7/13/2010 1:30	66.64	33.29	0.40	66.42	154.39	154.60	299.27	
South Test Well	7/13/2010 5:30	66.67	33.32	0.43	66.44	154.36	154.58	299.29	
South Test Well	7/13/2010 9:30	66.69	33.35	0.46	66.45	154.33	154.57	299.30	
South Test Well	7/13/2010 13:30	66.69	33.32	0.43	66.46	154.33	154.56	299.31	
South Test Well	7/13/2010 17:30	66.71	33.28	0.39	66.51	154.31	154.52	299.35	
South Test Well	7/13/2010 21:30	66.73	33.33	0.44	66.50	154.29	154.52	299.35	
South Test Well	7/14/2010 1:30	66.74	33.40	0.51	66.47	154.29	154.56	299.31	
South Test Well	7/14/2010 5:30	66.76	33.43	0.54	66.47	154.27	154.55	299.32	
South Test Well	7/14/2010 9:30	66.77	33.40	0.51	66.50	154.25	154.52	299.35	
South Test Well	7/14/2010 13:30	66.75	33.31	0.42	66.52	154.28	154.50	299.37	
South Test Well	7/14/2010 17:30	66.74	33.24	0.35	66.55	154.29	154.47	299.40	
South Test Well	7/14/2010 21:30	66.73	33.23	0.34	66.55	154.29	154.48	299.39	
South Test Well	7/15/2010 1:30	66.71	33.29	0.40	66.50	154.31	154.52	299.35	
South Test Well	7/15/2010 5:30	66.72	33.33	0.44	66.49	154.30	154.53	299.34	
South Test Well	7/15/2010 9:30	66.74	33.32	0.43	66.51	154.29	154.51	299.36	
South Test Well	7/15/2010 13:30	66.72	33.25	0.36	66.53	154.31	154.50	299.37	
South Test Well	7/15/2010 17:30	66.70	33.18	0.29	66.55	154.32	154.48	299.39	
South Test Well	7/15/2010 21:30	66.70	33.20	0.31	66.54	154.32	154.48	299.39	
South Test Well	7/16/2010 1:30	66.69	33.27	0.38	66.49	154.33	154.53	299.34	
South Test Well	7/16/2010 5:30	66.71	33.30	0.41	66.49	154.32	154.54	299.33	
South Test Well	7/16/2010 9:30	66.73	33.33	0.45	66.50	154.29	154.53	299.34	
South Test Well	7/16/2010 13:30	66.74	33.31	0.42	66.52	154.29	154.51	299.36	
South Test Well	7/16/2010 17:30	66.73	33.24	0.35	66.54	154.29	154.48	299.39	
South Test Well	7/16/2010 21:30	66.74	33.27	0.38	66.54	154.28	154.49	299.38	
South Test Well	7/17/2010 1:30	66.74	33.33	0.44	66.50	154.29	154.52	299.35	
South Test Well	7/17/2010 5:30	66.74	33.36	0.47	66.49	154.28	154.53	299.34	
South Test Well	7/17/2010 9:30	66.77	33.37	0.48	66.51	154.25	154.51	299.36	
South Test Well	7/17/2010 13:30	66.77	33.34	0.45	66.53	154.25	154.49	299.38	
South Test Well	7/17/2010 17:30	66.75	33.23	0.34	66.57	154.28	154.46	299.41	
South Test Well	7/17/2010 21:30	66.74	33.24	0.35	66.56	154.28	154.47	299.40	
South Test Well	7/18/2010 1:30	66.74	33.31	0.42	66.52	154.28	154.51	299.36	
South Test Well	7/18/2010 5:30	66.74	33.34	0.45	66.50	154.28	154.52	299.35	
South Test Well	7/18/2010 9:30	66.77	33.37	0.48	66.51	154.26	154.51	299.36	
South Test Well	7/18/2010 13:30	66.79	33.36	0.47	66.53	154.24	154.49	299.38	
South Test Well	7/18/2010 17:30	66.77	33.27	0.38	66.57	154.25	154.45	299.42	
South Test Well	7/18/2010 21:30	66.78	33.31	0.42	66.55	154.25	154.47	299.40	
South Test Well	7/19/2010 1:30	66.78	33.36	0.47	66.53	154.25	154.50	299.37	
South Test Well	7/19/2010 5:30	66.79	33.40	0.51	66.52	154.24	154.50	299.37	
South Test Well	7/19/2010 9:30	66.81	33.42	0.53	66.53	154.21	154.49	299.38	
South Test Well	7/19/2010 13:30	66.82	33.38	0.49	66.56	154.20	154.46	299.41	
South Test Well	7/19/2010 17:30	66.79	33.26	0.37	66.60	154.23	154.43	299.44	
South Test Well	7/19/2010 21:30	66.77	33.26	0.37	66.57	154.25	154.45	299.42	
South Test Well	7/20/2010 1:30	66.75	33.29	0.40	66.54	154.27	154.48	299.39	
South Test Well	7/20/2010 5:30	66.73	33.27	0.38	66.53	154.30	154.50	299.37	
South Test Well	7/20/2010 9:30	66.72	33.26	0.37	66.52	154.31	154.51	299.36	
South Test Well	7/20/2010 13:30	66.70	33.19	0.30	66.55	154.32	154.48	299.39	
South Test Well	7/20/2010 17:30	66.67	33.08	0.19	66.57	154.35	154.45	299.42	
South Test Well	7/20/2010 21:30	66.65	33.11	0.22	66.54	154.37	154.48	299.39	
South Test Well	7/21/2010 1:30	66.65	33.16	0.27	66.51	154.37	154.51	299.36	
South Test Well	7/21/2010 5:30	66.65	33.19	0.30	66.49	154.37	154.53	299.34	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
South Test Well	7/21/2010 9:30	66.65	33.20	0.31	66.48	154.38	154.54	299.33	
South Test Well	7/21/2010 13:30	66.65	33.11	0.22	66.53	154.38	154.49	299.38	
South Test Well	7/21/2010 17:30	66.63	33.03	0.14	66.55	154.39	154.47	299.40	
South Test Well	7/21/2010 21:30	66.61	33.04	0.15	66.53	154.41	154.50	299.37	
South Test Well	7/22/2010 1:30	66.60	33.07	0.18	66.51	154.42	154.52	299.35	
South Test Well	7/22/2010 5:30	66.60	33.11	0.22	66.48	154.42	154.54	299.33	
South Test Well	7/22/2010 9:30	66.61	33.15	0.27	66.47	154.41	154.55	299.32	
South Test Well	7/22/2010 13:30	66.65	33.17	0.28	66.50	154.37	154.52	299.35	
South Test Well	7/22/2010 17:30	66.68	33.19	0.30	66.52	154.35	154.50	299.37	
South Test Well	7/22/2010 21:30	66.70	33.23	0.34	66.52	154.33	154.51	299.36	
South Test Well	7/23/2010 1:30	66.73	33.31	0.42	66.50	154.30	154.52	299.35	
South Test Well	7/23/2010 5:30	66.75	33.34	0.45	66.51	154.27	154.51	299.36	
South Test Well	7/23/2010 9:30	66.76	33.35	0.46	66.52	154.26	154.51	299.36	
South Test Well	7/23/2010 13:30	66.77	33.28	0.39	66.56	154.25	154.46	299.41	
South Test Well	7/23/2010 17:30	66.77	33.19	0.30	66.61	154.26	154.41	299.46	
South Test Well	7/23/2010 21:30	66.75	33.21	0.32	66.58	154.27	154.44	299.43	
South Test Well	7/24/2010 1:30	66.74	33.24	0.35	66.55	154.28	154.47	299.40	
South Test Well	7/24/2010 5:30	66.75	33.28	0.39	66.54	154.27	154.48	299.39	
South Test Well	7/24/2010 9:30	66.73	33.24	0.35	66.55	154.29	154.48	299.39	
South Test Well	7/24/2010 13:30	66.71	33.13	0.24	66.58	154.32	154.44	299.43	
South Test Well	7/24/2010 17:30	66.69	33.04	0.15	66.61	154.33	154.41	299.46	
South Test Well	7/24/2010 21:30	66.66	33.04	0.15	66.58	154.36	154.44	299.43	
South Test Well	7/25/2010 1:30	66.65	33.09	0.20	66.54	154.37	154.48	299.39	
South Test Well	7/25/2010 5:30	66.65	33.13	0.24	66.53	154.37	154.49	299.38	
South Test Well	7/25/2010 9:30	66.63	33.10	0.21	66.52	154.39	154.50	299.37	
South Test Well	7/25/2010 13:30	66.61	33.00	0.11	66.55	154.41	154.47	299.40	
South Test Well	7/25/2010 17:30	66.59	32.90	0.02	66.58	154.43	154.44	299.43	
South Test Well	7/25/2010 21:30	66.58	32.94	0.05	66.55	154.45	154.48	299.39	
South Test Well	7/26/2010 1:30	66.56	32.98	0.09	66.51	154.47	154.52	299.35	
South Test Well	7/26/2010 5:30	66.56	33.03	0.14	66.49	154.46	154.53	299.34	
South Test Well	7/26/2010 9:30	66.55	32.99	0.10	66.49	154.48	154.53	299.34	
South Test Well	7/26/2010 13:30	66.52	32.89	0.00	66.52	154.51	154.51	299.36	
South Test Well	7/26/2010 17:30	66.50	32.79	-0.10	66.55	154.52	154.47	299.40	
South Test Well	7/26/2010 21:30	66.49	32.86	-0.03	66.51	154.53	154.51	299.36	
South Test Well	7/27/2010 1:30	66.49	32.93	0.04	66.47	154.53	154.55	299.32	
South Test Well	7/27/2010 5:30	66.53	33.02	0.13	66.46	154.50	154.56	299.31	
South Test Well	7/27/2010 9:30	66.55	33.06	0.17	66.46	154.48	154.56	299.31	
South Test Well	7/27/2010 13:30	66.55	33.00	0.11	66.49	154.47	154.53	299.34	
South Test Well	7/27/2010 17:30	66.56	32.93	0.04	66.54	154.46	154.48	299.39	
South Test Well	7/27/2010 21:30	66.57	32.99	0.10	66.52	154.45	154.50	299.37	
South Test Well	7/28/2010 1:30	66.58	33.09	0.20	66.48	154.44	154.54	299.33	
South Test Well	7/28/2010 5:30	66.62	33.13	0.24	66.49	154.41	154.53	299.34	
South Test Well	7/28/2010 9:30	66.64	33.17	0.28	66.49	154.38	154.53	299.34	
South Test Well	7/28/2010 13:30	66.64	33.11	0.22	66.52	154.39	154.50	299.37	
South Test Well	7/28/2010 17:30	66.64	33.03	0.14	66.57	154.38	154.46	299.41	
South Test Well	7/28/2010 21:30	66.68	33.14	0.25	66.54	154.35	154.48	299.39	
South Test Well	7/29/2010 1:30	66.69	33.24	0.35	66.51	154.33	154.52	299.35	
South Test Well	7/29/2010 5:30	66.73	33.28	0.39	66.52	154.29	154.50	299.37	
South Test Well	7/29/2010 9:30	66.75	33.29	0.40	66.54	154.27	154.49	299.38	
South Test Well	7/29/2010 13:30	66.75	33.23	0.34	66.56	154.28	154.46	299.41	
South Test Well	7/29/2010 17:30	66.73	33.11	0.22	66.61	154.29	154.41	299.46	
South Test Well	7/29/2010 21:30	66.73	33.15	0.26	66.59	154.29	154.43	299.44	
South Test Well	7/30/2010 1:30	66.72	33.21	0.32	66.55	154.31	154.48	299.39	
South Test Well	7/30/2010 5:30	66.72	33.22	0.33	66.55	154.30	154.48	299.39	
South Test Well	7/30/2010 9:30	66.73	33.23	0.34	66.55	154.29	154.47	299.40	
South Test Well	7/30/2010 13:30	66.71	33.15	0.26	66.57	154.31	154.45	299.42	
South Test Well	7/30/2010 17:30	66.69	33.03	0.14	66.61	154.34	154.41	299.46	
South Test Well	7/30/2010 21:30	66.68	33.07	0.18	66.59	154.34	154.44	299.43	
South Test Well	7/31/2010 1:30	66.67	33.12	0.23	66.54	154.36	154.48	299.39	
South Test Well	7/31/2010 5:30	66.67	33.15	0.26	66.54	154.35	154.49	299.38	
South Test Well	7/31/2010 9:30	66.69	33.17	0.28	66.54	154.33	154.48	299.39	
South Test Well	7/31/2010 13:30	66.69	33.13	0.24	66.56	154.34	154.46	299.41	
South Test Well	7/31/2010 17:30	66.67	33.05	0.16	66.59	154.35	154.44	299.43	
South Test Well	7/31/2010 21:30	66.69	33.12	0.23	66.56	154.33	154.46	299.41	
South Test Well	8/1/2010 1:30	66.69	33.17	0.28	66.54	154.33	154.48	299.39	
South Test Well	8/1/2010 5:30	66.71	33.21	0.32	66.53	154.32	154.49	299.38	
South Test Well	8/1/2010 9:30	66.73	33.22	0.33	66.56	154.29	154.47	299.40	
South Test Well	8/1/2010 13:30	66.73	33.17	0.28	66.58	154.29	154.44	299.43	
South Test Well	8/1/2010 17:30	66.72	33.12	0.23	66.60	154.30	154.42	299.45	
South Test Well	8/1/2010 21:30	66.73	33.16	0.27	66.59	154.30	154.44	299.43	
South Test Well	8/2/2010 1:30	66.72	33.21	0.32	66.56	154.30	154.47	299.40	
South Test Well	8/2/2010 5:30	66.73	33.23	0.34	66.55	154.29	154.47	299.40	
South Test Well	8/2/2010 9:30	66.75	33.25	0.36	66.56	154.27	154.46	299.41	
South Test Well	8/2/2010 13:30	66.75	33.19	0.30	66.59	154.27	154.43	299.44	
South Test Well	8/2/2010 17:30	66.73	33.10	0.21	66.62	154.29	154.40	299.47	
South Test Well	8/2/2010 21:30	66.73	33.13	0.25	66.60	154.29	154.42	299.45	
South Test Well	8/3/2010 1:30	66.73	33.20	0.31	66.57	154.29	154.45	299.42	
South Test Well	8/3/2010 5:30	66.74	33.22	0.33	66.56	154.29	154.46	299.41	
South Test Well	8/3/2010 9:30	66.76	33.26	0.37	66.56	154.26	154.46	299.41	
South Test Well	8/3/2010 13:30	66.76	33.18	0.29	66.61	154.26	154.42	299.45	
South Test Well	8/3/2010 17:30	66.74	33.09	0.20	66.63	154.29	154.39	299.48	
South Test Well	8/3/2010 21:30	66.74	33.13	0.24	66.61	154.29	154.41	299.46	
South Test Well	8/4/2010 1:30	66.73	33.17	0.28	66.58	154.29	154.44	299.43	
South Test Well	8/4/2010 5:30	66.72	33.20	0.31	66.56	154.30	154.46	299.41	
South Test Well	8/4/2010 9:30	66.73	33.20	0.31	66.56	154.29	154.46	299.41	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
South Test Well	8/4/2010 13:30	66.72	33.09	0.20	66.61	154.31	154.41	299.46	
South Test Well	8/4/2010 17:30	66.68	33.00	0.11	66.63	154.34	154.40	299.47	
South Test Well	8/4/2010 21:30	66.67	33.01	0.12	66.60	154.36	154.42	299.45	
South Test Well	8/5/2010 1:30	66.65	33.02	0.13	66.58	154.37	154.44	299.43	
South Test Well	8/5/2010 5:30	66.63	33.04	0.15	66.55	154.39	154.47	299.40	
South Test Well	8/5/2010 9:30	66.63	33.04	0.15	66.55	154.40	154.48	299.39	
South Test Well	8/5/2010 13:30	66.62	32.95	0.06	66.59	154.41	154.44	299.43	
South Test Well	8/5/2010 17:30	66.59	32.86	-0.03	66.60	154.44	154.42	299.45	
South Test Well	8/5/2010 21:30	66.58	32.92	0.03	66.56	154.45	154.46	299.41	
South Test Well	8/6/2010 1:30	66.58	32.99	0.10	66.53	154.44	154.50	299.37	
South Test Well	8/6/2010 5:30	66.59	33.03	0.14	66.52	154.43	154.51	299.36	
South Test Well	8/6/2010 9:30	66.61	33.08	0.19	66.51	154.42	154.52	299.35	
South Test Well	8/6/2010 13:30	66.63	33.06	0.17	66.54	154.39	154.48	299.39	
South Test Well	8/6/2010 17:30	66.64	32.99	0.10	66.58	154.39	154.44	299.43	
South Test Well	8/6/2010 21:30	66.64	33.04	0.15	66.56	154.39	154.47	299.40	
South Test Well	8/7/2010 1:30	66.64	33.07	0.18	66.54	154.38	154.48	299.39	
South Test Well	8/7/2010 5:30	66.64	33.06	0.17	66.55	154.38	154.47	299.40	
South Test Well	8/7/2010 9:30	66.62	33.06	0.17	66.53	154.40	154.49	299.38	
South Test Well	8/7/2010 13:30	66.63	33.03	0.14	66.56	154.39	154.47	299.40	
South Test Well	8/7/2010 17:30	66.64	33.01	0.12	66.58	154.38	154.45	299.42	
South Test Well	8/7/2010 21:30	66.63	33.02	0.13	66.56	154.40	154.46	299.41	
South Test Well	8/8/2010 1:30	66.63	33.04	0.15	66.55	154.40	154.48	299.39	
South Test Well	8/8/2010 5:30	66.64	33.06	0.17	66.54	154.39	154.48	299.39	
South Test Well	8/8/2010 9:30	66.64	33.10	0.21	66.52	154.39	154.50	299.37	
South Test Well	8/8/2010 13:30	66.65	33.08	0.19	66.55	154.38	154.48	299.39	
South Test Well	8/8/2010 17:30	66.67	33.05	0.16	66.58	154.35	154.44	299.43	
South Test Well	8/8/2010 21:30	66.67	33.10	0.21	66.56	154.35	154.46	299.41	
South Test Well	8/9/2010 1:30	66.67	33.10	0.21	66.55	154.36	154.47	299.40	
South Test Well	8/9/2010 5:30	66.68	33.10	0.21	66.56	154.35	154.46	299.41	
South Test Well	8/9/2010 9:30	66.66	33.12	0.23	66.54	154.36	154.48	299.39	
South Test Well	8/9/2010 13:30	66.67	33.11	0.22	66.55	154.35	154.47	299.40	
South Test Well	8/9/2010 17:30	66.68	33.08	0.19	66.58	154.34	154.44	299.43	
South Test Well	8/9/2010 21:30	66.68	33.11	0.22	66.57	154.34	154.46	299.41	
South Test Well	8/10/2010 1:30	66.67	33.11	0.22	66.55	154.35	154.47	299.40	
South Test Well	8/10/2010 5:30	66.68	33.11	0.22	66.57	154.34	154.46	299.41	
South Test Well	8/10/2010 9:30	66.67	33.12	0.23	66.55	154.36	154.48	299.39	
South Test Well	8/10/2010 13:30	66.65	33.07	0.18	66.56	154.37	154.47	299.40	
South Test Well	8/10/2010 17:30	66.67	33.03	0.14	66.59	154.36	154.43	299.44	
South Test Well	8/10/2010 21:30	66.66	33.07	0.18	66.57	154.36	154.46	299.41	
South Test Well	8/11/2010 1:30	66.66	33.12	0.23	66.53	154.37	154.49	299.38	
South Test Well	8/11/2010 5:30	66.68	33.16	0.27	66.54	154.34	154.49	299.38	
South Test Well	8/11/2010 9:30	66.69	33.15	0.26	66.55	154.33	154.47	299.40	
South Test Well	8/11/2010 13:30	66.68	33.09	0.20	66.57	154.35	154.46	299.41	
South Test Well	8/11/2010 17:30	66.68	33.04	0.15	66.60	154.34	154.42	299.45	
South Test Well	8/11/2010 21:30	66.69	33.10	0.21	66.58	154.33	154.44	299.43	
South Test Well	8/12/2010 1:30	66.69	33.16	0.27	66.55	154.33	154.47	299.40	
South Test Well	8/12/2010 5:30	66.72	33.18	0.29	66.56	154.31	154.46	299.41	
South Test Well	8/12/2010 9:30	66.73	33.18	0.29	66.57	154.30	154.45	299.42	
South Test Well	8/12/2010 13:30	66.69	33.08	0.19	66.59	154.33	154.43	299.44	
South Test Well	8/12/2010 17:30	66.67	32.98	0.09	66.62	154.35	154.40	299.47	
South Test Well	8/12/2010 21:30	66.65	32.99	0.10	66.60	154.37	154.42	299.45	
South Test Well	8/13/2010 1:30	66.64	33.05	0.16	66.55	154.39	154.47	299.40	
South Test Well	8/13/2010 5:30	66.65	33.08	0.19	66.55	154.38	154.48	299.39	
South Test Well	8/13/2010 9:30	66.67	33.08	0.20	66.56	154.36	154.46	299.41	
South Test Well	8/13/2010 13:30	66.64	33.00	0.11	66.58	154.38	154.44	299.43	
South Test Well	8/13/2010 17:30	66.62	32.94	0.05	66.60	154.40	154.42	299.45	
South Test Well	8/13/2010 21:30	66.63	32.98	0.09	66.59	154.39	154.44	299.43	
South Test Well	8/14/2010 1:30	66.63	33.04	0.15	66.55	154.40	154.47	299.40	
South Test Well	8/14/2010 5:30	66.64	33.07	0.18	66.54	154.39	154.48	299.39	
South Test Well	8/14/2010 9:30	66.66	33.07	0.18	66.57	154.36	154.46	299.41	
South Test Well	8/14/2010 13:30	66.64	32.97	0.08	66.60	154.39	154.43	299.44	
South Test Well	8/14/2010 17:30	66.62	32.91	0.02	66.61	154.40	154.41	299.46	
South Test Well	8/14/2010 21:30	66.64	32.97	0.08	66.59	154.39	154.43	299.44	
South Test Well	8/15/2010 1:30	66.63	33.02	0.13	66.56	154.39	154.46	299.41	
South Test Well	8/15/2010 5:30	66.65	33.08	0.19	66.55	154.38	154.48	299.39	
South Test Well	8/15/2010 9:30	66.68	33.09	0.20	66.57	154.35	154.45	299.42	
South Test Well	8/15/2010 13:30	66.67	32.99	0.10	66.61	154.36	154.41	299.46	
South Test Well	8/15/2010 17:30	66.65	32.93	0.04	66.63	154.38	154.40	299.47	
South Test Well	8/15/2010 21:30	66.65	32.97	0.08	66.61	154.37	154.41	299.46	
South Test Well	8/16/2010 1:30	66.65	33.03	0.14	66.58	154.37	154.44	299.43	
South Test Well	8/16/2010 5:30	66.66	33.08	0.20	66.56	154.36	154.46	299.41	
South Test Well	8/16/2010 9:30	66.68	33.09	0.20	66.58	154.34	154.45	299.42	
South Test Well	8/16/2010 13:30	66.67	32.98	0.09	66.62	154.35	154.40	299.47	
South Test Well	8/16/2010 17:30	66.64	32.89	0.00	66.64	154.38	154.38	299.49	
South Test Well	8/16/2010 21:30	66.62	32.90	0.01	66.62	154.40	154.41	299.46	
South Test Well	8/17/2010 1:30	66.60	32.92	0.03	66.58	154.43	154.44	299.43	
South Test Well	8/17/2010 5:30	66.58	32.93	0.04	66.55	154.45	154.47	299.40	
South Test Well	8/17/2010 9:30	66.56	32.90	0.01	66.56	154.46	154.47	299.40	
South Test Well	8/17/2010 13:30	66.55	32.81	-0.08	66.59	154.47	154.43	299.44	
South Test Well	8/17/2010 17:30	66.53	32.75	-0.14	66.60	154.50	154.42	299.45	
South Test Well	8/17/2010 21:30	66.54	32.87	-0.02	66.55	154.48	154.47	299.40	
South Test Well	8/18/2010 1:30	66.59	33.04	0.15	66.51	154.44	154.51	299.36	
South Test Well	8/18/2010 5:30	66.61	33.05	0.16	66.52	154.41	154.50	299.37	
South Test Well	8/18/2010 9:30	66.64	33.09	0.20	66.53	154.39	154.49	299.38	
South Test Well	8/18/2010 13:30	66.68	33.15	0.26	66.54	154.35	154.49	299.38	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
South Test Well	8/18/2010 17:30	66.67	33.11	0.22	66.55	154.36	154.47	299.40	
South Test Well	8/18/2010 21:30	66.68	33.45	0.56	66.38	154.35	154.64	299.23	
South Test Well	8/19/2010 1:30	66.68	33.47	0.58	66.38	154.34	154.65	299.22	
South Test Well	8/19/2010 5:30	66.69	33.49	0.60	66.37	154.34	154.65	299.22	
South Test Well	8/19/2010 9:30	66.69	33.52	0.63	66.36	154.33	154.66	299.21	
South Test Well	8/19/2010 13:30	66.71	33.52	0.63	66.38	154.31	154.65	299.22	
South Test Well	8/19/2010 17:30	66.70	33.43	0.54	66.42	154.32	154.61	299.26	
South Test Well	8/19/2010 21:30	66.70	33.43	0.54	66.42	154.32	154.60	299.27	
South Test Well	8/20/2010 1:30	66.70	33.43	0.54	66.41	154.33	154.61	299.26	
South Test Well	8/20/2010 5:30	66.68	33.41	0.52	66.41	154.34	154.62	299.25	
South Test Well	8/20/2010 9:30	66.67	33.42	0.53	66.39	154.35	154.63	299.24	
South Test Well	8/20/2010 13:30	66.66	33.33	0.44	66.42	154.37	154.60	299.27	
South Test Well	8/20/2010 17:30	66.63	33.22	0.33	66.45	154.40	154.57	299.30	
South Test Well	8/20/2010 21:30	66.60	33.21	0.32	66.42	154.43	154.60	299.27	
South Test Well	8/21/2010 1:30	66.58	33.23	0.34	66.40	154.45	154.63	299.24	
South Test Well	8/21/2010 5:30	66.57	33.26	0.37	66.38	154.45	154.64	299.23	
South Test Well	8/21/2010 9:30	66.57	33.32	0.43	66.34	154.45	154.68	299.19	
South Test Well	8/21/2010 13:30	66.59	33.08	0.19	66.49	154.43	154.54	299.33	
South Test Well	8/21/2010 17:30	66.61	33.51	0.62	66.29	154.41	154.74	299.13	
South Test Well	8/21/2010 21:30	66.64	33.60	0.71	66.26	154.39	154.76	299.11	
South Test Well	8/22/2010 1:30	66.67	33.66	0.77	66.26	154.36	154.77	299.10	
South Test Well	8/22/2010 5:30	66.71	33.74	0.85	66.26	154.31	154.76	299.11	
South Test Well	8/22/2010 9:30	66.75	33.82	0.93	66.25	154.28	154.77	299.10	
South Test Well	8/22/2010 13:30	66.80	32.79	-0.10	66.85	154.23	154.18	299.69	
South Test Well	8/22/2010 17:30	66.86	33.72	0.83	66.42	154.17	154.61	299.26	
South Test Well	8/22/2010 21:30	66.90	33.79	0.90	66.42	154.13	154.60	299.27	
South Test Well	8/23/2010 1:30	66.94	33.84	0.95	66.44	154.08	154.58	299.29	
South Test Well	8/23/2010 5:30	66.99	33.86	0.97	66.48	154.03	154.55	299.32	
South Test Well	8/23/2010 9:30	67.01	33.88	0.99	66.49	154.01	154.54	299.33	
South Test Well	8/23/2010 13:30	67.02	33.49	0.60	66.70	154.01	154.32	299.55	
South Test Well	8/23/2010 17:30	67.01	33.43	0.54	66.72	154.01	154.30	299.57	
South Test Well	8/23/2010 21:30	66.98	33.41	0.52	66.71	154.04	154.31	299.56	
South Test Well	8/24/2010 1:30	66.95	33.42	0.53	66.67	154.07	154.35	299.52	
South Test Well	8/24/2010 5:30	66.94	33.47	0.58	66.63	154.09	154.39	299.48	
South Test Well	8/24/2010 9:30	66.89	33.42	0.53	66.61	154.13	154.41	299.46	
South Test Well	8/24/2010 13:30	66.83	33.15	0.26	66.69	154.19	154.33	299.54	
South Test Well	8/24/2010 17:30	66.79	33.02	0.13	66.72	154.24	154.30	299.57	
South Test Well	8/24/2010 21:30	66.75	33.06	0.17	66.66	154.27	154.36	299.51	
South Test Well	8/25/2010 1:30	66.72	33.09	0.20	66.61	154.31	154.41	299.46	
South Test Well	8/25/2010 5:30	66.71	33.16	0.27	66.57	154.31	154.46	299.41	
South Test Well	8/25/2010 9:30	66.69	33.09	0.20	66.58	154.33	154.44	299.43	
South Test Well	8/25/2010 13:30	66.65	32.96	0.07	66.62	154.37	154.41	299.46	
South Test Well	8/25/2010 17:30	66.63	32.86	-0.02	66.64	154.40	154.38	299.49	
South Test Well	8/25/2010 21:30	66.60	32.89	0.00	66.59	154.43	154.43	299.44	
South Test Well	8/26/2010 1:30	66.57	32.95	0.06	66.54	154.45	154.48	299.39	
South Test Well	8/26/2010 5:30	66.59	33.04	0.15	66.51	154.43	154.51	299.36	
South Test Well	8/26/2010 9:30	66.62	33.14	0.25	66.48	154.41	154.54	299.33	
South Test Well	8/26/2010 13:30	66.65	33.13	0.24	66.52	154.37	154.50	299.37	
South Test Well	8/26/2010 17:30	66.70	33.19	0.30	66.54	154.33	154.49	299.38	
South Test Well	8/26/2010 21:30	66.75	33.29	0.40	66.53	154.28	154.49	299.38	
South Test Well	8/27/2010 1:30	66.75	33.35	0.46	66.51	154.27	154.52	299.35	
South Test Well	8/27/2010 5:30	66.79	33.39	0.50	66.52	154.24	154.50	299.37	
South Test Well	8/27/2010 9:30	66.79	33.33	0.44	66.55	154.24	154.47	299.40	
South Test Well	8/27/2010 13:30	66.74	33.18	0.29	66.59	154.28	154.44	299.43	
South Test Well	8/27/2010 17:30	66.71	33.07	0.18	66.61	154.32	154.41	299.46	
South Test Well	8/27/2010 21:30	66.67	33.07	0.18	66.58	154.35	154.45	299.42	
South Test Well	8/28/2010 1:30	66.63	33.14	0.25	66.50	154.39	154.52	299.35	
South Test Well	8/28/2010 5:30	66.62	33.20	0.31	66.46	154.40	154.57	299.30	
South Test Well	8/28/2010 9:30	66.62	33.19	0.30	66.45	154.41	154.57	299.30	
South Test Well	8/28/2010 13:30	66.58	33.03	0.14	66.51	154.44	154.51	299.36	
South Test Well	8/28/2010 17:30	66.56	32.95	0.06	66.53	154.46	154.49	299.38	
South Test Well	8/28/2010 21:30	66.56	32.98	0.09	66.51	154.47	154.52	299.35	
South Test Well	8/29/2010 1:30	66.54	33.06	0.17	66.45	154.48	154.57	299.30	
South Test Well	8/29/2010 5:30	66.57	33.16	0.27	66.43	154.45	154.59	299.28	
South Test Well	8/29/2010 9:30	66.59	33.15	0.26	66.45	154.44	154.57	299.30	
South Test Well	8/29/2010 13:30	66.59	33.10	0.21	66.47	154.44	154.55	299.32	
South Test Well	8/29/2010 17:30	66.57	33.03	0.14	66.49	154.45	154.53	299.34	
South Test Well	8/29/2010 21:30	66.58	33.08	0.19	66.48	154.44	154.54	299.33	
South Test Well	8/30/2010 1:30	66.56	33.12	0.23	66.44	154.46	154.58	299.29	
South Test Well	8/30/2010 5:30	66.57	33.15	0.26	66.43	154.46	154.59	299.28	
South Test Well	8/30/2010 9:30	66.60	33.20	0.31	66.43	154.43	154.59	299.28	
South Test Well	8/30/2010 13:30	66.61	33.16	0.27	66.47	154.41	154.56	299.31	
South Test Well	8/30/2010 17:30	66.63	33.16	0.27	66.49	154.40	154.54	299.33	
South Test Well	8/30/2010 21:30	66.67	33.23	0.34	66.49	154.36	154.54	299.33	
South Test Well	8/31/2010 1:30	66.69	33.31	0.42	66.47	154.33	154.55	299.32	
South Test Well	8/31/2010 5:30	66.71	33.34	0.45	66.47	154.31	154.55	299.32	
South Test Well	8/31/2010 9:30	66.73	33.35	0.46	66.49	154.29	154.53	299.34	
South Test Well	8/31/2010 13:30	66.71	33.27	0.38	66.51	154.31	154.51	299.36	
South Test Well	8/31/2010 17:30	66.69	33.20	0.31	66.52	154.34	154.50	299.37	
South Test Well	8/31/2010 21:30	66.68	33.23	0.34	66.50	154.34	154.52	299.35	
South Test Well	9/1/2010 1:30	66.68	33.27	0.38	66.48	154.34	154.54	299.33	
South Test Well	9/1/2010 5:30	66.68	33.26	0.37	66.48	154.35	154.55	299.32	
South Test Well	9/1/2010 9:30	66.71	33.34	0.45	66.47	154.31	154.55	299.32	
South Test Well	9/1/2010 13:30	66.76	33.40	0.51	66.49	154.26	154.54	299.33	
South Test Well	9/1/2010 17:30	66.80	33.42	0.53	66.52	154.23	154.51	299.36	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
South Test Well	9/1/2010 21:30	66.83	33.46	0.57	66.53	154.20	154.50	299.37	
South Test Well	9/2/2010 1:30	66.84	33.50	0.61	66.52	154.18	154.51	299.36	
South Test Well	9/2/2010 5:30	66.84	33.52	0.63	66.50	154.19	154.52	299.35	
South Test Well	9/2/2010 9:30	66.83	33.50	0.61	66.51	154.19	154.51	299.36	
South Test Well	9/2/2010 13:30	66.81	33.34	0.45	66.57	154.22	154.46	299.41	
South Test Well	9/2/2010 17:30	66.76	33.22	0.33	66.58	154.27	154.44	299.43	
South Test Well	9/2/2010 21:30	66.72	33.20	0.31	66.55	154.31	154.47	299.40	
South Test Well	9/3/2010 1:30	66.69	33.21	0.32	66.52	154.34	154.51	299.36	
South Test Well	9/3/2010 5:30	66.66	33.24	0.35	66.48	154.36	154.55	299.32	
South Test Well	9/3/2010 9:30	66.66	33.26	0.37	66.46	154.37	154.56	299.31	
South Test Well	9/3/2010 13:30	66.66	33.19	0.30	66.50	154.36	154.52	299.35	
South Test Well	9/3/2010 17:30	66.65	33.15	0.26	66.52	154.37	154.51	299.36	
South Test Well	9/3/2010 21:30	66.67	33.22	0.33	66.49	154.36	154.53	299.34	
South Test Well	9/4/2010 1:30	66.69	33.29	0.40	66.48	154.33	154.54	299.33	
South Test Well	9/4/2010 5:30	66.71	33.33	0.44	66.47	154.32	154.55	299.32	
South Test Well	9/4/2010 9:30	66.73	33.41	0.52	66.46	154.29	154.57	299.30	
South Test Well	9/4/2010 13:30	66.76	33.38	0.49	66.50	154.27	154.53	299.34	
South Test Well	9/4/2010 17:30	66.76	33.34	0.45	66.53	154.26	154.50	299.37	
South Test Well	9/4/2010 21:30	66.76	33.37	0.48	66.51	154.26	154.52	299.35	
South Test Well	9/5/2010 1:30	66.77	33.40	0.51	66.49	154.26	154.53	299.34	
South Test Well	9/5/2010 5:30	66.77	33.43	0.54	66.49	154.25	154.54	299.33	
South Test Well	9/5/2010 9:30	66.79	33.49	0.60	66.47	154.24	154.56	299.31	
South Test Well	9/5/2010 13:30	66.80	33.46	0.57	66.50	154.22	154.52	299.35	
South Test Well	9/5/2010 17:30	66.82	33.42	0.53	66.53	154.21	154.49	299.38	
South Test Well	9/5/2010 21:30	66.81	33.44	0.55	66.52	154.21	154.50	299.37	
South Test Well	9/6/2010 1:30	66.81	33.45	0.56	66.51	154.22	154.51	299.36	
South Test Well	9/6/2010 5:30	66.81	33.45	0.56	66.51	154.22	154.51	299.36	
South Test Well	9/6/2010 9:30	66.76	33.40	0.51	66.49	154.26	154.53	299.34	
South Test Well	9/6/2010 13:30	66.74	33.32	0.43	66.51	154.29	154.51	299.36	
South Test Well	9/6/2010 17:30	66.71	33.22	0.33	66.53	154.32	154.50	299.37	
South Test Well	9/6/2010 21:30	66.65	33.19	0.30	66.49	154.37	154.53	299.34	
South Test Well	9/7/2010 1:30	66.61	33.14	0.25	66.48	154.41	154.55	299.32	
South Test Well	9/7/2010 5:30	66.59	33.10	0.21	66.47	154.44	154.55	299.32	
South Test Well	9/7/2010 9:30	66.54	33.11	0.22	66.43	154.48	154.60	299.27	
South Test Well	9/7/2010 13:30	66.51	33.06	0.17	66.42	154.51	154.60	299.27	
South Test Well	9/7/2010 17:30	66.51	33.02	0.13	66.44	154.52	154.59	299.28	
South Test Well	9/7/2010 21:30	66.49	33.04	0.15	66.41	154.53	154.61	299.26	
South Test Well	9/8/2010 1:30	66.48	33.05	0.16	66.40	154.54	154.63	299.24	
South Test Well	9/8/2010 5:30	66.50	33.07	0.18	66.41	154.52	154.62	299.25	
South Test Well	9/8/2010 9:30	66.50	33.11	0.22	66.38	154.52	154.64	299.23	
South Test Well	9/8/2010 13:30	66.49	33.10	0.21	66.38	154.53	154.64	299.23	
South Test Well	9/8/2010 17:30	66.51	33.09	0.21	66.40	154.51	154.62	299.25	
South Test Well	9/8/2010 21:30	66.51	33.11	0.22	66.39	154.52	154.63	299.24	
South Test Well	9/9/2010 1:30	66.50	33.14	0.25	66.37	154.52	154.65	299.22	
South Test Well	9/9/2010 5:30	66.54	33.17	0.28	66.39	154.48	154.63	299.24	
South Test Well	9/9/2010 9:30	66.56	33.23	0.34	66.38	154.46	154.64	299.23	
South Test Well	9/9/2010 13:30	66.58	33.27	0.38	66.38	154.44	154.64	299.23	
South Test Well	9/9/2010 17:30	66.63	33.30	0.41	66.41	154.40	154.61	299.26	
South Test Well	9/9/2010 21:30	66.65	33.35	0.46	66.41	154.37	154.61	299.26	
South Test Well	9/10/2010 1:30	66.67	33.39	0.50	66.40	154.36	154.62	299.25	
South Test Well	9/10/2010 5:30	66.70	33.41	0.52	66.43	154.32	154.60	299.27	
South Test Well	9/10/2010 9:30	66.73	33.44	0.55	66.44	154.29	154.59	299.28	
South Test Well	9/10/2010 13:30	66.74	33.44	0.56	66.44	154.29	154.58	299.29	
South Test Well	9/10/2010 17:30	66.75	33.43	0.54	66.46	154.27	154.56	299.31	
South Test Well	9/10/2010 21:30	66.76	33.44	0.55	66.47	154.26	154.56	299.31	
South Test Well	9/11/2010 1:30	66.75	33.45	0.56	66.45	154.28	154.58	299.29	
South Test Well	9/11/2010 5:30	66.76	33.48	0.59	66.45	154.26	154.57	299.30	
South Test Well	9/11/2010 9:30	66.78	33.52	0.63	66.45	154.24	154.58	299.29	
South Test Well	9/11/2010 13:30	66.77	33.46	0.57	66.46	154.26	154.56	299.31	
South Test Well	9/11/2010 17:30	66.75	33.39	0.50	66.49	154.27	154.53	299.34	
South Test Well	9/11/2010 21:30	66.75	33.39	0.50	66.48	154.28	154.54	299.33	
South Test Well	9/12/2010 1:30	66.73	33.42	0.53	66.45	154.30	154.58	299.29	
South Test Well	9/12/2010 5:30	66.72	33.41	0.52	66.44	154.30	154.58	299.29	
South Test Well	9/12/2010 9:30	66.73	33.42	0.53	66.45	154.29	154.57	299.30	
South Test Well	9/12/2010 13:30	66.72	33.39	0.50	66.46	154.30	154.56	299.31	
South Test Well	9/12/2010 17:30	66.72	33.37	0.48	66.47	154.30	154.55	299.32	
South Test Well	9/12/2010 21:30	66.72	33.38	0.49	66.47	154.30	154.56	299.31	
South Test Well	9/13/2010 1:30	66.71	33.39	0.50	66.44	154.31	154.58	299.29	
South Test Well	9/13/2010 5:30	66.71	33.41	0.52	66.43	154.31	154.59	299.28	
South Test Well	9/13/2010 9:30	66.72	33.42	0.53	66.44	154.30	154.58	299.29	
South Test Well	9/13/2010 13:30	66.71	33.37	0.48	66.46	154.31	154.57	299.30	
South Test Well	9/13/2010 17:30	66.69	33.31	0.42	66.47	154.33	154.55	299.32	
South Test Well	9/13/2010 21:30	66.69	33.33	0.44	66.46	154.33	154.57	299.30	
South Test Well	9/14/2010 1:30	66.67	33.34	0.45	66.43	154.35	154.59	299.28	
South Test Well	9/14/2010 5:30	66.67	33.36	0.47	66.42	154.36	154.60	299.27	
South Test Well	9/14/2010 9:30	66.68	33.38	0.49	66.42	154.34	154.60	299.27	
South Test Well	9/14/2010 13:30	66.69	33.37	0.48	66.43	154.34	154.59	299.28	
South Test Well	9/14/2010 17:30	66.67	33.31	0.42	66.45	154.35	154.57	299.30	
South Test Well	9/14/2010 21:30	66.66	33.29	0.40	66.45	154.37	154.58	299.29	
South Test Well	9/15/2010 1:30	66.63	33.26	0.37	66.43	154.40	154.59	299.28	
South Test Well	9/15/2010 5:30	66.60	33.25	0.36	66.41	154.42	154.61	299.26	
South Test Well	9/15/2010 9:30	66.60	33.28	0.39	66.39	154.42	154.63	299.24	
South Test Well	9/15/2010 13:30	66.60	33.25	0.36	66.41	154.42	154.61	299.26	
South Test Well	9/15/2010 17:30	66.58	33.20	0.31	66.42	154.44	154.61	299.26	
South Test Well	9/15/2010 21:30	66.57	33.20	0.31	66.41	154.45	154.62	299.25	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
South Test Well	9/16/2010 1:30	66.58	33.24	0.35	66.39	154.45	154.64	299.23	
South Test Well	9/16/2010 5:30	66.58	33.25	0.36	66.39	154.44	154.64	299.23	
South Test Well	9/16/2010 9:30	66.59	33.27	0.38	66.39	154.43	154.63	299.24	
South Test Well	9/16/2010 13:30	66.60	33.25	0.36	66.40	154.43	154.62	299.25	
South Test Well	9/16/2010 17:30	66.58	33.20	0.31	66.42	154.44	154.61	299.26	
South Test Well	9/16/2010 21:30	66.57	33.21	0.32	66.40	154.45	154.62	299.25	
South Test Well	9/17/2010 1:30	66.57	33.21	0.32	66.40	154.46	154.62	299.25	
South Test Well	9/17/2010 5:30	66.55	33.18	0.29	66.39	154.48	154.63	299.24	
South Test Well	9/17/2010 9:30	66.53	33.17	0.28	66.38	154.50	154.65	299.22	
South Test Well	9/17/2010 13:30	66.51	33.12	0.23	66.39	154.51	154.63	299.24	
South Test Well	9/17/2010 17:30	66.50	33.10	0.21	66.39	154.52	154.63	299.24	
South Test Well	9/17/2010 21:30	66.50	33.12	0.23	66.38	154.52	154.64	299.23	
South Test Well	9/18/2010 1:30	66.52	33.15	0.26	66.38	154.51	154.65	299.22	
South Test Well	9/18/2010 5:30	66.52	33.16	0.27	66.37	154.51	154.65	299.22	
South Test Well	9/18/2010 9:30	66.50	33.16	0.27	66.36	154.52	154.66	299.21	
South Test Well	9/18/2010 13:30	66.49	33.09	0.20	66.38	154.54	154.64	299.23	
South Test Well	9/18/2010 17:30	66.48	33.05	0.16	66.39	154.55	154.63	299.24	
South Test Well	9/18/2010 21:30	66.44	33.01	0.12	66.37	154.59	154.65	299.22	
South Test Well	9/19/2010 1:30	66.42	32.99	0.10	66.37	154.61	154.66	299.21	
South Test Well	9/19/2010 5:30	66.38	32.95	0.06	66.35	154.64	154.67	299.20	
South Test Well	9/19/2010 9:30	66.36	32.98	0.09	66.31	154.66	154.71	299.16	
South Test Well	9/19/2010 13:30	66.38	33.02	0.13	66.31	154.64	154.71	299.16	
South Test Well	9/19/2010 17:30	66.40	33.02	0.13	66.32	154.63	154.70	299.17	
South Test Well	9/19/2010 21:30	66.39	33.04	0.15	66.31	154.63	154.71	299.16	
South Test Well	9/20/2010 1:30	66.40	33.05	0.16	66.32	154.62	154.71	299.16	
South Test Well	9/20/2010 5:30	66.42	33.07	0.18	66.32	154.61	154.70	299.17	
South Test Well	9/20/2010 9:30	66.45	33.14	0.25	66.31	154.58	154.71	299.16	
South Test Well	9/20/2010 13:30	66.47	33.19	0.30	66.31	154.55	154.71	299.16	
South Test Well	9/20/2010 17:30	66.50	33.19	0.30	66.35	154.52	154.68	299.19	
South Test Well	9/20/2010 21:30	66.50	33.20	0.31	66.33	154.53	154.69	299.18	
South Test Well	9/21/2010 1:30	66.50	33.21	0.32	66.33	154.52	154.69	299.18	
South Test Well	9/21/2010 5:30	66.51	33.23	0.34	66.33	154.51	154.69	299.18	
South Test Well	9/21/2010 9:30	66.50	33.25	0.36	66.31	154.52	154.71	299.16	
South Test Well	9/21/2010 13:30	66.49	33.18	0.29	66.33	154.53	154.69	299.18	
South Test Well	9/21/2010 17:30	66.48	33.11	0.22	66.36	154.55	154.66	299.21	
South Test Well	9/21/2010 21:30	66.47	33.14	0.25	66.33	154.56	154.69	299.18	
South Test Well	9/22/2010 1:30	66.46	33.15	0.26	66.32	154.56	154.70	299.17	
South Test Well	9/22/2010 5:30	66.47	33.18	0.29	66.31	154.56	154.71	299.16	
South Test Well	9/22/2010 9:30	66.46	33.20	0.31	66.29	154.56	154.73	299.14	
South Test Well	9/22/2010 13:30	66.45	33.14	0.25	66.31	154.58	154.71	299.16	
South Test Well	9/22/2010 17:30	66.45	33.09	0.20	66.34	154.58	154.69	299.18	
South Test Well	9/22/2010 21:30	66.45	33.14	0.25	66.31	154.58	154.71	299.16	
South Test Well	9/23/2010 1:30	66.45	33.17	0.28	66.30	154.57	154.72	299.15	
South Test Well	9/23/2010 5:30	66.48	33.22	0.33	66.31	154.54	154.71	299.16	
South Test Well	9/23/2010 9:30	66.49	33.23	0.34	66.30	154.54	154.72	299.15	
South Test Well	9/23/2010 13:30	66.51	33.28	0.39	66.30	154.52	154.72	299.15	
South Test Well	9/23/2010 17:30	66.55	33.31	0.42	66.32	154.48	154.70	299.17	
South Test Well	9/23/2010 21:30	66.57	33.36	0.47	66.32	154.45	154.70	299.17	
South Test Well	9/24/2010 1:30	66.59	33.38	0.49	66.33	154.43	154.69	299.18	
South Test Well	9/24/2010 5:30	66.64	33.44	0.55	66.35	154.38	154.67	299.20	
South Test Well	9/24/2010 9:30	66.67	33.47	0.58	66.36	154.36	154.67	299.20	
South Test Well	9/24/2010 13:30	66.69	33.50	0.61	66.37	154.33	154.66	299.21	
South Test Well	9/24/2010 17:30	66.70	33.45	0.56	66.41	154.32	154.62	299.25	
South Test Well	9/24/2010 21:30	66.69	33.43	0.54	66.41	154.33	154.62	299.25	
South Test Well	9/25/2010 1:30	66.68	33.44	0.55	66.39	154.34	154.63	299.24	
South Test Well	9/25/2010 5:30	66.69	33.44	0.55	66.40	154.34	154.63	299.24	
South Test Well	9/25/2010 9:30	66.67	33.42	0.53	66.38	154.36	154.64	299.23	
South Test Well	9/25/2010 13:30	66.63	33.32	0.43	66.40	154.40	154.62	299.25	
South Test Well	9/25/2010 17:30	66.60	33.25	0.36	66.41	154.42	154.61	299.26	
South Test Well	9/25/2010 21:30	66.58	33.25	0.36	66.39	154.44	154.63	299.24	
South Test Well	9/26/2010 1:30	66.56	33.26	0.38	66.36	154.46	154.66	299.21	
South Test Well	9/26/2010 5:30	66.55	33.22	0.33	66.37	154.48	154.65	299.22	
South Test Well	9/26/2010 9:30	66.55	33.24	0.35	66.36	154.48	154.66	299.21	
South Test Well	9/26/2010 13:30	66.56	33.28	0.39	66.35	154.47	154.68	299.19	
South Test Well	9/26/2010 17:30	66.57	33.27	0.38	66.36	154.46	154.66	299.21	
South Test Well	9/26/2010 21:30	66.58	33.30	0.41	66.36	154.45	154.66	299.21	
South Test Well	9/27/2010 1:30	66.57	33.31	0.42	66.35	154.45	154.67	299.20	
South Test Well	9/27/2010 5:30	66.59	33.33	0.44	66.36	154.43	154.66	299.21	
South Test Well	9/27/2010 9:30	66.60	33.32	0.43	66.37	154.42	154.65	299.22	
South Test Well	9/27/2010 13:30	66.60	33.32	0.43	66.37	154.43	154.65	299.22	
South Test Well	9/27/2010 17:30	66.58	33.25	0.36	66.39	154.44	154.63	299.24	
South Test Well	9/27/2010 21:30	66.60	33.30	0.41	66.38	154.43	154.64	299.23	
South Test Well	9/28/2010 1:30	66.58	33.29	0.40	66.37	154.44	154.65	299.22	
South Test Well	9/28/2010 5:30	66.59	33.30	0.41	66.37	154.44	154.65	299.22	
South Test Well	9/28/2010 9:30	66.62	33.36	0.47	66.37	154.40	154.65	299.22	
South Test Well	9/28/2010 13:30	66.63	33.37	0.48	66.37	154.39	154.65	299.22	
South Test Well	9/28/2010 17:30	66.66	33.40	0.51	66.39	154.37	154.64	299.23	
South Test Well	9/28/2010 21:30	66.67	33.42	0.53	66.39	154.35	154.63	299.24	
South Test Well	9/29/2010 1:30	66.67	33.43	0.54	66.38	154.36	154.65	299.22	
South Test Well	9/29/2010 5:30	66.67	33.46	0.57	66.37	154.35	154.66	299.21	
South Test Well	9/29/2010 9:30	66.69	33.48	0.59	66.37	154.34	154.65	299.22	
South Test Well	9/29/2010 13:30	66.67	33.41	0.52	66.39	154.36	154.63	299.24	
South Test Well	9/29/2010 17:30	66.62	33.29	0.40	66.41	154.40	154.61	299.26	
South Test Well	9/29/2010 21:30	66.60	33.29	0.40	66.39	154.42	154.64	299.24	
South Test Well	9/30/2010 1:30	66.57	33.29	0.40	66.36	154.46	154.67	299.20	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
South Test Well	9/30/2010 5:30	66.53	33.24	0.35	66.35	154.49	154.68	299.19	
South Test Well	9/30/2010 9:30	66.52	33.23	0.34	66.34	154.51	154.68	299.19	
South Test Well	9/30/2010 13:30	66.48	33.14	0.25	66.35	154.54	154.68	299.19	
South Test Well	9/30/2010 17:30	66.44	33.05	0.16	66.35	154.59	154.67	299.20	
South Test Well	9/30/2010 21:30	66.42	33.08	0.19	66.32	154.60	154.70	299.17	
South Test Well	10/1/2010 1:30	66.41	33.13	0.24	66.29	154.61	154.74	299.13	
South Test Well	10/1/2010 5:30	66.43	33.22	0.33	66.25	154.59	154.77	299.10	
South Test Well	10/1/2010 9:30	66.49	33.34	0.45	66.24	154.54	154.78	299.09	
South Test Well	10/1/2010 13:30	66.55	33.39	0.50	66.28	154.48	154.74	299.13	
South Test Well	10/1/2010 17:30	66.58	33.38	0.49	66.32	154.45	154.71	299.16	
South Test Well	10/1/2010 21:30	66.60	33.41	0.52	66.33	154.42	154.70	299.17	
South Test Well	10/2/2010 1:30	66.62	33.42	0.53	66.34	154.40	154.68	299.19	
South Test Well	10/2/2010 5:30	66.62	33.42	0.53	66.34	154.41	154.69	299.18	
South Test Well	10/2/2010 9:30	66.62	33.43	0.54	66.34	154.40	154.68	299.19	
South Test Well	10/2/2010 13:30	66.61	33.35	0.46	66.37	154.41	154.66	299.21	
South Test Well	10/2/2010 17:30	66.57	33.26	0.37	66.37	154.46	154.65	299.22	
South Test Well	10/2/2010 21:30	66.53	33.24	0.35	66.35	154.49	154.67	299.20	
South Test Well	10/3/2010 1:30	66.53	33.25	0.36	66.34	154.50	154.69	299.18	
South Test Well	10/3/2010 5:30	66.51	33.25	0.36	66.32	154.52	154.71	299.16	
South Test Well	10/3/2010 9:30	66.50	33.28	0.39	66.29	154.52	154.73	299.14	
South Test Well	10/3/2010 13:30	66.52	33.29	0.40	66.31	154.51	154.72	299.15	
South Test Well	10/3/2010 17:30	66.52	33.27	0.38	66.32	154.50	154.70	299.17	
South Test Well	10/3/2010 21:30	66.52	33.31	0.42	66.30	154.50	154.73	299.14	
South Test Well	10/4/2010 1:30	66.54	33.37	0.48	66.29	154.48	154.74	299.13	
South Test Well	10/4/2010 5:30	66.56	33.43	0.54	66.28	154.46	154.75	299.12	
South Test Well	10/4/2010 9:30	66.58	33.49	0.60	66.26	154.44	154.76	299.11	
South Test Well	10/4/2010 13:30	66.62	33.49	0.60	66.30	154.41	154.72	299.15	
South Test Well	10/4/2010 17:30	66.65	33.50	0.61	66.33	154.37	154.69	299.18	
South Test Well	10/4/2010 21:30	66.68	33.58	0.69	66.31	154.34	154.71	299.16	
South Test Well	10/5/2010 1:30	66.74	33.67	0.78	66.32	154.29	154.70	299.17	
South Test Well	10/5/2010 5:30	66.80	33.78	0.89	66.32	154.23	154.70	299.17	
South Test Well	10/5/2010 9:30	66.84	33.86	0.97	66.32	154.19	154.70	299.17	
South Test Well	10/5/2010 13:30	66.86	33.79	0.90	66.38	154.16	154.64	299.23	
South Test Well	10/5/2010 17:30	66.86	33.69	0.80	66.43	154.17	154.59	299.28	
South Test Well	10/5/2010 21:30	66.83	33.68	0.79	66.41	154.20	154.61	299.26	
South Test Well	10/6/2010 1:30	66.79	33.64	0.75	66.40	154.23	154.63	299.24	
South Test Well	10/6/2010 5:30	66.77	33.60	0.71	66.39	154.26	154.64	299.23	
South Test Well	10/6/2010 9:30	66.70	33.52	0.63	66.36	154.33	154.66	299.21	
South Test Well	10/6/2010 10:00:00	66.69	33.50	0.61	66.36	154.33	154.66	299.21	
South Test Well	10/6/2010 10:15:00	66.69	33.49	0.60	66.37	154.34	154.66	299.21	
South Test Well	10/6/2010 10:30:00	66.68	33.48	0.59	66.37	154.34	154.65	299.22	
South Test Well	10/6/2010 10:45:00	66.68	33.47	0.58	66.37	154.35	154.65	299.22	
South Test Well	10/6/2010 11:00:00	66.68	33.46	0.57	66.37	154.35	154.65	299.22	
South Test Well	10/6/2010 11:15:00	66.67	33.45	0.56	66.37	154.35	154.65	299.22	
South Test Well	10/6/2010 11:30:00	66.67	33.44	0.55	66.37	154.36	154.65	299.22	
South Test Well	10/6/2010 11:45:00	66.66	33.43	0.54	66.38	154.36	154.65	299.22	
South Test Well	10/6/2010 12:00:00	66.66	33.42	0.53	66.38	154.37	154.65	299.22	
South Test Well	10/6/2010 12:15:00	66.65	33.40	0.52	66.38	154.37	154.65	299.22	
South Test Well	10/6/2010 12:30:00	66.65	33.39	0.50	66.38	154.38	154.64	299.23	
South Test Well	10/6/2010 12:45:00	66.64	33.38	0.49	66.38	154.38	154.64	299.23	
South Test Well	10/6/2010 13:00:00	66.64	33.37	0.48	66.38	154.38	154.64	299.23	
South Test Well	10/6/2010 13:15:00	66.64	33.36	0.47	66.38	154.39	154.64	299.23	
South Test Well	10/6/2010 13:30:00	66.63	33.35	0.46	66.39	154.39	154.63	299.24	
South Test Well	10/6/2010 13:45:00	66.62	33.34	0.45	66.38	154.40	154.64	299.23	
South Test Well	10/6/2010 14:00:00	66.62	33.33	0.44	66.38	154.41	154.64	299.23	
South Test Well	10/6/2010 14:15:00	66.61	33.32	0.43	66.38	154.41	154.64	299.23	
South Test Well	10/6/2010 14:30:00	66.61	33.31	0.42	66.39	154.42	154.64	299.23	
South Test Well	10/6/2010 14:45:00	66.60	33.30	0.41	66.39	154.42	154.64	299.23	
South Test Well	10/6/2010 15:00:00	66.60	33.29	0.40	66.38	154.43	154.64	299.23	
South Test Well	10/6/2010 15:15:00	66.60	33.28	0.39	66.39	154.43	154.63	299.24	
South Test Well	10/6/2010 15:30:00	66.59	33.27	0.38	66.39	154.43	154.63	299.24	
South Test Well	10/6/2010 15:45:00	66.59	33.25	0.37	66.39	154.44	154.63	299.24	
South Test Well	10/6/2010 16:00:00	66.58	33.24	0.35	66.39	154.44	154.63	299.24	
South Test Well	10/6/2010 16:15:00	66.58	33.23	0.34	66.40	154.44	154.63	299.24	
South Test Well	10/6/2010 16:30:00	66.57	33.22	0.33	66.40	154.45	154.63	299.24	
South Test Well	10/6/2010 16:45:00	66.57	33.21	0.32	66.40	154.45	154.63	299.24	
South Test Well	10/6/2010 17:00:00	66.56	33.20	0.31	66.40	154.46	154.63	299.24	
South Test Well	10/6/2010 17:15:00	66.56	33.19	0.30	66.40	154.46	154.62	299.25	
South Test Well	10/6/2010 17:30:00	66.55	33.18	0.29	66.40	154.47	154.62	299.25	
South Test Well	10/6/2010 17:45:00	66.55	33.18	0.29	66.40	154.47	154.63	299.24	
South Test Well	10/6/2010 18:00:00	66.55	33.18	0.29	66.39	154.48	154.63	299.24	
South Test Well	10/6/2010 18:15:00	66.54	33.18	0.29	66.38	154.48	154.64	299.23	
South Test Well	10/6/2010 18:30:00	66.54	33.19	0.30	66.38	154.49	154.64	299.23	
South Test Well	10/6/2010 18:45:00	66.53	33.19	0.30	66.37	154.49	154.65	299.22	
South Test Well	10/6/2010 19:00:00	66.53	33.19	0.30	66.37	154.50	154.66	299.21	
South Test Well	10/6/2010 19:15:00	66.53	33.19	0.30	66.37	154.50	154.66	299.21	
South Test Well	10/6/2010 19:30:00	66.52	33.19	0.30	66.36	154.50	154.66	299.21	
South Test Well	10/6/2010 19:45:00	66.52	33.19	0.30	66.36	154.51	154.67	299.20	
South Test Well	10/6/2010 20:00:00	66.51	33.19	0.30	66.35	154.51	154.67	299.20	
South Test Well	10/6/2010 20:15:00	66.51	33.19	0.31	66.34	154.52	154.68	299.19	
South Test Well	10/6/2010 20:30:00	66.50	33.20	0.31	66.34	154.52	154.69	299.18	
South Test Well	10/6/2010 20:45:00	66.50	33.20	0.31	66.33	154.53	154.69	299.18	
South Test Well	10/6/2010 21:00:00	66.49	33.20	0.31	66.33	154.53	154.69	299.18	
South Test Well	10/6/2010 21:15:00	66.49	33.20	0.31	66.32	154.53	154.70	299.17	
South Test Well	10/6/2010 21:30:00	66.49	33.20	0.31	66.32	154.53	154.70	299.17	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
South Test Well	10/6/2010 21:45:00	66.49	33.20	0.31	66.32	154.54	154.70	299.17	
South Test Well	10/6/2010 22:00:00	66.48	33.20	0.31	66.31	154.54	154.71	299.16	
South Test Well	10/6/2010 22:15:00	66.48	33.20	0.32	66.31	154.55	154.72	299.15	
South Test Well	10/6/2010 22:30:00	66.48	33.21	0.32	66.31	154.55	154.72	299.15	
South Test Well	10/6/2010 22:45:00	66.47	33.21	0.32	66.30	154.55	154.72	299.15	
South Test Well	10/6/2010 23:00:00	66.47	33.21	0.32	66.30	154.56	154.72	299.15	
South Test Well	10/6/2010 23:15:00	66.47	33.21	0.32	66.30	154.56	154.73	299.14	
South Test Well	10/6/2010 23:30:00	66.46	33.21	0.32	66.29	154.56	154.73	299.14	
South Test Well	10/6/2010 23:45:00	66.46	33.21	0.32	66.29	154.56	154.73	299.14	
South Test Well	10/7/2010 0:00:00	66.46	33.21	0.32	66.29	154.56	154.73	299.14	
South Test Well	10/7/2010 0:15:00	66.46	33.21	0.32	66.29	154.56	154.73	299.14	
South Test Well	10/7/2010 0:30:00	66.46	33.21	0.33	66.29	154.56	154.74	299.13	
South Test Well	10/7/2010 0:45:00	66.46	33.22	0.33	66.29	154.56	154.74	299.13	
South Test Well	10/7/2010 1:00:00	66.46	33.22	0.33	66.29	154.56	154.74	299.13	
South Test Well	10/7/2010 1:15:00	66.46	33.22	0.33	66.28	154.56	154.74	299.13	
South Test Well	10/7/2010 1:30:00	66.46	33.22	0.33	66.29	154.56	154.73	299.14	
South Test Well	10/7/2010 1:45:00	66.46	33.22	0.33	66.28	154.56	154.74	299.13	
South Test Well	10/7/2010 2:00:00	66.46	33.22	0.33	66.28	154.56	154.74	299.13	
South Test Well	10/7/2010 2:15:00	66.46	33.23	0.34	66.28	154.56	154.74	299.13	
South Test Well	10/7/2010 2:30:00	66.46	33.23	0.34	66.28	154.56	154.74	299.13	
South Test Well	10/7/2010 2:45:00	66.46	33.23	0.34	66.28	154.56	154.74	299.13	
South Test Well	10/7/2010 3:00:00	66.46	33.23	0.34	66.28	154.56	154.74	299.13	
South Test Well	10/7/2010 3:15:00	66.46	33.23	0.35	66.28	154.56	154.75	299.12	
South Test Well	10/7/2010 3:30:00	66.46	33.24	0.35	66.28	154.56	154.75	299.12	
South Test Well	10/7/2010 3:45:00	66.46	33.24	0.35	66.28	154.56	154.75	299.12	
South Test Well	10/7/2010 4:00:00	66.46	33.24	0.35	66.27	154.56	154.75	299.12	
South Test Well	10/7/2010 4:15:00	66.46	33.24	0.35	66.27	154.56	154.75	299.12	
South Test Well	10/7/2010 4:30:00	66.46	33.25	0.36	66.27	154.56	154.75	299.12	
South Test Well	10/7/2010 4:45:00	66.47	33.25	0.36	66.28	154.56	154.75	299.12	
South Test Well	10/7/2010 5:00:00	66.47	33.25	0.36	66.27	154.56	154.75	299.12	
South Test Well	10/7/2010 5:15:00	66.46	33.25	0.36	66.27	154.56	154.75	299.12	
South Test Well	10/7/2010 5:30:00	66.47	33.26	0.37	66.27	154.56	154.75	299.12	
South Test Well	10/7/2010 5:45:00	66.47	33.26	0.37	66.27	154.56	154.75	299.12	
South Test Well	10/7/2010 6:00:00	66.47	33.26	0.37	66.27	154.56	154.75	299.12	
South Test Well	10/7/2010 6:15:00	66.47	33.26	0.37	66.27	154.56	154.75	299.12	
South Test Well	10/7/2010 6:30:00	66.47	33.26	0.37	66.27	154.56	154.76	299.11	
South Test Well	10/7/2010 6:45:00	66.47	33.27	0.38	66.27	154.56	154.76	299.11	
South Test Well	10/7/2010 7:00:00	66.47	33.27	0.38	66.27	154.56	154.76	299.11	
South Test Well	10/7/2010 7:15:00	66.47	33.27	0.38	66.27	154.56	154.76	299.11	
South Test Well	10/7/2010 7:30:00	66.47	33.27	0.38	66.27	154.56	154.76	299.11	
South Test Well	10/7/2010 7:45:00	66.47	33.27	0.38	66.26	154.56	154.76	299.11	
South Test Well	10/7/2010 8:00:00	66.47	33.28	0.39	66.26	154.56	154.76	299.11	
South Test Well	10/7/2010 8:15:00	66.46	33.28	0.39	66.26	154.56	154.77	299.10	
South Test Well	10/7/2010 8:30:00	66.46	33.28	0.39	66.26	154.56	154.77	299.10	
South Test Well	10/7/2010 8:45:00	66.47	33.28	0.39	66.26	154.56	154.77	299.10	
South Test Well	10/7/2010 9:00:00	66.47	33.28	0.39	66.26	154.56	154.77	299.10	
South Test Well	10/7/2010 9:15:00	66.47	33.29	0.40	66.26	154.56	154.77	299.10	
South Test Well	10/7/2010 9:30:00	66.47	33.29	0.40	66.26	154.55	154.76	299.11	
South Test Well	10/7/2010 9:45:00	66.47	33.29	0.40	66.26	154.55	154.76	299.11	
South Test Well	10/7/2010 10:00:00	66.47	33.29	0.40	66.26	154.55	154.76	299.11	
South Test Well	10/7/2010 10:15:00	66.47	33.29	0.40	66.26	154.55	154.77	299.10	
South Test Well	10/7/2010 10:30:00	66.45	33.29	0.40	66.24	154.57	154.79	299.08	
South Test Well	10/7/2010 10:45:00	66.45	33.29	0.41	66.24	154.57	154.79	299.08	
South Test Well	10/7/2010 11:00:00	66.45	33.30	0.41	66.24	154.57	154.79	299.08	
South Test Well	10/7/2010 11:15:00	66.45	33.30	0.41	66.24	154.57	154.79	299.08	
South Test Well	10/7/2010 11:30:00	66.45	33.30	0.41	66.23	154.57	154.79	299.08	
South Test Well	10/7/2010 11:45:00	66.45	33.30	0.41	66.24	154.57	154.79	299.08	
South Test Well	10/7/2010 12:00:00	66.46	33.30	0.41	66.24	154.56	154.78	299.09	
South Test Well	10/7/2010 12:15:00		33.30	0.41					
South Test Well	10/7/2010 12:30:00	66.44	33.30	0.42	66.22	154.59	154.81	299.06	
South Test Well	10/7/2010 12:45:00	66.44	33.31	0.42	66.22	154.59	154.81	299.06	
South Test Well	10/7/2010 13:00:00	66.44	33.31	0.42	66.22	154.59	154.81	299.06	
South Test Well	10/7/2010 13:15:00	66.44	33.31	0.42	66.22	154.58	154.81	299.06	
South Test Well	10/7/2010 13:30:00	66.44	33.31	0.42	66.22	154.58	154.80	299.07	
South Test Well	10/7/2010 13:45:00	66.45	33.32	0.43	66.22	154.58	154.80	299.07	
South Test Well	10/7/2010 14:00:00	66.45	33.32	0.43	66.22	154.58	154.80	299.07	
South Test Well	10/7/2010 14:15:00	66.45	33.33	0.44	66.22	154.57	154.80	299.07	
South Test Well	10/7/2010 14:30:00	66.45	33.33	0.44	66.22	154.57	154.81	299.06	
South Test Well	10/7/2010 14:45:00	66.45	33.33	0.45	66.22	154.57	154.81	299.06	
South Test Well	10/7/2010 15:00:00	66.46	33.34	0.45	66.22	154.56	154.80	299.07	
South Test Well	10/7/2010 15:15:00	66.46	33.34	0.45	66.22	154.56	154.80	299.07	
South Test Well	10/7/2010 15:30:00	66.46	33.34	0.45	66.23	154.56	154.80	299.07	
South Test Well	10/7/2010 15:45:00	66.47	33.35	0.46	66.22	154.56	154.80	299.07	
South Test Well	10/7/2010 16:00:00	66.47	33.35	0.46	66.22	154.56	154.80	299.07	
South Test Well	10/7/2010 16:15:00	66.47	33.35	0.46	66.23	154.55	154.80	299.07	
South Test Well	10/7/2010 16:30:00	66.47	33.35	0.46	66.23	154.55	154.79	299.08	
South Test Well	10/7/2010 16:45:00	66.47	33.35	0.46	66.23	154.55	154.79	299.08	
South Test Well	10/7/2010 17:00:00	66.48	33.35	0.46	66.23	154.55	154.79	299.08	
South Test Well	10/7/2010 17:15:00	66.48	33.36	0.47	66.23	154.55	154.79	299.08	
South Test Well	10/7/2010 17:30:00	66.48	33.35	0.46	66.23	154.55	154.79	299.08	
South Test Well	10/7/2010 17:45:00	66.48	33.35	0.46	66.23	154.54	154.79	299.08	
South Test Well	10/7/2010 18:00:00	66.48	33.36	0.47	66.23	154.54	154.79	299.08	
South Test Well	10/7/2010 18:15:00	66.49	33.36	0.47	66.24	154.54	154.79	299.08	
South Test Well	10/7/2010 18:30:00	66.49	33.36	0.47	66.23	154.54	154.79	299.08	
South Test Well	10/7/2010 18:45:00	66.49	33.37	0.48	66.23	154.54	154.79	299.08	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
South Test Well	10/7/2010 19:00:00	66.49	33.37	0.48	66.23	154.53	154.79	299.08	
South Test Well	10/7/2010 19:15:00	66.49	33.38	0.49	66.23	154.54	154.79	299.08	
South Test Well	10/7/2010 19:30:00	66.49	33.38	0.49	66.23	154.53	154.79	299.08	
South Test Well	10/7/2010 19:45:00	66.49	33.38	0.49	66.23	154.53	154.79	299.08	
South Test Well	10/7/2010 20:00:00	66.49	33.39	0.50	66.23	154.53	154.79	299.08	
South Test Well	10/7/2010 20:15:00	66.49	33.39	0.50	66.23	154.53	154.80	299.07	
South Test Well	10/7/2010 20:30:00	66.49	33.39	0.50	66.23	154.53	154.80	299.07	
South Test Well	10/7/2010 20:45:00	66.49	33.39	0.50	66.22	154.53	154.80	299.07	
South Test Well	10/7/2010 21:00:00	66.49	33.39	0.50	66.22	154.53	154.80	299.07	
South Test Well	10/7/2010 21:15:00	66.49	33.40	0.51	66.22	154.53	154.80	299.07	
South Test Well	10/7/2010 21:30:00	66.49	33.40	0.51	66.22	154.53	154.80	299.07	
South Test Well	10/7/2010 21:45:00	66.49	33.40	0.51	66.22	154.53	154.80	299.07	
South Test Well	10/7/2010 22:00:00	66.49	33.41	0.52	66.22	154.53	154.80	299.07	
South Test Well	10/7/2010 22:15:00	66.49	33.41	0.52	66.22	154.53	154.80	299.07	
South Test Well	10/7/2010 22:30:00	66.49	33.40	0.51	66.22	154.53	154.80	299.07	
South Test Well	10/7/2010 22:45:00	66.49	33.41	0.52	66.22	154.53	154.80	299.07	
South Test Well	10/7/2010 23:00:00	66.49	33.40	0.51	66.22	154.53	154.80	299.07	
South Test Well	10/7/2010 23:15:00	66.49	33.40	0.52	66.22	154.53	154.80	299.07	
South Test Well	10/7/2010 23:30:00	66.49	33.40	0.51	66.22	154.53	154.80	299.07	
South Test Well	10/7/2010 23:45:00	66.49	33.40	0.51	66.22	154.53	154.80	299.07	
South Test Well	10/8/2010 0:00:00	66.49	33.40	0.51	66.22	154.53	154.80	299.07	
South Test Well	10/8/2010 0:15:00	66.50	33.40	0.51	66.22	154.53	154.80	299.07	
South Test Well	10/8/2010 0:30:00	66.50	33.40	0.52	66.23	154.52	154.80	299.07	
South Test Well	10/8/2010 0:45:00	66.50	33.40	0.52	66.23	154.52	154.80	299.07	
South Test Well	10/8/2010 1:00:00	66.50	33.40	0.51	66.23	154.52	154.79	299.08	
South Test Well	10/8/2010 1:15:00	66.50	33.40	0.51	66.23	154.52	154.79	299.08	
South Test Well	10/8/2010 1:30:00	66.50	33.40	0.51	66.23	154.52	154.79	299.08	
South Test Well	10/8/2010 1:45:00	66.51	33.40	0.51	66.24	154.52	154.79	299.08	
South Test Well	10/8/2010 2:00:00	66.51	33.41	0.52	66.24	154.51	154.79	299.08	
South Test Well	10/8/2010 2:15:00	66.51	33.40	0.51	66.24	154.51	154.78	299.09	
South Test Well	10/8/2010 2:30:00	66.52	33.41	0.52	66.24	154.51	154.78	299.09	
South Test Well	10/8/2010 2:45:00	66.52	33.41	0.52	66.24	154.50	154.78	299.09	
South Test Well	10/8/2010 3:00:00	66.52	33.41	0.52	66.24	154.50	154.78	299.09	
South Test Well	10/8/2010 3:15:00	66.52	33.41	0.52	66.25	154.50	154.78	299.09	
South Test Well	10/8/2010 3:30:00	66.53	33.41	0.52	66.25	154.50	154.77	299.10	
South Test Well	10/8/2010 3:45:00	66.53	33.41	0.52	66.25	154.50	154.77	299.10	
South Test Well	10/8/2010 4:00:00	66.53	33.41	0.52	66.25	154.50	154.77	299.10	
South Test Well	10/8/2010 4:15:00	66.53	33.40	0.52	66.25	154.50	154.77	299.10	
South Test Well	10/8/2010 4:30:00	66.53	33.40	0.51	66.26	154.49	154.77	299.10	
South Test Well	10/8/2010 4:45:00	66.53	33.40	0.52	66.26	154.49	154.76	299.11	
South Test Well	10/8/2010 5:00:00	66.54	33.41	0.52	66.26	154.49	154.76	299.11	
South Test Well	10/8/2010 5:15:00	66.54	33.41	0.52	66.26	154.49	154.76	299.11	
South Test Well	10/8/2010 5:30:00	66.54	33.41	0.52	66.26	154.49	154.76	299.11	
South Test Well	10/8/2010 5:45:00	66.54	33.41	0.52	66.26	154.48	154.76	299.11	
South Test Well	10/8/2010 6:00:00	66.54	33.41	0.52	66.27	154.48	154.76	299.11	
South Test Well	10/8/2010 6:15:00	66.54	33.41	0.52	66.27	154.48	154.76	299.11	
South Test Well	10/8/2010 6:30:00	66.54	33.40	0.51	66.27	154.48	154.75	299.12	
South Test Well	10/8/2010 6:45:00	66.54	33.40	0.51	66.27	154.48	154.76	299.11	
South Test Well	10/8/2010 7:00:00	66.54	33.40	0.51	66.27	154.48	154.75	299.12	
South Test Well	10/8/2010 7:15:00	66.54	33.41	0.52	66.27	154.48	154.75	299.12	
South Test Well	10/8/2010 7:30:00	66.54	33.41	0.52	66.27	154.48	154.75	299.12	
South Test Well	10/8/2010 7:45:00	66.54	33.41	0.52	66.27	154.48	154.76	299.11	
South Test Well	10/8/2010 8:00:00	66.55	33.41	0.52	66.27	154.48	154.75	299.12	
South Test Well	10/8/2010 8:15:00	66.55	33.41	0.52	66.27	154.48	154.76	299.11	
South Test Well	10/8/2010 8:30:00	66.55	33.42	0.53	66.27	154.48	154.76	299.11	
South Test Well	10/8/2010 8:45:00	66.55	33.42	0.53	66.26	154.48	154.76	299.11	
South Test Well	10/8/2010 9:00:00	66.55	33.43	0.54	66.26	154.48	154.76	299.11	
South Test Well	10/8/2010 9:15:00	66.54	33.43	0.54	66.26	154.48	154.76	299.11	
South Test Well	10/8/2010 9:30:00	66.55	33.43	0.54	66.26	154.48	154.76	299.11	
South Test Well	10/8/2010 9:45:00	66.55	33.43	0.54	66.26	154.48	154.76	299.11	
South Test Well	10/8/2010 10:00:00	66.54	33.43	0.54	66.26	154.48	154.77	299.10	
South Test Well	10/8/2010 10:15:00	66.54	33.43	0.54	66.26	154.48	154.77	299.10	
South Test Well	10/8/2010 10:30:00	66.55	33.43	0.54	66.26	154.48	154.77	299.10	
South Test Well	10/8/2010 10:45:00	66.55	33.44	0.55	66.26	154.48	154.77	299.10	
South Test Well	10/8/2010 11:00:00	66.54	33.44	0.55	66.25	154.48	154.77	299.10	
South Test Well	10/8/2010 11:15:00	66.54	33.44	0.55	66.25	154.48	154.77	299.10	
South Test Well	10/8/2010 11:30:00	66.54	33.43	0.54	66.25	154.49	154.77	299.10	
South Test Well	10/8/2010 11:45:00	66.54	33.43	0.54	66.25	154.48	154.77	299.10	
South Test Well	10/8/2010 12:00:00	66.54	33.43	0.54	66.25	154.48	154.77	299.10	
South Test Well	10/8/2010 12:15:00	66.53	33.42	0.53	66.25	154.49	154.77	299.10	
South Test Well	10/8/2010 12:30:00	66.53	33.41	0.52	66.26	154.49	154.77	299.10	
South Test Well	10/8/2010 12:45:00	66.54	33.41	0.52	66.26	154.49	154.76	299.11	
South Test Well	10/8/2010 13:00:00	66.54	33.41	0.52	66.26	154.49	154.76	299.11	
South Test Well	10/8/2010 13:15:00	66.53	33.40	0.51	66.26	154.49	154.76	299.11	
South Test Well	10/8/2010 13:30:00	66.53	33.40	0.51	66.26	154.49	154.76	299.11	
South Test Well	10/8/2010 13:45:00	66.53	33.39	0.50	66.26	154.50	154.76	299.11	
South Test Well	10/8/2010 14:00:00	66.53	33.38	0.49	66.27	154.50	154.76	299.11	
South Test Well	10/8/2010 14:15:00	66.53	33.37	0.48	66.27	154.50	154.75	299.12	
South Test Well	10/8/2010 14:30:00	66.53	33.37	0.48	66.27	154.50	154.75	299.12	
South Test Well	10/8/2010 14:45:00	66.52	33.36	0.47	66.27	154.50	154.75	299.12	
South Test Well	10/8/2010 15:00:00	66.52	33.36	0.47	66.27	154.50	154.75	299.12	
South Test Well	10/8/2010 15:15:00	66.53	33.36	0.47	66.28	154.50	154.75	299.12	
South Test Well	10/8/2010 15:30:00	66.53	33.36	0.47	66.28	154.49	154.74	299.13	
South Test Well	10/8/2010 15:45:00	66.53	33.36	0.47	66.28	154.50	154.75	299.12	
South Test Well	10/8/2010 16:00:00	66.53	33.36	0.47	66.28	154.50	154.75	299.12	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
South Test Well	10/8/2010 16:15:00	66.52	33.35	0.46	66.28	154.50	154.75	299.12	
South Test Well	10/8/2010 16:30:00	66.53	33.35	0.46	66.28	154.50	154.74	299.13	
South Test Well	10/8/2010 16:45:00	66.52	33.35	0.46	66.28	154.50	154.74	299.13	
South Test Well	10/8/2010 17:00:00	66.53	33.35	0.46	66.28	154.50	154.74	299.13	
South Test Well	10/8/2010 17:15:00	66.52	33.34	0.45	66.28	154.50	154.74	299.13	
South Test Well	10/8/2010 17:30:00	66.52	33.34	0.45	66.28	154.51	154.75	299.12	
South Test Well	10/8/2010 17:45:00	66.52	33.33	0.44	66.28	154.51	154.74	299.13	
South Test Well	10/8/2010 18:00:00	66.52	33.34	0.45	66.28	154.50	154.74	299.13	
South Test Well	10/8/2010 18:15:00	66.52	33.34	0.45	66.28	154.51	154.74	299.13	
South Test Well	10/8/2010 18:30:00	66.52	33.34	0.45	66.28	154.50	154.74	299.13	
South Test Well	10/8/2010 18:45:00	66.52	33.34	0.45	66.28	154.51	154.75	299.12	
South Test Well	10/8/2010 19:00:00	66.51	33.33	0.45	66.28	154.51	154.75	299.12	
South Test Well	10/8/2010 19:15:00	66.51	33.33	0.45	66.28	154.51	154.75	299.12	
South Test Well	10/8/2010 19:30:00	66.51	33.33	0.44	66.27	154.52	154.75	299.12	
South Test Well	10/8/2010 19:45:00	66.50	33.33	0.44	66.27	154.52	154.75	299.12	
South Test Well	10/8/2010 20:00:00	66.50	33.33	0.44	66.27	154.52	154.75	299.12	
South Test Well	10/8/2010 20:15:00	66.50	33.32	0.43	66.27	154.53	154.76	299.11	
South Test Well	10/8/2010 20:30:00	66.49	33.32	0.43	66.27	154.53	154.76	299.11	
South Test Well	10/8/2010 20:45:00	66.49	33.31	0.42	66.27	154.53	154.76	299.11	
South Test Well	10/8/2010 21:00:00	66.49	33.31	0.42	66.26	154.53	154.76	299.11	
South Test Well	10/8/2010 21:15:00	66.49	33.31	0.42	66.26	154.54	154.76	299.11	
South Test Well	10/8/2010 21:30:00	66.48	33.30	0.41	66.26	154.54	154.76	299.11	
South Test Well	10/8/2010 21:45:00	66.49	33.32	0.43	66.26	154.54	154.76	299.11	
South Test Well	10/8/2010 22:00:00	66.48	33.32	0.43	66.26	154.54	154.77	299.10	
South Test Well	10/8/2010 22:15:00	66.48	33.32	0.43	66.26	154.54	154.77	299.10	
South Test Well	10/8/2010 22:30:00	66.49	33.33	0.44	66.25	154.54	154.77	299.10	
South Test Well	10/8/2010 22:45:00	66.49	33.33	0.44	66.25	154.54	154.77	299.10	
South Test Well	10/8/2010 23:00:00	66.48	33.33	0.44	66.25	154.54	154.78	299.09	
South Test Well	10/8/2010 23:15:00	66.48	33.33	0.44	66.24	154.55	154.78	299.09	
South Test Well	10/8/2010 23:30:00	66.48	33.33	0.44	66.24	154.55	154.78	299.09	
South Test Well	10/8/2010 23:45:00	66.48	33.33	0.44	66.25	154.54	154.78	299.09	
South Test Well	10/9/2010 0:00:00	66.48	33.33	0.45	66.24	154.55	154.78	299.09	
South Test Well	10/9/2010 0:15:00	66.48	33.34	0.45	66.24	154.54	154.78	299.09	
South Test Well	10/9/2010 0:30:00	66.48	33.34	0.45	66.24	154.54	154.78	299.09	
South Test Well	10/9/2010 0:45:00	66.48	33.34	0.45	66.24	154.54	154.78	299.09	
South Test Well	10/9/2010 1:00:00	66.48	33.35	0.46	66.24	154.54	154.78	299.09	
South Test Well	10/9/2010 1:15:00	66.48	33.34	0.45	66.24	154.54	154.78	299.09	
South Test Well	10/9/2010 1:30:00	66.49	33.35	0.46	66.24	154.54	154.78	299.09	
South Test Well	10/9/2010 1:45:00	66.49	33.35	0.46	66.24	154.54	154.78	299.09	
South Test Well	10/9/2010 2:00:00	66.49	33.36	0.47	66.24	154.53	154.78	299.09	
South Test Well	10/9/2010 2:15:00	66.49	33.36	0.47	66.24	154.53	154.78	299.09	
South Test Well	10/9/2010 2:30:00	66.49	33.37	0.48	66.24	154.53	154.79	299.08	
South Test Well	10/9/2010 2:45:00	66.49	33.37	0.48	66.24	154.53	154.78	299.09	
South Test Well	10/9/2010 3:00:00	66.49	33.37	0.48	66.24	154.53	154.78	299.09	
South Test Well	10/9/2010 3:15:00	66.49	33.36	0.47	66.24	154.53	154.78	299.09	
South Test Well	10/9/2010 3:30:00	66.50	33.37	0.48	66.24	154.52	154.78	299.09	
South Test Well	10/9/2010 3:45:00	66.50	33.38	0.49	66.24	154.52	154.78	299.09	
South Test Well	10/9/2010 4:00:00	66.51	33.38	0.49	66.24	154.52	154.78	299.09	
South Test Well	10/9/2010 4:15:00	66.51	33.39	0.50	66.24	154.52	154.78	299.09	
South Test Well	10/9/2010 4:30:00	66.51	33.39	0.50	66.25	154.51	154.77	299.10	
South Test Well	10/9/2010 4:45:00	66.51	33.38	0.49	66.25	154.51	154.77	299.10	
South Test Well	10/9/2010 5:00:00	66.51	33.39	0.50	66.25	154.51	154.78	299.09	
South Test Well	10/9/2010 5:15:00	66.52	33.39	0.50	66.25	154.51	154.77	299.10	
South Test Well	10/9/2010 5:30:00	66.52	33.39	0.50	66.25	154.51	154.77	299.10	
South Test Well	10/9/2010 5:45:00	66.52	33.39	0.50	66.25	154.50	154.77	299.10	
South Test Well	10/9/2010 6:00:00	66.53	33.40	0.51	66.25	154.50	154.77	299.10	
South Test Well	10/9/2010 6:15:00	66.53	33.40	0.51	66.25	154.50	154.77	299.10	
South Test Well	10/9/2010 6:30:00	66.52	33.39	0.50	66.26	154.50	154.77	299.10	
South Test Well	10/9/2010 6:45:00	66.52	33.39	0.50	66.26	154.50	154.77	299.10	
South Test Well	10/9/2010 7:00:00	66.53	33.39	0.50	66.26	154.50	154.76	299.11	
South Test Well	10/9/2010 7:15:00	66.53	33.39	0.50	66.26	154.50	154.77	299.10	
South Test Well	10/9/2010 7:30:00	66.53	33.39	0.50	66.26	154.50	154.76	299.11	
South Test Well	10/9/2010 7:45:00	66.53	33.39	0.50	66.26	154.50	154.76	299.11	
South Test Well	10/9/2010 8:00:00	66.53	33.40	0.51	66.26	154.50	154.77	299.10	
South Test Well	10/9/2010 8:15:00	66.53	33.40	0.51	66.26	154.50	154.76	299.11	
South Test Well	10/9/2010 8:30:00	66.53	33.40	0.51	66.26	154.49	154.76	299.11	
South Test Well	10/9/2010 8:45:00	66.53	33.41	0.52	66.26	154.49	154.77	299.10	
South Test Well	10/9/2010 9:00:00	66.54	33.41	0.52	66.26	154.49	154.76	299.11	
South Test Well	10/9/2010 9:15:00	66.54	33.42	0.53	66.26	154.48	154.77	299.10	
South Test Well	10/9/2010 9:30:00	66.54	33.43	0.54	66.25	154.48	154.77	299.10	
South Test Well	10/9/2010 9:45:00	66.54	33.43	0.54	66.25	154.48	154.77	299.10	
South Test Well	10/9/2010 10:00:00		33.43	0.54					
South Test Well	10/9/2010 10:15:00	66.56	33.43	0.54	66.27	154.47	154.75	299.12	
South Test Well	10/9/2010 10:30:00	66.56	33.43	0.54	66.27	154.47	154.75	299.12	
South Test Well	10/9/2010 10:45:00	66.55	33.43	0.54	66.27	154.47	154.76	299.11	
South Test Well	10/9/2010 11:00:00	66.55	33.43	0.54	66.27	154.47	154.76	299.11	
South Test Well	10/9/2010 11:15:00	66.55	33.42	0.53	66.26	154.48	154.76	299.11	
South Test Well	10/9/2010 11:30:00	66.55	33.42	0.53	66.27	154.47	154.75	299.12	
South Test Well	10/9/2010 11:45:00	66.55	33.42	0.53	66.27	154.48	154.76	299.11	
South Test Well	10/9/2010 12:00:00	66.55	33.42	0.53	66.27	154.47	154.75	299.12	
South Test Well	10/9/2010 12:15:00	66.55	33.42	0.53	66.26	154.48	154.76	299.11	
South Test Well	10/9/2010 12:30:00	66.54	33.41	0.52	66.27	154.48	154.76	299.11	
South Test Well	10/9/2010 12:45:00	66.54	33.41	0.52	66.27	154.48	154.75	299.12	
South Test Well	10/9/2010 13:00:00	66.54	33.40	0.51	66.27	154.48	154.75	299.12	
South Test Well	10/9/2010 13:15:00	66.54	33.40	0.51	66.27	154.48	154.75	299.12	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
South Test Well	10/9/2010 13:30:00	66.54	33.39	0.50	66.27	154.49	154.75	299.12	
South Test Well	10/9/2010 13:45:00	66.54	33.38	0.49	66.28	154.49	154.75	299.12	
South Test Well	10/9/2010 14:00:00	66.53	33.37	0.48	66.28	154.49	154.75	299.12	
South Test Well	10/9/2010 14:15:00	66.53	33.37	0.48	66.28	154.49	154.74	299.13	
South Test Well	10/9/2010 14:30:00	66.53	33.36	0.47	66.28	154.49	154.74	299.13	
South Test Well	10/9/2010 14:45:00	66.53	33.36	0.47	66.29	154.49	154.74	299.13	
South Test Well	10/9/2010 15:00:00	66.53	33.35	0.46	66.29	154.49	154.74	299.13	
South Test Well	10/9/2010 15:15:00	66.53	33.35	0.46	66.28	154.49	154.74	299.13	
South Test Well	10/9/2010 15:30:00	66.53	33.34	0.45	66.29	154.49	154.73	299.14	
South Test Well	10/9/2010 15:45:00	66.53	33.34	0.45	66.29	154.49	154.73	299.14	
South Test Well	10/9/2010 16:00:00	66.53	33.34	0.45	66.29	154.49	154.73	299.14	
South Test Well	10/9/2010 16:15:00	66.53	33.34	0.45	66.29	154.49	154.73	299.14	
South Test Well	10/9/2010 16:30:00	66.53	33.33	0.44	66.29	154.49	154.73	299.14	
South Test Well	10/9/2010 16:45:00	66.53	33.33	0.44	66.29	154.49	154.73	299.14	
South Test Well	10/9/2010 17:00:00	66.53	33.33	0.44	66.30	154.50	154.73	299.14	
South Test Well	10/9/2010 17:15:00	66.53	33.32	0.43	66.30	154.50	154.73	299.14	
South Test Well	10/9/2010 17:30:00	66.53	33.32	0.43	66.30	154.50	154.73	299.14	
South Test Well	10/9/2010 17:45:00	66.53	33.32	0.43	66.30	154.50	154.73	299.14	
South Test Well	10/9/2010 18:00:00	66.53	33.32	0.43	66.30	154.50	154.72	299.15	
South Test Well	10/9/2010 18:15:00	66.53	33.32	0.43	66.30	154.50	154.73	299.14	
South Test Well	10/9/2010 18:30:00	66.52	33.32	0.43	66.30	154.50	154.73	299.14	
South Test Well	10/9/2010 18:45:00	66.52	33.32	0.43	66.29	154.50	154.73	299.14	
South Test Well	10/9/2010 19:00:00	66.53	33.33	0.44	66.29	154.50	154.73	299.14	
South Test Well	10/9/2010 19:15:00	66.53	33.33	0.44	66.29	154.50	154.73	299.14	
South Test Well	10/9/2010 19:30:00	66.53	33.34	0.45	66.29	154.50	154.73	299.14	
South Test Well	10/9/2010 19:45:00	66.53	33.34	0.45	66.29	154.50	154.74	299.13	
South Test Well	10/9/2010 20:00:00	66.52	33.34	0.45	66.28	154.50	154.74	299.13	
South Test Well	10/9/2010 20:15:00	66.52	33.34	0.45	66.28	154.50	154.74	299.13	
South Test Well	10/9/2010 20:30:00	66.52	33.34	0.45	66.28	154.51	154.74	299.13	
South Test Well	10/9/2010 20:45:00	66.52	33.34	0.45	66.28	154.51	154.75	299.12	
South Test Well	10/9/2010 21:00:00	66.52	33.34	0.45	66.28	154.51	154.74	299.13	
South Test Well	10/9/2010 21:15:00	66.51	33.33	0.44	66.28	154.51	154.75	299.12	
South Test Well	10/9/2010 21:30:00	66.51	33.33	0.44	66.28	154.51	154.75	299.12	
South Test Well	10/9/2010 21:45:00	66.51	33.33	0.44	66.27	154.52	154.75	299.12	
South Test Well	10/9/2010 22:00:00	66.51	33.34	0.45	66.27	154.51	154.75	299.12	
South Test Well	10/9/2010 22:15:00	66.50	33.33	0.44	66.27	154.52	154.76	299.11	
South Test Well	10/9/2010 22:30:00	66.50	33.33	0.44	66.27	154.52	154.75	299.12	
South Test Well	10/9/2010 22:45:00	66.50	33.33	0.44	66.27	154.52	154.76	299.11	
South Test Well	10/9/2010 23:00:00	66.50	33.33	0.44	66.27	154.52	154.76	299.11	
South Test Well	10/9/2010 23:15:00	66.50	33.33	0.45	66.27	154.52	154.76	299.11	
South Test Well	10/9/2010 23:30:00	66.50	33.34	0.45	66.26	154.52	154.76	299.11	
South Test Well	10/9/2010 23:45:00	66.50	33.34	0.45	66.26	154.53	154.77	299.10	
South Test Well	10/10/2010 0:00:00	66.50	33.34	0.45	66.26	154.53	154.76	299.11	
South Test Well	10/10/2010 0:15:00	66.49	33.34	0.45	66.25	154.53	154.77	299.10	
South Test Well	10/10/2010 0:30:00	66.50	33.34	0.45	66.26	154.53	154.77	299.10	
South Test Well	10/10/2010 0:45:00	66.49	33.34	0.45	66.26	154.53	154.77	299.10	
South Test Well	10/10/2010 1:00:00	66.49	33.34	0.45	66.25	154.53	154.77	299.10	
South Test Well	10/10/2010 1:15:00	66.50	33.34	0.45	66.26	154.53	154.77	299.10	
South Test Well	10/10/2010 1:30:00	66.50	33.35	0.46	66.25	154.53	154.77	299.10	
South Test Well	10/10/2010 1:45:00	66.50	33.35	0.46	66.26	154.52	154.77	299.10	
South Test Well	10/10/2010 2:00:00	66.50	33.35	0.46	66.26	154.52	154.77	299.10	
South Test Well	10/10/2010 2:15:00	66.50	33.36	0.47	66.25	154.52	154.77	299.10	
South Test Well	10/10/2010 2:30:00	66.50	33.36	0.47	66.25	154.52	154.77	299.10	
South Test Well	10/10/2010 2:45:00	66.51	33.37	0.48	66.25	154.52	154.77	299.10	
South Test Well	10/10/2010 3:00:00	66.51	33.37	0.48	66.25	154.52	154.77	299.10	
South Test Well	10/10/2010 3:15:00	66.51	33.37	0.48	66.26	154.51	154.77	299.10	
South Test Well	10/10/2010 3:30:00	66.51	33.36	0.47	66.25	154.52	154.77	299.10	
South Test Well	10/10/2010 3:45:00	66.52	33.38	0.49	66.26	154.50	154.76	299.11	
South Test Well	10/10/2010 4:00:00	66.52	33.38	0.49	66.26	154.50	154.76	299.11	
South Test Well	10/10/2010 4:15:00	66.53	33.39	0.50	66.26	154.50	154.76	299.11	
South Test Well	10/10/2010 4:30:00	66.53	33.39	0.50	66.26	154.50	154.76	299.11	
South Test Well	10/10/2010 4:45:00	66.54	33.40	0.51	66.27	154.49	154.76	299.11	
South Test Well	10/10/2010 5:00:00	66.54	33.41	0.52	66.27	154.48	154.76	299.11	
South Test Well	10/10/2010 5:15:00	66.54	33.41	0.52	66.26	154.48	154.76	299.11	
South Test Well	10/10/2010 5:30:00	66.55	33.43	0.54	66.26	154.47	154.76	299.11	
South Test Well	10/10/2010 5:45:00	66.54	33.43	0.54	66.26	154.48	154.76	299.11	
South Test Well	10/10/2010 6:00:00	66.55	33.44	0.55	66.26	154.47	154.76	299.11	
South Test Well	10/10/2010 6:15:00	66.56	33.45	0.56	66.26	154.47	154.76	299.11	
South Test Well	10/10/2010 6:30:00	66.56	33.46	0.57	66.26	154.46	154.76	299.11	
South Test Well	10/10/2010 6:45:00	66.57	33.47	0.58	66.26	154.45	154.76	299.11	
South Test Well	10/10/2010 7:00:00	66.58	33.48	0.59	66.26	154.45	154.76	299.11	
South Test Well	10/10/2010 7:15:00	66.58	33.49	0.60	66.26	154.45	154.76	299.11	
South Test Well	10/10/2010 7:30:00	66.58	33.49	0.60	66.26	154.44	154.76	299.11	
South Test Well	10/10/2010 7:45:00	66.58	33.50	0.61	66.26	154.44	154.76	299.11	
South Test Well	10/10/2010 8:00:00	66.59	33.53	0.64	66.25	154.44	154.78	299.09	
South Test Well	10/10/2010 8:15:00	66.60	33.55	0.66	66.25	154.43	154.78	299.09	
South Test Well	10/10/2010 8:30:00	66.60	33.54	0.65	66.25	154.42	154.77	299.10	
South Test Well	10/10/2010 8:45:00	66.61	33.55	0.66	66.26	154.42	154.76	299.11	
South Test Well	10/10/2010 9:00:00	66.60	33.55	0.66	66.25	154.42	154.77	299.10	
South Test Well	10/10/2010 9:15:00	66.60	33.54	0.65	66.26	154.42	154.77	299.10	
South Test Well	10/10/2010 9:30:00	66.60	33.55	0.66	66.25	154.42	154.77	299.10	
South Test Well	10/10/2010 9:45:00		33.55	0.66					
South Test Well	10/10/2010 10:00:00	66.61	33.56	0.67	66.25	154.41	154.77	299.10	
South Test Well	10/10/2010 10:15:00	66.61	33.56	0.67	66.25	154.41	154.77	299.10	
South Test Well	10/10/2010 10:30:00	66.62	33.57	0.68	66.26	154.41	154.76	299.11	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
South Test Well	10/10/2010 10:45:00	66.61	33.57	0.68	66.25	154.41	154.77	299.10	
South Test Well	10/10/2010 11:00:00	66.61	33.57	0.68	66.25	154.41	154.77	299.10	
South Test Well	10/10/2010 11:15:00	66.62	33.57	0.68	66.26	154.41	154.76	299.11	
South Test Well	10/10/2010 11:30:00	66.62	33.57	0.68	66.26	154.41	154.76	299.11	
South Test Well	10/10/2010 11:45:00	66.62	33.57	0.68	66.26	154.41	154.76	299.11	
South Test Well	10/10/2010 12:00:00	66.62	33.56	0.67	66.26	154.41	154.76	299.11	
South Test Well	10/10/2010 12:15:00	66.62	33.56	0.67	66.26	154.41	154.76	299.11	
South Test Well	10/10/2010 12:30:00	66.63	33.56	0.67	66.27	154.40	154.76	299.11	
South Test Well	10/10/2010 12:45:00	66.62	33.56	0.67	66.27	154.40	154.76	299.11	
South Test Well	10/10/2010 13:00:00	66.63	33.56	0.67	66.27	154.40	154.75	299.12	
South Test Well	10/10/2010 13:15:00	66.63	33.56	0.67	66.27	154.40	154.75	299.12	
South Test Well	10/10/2010 13:30:00	66.63	33.56	0.67	66.27	154.39	154.75	299.12	
South Test Well	10/10/2010 13:45:00	66.63	33.56	0.67	66.27	154.40	154.75	299.12	
South Test Well	10/10/2010 14:00:00	66.63	33.56	0.67	66.27	154.40	154.75	299.12	
South Test Well	10/10/2010 14:15:00	66.63	33.56	0.67	66.28	154.40	154.75	299.12	
South Test Well	10/10/2010 14:30:00	66.63	33.55	0.66	66.28	154.40	154.75	299.12	
South Test Well	10/10/2010 14:45:00	66.63	33.55	0.66	66.28	154.40	154.74	299.13	
South Test Well	10/10/2010 15:00:00	66.63	33.55	0.66	66.28	154.39	154.74	299.13	
South Test Well	10/10/2010 15:15:00	66.63	33.54	0.65	66.28	154.39	154.74	299.13	
South Test Well	10/10/2010 15:30:00	66.63	33.54	0.65	66.29	154.39	154.74	299.13	
South Test Well	10/10/2010 15:45:00	66.64	33.54	0.65	66.29	154.39	154.73	299.14	
South Test Well	10/10/2010 16:00:00	66.64	33.54	0.65	66.29	154.39	154.73	299.14	
South Test Well	10/10/2010 16:15:00	66.64	33.53	0.64	66.30	154.39	154.73	299.14	
South Test Well	10/10/2010 16:30:00	66.64	33.54	0.65	66.30	154.38	154.73	299.14	
South Test Well	10/10/2010 16:45:00	66.64	33.54	0.65	66.30	154.38	154.73	299.14	
South Test Well	10/10/2010 17:00:00	66.64	33.54	0.65	66.30	154.38	154.72	299.15	
South Test Well	10/10/2010 17:15:00	66.64	33.54	0.65	66.30	154.38	154.72	299.15	
South Test Well	10/10/2010 17:30:00	66.64	33.54	0.65	66.30	154.38	154.72	299.15	
South Test Well	10/10/2010 17:45:00	66.64	33.54	0.65	66.30	154.38	154.72	299.15	
South Test Well	10/10/2010 18:00:00	66.65	33.54	0.65	66.30	154.38	154.72	299.15	
South Test Well	10/10/2010 18:15:00	66.65	33.55	0.66	66.30	154.37	154.72	299.15	
South Test Well	10/10/2010 18:30:00	66.65	33.55	0.66	66.30	154.37	154.72	299.15	
South Test Well	10/10/2010 18:45:00	66.65	33.56	0.67	66.30	154.37	154.73	299.14	
South Test Well	10/10/2010 19:00:00	66.65	33.56	0.67	66.30	154.37	154.73	299.14	
South Test Well	10/10/2010 19:15:00	66.65	33.57	0.68	66.29	154.37	154.73	299.14	
South Test Well	10/10/2010 19:30:00	66.66	33.58	0.69	66.29	154.37	154.73	299.14	
South Test Well	10/10/2010 19:45:00	66.66	33.58	0.69	66.29	154.37	154.73	299.14	
South Test Well	10/10/2010 20:00:00	66.66	33.59	0.70	66.29	154.37	154.74	299.13	
South Test Well	10/10/2010 20:15:00	66.66	33.59	0.70	66.29	154.37	154.74	299.13	
South Test Well	10/10/2010 20:30:00	66.65	33.59	0.70	66.28	154.37	154.74	299.13	
South Test Well	10/10/2010 20:45:00	66.66	33.60	0.71	66.28	154.37	154.74	299.13	
South Test Well	10/10/2010 21:00:00	66.65	33.60	0.71	66.28	154.37	154.75	299.12	
South Test Well	10/10/2010 21:15:00	66.66	33.61	0.72	66.27	154.37	154.75	299.12	
South Test Well	10/10/2010 21:30:00	66.66	33.62	0.73	66.27	154.36	154.75	299.12	
South Test Well	10/10/2010 21:45:00	66.66	33.63	0.74	66.27	154.36	154.75	299.12	
South Test Well	10/10/2010 22:00:00	66.66	33.63	0.74	66.27	154.36	154.76	299.11	
South Test Well	10/10/2010 22:15:00	66.66	33.64	0.75	66.26	154.36	154.76	299.11	
South Test Well	10/10/2010 22:30:00	66.66	33.64	0.75	66.26	154.36	154.76	299.11	
South Test Well	10/10/2010 22:45:00	66.66	33.65	0.76	66.26	154.36	154.76	299.11	
South Test Well	10/10/2010 23:00:00	66.66	33.65	0.76	66.25	154.37	154.77	299.10	
South Test Well	10/10/2010 23:15:00	66.66	33.66	0.77	66.25	154.36	154.77	299.10	
South Test Well	10/10/2010 23:30:00	66.66	33.67	0.78	66.25	154.36	154.77	299.10	
South Test Well	10/10/2010 23:45:00	66.67	33.68	0.79	66.25	154.36	154.78	299.09	
South Test Well	10/11/2010 0:00:00	66.67	33.69	0.80	66.24	154.36	154.78	299.09	
South Test Well	10/11/2010 0:15:00	66.67	33.69	0.80	66.24	154.36	154.78	299.09	
South Test Well	10/11/2010 0:30:00	66.67	33.70	0.81	66.24	154.36	154.78	299.09	
South Test Well	10/11/2010 0:45:00	66.67	33.70	0.81	66.23	154.36	154.79	299.08	
South Test Well	10/11/2010 1:00:00	66.67	33.71	0.82	66.23	154.36	154.79	299.08	
South Test Well	10/11/2010 1:15:00	66.67	33.72	0.83	66.23	154.35	154.79	299.08	
South Test Well	10/11/2010 1:30:00	66.67	33.72	0.83	66.23	154.35	154.79	299.08	
South Test Well	10/11/2010 1:45:00	66.67	33.73	0.84	66.23	154.35	154.79	299.08	
South Test Well	10/11/2010 2:00:00	66.68	33.73	0.84	66.23	154.35	154.80	299.07	
South Test Well	10/11/2010 2:15:00	66.68	33.74	0.85	66.23	154.35	154.80	299.07	
South Test Well	10/11/2010 2:30:00	66.68	33.75	0.86	66.22	154.34	154.80	299.07	
South Test Well	10/11/2010 2:45:00	66.68	33.76	0.87	66.22	154.34	154.80	299.07	
South Test Well	10/11/2010 3:00:00	66.68	33.77	0.88	66.22	154.34	154.80	299.07	
South Test Well	10/11/2010 3:15:00	66.69	33.77	0.88	66.22	154.34	154.80	299.07	
South Test Well	10/11/2010 3:30:00	66.69	33.78	0.89	66.22	154.33	154.80	299.07	
South Test Well	10/11/2010 3:45:00	66.69	33.78	0.89	66.22	154.33	154.80	299.07	
South Test Well	10/11/2010 4:00:00	66.70	33.79	0.90	66.22	154.33	154.80	299.07	
South Test Well	10/11/2010 4:15:00	66.70	33.79	0.90	66.22	154.33	154.80	299.07	
South Test Well	10/11/2010 4:30:00	66.70	33.80	0.91	66.22	154.33	154.81	299.06	
South Test Well	10/11/2010 4:45:00	66.70	33.80	0.91	66.22	154.32	154.80	299.07	
South Test Well	10/11/2010 5:00:00	66.71	33.81	0.92	66.22	154.32	154.81	299.06	
South Test Well	10/11/2010 5:15:00	66.71	33.82	0.93	66.22	154.31	154.80	299.07	
South Test Well	10/11/2010 5:30:00	66.71	33.82	0.93	66.22	154.31	154.80	299.07	
South Test Well	10/11/2010 5:45:00	66.72	33.83	0.94	66.22	154.31	154.80	299.07	
South Test Well	10/11/2010 6:00:00	66.72	33.83	0.94	66.22	154.31	154.81	299.06	
South Test Well	10/11/2010 6:15:00	66.72	33.84	0.95	66.22	154.30	154.80	299.07	
South Test Well	10/11/2010 6:30:00	66.73	33.84	0.95	66.22	154.30	154.80	299.07	
South Test Well	10/11/2010 6:45:00	66.73	33.85	0.96	66.22	154.29	154.80	299.07	
South Test Well	10/11/2010 7:00:00	66.73	33.85	0.96	66.22	154.29	154.80	299.07	
South Test Well	10/11/2010 7:15:00	66.73	33.86	0.97	66.22	154.29	154.80	299.07	
South Test Well	10/11/2010 7:30:00	66.74	33.86	0.97	66.22	154.29	154.80	299.07	
South Test Well	10/11/2010 7:45:00	66.74	33.87	0.98	66.22	154.28	154.80	299.07	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
South Test Well	10/11/2010 8:00:00	66.74	33.88	0.99	66.22	154.28	154.80	299.07	
South Test Well	10/11/2010 8:15:00	66.74	33.87	0.98	66.22	154.28	154.80	299.07	
South Test Well	10/11/2010 8:30:00	66.75	33.88	0.99	66.22	154.28	154.80	299.07	
South Test Well	10/11/2010 8:45:00	66.75	33.88	0.99	66.23	154.27	154.80	299.07	
South Test Well	10/11/2010 9:00:00	66.75	33.87	0.98	66.23	154.27	154.79	299.08	
South Test Well	10/11/2010 9:15:00	66.75	33.87	0.98	66.24	154.27	154.79	299.08	
South Test Well	10/11/2010 9:30:00	66.76	33.87	0.98	66.24	154.26	154.78	299.09	
South Test Well	10/11/2010 9:45:00	66.76	33.86	0.97	66.25	154.26	154.78	299.09	
South Test Well	10/11/2010 10:00:00	66.76	33.85	0.96	66.25	154.26	154.77	299.10	
South Test Well	10/11/2010 10:15:00	66.76	33.84	0.95	66.26	154.26	154.76	299.11	
South Test Well	10/11/2010 10:30:00	66.76	33.82	0.93	66.27	154.26	154.76	299.11	
South Test Well	10/11/2010 10:45:00	66.76	33.82	0.93	66.27	154.26	154.75	299.12	
South Test Well	10/11/2010 11:00:00	66.76	33.81	0.92	66.28	154.26	154.75	299.12	
South Test Well	10/11/2010 11:15:00	66.77	33.81	0.92	66.28	154.26	154.74	299.13	
South Test Well	10/11/2010 11:30:00	66.77	33.80	0.91	66.28	154.26	154.74	299.13	
South Test Well	10/11/2010 11:45:00	66.77	33.80	0.91	66.29	154.26	154.74	299.13	
South Test Well	10/11/2010 12:00:00	66.77	33.80	0.91	66.29	154.25	154.73	299.14	
South Test Well	10/11/2010 12:15:00	66.77	33.80	0.91	66.29	154.25	154.73	299.14	
South Test Well	10/11/2010 12:30:00	66.77	33.79	0.90	66.29	154.25	154.73	299.14	
South Test Well	10/11/2010 12:45:00	66.77	33.79	0.90	66.29	154.25	154.73	299.14	
South Test Well	10/11/2010 13:00:00	66.77	33.78	0.89	66.30	154.25	154.73	299.14	
South Test Well	10/11/2010 13:15:00	66.77	33.78	0.89	66.30	154.25	154.73	299.14	
South Test Well	10/11/2010 13:30:00	66.77	33.77	0.88	66.30	154.25	154.72	299.15	
South Test Well	10/11/2010 13:45:00	66.77	33.78	0.89	66.30	154.25	154.72	299.15	
South Test Well	10/11/2010 14:00:00	66.77	33.77	0.88	66.30	154.25	154.72	299.15	
South Test Well	10/11/2010 14:15:00	66.77	33.77	0.88	66.30	154.25	154.72	299.15	
South Test Well	10/11/2010 14:30:00	66.77	33.77	0.88	66.31	154.25	154.72	299.15	
South Test Well	10/11/2010 14:45:00	66.77	33.76	0.87	66.31	154.25	154.71	299.16	
South Test Well	10/11/2010 15:00:00	66.77	33.75	0.86	66.31	154.26	154.71	299.16	
South Test Well	10/11/2010 15:15:00	66.76	33.74	0.85	66.31	154.26	154.71	299.16	
South Test Well	10/11/2010 15:30:00	66.77	33.74	0.85	66.32	154.25	154.71	299.16	
South Test Well	10/11/2010 15:45:00	66.77	33.74	0.85	66.32	154.25	154.70	299.17	
South Test Well	10/11/2010 16:00:00	66.78	33.75	0.86	66.32	154.25	154.70	299.17	
South Test Well	10/11/2010 16:15:00	66.78	33.75	0.86	66.32	154.25	154.70	299.17	
South Test Well	10/11/2010 16:30:00	66.78	33.75	0.86	66.32	154.25	154.70	299.17	
South Test Well	10/11/2010 16:45:00	66.77	33.74	0.85	66.32	154.25	154.70	299.17	
South Test Well	10/11/2010 17:00:00	66.77	33.74	0.85	66.32	154.25	154.70	299.17	
South Test Well	10/11/2010 17:15:00	66.77	33.74	0.85	66.32	154.25	154.70	299.17	
South Test Well	10/11/2010 17:30:00	66.77	33.73	0.84	66.32	154.25	154.70	299.17	
South Test Well	10/11/2010 17:45:00	66.77	33.73	0.84	66.32	154.25	154.70	299.17	
South Test Well	10/11/2010 18:00:00	66.77	33.73	0.84	66.32	154.25	154.70	299.17	
South Test Well	10/11/2010 18:15:00	66.77	33.73	0.84	66.32	154.25	154.70	299.17	
South Test Well	10/11/2010 18:30:00	66.77	33.73	0.84	66.33	154.25	154.70	299.17	
South Test Well	10/11/2010 18:45:00	66.78	33.75	0.86	66.32	154.25	154.70	299.17	
South Test Well	10/11/2010 19:00:00	66.78	33.75	0.86	66.32	154.25	154.70	299.17	
South Test Well	10/11/2010 19:15:00	66.78	33.76	0.87	66.32	154.25	154.71	299.16	
South Test Well	10/11/2010 19:30:00	66.78	33.76	0.88	66.31	154.25	154.71	299.16	
South Test Well	10/11/2010 19:45:00	66.78	33.77	0.88	66.31	154.25	154.71	299.16	
South Test Well	10/11/2010 20:00:00	66.78	33.77	0.88	66.31	154.25	154.71	299.16	
South Test Well	10/11/2010 20:15:00	66.78	33.78	0.89	66.31	154.25	154.72	299.15	
South Test Well	10/11/2010 20:30:00	66.77	33.78	0.89	66.30	154.25	154.72	299.15	
South Test Well	10/11/2010 20:45:00	66.77	33.78	0.89	66.30	154.25	154.72	299.15	
South Test Well	10/11/2010 21:00:00	66.77	33.79	0.90	66.30	154.25	154.73	299.14	
South Test Well	10/11/2010 21:15:00	66.77	33.79	0.90	66.29	154.25	154.73	299.14	
South Test Well	10/11/2010 21:30:00	66.77	33.80	0.91	66.29	154.25	154.73	299.14	
South Test Well	10/11/2010 21:45:00	66.77	33.81	0.92	66.29	154.25	154.74	299.13	
South Test Well	10/11/2010 22:00:00	66.77	33.81	0.92	66.29	154.25	154.74	299.13	
South Test Well	10/11/2010 22:15:00	66.77	33.82	0.93	66.28	154.25	154.74	299.13	
South Test Well	10/11/2010 22:30:00	66.77	33.82	0.93	66.28	154.25	154.74	299.13	
South Test Well	10/11/2010 22:45:00	66.77	33.82	0.93	66.28	154.25	154.75	299.12	
South Test Well	10/11/2010 23:00:00	66.76	33.82	0.93	66.27	154.26	154.75	299.12	
South Test Well	10/11/2010 23:15:00	66.76	33.82	0.93	66.27	154.26	154.75	299.12	
South Test Well	10/11/2010 23:30:00	66.76	33.82	0.93	66.27	154.26	154.75	299.12	
South Test Well	10/11/2010 23:45:00	66.76	33.82	0.93	66.27	154.26	154.76	299.11	
South Test Well	10/12/2010 0:00:00	66.76	33.82	0.93	66.27	154.26	154.76	299.11	
South Test Well	10/12/2010 0:15:00	66.75	33.81	0.92	66.26	154.27	154.76	299.11	
South Test Well	10/12/2010 0:30:00	66.75	33.81	0.92	66.26	154.27	154.76	299.11	
South Test Well	10/12/2010 0:45:00	66.75	33.81	0.92	66.26	154.27	154.76	299.11	
South Test Well	10/12/2010 1:00:00	66.75	33.81	0.92	66.26	154.28	154.76	299.11	
South Test Well	10/12/2010 1:15:00	66.75	33.81	0.92	66.26	154.28	154.76	299.11	
South Test Well	10/12/2010 1:30:00	66.75	33.81	0.92	66.26	154.28	154.76	299.11	
South Test Well	10/12/2010 1:45:00	66.75	33.81	0.92	66.26	154.28	154.76	299.11	
South Test Well	10/12/2010 2:00:00	66.75	33.81	0.92	66.26	154.28	154.76	299.11	
South Test Well	10/12/2010 2:15:00	66.74	33.81	0.92	66.26	154.28	154.77	299.10	
South Test Well	10/12/2010 2:30:00	66.74	33.81	0.92	66.25	154.28	154.77	299.10	
South Test Well	10/12/2010 2:45:00	66.74	33.81	0.92	66.25	154.28	154.77	299.10	
South Test Well	10/12/2010 3:00:00	66.74	33.81	0.92	66.25	154.28	154.77	299.10	
South Test Well	10/12/2010 3:15:00	66.73	33.80	0.91	66.25	154.29	154.77	299.10	
South Test Well	10/12/2010 3:30:00	66.73	33.80	0.91	66.25	154.29	154.78	299.09	
South Test Well	10/12/2010 3:45:00	66.73	33.79	0.90	66.25	154.30	154.78	299.09	
South Test Well	10/12/2010 4:00:00	66.73	33.79	0.90	66.25	154.30	154.77	299.10	
South Test Well	10/12/2010 4:15:00	66.73	33.79	0.90	66.25	154.29	154.77	299.10	
South Test Well	10/12/2010 4:30:00	66.73	33.79	0.90	66.25	154.29	154.77	299.10	
South Test Well	10/12/2010 4:45:00	66.73	33.79	0.90	66.25	154.30	154.77	299.10	
South Test Well	10/12/2010 5:00:00	66.73	33.80	0.91	66.25	154.29	154.77	299.10	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
South Test Well	10/12/2010 5:15:00	66.73	33.80	0.91	66.25	154.29	154.77	299.10	
South Test Well	10/12/2010 5:30:00	66.72	33.79	0.90	66.25	154.30	154.78	299.09	
South Test Well	10/12/2010 5:45:00	66.72	33.79	0.90	66.24	154.30	154.78	299.09	
South Test Well	10/12/2010 6:00:00	66.72	33.79	0.90	66.25	154.30	154.78	299.09	
South Test Well	10/12/2010 6:15:00	66.72	33.79	0.90	66.24	154.30	154.78	299.09	
South Test Well	10/12/2010 6:30:00	66.73	33.80	0.91	66.24	154.30	154.78	299.09	
South Test Well	10/12/2010 6:45:00	66.73	33.81	0.92	66.24	154.30	154.78	299.09	
South Test Well	10/12/2010 7:00:00	66.72	33.80	0.91	66.24	154.30	154.78	299.09	
South Test Well	10/12/2010 7:15:00	66.72	33.80	0.91	66.24	154.30	154.78	299.09	
South Test Well	10/12/2010 7:30:00	66.72	33.80	0.91	66.24	154.30	154.79	299.08	
South Test Well	10/12/2010 7:45:00	66.72	33.80	0.91	66.24	154.30	154.79	299.08	
South Test Well	10/12/2010 8:00:00	66.72	33.80	0.91	66.24	154.30	154.79	299.08	
South Test Well	10/12/2010 8:15:00	66.72	33.80	0.91	66.24	154.30	154.79	299.08	
South Test Well	10/12/2010 8:30:00	66.72	33.79	0.90	66.24	154.31	154.79	299.08	
South Test Well	10/12/2010 8:45:00	66.71	33.79	0.90	66.24	154.31	154.79	299.08	
South Test Well	10/12/2010 9:00:00	66.72	33.79	0.90	66.24	154.31	154.78	299.09	
South Test Well	10/12/2010 9:15:00	66.71	33.77	0.88	66.25	154.31	154.78	299.09	
South Test Well	10/12/2010 9:30:00	66.71	33.75	0.86	66.25	154.32	154.77	299.10	
South Test Well	10/12/2010 9:45:00	66.71	33.75	0.86	66.26	154.31	154.77	299.10	
South Test Well	10/12/2010 10:00:00	66.71	33.73	0.84	66.26	154.31	154.76	299.11	
South Test Well	10/12/2010 10:15:00	66.72	33.74	0.85	66.27	154.31	154.76	299.11	
South Test Well	10/12/2010 10:30:00	66.71	33.72	0.83	66.27	154.31	154.75	299.12	
South Test Well	10/12/2010 10:45:00	66.71	33.71	0.82	66.27	154.31	154.75	299.12	
South Test Well	10/12/2010 11:00:00	66.71	33.70	0.81	66.28	154.32	154.75	299.12	
South Test Well	10/12/2010 11:15:00	66.71	33.70	0.81	66.28	154.32	154.75	299.12	
South Test Well	10/12/2010 11:30:00	66.71	33.70	0.81	66.28	154.32	154.74	299.13	
South Test Well	10/12/2010 11:45:00	66.71	33.69	0.81	66.28	154.32	154.74	299.13	
South Test Well	10/12/2010 12:00:00	66.71	33.69	0.80	66.28	154.32	154.74	299.13	
South Test Well	10/12/2010 12:15:00	66.70	33.68	0.79	66.28	154.32	154.74	299.13	
South Test Well	10/12/2010 12:30:00	66.70	33.68	0.79	66.29	154.32	154.74	299.13	
South Test Well	10/12/2010 12:45:00	66.70	33.67	0.78	66.28	154.32	154.74	299.13	
South Test Well	10/12/2010 13:00:00	66.70	33.67	0.78	66.29	154.32	154.74	299.13	
South Test Well	10/12/2010 13:15:00	66.70	33.67	0.78	66.28	154.33	154.74	299.13	
South Test Well	10/12/2010 13:30:00	66.69	33.66	0.77	66.28	154.33	154.74	299.13	
South Test Well	10/12/2010 13:45:00	66.69	33.65	0.76	66.28	154.34	154.74	299.13	
South Test Well	10/12/2010 14:00:00	66.68	33.64	0.75	66.29	154.34	154.74	299.13	
South Test Well	10/12/2010 14:15:00	66.68	33.63	0.74	66.29	154.34	154.73	299.14	
South Test Well	10/12/2010 14:30:00	66.68	33.62	0.73	66.29	154.34	154.73	299.14	
South Test Well	10/12/2010 14:45:00	66.68	33.61	0.72	66.29	154.35	154.73	299.14	
South Test Well	10/12/2010 15:00:00	66.68	33.61	0.72	66.29	154.35	154.73	299.14	
South Test Well	10/12/2010 15:15:00	66.67	33.60	0.71	66.29	154.35	154.73	299.14	
South Test Well	10/12/2010 15:30:00	66.67	33.60	0.71	66.30	154.35	154.73	299.14	
South Test Well	10/12/2010 15:45:00	66.67	33.59	0.70	66.30	154.36	154.73	299.14	
South Test Well	10/12/2010 16:00:00	66.67	33.59	0.70	66.30	154.36	154.73	299.14	
South Test Well	10/12/2010 16:15:00	66.67	33.58	0.69	66.30	154.36	154.73	299.14	
South Test Well	10/12/2010 16:30:00	66.66	33.57	0.68	66.30	154.37	154.73	299.14	
South Test Well	10/12/2010 16:45:00	66.66	33.57	0.68	66.30	154.37	154.73	299.14	
South Test Well	10/12/2010 17:00:00	66.66	33.57	0.68	66.30	154.36	154.72	299.15	
South Test Well	10/12/2010 17:15:00	66.66	33.57	0.68	66.30	154.37	154.73	299.14	
South Test Well	10/12/2010 17:30:00	66.66	33.57	0.68	66.30	154.37	154.73	299.14	
South Test Well	10/12/2010 17:45:00	66.66	33.56	0.67	66.30	154.37	154.72	299.15	
South Test Well	10/12/2010 18:00:00	66.65	33.57	0.68	66.30	154.37	154.73	299.14	
South Test Well	10/12/2010 18:15:00	66.65	33.56	0.67	66.29	154.37	154.73	299.14	
South Test Well	10/12/2010 18:30:00	66.65	33.57	0.68	66.29	154.37	154.73	299.14	
South Test Well	10/12/2010 18:45:00	66.65	33.57	0.68	66.29	154.37	154.74	299.13	
South Test Well	10/12/2010 19:00:00	66.65	33.58	0.69	66.29	154.37	154.74	299.13	
South Test Well	10/12/2010 19:15:00	66.65	33.58	0.69	66.28	154.37	154.74	299.13	
South Test Well	10/12/2010 19:30:00	66.65	33.58	0.70	66.28	154.37	154.74	299.13	
South Test Well	10/12/2010 19:45:00	66.65	33.59	0.70	66.28	154.37	154.75	299.12	
South Test Well	10/12/2010 20:00:00	66.65	33.59	0.70	66.27	154.38	154.75	299.12	
South Test Well	10/12/2010 20:15:00	66.64	33.59	0.70	66.27	154.38	154.75	299.12	
South Test Well	10/12/2010 20:30:00	66.64	33.60	0.71	66.27	154.38	154.76	299.11	
South Test Well	10/12/2010 20:45:00	66.64	33.60	0.71	66.26	154.38	154.76	299.11	
South Test Well	10/12/2010 21:00:00	66.64	33.60	0.71	66.26	154.38	154.76	299.11	
South Test Well	10/12/2010 21:15:00	66.64	33.61	0.72	66.26	154.38	154.76	299.11	
South Test Well	10/12/2010 21:30:00	66.64	33.61	0.72	66.25	154.39	154.77	299.10	
South Test Well	10/12/2010 21:45:00	66.63	33.61	0.72	66.25	154.39	154.77	299.10	
South Test Well	10/12/2010 22:00:00	66.63	33.61	0.72	66.25	154.39	154.78	299.09	
South Test Well	10/12/2010 22:15:00	66.63	33.61	0.72	66.24	154.40	154.78	299.09	
South Test Well	10/12/2010 22:30:00	66.62	33.61	0.72	66.24	154.40	154.78	299.09	
South Test Well	10/12/2010 22:45:00	66.62	33.62	0.73	66.24	154.40	154.79	299.08	
South Test Well	10/12/2010 23:00:00	66.62	33.62	0.73	66.23	154.40	154.79	299.08	
South Test Well	10/12/2010 23:15:00	66.62	33.62	0.73	66.23	154.40	154.79	299.08	
South Test Well	10/12/2010 23:30:00	66.62	33.62	0.73	66.23	154.41	154.80	299.07	
South Test Well	10/12/2010 23:45:00	66.61	33.62	0.73	66.22	154.41	154.80	299.07	
South Test Well	10/13/2010 0:00:00	66.61	33.63	0.74	66.22	154.41	154.80	299.07	
South Test Well	10/13/2010 0:15:00	66.61	33.63	0.74	66.22	154.41	154.81	299.06	
South Test Well	10/13/2010 0:30:00	66.61	33.63	0.74	66.22	154.42	154.81	299.06	
South Test Well	10/13/2010 0:45:00	66.60	33.62	0.73	66.21	154.43	154.81	299.06	
South Test Well	10/13/2010 1:00:00	66.60	33.62	0.73	66.21	154.43	154.81	299.06	
South Test Well	10/13/2010 1:15:00	66.59	33.62	0.73	66.21	154.43	154.82	299.05	
South Test Well	10/13/2010 1:30:00	66.59	33.61	0.72	66.20	154.44	154.82	299.05	
South Test Well	10/13/2010 1:45:00	66.59	33.62	0.73	66.20	154.44	154.82	299.05	
South Test Well	10/13/2010 2:00:00	66.58	33.61	0.72	66.20	154.44	154.82	299.05	
South Test Well	10/13/2010 2:15:00	66.58	33.61	0.72	66.20	154.44	154.83	299.04	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
South Test Well	10/13/2010 2:30:00	66.58	33.61	0.72	66.20	154.44	154.82	299.05	
South Test Well	10/13/2010 2:45:00	66.58	33.61	0.72	66.19	154.45	154.83	299.04	
South Test Well	10/13/2010 3:00:00	66.57	33.61	0.72	66.19	154.45	154.83	299.04	
South Test Well	10/13/2010 3:15:00	66.57	33.60	0.71	66.19	154.45	154.83	299.04	
South Test Well	10/13/2010 3:30:00	66.56	33.60	0.71	66.19	154.46	154.83	299.04	
South Test Well	10/13/2010 3:45:00	66.57	33.60	0.71	66.19	154.46	154.83	299.04	
South Test Well	10/13/2010 4:00:00	66.56	33.60	0.71	66.19	154.46	154.84	299.03	
South Test Well	10/13/2010 4:15:00	66.56	33.60	0.71	66.19	154.46	154.84	299.03	
South Test Well	10/13/2010 4:30:00	66.56	33.60	0.71	66.19	154.46	154.84	299.03	
South Test Well	10/13/2010 4:45:00	66.56	33.59	0.70	66.18	154.47	154.84	299.03	
South Test Well	10/13/2010 5:00:00	66.55	33.59	0.70	66.18	154.47	154.84	299.03	
South Test Well	10/13/2010 5:15:00	66.55	33.59	0.70	66.18	154.47	154.84	299.03	
South Test Well	10/13/2010 5:30:00	66.55	33.59	0.70	66.18	154.48	154.84	299.03	
South Test Well	10/13/2010 5:45:00	66.55	33.58	0.69	66.18	154.48	154.84	299.03	
South Test Well	10/13/2010 6:00:00	66.54	33.57	0.68	66.18	154.48	154.84	299.03	
South Test Well	10/13/2010 6:15:00	66.54	33.57	0.68	66.18	154.48	154.84	299.03	
South Test Well	10/13/2010 6:30:00	66.54	33.57	0.68	66.18	154.48	154.84	299.03	
South Test Well	10/13/2010 6:45:00	66.54	33.56	0.67	66.18	154.49	154.84	299.03	
South Test Well	10/13/2010 7:00:00	66.53	33.56	0.67	66.18	154.49	154.84	299.03	
South Test Well	10/13/2010 7:15:00	66.53	33.56	0.67	66.18	154.49	154.85	299.02	
South Test Well	10/13/2010 7:30:00	66.53	33.56	0.67	66.18	154.49	154.84	299.03	
South Test Well	10/13/2010 7:45:00	66.53	33.55	0.66	66.18	154.49	154.84	299.03	
South Test Well	10/13/2010 8:00:00	66.53	33.55	0.66	66.18	154.49	154.84	299.03	
South Test Well	10/13/2010 8:15:00	66.53	33.55	0.66	66.18	154.50	154.85	299.02	
South Test Well	10/13/2010 8:30:00	66.53	33.54	0.65	66.18	154.50	154.84	299.03	
South Test Well	10/13/2010 8:45:00	66.53	33.54	0.65	66.18	154.50	154.84	299.03	
South Test Well	10/13/2010 9:00:00	66.52	33.54	0.65	66.18	154.50	154.84	299.03	
South Test Well	10/13/2010 9:15:00	66.52	33.54	0.65	66.18	154.50	154.85	299.02	
South Test Well	10/13/2010 9:30:00	66.52	33.53	0.64	66.18	154.50	154.84	299.03	
South Test Well	10/13/2010 9:45:00	66.52	33.53	0.64	66.18	154.50	154.84	299.03	
South Test Well	10/13/2010 10:00:00	66.52	33.53	0.64	66.18	154.51	154.84	299.03	
South Test Well	10/13/2010 10:15:00	66.52	33.52	0.63	66.18	154.51	154.84	299.03	
South Test Well	10/13/2010 10:30:00	66.52	33.51	0.62	66.18	154.51	154.84	299.03	
South Test Well	10/13/2010 10:45:00	66.51	33.51	0.62	66.18	154.51	154.84	299.03	
South Test Well	10/13/2010 11:00:00	66.51	33.51	0.62	66.18	154.52	154.84	299.03	
South Test Well	10/13/2010 11:15:00	66.50	33.51	0.62	66.18	154.52	154.85	299.02	
South Test Well	10/13/2010 11:30:00	66.50	33.51	0.62	66.17	154.52	154.85	299.02	
South Test Well	10/13/2010 11:45:00	66.49	33.51	0.62	66.17	154.53	154.86	299.01	
South Test Well	10/13/2010 12:00:00	66.49	33.51	0.62	66.16	154.53	154.86	299.01	
South Test Well	10/13/2010 12:15:00	66.49	33.51	0.62	66.16	154.54	154.86	299.01	
South Test Well	10/13/2010 12:30:00	66.49	33.51	0.62	66.16	154.54	154.86	299.01	
South Test Well	10/13/2010 12:45:00	66.48	33.51	0.62	66.15	154.54	154.87	299.00	
South Test Well	10/13/2010 13:00:00	66.48	33.51	0.62	66.15	154.55	154.87	299.00	
P2	8/18/2010 14:00	40.63	33.15	0.00	40.63	51.30	51.30	323.05	
P2	8/18/2010 14:15	40.64	33.14	0.00	40.64	51.30	51.29	323.06	
P2	8/18/2010 14:30	40.64	33.14	-0.01	40.64	51.30	51.29	323.06	
P2	8/18/2010 14:45	40.64	33.14	-0.01	40.64	51.30	51.29	323.06	
P2	8/18/2010 15:00	40.64	33.14	-0.01	40.65	51.29	51.29	323.06	
P2	8/18/2010 15:15	40.64	33.13	-0.01	40.64	51.30	51.29	323.06	
P2	8/18/2010 15:30	40.64	33.13	-0.02	40.64	51.30	51.29	323.06	
P2	8/18/2010 15:45	40.64	33.13	-0.02	40.65	51.30	51.29	323.06	
P2	8/18/2010 16:00	40.64	33.13	-0.02	40.65	51.30	51.29	323.06	
P2	8/18/2010 16:15	40.64	33.12	-0.02	40.65	51.30	51.28	323.07	
P2	8/18/2010 16:30	40.64	33.12	-0.03	40.65	51.30	51.28	323.07	
P2	8/18/2010 16:45	40.64	33.12	-0.03	40.65	51.30	51.28	323.07	
P2	8/18/2010 17:00	40.64	33.12	-0.03	40.65	51.30	51.28	323.07	
P2	8/18/2010 17:15	40.64	33.11	-0.03	40.65	51.30	51.28	323.07	
P2	8/18/2010 17:30	40.64	33.11	-0.04	40.65	51.30	51.28	323.07	
P2	8/18/2010 17:45	40.64	33.13	-0.01	40.65	51.29	51.28	323.07	
P2	8/18/2010 18:00	40.64	33.15	0.01	40.64	51.29	51.29	323.06	
P2	8/18/2010 18:15	40.64	33.17	0.03	40.63	51.29	51.30	323.05	
P2	8/18/2010 18:30	40.64	33.19	0.05	40.61	51.29	51.32	323.03	
P2	8/18/2010 18:45	40.64	33.21	0.07	40.60	51.29	51.33	323.02	
P2	8/18/2010 19:00	40.64	33.24	0.09	40.59	51.29	51.34	323.01	
P2	8/18/2010 19:15	40.64	33.26	0.11	40.58	51.29	51.35	323.00	
P2	8/18/2010 19:30	40.64	33.28	0.13	40.57	51.29	51.36	322.99	
P2	8/18/2010 19:45	40.64	33.30	0.15	40.56	51.29	51.37	322.98	
P2	8/18/2010 20:00	40.64	33.32	0.17	40.55	51.29	51.38	322.97	
P2	8/18/2010 20:15	40.64	33.34	0.19	40.54	51.29	51.39	322.96	
P2	8/18/2010 20:30	40.64	33.36	0.22	40.53	51.29	51.40	322.95	
P2	8/18/2010 20:45	40.64	33.38	0.24	40.52	51.29	51.42	322.93	
P2	8/18/2010 21:00	40.64	33.40	0.26	40.51	51.29	51.43	322.92	
P2	8/18/2010 21:15	40.64	33.42	0.28	40.49	51.29	51.44	322.91	
P2	8/18/2010 21:30	40.64	33.45	0.30	40.48	51.29	51.45	322.90	
P2	8/18/2010 21:45	40.64	33.45	0.30	40.48	51.29	51.45	322.90	
P2	8/18/2010 22:00	40.64	33.45	0.30	40.48	51.29	51.45	322.90	
P2	8/18/2010 22:15	40.64	33.45	0.30	40.48	51.29	51.45	322.90	
P2	8/18/2010 22:30	40.64	33.45	0.31	40.48	51.29	51.45	322.90	
P2	8/18/2010 22:45	40.64	33.45	0.31	40.48	51.29	51.45	322.90	
P2	8/18/2010 23:00	40.64	33.45	0.31	40.48	51.29	51.45	322.90	
P2	8/18/2010 23:15	40.64	33.46	0.31	40.48	51.29	51.45	322.90	
P2	8/18/2010 23:30	40.64	33.46	0.31	40.48	51.29	51.45	322.90	
P2	8/18/2010 23:45	40.64	33.46	0.31	40.48	51.29	51.45	322.90	
P2	8/19/2010 0:00	40.64	33.46	0.32	40.48	51.29	51.45	322.90	
P2	8/19/2010 0:15	40.64	33.46	0.32	40.48	51.29	51.45	322.90	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	8/19/2010 0:30	40.64	33.46	0.32	40.48	51.29	51.45	322.90	
P2	8/19/2010 0:45	40.65	33.47	0.32	40.48	51.29	51.45	322.90	
P2	8/19/2010 1:00	40.65	33.47	0.32	40.48	51.29	51.45	322.90	
P2	8/19/2010 1:15	40.65	33.47	0.32	40.48	51.29	51.45	322.90	
P2	8/19/2010 1:30	40.65	33.47	0.33	40.48	51.29	51.45	322.90	
P2	8/19/2010 1:45	40.65	33.47	0.33	40.48	51.28	51.45	322.90	
P2	8/19/2010 2:00	40.66	33.47	0.33	40.49	51.27	51.44	322.91	
P2	8/19/2010 2:15	40.66	33.47	0.33	40.49	51.27	51.44	322.91	
P2	8/19/2010 2:30	40.66	33.47	0.33	40.49	51.27	51.44	322.91	
P2	8/19/2010 2:45	40.66	33.48	0.33	40.49	51.27	51.44	322.91	
P2	8/19/2010 3:00	40.66	33.48	0.33	40.49	51.27	51.44	322.91	
P2	8/19/2010 3:15	40.66	33.48	0.33	40.49	51.27	51.44	322.91	
P2	8/19/2010 3:30	40.66	33.48	0.33	40.49	51.27	51.45	322.90	
P2	8/19/2010 3:45	40.66	33.48	0.33	40.49	51.27	51.45	322.90	
P2	8/19/2010 4:00	40.66	33.48	0.33	40.49	51.27	51.45	322.90	
P2	8/19/2010 4:15	40.66	33.48	0.34	40.48	51.27	51.45	322.90	
P2	8/19/2010 4:30	40.66	33.48	0.34	40.48	51.27	51.45	322.90	
P2	8/19/2010 4:45	40.66	33.48	0.34	40.48	51.27	51.45	322.90	
P2	8/19/2010 5:00	40.66	33.48	0.34	40.48	51.27	51.45	322.90	
P2	8/19/2010 5:15	40.66	33.49	0.34	40.48	51.27	51.45	322.90	
P2	8/19/2010 5:30	40.66	33.49	0.34	40.49	51.27	51.45	322.90	
P2	8/19/2010 5:45	40.66	33.49	0.34	40.48	51.27	51.45	322.90	
P2	8/19/2010 6:00	40.66	33.49	0.34	40.48	51.27	51.45	322.90	
P2	8/19/2010 6:15	40.66	33.49	0.35	40.48	51.27	51.45	322.90	
P2	8/19/2010 6:30	40.66	33.49	0.35	40.48	51.27	51.45	322.90	
P2	8/19/2010 6:45	40.66	33.50	0.35	40.48	51.27	51.45	322.90	
P2	8/19/2010 7:00	40.67	33.50	0.35	40.48	51.27	51.45	322.90	
P2	8/19/2010 7:15	40.67	33.50	0.36	40.48	51.27	51.45	322.90	
P2	8/19/2010 7:30	40.67	33.50	0.36	40.48	51.27	51.45	322.90	
P2	8/19/2010 7:45	40.67	33.51	0.36	40.48	51.27	51.45	322.90	
P2	8/19/2010 8:00	40.67	33.51	0.36	40.48	51.26	51.45	322.90	
P2	8/19/2010 8:15	40.67	33.51	0.36	40.48	51.26	51.45	322.90	
P2	8/19/2010 8:30	40.67	33.51	0.37	40.48	51.26	51.45	322.90	
P2	8/19/2010 8:45	40.67	33.51	0.37	40.48	51.26	51.45	322.90	
P2	8/19/2010 9:00	40.67	33.52	0.37	40.48	51.26	51.45	322.90	
P2	8/19/2010 9:15	40.67	33.52	0.37	40.48	51.26	51.45	322.90	
P2	8/19/2010 9:30	40.67	33.52	0.38	40.48	51.26	51.46	322.89	
P2	8/19/2010 9:45	40.67	33.52	0.38	40.48	51.26	51.46	322.89	
P2	8/19/2010 10:00	40.67	33.52	0.38	40.48	51.26	51.46	322.89	
P2	8/19/2010 10:15	40.67	33.52	0.38	40.48	51.26	51.46	322.89	
P2	8/19/2010 10:30	40.67	33.52	0.38	40.48	51.26	51.46	322.89	
P2	8/19/2010 10:45	40.67	33.52	0.38	40.48	51.26	51.46	322.89	
P2	8/19/2010 11:00	40.67	33.52	0.38	40.48	51.26	51.46	322.89	
P2	8/19/2010 11:15	40.68	33.52	0.38	40.49	51.25	51.45	322.90	
P2	8/19/2010 11:30	40.68	33.52	0.38	40.49	51.25	51.45	322.90	
P2	8/19/2010 11:45	40.68	33.52	0.38	40.49	51.25	51.45	322.90	
P2	8/19/2010 12:00	40.68	33.52	0.38	40.49	51.25	51.45	322.90	
P2	8/19/2010 12:15	40.69	33.52	0.38	40.49	51.25	51.44	322.91	
P2	8/19/2010 12:30	40.68	33.52	0.38	40.49	51.25	51.45	322.90	
P2	8/19/2010 12:45	40.68	33.52	0.38	40.49	51.25	51.45	322.90	
P2	8/19/2010 13:00	40.68	33.52	0.38	40.49	51.25	51.45	322.90	
P2	8/19/2010 13:15	40.68	33.52	0.38	40.49	51.25	51.45	322.90	
P2	8/19/2010 13:30	40.68	33.52	0.38	40.49	51.25	51.45	322.90	
P2	8/19/2010 13:45	40.68	33.52	0.37	40.49	51.25	51.45	322.90	
P2	8/19/2010 14:00	40.68	33.51	0.36	40.49	51.25	51.44	322.91	
P2	8/19/2010 14:15	40.68	33.50	0.36	40.49	51.25	51.44	322.91	
P2	8/19/2010 14:30	40.68	33.50	0.35	40.50	51.25	51.44	322.91	
P2	8/19/2010 14:45	40.68	33.49	0.35	40.50	51.25	51.43	322.92	
P2	8/19/2010 15:00	40.68	33.49	0.34	40.50	51.25	51.43	322.92	
P2	8/19/2010 15:15	40.68	33.48	0.33	40.51	51.25	51.43	322.92	
P2	8/19/2010 15:30	40.68	33.47	0.33	40.51	51.25	51.42	322.93	
P2	8/19/2010 15:45	40.68	33.47	0.32	40.51	51.26	51.42	322.93	
P2	8/19/2010 16:00	40.68	33.46	0.32	40.51	51.26	51.42	322.93	
P2	8/19/2010 16:15	40.68	33.46	0.31	40.51	51.26	51.42	322.93	
P2	8/19/2010 16:30	40.68	33.45	0.30	40.52	51.26	51.42	322.93	
P2	8/19/2010 16:45	40.67	33.44	0.30	40.52	51.26	51.42	322.93	
P2	8/19/2010 17:00	40.67	33.44	0.29	40.52	51.26	51.41	322.94	
P2	8/19/2010 17:15	40.67	33.43	0.29	40.52	51.26	51.41	322.94	
P2	8/19/2010 17:30	40.67	33.43	0.28	40.52	51.26	51.41	322.94	
P2	8/19/2010 17:45	40.67	33.43	0.28	40.52	51.26	51.41	322.94	
P2	8/19/2010 18:00	40.67	33.43	0.28	40.52	51.26	51.41	322.94	
P2	8/19/2010 18:15	40.67	33.43	0.28	40.52	51.27	51.41	322.94	
P2	8/19/2010 18:30	40.67	33.43	0.28	40.52	51.27	51.41	322.94	
P2	8/19/2010 18:45	40.67	33.43	0.28	40.52	51.27	51.41	322.94	
P2	8/19/2010 19:00	40.67	33.43	0.28	40.52	51.27	51.41	322.94	
P2	8/19/2010 19:15	40.66	33.43	0.28	40.52	51.27	51.41	322.94	
P2	8/19/2010 19:30	40.66	33.43	0.28	40.52	51.27	51.41	322.94	
P2	8/19/2010 19:45	40.66	33.43	0.28	40.52	51.27	51.41	322.94	
P2	8/19/2010 20:00	40.66	33.43	0.28	40.51	51.27	51.42	322.93	
P2	8/19/2010 20:15	40.66	33.43	0.28	40.52	51.27	51.41	322.94	
P2	8/19/2010 20:30	40.66	33.43	0.28	40.51	51.27	51.42	322.93	
P2	8/19/2010 20:45	40.66	33.43	0.28	40.51	51.27	51.42	322.93	
P2	8/19/2010 21:00	40.66	33.43	0.28	40.51	51.27	51.42	322.93	
P2	8/19/2010 21:15	40.66	33.43	0.28	40.51	51.27	51.42	322.93	
P2	8/19/2010 21:30	40.66	33.43	0.28	40.51	51.27	51.42	322.93	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	8/19/2010 21:45	40.66	33.43	0.28	40.51	51.27	51.42	322.93	
P2	8/19/2010 22:00	40.66	33.43	0.28	40.51	51.27	51.42	322.93	
P2	8/19/2010 22:15	40.66	33.43	0.28	40.51	51.27	51.42	322.93	
P2	8/19/2010 22:30	40.66	33.43	0.28	40.51	51.27	51.42	322.93	
P2	8/19/2010 22:45	40.66	33.43	0.28	40.51	51.27	51.42	322.93	
P2	8/19/2010 23:00	40.66	33.43	0.28	40.51	51.27	51.42	322.93	
P2	8/19/2010 23:15	40.66	33.43	0.28	40.51	51.27	51.42	322.93	
P2	8/19/2010 23:30	40.66	33.43	0.28	40.51	51.27	51.42	322.93	
P2	8/19/2010 23:45	40.66	33.43	0.28	40.51	51.27	51.42	322.93	
P2	8/20/2010 0:00	40.66	33.43	0.28	40.51	51.27	51.42	322.93	
P2	8/20/2010 0:15	40.66	33.43	0.28	40.51	51.27	51.42	322.93	
P2	8/20/2010 0:30	40.66	33.43	0.28	40.51	51.27	51.42	322.93	
P2	8/20/2010 0:45	40.66	33.43	0.28	40.51	51.27	51.42	322.93	
P2	8/20/2010 1:00	40.66	33.43	0.28	40.51	51.28	51.42	322.93	
P2	8/20/2010 1:15	40.66	33.43	0.28	40.51	51.28	51.42	322.93	
P2	8/20/2010 1:30	40.66	33.43	0.28	40.51	51.28	51.42	322.93	
P2	8/20/2010 1:45	40.66	33.43	0.28	40.51	51.28	51.42	322.93	
P2	8/20/2010 2:00	40.66	33.43	0.28	40.51	51.28	51.42	322.93	
P2	8/20/2010 2:15	40.65	33.43	0.28	40.50	51.28	51.43	322.92	
P2	8/20/2010 2:30	40.66	33.43	0.28	40.51	51.28	51.42	322.93	
P2	8/20/2010 2:45	40.65	33.42	0.28	40.51	51.28	51.43	322.92	
P2	8/20/2010 3:00	40.65	33.42	0.28	40.51	51.28	51.43	322.92	
P2	8/20/2010 3:15	40.65	33.42	0.28	40.51	51.28	51.42	322.93	
P2	8/20/2010 3:30	40.65	33.42	0.28	40.50	51.29	51.43	322.92	
P2	8/20/2010 3:45	40.65	33.42	0.27	40.50	51.29	51.43	322.92	
P2	8/20/2010 4:00	40.65	33.42	0.27	40.50	51.29	51.43	322.92	
P2	8/20/2010 4:15	40.65	33.42	0.27	40.51	51.29	51.43	322.92	
P2	8/20/2010 4:30	40.65	33.42	0.27	40.51	51.29	51.43	322.92	
P2	8/20/2010 4:45	40.64	33.42	0.27	40.50	51.29	51.43	322.92	
P2	8/20/2010 5:00	40.64	33.42	0.27	40.50	51.29	51.43	322.92	
P2	8/20/2010 5:15	40.64	33.41	0.27	40.50	51.29	51.43	322.92	
P2	8/20/2010 5:30	40.64	33.41	0.27	40.50	51.29	51.43	322.92	
P2	8/20/2010 5:45	40.64	33.41	0.27	40.50	51.29	51.43	322.92	
P2	8/20/2010 6:00	40.64	33.41	0.27	40.50	51.29	51.43	322.92	
P2	8/20/2010 6:15	40.64	33.41	0.27	40.50	51.29	51.43	322.92	
P2	8/20/2010 6:30	40.64	33.41	0.27	40.50	51.29	51.43	322.92	
P2	8/20/2010 6:45	40.64	33.41	0.27	40.50	51.29	51.43	322.92	
P2	8/20/2010 7:00	40.64	33.41	0.27	40.50	51.29	51.43	322.92	
P2	8/20/2010 7:15	40.64	33.41	0.27	40.50	51.29	51.43	322.92	
P2	8/20/2010 7:30	40.64	33.42	0.27	40.50	51.29	51.43	322.92	
P2	8/20/2010 7:45	40.64	33.42	0.27	40.50	51.30	51.44	322.91	
P2	8/20/2010 8:00	40.64	33.42	0.27	40.50	51.30	51.44	322.91	
P2	8/20/2010 8:15	40.64	33.42	0.27	40.50	51.30	51.44	322.91	
P2	8/20/2010 8:30	40.64	33.42	0.27	40.50	51.30	51.44	322.91	
P2	8/20/2010 8:45	40.64	33.42	0.27	40.50	51.30	51.44	322.91	
P2	8/20/2010 9:00	40.64	33.42	0.27	40.50	51.30	51.44	322.91	
P2	8/20/2010 9:15	40.64	33.42	0.27	40.50	51.30	51.44	322.91	
P2	8/20/2010 9:30	40.64	33.42	0.27	40.50	51.30	51.44	322.91	
P2	8/20/2010 9:45	40.63	33.41	0.27	40.49	51.30	51.44	322.91	
P2	8/20/2010 10:00	40.63	33.41	0.26	40.50	51.30	51.44	322.91	
P2	8/20/2010 10:15	40.63	33.40	0.25	40.50	51.30	51.44	322.91	
P2	8/20/2010 10:30	40.63	33.40	0.25	40.50	51.30	51.43	322.92	
P2	8/20/2010 10:45	40.63	33.39	0.24	40.50	51.30	51.43	322.92	
P2	8/20/2010 11:00	40.63	33.38	0.24	40.50	51.30	51.43	322.92	
P2	8/20/2010 11:15	40.63	33.38	0.23	40.51	51.30	51.43	322.92	
P2	8/20/2010 11:30	40.63	33.37	0.23	40.51	51.30	51.42	322.93	
P2	8/20/2010 11:45	40.63	33.37	0.22	40.51	51.30	51.42	322.93	
P2	8/20/2010 12:00	40.63	33.36	0.22	40.51	51.30	51.42	322.93	
P2	8/20/2010 12:15	40.62	33.36	0.21	40.51	51.31	51.42	322.93	
P2	8/20/2010 12:30	40.62	33.35	0.21	40.52	51.31	51.42	322.93	
P2	8/20/2010 12:45	40.62	33.35	0.20	40.52	51.31	51.41	322.94	
P2	8/20/2010 13:00	40.62	33.34	0.20	40.52	51.31	51.41	322.94	
P2	8/20/2010 13:15	40.62	33.34	0.19	40.52	51.31	51.41	322.94	
P2	8/20/2010 13:30	40.62	33.33	0.19	40.52	51.31	51.41	322.94	
P2	8/20/2010 13:45	40.62	33.32	0.18	40.52	51.32	51.41	322.94	
P2	8/20/2010 14:00	40.61	33.32	0.17	40.52	51.32	51.41	322.94	
P2	8/20/2010 14:15	40.61	33.31	0.16	40.53	51.32	51.41	322.94	
P2	8/20/2010 14:30	40.61	33.30	0.16	40.53	51.32	51.40	322.95	
P2	8/20/2010 14:45	40.61	33.30	0.15	40.53	51.32	51.40	322.95	
P2	8/20/2010 15:00	40.61	33.29	0.14	40.53	51.32	51.40	322.95	
P2	8/20/2010 15:15	40.60	33.28	0.14	40.53	51.33	51.40	322.95	
P2	8/20/2010 15:30	40.60	33.28	0.13	40.54	51.33	51.40	322.95	
P2	8/20/2010 15:45	40.60	33.27	0.12	40.54	51.33	51.40	322.95	
P2	8/20/2010 16:00	40.60	33.26	0.12	40.54	51.33	51.39	322.96	
P2	8/20/2010 16:15	40.60	33.26	0.11	40.54	51.34	51.39	322.96	
P2	8/20/2010 16:30	40.60	33.25	0.10	40.54	51.34	51.39	322.96	
P2	8/20/2010 16:45	40.60	33.24	0.10	40.55	51.33	51.38	322.97	
P2	8/20/2010 17:00	40.60	33.23	0.09	40.55	51.34	51.38	322.97	
P2	8/20/2010 17:15	40.59	33.23	0.08	40.55	51.34	51.38	322.97	
P2	8/20/2010 17:30	40.59	33.22	0.08	40.55	51.34	51.38	322.97	
P2	8/20/2010 17:45	40.59	33.22	0.07	40.55	51.34	51.38	322.97	
P2	8/20/2010 18:00	40.59	33.22	0.07	40.55	51.34	51.38	322.97	
P2	8/20/2010 18:15	40.59	33.22	0.07	40.55	51.35	51.38	322.97	
P2	8/20/2010 18:30	40.58	33.22	0.07	40.54	51.35	51.39	322.96	
P2	8/20/2010 18:45	40.58	33.22	0.07	40.54	51.35	51.39	322.96	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	8/20/2010 19:00	40.58	33.22	0.07	40.54	51.36	51.39	322.96	
P2	8/20/2010 19:15	40.58	33.22	0.07	40.54	51.36	51.39	322.96	
P2	8/20/2010 19:30	40.57	33.22	0.07	40.54	51.36	51.40	322.95	
P2	8/20/2010 19:45	40.57	33.21	0.07	40.54	51.36	51.39	322.96	
P2	8/20/2010 20:00	40.57	33.21	0.07	40.54	51.36	51.39	322.96	
P2	8/20/2010 20:15	40.57	33.21	0.07	40.53	51.36	51.40	322.95	
P2	8/20/2010 20:30	40.57	33.21	0.07	40.53	51.36	51.40	322.95	
P2	8/20/2010 20:45	40.57	33.21	0.07	40.53	51.37	51.40	322.95	
P2	8/20/2010 21:00	40.57	33.21	0.07	40.53	51.36	51.40	322.95	
P2	8/20/2010 21:15	40.57	33.21	0.06	40.54	51.36	51.40	322.95	
P2	8/20/2010 21:30	40.57	33.21	0.06	40.54	51.36	51.40	322.95	
P2	8/20/2010 21:45	40.57	33.21	0.07	40.53	51.37	51.40	322.95	
P2	8/20/2010 22:00	40.57	33.21	0.07	40.53	51.37	51.40	322.95	
P2	8/20/2010 22:15	40.57	33.21	0.07	40.53	51.37	51.40	322.95	
P2	8/20/2010 22:30	40.56	33.21	0.07	40.53	51.37	51.41	322.94	
P2	8/20/2010 22:45	40.56	33.22	0.07	40.52	51.37	51.41	322.94	
P2	8/20/2010 23:00	40.56	33.22	0.07	40.52	51.37	51.41	322.94	
P2	8/20/2010 23:15	40.56	33.22	0.07	40.52	51.38	51.41	322.94	
P2	8/20/2010 23:30	40.56	33.22	0.07	40.52	51.38	51.41	322.94	
P2	8/20/2010 23:45	40.55	33.22	0.07	40.51	51.38	51.42	322.93	
P2	8/21/2010 0:00	40.55	33.22	0.08	40.51	51.38	51.42	322.93	
P2	8/21/2010 0:15	40.55	33.22	0.08	40.51	51.38	51.42	322.93	
P2	8/21/2010 0:30	40.55	33.22	0.08	40.51	51.38	51.42	322.93	
P2	8/21/2010 0:45	40.55	33.23	0.08	40.51	51.38	51.42	322.93	
P2	8/21/2010 1:00	40.55	33.23	0.08	40.51	51.38	51.42	322.93	
P2	8/21/2010 1:15	40.55	33.23	0.08	40.50	51.39	51.43	322.92	
P2	8/21/2010 1:30	40.55	33.23	0.08	40.50	51.39	51.43	322.92	
P2	8/21/2010 1:45	40.55	33.23	0.08	40.50	51.39	51.43	322.92	
P2	8/21/2010 2:00	40.55	33.23	0.09	40.50	51.39	51.43	322.92	
P2	8/21/2010 2:15	40.54	33.23	0.09	40.50	51.39	51.44	322.91	
P2	8/21/2010 2:30	40.54	33.24	0.09	40.50	51.39	51.44	322.91	
P2	8/21/2010 2:45	40.54	33.24	0.09	40.49	51.39	51.44	322.91	
P2	8/21/2010 3:00	40.54	33.24	0.09	40.49	51.39	51.44	322.91	
P2	8/21/2010 3:15	40.54	33.24	0.09	40.49	51.39	51.44	322.91	
P2	8/21/2010 3:30	40.54	33.24	0.10	40.49	51.39	51.44	322.91	
P2	8/21/2010 3:45	40.53	33.24	0.10	40.48	51.40	51.45	322.90	
P2	8/21/2010 4:00	40.53	33.25	0.10	40.48	51.40	51.45	322.90	
P2	8/21/2010 4:15	40.53	33.25	0.10	40.48	51.40	51.45	322.90	
P2	8/21/2010 4:30	40.53	33.25	0.10	40.48	51.40	51.45	322.90	
P2	8/21/2010 4:45	40.53	33.25	0.10	40.48	51.40	51.45	322.90	
P2	8/21/2010 5:00	40.53	33.25	0.11	40.48	51.40	51.45	322.90	
P2	8/21/2010 5:15	40.53	33.25	0.11	40.47	51.40	51.46	322.89	
P2	8/21/2010 5:30	40.53	33.26	0.11	40.47	51.40	51.46	322.89	
P2	8/21/2010 5:45	40.53	33.26	0.11	40.47	51.40	51.46	322.89	
P2	8/21/2010 6:00	40.53	33.26	0.12	40.47	51.40	51.46	322.89	
P2	8/21/2010 6:15	40.53	33.27	0.12	40.47	51.40	51.46	322.89	
P2	8/21/2010 6:30	40.53	33.27	0.12	40.46	51.41	51.47	322.88	
P2	8/21/2010 6:45	40.53	33.27	0.13	40.46	51.41	51.47	322.88	
P2	8/21/2010 7:00	40.53	33.28	0.13	40.46	51.41	51.47	322.88	
P2	8/21/2010 7:15	40.53	33.28	0.14	40.46	51.41	51.48	322.87	
P2	8/21/2010 7:30	40.53	33.29	0.14	40.45	51.41	51.48	322.87	
P2	8/21/2010 7:45	40.53	33.29	0.14	40.45	51.41	51.48	322.87	
P2	8/21/2010 8:00	40.53	33.29	0.15	40.45	51.41	51.48	322.87	
P2	8/21/2010 8:15	40.53	33.30	0.15	40.45	51.41	51.48	322.87	
P2	8/21/2010 8:30	40.53	33.30	0.15	40.45	51.41	51.49	322.86	
P2	8/21/2010 8:45	40.53	33.30	0.16	40.44	51.41	51.49	322.86	
P2	8/21/2010 9:00	40.53	33.31	0.16	40.44	51.41	51.49	322.86	
P2	8/21/2010 9:15	40.53	33.31	0.17	40.44	51.41	51.49	322.86	
P2	8/21/2010 9:30	40.53	33.32	0.17	40.44	51.41	51.49	322.86	
P2	8/21/2010 9:45	40.53	33.30	0.16	40.45	51.41	51.49	322.86	
P2	8/21/2010 10:00	40.53	33.29	0.14	40.45	51.41	51.48	322.87	
P2	8/21/2010 10:15	40.53	33.27	0.13	40.46	51.41	51.47	322.88	
P2	8/21/2010 10:30	40.53	33.26	0.11	40.47	51.41	51.46	322.89	
P2	8/21/2010 10:45	40.53	33.24	0.10	40.48	51.41	51.46	322.89	
P2	8/21/2010 11:00	40.53	33.23	0.08	40.48	51.41	51.45	322.90	
P2	8/21/2010 11:15	40.53	33.21	0.07	40.49	51.41	51.44	322.91	
P2	8/21/2010 11:30	40.53	33.20	0.05	40.50	51.41	51.43	322.92	
P2	8/21/2010 11:45	40.53	33.18	0.04	40.51	51.41	51.43	322.92	
P2	8/21/2010 12:00	40.53	33.17	0.02	40.51	51.41	51.42	322.93	
P2	8/21/2010 12:15	40.53	33.16	0.01	40.52	51.41	51.41	322.94	
P2	8/21/2010 12:30	40.53	33.14	-0.01	40.53	51.41	51.40	322.95	
P2	8/21/2010 12:45	40.53	33.13	-0.02	40.54	51.41	51.40	322.95	
P2	8/21/2010 13:00	40.53	33.11	-0.03	40.55	51.40	51.38	322.97	
P2	8/21/2010 13:15	40.53	33.10	-0.05	40.56	51.40	51.38	322.97	
P2	8/21/2010 13:30	40.53	33.08	-0.06	40.56	51.41	51.37	322.98	
P2	8/21/2010 13:45	40.54	33.11	-0.04	40.56	51.39	51.37	322.98	
P2	8/21/2010 14:00	40.53	33.14	-0.01	40.54	51.40	51.39	322.96	
P2	8/21/2010 14:15	40.53	33.16	0.02	40.53	51.40	51.41	322.94	
P2	8/21/2010 14:30	40.53	33.19	0.04	40.51	51.40	51.42	322.93	
P2	8/21/2010 14:45	40.53	33.21	0.07	40.50	51.40	51.43	322.92	
P2	8/21/2010 15:00	40.53	33.24	0.10	40.48	51.40	51.45	322.90	
P2	8/21/2010 15:15	40.53	33.27	0.12	40.47	51.40	51.47	322.88	
P2	8/21/2010 15:30	40.53	33.29	0.15	40.45	51.40	51.48	322.87	
P2	8/21/2010 15:45	40.53	33.32	0.18	40.44	51.40	51.49	322.86	
P2	8/21/2010 16:00	40.53	33.35	0.20	40.43	51.40	51.50	322.85	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	8/21/2010 16:15	40.53	33.37	0.23	40.42	51.40	51.52	322.83	
P2	8/21/2010 16:30	40.53	33.40	0.25	40.40	51.40	51.53	322.82	
P2	8/21/2010 16:45	40.53	33.43	0.28	40.38	51.40	51.55	322.80	
P2	8/21/2010 17:00	40.53	33.45	0.31	40.37	51.40	51.56	322.79	
P2	8/21/2010 17:15	40.53	33.48	0.33	40.36	51.40	51.58	322.77	
P2	8/21/2010 17:30	40.53	33.51	0.36	40.34	51.40	51.59	322.76	
P2	8/21/2010 17:45	40.53	33.51	0.37	40.34	51.40	51.59	322.76	
P2	8/21/2010 18:00	40.53	33.52	0.37	40.34	51.40	51.60	322.75	
P2	8/21/2010 18:15	40.53	33.52	0.38	40.33	51.40	51.60	322.75	
P2	8/21/2010 18:30	40.53	33.53	0.38	40.33	51.40	51.60	322.75	
P2	8/21/2010 18:45	40.53	33.53	0.39	40.33	51.40	51.60	322.75	
P2	8/21/2010 19:00	40.53	33.54	0.39	40.32	51.40	51.61	322.74	
P2	8/21/2010 19:15	40.53	33.55	0.40	40.32	51.40	51.61	322.74	
P2	8/21/2010 19:30	40.53	33.55	0.41	40.32	51.40	51.61	322.74	
P2	8/21/2010 19:45	40.53	33.56	0.41	40.32	51.40	51.61	322.74	
P2	8/21/2010 20:00	40.53	33.56	0.42	40.32	51.40	51.61	322.74	
P2	8/21/2010 20:15	40.53	33.57	0.42	40.31	51.40	51.62	322.73	
P2	8/21/2010 20:30	40.53	33.57	0.43	40.31	51.40	51.62	322.73	
P2	8/21/2010 20:45	40.53	33.58	0.43	40.31	51.40	51.62	322.73	
P2	8/21/2010 21:00	40.54	33.58	0.44	40.31	51.39	51.62	322.73	
P2	8/21/2010 21:15	40.54	33.59	0.44	40.31	51.39	51.63	322.72	
P2	8/21/2010 21:30	40.54	33.60	0.45	40.30	51.39	51.63	322.72	
P2	8/21/2010 21:45	40.54	33.60	0.45	40.30	51.39	51.63	322.72	
P2	8/21/2010 22:00	40.54	33.60	0.46	40.30	51.39	51.63	322.72	
P2	8/21/2010 22:15	40.54	33.61	0.46	40.30	51.39	51.63	322.72	
P2	8/21/2010 22:30	40.54	33.61	0.47	40.30	51.39	51.63	322.72	
P2	8/21/2010 22:45	40.54	33.62	0.47	40.30	51.39	51.63	322.72	
P2	8/21/2010 23:00	40.54	33.62	0.47	40.30	51.39	51.64	322.71	
P2	8/21/2010 23:15	40.54	33.62	0.48	40.29	51.39	51.64	322.71	
P2	8/21/2010 23:30	40.55	33.63	0.48	40.29	51.39	51.64	322.71	
P2	8/21/2010 23:45	40.55	33.63	0.49	40.29	51.39	51.64	322.71	
P2	8/22/2010 0:00	40.55	33.64	0.49	40.29	51.39	51.64	322.71	
P2	8/22/2010 0:15	40.55	33.64	0.50	40.29	51.39	51.64	322.71	
P2	8/22/2010 0:30	40.55	33.65	0.50	40.29	51.39	51.65	322.70	
P2	8/22/2010 0:45	40.55	33.65	0.50	40.28	51.39	51.65	322.70	
P2	8/22/2010 1:00	40.55	33.65	0.51	40.29	51.38	51.65	322.70	
P2	8/22/2010 1:15	40.55	33.66	0.51	40.28	51.38	51.65	322.70	
P2	8/22/2010 1:30	40.55	33.66	0.52	40.28	51.38	51.65	322.70	
P2	8/22/2010 1:45	40.55	33.67	0.52	40.28	51.38	51.65	322.70	
P2	8/22/2010 2:00	40.55	33.67	0.53	40.28	51.38	51.65	322.70	
P2	8/22/2010 2:15	40.55	33.68	0.53	40.28	51.38	51.65	322.70	
P2	8/22/2010 2:30	40.55	33.68	0.54	40.27	51.38	51.66	322.69	
P2	8/22/2010 2:45	40.55	33.69	0.54	40.27	51.38	51.66	322.69	
P2	8/22/2010 3:00	40.55	33.69	0.54	40.27	51.38	51.66	322.69	
P2	8/22/2010 3:15	40.55	33.70	0.55	40.27	51.38	51.66	322.69	
P2	8/22/2010 3:30	40.56	33.70	0.55	40.27	51.38	51.66	322.69	
P2	8/22/2010 3:45	40.56	33.71	0.56	40.27	51.38	51.67	322.68	
P2	8/22/2010 4:00	40.56	33.71	0.56	40.26	51.38	51.67	322.68	
P2	8/22/2010 4:15	40.56	33.71	0.57	40.26	51.38	51.67	322.68	
P2	8/22/2010 4:30	40.56	33.72	0.57	40.26	51.37	51.67	322.68	
P2	8/22/2010 4:45	40.56	33.72	0.58	40.26	51.37	51.67	322.68	
P2	8/22/2010 5:00	40.56	33.73	0.58	40.26	51.37	51.67	322.68	
P2	8/22/2010 5:15	40.57	33.73	0.59	40.26	51.37	51.67	322.68	
P2	8/22/2010 5:30	40.57	33.74	0.59	40.26	51.37	51.68	322.67	
P2	8/22/2010 5:45	40.57	33.74	0.60	40.25	51.37	51.68	322.67	
P2	8/22/2010 6:00	40.57	33.75	0.60	40.25	51.37	51.68	322.67	
P2	8/22/2010 6:15	40.57	33.75	0.61	40.25	51.36	51.68	322.67	
P2	8/22/2010 6:30	40.57	33.76	0.61	40.25	51.36	51.68	322.67	
P2	8/22/2010 6:45	40.57	33.77	0.62	40.25	51.36	51.68	322.67	
P2	8/22/2010 7:00	40.57	33.77	0.62	40.25	51.36	51.68	322.67	
P2	8/22/2010 7:15	40.58	33.78	0.63	40.25	51.36	51.68	322.67	
P2	8/22/2010 7:30	40.58	33.78	0.64	40.25	51.36	51.69	322.66	
P2	8/22/2010 7:45	40.58	33.79	0.64	40.24	51.36	51.69	322.66	
P2	8/22/2010 8:00	40.58	33.79	0.65	40.24	51.35	51.69	322.66	
P2	8/22/2010 8:15	40.58	33.80	0.65	40.24	51.35	51.69	322.66	
P2	8/22/2010 8:30	40.59	33.80	0.66	40.24	51.35	51.69	322.66	
P2	8/22/2010 8:45	40.59	33.81	0.66	40.24	51.34	51.69	322.66	
P2	8/22/2010 9:00	40.59	33.81	0.67	40.24	51.34	51.69	322.66	
P2	8/22/2010 9:15	40.59	33.82	0.67	40.24	51.34	51.69	322.66	
P2	8/22/2010 9:30	40.59	33.82	0.68	40.24	51.34	51.70	322.65	
P2	8/22/2010 9:45	40.59	33.76	0.61	40.27	51.34	51.66	322.69	
P2	8/22/2010 10:00	40.60	33.70	0.55	40.31	51.34	51.62	322.73	
P2	8/22/2010 10:15	40.60	33.63	0.49	40.34	51.34	51.59	322.76	
P2	8/22/2010 10:30	40.60	33.57	0.42	40.38	51.34	51.55	322.80	
P2	8/22/2010 10:45	40.60	33.50	0.36	40.41	51.34	51.52	322.83	
P2	8/22/2010 11:00	40.60	33.44	0.29	40.45	51.33	51.48	322.87	
P2	8/22/2010 11:15	40.60	33.37	0.23	40.48	51.33	51.45	322.90	
P2	8/22/2010 11:30	40.60	33.31	0.16	40.52	51.33	51.41	322.94	
P2	8/22/2010 11:45	40.60	33.24	0.10	40.55	51.33	51.38	322.97	
P2	8/22/2010 12:00	40.61	33.18	0.03	40.59	51.32	51.34	323.01	
P2	8/22/2010 12:15	40.61	33.12	-0.03	40.62	51.32	51.31	323.04	
P2	8/22/2010 12:30	40.61	33.05	-0.09	40.66	51.32	51.27	323.08	
P2	8/22/2010 12:45	40.61	32.99	-0.16	40.69	51.32	51.24	323.11	
P2	8/22/2010 13:00	40.61	32.92	-0.22	40.73	51.32	51.20	323.15	
P2	8/22/2010 13:15	40.62	32.86	-0.29	40.77	51.32	51.17	323.18	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	8/22/2010 13:30	40.62	32.79	-0.35	40.80	51.32	51.13	323.22	
P2	8/22/2010 13:45	40.62	32.85	-0.29	40.77	51.31	51.16	323.19	
P2	8/22/2010 14:00	40.62	32.91	-0.24	40.74	51.31	51.19	323.16	
P2	8/22/2010 14:15	40.62	32.97	-0.18	40.72	51.31	51.22	323.13	
P2	8/22/2010 14:30	40.62	33.03	-0.12	40.69	51.31	51.25	323.10	
P2	8/22/2010 14:45	40.63	33.08	-0.06	40.66	51.30	51.27	323.08	
P2	8/22/2010 15:00	40.63	33.14	0.00	40.63	51.30	51.30	323.05	
P2	8/22/2010 15:15	40.63	33.20	0.05	40.60	51.30	51.33	323.02	
P2	8/22/2010 15:30	40.63	33.26	0.11	40.57	51.30	51.36	322.99	
P2	8/22/2010 15:45	40.63	33.32	0.17	40.54	51.30	51.39	322.96	
P2	8/22/2010 16:00	40.64	33.37	0.23	40.52	51.30	51.41	322.94	
P2	8/22/2010 16:15	40.64	33.43	0.29	40.49	51.30	51.45	322.90	
P2	8/22/2010 16:30	40.64	33.49	0.34	40.46	51.29	51.47	322.88	
P2	8/22/2010 16:45	40.64	33.55	0.40	40.43	51.29	51.50	322.85	
P2	8/22/2010 17:00	40.64	33.61	0.46	40.40	51.29	51.53	322.82	
P2	8/22/2010 17:15	40.64	33.66	0.52	40.37	51.29	51.56	322.79	
P2	8/22/2010 17:30	40.64	33.72	0.58	40.34	51.29	51.59	322.76	
P2	8/22/2010 17:45	40.64	33.73	0.58	40.34	51.29	51.59	322.76	
P2	8/22/2010 18:00	40.65	33.73	0.58	40.34	51.29	51.59	322.76	
P2	8/22/2010 18:15	40.65	33.73	0.59	40.34	51.28	51.59	322.76	
P2	8/22/2010 18:30	40.65	33.74	0.59	40.34	51.28	51.59	322.76	
P2	8/22/2010 18:45	40.65	33.74	0.60	40.34	51.28	51.59	322.76	
P2	8/22/2010 19:00	40.66	33.75	0.60	40.34	51.28	51.59	322.76	
P2	8/22/2010 19:15	40.66	33.75	0.60	40.34	51.28	51.59	322.76	
P2	8/22/2010 19:30	40.66	33.75	0.61	40.34	51.28	51.59	322.76	
P2	8/22/2010 19:45	40.66	33.76	0.61	40.34	51.27	51.59	322.76	
P2	8/22/2010 20:00	40.66	33.76	0.62	40.34	51.27	51.59	322.76	
P2	8/22/2010 20:15	40.66	33.77	0.62	40.34	51.27	51.59	322.76	
P2	8/22/2010 20:30	40.66	33.77	0.62	40.34	51.27	51.59	322.76	
P2	8/22/2010 20:45	40.67	33.77	0.63	40.34	51.27	51.59	322.76	
P2	8/22/2010 21:00	40.67	33.78	0.63	40.34	51.27	51.59	322.76	
P2	8/22/2010 21:15	40.67	33.78	0.64	40.34	51.26	51.59	322.76	
P2	8/22/2010 21:30	40.67	33.79	0.64	40.34	51.26	51.59	322.76	
P2	8/22/2010 21:45	40.68	33.79	0.64	40.34	51.26	51.59	322.76	
P2	8/22/2010 22:00	40.68	33.79	0.65	40.34	51.26	51.59	322.76	
P2	8/22/2010 22:15	40.68	33.79	0.65	40.34	51.25	51.59	322.76	
P2	8/22/2010 22:30	40.68	33.80	0.65	40.34	51.25	51.59	322.76	
P2	8/22/2010 22:45	40.68	33.80	0.66	40.34	51.25	51.59	322.76	
P2	8/22/2010 23:00	40.68	33.80	0.66	40.34	51.25	51.59	322.76	
P2	8/22/2010 23:15	40.69	33.81	0.66	40.34	51.25	51.59	322.76	
P2	8/22/2010 23:30	40.69	33.81	0.67	40.34	51.24	51.59	322.76	
P2	8/22/2010 23:45	40.69	33.81	0.67	40.34	51.24	51.59	322.76	
P2	8/23/2010 0:00	40.69	33.82	0.67	40.34	51.24	51.59	322.76	
P2	8/23/2010 0:15	40.69	33.82	0.68	40.34	51.24	51.59	322.76	
P2	8/23/2010 0:30	40.69	33.82	0.68	40.34	51.24	51.59	322.76	
P2	8/23/2010 0:45	40.70	33.83	0.68	40.34	51.23	51.59	322.76	
P2	8/23/2010 1:00	40.70	33.83	0.69	40.35	51.23	51.59	322.76	
P2	8/23/2010 1:15	40.70	33.83	0.69	40.34	51.23	51.59	322.76	
P2	8/23/2010 1:30	40.71	33.84	0.69	40.35	51.23	51.59	322.76	
P2	8/23/2010 1:45	40.71	33.84	0.69	40.35	51.23	51.59	322.76	
P2	8/23/2010 2:00	40.71	33.84	0.70	40.34	51.23	51.59	322.76	
P2	8/23/2010 2:15	40.71	33.84	0.70	40.35	51.22	51.58	322.77	
P2	8/23/2010 2:30	40.71	33.84	0.70	40.35	51.22	51.59	322.76	
P2	8/23/2010 2:45	40.71	33.85	0.70	40.35	51.22	51.59	322.76	
P2	8/23/2010 3:00	40.71	33.85	0.70	40.35	51.22	51.58	322.77	
P2	8/23/2010 3:15	40.72	33.85	0.70	40.35	51.21	51.58	322.77	
P2	8/23/2010 3:30	40.72	33.85	0.70	40.35	51.21	51.58	322.77	
P2	8/23/2010 3:45	40.72	33.85	0.71	40.35	51.21	51.58	322.77	
P2	8/23/2010 4:00	40.72	33.85	0.71	40.35	51.21	51.58	322.77	
P2	8/23/2010 4:15	40.72	33.86	0.71	40.35	51.21	51.58	322.77	
P2	8/23/2010 4:30	40.72	33.86	0.71	40.35	51.21	51.58	322.77	
P2	8/23/2010 4:45	40.73	33.86	0.71	40.35	51.21	51.58	322.77	
P2	8/23/2010 5:00	40.73	33.86	0.71	40.35	51.21	51.58	322.77	
P2	8/23/2010 5:15	40.73	33.86	0.72	40.36	51.20	51.57	322.78	
P2	8/23/2010 5:30	40.73	33.86	0.72	40.36	51.20	51.57	322.78	
P2	8/23/2010 5:45	40.73	33.86	0.72	40.36	51.20	51.57	322.78	
P2	8/23/2010 6:00	40.74	33.86	0.72	40.36	51.20	51.57	322.78	
P2	8/23/2010 6:15	40.74	33.87	0.72	40.37	51.19	51.57	322.78	
P2	8/23/2010 6:30	40.74	33.87	0.72	40.36	51.20	51.57	322.78	
P2	8/23/2010 6:45	40.74	33.87	0.72	40.37	51.19	51.57	322.78	
P2	8/23/2010 7:00	40.74	33.87	0.72	40.37	51.19	51.57	322.78	
P2	8/23/2010 7:15	40.74	33.87	0.72	40.36	51.19	51.57	322.78	
P2	8/23/2010 7:30	40.75	33.87	0.72	40.37	51.19	51.56	322.79	
P2	8/23/2010 7:45	40.75	33.87	0.73	40.37	51.19	51.56	322.79	
P2	8/23/2010 8:00	40.75	33.87	0.73	40.37	51.18	51.56	322.79	
P2	8/23/2010 8:15	40.75	33.87	0.73	40.37	51.18	51.56	322.79	
P2	8/23/2010 8:30	40.75	33.87	0.73	40.37	51.18	51.56	322.79	
P2	8/23/2010 8:45	40.76	33.88	0.73	40.38	51.18	51.55	322.80	
P2	8/23/2010 9:00	40.76	33.88	0.73	40.38	51.18	51.55	322.80	
P2	8/23/2010 9:15	40.76	33.88	0.73	40.38	51.18	51.56	322.79	
P2	8/23/2010 9:30	40.76	33.88	0.73	40.38	51.18	51.56	322.79	
P2	8/23/2010 9:45	40.76	33.85	0.71	40.39	51.18	51.54	322.81	
P2	8/23/2010 10:00	40.76	33.83	0.68	40.41	51.17	51.53	322.82	
P2	8/23/2010 10:15	40.76	33.80	0.66	40.41	51.18	51.52	322.83	
P2	8/23/2010 10:30	40.76	33.78	0.63	40.43	51.17	51.50	322.85	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	8/23/2010 10:45	40.76	33.76	0.61	40.45	51.17	51.49	322.86	
P2	8/23/2010 11:00	40.76	33.73	0.59	40.46	51.17	51.47	322.88	
P2	8/23/2010 11:15	40.76	33.71	0.56	40.47	51.17	51.46	322.89	
P2	8/23/2010 11:30	40.76	33.68	0.54	40.48	51.17	51.45	322.90	
P2	8/23/2010 11:45	40.76	33.66	0.51	40.50	51.17	51.43	322.92	
P2	8/23/2010 12:00	40.76	33.63	0.49	40.51	51.17	51.42	322.93	
P2	8/23/2010 12:15	40.76	33.61	0.46	40.52	51.17	51.41	322.94	
P2	8/23/2010 12:30	40.77	33.59	0.44	40.54	51.16	51.39	322.96	
P2	8/23/2010 12:45	40.77	33.56	0.42	40.56	51.16	51.38	322.97	
P2	8/23/2010 13:00	40.77	33.54	0.39	40.57	51.16	51.36	322.99	
P2	8/23/2010 13:15	40.77	33.51	0.37	40.58	51.16	51.35	323.00	
P2	8/23/2010 13:30	40.77	33.49	0.34	40.59	51.16	51.34	323.01	
P2	8/23/2010 13:45	40.77	33.48	0.34	40.59	51.16	51.34	323.01	
P2	8/23/2010 14:00	40.77	33.48	0.33	40.59	51.16	51.34	323.01	
P2	8/23/2010 14:15	40.77	33.48	0.33	40.60	51.16	51.34	323.01	
P2	8/23/2010 14:30	40.77	33.47	0.33	40.60	51.16	51.33	323.02	
P2	8/23/2010 14:45	40.77	33.47	0.32	40.60	51.16	51.33	323.02	
P2	8/23/2010 15:00	40.76	33.47	0.32	40.60	51.17	51.33	323.02	
P2	8/23/2010 15:15	40.76	33.46	0.32	40.60	51.17	51.33	323.02	
P2	8/23/2010 15:30	40.76	33.46	0.31	40.60	51.17	51.33	323.02	
P2	8/23/2010 15:45	40.76	33.45	0.31	40.60	51.17	51.33	323.02	
P2	8/23/2010 16:00	40.76	33.45	0.31	40.60	51.17	51.33	323.02	
P2	8/23/2010 16:15	40.76	33.45	0.30	40.60	51.17	51.33	323.02	
P2	8/23/2010 16:30	40.76	33.44	0.30	40.61	51.17	51.33	323.02	
P2	8/23/2010 16:45	40.76	33.44	0.29	40.60	51.18	51.33	323.02	
P2	8/23/2010 17:00	40.76	33.44	0.29	40.61	51.18	51.33	323.02	
P2	8/23/2010 17:15	40.75	33.43	0.29	40.60	51.18	51.33	323.02	
P2	8/23/2010 17:30	40.75	33.43	0.28	40.61	51.18	51.33	323.02	
P2	8/23/2010 17:45	40.75	33.43	0.28	40.60	51.18	51.33	323.02	
P2	8/23/2010 18:00	40.75	33.43	0.28	40.60	51.18	51.33	323.02	
P2	8/23/2010 18:15	40.75	33.42	0.28	40.60	51.18	51.33	323.02	
P2	8/23/2010 18:30	40.75	33.42	0.28	40.60	51.19	51.33	323.02	
P2	8/23/2010 18:45	40.75	33.42	0.28	40.60	51.19	51.33	323.02	
P2	8/23/2010 19:00	40.74	33.42	0.27	40.60	51.19	51.33	323.02	
P2	8/23/2010 19:15	40.74	33.42	0.27	40.60	51.19	51.33	323.02	
P2	8/23/2010 19:30	40.74	33.42	0.27	40.60	51.19	51.33	323.02	
P2	8/23/2010 19:45	40.74	33.42	0.27	40.60	51.19	51.33	323.02	
P2	8/23/2010 20:00	40.74	33.41	0.27	40.60	51.20	51.33	323.02	
P2	8/23/2010 20:15	40.74	33.41	0.27	40.60	51.20	51.33	323.02	
P2	8/23/2010 20:30	40.73	33.41	0.27	40.59	51.20	51.34	323.01	
P2	8/23/2010 20:45	40.73	33.41	0.26	40.60	51.20	51.34	323.01	
P2	8/23/2010 21:00	40.73	33.41	0.26	40.60	51.20	51.34	323.01	
P2	8/23/2010 21:15	40.73	33.41	0.26	40.60	51.20	51.34	323.01	
P2	8/23/2010 21:30	40.73	33.41	0.26	40.60	51.20	51.33	323.02	
P2	8/23/2010 21:45	40.73	33.41	0.26	40.60	51.20	51.33	323.02	
P2	8/23/2010 22:00	40.73	33.41	0.26	40.60	51.20	51.34	323.01	
P2	8/23/2010 22:15	40.73	33.41	0.26	40.60	51.20	51.34	323.01	
P2	8/23/2010 22:30	40.73	33.41	0.26	40.60	51.20	51.34	323.01	
P2	8/23/2010 22:45	40.73	33.41	0.27	40.59	51.20	51.34	323.01	
P2	8/23/2010 23:00	40.73	33.41	0.27	40.59	51.20	51.34	323.01	
P2	8/23/2010 23:15	40.73	33.41	0.27	40.59	51.20	51.34	323.01	
P2	8/23/2010 23:30	40.73	33.42	0.27	40.59	51.20	51.34	323.01	
P2	8/23/2010 23:45	40.73	33.42	0.27	40.59	51.20	51.34	323.01	
P2	8/24/2010 0:00	40.73	33.42	0.27	40.59	51.20	51.34	323.01	
P2	8/24/2010 0:15	40.73	33.42	0.27	40.58	51.21	51.35	323.00	
P2	8/24/2010 0:30	40.73	33.42	0.27	40.58	51.21	51.35	323.00	
P2	8/24/2010 0:45	40.73	33.42	0.27	40.59	51.20	51.34	323.01	
P2	8/24/2010 1:00	40.73	33.42	0.28	40.59	51.20	51.34	323.01	
P2	8/24/2010 1:15	40.73	33.42	0.28	40.59	51.20	51.34	323.01	
P2	8/24/2010 1:30	40.73	33.42	0.28	40.59	51.20	51.34	323.01	
P2	8/24/2010 1:45	40.73	33.43	0.28	40.58	51.20	51.35	323.00	
P2	8/24/2010 2:00	40.73	33.43	0.28	40.58	51.20	51.35	323.00	
P2	8/24/2010 2:15	40.73	33.43	0.29	40.58	51.21	51.36	322.99	
P2	8/24/2010 2:30	40.73	33.43	0.29	40.57	51.21	51.36	322.99	
P2	8/24/2010 2:45	40.73	33.44	0.29	40.57	51.21	51.36	322.99	
P2	8/24/2010 3:00	40.72	33.44	0.29	40.57	51.21	51.36	322.99	
P2	8/24/2010 3:15	40.72	33.44	0.30	40.57	51.21	51.37	322.98	
P2	8/24/2010 3:30	40.72	33.45	0.30	40.56	51.21	51.37	322.98	
P2	8/24/2010 3:45	40.72	33.45	0.30	40.56	51.21	51.37	322.98	
P2	8/24/2010 4:00	40.71	33.45	0.30	40.56	51.22	51.38	322.97	
P2	8/24/2010 4:15	40.71	33.45	0.31	40.55	51.22	51.38	322.97	
P2	8/24/2010 4:30	40.71	33.46	0.31	40.55	51.22	51.38	322.97	
P2	8/24/2010 4:45	40.71	33.46	0.31	40.55	51.22	51.38	322.97	
P2	8/24/2010 5:00	40.71	33.46	0.31	40.55	51.22	51.39	322.96	
P2	8/24/2010 5:15	40.71	33.46	0.32	40.54	51.23	51.39	322.96	
P2	8/24/2010 5:30	40.71	33.47	0.32	40.54	51.23	51.39	322.96	
P2	8/24/2010 5:45	40.70	33.46	0.32	40.54	51.23	51.39	322.96	
P2	8/24/2010 6:00	40.70	33.46	0.31	40.53	51.23	51.40	322.95	
P2	8/24/2010 6:15	40.70	33.46	0.31	40.54	51.23	51.40	322.95	
P2	8/24/2010 6:30	40.70	33.45	0.31	40.54	51.23	51.39	322.96	
P2	8/24/2010 6:45	40.69	33.45	0.30	40.54	51.24	51.40	322.95	
P2	8/24/2010 7:00	40.69	33.45	0.30	40.54	51.24	51.39	322.96	
P2	8/24/2010 7:15	40.69	33.44	0.30	40.54	51.24	51.39	322.96	
P2	8/24/2010 7:30	40.69	33.44	0.29	40.54	51.24	51.40	322.95	
P2	8/24/2010 7:45	40.69	33.44	0.29	40.54	51.24	51.39	322.96	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	8/24/2010 8:00	40.69	33.43	0.29	40.54	51.25	51.40	322.95	
P2	8/24/2010 8:15	40.69	33.43	0.29	40.54	51.24	51.39	322.96	
P2	8/24/2010 8:30	40.69	33.43	0.28	40.54	51.25	51.39	322.96	
P2	8/24/2010 8:45	40.69	33.42	0.28	40.54	51.25	51.39	322.96	
P2	8/24/2010 9:00	40.68	33.42	0.28	40.54	51.25	51.39	322.96	
P2	8/24/2010 9:15	40.68	33.42	0.27	40.54	51.25	51.39	322.96	
P2	8/24/2010 9:30	40.68	33.42	0.27	40.54	51.25	51.39	322.96	
P2	8/24/2010 9:45	40.68	33.40	0.25	40.54	51.26	51.39	322.96	
P2	8/24/2010 10:00	40.68	33.38	0.24	40.55	51.26	51.38	322.97	
P2	8/24/2010 10:15	40.67	33.37	0.22	40.56	51.26	51.38	322.97	
P2	8/24/2010 10:30	40.67	33.35	0.20	40.56	51.26	51.37	322.98	
P2	8/24/2010 10:45	40.67	33.33	0.19	40.57	51.27	51.36	322.99	
P2	8/24/2010 11:00	40.66	33.32	0.17	40.57	51.27	51.36	322.99	
P2	8/24/2010 11:15	40.66	33.30	0.15	40.58	51.27	51.35	323.00	
P2	8/24/2010 11:30	40.66	33.28	0.14	40.59	51.27	51.35	323.00	
P2	8/24/2010 11:45	40.66	33.27	0.12	40.59	51.28	51.34	323.01	
P2	8/24/2010 12:00	40.66	33.25	0.11	40.60	51.28	51.33	323.02	
P2	8/24/2010 12:15	40.65	33.24	0.09	40.60	51.28	51.33	323.02	
P2	8/24/2010 12:30	40.65	33.22	0.07	40.61	51.29	51.32	323.03	
P2	8/24/2010 12:45	40.64	33.20	0.06	40.61	51.29	51.32	323.03	
P2	8/24/2010 13:00	40.64	33.19	0.04	40.62	51.29	51.31	323.04	
P2	8/24/2010 13:15	40.64	33.17	0.02	40.63	51.29	51.31	323.04	
P2	8/24/2010 13:30	40.63	33.15	0.01	40.63	51.30	51.30	323.05	
P2	8/24/2010 13:45	40.63	33.15	0.00	40.63	51.30	51.30	323.05	
P2	8/24/2010 14:00	40.63	33.14	-0.01	40.63	51.30	51.30	323.05	
P2	8/24/2010 14:15	40.63	33.13	-0.02	40.64	51.30	51.29	323.06	
P2	8/24/2010 14:30	40.62	33.12	-0.03	40.63	51.31	51.30	323.05	
P2	8/24/2010 14:45	40.62	33.11	-0.04	40.64	51.31	51.29	323.06	
P2	8/24/2010 15:00	40.62	33.10	-0.04	40.64	51.32	51.29	323.06	
P2	8/24/2010 15:15	40.61	33.09	-0.05	40.64	51.32	51.29	323.06	
P2	8/24/2010 15:30	40.61	33.09	-0.06	40.64	51.32	51.29	323.06	
P2	8/24/2010 15:45	40.60	33.08	-0.07	40.64	51.33	51.29	323.06	
P2	8/24/2010 16:00	40.60	33.07	-0.08	40.64	51.33	51.29	323.06	
P2	8/24/2010 16:15	40.60	33.06	-0.09	40.65	51.33	51.29	323.06	
P2	8/24/2010 16:30	40.60	33.05	-0.10	40.65	51.34	51.29	323.06	
P2	8/24/2010 16:45	40.59	33.04	-0.10	40.65	51.34	51.28	323.07	
P2	8/24/2010 17:00	40.59	33.03	-0.11	40.65	51.34	51.28	323.07	
P2	8/24/2010 17:15	40.59	33.02	-0.12	40.65	51.35	51.28	323.07	
P2	8/24/2010 17:30	40.58	33.02	-0.13	40.65	51.35	51.28	323.07	
P2	8/24/2010 17:45	40.58	33.02	-0.13	40.65	51.35	51.28	323.07	
P2	8/24/2010 18:00	40.58	33.02	-0.12	40.64	51.36	51.29	323.06	
P2	8/24/2010 18:15	40.57	33.02	-0.12	40.64	51.36	51.30	323.05	
P2	8/24/2010 18:30	40.57	33.03	-0.12	40.63	51.36	51.30	323.05	
P2	8/24/2010 18:45	40.57	33.03	-0.12	40.63	51.37	51.31	323.04	
P2	8/24/2010 19:00	40.57	33.03	-0.11	40.62	51.37	51.31	323.04	
P2	8/24/2010 19:15	40.56	33.04	-0.11	40.62	51.37	51.31	323.04	
P2	8/24/2010 19:30	40.56	33.04	-0.11	40.61	51.38	51.32	323.03	
P2	8/24/2010 19:45	40.56	33.04	-0.10	40.61	51.38	51.32	323.03	
P2	8/24/2010 20:00	40.56	33.04	-0.10	40.61	51.38	51.32	323.03	
P2	8/24/2010 20:15	40.55	33.05	-0.10	40.60	51.38	51.33	323.02	
P2	8/24/2010 20:30	40.55	33.05	-0.10	40.60	51.38	51.33	323.02	
P2	8/24/2010 20:45	40.55	33.05	-0.09	40.60	51.38	51.33	323.02	
P2	8/24/2010 21:00	40.55	33.06	-0.09	40.60	51.38	51.34	323.01	
P2	8/24/2010 21:15	40.55	33.06	-0.09	40.60	51.38	51.34	323.01	
P2	8/24/2010 21:30	40.55	33.06	-0.08	40.59	51.38	51.34	323.01	
P2	8/24/2010 21:45	40.55	33.06	-0.08	40.59	51.39	51.34	323.01	
P2	8/24/2010 22:00	40.55	33.07	-0.08	40.59	51.39	51.34	323.01	
P2	8/24/2010 22:15	40.54	33.07	-0.08	40.58	51.39	51.35	323.00	
P2	8/24/2010 22:30	40.54	33.07	-0.08	40.58	51.39	51.35	323.00	
P2	8/24/2010 22:45	40.54	33.07	-0.08	40.58	51.39	51.35	323.00	
P2	8/24/2010 23:00	40.54	33.07	-0.07	40.58	51.39	51.36	322.99	
P2	8/24/2010 23:15	40.54	33.07	-0.07	40.58	51.39	51.36	322.99	
P2	8/24/2010 23:30	40.54	33.08	-0.07	40.57	51.39	51.36	322.99	
P2	8/24/2010 23:45	40.53	33.08	-0.07	40.57	51.40	51.36	322.99	
P2	8/25/2010 0:00	40.54	33.08	-0.07	40.57	51.39	51.36	322.99	
P2	8/25/2010 0:15	40.53	33.08	-0.06	40.57	51.40	51.36	322.99	
P2	8/25/2010 0:30	40.53	33.08	-0.06	40.57	51.40	51.37	322.98	
P2	8/25/2010 0:45	40.53	33.08	-0.06	40.56	51.40	51.37	322.98	
P2	8/25/2010 1:00	40.53	33.09	-0.06	40.56	51.40	51.37	322.98	
P2	8/25/2010 1:15	40.53	33.09	-0.06	40.56	51.40	51.37	322.98	
P2	8/25/2010 1:30	40.53	33.09	-0.06	40.56	51.41	51.38	322.97	
P2	8/25/2010 1:45	40.52	33.09	-0.05	40.54	51.41	51.39	322.96	
P2	8/25/2010 2:00	40.52	33.10	-0.05	40.54	51.41	51.39	322.96	
P2	8/25/2010 2:15	40.52	33.10	-0.04	40.54	51.41	51.39	322.96	
P2	8/25/2010 2:30	40.51	33.11	-0.04	40.53	51.42	51.40	322.95	
P2	8/25/2010 2:45	40.51	33.11	-0.03	40.53	51.42	51.40	322.95	
P2	8/25/2010 3:00	40.51	33.12	-0.03	40.53	51.42	51.40	322.95	
P2	8/25/2010 3:15	40.51	33.12	-0.02	40.52	51.42	51.41	322.94	
P2	8/25/2010 3:30	40.51	33.13	-0.02	40.52	51.42	51.41	322.94	
P2	8/25/2010 3:45	40.51	33.13	-0.02	40.52	51.42	51.41	322.94	
P2	8/25/2010 4:00	40.51	33.13	-0.01	40.51	51.43	51.42	322.93	
P2	8/25/2010 4:15	40.51	33.14	-0.01	40.51	51.43	51.42	322.93	
P2	8/25/2010 4:30	40.51	33.14	0.00	40.51	51.43	51.42	322.93	
P2	8/25/2010 4:45	40.50	33.15	0.00	40.50	51.43	51.43	322.92	
P2	8/25/2010 5:00	40.50	33.15	0.01	40.50	51.43	51.43	322.92	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	8/25/2010 5:15	40.50	33.16	0.01	40.50	51.43	51.43	322.92	
P2	8/25/2010 5:30	40.50	33.16	0.02	40.49	51.43	51.44	322.91	
P2	8/25/2010 5:45	40.50	33.16	0.01	40.49	51.43	51.44	322.91	
P2	8/25/2010 6:00	40.50	33.15	0.01	40.50	51.43	51.44	322.91	
P2	8/25/2010 6:15	40.50	33.15	0.00	40.50	51.43	51.43	322.92	
P2	8/25/2010 6:30	40.50	33.14	0.00	40.50	51.43	51.43	322.92	
P2	8/25/2010 6:45	40.50	33.14	-0.01	40.50	51.44	51.43	322.92	
P2	8/25/2010 7:00	40.50	33.13	-0.01	40.50	51.44	51.43	322.92	
P2	8/25/2010 7:15	40.50	33.13	-0.02	40.50	51.44	51.43	322.92	
P2	8/25/2010 7:30	40.49	33.13	-0.02	40.50	51.44	51.43	322.92	
P2	8/25/2010 7:45	40.49	33.12	-0.02	40.50	51.44	51.43	322.92	
P2	8/25/2010 8:00	40.50	33.12	-0.03	40.51	51.44	51.42	322.93	
P2	8/25/2010 8:15	40.50	33.11	-0.03	40.51	51.44	51.42	322.93	
P2	8/25/2010 8:30	40.50	33.11	-0.04	40.51	51.44	51.42	322.93	
P2	8/25/2010 8:45	40.50	33.10	-0.04	40.52	51.44	51.42	322.93	
P2	8/25/2010 9:00	40.49	33.10	-0.05	40.51	51.44	51.42	322.93	
P2	8/25/2010 9:15	40.49	33.10	-0.05	40.52	51.44	51.41	322.94	
P2	8/25/2010 9:30	40.49	33.09	-0.05	40.52	51.44	51.41	322.94	
P2	8/25/2010 9:45	40.49	33.08	-0.06	40.52	51.45	51.41	322.94	
P2	8/25/2010 10:00	40.49	33.07	-0.07	40.52	51.45	51.41	322.94	
P2	8/25/2010 10:15	40.49	33.07	-0.08	40.53	51.45	51.40	322.95	
P2	8/25/2010 10:30	40.48	33.06	-0.09	40.53	51.45	51.40	322.95	
P2	8/25/2010 10:45	40.48	33.05	-0.10	40.53	51.45	51.40	322.95	
P2	8/25/2010 11:00	40.48	33.04	-0.11	40.53	51.45	51.40	322.95	
P2	8/25/2010 11:15	40.48	33.03	-0.11	40.54	51.45	51.39	322.96	
P2	8/25/2010 11:30	40.48	33.02	-0.12	40.54	51.46	51.39	322.96	
P2	8/25/2010 11:45	40.48	33.02	-0.13	40.54	51.46	51.39	322.96	
P2	8/25/2010 12:00	40.48	33.01	-0.14	40.55	51.46	51.38	322.97	
P2	8/25/2010 12:15	40.47	33.00	-0.15	40.55	51.46	51.38	322.97	
P2	8/25/2010 12:30	40.47	32.99	-0.16	40.55	51.46	51.38	322.97	
P2	8/25/2010 12:45	40.47	32.98	-0.16	40.55	51.47	51.38	322.97	
P2	8/25/2010 13:00	40.47	32.97	-0.17	40.56	51.47	51.38	322.97	
P2	8/25/2010 13:15	40.55	32.96	-0.18	40.64	51.38	51.29	323.06	
P2	8/25/2010 13:30	40.55	32.96	-0.19	40.65	51.38	51.28	323.07	
P2	8/25/2010 13:45	40.55	32.95	-0.20	40.65	51.38	51.28	323.07	
P2	8/25/2010 14:00	40.55	32.94	-0.20	40.65	51.39	51.28	323.07	
P2	8/25/2010 14:15	40.55	32.94	-0.21	40.65	51.39	51.28	323.07	
P2	8/25/2010 14:30	40.54	32.93	-0.21	40.65	51.39	51.28	323.07	
P2	8/25/2010 14:45	40.54	32.93	-0.22	40.66	51.39	51.28	323.07	
P2	8/25/2010 15:00	40.54	32.92	-0.22	40.65	51.39	51.28	323.07	
P2	8/25/2010 15:15	40.54	32.92	-0.23	40.66	51.39	51.27	323.08	
P2	8/25/2010 15:30	40.53	32.91	-0.24	40.66	51.40	51.28	323.07	
P2	8/25/2010 15:45	40.53	32.90	-0.24	40.66	51.40	51.27	323.08	
P2	8/25/2010 16:00	40.53	32.90	-0.25	40.66	51.40	51.27	323.08	
P2	8/25/2010 16:15	40.53	32.89	-0.25	40.66	51.41	51.27	323.08	
P2	8/25/2010 16:30	40.53	32.89	-0.26	40.66	51.41	51.27	323.08	
P2	8/25/2010 16:45	40.52	32.88	-0.26	40.66	51.41	51.27	323.08	
P2	8/25/2010 17:00	40.52	32.88	-0.27	40.66	51.41	51.27	323.08	
P2	8/25/2010 17:15	40.52	32.87	-0.28	40.66	51.41	51.27	323.08	
P2	8/25/2010 17:30	40.51	32.86	-0.28	40.66	51.42	51.27	323.08	
P2	8/25/2010 17:45	40.51	32.87	-0.28	40.66	51.42	51.28	323.07	
P2	8/25/2010 18:00	40.51	32.87	-0.28	40.65	51.43	51.28	323.07	
P2	8/25/2010 18:15	40.51	32.87	-0.28	40.65	51.43	51.28	323.07	
P2	8/25/2010 18:30	40.51	32.87	-0.27	40.65	51.43	51.28	323.07	
P2	8/25/2010 18:45	40.50	32.87	-0.27	40.64	51.43	51.29	323.06	
P2	8/25/2010 19:00	40.50	32.87	-0.27	40.64	51.43	51.29	323.06	
P2	8/25/2010 19:15	40.50	32.88	-0.27	40.63	51.44	51.30	323.05	
P2	8/25/2010 19:30	40.49	32.88	-0.27	40.63	51.44	51.30	323.05	
P2	8/25/2010 19:45	40.49	32.88	-0.27	40.63	51.44	51.30	323.05	
P2	8/25/2010 20:00	40.49	32.88	-0.26	40.62	51.45	51.31	323.04	
P2	8/25/2010 20:15	40.49	32.88	-0.26	40.62	51.45	51.31	323.04	
P2	8/25/2010 20:30	40.48	32.89	-0.26	40.62	51.45	51.31	323.04	
P2	8/25/2010 20:45	40.48	32.89	-0.26	40.62	51.45	51.31	323.04	
P2	8/25/2010 21:00	40.48	32.89	-0.26	40.61	51.45	51.32	323.03	
P2	8/25/2010 21:15	40.48	32.89	-0.25	40.61	51.45	51.32	323.03	
P2	8/25/2010 21:30	40.48	32.89	-0.25	40.61	51.46	51.33	323.02	
P2	8/25/2010 21:45	40.48	32.90	-0.25	40.60	51.46	51.33	323.02	
P2	8/25/2010 22:00	40.48	32.90	-0.25	40.60	51.46	51.33	323.02	
P2	8/25/2010 22:15	40.47	32.90	-0.24	40.60	51.46	51.33	323.02	
P2	8/25/2010 22:30	40.47	32.91	-0.24	40.60	51.46	51.34	323.01	
P2	8/25/2010 22:45	40.47	32.91	-0.24	40.59	51.46	51.34	323.01	
P2	8/25/2010 23:00	40.47	32.91	-0.23	40.59	51.46	51.34	323.01	
P2	8/25/2010 23:15	40.47	32.92	-0.23	40.59	51.47	51.35	323.00	
P2	8/25/2010 23:30	40.47	32.92	-0.23	40.58	51.47	51.35	323.00	
P2	8/25/2010 23:45	40.47	32.92	-0.22	40.58	51.47	51.35	323.00	
P2	8/26/2010 0:00	40.47	32.93	-0.22	40.58	51.47	51.35	323.00	
P2	8/26/2010 0:15	40.46	32.93	-0.22	40.58	51.47	51.36	322.99	
P2	8/26/2010 0:30	40.46	32.93	-0.21	40.57	51.47	51.36	322.99	
P2	8/26/2010 0:45	40.46	32.94	-0.21	40.57	51.47	51.36	322.99	
P2	8/26/2010 1:00	40.46	32.94	-0.21	40.57	51.47	51.37	322.98	
P2	8/26/2010 1:15	40.46	32.94	-0.20	40.57	51.47	51.37	322.98	
P2	8/26/2010 1:30	40.46	32.95	-0.20	40.56	51.47	51.37	322.98	
P2	8/26/2010 1:45	40.46	32.95	-0.19	40.56	51.47	51.37	322.98	
P2	8/26/2010 2:00	40.46	32.96	-0.19	40.55	51.48	51.38	322.97	
P2	8/26/2010 2:15	40.46	32.96	-0.18	40.55	51.48	51.38	322.97	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	8/26/2010 2:30	40.46	32.97	-0.18	40.55	51.48	51.38	322.97	
P2	8/26/2010 2:45	40.46	32.98	-0.17	40.54	51.48	51.39	322.96	
P2	8/26/2010 3:00	40.46	32.98	-0.16	40.55	51.47	51.39	322.96	
P2	8/26/2010 3:15	40.46	32.99	-0.16	40.54	51.48	51.39	322.96	
P2	8/26/2010 3:30	40.46	32.99	-0.15	40.54	51.48	51.40	322.95	
P2	8/26/2010 3:45	40.45	33.00	-0.15	40.53	51.48	51.40	322.95	
P2	8/26/2010 4:00	40.46	33.00	-0.14	40.53	51.48	51.40	322.95	
P2	8/26/2010 4:15	40.45	33.01	-0.14	40.52	51.48	51.41	322.94	
P2	8/26/2010 4:30	40.46	33.02	-0.13	40.52	51.48	51.41	322.94	
P2	8/26/2010 4:45	40.45	33.02	-0.12	40.52	51.48	51.42	322.93	
P2	8/26/2010 5:00	40.45	33.03	-0.12	40.51	51.48	51.42	322.93	
P2	8/26/2010 5:15	40.45	33.03	-0.11	40.51	51.48	51.42	322.93	
P2	8/26/2010 5:30	40.45	33.04	-0.11	40.51	51.48	51.42	322.93	
P2	8/26/2010 5:45	40.45	33.04	-0.10	40.50	51.48	51.43	322.92	
P2	8/26/2010 6:00	40.45	33.05	-0.09	40.50	51.48	51.43	322.92	
P2	8/26/2010 6:15	40.45	33.06	-0.09	40.50	51.48	51.43	322.92	
P2	8/26/2010 6:30	40.45	33.06	-0.08	40.49	51.48	51.44	322.91	
P2	8/26/2010 6:45	40.45	33.07	-0.08	40.49	51.48	51.44	322.91	
P2	8/26/2010 7:00	40.45	33.08	-0.07	40.49	51.48	51.44	322.91	
P2	8/26/2010 7:15	40.45	33.08	-0.06	40.48	51.48	51.45	322.90	
P2	8/26/2010 7:30	40.45	33.09	-0.06	40.48	51.48	51.45	322.90	
P2	8/26/2010 7:45	40.45	33.10	-0.05	40.48	51.48	51.45	322.90	
P2	8/26/2010 8:00	40.46	33.10	-0.04	40.48	51.48	51.45	322.90	
P2	8/26/2010 8:15	40.46	33.11	-0.04	40.47	51.48	51.46	322.89	
P2	8/26/2010 8:30	40.46	33.12	-0.03	40.47	51.48	51.46	322.89	
P2	8/26/2010 8:45	40.46	33.12	-0.02	40.47	51.48	51.46	322.89	
P2	8/26/2010 9:00	40.46	33.13	-0.02	40.46	51.48	51.47	322.88	
P2	8/26/2010 9:15	40.46	33.14	-0.01	40.46	51.47	51.47	322.88	
P2	8/26/2010 9:30	40.46	33.14	0.00	40.46	51.48	51.47	322.88	
P2	8/26/2010 9:45	40.46	33.14	0.00	40.46	51.47	51.47	322.88	
P2	8/26/2010 10:00	40.46	33.14	0.00	40.47	51.47	51.47	322.88	
P2	8/26/2010 10:15	40.46	33.14	-0.01	40.46	51.47	51.47	322.88	
P2	8/26/2010 10:30	40.46	33.14	-0.01	40.47	51.47	51.46	322.89	
P2	8/26/2010 10:45	40.46	33.14	-0.01	40.47	51.47	51.46	322.89	
P2	8/26/2010 11:00	40.47	33.14	-0.01	40.47	51.47	51.46	322.89	
P2	8/26/2010 11:15	40.47	33.14	-0.01	40.47	51.47	51.46	322.89	
P2	8/26/2010 11:30	40.47	33.14	-0.01	40.47	51.47	51.46	322.89	
P2	8/26/2010 11:45	40.47	33.14	-0.01	40.47	51.47	51.46	322.89	
P2	8/26/2010 12:00	40.47	33.13	-0.01	40.48	51.46	51.46	322.89	
P2	8/26/2010 12:15	40.47	33.13	-0.01	40.48	51.46	51.45	322.90	
P2	8/26/2010 12:30	40.47	33.13	-0.01	40.48	51.46	51.45	322.90	
P2	8/26/2010 12:45	40.47	33.13	-0.01	40.48	51.46	51.45	322.90	
P2	8/26/2010 13:00	40.47	33.13	-0.01	40.48	51.46	51.45	322.90	
P2	8/26/2010 13:15	40.48	33.13	-0.02	40.48	51.46	51.45	322.90	
P2	8/26/2010 13:30	40.48	33.13	-0.02	40.49	51.45	51.44	322.91	
P2	8/26/2010 13:45	40.48	33.13	-0.01	40.49	51.45	51.45	322.90	
P2	8/26/2010 14:00	40.50	33.14	-0.01	40.50	51.43	51.43	322.92	
P2	8/26/2010 14:15	40.50	33.14	0.00	40.51	51.43	51.43	322.92	
P2	8/26/2010 14:30	40.50	33.15	0.00	40.50	51.43	51.43	322.92	
P2	8/26/2010 14:45	40.50	33.15	0.00	40.50	51.43	51.43	322.92	
P2	8/26/2010 15:00	40.51	33.15	0.01	40.50	51.43	51.43	322.92	
P2	8/26/2010 15:15	40.51	33.16	0.01	40.50	51.43	51.43	322.92	
P2	8/26/2010 15:30	40.51	33.16	0.01	40.50	51.43	51.43	322.92	
P2	8/26/2010 15:45	40.51	33.16	0.02	40.50	51.42	51.43	322.92	
P2	8/26/2010 16:00	40.51	33.17	0.02	40.50	51.43	51.44	322.91	
P2	8/26/2010 16:15	40.51	33.17	0.03	40.50	51.42	51.44	322.91	
P2	8/26/2010 16:30	40.51	33.18	0.03	40.49	51.42	51.44	322.91	
P2	8/26/2010 16:45	40.51	33.18	0.03	40.49	51.42	51.44	322.91	
P2	8/26/2010 17:00	40.51	33.18	0.04	40.49	51.42	51.44	322.91	
P2	8/26/2010 17:15	40.51	33.19	0.04	40.49	51.42	51.44	322.91	
P2	8/26/2010 17:30	40.51	33.19	0.05	40.49	51.42	51.44	322.91	
P2	8/26/2010 17:45	40.51	33.20	0.05	40.49	51.42	51.44	322.91	
P2	8/26/2010 18:00	40.51	33.20	0.06	40.48	51.42	51.45	322.90	
P2	8/26/2010 18:15	40.51	33.21	0.06	40.48	51.42	51.45	322.90	
P2	8/26/2010 18:30	40.51	33.22	0.07	40.48	51.42	51.45	322.90	
P2	8/26/2010 18:45	40.52	33.22	0.08	40.48	51.41	51.45	322.90	
P2	8/26/2010 19:00	40.52	33.23	0.08	40.48	51.41	51.46	322.89	
P2	8/26/2010 19:15	40.52	33.23	0.09	40.47	51.41	51.46	322.89	
P2	8/26/2010 19:30	40.52	33.24	0.09	40.47	51.41	51.46	322.89	
P2	8/26/2010 19:45	40.52	33.25	0.10	40.47	51.41	51.47	322.88	
P2	8/26/2010 20:00	40.52	33.25	0.11	40.47	51.41	51.46	322.89	
P2	8/26/2010 20:15	40.52	33.26	0.11	40.46	51.41	51.47	322.88	
P2	8/26/2010 20:30	40.52	33.26	0.12	40.46	51.41	51.47	322.88	
P2	8/26/2010 20:45	40.53	33.27	0.12	40.46	51.41	51.47	322.88	
P2	8/26/2010 21:00	40.53	33.28	0.13	40.46	51.41	51.47	322.88	
P2	8/26/2010 21:15	40.53	33.28	0.14	40.46	51.41	51.48	322.87	
P2	8/26/2010 21:30	40.53	33.29	0.14	40.46	51.40	51.48	322.87	
P2	8/26/2010 21:45	40.53	33.29	0.15	40.45	51.40	51.48	322.87	
P2	8/26/2010 22:00	40.53	33.30	0.15	40.45	51.40	51.48	322.87	
P2	8/26/2010 22:15	40.53	33.30	0.15	40.45	51.40	51.48	322.87	
P2	8/26/2010 22:30	40.53	33.30	0.16	40.45	51.40	51.48	322.87	
P2	8/26/2010 22:45	40.53	33.31	0.16	40.45	51.40	51.48	322.87	
P2	8/26/2010 23:00	40.53	33.31	0.17	40.45	51.40	51.48	322.87	
P2	8/26/2010 23:15	40.54	33.32	0.17	40.45	51.39	51.48	322.87	
P2	8/26/2010 23:30	40.54	33.32	0.17	40.45	51.39	51.48	322.87	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	8/26/2010 23:45	40.54	33.32	0.18	40.45	51.39	51.49	322.86	
P2	8/27/2010 0:00	40.54	33.33	0.18	40.44	51.39	51.49	322.86	
P2	8/27/2010 0:15	40.54	33.33	0.19	40.44	51.39	51.49	322.86	
P2	8/27/2010 0:30	40.54	33.34	0.19	40.44	51.39	51.49	322.86	
P2	8/27/2010 0:45	40.54	33.34	0.19	40.44	51.39	51.50	322.85	
P2	8/27/2010 1:00	40.54	33.34	0.20	40.43	51.39	51.50	322.85	
P2	8/27/2010 1:15	40.54	33.35	0.20	40.43	51.39	51.50	322.85	
P2	8/27/2010 1:30	40.54	33.35	0.21	40.43	51.39	51.50	322.85	
P2	8/27/2010 1:45	40.54	33.36	0.21	40.43	51.39	51.50	322.85	
P2	8/27/2010 2:00	40.54	33.36	0.21	40.43	51.39	51.50	322.85	
P2	8/27/2010 2:15	40.54	33.36	0.21	40.43	51.39	51.50	322.85	
P2	8/27/2010 2:30	40.54	33.36	0.22	40.43	51.39	51.50	322.85	
P2	8/27/2010 2:45	40.54	33.36	0.22	40.43	51.39	51.50	322.85	
P2	8/27/2010 3:00	40.54	33.37	0.22	40.43	51.39	51.50	322.85	
P2	8/27/2010 3:15	40.54	33.37	0.22	40.43	51.39	51.51	322.84	
P2	8/27/2010 3:30	40.54	33.37	0.22	40.43	51.39	51.51	322.84	
P2	8/27/2010 3:45	40.55	33.37	0.23	40.43	51.39	51.50	322.85	
P2	8/27/2010 4:00	40.55	33.37	0.23	40.43	51.39	51.50	322.85	
P2	8/27/2010 4:15	40.55	33.38	0.23	40.43	51.39	51.51	322.84	
P2	8/27/2010 4:30	40.55	33.38	0.23	40.43	51.39	51.51	322.84	
P2	8/27/2010 4:45	40.55	33.38	0.23	40.42	51.39	51.51	322.84	
P2	8/27/2010 5:00	40.55	33.38	0.24	40.42	51.39	51.51	322.84	
P2	8/27/2010 5:15	40.55	33.38	0.24	40.42	51.39	51.51	322.84	
P2	8/27/2010 5:30	40.55	33.39	0.24	40.42	51.39	51.51	322.84	
P2	8/27/2010 5:45	40.55	33.38	0.24	40.42	51.39	51.51	322.84	
P2	8/27/2010 6:00	40.55	33.38	0.23	40.42	51.39	51.51	322.84	
P2	8/27/2010 6:15	40.55	33.38	0.23	40.43	51.39	51.51	322.84	
P2	8/27/2010 6:30	40.55	33.37	0.23	40.43	51.39	51.50	322.85	
P2	8/27/2010 6:45	40.55	33.37	0.22	40.43	51.39	51.50	322.85	
P2	8/27/2010 7:00	40.55	33.37	0.22	40.43	51.39	51.50	322.85	
P2	8/27/2010 7:15	40.55	33.36	0.22	40.43	51.39	51.50	322.85	
P2	8/27/2010 7:30	40.55	33.36	0.21	40.44	51.39	51.50	322.85	
P2	8/27/2010 7:45	40.55	33.35	0.21	40.44	51.39	51.49	322.86	
P2	8/27/2010 8:00	40.54	33.35	0.21	40.44	51.39	51.50	322.85	
P2	8/27/2010 8:15	40.55	33.35	0.20	40.44	51.39	51.49	322.86	
P2	8/27/2010 8:30	40.54	33.34	0.20	40.44	51.39	51.49	322.86	
P2	8/27/2010 8:45	40.54	33.34	0.19	40.44	51.39	51.49	322.86	
P2	8/27/2010 9:00	40.54	33.34	0.19	40.44	51.39	51.49	322.86	
P2	8/27/2010 9:15	40.54	33.33	0.19	40.44	51.39	51.49	322.86	
P2	8/27/2010 9:30	40.54	33.33	0.18	40.45	51.39	51.49	322.86	
P2	8/27/2010 9:45	40.54	33.32	0.17	40.45	51.39	51.48	322.87	
P2	8/27/2010 10:00	40.54	33.31	0.17	40.45	51.39	51.48	322.87	
P2	8/27/2010 10:15	40.54	33.30	0.16	40.46	51.39	51.48	322.87	
P2	8/27/2010 10:30	40.54	33.29	0.15	40.46	51.39	51.47	322.88	
P2	8/27/2010 10:45	40.53	33.28	0.14	40.46	51.40	51.47	322.88	
P2	8/27/2010 11:00	40.53	33.27	0.13	40.47	51.40	51.46	322.89	
P2	8/27/2010 11:15	40.53	33.27	0.12	40.47	51.40	51.46	322.89	
P2	8/27/2010 11:30	40.53	33.26	0.11	40.47	51.40	51.46	322.89	
P2	8/27/2010 11:45	40.53	33.25	0.10	40.47	51.41	51.46	322.89	
P2	8/27/2010 12:00	40.53	33.24	0.09	40.48	51.41	51.45	322.90	
P2	8/27/2010 12:15	40.53	33.23	0.08	40.48	51.41	51.45	322.90	
P2	8/27/2010 12:30	40.52	33.22	0.07	40.48	51.41	51.45	322.90	
P2	8/27/2010 12:45	40.52	33.21	0.06	40.48	51.41	51.45	322.90	
P2	8/27/2010 13:00	40.52	33.20	0.05	40.49	51.41	51.44	322.91	
P2	8/27/2010 13:15	40.52	33.19	0.05	40.49	51.41	51.44	322.91	
P2	8/27/2010 13:30	40.51	33.18	0.04	40.50	51.42	51.44	322.91	
P2	8/27/2010 13:45	40.51	33.18	0.03	40.50	51.42	51.43	322.92	
P2	8/27/2010 14:00	40.51	33.17	0.02	40.50	51.42	51.43	322.92	
P2	8/27/2010 14:15	40.51	33.16	0.02	40.50	51.42	51.43	322.92	
P2	8/27/2010 14:30	40.51	33.16	0.01	40.50	51.43	51.43	322.92	
P2	8/27/2010 14:45	40.50	33.15	0.00	40.50	51.43	51.43	322.92	
P2	8/27/2010 15:00	40.50	33.14	0.00	40.51	51.43	51.43	322.92	
P2	8/27/2010 15:15	40.50	33.13	-0.01	40.50	51.43	51.43	322.92	
P2	8/27/2010 15:30	40.50	33.13	-0.02	40.50	51.44	51.43	322.92	
P2	8/27/2010 15:45	40.49	33.12	-0.02	40.50	51.44	51.43	322.92	
P2	8/27/2010 16:00	40.49	33.11	-0.03	40.50	51.45	51.43	322.92	
P2	8/27/2010 16:15	40.49	33.11	-0.04	40.51	51.45	51.43	322.92	
P2	8/27/2010 16:30	40.48	33.10	-0.04	40.51	51.45	51.43	322.92	
P2	8/27/2010 16:45	40.48	33.09	-0.05	40.51	51.45	51.43	322.92	
P2	8/27/2010 17:00	40.48	33.09	-0.06	40.51	51.46	51.43	322.92	
P2	8/27/2010 17:15	40.48	33.08	-0.07	40.51	51.46	51.42	322.93	
P2	8/27/2010 17:30	40.47	33.07	-0.07	40.51	51.46	51.42	322.93	
P2	8/27/2010 17:45	40.47	33.07	-0.07	40.51	51.46	51.42	322.93	
P2	8/27/2010 18:00	40.47	33.07	-0.07	40.50	51.47	51.43	322.92	
P2	8/27/2010 18:15	40.46	33.07	-0.07	40.50	51.47	51.43	322.92	
P2	8/27/2010 18:30	40.46	33.07	-0.07	40.50	51.47	51.43	322.92	
P2	8/27/2010 18:45	40.46	33.07	-0.07	40.50	51.47	51.43	322.92	
P2	8/27/2010 19:00	40.46	33.07	-0.07	40.50	51.47	51.43	322.92	
P2	8/27/2010 19:15	40.46	33.07	-0.07	40.49	51.48	51.44	322.91	
P2	8/27/2010 19:30	40.45	33.07	-0.07	40.49	51.48	51.44	322.91	
P2	8/27/2010 19:45	40.45	33.07	-0.07	40.49	51.48	51.44	322.91	
P2	8/27/2010 20:00	40.45	33.07	-0.07	40.49	51.48	51.45	322.90	
P2	8/27/2010 20:15	40.45	33.07	-0.07	40.49	51.48	51.45	322.90	
P2	8/27/2010 20:30	40.44	33.07	-0.07	40.48	51.49	51.45	322.90	
P2	8/27/2010 20:45	40.45	33.07	-0.07	40.49	51.48	51.45	322.90	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	8/27/2010 21:00	40.44	33.07	-0.07	40.48	51.49	51.45	322.90	
P2	8/27/2010 21:15	40.44	33.07	-0.07	40.48	51.49	51.45	322.90	
P2	8/27/2010 21:30	40.44	33.07	-0.07	40.48	51.49	51.45	322.90	
P2	8/27/2010 21:45	40.44	33.08	-0.07	40.48	51.49	51.46	322.89	
P2	8/27/2010 22:00	40.44	33.08	-0.07	40.47	51.49	51.46	322.89	
P2	8/27/2010 22:15	40.44	33.09	-0.06	40.47	51.50	51.46	322.89	
P2	8/27/2010 22:30	40.44	33.09	-0.06	40.47	51.50	51.47	322.88	
P2	8/27/2010 22:45	40.43	33.09	-0.05	40.46	51.50	51.47	322.88	
P2	8/27/2010 23:00	40.43	33.10	-0.05	40.46	51.50	51.48	322.87	
P2	8/27/2010 23:15	40.43	33.10	-0.04	40.45	51.50	51.48	322.87	
P2	8/27/2010 23:30	40.43	33.11	-0.04	40.45	51.50	51.48	322.87	
P2	8/27/2010 23:45	40.42	33.11	-0.03	40.44	51.51	51.49	322.86	
P2	8/28/2010 0:00	40.42	33.12	-0.03	40.44	51.51	51.49	322.86	
P2	8/28/2010 0:15	40.42	33.12	-0.03	40.44	51.51	51.49	322.86	
P2	8/28/2010 0:30	40.42	33.13	-0.02	40.43	51.51	51.50	322.85	
P2	8/28/2010 0:45	40.42	33.13	-0.02	40.43	51.51	51.50	322.85	
P2	8/28/2010 1:00	40.42	33.13	-0.01	40.43	51.51	51.50	322.85	
P2	8/28/2010 1:15	40.42	33.14	-0.01	40.42	51.51	51.51	322.84	
P2	8/28/2010 1:30	40.42	33.14	0.00	40.42	51.52	51.51	322.84	
P2	8/28/2010 1:45	40.41	33.15	0.00	40.41	51.52	51.52	322.83	
P2	8/28/2010 2:00	40.41	33.15	0.00	40.41	51.52	51.52	322.83	
P2	8/28/2010 2:15	40.41	33.15	0.01	40.41	51.52	51.52	322.83	
P2	8/28/2010 2:30	40.41	33.16	0.01	40.41	51.52	51.53	322.82	
P2	8/28/2010 2:45	40.41	33.16	0.02	40.40	51.52	51.53	322.82	
P2	8/28/2010 3:00	40.41	33.16	0.02	40.40	51.52	51.53	322.82	
P2	8/28/2010 3:15	40.42	33.17	0.02	40.41	51.52	51.53	322.82	
P2	8/28/2010 3:30	40.42	33.17	0.03	40.40	51.52	51.53	322.82	
P2	8/28/2010 3:45	40.41	33.18	0.03	40.40	51.52	51.53	322.82	
P2	8/28/2010 4:00	40.41	33.18	0.03	40.40	51.52	51.54	322.81	
P2	8/28/2010 4:15	40.41	33.18	0.04	40.39	51.52	51.54	322.81	
P2	8/28/2010 4:30	40.41	33.19	0.04	40.39	51.52	51.54	322.81	
P2	8/28/2010 4:45	40.41	33.19	0.04	40.39	51.52	51.55	322.80	
P2	8/28/2010 5:00	40.41	33.19	0.05	40.38	51.53	51.55	322.80	
P2	8/28/2010 5:15	40.41	33.20	0.05	40.38	51.53	51.55	322.80	
P2	8/28/2010 5:30	40.41	33.20	0.06	40.38	51.53	51.56	322.79	
P2	8/28/2010 5:45	40.40	33.20	0.05	40.37	51.53	51.56	322.79	
P2	8/28/2010 6:00	40.40	33.20	0.05	40.37	51.53	51.56	322.79	
P2	8/28/2010 6:15	40.40	33.20	0.05	40.37	51.53	51.56	322.79	
P2	8/28/2010 6:30	40.40	33.20	0.05	40.37	51.54	51.56	322.79	
P2	8/28/2010 6:45	40.40	33.20	0.05	40.37	51.54	51.56	322.79	
P2	8/28/2010 7:00	40.40	33.20	0.05	40.37	51.54	51.56	322.79	
P2	8/28/2010 7:15	40.40	33.20	0.05	40.37	51.54	51.56	322.79	
P2	8/28/2010 7:30	40.40	33.20	0.05	40.37	51.54	51.56	322.79	
P2	8/28/2010 7:45	40.39	33.20	0.05	40.37	51.54	51.57	322.78	
P2	8/28/2010 8:00	40.39	33.20	0.05	40.37	51.54	51.57	322.78	
P2	8/28/2010 8:15	40.39	33.20	0.05	40.36	51.54	51.57	322.78	
P2	8/28/2010 8:30	40.39	33.20	0.05	40.37	51.54	51.56	322.79	
P2	8/28/2010 8:45	40.39	33.20	0.05	40.36	51.54	51.57	322.78	
P2	8/28/2010 9:00	40.39	33.19	0.05	40.36	51.54	51.57	322.78	
P2	8/28/2010 9:15	40.39	33.19	0.05	40.36	51.54	51.57	322.78	
P2	8/28/2010 9:30	40.39	33.19	0.05	40.36	51.55	51.57	322.78	
P2	8/28/2010 9:45	40.39	33.18	0.04	40.37	51.55	51.57	322.78	
P2	8/28/2010 10:00	40.39	33.17	0.03	40.37	51.55	51.56	322.79	
P2	8/28/2010 10:15	40.39	33.16	0.02	40.38	51.55	51.56	322.79	
P2	8/28/2010 10:30	40.38	33.15	0.01	40.38	51.55	51.55	322.80	
P2	8/28/2010 10:45	40.38	33.14	0.00	40.38	51.55	51.55	322.80	
P2	8/28/2010 11:00	40.38	33.13	-0.02	40.39	51.55	51.54	322.81	
P2	8/28/2010 11:15	40.38	33.12	-0.03	40.39	51.55	51.54	322.81	
P2	8/28/2010 11:30	40.38	33.11	-0.04	40.40	51.55	51.54	322.81	
P2	8/28/2010 11:45	40.37	33.10	-0.05	40.40	51.56	51.53	322.82	
P2	8/28/2010 12:00	40.37	33.09	-0.06	40.40	51.56	51.53	322.82	
P2	8/28/2010 12:15	40.37	33.08	-0.07	40.41	51.56	51.53	322.82	
P2	8/28/2010 12:30	40.37	33.07	-0.08	40.41	51.56	51.52	322.83	
P2	8/28/2010 12:45	40.37	33.06	-0.09	40.41	51.57	51.52	322.83	
P2	8/28/2010 13:00	40.37	33.05	-0.10	40.42	51.57	51.51	322.84	
P2	8/28/2010 13:15	40.36	33.04	-0.11	40.42	51.57	51.51	322.84	
P2	8/28/2010 13:30	40.36	33.03	-0.12	40.42	51.57	51.51	322.84	
P2	8/28/2010 13:45	40.36	33.02	-0.13	40.43	51.57	51.50	322.85	
P2	8/28/2010 14:00	40.36	33.02	-0.13	40.43	51.57	51.51	322.84	
P2	8/28/2010 14:15	40.36	33.01	-0.14	40.43	51.57	51.50	322.85	
P2	8/28/2010 14:30	40.35	33.01	-0.14	40.43	51.58	51.50	322.85	
P2	8/28/2010 14:45	40.35	33.00	-0.15	40.43	51.58	51.50	322.85	
P2	8/28/2010 15:00	40.35	33.00	-0.15	40.43	51.58	51.50	322.85	
P2	8/28/2010 15:15	40.35	32.99	-0.16	40.43	51.58	51.50	322.85	
P2	8/28/2010 15:30	40.35	32.99	-0.16	40.43	51.59	51.50	322.85	
P2	8/28/2010 15:45	40.35	32.98	-0.17	40.43	51.59	51.50	322.85	
P2	8/28/2010 16:00	40.34	32.98	-0.17	40.43	51.59	51.50	322.85	
P2	8/28/2010 16:15	40.34	32.97	-0.18	40.43	51.59	51.50	322.85	
P2	8/28/2010 16:30	40.34	32.97	-0.18	40.43	51.59	51.50	322.85	
P2	8/28/2010 16:45	40.34	32.96	-0.19	40.43	51.60	51.50	322.85	
P2	8/28/2010 17:00	40.34	32.96	-0.19	40.43	51.60	51.50	322.85	
P2	8/28/2010 17:15	40.33	32.95	-0.20	40.43	51.60	51.50	322.85	
P2	8/28/2010 17:30	40.33	32.95	-0.20	40.44	51.60	51.50	322.85	
P2	8/28/2010 17:45	40.33	32.95	-0.20	40.43	51.60	51.50	322.85	
P2	8/28/2010 18:00	40.33	32.95	-0.20	40.43	51.61	51.50	322.85	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	8/28/2010 18:15	40.32	32.95	-0.19	40.42	51.61	51.51	322.84	
P2	8/28/2010 18:30	40.32	32.95	-0.19	40.42	51.61	51.51	322.84	
P2	8/28/2010 18:45	40.32	32.96	-0.19	40.42	51.61	51.51	322.84	
P2	8/28/2010 19:00	40.32	32.96	-0.19	40.42	51.61	51.52	322.83	
P2	8/28/2010 19:15	40.32	32.96	-0.18	40.41	51.62	51.52	322.83	
P2	8/28/2010 19:30	40.32	32.96	-0.18	40.41	51.62	51.52	322.83	
P2	8/28/2010 19:45	40.32	32.97	-0.18	40.41	51.62	51.52	322.83	
P2	8/28/2010 20:00	40.31	32.97	-0.18	40.40	51.62	51.53	322.82	
P2	8/28/2010 20:15	40.31	32.97	-0.17	40.40	51.62	51.53	322.82	
P2	8/28/2010 20:30	40.31	32.97	-0.17	40.40	51.62	51.53	322.82	
P2	8/28/2010 20:45	40.31	32.98	-0.17	40.40	51.62	51.53	322.82	
P2	8/28/2010 21:00	40.31	32.98	-0.17	40.40	51.62	51.53	322.82	
P2	8/28/2010 21:15	40.31	32.98	-0.17	40.39	51.63	51.54	322.81	
P2	8/28/2010 21:30	40.31	32.98	-0.16	40.39	51.63	51.54	322.81	
P2	8/28/2010 21:45	40.31	32.99	-0.16	40.39	51.63	51.54	322.81	
P2	8/28/2010 22:00	40.31	32.99	-0.15	40.39	51.62	51.54	322.81	
P2	8/28/2010 22:15	40.31	33.00	-0.15	40.38	51.63	51.55	322.80	
P2	8/28/2010 22:30	40.31	33.00	-0.14	40.38	51.63	51.55	322.80	
P2	8/28/2010 22:45	40.31	33.01	-0.14	40.38	51.63	51.55	322.80	
P2	8/28/2010 23:00	40.31	33.01	-0.13	40.38	51.63	51.56	322.79	
P2	8/28/2010 23:15	40.31	33.02	-0.13	40.37	51.63	51.56	322.79	
P2	8/28/2010 23:30	40.31	33.02	-0.12	40.37	51.63	51.56	322.79	
P2	8/28/2010 23:45	40.30	33.03	-0.12	40.37	51.63	51.57	322.78	
P2	8/29/2010 0:00	40.30	33.03	-0.12	40.36	51.63	51.57	322.78	
P2	8/29/2010 0:15	40.30	33.04	-0.11	40.36	51.63	51.57	322.78	
P2	8/29/2010 0:30	40.30	33.04	-0.11	40.36	51.63	51.57	322.78	
P2	8/29/2010 0:45	40.30	33.04	-0.10	40.35	51.63	51.58	322.77	
P2	8/29/2010 1:00	40.30	33.05	-0.10	40.35	51.63	51.58	322.77	
P2	8/29/2010 1:15	40.30	33.05	-0.09	40.35	51.63	51.59	322.76	
P2	8/29/2010 1:30	40.30	33.06	-0.09	40.34	51.63	51.59	322.76	
P2	8/29/2010 1:45	40.30	33.07	-0.08	40.34	51.63	51.59	322.76	
P2	8/29/2010 2:00	40.30	33.07	-0.07	40.34	51.63	51.59	322.76	
P2	8/29/2010 2:15	40.30	33.08	-0.07	40.33	51.63	51.60	322.75	
P2	8/29/2010 2:30	40.30	33.08	-0.06	40.33	51.63	51.60	322.75	
P2	8/29/2010 2:45	40.30	33.09	-0.06	40.33	51.64	51.61	322.74	
P2	8/29/2010 3:00	40.30	33.10	-0.05	40.33	51.63	51.61	322.74	
P2	8/29/2010 3:15	40.30	33.10	-0.04	40.32	51.64	51.61	322.74	
P2	8/29/2010 3:30	40.30	33.11	-0.04	40.32	51.64	51.62	322.73	
P2	8/29/2010 3:45	40.30	33.11	-0.03	40.31	51.64	51.62	322.73	
P2	8/29/2010 4:00	40.30	33.12	-0.03	40.31	51.64	51.62	322.73	
P2	8/29/2010 4:15	40.30	33.13	-0.02	40.31	51.64	51.63	322.72	
P2	8/29/2010 4:30	40.30	33.13	-0.01	40.31	51.63	51.63	322.72	
P2	8/29/2010 4:45	40.30	33.14	-0.01	40.30	51.64	51.63	322.72	
P2	8/29/2010 5:00	40.30	33.14	0.00	40.30	51.63	51.63	322.72	
P2	8/29/2010 5:15	40.30	33.15	0.00	40.30	51.63	51.64	322.71	
P2	8/29/2010 5:30	40.30	33.16	0.01	40.29	51.63	51.64	322.71	
P2	8/29/2010 5:45	40.30	33.16	0.01	40.29	51.63	51.64	322.71	
P2	8/29/2010 6:00	40.30	33.16	0.01	40.29	51.63	51.64	322.71	
P2	8/29/2010 6:15	40.30	33.16	0.01	40.29	51.63	51.64	322.71	
P2	8/29/2010 6:30	40.30	33.16	0.01	40.29	51.63	51.64	322.71	
P2	8/29/2010 6:45	40.30	33.16	0.01	40.29	51.63	51.64	322.71	
P2	8/29/2010 7:00	40.30	33.15	0.01	40.29	51.63	51.64	322.71	
P2	8/29/2010 7:15	40.30	33.15	0.01	40.29	51.63	51.64	322.71	
P2	8/29/2010 7:30	40.30	33.15	0.01	40.29	51.63	51.64	322.71	
P2	8/29/2010 7:45	40.30	33.15	0.01	40.29	51.63	51.64	322.71	
P2	8/29/2010 8:00	40.30	33.15	0.01	40.29	51.63	51.64	322.71	
P2	8/29/2010 8:15	40.30	33.15	0.01	40.29	51.63	51.64	322.71	
P2	8/29/2010 8:30	40.30	33.15	0.01	40.29	51.63	51.64	322.71	
P2	8/29/2010 8:45	40.30	33.15	0.01	40.30	51.63	51.64	322.71	
P2	8/29/2010 9:00	40.30	33.15	0.01	40.30	51.63	51.64	322.71	
P2	8/29/2010 9:15	40.30	33.15	0.01	40.30	51.63	51.63	322.72	
P2	8/29/2010 9:30	40.30	33.15	0.01	40.30	51.63	51.64	322.71	
P2	8/29/2010 9:45	40.30	33.15	0.00	40.30	51.63	51.63	322.72	
P2	8/29/2010 10:00	40.30	33.15	0.00	40.30	51.63	51.63	322.72	
P2	8/29/2010 10:15	40.30	33.14	0.00	40.30	51.63	51.63	322.72	
P2	8/29/2010 10:30	40.30	33.14	-0.01	40.30	51.64	51.63	322.72	
P2	8/29/2010 10:45	40.30	33.14	-0.01	40.30	51.63	51.63	322.72	
P2	8/29/2010 11:00	40.30	33.13	-0.01	40.31	51.63	51.63	322.72	
P2	8/29/2010 11:15	40.30	33.13	-0.02	40.31	51.63	51.62	322.73	
P2	8/29/2010 11:30	40.30	33.13	-0.02	40.31	51.63	51.62	322.73	
P2	8/29/2010 11:45	40.30	33.12	-0.02	40.31	51.64	51.62	322.73	
P2	8/29/2010 12:00	40.30	33.12	-0.03	40.32	51.63	51.62	322.73	
P2	8/29/2010 12:15	40.30	33.12	-0.03	40.32	51.63	51.61	322.74	
P2	8/29/2010 12:30	40.30	33.11	-0.03	40.32	51.63	51.61	322.74	
P2	8/29/2010 12:45	40.30	33.11	-0.04	40.32	51.63	51.61	322.74	
P2	8/29/2010 13:00	40.30	33.11	-0.04	40.32	51.63	51.61	322.74	
P2	8/29/2010 13:15	40.30	33.10	-0.04	40.32	51.63	51.61	322.74	
P2	8/29/2010 13:30	40.30	33.10	-0.05	40.32	51.63	51.61	322.74	
P2	8/29/2010 13:45	40.30	33.10	-0.05	40.33	51.63	51.61	322.74	
P2	8/29/2010 14:00	40.30	33.09	-0.05	40.33	51.63	51.60	322.75	
P2	8/29/2010 14:15	40.30	33.09	-0.06	40.33	51.63	51.60	322.75	
P2	8/29/2010 14:30	40.30	33.08	-0.06	40.33	51.64	51.60	322.75	
P2	8/29/2010 14:45	40.30	33.08	-0.07	40.33	51.64	51.60	322.75	
P2	8/29/2010 15:00	40.30	33.07	-0.07	40.33	51.64	51.60	322.75	
P2	8/29/2010 15:15	40.29	33.07	-0.08	40.33	51.64	51.60	322.75	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	8/29/2010 15:30	40.29	33.07	-0.08	40.33	51.64	51.60	322.75	
P2	8/29/2010 15:45	40.29	33.06	-0.08	40.34	51.64	51.60	322.75	
P2	8/29/2010 16:00	40.29	33.06	-0.09	40.33	51.64	51.60	322.75	
P2	8/29/2010 16:15	40.29	33.05	-0.09	40.34	51.64	51.60	322.75	
P2	8/29/2010 16:30	40.29	33.05	-0.10	40.34	51.64	51.59	322.76	
P2	8/29/2010 16:45	40.29	33.04	-0.10	40.34	51.64	51.59	322.76	
P2	8/29/2010 17:00	40.28	33.04	-0.11	40.34	51.65	51.59	322.76	
P2	8/29/2010 17:15	40.28	33.04	-0.11	40.34	51.65	51.59	322.76	
P2	8/29/2010 17:30	40.28	33.03	-0.11	40.34	51.65	51.59	322.76	
P2	8/29/2010 17:45	40.28	33.04	-0.11	40.34	51.65	51.59	322.76	
P2	8/29/2010 18:00	40.28	33.04	-0.11	40.33	51.66	51.60	322.75	
P2	8/29/2010 18:15	40.28	33.04	-0.10	40.33	51.66	51.60	322.75	
P2	8/29/2010 18:30	40.28	33.04	-0.10	40.33	51.66	51.60	322.75	
P2	8/29/2010 18:45	40.27	33.05	-0.10	40.32	51.66	51.61	322.74	
P2	8/29/2010 19:00	40.27	33.05	-0.10	40.32	51.66	51.61	322.74	
P2	8/29/2010 19:15	40.27	33.05	-0.09	40.32	51.66	51.61	322.74	
P2	8/29/2010 19:30	40.27	33.06	-0.09	40.31	51.66	51.62	322.73	
P2	8/29/2010 19:45	40.27	33.06	-0.09	40.31	51.66	51.62	322.73	
P2	8/29/2010 20:00	40.27	33.06	-0.08	40.31	51.66	51.62	322.73	
P2	8/29/2010 20:15	40.27	33.07	-0.08	40.31	51.66	51.62	322.73	
P2	8/29/2010 20:30	40.27	33.07	-0.08	40.31	51.66	51.62	322.73	
P2	8/29/2010 20:45	40.27	33.07	-0.07	40.31	51.66	51.63	322.72	
P2	8/29/2010 21:00	40.26	33.07	-0.07	40.30	51.67	51.63	322.72	
P2	8/29/2010 21:15	40.26	33.08	-0.07	40.30	51.67	51.63	322.72	
P2	8/29/2010 21:30	40.26	33.08	-0.06	40.30	51.67	51.63	322.72	
P2	8/29/2010 21:45	40.26	33.08	-0.06	40.30	51.67	51.64	322.71	
P2	8/29/2010 22:00	40.26	33.09	-0.06	40.30	51.67	51.64	322.71	
P2	8/29/2010 22:15	40.26	33.09	-0.06	40.29	51.67	51.64	322.71	
P2	8/29/2010 22:30	40.26	33.09	-0.06	40.29	51.67	51.64	322.71	
P2	8/29/2010 22:45	40.26	33.09	-0.05	40.29	51.67	51.64	322.71	
P2	8/29/2010 23:00	40.26	33.09	-0.05	40.29	51.67	51.64	322.71	
P2	8/29/2010 23:15	40.26	33.10	-0.05	40.29	51.67	51.64	322.71	
P2	8/29/2010 23:30	40.26	33.10	-0.05	40.28	51.67	51.65	322.70	
P2	8/29/2010 23:45	40.26	33.10	-0.05	40.28	51.67	51.65	322.70	
P2	8/30/2010 0:00	40.26	33.10	-0.04	40.28	51.68	51.65	322.70	
P2	8/30/2010 0:15	40.26	33.10	-0.04	40.28	51.68	51.65	322.70	
P2	8/30/2010 0:30	40.26	33.11	-0.04	40.28	51.68	51.66	322.69	
P2	8/30/2010 0:45	40.25	33.11	-0.04	40.27	51.68	51.66	322.69	
P2	8/30/2010 1:00	40.25	33.11	-0.04	40.27	51.68	51.66	322.69	
P2	8/30/2010 1:15	40.25	33.11	-0.03	40.27	51.68	51.66	322.69	
P2	8/30/2010 1:30	40.25	33.12	-0.03	40.27	51.68	51.66	322.69	
P2	8/30/2010 1:45	40.25	33.12	-0.03	40.27	51.68	51.66	322.69	
P2	8/30/2010 2:00	40.25	33.12	-0.03	40.26	51.68	51.67	322.68	
P2	8/30/2010 2:15	40.25	33.12	-0.03	40.26	51.68	51.67	322.68	
P2	8/30/2010 2:30	40.25	33.12	-0.02	40.26	51.68	51.67	322.68	
P2	8/30/2010 2:45	40.25	33.12	-0.02	40.26	51.68	51.67	322.68	
P2	8/30/2010 3:00	40.25	33.13	-0.02	40.26	51.68	51.67	322.68	
P2	8/30/2010 3:15	40.25	33.13	-0.02	40.26	51.68	51.67	322.68	
P2	8/30/2010 3:30	40.25	33.13	-0.02	40.25	51.69	51.68	322.67	
P2	8/30/2010 3:45	40.25	33.13	-0.01	40.26	51.68	51.68	322.67	
P2	8/30/2010 4:00	40.25	33.13	-0.01	40.25	51.69	51.68	322.67	
P2	8/30/2010 4:15	40.25	33.14	-0.01	40.25	51.69	51.68	322.67	
P2	8/30/2010 4:30	40.25	33.14	-0.01	40.25	51.68	51.68	322.67	
P2	8/30/2010 4:45	40.25	33.14	-0.01	40.25	51.68	51.68	322.67	
P2	8/30/2010 5:00	40.25	33.14	0.00	40.25	51.69	51.69	322.66	
P2	8/30/2010 5:15	40.25	33.14	0.00	40.25	51.69	51.69	322.66	
P2	8/30/2010 5:30	40.25	33.15	0.00	40.24	51.69	51.69	322.66	
P2	8/30/2010 5:45	40.25	33.15	0.00	40.24	51.69	51.69	322.66	
P2	8/30/2010 6:00	40.25	33.15	0.01	40.24	51.69	51.69	322.66	
P2	8/30/2010 6:15	40.25	33.16	0.01	40.24	51.69	51.69	322.66	
P2	8/30/2010 6:30	40.25	33.16	0.01	40.24	51.69	51.69	322.66	
P2	8/30/2010 6:45	40.25	33.16	0.02	40.24	51.69	51.70	322.65	
P2	8/30/2010 7:00	40.25	33.16	0.02	40.24	51.69	51.70	322.65	
P2	8/30/2010 7:15	40.25	33.17	0.02	40.23	51.69	51.70	322.65	
P2	8/30/2010 7:30	40.25	33.17	0.03	40.23	51.69	51.70	322.65	
P2	8/30/2010 7:45	40.25	33.17	0.03	40.23	51.69	51.70	322.65	
P2	8/30/2010 8:00	40.25	33.18	0.03	40.23	51.69	51.70	322.65	
P2	8/30/2010 8:15	40.25	33.18	0.03	40.23	51.69	51.70	322.65	
P2	8/30/2010 8:30	40.25	33.18	0.04	40.23	51.69	51.71	322.64	
P2	8/30/2010 8:45	40.25	33.19	0.04	40.23	51.68	51.70	322.65	
P2	8/30/2010 9:00	40.25	33.19	0.04	40.23	51.68	51.70	322.65	
P2	8/30/2010 9:15	40.25	33.19	0.05	40.23	51.68	51.70	322.65	
P2	8/30/2010 9:30	40.25	33.20	0.05	40.23	51.68	51.71	322.64	
P2	8/30/2010 9:45	40.25	33.19	0.05	40.23	51.68	51.70	322.65	
P2	8/30/2010 10:00	40.25	33.19	0.05	40.23	51.68	51.70	322.65	
P2	8/30/2010 10:15	40.26	33.19	0.04	40.23	51.68	51.70	322.65	
P2	8/30/2010 10:30	40.25	33.19	0.04	40.23	51.68	51.70	322.65	
P2	8/30/2010 10:45	40.26	33.19	0.04	40.24	51.68	51.70	322.65	
P2	8/30/2010 11:00	40.26	33.18	0.04	40.24	51.68	51.70	322.65	
P2	8/30/2010 11:15	40.26	33.18	0.04	40.24	51.68	51.69	322.66	
P2	8/30/2010 11:30	40.26	33.18	0.03	40.24	51.68	51.69	322.66	
P2	8/30/2010 11:45	40.26	33.18	0.03	40.24	51.68	51.69	322.66	
P2	8/30/2010 12:00	40.26	33.18	0.03	40.24	51.68	51.69	322.66	
P2	8/30/2010 12:15	40.26	33.17	0.03	40.24	51.68	51.69	322.66	
P2	8/30/2010 12:30	40.26	33.17	0.03	40.24	51.68	51.69	322.66	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	8/30/2010 12:45	40.26	33.17	0.02	40.24	51.68	51.69	322.66	
P2	8/30/2010 13:00	40.26	33.17	0.02	40.24	51.68	51.69	322.66	
P2	8/30/2010 13:15	40.26	33.17	0.02	40.25	51.68	51.69	322.66	
P2	8/30/2010 13:30	40.26	33.16	0.02	40.25	51.67	51.68	322.67	
P2	8/30/2010 13:45	40.26	33.16	0.02	40.25	51.67	51.68	322.67	
P2	8/30/2010 14:00	40.26	33.16	0.02	40.25	51.68	51.68	322.67	
P2	8/30/2010 14:15	40.26	33.16	0.02	40.25	51.67	51.68	322.67	
P2	8/30/2010 14:30	40.26	33.16	0.02	40.25	51.68	51.68	322.67	
P2	8/30/2010 14:45	40.26	33.16	0.02	40.25	51.67	51.68	322.67	
P2	8/30/2010 15:00	40.26	33.16	0.01	40.25	51.68	51.68	322.67	
P2	8/30/2010 15:15	40.26	33.16	0.01	40.25	51.67	51.68	322.67	
P2	8/30/2010 15:30	40.26	33.16	0.01	40.25	51.68	51.68	322.67	
P2	8/30/2010 15:45	40.26	33.16	0.01	40.25	51.68	51.68	322.67	
P2	8/30/2010 16:00	40.26	33.16	0.01	40.25	51.68	51.68	322.67	
P2	8/30/2010 16:15	40.26	33.16	0.01	40.25	51.68	51.68	322.67	
P2	8/30/2010 16:30	40.26	33.16	0.01	40.25	51.68	51.68	322.67	
P2	8/30/2010 16:45	40.26	33.16	0.01	40.25	51.68	51.68	322.67	
P2	8/30/2010 17:00	40.26	33.16	0.01	40.25	51.68	51.68	322.67	
P2	8/30/2010 17:15	40.26	33.16	0.01	40.25	51.68	51.68	322.67	
P2	8/30/2010 17:30	40.26	33.16	0.01	40.25	51.68	51.68	322.67	
P2	8/30/2010 17:45	40.26	33.16	0.02	40.25	51.67	51.68	322.67	
P2	8/30/2010 18:00	40.26	33.17	0.02	40.25	51.67	51.68	322.67	
P2	8/30/2010 18:15	40.26	33.17	0.03	40.24	51.68	51.69	322.66	
P2	8/30/2010 18:30	40.26	33.18	0.03	40.24	51.67	51.69	322.66	
P2	8/30/2010 18:45	40.26	33.18	0.03	40.24	51.67	51.69	322.66	
P2	8/30/2010 19:00	40.26	33.19	0.04	40.24	51.68	51.70	322.65	
P2	8/30/2010 19:15	40.26	33.19	0.04	40.24	51.67	51.70	322.65	
P2	8/30/2010 19:30	40.26	33.20	0.05	40.23	51.67	51.70	322.65	
P2	8/30/2010 19:45	40.26	33.20	0.05	40.23	51.67	51.70	322.65	
P2	8/30/2010 20:00	40.26	33.20	0.06	40.23	51.67	51.70	322.65	
P2	8/30/2010 20:15	40.26	33.21	0.06	40.23	51.67	51.70	322.65	
P2	8/30/2010 20:30	40.27	33.21	0.07	40.23	51.66	51.70	322.65	
P2	8/30/2010 20:45	40.27	33.22	0.07	40.23	51.66	51.70	322.65	
P2	8/30/2010 21:00	40.27	33.22	0.08	40.23	51.66	51.70	322.65	
P2	8/30/2010 21:15	40.27	33.23	0.08	40.23	51.66	51.70	322.65	
P2	8/30/2010 21:30	40.27	33.23	0.09	40.23	51.66	51.71	322.64	
P2	8/30/2010 21:45	40.28	33.24	0.09	40.23	51.66	51.70	322.65	
P2	8/30/2010 22:00	40.28	33.24	0.10	40.23	51.66	51.71	322.64	
P2	8/30/2010 22:15	40.28	33.25	0.10	40.23	51.65	51.70	322.65	
P2	8/30/2010 22:30	40.28	33.25	0.11	40.22	51.65	51.71	322.64	
P2	8/30/2010 22:45	40.28	33.26	0.11	40.23	51.65	51.71	322.64	
P2	8/30/2010 23:00	40.28	33.26	0.12	40.22	51.65	51.71	322.64	
P2	8/30/2010 23:15	40.29	33.27	0.12	40.23	51.64	51.71	322.64	
P2	8/30/2010 23:30	40.29	33.27	0.13	40.22	51.64	51.71	322.64	
P2	8/30/2010 23:45	40.29	33.28	0.13	40.22	51.64	51.71	322.64	
P2	8/31/2010 0:00	40.29	33.28	0.14	40.22	51.64	51.71	322.64	
P2	8/31/2010 0:15	40.29	33.29	0.14	40.22	51.64	51.72	322.63	
P2	8/31/2010 0:30	40.29	33.29	0.14	40.22	51.64	51.72	322.63	
P2	8/31/2010 0:45	40.29	33.30	0.15	40.21	51.64	51.72	322.63	
P2	8/31/2010 1:00	40.29	33.30	0.15	40.21	51.64	51.72	322.63	
P2	8/31/2010 1:15	40.30	33.31	0.16	40.21	51.64	51.72	322.63	
P2	8/31/2010 1:30	40.29	33.31	0.16	40.21	51.64	51.73	322.62	
P2	8/31/2010 1:45	40.30	33.31	0.17	40.21	51.64	51.72	322.63	
P2	8/31/2010 2:00	40.30	33.31	0.17	40.21	51.64	51.72	322.63	
P2	8/31/2010 2:15	40.30	33.32	0.17	40.21	51.64	51.72	322.63	
P2	8/31/2010 2:30	40.30	33.32	0.17	40.21	51.63	51.72	322.63	
P2	8/31/2010 2:45	40.30	33.32	0.17	40.21	51.64	51.73	322.62	
P2	8/31/2010 3:00	40.30	33.32	0.17	40.21	51.63	51.72	322.63	
P2	8/31/2010 3:15	40.30	33.32	0.18	40.21	51.63	51.72	322.63	
P2	8/31/2010 3:30	40.30	33.32	0.18	40.21	51.63	51.73	322.62	
P2	8/31/2010 3:45	40.30	33.33	0.18	40.21	51.63	51.72	322.63	
P2	8/31/2010 4:00	40.30	33.33	0.18	40.21	51.63	51.72	322.63	
P2	8/31/2010 4:15	40.30	33.33	0.18	40.21	51.63	51.72	322.63	
P2	8/31/2010 4:30	40.30	33.33	0.19	40.21	51.63	51.73	322.62	
P2	8/31/2010 4:45	40.30	33.33	0.19	40.21	51.63	51.73	322.62	
P2	8/31/2010 5:00	40.30	33.34	0.19	40.20	51.63	51.73	322.62	
P2	8/31/2010 5:15	40.30	33.34	0.19	40.20	51.63	51.73	322.62	
P2	8/31/2010 5:30	40.30	33.34	0.19	40.20	51.63	51.73	322.62	
P2	8/31/2010 5:45	40.30	33.34	0.19	40.20	51.63	51.73	322.62	
P2	8/31/2010 6:00	40.30	33.34	0.19	40.20	51.63	51.73	322.62	
P2	8/31/2010 6:15	40.30	33.34	0.19	40.20	51.63	51.73	322.62	
P2	8/31/2010 6:30	40.30	33.34	0.19	40.20	51.63	51.73	322.62	
P2	8/31/2010 6:45	40.30	33.34	0.19	40.20	51.63	51.73	322.62	
P2	8/31/2010 7:00	40.30	33.34	0.20	40.20	51.63	51.73	322.62	
P2	8/31/2010 7:15	40.30	33.34	0.20	40.20	51.63	51.73	322.62	
P2	8/31/2010 7:30	40.31	33.34	0.20	40.21	51.63	51.73	322.62	
P2	8/31/2010 7:45	40.32	33.34	0.20	40.21	51.62	51.72	322.63	
P2	8/31/2010 8:00	40.32	33.34	0.20	40.21	51.62	51.72	322.63	
P2	8/31/2010 8:15	40.31	33.34	0.20	40.21	51.62	51.72	322.63	
P2	8/31/2010 8:30	40.32	33.34	0.20	40.21	51.62	51.72	322.63	
P2	8/31/2010 8:45	40.32	33.34	0.20	40.21	51.62	51.72	322.63	
P2	8/31/2010 9:00	40.32	33.34	0.20	40.21	51.62	51.72	322.63	
P2	8/31/2010 9:15	40.32	33.34	0.20	40.21	51.62	51.72	322.63	
P2	8/31/2010 9:30	40.31	33.35	0.20	40.21	51.62	51.72	322.63	
P2	8/31/2010 9:45	40.31	33.34	0.19	40.21	51.62	51.72	322.63	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	8/31/2010 10:00	40.31	33.34	0.19	40.21	51.62	51.72	322.63	
P2	8/31/2010 10:15	40.31	33.33	0.19	40.21	51.63	51.72	322.63	
P2	8/31/2010 10:30	40.31	33.33	0.18	40.21	51.63	51.72	322.63	
P2	8/31/2010 10:45	40.31	33.32	0.18	40.22	51.63	51.72	322.63	
P2	8/31/2010 11:00	40.31	33.32	0.17	40.22	51.63	51.71	322.64	
P2	8/31/2010 11:15	40.30	33.31	0.17	40.22	51.63	51.72	322.63	
P2	8/31/2010 11:30	40.30	33.31	0.16	40.22	51.63	51.71	322.64	
P2	8/31/2010 11:45	40.30	33.30	0.16	40.22	51.63	51.71	322.64	
P2	8/31/2010 12:00	40.30	33.30	0.15	40.22	51.63	51.71	322.64	
P2	8/31/2010 12:15	40.30	33.29	0.15	40.22	51.64	51.71	322.64	
P2	8/31/2010 12:30	40.30	33.29	0.14	40.22	51.64	51.71	322.64	
P2	8/31/2010 12:45	40.30	33.28	0.14	40.22	51.64	51.71	322.64	
P2	8/31/2010 13:00	40.29	33.28	0.13	40.22	51.64	51.71	322.64	
P2	8/31/2010 13:15	40.29	33.28	0.13	40.22	51.64	51.71	322.64	
P2	8/31/2010 13:30	40.29	33.27	0.13	40.22	51.64	51.71	322.64	
P2	8/31/2010 13:45	40.29	33.27	0.12	40.23	51.64	51.71	322.64	
P2	8/31/2010 14:00	40.29	33.26	0.12	40.23	51.64	51.70	322.65	
P2	8/31/2010 14:15	40.28	33.26	0.11	40.23	51.65	51.71	322.64	
P2	8/31/2010 14:30	40.28	33.25	0.11	40.23	51.65	51.70	322.65	
P2	8/31/2010 14:45	40.28	33.25	0.10	40.23	51.65	51.71	322.64	
P2	8/31/2010 15:00	40.28	33.24	0.10	40.23	51.65	51.70	322.65	
P2	8/31/2010 15:15	40.28	33.24	0.09	40.23	51.66	51.70	322.65	
P2	8/31/2010 15:30	40.28	33.23	0.09	40.23	51.66	51.70	322.65	
P2	8/31/2010 15:45	40.28	33.23	0.08	40.23	51.66	51.70	322.65	
P2	8/31/2010 16:00	40.27	33.23	0.08	40.23	51.66	51.70	322.65	
P2	8/31/2010 16:15	40.27	33.22	0.07	40.23	51.66	51.70	322.65	
P2	8/31/2010 16:30	40.27	33.22	0.07	40.23	51.66	51.70	322.65	
P2	8/31/2010 16:45	40.26	33.21	0.07	40.23	51.67	51.70	322.65	
P2	8/31/2010 17:00	40.26	33.21	0.06	40.23	51.67	51.70	322.65	
P2	8/31/2010 17:15	40.26	33.20	0.06	40.23	51.67	51.70	322.65	
P2	8/31/2010 17:30	40.26	33.20	0.05	40.23	51.67	51.70	322.65	
P2	8/31/2010 17:45	40.26	33.20	0.05	40.23	51.68	51.70	322.65	
P2	8/31/2010 18:00	40.26	33.20	0.06	40.23	51.68	51.71	322.64	
P2	8/31/2010 18:15	40.25	33.20	0.06	40.22	51.68	51.71	322.64	
P2	8/31/2010 18:30	40.25	33.21	0.06	40.22	51.68	51.71	322.64	
P2	8/31/2010 18:45	40.25	33.21	0.06	40.22	51.68	51.71	322.64	
P2	8/31/2010 19:00	40.25	33.21	0.07	40.21	51.68	51.72	322.63	
P2	8/31/2010 19:15	40.25	33.21	0.07	40.21	51.68	51.72	322.63	
P2	8/31/2010 19:30	40.25	33.22	0.07	40.21	51.69	51.72	322.63	
P2	8/31/2010 19:45	40.25	33.22	0.07	40.21	51.69	51.72	322.63	
P2	8/31/2010 20:00	40.25	33.22	0.07	40.21	51.69	51.73	322.62	
P2	8/31/2010 20:15	40.24	33.22	0.08	40.20	51.69	51.73	322.62	
P2	8/31/2010 20:30	40.24	33.23	0.08	40.20	51.69	51.73	322.62	
P2	8/31/2010 20:45	40.24	33.23	0.08	40.20	51.69	51.73	322.62	
P2	8/31/2010 21:00	40.24	33.23	0.08	40.20	51.69	51.73	322.62	
P2	8/31/2010 21:15	40.24	33.23	0.09	40.20	51.69	51.74	322.61	
P2	8/31/2010 21:30	40.24	33.23	0.09	40.20	51.69	51.74	322.61	
P2	8/31/2010 21:45	40.24	33.24	0.09	40.19	51.69	51.74	322.61	
P2	8/31/2010 22:00	40.24	33.24	0.09	40.19	51.69	51.74	322.61	
P2	8/31/2010 22:15	40.24	33.24	0.09	40.19	51.69	51.74	322.61	
P2	8/31/2010 22:30	40.24	33.24	0.10	40.19	51.70	51.75	322.60	
P2	8/31/2010 22:45	40.24	33.24	0.10	40.19	51.70	51.75	322.60	
P2	8/31/2010 23:00	40.24	33.25	0.10	40.18	51.70	51.75	322.60	
P2	8/31/2010 23:15	40.24	33.25	0.10	40.18	51.70	51.75	322.60	
P2	8/31/2010 23:30	40.24	33.25	0.10	40.18	51.70	51.75	322.60	
P2	8/31/2010 23:45	40.24	33.25	0.11	40.18	51.70	51.75	322.60	
P2	9/1/2010 0:00	40.24	33.25	0.11	40.18	51.70	51.75	322.60	
P2	9/1/2010 0:15	40.24	33.26	0.11	40.18	51.70	51.75	322.60	
P2	9/1/2010 0:30	40.24	33.26	0.11	40.18	51.70	51.75	322.60	
P2	9/1/2010 0:45	40.23	33.26	0.11	40.17	51.70	51.76	322.59	
P2	9/1/2010 1:00	40.23	33.26	0.12	40.17	51.70	51.76	322.59	
P2	9/1/2010 1:15	40.23	33.26	0.12	40.17	51.70	51.76	322.59	
P2	9/1/2010 1:30	40.24	33.27	0.12	40.17	51.70	51.76	322.59	
P2	9/1/2010 1:45	40.23	33.27	0.12	40.17	51.70	51.76	322.59	
P2	9/1/2010 2:00	40.23	33.27	0.12	40.17	51.70	51.76	322.59	
P2	9/1/2010 2:15	40.23	33.27	0.12	40.17	51.70	51.76	322.59	
P2	9/1/2010 2:30	40.23	33.27	0.12	40.17	51.70	51.76	322.59	
P2	9/1/2010 2:45	40.23	33.27	0.12	40.17	51.70	51.76	322.59	
P2	9/1/2010 3:00	40.23	33.27	0.12	40.17	51.70	51.76	322.59	
P2	9/1/2010 3:15	40.23	33.27	0.12	40.17	51.70	51.77	322.58	
P2	9/1/2010 3:30	40.23	33.27	0.12	40.17	51.70	51.76	322.59	
P2	9/1/2010 3:45	40.23	33.26	0.12	40.17	51.70	51.76	322.59	
P2	9/1/2010 4:00	40.23	33.26	0.12	40.17	51.70	51.76	322.59	
P2	9/1/2010 4:15	40.23	33.26	0.12	40.17	51.70	51.76	322.59	
P2	9/1/2010 4:30	40.23	33.26	0.12	40.17	51.70	51.76	322.59	
P2	9/1/2010 4:45	40.23	33.26	0.12	40.17	51.70	51.76	322.59	
P2	9/1/2010 5:00	40.23	33.26	0.12	40.17	51.70	51.76	322.59	
P2	9/1/2010 5:15	40.23	33.26	0.12	40.17	51.70	51.76	322.59	
P2	9/1/2010 5:30	40.23	33.26	0.12	40.16	51.71	51.77	322.58	
P2	9/1/2010 5:45	40.23	33.27	0.12	40.17	51.70	51.77	322.58	
P2	9/1/2010 6:00	40.23	33.27	0.13	40.16	51.70	51.77	322.58	
P2	9/1/2010 6:15	40.23	33.28	0.13	40.16	51.71	51.78	322.57	
P2	9/1/2010 6:30	40.23	33.28	0.14	40.16	51.70	51.77	322.58	
P2	9/1/2010 6:45	40.23	33.29	0.14	40.16	51.70	51.78	322.57	
P2	9/1/2010 7:00	40.23	33.29	0.15	40.15	51.70	51.78	322.57	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/1/2010 7:15	40.23	33.30	0.15	40.16	51.70	51.78	322.57	
P2	9/1/2010 7:30	40.23	33.30	0.15	40.15	51.70	51.78	322.57	
P2	9/1/2010 7:45	40.23	33.31	0.16	40.15	51.70	51.78	322.57	
P2	9/1/2010 8:00	40.23	33.31	0.16	40.15	51.70	51.78	322.57	
P2	9/1/2010 8:15	40.24	33.31	0.17	40.15	51.70	51.78	322.57	
P2	9/1/2010 8:30	40.24	33.32	0.17	40.15	51.70	51.79	322.56	
P2	9/1/2010 8:45	40.24	33.32	0.18	40.14	51.70	51.79	322.56	
P2	9/1/2010 9:00	40.24	33.33	0.18	40.14	51.70	51.79	322.56	
P2	9/1/2010 9:15	40.24	33.33	0.19	40.14	51.69	51.79	322.56	
P2	9/1/2010 9:30	40.24	33.34	0.19	40.14	51.69	51.79	322.56	
P2	9/1/2010 9:45	40.25	33.34	0.20	40.14	51.69	51.79	322.56	
P2	9/1/2010 10:00	40.25	33.35	0.20	40.14	51.69	51.79	322.56	
P2	9/1/2010 10:15	40.25	33.35	0.20	40.14	51.69	51.79	322.56	
P2	9/1/2010 10:30	40.25	33.35	0.21	40.14	51.68	51.79	322.56	
P2	9/1/2010 10:45	40.25	33.36	0.21	40.14	51.68	51.79	322.56	
P2	9/1/2010 11:00	40.25	33.36	0.22	40.14	51.68	51.79	322.56	
P2	9/1/2010 11:15	40.25	33.37	0.22	40.14	51.68	51.79	322.56	
P2	9/1/2010 11:30	40.26	33.37	0.22	40.14	51.68	51.79	322.56	
P2	9/1/2010 11:45	40.26	33.37	0.23	40.14	51.67	51.79	322.56	
P2	9/1/2010 12:00	40.26	33.38	0.23	40.14	51.67	51.79	322.56	
P2	9/1/2010 12:15	40.26	33.38	0.24	40.14	51.67	51.80	322.55	
P2	9/1/2010 12:30	40.26	33.39	0.24	40.14	51.67	51.79	322.56	
P2	9/1/2010 12:45	40.26	33.39	0.24	40.14	51.67	51.80	322.55	
P2	9/1/2010 13:00	40.27	33.39	0.25	40.14	51.66	51.79	322.56	
P2	9/1/2010 13:15	40.27	33.40	0.25	40.14	51.66	51.79	322.56	
P2	9/1/2010 13:30	40.27	33.40	0.26	40.14	51.66	51.79	322.56	
P2	9/1/2010 13:45	40.28	33.40	0.26	40.14	51.66	51.79	322.56	
P2	9/1/2010 14:00	40.28	33.40	0.26	40.14	51.66	51.79	322.56	
P2	9/1/2010 14:15	40.28	33.41	0.26	40.14	51.66	51.79	322.56	
P2	9/1/2010 14:30	40.28	33.41	0.26	40.14	51.65	51.79	322.56	
P2	9/1/2010 14:45	40.28	33.41	0.26	40.14	51.65	51.79	322.56	
P2	9/1/2010 15:00	40.28	33.41	0.26	40.15	51.65	51.78	322.57	
P2	9/1/2010 15:15	40.28	33.41	0.26	40.15	51.65	51.78	322.57	
P2	9/1/2010 15:30	40.28	33.41	0.26	40.15	51.65	51.79	322.56	
P2	9/1/2010 15:45	40.29	33.41	0.26	40.15	51.64	51.78	322.57	
P2	9/1/2010 16:00	40.29	33.41	0.27	40.15	51.64	51.78	322.57	
P2	9/1/2010 16:15	40.29	33.41	0.27	40.15	51.64	51.78	322.57	
P2	9/1/2010 16:30	40.29	33.41	0.27	40.15	51.64	51.78	322.57	
P2	9/1/2010 16:45	40.29	33.41	0.27	40.15	51.64	51.78	322.57	
P2	9/1/2010 17:00	40.29	33.41	0.27	40.15	51.64	51.78	322.57	
P2	9/1/2010 17:15	40.29	33.42	0.27	40.15	51.64	51.78	322.57	
P2	9/1/2010 17:30	40.29	33.42	0.27	40.15	51.64	51.78	322.57	
P2	9/1/2010 17:45	40.29	33.42	0.27	40.15	51.64	51.78	322.57	
P2	9/1/2010 18:00	40.29	33.42	0.28	40.15	51.64	51.78	322.57	
P2	9/1/2010 18:15	40.29	33.42	0.28	40.15	51.64	51.78	322.57	
P2	9/1/2010 18:30	40.30	33.43	0.28	40.15	51.64	51.78	322.57	
P2	9/1/2010 18:45	40.30	33.43	0.28	40.15	51.64	51.78	322.57	
P2	9/1/2010 19:00	40.30	33.43	0.29	40.15	51.64	51.78	322.57	
P2	9/1/2010 19:15	40.30	33.43	0.29	40.15	51.64	51.79	322.56	
P2	9/1/2010 19:30	40.30	33.44	0.29	40.15	51.64	51.79	322.56	
P2	9/1/2010 19:45	40.30	33.44	0.29	40.14	51.64	51.79	322.56	
P2	9/1/2010 20:00	40.30	33.44	0.30	40.15	51.63	51.79	322.56	
P2	9/1/2010 20:15	40.30	33.44	0.30	40.14	51.63	51.79	322.56	
P2	9/1/2010 20:30	40.30	33.45	0.30	40.14	51.63	51.79	322.56	
P2	9/1/2010 20:45	40.30	33.45	0.30	40.14	51.63	51.79	322.56	
P2	9/1/2010 21:00	40.30	33.45	0.31	40.14	51.63	51.79	322.56	
P2	9/1/2010 21:15	40.30	33.45	0.31	40.14	51.63	51.79	322.56	
P2	9/1/2010 21:30	40.30	33.46	0.31	40.14	51.63	51.79	322.56	
P2	9/1/2010 21:45	40.31	33.46	0.31	40.14	51.63	51.79	322.56	
P2	9/1/2010 22:00	40.31	33.46	0.32	40.15	51.62	51.78	322.57	
P2	9/1/2010 22:15	40.32	33.46	0.32	40.15	51.62	51.78	322.57	
P2	9/1/2010 22:30	40.32	33.47	0.32	40.15	51.61	51.78	322.57	
P2	9/1/2010 22:45	40.32	33.47	0.32	40.15	51.61	51.78	322.57	
P2	9/1/2010 23:00	40.32	33.47	0.33	40.15	51.61	51.78	322.57	
P2	9/1/2010 23:15	40.32	33.47	0.33	40.15	51.61	51.78	322.57	
P2	9/1/2010 23:30	40.32	33.48	0.33	40.15	51.61	51.78	322.57	
P2	9/1/2010 23:45	40.32	33.48	0.33	40.15	51.61	51.79	322.56	
P2	9/2/2010 0:00	40.32	33.48	0.34	40.14	51.61	51.79	322.56	
P2	9/2/2010 0:15	40.32	33.48	0.34	40.14	51.61	51.79	322.56	
P2	9/2/2010 0:30	40.32	33.49	0.34	40.14	51.61	51.79	322.56	
P2	9/2/2010 0:45	40.32	33.49	0.34	40.14	51.61	51.79	322.56	
P2	9/2/2010 1:00	40.32	33.49	0.35	40.14	51.61	51.79	322.56	
P2	9/2/2010 1:15	40.32	33.49	0.35	40.14	51.61	51.79	322.56	
P2	9/2/2010 1:30	40.32	33.50	0.35	40.14	51.61	51.80	322.55	
P2	9/2/2010 1:45	40.32	33.50	0.35	40.14	51.61	51.80	322.55	
P2	9/2/2010 2:00	40.32	33.50	0.35	40.14	51.61	51.79	322.56	
P2	9/2/2010 2:15	40.32	33.50	0.36	40.13	51.61	51.80	322.55	
P2	9/2/2010 2:30	40.32	33.50	0.36	40.13	51.61	51.80	322.55	
P2	9/2/2010 2:45	40.32	33.50	0.36	40.13	51.61	51.80	322.55	
P2	9/2/2010 3:00	40.32	33.51	0.36	40.13	51.61	51.80	322.55	
P2	9/2/2010 3:15	40.32	33.51	0.36	40.13	51.61	51.80	322.55	
P2	9/2/2010 3:30	40.32	33.51	0.36	40.13	51.61	51.80	322.55	
P2	9/2/2010 3:45	40.32	33.51	0.36	40.13	51.61	51.80	322.55	
P2	9/2/2010 4:00	40.32	33.51	0.37	40.13	51.61	51.80	322.55	
P2	9/2/2010 4:15	40.32	33.51	0.37	40.13	51.61	51.80	322.55	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/2/2010 4:30	40.32	33.51	0.37	40.13	51.61	51.80	322.55	
P2	9/2/2010 4:45	40.32	33.52	0.37	40.13	51.61	51.81	322.54	
P2	9/2/2010 5:00	40.32	33.52	0.37	40.13	51.61	51.81	322.54	
P2	9/2/2010 5:15	40.32	33.52	0.37	40.12	51.62	51.81	322.54	
P2	9/2/2010 5:30	40.32	33.52	0.37	40.12	51.62	51.81	322.54	
P2	9/2/2010 5:45	40.32	33.52	0.37	40.12	51.62	51.81	322.54	
P2	9/2/2010 6:00	40.32	33.52	0.37	40.12	51.62	51.81	322.54	
P2	9/2/2010 6:15	40.32	33.52	0.37	40.12	51.62	51.81	322.54	
P2	9/2/2010 6:30	40.31	33.51	0.37	40.12	51.62	51.81	322.54	
P2	9/2/2010 6:45	40.31	33.51	0.37	40.12	51.62	51.81	322.54	
P2	9/2/2010 7:00	40.31	33.51	0.37	40.12	51.62	51.81	322.54	
P2	9/2/2010 7:15	40.31	33.51	0.36	40.12	51.62	51.81	322.54	
P2	9/2/2010 7:30	40.31	33.51	0.36	40.12	51.62	51.81	322.54	
P2	9/2/2010 7:45	40.31	33.51	0.36	40.12	51.62	51.81	322.54	
P2	9/2/2010 8:00	40.31	33.51	0.36	40.12	51.62	51.81	322.54	
P2	9/2/2010 8:15	40.31	33.51	0.36	40.12	51.62	51.81	322.54	
P2	9/2/2010 8:30	40.31	33.50	0.36	40.12	51.62	51.81	322.54	
P2	9/2/2010 8:45	40.31	33.50	0.36	40.13	51.62	51.81	322.54	
P2	9/2/2010 9:00	40.31	33.50	0.36	40.12	51.63	51.81	322.54	
P2	9/2/2010 9:15	40.31	33.50	0.35	40.12	51.63	51.81	322.54	
P2	9/2/2010 9:30	40.31	33.50	0.35	40.12	51.63	51.81	322.54	
P2	9/2/2010 9:45	40.30	33.49	0.34	40.12	51.63	51.81	322.54	
P2	9/2/2010 10:00	40.30	33.48	0.33	40.13	51.63	51.80	322.55	
P2	9/2/2010 10:15	40.30	33.47	0.32	40.13	51.63	51.80	322.55	
P2	9/2/2010 10:30	40.30	33.46	0.31	40.14	51.63	51.80	322.55	
P2	9/2/2010 10:45	40.30	33.45	0.30	40.14	51.63	51.79	322.56	
P2	9/2/2010 11:00	40.30	33.44	0.29	40.14	51.64	51.79	322.56	
P2	9/2/2010 11:15	40.30	33.43	0.28	40.15	51.64	51.78	322.57	
P2	9/2/2010 11:30	40.30	33.42	0.27	40.15	51.64	51.78	322.57	
P2	9/2/2010 11:45	40.29	33.41	0.26	40.15	51.64	51.78	322.57	
P2	9/2/2010 12:00	40.29	33.40	0.25	40.16	51.64	51.77	322.58	
P2	9/2/2010 12:15	40.29	33.39	0.25	40.16	51.64	51.77	322.58	
P2	9/2/2010 12:30	40.29	33.38	0.24	40.17	51.64	51.77	322.58	
P2	9/2/2010 12:45	40.28	33.37	0.23	40.17	51.65	51.77	322.58	
P2	9/2/2010 13:00	40.28	33.36	0.22	40.17	51.65	51.76	322.59	
P2	9/2/2010 13:15	40.28	33.35	0.21	40.17	51.65	51.76	322.59	
P2	9/2/2010 13:30	40.28	33.34	0.20	40.17	51.66	51.76	322.59	
P2	9/2/2010 13:45	40.27	33.33	0.19	40.17	51.66	51.76	322.59	
P2	9/2/2010 14:00	40.27	33.33	0.18	40.17	51.66	51.76	322.59	
P2	9/2/2010 14:15	40.27	33.32	0.17	40.18	51.66	51.75	322.60	
P2	9/2/2010 14:30	40.26	33.31	0.17	40.18	51.67	51.75	322.60	
P2	9/2/2010 14:45	40.26	33.30	0.16	40.18	51.67	51.75	322.60	
P2	9/2/2010 15:00	40.26	33.30	0.15	40.18	51.68	51.75	322.60	
P2	9/2/2010 15:15	40.25	33.29	0.14	40.18	51.68	51.75	322.60	
P2	9/2/2010 15:30	40.25	33.28	0.14	40.18	51.68	51.75	322.60	
P2	9/2/2010 15:45	40.25	33.27	0.13	40.18	51.69	51.75	322.60	
P2	9/2/2010 16:00	40.24	33.27	0.12	40.18	51.69	51.75	322.60	
P2	9/2/2010 16:15	40.24	33.26	0.11	40.18	51.69	51.75	322.60	
P2	9/2/2010 16:30	40.24	33.25	0.11	40.18	51.70	51.75	322.60	
P2	9/2/2010 16:45	40.23	33.24	0.10	40.18	51.70	51.75	322.60	
P2	9/2/2010 17:00	40.23	33.24	0.09	40.18	51.70	51.75	322.60	
P2	9/2/2010 17:15	40.23	33.23	0.08	40.19	51.70	51.75	322.60	
P2	9/2/2010 17:30	40.23	33.22	0.08	40.19	51.71	51.75	322.60	
P2	9/2/2010 17:45	40.22	33.22	0.07	40.18	51.71	51.75	322.60	
P2	9/2/2010 18:00	40.22	33.22	0.07	40.18	51.71	51.75	322.60	
P2	9/2/2010 18:15	40.22	33.22	0.07	40.18	51.72	51.75	322.60	
P2	9/2/2010 18:30	40.22	33.22	0.07	40.18	51.72	51.75	322.60	
P2	9/2/2010 18:45	40.21	33.21	0.07	40.18	51.72	51.75	322.60	
P2	9/2/2010 19:00	40.21	33.21	0.07	40.18	51.72	51.76	322.59	
P2	9/2/2010 19:15	40.21	33.21	0.06	40.17	51.73	51.76	322.59	
P2	9/2/2010 19:30	40.21	33.21	0.06	40.17	51.73	51.76	322.59	
P2	9/2/2010 19:45	40.21	33.21	0.06	40.17	51.73	51.76	322.59	
P2	9/2/2010 20:00	40.20	33.21	0.06	40.17	51.73	51.76	322.59	
P2	9/2/2010 20:15	40.20	33.20	0.06	40.17	51.73	51.76	322.59	
P2	9/2/2010 20:30	40.20	33.20	0.06	40.17	51.73	51.76	322.59	
P2	9/2/2010 20:45	40.20	33.20	0.05	40.17	51.73	51.76	322.59	
P2	9/2/2010 21:00	40.20	33.20	0.05	40.17	51.73	51.76	322.59	
P2	9/2/2010 21:15	40.19	33.20	0.05	40.17	51.74	51.76	322.59	
P2	9/2/2010 21:30	40.19	33.20	0.05	40.17	51.74	51.76	322.59	
P2	9/2/2010 21:45	40.19	33.20	0.05	40.16	51.74	51.77	322.58	
P2	9/2/2010 22:00	40.19	33.20	0.05	40.16	51.74	51.77	322.58	
P2	9/2/2010 22:15	40.19	33.20	0.05	40.16	51.75	51.77	322.58	
P2	9/2/2010 22:30	40.19	33.20	0.05	40.16	51.75	51.77	322.58	
P2	9/2/2010 22:45	40.19	33.20	0.05	40.16	51.75	51.77	322.58	
P2	9/2/2010 23:00	40.18	33.20	0.05	40.15	51.75	51.78	322.57	
P2	9/2/2010 23:15	40.18	33.20	0.05	40.15	51.75	51.78	322.57	
P2	9/2/2010 23:30	40.18	33.20	0.06	40.15	51.75	51.78	322.57	
P2	9/2/2010 23:45	40.18	33.20	0.06	40.15	51.75	51.78	322.57	
P2	9/3/2010 0:00	40.18	33.20	0.06	40.15	51.75	51.78	322.57	
P2	9/3/2010 0:15	40.17	33.20	0.06	40.14	51.76	51.79	322.56	
P2	9/3/2010 0:30	40.17	33.20	0.06	40.14	51.76	51.79	322.56	
P2	9/3/2010 0:45	40.17	33.20	0.06	40.14	51.76	51.79	322.56	
P2	9/3/2010 1:00	40.17	33.20	0.06	40.14	51.76	51.79	322.56	
P2	9/3/2010 1:15	40.17	33.21	0.06	40.14	51.76	51.79	322.56	
P2	9/3/2010 1:30	40.17	33.21	0.06	40.14	51.77	51.80	322.55	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/3/2010 1:45	40.17	33.21	0.06	40.13	51.77	51.80	322.55	
P2	9/3/2010 2:00	40.17	33.21	0.06	40.13	51.77	51.80	322.55	
P2	9/3/2010 2:15	40.17	33.21	0.07	40.13	51.77	51.80	322.55	
P2	9/3/2010 2:30	40.17	33.22	0.07	40.13	51.77	51.80	322.55	
P2	9/3/2010 2:45	40.17	33.22	0.07	40.13	51.77	51.80	322.55	
P2	9/3/2010 3:00	40.16	33.22	0.07	40.12	51.77	51.81	322.54	
P2	9/3/2010 3:15	40.16	33.22	0.08	40.12	51.77	51.81	322.54	
P2	9/3/2010 3:30	40.16	33.22	0.08	40.12	51.77	51.81	322.54	
P2	9/3/2010 3:45	40.16	33.23	0.08	40.12	51.77	51.82	322.53	
P2	9/3/2010 4:00	40.16	33.23	0.08	40.12	51.77	51.81	322.54	
P2	9/3/2010 4:15	40.16	33.23	0.09	40.11	51.77	51.82	322.53	
P2	9/3/2010 4:30	40.16	33.23	0.09	40.11	51.77	51.82	322.53	
P2	9/3/2010 4:45	40.16	33.24	0.09	40.11	51.78	51.82	322.53	
P2	9/3/2010 5:00	40.16	33.24	0.09	40.11	51.78	51.83	322.52	
P2	9/3/2010 5:15	40.16	33.24	0.09	40.11	51.78	51.83	322.52	
P2	9/3/2010 5:30	40.16	33.24	0.10	40.10	51.78	51.83	322.52	
P2	9/3/2010 5:45	40.16	33.24	0.10	40.10	51.78	51.83	322.52	
P2	9/3/2010 6:00	40.16	33.24	0.10	40.10	51.78	51.83	322.52	
P2	9/3/2010 6:15	40.15	33.25	0.10	40.10	51.78	51.83	322.52	
P2	9/3/2010 6:30	40.15	33.25	0.10	40.10	51.78	51.83	322.52	
P2	9/3/2010 6:45	40.15	33.25	0.10	40.10	51.78	51.83	322.52	
P2	9/3/2010 7:00	40.15	33.25	0.10	40.09	51.79	51.84	322.51	
P2	9/3/2010 7:15	40.16	33.25	0.10	40.10	51.78	51.83	322.52	
P2	9/3/2010 7:30	40.16	33.25	0.10	40.10	51.78	51.83	322.52	
P2	9/3/2010 7:45	40.16	33.25	0.10	40.10	51.78	51.83	322.52	
P2	9/3/2010 8:00	40.16	33.25	0.10	40.10	51.78	51.83	322.52	
P2	9/3/2010 8:15	40.16	33.25	0.11	40.10	51.78	51.83	322.52	
P2	9/3/2010 8:30	40.16	33.25	0.11	40.10	51.78	51.83	322.52	
P2	9/3/2010 8:45	40.15	33.25	0.11	40.10	51.78	51.84	322.51	
P2	9/3/2010 9:00	40.15	33.25	0.11	40.10	51.78	51.84	322.51	
P2	9/3/2010 9:15	40.15	33.25	0.11	40.09	51.78	51.84	322.51	
P2	9/3/2010 9:30	40.15	33.26	0.11	40.09	51.78	51.84	322.51	
P2	9/3/2010 9:45	40.15	33.25	0.11	40.10	51.78	51.84	322.51	
P2	9/3/2010 10:00	40.15	33.25	0.10	40.09	51.79	51.84	322.51	
P2	9/3/2010 10:15	40.15	33.24	0.10	40.10	51.79	51.84	322.51	
P2	9/3/2010 10:30	40.15	33.24	0.09	40.10	51.79	51.83	322.52	
P2	9/3/2010 10:45	40.15	33.23	0.09	40.10	51.79	51.83	322.52	
P2	9/3/2010 11:00	40.15	33.23	0.08	40.10	51.79	51.83	322.52	
P2	9/3/2010 11:15	40.15	33.23	0.08	40.11	51.79	51.83	322.52	
P2	9/3/2010 11:30	40.14	33.22	0.08	40.10	51.79	51.83	322.52	
P2	9/3/2010 11:45	40.14	33.22	0.07	40.11	51.79	51.83	322.52	
P2	9/3/2010 12:00	40.14	33.21	0.07	40.11	51.79	51.82	322.53	
P2	9/3/2010 12:15	40.14	33.21	0.06	40.11	51.79	51.83	322.52	
P2	9/3/2010 12:30	40.14	33.21	0.06	40.11	51.79	51.82	322.53	
P2	9/3/2010 12:45	40.14	33.20	0.06	40.11	51.79	51.82	322.53	
P2	9/3/2010 13:00	40.14	33.20	0.05	40.12	51.79	51.82	322.53	
P2	9/3/2010 13:15	40.14	33.19	0.05	40.11	51.79	51.82	322.53	
P2	9/3/2010 13:30	40.14	33.19	0.04	40.12	51.79	51.82	322.53	
P2	9/3/2010 13:45	40.14	33.19	0.04	40.12	51.79	51.81	322.54	
P2	9/3/2010 14:00	40.14	33.18	0.04	40.11	51.80	51.82	322.53	
P2	9/3/2010 14:15	40.14	33.18	0.04	40.12	51.80	51.82	322.53	
P2	9/3/2010 14:30	40.13	33.18	0.03	40.11	51.80	51.82	322.53	
P2	9/3/2010 14:45	40.14	33.18	0.03	40.12	51.80	51.81	322.54	
P2	9/3/2010 15:00	40.13	33.17	0.03	40.12	51.80	51.82	322.53	
P2	9/3/2010 15:15	40.13	33.17	0.03	40.11	51.81	51.82	322.53	
P2	9/3/2010 15:30	40.13	33.17	0.02	40.11	51.81	51.82	322.53	
P2	9/3/2010 15:45	40.12	33.17	0.02	40.11	51.81	51.82	322.53	
P2	9/3/2010 16:00	40.12	33.16	0.02	40.11	51.81	51.82	322.53	
P2	9/3/2010 16:15	40.12	33.16	0.02	40.12	51.81	51.82	322.53	
P2	9/3/2010 16:30	40.12	33.16	0.01	40.11	51.81	51.82	322.53	
P2	9/3/2010 16:45	40.12	33.16	0.01	40.11	51.81	51.82	322.53	
P2	9/3/2010 17:00	40.12	33.15	0.01	40.11	51.82	51.82	322.53	
P2	9/3/2010 17:15	40.12	33.15	0.00	40.11	51.82	51.82	322.53	
P2	9/3/2010 17:30	40.12	33.15	0.00	40.11	51.82	51.82	322.53	
P2	9/3/2010 17:45	40.12	33.15	0.01	40.11	51.82	51.82	322.53	
P2	9/3/2010 18:00	40.12	33.16	0.01	40.11	51.82	51.82	322.53	
P2	9/3/2010 18:15	40.11	33.16	0.02	40.10	51.82	51.83	322.52	
P2	9/3/2010 18:30	40.11	33.17	0.02	40.10	51.82	51.83	322.52	
P2	9/3/2010 18:45	40.12	33.17	0.02	40.10	51.82	51.83	322.52	
P2	9/3/2010 19:00	40.11	33.17	0.03	40.10	51.82	51.83	322.52	
P2	9/3/2010 19:15	40.11	33.18	0.03	40.09	51.82	51.84	322.51	
P2	9/3/2010 19:30	40.11	33.18	0.04	40.09	51.82	51.84	322.51	
P2	9/3/2010 19:45	40.11	33.19	0.04	40.09	51.82	51.84	322.51	
P2	9/3/2010 20:00	40.11	33.19	0.05	40.09	51.82	51.84	322.51	
P2	9/3/2010 20:15	40.11	33.20	0.05	40.09	51.82	51.85	322.50	
P2	9/3/2010 20:30	40.11	33.20	0.06	40.08	51.82	51.85	322.50	
P2	9/3/2010 20:45	40.11	33.21	0.06	40.08	51.82	51.85	322.50	
P2	9/3/2010 21:00	40.11	33.21	0.06	40.08	51.82	51.85	322.50	
P2	9/3/2010 21:15	40.11	33.21	0.07	40.08	51.82	51.86	322.49	
P2	9/3/2010 21:30	40.11	33.22	0.07	40.07	51.82	51.86	322.49	
P2	9/3/2010 21:45	40.11	33.22	0.08	40.07	51.82	51.86	322.49	
P2	9/3/2010 22:00	40.11	33.23	0.08	40.07	51.82	51.86	322.49	
P2	9/3/2010 22:15	40.12	33.23	0.09	40.07	51.82	51.86	322.49	
P2	9/3/2010 22:30	40.12	33.24	0.09	40.07	51.82	51.86	322.49	
P2	9/3/2010 22:45	40.12	33.24	0.10	40.07	51.82	51.87	322.48	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/3/2010 23:00	40.12	33.25	0.10	40.06	51.82	51.87	322.48	
P2	9/3/2010 23:15	40.12	33.25	0.10	40.07	51.81	51.87	322.48	
P2	9/3/2010 23:30	40.12	33.25	0.11	40.06	51.81	51.87	322.48	
P2	9/3/2010 23:45	40.12	33.26	0.11	40.06	51.81	51.87	322.48	
P2	9/4/2010 0:00	40.12	33.26	0.12	40.06	51.81	51.87	322.48	
P2	9/4/2010 0:15	40.12	33.27	0.12	40.06	51.81	51.87	322.48	
P2	9/4/2010 0:30	40.12	33.27	0.13	40.06	51.81	51.87	322.48	
P2	9/4/2010 0:45	40.12	33.28	0.13	40.06	51.81	51.88	322.47	
P2	9/4/2010 1:00	40.12	33.28	0.14	40.05	51.81	51.88	322.47	
P2	9/4/2010 1:15	40.12	33.29	0.14	40.05	51.81	51.88	322.47	
P2	9/4/2010 1:30	40.12	33.29	0.14	40.05	51.81	51.88	322.47	
P2	9/4/2010 1:45	40.12	33.29	0.15	40.05	51.81	51.88	322.47	
P2	9/4/2010 2:00	40.12	33.30	0.15	40.05	51.81	51.89	322.46	
P2	9/4/2010 2:15	40.12	33.30	0.15	40.05	51.81	51.89	322.46	
P2	9/4/2010 2:30	40.12	33.30	0.15	40.04	51.81	51.89	322.46	
P2	9/4/2010 2:45	40.13	33.30	0.16	40.05	51.81	51.89	322.46	
P2	9/4/2010 3:00	40.13	33.31	0.16	40.04	51.81	51.89	322.46	
P2	9/4/2010 3:15	40.13	33.31	0.16	40.04	51.81	51.89	322.46	
P2	9/4/2010 3:30	40.13	33.31	0.16	40.04	51.81	51.89	322.46	
P2	9/4/2010 3:45	40.13	33.31	0.17	40.04	51.80	51.89	322.46	
P2	9/4/2010 4:00	40.13	33.32	0.17	40.04	51.80	51.89	322.46	
P2	9/4/2010 4:15	40.13	33.32	0.17	40.04	51.81	51.89	322.46	
P2	9/4/2010 4:30	40.13	33.32	0.17	40.04	51.80	51.89	322.46	
P2	9/4/2010 4:45	40.13	33.32	0.18	40.04	51.80	51.89	322.46	
P2	9/4/2010 5:00	40.13	33.33	0.18	40.04	51.80	51.89	322.46	
P2	9/4/2010 5:15	40.13	33.33	0.18	40.04	51.80	51.90	322.45	
P2	9/4/2010 5:30	40.13	33.33	0.18	40.04	51.80	51.90	322.45	
P2	9/4/2010 5:45	40.13	33.33	0.19	40.03	51.80	51.90	322.45	
P2	9/4/2010 6:00	40.13	33.34	0.19	40.03	51.80	51.90	322.45	
P2	9/4/2010 6:15	40.13	33.34	0.20	40.03	51.80	51.90	322.45	
P2	9/4/2010 6:30	40.14	33.35	0.20	40.03	51.80	51.90	322.45	
P2	9/4/2010 6:45	40.14	33.35	0.21	40.03	51.80	51.91	322.44	
P2	9/4/2010 7:00	40.14	33.36	0.21	40.02	51.80	51.91	322.44	
P2	9/4/2010 7:15	40.14	33.36	0.22	40.02	51.80	51.91	322.44	
P2	9/4/2010 7:30	40.14	33.37	0.22	40.02	51.80	51.91	322.44	
P2	9/4/2010 7:45	40.14	33.37	0.23	40.02	51.79	51.91	322.44	
P2	9/4/2010 8:00	40.14	33.38	0.23	40.02	51.79	51.91	322.44	
P2	9/4/2010 8:15	40.14	33.38	0.24	40.02	51.79	51.91	322.44	
P2	9/4/2010 8:30	40.14	33.39	0.24	40.02	51.79	51.92	322.43	
P2	9/4/2010 8:45	40.14	33.39	0.25	40.01	51.79	51.92	322.43	
P2	9/4/2010 9:00	40.14	33.40	0.25	40.01	51.79	51.92	322.43	
P2	9/4/2010 9:15	40.15	33.40	0.26	40.01	51.79	51.92	322.43	
P2	9/4/2010 9:30	40.15	33.41	0.26	40.01	51.79	51.92	322.43	
P2	9/4/2010 9:45	40.15	33.41	0.26	40.01	51.79	51.92	322.43	
P2	9/4/2010 10:00	40.15	33.40	0.26	40.02	51.78	51.92	322.43	
P2	9/4/2010 10:15	40.15	33.40	0.26	40.02	51.78	51.91	322.44	
P2	9/4/2010 10:30	40.15	33.40	0.26	40.02	51.78	51.91	322.44	
P2	9/4/2010 10:45	40.16	33.40	0.25	40.02	51.78	51.91	322.44	
P2	9/4/2010 11:00	40.16	33.40	0.25	40.02	51.78	51.91	322.44	
P2	9/4/2010 11:15	40.16	33.40	0.25	40.02	51.78	51.91	322.44	
P2	9/4/2010 11:30	40.16	33.39	0.25	40.03	51.78	51.91	322.44	
P2	9/4/2010 11:45	40.16	33.39	0.25	40.03	51.78	51.91	322.44	
P2	9/4/2010 12:00	40.16	33.39	0.25	40.03	51.78	51.90	322.45	
P2	9/4/2010 12:15	40.16	33.39	0.24	40.03	51.78	51.90	322.45	
P2	9/4/2010 12:30	40.16	33.39	0.24	40.03	51.78	51.90	322.45	
P2	9/4/2010 12:45	40.16	33.39	0.24	40.03	51.77	51.90	322.45	
P2	9/4/2010 13:00	40.16	33.38	0.24	40.03	51.77	51.90	322.45	
P2	9/4/2010 13:15	40.16	33.38	0.24	40.04	51.77	51.90	322.45	
P2	9/4/2010 13:30	40.16	33.38	0.24	40.04	51.77	51.90	322.45	
P2	9/4/2010 13:45	40.16	33.38	0.23	40.04	51.77	51.89	322.46	
P2	9/4/2010 14:00	40.16	33.38	0.23	40.04	51.77	51.89	322.46	
P2	9/4/2010 14:15	40.16	33.37	0.23	40.04	51.77	51.89	322.46	
P2	9/4/2010 14:30	40.16	33.37	0.22	40.04	51.77	51.89	322.46	
P2	9/4/2010 14:45	40.16	33.37	0.22	40.04	51.77	51.89	322.46	
P2	9/4/2010 15:00	40.16	33.36	0.22	40.05	51.77	51.89	322.46	
P2	9/4/2010 15:15	40.16	33.36	0.22	40.04	51.78	51.89	322.46	
P2	9/4/2010 15:30	40.16	33.36	0.21	40.04	51.78	51.89	322.46	
P2	9/4/2010 15:45	40.16	33.36	0.21	40.05	51.78	51.89	322.46	
P2	9/4/2010 16:00	40.16	33.35	0.21	40.05	51.78	51.89	322.46	
P2	9/4/2010 16:15	40.16	33.35	0.21	40.05	51.78	51.88	322.47	
P2	9/4/2010 16:30	40.16	33.35	0.20	40.05	51.78	51.88	322.47	
P2	9/4/2010 16:45	40.15	33.35	0.20	40.05	51.78	51.89	322.46	
P2	9/4/2010 17:00	40.15	33.34	0.20	40.05	51.78	51.88	322.47	
P2	9/4/2010 17:15	40.15	33.34	0.19	40.05	51.78	51.88	322.47	
P2	9/4/2010 17:30	40.15	33.34	0.19	40.05	51.78	51.88	322.47	
P2	9/4/2010 17:45	40.15	33.34	0.19	40.05	51.79	51.89	322.46	
P2	9/4/2010 18:00	40.15	33.34	0.20	40.04	51.79	51.89	322.46	
P2	9/4/2010 18:15	40.15	33.34	0.20	40.04	51.79	51.89	322.46	
P2	9/4/2010 18:30	40.15	33.35	0.20	40.04	51.79	51.89	322.46	
P2	9/4/2010 18:45	40.15	33.35	0.20	40.04	51.79	51.89	322.46	
P2	9/4/2010 19:00	40.14	33.35	0.20	40.04	51.79	51.90	322.45	
P2	9/4/2010 19:15	40.14	33.35	0.21	40.04	51.79	51.90	322.45	
P2	9/4/2010 19:30	40.14	33.36	0.21	40.03	51.79	51.90	322.45	
P2	9/4/2010 19:45	40.14	33.36	0.21	40.03	51.79	51.90	322.45	
P2	9/4/2010 20:00	40.14	33.36	0.21	40.03	51.79	51.90	322.45	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/4/2010 20:15	40.14	33.36	0.22	40.03	51.79	51.91	322.44	
P2	9/4/2010 20:30	40.14	33.36	0.22	40.03	51.79	51.91	322.44	
P2	9/4/2010 20:45	40.14	33.37	0.22	40.02	51.79	51.91	322.44	
P2	9/4/2010 21:00	40.14	33.37	0.22	40.02	51.79	51.91	322.44	
P2	9/4/2010 21:15	40.14	33.37	0.22	40.02	51.79	51.91	322.44	
P2	9/4/2010 21:30	40.14	33.37	0.23	40.02	51.79	51.91	322.44	
P2	9/4/2010 21:45	40.14	33.37	0.23	40.02	51.79	51.91	322.44	
P2	9/4/2010 22:00	40.14	33.38	0.23	40.02	51.79	51.91	322.44	
P2	9/4/2010 22:15	40.14	33.38	0.23	40.02	51.79	51.91	322.44	
P2	9/4/2010 22:30	40.14	33.38	0.23	40.02	51.79	51.91	322.44	
P2	9/4/2010 22:45	40.14	33.38	0.24	40.02	51.79	51.92	322.43	
P2	9/4/2010 23:00	40.14	33.38	0.24	40.02	51.79	51.92	322.43	
P2	9/4/2010 23:15	40.14	33.38	0.24	40.01	51.79	51.92	322.43	
P2	9/4/2010 23:30	40.14	33.39	0.24	40.01	51.79	51.92	322.43	
P2	9/4/2010 23:45	40.14	33.39	0.24	40.01	51.79	51.92	322.43	
P2	9/5/2010 0:00	40.14	33.39	0.24	40.01	51.80	51.92	322.43	
P2	9/5/2010 0:15	40.14	33.39	0.25	40.01	51.80	51.92	322.43	
P2	9/5/2010 0:30	40.14	33.39	0.25	40.01	51.79	51.92	322.43	
P2	9/5/2010 0:45	40.14	33.40	0.25	40.01	51.79	51.92	322.43	
P2	9/5/2010 1:00	40.14	33.40	0.25	40.01	51.79	51.92	322.43	
P2	9/5/2010 1:15	40.14	33.40	0.25	40.01	51.79	51.92	322.43	
P2	9/5/2010 1:30	40.14	33.40	0.26	40.01	51.79	51.93	322.42	
P2	9/5/2010 1:45	40.14	33.40	0.26	40.01	51.79	51.93	322.42	
P2	9/5/2010 2:00	40.14	33.40	0.26	40.00	51.79	51.93	322.42	
P2	9/5/2010 2:15	40.14	33.41	0.26	40.00	51.79	51.93	322.42	
P2	9/5/2010 2:30	40.14	33.41	0.26	40.00	51.79	51.93	322.42	
P2	9/5/2010 2:45	40.14	33.41	0.26	40.00	51.79	51.93	322.42	
P2	9/5/2010 3:00	40.14	33.41	0.27	40.00	51.79	51.93	322.42	
P2	9/5/2010 3:15	40.14	33.41	0.27	40.00	51.79	51.93	322.42	
P2	9/5/2010 3:30	40.14	33.42	0.27	40.00	51.79	51.93	322.42	
P2	9/5/2010 3:45	40.14	33.42	0.27	40.00	51.79	51.93	322.42	
P2	9/5/2010 4:00	40.14	33.42	0.27	40.00	51.79	51.93	322.42	
P2	9/5/2010 4:15	40.14	33.42	0.28	40.00	51.79	51.93	322.42	
P2	9/5/2010 4:30	40.14	33.42	0.28	40.00	51.79	51.93	322.42	
P2	9/5/2010 4:45	40.14	33.42	0.28	39.99	51.79	51.94	322.41	
P2	9/5/2010 5:00	40.14	33.43	0.28	40.00	51.79	51.93	322.42	
P2	9/5/2010 5:15	40.14	33.43	0.28	39.99	51.79	51.94	322.41	
P2	9/5/2010 5:30	40.14	33.43	0.28	39.99	51.79	51.94	322.41	
P2	9/5/2010 5:45	40.14	33.43	0.29	39.99	51.79	51.94	322.41	
P2	9/5/2010 6:00	40.14	33.44	0.29	39.99	51.79	51.94	322.41	
P2	9/5/2010 6:15	40.14	33.44	0.30	39.99	51.79	51.94	322.41	
P2	9/5/2010 6:30	40.14	33.45	0.30	39.99	51.79	51.95	322.40	
P2	9/5/2010 6:45	40.14	33.45	0.30	39.98	51.79	51.95	322.40	
P2	9/5/2010 7:00	40.14	33.45	0.31	39.98	51.79	51.95	322.40	
P2	9/5/2010 7:15	40.14	33.46	0.31	39.98	51.79	51.95	322.40	
P2	9/5/2010 7:30	40.14	33.46	0.32	39.98	51.79	51.95	322.40	
P2	9/5/2010 7:45	40.15	33.47	0.32	39.98	51.79	51.95	322.40	
P2	9/5/2010 8:00	40.15	33.47	0.32	39.98	51.79	51.95	322.40	
P2	9/5/2010 8:15	40.15	33.47	0.33	39.98	51.79	51.96	322.39	
P2	9/5/2010 8:30	40.15	33.48	0.33	39.97	51.79	51.96	322.39	
P2	9/5/2010 8:45	40.15	33.48	0.34	39.97	51.79	51.96	322.39	
P2	9/5/2010 9:00	40.15	33.49	0.34	39.97	51.78	51.96	322.39	
P2	9/5/2010 9:15	40.16	33.49	0.34	39.98	51.78	51.96	322.39	
P2	9/5/2010 9:30	40.16	33.49	0.35	39.98	51.77	51.95	322.40	
P2	9/5/2010 9:45	40.16	33.49	0.35	39.98	51.77	51.95	322.40	
P2	9/5/2010 10:00	40.16	33.49	0.34	39.98	51.77	51.95	322.40	
P2	9/5/2010 10:15	40.16	33.49	0.34	39.99	51.77	51.95	322.40	
P2	9/5/2010 10:30	40.16	33.49	0.34	39.99	51.77	51.95	322.40	
P2	9/5/2010 10:45	40.16	33.48	0.34	39.99	51.77	51.94	322.41	
P2	9/5/2010 11:00	40.16	33.48	0.33	39.99	51.77	51.94	322.41	
P2	9/5/2010 11:15	40.16	33.48	0.33	39.99	51.77	51.94	322.41	
P2	9/5/2010 11:30	40.16	33.48	0.33	39.99	51.77	51.94	322.41	
P2	9/5/2010 11:45	40.16	33.47	0.33	39.99	51.77	51.94	322.41	
P2	9/5/2010 12:00	40.16	33.47	0.33	39.99	51.77	51.94	322.41	
P2	9/5/2010 12:15	40.17	33.47	0.32	40.00	51.77	51.93	322.42	
P2	9/5/2010 12:30	40.16	33.47	0.32	40.00	51.77	51.94	322.41	
P2	9/5/2010 12:45	40.16	33.46	0.32	40.00	51.77	51.93	322.42	
P2	9/5/2010 13:00	40.17	33.46	0.32	40.00	51.77	51.93	322.42	
P2	9/5/2010 13:15	40.16	33.46	0.31	40.00	51.77	51.93	322.42	
P2	9/5/2010 13:30	40.16	33.46	0.31	40.00	51.77	51.93	322.42	
P2	9/5/2010 13:45	40.16	33.46	0.31	40.00	51.77	51.93	322.42	
P2	9/5/2010 14:00	40.16	33.45	0.31	40.00	51.77	51.93	322.42	
P2	9/5/2010 14:15	40.16	33.45	0.31	40.00	51.77	51.93	322.42	
P2	9/5/2010 14:30	40.16	33.45	0.30	40.01	51.77	51.93	322.42	
P2	9/5/2010 14:45	40.16	33.45	0.30	40.00	51.77	51.93	322.42	
P2	9/5/2010 15:00	40.16	33.44	0.30	40.00	51.77	51.93	322.42	
P2	9/5/2010 15:15	40.16	33.44	0.30	40.00	51.77	51.93	322.42	
P2	9/5/2010 15:30	40.16	33.44	0.29	40.01	51.77	51.93	322.42	
P2	9/5/2010 15:45	40.16	33.44	0.29	40.01	51.77	51.93	322.42	
P2	9/5/2010 16:00	40.16	33.44	0.29	40.01	51.77	51.92	322.43	
P2	9/5/2010 16:15	40.16	33.43	0.29	40.01	51.77	51.92	322.43	
P2	9/5/2010 16:30	40.16	33.43	0.29	40.01	51.78	51.93	322.42	
P2	9/5/2010 16:45	40.16	33.43	0.28	40.01	51.78	51.92	322.43	
P2	9/5/2010 17:00	40.16	33.43	0.28	40.01	51.78	51.92	322.43	
P2	9/5/2010 17:15	40.15	33.43	0.28	40.01	51.78	51.93	322.42	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/5/2010 17:30	40.16	33.42	0.28	40.01	51.78	51.92	322.43	
P2	9/5/2010 17:45	40.15	33.42	0.28	40.01	51.78	51.93	322.42	
P2	9/5/2010 18:00	40.15	33.43	0.28	40.01	51.78	51.93	322.42	
P2	9/5/2010 18:15	40.15	33.43	0.28	40.01	51.78	51.93	322.42	
P2	9/5/2010 18:30	40.15	33.43	0.28	40.00	51.79	51.93	322.42	
P2	9/5/2010 18:45	40.15	33.43	0.28	40.00	51.79	51.93	322.42	
P2	9/5/2010 19:00	40.15	33.43	0.28	40.00	51.79	51.93	322.42	
P2	9/5/2010 19:15	40.15	33.43	0.28	40.00	51.79	51.93	322.42	
P2	9/5/2010 19:30	40.14	33.43	0.29	39.99	51.79	51.94	322.41	
P2	9/5/2010 19:45	40.15	33.43	0.29	40.00	51.79	51.93	322.42	
P2	9/5/2010 20:00	40.15	33.43	0.29	40.00	51.79	51.93	322.42	
P2	9/5/2010 20:15	40.15	33.43	0.29	40.00	51.79	51.94	322.41	
P2	9/5/2010 20:30	40.15	33.44	0.29	40.00	51.79	51.94	322.41	
P2	9/5/2010 20:45	40.15	33.44	0.29	40.00	51.79	51.94	322.41	
P2	9/5/2010 21:00	40.15	33.44	0.29	40.00	51.79	51.94	322.41	
P2	9/5/2010 21:15	40.15	33.44	0.29	39.99	51.79	51.94	322.41	
P2	9/5/2010 21:30	40.15	33.44	0.29	39.99	51.79	51.94	322.41	
P2	9/5/2010 21:45	40.15	33.44	0.29	39.99	51.79	51.94	322.41	
P2	9/5/2010 22:00	40.15	33.44	0.30	39.99	51.79	51.94	322.41	
P2	9/5/2010 22:15	40.15	33.44	0.30	39.99	51.79	51.94	322.41	
P2	9/5/2010 22:30	40.15	33.44	0.30	39.99	51.79	51.94	322.41	
P2	9/5/2010 22:45	40.15	33.44	0.30	39.99	51.79	51.94	322.41	
P2	9/5/2010 23:00	40.14	33.44	0.30	39.99	51.79	51.94	322.41	
P2	9/5/2010 23:15	40.14	33.44	0.30	39.99	51.79	51.94	322.41	
P2	9/5/2010 23:30	40.15	33.44	0.30	39.99	51.79	51.94	322.41	
P2	9/5/2010 23:45	40.14	33.44	0.30	39.99	51.79	51.94	322.41	
P2	9/6/2010 0:00	40.14	33.45	0.30	39.99	51.79	51.94	322.41	
P2	9/6/2010 0:15	40.14	33.45	0.30	39.99	51.79	51.94	322.41	
P2	9/6/2010 0:30	40.14	33.45	0.30	39.99	51.79	51.95	322.40	
P2	9/6/2010 0:45	40.14	33.45	0.30	39.99	51.79	51.95	322.40	
P2	9/6/2010 1:00	40.14	33.45	0.30	39.98	51.79	51.95	322.40	
P2	9/6/2010 1:15	40.14	33.45	0.30	39.99	51.79	51.95	322.40	
P2	9/6/2010 1:30	40.14	33.45	0.30	39.98	51.79	51.95	322.40	
P2	9/6/2010 1:45	40.14	33.45	0.30	39.98	51.79	51.95	322.40	
P2	9/6/2010 2:00	40.14	33.45	0.30	39.98	51.79	51.95	322.40	
P2	9/6/2010 2:15	40.14	33.45	0.30	39.98	51.79	51.95	322.40	
P2	9/6/2010 2:30	40.14	33.45	0.30	39.98	51.79	51.95	322.40	
P2	9/6/2010 2:45	40.14	33.45	0.30	39.98	51.80	51.95	322.40	
P2	9/6/2010 3:00	40.14	33.45	0.30	39.98	51.80	51.95	322.40	
P2	9/6/2010 3:15	40.14	33.45	0.30	39.98	51.80	51.95	322.40	
P2	9/6/2010 3:30	40.14	33.45	0.30	39.98	51.80	51.95	322.40	
P2	9/6/2010 3:45	40.13	33.45	0.30	39.97	51.80	51.96	322.39	
P2	9/6/2010 4:00	40.13	33.45	0.30	39.97	51.80	51.96	322.39	
P2	9/6/2010 4:15	40.13	33.45	0.30	39.97	51.80	51.96	322.39	
P2	9/6/2010 4:30	40.13	33.45	0.30	39.97	51.80	51.96	322.39	
P2	9/6/2010 4:45	40.13	33.45	0.30	39.97	51.80	51.96	322.39	
P2	9/6/2010 5:00	40.13	33.45	0.30	39.97	51.80	51.96	322.39	
P2	9/6/2010 5:15	40.13	33.45	0.30	39.97	51.80	51.96	322.39	
P2	9/6/2010 5:30	40.13	33.45	0.30	39.97	51.80	51.96	322.39	
P2	9/6/2010 5:45	40.13	33.45	0.30	39.97	51.81	51.96	322.39	
P2	9/6/2010 6:00	40.13	33.44	0.30	39.97	51.81	51.96	322.39	
P2	9/6/2010 6:15	40.13	33.44	0.29	39.97	51.81	51.96	322.39	
P2	9/6/2010 6:30	40.12	33.44	0.29	39.97	51.81	51.96	322.39	
P2	9/6/2010 6:45	40.12	33.43	0.29	39.97	51.81	51.96	322.39	
P2	9/6/2010 7:00	40.12	33.43	0.28	39.97	51.81	51.96	322.39	
P2	9/6/2010 7:15	40.12	33.43	0.28	39.97	51.81	51.96	322.39	
P2	9/6/2010 7:30	40.12	33.42	0.28	39.98	51.81	51.96	322.39	
P2	9/6/2010 7:45	40.12	33.42	0.27	39.97	51.82	51.96	322.39	
P2	9/6/2010 8:00	40.12	33.42	0.27	39.98	51.82	51.96	322.39	
P2	9/6/2010 8:15	40.12	33.41	0.27	39.98	51.82	51.96	322.39	
P2	9/6/2010 8:30	40.11	33.41	0.26	39.97	51.82	51.96	322.39	
P2	9/6/2010 8:45	40.11	33.41	0.26	39.98	51.82	51.96	322.39	
P2	9/6/2010 9:00	40.11	33.40	0.26	39.97	51.82	51.96	322.39	
P2	9/6/2010 9:15	40.11	33.40	0.25	39.98	51.82	51.96	322.39	
P2	9/6/2010 9:30	40.10	33.40	0.25	39.97	51.83	51.96	322.39	
P2	9/6/2010 9:45	40.10	33.39	0.25	39.98	51.83	51.96	322.39	
P2	9/6/2010 10:00	40.10	33.39	0.24	39.97	51.83	51.96	322.39	
P2	9/6/2010 10:15	40.10	33.38	0.24	39.98	51.83	51.95	322.40	
P2	9/6/2010 10:30	40.10	33.38	0.23	39.98	51.83	51.95	322.40	
P2	9/6/2010 10:45	40.10	33.37	0.23	39.98	51.84	51.95	322.40	
P2	9/6/2010 11:00	40.10	33.37	0.22	39.98	51.84	51.95	322.40	
P2	9/6/2010 11:15	40.09	33.36	0.22	39.98	51.84	51.95	322.40	
P2	9/6/2010 11:30	40.09	33.36	0.21	39.98	51.84	51.95	322.40	
P2	9/6/2010 11:45	40.09	33.35	0.21	39.98	51.84	51.95	322.40	
P2	9/6/2010 12:00	40.08	33.35	0.20	39.98	51.85	51.95	322.40	
P2	9/6/2010 12:15	40.09	33.34	0.20	39.99	51.84	51.95	322.40	
P2	9/6/2010 12:30	40.08	33.34	0.19	39.98	51.85	51.95	322.40	
P2	9/6/2010 12:45	40.08	33.33	0.19	39.98	51.85	51.95	322.40	
P2	9/6/2010 13:00	40.08	33.33	0.18	39.99	51.85	51.95	322.40	
P2	9/6/2010 13:15	40.08	33.32	0.18	39.98	51.86	51.95	322.40	
P2	9/6/2010 13:30	40.08	33.32	0.17	39.99	51.86	51.95	322.40	
P2	9/6/2010 13:45	40.07	33.31	0.17	39.99	51.86	51.95	322.40	
P2	9/6/2010 14:00	40.07	33.31	0.16	39.99	51.86	51.95	322.40	
P2	9/6/2010 14:15	40.07	33.30	0.16	39.98	51.87	51.95	322.40	
P2	9/6/2010 14:30	40.07	33.30	0.15	39.99	51.87	51.94	322.41	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/6/2010 14:45	40.06	33.29	0.14	39.99	51.87	51.95	322.40	
P2	9/6/2010 15:00	40.06	33.28	0.14	39.99	51.88	51.95	322.40	
P2	9/6/2010 15:15	40.06	33.28	0.13	39.99	51.88	51.94	322.41	
P2	9/6/2010 15:30	40.05	33.27	0.13	39.99	51.88	51.94	322.41	
P2	9/6/2010 15:45	40.05	33.27	0.12	39.99	51.88	51.95	322.40	
P2	9/6/2010 16:00	40.05	33.26	0.11	39.99	51.88	51.94	322.41	
P2	9/6/2010 16:15	40.05	33.25	0.11	39.99	51.89	51.94	322.41	
P2	9/6/2010 16:30	40.04	33.25	0.10	39.99	51.89	51.94	322.41	
P2	9/6/2010 16:45	40.04	33.24	0.10	39.99	51.89	51.94	322.41	
P2	9/6/2010 17:00	40.04	33.24	0.09	39.99	51.89	51.94	322.41	
P2	9/6/2010 17:15	40.04	33.23	0.08	40.00	51.89	51.93	322.42	
P2	9/6/2010 17:30	40.04	33.22	0.08	40.00	51.89	51.93	322.42	
P2	9/6/2010 17:45	40.03	33.22	0.08	39.99	51.90	51.94	322.41	
P2	9/6/2010 18:00	40.03	33.22	0.07	39.99	51.90	51.94	322.41	
P2	9/6/2010 18:15	40.03	33.22	0.07	39.99	51.91	51.94	322.41	
P2	9/6/2010 18:30	40.03	33.22	0.07	39.99	51.91	51.94	322.41	
P2	9/6/2010 18:45	40.02	33.21	0.07	39.99	51.91	51.95	322.40	
P2	9/6/2010 19:00	40.02	33.21	0.07	39.98	51.91	51.95	322.40	
P2	9/6/2010 19:15	40.02	33.21	0.06	39.98	51.91	51.95	322.40	
P2	9/6/2010 19:30	40.01	33.21	0.06	39.98	51.92	51.95	322.40	
P2	9/6/2010 19:45	40.01	33.21	0.06	39.98	51.92	51.95	322.40	
P2	9/6/2010 20:00	40.01	33.20	0.06	39.98	51.92	51.95	322.40	
P2	9/6/2010 20:15	40.01	33.20	0.06	39.98	51.92	51.95	322.40	
P2	9/6/2010 20:30	40.01	33.20	0.05	39.98	51.93	51.95	322.40	
P2	9/6/2010 20:45	40.01	33.20	0.05	39.98	51.93	51.95	322.40	
P2	9/6/2010 21:00	40.00	33.20	0.05	39.98	51.93	51.96	322.39	
P2	9/6/2010 21:15	40.00	33.19	0.05	39.98	51.93	51.95	322.40	
P2	9/6/2010 21:30	40.00	33.19	0.05	39.98	51.93	51.95	322.40	
P2	9/6/2010 21:45	40.00	33.19	0.04	39.98	51.93	51.96	322.39	
P2	9/6/2010 22:00	40.00	33.18	0.04	39.97	51.94	51.96	322.39	
P2	9/6/2010 22:15	40.00	33.18	0.04	39.98	51.94	51.96	322.39	
P2	9/6/2010 22:30	40.00	33.18	0.03	39.98	51.94	51.95	322.40	
P2	9/6/2010 22:45	39.99	33.18	0.03	39.98	51.94	51.96	322.39	
P2	9/6/2010 23:00	39.99	33.17	0.03	39.97	51.95	51.96	322.39	
P2	9/6/2010 23:15	39.99	33.17	0.02	39.97	51.95	51.96	322.39	
P2	9/6/2010 23:30	39.98	33.17	0.02	39.97	51.95	51.96	322.39	
P2	9/6/2010 23:45	39.98	33.16	0.02	39.97	51.95	51.96	322.39	
P2	9/7/2010 0:00	39.98	33.16	0.01	39.97	51.95	51.96	322.39	
P2	9/7/2010 0:15	39.98	33.16	0.01	39.97	51.96	51.96	322.39	
P2	9/7/2010 0:30	39.97	33.15	0.01	39.97	51.96	51.97	322.38	
P2	9/7/2010 0:45	39.97	33.15	0.01	39.97	51.96	51.96	322.39	
P2	9/7/2010 1:00	39.97	33.15	0.00	39.97	51.97	51.97	322.38	
P2	9/7/2010 1:15	39.97	33.15	0.00	39.97	51.97	51.96	322.39	
P2	9/7/2010 1:30	39.96	33.14	0.00	39.97	51.97	51.97	322.38	
P2	9/7/2010 1:45	39.96	33.14	-0.01	39.97	51.97	51.97	322.38	
P2	9/7/2010 2:00	39.96	33.14	-0.01	39.96	51.97	51.97	322.38	
P2	9/7/2010 2:15	39.96	33.13	-0.01	39.96	51.98	51.97	322.38	
P2	9/7/2010 2:30	39.96	33.13	-0.01	39.96	51.98	51.97	322.38	
P2	9/7/2010 2:45	39.95	33.13	-0.02	39.96	51.98	51.97	322.38	
P2	9/7/2010 3:00	39.95	33.13	-0.02	39.96	51.98	51.97	322.38	
P2	9/7/2010 3:15	39.95	33.12	-0.02	39.96	51.98	51.97	322.38	
P2	9/7/2010 3:30	39.94	33.12	-0.02	39.96	51.99	51.98	322.37	
P2	9/7/2010 3:45	39.94	33.12	-0.03	39.96	51.99	51.97	322.38	
P2	9/7/2010 4:00	39.94	33.12	-0.03	39.95	51.99	51.98	322.37	
P2	9/7/2010 4:15	39.94	33.12	-0.03	39.96	51.99	51.98	322.37	
P2	9/7/2010 4:30	39.94	33.11	-0.03	39.95	52.00	51.98	322.37	
P2	9/7/2010 4:45	39.94	33.11	-0.04	39.95	52.00	51.98	322.37	
P2	9/7/2010 5:00	39.93	33.11	-0.04	39.95	52.00	51.98	322.37	
P2	9/7/2010 5:15	39.93	33.11	-0.04	39.95	52.00	51.98	322.37	
P2	9/7/2010 5:30	39.93	33.10	-0.04	39.95	52.00	51.98	322.37	
P2	9/7/2010 5:45	39.93	33.10	-0.04	39.95	52.00	51.98	322.37	
P2	9/7/2010 6:00	39.92	33.10	-0.04	39.95	52.01	51.99	322.36	
P2	9/7/2010 6:15	39.92	33.10	-0.04	39.95	52.01	51.99	322.36	
P2	9/7/2010 6:30	39.92	33.10	-0.04	39.94	52.01	51.99	322.36	
P2	9/7/2010 6:45	39.92	33.10	-0.04	39.94	52.01	51.99	322.36	
P2	9/7/2010 7:00	39.92	33.10	-0.04	39.94	52.02	51.99	322.36	
P2	9/7/2010 7:15	39.92	33.10	-0.04	39.94	52.02	51.99	322.36	
P2	9/7/2010 7:30	39.92	33.10	-0.04	39.94	52.02	51.99	322.36	
P2	9/7/2010 7:45	39.91	33.10	-0.04	39.93	52.02	52.00	322.35	
P2	9/7/2010 8:00	39.91	33.10	-0.04	39.93	52.02	52.00	322.35	
P2	9/7/2010 8:15	39.91	33.11	-0.04	39.93	52.02	52.00	322.35	
P2	9/7/2010 8:30	39.91	33.11	-0.04	39.93	52.02	52.00	322.35	
P2	9/7/2010 8:45	39.91	33.11	-0.04	39.93	52.02	52.00	322.35	
P2	9/7/2010 9:00	39.91	33.11	-0.04	39.93	52.02	52.00	322.35	
P2	9/7/2010 9:15	39.91	33.11	-0.04	39.93	52.03	52.01	322.34	
P2	9/7/2010 9:30	39.91	33.11	-0.04	39.93	52.03	52.01	322.34	
P2	9/7/2010 9:45	39.91	33.10	-0.04	39.93	52.03	52.00	322.35	
P2	9/7/2010 10:00	39.90	33.10	-0.05	39.92	52.03	52.01	322.34	
P2	9/7/2010 10:15	39.90	33.10	-0.05	39.93	52.03	52.01	322.34	
P2	9/7/2010 10:30	39.90	33.09	-0.05	39.93	52.03	52.00	322.35	
P2	9/7/2010 10:45	39.90	33.09	-0.05	39.93	52.04	52.01	322.34	
P2	9/7/2010 11:00	39.90	33.09	-0.06	39.93	52.04	52.01	322.34	
P2	9/7/2010 11:15	39.90	33.09	-0.06	39.93	52.04	52.00	322.35	
P2	9/7/2010 11:30	39.90	33.08	-0.06	39.93	52.04	52.00	322.35	
P2	9/7/2010 11:45	39.90	33.08	-0.07	39.93	52.04	52.00	322.35	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/7/2010 12:00	39.89	33.08	-0.07	39.93	52.04	52.00	322.35	
P2	9/7/2010 12:15	39.89	33.07	-0.07	39.93	52.04	52.00	322.35	
P2	9/7/2010 12:30	39.89	33.07	-0.08	39.93	52.04	52.00	322.35	
P2	9/7/2010 12:45	39.89	33.07	-0.08	39.93	52.04	52.00	322.35	
P2	9/7/2010 13:00	39.89	33.06	-0.08	39.93	52.05	52.00	322.35	
P2	9/7/2010 13:15	39.89	33.06	-0.08	39.93	52.05	52.00	322.35	
P2	9/7/2010 13:30	39.88	33.06	-0.09	39.93	52.05	52.01	322.34	
P2	9/7/2010 13:45	39.88	33.06	-0.09	39.93	52.05	52.00	322.35	
P2	9/7/2010 14:00	39.88	33.05	-0.09	39.93	52.05	52.00	322.35	
P2	9/7/2010 14:15	39.88	33.05	-0.09	39.93	52.06	52.01	322.34	
P2	9/7/2010 14:30	39.87	33.05	-0.10	39.92	52.06	52.01	322.34	
P2	9/7/2010 14:45	39.87	33.05	-0.10	39.92	52.06	52.01	322.34	
P2	9/7/2010 15:00	39.87	33.04	-0.10	39.92	52.06	52.01	322.34	
P2	9/7/2010 15:15	39.87	33.04	-0.10	39.92	52.06	52.01	322.34	
P2	9/7/2010 15:30	39.87	33.04	-0.11	39.92	52.07	52.01	322.34	
P2	9/7/2010 15:45	39.87	33.04	-0.11	39.92	52.07	52.01	322.34	
P2	9/7/2010 16:00	39.87	33.03	-0.11	39.92	52.07	52.01	322.34	
P2	9/7/2010 16:15	39.86	33.03	-0.11	39.92	52.07	52.01	322.34	
P2	9/7/2010 16:30	39.86	33.03	-0.12	39.92	52.07	52.01	322.34	
P2	9/7/2010 16:45	39.86	33.03	-0.12	39.92	52.07	52.01	322.34	
P2	9/7/2010 17:00	39.85	33.02	-0.12	39.92	52.08	52.02	322.33	
P2	9/7/2010 17:15	39.85	33.02	-0.12	39.92	52.08	52.01	322.34	
P2	9/7/2010 17:30	39.85	33.02	-0.13	39.92	52.08	52.02	322.33	
P2	9/7/2010 17:45	39.85	33.02	-0.12	39.91	52.08	52.02	322.33	
P2	9/7/2010 18:00	39.85	33.02	-0.12	39.91	52.09	52.02	322.33	
P2	9/7/2010 18:15	39.85	33.02	-0.12	39.91	52.09	52.02	322.33	
P2	9/7/2010 18:30	39.84	33.03	-0.12	39.90	52.09	52.03	322.32	
P2	9/7/2010 18:45	39.84	33.03	-0.12	39.90	52.09	52.03	322.32	
P2	9/7/2010 19:00	39.84	33.03	-0.12	39.90	52.09	52.03	322.32	
P2	9/7/2010 19:15	39.84	33.03	-0.12	39.90	52.09	52.03	322.32	
P2	9/7/2010 19:30	39.84	33.03	-0.11	39.90	52.09	52.03	322.32	
P2	9/7/2010 19:45	39.84	33.03	-0.11	39.90	52.09	52.04	322.31	
P2	9/7/2010 20:00	39.84	33.04	-0.11	39.90	52.09	52.04	322.31	
P2	9/7/2010 20:15	39.83	33.04	-0.11	39.89	52.10	52.04	322.31	
P2	9/7/2010 20:30	39.83	33.04	-0.11	39.89	52.10	52.04	322.31	
P2	9/7/2010 20:45	39.83	33.04	-0.11	39.89	52.10	52.04	322.31	
P2	9/7/2010 21:00	39.83	33.04	-0.10	39.89	52.10	52.04	322.31	
P2	9/7/2010 21:15	39.83	33.04	-0.10	39.88	52.10	52.05	322.30	
P2	9/7/2010 21:30	39.83	33.04	-0.10	39.88	52.10	52.05	322.30	
P2	9/7/2010 21:45	39.83	33.04	-0.10	39.88	52.10	52.05	322.30	
P2	9/7/2010 22:00	39.83	33.05	-0.10	39.88	52.10	52.05	322.30	
P2	9/7/2010 22:15	39.83	33.05	-0.10	39.88	52.10	52.05	322.30	
P2	9/7/2010 22:30	39.83	33.05	-0.10	39.88	52.10	52.05	322.30	
P2	9/7/2010 22:45	39.83	33.05	-0.10	39.88	52.11	52.05	322.30	
P2	9/7/2010 23:00	39.83	33.05	-0.10	39.89	52.10	52.05	322.30	
P2	9/7/2010 23:15	39.84	33.05	-0.10	39.89	52.09	52.04	322.31	
P2	9/7/2010 23:30	39.83	33.05	-0.10	39.88	52.10	52.05	322.30	
P2	9/7/2010 23:45	39.83	33.05	-0.10	39.88	52.10	52.05	322.30	
P2	9/8/2010 0:00	39.83	33.05	-0.10	39.88	52.10	52.05	322.30	
P2	9/8/2010 0:15	39.83	33.05	-0.10	39.88	52.10	52.05	322.30	
P2	9/8/2010 0:30	39.83	33.05	-0.10	39.88	52.10	52.05	322.30	
P2	9/8/2010 0:45	39.83	33.05	-0.09	39.88	52.10	52.05	322.30	
P2	9/8/2010 1:00	39.83	33.05	-0.09	39.88	52.10	52.05	322.30	
P2	9/8/2010 1:15	39.83	33.05	-0.09	39.88	52.10	52.05	322.30	
P2	9/8/2010 1:30	39.83	33.05	-0.09	39.88	52.11	52.06	322.29	
P2	9/8/2010 1:45	39.83	33.05	-0.09	39.87	52.11	52.06	322.29	
P2	9/8/2010 2:00	39.83	33.05	-0.09	39.87	52.11	52.06	322.29	
P2	9/8/2010 2:15	39.82	33.06	-0.09	39.87	52.11	52.06	322.29	
P2	9/8/2010 2:30	39.82	33.06	-0.09	39.87	52.11	52.06	322.29	
P2	9/8/2010 2:45	39.82	33.06	-0.09	39.87	52.11	52.06	322.29	
P2	9/8/2010 3:00	39.82	33.06	-0.09	39.87	52.11	52.06	322.29	
P2	9/8/2010 3:15	39.82	33.06	-0.09	39.86	52.11	52.07	322.28	
P2	9/8/2010 3:30	39.82	33.06	-0.09	39.86	52.11	52.07	322.28	
P2	9/8/2010 3:45	39.82	33.06	-0.09	39.86	52.12	52.07	322.28	
P2	9/8/2010 4:00	39.82	33.06	-0.08	39.86	52.12	52.07	322.28	
P2	9/8/2010 4:15	39.82	33.06	-0.08	39.86	52.12	52.07	322.28	
P2	9/8/2010 4:30	39.82	33.06	-0.08	39.86	52.12	52.07	322.28	
P2	9/8/2010 4:45	39.81	33.06	-0.08	39.85	52.12	52.08	322.27	
P2	9/8/2010 5:00	39.81	33.06	-0.08	39.85	52.12	52.08	322.27	
P2	9/8/2010 5:15	39.82	33.07	-0.08	39.86	52.12	52.08	322.27	
P2	9/8/2010 5:30	39.81	33.07	-0.08	39.85	52.12	52.08	322.27	
P2	9/8/2010 5:45	39.81	33.07	-0.08	39.85	52.12	52.08	322.27	
P2	9/8/2010 6:00	39.81	33.07	-0.08	39.85	52.12	52.08	322.27	
P2	9/8/2010 6:15	39.81	33.07	-0.07	39.85	52.12	52.08	322.27	
P2	9/8/2010 6:30	39.81	33.08	-0.07	39.85	52.12	52.08	322.27	
P2	9/8/2010 6:45	39.81	33.08	-0.07	39.85	52.12	52.09	322.26	
P2	9/8/2010 7:00	39.81	33.08	-0.07	39.84	52.13	52.09	322.26	
P2	9/8/2010 7:15	39.81	33.08	-0.06	39.84	52.12	52.09	322.26	
P2	9/8/2010 7:30	39.81	33.09	-0.06	39.84	52.12	52.09	322.26	
P2	9/8/2010 7:45	39.81	33.09	-0.06	39.84	52.12	52.09	322.26	
P2	9/8/2010 8:00	39.81	33.09	-0.06	39.84	52.12	52.09	322.26	
P2	9/8/2010 8:15	39.81	33.09	-0.05	39.83	52.13	52.10	322.25	
P2	9/8/2010 8:30	39.81	33.10	-0.05	39.83	52.13	52.10	322.25	
P2	9/8/2010 8:45	39.81	33.10	-0.05	39.84	52.12	52.10	322.25	
P2	9/8/2010 9:00	39.81	33.10	-0.05	39.83	52.13	52.10	322.25	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/8/2010 9:15	39.81	33.10	-0.04	39.83	52.13	52.10	322.25	
P2	9/8/2010 9:30	39.81	33.11	-0.04	39.83	52.13	52.10	322.25	
P2	9/8/2010 9:45	39.81	33.10	-0.04	39.83	52.13	52.10	322.25	
P2	9/8/2010 10:00	39.81	33.10	-0.04	39.83	52.13	52.10	322.25	
P2	9/8/2010 10:15	39.81	33.10	-0.04	39.83	52.12	52.10	322.25	
P2	9/8/2010 10:30	39.81	33.10	-0.04	39.83	52.12	52.10	322.25	
P2	9/8/2010 10:45	39.81	33.10	-0.04	39.83	52.13	52.10	322.25	
P2	9/8/2010 11:00	39.81	33.10	-0.04	39.83	52.12	52.10	322.25	
P2	9/8/2010 11:15	39.81	33.10	-0.04	39.83	52.12	52.10	322.25	
P2	9/8/2010 11:30	39.81	33.10	-0.04	39.83	52.12	52.10	322.25	
P2	9/8/2010 11:45	39.81	33.10	-0.04	39.83	52.12	52.10	322.25	
P2	9/8/2010 12:00	39.81	33.10	-0.04	39.83	52.12	52.10	322.25	
P2	9/8/2010 12:15	39.81	33.10	-0.04	39.83	52.12	52.10	322.25	
P2	9/8/2010 12:30	39.81	33.10	-0.04	39.83	52.13	52.10	322.25	
P2	9/8/2010 12:45	39.81	33.10	-0.04	39.83	52.13	52.10	322.25	
P2	9/8/2010 13:00	39.80	33.10	-0.04	39.83	52.13	52.11	322.24	
P2	9/8/2010 13:15	39.81	33.10	-0.04	39.83	52.13	52.10	322.25	
P2	9/8/2010 13:30	39.81	33.10	-0.04	39.83	52.13	52.10	322.25	
P2	9/8/2010 13:45	39.81	33.10	-0.04	39.83	52.13	52.10	322.25	
P2	9/8/2010 14:00	39.81	33.10	-0.04	39.83	52.13	52.10	322.25	
P2	9/8/2010 14:15	39.80	33.10	-0.05	39.83	52.13	52.11	322.24	
P2	9/8/2010 14:30	39.80	33.10	-0.05	39.83	52.13	52.11	322.24	
P2	9/8/2010 14:45	39.80	33.10	-0.05	39.82	52.13	52.11	322.24	
P2	9/8/2010 15:00	39.80	33.10	-0.05	39.83	52.13	52.10	322.25	
P2	9/8/2010 15:15	39.80	33.10	-0.05	39.83	52.13	52.10	322.25	
P2	9/8/2010 15:30	39.80	33.10	-0.05	39.83	52.13	52.10	322.25	
P2	9/8/2010 15:45	39.80	33.10	-0.05	39.83	52.13	52.10	322.25	
P2	9/8/2010 16:00	39.80	33.10	-0.05	39.82	52.13	52.11	322.24	
P2	9/8/2010 16:15	39.80	33.10	-0.05	39.82	52.13	52.11	322.24	
P2	9/8/2010 16:30	39.80	33.10	-0.05	39.82	52.13	52.11	322.24	
P2	9/8/2010 16:45	39.80	33.10	-0.05	39.83	52.13	52.11	322.24	
P2	9/8/2010 17:00	39.80	33.10	-0.05	39.83	52.13	52.11	322.24	
P2	9/8/2010 17:15	39.80	33.09	-0.05	39.83	52.13	52.11	322.24	
P2	9/8/2010 17:30	39.80	33.09	-0.05	39.82	52.14	52.11	322.24	
P2	9/8/2010 17:45	39.80	33.10	-0.05	39.82	52.14	52.11	322.24	
P2	9/8/2010 18:00	39.80	33.10	-0.05	39.82	52.14	52.11	322.24	
P2	9/8/2010 18:15	39.80	33.10	-0.05	39.82	52.14	52.11	322.24	
P2	9/8/2010 18:30	39.79	33.10	-0.05	39.82	52.14	52.12	322.23	
P2	9/8/2010 18:45	39.79	33.10	-0.05	39.82	52.14	52.12	322.23	
P2	9/8/2010 19:00	39.79	33.10	-0.05	39.81	52.14	52.12	322.23	
P2	9/8/2010 19:15	39.79	33.10	-0.04	39.81	52.15	52.12	322.23	
P2	9/8/2010 19:30	39.79	33.10	-0.04	39.81	52.15	52.12	322.23	
P2	9/8/2010 19:45	39.79	33.10	-0.04	39.81	52.15	52.12	322.23	
P2	9/8/2010 20:00	39.79	33.10	-0.04	39.81	52.15	52.12	322.23	
P2	9/8/2010 20:15	39.79	33.11	-0.04	39.81	52.15	52.12	322.23	
P2	9/8/2010 20:30	39.79	33.11	-0.04	39.81	52.15	52.12	322.23	
P2	9/8/2010 20:45	39.79	33.11	-0.04	39.81	52.15	52.12	322.23	
P2	9/8/2010 21:00	39.79	33.11	-0.04	39.81	52.15	52.13	322.22	
P2	9/8/2010 21:15	39.79	33.11	-0.04	39.81	52.15	52.13	322.22	
P2	9/8/2010 21:30	39.79	33.11	-0.04	39.81	52.15	52.13	322.22	
P2	9/8/2010 21:45	39.79	33.11	-0.03	39.80	52.15	52.13	322.22	
P2	9/8/2010 22:00	39.78	33.11	-0.03	39.80	52.15	52.13	322.22	
P2	9/8/2010 22:15	39.78	33.12	-0.03	39.80	52.15	52.13	322.22	
P2	9/8/2010 22:30	39.79	33.12	-0.03	39.80	52.15	52.13	322.22	
P2	9/8/2010 22:45	39.78	33.12	-0.03	39.80	52.15	52.13	322.22	
P2	9/8/2010 23:00	39.78	33.12	-0.03	39.80	52.15	52.13	322.22	
P2	9/8/2010 23:15	39.78	33.12	-0.02	39.80	52.15	52.14	322.21	
P2	9/8/2010 23:30	39.78	33.12	-0.02	39.80	52.15	52.14	322.21	
P2	9/8/2010 23:45	39.78	33.13	-0.02	39.79	52.15	52.14	322.21	
P2	9/9/2010 0:00	39.78	33.13	-0.02	39.79	52.15	52.14	322.21	
P2	9/9/2010 0:15	39.78	33.13	-0.02	39.79	52.15	52.14	322.21	
P2	9/9/2010 0:30	39.78	33.13	-0.01	39.79	52.15	52.14	322.21	
P2	9/9/2010 0:45	39.78	33.13	-0.01	39.79	52.15	52.14	322.21	
P2	9/9/2010 1:00	39.79	33.13	-0.01	39.79	52.15	52.14	322.21	
P2	9/9/2010 1:15	39.79	33.14	-0.01	39.79	52.15	52.14	322.21	
P2	9/9/2010 1:30	39.79	33.14	-0.01	39.79	52.15	52.14	322.21	
P2	9/9/2010 1:45	39.79	33.14	-0.01	39.79	52.14	52.14	322.21	
P2	9/9/2010 2:00	39.79	33.14	0.00	39.79	52.15	52.14	322.21	
P2	9/9/2010 2:15	39.79	33.14	0.00	39.79	52.15	52.14	322.21	
P2	9/9/2010 2:30	39.79	33.15	0.00	39.79	52.15	52.15	322.20	
P2	9/9/2010 2:45	39.79	33.15	0.00	39.79	52.15	52.15	322.20	
P2	9/9/2010 3:00	39.79	33.15	0.00	39.78	52.15	52.15	322.20	
P2	9/9/2010 3:15	39.79	33.15	0.01	39.78	52.15	52.15	322.20	
P2	9/9/2010 3:30	39.79	33.15	0.01	39.78	52.15	52.15	322.20	
P2	9/9/2010 3:45	39.79	33.16	0.01	39.78	52.15	52.15	322.20	
P2	9/9/2010 4:00	39.79	33.16	0.01	39.78	52.15	52.15	322.20	
P2	9/9/2010 4:15	39.79	33.16	0.01	39.78	52.15	52.15	322.20	
P2	9/9/2010 4:30	39.79	33.16	0.02	39.78	52.15	52.15	322.20	
P2	9/9/2010 4:45	39.79	33.16	0.02	39.78	52.15	52.15	322.20	
P2	9/9/2010 5:00	39.79	33.17	0.02	39.78	52.15	52.16	322.19	
P2	9/9/2010 5:15	39.79	33.17	0.02	39.78	52.15	52.16	322.19	
P2	9/9/2010 5:30	39.79	33.17	0.03	39.77	52.15	52.16	322.19	
P2	9/9/2010 5:45	39.79	33.17	0.03	39.77	52.15	52.16	322.19	
P2	9/9/2010 6:00	39.79	33.18	0.03	39.77	52.14	52.16	322.19	
P2	9/9/2010 6:15	39.79	33.18	0.04	39.77	52.15	52.16	322.19	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/9/2010 6:30	39.79	33.19	0.04	39.77	52.15	52.17	322.18	
P2	9/9/2010 6:45	39.79	33.19	0.04	39.77	52.14	52.16	322.19	
P2	9/9/2010 7:00	39.79	33.19	0.05	39.77	52.14	52.17	322.18	
P2	9/9/2010 7:15	39.79	33.20	0.05	39.76	52.14	52.17	322.18	
P2	9/9/2010 7:30	39.80	33.20	0.06	39.77	52.14	52.17	322.18	
P2	9/9/2010 7:45	39.80	33.20	0.06	39.76	52.14	52.17	322.18	
P2	9/9/2010 8:00	39.80	33.21	0.06	39.76	52.14	52.17	322.18	
P2	9/9/2010 8:15	39.80	33.21	0.07	39.76	52.14	52.17	322.18	
P2	9/9/2010 8:30	39.80	33.22	0.07	39.76	52.14	52.17	322.18	
P2	9/9/2010 8:45	39.80	33.22	0.07	39.76	52.14	52.18	322.17	
P2	9/9/2010 9:00	39.80	33.22	0.08	39.75	52.14	52.18	322.17	
P2	9/9/2010 9:15	39.80	33.23	0.08	39.76	52.13	52.18	322.17	
P2	9/9/2010 9:30	39.80	33.23	0.09	39.75	52.13	52.18	322.17	
P2	9/9/2010 9:45	39.80	33.23	0.09	39.75	52.13	52.18	322.17	
P2	9/9/2010 10:00	39.80	33.24	0.09	39.76	52.13	52.18	322.17	
P2	9/9/2010 10:15	39.80	33.24	0.09	39.75	52.13	52.18	322.17	
P2	9/9/2010 10:30	39.80	33.24	0.10	39.75	52.13	52.18	322.17	
P2	9/9/2010 10:45	39.80	33.24	0.10	39.75	52.13	52.18	322.17	
P2	9/9/2010 11:00	39.81	33.25	0.10	39.75	52.13	52.18	322.17	
P2	9/9/2010 11:15	39.81	33.25	0.10	39.75	52.13	52.18	322.17	
P2	9/9/2010 11:30	39.81	33.25	0.11	39.76	52.12	52.18	322.17	
P2	9/9/2010 11:45	39.81	33.25	0.11	39.75	52.12	52.18	322.17	
P2	9/9/2010 12:00	39.81	33.26	0.11	39.75	52.12	52.18	322.17	
P2	9/9/2010 12:15	39.82	33.26	0.11	39.76	52.12	52.18	322.17	
P2	9/9/2010 12:30	39.82	33.26	0.12	39.75	52.12	52.18	322.17	
P2	9/9/2010 12:45	39.82	33.26	0.12	39.75	52.12	52.18	322.17	
P2	9/9/2010 13:00	39.82	33.27	0.12	39.75	52.12	52.18	322.17	
P2	9/9/2010 13:15	39.82	33.27	0.12	39.75	52.12	52.18	322.17	
P2	9/9/2010 13:30	39.82	33.27	0.13	39.75	52.11	52.18	322.17	
P2	9/9/2010 13:45	39.82	33.27	0.13	39.75	52.11	52.18	322.17	
P2	9/9/2010 14:00	39.82	33.28	0.13	39.75	52.11	52.18	322.17	
P2	9/9/2010 14:15	39.82	33.28	0.13	39.75	52.11	52.18	322.17	
P2	9/9/2010 14:30	39.82	33.28	0.13	39.75	52.11	52.18	322.17	
P2	9/9/2010 14:45	39.83	33.28	0.13	39.76	52.10	52.17	322.18	
P2	9/9/2010 15:00	39.83	33.28	0.14	39.76	52.10	52.17	322.18	
P2	9/9/2010 15:15	39.83	33.28	0.14	39.76	52.10	52.17	322.18	
P2	9/9/2010 15:30	39.83	33.29	0.14	39.76	52.10	52.17	322.18	
P2	9/9/2010 15:45	39.83	33.29	0.14	39.76	52.10	52.17	322.18	
P2	9/9/2010 16:00	39.83	33.29	0.14	39.76	52.10	52.17	322.18	
P2	9/9/2010 16:15	39.83	33.29	0.14	39.76	52.10	52.17	322.18	
P2	9/9/2010 16:30	39.84	33.29	0.15	39.76	52.09	52.17	322.18	
P2	9/9/2010 16:45	39.84	33.29	0.15	39.76	52.09	52.17	322.18	
P2	9/9/2010 17:00	39.84	33.29	0.15	39.76	52.09	52.17	322.18	
P2	9/9/2010 17:15	39.84	33.30	0.15	39.76	52.09	52.17	322.18	
P2	9/9/2010 17:30	39.84	33.30	0.15	39.76	52.09	52.17	322.18	
P2	9/9/2010 17:45	39.84	33.30	0.16	39.76	52.09	52.17	322.18	
P2	9/9/2010 18:00	39.84	33.30	0.16	39.76	52.09	52.17	322.18	
P2	9/9/2010 18:15	39.84	33.31	0.16	39.76	52.09	52.17	322.18	
P2	9/9/2010 18:30	39.84	33.31	0.16	39.76	52.09	52.18	322.17	
P2	9/9/2010 18:45	39.84	33.31	0.17	39.76	52.09	52.18	322.17	
P2	9/9/2010 19:00	39.84	33.32	0.17	39.75	52.09	52.18	322.17	
P2	9/9/2010 19:15	39.84	33.32	0.17	39.75	52.09	52.18	322.17	
P2	9/9/2010 19:30	39.85	33.32	0.18	39.75	52.09	52.18	322.17	
P2	9/9/2010 19:45	39.85	33.32	0.18	39.75	52.09	52.18	322.17	
P2	9/9/2010 20:00	39.85	33.33	0.18	39.75	52.09	52.18	322.17	
P2	9/9/2010 20:15	39.85	33.33	0.18	39.75	52.09	52.18	322.17	
P2	9/9/2010 20:30	39.85	33.33	0.19	39.75	52.09	52.18	322.17	
P2	9/9/2010 20:45	39.85	33.34	0.19	39.75	52.08	52.18	322.17	
P2	9/9/2010 21:00	39.85	33.34	0.19	39.75	52.08	52.18	322.17	
P2	9/9/2010 21:15	39.85	33.34	0.20	39.75	52.08	52.18	322.17	
P2	9/9/2010 21:30	39.85	33.35	0.20	39.75	52.08	52.18	322.17	
P2	9/9/2010 21:45	39.85	33.35	0.20	39.75	52.08	52.18	322.17	
P2	9/9/2010 22:00	39.85	33.35	0.20	39.75	52.08	52.18	322.17	
P2	9/9/2010 22:15	39.86	33.35	0.21	39.75	52.07	52.18	322.17	
P2	9/9/2010 22:30	39.86	33.36	0.21	39.75	52.07	52.18	322.17	
P2	9/9/2010 22:45	39.86	33.36	0.21	39.75	52.07	52.18	322.17	
P2	9/9/2010 23:00	39.86	33.36	0.21	39.75	52.07	52.18	322.17	
P2	9/9/2010 23:15	39.86	33.36	0.22	39.75	52.07	52.18	322.17	
P2	9/9/2010 23:30	39.86	33.37	0.22	39.75	52.07	52.18	322.17	
P2	9/9/2010 23:45	39.86	33.37	0.22	39.75	52.07	52.19	322.16	
P2	9/10/2010 0:00	39.86	33.37	0.23	39.74	52.07	52.19	322.16	
P2	9/10/2010 0:15	39.86	33.37	0.23	39.74	52.07	52.19	322.16	
P2	9/10/2010 0:30	39.87	33.38	0.23	39.75	52.07	52.19	322.16	
P2	9/10/2010 0:45	39.87	33.38	0.23	39.74	52.07	52.19	322.16	
P2	9/10/2010 1:00	39.86	33.38	0.24	39.74	52.07	52.19	322.16	
P2	9/10/2010 1:15	39.87	33.38	0.24	39.74	52.07	52.19	322.16	
P2	9/10/2010 1:30	39.87	33.39	0.24	39.74	52.07	52.19	322.16	
P2	9/10/2010 1:45	39.87	33.39	0.24	39.74	52.07	52.19	322.16	
P2	9/10/2010 2:00	39.87	33.39	0.24	39.74	52.07	52.19	322.16	
P2	9/10/2010 2:15	39.87	33.39	0.24	39.74	52.07	52.19	322.16	
P2	9/10/2010 2:30	39.87	33.39	0.25	39.74	52.06	52.19	322.16	
P2	9/10/2010 2:45	39.87	33.39	0.25	39.74	52.06	52.19	322.16	
P2	9/10/2010 3:00	39.87	33.39	0.25	39.74	52.06	52.19	322.16	
P2	9/10/2010 3:15	39.87	33.39	0.25	39.74	52.06	52.19	322.16	
P2	9/10/2010 3:30	39.87	33.40	0.25	39.74	52.06	52.19	322.16	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/10/2010 3:45	39.87	33.40	0.25	39.74	52.06	52.19	322.16	
P2	9/10/2010 4:00	39.87	33.40	0.25	39.74	52.06	52.19	322.16	
P2	9/10/2010 4:15	39.87	33.40	0.25	39.74	52.06	52.19	322.16	
P2	9/10/2010 4:30	39.87	33.40	0.25	39.74	52.06	52.19	322.16	
P2	9/10/2010 4:45	39.87	33.40	0.26	39.74	52.06	52.19	322.16	
P2	9/10/2010 5:00	39.87	33.40	0.26	39.74	52.06	52.19	322.16	
P2	9/10/2010 5:15	39.87	33.40	0.26	39.74	52.06	52.19	322.16	
P2	9/10/2010 5:30	39.87	33.41	0.26	39.74	52.06	52.19	322.16	
P2	9/10/2010 5:45	39.87	33.41	0.26	39.74	52.06	52.19	322.16	
P2	9/10/2010 6:00	39.87	33.41	0.26	39.73	52.06	52.20	322.15	
P2	9/10/2010 6:15	39.87	33.41	0.27	39.73	52.06	52.20	322.15	
P2	9/10/2010 6:30	39.87	33.41	0.27	39.73	52.06	52.20	322.15	
P2	9/10/2010 6:45	39.87	33.42	0.27	39.73	52.06	52.20	322.15	
P2	9/10/2010 7:00	39.87	33.42	0.27	39.73	52.06	52.20	322.15	
P2	9/10/2010 7:15	39.87	33.42	0.28	39.73	52.06	52.20	322.15	
P2	9/10/2010 7:30	39.87	33.42	0.28	39.73	52.06	52.20	322.15	
P2	9/10/2010 7:45	39.87	33.43	0.28	39.73	52.06	52.20	322.15	
P2	9/10/2010 8:00	39.88	33.43	0.28	39.73	52.06	52.20	322.15	
P2	9/10/2010 8:15	39.88	33.43	0.29	39.73	52.06	52.20	322.15	
P2	9/10/2010 8:30	39.88	33.43	0.29	39.73	52.06	52.20	322.15	
P2	9/10/2010 8:45	39.88	33.44	0.29	39.73	52.06	52.21	322.14	
P2	9/10/2010 9:00	39.88	33.44	0.29	39.73	52.05	52.20	322.15	
P2	9/10/2010 9:15	39.88	33.44	0.29	39.73	52.05	52.20	322.15	
P2	9/10/2010 9:30	39.88	33.44	0.30	39.73	52.05	52.21	322.14	
P2	9/10/2010 9:45	39.88	33.44	0.30	39.73	52.05	52.21	322.14	
P2	9/10/2010 10:00	39.88	33.44	0.30	39.73	52.05	52.21	322.14	
P2	9/10/2010 10:15	39.89	33.44	0.30	39.73	52.05	52.20	322.15	
P2	9/10/2010 10:30	39.89	33.44	0.30	39.73	52.05	52.20	322.15	
P2	9/10/2010 10:45	39.89	33.44	0.30	39.73	52.05	52.20	322.15	
P2	9/10/2010 11:00	39.89	33.44	0.30	39.73	52.05	52.20	322.15	
P2	9/10/2010 11:15	39.89	33.44	0.30	39.73	52.05	52.20	322.15	
P2	9/10/2010 11:30	39.89	33.44	0.30	39.73	52.05	52.20	322.15	
P2	9/10/2010 11:45	39.89	33.44	0.30	39.73	52.05	52.20	322.15	
P2	9/10/2010 12:00	39.89	33.44	0.30	39.73	52.04	52.20	322.15	
P2	9/10/2010 12:15	39.89	33.44	0.30	39.73	52.04	52.20	322.15	
P2	9/10/2010 12:30	39.89	33.44	0.30	39.73	52.04	52.20	322.15	
P2	9/10/2010 12:45	39.89	33.44	0.30	39.73	52.04	52.20	322.15	
P2	9/10/2010 13:00	39.89	33.44	0.30	39.73	52.04	52.20	322.15	
P2	9/10/2010 13:15	39.89	33.44	0.30	39.73	52.04	52.20	322.15	
P2	9/10/2010 13:30	39.89	33.44	0.30	39.73	52.04	52.20	322.15	
P2	9/10/2010 13:45	39.89	33.44	0.30	39.73	52.04	52.20	322.15	
P2	9/10/2010 14:00	39.89	33.44	0.30	39.73	52.04	52.20	322.15	
P2	9/10/2010 14:15	39.89	33.44	0.30	39.74	52.04	52.20	322.15	
P2	9/10/2010 14:30	39.89	33.44	0.29	39.74	52.04	52.20	322.15	
P2	9/10/2010 14:45	39.89	33.44	0.29	39.74	52.04	52.20	322.15	
P2	9/10/2010 15:00	39.89	33.44	0.29	39.74	52.04	52.20	322.15	
P2	9/10/2010 15:15	39.89	33.44	0.29	39.74	52.04	52.19	322.16	
P2	9/10/2010 15:30	39.89	33.44	0.29	39.74	52.04	52.19	322.16	
P2	9/10/2010 15:45	39.89	33.44	0.29	39.74	52.04	52.19	322.16	
P2	9/10/2010 16:00	39.89	33.43	0.29	39.74	52.04	52.19	322.16	
P2	9/10/2010 16:15	39.89	33.43	0.29	39.74	52.04	52.19	322.16	
P2	9/10/2010 16:30	39.89	33.43	0.29	39.74	52.04	52.19	322.16	
P2	9/10/2010 16:45	39.89	33.43	0.29	39.74	52.04	52.19	322.16	
P2	9/10/2010 17:00	39.89	33.43	0.28	39.74	52.04	52.19	322.16	
P2	9/10/2010 17:15	39.89	33.43	0.28	39.75	52.04	52.19	322.16	
P2	9/10/2010 17:30	39.89	33.43	0.28	39.75	52.04	52.19	322.16	
P2	9/10/2010 17:45	39.89	33.43	0.28	39.74	52.04	52.19	322.16	
P2	9/10/2010 18:00	39.89	33.43	0.28	39.74	52.04	52.19	322.16	
P2	9/10/2010 18:15	39.89	33.43	0.29	39.74	52.04	52.19	322.16	
P2	9/10/2010 18:30	39.89	33.43	0.29	39.74	52.04	52.19	322.16	
P2	9/10/2010 18:45	39.89	33.43	0.29	39.74	52.04	52.19	322.16	
P2	9/10/2010 19:00	39.89	33.43	0.29	39.74	52.04	52.19	322.16	
P2	9/10/2010 19:15	39.89	33.43	0.29	39.74	52.05	52.20	322.15	
P2	9/10/2010 19:30	39.89	33.44	0.29	39.73	52.05	52.20	322.15	
P2	9/10/2010 19:45	39.89	33.44	0.29	39.73	52.05	52.20	322.15	
P2	9/10/2010 20:00	39.89	33.44	0.29	39.73	52.05	52.20	322.15	
P2	9/10/2010 20:15	39.89	33.44	0.29	39.73	52.05	52.20	322.15	
P2	9/10/2010 20:30	39.89	33.44	0.29	39.73	52.05	52.20	322.15	
P2	9/10/2010 20:45	39.89	33.44	0.29	39.73	52.05	52.20	322.15	
P2	9/10/2010 21:00	39.89	33.44	0.29	39.73	52.05	52.20	322.15	
P2	9/10/2010 21:15	39.89	33.44	0.29	39.73	52.05	52.20	322.15	
P2	9/10/2010 21:30	39.89	33.44	0.30	39.73	52.05	52.20	322.15	
P2	9/10/2010 21:45	39.89	33.44	0.30	39.73	52.05	52.20	322.15	
P2	9/10/2010 22:00	39.89	33.44	0.30	39.73	52.05	52.20	322.15	
P2	9/10/2010 22:15	39.88	33.44	0.30	39.73	52.05	52.21	322.14	
P2	9/10/2010 22:30	39.89	33.44	0.30	39.73	52.05	52.20	322.15	
P2	9/10/2010 22:45	39.88	33.44	0.30	39.73	52.05	52.21	322.14	
P2	9/10/2010 23:00	39.89	33.44	0.30	39.73	52.05	52.20	322.15	
P2	9/10/2010 23:15	39.88	33.45	0.30	39.73	52.05	52.21	322.14	
P2	9/10/2010 23:30	39.88	33.45	0.30	39.72	52.05	52.21	322.14	
P2	9/10/2010 23:45	39.88	33.45	0.30	39.72	52.05	52.21	322.14	
P2	9/11/2010 0:00	39.89	33.45	0.30	39.73	52.04	52.20	322.15	
P2	9/11/2010 0:15	39.89	33.45	0.30	39.73	52.05	52.20	322.15	
P2	9/11/2010 0:30	39.89	33.45	0.30	39.73	52.05	52.20	322.15	
P2	9/11/2010 0:45	39.89	33.45	0.30	39.73	52.05	52.20	322.15	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/11/2010 1:00	39.89	33.45	0.30	39.73	52.05	52.21	322.14	
P2	9/11/2010 1:15	39.89	33.45	0.30	39.73	52.05	52.21	322.14	
P2	9/11/2010 1:30	39.88	33.45	0.31	39.72	52.05	52.21	322.14	
P2	9/11/2010 1:45	39.89	33.45	0.31	39.73	52.05	52.21	322.14	
P2	9/11/2010 2:00	39.89	33.45	0.31	39.72	52.05	52.21	322.14	
P2	9/11/2010 2:15	39.88	33.46	0.31	39.72	52.05	52.21	322.14	
P2	9/11/2010 2:30	39.88	33.46	0.31	39.72	52.05	52.21	322.14	
P2	9/11/2010 2:45	39.88	33.46	0.31	39.72	52.05	52.21	322.14	
P2	9/11/2010 3:00	39.88	33.46	0.31	39.72	52.05	52.21	322.14	
P2	9/11/2010 3:15	39.88	33.46	0.32	39.72	52.05	52.22	322.13	
P2	9/11/2010 3:30	39.88	33.46	0.32	39.72	52.05	52.22	322.13	
P2	9/11/2010 3:45	39.88	33.47	0.32	39.71	52.06	52.22	322.13	
P2	9/11/2010 4:00	39.88	33.47	0.32	39.71	52.05	52.22	322.13	
P2	9/11/2010 4:15	39.88	33.47	0.32	39.71	52.05	52.22	322.13	
P2	9/11/2010 4:30	39.88	33.47	0.32	39.71	52.06	52.22	322.13	
P2	9/11/2010 4:45	39.88	33.47	0.33	39.71	52.06	52.22	322.13	
P2	9/11/2010 5:00	39.88	33.47	0.33	39.71	52.06	52.23	322.12	
P2	9/11/2010 5:15	39.88	33.47	0.33	39.71	52.06	52.23	322.12	
P2	9/11/2010 5:30	39.88	33.48	0.33	39.71	52.06	52.23	322.12	
P2	9/11/2010 5:45	39.88	33.48	0.33	39.70	52.06	52.23	322.12	
P2	9/11/2010 6:00	39.88	33.48	0.34	39.70	52.06	52.23	322.12	
P2	9/11/2010 6:15	39.88	33.48	0.34	39.70	52.06	52.23	322.12	
P2	9/11/2010 6:30	39.88	33.49	0.34	39.70	52.06	52.23	322.12	
P2	9/11/2010 6:45	39.88	33.49	0.34	39.70	52.06	52.23	322.12	
P2	9/11/2010 7:00	39.88	33.49	0.35	39.70	52.06	52.23	322.12	
P2	9/11/2010 7:15	39.88	33.49	0.35	39.70	52.06	52.24	322.11	
P2	9/11/2010 7:30	39.88	33.50	0.35	39.70	52.05	52.23	322.12	
P2	9/11/2010 7:45	39.88	33.50	0.35	39.70	52.05	52.23	322.12	
P2	9/11/2010 8:00	39.88	33.50	0.36	39.70	52.05	52.24	322.11	
P2	9/11/2010 8:15	39.88	33.50	0.36	39.70	52.05	52.24	322.11	
P2	9/11/2010 8:30	39.88	33.51	0.36	39.69	52.05	52.24	322.11	
P2	9/11/2010 8:45	39.88	33.51	0.36	39.69	52.05	52.24	322.11	
P2	9/11/2010 9:00	39.88	33.51	0.37	39.69	52.05	52.24	322.11	
P2	9/11/2010 9:15	39.88	33.51	0.37	39.69	52.05	52.24	322.11	
P2	9/11/2010 9:30	39.88	33.52	0.37	39.69	52.05	52.24	322.11	
P2	9/11/2010 9:45	39.88	33.51	0.37	39.69	52.05	52.24	322.11	
P2	9/11/2010 10:00	39.88	33.51	0.36	39.69	52.05	52.24	322.11	
P2	9/11/2010 10:15	39.88	33.51	0.36	39.69	52.05	52.24	322.11	
P2	9/11/2010 10:30	39.88	33.50	0.36	39.70	52.05	52.24	322.11	
P2	9/11/2010 10:45	39.88	33.50	0.35	39.70	52.05	52.23	322.12	
P2	9/11/2010 11:00	39.88	33.50	0.35	39.70	52.05	52.23	322.12	
P2	9/11/2010 11:15	39.88	33.49	0.35	39.70	52.05	52.23	322.12	
P2	9/11/2010 11:30	39.88	33.49	0.34	39.70	52.05	52.23	322.12	
P2	9/11/2010 11:45	39.88	33.49	0.34	39.70	52.05	52.23	322.12	
P2	9/11/2010 12:00	39.88	33.48	0.34	39.71	52.05	52.23	322.12	
P2	9/11/2010 12:15	39.88	33.48	0.33	39.71	52.05	52.22	322.13	
P2	9/11/2010 12:30	39.88	33.48	0.33	39.71	52.05	52.22	322.13	
P2	9/11/2010 12:45	39.88	33.47	0.33	39.71	52.06	52.22	322.13	
P2	9/11/2010 13:00	39.88	33.47	0.32	39.71	52.06	52.22	322.13	
P2	9/11/2010 13:15	39.88	33.47	0.32	39.71	52.06	52.22	322.13	
P2	9/11/2010 13:30	39.87	33.46	0.32	39.71	52.06	52.22	322.13	
P2	9/11/2010 13:45	39.87	33.46	0.31	39.71	52.06	52.22	322.13	
P2	9/11/2010 14:00	39.87	33.45	0.31	39.71	52.06	52.22	322.13	
P2	9/11/2010 14:15	39.87	33.45	0.30	39.71	52.06	52.22	322.13	
P2	9/11/2010 14:30	39.87	33.44	0.30	39.71	52.06	52.22	322.13	
P2	9/11/2010 14:45	39.87	33.44	0.29	39.72	52.06	52.21	322.14	
P2	9/11/2010 15:00	39.87	33.44	0.29	39.72	52.07	52.22	322.13	
P2	9/11/2010 15:15	39.87	33.43	0.28	39.72	52.07	52.21	322.14	
P2	9/11/2010 15:30	39.87	33.43	0.28	39.72	52.07	52.21	322.14	
P2	9/11/2010 15:45	39.86	33.42	0.28	39.72	52.07	52.21	322.14	
P2	9/11/2010 16:00	39.86	33.42	0.27	39.72	52.07	52.21	322.14	
P2	9/11/2010 16:15	39.86	33.41	0.27	39.72	52.07	52.21	322.14	
P2	9/11/2010 16:30	39.86	33.41	0.26	39.72	52.07	52.21	322.14	
P2	9/11/2010 16:45	39.85	33.40	0.26	39.72	52.08	52.21	322.14	
P2	9/11/2010 17:00	39.85	33.40	0.25	39.72	52.08	52.21	322.14	
P2	9/11/2010 17:15	39.85	33.39	0.25	39.72	52.08	52.21	322.14	
P2	9/11/2010 17:30	39.85	33.39	0.24	39.73	52.08	52.20	322.15	
P2	9/11/2010 17:45	39.85	33.39	0.24	39.72	52.08	52.21	322.14	
P2	9/11/2010 18:00	39.85	33.39	0.24	39.72	52.08	52.21	322.14	
P2	9/11/2010 18:15	39.85	33.39	0.24	39.73	52.08	52.21	322.14	
P2	9/11/2010 18:30	39.85	33.39	0.24	39.73	52.08	52.21	322.14	
P2	9/11/2010 18:45	39.85	33.39	0.24	39.73	52.08	52.21	322.14	
P2	9/11/2010 19:00	39.85	33.39	0.24	39.73	52.08	52.21	322.14	
P2	9/11/2010 19:15	39.85	33.39	0.24	39.72	52.08	52.21	322.14	
P2	9/11/2010 19:30	39.85	33.39	0.24	39.72	52.08	52.21	322.14	
P2	9/11/2010 19:45	39.85	33.39	0.24	39.72	52.08	52.21	322.14	
P2	9/11/2010 20:00	39.85	33.39	0.24	39.72	52.09	52.21	322.14	
P2	9/11/2010 20:15	39.85	33.39	0.24	39.72	52.09	52.21	322.14	
P2	9/11/2010 20:30	39.85	33.39	0.24	39.72	52.09	52.21	322.14	
P2	9/11/2010 20:45	39.85	33.39	0.24	39.72	52.09	52.21	322.14	
P2	9/11/2010 21:00	39.84	33.39	0.24	39.71	52.09	52.22	322.13	
P2	9/11/2010 21:15	39.84	33.39	0.25	39.71	52.09	52.22	322.13	
P2	9/11/2010 21:30	39.84	33.39	0.25	39.71	52.09	52.22	322.13	
P2	9/11/2010 21:45	39.84	33.39	0.25	39.71	52.09	52.22	322.13	
P2	9/11/2010 22:00	39.84	33.39	0.25	39.71	52.09	52.22	322.13	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/11/2010 22:15	39.84	33.40	0.25	39.71	52.09	52.22	322.13	
P2	9/11/2010 22:30	39.84	33.40	0.25	39.71	52.09	52.22	322.13	
P2	9/11/2010 22:45	39.84	33.40	0.25	39.71	52.09	52.23	322.12	
P2	9/11/2010 23:00	39.84	33.40	0.25	39.71	52.09	52.23	322.12	
P2	9/11/2010 23:15	39.84	33.40	0.26	39.70	52.09	52.23	322.12	
P2	9/11/2010 23:30	39.84	33.40	0.26	39.70	52.09	52.23	322.12	
P2	9/11/2010 23:45	39.84	33.41	0.26	39.70	52.09	52.23	322.12	
P2	9/12/2010 0:00	39.84	33.41	0.26	39.70	52.09	52.23	322.12	
P2	9/12/2010 0:15	39.84	33.41	0.26	39.71	52.09	52.23	322.12	
P2	9/12/2010 0:30	39.84	33.41	0.26	39.70	52.09	52.23	322.12	
P2	9/12/2010 0:45	39.84	33.41	0.27	39.70	52.09	52.23	322.12	
P2	9/12/2010 1:00	39.84	33.41	0.27	39.70	52.09	52.23	322.12	
P2	9/12/2010 1:15	39.84	33.41	0.27	39.70	52.09	52.23	322.12	
P2	9/12/2010 1:30	39.84	33.42	0.27	39.70	52.09	52.23	322.12	
P2	9/12/2010 1:45	39.84	33.42	0.27	39.70	52.09	52.23	322.12	
P2	9/12/2010 2:00	39.84	33.42	0.27	39.70	52.09	52.23	322.12	
P2	9/12/2010 2:15	39.84	33.42	0.27	39.70	52.09	52.23	322.12	
P2	9/12/2010 2:30	39.83	33.42	0.27	39.69	52.10	52.24	322.11	
P2	9/12/2010 2:45	39.83	33.42	0.27	39.69	52.10	52.24	322.11	
P2	9/12/2010 3:00	39.83	33.41	0.27	39.69	52.10	52.24	322.11	
P2	9/12/2010 3:15	39.83	33.41	0.27	39.69	52.10	52.24	322.11	
P2	9/12/2010 3:30	39.83	33.41	0.27	39.69	52.10	52.24	322.11	
P2	9/12/2010 3:45	39.83	33.41	0.27	39.69	52.10	52.24	322.11	
P2	9/12/2010 4:00	39.83	33.41	0.27	39.69	52.10	52.24	322.11	
P2	9/12/2010 4:15	39.83	33.41	0.27	39.69	52.11	52.24	322.11	
P2	9/12/2010 4:30	39.83	33.41	0.27	39.69	52.11	52.24	322.11	
P2	9/12/2010 4:45	39.83	33.41	0.27	39.69	52.11	52.24	322.11	
P2	9/12/2010 5:00	39.82	33.41	0.27	39.68	52.11	52.25	322.10	
P2	9/12/2010 5:15	39.82	33.41	0.27	39.68	52.11	52.25	322.10	
P2	9/12/2010 5:30	39.83	33.41	0.27	39.69	52.11	52.24	322.11	
P2	9/12/2010 5:45	39.83	33.41	0.27	39.69	52.11	52.24	322.11	
P2	9/12/2010 6:00	39.82	33.41	0.27	39.68	52.11	52.25	322.10	
P2	9/12/2010 6:15	39.82	33.41	0.27	39.68	52.11	52.25	322.10	
P2	9/12/2010 6:30	39.82	33.41	0.27	39.68	52.11	52.25	322.10	
P2	9/12/2010 6:45	39.82	33.41	0.27	39.68	52.11	52.25	322.10	
P2	9/12/2010 7:00	39.82	33.42	0.27	39.68	52.11	52.25	322.10	
P2	9/12/2010 7:15	39.82	33.42	0.27	39.68	52.11	52.25	322.10	
P2	9/12/2010 7:30	39.82	33.42	0.27	39.68	52.11	52.25	322.10	
P2	9/12/2010 7:45	39.82	33.42	0.27	39.68	52.11	52.25	322.10	
P2	9/12/2010 8:00	39.82	33.42	0.27	39.68	52.11	52.25	322.10	
P2	9/12/2010 8:15	39.82	33.42	0.27	39.68	52.11	52.25	322.10	
P2	9/12/2010 8:30	39.82	33.42	0.27	39.68	52.11	52.25	322.10	
P2	9/12/2010 8:45	39.82	33.42	0.27	39.68	52.11	52.25	322.10	
P2	9/12/2010 9:00	39.82	33.42	0.27	39.68	52.11	52.25	322.10	
P2	9/12/2010 9:15	39.82	33.42	0.27	39.68	52.11	52.25	322.10	
P2	9/12/2010 9:30	39.82	33.42	0.27	39.68	52.11	52.26	322.09	
P2	9/12/2010 9:45	39.82	33.42	0.27	39.68	52.11	52.25	322.10	
P2	9/12/2010 10:00	39.82	33.42	0.27	39.67	52.12	52.26	322.09	
P2	9/12/2010 10:15	39.82	33.41	0.27	39.68	52.11	52.25	322.10	
P2	9/12/2010 10:30	39.82	33.41	0.27	39.68	52.11	52.25	322.10	
P2	9/12/2010 10:45	39.82	33.41	0.26	39.68	52.12	52.25	322.10	
P2	9/12/2010 11:00	39.82	33.41	0.26	39.68	52.12	52.25	322.10	
P2	9/12/2010 11:15	39.82	33.41	0.26	39.68	52.12	52.25	322.10	
P2	9/12/2010 11:30	39.82	33.40	0.26	39.68	52.12	52.25	322.10	
P2	9/12/2010 11:45	39.82	33.40	0.26	39.68	52.12	52.25	322.10	
P2	9/12/2010 12:00	39.82	33.40	0.25	39.68	52.12	52.25	322.10	
P2	9/12/2010 12:15	39.81	33.40	0.25	39.68	52.12	52.25	322.10	
P2	9/12/2010 12:30	39.81	33.40	0.25	39.68	52.12	52.25	322.10	
P2	9/12/2010 12:45	39.81	33.39	0.25	39.68	52.12	52.25	322.10	
P2	9/12/2010 13:00	39.81	33.39	0.25	39.68	52.12	52.25	322.10	
P2	9/12/2010 13:15	39.81	33.39	0.24	39.68	52.13	52.25	322.10	
P2	9/12/2010 13:30	39.81	33.39	0.24	39.68	52.12	52.25	322.10	
P2	9/12/2010 13:45	39.81	33.39	0.24	39.69	52.12	52.25	322.10	
P2	9/12/2010 14:00	39.82	33.39	0.24	39.69	52.12	52.24	322.11	
P2	9/12/2010 14:15	39.81	33.38	0.24	39.69	52.12	52.25	322.10	
P2	9/12/2010 14:30	39.81	33.38	0.24	39.69	52.12	52.24	322.11	
P2	9/12/2010 14:45	39.81	33.38	0.24	39.69	52.12	52.24	322.11	
P2	9/12/2010 15:00	39.81	33.38	0.23	39.69	52.12	52.24	322.11	
P2	9/12/2010 15:15	39.81	33.38	0.23	39.69	52.13	52.25	322.10	
P2	9/12/2010 15:30	39.81	33.38	0.23	39.69	52.13	52.25	322.10	
P2	9/12/2010 15:45	39.80	33.38	0.23	39.68	52.13	52.25	322.10	
P2	9/12/2010 16:00	39.80	33.37	0.23	39.68	52.13	52.25	322.10	
P2	9/12/2010 16:15	39.80	33.37	0.23	39.69	52.13	52.25	322.10	
P2	9/12/2010 16:30	39.80	33.37	0.23	39.68	52.13	52.25	322.10	
P2	9/12/2010 16:45	39.80	33.37	0.22	39.68	52.13	52.25	322.10	
P2	9/12/2010 17:00	39.80	33.37	0.22	39.68	52.13	52.25	322.10	
P2	9/12/2010 17:15	39.80	33.37	0.22	39.68	52.13	52.25	322.10	
P2	9/12/2010 17:30	39.80	33.37	0.22	39.69	52.13	52.25	322.10	
P2	9/12/2010 17:45	39.80	33.37	0.22	39.68	52.14	52.25	322.10	
P2	9/12/2010 18:00	39.80	33.37	0.22	39.68	52.14	52.25	322.10	
P2	9/12/2010 18:15	39.80	33.37	0.22	39.68	52.14	52.25	322.10	
P2	9/12/2010 18:30	39.79	33.37	0.22	39.68	52.14	52.26	322.09	
P2	9/12/2010 18:45	39.79	33.37	0.22	39.68	52.14	52.26	322.09	
P2	9/12/2010 19:00	39.79	33.37	0.22	39.68	52.14	52.26	322.09	
P2	9/12/2010 19:15	39.79	33.37	0.22	39.67	52.14	52.26	322.09	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/12/2010 19:30	39.79	33.37	0.22	39.67	52.14	52.26	322.09	
P2	9/12/2010 19:45	39.79	33.37	0.22	39.67	52.15	52.26	322.09	
P2	9/12/2010 20:00	39.79	33.37	0.23	39.67	52.15	52.26	322.09	
P2	9/12/2010 20:15	39.79	33.37	0.23	39.67	52.15	52.26	322.09	
P2	9/12/2010 20:30	39.79	33.37	0.23	39.67	52.15	52.26	322.09	
P2	9/12/2010 20:45	39.79	33.37	0.23	39.67	52.15	52.26	322.09	
P2	9/12/2010 21:00	39.79	33.37	0.23	39.67	52.15	52.26	322.09	
P2	9/12/2010 21:15	39.79	33.37	0.23	39.67	52.15	52.26	322.09	
P2	9/12/2010 21:30	39.79	33.38	0.23	39.67	52.15	52.26	322.09	
P2	9/12/2010 21:45	39.79	33.38	0.23	39.67	52.14	52.26	322.09	
P2	9/12/2010 22:00	39.79	33.38	0.23	39.67	52.14	52.26	322.09	
P2	9/12/2010 22:15	39.79	33.38	0.23	39.67	52.14	52.26	322.09	
P2	9/12/2010 22:30	39.79	33.38	0.23	39.67	52.14	52.26	322.09	
P2	9/12/2010 22:45	39.79	33.38	0.24	39.67	52.14	52.26	322.09	
P2	9/12/2010 23:00	39.79	33.38	0.24	39.67	52.14	52.26	322.09	
P2	9/12/2010 23:15	39.79	33.38	0.24	39.67	52.14	52.26	322.09	
P2	9/12/2010 23:30	39.79	33.38	0.24	39.67	52.14	52.27	322.08	
P2	9/12/2010 23:45	39.79	33.39	0.24	39.67	52.14	52.27	322.08	
P2	9/13/2010 0:00	39.79	33.39	0.24	39.67	52.14	52.27	322.08	
P2	9/13/2010 0:15	39.79	33.39	0.24	39.66	52.15	52.27	322.08	
P2	9/13/2010 0:30	39.79	33.39	0.24	39.66	52.15	52.27	322.08	
P2	9/13/2010 0:45	39.79	33.39	0.24	39.66	52.15	52.27	322.08	
P2	9/13/2010 1:00	39.78	33.39	0.25	39.66	52.15	52.28	322.07	
P2	9/13/2010 1:15	39.79	33.39	0.25	39.66	52.15	52.27	322.08	
P2	9/13/2010 1:30	39.78	33.39	0.25	39.65	52.15	52.28	322.07	
P2	9/13/2010 1:45	39.78	33.40	0.25	39.65	52.15	52.28	322.07	
P2	9/13/2010 2:00	39.78	33.40	0.25	39.65	52.15	52.28	322.07	
P2	9/13/2010 2:15	39.78	33.40	0.25	39.65	52.15	52.28	322.07	
P2	9/13/2010 2:30	39.78	33.40	0.25	39.65	52.15	52.28	322.07	
P2	9/13/2010 2:45	39.78	33.40	0.25	39.65	52.15	52.28	322.07	
P2	9/13/2010 3:00	39.78	33.40	0.26	39.65	52.15	52.28	322.07	
P2	9/13/2010 3:15	39.78	33.40	0.26	39.65	52.15	52.28	322.07	
P2	9/13/2010 3:30	39.78	33.40	0.26	39.65	52.15	52.29	322.06	
P2	9/13/2010 3:45	39.78	33.40	0.26	39.65	52.15	52.29	322.06	
P2	9/13/2010 4:00	39.78	33.41	0.26	39.64	52.15	52.29	322.06	
P2	9/13/2010 4:15	39.78	33.41	0.26	39.64	52.15	52.29	322.06	
P2	9/13/2010 4:30	39.78	33.41	0.26	39.64	52.15	52.29	322.06	
P2	9/13/2010 4:45	39.78	33.41	0.26	39.64	52.15	52.29	322.06	
P2	9/13/2010 5:00	39.78	33.41	0.26	39.64	52.16	52.29	322.06	
P2	9/13/2010 5:15	39.78	33.41	0.27	39.64	52.16	52.29	322.06	
P2	9/13/2010 5:30	39.78	33.41	0.27	39.64	52.16	52.29	322.06	
P2	9/13/2010 5:45	39.78	33.41	0.27	39.64	52.16	52.30	322.05	
P2	9/13/2010 6:00	39.78	33.41	0.27	39.64	52.16	52.30	322.05	
P2	9/13/2010 6:15	39.78	33.41	0.27	39.64	52.15	52.29	322.06	
P2	9/13/2010 6:30	39.78	33.41	0.27	39.64	52.15	52.29	322.06	
P2	9/13/2010 6:45	39.78	33.41	0.27	39.64	52.15	52.29	322.06	
P2	9/13/2010 7:00	39.78	33.41	0.27	39.64	52.15	52.29	322.06	
P2	9/13/2010 7:15	39.78	33.42	0.27	39.64	52.15	52.29	322.06	
P2	9/13/2010 7:30	39.78	33.42	0.27	39.64	52.15	52.29	322.06	
P2	9/13/2010 7:45	39.78	33.42	0.27	39.64	52.15	52.29	322.06	
P2	9/13/2010 8:00	39.78	33.42	0.27	39.64	52.15	52.29	322.06	
P2	9/13/2010 8:15	39.78	33.42	0.27	39.64	52.15	52.29	322.06	
P2	9/13/2010 8:30	39.78	33.42	0.27	39.64	52.15	52.29	322.06	
P2	9/13/2010 8:45	39.78	33.42	0.27	39.64	52.15	52.29	322.06	
P2	9/13/2010 9:00	39.78	33.42	0.27	39.64	52.15	52.29	322.06	
P2	9/13/2010 9:15	39.78	33.42	0.27	39.64	52.15	52.29	322.06	
P2	9/13/2010 9:30	39.78	33.42	0.27	39.63	52.16	52.30	322.05	
P2	9/13/2010 9:45	39.78	33.41	0.27	39.64	52.16	52.30	322.05	
P2	9/13/2010 10:00	39.78	33.41	0.27	39.64	52.16	52.29	322.06	
P2	9/13/2010 10:15	39.78	33.41	0.26	39.64	52.15	52.29	322.06	
P2	9/13/2010 10:30	39.78	33.41	0.26	39.64	52.16	52.29	322.06	
P2	9/13/2010 10:45	39.78	33.40	0.26	39.64	52.16	52.29	322.06	
P2	9/13/2010 11:00	39.78	33.40	0.25	39.64	52.16	52.29	322.06	
P2	9/13/2010 11:15	39.78	33.40	0.25	39.65	52.16	52.29	322.06	
P2	9/13/2010 11:30	39.77	33.39	0.25	39.64	52.16	52.29	322.06	
P2	9/13/2010 11:45	39.77	33.39	0.24	39.64	52.16	52.29	322.06	
P2	9/13/2010 12:00	39.77	33.39	0.24	39.65	52.16	52.29	322.06	
P2	9/13/2010 12:15	39.77	33.38	0.24	39.64	52.16	52.29	322.06	
P2	9/13/2010 12:30	39.77	33.38	0.24	39.65	52.16	52.29	322.06	
P2	9/13/2010 12:45	39.77	33.38	0.23	39.65	52.16	52.28	322.07	
P2	9/13/2010 13:00	39.77	33.38	0.23	39.65	52.16	52.28	322.07	
P2	9/13/2010 13:15	39.76	33.37	0.23	39.65	52.17	52.29	322.06	
P2	9/13/2010 13:30	39.76	33.37	0.22	39.65	52.17	52.28	322.07	
P2	9/13/2010 13:45	39.76	33.37	0.22	39.65	52.17	52.29	322.06	
P2	9/13/2010 14:00	39.76	33.36	0.22	39.64	52.18	52.29	322.06	
P2	9/13/2010 14:15	39.76	33.36	0.21	39.65	52.18	52.29	322.06	
P2	9/13/2010 14:30	39.76	33.35	0.21	39.65	52.18	52.28	322.07	
P2	9/13/2010 14:45	39.76	33.35	0.20	39.65	52.18	52.28	322.07	
P2	9/13/2010 15:00	39.75	33.35	0.20	39.65	52.18	52.28	322.07	
P2	9/13/2010 15:15	39.75	33.34	0.20	39.65	52.18	52.28	322.07	
P2	9/13/2010 15:30	39.75	33.34	0.19	39.65	52.18	52.28	322.07	
P2	9/13/2010 15:45	39.75	33.33	0.19	39.65	52.18	52.28	322.07	
P2	9/13/2010 16:00	39.74	33.33	0.18	39.65	52.19	52.28	322.07	
P2	9/13/2010 16:15	39.74	33.33	0.18	39.65	52.19	52.28	322.07	
P2	9/13/2010 16:30	39.74	33.32	0.18	39.65	52.19	52.28	322.07	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/13/2010 16:45	39.74	33.32	0.17	39.65	52.19	52.28	322.07	
P2	9/13/2010 17:00	39.74	33.32	0.17	39.65	52.19	52.28	322.07	
P2	9/13/2010 17:15	39.74	33.31	0.17	39.65	52.19	52.28	322.07	
P2	9/13/2010 17:30	39.74	33.31	0.16	39.66	52.19	52.28	322.07	
P2	9/13/2010 17:45	39.74	33.31	0.16	39.65	52.20	52.28	322.07	
P2	9/13/2010 18:00	39.74	33.31	0.16	39.65	52.20	52.28	322.07	
P2	9/13/2010 18:15	39.73	33.31	0.17	39.65	52.20	52.29	322.06	
P2	9/13/2010 18:30	39.73	33.31	0.17	39.65	52.20	52.29	322.06	
P2	9/13/2010 18:45	39.73	33.31	0.17	39.64	52.20	52.29	322.06	
P2	9/13/2010 19:00	39.73	33.32	0.17	39.64	52.20	52.29	322.06	
P2	9/13/2010 19:15	39.73	33.32	0.17	39.64	52.20	52.29	322.06	
P2	9/13/2010 19:30	39.73	33.32	0.17	39.64	52.20	52.29	322.06	
P2	9/13/2010 19:45	39.73	33.32	0.17	39.64	52.21	52.30	322.05	
P2	9/13/2010 20:00	39.73	33.32	0.17	39.63	52.21	52.30	322.05	
P2	9/13/2010 20:15	39.73	33.32	0.18	39.63	52.21	52.30	322.05	
P2	9/13/2010 20:30	39.73	33.32	0.18	39.63	52.21	52.30	322.05	
P2	9/13/2010 20:45	39.73	33.32	0.18	39.63	52.21	52.30	322.05	
P2	9/13/2010 21:00	39.72	33.32	0.18	39.63	52.21	52.30	322.05	
P2	9/13/2010 21:15	39.72	33.33	0.18	39.63	52.21	52.30	322.05	
P2	9/13/2010 21:30	39.72	33.33	0.18	39.63	52.21	52.31	322.04	
P2	9/13/2010 21:45	39.72	33.33	0.18	39.63	52.21	52.31	322.04	
P2	9/13/2010 22:00	39.72	33.33	0.18	39.63	52.21	52.31	322.04	
P2	9/13/2010 22:15	39.72	33.33	0.18	39.63	52.21	52.31	322.04	
P2	9/13/2010 22:30	39.72	33.33	0.18	39.63	52.21	52.31	322.04	
P2	9/13/2010 22:45	39.72	33.33	0.18	39.63	52.21	52.31	322.04	
P2	9/13/2010 23:00	39.72	33.33	0.18	39.63	52.21	52.31	322.04	
P2	9/13/2010 23:15	39.72	33.33	0.19	39.62	52.22	52.31	322.04	
P2	9/13/2010 23:30	39.72	33.33	0.19	39.62	52.22	52.31	322.04	
P2	9/13/2010 23:45	39.72	33.33	0.19	39.62	52.22	52.31	322.04	
P2	9/14/2010 0:00	39.71	33.33	0.19	39.62	52.22	52.32	322.03	
P2	9/14/2010 0:15	39.71	33.33	0.19	39.62	52.22	52.32	322.03	
P2	9/14/2010 0:30	39.71	33.33	0.19	39.62	52.22	52.32	322.03	
P2	9/14/2010 0:45	39.71	33.33	0.19	39.62	52.22	52.32	322.03	
P2	9/14/2010 1:00	39.71	33.33	0.19	39.61	52.22	52.32	322.03	
P2	9/14/2010 1:15	39.71	33.34	0.19	39.61	52.22	52.32	322.03	
P2	9/14/2010 1:30	39.71	33.34	0.19	39.61	52.22	52.32	322.03	
P2	9/14/2010 1:45	39.71	33.34	0.19	39.61	52.22	52.32	322.03	
P2	9/14/2010 2:00	39.71	33.34	0.19	39.61	52.22	52.32	322.03	
P2	9/14/2010 2:15	39.71	33.34	0.19	39.61	52.22	52.32	322.03	
P2	9/14/2010 2:30	39.71	33.34	0.20	39.61	52.22	52.32	322.03	
P2	9/14/2010 2:45	39.71	33.34	0.20	39.60	52.23	52.33	322.02	
P2	9/14/2010 3:00	39.71	33.34	0.20	39.60	52.23	52.33	322.02	
P2	9/14/2010 3:15	39.71	33.35	0.20	39.60	52.23	52.33	322.02	
P2	9/14/2010 3:30	39.71	33.35	0.20	39.60	52.23	52.33	322.02	
P2	9/14/2010 3:45	39.71	33.35	0.20	39.60	52.23	52.33	322.02	
P2	9/14/2010 4:00	39.71	33.35	0.20	39.60	52.23	52.33	322.02	
P2	9/14/2010 4:15	39.71	33.35	0.21	39.60	52.23	52.33	322.02	
P2	9/14/2010 4:30	39.71	33.35	0.21	39.60	52.23	52.33	322.02	
P2	9/14/2010 4:45	39.71	33.35	0.21	39.60	52.23	52.34	322.01	
P2	9/14/2010 5:00	39.71	33.36	0.21	39.60	52.23	52.34	322.01	
P2	9/14/2010 5:15	39.71	33.36	0.21	39.59	52.23	52.34	322.01	
P2	9/14/2010 5:30	39.70	33.36	0.21	39.59	52.23	52.34	322.01	
P2	9/14/2010 5:45	39.71	33.36	0.21	39.59	52.23	52.34	322.01	
P2	9/14/2010 6:00	39.70	33.36	0.22	39.59	52.23	52.34	322.01	
P2	9/14/2010 6:15	39.70	33.36	0.22	39.59	52.23	52.34	322.01	
P2	9/14/2010 6:30	39.71	33.36	0.22	39.59	52.23	52.34	322.01	
P2	9/14/2010 6:45	39.71	33.37	0.22	39.59	52.23	52.34	322.01	
P2	9/14/2010 7:00	39.70	33.37	0.22	39.59	52.23	52.35	322.00	
P2	9/14/2010 7:15	39.70	33.37	0.22	39.59	52.23	52.35	322.00	
P2	9/14/2010 7:30	39.70	33.37	0.22	39.58	52.23	52.35	322.00	
P2	9/14/2010 7:45	39.70	33.37	0.23	39.58	52.23	52.35	322.00	
P2	9/14/2010 8:00	39.70	33.37	0.23	39.58	52.23	52.35	322.00	
P2	9/14/2010 8:15	39.70	33.37	0.23	39.58	52.23	52.35	322.00	
P2	9/14/2010 8:30	39.70	33.38	0.23	39.58	52.23	52.35	322.00	
P2	9/14/2010 8:45	39.70	33.38	0.23	39.58	52.23	52.35	322.00	
P2	9/14/2010 9:00	39.70	33.38	0.23	39.58	52.23	52.35	322.00	
P2	9/14/2010 9:15	39.71	33.38	0.23	39.58	52.23	52.35	322.00	
P2	9/14/2010 9:30	39.71	33.38	0.24	39.58	52.23	52.35	322.00	
P2	9/14/2010 9:45	39.71	33.38	0.23	39.58	52.23	52.35	322.00	
P2	9/14/2010 10:00	39.71	33.38	0.23	39.58	52.23	52.35	322.00	
P2	9/14/2010 10:15	39.71	33.38	0.23	39.58	52.23	52.35	322.00	
P2	9/14/2010 10:30	39.71	33.38	0.23	39.58	52.23	52.35	322.00	
P2	9/14/2010 10:45	39.71	33.38	0.23	39.59	52.22	52.34	322.01	
P2	9/14/2010 11:00	39.71	33.38	0.23	39.59	52.22	52.34	322.01	
P2	9/14/2010 11:15	39.71	33.38	0.23	39.59	52.22	52.34	322.01	
P2	9/14/2010 11:30	39.71	33.37	0.23	39.59	52.22	52.34	322.01	
P2	9/14/2010 11:45	39.71	33.37	0.23	39.59	52.22	52.34	322.01	
P2	9/14/2010 12:00	39.71	33.37	0.23	39.59	52.22	52.34	322.01	
P2	9/14/2010 12:15	39.71	33.37	0.23	39.59	52.22	52.34	322.01	
P2	9/14/2010 12:30	39.71	33.37	0.23	39.59	52.22	52.34	322.01	
P2	9/14/2010 12:45	39.71	33.37	0.22	39.59	52.23	52.34	322.01	
P2	9/14/2010 13:00	39.71	33.37	0.22	39.59	52.23	52.34	322.01	
P2	9/14/2010 13:15	39.71	33.37	0.22	39.59	52.23	52.34	322.01	
P2	9/14/2010 13:30	39.71	33.37	0.22	39.59	52.23	52.34	322.01	
P2	9/14/2010 13:45	39.70	33.36	0.22	39.59	52.23	52.34	322.01	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/14/2010 14:00	39.70	33.36	0.21	39.59	52.23	52.34	322.01	
P2	9/14/2010 14:15	39.70	33.36	0.21	39.59	52.23	52.34	322.01	
P2	9/14/2010 14:30	39.70	33.35	0.21	39.59	52.23	52.34	322.01	
P2	9/14/2010 14:45	39.70	33.35	0.20	39.60	52.23	52.34	322.01	
P2	9/14/2010 15:00	39.70	33.34	0.20	39.59	52.23	52.34	322.01	
P2	9/14/2010 15:15	39.70	33.34	0.19	39.60	52.23	52.34	322.01	
P2	9/14/2010 15:30	39.69	33.34	0.19	39.59	52.24	52.34	322.01	
P2	9/14/2010 15:45	39.69	33.33	0.19	39.60	52.24	52.34	322.01	
P2	9/14/2010 16:00	39.69	33.33	0.18	39.59	52.24	52.34	322.01	
P2	9/14/2010 16:15	39.69	33.33	0.18	39.60	52.24	52.34	322.01	
P2	9/14/2010 16:30	39.69	33.32	0.18	39.59	52.25	52.34	322.01	
P2	9/14/2010 16:45	39.69	33.32	0.17	39.60	52.25	52.34	322.01	
P2	9/14/2010 17:00	39.69	33.31	0.17	39.60	52.25	52.33	322.02	
P2	9/14/2010 17:15	39.68	33.31	0.16	39.60	52.25	52.34	322.01	
P2	9/14/2010 17:30	39.68	33.31	0.16	39.60	52.25	52.33	322.02	
P2	9/14/2010 17:45	39.68	33.31	0.16	39.60	52.25	52.33	322.02	
P2	9/14/2010 18:00	39.68	33.30	0.16	39.60	52.25	52.34	322.01	
P2	9/14/2010 18:15	39.67	33.30	0.16	39.59	52.26	52.34	322.01	
P2	9/14/2010 18:30	39.67	33.30	0.16	39.59	52.26	52.34	322.01	
P2	9/14/2010 18:45	39.67	33.30	0.16	39.59	52.26	52.34	322.01	
P2	9/14/2010 19:00	39.67	33.30	0.15	39.59	52.26	52.34	322.01	
P2	9/14/2010 19:15	39.67	33.30	0.15	39.59	52.26	52.34	322.01	
P2	9/14/2010 19:30	39.67	33.30	0.15	39.59	52.26	52.34	322.01	
P2	9/14/2010 19:45	39.67	33.30	0.15	39.59	52.27	52.34	322.01	
P2	9/14/2010 20:00	39.67	33.30	0.15	39.59	52.27	52.34	322.01	
P2	9/14/2010 20:15	39.67	33.30	0.15	39.59	52.27	52.34	322.01	
P2	9/14/2010 20:30	39.66	33.29	0.15	39.58	52.27	52.35	322.00	
P2	9/14/2010 20:45	39.66	33.29	0.15	39.59	52.27	52.35	322.00	
P2	9/14/2010 21:00	39.66	33.29	0.15	39.59	52.27	52.35	322.00	
P2	9/14/2010 21:15	39.66	33.29	0.15	39.59	52.27	52.35	322.00	
P2	9/14/2010 21:30	39.66	33.29	0.14	39.58	52.27	52.35	322.00	
P2	9/14/2010 21:45	39.66	33.29	0.14	39.58	52.27	52.35	322.00	
P2	9/14/2010 22:00	39.66	33.29	0.14	39.58	52.27	52.35	322.00	
P2	9/14/2010 22:15	39.66	33.28	0.14	39.58	52.28	52.35	322.00	
P2	9/14/2010 22:30	39.65	33.28	0.14	39.58	52.28	52.35	322.00	
P2	9/14/2010 22:45	39.65	33.28	0.14	39.58	52.28	52.35	322.00	
P2	9/14/2010 23:00	39.65	33.28	0.13	39.58	52.28	52.35	322.00	
P2	9/14/2010 23:15	39.65	33.28	0.13	39.58	52.29	52.35	322.00	
P2	9/14/2010 23:30	39.65	33.28	0.13	39.58	52.29	52.35	322.00	
P2	9/14/2010 23:45	39.64	33.27	0.13	39.58	52.29	52.36	321.99	
P2	9/15/2010 0:00	39.64	33.27	0.13	39.58	52.29	52.36	321.99	
P2	9/15/2010 0:15	39.64	33.27	0.13	39.58	52.29	52.35	322.00	
P2	9/15/2010 0:30	39.64	33.27	0.12	39.57	52.29	52.36	321.99	
P2	9/15/2010 0:45	39.64	33.27	0.12	39.58	52.29	52.36	321.99	
P2	9/15/2010 1:00	39.64	33.27	0.12	39.58	52.29	52.36	321.99	
P2	9/15/2010 1:15	39.64	33.26	0.12	39.58	52.29	52.35	322.00	
P2	9/15/2010 1:30	39.64	33.26	0.12	39.57	52.30	52.36	321.99	
P2	9/15/2010 1:45	39.64	33.26	0.12	39.57	52.30	52.36	321.99	
P2	9/15/2010 2:00	39.63	33.26	0.12	39.57	52.30	52.36	321.99	
P2	9/15/2010 2:15	39.63	33.26	0.11	39.57	52.30	52.36	321.99	
P2	9/15/2010 2:30	39.63	33.26	0.11	39.57	52.31	52.36	321.99	
P2	9/15/2010 2:45	39.63	33.26	0.11	39.57	52.31	52.36	321.99	
P2	9/15/2010 3:00	39.62	33.26	0.11	39.56	52.31	52.37	321.98	
P2	9/15/2010 3:15	39.62	33.26	0.11	39.56	52.31	52.37	321.98	
P2	9/15/2010 3:30	39.62	33.26	0.11	39.57	52.31	52.37	321.98	
P2	9/15/2010 3:45	39.62	33.26	0.11	39.56	52.31	52.37	321.98	
P2	9/15/2010 4:00	39.62	33.26	0.11	39.56	52.31	52.37	321.98	
P2	9/15/2010 4:15	39.62	33.25	0.11	39.56	52.31	52.37	321.98	
P2	9/15/2010 4:30	39.62	33.25	0.11	39.56	52.32	52.37	321.98	
P2	9/15/2010 4:45	39.62	33.25	0.11	39.56	52.32	52.37	321.98	
P2	9/15/2010 5:00	39.61	33.25	0.11	39.56	52.32	52.38	321.97	
P2	9/15/2010 5:15	39.61	33.25	0.11	39.56	52.32	52.38	321.97	
P2	9/15/2010 5:30	39.61	33.25	0.11	39.56	52.32	52.37	321.98	
P2	9/15/2010 5:45	39.61	33.25	0.11	39.55	52.32	52.38	321.97	
P2	9/15/2010 6:00	39.61	33.25	0.11	39.55	52.32	52.38	321.97	
P2	9/15/2010 6:15	39.61	33.26	0.11	39.55	52.32	52.38	321.97	
P2	9/15/2010 6:30	39.60	33.26	0.11	39.55	52.33	52.39	321.96	
P2	9/15/2010 6:45	39.60	33.26	0.11	39.54	52.33	52.39	321.96	
P2	9/15/2010 7:00	39.60	33.26	0.12	39.54	52.33	52.39	321.96	
P2	9/15/2010 7:15	39.60	33.26	0.12	39.54	52.33	52.39	321.96	
P2	9/15/2010 7:30	39.60	33.27	0.12	39.54	52.33	52.39	321.96	
P2	9/15/2010 7:45	39.60	33.27	0.12	39.54	52.33	52.39	321.96	
P2	9/15/2010 8:00	39.60	33.27	0.12	39.54	52.33	52.39	321.96	
P2	9/15/2010 8:15	39.60	33.27	0.12	39.54	52.33	52.39	321.96	
P2	9/15/2010 8:30	39.60	33.27	0.13	39.54	52.33	52.39	321.96	
P2	9/15/2010 8:45	39.60	33.27	0.13	39.53	52.33	52.40	321.95	
P2	9/15/2010 9:00	39.60	33.28	0.13	39.53	52.33	52.40	321.95	
P2	9/15/2010 9:15	39.60	33.28	0.13	39.53	52.34	52.40	321.95	
P2	9/15/2010 9:30	39.60	33.28	0.13	39.53	52.34	52.41	321.94	
P2	9/15/2010 9:45	39.60	33.28	0.13	39.53	52.34	52.40	321.95	
P2	9/15/2010 10:00	39.60	33.28	0.13	39.53	52.34	52.40	321.95	
P2	9/15/2010 10:15	39.60	33.27	0.13	39.53	52.34	52.40	321.95	
P2	9/15/2010 10:30	39.60	33.27	0.13	39.53	52.34	52.40	321.95	
P2	9/15/2010 10:45	39.60	33.27	0.12	39.53	52.34	52.40	321.95	
P2	9/15/2010 11:00	39.60	33.27	0.12	39.53	52.34	52.40	321.95	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/15/2010 11:15	39.59	33.27	0.12	39.53	52.34	52.40	321.95	
P2	9/15/2010 11:30	39.59	33.26	0.12	39.53	52.34	52.40	321.95	
P2	9/15/2010 11:45	39.59	33.26	0.12	39.53	52.34	52.40	321.95	
P2	9/15/2010 12:00	39.59	33.26	0.11	39.53	52.34	52.40	321.95	
P2	9/15/2010 12:15	39.59	33.26	0.11	39.53	52.34	52.40	321.95	
P2	9/15/2010 12:30	39.58	33.26	0.11	39.53	52.35	52.41	321.94	
P2	9/15/2010 12:45	39.58	33.25	0.11	39.53	52.35	52.40	321.95	
P2	9/15/2010 13:00	39.58	33.25	0.11	39.52	52.35	52.41	321.94	
P2	9/15/2010 13:15	39.58	33.25	0.10	39.53	52.35	52.40	321.95	
P2	9/15/2010 13:30	39.58	33.25	0.10	39.53	52.35	52.41	321.94	
P2	9/15/2010 13:45	39.58	33.25	0.10	39.53	52.35	52.40	321.95	
P2	9/15/2010 14:00	39.58	33.24	0.10	39.53	52.35	52.40	321.95	
P2	9/15/2010 14:15	39.58	33.24	0.09	39.54	52.35	52.40	321.95	
P2	9/15/2010 14:30	39.58	33.24	0.09	39.53	52.35	52.40	321.95	
P2	9/15/2010 14:45	39.58	33.23	0.09	39.53	52.35	52.40	321.95	
P2	9/15/2010 15:00	39.58	33.23	0.09	39.54	52.35	52.40	321.95	
P2	9/15/2010 15:15	39.58	33.23	0.08	39.53	52.36	52.40	321.95	
P2	9/15/2010 15:30	39.58	33.23	0.08	39.53	52.36	52.40	321.95	
P2	9/15/2010 15:45	39.58	33.22	0.08	39.54	52.36	52.40	321.95	
P2	9/15/2010 16:00	39.57	33.22	0.07	39.53	52.36	52.40	321.95	
P2	9/15/2010 16:15	39.57	33.22	0.07	39.53	52.36	52.40	321.95	
P2	9/15/2010 16:30	39.57	33.21	0.07	39.54	52.36	52.40	321.95	
P2	9/15/2010 16:45	39.57	33.21	0.07	39.54	52.36	52.39	321.96	
P2	9/15/2010 17:00	39.57	33.21	0.06	39.54	52.36	52.40	321.95	
P2	9/15/2010 17:15	39.57	33.21	0.06	39.53	52.37	52.40	321.95	
P2	9/15/2010 17:30	39.57	33.20	0.06	39.54	52.37	52.40	321.95	
P2	9/15/2010 17:45	39.56	33.20	0.06	39.53	52.37	52.40	321.95	
P2	9/15/2010 18:00	39.56	33.20	0.06	39.53	52.37	52.40	321.95	
P2	9/15/2010 18:15	39.56	33.20	0.06	39.53	52.38	52.40	321.95	
P2	9/15/2010 18:30	39.56	33.20	0.06	39.53	52.38	52.40	321.95	
P2	9/15/2010 18:45	39.57	33.20	0.06	39.54	52.37	52.40	321.95	
P2	9/15/2010 19:00	39.57	33.20	0.06	39.54	52.37	52.40	321.95	
P2	9/15/2010 19:15	39.56	33.20	0.06	39.53	52.37	52.40	321.95	
P2	9/15/2010 19:30	39.56	33.20	0.06	39.53	52.37	52.40	321.95	
P2	9/15/2010 19:45	39.56	33.20	0.06	39.53	52.38	52.40	321.95	
P2	9/15/2010 20:00	39.56	33.20	0.06	39.53	52.37	52.40	321.95	
P2	9/15/2010 20:15	39.56	33.20	0.06	39.53	52.38	52.40	321.95	
P2	9/15/2010 20:30	39.56	33.20	0.06	39.53	52.38	52.40	321.95	
P2	9/15/2010 20:45	39.56	33.20	0.06	39.53	52.38	52.40	321.95	
P2	9/15/2010 21:00	39.55	33.20	0.06	39.52	52.38	52.41	321.94	
P2	9/15/2010 21:15	39.55	33.20	0.06	39.52	52.38	52.41	321.94	
P2	9/15/2010 21:30	39.55	33.20	0.06	39.52	52.38	52.41	321.94	
P2	9/15/2010 21:45	39.55	33.20	0.06	39.52	52.38	52.41	321.94	
P2	9/15/2010 22:00	39.55	33.21	0.06	39.52	52.38	52.41	321.94	
P2	9/15/2010 22:15	39.55	33.21	0.06	39.52	52.38	52.42	321.93	
P2	9/15/2010 22:30	39.55	33.21	0.07	39.51	52.38	52.42	321.93	
P2	9/15/2010 22:45	39.55	33.22	0.07	39.51	52.38	52.42	321.93	
P2	9/15/2010 23:00	39.55	33.22	0.07	39.52	52.38	52.42	321.93	
P2	9/15/2010 23:15	39.55	33.22	0.07	39.51	52.38	52.42	321.93	
P2	9/15/2010 23:30	39.55	33.22	0.08	39.51	52.38	52.42	321.93	
P2	9/15/2010 23:45	39.55	33.23	0.08	39.51	52.38	52.42	321.93	
P2	9/16/2010 0:00	39.55	33.23	0.08	39.51	52.38	52.42	321.93	
P2	9/16/2010 0:15	39.56	33.23	0.08	39.51	52.38	52.42	321.93	
P2	9/16/2010 0:30	39.56	33.23	0.09	39.51	52.38	52.42	321.93	
P2	9/16/2010 0:45	39.56	33.24	0.09	39.51	52.38	52.42	321.93	
P2	9/16/2010 1:00	39.56	33.24	0.09	39.51	52.38	52.42	321.93	
P2	9/16/2010 1:15	39.56	33.24	0.10	39.51	52.38	52.42	321.93	
P2	9/16/2010 1:30	39.56	33.24	0.10	39.51	52.38	52.43	321.92	
P2	9/16/2010 1:45	39.56	33.24	0.10	39.51	52.38	52.43	321.92	
P2	9/16/2010 2:00	39.56	33.25	0.10	39.51	52.38	52.43	321.92	
P2	9/16/2010 2:15	39.56	33.25	0.10	39.51	52.37	52.42	321.93	
P2	9/16/2010 2:30	39.56	33.25	0.10	39.50	52.38	52.43	321.92	
P2	9/16/2010 2:45	39.56	33.25	0.10	39.50	52.38	52.43	321.92	
P2	9/16/2010 3:00	39.56	33.25	0.10	39.50	52.38	52.43	321.92	
P2	9/16/2010 3:15	39.56	33.25	0.10	39.50	52.38	52.43	321.92	
P2	9/16/2010 3:30	39.56	33.25	0.10	39.50	52.38	52.43	321.92	
P2	9/16/2010 3:45	39.56	33.25	0.10	39.50	52.38	52.43	321.92	
P2	9/16/2010 4:00	39.56	33.25	0.10	39.50	52.38	52.43	321.92	
P2	9/16/2010 4:15	39.56	33.25	0.10	39.50	52.38	52.43	321.92	
P2	9/16/2010 4:30	39.55	33.25	0.10	39.50	52.38	52.43	321.92	
P2	9/16/2010 4:45	39.56	33.25	0.10	39.50	52.38	52.43	321.92	
P2	9/16/2010 5:00	39.55	33.25	0.11	39.50	52.38	52.43	321.92	
P2	9/16/2010 5:15	39.56	33.25	0.11	39.50	52.38	52.43	321.92	
P2	9/16/2010 5:30	39.56	33.25	0.11	39.50	52.38	52.43	321.92	
P2	9/16/2010 5:45	39.55	33.25	0.11	39.50	52.38	52.43	321.92	
P2	9/16/2010 6:00	39.55	33.25	0.11	39.50	52.38	52.44	321.91	
P2	9/16/2010 6:15	39.55	33.25	0.11	39.50	52.38	52.44	321.91	
P2	9/16/2010 6:30	39.55	33.26	0.11	39.50	52.38	52.44	321.91	
P2	9/16/2010 6:45	39.55	33.26	0.11	39.50	52.38	52.44	321.91	
P2	9/16/2010 7:00	39.55	33.26	0.11	39.50	52.38	52.44	321.91	
P2	9/16/2010 7:15	39.55	33.26	0.11	39.49	52.38	52.44	321.91	
P2	9/16/2010 7:30	39.55	33.26	0.11	39.49	52.38	52.44	321.91	
P2	9/16/2010 7:45	39.55	33.26	0.11	39.49	52.38	52.44	321.91	
P2	9/16/2010 8:00	39.55	33.26	0.11	39.49	52.38	52.44	321.91	
P2	9/16/2010 8:15	39.56	33.26	0.12	39.50	52.38	52.43	321.92	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/16/2010 8:30	39.56	33.26	0.12	39.50	52.38	52.44	321.91	
P2	9/16/2010 8:45	39.56	33.26	0.12	39.50	52.38	52.44	321.91	
P2	9/16/2010 9:00	39.55	33.26	0.12	39.49	52.38	52.44	321.91	
P2	9/16/2010 9:15	39.55	33.26	0.12	39.49	52.38	52.44	321.91	
P2	9/16/2010 9:30	39.55	33.27	0.12	39.49	52.38	52.44	321.91	
P2	9/16/2010 9:45	39.55	33.26	0.12	39.49	52.38	52.44	321.91	
P2	9/16/2010 10:00	39.55	33.26	0.12	39.49	52.38	52.44	321.91	
P2	9/16/2010 10:15	39.55	33.26	0.12	39.49	52.38	52.44	321.91	
P2	9/16/2010 10:30	39.55	33.26	0.12	39.49	52.38	52.44	321.91	
P2	9/16/2010 10:45	39.55	33.26	0.12	39.49	52.38	52.44	321.91	
P2	9/16/2010 11:00	39.55	33.26	0.11	39.49	52.38	52.44	321.91	
P2	9/16/2010 11:15	39.55	33.26	0.11	39.49	52.38	52.44	321.91	
P2	9/16/2010 11:30	39.55	33.26	0.11	39.49	52.38	52.44	321.91	
P2	9/16/2010 11:45	39.55	33.26	0.11	39.49	52.38	52.44	321.91	
P2	9/16/2010 12:00	39.55	33.26	0.11	39.49	52.38	52.44	321.91	
P2	9/16/2010 12:15	39.55	33.26	0.11	39.49	52.38	52.44	321.91	
P2	9/16/2010 12:30	39.55	33.26	0.11	39.49	52.38	52.44	321.91	
P2	9/16/2010 12:45	39.55	33.26	0.11	39.49	52.38	52.44	321.91	
P2	9/16/2010 13:00	39.55	33.25	0.11	39.49	52.38	52.44	321.91	
P2	9/16/2010 13:15	39.55	33.25	0.11	39.49	52.39	52.44	321.91	
P2	9/16/2010 13:30	39.55	33.25	0.11	39.49	52.38	52.44	321.91	
P2	9/16/2010 13:45	39.55	33.25	0.10	39.49	52.39	52.44	321.91	
P2	9/16/2010 14:00	39.55	33.25	0.10	39.49	52.39	52.44	321.91	
P2	9/16/2010 14:15	39.55	33.24	0.10	39.49	52.39	52.44	321.91	
P2	9/16/2010 14:30	39.55	33.24	0.09	39.50	52.39	52.44	321.91	
P2	9/16/2010 14:45	39.54	33.24	0.09	39.49	52.39	52.44	321.91	
P2	9/16/2010 15:00	39.54	33.23	0.09	39.50	52.39	52.44	321.91	
P2	9/16/2010 15:15	39.54	33.23	0.08	39.49	52.40	52.44	321.91	
P2	9/16/2010 15:30	39.54	33.22	0.08	39.50	52.40	52.44	321.91	
P2	9/16/2010 15:45	39.53	33.22	0.08	39.49	52.40	52.44	321.91	
P2	9/16/2010 16:00	39.53	33.22	0.07	39.50	52.40	52.44	321.91	
P2	9/16/2010 16:15	39.53	33.21	0.07	39.49	52.40	52.44	321.91	
P2	9/16/2010 16:30	39.53	33.21	0.06	39.50	52.40	52.44	321.91	
P2	9/16/2010 16:45	39.53	33.21	0.06	39.49	52.41	52.44	321.91	
P2	9/16/2010 17:00	39.53	33.20	0.06	39.50	52.41	52.44	321.91	
P2	9/16/2010 17:15	39.53	33.20	0.05	39.50	52.41	52.43	321.92	
P2	9/16/2010 17:30	39.52	33.20	0.05	39.50	52.41	52.44	321.91	
P2	9/16/2010 17:45	39.52	33.20	0.05	39.50	52.41	52.44	321.91	
P2	9/16/2010 18:00	39.52	33.20	0.05	39.49	52.41	52.44	321.91	
P2	9/16/2010 18:15	39.52	33.20	0.05	39.49	52.41	52.44	321.91	
P2	9/16/2010 18:30	39.51	33.20	0.05	39.49	52.42	52.45	321.90	
P2	9/16/2010 18:45	39.51	33.20	0.05	39.49	52.42	52.45	321.90	
P2	9/16/2010 19:00	39.51	33.20	0.06	39.48	52.42	52.45	321.90	
P2	9/16/2010 19:15	39.51	33.20	0.06	39.48	52.42	52.45	321.90	
P2	9/16/2010 19:30	39.51	33.20	0.06	39.48	52.42	52.45	321.90	
P2	9/16/2010 19:45	39.51	33.20	0.06	39.48	52.42	52.45	321.90	
P2	9/16/2010 20:00	39.51	33.20	0.06	39.48	52.42	52.45	321.90	
P2	9/16/2010 20:15	39.51	33.21	0.06	39.48	52.42	52.45	321.90	
P2	9/16/2010 20:30	39.51	33.21	0.06	39.48	52.42	52.45	321.90	
P2	9/16/2010 20:45	39.51	33.21	0.06	39.48	52.42	52.45	321.90	
P2	9/16/2010 21:00	39.51	33.21	0.06	39.48	52.42	52.45	321.90	
P2	9/16/2010 21:15	39.51	33.21	0.06	39.48	52.42	52.45	321.90	
P2	9/16/2010 21:30	39.51	33.21	0.06	39.48	52.42	52.45	321.90	
P2	9/16/2010 21:45	39.51	33.21	0.06	39.48	52.42	52.45	321.90	
P2	9/16/2010 22:00	39.51	33.21	0.06	39.48	52.42	52.45	321.90	
P2	9/16/2010 22:15	39.51	33.21	0.06	39.48	52.42	52.45	321.90	
P2	9/16/2010 22:30	39.51	33.21	0.06	39.48	52.42	52.45	321.90	
P2	9/16/2010 22:45	39.51	33.21	0.06	39.48	52.42	52.45	321.90	
P2	9/16/2010 23:00	39.51	33.21	0.06	39.48	52.42	52.45	321.90	
P2	9/16/2010 23:15	39.51	33.21	0.06	39.48	52.42	52.45	321.90	
P2	9/16/2010 23:30	39.51	33.21	0.06	39.48	52.42	52.45	321.90	
P2	9/16/2010 23:45	39.51	33.21	0.06	39.48	52.42	52.45	321.90	
P2	9/17/2010 0:00	39.51	33.21	0.06	39.48	52.42	52.45	321.90	
P2	9/17/2010 0:15	39.51	33.21	0.06	39.48	52.42	52.45	321.90	
P2	9/17/2010 0:30	39.51	33.21	0.06	39.48	52.42	52.45	321.90	
P2	9/17/2010 0:45	39.51	33.21	0.06	39.47	52.43	52.46	321.89	
P2	9/17/2010 1:00	39.51	33.21	0.06	39.47	52.43	52.46	321.89	
P2	9/17/2010 1:15	39.51	33.21	0.06	39.47	52.43	52.46	321.89	
P2	9/17/2010 1:30	39.50	33.21	0.06	39.47	52.43	52.46	321.89	
P2	9/17/2010 1:45	39.50	33.21	0.06	39.47	52.43	52.46	321.89	
P2	9/17/2010 2:00	39.50	33.20	0.06	39.47	52.43	52.46	321.89	
P2	9/17/2010 2:15	39.50	33.20	0.06	39.47	52.43	52.46	321.89	
P2	9/17/2010 2:30	39.50	33.20	0.05	39.47	52.43	52.46	321.89	
P2	9/17/2010 2:45	39.50	33.20	0.05	39.47	52.43	52.46	321.89	
P2	9/17/2010 3:00	39.50	33.20	0.05	39.47	52.43	52.46	321.89	
P2	9/17/2010 3:15	39.50	33.20	0.05	39.47	52.43	52.46	321.89	
P2	9/17/2010 3:30	39.49	33.19	0.05	39.47	52.44	52.46	321.89	
P2	9/17/2010 3:45	39.49	33.19	0.05	39.47	52.44	52.46	321.89	
P2	9/17/2010 4:00	39.49	33.19	0.05	39.47	52.44	52.47	321.88	
P2	9/17/2010 4:15	39.49	33.19	0.04	39.47	52.44	52.46	321.89	
P2	9/17/2010 4:30	39.49	33.19	0.04	39.47	52.44	52.46	321.89	
P2	9/17/2010 4:45	39.49	33.19	0.04	39.47	52.45	52.47	321.88	
P2	9/17/2010 5:00	39.49	33.19	0.04	39.47	52.45	52.47	321.88	
P2	9/17/2010 5:15	39.49	33.18	0.04	39.47	52.45	52.46	321.89	
P2	9/17/2010 5:30	39.48	33.18	0.04	39.46	52.45	52.47	321.88	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/17/2010 5:45	39.48	33.18	0.04	39.46	52.45	52.47	321.88	
P2	9/17/2010 6:00	39.48	33.18	0.03	39.46	52.45	52.47	321.88	
P2	9/17/2010 6:15	39.48	33.18	0.03	39.46	52.45	52.47	321.88	
P2	9/17/2010 6:30	39.48	33.18	0.03	39.46	52.46	52.47	321.88	
P2	9/17/2010 6:45	39.48	33.18	0.03	39.46	52.45	52.47	321.88	
P2	9/17/2010 7:00	39.48	33.18	0.03	39.46	52.46	52.47	321.88	
P2	9/17/2010 7:15	39.48	33.18	0.03	39.46	52.46	52.47	321.88	
P2	9/17/2010 7:30	39.47	33.18	0.03	39.46	52.46	52.48	321.87	
P2	9/17/2010 7:45	39.47	33.17	0.03	39.46	52.46	52.48	321.87	
P2	9/17/2010 8:00	39.47	33.17	0.03	39.46	52.46	52.48	321.87	
P2	9/17/2010 8:15	39.47	33.17	0.03	39.46	52.46	52.48	321.87	
P2	9/17/2010 8:30	39.47	33.17	0.03	39.46	52.46	52.47	321.88	
P2	9/17/2010 8:45	39.47	33.17	0.03	39.45	52.47	52.48	321.87	
P2	9/17/2010 9:00	39.47	33.17	0.02	39.45	52.47	52.48	321.87	
P2	9/17/2010 9:15	39.47	33.17	0.02	39.45	52.47	52.48	321.87	
P2	9/17/2010 9:30	39.47	33.17	0.02	39.45	52.47	52.48	321.87	
P2	9/17/2010 9:45	39.47	33.17	0.02	39.46	52.47	52.48	321.87	
P2	9/17/2010 10:00	39.46	33.16	0.02	39.45	52.47	52.48	321.87	
P2	9/17/2010 10:15	39.47	33.16	0.01	39.46	52.47	52.47	321.88	
P2	9/17/2010 10:30	39.46	33.16	0.01	39.46	52.47	52.48	321.87	
P2	9/17/2010 10:45	39.46	33.15	0.01	39.46	52.47	52.47	321.88	
P2	9/17/2010 11:00	39.46	33.15	0.01	39.46	52.47	52.47	321.88	
P2	9/17/2010 11:15	39.46	33.15	0.00	39.46	52.47	52.47	321.88	
P2	9/17/2010 11:30	39.46	33.15	0.00	39.46	52.47	52.47	321.88	
P2	9/17/2010 11:45	39.46	33.14	0.00	39.46	52.47	52.47	321.88	
P2	9/17/2010 12:00	39.46	33.14	0.00	39.46	52.47	52.47	321.88	
P2	9/17/2010 12:15	39.46	33.14	-0.01	39.46	52.48	52.47	321.88	
P2	9/17/2010 12:30	39.46	33.14	-0.01	39.46	52.48	52.47	321.88	
P2	9/17/2010 12:45	39.45	33.13	-0.01	39.46	52.48	52.47	321.88	
P2	9/17/2010 13:00	39.45	33.13	-0.02	39.46	52.48	52.47	321.88	
P2	9/17/2010 13:15	39.45	33.13	-0.02	39.46	52.49	52.48	321.87	
P2	9/17/2010 13:30	39.44	33.12	-0.02	39.46	52.49	52.48	321.87	
P2	9/17/2010 13:45	39.44	33.12	-0.02	39.46	52.49	52.48	321.87	
P2	9/17/2010 14:00	39.44	33.12	-0.02	39.46	52.49	52.48	321.87	
P2	9/17/2010 14:15	39.44	33.12	-0.03	39.45	52.49	52.48	321.87	
P2	9/17/2010 14:30	39.44	33.12	-0.03	39.45	52.50	52.48	321.87	
P2	9/17/2010 14:45	39.44	33.12	-0.03	39.45	52.50	52.48	321.87	
P2	9/17/2010 15:00	39.43	33.12	-0.03	39.45	52.50	52.48	321.87	
P2	9/17/2010 15:15	39.43	33.11	-0.03	39.45	52.50	52.48	321.87	
P2	9/17/2010 15:30	39.43	33.11	-0.03	39.45	52.50	52.49	321.86	
P2	9/17/2010 15:45	39.43	33.11	-0.03	39.45	52.50	52.49	321.86	
P2	9/17/2010 16:00	39.42	33.11	-0.04	39.44	52.51	52.49	321.86	
P2	9/17/2010 16:15	39.42	33.11	-0.04	39.44	52.51	52.49	321.86	
P2	9/17/2010 16:30	39.42	33.11	-0.04	39.44	52.51	52.49	321.86	
P2	9/17/2010 16:45	39.42	33.11	-0.04	39.44	52.51	52.49	321.86	
P2	9/17/2010 17:00	39.42	33.10	-0.04	39.44	52.52	52.49	321.86	
P2	9/17/2010 17:15	39.42	33.10	-0.04	39.44	52.52	52.49	321.86	
P2	9/17/2010 17:30	39.42	33.10	-0.04	39.44	52.52	52.49	321.86	
P2	9/17/2010 17:45	39.41	33.10	-0.04	39.43	52.52	52.50	321.85	
P2	9/17/2010 18:00	39.41	33.10	-0.04	39.43	52.52	52.50	321.85	
P2	9/17/2010 18:15	39.41	33.10	-0.04	39.43	52.52	52.50	321.85	
P2	9/17/2010 18:30	39.41	33.11	-0.04	39.43	52.52	52.50	321.85	
P2	9/17/2010 18:45	39.41	33.11	-0.04	39.43	52.52	52.50	321.85	
P2	9/17/2010 19:00	39.41	33.11	-0.04	39.43	52.52	52.50	321.85	
P2	9/17/2010 19:15	39.41	33.11	-0.04	39.43	52.52	52.50	321.85	
P2	9/17/2010 19:30	39.41	33.11	-0.04	39.43	52.52	52.50	321.85	
P2	9/17/2010 19:45	39.40	33.11	-0.04	39.42	52.53	52.51	321.84	
P2	9/17/2010 20:00	39.40	33.11	-0.04	39.42	52.53	52.51	321.84	
P2	9/17/2010 20:15	39.40	33.11	-0.03	39.42	52.53	52.51	321.84	
P2	9/17/2010 20:30	39.40	33.11	-0.03	39.42	52.53	52.51	321.84	
P2	9/17/2010 20:45	39.40	33.11	-0.03	39.42	52.53	52.51	321.84	
P2	9/17/2010 21:00	39.40	33.11	-0.03	39.42	52.53	52.51	321.84	
P2	9/17/2010 21:15	39.40	33.12	-0.03	39.42	52.53	52.52	321.83	
P2	9/17/2010 21:30	39.40	33.12	-0.03	39.42	52.53	52.52	321.83	
P2	9/17/2010 21:45	39.41	33.12	-0.03	39.42	52.52	52.51	321.84	
P2	9/17/2010 22:00	39.40	33.12	-0.03	39.42	52.53	52.51	321.84	
P2	9/17/2010 22:15	39.40	33.12	-0.02	39.42	52.53	52.52	321.83	
P2	9/17/2010 22:30	39.40	33.12	-0.02	39.42	52.53	52.52	321.83	
P2	9/17/2010 22:45	39.40	33.13	-0.02	39.41	52.53	52.52	321.83	
P2	9/17/2010 23:00	39.40	33.13	-0.02	39.41	52.53	52.52	321.83	
P2	9/17/2010 23:15	39.40	33.13	-0.02	39.41	52.53	52.52	321.83	
P2	9/17/2010 23:30	39.40	33.13	-0.01	39.41	52.53	52.52	321.83	
P2	9/17/2010 23:45	39.40	33.13	-0.01	39.41	52.53	52.52	321.83	
P2	9/18/2010 0:00	39.40	33.14	-0.01	39.41	52.53	52.52	321.83	
P2	9/18/2010 0:15	39.40	33.14	-0.01	39.41	52.53	52.52	321.83	
P2	9/18/2010 0:30	39.40	33.14	-0.01	39.41	52.53	52.52	321.83	
P2	9/18/2010 0:45	39.40	33.14	0.00	39.41	52.53	52.53	321.82	
P2	9/18/2010 1:00	39.40	33.14	0.00	39.40	52.53	52.53	321.82	
P2	9/18/2010 1:15	39.41	33.15	0.00	39.41	52.52	52.52	321.83	
P2	9/18/2010 1:30	39.40	33.15	0.00	39.40	52.53	52.53	321.82	
P2	9/18/2010 1:45	39.40	33.15	0.00	39.40	52.53	52.53	321.82	
P2	9/18/2010 2:00	39.41	33.15	0.00	39.41	52.52	52.53	321.82	
P2	9/18/2010 2:15	39.41	33.15	0.00	39.41	52.52	52.53	321.82	
P2	9/18/2010 2:30	39.40	33.15	0.01	39.40	52.53	52.53	321.82	
P2	9/18/2010 2:45	39.41	33.15	0.01	39.40	52.52	52.53	321.82	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/18/2010 3:00	39.41	33.15	0.01	39.40	52.52	52.53	321.82	
P2	9/18/2010 3:15	39.41	33.15	0.01	39.40	52.52	52.53	321.82	
P2	9/18/2010 3:30	39.41	33.16	0.01	39.40	52.52	52.53	321.82	
P2	9/18/2010 3:45	39.41	33.16	0.01	39.40	52.52	52.53	321.82	
P2	9/18/2010 4:00	39.41	33.16	0.01	39.40	52.52	52.53	321.82	
P2	9/18/2010 4:15	39.41	33.16	0.01	39.40	52.52	52.53	321.82	
P2	9/18/2010 4:30	39.41	33.16	0.01	39.40	52.52	52.53	321.82	
P2	9/18/2010 4:45	39.40	33.16	0.01	39.40	52.53	52.54	321.81	
P2	9/18/2010 5:00	39.40	33.16	0.02	39.40	52.53	52.54	321.81	
P2	9/18/2010 5:15	39.40	33.16	0.02	39.40	52.53	52.54	321.81	
P2	9/18/2010 5:30	39.40	33.16	0.02	39.40	52.53	52.54	321.81	
P2	9/18/2010 5:45	39.40	33.16	0.02	39.40	52.53	52.54	321.81	
P2	9/18/2010 6:00	39.42	33.16	0.02	39.41	52.52	52.52	321.83	
P2	9/18/2010 6:15	39.42	33.16	0.02	39.41	52.51	52.52	321.83	
P2	9/18/2010 6:30	39.42	33.16	0.02	39.41	52.52	52.52	321.83	
P2	9/18/2010 6:45	39.42	33.16	0.02	39.41	52.52	52.52	321.83	
P2	9/18/2010 7:00	39.42	33.16	0.02	39.41	52.52	52.52	321.83	
P2	9/18/2010 7:15	39.42	33.16	0.02	39.41	52.52	52.52	321.83	
P2	9/18/2010 7:30	39.42	33.16	0.02	39.41	52.52	52.52	321.83	
P2	9/18/2010 7:45	39.41	33.16	0.02	39.40	52.52	52.53	321.82	
P2	9/18/2010 8:00	39.41	33.16	0.02	39.40	52.52	52.53	321.82	
P2	9/18/2010 8:15	39.41	33.16	0.02	39.40	52.52	52.53	321.82	
P2	9/18/2010 8:30	39.41	33.16	0.02	39.40	52.52	52.53	321.82	
P2	9/18/2010 8:45	39.41	33.16	0.02	39.40	52.52	52.53	321.82	
P2	9/18/2010 9:00	39.41	33.16	0.02	39.40	52.52	52.53	321.82	
P2	9/18/2010 9:15	39.41	33.16	0.02	39.40	52.52	52.53	321.82	
P2	9/18/2010 9:30	39.41	33.16	0.02	39.40	52.52	52.53	321.82	
P2	9/18/2010 9:45	39.41	33.16	0.01	39.40	52.52	52.53	321.82	
P2	9/18/2010 10:00	39.41	33.15	0.01	39.40	52.52	52.53	321.82	
P2	9/18/2010 10:15	39.41	33.15	0.00	39.41	52.52	52.53	321.82	
P2	9/18/2010 10:30	39.41	33.14	0.00	39.41	52.52	52.52	321.83	
P2	9/18/2010 10:45	39.41	33.14	-0.01	39.41	52.52	52.52	321.83	
P2	9/18/2010 11:00	39.41	33.14	-0.01	39.41	52.52	52.52	321.83	
P2	9/18/2010 11:15	39.40	33.13	-0.01	39.41	52.53	52.52	321.83	
P2	9/18/2010 11:30	39.40	33.13	-0.02	39.41	52.53	52.52	321.83	
P2	9/18/2010 11:45	39.40	33.12	-0.02	39.41	52.53	52.52	321.83	
P2	9/18/2010 12:00	39.40	33.12	-0.03	39.42	52.53	52.52	321.83	
P2	9/18/2010 12:15	39.40	33.11	-0.03	39.41	52.54	52.52	321.83	
P2	9/18/2010 12:30	39.40	33.11	-0.04	39.42	52.54	52.52	321.83	
P2	9/18/2010 12:45	39.39	33.10	-0.04	39.41	52.54	52.52	321.83	
P2	9/18/2010 13:00	39.39	33.10	-0.05	39.41	52.54	52.52	321.83	
P2	9/18/2010 13:15	39.39	33.09	-0.05	39.42	52.54	52.52	321.83	
P2	9/18/2010 13:30	39.39	33.09	-0.06	39.41	52.55	52.52	321.83	
P2	9/18/2010 13:45	39.39	33.09	-0.06	39.42	52.55	52.52	321.83	
P2	9/18/2010 14:00	39.38	33.08	-0.06	39.41	52.55	52.52	321.83	
P2	9/18/2010 14:15	39.38	33.08	-0.06	39.41	52.55	52.52	321.83	
P2	9/18/2010 14:30	39.38	33.08	-0.07	39.41	52.56	52.52	321.83	
P2	9/18/2010 14:45	39.37	33.08	-0.07	39.41	52.56	52.52	321.83	
P2	9/18/2010 15:00	39.37	33.07	-0.07	39.41	52.56	52.53	321.82	
P2	9/18/2010 15:15	39.37	33.07	-0.08	39.40	52.57	52.53	321.82	
P2	9/18/2010 15:30	39.37	33.07	-0.08	39.41	52.57	52.53	321.82	
P2	9/18/2010 15:45	39.36	33.06	-0.08	39.40	52.57	52.53	321.82	
P2	9/18/2010 16:00	39.36	33.06	-0.08	39.40	52.57	52.53	321.82	
P2	9/18/2010 16:15	39.36	33.06	-0.09	39.40	52.57	52.53	321.82	
P2	9/18/2010 16:30	39.35	33.06	-0.09	39.40	52.58	52.53	321.82	
P2	9/18/2010 16:45	39.35	33.05	-0.09	39.40	52.58	52.53	321.82	
P2	9/18/2010 17:00	39.35	33.05	-0.10	39.40	52.58	52.53	321.82	
P2	9/18/2010 17:15	39.35	33.05	-0.10	39.40	52.58	52.53	321.82	
P2	9/18/2010 17:30	39.35	33.05	-0.10	39.40	52.59	52.53	321.82	
P2	9/18/2010 17:45	39.35	33.04	-0.10	39.40	52.58	52.53	321.82	
P2	9/18/2010 18:00	39.35	33.04	-0.11	39.40	52.58	52.53	321.82	
P2	9/18/2010 18:15	39.35	33.04	-0.11	39.40	52.59	52.53	321.82	
P2	9/18/2010 18:30	39.34	33.04	-0.11	39.40	52.59	52.53	321.82	
P2	9/18/2010 18:45	39.34	33.03	-0.11	39.40	52.59	52.53	321.82	
P2	9/18/2010 19:00	39.34	33.03	-0.11	39.40	52.59	52.53	321.82	
P2	9/18/2010 19:15	39.34	33.03	-0.12	39.40	52.59	52.53	321.82	
P2	9/18/2010 19:30	39.33	33.03	-0.12	39.40	52.60	52.54	321.81	
P2	9/18/2010 19:45	39.33	33.03	-0.12	39.40	52.60	52.54	321.81	
P2	9/18/2010 20:00	39.33	33.02	-0.12	39.40	52.60	52.53	321.82	
P2	9/18/2010 20:15	39.33	33.02	-0.12	39.39	52.60	52.54	321.81	
P2	9/18/2010 20:30	39.33	33.02	-0.13	39.40	52.60	52.54	321.81	
P2	9/18/2010 20:45	39.33	33.02	-0.13	39.39	52.61	52.54	321.81	
P2	9/18/2010 21:00	39.33	33.02	-0.13	39.39	52.61	52.54	321.81	
P2	9/18/2010 21:15	39.33	33.01	-0.13	39.39	52.61	52.54	321.81	
P2	9/18/2010 21:30	39.32	33.01	-0.13	39.39	52.61	52.54	321.81	
P2	9/18/2010 21:45	39.32	33.01	-0.14	39.39	52.61	52.54	321.81	
P2	9/18/2010 22:00	39.32	33.01	-0.14	39.39	52.61	52.54	321.81	
P2	9/18/2010 22:15	39.32	33.01	-0.14	39.39	52.62	52.54	321.81	
P2	9/18/2010 22:30	39.32	33.01	-0.14	39.39	52.62	52.54	321.81	
P2	9/18/2010 22:45	39.32	33.00	-0.14	39.39	52.62	52.54	321.81	
P2	9/18/2010 23:00	39.31	33.00	-0.14	39.39	52.62	52.55	321.80	
P2	9/18/2010 23:15	39.31	33.00	-0.15	39.39	52.62	52.55	321.80	
P2	9/18/2010 23:30	39.31	33.00	-0.15	39.38	52.63	52.55	321.80	
P2	9/18/2010 23:45	39.31	33.00	-0.15	39.38	52.63	52.55	321.80	
P2	9/19/2010 0:00	39.30	33.00	-0.15	39.38	52.63	52.55	321.80	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/19/2010 0:15	39.31	32.99	-0.15	39.39	52.63	52.55	321.80	
P2	9/19/2010 0:30	39.30	32.99	-0.15	39.38	52.63	52.55	321.80	
P2	9/19/2010 0:45	39.30	32.99	-0.16	39.38	52.63	52.55	321.80	
P2	9/19/2010 1:00	39.30	32.99	-0.16	39.38	52.63	52.55	321.80	
P2	9/19/2010 1:15	39.30	32.99	-0.16	39.38	52.63	52.55	321.80	
P2	9/19/2010 1:30	39.30	32.99	-0.16	39.38	52.63	52.55	321.80	
P2	9/19/2010 1:45	39.30	32.98	-0.16	39.38	52.63	52.55	321.80	
P2	9/19/2010 2:00	39.30	32.98	-0.16	39.38	52.64	52.55	321.80	
P2	9/19/2010 2:15	39.30	32.98	-0.17	39.38	52.64	52.55	321.80	
P2	9/19/2010 2:30	39.29	32.98	-0.17	39.38	52.64	52.55	321.80	
P2	9/19/2010 2:45	39.29	32.97	-0.17	39.38	52.64	52.55	321.80	
P2	9/19/2010 3:00	39.29	32.97	-0.17	39.38	52.64	52.55	321.80	
P2	9/19/2010 3:15	39.29	32.97	-0.18	39.38	52.65	52.55	321.80	
P2	9/19/2010 3:30	39.28	32.97	-0.18	39.38	52.65	52.56	321.79	
P2	9/19/2010 3:45	39.28	32.96	-0.18	39.38	52.65	52.55	321.80	
P2	9/19/2010 4:00	39.28	32.96	-0.18	39.37	52.65	52.56	321.79	
P2	9/19/2010 4:15	39.28	32.96	-0.19	39.38	52.65	52.56	321.79	
P2	9/19/2010 4:30	39.28	32.96	-0.19	39.37	52.66	52.56	321.79	
P2	9/19/2010 4:45	39.28	32.96	-0.19	39.37	52.66	52.56	321.79	
P2	9/19/2010 5:00	39.27	32.95	-0.19	39.37	52.66	52.56	321.79	
P2	9/19/2010 5:15	39.27	32.95	-0.20	39.37	52.66	52.56	321.79	
P2	9/19/2010 5:30	39.27	32.95	-0.20	39.37	52.66	52.56	321.79	
P2	9/19/2010 5:45	39.26	32.95	-0.20	39.37	52.67	52.57	321.78	
P2	9/19/2010 6:00	39.26	32.95	-0.19	39.37	52.67	52.57	321.78	
P2	9/19/2010 6:15	39.26	32.95	-0.19	39.36	52.67	52.57	321.78	
P2	9/19/2010 6:30	39.26	32.96	-0.19	39.36	52.67	52.57	321.78	
P2	9/19/2010 6:45	39.26	32.96	-0.19	39.36	52.67	52.57	321.78	
P2	9/19/2010 7:00	39.26	32.96	-0.19	39.35	52.68	52.58	321.77	
P2	9/19/2010 7:15	39.25	32.96	-0.19	39.35	52.68	52.58	321.77	
P2	9/19/2010 7:30	39.25	32.96	-0.18	39.35	52.68	52.58	321.77	
P2	9/19/2010 7:45	39.25	32.96	-0.18	39.35	52.68	52.59	321.76	
P2	9/19/2010 8:00	39.25	32.97	-0.18	39.35	52.68	52.59	321.76	
P2	9/19/2010 8:15	39.25	32.97	-0.18	39.34	52.68	52.59	321.76	
P2	9/19/2010 8:30	39.25	32.97	-0.18	39.34	52.68	52.59	321.76	
P2	9/19/2010 8:45	39.25	32.97	-0.17	39.34	52.68	52.59	321.76	
P2	9/19/2010 9:00	39.25	32.97	-0.17	39.34	52.68	52.59	321.76	
P2	9/19/2010 9:15	39.25	32.98	-0.17	39.34	52.68	52.59	321.76	
P2	9/19/2010 9:30	39.25	32.98	-0.17	39.34	52.68	52.59	321.76	
P2	9/19/2010 9:45	39.25	32.98	-0.17	39.34	52.68	52.59	321.76	
P2	9/19/2010 10:00	39.25	32.98	-0.16	39.33	52.68	52.60	321.75	
P2	9/19/2010 10:15	39.25	32.99	-0.16	39.33	52.68	52.60	321.75	
P2	9/19/2010 10:30	39.25	32.99	-0.16	39.33	52.68	52.60	321.75	
P2	9/19/2010 10:45	39.25	32.99	-0.15	39.33	52.68	52.60	321.75	
P2	9/19/2010 11:00	39.25	32.99	-0.15	39.33	52.68	52.60	321.75	
P2	9/19/2010 11:15	39.25	33.00	-0.15	39.33	52.68	52.61	321.74	
P2	9/19/2010 11:30	39.25	33.00	-0.15	39.32	52.68	52.61	321.74	
P2	9/19/2010 11:45	39.25	33.00	-0.14	39.32	52.68	52.61	321.74	
P2	9/19/2010 12:00	39.25	33.01	-0.14	39.32	52.68	52.61	321.74	
P2	9/19/2010 12:15	39.25	33.01	-0.14	39.32	52.68	52.61	321.74	
P2	9/19/2010 12:30	39.25	33.01	-0.14	39.32	52.68	52.61	321.74	
P2	9/19/2010 12:45	39.25	33.01	-0.13	39.32	52.68	52.61	321.74	
P2	9/19/2010 13:00	39.25	33.02	-0.13	39.32	52.68	52.61	321.74	
P2	9/19/2010 13:15	39.25	33.02	-0.13	39.32	52.68	52.61	321.74	
P2	9/19/2010 13:30	39.25	33.02	-0.12	39.32	52.68	52.62	321.73	
P2	9/19/2010 13:45	39.25	33.02	-0.12	39.32	52.68	52.62	321.73	
P2	9/19/2010 14:00	39.26	33.02	-0.12	39.32	52.68	52.61	321.74	
P2	9/19/2010 14:15	39.26	33.02	-0.12	39.32	52.68	52.61	321.74	
P2	9/19/2010 14:30	39.26	33.02	-0.12	39.32	52.68	52.61	321.74	
P2	9/19/2010 14:45	39.26	33.02	-0.12	39.32	52.68	52.61	321.74	
P2	9/19/2010 15:00	39.26	33.02	-0.12	39.32	52.68	52.61	321.74	
P2	9/19/2010 15:15	39.25	33.02	-0.12	39.32	52.68	52.62	321.73	
P2	9/19/2010 15:30	39.26	33.02	-0.12	39.32	52.68	52.61	321.74	
P2	9/19/2010 15:45	39.26	33.02	-0.12	39.32	52.68	52.61	321.74	
P2	9/19/2010 16:00	39.26	33.02	-0.12	39.32	52.68	52.61	321.74	
P2	9/19/2010 16:15	39.26	33.02	-0.12	39.32	52.67	52.61	321.74	
P2	9/19/2010 16:30	39.26	33.02	-0.12	39.32	52.68	52.61	321.74	
P2	9/19/2010 16:45	39.26	33.02	-0.12	39.32	52.68	52.61	321.74	
P2	9/19/2010 17:00	39.26	33.02	-0.12	39.32	52.68	52.61	321.74	
P2	9/19/2010 17:15	39.26	33.02	-0.12	39.32	52.68	52.61	321.74	
P2	9/19/2010 17:30	39.26	33.02	-0.12	39.32	52.68	52.61	321.74	
P2	9/19/2010 17:45	39.26	33.02	-0.12	39.32	52.68	52.61	321.74	
P2	9/19/2010 18:00	39.26	33.03	-0.12	39.32	52.68	52.61	321.74	
P2	9/19/2010 18:15	39.26	33.03	-0.12	39.32	52.67	52.61	321.74	
P2	9/19/2010 18:30	39.26	33.03	-0.12	39.32	52.67	52.61	321.74	
P2	9/19/2010 18:45	39.26	33.03	-0.12	39.32	52.67	52.61	321.74	
P2	9/19/2010 19:00	39.26	33.03	-0.12	39.32	52.68	52.62	321.73	
P2	9/19/2010 19:15	39.26	33.03	-0.12	39.32	52.67	52.61	321.74	
P2	9/19/2010 19:30	39.26	33.03	-0.11	39.32	52.68	52.62	321.73	
P2	9/19/2010 19:45	39.26	33.03	-0.11	39.31	52.68	52.62	321.73	
P2	9/19/2010 20:00	39.26	33.03	-0.11	39.32	52.67	52.61	321.74	
P2	9/19/2010 20:15	39.26	33.04	-0.11	39.31	52.68	52.62	321.73	
P2	9/19/2010 20:30	39.26	33.04	-0.11	39.31	52.68	52.62	321.73	
P2	9/19/2010 20:45	39.26	33.04	-0.11	39.32	52.67	52.62	321.73	
P2	9/19/2010 21:00	39.26	33.04	-0.11	39.32	52.67	52.62	321.73	
P2	9/19/2010 21:15	39.26	33.04	-0.11	39.32	52.67	52.62	321.73	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/19/2010 21:30	39.26	33.04	-0.10	39.31	52.68	52.62	321.73	
P2	9/19/2010 21:45	39.26	33.04	-0.10	39.31	52.68	52.62	321.73	
P2	9/19/2010 22:00	39.26	33.04	-0.10	39.31	52.68	52.62	321.73	
P2	9/19/2010 22:15	39.26	33.04	-0.10	39.31	52.68	52.62	321.73	
P2	9/19/2010 22:30	39.26	33.04	-0.10	39.31	52.68	52.62	321.73	
P2	9/19/2010 22:45	39.26	33.04	-0.10	39.31	52.68	52.62	321.73	
P2	9/19/2010 23:00	39.25	33.05	-0.10	39.30	52.68	52.63	321.72	
P2	9/19/2010 23:15	39.25	33.05	-0.10	39.30	52.68	52.63	321.72	
P2	9/19/2010 23:30	39.25	33.05	-0.10	39.30	52.68	52.63	321.72	
P2	9/19/2010 23:45	39.25	33.05	-0.10	39.30	52.68	52.63	321.72	
P2	9/20/2010 0:00	39.25	33.05	-0.10	39.30	52.68	52.63	321.72	
P2	9/20/2010 0:15	39.25	33.05	-0.10	39.30	52.68	52.63	321.72	
P2	9/20/2010 0:30	39.25	33.05	-0.10	39.30	52.68	52.63	321.72	
P2	9/20/2010 0:45	39.25	33.05	-0.10	39.30	52.68	52.63	321.72	
P2	9/20/2010 1:00	39.25	33.05	-0.09	39.30	52.68	52.63	321.72	
P2	9/20/2010 1:15	39.25	33.05	-0.09	39.30	52.68	52.64	321.71	
P2	9/20/2010 1:30	39.25	33.05	-0.09	39.30	52.68	52.64	321.71	
P2	9/20/2010 1:45	39.25	33.05	-0.09	39.30	52.68	52.64	321.71	
P2	9/20/2010 2:00	39.25	33.06	-0.09	39.29	52.68	52.64	321.71	
P2	9/20/2010 2:15	39.25	33.06	-0.09	39.29	52.68	52.64	321.71	
P2	9/20/2010 2:30	39.25	33.06	-0.09	39.29	52.68	52.64	321.71	
P2	9/20/2010 2:45	39.25	33.06	-0.09	39.29	52.68	52.64	321.71	
P2	9/20/2010 3:00	39.25	33.06	-0.09	39.29	52.68	52.64	321.71	
P2	9/20/2010 3:15	39.25	33.06	-0.08	39.29	52.68	52.64	321.71	
P2	9/20/2010 3:30	39.25	33.06	-0.08	39.29	52.68	52.64	321.71	
P2	9/20/2010 3:45	39.25	33.06	-0.08	39.29	52.68	52.64	321.71	
P2	9/20/2010 4:00	39.25	33.07	-0.08	39.29	52.68	52.64	321.71	
P2	9/20/2010 4:15	39.25	33.07	-0.08	39.29	52.68	52.64	321.71	
P2	9/20/2010 4:30	39.25	33.07	-0.08	39.29	52.68	52.64	321.71	
P2	9/20/2010 4:45	39.25	33.07	-0.08	39.29	52.68	52.64	321.71	
P2	9/20/2010 5:00	39.25	33.07	-0.07	39.29	52.68	52.65	321.70	
P2	9/20/2010 5:15	39.25	33.07	-0.07	39.29	52.68	52.65	321.70	
P2	9/20/2010 5:30	39.25	33.07	-0.07	39.29	52.68	52.65	321.70	
P2	9/20/2010 5:45	39.25	33.08	-0.07	39.28	52.68	52.65	321.70	
P2	9/20/2010 6:00	39.25	33.08	-0.06	39.28	52.68	52.65	321.70	
P2	9/20/2010 6:15	39.25	33.09	-0.06	39.28	52.68	52.65	321.70	
P2	9/20/2010 6:30	39.25	33.09	-0.05	39.28	52.68	52.66	321.69	
P2	9/20/2010 6:45	39.25	33.10	-0.05	39.27	52.68	52.66	321.69	
P2	9/20/2010 7:00	39.25	33.10	-0.05	39.28	52.68	52.66	321.69	
P2	9/20/2010 7:15	39.25	33.10	-0.04	39.27	52.68	52.66	321.69	
P2	9/20/2010 7:30	39.25	33.11	-0.04	39.27	52.68	52.66	321.69	
P2	9/20/2010 7:45	39.25	33.11	-0.03	39.27	52.68	52.66	321.69	
P2	9/20/2010 8:00	39.26	33.12	-0.03	39.27	52.68	52.66	321.69	
P2	9/20/2010 8:15	39.26	33.12	-0.02	39.27	52.68	52.66	321.69	
P2	9/20/2010 8:30	39.26	33.13	-0.02	39.27	52.68	52.67	321.68	
P2	9/20/2010 8:45	39.26	33.13	-0.02	39.27	52.67	52.66	321.69	
P2	9/20/2010 9:00	39.26	33.14	-0.01	39.27	52.67	52.66	321.69	
P2	9/20/2010 9:15	39.26	33.14	-0.01	39.27	52.67	52.66	321.69	
P2	9/20/2010 9:30	39.26	33.14	0.00	39.26	52.67	52.67	321.68	
P2	9/20/2010 9:45	39.27	33.15	0.00	39.27	52.66	52.66	321.69	
P2	9/20/2010 10:00	39.27	33.15	0.00	39.27	52.66	52.66	321.69	
P2	9/20/2010 10:15	39.27	33.15	0.01	39.27	52.66	52.66	321.69	
P2	9/20/2010 10:30	39.28	33.16	0.01	39.27	52.65	52.66	321.69	
P2	9/20/2010 10:45	39.28	33.16	0.01	39.28	52.65	52.66	321.69	
P2	9/20/2010 11:00	39.28	33.16	0.02	39.27	52.65	52.66	321.69	
P2	9/20/2010 11:15	39.28	33.17	0.02	39.27	52.65	52.66	321.69	
P2	9/20/2010 11:30	39.28	33.17	0.02	39.27	52.65	52.66	321.69	
P2	9/20/2010 11:45	39.29	33.17	0.03	39.27	52.65	52.66	321.69	
P2	9/20/2010 12:00	39.29	33.17	0.03	39.28	52.64	52.66	321.69	
P2	9/20/2010 12:15	39.29	33.18	0.03	39.27	52.64	52.66	321.69	
P2	9/20/2010 12:30	39.29	33.18	0.03	39.27	52.64	52.66	321.69	
P2	9/20/2010 12:45	39.30	33.18	0.04	39.28	52.64	52.66	321.69	
P2	9/20/2010 13:00	39.30	33.19	0.04	39.27	52.64	52.66	321.69	
P2	9/20/2010 13:15	39.30	33.19	0.04	39.27	52.64	52.66	321.69	
P2	9/20/2010 13:30	39.30	33.19	0.05	39.28	52.63	52.66	321.69	
P2	9/20/2010 13:45	39.30	33.19	0.05	39.28	52.63	52.66	321.69	
P2	9/20/2010 14:00	39.30	33.19	0.05	39.28	52.63	52.66	321.69	
P2	9/20/2010 14:15	39.30	33.19	0.05	39.28	52.63	52.65	321.70	
P2	9/20/2010 14:30	39.30	33.19	0.05	39.28	52.63	52.65	321.70	
P2	9/20/2010 14:45	39.30	33.19	0.05	39.28	52.63	52.65	321.70	
P2	9/20/2010 15:00	39.30	33.19	0.04	39.28	52.63	52.65	321.70	
P2	9/20/2010 15:15	39.30	33.19	0.04	39.28	52.63	52.66	321.69	
P2	9/20/2010 15:30	39.30	33.19	0.04	39.28	52.63	52.65	321.70	
P2	9/20/2010 15:45	39.30	33.19	0.04	39.28	52.63	52.65	321.70	
P2	9/20/2010 16:00	39.30	33.19	0.04	39.28	52.63	52.65	321.70	
P2	9/20/2010 16:15	39.30	33.19	0.04	39.28	52.63	52.66	321.69	
P2	9/20/2010 16:30	39.30	33.19	0.04	39.28	52.63	52.66	321.69	
P2	9/20/2010 16:45	39.30	33.19	0.04	39.28	52.63	52.66	321.69	
P2	9/20/2010 17:00	39.30	33.19	0.04	39.28	52.63	52.66	321.69	
P2	9/20/2010 17:15	39.30	33.19	0.04	39.28	52.63	52.66	321.69	
P2	9/20/2010 17:30	39.30	33.19	0.04	39.28	52.63	52.66	321.69	
P2	9/20/2010 17:45	39.30	33.19	0.04	39.28	52.63	52.65	321.70	
P2	9/20/2010 18:00	39.30	33.19	0.04	39.28	52.63	52.66	321.69	
P2	9/20/2010 18:15	39.30	33.19	0.05	39.28	52.63	52.66	321.69	
P2	9/20/2010 18:30	39.30	33.19	0.05	39.27	52.63	52.66	321.69	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/20/2010 18:45	39.30	33.19	0.05	39.27	52.63	52.66	321.69	
P2	9/20/2010 19:00	39.30	33.19	0.05	39.27	52.63	52.66	321.69	
P2	9/20/2010 19:15	39.30	33.20	0.05	39.27	52.63	52.66	321.69	
P2	9/20/2010 19:30	39.30	33.20	0.05	39.27	52.64	52.66	321.69	
P2	9/20/2010 19:45	39.30	33.20	0.05	39.27	52.64	52.66	321.69	
P2	9/20/2010 20:00	39.30	33.20	0.05	39.27	52.64	52.66	321.69	
P2	9/20/2010 20:15	39.29	33.20	0.05	39.26	52.64	52.67	321.68	
P2	9/20/2010 20:30	39.30	33.20	0.05	39.27	52.64	52.66	321.69	
P2	9/20/2010 20:45	39.30	33.20	0.05	39.27	52.64	52.67	321.68	
P2	9/20/2010 21:00	39.30	33.20	0.06	39.27	52.64	52.67	321.68	
P2	9/20/2010 21:15	39.30	33.20	0.06	39.27	52.64	52.67	321.68	
P2	9/20/2010 21:30	39.30	33.20	0.06	39.27	52.64	52.67	321.68	
P2	9/20/2010 21:45	39.30	33.20	0.06	39.26	52.64	52.67	321.68	
P2	9/20/2010 22:00	39.30	33.20	0.06	39.26	52.64	52.67	321.68	
P2	9/20/2010 22:15	39.30	33.20	0.06	39.26	52.64	52.67	321.68	
P2	9/20/2010 22:30	39.30	33.21	0.06	39.26	52.64	52.67	321.68	
P2	9/20/2010 22:45	39.30	33.21	0.06	39.26	52.64	52.67	321.68	
P2	9/20/2010 23:00	39.30	33.21	0.06	39.26	52.64	52.67	321.68	
P2	9/20/2010 23:15	39.30	33.21	0.06	39.26	52.64	52.67	321.68	
P2	9/20/2010 23:30	39.30	33.21	0.06	39.26	52.64	52.67	321.68	
P2	9/20/2010 23:45	39.30	33.21	0.06	39.26	52.64	52.67	321.68	
P2	9/21/2010 0:00	39.30	33.21	0.06	39.26	52.64	52.67	321.68	
P2	9/21/2010 0:15	39.29	33.21	0.06	39.26	52.64	52.67	321.68	
P2	9/21/2010 0:30	39.29	33.21	0.06	39.26	52.64	52.67	321.68	
P2	9/21/2010 0:45	39.29	33.21	0.07	39.26	52.64	52.67	321.68	
P2	9/21/2010 1:00	39.29	33.21	0.07	39.26	52.64	52.68	321.67	
P2	9/21/2010 1:15	39.29	33.21	0.07	39.26	52.64	52.68	321.67	
P2	9/21/2010 1:30	39.29	33.21	0.07	39.26	52.64	52.68	321.67	
P2	9/21/2010 1:45	39.29	33.21	0.07	39.26	52.64	52.68	321.67	
P2	9/21/2010 2:00	39.29	33.21	0.07	39.25	52.65	52.68	321.67	
P2	9/21/2010 2:15	39.29	33.22	0.07	39.25	52.65	52.68	321.67	
P2	9/21/2010 2:30	39.29	33.22	0.07	39.25	52.65	52.68	321.67	
P2	9/21/2010 2:45	39.29	33.22	0.07	39.25	52.65	52.68	321.67	
P2	9/21/2010 3:00	39.29	33.22	0.07	39.25	52.65	52.68	321.67	
P2	9/21/2010 3:15	39.28	33.22	0.07	39.25	52.65	52.69	321.66	
P2	9/21/2010 3:30	39.28	33.22	0.07	39.24	52.65	52.69	321.66	
P2	9/21/2010 3:45	39.29	33.22	0.07	39.25	52.65	52.68	321.67	
P2	9/21/2010 4:00	39.28	33.22	0.07	39.24	52.65	52.69	321.66	
P2	9/21/2010 4:15	39.28	33.22	0.08	39.24	52.65	52.69	321.66	
P2	9/21/2010 4:30	39.28	33.22	0.08	39.24	52.65	52.69	321.66	
P2	9/21/2010 4:45	39.28	33.22	0.08	39.24	52.65	52.69	321.66	
P2	9/21/2010 5:00	39.28	33.22	0.08	39.24	52.65	52.69	321.66	
P2	9/21/2010 5:15	39.28	33.22	0.08	39.24	52.65	52.69	321.66	
P2	9/21/2010 5:30	39.28	33.23	0.08	39.24	52.65	52.69	321.66	
P2	9/21/2010 5:45	39.28	33.23	0.08	39.24	52.65	52.69	321.66	
P2	9/21/2010 6:00	39.28	33.23	0.08	39.24	52.65	52.69	321.66	
P2	9/21/2010 6:15	39.29	33.23	0.08	39.24	52.65	52.69	321.66	
P2	9/21/2010 6:30	39.28	33.23	0.09	39.24	52.65	52.69	321.66	
P2	9/21/2010 6:45	39.28	33.23	0.09	39.24	52.65	52.69	321.66	
P2	9/21/2010 7:00	39.28	33.23	0.09	39.24	52.65	52.69	321.66	
P2	9/21/2010 7:15	39.28	33.24	0.09	39.24	52.65	52.70	321.65	
P2	9/21/2010 7:30	39.28	33.24	0.09	39.24	52.65	52.70	321.65	
P2	9/21/2010 7:45	39.28	33.24	0.09	39.23	52.65	52.70	321.65	
P2	9/21/2010 8:00	39.29	33.24	0.09	39.24	52.65	52.69	321.66	
P2	9/21/2010 8:15	39.28	33.24	0.10	39.23	52.65	52.70	321.65	
P2	9/21/2010 8:30	39.28	33.24	0.10	39.23	52.65	52.70	321.65	
P2	9/21/2010 8:45	39.29	33.24	0.10	39.24	52.65	52.70	321.65	
P2	9/21/2010 9:00	39.29	33.25	0.10	39.23	52.65	52.70	321.65	
P2	9/21/2010 9:15	39.28	33.25	0.10	39.23	52.65	52.70	321.65	
P2	9/21/2010 9:30	39.29	33.25	0.10	39.23	52.65	52.70	321.65	
P2	9/21/2010 9:45	39.28	33.24	0.10	39.23	52.65	52.70	321.65	
P2	9/21/2010 10:00	39.29	33.24	0.09	39.24	52.65	52.69	321.66	
P2	9/21/2010 10:15	39.29	33.24	0.09	39.24	52.65	52.69	321.66	
P2	9/21/2010 10:30	39.29	33.23	0.09	39.24	52.65	52.69	321.66	
P2	9/21/2010 10:45	39.29	33.23	0.08	39.24	52.65	52.69	321.66	
P2	9/21/2010 11:00	39.29	33.22	0.08	39.25	52.65	52.69	321.66	
P2	9/21/2010 11:15	39.28	33.22	0.07	39.24	52.65	52.69	321.66	
P2	9/21/2010 11:30	39.28	33.22	0.07	39.25	52.65	52.69	321.66	
P2	9/21/2010 11:45	39.28	33.21	0.07	39.24	52.65	52.69	321.66	
P2	9/21/2010 12:00	39.28	33.21	0.06	39.25	52.65	52.68	321.67	
P2	9/21/2010 12:15	39.28	33.20	0.06	39.25	52.65	52.68	321.67	
P2	9/21/2010 12:30	39.28	33.20	0.05	39.25	52.66	52.68	321.67	
P2	9/21/2010 12:45	39.28	33.19	0.05	39.25	52.66	52.68	321.67	
P2	9/21/2010 13:00	39.27	33.19	0.04	39.25	52.66	52.68	321.67	
P2	9/21/2010 13:15	39.27	33.19	0.04	39.25	52.66	52.68	321.67	
P2	9/21/2010 13:30	39.27	33.18	0.04	39.25	52.66	52.68	321.67	
P2	9/21/2010 13:45	39.27	33.18	0.03	39.25	52.66	52.68	321.67	
P2	9/21/2010 14:00	39.26	33.17	0.03	39.25	52.67	52.68	321.67	
P2	9/21/2010 14:15	39.26	33.17	0.02	39.25	52.67	52.68	321.67	
P2	9/21/2010 14:30	39.26	33.16	0.02	39.25	52.67	52.68	321.67	
P2	9/21/2010 14:45	39.26	33.16	0.01	39.25	52.68	52.68	321.67	
P2	9/21/2010 15:00	39.26	33.15	0.01	39.25	52.68	52.68	321.67	
P2	9/21/2010 15:15	39.25	33.15	0.00	39.25	52.68	52.68	321.67	
P2	9/21/2010 15:30	39.26	33.15	0.00	39.26	52.68	52.68	321.67	
P2	9/21/2010 15:45	39.25	33.14	-0.01	39.25	52.68	52.68	321.67	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/21/2010 16:00	39.25	33.14	-0.01	39.26	52.68	52.67	321.68	
P2	9/21/2010 16:15	39.25	33.13	-0.01	39.26	52.68	52.68	321.67	
P2	9/21/2010 16:30	39.25	33.13	-0.02	39.26	52.68	52.67	321.68	
P2	9/21/2010 16:45	39.24	33.12	-0.02	39.26	52.69	52.68	321.67	
P2	9/21/2010 17:00	39.24	33.12	-0.03	39.25	52.69	52.68	321.67	
P2	9/21/2010 17:15	39.24	33.11	-0.03	39.26	52.69	52.67	321.68	
P2	9/21/2010 17:30	39.24	33.11	-0.04	39.26	52.69	52.67	321.68	
P2	9/21/2010 17:45	39.24	33.11	-0.04	39.25	52.70	52.68	321.67	
P2	9/21/2010 18:00	39.23	33.11	-0.03	39.25	52.70	52.68	321.67	
P2	9/21/2010 18:15	39.23	33.11	-0.03	39.25	52.70	52.68	321.67	
P2	9/21/2010 18:30	39.23	33.12	-0.03	39.24	52.70	52.69	321.66	
P2	9/21/2010 18:45	39.23	33.12	-0.03	39.24	52.70	52.69	321.66	
P2	9/21/2010 19:00	39.23	33.12	-0.03	39.24	52.71	52.69	321.66	
P2	9/21/2010 19:15	39.23	33.12	-0.02	39.24	52.71	52.70	321.65	
P2	9/21/2010 19:30	39.23	33.13	-0.02	39.24	52.71	52.70	321.65	
P2	9/21/2010 19:45	39.23	33.13	-0.02	39.23	52.71	52.70	321.65	
P2	9/21/2010 20:00	39.23	33.13	-0.02	39.23	52.71	52.70	321.65	
P2	9/21/2010 20:15	39.23	33.13	-0.01	39.23	52.71	52.70	321.65	
P2	9/21/2010 20:30	39.23	33.13	-0.01	39.23	52.71	52.70	321.65	
P2	9/21/2010 20:45	39.23	33.14	-0.01	39.23	52.70	52.70	321.65	
P2	9/21/2010 21:00	39.23	33.14	-0.01	39.23	52.70	52.70	321.65	
P2	9/21/2010 21:15	39.23	33.14	-0.01	39.23	52.70	52.70	321.65	
P2	9/21/2010 21:30	39.23	33.14	0.00	39.23	52.70	52.70	321.65	
P2	9/21/2010 21:45	39.23	33.14	0.00	39.23	52.70	52.70	321.65	
P2	9/21/2010 22:00	39.23	33.14	0.00	39.23	52.70	52.70	321.65	
P2	9/21/2010 22:15	39.23	33.14	0.00	39.23	52.70	52.70	321.65	
P2	9/21/2010 22:30	39.23	33.14	0.00	39.23	52.70	52.70	321.65	
P2	9/21/2010 22:45	39.23	33.14	0.00	39.23	52.70	52.70	321.65	
P2	9/21/2010 23:00	39.23	33.14	0.00	39.23	52.70	52.70	321.65	
P2	9/21/2010 23:15	39.23	33.14	0.00	39.23	52.71	52.71	321.64	
P2	9/21/2010 23:30	39.23	33.15	0.00	39.23	52.71	52.71	321.64	
P2	9/21/2010 23:45	39.23	33.15	0.00	39.23	52.71	52.71	321.64	
P2	9/22/2010 0:00	39.22	33.15	0.00	39.22	52.71	52.71	321.64	
P2	9/22/2010 0:15	39.22	33.15	0.00	39.22	52.71	52.71	321.64	
P2	9/22/2010 0:30	39.22	33.15	0.00	39.22	52.71	52.71	321.64	
P2	9/22/2010 0:45	39.22	33.15	0.00	39.22	52.71	52.71	321.64	
P2	9/22/2010 1:00	39.22	33.15	0.00	39.22	52.71	52.71	321.64	
P2	9/22/2010 1:15	39.22	33.15	0.00	39.22	52.72	52.72	321.63	
P2	9/22/2010 1:30	39.22	33.15	0.00	39.22	52.72	52.72	321.63	
P2	9/22/2010 1:45	39.22	33.15	0.00	39.21	52.72	52.72	321.63	
P2	9/22/2010 2:00	39.22	33.15	0.01	39.21	52.72	52.72	321.63	
P2	9/22/2010 2:15	39.21	33.15	0.01	39.21	52.72	52.72	321.63	
P2	9/22/2010 2:30	39.21	33.16	0.01	39.21	52.72	52.72	321.63	
P2	9/22/2010 2:45	39.21	33.16	0.01	39.21	52.72	52.72	321.63	
P2	9/22/2010 3:00	39.21	33.16	0.01	39.21	52.72	52.73	321.62	
P2	9/22/2010 3:15	39.21	33.16	0.02	39.21	52.72	52.73	321.62	
P2	9/22/2010 3:30	39.21	33.16	0.02	39.20	52.72	52.73	321.62	
P2	9/22/2010 3:45	39.21	33.16	0.02	39.20	52.72	52.73	321.62	
P2	9/22/2010 4:00	39.21	33.17	0.02	39.20	52.72	52.73	321.62	
P2	9/22/2010 4:15	39.21	33.17	0.02	39.20	52.72	52.73	321.62	
P2	9/22/2010 4:30	39.21	33.17	0.02	39.20	52.72	52.73	321.62	
P2	9/22/2010 4:45	39.21	33.17	0.03	39.20	52.72	52.73	321.62	
P2	9/22/2010 5:00	39.21	33.17	0.03	39.20	52.72	52.73	321.62	
P2	9/22/2010 5:15	39.21	33.18	0.03	39.19	52.72	52.74	321.61	
P2	9/22/2010 5:30	39.21	33.18	0.03	39.19	52.72	52.74	321.61	
P2	9/22/2010 5:45	39.21	33.18	0.03	39.20	52.72	52.74	321.61	
P2	9/22/2010 6:00	39.21	33.18	0.04	39.19	52.72	52.74	321.61	
P2	9/22/2010 6:15	39.21	33.18	0.04	39.19	52.72	52.74	321.61	
P2	9/22/2010 6:30	39.21	33.18	0.04	39.19	52.72	52.74	321.61	
P2	9/22/2010 6:45	39.21	33.19	0.04	39.19	52.72	52.74	321.61	
P2	9/22/2010 7:00	39.21	33.19	0.04	39.19	52.72	52.74	321.61	
P2	9/22/2010 7:15	39.21	33.19	0.04	39.19	52.72	52.75	321.60	
P2	9/22/2010 7:30	39.21	33.19	0.04	39.19	52.72	52.75	321.60	
P2	9/22/2010 7:45	39.21	33.19	0.05	39.19	52.72	52.75	321.60	
P2	9/22/2010 8:00	39.21	33.19	0.05	39.18	52.72	52.75	321.60	
P2	9/22/2010 8:15	39.21	33.19	0.05	39.18	52.72	52.75	321.60	
P2	9/22/2010 8:30	39.21	33.20	0.05	39.19	52.72	52.75	321.60	
P2	9/22/2010 8:45	39.22	33.20	0.05	39.19	52.72	52.74	321.61	
P2	9/22/2010 9:00	39.22	33.20	0.05	39.19	52.72	52.74	321.61	
P2	9/22/2010 9:15	39.21	33.20	0.05	39.18	52.72	52.75	321.60	
P2	9/22/2010 9:30	39.21	33.20	0.06	39.18	52.72	52.75	321.60	
P2	9/22/2010 9:45	39.21	33.20	0.05	39.19	52.72	52.75	321.60	
P2	9/22/2010 10:00	39.21	33.19	0.05	39.19	52.72	52.74	321.61	
P2	9/22/2010 10:15	39.21	33.19	0.05	39.19	52.72	52.74	321.61	
P2	9/22/2010 10:30	39.21	33.19	0.04	39.19	52.72	52.74	321.61	
P2	9/22/2010 10:45	39.21	33.18	0.04	39.19	52.72	52.74	321.61	
P2	9/22/2010 11:00	39.21	33.18	0.03	39.19	52.72	52.74	321.61	
P2	9/22/2010 11:15	39.21	33.18	0.03	39.19	52.72	52.74	321.61	
P2	9/22/2010 11:30	39.21	33.17	0.03	39.20	52.72	52.74	321.61	
P2	9/22/2010 11:45	39.21	33.17	0.02	39.20	52.72	52.73	321.62	
P2	9/22/2010 12:00	39.21	33.17	0.02	39.19	52.73	52.74	321.61	
P2	9/22/2010 12:15	39.21	33.16	0.02	39.20	52.72	52.73	321.62	
P2	9/22/2010 12:30	39.21	33.16	0.01	39.20	52.73	52.73	321.62	
P2	9/22/2010 12:45	39.21	33.15	0.01	39.20	52.73	52.73	321.62	
P2	9/22/2010 13:00	39.21	33.15	0.00	39.20	52.73	52.73	321.62	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/22/2010 13:15	39.20	33.15	0.00	39.20	52.73	52.73	321.62	
P2	9/22/2010 13:30	39.20	33.14	0.00	39.20	52.73	52.73	321.62	
P2	9/22/2010 13:45	39.20	33.14	-0.01	39.20	52.74	52.73	321.62	
P2	9/22/2010 14:00	39.20	33.14	-0.01	39.20	52.74	52.73	321.62	
P2	9/22/2010 14:15	39.20	33.13	-0.01	39.20	52.74	52.73	321.62	
P2	9/22/2010 14:30	39.19	33.13	-0.02	39.20	52.74	52.73	321.62	
P2	9/22/2010 14:45	39.19	33.13	-0.02	39.20	52.74	52.73	321.62	
P2	9/22/2010 15:00	39.19	33.12	-0.02	39.20	52.74	52.73	321.62	
P2	9/22/2010 15:15	39.19	33.12	-0.02	39.20	52.75	52.73	321.62	
P2	9/22/2010 15:30	39.19	33.12	-0.03	39.20	52.75	52.73	321.62	
P2	9/22/2010 15:45	39.19	33.11	-0.03	39.20	52.75	52.73	321.62	
P2	9/22/2010 16:00	39.18	33.11	-0.03	39.20	52.75	52.73	321.62	
P2	9/22/2010 16:15	39.18	33.11	-0.04	39.20	52.75	52.73	321.62	
P2	9/22/2010 16:30	39.18	33.11	-0.04	39.20	52.75	52.73	321.62	
P2	9/22/2010 16:45	39.18	33.10	-0.04	39.20	52.75	52.73	321.62	
P2	9/22/2010 17:00	39.17	33.10	-0.05	39.20	52.76	52.73	321.62	
P2	9/22/2010 17:15	39.18	33.10	-0.05	39.20	52.75	52.73	321.62	
P2	9/22/2010 17:30	39.17	33.09	-0.05	39.20	52.76	52.73	321.62	
P2	9/22/2010 17:45	39.17	33.10	-0.05	39.20	52.76	52.73	321.62	
P2	9/22/2010 18:00	39.17	33.10	-0.05	39.19	52.76	52.74	321.61	
P2	9/22/2010 18:15	39.17	33.10	-0.04	39.19	52.76	52.74	321.61	
P2	9/22/2010 18:30	39.17	33.10	-0.04	39.19	52.76	52.74	321.61	
P2	9/22/2010 18:45	39.17	33.11	-0.04	39.19	52.76	52.74	321.61	
P2	9/22/2010 19:00	39.17	33.11	-0.04	39.19	52.76	52.74	321.61	
P2	9/22/2010 19:15	39.17	33.11	-0.03	39.18	52.77	52.75	321.60	
P2	9/22/2010 19:30	39.17	33.12	-0.03	39.18	52.77	52.75	321.60	
P2	9/22/2010 19:45	39.17	33.12	-0.03	39.18	52.76	52.75	321.60	
P2	9/22/2010 20:00	39.17	33.12	-0.03	39.18	52.76	52.75	321.60	
P2	9/22/2010 20:15	39.17	33.12	-0.02	39.18	52.76	52.75	321.60	
P2	9/22/2010 20:30	39.17	33.13	-0.02	39.18	52.76	52.75	321.60	
P2	9/22/2010 20:45	39.17	33.13	-0.02	39.18	52.76	52.75	321.60	
P2	9/22/2010 21:00	39.17	33.13	-0.01	39.18	52.76	52.75	321.60	
P2	9/22/2010 21:15	39.17	33.13	-0.01	39.18	52.76	52.75	321.60	
P2	9/22/2010 21:30	39.17	33.14	-0.01	39.18	52.76	52.75	321.60	
P2	9/22/2010 21:45	39.18	33.14	-0.01	39.18	52.75	52.75	321.60	
P2	9/22/2010 22:00	39.18	33.14	0.00	39.18	52.75	52.75	321.60	
P2	9/22/2010 22:15	39.18	33.14	0.00	39.18	52.75	52.75	321.60	
P2	9/22/2010 22:30	39.18	33.15	0.00	39.18	52.75	52.75	321.60	
P2	9/22/2010 22:45	39.18	33.15	0.00	39.18	52.75	52.75	321.60	
P2	9/22/2010 23:00	39.18	33.15	0.01	39.18	52.75	52.75	321.60	
P2	9/22/2010 23:15	39.18	33.15	0.01	39.18	52.75	52.75	321.60	
P2	9/22/2010 23:30	39.18	33.16	0.01	39.17	52.75	52.76	321.59	
P2	9/22/2010 23:45	39.18	33.16	0.01	39.18	52.75	52.76	321.59	
P2	9/23/2010 0:00	39.18	33.16	0.01	39.17	52.75	52.76	321.59	
P2	9/23/2010 0:15	39.18	33.16	0.02	39.17	52.75	52.76	321.59	
P2	9/23/2010 0:30	39.18	33.16	0.02	39.17	52.75	52.76	321.59	
P2	9/23/2010 0:45	39.18	33.17	0.02	39.17	52.75	52.76	321.59	
P2	9/23/2010 1:00	39.18	33.17	0.02	39.17	52.75	52.76	321.59	
P2	9/23/2010 1:15	39.18	33.17	0.03	39.17	52.75	52.76	321.59	
P2	9/23/2010 1:30	39.18	33.17	0.03	39.17	52.75	52.76	321.59	
P2	9/23/2010 1:45	39.18	33.18	0.03	39.17	52.75	52.77	321.58	
P2	9/23/2010 2:00	39.19	33.18	0.03	39.17	52.75	52.76	321.59	
P2	9/23/2010 2:15	39.19	33.18	0.04	39.17	52.75	52.76	321.59	
P2	9/23/2010 2:30	39.18	33.18	0.04	39.16	52.75	52.77	321.58	
P2	9/23/2010 2:45	39.19	33.19	0.04	39.16	52.75	52.77	321.58	
P2	9/23/2010 3:00	39.19	33.19	0.04	39.17	52.74	52.77	321.58	
P2	9/23/2010 3:15	39.19	33.19	0.05	39.17	52.74	52.77	321.58	
P2	9/23/2010 3:30	39.19	33.19	0.05	39.16	52.74	52.77	321.58	
P2	9/23/2010 3:45	39.19	33.20	0.05	39.17	52.74	52.77	321.58	
P2	9/23/2010 4:00	39.19	33.20	0.05	39.17	52.74	52.77	321.58	
P2	9/23/2010 4:15	39.19	33.20	0.06	39.16	52.74	52.77	321.58	
P2	9/23/2010 4:30	39.19	33.20	0.06	39.16	52.74	52.77	321.58	
P2	9/23/2010 4:45	39.19	33.21	0.06	39.16	52.74	52.77	321.58	
P2	9/23/2010 5:00	39.19	33.21	0.06	39.16	52.74	52.77	321.58	
P2	9/23/2010 5:15	39.19	33.21	0.07	39.16	52.74	52.77	321.58	
P2	9/23/2010 5:30	39.19	33.22	0.07	39.16	52.74	52.77	321.58	
P2	9/23/2010 5:45	39.19	33.22	0.07	39.16	52.74	52.78	321.57	
P2	9/23/2010 6:00	39.19	33.22	0.07	39.16	52.74	52.78	321.57	
P2	9/23/2010 6:15	39.19	33.22	0.07	39.16	52.74	52.78	321.57	
P2	9/23/2010 6:30	39.19	33.22	0.07	39.15	52.74	52.78	321.57	
P2	9/23/2010 6:45	39.19	33.22	0.07	39.15	52.74	52.78	321.57	
P2	9/23/2010 7:00	39.19	33.22	0.08	39.15	52.74	52.78	321.57	
P2	9/23/2010 7:15	39.19	33.22	0.08	39.15	52.75	52.79	321.56	
P2	9/23/2010 7:30	39.19	33.22	0.08	39.15	52.75	52.79	321.56	
P2	9/23/2010 7:45	39.19	33.23	0.08	39.14	52.75	52.79	321.56	
P2	9/23/2010 8:00	39.19	33.23	0.08	39.14	52.75	52.79	321.56	
P2	9/23/2010 8:15	39.19	33.23	0.08	39.14	52.75	52.79	321.56	
P2	9/23/2010 8:30	39.19	33.23	0.08	39.14	52.75	52.79	321.56	
P2	9/23/2010 8:45	39.19	33.23	0.08	39.14	52.75	52.79	321.56	
P2	9/23/2010 9:00	39.19	33.23	0.08	39.14	52.75	52.79	321.56	
P2	9/23/2010 9:15	39.19	33.23	0.09	39.14	52.75	52.79	321.56	
P2	9/23/2010 9:30	39.19	33.23	0.09	39.14	52.74	52.79	321.56	
P2	9/23/2010 9:45	39.19	33.24	0.09	39.14	52.74	52.79	321.56	
P2	9/23/2010 10:00	39.19	33.24	0.09	39.14	52.74	52.79	321.56	
P2	9/23/2010 10:15	39.19	33.24	0.10	39.14	52.74	52.79	321.56	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/23/2010 10:30	39.19	33.24	0.10	39.14	52.74	52.79	321.56	
P2	9/23/2010 10:45	39.19	33.25	0.10	39.14	52.74	52.79	321.56	
P2	9/23/2010 11:00	39.19	33.25	0.10	39.14	52.74	52.79	321.56	
P2	9/23/2010 11:15	39.19	33.25	0.11	39.14	52.74	52.79	321.56	
P2	9/23/2010 11:30	39.19	33.26	0.11	39.14	52.74	52.80	321.55	
P2	9/23/2010 11:45	39.20	33.26	0.11	39.14	52.74	52.79	321.56	
P2	9/23/2010 12:00	39.20	33.26	0.11	39.14	52.74	52.79	321.56	
P2	9/23/2010 12:15	39.20	33.26	0.12	39.14	52.73	52.79	321.56	
P2	9/23/2010 12:30	39.20	33.27	0.12	39.14	52.73	52.79	321.56	
P2	9/23/2010 12:45	39.21	33.27	0.12	39.14	52.73	52.79	321.56	
P2	9/23/2010 13:00	39.21	33.27	0.13	39.14	52.73	52.79	321.56	
P2	9/23/2010 13:15	39.21	33.27	0.13	39.14	52.72	52.79	321.56	
P2	9/23/2010 13:30	39.21	33.28	0.13	39.14	52.72	52.79	321.56	
P2	9/23/2010 13:45	39.22	33.28	0.13	39.15	52.72	52.78	321.57	
P2	9/23/2010 14:00	39.22	33.28	0.14	39.15	52.71	52.78	321.57	
P2	9/23/2010 14:15	39.22	33.28	0.14	39.15	52.71	52.78	321.57	
P2	9/23/2010 14:30	39.23	33.29	0.14	39.15	52.71	52.78	321.57	
P2	9/23/2010 14:45	39.23	33.29	0.14	39.15	52.71	52.78	321.57	
P2	9/23/2010 15:00	39.23	33.29	0.14	39.15	52.70	52.78	321.57	
P2	9/23/2010 15:15	39.23	33.29	0.15	39.15	52.70	52.78	321.57	
P2	9/23/2010 15:30	39.23	33.29	0.15	39.16	52.70	52.78	321.57	
P2	9/23/2010 15:45	39.23	33.30	0.15	39.15	52.70	52.78	321.57	
P2	9/23/2010 16:00	39.23	33.30	0.15	39.15	52.70	52.78	321.57	
P2	9/23/2010 16:15	39.23	33.30	0.15	39.15	52.70	52.78	321.57	
P2	9/23/2010 16:30	39.23	33.30	0.16	39.15	52.70	52.78	321.57	
P2	9/23/2010 16:45	39.24	33.30	0.16	39.15	52.70	52.78	321.57	
P2	9/23/2010 17:00	39.24	33.31	0.16	39.15	52.70	52.78	321.57	
P2	9/23/2010 17:15	39.24	33.31	0.16	39.15	52.70	52.78	321.57	
P2	9/23/2010 17:30	39.24	33.31	0.16	39.15	52.69	52.78	321.57	
P2	9/23/2010 17:45	39.24	33.31	0.17	39.15	52.69	52.78	321.57	
P2	9/23/2010 18:00	39.24	33.32	0.17	39.15	52.69	52.78	321.57	
P2	9/23/2010 18:15	39.24	33.32	0.17	39.15	52.69	52.78	321.57	
P2	9/23/2010 18:30	39.24	33.32	0.18	39.15	52.69	52.78	321.57	
P2	9/23/2010 18:45	39.24	33.33	0.18	39.15	52.69	52.78	321.57	
P2	9/23/2010 19:00	39.25	33.33	0.18	39.15	52.68	52.78	321.57	
P2	9/23/2010 19:15	39.25	33.33	0.19	39.15	52.68	52.78	321.57	
P2	9/23/2010 19:30	39.25	33.34	0.19	39.15	52.68	52.78	321.57	
P2	9/23/2010 19:45	39.25	33.34	0.19	39.15	52.68	52.79	321.56	
P2	9/23/2010 20:00	39.25	33.34	0.20	39.15	52.68	52.78	321.57	
P2	9/23/2010 20:15	39.25	33.35	0.20	39.15	52.68	52.78	321.57	
P2	9/23/2010 20:30	39.25	33.35	0.20	39.15	52.68	52.79	321.56	
P2	9/23/2010 20:45	39.26	33.35	0.21	39.15	52.68	52.78	321.57	
P2	9/23/2010 21:00	39.26	33.36	0.21	39.15	52.68	52.79	321.56	
P2	9/23/2010 21:15	39.26	33.36	0.21	39.15	52.67	52.78	321.57	
P2	9/23/2010 21:30	39.26	33.36	0.22	39.15	52.67	52.78	321.57	
P2	9/23/2010 21:45	39.26	33.37	0.22	39.15	52.67	52.78	321.57	
P2	9/23/2010 22:00	39.27	33.37	0.22	39.15	52.66	52.78	321.57	
P2	9/23/2010 22:15	39.27	33.37	0.22	39.15	52.66	52.78	321.57	
P2	9/23/2010 22:30	39.27	33.37	0.22	39.16	52.66	52.78	321.57	
P2	9/23/2010 22:45	39.28	33.37	0.22	39.16	52.66	52.77	321.58	
P2	9/23/2010 23:00	39.28	33.37	0.23	39.16	52.65	52.77	321.58	
P2	9/23/2010 23:15	39.28	33.37	0.23	39.16	52.65	52.77	321.58	
P2	9/23/2010 23:30	39.28	33.37	0.23	39.16	52.65	52.77	321.58	
P2	9/23/2010 23:45	39.28	33.38	0.23	39.16	52.65	52.77	321.58	
P2	9/24/2010 0:00	39.28	33.38	0.23	39.16	52.65	52.77	321.58	
P2	9/24/2010 0:15	39.29	33.38	0.23	39.17	52.65	52.77	321.58	
P2	9/24/2010 0:30	39.28	33.38	0.23	39.16	52.65	52.77	321.58	
P2	9/24/2010 0:45	39.28	33.38	0.23	39.16	52.65	52.77	321.58	
P2	9/24/2010 1:00	39.28	33.38	0.24	39.16	52.65	52.77	321.58	
P2	9/24/2010 1:15	39.28	33.38	0.24	39.16	52.65	52.77	321.58	
P2	9/24/2010 1:30	39.28	33.38	0.24	39.16	52.65	52.77	321.58	
P2	9/24/2010 1:45	39.28	33.39	0.24	39.16	52.65	52.77	321.58	
P2	9/24/2010 2:00	39.28	33.39	0.24	39.16	52.65	52.78	321.57	
P2	9/24/2010 2:15	39.29	33.39	0.25	39.16	52.65	52.77	321.58	
P2	9/24/2010 2:30	39.29	33.40	0.25	39.16	52.65	52.78	321.57	
P2	9/24/2010 2:45	39.29	33.40	0.25	39.15	52.65	52.78	321.57	
P2	9/24/2010 3:00	39.29	33.40	0.26	39.15	52.65	52.78	321.57	
P2	9/24/2010 3:15	39.29	33.41	0.26	39.15	52.65	52.78	321.57	
P2	9/24/2010 3:30	39.29	33.41	0.27	39.15	52.64	52.78	321.57	
P2	9/24/2010 3:45	39.29	33.41	0.27	39.15	52.64	52.78	321.57	
P2	9/24/2010 4:00	39.29	33.42	0.27	39.15	52.64	52.78	321.57	
P2	9/24/2010 4:15	39.30	33.42	0.28	39.15	52.64	52.78	321.57	
P2	9/24/2010 4:30	39.30	33.42	0.28	39.15	52.63	52.78	321.57	
P2	9/24/2010 4:45	39.30	33.43	0.28	39.15	52.63	52.78	321.57	
P2	9/24/2010 5:00	39.30	33.43	0.29	39.15	52.63	52.78	321.57	
P2	9/24/2010 5:15	39.30	33.43	0.29	39.15	52.63	52.78	321.57	
P2	9/24/2010 5:30	39.30	33.44	0.29	39.15	52.63	52.78	321.57	
P2	9/24/2010 5:45	39.30	33.44	0.29	39.15	52.63	52.78	321.57	
P2	9/24/2010 6:00	39.31	33.44	0.30	39.15	52.63	52.78	321.57	
P2	9/24/2010 6:15	39.31	33.44	0.30	39.15	52.63	52.78	321.57	
P2	9/24/2010 6:30	39.31	33.45	0.30	39.15	52.62	52.78	321.57	
P2	9/24/2010 6:45	39.31	33.45	0.30	39.15	52.62	52.78	321.57	
P2	9/24/2010 7:00	39.32	33.45	0.30	39.16	52.62	52.78	321.57	
P2	9/24/2010 7:15	39.32	33.45	0.31	39.16	52.62	52.78	321.57	
P2	9/24/2010 7:30	39.32	33.46	0.31	39.16	52.61	52.77	321.58	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/24/2010 7:45	39.32	33.46	0.31	39.16	52.61	52.78	321.57	
P2	9/24/2010 8:00	39.32	33.46	0.31	39.16	52.61	52.77	321.58	
P2	9/24/2010 8:15	39.32	33.46	0.32	39.16	52.61	52.77	321.58	
P2	9/24/2010 8:30	39.32	33.46	0.32	39.16	52.61	52.78	321.57	
P2	9/24/2010 8:45	39.32	33.47	0.32	39.16	52.61	52.78	321.57	
P2	9/24/2010 9:00	39.32	33.47	0.32	39.15	52.61	52.78	321.57	
P2	9/24/2010 9:15	39.32	33.47	0.32	39.15	52.61	52.78	321.57	
P2	9/24/2010 9:30	39.32	33.47	0.33	39.15	52.61	52.78	321.57	
P2	9/24/2010 9:45	39.32	33.47	0.33	39.15	52.61	52.78	321.57	
P2	9/24/2010 10:00	39.32	33.48	0.33	39.15	52.61	52.79	321.56	
P2	9/24/2010 10:15	39.32	33.48	0.33	39.15	52.61	52.78	321.57	
P2	9/24/2010 10:30	39.33	33.48	0.33	39.15	52.61	52.78	321.57	
P2	9/24/2010 10:45	39.33	33.48	0.33	39.15	52.61	52.78	321.57	
P2	9/24/2010 11:00	39.33	33.48	0.34	39.15	52.60	52.78	321.57	
P2	9/24/2010 11:15	39.33	33.48	0.34	39.15	52.60	52.78	321.57	
P2	9/24/2010 11:30	39.33	33.49	0.34	39.16	52.60	52.77	321.58	
P2	9/24/2010 11:45	39.34	33.49	0.34	39.16	52.59	52.77	321.58	
P2	9/24/2010 12:00	39.34	33.49	0.34	39.16	52.59	52.77	321.58	
P2	9/24/2010 12:15	39.34	33.49	0.35	39.16	52.59	52.77	321.58	
P2	9/24/2010 12:30	39.34	33.49	0.35	39.16	52.59	52.77	321.58	
P2	9/24/2010 12:45	39.34	33.49	0.35	39.16	52.59	52.78	321.57	
P2	9/24/2010 13:00	39.34	33.50	0.35	39.16	52.59	52.78	321.57	
P2	9/24/2010 13:15	39.34	33.50	0.35	39.15	52.59	52.78	321.57	
P2	9/24/2010 13:30	39.34	33.50	0.35	39.16	52.59	52.77	321.58	
P2	9/24/2010 13:45	39.34	33.50	0.35	39.16	52.59	52.77	321.58	
P2	9/24/2010 14:00	39.34	33.49	0.35	39.16	52.59	52.77	321.58	
P2	9/24/2010 14:15	39.34	33.49	0.34	39.16	52.59	52.77	321.58	
P2	9/24/2010 14:30	39.34	33.49	0.34	39.16	52.59	52.77	321.58	
P2	9/24/2010 14:45	39.33	33.48	0.34	39.16	52.60	52.77	321.58	
P2	9/24/2010 15:00	39.33	33.48	0.33	39.16	52.60	52.77	321.58	
P2	9/24/2010 15:15	39.33	33.48	0.33	39.16	52.60	52.77	321.58	
P2	9/24/2010 15:30	39.33	33.47	0.33	39.16	52.60	52.77	321.58	
P2	9/24/2010 15:45	39.33	33.47	0.32	39.16	52.60	52.77	321.58	
P2	9/24/2010 16:00	39.33	33.47	0.32	39.16	52.60	52.77	321.58	
P2	9/24/2010 16:15	39.33	33.46	0.32	39.16	52.61	52.77	321.58	
P2	9/24/2010 16:30	39.33	33.46	0.31	39.16	52.61	52.77	321.58	
P2	9/24/2010 16:45	39.33	33.46	0.31	39.16	52.61	52.77	321.58	
P2	9/24/2010 17:00	39.33	33.45	0.31	39.17	52.61	52.77	321.58	
P2	9/24/2010 17:15	39.33	33.45	0.30	39.17	52.61	52.76	321.59	
P2	9/24/2010 17:30	39.32	33.45	0.30	39.17	52.61	52.77	321.58	
P2	9/24/2010 17:45	39.32	33.45	0.30	39.17	52.61	52.77	321.58	
P2	9/24/2010 18:00	39.32	33.44	0.30	39.17	52.61	52.77	321.58	
P2	9/24/2010 18:15	39.32	33.44	0.30	39.17	52.61	52.76	321.59	
P2	9/24/2010 18:30	39.32	33.44	0.30	39.17	52.61	52.76	321.59	
P2	9/24/2010 18:45	39.32	33.44	0.30	39.16	52.61	52.77	321.58	
P2	9/24/2010 19:00	39.32	33.44	0.29	39.16	52.61	52.77	321.58	
P2	9/24/2010 19:15	39.32	33.44	0.29	39.16	52.62	52.77	321.58	
P2	9/24/2010 19:30	39.32	33.44	0.29	39.17	52.61	52.77	321.58	
P2	9/24/2010 19:45	39.32	33.44	0.29	39.17	52.61	52.77	321.58	
P2	9/24/2010 20:00	39.32	33.44	0.29	39.16	52.62	52.77	321.58	
P2	9/24/2010 20:15	39.32	33.44	0.29	39.16	52.62	52.77	321.58	
P2	9/24/2010 20:30	39.32	33.43	0.29	39.16	52.62	52.77	321.58	
P2	9/24/2010 20:45	39.32	33.43	0.29	39.17	52.62	52.77	321.58	
P2	9/24/2010 21:00	39.32	33.43	0.29	39.17	52.62	52.77	321.58	
P2	9/24/2010 21:15	39.32	33.43	0.29	39.17	52.62	52.77	321.58	
P2	9/24/2010 21:30	39.32	33.43	0.29	39.17	52.62	52.77	321.58	
P2	9/24/2010 21:45	39.32	33.43	0.29	39.17	52.62	52.77	321.58	
P2	9/24/2010 22:00	39.32	33.43	0.29	39.17	52.62	52.77	321.58	
P2	9/24/2010 22:15	39.31	33.43	0.29	39.16	52.62	52.77	321.58	
P2	9/24/2010 22:30	39.31	33.43	0.29	39.16	52.62	52.77	321.58	
P2	9/24/2010 22:45	39.31	33.43	0.29	39.16	52.62	52.77	321.58	
P2	9/24/2010 23:00	39.31	33.44	0.29	39.16	52.63	52.78	321.57	
P2	9/24/2010 23:15	39.31	33.44	0.29	39.16	52.63	52.78	321.57	
P2	9/24/2010 23:30	39.31	33.44	0.29	39.16	52.63	52.78	321.57	
P2	9/24/2010 23:45	39.31	33.44	0.29	39.16	52.63	52.78	321.57	
P2	9/25/2010 0:00	39.31	33.44	0.29	39.15	52.63	52.78	321.57	
P2	9/25/2010 0:15	39.31	33.44	0.29	39.15	52.63	52.78	321.57	
P2	9/25/2010 0:30	39.31	33.44	0.29	39.15	52.63	52.78	321.57	
P2	9/25/2010 0:45	39.30	33.44	0.29	39.15	52.63	52.78	321.57	
P2	9/25/2010 1:00	39.30	33.44	0.30	39.15	52.63	52.78	321.57	
P2	9/25/2010 1:15	39.30	33.44	0.30	39.15	52.63	52.78	321.57	
P2	9/25/2010 1:30	39.30	33.44	0.30	39.15	52.63	52.78	321.57	
P2	9/25/2010 1:45	39.30	33.44	0.30	39.15	52.63	52.78	321.57	
P2	9/25/2010 2:00	39.30	33.44	0.30	39.14	52.63	52.79	321.56	
P2	9/25/2010 2:15	39.30	33.44	0.30	39.15	52.63	52.78	321.57	
P2	9/25/2010 2:30	39.30	33.44	0.30	39.15	52.63	52.79	321.56	
P2	9/25/2010 2:45	39.30	33.44	0.29	39.15	52.63	52.79	321.56	
P2	9/25/2010 3:00	39.30	33.44	0.29	39.14	52.64	52.79	321.56	
P2	9/25/2010 3:15	39.30	33.44	0.29	39.14	52.64	52.79	321.56	
P2	9/25/2010 3:30	39.30	33.44	0.29	39.14	52.64	52.79	321.56	
P2	9/25/2010 3:45	39.30	33.44	0.29	39.14	52.64	52.79	321.56	
P2	9/25/2010 4:00	39.29	33.44	0.29	39.14	52.64	52.79	321.56	
P2	9/25/2010 4:15	39.29	33.44	0.29	39.14	52.64	52.79	321.56	
P2	9/25/2010 4:30	39.29	33.44	0.29	39.14	52.65	52.80	321.55	
P2	9/25/2010 4:45	39.29	33.44	0.29	39.14	52.65	52.80	321.55	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/25/2010 5:00	39.28	33.44	0.29	39.13	52.65	52.80	321.55	
P2	9/25/2010 5:15	39.28	33.44	0.29	39.13	52.65	52.80	321.55	
P2	9/25/2010 5:30	39.28	33.44	0.29	39.13	52.65	52.80	321.55	
P2	9/25/2010 5:45	39.28	33.44	0.29	39.13	52.65	52.80	321.55	
P2	9/25/2010 6:00	39.28	33.43	0.29	39.13	52.65	52.80	321.55	
P2	9/25/2010 6:15	39.28	33.43	0.29	39.13	52.65	52.80	321.55	
P2	9/25/2010 6:30	39.28	33.43	0.29	39.13	52.65	52.80	321.55	
P2	9/25/2010 6:45	39.28	33.43	0.29	39.13	52.65	52.80	321.55	
P2	9/25/2010 7:00	39.28	33.43	0.29	39.13	52.65	52.80	321.55	
P2	9/25/2010 7:15	39.28	33.43	0.28	39.13	52.65	52.80	321.55	
P2	9/25/2010 7:30	39.28	33.43	0.28	39.13	52.66	52.80	321.55	
P2	9/25/2010 7:45	39.28	33.43	0.28	39.13	52.66	52.80	321.55	
P2	9/25/2010 8:00	39.28	33.43	0.28	39.13	52.66	52.80	321.55	
P2	9/25/2010 8:15	39.28	33.43	0.28	39.13	52.66	52.80	321.55	
P2	9/25/2010 8:30	39.28	33.43	0.28	39.13	52.66	52.80	321.55	
P2	9/25/2010 8:45	39.28	33.43	0.28	39.13	52.66	52.80	321.55	
P2	9/25/2010 9:00	39.28	33.42	0.28	39.13	52.66	52.80	321.55	
P2	9/25/2010 9:15	39.27	33.42	0.28	39.13	52.66	52.80	321.55	
P2	9/25/2010 9:30	39.27	33.42	0.28	39.13	52.66	52.80	321.55	
P2	9/25/2010 9:45	39.27	33.42	0.27	39.13	52.66	52.80	321.55	
P2	9/25/2010 10:00	39.27	33.41	0.26	39.13	52.66	52.80	321.55	
P2	9/25/2010 10:15	39.26	33.40	0.26	39.13	52.67	52.80	321.55	
P2	9/25/2010 10:30	39.26	33.40	0.25	39.13	52.67	52.80	321.55	
P2	9/25/2010 10:45	39.26	33.39	0.24	39.13	52.67	52.80	321.55	
P2	9/25/2010 11:00	39.26	33.38	0.24	39.13	52.68	52.80	321.55	
P2	9/25/2010 11:15	39.26	33.38	0.23	39.14	52.68	52.80	321.55	
P2	9/25/2010 11:30	39.26	33.37	0.23	39.14	52.68	52.79	321.56	
P2	9/25/2010 11:45	39.25	33.37	0.22	39.14	52.68	52.79	321.56	
P2	9/25/2010 12:00	39.25	33.36	0.21	39.14	52.68	52.79	321.56	
P2	9/25/2010 12:15	39.25	33.35	0.21	39.14	52.68	52.79	321.56	
P2	9/25/2010 12:30	39.24	33.35	0.20	39.14	52.69	52.79	321.56	
P2	9/25/2010 12:45	39.24	33.34	0.19	39.14	52.69	52.79	321.56	
P2	9/25/2010 13:00	39.24	33.33	0.19	39.15	52.69	52.79	321.56	
P2	9/25/2010 13:15	39.24	33.33	0.18	39.15	52.69	52.78	321.57	
P2	9/25/2010 13:30	39.24	33.32	0.17	39.15	52.69	52.78	321.57	
P2	9/25/2010 13:45	39.24	33.32	0.17	39.15	52.69	52.78	321.57	
P2	9/25/2010 14:00	39.24	33.31	0.16	39.15	52.70	52.78	321.57	
P2	9/25/2010 14:15	39.23	33.31	0.16	39.15	52.70	52.78	321.57	
P2	9/25/2010 14:30	39.23	33.30	0.16	39.15	52.70	52.78	321.57	
P2	9/25/2010 14:45	39.23	33.30	0.15	39.15	52.70	52.78	321.57	
P2	9/25/2010 15:00	39.23	33.29	0.15	39.16	52.70	52.78	321.57	
P2	9/25/2010 15:15	39.23	33.29	0.14	39.16	52.70	52.78	321.57	
P2	9/25/2010 15:30	39.23	33.28	0.14	39.16	52.70	52.77	321.58	
P2	9/25/2010 15:45	39.23	33.28	0.13	39.16	52.71	52.78	321.57	
P2	9/25/2010 16:00	39.22	33.27	0.13	39.15	52.71	52.78	321.57	
P2	9/25/2010 16:15	39.22	33.27	0.12	39.15	52.72	52.78	321.57	
P2	9/25/2010 16:30	39.21	33.26	0.12	39.15	52.72	52.78	321.57	
P2	9/25/2010 16:45	39.21	33.26	0.11	39.15	52.72	52.78	321.57	
P2	9/25/2010 17:00	39.21	33.26	0.11	39.15	52.72	52.78	321.57	
P2	9/25/2010 17:15	39.21	33.25	0.10	39.15	52.73	52.78	321.57	
P2	9/25/2010 17:30	39.21	33.25	0.10	39.15	52.73	52.78	321.57	
P2	9/25/2010 17:45	39.20	33.25	0.10	39.15	52.73	52.78	321.57	
P2	9/25/2010 18:00	39.20	33.25	0.10	39.15	52.73	52.78	321.57	
P2	9/25/2010 18:15	39.20	33.25	0.10	39.14	52.74	52.79	321.56	
P2	9/25/2010 18:30	39.20	33.25	0.10	39.14	52.74	52.79	321.56	
P2	9/25/2010 18:45	39.20	33.25	0.10	39.14	52.74	52.79	321.56	
P2	9/25/2010 19:00	39.20	33.25	0.10	39.14	52.74	52.79	321.56	
P2	9/25/2010 19:15	39.20	33.25	0.10	39.14	52.74	52.79	321.56	
P2	9/25/2010 19:30	39.19	33.25	0.10	39.14	52.74	52.79	321.56	
P2	9/25/2010 19:45	39.19	33.25	0.10	39.14	52.74	52.79	321.56	
P2	9/25/2010 20:00	39.19	33.25	0.10	39.14	52.74	52.79	321.56	
P2	9/25/2010 20:15	39.20	33.25	0.10	39.14	52.74	52.79	321.56	
P2	9/25/2010 20:30	39.19	33.25	0.10	39.14	52.74	52.79	321.56	
P2	9/25/2010 20:45	39.19	33.25	0.10	39.14	52.74	52.79	321.56	
P2	9/25/2010 21:00	39.19	33.25	0.10	39.14	52.74	52.79	321.56	
P2	9/25/2010 21:15	39.19	33.25	0.10	39.14	52.74	52.79	321.56	
P2	9/25/2010 21:30	39.19	33.25	0.10	39.13	52.74	52.80	321.55	
P2	9/25/2010 21:45	39.19	33.25	0.11	39.13	52.74	52.80	321.55	
P2	9/25/2010 22:00	39.19	33.25	0.11	39.13	52.75	52.80	321.55	
P2	9/25/2010 22:15	39.18	33.25	0.11	39.13	52.75	52.81	321.54	
P2	9/25/2010 22:30	39.18	33.25	0.11	39.13	52.75	52.81	321.54	
P2	9/25/2010 22:45	39.18	33.25	0.11	39.13	52.75	52.81	321.54	
P2	9/25/2010 23:00	39.18	33.26	0.11	39.12	52.75	52.81	321.54	
P2	9/25/2010 23:15	39.18	33.26	0.11	39.12	52.75	52.81	321.54	
P2	9/25/2010 23:30	39.17	33.26	0.11	39.12	52.76	52.82	321.53	
P2	9/25/2010 23:45	39.17	33.26	0.11	39.12	52.76	52.82	321.53	
P2	9/26/2010 0:00	39.17	33.26	0.11	39.12	52.76	52.82	321.53	
P2	9/26/2010 0:15	39.17	33.26	0.11	39.11	52.76	52.82	321.53	
P2	9/26/2010 0:30	39.17	33.26	0.11	39.11	52.76	52.82	321.53	
P2	9/26/2010 0:45	39.17	33.26	0.12	39.11	52.76	52.82	321.53	
P2	9/26/2010 1:00	39.18	33.26	0.12	39.12	52.75	52.81	321.54	
P2	9/26/2010 1:15	39.17	33.26	0.12	39.11	52.76	52.82	321.53	
P2	9/26/2010 1:30	39.17	33.26	0.12	39.11	52.76	52.82	321.53	
P2	9/26/2010 1:45	39.17	33.26	0.12	39.11	52.76	52.82	321.53	
P2	9/26/2010 2:00	39.17	33.26	0.11	39.12	52.76	52.82	321.53	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/26/2010 2:15	39.17	33.26	0.11	39.12	52.76	52.82	321.53	
P2	9/26/2010 2:30	39.17	33.25	0.11	39.11	52.76	52.82	321.53	
P2	9/26/2010 2:45	39.17	33.25	0.10	39.11	52.77	52.82	321.53	
P2	9/26/2010 3:00	39.16	33.25	0.10	39.10	52.77	52.83	321.52	
P2	9/26/2010 3:15	39.15	33.25	0.10	39.10	52.78	52.83	321.52	
P2	9/26/2010 3:30	39.14	33.24	0.10	39.09	52.79	52.84	321.51	
P2	9/26/2010 3:45	39.14	33.24	0.09	39.09	52.79	52.84	321.51	
P2	9/26/2010 4:00	39.14	33.24	0.09	39.09	52.80	52.84	321.51	
P2	9/26/2010 4:15	39.14	33.24	0.09	39.09	52.79	52.84	321.51	
P2	9/26/2010 4:30	39.14	33.23	0.09	39.09	52.79	52.84	321.51	
P2	9/26/2010 4:45	39.14	33.23	0.08	39.10	52.79	52.84	321.51	
P2	9/26/2010 5:00	39.14	33.23	0.08	39.10	52.79	52.83	321.52	
P2	9/26/2010 5:15	39.14	33.22	0.08	39.10	52.79	52.83	321.52	
P2	9/26/2010 5:30	39.14	33.22	0.08	39.10	52.79	52.83	321.52	
P2	9/26/2010 5:45	39.14	33.22	0.08	39.10	52.79	52.83	321.52	
P2	9/26/2010 6:00	39.14	33.22	0.08	39.10	52.79	52.83	321.52	
P2	9/26/2010 6:15	39.14	33.23	0.08	39.10	52.79	52.83	321.52	
P2	9/26/2010 6:30	39.14	33.23	0.08	39.10	52.79	52.83	321.52	
P2	9/26/2010 6:45	39.14	33.23	0.08	39.10	52.79	52.83	321.52	
P2	9/26/2010 7:00	39.14	33.23	0.08	39.10	52.79	52.83	321.52	
P2	9/26/2010 7:15	39.15	33.23	0.09	39.10	52.79	52.83	321.52	
P2	9/26/2010 7:30	39.15	33.23	0.09	39.10	52.79	52.83	321.52	
P2	9/26/2010 7:45	39.15	33.23	0.09	39.10	52.79	52.83	321.52	
P2	9/26/2010 8:00	39.15	33.24	0.09	39.10	52.79	52.83	321.52	
P2	9/26/2010 8:15	39.15	33.24	0.09	39.10	52.79	52.83	321.52	
P2	9/26/2010 8:30	39.15	33.24	0.09	39.10	52.79	52.83	321.52	
P2	9/26/2010 8:45	39.15	33.24	0.09	39.10	52.78	52.83	321.52	
P2	9/26/2010 9:00	39.15	33.24	0.09	39.10	52.78	52.83	321.52	
P2	9/26/2010 9:15	39.15	33.24	0.10	39.10	52.78	52.83	321.52	
P2	9/26/2010 9:30	39.15	33.24	0.10	39.10	52.79	52.84	321.51	
P2	9/26/2010 9:45	39.15	33.25	0.10	39.10	52.78	52.83	321.52	
P2	9/26/2010 10:00	39.15	33.25	0.10	39.10	52.78	52.84	321.51	
P2	9/26/2010 10:15	39.15	33.25	0.10	39.10	52.78	52.84	321.51	
P2	9/26/2010 10:30	39.15	33.25	0.11	39.10	52.78	52.83	321.52	
P2	9/26/2010 10:45	39.15	33.26	0.11	39.10	52.78	52.84	321.51	
P2	9/26/2010 11:00	39.15	33.26	0.11	39.10	52.78	52.84	321.51	
P2	9/26/2010 11:15	39.16	33.26	0.12	39.10	52.77	52.83	321.52	
P2	9/26/2010 11:30	39.16	33.26	0.12	39.10	52.77	52.83	321.52	
P2	9/26/2010 11:45	39.16	33.27	0.12	39.10	52.77	52.83	321.52	
P2	9/26/2010 12:00	39.16	33.27	0.12	39.10	52.77	52.83	321.52	
P2	9/26/2010 12:15	39.17	33.27	0.13	39.10	52.77	52.83	321.52	
P2	9/26/2010 12:30	39.17	33.27	0.13	39.10	52.77	52.83	321.52	
P2	9/26/2010 12:45	39.17	33.28	0.13	39.10	52.77	52.83	321.52	
P2	9/26/2010 13:00	39.17	33.28	0.13	39.10	52.77	52.84	321.51	
P2	9/26/2010 13:15	39.17	33.28	0.14	39.10	52.77	52.84	321.51	
P2	9/26/2010 13:30	39.17	33.28	0.14	39.09	52.77	52.84	321.51	
P2	9/26/2010 13:45	39.17	33.28	0.14	39.09	52.77	52.84	321.51	
P2	9/26/2010 14:00	39.17	33.28	0.14	39.09	52.77	52.84	321.51	
P2	9/26/2010 14:15	39.17	33.28	0.14	39.10	52.77	52.84	321.51	
P2	9/26/2010 14:30	39.17	33.28	0.14	39.10	52.77	52.84	321.51	
P2	9/26/2010 14:45	39.17	33.28	0.13	39.10	52.77	52.84	321.51	
P2	9/26/2010 15:00	39.17	33.28	0.13	39.10	52.77	52.84	321.51	
P2	9/26/2010 15:15	39.16	33.28	0.13	39.09	52.77	52.84	321.51	
P2	9/26/2010 15:30	39.16	33.28	0.13	39.09	52.77	52.84	321.51	
P2	9/26/2010 15:45	39.17	33.28	0.13	39.10	52.77	52.83	321.52	
P2	9/26/2010 16:00	39.16	33.28	0.13	39.09	52.77	52.84	321.51	
P2	9/26/2010 16:15	39.16	33.28	0.13	39.09	52.77	52.84	321.51	
P2	9/26/2010 16:30	39.16	33.28	0.13	39.09	52.77	52.84	321.51	
P2	9/26/2010 16:45	39.16	33.28	0.13	39.09	52.77	52.84	321.51	
P2	9/26/2010 17:00	39.16	33.28	0.13	39.09	52.77	52.84	321.51	
P2	9/26/2010 17:15	39.16	33.27	0.13	39.09	52.77	52.84	321.51	
P2	9/26/2010 17:30	39.16	33.27	0.13	39.10	52.77	52.84	321.51	
P2	9/26/2010 17:45	39.16	33.28	0.13	39.09	52.77	52.84	321.51	
P2	9/26/2010 18:00	39.16	33.28	0.13	39.09	52.77	52.84	321.51	
P2	9/26/2010 18:15	39.16	33.28	0.13	39.09	52.77	52.84	321.51	
P2	9/26/2010 18:30	39.17	33.28	0.13	39.10	52.77	52.84	321.51	
P2	9/26/2010 18:45	39.17	33.28	0.13	39.10	52.77	52.84	321.51	
P2	9/26/2010 19:00	39.16	33.28	0.14	39.09	52.77	52.84	321.51	
P2	9/26/2010 19:15	39.16	33.28	0.14	39.09	52.77	52.84	321.51	
P2	9/26/2010 19:30	39.16	33.29	0.14	39.09	52.77	52.84	321.51	
P2	9/26/2010 19:45	39.16	33.29	0.14	39.09	52.77	52.84	321.51	
P2	9/26/2010 20:00	39.16	33.29	0.14	39.09	52.77	52.84	321.51	
P2	9/26/2010 20:15	39.16	33.29	0.14	39.09	52.77	52.84	321.51	
P2	9/26/2010 20:30	39.16	33.29	0.14	39.09	52.77	52.85	321.50	
P2	9/26/2010 20:45	39.16	33.29	0.15	39.09	52.77	52.85	321.50	
P2	9/26/2010 21:00	39.17	33.29	0.15	39.09	52.77	52.84	321.51	
P2	9/26/2010 21:15	39.17	33.29	0.15	39.09	52.77	52.84	321.51	
P2	9/26/2010 21:30	39.17	33.30	0.15	39.09	52.77	52.84	321.51	
P2	9/26/2010 21:45	39.17	33.30	0.15	39.09	52.77	52.84	321.51	
P2	9/26/2010 22:00	39.17	33.30	0.15	39.09	52.77	52.85	321.50	
P2	9/26/2010 22:15	39.17	33.30	0.15	39.09	52.76	52.84	321.51	
P2	9/26/2010 22:30	39.17	33.30	0.15	39.09	52.76	52.84	321.51	
P2	9/26/2010 22:45	39.17	33.30	0.16	39.09	52.76	52.84	321.51	
P2	9/26/2010 23:00	39.17	33.30	0.16	39.09	52.76	52.84	321.51	
P2	9/26/2010 23:15	39.17	33.30	0.16	39.09	52.76	52.84	321.51	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/26/2010 23:30	39.17	33.31	0.16	39.09	52.76	52.84	321.51	
P2	9/26/2010 23:45	39.17	33.31	0.16	39.09	52.76	52.85	321.50	
P2	9/27/2010 0:00	39.17	33.31	0.16	39.09	52.76	52.85	321.50	
P2	9/27/2010 0:15	39.17	33.31	0.16	39.09	52.76	52.85	321.50	
P2	9/27/2010 0:30	39.17	33.31	0.16	39.08	52.76	52.85	321.50	
P2	9/27/2010 0:45	39.17	33.31	0.16	39.08	52.76	52.85	321.50	
P2	9/27/2010 1:00	39.17	33.31	0.17	39.08	52.76	52.85	321.50	
P2	9/27/2010 1:15	39.17	33.31	0.17	39.08	52.76	52.85	321.50	
P2	9/27/2010 1:30	39.17	33.31	0.17	39.08	52.76	52.85	321.50	
P2	9/27/2010 1:45	39.17	33.31	0.17	39.08	52.76	52.85	321.50	
P2	9/27/2010 2:00	39.17	33.32	0.17	39.08	52.76	52.85	321.50	
P2	9/27/2010 2:15	39.17	33.32	0.17	39.08	52.76	52.85	321.50	
P2	9/27/2010 2:30	39.17	33.32	0.17	39.08	52.76	52.85	321.50	
P2	9/27/2010 2:45	39.17	33.32	0.17	39.08	52.76	52.85	321.50	
P2	9/27/2010 3:00	39.17	33.32	0.17	39.08	52.76	52.85	321.50	
P2	9/27/2010 3:15	39.17	33.32	0.17	39.08	52.76	52.85	321.50	
P2	9/27/2010 3:30	39.17	33.32	0.17	39.08	52.76	52.85	321.50	
P2	9/27/2010 3:45	39.17	33.32	0.17	39.08	52.76	52.85	321.50	
P2	9/27/2010 4:00	39.17	33.32	0.18	39.08	52.76	52.85	321.50	
P2	9/27/2010 4:15	39.17	33.32	0.18	39.08	52.76	52.85	321.50	
P2	9/27/2010 4:30	39.17	33.32	0.18	39.08	52.76	52.85	321.50	
P2	9/27/2010 4:45	39.17	33.32	0.18	39.08	52.76	52.85	321.50	
P2	9/27/2010 5:00	39.17	33.32	0.18	39.08	52.76	52.85	321.50	
P2	9/27/2010 5:15	39.17	33.33	0.18	39.08	52.76	52.85	321.50	
P2	9/27/2010 5:30	39.17	33.33	0.18	39.08	52.76	52.85	321.50	
P2	9/27/2010 5:45	39.17	33.33	0.18	39.08	52.76	52.85	321.50	
P2	9/27/2010 6:00	39.17	33.33	0.18	39.08	52.76	52.86	321.49	
P2	9/27/2010 6:15	39.17	33.33	0.18	39.08	52.76	52.86	321.49	
P2	9/27/2010 6:30	39.17	33.33	0.18	39.08	52.76	52.86	321.49	
P2	9/27/2010 6:45	39.17	33.32	0.18	39.08	52.76	52.86	321.49	
P2	9/27/2010 7:00	39.17	33.32	0.18	39.08	52.76	52.85	321.50	
P2	9/27/2010 7:15	39.17	33.32	0.18	39.08	52.76	52.85	321.50	
P2	9/27/2010 7:30	39.17	33.32	0.18	39.07	52.77	52.86	321.49	
P2	9/27/2010 7:45	39.17	33.32	0.18	39.08	52.76	52.85	321.50	
P2	9/27/2010 8:00	39.17	33.32	0.18	39.07	52.77	52.86	321.49	
P2	9/27/2010 8:15	39.17	33.32	0.18	39.07	52.77	52.86	321.49	
P2	9/27/2010 8:30	39.17	33.32	0.18	39.07	52.77	52.86	321.49	
P2	9/27/2010 8:45	39.17	33.32	0.18	39.07	52.77	52.86	321.49	
P2	9/27/2010 9:00	39.16	33.32	0.18	39.07	52.77	52.86	321.49	
P2	9/27/2010 9:15	39.17	33.32	0.18	39.07	52.77	52.86	321.49	
P2	9/27/2010 9:30	39.17	33.32	0.18	39.07	52.77	52.86	321.49	
P2	9/27/2010 9:45	39.16	33.32	0.18	39.07	52.77	52.86	321.49	
P2	9/27/2010 10:00	39.17	33.32	0.18	39.07	52.77	52.86	321.49	
P2	9/27/2010 10:15	39.16	33.32	0.18	39.07	52.77	52.86	321.49	
P2	9/27/2010 10:30	39.16	33.32	0.18	39.07	52.77	52.86	321.49	
P2	9/27/2010 10:45	39.17	33.32	0.18	39.07	52.77	52.86	321.49	
P2	9/27/2010 11:00	39.17	33.32	0.18	39.07	52.77	52.86	321.49	
P2	9/27/2010 11:15	39.17	33.32	0.18	39.07	52.77	52.86	321.49	
P2	9/27/2010 11:30	39.17	33.32	0.18	39.07	52.77	52.86	321.49	
P2	9/27/2010 11:45	39.17	33.32	0.17	39.08	52.77	52.86	321.49	
P2	9/27/2010 12:00	39.17	33.32	0.17	39.08	52.76	52.85	321.50	
P2	9/27/2010 12:15	39.17	33.32	0.17	39.08	52.76	52.85	321.50	
P2	9/27/2010 12:30	39.17	33.32	0.17	39.08	52.76	52.85	321.50	
P2	9/27/2010 12:45	39.17	33.32	0.17	39.08	52.76	52.85	321.50	
P2	9/27/2010 13:00	39.17	33.32	0.17	39.08	52.76	52.85	321.50	
P2	9/27/2010 13:15	39.17	33.32	0.17	39.08	52.76	52.85	321.50	
P2	9/27/2010 13:30	39.17	33.32	0.17	39.08	52.77	52.86	321.49	
P2	9/27/2010 13:45	39.17	33.32	0.17	39.08	52.77	52.85	321.50	
P2	9/27/2010 14:00	39.17	33.31	0.17	39.08	52.77	52.85	321.50	
P2	9/27/2010 14:15	39.17	33.31	0.16	39.08	52.77	52.85	321.50	
P2	9/27/2010 14:30	39.16	33.30	0.16	39.08	52.77	52.85	321.50	
P2	9/27/2010 14:45	39.16	33.30	0.15	39.08	52.77	52.85	321.50	
P2	9/27/2010 15:00	39.16	33.29	0.15	39.08	52.77	52.85	321.50	
P2	9/27/2010 15:15	39.16	33.29	0.14	39.08	52.77	52.85	321.50	
P2	9/27/2010 15:30	39.15	33.29	0.14	39.08	52.78	52.85	321.50	
P2	9/27/2010 15:45	39.16	33.28	0.14	39.09	52.77	52.84	321.51	
P2	9/27/2010 16:00	39.15	33.28	0.13	39.09	52.78	52.85	321.50	
P2	9/27/2010 16:15	39.15	33.27	0.13	39.09	52.78	52.84	321.51	
P2	9/27/2010 16:30	39.15	33.27	0.12	39.09	52.78	52.84	321.51	
P2	9/27/2010 16:45	39.15	33.26	0.12	39.09	52.78	52.84	321.51	
P2	9/27/2010 17:00	39.15	33.26	0.11	39.09	52.78	52.84	321.51	
P2	9/27/2010 17:15	39.15	33.26	0.11	39.09	52.79	52.84	321.51	
P2	9/27/2010 17:30	39.14	33.25	0.11	39.09	52.79	52.84	321.51	
P2	9/27/2010 17:45	39.14	33.26	0.11	39.09	52.79	52.85	321.50	
P2	9/27/2010 18:00	39.14	33.26	0.11	39.08	52.79	52.85	321.50	
P2	9/27/2010 18:15	39.14	33.26	0.12	39.08	52.79	52.85	321.50	
P2	9/27/2010 18:30	39.14	33.26	0.12	39.08	52.79	52.85	321.50	
P2	9/27/2010 18:45	39.14	33.27	0.12	39.07	52.80	52.86	321.49	
P2	9/27/2010 19:00	39.14	33.27	0.12	39.07	52.80	52.86	321.49	
P2	9/27/2010 19:15	39.14	33.27	0.13	39.07	52.80	52.86	321.49	
P2	9/27/2010 19:30	39.14	33.28	0.13	39.07	52.80	52.87	321.48	
P2	9/27/2010 19:45	39.14	33.28	0.13	39.07	52.80	52.87	321.48	
P2	9/27/2010 20:00	39.14	33.28	0.14	39.07	52.79	52.86	321.49	
P2	9/27/2010 20:15	39.14	33.29	0.14	39.06	52.80	52.87	321.48	
P2	9/27/2010 20:30	39.14	33.29	0.14	39.06	52.79	52.87	321.48	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/27/2010 20:45	39.14	33.29	0.15	39.07	52.79	52.87	321.48	
P2	9/27/2010 21:00	39.14	33.30	0.15	39.07	52.79	52.87	321.48	
P2	9/27/2010 21:15	39.14	33.30	0.15	39.06	52.79	52.87	321.48	
P2	9/27/2010 21:30	39.15	33.30	0.16	39.06	52.79	52.87	321.48	
P2	9/27/2010 21:45	39.15	33.30	0.16	39.07	52.79	52.87	321.48	
P2	9/27/2010 22:00	39.15	33.30	0.15	39.07	52.79	52.87	321.48	
P2	9/27/2010 22:15	39.15	33.30	0.15	39.07	52.79	52.87	321.48	
P2	9/27/2010 22:30	39.15	33.30	0.15	39.07	52.79	52.87	321.48	
P2	9/27/2010 22:45	39.15	33.30	0.15	39.07	52.78	52.86	321.49	
P2	9/27/2010 23:00	39.15	33.30	0.15	39.07	52.79	52.86	321.49	
P2	9/27/2010 23:15	39.15	33.30	0.15	39.07	52.79	52.86	321.49	
P2	9/27/2010 23:30	39.15	33.30	0.15	39.07	52.79	52.86	321.49	
P2	9/27/2010 23:45	39.15	33.29	0.15	39.07	52.79	52.86	321.49	
P2	9/28/2010 0:00	39.14	33.29	0.15	39.07	52.79	52.87	321.48	
P2	9/28/2010 0:15	39.14	33.29	0.15	39.07	52.79	52.87	321.48	
P2	9/28/2010 0:30	39.14	33.29	0.15	39.06	52.79	52.87	321.48	
P2	9/28/2010 0:45	39.14	33.29	0.15	39.06	52.79	52.87	321.48	
P2	9/28/2010 1:00	39.14	33.29	0.14	39.06	52.79	52.87	321.48	
P2	9/28/2010 1:15	39.14	33.29	0.14	39.06	52.79	52.87	321.48	
P2	9/28/2010 1:30	39.14	33.29	0.14	39.06	52.80	52.87	321.48	
P2	9/28/2010 1:45	39.14	33.29	0.14	39.06	52.80	52.87	321.48	
P2	9/28/2010 2:00	39.14	33.29	0.14	39.06	52.80	52.87	321.48	
P2	9/28/2010 2:15	39.14	33.29	0.15	39.06	52.80	52.87	321.48	
P2	9/28/2010 2:30	39.14	33.29	0.15	39.06	52.80	52.87	321.48	
P2	9/28/2010 2:45	39.14	33.29	0.15	39.06	52.80	52.87	321.48	
P2	9/28/2010 3:00	39.14	33.29	0.15	39.06	52.80	52.87	321.48	
P2	9/28/2010 3:15	39.14	33.29	0.15	39.06	52.80	52.87	321.48	
P2	9/28/2010 3:30	39.13	33.29	0.15	39.05	52.80	52.88	321.47	
P2	9/28/2010 3:45	39.13	33.30	0.15	39.05	52.80	52.88	321.47	
P2	9/28/2010 4:00	39.13	33.30	0.15	39.05	52.80	52.88	321.47	
P2	9/28/2010 4:15	39.13	33.30	0.15	39.05	52.80	52.88	321.47	
P2	9/28/2010 4:30	39.13	33.30	0.15	39.05	52.80	52.88	321.47	
P2	9/28/2010 4:45	39.13	33.30	0.15	39.05	52.81	52.88	321.47	
P2	9/28/2010 5:00	39.13	33.30	0.15	39.05	52.80	52.88	321.47	
P2	9/28/2010 5:15	39.13	33.30	0.15	39.05	52.80	52.88	321.47	
P2	9/28/2010 5:30	39.13	33.30	0.15	39.05	52.80	52.88	321.47	
P2	9/28/2010 5:45	39.13	33.30	0.16	39.05	52.80	52.88	321.47	
P2	9/28/2010 6:00	39.14	33.31	0.16	39.05	52.80	52.88	321.47	
P2	9/28/2010 6:15	39.14	33.31	0.16	39.05	52.80	52.88	321.47	
P2	9/28/2010 6:30	39.14	33.31	0.17	39.05	52.79	52.88	321.47	
P2	9/28/2010 6:45	39.14	33.32	0.17	39.05	52.79	52.88	321.47	
P2	9/28/2010 7:00	39.14	33.32	0.17	39.05	52.79	52.88	321.47	
P2	9/28/2010 7:15	39.14	33.32	0.18	39.05	52.79	52.88	321.47	
P2	9/28/2010 7:30	39.15	33.33	0.18	39.05	52.79	52.88	321.47	
P2	9/28/2010 7:45	39.15	33.33	0.19	39.05	52.79	52.88	321.47	
P2	9/28/2010 8:00	39.15	33.33	0.19	39.05	52.78	52.88	321.47	
P2	9/28/2010 8:15	39.15	33.34	0.19	39.05	52.79	52.89	321.46	
P2	9/28/2010 8:30	39.15	33.34	0.20	39.04	52.79	52.89	321.46	
P2	9/28/2010 8:45	39.15	33.34	0.20	39.04	52.79	52.89	321.46	
P2	9/28/2010 9:00	39.15	33.35	0.20	39.04	52.78	52.89	321.46	
P2	9/28/2010 9:15	39.15	33.35	0.21	39.04	52.78	52.89	321.46	
P2	9/28/2010 9:30	39.15	33.36	0.21	39.05	52.78	52.89	321.46	
P2	9/28/2010 9:45	39.15	33.36	0.21	39.04	52.78	52.89	321.46	
P2	9/28/2010 10:00	39.15	33.36	0.21	39.04	52.78	52.89	321.46	
P2	9/28/2010 10:15	39.15	33.36	0.21	39.04	52.78	52.89	321.46	
P2	9/28/2010 10:30	39.16	33.36	0.21	39.05	52.77	52.89	321.46	
P2	9/28/2010 10:45	39.16	33.36	0.22	39.05	52.77	52.89	321.46	
P2	9/28/2010 11:00	39.16	33.36	0.22	39.05	52.77	52.88	321.47	
P2	9/28/2010 11:15	39.16	33.36	0.22	39.05	52.77	52.88	321.47	
P2	9/28/2010 11:30	39.17	33.36	0.22	39.05	52.77	52.88	321.47	
P2	9/28/2010 11:45	39.17	33.37	0.22	39.05	52.77	52.88	321.47	
P2	9/28/2010 12:00	39.17	33.37	0.22	39.06	52.76	52.88	321.47	
P2	9/28/2010 12:15	39.17	33.37	0.22	39.06	52.76	52.87	321.48	
P2	9/28/2010 12:30	39.17	33.37	0.22	39.06	52.76	52.87	321.48	
P2	9/28/2010 12:45	39.17	33.37	0.22	39.06	52.76	52.87	321.48	
P2	9/28/2010 13:00	39.17	33.37	0.23	39.06	52.76	52.88	321.47	
P2	9/28/2010 13:15	39.17	33.37	0.23	39.06	52.76	52.88	321.47	
P2	9/28/2010 13:30	39.17	33.37	0.23	39.06	52.76	52.88	321.47	
P2	9/28/2010 13:45	39.17	33.38	0.23	39.05	52.76	52.88	321.47	
P2	9/28/2010 14:00	39.17	33.38	0.23	39.05	52.76	52.88	321.47	
P2	9/28/2010 14:15	39.17	33.38	0.23	39.05	52.76	52.88	321.47	
P2	9/28/2010 14:30	39.17	33.38	0.23	39.05	52.76	52.88	321.47	
P2	9/28/2010 14:45	39.17	33.38	0.23	39.05	52.76	52.88	321.47	
P2	9/28/2010 15:00	39.17	33.38	0.24	39.04	52.77	52.89	321.46	
P2	9/28/2010 15:15	39.17	33.38	0.24	39.05	52.76	52.89	321.46	
P2	9/28/2010 15:30	39.17	33.38	0.24	39.04	52.77	52.89	321.46	
P2	9/28/2010 15:45	39.17	33.39	0.24	39.04	52.77	52.89	321.46	
P2	9/28/2010 16:00	39.17	33.39	0.24	39.04	52.77	52.89	321.46	
P2	9/28/2010 16:15	39.17	33.39	0.24	39.04	52.76	52.89	321.46	
P2	9/28/2010 16:30	39.17	33.39	0.24	39.04	52.76	52.89	321.46	
P2	9/28/2010 16:45	39.17	33.39	0.25	39.04	52.76	52.89	321.46	
P2	9/28/2010 17:00	39.17	33.39	0.25	39.05	52.76	52.89	321.46	
P2	9/28/2010 17:15	39.18	33.39	0.25	39.05	52.75	52.88	321.47	
P2	9/28/2010 17:30	39.18	33.40	0.25	39.05	52.75	52.88	321.47	
P2	9/28/2010 17:45	39.18	33.40	0.25	39.05	52.75	52.88	321.47	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/28/2010 18:00	39.18	33.40	0.25	39.05	52.75	52.88	321.47	
P2	9/28/2010 18:15	39.18	33.40	0.25	39.05	52.75	52.88	321.47	
P2	9/28/2010 18:30	39.19	33.40	0.26	39.05	52.75	52.88	321.47	
P2	9/28/2010 18:45	39.19	33.40	0.26	39.05	52.75	52.88	321.47	
P2	9/28/2010 19:00	39.19	33.41	0.26	39.05	52.75	52.88	321.47	
P2	9/28/2010 19:15	39.19	33.41	0.26	39.05	52.75	52.88	321.47	
P2	9/28/2010 19:30	39.19	33.41	0.26	39.05	52.75	52.88	321.47	
P2	9/28/2010 19:45	39.19	33.41	0.26	39.05	52.75	52.88	321.47	
P2	9/28/2010 20:00	39.18	33.41	0.27	39.04	52.75	52.89	321.46	
P2	9/28/2010 20:15	39.18	33.41	0.27	39.04	52.75	52.89	321.46	
P2	9/28/2010 20:30	39.18	33.42	0.27	39.04	52.75	52.89	321.46	
P2	9/28/2010 20:45	39.18	33.42	0.27	39.04	52.75	52.89	321.46	
P2	9/28/2010 21:00	39.18	33.42	0.27	39.04	52.75	52.89	321.46	
P2	9/28/2010 21:15	39.18	33.42	0.27	39.04	52.75	52.89	321.46	
P2	9/28/2010 21:30	39.18	33.42	0.28	39.04	52.75	52.89	321.46	
P2	9/28/2010 21:45	39.19	33.42	0.28	39.04	52.75	52.89	321.46	
P2	9/28/2010 22:00	39.19	33.42	0.28	39.04	52.74	52.89	321.46	
P2	9/28/2010 22:15	39.19	33.42	0.28	39.04	52.74	52.89	321.46	
P2	9/28/2010 22:30	39.19	33.42	0.28	39.04	52.74	52.89	321.46	
P2	9/28/2010 22:45	39.19	33.42	0.28	39.04	52.74	52.89	321.46	
P2	9/28/2010 23:00	39.19	33.43	0.28	39.04	52.74	52.89	321.46	
P2	9/28/2010 23:15	39.19	33.43	0.28	39.05	52.74	52.88	321.47	
P2	9/28/2010 23:30	39.19	33.43	0.28	39.04	52.74	52.89	321.46	
P2	9/28/2010 23:45	39.19	33.43	0.28	39.05	52.74	52.89	321.46	
P2	9/29/2010 0:00	39.19	33.43	0.28	39.05	52.74	52.89	321.46	
P2	9/29/2010 0:15	39.19	33.43	0.28	39.04	52.74	52.89	321.46	
P2	9/29/2010 0:30	39.19	33.43	0.28	39.04	52.74	52.89	321.46	
P2	9/29/2010 0:45	39.19	33.43	0.28	39.05	52.74	52.89	321.46	
P2	9/29/2010 1:00	39.19	33.43	0.28	39.04	52.74	52.89	321.46	
P2	9/29/2010 1:15	39.19	33.43	0.28	39.04	52.74	52.89	321.46	
P2	9/29/2010 1:30	39.19	33.43	0.29	39.04	52.74	52.89	321.46	
P2	9/29/2010 1:45	39.19	33.43	0.29	39.04	52.74	52.89	321.46	
P2	9/29/2010 2:00	39.19	33.43	0.29	39.04	52.75	52.90	321.45	
P2	9/29/2010 2:15	39.19	33.44	0.29	39.04	52.75	52.90	321.45	
P2	9/29/2010 2:30	39.19	33.44	0.29	39.03	52.75	52.90	321.45	
P2	9/29/2010 2:45	39.19	33.44	0.29	39.03	52.75	52.90	321.45	
P2	9/29/2010 3:00	39.19	33.44	0.30	39.03	52.75	52.90	321.45	
P2	9/29/2010 3:15	39.19	33.44	0.30	39.03	52.75	52.90	321.45	
P2	9/29/2010 3:30	39.19	33.45	0.30	39.03	52.75	52.90	321.45	
P2	9/29/2010 3:45	39.19	33.45	0.30	39.03	52.75	52.90	321.45	
P2	9/29/2010 4:00	39.19	33.45	0.30	39.03	52.75	52.90	321.45	
P2	9/29/2010 4:15	39.19	33.45	0.30	39.03	52.75	52.90	321.45	
P2	9/29/2010 4:30	39.19	33.45	0.31	39.03	52.75	52.91	321.44	
P2	9/29/2010 4:45	39.19	33.45	0.31	39.03	52.75	52.91	321.44	
P2	9/29/2010 5:00	39.19	33.46	0.31	39.02	52.75	52.91	321.44	
P2	9/29/2010 5:15	39.18	33.46	0.31	39.02	52.75	52.91	321.44	
P2	9/29/2010 5:30	39.18	33.46	0.31	39.02	52.75	52.91	321.44	
P2	9/29/2010 5:45	39.18	33.46	0.31	39.02	52.75	52.91	321.44	
P2	9/29/2010 6:00	39.18	33.46	0.32	39.02	52.75	52.91	321.44	
P2	9/29/2010 6:15	39.18	33.46	0.32	39.01	52.75	52.92	321.43	
P2	9/29/2010 6:30	39.18	33.46	0.32	39.01	52.75	52.92	321.43	
P2	9/29/2010 6:45	39.18	33.46	0.32	39.01	52.75	52.92	321.43	
P2	9/29/2010 7:00	39.18	33.47	0.32	39.01	52.75	52.92	321.43	
P2	9/29/2010 7:15	39.18	33.47	0.32	39.01	52.75	52.92	321.43	
P2	9/29/2010 7:30	39.18	33.47	0.32	39.01	52.75	52.92	321.43	
P2	9/29/2010 7:45	39.18	33.47	0.32	39.01	52.75	52.92	321.43	
P2	9/29/2010 8:00	39.18	33.47	0.33	39.01	52.75	52.92	321.43	
P2	9/29/2010 8:15	39.18	33.47	0.33	39.01	52.75	52.92	321.43	
P2	9/29/2010 8:30	39.18	33.47	0.33	39.01	52.75	52.92	321.43	
P2	9/29/2010 8:45	39.18	33.47	0.33	39.01	52.75	52.92	321.43	
P2	9/29/2010 9:00	39.18	33.48	0.33	39.01	52.75	52.92	321.43	
P2	9/29/2010 9:15	39.18	33.48	0.33	39.01	52.75	52.92	321.43	
P2	9/29/2010 9:30	39.18	33.48	0.33	39.01	52.75	52.92	321.43	
P2	9/29/2010 9:45	39.18	33.47	0.33	39.01	52.75	52.92	321.43	
P2	9/29/2010 10:00	39.18	33.47	0.32	39.01	52.75	52.92	321.43	
P2	9/29/2010 10:15	39.18	33.46	0.32	39.02	52.75	52.92	321.43	
P2	9/29/2010 10:30	39.18	33.46	0.31	39.02	52.75	52.91	321.44	
P2	9/29/2010 10:45	39.18	33.46	0.31	39.02	52.75	52.92	321.43	
P2	9/29/2010 11:00	39.18	33.45	0.31	39.02	52.75	52.91	321.44	
P2	9/29/2010 11:15	39.17	33.45	0.30	39.02	52.76	52.91	321.44	
P2	9/29/2010 11:30	39.17	33.44	0.30	39.02	52.76	52.91	321.44	
P2	9/29/2010 11:45	39.17	33.44	0.29	39.02	52.76	52.91	321.44	
P2	9/29/2010 12:00	39.17	33.43	0.29	39.02	52.76	52.91	321.44	
P2	9/29/2010 12:15	39.17	33.43	0.28	39.02	52.77	52.91	321.44	
P2	9/29/2010 12:30	39.17	33.42	0.28	39.02	52.77	52.91	321.44	
P2	9/29/2010 12:45	39.16	33.42	0.27	39.02	52.77	52.91	321.44	
P2	9/29/2010 13:00	39.16	33.42	0.27	39.02	52.77	52.91	321.44	
P2	9/29/2010 13:15	39.16	33.41	0.26	39.02	52.77	52.91	321.44	
P2	9/29/2010 13:30	39.16	33.41	0.26	39.02	52.77	52.91	321.44	
P2	9/29/2010 13:45	39.15	33.40	0.25	39.02	52.78	52.91	321.44	
P2	9/29/2010 14:00	39.15	33.39	0.25	39.03	52.78	52.91	321.44	
P2	9/29/2010 14:15	39.15	33.38	0.24	39.02	52.79	52.91	321.44	
P2	9/29/2010 14:30	39.15	33.38	0.23	39.03	52.79	52.91	321.44	
P2	9/29/2010 14:45	39.14	33.37	0.22	39.03	52.79	52.91	321.44	
P2	9/29/2010 15:00	39.14	33.36	0.22	39.02	52.80	52.91	321.44	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/29/2010 15:15	39.14	33.35	0.21	39.03	52.80	52.91	321.44	
P2	9/29/2010 15:30	39.13	33.35	0.20	39.03	52.80	52.91	321.44	
P2	9/29/2010 15:45	39.12	33.34	0.19	39.02	52.81	52.91	321.44	
P2	9/29/2010 16:00	39.12	33.33	0.19	39.02	52.81	52.91	321.44	
P2	9/29/2010 16:15	39.12	33.32	0.18	39.03	52.81	52.91	321.44	
P2	9/29/2010 16:30	39.11	33.32	0.17	39.02	52.82	52.91	321.44	
P2	9/29/2010 16:45	39.11	33.31	0.16	39.03	52.82	52.91	321.44	
P2	9/29/2010 17:00	39.11	33.30	0.16	39.03	52.83	52.91	321.44	
P2	9/29/2010 17:15	39.10	33.30	0.15	39.03	52.83	52.91	321.44	
P2	9/29/2010 17:30	39.10	33.29	0.14	39.03	52.83	52.91	321.44	
P2	9/29/2010 17:45	39.10	33.29	0.14	39.02	52.84	52.91	321.44	
P2	9/29/2010 18:00	39.10	33.29	0.14	39.02	52.84	52.91	321.44	
P2	9/29/2010 18:15	39.09	33.29	0.14	39.02	52.84	52.91	321.44	
P2	9/29/2010 18:30	39.09	33.29	0.14	39.02	52.84	52.91	321.44	
P2	9/29/2010 18:45	39.09	33.29	0.14	39.01	52.84	52.92	321.43	
P2	9/29/2010 19:00	39.09	33.29	0.14	39.01	52.84	52.92	321.43	
P2	9/29/2010 19:15	39.08	33.29	0.14	39.01	52.85	52.92	321.43	
P2	9/29/2010 19:30	39.08	33.29	0.14	39.01	52.85	52.92	321.43	
P2	9/29/2010 19:45	39.08	33.29	0.14	39.01	52.85	52.92	321.43	
P2	9/29/2010 20:00	39.08	33.29	0.14	39.01	52.85	52.92	321.43	
P2	9/29/2010 20:15	39.08	33.29	0.14	39.01	52.85	52.92	321.43	
P2	9/29/2010 20:30	39.08	33.29	0.14	39.01	52.85	52.93	321.42	
P2	9/29/2010 20:45	39.08	33.29	0.14	39.01	52.85	52.93	321.42	
P2	9/29/2010 21:00	39.08	33.29	0.14	39.01	52.85	52.93	321.42	
P2	9/29/2010 21:15	39.08	33.29	0.14	39.01	52.85	52.93	321.42	
P2	9/29/2010 21:30	39.08	33.29	0.14	39.00	52.86	52.93	321.42	
P2	9/29/2010 21:45	39.08	33.29	0.14	39.00	52.86	52.93	321.42	
P2	9/29/2010 22:00	39.08	33.29	0.14	39.00	52.86	52.93	321.42	
P2	9/29/2010 22:15	39.08	33.29	0.14	39.00	52.86	52.93	321.42	
P2	9/29/2010 22:30	39.08	33.29	0.14	39.00	52.86	52.93	321.42	
P2	9/29/2010 22:45	39.08	33.29	0.14	39.00	52.86	52.93	321.42	
P2	9/29/2010 23:00	39.07	33.29	0.14	39.00	52.86	52.93	321.42	
P2	9/29/2010 23:15	39.07	33.29	0.14	38.99	52.86	52.94	321.41	
P2	9/29/2010 23:30	39.07	33.29	0.14	38.99	52.86	52.94	321.41	
P2	9/29/2010 23:45	39.07	33.29	0.14	38.99	52.86	52.94	321.41	
P2	9/30/2010 0:00	39.06	33.29	0.14	38.99	52.87	52.94	321.41	
P2	9/30/2010 0:15	39.06	33.29	0.14	38.99	52.87	52.94	321.41	
P2	9/30/2010 0:30	39.06	33.29	0.14	38.99	52.87	52.94	321.41	
P2	9/30/2010 0:45	39.06	33.29	0.14	38.99	52.87	52.94	321.41	
P2	9/30/2010 1:00	39.06	33.29	0.14	38.98	52.88	52.95	321.40	
P2	9/30/2010 1:15	39.06	33.29	0.14	38.98	52.88	52.95	321.40	
P2	9/30/2010 1:30	39.06	33.29	0.14	38.98	52.88	52.95	321.40	
P2	9/30/2010 1:45	39.05	33.28	0.14	38.98	52.88	52.95	321.40	
P2	9/30/2010 2:00	39.05	33.28	0.13	38.98	52.88	52.95	321.40	
P2	9/30/2010 2:15	39.05	33.28	0.13	38.98	52.88	52.95	321.40	
P2	9/30/2010 2:30	39.05	33.27	0.13	38.98	52.89	52.95	321.40	
P2	9/30/2010 2:45	39.05	33.27	0.12	38.98	52.89	52.95	321.40	
P2	9/30/2010 3:00	39.04	33.27	0.12	38.98	52.89	52.95	321.40	
P2	9/30/2010 3:15	39.04	33.26	0.12	38.98	52.90	52.96	321.39	
P2	9/30/2010 3:30	39.03	33.26	0.11	38.97	52.90	52.96	321.39	
P2	9/30/2010 3:45	39.03	33.26	0.11	38.97	52.90	52.96	321.39	
P2	9/30/2010 4:00	39.03	33.25	0.11	38.97	52.90	52.96	321.39	
P2	9/30/2010 4:15	39.03	33.25	0.11	38.97	52.90	52.96	321.39	
P2	9/30/2010 4:30	39.03	33.25	0.10	38.98	52.90	52.96	321.39	
P2	9/30/2010 4:45	39.03	33.25	0.10	38.97	52.91	52.96	321.39	
P2	9/30/2010 5:00	39.02	33.24	0.10	38.97	52.91	52.96	321.39	
P2	9/30/2010 5:15	39.02	33.24	0.09	38.97	52.91	52.96	321.39	
P2	9/30/2010 5:30	39.02	33.24	0.09	38.97	52.91	52.96	321.39	
P2	9/30/2010 5:45	39.02	33.24	0.09	38.97	52.91	52.96	321.39	
P2	9/30/2010 6:00	39.01	33.23	0.09	38.97	52.92	52.96	321.39	
P2	9/30/2010 6:15	39.01	33.23	0.09	38.97	52.92	52.96	321.39	
P2	9/30/2010 6:30	39.01	33.23	0.09	38.96	52.92	52.97	321.38	
P2	9/30/2010 6:45	39.01	33.23	0.09	38.96	52.92	52.97	321.38	
P2	9/30/2010 7:00	39.01	33.23	0.09	38.97	52.92	52.97	321.38	
P2	9/30/2010 7:15	39.01	33.23	0.09	38.96	52.93	52.97	321.38	
P2	9/30/2010 7:30	39.01	33.23	0.09	38.96	52.93	52.97	321.38	
P2	9/30/2010 7:45	39.01	33.23	0.08	38.96	52.93	52.97	321.38	
P2	9/30/2010 8:00	39.01	33.23	0.08	38.96	52.93	52.97	321.38	
P2	9/30/2010 8:15	39.01	33.23	0.08	38.96	52.93	52.97	321.38	
P2	9/30/2010 8:30	39.01	33.23	0.08	38.96	52.93	52.97	321.38	
P2	9/30/2010 8:45	39.01	33.23	0.08	38.96	52.93	52.97	321.38	
P2	9/30/2010 9:00	39.01	33.23	0.08	38.96	52.93	52.97	321.38	
P2	9/30/2010 9:15	39.01	33.23	0.08	38.96	52.93	52.97	321.38	
P2	9/30/2010 9:30	39.00	33.23	0.08	38.96	52.93	52.97	321.38	
P2	9/30/2010 9:45	39.00	33.22	0.08	38.96	52.93	52.97	321.38	
P2	9/30/2010 10:00	39.00	33.22	0.07	38.97	52.93	52.97	321.38	
P2	9/30/2010 10:15	39.00	33.21	0.06	38.96	52.93	52.97	321.38	
P2	9/30/2010 10:30	39.00	33.21	0.06	38.97	52.93	52.97	321.38	
P2	9/30/2010 10:45	39.00	33.20	0.05	38.97	52.93	52.96	321.39	
P2	9/30/2010 11:00	38.99	33.20	0.05	38.97	52.94	52.96	321.39	
P2	9/30/2010 11:15	38.99	33.19	0.04	38.97	52.94	52.96	321.39	
P2	9/30/2010 11:30	38.99	33.19	0.04	38.97	52.94	52.96	321.39	
P2	9/30/2010 11:45	38.99	33.18	0.03	38.97	52.94	52.96	321.39	
P2	9/30/2010 12:00	38.99	33.17	0.03	38.97	52.95	52.96	321.39	
P2	9/30/2010 12:15	38.98	33.17	0.02	38.97	52.95	52.96	321.39	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	9/30/2010 12:30	38.98	33.16	0.02	38.97	52.95	52.96	321.39	
P2	9/30/2010 12:45	38.98	33.16	0.01	38.97	52.96	52.96	321.39	
P2	9/30/2010 13:00	38.98	33.15	0.01	38.97	52.96	52.96	321.39	
P2	9/30/2010 13:15	38.97	33.15	0.00	38.97	52.96	52.96	321.39	
P2	9/30/2010 13:30	38.96	33.14	0.00	38.96	52.97	52.97	321.38	
P2	9/30/2010 13:45	38.96	33.14	-0.01	38.96	52.98	52.97	321.38	
P2	9/30/2010 14:00	38.96	33.13	-0.01	38.96	52.98	52.97	321.38	
P2	9/30/2010 14:15	38.95	33.13	-0.02	38.96	52.98	52.97	321.38	
P2	9/30/2010 14:30	38.95	33.12	-0.03	38.96	52.99	52.97	321.38	
P2	9/30/2010 14:45	38.94	33.11	-0.03	38.96	52.99	52.97	321.38	
P2	9/30/2010 15:00	38.94	33.11	-0.04	38.95	53.00	52.98	321.37	
P2	9/30/2010 15:15	38.93	33.10	-0.04	38.95	53.00	52.98	321.37	
P2	9/30/2010 15:30	38.93	33.10	-0.05	38.95	53.00	52.98	321.37	
P2	9/30/2010 15:45	38.92	33.09	-0.05	38.95	53.01	52.98	321.37	
P2	9/30/2010 16:00	38.92	33.09	-0.06	38.96	53.01	52.98	321.37	
P2	9/30/2010 16:15	38.92	33.08	-0.07	38.95	53.01	52.98	321.37	
P2	9/30/2010 16:30	38.92	33.07	-0.07	38.95	53.02	52.98	321.37	
P2	9/30/2010 16:45	38.91	33.07	-0.08	38.95	53.02	52.98	321.37	
P2	9/30/2010 17:00	38.91	33.06	-0.08	38.95	53.02	52.98	321.37	
P2	9/30/2010 17:15	38.91	33.06	-0.09	38.95	53.02	52.98	321.37	
P2	9/30/2010 17:30	38.90	33.05	-0.10	38.95	53.03	52.98	321.37	
P2	9/30/2010 17:45	38.90	33.05	-0.09	38.95	53.03	52.98	321.37	
P2	9/30/2010 18:00	38.90	33.05	-0.09	38.95	53.03	52.98	321.37	
P2	9/30/2010 18:15	38.90	33.06	-0.09	38.95	53.03	52.98	321.37	
P2	9/30/2010 18:30	38.90	33.06	-0.09	38.94	53.04	52.99	321.36	
P2	9/30/2010 18:45	38.90	33.06	-0.09	38.94	53.04	52.99	321.36	
P2	9/30/2010 19:00	38.90	33.06	-0.09	38.94	53.04	52.99	321.36	
P2	9/30/2010 19:15	38.90	33.06	-0.08	38.94	53.04	52.99	321.36	
P2	9/30/2010 19:30	38.89	33.06	-0.08	38.93	53.04	53.00	321.35	
P2	9/30/2010 19:45	38.90	33.07	-0.08	38.94	53.03	52.99	321.36	
P2	9/30/2010 20:00	38.91	33.07	-0.08	38.95	53.02	52.98	321.37	
P2	9/30/2010 20:15	38.91	33.07	-0.08	38.95	53.02	52.98	321.37	
P2	9/30/2010 20:30	38.90	33.07	-0.07	38.94	53.03	52.99	321.36	
P2	9/30/2010 20:45	38.91	33.07	-0.07	38.95	53.02	52.99	321.36	
P2	9/30/2010 21:00	38.91	33.07	-0.07	38.95	53.02	52.99	321.36	
P2	9/30/2010 21:15	38.91	33.08	-0.07	38.94	53.02	52.99	321.36	
P2	9/30/2010 21:30	38.91	33.08	-0.07	38.94	53.02	52.99	321.36	
P2	9/30/2010 21:45	38.91	33.08	-0.06	38.94	53.02	52.99	321.36	
P2	9/30/2010 22:00	38.91	33.08	-0.06	38.94	53.02	52.99	321.36	
P2	9/30/2010 22:15	38.91	33.09	-0.06	38.94	53.02	52.99	321.36	
P2	9/30/2010 22:30	38.91	33.09	-0.06	38.94	53.02	53.00	321.35	
P2	9/30/2010 22:45	38.91	33.09	-0.05	38.94	53.02	53.00	321.35	
P2	9/30/2010 23:00	38.91	33.10	-0.05	38.94	53.02	52.99	321.36	
P2	9/30/2010 23:15	38.91	33.10	-0.05	38.94	53.02	53.00	321.35	
P2	9/30/2010 23:30	38.91	33.10	-0.04	38.93	53.02	53.00	321.35	
P2	9/30/2010 23:45	38.91	33.11	-0.04	38.93	53.02	53.00	321.35	
P2	10/1/2010 0:00	38.91	33.11	-0.04	38.93	53.02	53.00	321.35	
P2	10/1/2010 0:15	38.91	33.11	-0.03	38.93	53.02	53.00	321.35	
P2	10/1/2010 0:30	38.91	33.12	-0.03	38.93	53.02	53.00	321.35	
P2	10/1/2010 0:45	38.91	33.12	-0.03	38.93	53.02	53.01	321.34	
P2	10/1/2010 1:00	38.91	33.12	-0.02	38.92	53.02	53.01	321.34	
P2	10/1/2010 1:15	38.91	33.13	-0.02	38.92	53.02	53.01	321.34	
P2	10/1/2010 1:30	38.91	33.13	-0.02	38.92	53.02	53.01	321.34	
P2	10/1/2010 1:45	38.91	33.13	-0.01	38.92	53.02	53.01	321.34	
P2	10/1/2010 2:00	38.91	33.14	-0.01	38.91	53.02	53.02	321.33	
P2	10/1/2010 2:15	38.91	33.15	0.00	38.91	53.02	53.02	321.33	
P2	10/1/2010 2:30	38.91	33.15	0.01	38.91	53.02	53.02	321.33	
P2	10/1/2010 2:45	38.91	33.16	0.01	38.91	53.02	53.03	321.32	
P2	10/1/2010 3:00	38.91	33.16	0.02	38.90	53.02	53.03	321.32	
P2	10/1/2010 3:15	38.91	33.17	0.02	38.90	53.02	53.03	321.32	
P2	10/1/2010 3:30	38.92	33.18	0.03	38.90	53.02	53.03	321.32	
P2	10/1/2010 3:45	38.92	33.18	0.04	38.90	53.02	53.04	321.31	
P2	10/1/2010 4:00	38.92	33.19	0.04	38.89	53.02	53.04	321.31	
P2	10/1/2010 4:15	38.92	33.19	0.05	38.89	53.02	53.04	321.31	
P2	10/1/2010 4:30	38.92	33.20	0.05	38.89	53.01	53.04	321.31	
P2	10/1/2010 4:45	38.92	33.21	0.06	38.89	53.01	53.04	321.31	
P2	10/1/2010 5:00	38.92	33.21	0.07	38.89	53.01	53.04	321.31	
P2	10/1/2010 5:15	38.92	33.22	0.07	38.89	53.01	53.05	321.30	
P2	10/1/2010 5:30	38.93	33.22	0.08	38.89	53.00	53.04	321.31	
P2	10/1/2010 5:45	38.93	33.23	0.09	38.88	53.00	53.05	321.30	
P2	10/1/2010 6:00	38.93	33.24	0.09	38.88	53.00	53.05	321.30	
P2	10/1/2010 6:15	38.93	33.25	0.10	38.88	53.00	53.05	321.30	
P2	10/1/2010 6:30	38.94	33.25	0.11	38.88	52.99	53.05	321.30	
P2	10/1/2010 6:45	38.94	33.26	0.12	38.88	52.99	53.05	321.30	
P2	10/1/2010 7:00	38.94	33.27	0.12	38.88	52.99	53.05	321.30	
P2	10/1/2010 7:15	38.95	33.28	0.13	38.88	52.99	53.05	321.30	
P2	10/1/2010 7:30	38.95	33.28	0.14	38.88	52.98	53.05	321.30	
P2	10/1/2010 7:45	38.96	33.29	0.15	38.88	52.98	53.05	321.30	
P2	10/1/2010 8:00	38.96	33.30	0.15	38.88	52.97	53.05	321.30	
P2	10/1/2010 8:15	38.96	33.31	0.16	38.88	52.97	53.05	321.30	
P2	10/1/2010 8:30	38.96	33.31	0.17	38.88	52.97	53.06	321.29	
P2	10/1/2010 8:45	38.97	33.32	0.18	38.88	52.97	53.06	321.29	
P2	10/1/2010 9:00	38.97	33.33	0.18	38.88	52.96	53.06	321.29	
P2	10/1/2010 9:15	38.98	33.34	0.19	38.88	52.96	53.06	321.29	
P2	10/1/2010 9:30	38.98	33.34	0.20	38.87	52.95	53.06	321.29	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	10/1/2010 9:45	38.98	33.35	0.20	38.88	52.95	53.05	321.30	
P2	10/1/2010 10:00	38.99	33.35	0.20	38.88	52.95	53.05	321.30	
P2	10/1/2010 10:15	38.99	33.35	0.21	38.88	52.94	53.05	321.30	
P2	10/1/2010 10:30	39.00	33.36	0.21	38.89	52.93	53.04	321.31	
P2	10/1/2010 10:45	39.00	33.36	0.21	38.89	52.93	53.04	321.31	
P2	10/1/2010 11:00	39.00	33.36	0.22	38.89	52.93	53.04	321.31	
P2	10/1/2010 11:15	39.01	33.36	0.22	38.89	52.93	53.04	321.31	
P2	10/1/2010 11:30	39.01	33.37	0.22	38.90	52.92	53.03	321.32	
P2	10/1/2010 11:45	39.02	33.37	0.22	38.90	52.91	53.03	321.32	
P2	10/1/2010 12:00	39.02	33.37	0.23	38.90	52.91	53.03	321.32	
P2	10/1/2010 12:15	39.02	33.38	0.23	38.90	52.91	53.03	321.32	
P2	10/1/2010 12:30	39.03	33.38	0.23	38.90	52.91	53.03	321.32	
P2	10/1/2010 12:45	39.03	33.38	0.24	38.91	52.90	53.03	321.32	
P2	10/1/2010 13:00	39.03	33.38	0.24	38.91	52.90	53.03	321.32	
P2	10/1/2010 13:15	39.03	33.39	0.24	38.91	52.90	53.02	321.33	
P2	10/1/2010 13:30	39.03	33.39	0.24	38.91	52.90	53.03	321.32	
P2	10/1/2010 13:45	39.04	33.39	0.24	38.91	52.90	53.02	321.33	
P2	10/1/2010 14:00	39.04	33.39	0.24	38.91	52.90	53.02	321.33	
P2	10/1/2010 14:15	39.04	33.39	0.24	38.91	52.89	53.02	321.33	
P2	10/1/2010 14:30	39.04	33.39	0.24	38.92	52.89	53.02	321.33	
P2	10/1/2010 14:45	39.04	33.39	0.24	38.92	52.89	53.02	321.33	
P2	10/1/2010 15:00	39.04	33.39	0.24	38.92	52.89	53.02	321.33	
P2	10/1/2010 15:15	39.04	33.39	0.24	38.92	52.89	53.02	321.33	
P2	10/1/2010 15:30	39.04	33.39	0.24	38.92	52.89	53.02	321.33	
P2	10/1/2010 15:45	39.04	33.38	0.24	38.92	52.89	53.02	321.33	
P2	10/1/2010 16:00	39.04	33.38	0.24	38.92	52.89	53.02	321.33	
P2	10/1/2010 16:15	39.04	33.38	0.24	38.92	52.89	53.01	321.34	
P2	10/1/2010 16:30	39.05	33.38	0.24	38.92	52.89	53.01	321.34	
P2	10/1/2010 16:45	39.04	33.38	0.24	38.92	52.89	53.01	321.34	
P2	10/1/2010 17:00	39.04	33.38	0.24	38.92	52.89	53.01	321.34	
P2	10/1/2010 17:15	39.04	33.38	0.24	38.92	52.89	53.01	321.34	
P2	10/1/2010 17:30	39.05	33.38	0.24	38.92	52.89	53.01	321.34	
P2	10/1/2010 17:45	39.05	33.38	0.24	38.92	52.89	53.01	321.34	
P2	10/1/2010 18:00	39.05	33.38	0.24	38.92	52.89	53.01	321.34	
P2	10/1/2010 18:15	39.04	33.39	0.24	38.92	52.89	53.02	321.33	
P2	10/1/2010 18:30	39.05	33.39	0.24	38.92	52.89	53.01	321.34	
P2	10/1/2010 18:45	39.05	33.39	0.24	38.92	52.89	53.01	321.34	
P2	10/1/2010 19:00	39.05	33.39	0.25	38.92	52.89	53.01	321.34	
P2	10/1/2010 19:15	39.05	33.39	0.25	38.92	52.89	53.02	321.33	
P2	10/1/2010 19:30	39.05	33.39	0.25	38.92	52.89	53.02	321.33	
P2	10/1/2010 19:45	39.05	33.40	0.25	38.91	52.89	53.02	321.33	
P2	10/1/2010 20:00	39.05	33.40	0.25	38.92	52.88	53.01	321.34	
P2	10/1/2010 20:15	39.05	33.40	0.25	38.92	52.88	53.01	321.34	
P2	10/1/2010 20:30	39.05	33.40	0.26	38.92	52.88	53.01	321.34	
P2	10/1/2010 20:45	39.05	33.40	0.26	38.92	52.88	53.01	321.34	
P2	10/1/2010 21:00	39.05	33.40	0.26	38.92	52.88	53.01	321.34	
P2	10/1/2010 21:15	39.05	33.41	0.26	38.92	52.88	53.01	321.34	
P2	10/1/2010 21:30	39.05	33.41	0.26	38.92	52.88	53.02	321.33	
P2	10/1/2010 21:45	39.05	33.41	0.26	38.92	52.88	53.02	321.33	
P2	10/1/2010 22:00	39.06	33.41	0.26	38.92	52.88	53.01	321.34	
P2	10/1/2010 22:15	39.06	33.41	0.26	38.92	52.88	53.01	321.34	
P2	10/1/2010 22:30	39.06	33.41	0.26	38.92	52.88	53.01	321.34	
P2	10/1/2010 22:45	39.06	33.41	0.27	38.92	52.88	53.01	321.34	
P2	10/1/2010 23:00	39.06	33.41	0.27	38.92	52.88	53.01	321.34	
P2	10/1/2010 23:15	39.06	33.41	0.27	38.92	52.88	53.01	321.34	
P2	10/1/2010 23:30	39.06	33.41	0.27	38.92	52.88	53.01	321.34	
P2	10/1/2010 23:45	39.06	33.41	0.27	38.92	52.88	53.01	321.34	
P2	10/2/2010 0:00	39.06	33.41	0.27	38.92	52.88	53.01	321.34	
P2	10/2/2010 0:15	39.05	33.41	0.27	38.91	52.88	53.02	321.33	
P2	10/2/2010 0:30	39.05	33.42	0.27	38.91	52.88	53.02	321.33	
P2	10/2/2010 0:45	39.05	33.42	0.27	38.91	52.88	53.02	321.33	
P2	10/2/2010 1:00	39.05	33.42	0.27	38.91	52.88	53.02	321.33	
P2	10/2/2010 1:15	39.05	33.42	0.27	38.91	52.88	53.02	321.33	
P2	10/2/2010 1:30	39.05	33.42	0.27	38.91	52.88	53.02	321.33	
P2	10/2/2010 1:45	39.05	33.42	0.27	38.91	52.88	53.02	321.33	
P2	10/2/2010 2:00	39.05	33.42	0.27	38.91	52.88	53.02	321.33	
P2	10/2/2010 2:15	39.05	33.42	0.27	38.91	52.88	53.02	321.33	
P2	10/2/2010 2:30	39.05	33.42	0.27	38.91	52.88	53.02	321.33	
P2	10/2/2010 2:45	39.05	33.42	0.27	38.91	52.88	53.02	321.33	
P2	10/2/2010 3:00	39.05	33.42	0.27	38.91	52.88	53.02	321.33	
P2	10/2/2010 3:15	39.05	33.42	0.27	38.91	52.88	53.02	321.33	
P2	10/2/2010 3:30	39.05	33.42	0.27	38.91	52.88	53.02	321.33	
P2	10/2/2010 3:45	39.06	33.42	0.27	38.92	52.88	53.02	321.33	
P2	10/2/2010 4:00	39.05	33.42	0.27	38.91	52.88	53.02	321.33	
P2	10/2/2010 4:15	39.05	33.42	0.27	38.91	52.88	53.02	321.33	
P2	10/2/2010 4:30	39.05	33.42	0.27	38.91	52.88	53.02	321.33	
P2	10/2/2010 4:45	39.05	33.42	0.27	38.91	52.88	53.02	321.33	
P2	10/2/2010 5:00	39.05	33.42	0.27	38.91	52.88	53.02	321.33	
P2	10/2/2010 5:15	39.05	33.42	0.27	38.91	52.88	53.02	321.33	
P2	10/2/2010 5:30	39.05	33.42	0.27	38.91	52.88	53.02	321.33	
P2	10/2/2010 5:45	39.05	33.42	0.27	38.91	52.88	53.02	321.33	
P2	10/2/2010 6:00	39.05	33.42	0.27	38.91	52.88	53.02	321.33	
P2	10/2/2010 6:15	39.05	33.42	0.27	38.91	52.88	53.03	321.32	
P2	10/2/2010 6:30	39.05	33.42	0.27	38.91	52.88	53.03	321.32	
P2	10/2/2010 6:45	39.05	33.42	0.27	38.91	52.88	53.03	321.32	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	10/2/2010 7:00	39.05	33.42	0.27	38.91	52.88	53.03	321.32	
P2	10/2/2010 7:15	39.05	33.42	0.28	38.91	52.88	53.03	321.32	
P2	10/2/2010 7:30	39.05	33.42	0.28	38.91	52.88	53.03	321.32	
P2	10/2/2010 7:45	39.05	33.42	0.28	38.91	52.88	53.03	321.32	
P2	10/2/2010 8:00	39.05	33.42	0.28	38.90	52.89	53.03	321.32	
P2	10/2/2010 8:15	39.05	33.42	0.28	38.90	52.89	53.03	321.32	
P2	10/2/2010 8:30	39.05	33.42	0.28	38.90	52.89	53.03	321.32	
P2	10/2/2010 8:45	39.05	33.42	0.28	38.90	52.89	53.03	321.32	
P2	10/2/2010 9:00	39.05	33.42	0.28	38.90	52.89	53.03	321.32	
P2	10/2/2010 9:15	39.05	33.42	0.28	38.90	52.89	53.03	321.32	
P2	10/2/2010 9:30	39.05	33.43	0.28	38.90	52.89	53.03	321.32	
P2	10/2/2010 9:45	39.05	33.42	0.27	38.90	52.89	53.03	321.32	
P2	10/2/2010 10:00	39.05	33.42	0.27	38.90	52.89	53.03	321.32	
P2	10/2/2010 10:15	39.04	33.41	0.27	38.90	52.89	53.03	321.32	
P2	10/2/2010 10:30	39.04	33.41	0.26	38.91	52.89	53.03	321.32	
P2	10/2/2010 10:45	39.04	33.40	0.26	38.91	52.89	53.02	321.33	
P2	10/2/2010 11:00	39.04	33.40	0.25	38.91	52.90	53.03	321.32	
P2	10/2/2010 11:15	39.04	33.39	0.25	38.91	52.89	53.02	321.33	
P2	10/2/2010 11:30	39.04	33.39	0.24	38.91	52.90	53.02	321.33	
P2	10/2/2010 11:45	39.04	33.38	0.24	38.91	52.90	53.02	321.33	
P2	10/2/2010 12:00	39.03	33.38	0.23	38.91	52.90	53.02	321.33	
P2	10/2/2010 12:15	39.03	33.37	0.23	38.91	52.90	53.02	321.33	
P2	10/2/2010 12:30	39.03	33.37	0.22	38.91	52.90	53.02	321.33	
P2	10/2/2010 12:45	39.03	33.37	0.22	38.91	52.91	53.02	321.33	
P2	10/2/2010 13:00	39.02	33.36	0.22	38.91	52.91	53.02	321.33	
P2	10/2/2010 13:15	39.02	33.36	0.21	38.91	52.91	53.02	321.33	
P2	10/2/2010 13:30	39.02	33.35	0.21	38.91	52.91	53.02	321.33	
P2	10/2/2010 13:45	39.01	33.35	0.20	38.91	52.92	53.02	321.33	
P2	10/2/2010 14:00	39.01	33.34	0.19	38.91	52.92	53.02	321.33	
P2	10/2/2010 14:15	39.01	33.33	0.19	38.91	52.93	53.02	321.33	
P2	10/2/2010 14:30	39.00	33.33	0.18	38.91	52.93	53.02	321.33	
P2	10/2/2010 14:45	39.00	33.32	0.18	38.91	52.93	53.02	321.33	
P2	10/2/2010 15:00	39.00	33.32	0.17	38.91	52.93	53.02	321.33	
P2	10/2/2010 15:15	38.99	33.31	0.16	38.91	52.94	53.02	321.33	
P2	10/2/2010 15:30	38.99	33.30	0.16	38.91	52.94	53.02	321.33	
P2	10/2/2010 15:45	38.99	33.30	0.15	38.91	52.95	53.02	321.33	
P2	10/2/2010 16:00	38.98	33.29	0.15	38.91	52.95	53.03	321.32	
P2	10/2/2010 16:15	38.98	33.29	0.14	38.91	52.95	53.03	321.32	
P2	10/2/2010 16:30	38.98	33.28	0.13	38.91	52.96	53.03	321.32	
P2	10/2/2010 16:45	38.97	33.27	0.13	38.90	52.96	53.03	321.32	
P2	10/2/2010 17:00	38.97	33.27	0.12	38.90	52.97	53.03	321.32	
P2	10/2/2010 17:15	38.96	33.26	0.12	38.90	52.97	53.03	321.32	
P2	10/2/2010 17:30	38.96	33.26	0.11	38.90	52.97	53.03	321.32	
P2	10/2/2010 17:45	38.96	33.25	0.11	38.90	52.97	53.03	321.32	
P2	10/2/2010 18:00	38.95	33.25	0.11	38.90	52.98	53.04	321.31	
P2	10/2/2010 18:15	38.95	33.25	0.11	38.90	52.98	53.04	321.31	
P2	10/2/2010 18:30	38.95	33.25	0.10	38.89	52.99	53.04	321.31	
P2	10/2/2010 18:45	38.94	33.25	0.10	38.89	52.99	53.05	321.30	
P2	10/2/2010 19:00	38.94	33.25	0.10	38.89	52.99	53.05	321.30	
P2	10/2/2010 19:15	38.94	33.25	0.10	38.89	52.99	53.05	321.30	
P2	10/2/2010 19:30	38.94	33.25	0.10	38.88	53.00	53.05	321.30	
P2	10/2/2010 19:45	38.94	33.24	0.10	38.88	53.00	53.05	321.30	
P2	10/2/2010 20:00	38.94	33.24	0.10	38.88	53.00	53.05	321.30	
P2	10/2/2010 20:15	38.94	33.24	0.10	38.88	53.00	53.05	321.30	
P2	10/2/2010 20:30	38.93	33.24	0.10	38.88	53.00	53.05	321.30	
P2	10/2/2010 20:45	38.93	33.24	0.09	38.88	53.00	53.05	321.30	
P2	10/2/2010 21:00	38.93	33.24	0.09	38.88	53.00	53.05	321.30	
P2	10/2/2010 21:15	38.93	33.24	0.09	38.88	53.00	53.05	321.30	
P2	10/2/2010 21:30	38.93	33.24	0.09	38.88	53.00	53.05	321.30	
P2	10/2/2010 21:45	38.93	33.24	0.09	38.88	53.00	53.05	321.30	
P2	10/2/2010 22:00	38.93	33.24	0.09	38.88	53.00	53.05	321.30	
P2	10/2/2010 22:15	38.93	33.24	0.09	38.88	53.00	53.05	321.30	
P2	10/2/2010 22:30	38.93	33.24	0.09	38.88	53.00	53.05	321.30	
P2	10/2/2010 22:45	38.93	33.24	0.09	38.88	53.00	53.05	321.30	
P2	10/2/2010 23:00	38.93	33.24	0.09	38.88	53.00	53.05	321.30	
P2	10/2/2010 23:15	38.93	33.24	0.10	38.88	53.00	53.05	321.30	
P2	10/2/2010 23:30	38.93	33.24	0.10	38.88	53.00	53.05	321.30	
P2	10/2/2010 23:45	38.93	33.24	0.10	38.88	53.00	53.05	321.30	
P2	10/3/2010 0:00	38.93	33.24	0.10	38.88	53.00	53.05	321.30	
P2	10/3/2010 0:15	38.93	33.24	0.10	38.88	53.00	53.05	321.30	
P2	10/3/2010 0:30	38.93	33.24	0.10	38.88	53.00	53.06	321.29	
P2	10/3/2010 0:45	38.93	33.25	0.10	38.88	53.00	53.06	321.29	
P2	10/3/2010 1:00	38.93	33.25	0.10	38.88	53.00	53.06	321.29	
P2	10/3/2010 1:15	38.92	33.25	0.10	38.87	53.01	53.06	321.29	
P2	10/3/2010 1:30	38.93	33.25	0.10	38.88	53.00	53.06	321.29	
P2	10/3/2010 1:45	38.92	33.25	0.10	38.87	53.01	53.06	321.29	
P2	10/3/2010 2:00	38.92	33.25	0.10	38.87	53.01	53.06	321.29	
P2	10/3/2010 2:15	38.92	33.25	0.10	38.87	53.01	53.06	321.29	
P2	10/3/2010 2:30	38.92	33.25	0.10	38.87	53.01	53.06	321.29	
P2	10/3/2010 2:45	38.92	33.25	0.10	38.87	53.01	53.06	321.29	
P2	10/3/2010 3:00	38.92	33.25	0.10	38.87	53.01	53.07	321.28	
P2	10/3/2010 3:15	38.92	33.25	0.10	38.87	53.01	53.07	321.28	
P2	10/3/2010 3:30	38.92	33.25	0.10	38.87	53.01	53.07	321.28	
P2	10/3/2010 3:45	38.92	33.25	0.10	38.87	53.01	53.07	321.28	
P2	10/3/2010 4:00	38.92	33.25	0.10	38.87	53.01	53.07	321.28	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	10/3/2010 4:15	38.92	33.25	0.10	38.86	53.02	53.07	321.28	
P2	10/3/2010 4:30	38.92	33.25	0.10	38.86	53.02	53.07	321.28	
P2	10/3/2010 4:45	38.91	33.25	0.10	38.86	53.02	53.07	321.28	
P2	10/3/2010 5:00	38.91	33.25	0.10	38.86	53.02	53.07	321.28	
P2	10/3/2010 5:15	38.91	33.25	0.10	38.86	53.02	53.07	321.28	
P2	10/3/2010 5:30	38.91	33.25	0.10	38.86	53.02	53.07	321.28	
P2	10/3/2010 5:45	38.91	33.25	0.11	38.86	53.02	53.08	321.27	
P2	10/3/2010 6:00	38.91	33.25	0.11	38.86	53.02	53.08	321.27	
P2	10/3/2010 6:15	38.91	33.26	0.11	38.85	53.02	53.08	321.27	
P2	10/3/2010 6:30	38.91	33.26	0.11	38.85	53.02	53.08	321.27	
P2	10/3/2010 6:45	38.91	33.26	0.11	38.85	53.02	53.08	321.27	
P2	10/3/2010 7:00	38.91	33.26	0.12	38.85	53.02	53.08	321.27	
P2	10/3/2010 7:15	38.91	33.26	0.12	38.85	53.02	53.09	321.26	
P2	10/3/2010 7:30	38.91	33.27	0.12	38.85	53.02	53.09	321.26	
P2	10/3/2010 7:45	38.91	33.27	0.12	38.85	53.02	53.08	321.27	
P2	10/3/2010 8:00	38.91	33.27	0.13	38.84	53.02	53.09	321.26	
P2	10/3/2010 8:15	38.92	33.27	0.13	38.85	53.02	53.08	321.27	
P2	10/3/2010 8:30	38.91	33.28	0.13	38.84	53.02	53.09	321.26	
P2	10/3/2010 8:45	38.92	33.28	0.13	38.85	53.02	53.08	321.27	
P2	10/3/2010 9:00	38.92	33.28	0.13	38.85	53.02	53.09	321.26	
P2	10/3/2010 9:15	38.92	33.28	0.14	38.85	53.02	53.09	321.26	
P2	10/3/2010 9:30	38.92	33.28	0.14	38.84	53.02	53.09	321.26	
P2	10/3/2010 9:45	38.92	33.28	0.14	38.84	53.02	53.09	321.26	
P2	10/3/2010 10:00	38.92	33.28	0.14	38.84	53.02	53.09	321.26	
P2	10/3/2010 10:15	38.92	33.28	0.14	38.85	53.01	53.08	321.27	
P2	10/3/2010 10:30	38.92	33.28	0.14	38.84	53.02	53.09	321.26	
P2	10/3/2010 10:45	38.92	33.28	0.14	38.85	53.01	53.08	321.27	
P2	10/3/2010 11:00	38.92	33.29	0.14	38.85	53.01	53.08	321.27	
P2	10/3/2010 11:15	38.92	33.29	0.14	38.85	53.01	53.08	321.27	
P2	10/3/2010 11:30	38.92	33.29	0.14	38.85	53.01	53.08	321.27	
P2	10/3/2010 11:45	38.92	33.29	0.14	38.85	53.01	53.08	321.27	
P2	10/3/2010 12:00	38.92	33.29	0.14	38.85	53.01	53.08	321.27	
P2	10/3/2010 12:15	38.92	33.29	0.14	38.85	53.01	53.08	321.27	
P2	10/3/2010 12:30	38.92	33.29	0.14	38.85	53.01	53.08	321.27	
P2	10/3/2010 12:45	38.92	33.29	0.14	38.84	53.02	53.09	321.26	
P2	10/3/2010 13:00	38.92	33.29	0.14	38.84	53.02	53.09	321.26	
P2	10/3/2010 13:15	38.92	33.29	0.14	38.84	53.02	53.09	321.26	
P2	10/3/2010 13:30	38.92	33.29	0.14	38.84	53.02	53.09	321.26	
P2	10/3/2010 13:45	38.92	33.29	0.14	38.84	53.02	53.09	321.26	
P2	10/3/2010 14:00	38.92	33.28	0.14	38.84	53.02	53.09	321.26	
P2	10/3/2010 14:15	38.91	33.28	0.14	38.84	53.02	53.09	321.26	
P2	10/3/2010 14:30	38.91	33.28	0.14	38.84	53.02	53.10	321.25	
P2	10/3/2010 14:45	38.91	33.28	0.14	38.84	53.02	53.09	321.26	
P2	10/3/2010 15:00	38.91	33.28	0.13	38.84	53.02	53.09	321.26	
P2	10/3/2010 15:15	38.91	33.28	0.13	38.84	53.02	53.09	321.26	
P2	10/3/2010 15:30	38.91	33.28	0.13	38.84	53.02	53.09	321.26	
P2	10/3/2010 15:45	38.91	33.28	0.13	38.84	53.02	53.09	321.26	
P2	10/3/2010 16:00	38.91	33.28	0.13	38.84	53.02	53.09	321.26	
P2	10/3/2010 16:15	38.90	33.27	0.13	38.84	53.03	53.09	321.26	
P2	10/3/2010 16:30	38.90	33.27	0.13	38.83	53.03	53.10	321.25	
P2	10/3/2010 16:45	38.90	33.27	0.13	38.83	53.03	53.10	321.25	
P2	10/3/2010 17:00	38.90	33.27	0.13	38.83	53.03	53.10	321.25	
P2	10/3/2010 17:15	38.90	33.27	0.12	38.84	53.03	53.10	321.25	
P2	10/3/2010 17:30	38.90	33.27	0.12	38.84	53.03	53.10	321.25	
P2	10/3/2010 17:45	38.90	33.27	0.13	38.83	53.03	53.10	321.25	
P2	10/3/2010 18:00	38.90	33.27	0.13	38.83	53.03	53.10	321.25	
P2	10/3/2010 18:15	38.90	33.28	0.13	38.83	53.03	53.10	321.25	
P2	10/3/2010 18:30	38.90	33.28	0.13	38.83	53.03	53.10	321.25	
P2	10/3/2010 18:45	38.90	33.28	0.14	38.83	53.03	53.10	321.25	
P2	10/3/2010 19:00	38.90	33.29	0.14	38.83	53.03	53.10	321.25	
P2	10/3/2010 19:15	38.90	33.29	0.14	38.83	53.03	53.11	321.24	
P2	10/3/2010 19:30	38.90	33.29	0.15	38.82	53.03	53.11	321.24	
P2	10/3/2010 19:45	38.90	33.29	0.15	38.83	53.03	53.11	321.24	
P2	10/3/2010 20:00	38.90	33.30	0.15	38.83	53.03	53.11	321.24	
P2	10/3/2010 20:15	38.90	33.30	0.15	38.82	53.03	53.11	321.24	
P2	10/3/2010 20:30	38.91	33.30	0.16	38.83	53.02	53.11	321.24	
P2	10/3/2010 20:45	38.91	33.31	0.16	38.82	53.02	53.11	321.24	
P2	10/3/2010 21:00	38.91	33.31	0.16	38.83	53.02	53.10	321.25	
P2	10/3/2010 21:15	38.91	33.31	0.17	38.83	53.02	53.11	321.24	
P2	10/3/2010 21:30	38.92	33.31	0.17	38.83	53.02	53.10	321.25	
P2	10/3/2010 21:45	38.92	33.32	0.17	38.83	53.02	53.11	321.24	
P2	10/3/2010 22:00	38.92	33.32	0.18	38.82	53.02	53.11	321.24	
P2	10/3/2010 22:15	38.92	33.33	0.18	38.83	53.01	53.11	321.24	
P2	10/3/2010 22:30	38.92	33.33	0.18	38.82	53.02	53.11	321.24	
P2	10/3/2010 22:45	38.92	33.33	0.19	38.82	53.01	53.11	321.24	
P2	10/3/2010 23:00	38.92	33.34	0.19	38.82	53.01	53.11	321.24	
P2	10/3/2010 23:15	38.92	33.34	0.19	38.82	53.01	53.11	321.24	
P2	10/3/2010 23:30	38.92	33.34	0.20	38.82	53.01	53.11	321.24	
P2	10/3/2010 23:45	38.92	33.35	0.20	38.82	53.01	53.11	321.24	
P2	10/4/2010 0:00	38.92	33.35	0.20	38.82	53.01	53.11	321.24	
P2	10/4/2010 0:15	38.92	33.35	0.21	38.82	53.01	53.12	321.23	
P2	10/4/2010 0:30	38.93	33.36	0.21	38.82	53.00	53.11	321.24	
P2	10/4/2010 0:45	38.93	33.36	0.22	38.82	53.00	53.12	321.23	
P2	10/4/2010 1:00	38.93	33.37	0.22	38.81	53.00	53.12	321.23	
P2	10/4/2010 1:15	38.93	33.37	0.22	38.81	53.00	53.12	321.23	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	10/4/2010 1:30	38.93	33.37	0.23	38.81	53.00	53.12	321.23	
P2	10/4/2010 1:45	38.93	33.38	0.23	38.81	53.00	53.12	321.23	
P2	10/4/2010 2:00	38.93	33.38	0.23	38.81	53.00	53.13	321.22	
P2	10/4/2010 2:15	38.93	33.38	0.24	38.81	53.00	53.12	321.23	
P2	10/4/2010 2:30	38.93	33.39	0.24	38.81	53.00	53.12	321.23	
P2	10/4/2010 2:45	38.94	33.39	0.24	38.81	53.00	53.12	321.23	
P2	10/4/2010 3:00	38.93	33.39	0.25	38.80	53.00	53.13	321.22	
P2	10/4/2010 3:15	38.93	33.40	0.25	38.80	53.00	53.13	321.22	
P2	10/4/2010 3:30	38.94	33.40	0.25	38.80	53.00	53.13	321.22	
P2	10/4/2010 3:45	38.93	33.40	0.26	38.80	53.00	53.13	321.22	
P2	10/4/2010 4:00	38.93	33.41	0.26	38.80	53.00	53.14	321.21	
P2	10/4/2010 4:15	38.93	33.41	0.26	38.79	53.00	53.14	321.21	
P2	10/4/2010 4:30	38.94	33.41	0.27	38.80	53.00	53.14	321.21	
P2	10/4/2010 4:45	38.94	33.42	0.27	38.79	53.00	53.14	321.21	
P2	10/4/2010 5:00	38.94	33.42	0.27	38.79	53.00	53.14	321.21	
P2	10/4/2010 5:15	38.94	33.42	0.28	38.79	53.00	53.14	321.21	
P2	10/4/2010 5:30	38.94	33.43	0.28	38.79	52.99	53.14	321.21	
P2	10/4/2010 5:45	38.94	33.43	0.28	38.79	52.99	53.14	321.21	
P2	10/4/2010 6:00	38.94	33.43	0.29	38.79	52.99	53.14	321.21	
P2	10/4/2010 6:15	38.94	33.44	0.29	38.79	52.99	53.15	321.20	
P2	10/4/2010 6:30	38.94	33.44	0.30	38.79	52.99	53.14	321.21	
P2	10/4/2010 6:45	38.94	33.45	0.30	38.79	52.99	53.15	321.20	
P2	10/4/2010 7:00	38.95	33.45	0.31	38.79	52.99	53.14	321.21	
P2	10/4/2010 7:15	38.95	33.46	0.31	38.79	52.99	53.15	321.20	
P2	10/4/2010 7:30	38.95	33.46	0.31	38.79	52.98	53.14	321.21	
P2	10/4/2010 7:45	38.95	33.46	0.32	38.79	52.98	53.15	321.20	
P2	10/4/2010 8:00	38.96	33.47	0.32	38.79	52.98	53.14	321.21	
P2	10/4/2010 8:15	38.96	33.47	0.33	38.79	52.98	53.15	321.20	
P2	10/4/2010 8:30	38.96	33.48	0.33	38.79	52.97	53.15	321.20	
P2	10/4/2010 8:45	38.96	33.48	0.34	38.79	52.97	53.14	321.21	
P2	10/4/2010 9:00	38.96	33.49	0.34	38.79	52.97	53.15	321.20	
P2	10/4/2010 9:15	38.97	33.49	0.34	38.79	52.97	53.14	321.21	
P2	10/4/2010 9:30	38.97	33.49	0.35	38.79	52.97	53.15	321.20	
P2	10/4/2010 9:45	38.97	33.49	0.35	38.79	52.96	53.14	321.21	
P2	10/4/2010 10:00	38.97	33.49	0.35	38.79	52.96	53.14	321.21	
P2	10/4/2010 10:15	38.98	33.49	0.35	38.79	52.96	53.14	321.21	
P2	10/4/2010 10:30	38.98	33.49	0.35	38.80	52.96	53.14	321.21	
P2	10/4/2010 10:45	38.98	33.49	0.35	38.80	52.95	53.13	321.22	
P2	10/4/2010 11:00	38.98	33.49	0.35	38.80	52.95	53.13	321.22	
P2	10/4/2010 11:15	38.98	33.49	0.34	38.80	52.95	53.13	321.22	
P2	10/4/2010 11:30	38.98	33.49	0.34	38.80	52.95	53.13	321.22	
P2	10/4/2010 11:45	38.98	33.49	0.34	38.80	52.95	53.13	321.22	
P2	10/4/2010 12:00	38.99	33.49	0.34	38.81	52.95	53.12	321.23	
P2	10/4/2010 12:15	38.99	33.49	0.34	38.81	52.95	53.12	321.23	
P2	10/4/2010 12:30	38.99	33.49	0.34	38.81	52.95	53.12	321.23	
P2	10/4/2010 12:45	38.99	33.49	0.34	38.81	52.94	53.12	321.23	
P2	10/4/2010 13:00	38.99	33.49	0.34	38.81	52.94	53.12	321.23	
P2	10/4/2010 13:15	38.99	33.49	0.34	38.81	52.94	53.12	321.23	
P2	10/4/2010 13:30	38.99	33.49	0.34	38.81	52.94	53.12	321.23	
P2	10/4/2010 13:45	38.99	33.49	0.34	38.81	52.94	53.12	321.23	
P2	10/4/2010 14:00	38.99	33.49	0.34	38.81	52.94	53.12	321.23	
P2	10/4/2010 14:15	38.99	33.49	0.34	38.81	52.94	53.12	321.23	
P2	10/4/2010 14:30	38.99	33.49	0.34	38.82	52.94	53.12	321.23	
P2	10/4/2010 14:45	38.99	33.49	0.34	38.82	52.94	53.12	321.23	
P2	10/4/2010 15:00	38.99	33.49	0.34	38.82	52.94	53.12	321.23	
P2	10/4/2010 15:15	38.99	33.49	0.34	38.82	52.94	53.12	321.23	
P2	10/4/2010 15:30	38.99	33.49	0.34	38.81	52.94	53.12	321.23	
P2	10/4/2010 15:45	38.99	33.49	0.35	38.81	52.94	53.12	321.23	
P2	10/4/2010 16:00	38.99	33.49	0.35	38.81	52.94	53.12	321.23	
P2	10/4/2010 16:15	39.00	33.49	0.35	38.82	52.93	53.11	321.24	
P2	10/4/2010 16:30	39.00	33.49	0.35	38.82	52.93	53.11	321.24	
P2	10/4/2010 16:45	39.00	33.49	0.35	38.82	52.93	53.11	321.24	
P2	10/4/2010 17:00	39.00	33.49	0.35	38.82	52.93	53.11	321.24	
P2	10/4/2010 17:15	39.00	33.49	0.35	38.82	52.93	53.11	321.24	
P2	10/4/2010 17:30	39.01	33.50	0.35	38.82	52.93	53.11	321.24	
P2	10/4/2010 17:45	39.00	33.50	0.35	38.82	52.93	53.11	321.24	
P2	10/4/2010 18:00	39.01	33.51	0.36	38.82	52.93	53.11	321.24	
P2	10/4/2010 18:15	39.01	33.51	0.37	38.82	52.92	53.11	321.24	
P2	10/4/2010 18:30	39.01	33.52	0.37	38.82	52.92	53.11	321.24	
P2	10/4/2010 18:45	39.01	33.52	0.38	38.82	52.92	53.11	321.24	
P2	10/4/2010 19:00	39.02	33.53	0.38	38.82	52.91	53.11	321.24	
P2	10/4/2010 19:15	39.02	33.53	0.39	38.82	52.91	53.12	321.23	
P2	10/4/2010 19:30	39.02	33.54	0.39	38.82	52.91	53.12	321.23	
P2	10/4/2010 19:45	39.02	33.54	0.40	38.81	52.91	53.12	321.23	
P2	10/4/2010 20:00	39.03	33.55	0.40	38.82	52.90	53.11	321.24	
P2	10/4/2010 20:15	39.03	33.56	0.41	38.82	52.90	53.12	321.23	
P2	10/4/2010 20:30	39.03	33.56	0.42	38.82	52.90	53.11	321.24	
P2	10/4/2010 20:45	39.04	33.57	0.42	38.82	52.89	53.11	321.24	
P2	10/4/2010 21:00	39.04	33.57	0.43	38.82	52.89	53.11	321.24	
P2	10/4/2010 21:15	39.05	33.58	0.43	38.82	52.89	53.11	321.24	
P2	10/4/2010 21:30	39.05	33.58	0.44	38.82	52.88	53.11	321.24	
P2	10/4/2010 21:45	39.05	33.59	0.44	38.82	52.88	53.11	321.24	
P2	10/4/2010 22:00	39.05	33.59	0.45	38.82	52.88	53.11	321.24	
P2	10/4/2010 22:15	39.06	33.60	0.45	38.82	52.88	53.11	321.24	
P2	10/4/2010 22:30	39.06	33.61	0.46	38.82	52.87	53.11	321.24	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	10/4/2010 22:45	39.06	33.61	0.46	38.82	52.87	53.11	321.24	
P2	10/4/2010 23:00	39.07	33.62	0.47	38.82	52.86	53.11	321.24	
P2	10/4/2010 23:15	39.07	33.62	0.48	38.82	52.86	53.11	321.24	
P2	10/4/2010 23:30	39.07	33.63	0.48	38.82	52.86	53.11	321.24	
P2	10/4/2010 23:45	39.08	33.63	0.49	38.82	52.86	53.11	321.24	
P2	10/5/2010 0:00	39.08	33.64	0.49	38.82	52.85	53.11	321.24	
P2	10/5/2010 0:15	39.08	33.64	0.50	38.82	52.85	53.11	321.24	
P2	10/5/2010 0:30	39.08	33.65	0.50	38.82	52.85	53.11	321.24	
P2	10/5/2010 0:45	39.08	33.66	0.51	38.82	52.85	53.11	321.24	
P2	10/5/2010 1:00	39.09	33.66	0.51	38.82	52.84	53.11	321.24	
P2	10/5/2010 1:15	39.09	33.67	0.52	38.82	52.84	53.11	321.24	
P2	10/5/2010 1:30	39.09	33.67	0.53	38.82	52.84	53.11	321.24	
P2	10/5/2010 1:45	39.09	33.68	0.53	38.81	52.84	53.12	321.23	
P2	10/5/2010 2:00	39.10	33.69	0.54	38.82	52.84	53.12	321.23	
P2	10/5/2010 2:15	39.10	33.69	0.55	38.81	52.84	53.12	321.23	
P2	10/5/2010 2:30	39.10	33.70	0.55	38.82	52.83	53.12	321.23	
P2	10/5/2010 2:45	39.10	33.71	0.56	38.81	52.83	53.12	321.23	
P2	10/5/2010 3:00	39.10	33.71	0.57	38.81	52.83	53.12	321.23	
P2	10/5/2010 3:15	39.11	33.72	0.57	38.81	52.83	53.12	321.23	
P2	10/5/2010 3:30	39.11	33.73	0.58	38.81	52.82	53.12	321.23	
P2	10/5/2010 3:45	39.12	33.73	0.59	38.81	52.82	53.12	321.23	
P2	10/5/2010 4:00	39.12	33.74	0.59	38.81	52.82	53.13	321.22	
P2	10/5/2010 4:15	39.12	33.75	0.60	38.81	52.81	53.13	321.22	
P2	10/5/2010 4:30	39.12	33.75	0.61	38.81	52.81	53.12	321.23	
P2	10/5/2010 4:45	39.13	33.76	0.61	38.81	52.81	53.12	321.23	
P2	10/5/2010 5:00	39.13	33.77	0.62	38.81	52.80	53.12	321.23	
P2	10/5/2010 5:15	39.14	33.77	0.63	38.81	52.80	53.12	321.23	
P2	10/5/2010 5:30	39.14	33.78	0.63	38.81	52.80	53.13	321.22	
P2	10/5/2010 5:45	39.14	33.79	0.64	38.81	52.79	53.13	321.22	
P2	10/5/2010 6:00	39.14	33.79	0.64	38.81	52.79	53.12	321.23	
P2	10/5/2010 6:15	39.14	33.80	0.65	38.81	52.79	53.13	321.22	
P2	10/5/2010 6:30	39.15	33.80	0.65	38.81	52.79	53.13	321.22	
P2	10/5/2010 6:45	39.15	33.81	0.66	38.80	52.79	53.13	321.22	
P2	10/5/2010 7:00	39.15	33.81	0.66	38.80	52.78	53.13	321.22	
P2	10/5/2010 7:15	39.15	33.82	0.67	38.81	52.78	53.13	321.22	
P2	10/5/2010 7:30	39.15	33.82	0.68	38.80	52.78	53.13	321.22	
P2	10/5/2010 7:45	39.15	33.83	0.68	38.80	52.78	53.13	321.22	
P2	10/5/2010 8:00	39.16	33.83	0.69	38.81	52.77	53.13	321.22	
P2	10/5/2010 8:15	39.17	33.84	0.69	38.81	52.77	53.13	321.22	
P2	10/5/2010 8:30	39.17	33.84	0.70	38.80	52.77	53.13	321.22	
P2	10/5/2010 8:45	39.17	33.85	0.70	38.81	52.76	53.13	321.22	
P2	10/5/2010 9:00	39.17	33.85	0.71	38.81	52.76	53.13	321.22	
P2	10/5/2010 9:15	39.18	33.86	0.71	38.81	52.75	53.12	321.23	
P2	10/5/2010 9:30	39.18	33.86	0.72	38.81	52.75	53.13	321.22	
P2	10/5/2010 9:45	39.19	33.86	0.71	38.82	52.75	53.12	321.23	
P2	10/5/2010 10:00	39.19	33.85	0.71	38.82	52.75	53.11	321.24	
P2	10/5/2010 10:15	39.19	33.85	0.70	38.82	52.74	53.11	321.24	
P2	10/5/2010 10:30	39.19	33.84	0.70	38.83	52.74	53.11	321.24	
P2	10/5/2010 10:45	39.19	33.84	0.69	38.83	52.74	53.10	321.25	
P2	10/5/2010 11:00	39.19	33.84	0.69	38.83	52.74	53.10	321.25	
P2	10/5/2010 11:15	39.19	33.83	0.69	38.84	52.74	53.10	321.25	
P2	10/5/2010 11:30	39.20	33.83	0.68	38.84	52.74	53.09	321.26	
P2	10/5/2010 11:45	39.20	33.82	0.68	38.84	52.74	53.09	321.26	
P2	10/5/2010 12:00	39.20	33.82	0.67	38.85	52.74	53.08	321.27	
P2	10/5/2010 12:15	39.20	33.81	0.67	38.85	52.74	53.08	321.27	
P2	10/5/2010 12:30	39.20	33.81	0.66	38.85	52.74	53.08	321.27	
P2	10/5/2010 12:45	39.20	33.81	0.66	38.85	52.74	53.08	321.27	
P2	10/5/2010 13:00	39.19	33.80	0.66	38.85	52.74	53.08	321.27	
P2	10/5/2010 13:15	39.19	33.80	0.65	38.85	52.74	53.08	321.27	
P2	10/5/2010 13:30	39.19	33.79	0.65	38.85	52.75	53.08	321.27	
P2	10/5/2010 13:45	39.19	33.79	0.64	38.85	52.75	53.08	321.27	
P2	10/5/2010 14:00	39.18	33.78	0.63	38.85	52.75	53.08	321.27	
P2	10/5/2010 14:15	39.17	33.77	0.63	38.85	52.76	53.08	321.27	
P2	10/5/2010 14:30	39.17	33.77	0.62	38.85	52.76	53.09	321.26	
P2	10/5/2010 14:45	39.17	33.76	0.62	38.85	52.77	53.09	321.26	
P2	10/5/2010 15:00	39.16	33.76	0.61	38.85	52.77	53.09	321.26	
P2	10/5/2010 15:15	39.16	33.75	0.60	38.84	52.77	53.09	321.26	
P2	10/5/2010 15:30	39.16	33.74	0.60	38.85	52.77	53.08	321.27	
P2	10/5/2010 15:45	39.15	33.74	0.59	38.85	52.78	53.08	321.27	
P2	10/5/2010 16:00	39.15	33.73	0.58	38.85	52.78	53.09	321.26	
P2	10/5/2010 16:15	39.15	33.72	0.58	38.85	52.78	53.08	321.27	
P2	10/5/2010 16:30	39.15	33.72	0.57	38.85	52.79	53.08	321.27	
P2	10/5/2010 16:45	39.15	33.71	0.57	38.85	52.79	53.08	321.27	
P2	10/5/2010 17:00	39.15	33.70	0.56	38.86	52.79	53.08	321.27	
P2	10/5/2010 17:15	39.14	33.70	0.55	38.86	52.79	53.08	321.27	
P2	10/5/2010 17:30	39.14	33.69	0.55	38.86	52.79	53.08	321.27	
P2	10/5/2010 17:45	39.14	33.69	0.55	38.86	52.79	53.08	321.27	
P2	10/5/2010 18:00	39.14	33.69	0.54	38.86	52.79	53.08	321.27	
P2	10/5/2010 18:15	39.14	33.69	0.54	38.85	52.80	53.08	321.27	
P2	10/5/2010 18:30	39.14	33.69	0.54	38.85	52.80	53.08	321.27	
P2	10/5/2010 18:45	39.14	33.69	0.54	38.85	52.80	53.08	321.27	
P2	10/5/2010 19:00	39.14	33.69	0.54	38.85	52.80	53.08	321.27	
P2	10/5/2010 19:15	39.13	33.69	0.54	38.85	52.80	53.08	321.27	
P2	10/5/2010 19:30	39.13	33.68	0.54	38.85	52.80	53.08	321.27	
P2	10/5/2010 19:45	39.13	33.68	0.54	38.85	52.80	53.08	321.27	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	10/5/2010 20:00	39.13	33.68	0.54	38.85	52.81	53.08	321.27	
P2	10/5/2010 20:15	39.12	33.68	0.54	38.84	52.81	53.09	321.26	
P2	10/5/2010 20:30	39.12	33.68	0.53	38.85	52.81	53.09	321.26	
P2	10/5/2010 20:45	39.12	33.68	0.53	38.84	52.81	53.09	321.26	
P2	10/5/2010 21:00	39.12	33.68	0.53	38.84	52.81	53.09	321.26	
P2	10/5/2010 21:15	39.12	33.68	0.53	38.84	52.81	53.09	321.26	
P2	10/5/2010 21:30	39.12	33.68	0.53	38.84	52.82	53.09	321.26	
P2	10/5/2010 21:45	39.12	33.67	0.53	38.84	52.82	53.09	321.26	
P2	10/5/2010 22:00	39.11	33.67	0.53	38.84	52.82	53.09	321.26	
P2	10/5/2010 22:15	39.11	33.67	0.52	38.83	52.83	53.10	321.25	
P2	10/5/2010 22:30	39.11	33.67	0.52	38.84	52.83	53.10	321.25	
P2	10/5/2010 22:45	39.10	33.66	0.52	38.83	52.83	53.10	321.25	
P2	10/5/2010 23:00	39.10	33.66	0.52	38.83	52.83	53.10	321.25	
P2	10/5/2010 23:15	39.10	33.66	0.51	38.83	52.83	53.10	321.25	
P2	10/5/2010 23:30	39.10	33.66	0.51	38.83	52.84	53.10	321.25	
P2	10/5/2010 23:45	39.09	33.66	0.51	38.83	52.84	53.11	321.24	
P2	10/6/2010 0:00	39.10	33.65	0.51	38.83	52.84	53.10	321.25	
P2	10/6/2010 0:15	39.09	33.65	0.51	38.83	52.84	53.10	321.25	
P2	10/6/2010 0:30	39.08	33.65	0.50	38.82	52.85	53.11	321.24	
P2	10/6/2010 0:45	39.08	33.65	0.50	38.82	52.85	53.11	321.24	
P2	10/6/2010 1:00	39.08	33.64	0.50	38.82	52.85	53.11	321.24	
P2	10/6/2010 1:15	39.08	33.64	0.50	38.82	52.86	53.11	321.24	
P2	10/6/2010 1:30	39.07	33.64	0.49	38.82	52.86	53.12	321.23	
P2	10/6/2010 1:45	39.07	33.64	0.49	38.81	52.86	53.12	321.23	
P2	10/6/2010 2:00	39.06	33.64	0.49	38.81	52.87	53.12	321.23	
P2	10/6/2010 2:15	39.06	33.63	0.49	38.81	52.87	53.12	321.23	
P2	10/6/2010 2:30	39.05	33.63	0.49	38.80	52.88	53.13	321.22	
P2	10/6/2010 2:45	39.05	33.63	0.48	38.80	52.88	53.13	321.22	
P2	10/6/2010 3:00	39.05	33.63	0.48	38.80	52.88	53.13	321.22	
P2	10/6/2010 3:15	39.05	33.62	0.48	38.80	52.89	53.14	321.21	
P2	10/6/2010 3:30	39.04	33.62	0.48	38.79	52.89	53.14	321.21	
P2	10/6/2010 3:45	39.04	33.62	0.47	38.79	52.90	53.14	321.21	
P2	10/6/2010 4:00	39.03	33.62	0.47	38.79	52.90	53.14	321.21	
P2	10/6/2010 4:15	39.03	33.62	0.47	38.78	52.90	53.15	321.20	
P2	10/6/2010 4:30	39.03	33.61	0.47	38.79	52.90	53.15	321.20	
P2	10/6/2010 4:45	39.03	33.61	0.46	38.78	52.91	53.15	321.20	
P2	10/6/2010 5:00	39.02	33.61	0.46	38.78	52.91	53.15	321.20	
P2	10/6/2010 5:15	39.02	33.61	0.46	38.78	52.91	53.15	321.20	
P2	10/6/2010 5:30	39.01	33.60	0.46	38.78	52.92	53.16	321.19	
P2	10/6/2010 5:45	39.01	33.60	0.45	38.78	52.92	53.15	321.20	
P2	10/6/2010 6:00	39.01	33.59	0.45	38.78	52.92	53.15	321.20	
P2	10/6/2010 6:15	39.01	33.59	0.44	38.78	52.92	53.15	321.20	
P2	10/6/2010 6:30	39.01	33.58	0.44	38.78	52.93	53.15	321.20	
P2	10/6/2010 6:45	39.00	33.58	0.43	38.78	52.93	53.16	321.19	
P2	10/6/2010 7:00	39.00	33.57	0.43	38.78	52.93	53.16	321.19	
P2	10/6/2010 7:15	38.99	33.57	0.42	38.77	52.94	53.16	321.19	
P2	10/6/2010 7:30	38.99	33.56	0.42	38.77	52.94	53.16	321.19	
P2	10/6/2010 7:45	38.99	33.56	0.41	38.77	52.95	53.16	321.19	
P2	10/6/2010 8:00	38.98	33.55	0.41	38.77	52.95	53.16	321.19	
P2	10/6/2010 8:15	38.98	33.55	0.40	38.77	52.95	53.16	321.19	
P2	10/6/2010 8:30	38.98	33.54	0.40	38.77	52.95	53.16	321.19	
P2	10/6/2010 8:45	39.04	33.54	0.39	38.84	52.89	53.09	321.26	
P2	10/6/2010 9:00	39.04	33.53	0.39	38.84	52.89	53.09	321.26	
P2	10/6/2010 9:15	39.04	33.53	0.38	38.84	52.90	53.09	321.26	
P2	10/6/2010 9:30	39.04	33.52	0.38	38.84	52.90	53.09	321.26	
P2	10/6/2010 9:45	39.03	33.51	0.37	38.84	52.90	53.09	321.26	
P2	10/6/2010 10:00	39.03	33.50	0.36	38.85	52.90	53.08	321.27	
P2	10/6/2010 10:15	39.03	33.49	0.35	38.85	52.91	53.09	321.26	
P2	10/6/2010 10:30	39.03	33.48	0.33	38.85	52.91	53.08	321.27	
P2	10/6/2010 10:45	39.02	33.47	0.32	38.85	52.91	53.08	321.27	
P2	10/6/2010 11:00	39.02	33.46	0.31	38.86	52.91	53.08	321.27	
P2	10/6/2010 11:15	39.01	33.45	0.30	38.86	52.92	53.08	321.27	
P2	10/6/2010 11:30	39.01	33.44	0.29	38.86	52.92	53.07	321.28	
P2	10/6/2010 11:45	39.01	33.43	0.28	38.86	52.93	53.07	321.28	
P2	10/6/2010 12:00	39.00	33.42	0.27	38.86	52.93	53.07	321.28	
P2	10/6/2010 12:15	39.00	33.40	0.26	38.86	52.93	53.07	321.28	
P2	10/6/2010 12:30	38.99	33.39	0.25	38.87	52.94	53.07	321.28	
P2	10/6/2010 12:45	38.99	33.38	0.24	38.86	52.95	53.07	321.28	
P2	10/6/2010 13:00	38.98	33.37	0.23	38.86	52.95	53.07	321.28	
P2	10/6/2010 13:15	38.98	33.36	0.22	38.86	52.96	53.07	321.28	
P2	10/6/2010 13:30	38.97	33.35	0.20	38.86	52.96	53.07	321.28	
P2	10/6/2010 13:45	38.96	33.34	0.19	38.86	52.97	53.07	321.28	
P2	10/6/2010 14:00	38.96	33.33	0.18	38.86	52.98	53.07	321.28	
P2	10/6/2010 14:15	38.95	33.32	0.17	38.86	52.99	53.07	321.28	
P2	10/6/2010 14:30	38.94	33.31	0.16	38.85	52.99	53.08	321.27	
P2	10/6/2010 14:45	38.93	33.30	0.15	38.85	53.00	53.08	321.27	
P2	10/6/2010 15:00	38.92	33.29	0.14	38.85	53.01	53.08	321.27	
P2	10/6/2010 15:15	38.92	33.28	0.13	38.85	53.02	53.08	321.27	
P2	10/6/2010 15:30	38.91	33.27	0.12	38.85	53.02	53.09	321.26	
P2	10/6/2010 15:45	38.90	33.25	0.11	38.85	53.03	53.08	321.27	
P2	10/6/2010 16:00	38.90	33.24	0.10	38.85	53.03	53.08	321.27	
P2	10/6/2010 16:15	38.89	33.23	0.09	38.85	53.04	53.09	321.26	
P2	10/6/2010 16:30	38.89	33.22	0.08	38.85	53.04	53.08	321.27	
P2	10/6/2010 16:45	38.89	33.21	0.07	38.85	53.05	53.08	321.27	
P2	10/6/2010 17:00	38.88	33.20	0.06	38.85	53.05	53.08	321.27	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	10/6/2010 17:15	38.88	33.19	0.04	38.85	53.06	53.08	321.27	
P2	10/6/2010 17:30	38.87	33.18	0.03	38.86	53.06	53.08	321.27	
P2	10/6/2010 17:45	38.87	33.18	0.04	38.85	53.07	53.09	321.26	
P2	10/6/2010 18:00	38.86	33.18	0.04	38.84	53.07	53.09	321.26	
P2	10/6/2010 18:15	38.86	33.18	0.04	38.84	53.07	53.09	321.26	
P2	10/6/2010 18:30	38.86	33.19	0.04	38.84	53.08	53.10	321.25	
P2	10/6/2010 18:45	38.85	33.19	0.04	38.83	53.08	53.10	321.25	
P2	10/6/2010 19:00	38.85	33.19	0.04	38.83	53.08	53.10	321.25	
P2	10/6/2010 19:15	38.85	33.19	0.04	38.83	53.08	53.11	321.24	
P2	10/6/2010 19:30	38.85	33.19	0.04	38.83	53.08	53.11	321.24	
P2	10/6/2010 19:45	38.85	33.19	0.05	38.83	53.08	53.11	321.24	
P2	10/6/2010 20:00	38.85	33.19	0.05	38.82	53.08	53.11	321.24	
P2	10/6/2010 20:15	38.85	33.19	0.05	38.82	53.08	53.11	321.24	
P2	10/6/2010 20:30	38.85	33.20	0.05	38.82	53.08	53.11	321.24	
P2	10/6/2010 20:45	38.85	33.20	0.05	38.82	53.08	53.11	321.24	
P2	10/6/2010 21:00	38.85	33.20	0.05	38.83	53.08	53.11	321.24	
P2	10/6/2010 21:15	38.85	33.20	0.05	38.83	53.08	53.11	321.24	
P2	10/6/2010 21:30	38.85	33.20	0.06	38.82	53.08	53.11	321.24	
P2	10/6/2010 21:45	38.85	33.20	0.06	38.82	53.08	53.11	321.24	
P2	10/6/2010 22:00	38.85	33.20	0.06	38.82	53.08	53.11	321.24	
P2	10/6/2010 22:15	38.85	33.20	0.06	38.82	53.08	53.11	321.24	
P2	10/6/2010 22:30	38.85	33.21	0.06	38.82	53.08	53.11	321.24	
P2	10/6/2010 22:45	38.85	33.21	0.06	38.82	53.08	53.11	321.24	
P2	10/6/2010 23:00	38.85	33.21	0.06	38.82	53.08	53.12	321.23	
P2	10/6/2010 23:15	38.85	33.21	0.06	38.82	53.08	53.12	321.23	
P2	10/6/2010 23:30	38.85	33.21	0.06	38.82	53.08	53.12	321.23	
P2	10/6/2010 23:45	38.85	33.21	0.07	38.82	53.08	53.12	321.23	
P2	10/7/2010 0:00	38.85	33.21	0.07	38.81	53.08	53.12	321.23	
P2	10/7/2010 0:15	38.85	33.21	0.07	38.81	53.09	53.12	321.23	
P2	10/7/2010 0:30	38.85	33.21	0.07	38.81	53.09	53.12	321.23	
P2	10/7/2010 0:45	38.85	33.22	0.07	38.81	53.09	53.12	321.23	
P2	10/7/2010 1:00	38.85	33.22	0.07	38.81	53.09	53.12	321.23	
P2	10/7/2010 1:15	38.85	33.22	0.07	38.81	53.09	53.12	321.23	
P2	10/7/2010 1:30	38.85	33.22	0.07	38.81	53.09	53.12	321.23	
P2	10/7/2010 1:45	38.85	33.22	0.08	38.81	53.09	53.13	321.22	
P2	10/7/2010 2:00	38.85	33.22	0.08	38.81	53.09	53.13	321.22	
P2	10/7/2010 2:15	38.85	33.23	0.08	38.80	53.09	53.13	321.22	
P2	10/7/2010 2:30	38.85	33.23	0.08	38.80	53.09	53.13	321.22	
P2	10/7/2010 2:45	38.85	33.23	0.08	38.80	53.09	53.13	321.22	
P2	10/7/2010 3:00	38.85	33.23	0.09	38.80	53.09	53.13	321.22	
P2	10/7/2010 3:15	38.85	33.23	0.09	38.80	53.09	53.13	321.22	
P2	10/7/2010 3:30	38.85	33.24	0.09	38.80	53.09	53.13	321.22	
P2	10/7/2010 3:45	38.85	33.24	0.09	38.80	53.09	53.13	321.22	
P2	10/7/2010 4:00	38.84	33.24	0.10	38.79	53.09	53.14	321.21	
P2	10/7/2010 4:15	38.84	33.24	0.10	38.79	53.09	53.14	321.21	
P2	10/7/2010 4:30	38.84	33.25	0.10	38.79	53.09	53.14	321.21	
P2	10/7/2010 4:45	38.84	33.25	0.10	38.79	53.09	53.14	321.21	
P2	10/7/2010 5:00	38.84	33.25	0.10	38.79	53.09	53.14	321.21	
P2	10/7/2010 5:15	38.85	33.25	0.11	38.79	53.09	53.14	321.21	
P2	10/7/2010 5:30	38.85	33.26	0.11	38.79	53.09	53.14	321.21	
P2	10/7/2010 5:45	38.84	33.26	0.11	38.78	53.09	53.15	321.20	
P2	10/7/2010 6:00	38.85	33.26	0.11	38.79	53.09	53.14	321.21	
P2	10/7/2010 6:15	38.85	33.26	0.12	38.79	53.08	53.14	321.21	
P2	10/7/2010 6:30	38.85	33.26	0.12	38.79	53.08	53.14	321.21	
P2	10/7/2010 6:45	38.85	33.27	0.12	38.79	53.08	53.15	321.20	
P2	10/7/2010 7:00	38.85	33.27	0.12	38.79	53.08	53.15	321.20	
P2	10/7/2010 7:15	38.85	33.27	0.12	38.78	53.08	53.15	321.20	
P2	10/7/2010 7:30	38.85	33.27	0.13	38.78	53.08	53.15	321.20	
P2	10/7/2010 7:45	38.85	33.27	0.13	38.79	53.08	53.15	321.20	
P2	10/7/2010 8:00	38.85	33.28	0.13	38.79	53.08	53.15	321.20	
P2	10/7/2010 8:15	38.86	33.28	0.13	38.79	53.08	53.14	321.21	
P2	10/7/2010 8:30	38.86	33.28	0.13	38.79	53.08	53.14	321.21	
P2	10/7/2010 8:45	38.86	33.28	0.14	38.79	53.08	53.15	321.20	
P2	10/7/2010 9:00	38.86	33.28	0.14	38.79	53.08	53.15	321.20	
P2	10/7/2010 9:15	38.86	33.29	0.14	38.79	53.07	53.14	321.21	
P2	10/7/2010 9:30	38.86	33.29	0.14	38.79	53.07	53.14	321.21	
P2	10/7/2010 9:45	38.87	33.29	0.14	38.79	53.06	53.14	321.21	
P2	10/7/2010 10:00		33.29	0.14					
P2	10/7/2010 10:15	38.90	33.29	0.15	38.82	53.03	53.11	321.24	
P2	10/7/2010 10:30	38.90	33.29	0.15	38.83	53.03	53.10	321.25	
P2	10/7/2010 10:45	38.90	33.29	0.15	38.83	53.03	53.11	321.24	
P2	10/7/2010 11:00	38.90	33.30	0.15	38.83	53.03	53.11	321.24	
P2	10/7/2010 11:15	38.90	33.30	0.15	38.83	53.03	53.11	321.24	
P2	10/7/2010 11:30	38.90	33.30	0.15	38.82	53.03	53.11	321.24	
P2	10/7/2010 11:45	38.91	33.30	0.15	38.83	53.02	53.10	321.25	
P2	10/7/2010 12:00	38.91	33.30	0.16	38.83	53.02	53.11	321.24	
P2	10/7/2010 12:15	38.91	33.30	0.16	38.83	53.02	53.11	321.24	
P2	10/7/2010 12:30	38.91	33.30	0.16	38.83	53.02	53.10	321.25	
P2	10/7/2010 12:45	38.91	33.31	0.16	38.83	53.02	53.10	321.25	
P2	10/7/2010 13:00	38.91	33.31	0.16	38.83	53.02	53.10	321.25	
P2	10/7/2010 13:15	38.92	33.31	0.16	38.83	53.02	53.10	321.25	
P2	10/7/2010 13:30	38.92	33.31	0.16	38.83	53.02	53.10	321.25	
P2	10/7/2010 13:45		33.32	0.17					
P2	10/7/2010 14:00	38.90	33.32	0.17	38.81	53.04	53.13	321.22	
P2	10/7/2010 14:15	38.90	33.33	0.18	38.80	53.04	53.13	321.22	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	10/7/2010 14:30	38.90	33.33	0.19	38.80	53.03	53.13	321.22	
P2	10/7/2010 14:45	38.90	33.33	0.19	38.80	53.03	53.13	321.22	
P2	10/7/2010 15:00	38.90	33.34	0.19	38.81	53.03	53.13	321.22	
P2	10/7/2010 15:15	38.90	33.34	0.19	38.80	53.03	53.13	321.22	
P2	10/7/2010 15:30	38.90	33.34	0.19	38.80	53.03	53.13	321.22	
P2	10/7/2010 15:45	38.90	33.35	0.20	38.80	53.03	53.13	321.22	
P2	10/7/2010 16:00	38.91	33.35	0.20	38.80	53.02	53.13	321.22	
P2	10/7/2010 16:15	38.91	33.35	0.20	38.81	53.02	53.13	321.22	
P2	10/7/2010 16:30	38.91	33.35	0.20	38.80	53.02	53.13	321.22	
P2	10/7/2010 16:45	38.91	33.35	0.21	38.81	53.02	53.13	321.22	
P2	10/7/2010 17:00	38.91	33.35	0.21	38.81	53.02	53.13	321.22	
P2	10/7/2010 17:15	38.91	33.36	0.21	38.80	53.02	53.13	321.22	
P2	10/7/2010 17:30	38.91	33.35	0.20	38.81	53.02	53.13	321.22	
P2	10/7/2010 17:45	38.91	33.35	0.21	38.80	53.02	53.13	321.22	
P2	10/7/2010 18:00	38.92	33.36	0.21	38.81	53.02	53.13	321.22	
P2	10/7/2010 18:15	38.92	33.36	0.21	38.81	53.02	53.13	321.22	
P2	10/7/2010 18:30	38.92	33.36	0.22	38.81	53.01	53.12	321.23	
P2	10/7/2010 18:45	38.92	33.37	0.22	38.80	53.02	53.13	321.22	
P2	10/7/2010 19:00	38.92	33.37	0.23	38.80	53.01	53.13	321.22	
P2	10/7/2010 19:15	38.92	33.38	0.23	38.80	53.01	53.13	321.22	
P2	10/7/2010 19:30	38.92	33.38	0.23	38.80	53.01	53.13	321.22	
P2	10/7/2010 19:45	38.92	33.38	0.24	38.80	53.01	53.13	321.22	
P2	10/7/2010 20:00	38.93	33.39	0.24	38.81	53.00	53.12	321.23	
P2	10/7/2010 20:15	38.94	33.39	0.24	38.81	53.00	53.12	321.23	
P2	10/7/2010 20:30	38.94	33.39	0.24	38.81	53.00	53.12	321.23	
P2	10/7/2010 20:45	38.94	33.39	0.25	38.81	53.00	53.13	321.22	
P2	10/7/2010 21:00	38.94	33.39	0.25	38.81	53.00	53.13	321.22	
P2	10/7/2010 21:15	38.94	33.40	0.25	38.81	52.99	53.12	321.23	
P2	10/7/2010 21:30	38.94	33.40	0.25	38.81	52.99	53.12	321.23	
P2	10/7/2010 21:45	38.94	33.40	0.26	38.81	52.99	53.12	321.23	
P2	10/7/2010 22:00	38.94	33.41	0.26	38.81	52.99	53.12	321.23	
P2	10/7/2010 22:15	38.94	33.41	0.26	38.81	52.99	53.12	321.23	
P2	10/7/2010 22:30	38.94	33.40	0.26	38.81	52.99	53.12	321.23	
P2	10/7/2010 22:45	38.94	33.41	0.26	38.81	52.99	53.12	321.23	
P2	10/7/2010 23:00	38.94	33.40	0.26	38.81	52.99	53.12	321.23	
P2	10/7/2010 23:15	38.94	33.40	0.26	38.80	52.99	53.13	321.22	
P2	10/7/2010 23:30	38.94	33.40	0.26	38.81	52.99	53.13	321.22	
P2	10/7/2010 23:45	38.94	33.40	0.26	38.81	52.99	53.13	321.22	
P2	10/8/2010 0:00	38.94	33.40	0.26	38.81	52.99	53.13	321.22	
P2	10/8/2010 0:15	38.94	33.40	0.26	38.81	52.99	53.13	321.22	
P2	10/8/2010 0:30	38.94	33.40	0.26	38.80	52.99	53.13	321.22	
P2	10/8/2010 0:45	38.94	33.40	0.26	38.80	52.99	53.13	321.22	
P2	10/8/2010 1:00	38.94	33.40	0.26	38.81	52.99	53.13	321.22	
P2	10/8/2010 1:15	38.94	33.40	0.26	38.81	52.99	53.13	321.22	
P2	10/8/2010 1:30	38.94	33.40	0.25	38.80	53.00	53.13	321.22	
P2	10/8/2010 1:45	38.94	33.40	0.26	38.80	53.00	53.13	321.22	
P2	10/8/2010 2:00	38.94	33.41	0.26	38.80	52.99	53.13	321.22	
P2	10/8/2010 2:15	38.94	33.40	0.26	38.80	53.00	53.13	321.22	
P2	10/8/2010 2:30	38.94	33.41	0.26	38.80	53.00	53.13	321.22	
P2	10/8/2010 2:45	38.94	33.41	0.26	38.80	53.00	53.13	321.22	
P2	10/8/2010 3:00	38.94	33.41	0.26	38.80	52.99	53.13	321.22	
P2	10/8/2010 3:15	38.94	33.41	0.26	38.80	52.99	53.13	321.22	
P2	10/8/2010 3:30	38.94	33.41	0.27	38.80	53.00	53.13	321.22	
P2	10/8/2010 3:45	38.94	33.41	0.27	38.80	52.99	53.13	321.22	
P2	10/8/2010 4:00	38.94	33.41	0.26	38.80	52.99	53.13	321.22	
P2	10/8/2010 4:15	38.94	33.40	0.26	38.80	53.00	53.13	321.22	
P2	10/8/2010 4:30	38.94	33.40	0.26	38.80	53.00	53.13	321.22	
P2	10/8/2010 4:45	38.93	33.40	0.26	38.80	53.00	53.13	321.22	
P2	10/8/2010 5:00	38.93	33.41	0.26	38.80	53.00	53.14	321.21	
P2	10/8/2010 5:15	38.93	33.41	0.26	38.80	53.00	53.14	321.21	
P2	10/8/2010 5:30	38.93	33.41	0.26	38.80	53.00	53.14	321.21	
P2	10/8/2010 5:45	38.93	33.41	0.26	38.80	53.00	53.14	321.21	
P2	10/8/2010 6:00	38.93	33.41	0.26	38.80	53.00	53.14	321.21	
P2	10/8/2010 6:15	38.93	33.41	0.26	38.80	53.00	53.13	321.22	
P2	10/8/2010 6:30	38.93	33.40	0.26	38.80	53.00	53.13	321.22	
P2	10/8/2010 6:45	38.93	33.40	0.26	38.79	53.00	53.14	321.21	
P2	10/8/2010 7:00	38.93	33.40	0.26	38.80	53.00	53.14	321.21	
P2	10/8/2010 7:15	38.93	33.41	0.26	38.79	53.00	53.14	321.21	
P2	10/8/2010 7:30	38.93	33.41	0.26	38.79	53.00	53.14	321.21	
P2	10/8/2010 7:45	38.93	33.41	0.26	38.79	53.00	53.14	321.21	
P2	10/8/2010 8:00	38.93	33.41	0.27	38.79	53.00	53.14	321.21	
P2	10/8/2010 8:15	38.93	33.41	0.27	38.79	53.00	53.14	321.21	
P2	10/8/2010 8:30	38.93	33.42	0.27	38.79	53.00	53.14	321.21	
P2	10/8/2010 8:45		33.42	0.27					
P2	10/8/2010 9:00	38.94	33.43	0.28	38.80	52.99	53.13	321.22	
P2	10/8/2010 9:15	38.94	33.43	0.28	38.80	52.99	53.13	321.22	
P2	10/8/2010 9:30	38.95	33.43	0.28	38.80	52.99	53.13	321.22	
P2	10/8/2010 9:45	38.95	33.43	0.28	38.80	52.99	53.13	321.22	
P2	10/8/2010 10:00	38.95	33.43	0.28	38.80	52.99	53.13	321.22	
P2	10/8/2010 10:15	38.95	33.43	0.28	38.80	52.99	53.13	321.22	
P2	10/8/2010 10:30	38.95	33.43	0.29	38.80	52.99	53.13	321.22	
P2	10/8/2010 10:45	38.95	33.44	0.29	38.80	52.98	53.13	321.22	
P2	10/8/2010 11:00	38.95	33.44	0.29	38.80	52.98	53.13	321.22	
P2	10/8/2010 11:15	38.95	33.44	0.29	38.80	52.98	53.13	321.22	
P2	10/8/2010 11:30	38.95	33.43	0.28	38.80	52.99	53.13	321.22	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	10/8/2010 11:45	38.95	33.43	0.28	38.80	52.99	53.13	321.22	
P2	10/8/2010 12:00	38.95	33.43	0.28	38.80	52.99	53.13	321.22	
P2	10/8/2010 12:15	38.94	33.42	0.27	38.80	52.99	53.13	321.22	
P2	10/8/2010 12:30	38.94	33.41	0.27	38.80	52.99	53.13	321.22	
P2	10/8/2010 12:45	38.94	33.41	0.26	38.80	52.99	53.13	321.22	
P2	10/8/2010 13:00	38.94	33.41	0.26	38.80	52.99	53.13	321.22	
P2	10/8/2010 13:15	38.94	33.40	0.26	38.80	53.00	53.13	321.22	
P2	10/8/2010 13:30	38.93	33.40	0.25	38.80	53.00	53.13	321.22	
P2	10/8/2010 13:45	38.93	33.39	0.25	38.80	53.00	53.13	321.22	
P2	10/8/2010 14:00	38.93	33.38	0.24	38.81	53.00	53.13	321.22	
P2	10/8/2010 14:15	38.92	33.37	0.23	38.80	53.01	53.13	321.22	
P2	10/8/2010 14:30	38.92	33.37	0.22	38.80	53.02	53.13	321.22	
P2	10/8/2010 14:45	38.91	33.36	0.22	38.80	53.02	53.13	321.22	
P2	10/8/2010 15:00	38.91	33.36	0.21	38.80	53.02	53.13	321.22	
P2	10/8/2010 15:15	38.91	33.36	0.22	38.80	53.02	53.14	321.21	
P2	10/8/2010 15:30	38.91	33.36	0.22	38.80	53.02	53.14	321.21	
P2	10/8/2010 15:45	38.90	33.36	0.22	38.79	53.03	53.14	321.21	
P2	10/8/2010 16:00	38.90	33.36	0.21	38.79	53.03	53.14	321.21	
P2	10/8/2010 16:15	38.91	33.35	0.20	38.80	53.02	53.13	321.22	
P2	10/8/2010 16:30	38.91	33.35	0.21	38.80	53.02	53.13	321.22	
P2	10/8/2010 16:45	38.90	33.35	0.20	38.80	53.03	53.13	321.22	
P2	10/8/2010 17:00	38.90	33.35	0.21	38.80	53.03	53.14	321.21	
P2	10/8/2010 17:15	38.90	33.34	0.20	38.80	53.03	53.13	321.22	
P2	10/8/2010 17:30	38.90	33.34	0.20	38.80	53.03	53.13	321.22	
P2	10/8/2010 17:45	38.90	33.33	0.19	38.80	53.03	53.13	321.22	
P2	10/8/2010 18:00	38.90	33.34	0.19	38.80	53.04	53.14	321.21	
P2	10/8/2010 18:15	38.90	33.34	0.19	38.80	53.04	53.13	321.22	
P2	10/8/2010 18:30	38.90	33.34	0.20	38.79	53.04	53.14	321.21	
P2	10/8/2010 18:45	38.90	33.34	0.20	38.79	53.04	53.14	321.21	
P2	10/8/2010 19:00	38.89	33.33	0.19	38.79	53.04	53.14	321.21	
P2	10/8/2010 19:15	38.89	33.33	0.19	38.79	53.04	53.14	321.21	
P2	10/8/2010 19:30	38.89	33.33	0.19	38.79	53.04	53.14	321.21	
P2	10/8/2010 19:45	38.89	33.33	0.18	38.79	53.04	53.14	321.21	
P2	10/8/2010 20:00	38.89	33.33	0.18	38.79	53.05	53.14	321.21	
P2	10/8/2010 20:15	38.89	33.32	0.18	38.79	53.05	53.14	321.21	
P2	10/8/2010 20:30	38.88	33.32	0.17	38.79	53.05	53.14	321.21	
P2	10/8/2010 20:45	38.88	33.31	0.17	38.79	53.06	53.14	321.21	
P2	10/8/2010 21:00	38.87	33.31	0.17	38.79	53.06	53.15	321.20	
P2	10/8/2010 21:15	38.88	33.31	0.16	38.79	53.06	53.14	321.21	
P2	10/8/2010 21:30	38.87	33.30	0.16	38.79	53.06	53.14	321.21	
P2	10/8/2010 21:45	38.87	33.32	0.17	38.78	53.06	53.15	321.20	
P2	10/8/2010 22:00	38.87	33.32	0.17	38.78	53.06	53.15	321.20	
P2	10/8/2010 22:15	38.87	33.32	0.17	38.78	53.06	53.15	321.20	
P2	10/8/2010 22:30	38.87	33.33	0.18	38.78	53.06	53.15	321.20	
P2	10/8/2010 22:45	38.87	33.33	0.19	38.78	53.06	53.16	321.19	
P2	10/8/2010 23:00	38.87	33.33	0.19	38.78	53.06	53.16	321.19	
P2	10/8/2010 23:15	38.87	33.33	0.18	38.78	53.06	53.15	321.20	
P2	10/8/2010 23:30	38.87	33.33	0.19	38.78	53.06	53.16	321.19	
P2	10/8/2010 23:45	38.87	33.33	0.18	38.78	53.06	53.15	321.20	
P2	10/9/2010 0:00	38.87	33.33	0.19	38.78	53.06	53.16	321.19	
P2	10/9/2010 0:15	38.87	33.34	0.19	38.77	53.06	53.16	321.19	
P2	10/9/2010 0:30	38.88	33.34	0.19	38.78	53.06	53.16	321.19	
P2	10/9/2010 0:45	38.87	33.34	0.20	38.77	53.06	53.16	321.19	
P2	10/9/2010 1:00	38.88	33.35	0.20	38.77	53.06	53.16	321.19	
P2	10/9/2010 1:15	38.88	33.34	0.19	38.78	53.06	53.16	321.19	
P2	10/9/2010 1:30	38.88	33.35	0.20	38.77	53.06	53.16	321.19	
P2	10/9/2010 1:45	38.88	33.35	0.21	38.77	53.06	53.16	321.19	
P2	10/9/2010 2:00	38.88	33.36	0.21	38.77	53.05	53.16	321.19	
P2	10/9/2010 2:15	38.88	33.36	0.21	38.77	53.05	53.16	321.19	
P2	10/9/2010 2:30	38.89	33.37	0.22	38.77	53.05	53.16	321.19	
P2	10/9/2010 2:45	38.89	33.37	0.22	38.77	53.05	53.16	321.19	
P2	10/9/2010 3:00	38.89	33.37	0.22	38.77	53.04	53.16	321.19	
P2	10/9/2010 3:15	38.89	33.36	0.22	38.77	53.05	53.16	321.19	
P2	10/9/2010 3:30	38.89	33.37	0.23	38.77	53.05	53.16	321.19	
P2	10/9/2010 3:45	38.89	33.38	0.23	38.77	53.04	53.16	321.19	
P2	10/9/2010 4:00	38.89	33.38	0.24	38.77	53.04	53.17	321.18	
P2	10/9/2010 4:15	38.89	33.39	0.24	38.77	53.04	53.16	321.19	
P2	10/9/2010 4:30	38.89	33.39	0.24	38.77	53.04	53.16	321.19	
P2	10/9/2010 4:45	38.90	33.38	0.24	38.77	53.04	53.16	321.19	
P2	10/9/2010 5:00	38.90	33.39	0.24	38.77	53.04	53.16	321.19	
P2	10/9/2010 5:15	38.90	33.39	0.24	38.77	53.04	53.16	321.19	
P2	10/9/2010 5:30	38.90	33.39	0.24	38.77	53.03	53.16	321.19	
P2	10/9/2010 5:45	38.90	33.39	0.25	38.77	53.04	53.17	321.18	
P2	10/9/2010 6:00	38.90	33.40	0.25	38.77	53.03	53.16	321.19	
P2	10/9/2010 6:15	38.90	33.40	0.25	38.77	53.03	53.16	321.19	
P2	10/9/2010 6:30	38.90	33.39	0.25	38.78	53.03	53.16	321.19	
P2	10/9/2010 6:45	38.90	33.39	0.25	38.78	53.03	53.16	321.19	
P2	10/9/2010 7:00	38.90	33.39	0.25	38.77	53.03	53.16	321.19	
P2	10/9/2010 7:15	38.90	33.39	0.25	38.78	53.03	53.16	321.19	
P2	10/9/2010 7:30	38.90	33.39	0.24	38.78	53.03	53.15	321.20	
P2	10/9/2010 7:45	38.90	33.39	0.25	38.77	53.03	53.16	321.19	
P2	10/9/2010 8:00	38.90	33.40	0.25	38.77	53.03	53.16	321.19	
P2	10/9/2010 8:15	38.90	33.40	0.25	38.77	53.03	53.16	321.19	
P2	10/9/2010 8:30	38.90	33.40	0.25	38.77	53.03	53.16	321.19	
P2	10/9/2010 8:45	38.90	33.41	0.26	38.77	53.03	53.16	321.19	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	10/9/2010 9:00	38.91	33.41	0.27	38.77	53.02	53.16	321.19	
P2	10/9/2010 9:00:00	38.91	33.41	0.27	38.77	53.02	53.16	321.19	
P2	10/9/2010 9:15:00	38.89	33.42	0.27	38.75	53.04	53.18	321.17	
P2	10/9/2010 9:30:00	38.90	33.43	0.28	38.75	53.04	53.18	321.17	
P2	10/9/2010 9:45:00	38.90	33.43	0.28	38.76	53.03	53.18	321.17	
P2	10/9/2010 10:00:00	38.91	33.43	0.29	38.76	53.02	53.17	321.18	
P2	10/9/2010 10:15:00	38.91	33.43	0.28	38.76	53.02	53.17	321.18	
P2	10/9/2010 10:30:00	38.91	33.43	0.29	38.76	53.02	53.17	321.18	
P2	10/9/2010 10:45:00	38.91	33.43	0.28	38.76	53.02	53.17	321.18	
P2	10/9/2010 11:00:00	38.91	33.43	0.28	38.77	53.02	53.17	321.18	
P2	10/9/2010 11:15:00	38.91	33.42	0.28	38.77	53.02	53.16	321.19	
P2	10/9/2010 11:30:00	38.91	33.42	0.28	38.76	53.02	53.17	321.18	
P2	10/9/2010 11:45:00	38.91	33.42	0.28	38.76	53.02	53.17	321.18	
P2	10/9/2010 12:00:00	38.91	33.42	0.27	38.77	53.02	53.17	321.18	
P2	10/9/2010 12:15:00	38.91	33.42	0.27	38.77	53.02	53.17	321.18	
P2	10/9/2010 12:30:00	38.90	33.41	0.27	38.77	53.03	53.17	321.18	
P2	10/9/2010 12:45:00	38.90	33.41	0.26	38.77	53.03	53.16	321.19	
P2	10/9/2010 13:00:00	38.90	33.40	0.25	38.77	53.03	53.16	321.19	
P2	10/9/2010 13:15:00	38.90	33.40	0.25	38.77	53.03	53.16	321.19	
P2	10/9/2010 13:30:00	38.89	33.39	0.24	38.77	53.04	53.17	321.18	
P2	10/9/2010 13:45:00	38.89	33.38	0.24	38.77	53.04	53.17	321.18	
P2	10/9/2010 14:00:00	38.89	33.37	0.23	38.77	53.04	53.16	321.19	
P2	10/9/2010 14:15:00	38.88	33.37	0.22	38.76	53.05	53.17	321.18	
P2	10/9/2010 14:30:00	38.88	33.36	0.22	38.77	53.05	53.16	321.19	
P2	10/9/2010 14:45:00	38.88	33.36	0.21	38.77	53.06	53.16	321.19	
P2	10/9/2010 15:00:00	38.87	33.35	0.21	38.76	53.06	53.17	321.18	
P2	10/9/2010 15:15:00	38.87	33.35	0.20	38.76	53.07	53.17	321.18	
P2	10/9/2010 15:30:00	38.87	33.34	0.20	38.76	53.07	53.17	321.18	
P2	10/9/2010 15:45:00	38.87	33.34	0.20	38.76	53.07	53.17	321.18	
P2	10/9/2010 16:00:00	38.86	33.34	0.20	38.76	53.07	53.17	321.18	
P2	10/9/2010 16:15:00	38.86	33.34	0.19	38.76	53.08	53.17	321.18	
P2	10/9/2010 16:30:00	38.86	33.33	0.19	38.76	53.08	53.17	321.18	
P2	10/9/2010 16:45:00	38.85	33.33	0.19	38.76	53.08	53.18	321.17	
P2	10/9/2010 17:00:00	38.85	33.33	0.18	38.76	53.08	53.18	321.17	
P2	10/9/2010 17:15:00	38.85	33.32	0.17	38.76	53.09	53.18	321.17	
P2	10/9/2010 17:30:00	38.84	33.32	0.17	38.75	53.09	53.18	321.17	
P2	10/9/2010 17:45:00	38.84	33.32	0.18	38.75	53.09	53.18	321.17	
P2	10/9/2010 18:00:00	38.84	33.32	0.17	38.75	53.09	53.18	321.17	
P2	10/9/2010 18:15:00	38.84	33.32	0.18	38.75	53.09	53.19	321.16	
P2	10/9/2010 18:30:00	38.84	33.32	0.17	38.75	53.09	53.18	321.17	
P2	10/9/2010 18:45:00	38.84	33.32	0.17	38.75	53.09	53.18	321.17	
P2	10/9/2010 19:00:00	38.84	33.33	0.18	38.74	53.09	53.19	321.16	
P2	10/9/2010 19:15:00	38.84	33.33	0.18	38.74	53.09	53.19	321.16	
P2	10/9/2010 19:30:00	38.84	33.34	0.19	38.74	53.09	53.19	321.16	
P2	10/9/2010 19:45:00	38.84	33.34	0.19	38.74	53.09	53.19	321.16	
P2	10/9/2010 20:00:00	38.84	33.34	0.19	38.74	53.09	53.19	321.16	
P2	10/9/2010 20:15:00	38.84	33.34	0.19	38.74	53.09	53.19	321.16	
P2	10/9/2010 20:30:00	38.84	33.34	0.19	38.74	53.09	53.19	321.16	
P2	10/9/2010 20:45:00	38.84	33.34	0.19	38.74	53.09	53.19	321.16	
P2	10/9/2010 21:00:00	38.84	33.34	0.19	38.74	53.09	53.19	321.16	
P2	10/9/2010 21:15:00	38.84	33.33	0.19	38.74	53.09	53.19	321.16	
P2	10/9/2010 21:30:00	38.84	33.33	0.19	38.74	53.09	53.19	321.16	
P2	10/9/2010 21:45:00	38.83	33.33	0.18	38.74	53.10	53.19	321.16	
P2	10/9/2010 22:00:00	38.83	33.34	0.19	38.73	53.10	53.20	321.15	
P2	10/9/2010 22:15:00	38.83	33.33	0.18	38.74	53.10	53.19	321.16	
P2	10/9/2010 22:30:00	38.83	33.33	0.19	38.74	53.10	53.19	321.16	
P2	10/9/2010 22:45:00	38.83	33.33	0.18	38.74	53.10	53.19	321.16	
P2	10/9/2010 23:00:00	38.83	33.33	0.18	38.74	53.10	53.20	321.15	
P2	10/9/2010 23:15:00	38.83	33.33	0.19	38.74	53.10	53.20	321.15	
P2	10/9/2010 23:30:00	38.83	33.34	0.19	38.73	53.10	53.20	321.15	
P2	10/9/2010 23:45:00	38.83	33.34	0.19	38.73	53.10	53.20	321.15	
P2	10/10/2010 0:00:00	38.83	33.34	0.19	38.73	53.10	53.20	321.15	
P2	10/10/2010 0:15:00	38.83	33.34	0.20	38.73	53.10	53.20	321.15	
P2	10/10/2010 0:30:00	38.83	33.34	0.19	38.73	53.10	53.20	321.15	
P2	10/10/2010 0:45:00	38.83	33.34	0.19	38.73	53.10	53.20	321.15	
P2	10/10/2010 1:00:00	38.83	33.34	0.19	38.73	53.10	53.20	321.15	
P2	10/10/2010 1:15:00	38.83	33.34	0.20	38.73	53.10	53.20	321.15	
P2	10/10/2010 1:30:00	38.83	33.35	0.20	38.73	53.10	53.20	321.15	
P2	10/10/2010 1:45:00	38.83	33.35	0.20	38.73	53.10	53.20	321.15	
P2	10/10/2010 2:00:00	38.84	33.35	0.21	38.73	53.09	53.20	321.15	
P2	10/10/2010 2:15:00	38.84	33.36	0.21	38.73	53.09	53.20	321.15	
P2	10/10/2010 2:30:00	38.84	33.36	0.21	38.73	53.09	53.20	321.15	
P2	10/10/2010 2:45:00	38.84	33.37	0.22	38.73	53.09	53.20	321.15	
P2	10/10/2010 3:00:00	38.85	33.37	0.22	38.73	53.09	53.20	321.15	
P2	10/10/2010 3:15:00	38.85	33.37	0.22	38.73	53.09	53.20	321.15	
P2	10/10/2010 3:30:00	38.85	33.36	0.22	38.73	53.09	53.20	321.15	
P2	10/10/2010 3:45:00	38.85	33.38	0.23	38.73	53.08	53.20	321.15	
P2	10/10/2010 4:00:00	38.85	33.38	0.24	38.73	53.08	53.21	321.14	
P2	10/10/2010 4:15:00	38.85	33.39	0.24	38.73	53.08	53.20	321.15	
P2	10/10/2010 4:30:00	38.86	33.39	0.24	38.73	53.08	53.20	321.15	
P2	10/10/2010 4:45:00	38.86	33.40	0.25	38.73	53.08	53.21	321.14	
P2	10/10/2010 5:00:00	38.87	33.41	0.26	38.73	53.07	53.20	321.15	
P2	10/10/2010 5:15:00	38.87	33.41	0.27	38.73	53.06	53.20	321.15	
P2	10/10/2010 5:30:00	38.87	33.43	0.28	38.73	53.06	53.21	321.14	
P2	10/10/2010 5:45:00	38.88	33.43	0.28	38.73	53.06	53.20	321.15	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	10/10/2010 6:00:00	38.88	33.44	0.29	38.73	53.05	53.20	321.15	
P2	10/10/2010 6:15:00	38.89	33.45	0.30	38.73	53.05	53.20	321.15	
P2	10/10/2010 6:30:00	38.89	33.46	0.31	38.73	53.04	53.20	321.15	
P2	10/10/2010 6:45:00	38.90	33.47	0.32	38.73	53.04	53.20	321.15	
P2	10/10/2010 7:00:00	38.90	33.48	0.34	38.73	53.03	53.20	321.15	
P2	10/10/2010 7:15:00	38.91	33.49	0.34	38.73	53.02	53.20	321.15	
P2	10/10/2010 7:30:00	38.92	33.49	0.34	38.74	53.02	53.19	321.16	
P2	10/10/2010 7:45:00	38.92	33.50	0.35	38.74	53.01	53.19	321.16	
P2	10/10/2010 8:00:00	38.92	33.53	0.38	38.72	53.01	53.21	321.14	
P2	10/10/2010 8:15:00	38.93	33.55	0.40	38.72	53.00	53.21	321.14	
P2	10/10/2010 8:30:00	38.94	33.54	0.40	38.73	53.00	53.20	321.15	
P2	10/10/2010 8:45:00	38.94	33.55	0.40	38.73	52.99	53.20	321.15	
P2	10/10/2010 9:00:00	38.95	33.55	0.40	38.74	52.98	53.19	321.16	
P2	10/10/2010 9:15:00	39.00	33.54	0.39	38.79	52.94	53.14	321.21	
P2	10/10/2010 9:30:00	39.00	33.55	0.40	38.79	52.93	53.14	321.21	
P2	10/10/2010 9:45:00	39.01	33.55	0.40	38.80	52.93	53.14	321.21	
P2	10/10/2010 10:00:00	39.01	33.56	0.42	38.79	52.93	53.14	321.21	
P2	10/10/2010 10:15:00	39.01	33.56	0.42	38.79	52.93	53.14	321.21	
P2	10/10/2010 10:30:00	39.01	33.57	0.42	38.79	52.92	53.14	321.21	
P2	10/10/2010 10:45:00	39.01	33.57	0.42	38.80	52.92	53.14	321.21	
P2	10/10/2010 11:00:00	39.01	33.57	0.42	38.80	52.92	53.14	321.21	
P2	10/10/2010 11:15:00	39.01	33.57	0.42	38.80	52.92	53.14	321.21	
P2	10/10/2010 11:30:00	39.01	33.57	0.42	38.80	52.92	53.14	321.21	
P2	10/10/2010 11:45:00	39.01	33.57	0.42	38.80	52.92	53.14	321.21	
P2	10/10/2010 12:00:00	39.02	33.56	0.42	38.80	52.91	53.13	321.22	
P2	10/10/2010 12:15:00	39.02	33.56	0.41	38.80	52.91	53.13	321.22	
P2	10/10/2010 12:30:00	39.01	33.56	0.42	38.80	52.92	53.13	321.22	
P2	10/10/2010 12:45:00	39.02	33.56	0.42	38.80	52.91	53.13	321.22	
P2	10/10/2010 13:00:00	39.01	33.56	0.41	38.80	52.92	53.13	321.22	
P2	10/10/2010 13:15:00	39.02	33.56	0.42	38.80	52.91	53.13	321.22	
P2	10/10/2010 13:30:00	39.02	33.56	0.42	38.80	52.91	53.13	321.22	
P2	10/10/2010 13:45:00	39.02	33.56	0.42	38.80	52.91	53.13	321.22	
P2	10/10/2010 14:00:00	39.02	33.56	0.41	38.81	52.91	53.12	321.23	
P2	10/10/2010 14:15:00	39.02	33.56	0.41	38.81	52.91	53.13	321.22	
P2	10/10/2010 14:30:00	39.02	33.55	0.41	38.81	52.91	53.13	321.22	
P2	10/10/2010 14:45:00	39.02	33.55	0.40	38.81	52.91	53.12	321.23	
P2	10/10/2010 15:00:00	39.02	33.55	0.40	38.81	52.91	53.12	321.23	
P2	10/10/2010 15:15:00	39.01	33.54	0.40	38.81	52.92	53.12	321.23	
P2	10/10/2010 15:30:00	39.01	33.54	0.40	38.81	52.92	53.13	321.22	
P2	10/10/2010 15:45:00	39.01	33.54	0.39	38.81	52.92	53.13	321.22	
P2	10/10/2010 16:00:00	39.01	33.54	0.39	38.81	52.92	53.12	321.23	
P2	10/10/2010 16:15:00	39.01	33.53	0.39	38.81	52.92	53.12	321.23	
P2	10/10/2010 16:30:00	39.01	33.54	0.39	38.81	52.92	53.13	321.22	
P2	10/10/2010 16:45:00	39.01	33.54	0.40	38.80	52.92	53.13	321.22	
P2	10/10/2010 17:00:00	39.01	33.54	0.39	38.81	52.92	53.12	321.23	
P2	10/10/2010 17:15:00	39.01	33.54	0.39	38.81	52.92	53.12	321.23	
P2	10/10/2010 17:30:00	39.01	33.54	0.39	38.81	52.92	53.12	321.23	
P2	10/10/2010 17:45:00	39.01	33.54	0.39	38.81	52.92	53.13	321.22	
P2	10/10/2010 18:00:00	39.01	33.54	0.40	38.80	52.92	53.13	321.22	
P2	10/10/2010 18:15:00	39.01	33.55	0.40	38.81	52.92	53.13	321.22	
P2	10/10/2010 18:30:00	39.01	33.55	0.41	38.80	52.92	53.13	321.22	
P2	10/10/2010 18:45:00	39.01	33.56	0.41	38.80	52.92	53.13	321.22	
P2	10/10/2010 19:00:00	39.01	33.56	0.42	38.80	52.92	53.13	321.22	
P2	10/10/2010 19:15:00	39.01	33.57	0.42	38.79	52.92	53.14	321.21	
P2	10/10/2010 19:30:00	39.02	33.58	0.43	38.79	52.91	53.14	321.21	
P2	10/10/2010 19:45:00	39.02	33.58	0.44	38.79	52.91	53.14	321.21	
P2	10/10/2010 20:00:00	39.02	33.59	0.44	38.79	52.91	53.14	321.21	
P2	10/10/2010 20:15:00	39.02	33.59	0.44	38.79	52.91	53.14	321.21	
P2	10/10/2010 20:30:00	39.02	33.59	0.45	38.79	52.91	53.14	321.21	
P2	10/10/2010 20:45:00	39.02	33.60	0.45	38.79	52.91	53.15	321.20	
P2	10/10/2010 21:00:00	39.02	33.60	0.46	38.78	52.91	53.15	321.20	
P2	10/10/2010 21:15:00	39.02	33.61	0.46	38.78	52.91	53.15	321.20	
P2	10/10/2010 21:30:00	39.03	33.62	0.47	38.78	52.91	53.15	321.20	
P2	10/10/2010 21:45:00	39.03	33.63	0.48	38.78	52.91	53.16	321.19	
P2	10/10/2010 22:00:00	39.03	33.63	0.49	38.78	52.90	53.16	321.19	
P2	10/10/2010 22:15:00	39.03	33.64	0.49	38.77	52.90	53.16	321.19	
P2	10/10/2010 22:30:00	39.03	33.64	0.50	38.77	52.90	53.16	321.19	
P2	10/10/2010 22:45:00	39.03	33.65	0.50	38.77	52.90	53.16	321.19	
P2	10/10/2010 23:00:00	39.03	33.65	0.51	38.77	52.90	53.16	321.19	
P2	10/10/2010 23:15:00	39.04	33.66	0.52	38.77	52.90	53.16	321.19	
P2	10/10/2010 23:30:00	39.04	33.67	0.53	38.77	52.89	53.16	321.19	
P2	10/10/2010 23:45:00	39.04	33.68	0.53	38.76	52.89	53.17	321.18	
P2	10/11/2010 0:00:00	39.05	33.69	0.54	38.76	52.89	53.17	321.18	
P2	10/11/2010 0:15:00	39.05	33.69	0.55	38.76	52.88	53.17	321.18	
P2	10/11/2010 0:30:00	39.05	33.70	0.55	38.76	52.88	53.17	321.18	
P2	10/11/2010 0:45:00	39.05	33.70	0.56	38.76	52.88	53.17	321.18	
P2	10/11/2010 1:00:00	39.05	33.71	0.57	38.76	52.88	53.17	321.18	
P2	10/11/2010 1:15:00	39.06	33.72	0.57	38.76	52.88	53.17	321.18	
P2	10/11/2010 1:30:00	39.06	33.72	0.58	38.76	52.87	53.17	321.18	
P2	10/11/2010 1:45:00	39.06	33.73	0.58	38.76	52.87	53.17	321.18	
P2	10/11/2010 2:00:00	39.06	33.73	0.59	38.76	52.87	53.17	321.18	
P2	10/11/2010 2:15:00	39.06	33.74	0.60	38.75	52.87	53.18	321.17	
P2	10/11/2010 2:30:00	39.06	33.75	0.60	38.75	52.87	53.18	321.17	
P2	10/11/2010 2:45:00	39.07	33.76	0.61	38.75	52.86	53.18	321.17	
P2	10/11/2010 3:00:00	39.07	33.77	0.62	38.75	52.86	53.19	321.16	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	10/11/2010 3:15:00	39.07	33.77	0.63	38.75	52.86	53.19	321.16	
P2	10/11/2010 3:30:00	39.08	33.78	0.63	38.75	52.86	53.18	321.17	
P2	10/11/2010 3:45:00	39.08	33.78	0.63	38.75	52.86	53.19	321.16	
P2	10/11/2010 4:00:00	39.08	33.79	0.64	38.74	52.86	53.19	321.16	
P2	10/11/2010 4:15:00	39.08	33.79	0.65	38.74	52.85	53.19	321.16	
P2	10/11/2010 4:30:00	39.08	33.80	0.65	38.75	52.85	53.19	321.16	
P2	10/11/2010 4:45:00	39.08	33.80	0.65	38.74	52.85	53.19	321.16	
P2	10/11/2010 5:00:00	39.08	33.81	0.66	38.74	52.85	53.19	321.16	
P2	10/11/2010 5:15:00	39.09	33.82	0.67	38.74	52.84	53.19	321.16	
P2	10/11/2010 5:30:00	39.09	33.82	0.68	38.74	52.84	53.20	321.15	
P2	10/11/2010 5:45:00	39.09	33.83	0.68	38.74	52.84	53.19	321.16	
P2	10/11/2010 6:00:00	39.09	33.83	0.69	38.74	52.84	53.20	321.15	
P2	10/11/2010 6:15:00	39.10	33.84	0.69	38.74	52.84	53.19	321.16	
P2	10/11/2010 6:30:00	39.10	33.84	0.70	38.73	52.84	53.20	321.15	
P2	10/11/2010 6:45:00	39.10	33.85	0.70	38.74	52.83	53.20	321.15	
P2	10/11/2010 7:00:00	39.10	33.85	0.71	38.74	52.83	53.20	321.15	
P2	10/11/2010 7:15:00	39.11	33.86	0.71	38.74	52.83	53.20	321.15	
P2	10/11/2010 7:30:00	39.11	33.86	0.72	38.73	52.83	53.20	321.15	
P2	10/11/2010 7:45:00	39.11	33.87	0.73	38.73	52.82	53.20	321.15	
P2	10/11/2010 8:00:00	39.12	33.88	0.73	38.74	52.82	53.20	321.15	
P2	10/11/2010 8:15:00	39.12	33.87	0.73	38.74	52.81	53.19	321.16	
P2	10/11/2010 8:30:00	39.12	33.88	0.73	38.74	52.81	53.19	321.16	
P2	10/11/2010 8:45:00	39.12	33.88	0.73	38.74	52.81	53.19	321.16	
P2	10/11/2010 9:00:00	39.12	33.87	0.72	38.75	52.81	53.19	321.16	
P2	10/11/2010 9:15:00	39.12	33.87	0.72	38.75	52.81	53.18	321.17	
P2	10/11/2010 9:30:00	39.13	33.87	0.72	38.76	52.80	53.18	321.17	
P2	10/11/2010 9:45:00	39.13	33.86	0.72	38.76	52.80	53.17	321.18	
P2	10/11/2010 10:00:00	39.14	33.85	0.70	38.77	52.80	53.16	321.19	
P2	10/11/2010 10:15:00	39.14	33.84	0.69	38.78	52.80	53.16	321.19	
P2	10/11/2010 10:30:00	39.14	33.82	0.68	38.79	52.79	53.15	321.20	
P2	10/11/2010 10:45:00	39.14	33.82	0.67	38.79	52.79	53.14	321.21	
P2	10/11/2010 11:00:00	39.14	33.81	0.66	38.79	52.79	53.14	321.21	
P2	10/11/2010 11:15:00	39.14	33.81	0.66	38.79	52.79	53.14	321.21	
P2	10/11/2010 11:30:00	39.14	33.80	0.66	38.80	52.79	53.14	321.21	
P2	10/11/2010 11:45:00	39.14	33.80	0.65	38.80	52.79	53.13	321.22	
P2	10/11/2010 12:00:00	39.14	33.80	0.65	38.80	52.79	53.13	321.22	
P2	10/11/2010 12:15:00	39.14	33.80	0.65	38.80	52.79	53.13	321.22	
P2	10/11/2010 12:30:00	39.14	33.79	0.65	38.81	52.79	53.12	321.23	
P2	10/11/2010 12:45:00	39.14	33.79	0.64	38.81	52.79	53.12	321.23	
P2	10/11/2010 13:00:00	39.14	33.78	0.64	38.81	52.79	53.12	321.23	
P2	10/11/2010 13:15:00	39.14	33.78	0.63	38.81	52.79	53.12	321.23	
P2	10/11/2010 13:30:00	39.14	33.77	0.63	38.81	52.79	53.12	321.23	
P2	10/11/2010 13:45:00	39.14	33.78	0.63	38.81	52.79	53.12	321.23	
P2	10/11/2010 14:00:00	39.14	33.77	0.63	38.81	52.79	53.12	321.23	
P2	10/11/2010 14:15:00	39.14	33.77	0.62	38.82	52.79	53.12	321.23	
P2	10/11/2010 14:30:00	39.14	33.77	0.62	38.81	52.80	53.12	321.23	
P2	10/11/2010 14:45:00	39.14	33.76	0.61	38.82	52.80	53.12	321.23	
P2	10/11/2010 15:00:00	39.13	33.75	0.60	38.82	52.80	53.11	321.24	
P2	10/11/2010 15:15:00	39.13	33.74	0.60	38.82	52.80	53.11	321.24	
P2	10/11/2010 15:30:00	39.13	33.74	0.60	38.82	52.81	53.12	321.23	
P2	10/11/2010 15:45:00	39.13	33.74	0.60	38.82	52.81	53.12	321.23	
P2	10/11/2010 16:00:00	39.13	33.75	0.60	38.81	52.81	53.12	321.23	
P2	10/11/2010 16:15:00	39.13	33.75	0.60	38.81	52.81	53.12	321.23	
P2	10/11/2010 16:30:00	39.13	33.75	0.60	38.82	52.80	53.11	321.24	
P2	10/11/2010 16:45:00	39.13	33.74	0.59	38.82	52.81	53.11	321.24	
P2	10/11/2010 17:00:00	39.13	33.74	0.59	38.82	52.81	53.11	321.24	
P2	10/11/2010 17:15:00	39.12	33.74	0.59	38.82	52.81	53.12	321.23	
P2	10/11/2010 17:30:00	39.12	33.73	0.59	38.82	52.81	53.11	321.24	
P2	10/11/2010 17:45:00	39.12	33.73	0.59	38.81	52.81	53.12	321.23	
P2	10/11/2010 18:00:00	39.12	33.73	0.58	38.81	52.82	53.12	321.23	
P2	10/11/2010 18:15:00	39.12	33.73	0.58	38.81	52.82	53.12	321.23	
P2	10/11/2010 18:30:00	39.12	33.73	0.58	38.81	52.82	53.12	321.23	
P2	10/11/2010 18:45:00	39.11	33.75	0.60	38.80	52.82	53.13	321.22	
P2	10/11/2010 19:00:00	39.11	33.75	0.60	38.80	52.82	53.14	321.21	
P2	10/11/2010 19:15:00	39.11	33.76	0.61	38.79	52.82	53.14	321.21	
P2	10/11/2010 19:30:00	39.11	33.76	0.62	38.79	52.82	53.14	321.21	
P2	10/11/2010 19:45:00	39.12	33.77	0.63	38.79	52.82	53.14	321.21	
P2	10/11/2010 20:00:00	39.12	33.77	0.62	38.79	52.82	53.14	321.21	
P2	10/11/2010 20:15:00	39.12	33.78	0.63	38.79	52.82	53.15	321.20	
P2	10/11/2010 20:30:00	39.12	33.78	0.63	38.79	52.82	53.15	321.20	
P2	10/11/2010 20:45:00	39.12	33.78	0.63	38.79	52.82	53.15	321.20	
P2	10/11/2010 21:00:00	39.12	33.79	0.64	38.78	52.82	53.15	321.20	
P2	10/11/2010 21:15:00	39.12	33.79	0.65	38.78	52.82	53.15	321.20	
P2	10/11/2010 21:30:00	39.11	33.80	0.65	38.77	52.82	53.16	321.19	
P2	10/11/2010 21:45:00	39.12	33.81	0.66	38.77	52.82	53.16	321.19	
P2	10/11/2010 22:00:00	39.12	33.81	0.66	38.77	52.82	53.16	321.19	
P2	10/11/2010 22:15:00	39.12	33.82	0.67	38.77	52.82	53.17	321.18	
P2	10/11/2010 22:30:00	39.12	33.82	0.67	38.77	52.81	53.16	321.19	
P2	10/11/2010 22:45:00	39.12	33.82	0.68	38.77	52.81	53.16	321.19	
P2	10/11/2010 23:00:00	39.12	33.82	0.67	38.77	52.82	53.16	321.19	
P2	10/11/2010 23:15:00	39.12	33.82	0.67	38.77	52.81	53.16	321.19	
P2	10/11/2010 23:30:00	39.12	33.82	0.67	38.77	52.81	53.16	321.19	
P2	10/11/2010 23:45:00	39.12	33.82	0.67	38.77	52.81	53.16	321.19	
P2	10/12/2010 0:00:00	39.12	33.82	0.67	38.77	52.81	53.16	321.19	
P2	10/12/2010 0:15:00	39.12	33.81	0.67	38.77	52.82	53.16	321.19	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	10/12/2010 0:30:00	39.12	33.81	0.67	38.77	52.82	53.16	321.19	
P2	10/12/2010 0:45:00	39.11	33.81	0.67	38.77	52.82	53.17	321.18	
P2	10/12/2010 1:00:00	39.11	33.81	0.66	38.77	52.82	53.16	321.19	
P2	10/12/2010 1:15:00	39.11	33.81	0.66	38.76	52.83	53.17	321.18	
P2	10/12/2010 1:30:00	39.11	33.81	0.66	38.76	52.83	53.17	321.18	
P2	10/12/2010 1:45:00	39.10	33.81	0.66	38.76	52.83	53.17	321.18	
P2	10/12/2010 2:00:00	39.10	33.81	0.66	38.76	52.83	53.18	321.17	
P2	10/12/2010 2:15:00	39.10	33.81	0.66	38.76	52.83	53.18	321.17	
P2	10/12/2010 2:30:00	39.10	33.81	0.66	38.76	52.83	53.18	321.17	
P2	10/12/2010 2:45:00	39.10	33.81	0.66	38.76	52.83	53.18	321.17	
P2	10/12/2010 3:00:00	39.10	33.81	0.66	38.76	52.83	53.18	321.17	
P2	10/12/2010 3:15:00	39.10	33.80	0.65	38.76	52.84	53.18	321.17	
P2	10/12/2010 3:30:00	39.10	33.80	0.65	38.76	52.83	53.17	321.18	
P2	10/12/2010 3:45:00	39.10	33.79	0.65	38.76	52.84	53.17	321.18	
P2	10/12/2010 4:00:00	39.09	33.79	0.64	38.75	52.84	53.18	321.17	
P2	10/12/2010 4:15:00	39.08	33.79	0.64	38.75	52.85	53.18	321.17	
P2	10/12/2010 4:30:00	39.09	33.79	0.64	38.75	52.84	53.18	321.17	
P2	10/12/2010 4:45:00	39.08	33.79	0.64	38.75	52.85	53.18	321.17	
P2	10/12/2010 5:00:00	39.08	33.80	0.65	38.74	52.85	53.19	321.16	
P2	10/12/2010 5:15:00	39.08	33.80	0.65	38.75	52.85	53.19	321.16	
P2	10/12/2010 5:30:00	39.08	33.79	0.65	38.74	52.85	53.19	321.16	
P2	10/12/2010 5:45:00	39.08	33.79	0.64	38.75	52.85	53.19	321.16	
P2	10/12/2010 6:00:00	39.08	33.79	0.64	38.74	52.86	53.19	321.16	
P2	10/12/2010 6:15:00	39.07	33.79	0.65	38.73	52.86	53.20	321.15	
P2	10/12/2010 6:30:00	39.07	33.80	0.66	38.73	52.86	53.20	321.15	
P2	10/12/2010 6:45:00	39.07	33.81	0.66	38.73	52.86	53.20	321.15	
P2	10/12/2010 7:00:00	39.07	33.80	0.65	38.73	52.86	53.20	321.15	
P2	10/12/2010 7:15:00	39.07	33.80	0.66	38.73	52.86	53.20	321.15	
P2	10/12/2010 7:30:00	39.07	33.80	0.65	38.73	52.86	53.20	321.15	
P2	10/12/2010 7:45:00	39.07	33.80	0.65	38.73	52.86	53.20	321.15	
P2	10/12/2010 8:00:00	39.07	33.80	0.65	38.73	52.86	53.20	321.15	
P2	10/12/2010 8:15:00	39.06	33.80	0.65	38.72	52.87	53.21	321.14	
P2	10/12/2010 8:30:00	39.06	33.79	0.65	38.73	52.87	53.21	321.14	
P2	10/12/2010 8:45:00	39.06	33.79	0.64	38.73	52.87	53.20	321.15	
P2	10/12/2010 9:00:00	39.06	33.79	0.64	38.73	52.87	53.20	321.15	
P2	10/12/2010 9:15:00	39.06	33.77	0.62	38.74	52.87	53.20	321.15	
P2	10/12/2010 9:30:00	39.06	33.75	0.61	38.74	52.87	53.19	321.16	
P2	10/12/2010 9:45:00	39.06	33.75	0.60	38.74	52.88	53.19	321.16	
P2	10/12/2010 10:00:00	39.06	33.73	0.59	38.75	52.88	53.18	321.17	
P2	10/12/2010 10:15:00	39.06	33.74	0.59	38.75	52.88	53.18	321.17	
P2	10/12/2010 10:30:00	39.06	33.72	0.57	38.76	52.88	53.17	321.18	
P2	10/12/2010 10:45:00	39.06	33.71	0.57	38.76	52.88	53.17	321.18	
P2	10/12/2010 11:00:00	39.06	33.70	0.56	38.77	52.88	53.16	321.19	
P2	10/12/2010 11:15:00	39.05	33.70	0.55	38.77	52.88	53.17	321.18	
P2	10/12/2010 11:30:00	39.05	33.70	0.55	38.77	52.88	53.17	321.18	
P2	10/12/2010 11:45:00	39.05	33.69	0.55	38.77	52.88	53.16	321.19	
P2	10/12/2010 12:00:00	39.05	33.69	0.54	38.77	52.88	53.16	321.19	
P2	10/12/2010 12:15:00	39.05	33.68	0.54	38.77	52.88	53.16	321.19	
P2	10/12/2010 12:30:00	39.05	33.68	0.53	38.78	52.88	53.16	321.19	
P2	10/12/2010 12:45:00	39.05	33.67	0.53	38.78	52.88	53.15	321.20	
P2	10/12/2010 13:00:00	39.05	33.67	0.53	38.78	52.88	53.16	321.19	
P2	10/12/2010 13:15:00	39.05	33.67	0.52	38.78	52.88	53.15	321.20	
P2	10/12/2010 13:30:00	39.05	33.66	0.51	38.78	52.88	53.15	321.20	
P2	10/12/2010 13:45:00	39.05	33.65	0.50	38.79	52.88	53.14	321.21	
P2	10/12/2010 14:00:00	39.04	33.64	0.49	38.79	52.89	53.15	321.20	
P2	10/12/2010 14:15:00	39.04	33.63	0.48	38.79	52.90	53.14	321.21	
P2	10/12/2010 14:30:00	39.03	33.62	0.48	38.79	52.90	53.15	321.20	
P2	10/12/2010 14:45:00	39.03	33.61	0.47	38.79	52.90	53.15	321.20	
P2	10/12/2010 15:00:00	39.03	33.61	0.46	38.79	52.91	53.15	321.20	
P2	10/12/2010 15:15:00	39.03	33.60	0.46	38.79	52.91	53.14	321.21	
P2	10/12/2010 15:30:00	39.02	33.60	0.45	38.79	52.91	53.14	321.21	
P2	10/12/2010 15:45:00	39.02	33.59	0.44	38.79	52.91	53.14	321.21	
P2	10/12/2010 16:00:00	39.02	33.59	0.44	38.79	52.91	53.14	321.21	
P2	10/12/2010 16:15:00	39.01	33.58	0.44	38.79	52.92	53.14	321.21	
P2	10/12/2010 16:30:00	39.01	33.57	0.43	38.79	52.92	53.14	321.21	
P2	10/12/2010 16:45:00	39.01	33.57	0.42	38.79	52.92	53.14	321.21	
P2	10/12/2010 17:00:00	39.00	33.57	0.42	38.78	52.93	53.15	321.20	
P2	10/12/2010 17:15:00	39.00	33.57	0.42	38.78	52.93	53.15	321.20	
P2	10/12/2010 17:30:00	39.00	33.57	0.42	38.78	52.93	53.15	321.20	
P2	10/12/2010 17:45:00	39.00	33.56	0.42	38.78	52.93	53.15	321.20	
P2	10/12/2010 18:00:00	38.99	33.57	0.42	38.78	52.94	53.16	321.19	
P2	10/12/2010 18:15:00	38.99	33.56	0.42	38.78	52.94	53.16	321.19	
P2	10/12/2010 18:30:00	38.99	33.57	0.43	38.77	52.94	53.16	321.19	
P2	10/12/2010 18:45:00	38.99	33.57	0.43	38.77	52.94	53.16	321.19	
P2	10/12/2010 19:00:00	38.99	33.58	0.43	38.77	52.94	53.16	321.19	
P2	10/12/2010 19:15:00	38.99	33.58	0.43	38.77	52.94	53.16	321.19	
P2	10/12/2010 19:30:00	38.99	33.58	0.44	38.76	52.94	53.17	321.18	
P2	10/12/2010 19:45:00	38.99	33.59	0.45	38.76	52.94	53.17	321.18	
P2	10/12/2010 20:00:00	38.99	33.59	0.45	38.76	52.94	53.17	321.18	
P2	10/12/2010 20:15:00	38.99	33.59	0.45	38.76	52.94	53.17	321.18	
P2	10/12/2010 20:30:00	38.99	33.60	0.45	38.76	52.94	53.18	321.17	
P2	10/12/2010 20:45:00	38.99	33.60	0.45	38.75	52.94	53.18	321.17	
P2	10/12/2010 21:00:00	38.99	33.60	0.46	38.75	52.94	53.18	321.17	
P2	10/12/2010 21:15:00	38.99	33.61	0.46	38.75	52.94	53.18	321.17	
P2	10/12/2010 21:30:00	38.99	33.61	0.46	38.75	52.95	53.19	321.16	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P2	10/12/2010 21:45:00	38.99	33.61	0.47	38.74	52.95	53.19	321.16	
P2	10/12/2010 22:00:00	38.98	33.61	0.47	38.74	52.95	53.19	321.16	
P2	10/12/2010 22:15:00	38.98	33.61	0.46	38.74	52.95	53.19	321.16	
P2	10/12/2010 22:30:00	38.98	33.61	0.47	38.74	52.95	53.20	321.15	
P2	10/12/2010 22:45:00	38.97	33.62	0.47	38.73	52.96	53.20	321.15	
P2	10/12/2010 23:00:00	38.98	33.62	0.47	38.73	52.96	53.20	321.15	
P2	10/12/2010 23:15:00	38.97	33.62	0.48	38.72	52.96	53.21	321.14	
P2	10/12/2010 23:30:00	38.97	33.62	0.48	38.72	52.96	53.21	321.14	
P2	10/12/2010 23:45:00	38.97	33.62	0.48	38.72	52.96	53.21	321.14	
P2	10/13/2010 0:00:00	38.97	33.63	0.48	38.72	52.97	53.21	321.14	
P2	10/13/2010 0:15:00	38.97	33.63	0.48	38.72	52.97	53.22	321.13	
P2	10/13/2010 0:30:00	38.96	33.63	0.48	38.71	52.97	53.22	321.13	
P2	10/13/2010 0:45:00	38.96	33.62	0.47	38.71	52.97	53.22	321.13	
P2	10/13/2010 1:00:00	38.96	33.62	0.47	38.71	52.98	53.22	321.13	
P2	10/13/2010 1:15:00	38.95	33.62	0.47	38.71	52.98	53.23	321.12	
P2	10/13/2010 1:30:00	38.95	33.61	0.47	38.70	52.99	53.23	321.12	
P2	10/13/2010 1:45:00	38.95	33.62	0.47	38.70	52.99	53.23	321.12	
P2	10/13/2010 2:00:00	38.94	33.61	0.47	38.70	52.99	53.23	321.12	
P2	10/13/2010 2:15:00	38.94	33.61	0.46	38.70	52.99	53.23	321.12	
P2	10/13/2010 2:30:00	38.94	33.61	0.46	38.69	53.00	53.24	321.11	
P2	10/13/2010 2:45:00	38.93	33.61	0.46	38.69	53.00	53.24	321.11	
P2	10/13/2010 3:00:00	38.93	33.61	0.46	38.69	53.00	53.24	321.11	
P2	10/13/2010 3:15:00	38.93	33.60	0.45	38.69	53.00	53.24	321.11	
P2	10/13/2010 3:30:00	38.92	33.60	0.45	38.69	53.01	53.24	321.11	
P2	10/13/2010 3:45:00	38.92	33.60	0.46	38.68	53.01	53.25	321.10	
P2	10/13/2010 4:00:00	38.92	33.60	0.45	38.69	53.01	53.25	321.10	
P2	10/13/2010 4:15:00	38.92	33.60	0.45	38.68	53.02	53.25	321.10	
P2	10/13/2010 4:30:00	38.92	33.60	0.45	38.68	53.02	53.25	321.10	
P2	10/13/2010 4:45:00	38.91	33.59	0.45	38.68	53.02	53.25	321.10	
P2	10/13/2010 5:00:00	38.91	33.59	0.44	38.68	53.02	53.25	321.10	
P2	10/13/2010 5:15:00	38.90	33.59	0.44	38.67	53.03	53.26	321.09	
P2	10/13/2010 5:30:00	38.90	33.59	0.44	38.67	53.03	53.26	321.09	
P2	10/13/2010 5:45:00	38.90	33.58	0.43	38.67	53.03	53.26	321.09	
P2	10/13/2010 6:00:00	38.90	33.57	0.43	38.67	53.04	53.26	321.09	
P2	10/13/2010 6:15:00	38.89	33.57	0.42	38.67	53.04	53.26	321.09	
P2	10/13/2010 6:30:00	38.89	33.57	0.42	38.67	53.04	53.26	321.09	
P2	10/13/2010 6:45:00	38.89	33.56	0.42	38.67	53.05	53.26	321.09	
P2	10/13/2010 7:00:00	38.89	33.56	0.41	38.67	53.05	53.26	321.09	
P2	10/13/2010 7:15:00	38.89	33.56	0.41	38.67	53.05	53.26	321.09	
P2	10/13/2010 7:30:00	38.88	33.56	0.41	38.67	53.05	53.26	321.09	
P2	10/13/2010 7:45:00	38.88	33.55	0.41	38.67	53.05	53.26	321.09	
P2	10/13/2010 8:00:00	38.88	33.55	0.40	38.67	53.06	53.27	321.08	
P2	10/13/2010 8:15:00	38.88	33.55	0.40	38.67	53.06	53.26	321.09	
P2	10/13/2010 8:30:00	38.87	33.54	0.40	38.67	53.06	53.26	321.09	
P2	10/13/2010 8:45:00	38.87	33.54	0.40	38.66	53.06	53.27	321.08	
P2	10/13/2010 9:00:00	38.87	33.54	0.39	38.67	53.06	53.27	321.08	
P2	10/13/2010 9:15:00	38.87	33.54	0.39	38.66	53.06	53.27	321.08	
P2	10/13/2010 9:30:00	38.87	33.53	0.39	38.67	53.06	53.26	321.09	
P2	10/13/2010 9:45:00	38.87	33.53	0.38	38.67	53.06	53.26	321.09	
P2	10/13/2010 10:00:00	38.87	33.53	0.38	38.67	53.07	53.26	321.09	
P2	10/13/2010 10:15:00	38.87	33.52	0.37	38.67	53.07	53.26	321.09	
P2	10/13/2010 10:30:00	38.87	33.51	0.37	38.67	53.07	53.26	321.09	
P18	8/18/2010 13:30:00	33.52	33.15	0.00	33.52	54.94	54.94	323.73	
P18	8/18/2010 13:45:00	33.51	33.15	0.00	33.52	54.95	54.94	323.73	
P18	8/18/2010 14:00:00	33.51	33.15	-0.01	33.51	54.95	54.95	323.72	
P18	8/18/2010 14:15:00	33.51	33.14	-0.01	33.51	54.95	54.95	323.72	
P18	8/18/2010 14:30:00	33.51	33.14	-0.01	33.51	54.96	54.95	323.72	
P18	8/18/2010 14:45:00	33.50	33.14	-0.01	33.51	54.96	54.95	323.72	
P18	8/18/2010 15:00:00	33.50	33.14	-0.02	33.51	54.96	54.95	323.72	
P18	8/18/2010 15:15:00	33.50	33.13	-0.02	33.51	54.97	54.95	323.72	
P18	8/18/2010 15:30:00	33.49	33.13	-0.02	33.51	54.97	54.95	323.72	
P18	8/18/2010 15:45:00	33.49	33.13	-0.02	33.51	54.97	54.95	323.72	
P18	8/18/2010 16:00:00	33.48	33.13	-0.03	33.50	54.98	54.96	323.71	
P18	8/18/2010 16:15:00	33.48	33.12	-0.03	33.50	54.98	54.96	323.71	
P18	8/18/2010 16:30:00	33.48	33.12	-0.03	33.50	54.98	54.96	323.71	
P18	8/18/2010 16:45:00	33.48	33.12	-0.03	33.50	54.98	54.96	323.71	
P18	8/18/2010 17:00:00	33.47	33.12	-0.04	33.50	54.99	54.96	323.71	
P18	8/18/2010 17:15:00	33.47	33.11	-0.04	33.50	54.99	54.96	323.71	
P18	8/18/2010 17:30:00	33.47	33.11	-0.04	33.50	54.99	54.96	323.71	
P18	8/18/2010 17:45:00	33.47	33.13	-0.02	33.48	54.99	54.98	323.69	
P18	8/18/2010 18:00:00	33.47	33.15	0.00	33.47	54.99	54.99	323.68	
P18	8/18/2010 18:15:00	33.47	33.17	0.02	33.45	54.99	55.01	323.66	
P18	8/18/2010 18:30:00	33.47	33.19	0.04	33.43	55.00	55.03	323.64	
P18	8/18/2010 18:45:00	33.47	33.21	0.06	33.42	55.00	55.04	323.63	
P18	8/18/2010 19:00:00	33.47	33.24	0.08	33.40	55.00	55.06	323.61	
P18	8/18/2010 19:15:00	33.47	33.26	0.11	33.38	55.00	55.08	323.59	
P18	8/18/2010 19:30:00	33.47	33.28	0.13	33.37	54.99	55.09	323.58	
P18	8/18/2010 19:45:00	33.47	33.30	0.15	33.35	54.99	55.11	323.56	
P18	8/18/2010 20:00:00	33.47	33.32	0.17	33.34	54.99	55.12	323.55	
P18	8/18/2010 20:15:00	33.47	33.34	0.19	33.32	54.99	55.14	323.53	
P18	8/18/2010 20:30:00	33.47	33.36	0.21	33.31	54.99	55.15	323.52	
P18	8/18/2010 20:45:00	33.48	33.38	0.23	33.30	54.98	55.16	323.51	
P18	8/18/2010 21:00:00	33.48	33.40	0.25	33.28	54.98	55.18	323.49	
P18	8/18/2010 21:15:00	33.48	33.42	0.27	33.27	54.98	55.19	323.48	
P18	8/18/2010 21:30:00	33.48	33.45	0.29	33.25	54.98	55.21	323.46	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	8/18/2010 21:45:00	33.49	33.45	0.30	33.26	54.97	55.20	323.47	
P18	8/18/2010 22:00:00	33.49	33.45	0.30	33.25	54.97	55.21	323.46	
P18	8/18/2010 22:15:00	33.49	33.45	0.30	33.25	54.97	55.21	323.46	
P18	8/18/2010 22:30:00	33.49	33.45	0.30	33.25	54.97	55.21	323.46	
P18	8/18/2010 22:45:00	33.49	33.45	0.30	33.25	54.97	55.21	323.46	
P18	8/18/2010 23:00:00	33.49	33.45	0.30	33.25	54.97	55.21	323.46	
P18	8/18/2010 23:15:00	33.49	33.46	0.31	33.25	54.97	55.21	323.46	
P18	8/18/2010 23:30:00	33.49	33.46	0.31	33.25	54.97	55.21	323.46	
P18	8/18/2010 23:45:00	33.49	33.46	0.31	33.25	54.97	55.21	323.46	
P18	8/19/2010 0:00:00	33.49	33.46	0.31	33.25	54.97	55.21	323.46	
P18	8/19/2010 0:15:00	33.50	33.46	0.31	33.25	54.97	55.21	323.46	
P18	8/19/2010 0:30:00	33.50	33.46	0.31	33.25	54.97	55.21	323.46	
P18	8/19/2010 0:45:00	33.50	33.47	0.32	33.25	54.97	55.21	323.46	
P18	8/19/2010 1:00:00	33.50	33.47	0.32	33.25	54.96	55.21	323.46	
P18	8/19/2010 1:15:00	33.50	33.47	0.32	33.25	54.96	55.21	323.46	
P18	8/19/2010 1:30:00	33.50	33.47	0.32	33.25	54.96	55.21	323.46	
P18	8/19/2010 1:45:00	33.50	33.47	0.32	33.25	54.96	55.21	323.46	
P18	8/19/2010 2:00:00	33.50	33.47	0.32	33.25	54.96	55.21	323.46	
P18	8/19/2010 2:15:00	33.50	33.47	0.32	33.25	54.96	55.21	323.46	
P18	8/19/2010 2:30:00	33.50	33.47	0.32	33.25	54.96	55.21	323.46	
P18	8/19/2010 2:45:00	33.50	33.48	0.32	33.25	54.96	55.21	323.46	
P18	8/19/2010 3:00:00	33.50	33.48	0.33	33.25	54.96	55.21	323.46	
P18	8/19/2010 3:15:00	33.50	33.48	0.33	33.25	54.96	55.21	323.46	
P18	8/19/2010 3:30:00	33.50	33.48	0.33	33.24	54.96	55.22	323.45	
P18	8/19/2010 3:45:00	33.50	33.48	0.33	33.25	54.96	55.21	323.46	
P18	8/19/2010 4:00:00	33.50	33.48	0.33	33.24	54.96	55.22	323.45	
P18	8/19/2010 4:15:00	33.50	33.48	0.33	33.24	54.96	55.22	323.45	
P18	8/19/2010 4:30:00	33.50	33.48	0.33	33.24	54.96	55.22	323.45	
P18	8/19/2010 4:45:00	33.50	33.48	0.33	33.24	54.96	55.22	323.45	
P18	8/19/2010 5:00:00	33.50	33.48	0.33	33.24	54.96	55.22	323.45	
P18	8/19/2010 5:15:00	33.50	33.49	0.33	33.24	54.96	55.22	323.45	
P18	8/19/2010 5:30:00	33.50	33.49	0.34	33.24	54.96	55.22	323.45	
P18	8/19/2010 5:45:00	33.50	33.49	0.34	33.24	54.96	55.22	323.45	
P18	8/19/2010 6:00:00	33.50	33.49	0.34	33.24	54.96	55.22	323.45	
P18	8/19/2010 6:15:00	33.50	33.49	0.34	33.24	54.96	55.22	323.45	
P18	8/19/2010 6:30:00	33.51	33.49	0.34	33.24	54.95	55.22	323.45	
P18	8/19/2010 6:45:00	33.51	33.50	0.35	33.24	54.95	55.22	323.45	
P18	8/19/2010 7:00:00	33.51	33.50	0.35	33.24	54.95	55.22	323.45	
P18	8/19/2010 7:15:00	33.51	33.50	0.35	33.24	54.95	55.22	323.45	
P18	8/19/2010 7:30:00	33.51	33.50	0.35	33.24	54.95	55.22	323.45	
P18	8/19/2010 7:45:00	33.52	33.51	0.35	33.24	54.94	55.22	323.45	
P18	8/19/2010 8:00:00	33.52	33.51	0.36	33.24	54.94	55.22	323.45	
P18	8/19/2010 8:15:00	33.52	33.51	0.36	33.24	54.94	55.22	323.45	
P18	8/19/2010 8:30:00	33.52	33.51	0.36	33.24	54.94	55.22	323.45	
P18	8/19/2010 8:45:00	33.52	33.51	0.36	33.24	54.94	55.22	323.45	
P18	8/19/2010 9:00:00	33.53	33.52	0.37	33.24	54.94	55.22	323.45	
P18	8/19/2010 9:15:00	33.53	33.52	0.37	33.24	54.94	55.22	323.45	
P18	8/19/2010 9:30:00	33.53	33.52	0.37	33.24	54.93	55.22	323.45	
P18	8/19/2010 9:45:00	33.53	33.52	0.37	33.24	54.93	55.22	323.45	
P18	8/19/2010 10:00:00	33.53	33.52	0.37	33.24	54.93	55.22	323.45	
P18	8/19/2010 10:15:00	33.53	33.52	0.37	33.24	54.93	55.22	323.45	
P18	8/19/2010 10:30:00	33.53	33.52	0.37	33.24	54.93	55.22	323.45	
P18	8/19/2010 10:45:00	33.53	33.52	0.37	33.24	54.93	55.22	323.45	
P18	8/19/2010 11:00:00	33.53	33.52	0.37	33.24	54.93	55.22	323.45	
P18	8/19/2010 11:15:00	33.54	33.52	0.37	33.25	54.93	55.21	323.46	
P18	8/19/2010 11:30:00	33.54	33.52	0.37	33.25	54.92	55.21	323.46	
P18	8/19/2010 11:45:00	33.54	33.52	0.37	33.25	54.92	55.21	323.46	
P18	8/19/2010 12:00:00	33.54	33.52	0.37	33.25	54.93	55.21	323.46	
P18	8/19/2010 12:15:00	33.54	33.52	0.37	33.25	54.93	55.21	323.46	
P18	8/19/2010 12:30:00	33.53	33.52	0.37	33.24	54.93	55.22	323.45	
P18	8/19/2010 12:45:00	33.53	33.52	0.37	33.24	54.93	55.22	323.45	
P18	8/19/2010 13:00:00	33.53	33.52	0.37	33.24	54.93	55.22	323.45	
P18	8/19/2010 13:15:00	33.53	33.52	0.37	33.24	54.93	55.22	323.45	
P18	8/19/2010 13:30:00	33.53	33.52	0.37	33.24	54.93	55.22	323.45	
P18	8/19/2010 13:45:00	33.53	33.52	0.36	33.24	54.93	55.22	323.45	
P18	8/19/2010 14:00:00	33.53	33.51	0.36	33.25	54.93	55.21	323.46	
P18	8/19/2010 14:15:00	33.53	33.50	0.35	33.25	54.94	55.21	323.46	
P18	8/19/2010 14:30:00	33.52	33.50	0.35	33.25	54.94	55.21	323.46	
P18	8/19/2010 14:45:00	33.52	33.49	0.34	33.26	54.94	55.20	323.47	
P18	8/19/2010 15:00:00	33.52	33.49	0.33	33.26	54.94	55.20	323.47	
P18	8/19/2010 15:15:00	33.52	33.48	0.33	33.26	54.94	55.20	323.47	
P18	8/19/2010 15:30:00	33.52	33.47	0.32	33.27	54.94	55.19	323.48	
P18	8/19/2010 15:45:00	33.52	33.47	0.32	33.27	54.94	55.19	323.48	
P18	8/19/2010 16:00:00	33.51	33.46	0.31	33.27	54.95	55.19	323.48	
P18	8/19/2010 16:15:00	33.51	33.46	0.31	33.28	54.95	55.18	323.49	
P18	8/19/2010 16:30:00	33.51	33.45	0.30	33.28	54.95	55.18	323.49	
P18	8/19/2010 16:45:00	33.51	33.44	0.29	33.28	54.95	55.18	323.49	
P18	8/19/2010 17:00:00	33.51	33.44	0.29	33.29	54.95	55.17	323.50	
P18	8/19/2010 17:15:00	33.51	33.43	0.28	33.29	54.95	55.17	323.50	
P18	8/19/2010 17:30:00	33.51	33.43	0.28	33.29	54.95	55.17	323.50	
P18	8/19/2010 17:45:00	33.51	33.43	0.28	33.29	54.95	55.17	323.50	
P18	8/19/2010 18:00:00	33.50	33.43	0.28	33.29	54.96	55.17	323.50	
P18	8/19/2010 18:15:00	33.50	33.43	0.28	33.29	54.96	55.17	323.50	
P18	8/19/2010 18:30:00	33.50	33.43	0.28	33.28	54.96	55.18	323.49	
P18	8/19/2010 18:45:00	33.50	33.43	0.28	33.28	54.96	55.18	323.49	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	8/19/2010 19:00:00	33.50	33.43	0.28	33.28	54.96	55.18	323.49	
P18	8/19/2010 19:15:00	33.50	33.43	0.28	33.28	54.97	55.18	323.49	
P18	8/19/2010 19:30:00	33.50	33.43	0.28	33.28	54.97	55.18	323.49	
P18	8/19/2010 19:45:00	33.50	33.43	0.28	33.28	54.96	55.18	323.49	
P18	8/19/2010 20:00:00	33.50	33.43	0.28	33.29	54.96	55.17	323.50	
P18	8/19/2010 20:15:00	33.50	33.43	0.28	33.29	54.96	55.17	323.50	
P18	8/19/2010 20:30:00	33.50	33.43	0.28	33.29	54.96	55.17	323.50	
P18	8/19/2010 20:45:00	33.51	33.43	0.28	33.29	54.95	55.17	323.50	
P18	8/19/2010 21:00:00	33.51	33.43	0.28	33.29	54.95	55.17	323.50	
P18	8/19/2010 21:15:00	33.51	33.43	0.28	33.30	54.95	55.16	323.51	
P18	8/19/2010 21:30:00	33.52	33.43	0.28	33.30	54.94	55.16	323.51	
P18	8/19/2010 21:45:00	33.52	33.43	0.28	33.30	54.94	55.16	323.51	
P18	8/19/2010 22:00:00	33.52	33.43	0.28	33.30	54.94	55.16	323.51	
P18	8/19/2010 22:15:00	33.51	33.43	0.28	33.30	54.95	55.16	323.51	
P18	8/19/2010 22:30:00	33.52	33.43	0.28	33.30	54.94	55.16	323.51	
P18	8/19/2010 22:45:00	33.51	33.43	0.28	33.30	54.95	55.16	323.51	
P18	8/19/2010 23:00:00	33.51	33.43	0.28	33.30	54.95	55.16	323.51	
P18	8/19/2010 23:15:00	33.51	33.43	0.28	33.30	54.95	55.16	323.51	
P18	8/19/2010 23:30:00	33.51	33.43	0.28	33.30	54.95	55.16	323.51	
P18	8/19/2010 23:45:00	33.51	33.43	0.28	33.29	54.95	55.17	323.50	
P18	8/20/2010 0:00:00	33.51	33.43	0.28	33.29	54.95	55.17	323.50	
P18	8/20/2010 0:15:00	33.51	33.43	0.28	33.29	54.95	55.17	323.50	
P18	8/20/2010 0:30:00	33.51	33.43	0.28	33.29	54.95	55.17	323.50	
P18	8/20/2010 0:45:00	33.51	33.43	0.28	33.29	54.95	55.17	323.50	
P18	8/20/2010 1:00:00	33.51	33.43	0.28	33.29	54.95	55.17	323.50	
P18	8/20/2010 1:15:00	33.51	33.43	0.28	33.29	54.95	55.17	323.50	
P18	8/20/2010 1:30:00	33.51	33.43	0.28	33.29	54.95	55.17	323.50	
P18	8/20/2010 1:45:00	33.50	33.43	0.28	33.29	54.96	55.17	323.50	
P18	8/20/2010 2:00:00	33.50	33.43	0.28	33.29	54.96	55.17	323.50	
P18	8/20/2010 2:15:00	33.50	33.43	0.28	33.29	54.96	55.17	323.50	
P18	8/20/2010 2:30:00	33.50	33.43	0.27	33.29	54.96	55.17	323.50	
P18	8/20/2010 2:45:00	33.50	33.42	0.27	33.29	54.96	55.17	323.50	
P18	8/20/2010 3:00:00	33.50	33.42	0.27	33.29	54.96	55.17	323.50	
P18	8/20/2010 3:15:00	33.50	33.42	0.27	33.29	54.96	55.17	323.50	
P18	8/20/2010 3:30:00	33.50	33.42	0.27	33.29	54.96	55.17	323.50	
P18	8/20/2010 3:45:00	33.50	33.42	0.27	33.29	54.96	55.17	323.50	
P18	8/20/2010 4:00:00	33.50	33.42	0.27	33.29	54.97	55.17	323.50	
P18	8/20/2010 4:15:00	33.50	33.42	0.27	33.29	54.97	55.17	323.50	
P18	8/20/2010 4:30:00	33.49	33.42	0.27	33.29	54.97	55.17	323.50	
P18	8/20/2010 4:45:00	33.49	33.42	0.27	33.29	54.97	55.17	323.50	
P18	8/20/2010 5:00:00	33.49	33.42	0.26	33.29	54.97	55.17	323.50	
P18	8/20/2010 5:15:00	33.49	33.41	0.26	33.28	54.97	55.18	323.49	
P18	8/20/2010 5:30:00	33.49	33.41	0.26	33.29	54.97	55.17	323.50	
P18	8/20/2010 5:45:00	33.49	33.41	0.26	33.29	54.97	55.17	323.50	
P18	8/20/2010 6:00:00	33.49	33.41	0.26	33.29	54.97	55.17	323.50	
P18	8/20/2010 6:15:00	33.49	33.41	0.26	33.29	54.97	55.17	323.50	
P18	8/20/2010 6:30:00	33.49	33.41	0.26	33.29	54.97	55.17	323.50	
P18	8/20/2010 6:45:00	33.49	33.41	0.26	33.29	54.97	55.17	323.50	
P18	8/20/2010 7:00:00	33.50	33.41	0.26	33.29	54.97	55.17	323.50	
P18	8/20/2010 7:15:00	33.49	33.41	0.26	33.29	54.97	55.17	323.50	
P18	8/20/2010 7:30:00	33.50	33.42	0.26	33.29	54.97	55.17	323.50	
P18	8/20/2010 7:45:00	33.50	33.42	0.26	33.29	54.97	55.17	323.50	
P18	8/20/2010 8:00:00	33.50	33.42	0.26	33.29	54.97	55.17	323.50	
P18	8/20/2010 8:15:00	33.50	33.42	0.26	33.29	54.97	55.17	323.50	
P18	8/20/2010 8:30:00	33.50	33.42	0.27	33.29	54.97	55.17	323.50	
P18	8/20/2010 8:45:00	33.50	33.42	0.27	33.29	54.97	55.17	323.50	
P18	8/20/2010 9:00:00	33.50	33.42	0.27	33.29	54.97	55.17	323.50	
P18	8/20/2010 9:15:00	33.50	33.42	0.27	33.29	54.97	55.17	323.50	
P18	8/20/2010 9:30:00	33.49	33.42	0.27	33.29	54.97	55.17	323.50	
P18	8/20/2010 9:45:00	33.49	33.41	0.26	33.29	54.97	55.17	323.50	
P18	8/20/2010 10:00:00	33.49	33.41	0.26	33.29	54.97	55.17	323.50	
P18	8/20/2010 10:15:00	33.49	33.40	0.25	33.29	54.97	55.17	323.50	
P18	8/20/2010 10:30:00	33.49	33.40	0.24	33.30	54.97	55.16	323.51	
P18	8/20/2010 10:45:00	33.49	33.39	0.24	33.30	54.97	55.16	323.51	
P18	8/20/2010 11:00:00	33.48	33.38	0.23	33.30	54.98	55.16	323.51	
P18	8/20/2010 11:15:00	33.48	33.38	0.23	33.30	54.98	55.16	323.51	
P18	8/20/2010 11:30:00	33.48	33.37	0.22	33.31	54.98	55.15	323.52	
P18	8/20/2010 11:45:00	33.48	33.37	0.22	33.31	54.98	55.15	323.52	
P18	8/20/2010 12:00:00	33.48	33.36	0.21	33.31	54.98	55.15	323.52	
P18	8/20/2010 12:15:00	33.47	33.36	0.21	33.31	54.99	55.15	323.52	
P18	8/20/2010 12:30:00	33.47	33.35	0.20	33.31	54.99	55.15	323.52	
P18	8/20/2010 12:45:00	33.47	33.35	0.20	33.32	54.99	55.14	323.53	
P18	8/20/2010 13:00:00	33.47	33.34	0.19	33.32	54.99	55.14	323.53	
P18	8/20/2010 13:15:00	33.46	33.34	0.19	33.32	55.00	55.14	323.53	
P18	8/20/2010 13:30:00	33.46	33.33	0.18	33.32	55.00	55.14	323.53	
P18	8/20/2010 13:45:00	33.46	33.32	0.17	33.32	55.00	55.14	323.53	
P18	8/20/2010 14:00:00	33.46	33.32	0.17	33.33	55.01	55.13	323.54	
P18	8/20/2010 14:15:00	33.45	33.31	0.16	33.33	55.01	55.13	323.54	
P18	8/20/2010 14:30:00	33.45	33.30	0.15	33.33	55.01	55.13	323.54	
P18	8/20/2010 14:45:00	33.44	33.30	0.15	33.33	55.02	55.13	323.54	
P18	8/20/2010 15:00:00	33.44	33.29	0.14	33.33	55.02	55.13	323.54	
P18	8/20/2010 15:15:00	33.44	33.28	0.13	33.33	55.02	55.13	323.54	
P18	8/20/2010 15:30:00	33.43	33.28	0.13	33.34	55.03	55.12	323.55	
P18	8/20/2010 15:45:00	33.43	33.27	0.12	33.34	55.03	55.12	323.55	
P18	8/20/2010 16:00:00	33.43	33.26	0.11	33.34	55.03	55.12	323.55	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	8/20/2010 16:15:00	33.43	33.26	0.10	33.34	55.04	55.12	323.55	
P18	8/20/2010 16:30:00	33.42	33.25	0.10	33.35	55.04	55.11	323.56	
P18	8/20/2010 16:45:00	33.42	33.24	0.09	33.35	55.04	55.11	323.56	
P18	8/20/2010 17:00:00	33.41	33.23	0.08	33.35	55.05	55.11	323.56	
P18	8/20/2010 17:15:00	33.41	33.23	0.08	33.35	55.05	55.11	323.56	
P18	8/20/2010 17:30:00	33.40	33.22	0.07	33.35	55.06	55.11	323.56	
P18	8/20/2010 17:45:00	33.40	33.22	0.07	33.35	55.06	55.11	323.56	
P18	8/20/2010 18:00:00	33.40	33.22	0.07	33.35	55.06	55.11	323.56	
P18	8/20/2010 18:15:00	33.40	33.22	0.07	33.34	55.07	55.12	323.55	
P18	8/20/2010 18:30:00	33.39	33.22	0.07	33.34	55.07	55.12	323.55	
P18	8/20/2010 18:45:00	33.39	33.22	0.07	33.34	55.07	55.12	323.55	
P18	8/20/2010 19:00:00	33.39	33.22	0.07	33.33	55.08	55.13	323.54	
P18	8/20/2010 19:15:00	33.38	33.22	0.07	33.33	55.08	55.13	323.54	
P18	8/20/2010 19:30:00	33.38	33.22	0.06	33.33	55.08	55.13	323.54	
P18	8/20/2010 19:45:00	33.38	33.21	0.06	33.33	55.08	55.13	323.54	
P18	8/20/2010 20:00:00	33.38	33.21	0.06	33.33	55.08	55.13	323.54	
P18	8/20/2010 20:15:00	33.38	33.21	0.06	33.33	55.08	55.13	323.54	
P18	8/20/2010 20:30:00	33.38	33.21	0.06	33.33	55.08	55.13	323.54	
P18	8/20/2010 20:45:00	33.38	33.21	0.06	33.33	55.08	55.13	323.54	
P18	8/20/2010 21:00:00	33.38	33.21	0.06	33.33	55.08	55.13	323.54	
P18	8/20/2010 21:15:00	33.38	33.21	0.06	33.33	55.08	55.13	323.54	
P18	8/20/2010 21:30:00	33.38	33.21	0.06	33.33	55.08	55.13	323.54	
P18	8/20/2010 21:45:00	33.38	33.21	0.06	33.33	55.08	55.13	323.54	
P18	8/20/2010 22:00:00	33.38	33.21	0.06	33.33	55.08	55.13	323.54	
P18	8/20/2010 22:15:00	33.38	33.21	0.06	33.33	55.08	55.13	323.54	
P18	8/20/2010 22:30:00	33.38	33.21	0.06	33.33	55.08	55.13	323.54	
P18	8/20/2010 22:45:00	33.38	33.22	0.06	33.33	55.08	55.13	323.54	
P18	8/20/2010 23:00:00	33.37	33.22	0.07	33.32	55.09	55.14	323.53	
P18	8/20/2010 23:15:00	33.37	33.22	0.07	33.32	55.09	55.14	323.53	
P18	8/20/2010 23:30:00	33.37	33.22	0.07	33.32	55.09	55.14	323.53	
P18	8/20/2010 23:45:00	33.37	33.22	0.07	33.32	55.09	55.14	323.53	
P18	8/21/2010 0:00:00	33.37	33.22	0.07	33.31	55.09	55.15	323.52	
P18	8/21/2010 0:15:00	33.37	33.22	0.07	33.31	55.09	55.15	323.52	
P18	8/21/2010 0:30:00	33.37	33.22	0.07	33.31	55.09	55.15	323.52	
P18	8/21/2010 0:45:00	33.37	33.23	0.07	33.31	55.09	55.15	323.52	
P18	8/21/2010 1:00:00	33.37	33.23	0.08	33.31	55.09	55.15	323.52	
P18	8/21/2010 1:15:00	33.37	33.23	0.08	33.31	55.09	55.15	323.52	
P18	8/21/2010 1:30:00	33.37	33.23	0.08	33.31	55.09	55.15	323.52	
P18	8/21/2010 1:45:00	33.36	33.23	0.08	33.30	55.10	55.16	323.51	
P18	8/21/2010 2:00:00	33.36	33.23	0.08	33.30	55.10	55.16	323.51	
P18	8/21/2010 2:15:00	33.36	33.23	0.08	33.30	55.10	55.16	323.51	
P18	8/21/2010 2:30:00	33.36	33.24	0.08	33.29	55.10	55.17	323.50	
P18	8/21/2010 2:45:00	33.36	33.24	0.09	33.29	55.10	55.17	323.50	
P18	8/21/2010 3:00:00	33.36	33.24	0.09	33.29	55.10	55.17	323.50	
P18	8/21/2010 3:15:00	33.36	33.24	0.09	33.29	55.10	55.17	323.50	
P18	8/21/2010 3:30:00	33.36	33.24	0.09	33.29	55.10	55.17	323.50	
P18	8/21/2010 3:45:00	33.36	33.24	0.09	33.28	55.10	55.18	323.49	
P18	8/21/2010 4:00:00	33.36	33.25	0.09	33.28	55.10	55.18	323.49	
P18	8/21/2010 4:15:00	33.36	33.25	0.10	33.28	55.10	55.18	323.49	
P18	8/21/2010 4:30:00	33.36	33.25	0.10	33.28	55.10	55.18	323.49	
P18	8/21/2010 4:45:00	33.36	33.25	0.10	33.28	55.10	55.18	323.49	
P18	8/21/2010 5:00:00	33.36	33.25	0.10	33.28	55.10	55.18	323.49	
P18	8/21/2010 5:15:00	33.36	33.25	0.10	33.28	55.10	55.18	323.49	
P18	8/21/2010 5:30:00	33.36	33.26	0.10	33.28	55.10	55.18	323.49	
P18	8/21/2010 5:45:00	33.36	33.26	0.11	33.28	55.10	55.18	323.49	
P18	8/21/2010 6:00:00	33.36	33.26	0.11	33.27	55.10	55.19	323.48	
P18	8/21/2010 6:15:00	33.36	33.27	0.12	33.27	55.10	55.19	323.48	
P18	8/21/2010 6:30:00	33.36	33.27	0.12	33.27	55.10	55.19	323.48	
P18	8/21/2010 6:45:00	33.36	33.27	0.12	33.27	55.10	55.19	323.48	
P18	8/21/2010 7:00:00	33.37	33.28	0.13	33.27	55.09	55.19	323.48	
P18	8/21/2010 7:15:00	33.37	33.28	0.13	33.27	55.09	55.19	323.48	
P18	8/21/2010 7:30:00	33.37	33.29	0.13	33.27	55.09	55.19	323.48	
P18	8/21/2010 7:45:00	33.37	33.29	0.14	33.27	55.09	55.19	323.48	
P18	8/21/2010 8:00:00	33.38	33.29	0.14	33.27	55.08	55.19	323.48	
P18	8/21/2010 8:15:00	33.38	33.30	0.15	33.26	55.08	55.20	323.47	
P18	8/21/2010 8:30:00	33.38	33.30	0.15	33.26	55.08	55.20	323.47	
P18	8/21/2010 8:45:00	33.38	33.30	0.15	33.26	55.08	55.20	323.47	
P18	8/21/2010 9:00:00	33.38	33.31	0.16	33.26	55.08	55.20	323.47	
P18	8/21/2010 9:15:00	33.38	33.31	0.16	33.26	55.08	55.20	323.47	
P18	8/21/2010 9:30:00	33.38	33.32	0.17	33.25	55.08	55.21	323.46	
P18	8/21/2010 9:45:00	33.38	33.30	0.15	33.27	55.08	55.19	323.48	
P18	8/21/2010 10:00:00	33.38	33.29	0.14	33.28	55.08	55.18	323.49	
P18	8/21/2010 10:15:00	33.39	33.27	0.12	33.29	55.08	55.17	323.50	
P18	8/21/2010 10:30:00	33.39	33.26	0.11	33.30	55.07	55.16	323.51	
P18	8/21/2010 10:45:00	33.39	33.24	0.09	33.32	55.07	55.14	323.53	
P18	8/21/2010 11:00:00	33.39	33.23	0.08	33.33	55.07	55.13	323.54	
P18	8/21/2010 11:15:00	33.39	33.21	0.06	33.34	55.07	55.12	323.55	
P18	8/21/2010 11:30:00	33.40	33.20	0.05	33.36	55.07	55.10	323.57	
P18	8/21/2010 11:45:00	33.40	33.18	0.03	33.37	55.06	55.09	323.58	
P18	8/21/2010 12:00:00	33.40	33.17	0.02	33.38	55.06	55.08	323.59	
P18	8/21/2010 12:15:00	33.40	33.16	0.00	33.39	55.06	55.07	323.60	
P18	8/21/2010 12:30:00	33.40	33.14	-0.01	33.41	55.06	55.05	323.62	
P18	8/21/2010 12:45:00	33.40	33.13	-0.03	33.42	55.06	55.04	323.63	
P18	8/21/2010 13:00:00	33.40	33.11	-0.04	33.43	55.06	55.03	323.64	
P18	8/21/2010 13:15:00	33.40	33.10	-0.05	33.44	55.06	55.02	323.65	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	8/21/2010 13:30:00	33.40	33.08	-0.07	33.45	55.06	55.01	323.66	
P18	8/21/2010 13:45:00	33.40	33.11	-0.04	33.44	55.06	55.02	323.65	
P18	8/21/2010 14:00:00	33.40	33.14	-0.02	33.41	55.06	55.05	323.62	
P18	8/21/2010 14:15:00	33.41	33.16	0.01	33.40	55.05	55.06	323.61	
P18	8/21/2010 14:30:00	33.41	33.19	0.04	33.38	55.05	55.08	323.59	
P18	8/21/2010 14:45:00	33.41	33.21	0.06	33.36	55.05	55.10	323.57	
P18	8/21/2010 15:00:00	33.40	33.24	0.09	33.33	55.06	55.13	323.54	
P18	8/21/2010 15:15:00	33.40	33.27	0.12	33.31	55.06	55.15	323.52	
P18	8/21/2010 15:30:00	33.40	33.29	0.14	33.29	55.06	55.17	323.50	
P18	8/21/2010 15:45:00	33.40	33.32	0.17	33.27	55.06	55.19	323.48	
P18	8/21/2010 16:00:00	33.40	33.35	0.20	33.25	55.06	55.21	323.46	
P18	8/21/2010 16:15:00	33.40	33.37	0.22	33.23	55.06	55.23	323.44	
P18	8/21/2010 16:30:00	33.40	33.40	0.25	33.21	55.06	55.25	323.42	
P18	8/21/2010 16:45:00	33.41	33.43	0.28	33.19	55.05	55.27	323.40	
P18	8/21/2010 17:00:00	33.41	33.45	0.30	33.17	55.05	55.29	323.38	
P18	8/21/2010 17:15:00	33.41	33.48	0.33	33.15	55.05	55.31	323.36	
P18	8/21/2010 17:30:00	33.41	33.51	0.36	33.13	55.05	55.33	323.34	
P18	8/21/2010 17:45:00	33.41	33.51	0.36	33.13	55.05	55.33	323.34	
P18	8/21/2010 18:00:00	33.41	33.52	0.37	33.12	55.05	55.34	323.33	
P18	8/21/2010 18:15:00	33.41	33.52	0.37	33.12	55.05	55.34	323.33	
P18	8/21/2010 18:30:00	33.41	33.53	0.38	33.12	55.05	55.34	323.33	
P18	8/21/2010 18:45:00	33.42	33.53	0.38	33.12	55.04	55.34	323.33	
P18	8/21/2010 19:00:00	33.42	33.54	0.39	33.11	55.04	55.35	323.32	
P18	8/21/2010 19:15:00	33.42	33.55	0.39	33.11	55.04	55.35	323.32	
P18	8/21/2010 19:30:00	33.42	33.55	0.40	33.11	55.04	55.35	323.32	
P18	8/21/2010 19:45:00	33.43	33.56	0.41	33.11	55.04	55.35	323.32	
P18	8/21/2010 20:00:00	33.43	33.56	0.41	33.11	55.03	55.35	323.32	
P18	8/21/2010 20:15:00	33.43	33.57	0.42	33.10	55.03	55.36	323.31	
P18	8/21/2010 20:30:00	33.43	33.57	0.42	33.10	55.03	55.36	323.31	
P18	8/21/2010 20:45:00	33.44	33.58	0.43	33.10	55.02	55.36	323.31	
P18	8/21/2010 21:00:00	33.44	33.58	0.43	33.10	55.02	55.36	323.31	
P18	8/21/2010 21:15:00	33.44	33.59	0.44	33.10	55.02	55.36	323.31	
P18	8/21/2010 21:30:00	33.45	33.60	0.45	33.10	55.01	55.36	323.31	
P18	8/21/2010 21:45:00	33.45	33.60	0.45	33.10	55.01	55.36	323.31	
P18	8/21/2010 22:00:00	33.46	33.60	0.45	33.10	55.01	55.36	323.31	
P18	8/21/2010 22:15:00	33.46	33.61	0.46	33.10	55.00	55.36	323.31	
P18	8/21/2010 22:30:00	33.46	33.61	0.46	33.10	55.00	55.36	323.31	
P18	8/21/2010 22:45:00	33.46	33.62	0.47	33.10	55.00	55.36	323.31	
P18	8/21/2010 23:00:00	33.46	33.62	0.47	33.09	55.00	55.37	323.30	
P18	8/21/2010 23:15:00	33.46	33.62	0.47	33.09	55.00	55.37	323.30	
P18	8/21/2010 23:30:00	33.46	33.63	0.48	33.09	55.00	55.37	323.30	
P18	8/21/2010 23:45:00	33.46	33.63	0.48	33.09	55.00	55.37	323.30	
P18	8/22/2010 0:00:00	33.47	33.64	0.49	33.09	54.99	55.37	323.30	
P18	8/22/2010 0:15:00	33.47	33.64	0.49	33.09	54.99	55.37	323.30	
P18	8/22/2010 0:30:00	33.47	33.65	0.49	33.09	54.99	55.37	323.30	
P18	8/22/2010 0:45:00	33.47	33.65	0.50	33.08	54.99	55.38	323.29	
P18	8/22/2010 1:00:00	33.48	33.65	0.50	33.08	54.98	55.38	323.29	
P18	8/22/2010 1:15:00	33.48	33.66	0.51	33.08	54.98	55.38	323.29	
P18	8/22/2010 1:30:00	33.48	33.66	0.51	33.08	54.98	55.38	323.29	
P18	8/22/2010 1:45:00	33.48	33.67	0.52	33.08	54.98	55.38	323.29	
P18	8/22/2010 2:00:00	33.49	33.67	0.52	33.08	54.97	55.38	323.29	
P18	8/22/2010 2:15:00	33.49	33.68	0.53	33.08	54.97	55.38	323.29	
P18	8/22/2010 2:30:00	33.49	33.68	0.53	33.08	54.97	55.38	323.29	
P18	8/22/2010 2:45:00	33.49	33.69	0.54	33.08	54.97	55.38	323.29	
P18	8/22/2010 3:00:00	33.50	33.69	0.54	33.07	54.97	55.39	323.28	
P18	8/22/2010 3:15:00	33.50	33.70	0.54	33.07	54.96	55.39	323.28	
P18	8/22/2010 3:30:00	33.50	33.70	0.55	33.07	54.96	55.39	323.28	
P18	8/22/2010 3:45:00	33.50	33.71	0.55	33.07	54.96	55.39	323.28	
P18	8/22/2010 4:00:00	33.50	33.71	0.56	33.07	54.96	55.39	323.28	
P18	8/22/2010 4:15:00	33.51	33.71	0.56	33.07	54.95	55.39	323.28	
P18	8/22/2010 4:30:00	33.51	33.72	0.57	33.07	54.95	55.39	323.28	
P18	8/22/2010 4:45:00	33.51	33.72	0.57	33.07	54.95	55.39	323.28	
P18	8/22/2010 5:00:00	33.52	33.73	0.58	33.06	54.94	55.40	323.27	
P18	8/22/2010 5:15:00	33.52	33.73	0.58	33.07	54.94	55.39	323.28	
P18	8/22/2010 5:30:00	33.52	33.74	0.59	33.06	54.94	55.40	323.27	
P18	8/22/2010 5:45:00	33.53	33.74	0.59	33.07	54.93	55.39	323.28	
P18	8/22/2010 6:00:00	33.53	33.75	0.60	33.07	54.93	55.39	323.28	
P18	8/22/2010 6:15:00	33.54	33.75	0.60	33.07	54.92	55.39	323.28	
P18	8/22/2010 6:30:00	33.54	33.76	0.61	33.06	54.92	55.40	323.27	
P18	8/22/2010 6:45:00	33.54	33.77	0.61	33.06	54.92	55.40	323.27	
P18	8/22/2010 7:00:00	33.55	33.77	0.62	33.06	54.91	55.40	323.27	
P18	8/22/2010 7:15:00	33.55	33.78	0.63	33.06	54.91	55.40	323.27	
P18	8/22/2010 7:30:00	33.56	33.78	0.63	33.06	54.90	55.40	323.27	
P18	8/22/2010 7:45:00	33.56	33.79	0.64	33.06	54.90	55.40	323.27	
P18	8/22/2010 8:00:00	33.57	33.79	0.64	33.06	54.90	55.40	323.27	
P18	8/22/2010 8:15:00	33.57	33.80	0.65	33.07	54.89	55.39	323.28	
P18	8/22/2010 8:30:00	33.57	33.80	0.65	33.06	54.89	55.40	323.27	
P18	8/22/2010 8:45:00	33.58	33.81	0.66	33.06	54.88	55.40	323.27	
P18	8/22/2010 9:00:00	33.58	33.81	0.66	33.06	54.88	55.40	323.27	
P18	8/22/2010 9:15:00	33.58	33.82	0.67	33.06	54.88	55.40	323.27	
P18	8/22/2010 9:30:00	33.59	33.82	0.67	33.06	54.87	55.40	323.27	
P18	8/22/2010 9:45:00	33.59	33.76	0.61	33.11	54.87	55.35	323.32	
P18	8/22/2010 10:00:00	33.59	33.70	0.54	33.17	54.87	55.29	323.38	
P18	8/22/2010 10:15:00	33.60	33.63	0.48	33.22	54.87	55.24	323.43	
P18	8/22/2010 10:30:00	33.60	33.57	0.42	33.27	54.86	55.19	323.48	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	8/22/2010 10:45:00	33.60	33.50	0.35	33.33	54.86	55.13	323.54	
P18	8/22/2010 11:00:00	33.61	33.44	0.29	33.38	54.86	55.08	323.59	
P18	8/22/2010 11:15:00	33.61	33.37	0.22	33.44	54.85	55.02	323.65	
P18	8/22/2010 11:30:00	33.61	33.31	0.16	33.49	54.85	54.97	323.70	
P18	8/22/2010 11:45:00	33.61	33.24	0.09	33.54	54.85	54.92	323.75	
P18	8/22/2010 12:00:00	33.62	33.18	0.03	33.60	54.84	54.86	323.81	
P18	8/22/2010 12:15:00	33.62	33.12	-0.04	33.65	54.84	54.81	323.86	
P18	8/22/2010 12:30:00	33.62	33.05	-0.10	33.70	54.84	54.76	323.91	
P18	8/22/2010 12:45:00	33.63	32.99	-0.16	33.75	54.83	54.71	323.96	
P18	8/22/2010 13:00:00	33.63	32.92	-0.23	33.81	54.83	54.65	324.02	
P18	8/22/2010 13:15:00	33.63	32.86	-0.29	33.86	54.83	54.60	324.07	
P18	8/22/2010 13:30:00	33.64	32.79	-0.36	33.91	54.83	54.55	324.12	
P18	8/22/2010 13:45:00	33.64	32.85	-0.30	33.87	54.82	54.59	324.08	
P18	8/22/2010 14:00:00	33.64	32.91	-0.24	33.83	54.82	54.63	324.04	
P18	8/22/2010 14:15:00	33.65	32.97	-0.18	33.79	54.81	54.67	324.00	
P18	8/22/2010 14:30:00	33.65	33.03	-0.12	33.75	54.81	54.71	323.96	
P18	8/22/2010 14:45:00	33.65	33.08	-0.07	33.70	54.81	54.76	323.91	
P18	8/22/2010 15:00:00	33.66	33.14	-0.01	33.66	54.80	54.80	323.87	
P18	8/22/2010 15:15:00	33.66	33.20	0.05	33.62	54.80	54.84	323.83	
P18	8/22/2010 15:30:00	33.66	33.26	0.11	33.58	54.80	54.88	323.79	
P18	8/22/2010 15:45:00	33.66	33.32	0.17	33.53	54.80	54.93	323.74	
P18	8/22/2010 16:00:00	33.67	33.37	0.22	33.49	54.80	54.97	323.70	
P18	8/22/2010 16:15:00	33.67	33.43	0.28	33.45	54.79	55.01	323.66	
P18	8/22/2010 16:30:00	33.67	33.49	0.34	33.40	54.79	55.06	323.61	
P18	8/22/2010 16:45:00	33.68	33.55	0.40	33.36	54.79	55.10	323.57	
P18	8/22/2010 17:00:00	33.68	33.61	0.46	33.32	54.78	55.14	323.53	
P18	8/22/2010 17:15:00	33.68	33.66	0.51	33.28	54.78	55.18	323.49	
P18	8/22/2010 17:30:00	33.69	33.72	0.57	33.24	54.77	55.22	323.45	
P18	8/22/2010 17:45:00	33.69	33.73	0.58	33.24	54.77	55.22	323.45	
P18	8/22/2010 18:00:00	33.69	33.73	0.58	33.24	54.77	55.22	323.45	
P18	8/22/2010 18:15:00	33.70	33.73	0.58	33.24	54.76	55.22	323.45	
P18	8/22/2010 18:30:00	33.70	33.74	0.59	33.24	54.76	55.22	323.45	
P18	8/22/2010 18:45:00	33.70	33.74	0.59	33.24	54.76	55.22	323.45	
P18	8/22/2010 19:00:00	33.71	33.75	0.60	33.24	54.76	55.22	323.45	
P18	8/22/2010 19:15:00	33.71	33.75	0.60	33.24	54.75	55.22	323.45	
P18	8/22/2010 19:30:00	33.71	33.75	0.60	33.24	54.75	55.22	323.45	
P18	8/22/2010 19:45:00	33.71	33.76	0.61	33.24	54.75	55.22	323.45	
P18	8/22/2010 20:00:00	33.72	33.76	0.61	33.24	54.74	55.22	323.45	
P18	8/22/2010 20:15:00	33.72	33.77	0.61	33.24	54.74	55.22	323.45	
P18	8/22/2010 20:30:00	33.72	33.77	0.62	33.24	54.74	55.22	323.45	
P18	8/22/2010 20:45:00	33.73	33.77	0.62	33.24	54.73	55.22	323.45	
P18	8/22/2010 21:00:00	33.73	33.78	0.63	33.24	54.73	55.22	323.45	
P18	8/22/2010 21:15:00	33.74	33.78	0.63	33.25	54.72	55.21	323.46	
P18	8/22/2010 21:30:00	33.74	33.79	0.63	33.25	54.72	55.21	323.46	
P18	8/22/2010 21:45:00	33.75	33.79	0.64	33.25	54.71	55.21	323.46	
P18	8/22/2010 22:00:00	33.75	33.79	0.64	33.25	54.71	55.21	323.46	
P18	8/22/2010 22:15:00	33.76	33.79	0.64	33.25	54.70	55.21	323.46	
P18	8/22/2010 22:30:00	33.76	33.80	0.65	33.25	54.70	55.21	323.46	
P18	8/22/2010 22:45:00	33.76	33.80	0.65	33.26	54.70	55.20	323.47	
P18	8/22/2010 23:00:00	33.77	33.80	0.65	33.26	54.69	55.20	323.47	
P18	8/22/2010 23:15:00	33.77	33.81	0.66	33.26	54.69	55.20	323.47	
P18	8/22/2010 23:30:00	33.77	33.81	0.66	33.25	54.69	55.21	323.46	
P18	8/22/2010 23:45:00	33.77	33.81	0.66	33.26	54.69	55.20	323.47	
P18	8/23/2010 0:00:00	33.78	33.82	0.67	33.26	54.68	55.20	323.47	
P18	8/23/2010 0:15:00	33.78	33.82	0.67	33.26	54.68	55.20	323.47	
P18	8/23/2010 0:30:00	33.79	33.82	0.67	33.26	54.67	55.20	323.47	
P18	8/23/2010 0:45:00	33.79	33.83	0.68	33.26	54.67	55.20	323.47	
P18	8/23/2010 1:00:00	33.79	33.83	0.68	33.26	54.67	55.20	323.47	
P18	8/23/2010 1:15:00	33.79	33.83	0.68	33.26	54.67	55.20	323.47	
P18	8/23/2010 1:30:00	33.80	33.84	0.69	33.26	54.66	55.20	323.47	
P18	8/23/2010 1:45:00	33.80	33.84	0.69	33.26	54.66	55.20	323.47	
P18	8/23/2010 2:00:00	33.80	33.84	0.69	33.26	54.66	55.20	323.47	
P18	8/23/2010 2:15:00	33.81	33.84	0.69	33.27	54.66	55.19	323.48	
P18	8/23/2010 2:30:00	33.81	33.84	0.69	33.27	54.65	55.19	323.48	
P18	8/23/2010 2:45:00	33.81	33.85	0.69	33.27	54.65	55.19	323.48	
P18	8/23/2010 3:00:00	33.81	33.85	0.70	33.27	54.65	55.19	323.48	
P18	8/23/2010 3:15:00	33.82	33.85	0.70	33.27	54.64	55.19	323.48	
P18	8/23/2010 3:30:00	33.82	33.85	0.70	33.27	54.64	55.19	323.48	
P18	8/23/2010 3:45:00	33.82	33.85	0.70	33.28	54.64	55.18	323.49	
P18	8/23/2010 4:00:00	33.82	33.85	0.70	33.28	54.64	55.18	323.49	
P18	8/23/2010 4:15:00	33.83	33.86	0.70	33.28	54.63	55.18	323.49	
P18	8/23/2010 4:30:00	33.83	33.86	0.71	33.28	54.63	55.18	323.49	
P18	8/23/2010 4:45:00	33.83	33.86	0.71	33.28	54.63	55.18	323.49	
P18	8/23/2010 5:00:00	33.84	33.86	0.71	33.28	54.62	55.18	323.49	
P18	8/23/2010 5:15:00	33.84	33.86	0.71	33.29	54.62	55.17	323.50	
P18	8/23/2010 5:30:00	33.84	33.86	0.71	33.29	54.62	55.17	323.50	
P18	8/23/2010 5:45:00	33.85	33.86	0.71	33.29	54.62	55.17	323.50	
P18	8/23/2010 6:00:00	33.85	33.86	0.71	33.29	54.61	55.17	323.50	
P18	8/23/2010 6:15:00	33.85	33.87	0.71	33.29	54.61	55.17	323.50	
P18	8/23/2010 6:30:00	33.85	33.87	0.72	33.29	54.61	55.17	323.50	
P18	8/23/2010 6:45:00	33.85	33.87	0.72	33.29	54.61	55.17	323.50	
P18	8/23/2010 7:00:00	33.86	33.87	0.72	33.30	54.60	55.16	323.51	
P18	8/23/2010 7:15:00	33.86	33.87	0.72	33.30	54.60	55.16	323.51	
P18	8/23/2010 7:30:00	33.87	33.87	0.72	33.30	54.59	55.16	323.51	
P18	8/23/2010 7:45:00	33.87	33.87	0.72	33.31	54.59	55.15	323.52	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	8/23/2010 8:00:00	33.88	33.87	0.72	33.31	54.59	55.15	323.52	
P18	8/23/2010 8:15:00	33.88	33.87	0.72	33.31	54.58	55.15	323.52	
P18	8/23/2010 8:30:00	33.88	33.87	0.72	33.32	54.58	55.14	323.53	
P18	8/23/2010 8:45:00	33.89	33.88	0.72	33.32	54.58	55.14	323.53	
P18	8/23/2010 9:00:00	33.89	33.88	0.73	33.32	54.57	55.14	323.53	
P18	8/23/2010 9:15:00	33.89	33.88	0.73	33.32	54.57	55.14	323.53	
P18	8/23/2010 9:30:00	33.89	33.88	0.73	33.32	54.57	55.14	323.53	
P18	8/23/2010 9:45:00	33.89	33.85	0.70	33.34	54.57	55.12	323.55	
P18	8/23/2010 10:00:00	33.89	33.83	0.68	33.36	54.57	55.10	323.57	
P18	8/23/2010 10:15:00	33.89	33.80	0.65	33.38	54.57	55.08	323.59	
P18	8/23/2010 10:30:00	33.89	33.78	0.63	33.40	54.57	55.06	323.61	
P18	8/23/2010 10:45:00	33.89	33.76	0.61	33.42	54.57	55.04	323.63	
P18	8/23/2010 11:00:00	33.89	33.73	0.58	33.44	54.57	55.02	323.65	
P18	8/23/2010 11:15:00	33.89	33.71	0.56	33.46	54.57	55.00	323.67	
P18	8/23/2010 11:30:00	33.89	33.68	0.53	33.48	54.57	54.98	323.69	
P18	8/23/2010 11:45:00	33.89	33.66	0.51	33.50	54.57	54.96	323.71	
P18	8/23/2010 12:00:00	33.89	33.63	0.48	33.52	54.57	54.94	323.73	
P18	8/23/2010 12:15:00	33.89	33.61	0.46	33.53	54.57	54.93	323.74	
P18	8/23/2010 12:30:00	33.89	33.59	0.43	33.55	54.57	54.91	323.76	
P18	8/23/2010 12:45:00	33.89	33.56	0.41	33.57	54.57	54.89	323.78	
P18	8/23/2010 13:00:00	33.89	33.54	0.39	33.59	54.57	54.87	323.80	
P18	8/23/2010 13:15:00	33.89	33.51	0.36	33.61	54.57	54.85	323.82	
P18	8/23/2010 13:30:00	33.89	33.49	0.34	33.62	54.58	54.84	323.83	
P18	8/23/2010 13:45:00	33.89	33.48	0.33	33.63	54.58	54.83	323.84	
P18	8/23/2010 14:00:00	33.88	33.48	0.33	33.62	54.58	54.84	323.83	
P18	8/23/2010 14:15:00	33.88	33.48	0.33	33.62	54.58	54.84	323.83	
P18	8/23/2010 14:30:00	33.88	33.47	0.32	33.62	54.59	54.84	323.83	
P18	8/23/2010 14:45:00	33.87	33.47	0.32	33.62	54.59	54.84	323.83	
P18	8/23/2010 15:00:00	33.87	33.47	0.31	33.63	54.59	54.83	323.84	
P18	8/23/2010 15:15:00	33.87	33.46	0.31	33.63	54.59	54.83	323.84	
P18	8/23/2010 15:30:00	33.87	33.46	0.31	33.63	54.59	54.83	323.84	
P18	8/23/2010 15:45:00	33.87	33.45	0.30	33.63	54.59	54.83	323.84	
P18	8/23/2010 16:00:00	33.86	33.45	0.30	33.63	54.60	54.83	323.84	
P18	8/23/2010 16:15:00	33.86	33.45	0.30	33.63	54.60	54.83	323.84	
P18	8/23/2010 16:30:00	33.86	33.44	0.29	33.63	54.60	54.83	323.84	
P18	8/23/2010 16:45:00	33.85	33.44	0.29	33.63	54.61	54.83	323.84	
P18	8/23/2010 17:00:00	33.85	33.44	0.29	33.63	54.61	54.83	323.84	
P18	8/23/2010 17:15:00	33.85	33.43	0.28	33.63	54.61	54.83	323.84	
P18	8/23/2010 17:30:00	33.85	33.43	0.28	33.63	54.62	54.83	323.84	
P18	8/23/2010 17:45:00	33.85	33.43	0.28	33.63	54.62	54.83	323.84	
P18	8/23/2010 18:00:00	33.84	33.43	0.28	33.63	54.62	54.83	323.84	
P18	8/23/2010 18:15:00	33.84	33.42	0.27	33.62	54.62	54.84	323.83	
P18	8/23/2010 18:30:00	33.84	33.42	0.27	33.62	54.62	54.84	323.83	
P18	8/23/2010 18:45:00	33.83	33.42	0.27	33.62	54.63	54.84	323.83	
P18	8/23/2010 19:00:00	33.83	33.42	0.27	33.62	54.63	54.84	323.83	
P18	8/23/2010 19:15:00	33.83	33.42	0.27	33.62	54.63	54.84	323.83	
P18	8/23/2010 19:30:00	33.83	33.42	0.27	33.62	54.63	54.84	323.83	
P18	8/23/2010 19:45:00	33.83	33.42	0.27	33.62	54.63	54.84	323.83	
P18	8/23/2010 20:00:00	33.83	33.41	0.26	33.62	54.63	54.84	323.83	
P18	8/23/2010 20:15:00	33.82	33.41	0.26	33.62	54.64	54.84	323.83	
P18	8/23/2010 20:30:00	33.82	33.41	0.26	33.62	54.64	54.84	323.83	
P18	8/23/2010 20:45:00	33.83	33.41	0.26	33.62	54.63	54.84	323.83	
P18	8/23/2010 21:00:00	33.83	33.41	0.26	33.62	54.63	54.84	323.83	
P18	8/23/2010 21:15:00	33.83	33.41	0.26	33.63	54.63	54.83	323.84	
P18	8/23/2010 21:30:00	33.83	33.41	0.26	33.63	54.63	54.83	323.84	
P18	8/23/2010 21:45:00	33.83	33.41	0.26	33.63	54.63	54.83	323.84	
P18	8/23/2010 22:00:00	33.83	33.41	0.26	33.63	54.63	54.83	323.84	
P18	8/23/2010 22:15:00	33.83	33.41	0.26	33.63	54.63	54.83	323.84	
P18	8/23/2010 22:30:00	33.83	33.41	0.26	33.63	54.63	54.83	323.84	
P18	8/23/2010 22:45:00	33.83	33.41	0.26	33.63	54.63	54.83	323.84	
P18	8/23/2010 23:00:00	33.83	33.41	0.26	33.62	54.63	54.84	323.83	
P18	8/23/2010 23:15:00	33.82	33.41	0.26	33.62	54.64	54.84	323.83	
P18	8/23/2010 23:30:00	33.82	33.42	0.26	33.62	54.64	54.84	323.83	
P18	8/23/2010 23:45:00	33.82	33.42	0.27	33.61	54.64	54.85	323.82	
P18	8/24/2010 0:00:00	33.82	33.42	0.27	33.61	54.64	54.85	323.82	
P18	8/24/2010 0:15:00	33.82	33.42	0.27	33.61	54.64	54.85	323.82	
P18	8/24/2010 0:30:00	33.82	33.42	0.27	33.61	54.65	54.85	323.82	
P18	8/24/2010 0:45:00	33.81	33.42	0.27	33.60	54.65	54.86	323.81	
P18	8/24/2010 1:00:00	33.81	33.42	0.27	33.59	54.66	54.87	323.80	
P18	8/24/2010 1:15:00	33.80	33.42	0.27	33.59	54.66	54.87	323.80	
P18	8/24/2010 1:30:00	33.80	33.42	0.27	33.59	54.66	54.87	323.80	
P18	8/24/2010 1:45:00	33.80	33.43	0.28	33.58	54.66	54.88	323.79	
P18	8/24/2010 2:00:00	33.80	33.43	0.28	33.58	54.66	54.88	323.79	
P18	8/24/2010 2:15:00	33.79	33.43	0.28	33.57	54.67	54.89	323.78	
P18	8/24/2010 2:30:00	33.79	33.43	0.28	33.57	54.67	54.89	323.78	
P18	8/24/2010 2:45:00	33.79	33.44	0.29	33.57	54.67	54.89	323.78	
P18	8/24/2010 3:00:00	33.79	33.44	0.29	33.56	54.67	54.90	323.77	
P18	8/24/2010 3:15:00	33.79	33.44	0.29	33.56	54.67	54.90	323.77	
P18	8/24/2010 3:30:00	33.78	33.45	0.29	33.55	54.68	54.91	323.76	
P18	8/24/2010 3:45:00	33.78	33.45	0.30	33.55	54.68	54.91	323.76	
P18	8/24/2010 4:00:00	33.78	33.45	0.30	33.55	54.68	54.91	323.76	
P18	8/24/2010 4:15:00	33.78	33.45	0.30	33.54	54.68	54.92	323.75	
P18	8/24/2010 4:30:00	33.78	33.46	0.30	33.54	54.68	54.92	323.75	
P18	8/24/2010 4:45:00	33.78	33.46	0.31	33.54	54.69	54.92	323.75	
P18	8/24/2010 5:00:00	33.77	33.46	0.31	33.53	54.69	54.93	323.74	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	8/24/2010 5:15:00	33.77	33.46	0.31	33.53	54.69	54.93	323.74	
P18	8/24/2010 5:30:00	33.77	33.47	0.32	33.52	54.69	54.94	323.73	
P18	8/24/2010 5:45:00	33.77	33.46	0.31	33.52	54.69	54.94	323.73	
P18	8/24/2010 6:00:00	33.76	33.46	0.31	33.52	54.70	54.94	323.73	
P18	8/24/2010 6:15:00	33.76	33.46	0.31	33.52	54.70	54.94	323.73	
P18	8/24/2010 6:30:00	33.76	33.45	0.30	33.52	54.70	54.94	323.73	
P18	8/24/2010 6:45:00	33.76	33.45	0.30	33.53	54.70	54.93	323.74	
P18	8/24/2010 7:00:00	33.76	33.45	0.30	33.53	54.70	54.93	323.74	
P18	8/24/2010 7:15:00	33.76	33.44	0.29	33.53	54.70	54.93	323.74	
P18	8/24/2010 7:30:00	33.76	33.44	0.29	33.53	54.70	54.93	323.74	
P18	8/24/2010 7:45:00	33.76	33.44	0.29	33.53	54.70	54.93	323.74	
P18	8/24/2010 8:00:00	33.75	33.43	0.28	33.53	54.71	54.93	323.74	
P18	8/24/2010 8:15:00	33.75	33.43	0.28	33.54	54.71	54.92	323.75	
P18	8/24/2010 8:30:00	33.75	33.43	0.28	33.54	54.71	54.92	323.75	
P18	8/24/2010 8:45:00	33.75	33.42	0.27	33.54	54.71	54.92	323.75	
P18	8/24/2010 9:00:00	33.75	33.42	0.27	33.54	54.71	54.92	323.75	
P18	8/24/2010 9:15:00	33.74	33.42	0.27	33.53	54.72	54.93	323.74	
P18	8/24/2010 9:30:00	33.74	33.42	0.26	33.53	54.72	54.93	323.74	
P18	8/24/2010 9:45:00	33.73	33.40	0.25	33.54	54.73	54.92	323.75	
P18	8/24/2010 10:00:00	33.73	33.38	0.23	33.55	54.73	54.91	323.76	
P18	8/24/2010 10:15:00	33.73	33.37	0.22	33.56	54.73	54.90	323.77	
P18	8/24/2010 10:30:00	33.72	33.35	0.20	33.57	54.74	54.89	323.78	
P18	8/24/2010 10:45:00	33.72	33.33	0.18	33.58	54.74	54.88	323.79	
P18	8/24/2010 11:00:00	33.71	33.32	0.17	33.58	54.75	54.88	323.79	
P18	8/24/2010 11:15:00	33.71	33.30	0.15	33.60	54.75	54.86	323.81	
P18	8/24/2010 11:30:00	33.71	33.28	0.13	33.60	54.76	54.86	323.81	
P18	8/24/2010 11:45:00	33.70	33.27	0.12	33.61	54.76	54.85	323.82	
P18	8/24/2010 12:00:00	33.70	33.25	0.10	33.62	54.76	54.84	323.83	
P18	8/24/2010 12:15:00	33.69	33.24	0.08	33.63	54.77	54.83	323.84	
P18	8/24/2010 12:30:00	33.69	33.22	0.07	33.64	54.77	54.82	323.85	
P18	8/24/2010 12:45:00	33.68	33.20	0.05	33.64	54.78	54.82	323.85	
P18	8/24/2010 13:00:00	33.68	33.19	0.04	33.65	54.79	54.81	323.86	
P18	8/24/2010 13:15:00	33.67	33.17	0.02	33.65	54.79	54.81	323.86	
P18	8/24/2010 13:30:00	33.66	33.15	0.00	33.66	54.80	54.80	323.87	
P18	8/24/2010 13:45:00	33.66	33.15	-0.01	33.66	54.80	54.80	323.87	
P18	8/24/2010 14:00:00	33.65	33.14	-0.01	33.67	54.81	54.79	323.88	
P18	8/24/2010 14:15:00	33.65	33.13	-0.02	33.66	54.81	54.80	323.87	
P18	8/24/2010 14:30:00	33.64	33.12	-0.03	33.67	54.82	54.79	323.88	
P18	8/24/2010 14:45:00	33.64	33.11	-0.04	33.67	54.83	54.79	323.88	
P18	8/24/2010 15:00:00	33.63	33.10	-0.05	33.67	54.83	54.79	323.88	
P18	8/24/2010 15:15:00	33.63	33.09	-0.06	33.67	54.83	54.79	323.88	
P18	8/24/2010 15:30:00	33.62	33.09	-0.07	33.67	54.84	54.79	323.88	
P18	8/24/2010 15:45:00	33.62	33.08	-0.07	33.67	54.84	54.79	323.88	
P18	8/24/2010 16:00:00	33.61	33.07	-0.08	33.68	54.85	54.78	323.89	
P18	8/24/2010 16:15:00	33.61	33.06	-0.09	33.68	54.85	54.78	323.89	
P18	8/24/2010 16:30:00	33.60	33.05	-0.10	33.68	54.86	54.78	323.89	
P18	8/24/2010 16:45:00	33.60	33.04	-0.11	33.68	54.86	54.78	323.89	
P18	8/24/2010 17:00:00	33.60	33.03	-0.12	33.69	54.87	54.77	323.90	
P18	8/24/2010 17:15:00	33.59	33.02	-0.13	33.69	54.87	54.77	323.90	
P18	8/24/2010 17:30:00	33.59	33.02	-0.13	33.69	54.87	54.77	323.90	
P18	8/24/2010 17:45:00	33.58	33.02	-0.13	33.69	54.88	54.77	323.90	
P18	8/24/2010 18:00:00	33.58	33.02	-0.13	33.68	54.88	54.78	323.89	
P18	8/24/2010 18:15:00	33.58	33.02	-0.13	33.68	54.88	54.78	323.89	
P18	8/24/2010 18:30:00	33.57	33.03	-0.12	33.67	54.89	54.79	323.88	
P18	8/24/2010 18:45:00	33.57	33.03	-0.12	33.66	54.89	54.80	323.87	
P18	8/24/2010 19:00:00	33.57	33.03	-0.12	33.66	54.89	54.80	323.87	
P18	8/24/2010 19:15:00	33.56	33.04	-0.11	33.65	54.90	54.81	323.86	
P18	8/24/2010 19:30:00	33.56	33.04	-0.11	33.65	54.90	54.81	323.86	
P18	8/24/2010 19:45:00	33.56	33.04	-0.11	33.65	54.90	54.81	323.86	
P18	8/24/2010 20:00:00	33.56	33.04	-0.11	33.64	54.90	54.82	323.85	
P18	8/24/2010 20:15:00	33.56	33.05	-0.10	33.64	54.90	54.82	323.85	
P18	8/24/2010 20:30:00	33.56	33.05	-0.10	33.64	54.90	54.82	323.85	
P18	8/24/2010 20:45:00	33.56	33.05	-0.10	33.63	54.90	54.83	323.84	
P18	8/24/2010 21:00:00	33.56	33.06	-0.09	33.63	54.90	54.83	323.84	
P18	8/24/2010 21:15:00	33.56	33.06	-0.09	33.63	54.90	54.83	323.84	
P18	8/24/2010 21:30:00	33.56	33.06	-0.09	33.63	54.90	54.83	323.84	
P18	8/24/2010 21:45:00	33.56	33.06	-0.09	33.63	54.90	54.83	323.84	
P18	8/24/2010 22:00:00	33.56	33.07	-0.09	33.62	54.90	54.84	323.83	
P18	8/24/2010 22:15:00	33.56	33.07	-0.08	33.62	54.90	54.84	323.83	
P18	8/24/2010 22:30:00	33.56	33.07	-0.08	33.62	54.90	54.84	323.83	
P18	8/24/2010 22:45:00	33.56	33.07	-0.08	33.62	54.90	54.84	323.83	
P18	8/24/2010 23:00:00	33.55	33.07	-0.08	33.61	54.91	54.85	323.82	
P18	8/24/2010 23:15:00	33.55	33.07	-0.08	33.61	54.91	54.85	323.82	
P18	8/24/2010 23:30:00	33.55	33.08	-0.07	33.60	54.91	54.86	323.81	
P18	8/24/2010 23:45:00	33.54	33.08	-0.07	33.60	54.92	54.86	323.81	
P18	8/25/2010 0:00:00	33.54	33.08	-0.07	33.60	54.92	54.86	323.81	
P18	8/25/2010 0:15:00	33.54	33.08	-0.07	33.59	54.92	54.87	323.80	
P18	8/25/2010 0:30:00	33.54	33.08	-0.07	33.59	54.92	54.87	323.80	
P18	8/25/2010 0:45:00	33.54	33.08	-0.07	33.59	54.92	54.87	323.80	
P18	8/25/2010 1:00:00	33.54	33.09	-0.06	33.59	54.93	54.87	323.80	
P18	8/25/2010 1:15:00	33.54	33.09	-0.06	33.58	54.93	54.88	323.79	
P18	8/25/2010 1:30:00	33.53	33.09	-0.06	33.58	54.93	54.88	323.79	
P18	8/25/2010 1:45:00	33.53	33.09	-0.06	33.57	54.93	54.89	323.78	
P18	8/25/2010 2:00:00	33.53	33.10	-0.05	33.57	54.93	54.89	323.78	
P18	8/25/2010 2:15:00	33.53	33.10	-0.05	33.57	54.93	54.89	323.78	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	8/25/2010 2:30:00	33.53	33.11	-0.04	33.56	54.94	54.90	323.77	
P18	8/25/2010 2:45:00	33.52	33.11	-0.04	33.55	54.94	54.91	323.76	
P18	8/25/2010 3:00:00	33.52	33.12	-0.03	33.55	54.94	54.91	323.76	
P18	8/25/2010 3:15:00	33.52	33.12	-0.03	33.54	54.94	54.92	323.75	
P18	8/25/2010 3:30:00	33.52	33.13	-0.03	33.54	54.94	54.92	323.75	
P18	8/25/2010 3:45:00	33.51	33.13	-0.02	33.53	54.95	54.93	323.74	
P18	8/25/2010 4:00:00	33.51	33.13	-0.02	33.53	54.95	54.93	323.74	
P18	8/25/2010 4:15:00	33.51	33.14	-0.01	33.52	54.95	54.94	323.73	
P18	8/25/2010 4:30:00	33.51	33.14	-0.01	33.52	54.95	54.94	323.73	
P18	8/25/2010 4:45:00	33.51	33.15	0.00	33.51	54.95	54.95	323.72	
P18	8/25/2010 5:00:00	33.51	33.15	0.00	33.51	54.95	54.95	323.72	
P18	8/25/2010 5:15:00	33.51	33.16	0.01	33.51	54.95	54.95	323.72	
P18	8/25/2010 5:30:00	33.51	33.16	0.01	33.50	54.95	54.96	323.71	
P18	8/25/2010 5:45:00	33.51	33.16	0.01	33.51	54.95	54.95	323.72	
P18	8/25/2010 6:00:00	33.51	33.15	0.00	33.51	54.95	54.95	323.72	
P18	8/25/2010 6:15:00	33.51	33.15	0.00	33.51	54.95	54.95	323.72	
P18	8/25/2010 6:30:00	33.51	33.14	-0.01	33.52	54.95	54.94	323.73	
P18	8/25/2010 6:45:00	33.51	33.14	-0.01	33.52	54.95	54.94	323.73	
P18	8/25/2010 7:00:00	33.51	33.13	-0.02	33.52	54.95	54.94	323.73	
P18	8/25/2010 7:15:00	33.51	33.13	-0.02	33.53	54.95	54.93	323.74	
P18	8/25/2010 7:30:00	33.51	33.13	-0.02	33.53	54.95	54.93	323.74	
P18	8/25/2010 7:45:00	33.51	33.12	-0.03	33.53	54.95	54.93	323.74	
P18	8/25/2010 8:00:00	33.51	33.12	-0.03	33.53	54.95	54.93	323.74	
P18	8/25/2010 8:15:00	33.51	33.11	-0.04	33.54	54.95	54.92	323.75	
P18	8/25/2010 8:30:00	33.51	33.11	-0.04	33.54	54.95	54.92	323.75	
P18	8/25/2010 8:45:00	33.50	33.10	-0.05	33.54	54.96	54.92	323.75	
P18	8/25/2010 9:00:00	33.50	33.10	-0.05	33.54	54.96	54.92	323.75	
P18	8/25/2010 9:15:00	33.50	33.10	-0.06	33.55	54.96	54.91	323.76	
P18	8/25/2010 9:30:00	33.50	33.09	-0.06	33.55	54.96	54.91	323.76	
P18	8/25/2010 9:45:00	33.50	33.08	-0.07	33.55	54.96	54.91	323.76	
P18	8/25/2010 10:00:00	33.50	33.07	-0.08	33.55	54.97	54.91	323.76	
P18	8/25/2010 10:15:00	33.49	33.07	-0.09	33.56	54.97	54.90	323.77	
P18	8/25/2010 10:30:00	33.49	33.06	-0.09	33.56	54.97	54.90	323.77	
P18	8/25/2010 10:45:00	33.49	33.05	-0.10	33.57	54.97	54.89	323.78	
P18	8/25/2010 11:00:00	33.49	33.04	-0.11	33.57	54.97	54.89	323.78	
P18	8/25/2010 11:15:00	33.48	33.03	-0.12	33.58	54.98	54.88	323.79	
P18	8/25/2010 11:30:00	33.48	33.02	-0.13	33.58	54.98	54.88	323.79	
P18	8/25/2010 11:45:00	33.48	33.02	-0.14	33.59	54.98	54.87	323.80	
P18	8/25/2010 12:00:00	33.47	33.01	-0.14	33.59	54.99	54.87	323.80	
P18	8/25/2010 12:15:00	33.47	33.00	-0.15	33.59	54.99	54.87	323.80	
P18	8/25/2010 12:30:00	33.47	32.99	-0.16	33.59	54.99	54.87	323.80	
P18	8/25/2010 12:45:00	33.47	32.98	-0.17	33.60	55.00	54.86	323.81	
P18	8/25/2010 13:00:00	33.46	32.97	-0.18	33.60	55.00	54.86	323.81	
P18	8/25/2010 13:15:00	33.45	32.96	-0.19	33.60	55.01	54.86	323.81	
P18	8/25/2010 13:30:00	33.45	32.96	-0.19	33.60	55.01	54.86	323.81	
P18	8/25/2010 13:45:00	33.45	32.95	-0.20	33.60	55.01	54.86	323.81	
P18	8/25/2010 14:00:00	33.45	32.94	-0.21	33.61	55.01	54.85	323.82	
P18	8/25/2010 14:15:00	33.44	32.94	-0.21	33.61	55.02	54.85	323.82	
P18	8/25/2010 14:30:00	33.44	32.93	-0.22	33.61	55.02	54.85	323.82	
P18	8/25/2010 14:45:00	33.44	32.93	-0.22	33.61	55.02	54.85	323.82	
P18	8/25/2010 15:00:00	33.44	32.92	-0.23	33.62	55.02	54.84	323.83	
P18	8/25/2010 15:15:00	33.43	32.92	-0.24	33.62	55.03	54.84	323.83	
P18	8/25/2010 15:30:00	33.43	32.91	-0.24	33.62	55.03	54.84	323.83	
P18	8/25/2010 15:45:00	33.43	32.90	-0.25	33.62	55.03	54.84	323.83	
P18	8/25/2010 16:00:00	33.42	32.90	-0.25	33.62	55.04	54.84	323.83	
P18	8/25/2010 16:15:00	33.42	32.89	-0.26	33.62	55.04	54.84	323.83	
P18	8/25/2010 16:30:00	33.41	32.89	-0.26	33.62	55.05	54.84	323.83	
P18	8/25/2010 16:45:00	33.41	32.88	-0.27	33.62	55.05	54.84	323.83	
P18	8/25/2010 17:00:00	33.41	32.88	-0.28	33.62	55.05	54.84	323.83	
P18	8/25/2010 17:15:00	33.40	32.87	-0.28	33.62	55.06	54.84	323.83	
P18	8/25/2010 17:30:00	33.40	32.86	-0.29	33.62	55.06	54.84	323.83	
P18	8/25/2010 17:45:00	33.40	32.87	-0.29	33.62	55.07	54.84	323.83	
P18	8/25/2010 18:00:00	33.39	32.87	-0.28	33.61	55.07	54.85	323.82	
P18	8/25/2010 18:15:00	33.39	32.87	-0.28	33.61	55.07	54.85	323.82	
P18	8/25/2010 18:30:00	33.39	32.87	-0.28	33.60	55.08	54.86	323.81	
P18	8/25/2010 18:45:00	33.38	32.87	-0.28	33.60	55.08	54.86	323.81	
P18	8/25/2010 19:00:00	33.38	32.87	-0.28	33.59	55.08	54.87	323.80	
P18	8/25/2010 19:15:00	33.37	32.88	-0.27	33.58	55.09	54.88	323.79	
P18	8/25/2010 19:30:00	33.37	32.88	-0.27	33.58	55.09	54.88	323.79	
P18	8/25/2010 19:45:00	33.37	32.88	-0.27	33.58	55.09	54.88	323.79	
P18	8/25/2010 20:00:00	33.37	32.88	-0.27	33.58	55.09	54.88	323.79	
P18	8/25/2010 20:15:00	33.37	32.88	-0.27	33.58	55.09	54.88	323.79	
P18	8/25/2010 20:30:00	33.37	32.89	-0.27	33.57	55.09	54.89	323.78	
P18	8/25/2010 20:45:00	33.37	32.89	-0.26	33.57	55.09	54.89	323.78	
P18	8/25/2010 21:00:00	33.37	32.89	-0.26	33.57	55.09	54.89	323.78	
P18	8/25/2010 21:15:00	33.37	32.89	-0.26	33.57	55.09	54.89	323.78	
P18	8/25/2010 21:30:00	33.37	32.89	-0.26	33.57	55.09	54.89	323.78	
P18	8/25/2010 21:45:00	33.37	32.90	-0.25	33.57	55.09	54.89	323.78	
P18	8/25/2010 22:00:00	33.37	32.90	-0.25	33.57	55.09	54.89	323.78	
P18	8/25/2010 22:15:00	33.37	32.90	-0.25	33.57	55.09	54.89	323.78	
P18	8/25/2010 22:30:00	33.38	32.91	-0.24	33.57	55.08	54.89	323.78	
P18	8/25/2010 22:45:00	33.38	32.91	-0.24	33.56	55.08	54.90	323.77	
P18	8/25/2010 23:00:00	33.37	32.91	-0.24	33.56	55.09	54.90	323.77	
P18	8/25/2010 23:15:00	33.37	32.92	-0.23	33.56	55.09	54.90	323.77	
P18	8/25/2010 23:30:00	33.37	32.92	-0.23	33.55	55.09	54.91	323.76	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	8/25/2010 23:45:00	33.37	32.92	-0.23	33.55	55.09	54.91	323.76	
P18	8/26/2010 0:00:00	33.37	32.93	-0.22	33.54	55.09	54.92	323.75	
P18	8/26/2010 0:15:00	33.37	32.93	-0.22	33.54	55.09	54.92	323.75	
P18	8/26/2010 0:30:00	33.37	32.93	-0.22	33.54	55.09	54.92	323.75	
P18	8/26/2010 0:45:00	33.37	32.94	-0.21	33.53	55.09	54.93	323.74	
P18	8/26/2010 1:00:00	33.37	32.94	-0.21	33.53	55.09	54.93	323.74	
P18	8/26/2010 1:15:00	33.37	32.94	-0.21	33.53	55.09	54.93	323.74	
P18	8/26/2010 1:30:00	33.37	32.95	-0.20	33.53	55.09	54.93	323.74	
P18	8/26/2010 1:45:00	33.37	32.95	-0.20	33.52	55.09	54.94	323.73	
P18	8/26/2010 2:00:00	33.37	32.96	-0.19	33.52	55.09	54.94	323.73	
P18	8/26/2010 2:15:00	33.37	32.96	-0.19	33.51	55.09	54.95	323.72	
P18	8/26/2010 2:30:00	33.37	32.97	-0.18	33.51	55.09	54.95	323.72	
P18	8/26/2010 2:45:00	33.36	32.98	-0.18	33.50	55.10	54.96	323.71	
P18	8/26/2010 3:00:00	33.36	32.98	-0.17	33.50	55.10	54.96	323.71	
P18	8/26/2010 3:15:00	33.36	32.99	-0.16	33.49	55.10	54.97	323.70	
P18	8/26/2010 3:30:00	33.36	32.99	-0.16	33.49	55.10	54.97	323.70	
P18	8/26/2010 3:45:00	33.37	33.00	-0.15	33.49	55.09	54.97	323.70	
P18	8/26/2010 4:00:00	33.37	33.00	-0.15	33.49	55.09	54.97	323.70	
P18	8/26/2010 4:15:00	33.37	33.01	-0.14	33.48	55.09	54.98	323.69	
P18	8/26/2010 4:30:00	33.37	33.02	-0.14	33.48	55.09	54.98	323.69	
P18	8/26/2010 4:45:00	33.37	33.02	-0.13	33.48	55.09	54.98	323.69	
P18	8/26/2010 5:00:00	33.37	33.03	-0.12	33.47	55.09	54.99	323.68	
P18	8/26/2010 5:15:00	33.38	33.03	-0.12	33.47	55.08	54.99	323.68	
P18	8/26/2010 5:30:00	33.38	33.04	-0.11	33.46	55.08	55.00	323.67	
P18	8/26/2010 5:45:00	33.38	33.04	-0.11	33.46	55.08	55.00	323.67	
P18	8/26/2010 6:00:00	33.38	33.05	-0.10	33.46	55.08	55.00	323.67	
P18	8/26/2010 6:15:00	33.38	33.06	-0.09	33.45	55.08	55.01	323.66	
P18	8/26/2010 6:30:00	33.39	33.06	-0.09	33.45	55.08	55.01	323.66	
P18	8/26/2010 6:45:00	33.39	33.07	-0.08	33.45	55.07	55.01	323.66	
P18	8/26/2010 7:00:00	33.40	33.08	-0.07	33.45	55.07	55.01	323.66	
P18	8/26/2010 7:15:00	33.40	33.08	-0.07	33.45	55.06	55.01	323.66	
P18	8/26/2010 7:30:00	33.40	33.09	-0.06	33.45	55.06	55.01	323.66	
P18	8/26/2010 7:45:00	33.41	33.10	-0.05	33.45	55.05	55.01	323.66	
P18	8/26/2010 8:00:00	33.41	33.10	-0.05	33.45	55.05	55.01	323.66	
P18	8/26/2010 8:15:00	33.42	33.11	-0.04	33.45	55.04	55.01	323.66	
P18	8/26/2010 8:30:00	33.42	33.12	-0.03	33.44	55.04	55.02	323.65	
P18	8/26/2010 8:45:00	33.42	33.12	-0.03	33.44	55.04	55.02	323.65	
P18	8/26/2010 9:00:00	33.42	33.13	-0.02	33.44	55.04	55.02	323.65	
P18	8/26/2010 9:15:00	33.42	33.14	-0.01	33.43	55.04	55.03	323.64	
P18	8/26/2010 9:30:00	33.43	33.14	-0.01	33.43	55.04	55.03	323.64	
P18	8/26/2010 9:45:00	33.43	33.14	-0.01	33.43	55.03	55.03	323.64	
P18	8/26/2010 10:00:00	33.43	33.14	-0.01	33.44	55.03	55.02	323.65	
P18	8/26/2010 10:15:00	33.44	33.14	-0.01	33.45	55.02	55.01	323.66	
P18	8/26/2010 10:30:00	33.44	33.14	-0.01	33.45	55.02	55.01	323.66	
P18	8/26/2010 10:45:00	33.45	33.14	-0.01	33.46	55.01	55.00	323.67	
P18	8/26/2010 11:00:00	33.45	33.14	-0.01	33.46	55.01	55.00	323.67	
P18	8/26/2010 11:15:00	33.46	33.14	-0.01	33.47	55.01	54.99	323.68	
P18	8/26/2010 11:30:00	33.46	33.14	-0.01	33.47	55.01	54.99	323.68	
P18	8/26/2010 11:45:00	33.46	33.14	-0.02	33.47	55.00	54.99	323.68	
P18	8/26/2010 12:00:00	33.46	33.13	-0.02	33.47	55.00	54.99	323.68	
P18	8/26/2010 12:15:00	33.46	33.13	-0.02	33.48	55.00	54.98	323.69	
P18	8/26/2010 12:30:00	33.46	33.13	-0.02	33.48	55.00	54.98	323.69	
P18	8/26/2010 12:45:00	33.47	33.13	-0.02	33.48	54.99	54.98	323.69	
P18	8/26/2010 13:00:00	33.47	33.13	-0.02	33.48	54.99	54.98	323.69	
P18	8/26/2010 13:15:00	33.47	33.13	-0.02	33.49	54.99	54.97	323.70	
P18	8/26/2010 13:30:00	33.48	33.13	-0.02	33.50	54.98	54.96	323.71	
P18	8/26/2010 13:45:00	33.48	33.13	-0.02	33.49	54.98	54.97	323.70	
P18	8/26/2010 14:00:00	33.49	33.14	-0.01	33.50	54.97	54.96	323.71	
P18	8/26/2010 14:15:00	33.50	33.14	-0.01	33.50	54.97	54.96	323.71	
P18	8/26/2010 14:30:00	33.50	33.15	-0.01	33.50	54.96	54.96	323.71	
P18	8/26/2010 14:45:00	33.50	33.15	0.00	33.50	54.96	54.96	323.71	
P18	8/26/2010 15:00:00	33.50	33.15	0.00	33.50	54.96	54.96	323.71	
P18	8/26/2010 15:15:00	33.51	33.16	0.01	33.50	54.95	54.96	323.71	
P18	8/26/2010 15:30:00	33.50	33.16	0.01	33.50	54.96	54.96	323.71	
P18	8/26/2010 15:45:00	33.50	33.16	0.01	33.49	54.96	54.97	323.70	
P18	8/26/2010 16:00:00	33.51	33.17	0.02	33.49	54.95	54.97	323.70	
P18	8/26/2010 16:15:00	33.51	33.17	0.02	33.49	54.95	54.97	323.70	
P18	8/26/2010 16:30:00	33.51	33.18	0.02	33.49	54.95	54.97	323.70	
P18	8/26/2010 16:45:00	33.51	33.18	0.03	33.49	54.95	54.97	323.70	
P18	8/26/2010 17:00:00	33.51	33.18	0.03	33.49	54.95	54.97	323.70	
P18	8/26/2010 17:15:00	33.52	33.19	0.04	33.49	54.94	54.97	323.70	
P18	8/26/2010 17:30:00	33.52	33.19	0.04	33.49	54.94	54.97	323.70	
P18	8/26/2010 17:45:00	33.52	33.20	0.05	33.49	54.94	54.97	323.70	
P18	8/26/2010 18:00:00	33.53	33.20	0.05	33.48	54.94	54.98	323.69	
P18	8/26/2010 18:15:00	33.53	33.21	0.06	33.48	54.93	54.98	323.69	
P18	8/26/2010 18:30:00	33.53	33.22	0.06	33.48	54.93	54.98	323.69	
P18	8/26/2010 18:45:00	33.53	33.22	0.07	33.48	54.93	54.98	323.69	
P18	8/26/2010 19:00:00	33.54	33.23	0.08	33.48	54.92	54.98	323.69	
P18	8/26/2010 19:15:00	33.54	33.23	0.08	33.47	54.92	54.99	323.68	
P18	8/26/2010 19:30:00	33.54	33.24	0.09	33.47	54.92	54.99	323.68	
P18	8/26/2010 19:45:00	33.55	33.25	0.09	33.47	54.91	54.99	323.68	
P18	8/26/2010 20:00:00	33.55	33.25	0.10	33.47	54.91	54.99	323.68	
P18	8/26/2010 20:15:00	33.55	33.26	0.11	33.47	54.91	54.99	323.68	
P18	8/26/2010 20:30:00	33.56	33.26	0.11	33.47	54.90	54.99	323.68	
P18	8/26/2010 20:45:00	33.56	33.27	0.12	33.47	54.90	54.99	323.68	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	8/26/2010 21:00:00	33.56	33.28	0.12	33.47	54.90	54.99	323.68	
P18	8/26/2010 21:15:00	33.57	33.28	0.13	33.46	54.89	55.00	323.67	
P18	8/26/2010 21:30:00	33.57	33.29	0.14	33.47	54.89	54.99	323.68	
P18	8/26/2010 21:45:00	33.58	33.29	0.14	33.47	54.88	54.99	323.68	
P18	8/26/2010 22:00:00	33.58	33.30	0.15	33.47	54.88	54.99	323.68	
P18	8/26/2010 22:15:00	33.58	33.30	0.15	33.46	54.88	55.00	323.67	
P18	8/26/2010 22:30:00	33.58	33.30	0.15	33.46	54.88	55.00	323.67	
P18	8/26/2010 22:45:00	33.58	33.31	0.16	33.45	54.88	55.01	323.66	
P18	8/26/2010 23:00:00	33.58	33.31	0.16	33.45	54.88	55.01	323.66	
P18	8/26/2010 23:15:00	33.58	33.32	0.17	33.45	54.88	55.01	323.66	
P18	8/26/2010 23:30:00	33.58	33.32	0.17	33.45	54.88	55.01	323.66	
P18	8/26/2010 23:45:00	33.58	33.32	0.17	33.44	54.88	55.02	323.65	
P18	8/27/2010 0:00:00	33.58	33.33	0.18	33.44	54.88	55.02	323.65	
P18	8/27/2010 0:15:00	33.58	33.33	0.18	33.44	54.88	55.02	323.65	
P18	8/27/2010 0:30:00	33.59	33.34	0.19	33.44	54.87	55.02	323.65	
P18	8/27/2010 0:45:00	33.59	33.34	0.19	33.44	54.87	55.02	323.65	
P18	8/27/2010 1:00:00	33.58	33.34	0.19	33.43	54.88	55.03	323.64	
P18	8/27/2010 1:15:00	33.58	33.35	0.20	33.43	54.88	55.03	323.64	
P18	8/27/2010 1:30:00	33.59	33.35	0.20	33.43	54.87	55.03	323.64	
P18	8/27/2010 1:45:00	33.59	33.36	0.20	33.43	54.87	55.03	323.64	
P18	8/27/2010 2:00:00	33.59	33.36	0.21	33.43	54.87	55.03	323.64	
P18	8/27/2010 2:15:00	33.59	33.36	0.21	33.43	54.87	55.03	323.64	
P18	8/27/2010 2:30:00	33.60	33.36	0.21	33.43	54.87	55.03	323.64	
P18	8/27/2010 2:45:00	33.60	33.36	0.21	33.43	54.86	55.03	323.64	
P18	8/27/2010 3:00:00	33.60	33.37	0.21	33.43	54.86	55.03	323.64	
P18	8/27/2010 3:15:00	33.60	33.37	0.22	33.43	54.86	55.03	323.64	
P18	8/27/2010 3:30:00	33.60	33.37	0.22	33.43	54.86	55.03	323.64	
P18	8/27/2010 3:45:00	33.61	33.37	0.22	33.43	54.86	55.03	323.64	
P18	8/27/2010 4:00:00	33.61	33.37	0.22	33.43	54.85	55.03	323.64	
P18	8/27/2010 4:15:00	33.61	33.38	0.22	33.43	54.85	55.03	323.64	
P18	8/27/2010 4:30:00	33.61	33.38	0.23	33.43	54.85	55.03	323.64	
P18	8/27/2010 4:45:00	33.61	33.38	0.23	33.43	54.85	55.03	323.64	
P18	8/27/2010 5:00:00	33.61	33.38	0.23	33.43	54.85	55.03	323.64	
P18	8/27/2010 5:15:00	33.61	33.38	0.23	33.43	54.85	55.03	323.64	
P18	8/27/2010 5:30:00	33.61	33.39	0.24	33.43	54.85	55.03	323.64	
P18	8/27/2010 5:45:00	33.61	33.38	0.23	33.43	54.85	55.03	323.64	
P18	8/27/2010 6:00:00	33.61	33.38	0.23	33.43	54.85	55.03	323.64	
P18	8/27/2010 6:15:00	33.61	33.38	0.22	33.43	54.85	55.03	323.64	
P18	8/27/2010 6:30:00	33.61	33.37	0.22	33.44	54.85	55.02	323.65	
P18	8/27/2010 6:45:00	33.61	33.37	0.22	33.44	54.85	55.02	323.65	
P18	8/27/2010 7:00:00	33.61	33.37	0.21	33.45	54.85	55.01	323.66	
P18	8/27/2010 7:15:00	33.61	33.36	0.21	33.45	54.85	55.01	323.66	
P18	8/27/2010 7:30:00	33.61	33.36	0.21	33.45	54.85	55.01	323.66	
P18	8/27/2010 7:45:00	33.61	33.35	0.20	33.46	54.85	55.00	323.67	
P18	8/27/2010 8:00:00	33.61	33.35	0.20	33.46	54.85	55.00	323.67	
P18	8/27/2010 8:15:00	33.61	33.35	0.20	33.46	54.85	55.00	323.67	
P18	8/27/2010 8:30:00	33.61	33.34	0.19	33.46	54.85	55.00	323.67	
P18	8/27/2010 8:45:00	33.61	33.34	0.19	33.46	54.85	55.00	323.67	
P18	8/27/2010 9:00:00	33.61	33.34	0.19	33.47	54.85	54.99	323.68	
P18	8/27/2010 9:15:00	33.61	33.33	0.18	33.47	54.85	54.99	323.68	
P18	8/27/2010 9:30:00	33.61	33.33	0.18	33.47	54.85	54.99	323.68	
P18	8/27/2010 9:45:00	33.61	33.32	0.17	33.47	54.86	54.99	323.68	
P18	8/27/2010 10:00:00	33.60	33.31	0.16	33.48	54.86	54.98	323.69	
P18	8/27/2010 10:15:00	33.60	33.30	0.15	33.48	54.86	54.98	323.69	
P18	8/27/2010 10:30:00	33.60	33.29	0.14	33.48	54.87	54.98	323.69	
P18	8/27/2010 10:45:00	33.59	33.28	0.13	33.49	54.87	54.97	323.70	
P18	8/27/2010 11:00:00	33.59	33.27	0.12	33.49	54.87	54.97	323.70	
P18	8/27/2010 11:15:00	33.59	33.27	0.11	33.50	54.87	54.96	323.71	
P18	8/27/2010 11:30:00	33.59	33.26	0.11	33.50	54.87	54.96	323.71	
P18	8/27/2010 11:45:00	33.58	33.25	0.10	33.51	54.88	54.95	323.72	
P18	8/27/2010 12:00:00	33.58	33.24	0.09	33.51	54.88	54.95	323.72	
P18	8/27/2010 12:15:00	33.57	33.23	0.08	33.51	54.89	54.95	323.72	
P18	8/27/2010 12:30:00	33.57	33.22	0.07	33.52	54.89	54.94	323.73	
P18	8/27/2010 12:45:00	33.57	33.21	0.06	33.52	54.89	54.94	323.73	
P18	8/27/2010 13:00:00	33.56	33.20	0.05	33.52	54.90	54.94	323.73	
P18	8/27/2010 13:15:00	33.56	33.19	0.04	33.53	54.90	54.93	323.74	
P18	8/27/2010 13:30:00	33.55	33.18	0.03	33.53	54.91	54.93	323.74	
P18	8/27/2010 13:45:00	33.55	33.18	0.02	33.53	54.91	54.93	323.74	
P18	8/27/2010 14:00:00	33.55	33.17	0.02	33.54	54.91	54.92	323.75	
P18	8/27/2010 14:15:00	33.55	33.16	0.01	33.54	54.91	54.92	323.75	
P18	8/27/2010 14:30:00	33.54	33.16	0.00	33.54	54.92	54.92	323.75	
P18	8/27/2010 14:45:00	33.54	33.15	0.00	33.54	54.92	54.92	323.75	
P18	8/27/2010 15:00:00	33.54	33.14	-0.01	33.54	54.93	54.92	323.75	
P18	8/27/2010 15:15:00	33.53	33.13	-0.02	33.54	54.93	54.92	323.75	
P18	8/27/2010 15:30:00	33.52	33.13	-0.02	33.54	54.94	54.92	323.75	
P18	8/27/2010 15:45:00	33.52	33.12	-0.03	33.54	54.94	54.92	323.75	
P18	8/27/2010 16:00:00	33.51	33.11	-0.04	33.54	54.95	54.92	323.75	
P18	8/27/2010 16:15:00	33.51	33.11	-0.04	33.54	54.95	54.92	323.75	
P18	8/27/2010 16:30:00	33.50	33.10	-0.05	33.54	54.96	54.92	323.75	
P18	8/27/2010 16:45:00	33.50	33.09	-0.06	33.54	54.96	54.92	323.75	
P18	8/27/2010 17:00:00	33.50	33.09	-0.06	33.54	54.97	54.92	323.75	
P18	8/27/2010 17:15:00	33.49	33.08	-0.07	33.55	54.97	54.91	323.76	
P18	8/27/2010 17:30:00	33.49	33.07	-0.08	33.55	54.97	54.91	323.76	
P18	8/27/2010 17:45:00	33.49	33.07	-0.08	33.55	54.97	54.91	323.76	
P18	8/27/2010 18:00:00	33.49	33.07	-0.08	33.55	54.97	54.91	323.76	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	8/27/2010 18:15:00	33.48	33.07	-0.08	33.54	54.98	54.92	323.75	
P18	8/27/2010 18:30:00	33.48	33.07	-0.08	33.54	54.98	54.92	323.75	
P18	8/27/2010 18:45:00	33.48	33.07	-0.08	33.54	54.98	54.92	323.75	
P18	8/27/2010 19:00:00	33.47	33.07	-0.08	33.53	54.99	54.93	323.74	
P18	8/27/2010 19:15:00	33.47	33.07	-0.08	33.53	54.99	54.93	323.74	
P18	8/27/2010 19:30:00	33.47	33.07	-0.08	33.53	54.99	54.93	323.74	
P18	8/27/2010 19:45:00	33.47	33.07	-0.08	33.53	54.99	54.93	323.74	
P18	8/27/2010 20:00:00	33.47	33.07	-0.08	33.53	54.99	54.93	323.74	
P18	8/27/2010 20:15:00	33.47	33.07	-0.08	33.53	54.99	54.93	323.74	
P18	8/27/2010 20:30:00	33.47	33.07	-0.08	33.53	54.99	54.93	323.74	
P18	8/27/2010 20:45:00	33.47	33.07	-0.08	33.53	55.00	54.93	323.74	
P18	8/27/2010 21:00:00	33.47	33.07	-0.08	33.53	55.00	54.93	323.74	
P18	8/27/2010 21:15:00	33.46	33.07	-0.08	33.52	55.00	54.94	323.73	
P18	8/27/2010 21:30:00	33.46	33.07	-0.08	33.52	55.00	54.94	323.73	
P18	8/27/2010 21:45:00	33.46	33.08	-0.07	33.52	55.00	54.94	323.73	
P18	8/27/2010 22:00:00	33.46	33.08	-0.07	33.51	55.00	54.95	323.72	
P18	8/27/2010 22:15:00	33.46	33.09	-0.07	33.51	55.00	54.95	323.72	
P18	8/27/2010 22:30:00	33.46	33.09	-0.06	33.51	55.00	54.95	323.72	
P18	8/27/2010 22:45:00	33.46	33.09	-0.06	33.50	55.01	54.96	323.71	
P18	8/27/2010 23:00:00	33.45	33.10	-0.05	33.49	55.01	54.97	323.70	
P18	8/27/2010 23:15:00	33.45	33.10	-0.05	33.49	55.01	54.97	323.70	
P18	8/27/2010 23:30:00	33.45	33.11	-0.04	33.48	55.01	54.98	323.69	
P18	8/27/2010 23:45:00	33.45	33.11	-0.04	33.48	55.01	54.98	323.69	
P18	8/28/2010 0:00:00	33.45	33.12	-0.03	33.48	55.01	54.98	323.69	
P18	8/28/2010 0:15:00	33.45	33.12	-0.03	33.47	55.01	54.99	323.68	
P18	8/28/2010 0:30:00	33.44	33.13	-0.03	33.46	55.02	55.00	323.67	
P18	8/28/2010 0:45:00	33.45	33.13	-0.02	33.46	55.01	55.00	323.67	
P18	8/28/2010 1:00:00	33.44	33.13	-0.02	33.46	55.02	55.00	323.67	
P18	8/28/2010 1:15:00	33.44	33.14	-0.01	33.45	55.02	55.01	323.66	
P18	8/28/2010 1:30:00	33.44	33.14	-0.01	33.45	55.02	55.01	323.66	
P18	8/28/2010 1:45:00	33.44	33.15	0.00	33.44	55.02	55.02	323.65	
P18	8/28/2010 2:00:00	33.44	33.15	0.00	33.44	55.02	55.02	323.65	
P18	8/28/2010 2:15:00	33.44	33.15	0.00	33.43	55.02	55.03	323.64	
P18	8/28/2010 2:30:00	33.43	33.16	0.01	33.43	55.03	55.03	323.64	
P18	8/28/2010 2:45:00	33.43	33.16	0.01	33.42	55.03	55.04	323.63	
P18	8/28/2010 3:00:00	33.43	33.16	0.01	33.42	55.03	55.04	323.63	
P18	8/28/2010 3:15:00	33.43	33.17	0.02	33.42	55.03	55.04	323.63	
P18	8/28/2010 3:30:00	33.43	33.17	0.02	33.41	55.03	55.05	323.62	
P18	8/28/2010 3:45:00	33.43	33.18	0.02	33.41	55.03	55.05	323.62	
P18	8/28/2010 4:00:00	33.43	33.18	0.03	33.40	55.04	55.06	323.61	
P18	8/28/2010 4:15:00	33.43	33.18	0.03	33.40	55.04	55.06	323.61	
P18	8/28/2010 4:30:00	33.43	33.19	0.04	33.40	55.04	55.06	323.61	
P18	8/28/2010 4:45:00	33.42	33.19	0.04	33.39	55.04	55.07	323.60	
P18	8/28/2010 5:00:00	33.42	33.19	0.04	33.39	55.04	55.07	323.60	
P18	8/28/2010 5:15:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	8/28/2010 5:30:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	8/28/2010 5:45:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	8/28/2010 6:00:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	8/28/2010 6:15:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	8/28/2010 6:30:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	8/28/2010 6:45:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	8/28/2010 7:00:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	8/28/2010 7:15:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	8/28/2010 7:30:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	8/28/2010 7:45:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	8/28/2010 8:00:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	8/28/2010 8:15:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	8/28/2010 8:30:00	33.42	33.20	0.04	33.39	55.04	55.07	323.60	
P18	8/28/2010 8:45:00	33.42	33.20	0.04	33.38	55.04	55.08	323.59	
P18	8/28/2010 9:00:00	33.42	33.19	0.04	33.38	55.04	55.08	323.59	
P18	8/28/2010 9:15:00	33.42	33.19	0.04	33.38	55.04	55.08	323.59	
P18	8/28/2010 9:30:00	33.42	33.19	0.04	33.38	55.04	55.08	323.59	
P18	8/28/2010 9:45:00	33.42	33.18	0.03	33.39	55.04	55.07	323.60	
P18	8/28/2010 10:00:00	33.41	33.17	0.02	33.40	55.05	55.06	323.61	
P18	8/28/2010 10:15:00	33.41	33.16	0.01	33.40	55.05	55.06	323.61	
P18	8/28/2010 10:30:00	33.41	33.15	0.00	33.41	55.05	55.05	323.62	
P18	8/28/2010 10:45:00	33.41	33.14	-0.01	33.42	55.05	55.04	323.63	
P18	8/28/2010 11:00:00	33.41	33.13	-0.02	33.42	55.05	55.04	323.63	
P18	8/28/2010 11:15:00	33.41	33.12	-0.03	33.43	55.05	55.03	323.64	
P18	8/28/2010 11:30:00	33.40	33.11	-0.04	33.44	55.06	55.02	323.65	
P18	8/28/2010 11:45:00	33.40	33.10	-0.05	33.44	55.06	55.02	323.65	
P18	8/28/2010 12:00:00	33.40	33.09	-0.06	33.45	55.06	55.01	323.66	
P18	8/28/2010 12:15:00	33.40	33.08	-0.07	33.46	55.06	55.00	323.67	
P18	8/28/2010 12:30:00	33.40	33.07	-0.08	33.46	55.07	55.00	323.67	
P18	8/28/2010 12:45:00	33.39	33.06	-0.09	33.47	55.07	54.99	323.68	
P18	8/28/2010 13:00:00	33.39	33.05	-0.10	33.47	55.07	54.99	323.68	
P18	8/28/2010 13:15:00	33.39	33.04	-0.12	33.48	55.07	54.98	323.69	
P18	8/28/2010 13:30:00	33.39	33.03	-0.13	33.48	55.08	54.98	323.69	
P18	8/28/2010 13:45:00	33.38	33.02	-0.13	33.49	55.08	54.97	323.70	
P18	8/28/2010 14:00:00	33.38	33.02	-0.14	33.49	55.08	54.97	323.70	
P18	8/28/2010 14:15:00	33.38	33.01	-0.14	33.49	55.08	54.97	323.70	
P18	8/28/2010 14:30:00	33.37	33.01	-0.15	33.49	55.09	54.97	323.70	
P18	8/28/2010 14:45:00	33.37	33.00	-0.15	33.49	55.09	54.97	323.70	
P18	8/28/2010 15:00:00	33.37	33.00	-0.16	33.49	55.09	54.97	323.70	
P18	8/28/2010 15:15:00	33.36	32.99	-0.16	33.49	55.10	54.97	323.70	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	8/28/2010 15:30:00	33.36	32.99	-0.17	33.49	55.10	54.97	323.70	
P18	8/28/2010 15:45:00	33.36	32.98	-0.17	33.49	55.11	54.97	323.70	
P18	8/28/2010 16:00:00	33.35	32.98	-0.18	33.49	55.11	54.97	323.70	
P18	8/28/2010 16:15:00	33.35	32.97	-0.18	33.49	55.11	54.97	323.70	
P18	8/28/2010 16:30:00	33.35	32.97	-0.19	33.49	55.11	54.97	323.70	
P18	8/28/2010 16:45:00	33.35	32.96	-0.19	33.49	55.11	54.97	323.70	
P18	8/28/2010 17:00:00	33.34	32.96	-0.20	33.49	55.12	54.97	323.70	
P18	8/28/2010 17:15:00	33.34	32.95	-0.20	33.50	55.12	54.96	323.71	
P18	8/28/2010 17:30:00	33.34	32.95	-0.21	33.50	55.12	54.96	323.71	
P18	8/28/2010 17:45:00	33.34	32.95	-0.20	33.49	55.12	54.97	323.70	
P18	8/28/2010 18:00:00	33.33	32.95	-0.20	33.49	55.13	54.97	323.70	
P18	8/28/2010 18:15:00	33.33	32.95	-0.20	33.49	55.13	54.97	323.70	
P18	8/28/2010 18:30:00	33.33	32.95	-0.20	33.49	55.13	54.97	323.70	
P18	8/28/2010 18:45:00	33.33	32.96	-0.19	33.48	55.13	54.98	323.69	
P18	8/28/2010 19:00:00	33.33	32.96	-0.19	33.48	55.13	54.98	323.69	
P18	8/28/2010 19:15:00	33.33	32.96	-0.19	33.48	55.13	54.98	323.69	
P18	8/28/2010 19:30:00	33.33	32.96	-0.19	33.47	55.13	54.99	323.68	
P18	8/28/2010 19:45:00	33.33	32.97	-0.18	33.47	55.14	54.99	323.68	
P18	8/28/2010 20:00:00	33.33	32.97	-0.18	33.47	55.13	54.99	323.68	
P18	8/28/2010 20:15:00	33.33	32.97	-0.18	33.47	55.13	54.99	323.68	
P18	8/28/2010 20:30:00	33.33	32.97	-0.18	33.47	55.13	54.99	323.68	
P18	8/28/2010 20:45:00	33.34	32.98	-0.18	33.47	55.12	54.99	323.68	
P18	8/28/2010 21:00:00	33.34	32.98	-0.17	33.47	55.12	54.99	323.68	
P18	8/28/2010 21:15:00	33.34	32.98	-0.17	33.47	55.12	54.99	323.68	
P18	8/28/2010 21:30:00	33.35	32.98	-0.17	33.48	55.11	54.98	323.69	
P18	8/28/2010 21:45:00	33.35	32.99	-0.16	33.47	55.11	54.99	323.68	
P18	8/28/2010 22:00:00	33.35	32.99	-0.16	33.47	55.11	54.99	323.68	
P18	8/28/2010 22:15:00	33.35	33.00	-0.15	33.47	55.11	54.99	323.68	
P18	8/28/2010 22:30:00	33.35	33.00	-0.15	33.46	55.11	55.00	323.67	
P18	8/28/2010 22:45:00	33.35	33.01	-0.14	33.46	55.11	55.00	323.67	
P18	8/28/2010 23:00:00	33.35	33.01	-0.14	33.45	55.11	55.01	323.66	
P18	8/28/2010 23:15:00	33.35	33.02	-0.13	33.45	55.11	55.01	323.66	
P18	8/28/2010 23:30:00	33.35	33.02	-0.13	33.45	55.11	55.01	323.66	
P18	8/28/2010 23:45:00	33.35	33.03	-0.13	33.44	55.11	55.02	323.65	
P18	8/29/2010 0:00:00	33.35	33.03	-0.12	33.44	55.11	55.02	323.65	
P18	8/29/2010 0:15:00	33.35	33.04	-0.12	33.44	55.11	55.02	323.65	
P18	8/29/2010 0:30:00	33.35	33.04	-0.11	33.43	55.11	55.03	323.64	
P18	8/29/2010 0:45:00	33.35	33.04	-0.11	33.43	55.11	55.03	323.64	
P18	8/29/2010 1:00:00	33.35	33.05	-0.10	33.43	55.11	55.03	323.64	
P18	8/29/2010 1:15:00	33.35	33.05	-0.10	33.43	55.11	55.03	323.64	
P18	8/29/2010 1:30:00	33.35	33.06	-0.09	33.42	55.11	55.04	323.63	
P18	8/29/2010 1:45:00	33.35	33.07	-0.09	33.42	55.11	55.04	323.63	
P18	8/29/2010 2:00:00	33.36	33.07	-0.08	33.42	55.11	55.04	323.63	
P18	8/29/2010 2:15:00	33.36	33.08	-0.07	33.41	55.11	55.05	323.62	
P18	8/29/2010 2:30:00	33.36	33.08	-0.07	33.41	55.11	55.05	323.62	
P18	8/29/2010 2:45:00	33.36	33.09	-0.06	33.40	55.11	55.06	323.61	
P18	8/29/2010 3:00:00	33.36	33.10	-0.06	33.40	55.10	55.06	323.61	
P18	8/29/2010 3:15:00	33.36	33.10	-0.05	33.40	55.10	55.06	323.61	
P18	8/29/2010 3:30:00	33.36	33.11	-0.04	33.40	55.10	55.06	323.61	
P18	8/29/2010 3:45:00	33.36	33.11	-0.04	33.39	55.10	55.07	323.60	
P18	8/29/2010 4:00:00	33.36	33.12	-0.03	33.39	55.10	55.07	323.60	
P18	8/29/2010 4:15:00	33.36	33.13	-0.03	33.38	55.10	55.08	323.59	
P18	8/29/2010 4:30:00	33.37	33.13	-0.02	33.38	55.09	55.08	323.59	
P18	8/29/2010 4:45:00	33.37	33.14	-0.01	33.38	55.09	55.08	323.59	
P18	8/29/2010 5:00:00	33.37	33.14	-0.01	33.38	55.09	55.08	323.59	
P18	8/29/2010 5:15:00	33.38	33.15	0.00	33.38	55.08	55.08	323.59	
P18	8/29/2010 5:30:00	33.38	33.16	0.01	33.38	55.08	55.08	323.59	
P18	8/29/2010 5:45:00	33.38	33.16	0.00	33.38	55.08	55.08	323.59	
P18	8/29/2010 6:00:00	33.38	33.16	0.00	33.38	55.08	55.08	323.59	
P18	8/29/2010 6:15:00	33.38	33.16	0.00	33.38	55.08	55.08	323.59	
P18	8/29/2010 6:30:00	33.39	33.16	0.00	33.38	55.08	55.08	323.59	
P18	8/29/2010 6:45:00	33.39	33.16	0.00	33.38	55.07	55.08	323.59	
P18	8/29/2010 7:00:00	33.39	33.15	0.00	33.39	55.07	55.07	323.60	
P18	8/29/2010 7:15:00	33.39	33.15	0.00	33.39	55.07	55.07	323.60	
P18	8/29/2010 7:30:00	33.39	33.15	0.00	33.39	55.07	55.07	323.60	
P18	8/29/2010 7:45:00	33.40	33.15	0.00	33.39	55.07	55.07	323.60	
P18	8/29/2010 8:00:00	33.40	33.15	0.00	33.39	55.07	55.07	323.60	
P18	8/29/2010 8:15:00	33.39	33.15	0.00	33.39	55.07	55.07	323.60	
P18	8/29/2010 8:30:00	33.40	33.15	0.00	33.39	55.07	55.07	323.60	
P18	8/29/2010 8:45:00	33.40	33.15	0.00	33.40	55.06	55.06	323.61	
P18	8/29/2010 9:00:00	33.40	33.15	0.00	33.40	55.06	55.06	323.61	
P18	8/29/2010 9:15:00	33.40	33.15	0.00	33.40	55.06	55.06	323.61	
P18	8/29/2010 9:30:00	33.40	33.15	0.00	33.40	55.06	55.06	323.61	
P18	8/29/2010 9:45:00	33.40	33.15	0.00	33.40	55.07	55.06	323.61	
P18	8/29/2010 10:00:00	33.40	33.15	0.00	33.40	55.07	55.06	323.61	
P18	8/29/2010 10:15:00	33.40	33.14	-0.01	33.40	55.07	55.06	323.61	
P18	8/29/2010 10:30:00	33.40	33.14	-0.01	33.41	55.06	55.05	323.62	
P18	8/29/2010 10:45:00	33.40	33.14	-0.01	33.41	55.06	55.05	323.62	
P18	8/29/2010 11:00:00	33.40	33.13	-0.02	33.41	55.06	55.05	323.62	
P18	8/29/2010 11:15:00	33.40	33.13	-0.02	33.42	55.06	55.04	323.63	
P18	8/29/2010 11:30:00	33.40	33.13	-0.02	33.42	55.06	55.04	323.63	
P18	8/29/2010 11:45:00	33.40	33.12	-0.03	33.42	55.06	55.04	323.63	
P18	8/29/2010 12:00:00	33.40	33.12	-0.03	33.42	55.06	55.04	323.63	
P18	8/29/2010 12:15:00	33.40	33.12	-0.03	33.43	55.06	55.03	323.64	
P18	8/29/2010 12:30:00	33.40	33.11	-0.04	33.43	55.06	55.03	323.64	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	8/29/2010 12:45:00	33.40	33.11	-0.04	33.43	55.06	55.03	323.64	
P18	8/29/2010 13:00:00	33.40	33.11	-0.04	33.43	55.07	55.03	323.64	
P18	8/29/2010 13:15:00	33.40	33.10	-0.05	33.43	55.06	55.03	323.64	
P18	8/29/2010 13:30:00	33.40	33.10	-0.05	33.43	55.07	55.03	323.64	
P18	8/29/2010 13:45:00	33.39	33.10	-0.06	33.44	55.07	55.02	323.65	
P18	8/29/2010 14:00:00	33.39	33.09	-0.06	33.44	55.07	55.02	323.65	
P18	8/29/2010 14:15:00	33.39	33.09	-0.06	33.44	55.07	55.02	323.65	
P18	8/29/2010 14:30:00	33.38	33.08	-0.07	33.44	55.08	55.02	323.65	
P18	8/29/2010 14:45:00	33.38	33.08	-0.07	33.44	55.08	55.02	323.65	
P18	8/29/2010 15:00:00	33.38	33.07	-0.08	33.44	55.08	55.02	323.65	
P18	8/29/2010 15:15:00	33.38	33.07	-0.08	33.44	55.08	55.02	323.65	
P18	8/29/2010 15:30:00	33.37	33.07	-0.08	33.44	55.09	55.02	323.65	
P18	8/29/2010 15:45:00	33.37	33.06	-0.09	33.44	55.09	55.02	323.65	
P18	8/29/2010 16:00:00	33.37	33.06	-0.09	33.45	55.09	55.01	323.66	
P18	8/29/2010 16:15:00	33.37	33.05	-0.10	33.45	55.09	55.01	323.66	
P18	8/29/2010 16:30:00	33.37	33.05	-0.10	33.45	55.09	55.01	323.66	
P18	8/29/2010 16:45:00	33.37	33.04	-0.11	33.45	55.09	55.01	323.66	
P18	8/29/2010 17:00:00	33.36	33.04	-0.11	33.45	55.10	55.01	323.66	
P18	8/29/2010 17:15:00	33.36	33.04	-0.11	33.45	55.10	55.01	323.66	
P18	8/29/2010 17:30:00	33.36	33.03	-0.12	33.45	55.10	55.01	323.66	
P18	8/29/2010 17:45:00	33.36	33.04	-0.12	33.45	55.10	55.01	323.66	
P18	8/29/2010 18:00:00	33.36	33.04	-0.11	33.45	55.10	55.01	323.66	
P18	8/29/2010 18:15:00	33.36	33.04	-0.11	33.45	55.10	55.01	323.66	
P18	8/29/2010 18:30:00	33.36	33.04	-0.11	33.44	55.10	55.02	323.65	
P18	8/29/2010 18:45:00	33.36	33.05	-0.10	33.44	55.10	55.02	323.65	
P18	8/29/2010 19:00:00	33.36	33.05	-0.10	33.44	55.10	55.02	323.65	
P18	8/29/2010 19:15:00	33.36	33.05	-0.10	33.44	55.10	55.02	323.65	
P18	8/29/2010 19:30:00	33.36	33.06	-0.09	33.44	55.10	55.02	323.65	
P18	8/29/2010 19:45:00	33.37	33.06	-0.09	33.44	55.09	55.02	323.65	
P18	8/29/2010 20:00:00	33.37	33.06	-0.09	33.44	55.09	55.02	323.65	
P18	8/29/2010 20:15:00	33.37	33.07	-0.09	33.44	55.09	55.02	323.65	
P18	8/29/2010 20:30:00	33.37	33.07	-0.08	33.44	55.09	55.02	323.65	
P18	8/29/2010 20:45:00	33.38	33.07	-0.08	33.44	55.08	55.02	323.65	
P18	8/29/2010 21:00:00	33.38	33.07	-0.08	33.44	55.08	55.02	323.65	
P18	8/29/2010 21:15:00	33.38	33.08	-0.07	33.43	55.08	55.03	323.64	
P18	8/29/2010 21:30:00	33.38	33.08	-0.07	33.44	55.08	55.02	323.65	
P18	8/29/2010 21:45:00	33.38	33.08	-0.07	33.43	55.08	55.03	323.64	
P18	8/29/2010 22:00:00	33.38	33.09	-0.07	33.43	55.08	55.03	323.64	
P18	8/29/2010 22:15:00	33.38	33.09	-0.06	33.43	55.08	55.03	323.64	
P18	8/29/2010 22:30:00	33.38	33.09	-0.06	33.42	55.08	55.04	323.63	
P18	8/29/2010 22:45:00	33.37	33.09	-0.06	33.42	55.09	55.04	323.63	
P18	8/29/2010 23:00:00	33.37	33.09	-0.06	33.42	55.09	55.04	323.63	
P18	8/29/2010 23:15:00	33.37	33.10	-0.06	33.42	55.09	55.04	323.63	
P18	8/29/2010 23:30:00	33.37	33.10	-0.05	33.41	55.09	55.05	323.62	
P18	8/29/2010 23:45:00	33.37	33.10	-0.05	33.41	55.09	55.05	323.62	
P18	8/30/2010 0:00:00	33.37	33.10	-0.05	33.41	55.09	55.05	323.62	
P18	8/30/2010 0:15:00	33.37	33.10	-0.05	33.41	55.09	55.05	323.62	
P18	8/30/2010 0:30:00	33.37	33.11	-0.04	33.41	55.09	55.05	323.62	
P18	8/30/2010 0:45:00	33.37	33.11	-0.04	33.40	55.09	55.06	323.61	
P18	8/30/2010 1:00:00	33.37	33.11	-0.04	33.40	55.09	55.06	323.61	
P18	8/30/2010 1:15:00	33.37	33.11	-0.04	33.40	55.09	55.06	323.61	
P18	8/30/2010 1:30:00	33.37	33.12	-0.04	33.40	55.09	55.06	323.61	
P18	8/30/2010 1:45:00	33.37	33.12	-0.03	33.40	55.09	55.06	323.61	
P18	8/30/2010 2:00:00	33.38	33.12	-0.03	33.40	55.08	55.06	323.61	
P18	8/30/2010 2:15:00	33.38	33.12	-0.03	33.40	55.08	55.06	323.61	
P18	8/30/2010 2:30:00	33.38	33.12	-0.03	33.40	55.08	55.06	323.61	
P18	8/30/2010 2:45:00	33.38	33.12	-0.03	33.40	55.08	55.06	323.61	
P18	8/30/2010 3:00:00	33.38	33.13	-0.02	33.40	55.08	55.06	323.61	
P18	8/30/2010 3:15:00	33.38	33.13	-0.02	33.39	55.08	55.07	323.60	
P18	8/30/2010 3:30:00	33.38	33.13	-0.02	33.39	55.08	55.07	323.60	
P18	8/30/2010 3:45:00	33.37	33.13	-0.02	33.39	55.09	55.07	323.60	
P18	8/30/2010 4:00:00	33.37	33.13	-0.02	33.39	55.09	55.07	323.60	
P18	8/30/2010 4:15:00	33.38	33.14	-0.01	33.39	55.08	55.07	323.60	
P18	8/30/2010 4:30:00	33.38	33.14	-0.01	33.39	55.08	55.07	323.60	
P18	8/30/2010 4:45:00	33.38	33.14	-0.01	33.38	55.08	55.08	323.59	
P18	8/30/2010 5:00:00	33.38	33.14	-0.01	33.38	55.08	55.08	323.59	
P18	8/30/2010 5:15:00	33.38	33.14	-0.01	33.38	55.08	55.08	323.59	
P18	8/30/2010 5:30:00	33.38	33.15	0.00	33.38	55.08	55.08	323.59	
P18	8/30/2010 5:45:00	33.38	33.15	0.00	33.38	55.08	55.08	323.59	
P18	8/30/2010 6:00:00	33.38	33.15	0.00	33.38	55.08	55.08	323.59	
P18	8/30/2010 6:15:00	33.38	33.16	0.00	33.38	55.08	55.08	323.59	
P18	8/30/2010 6:30:00	33.38	33.16	0.01	33.38	55.08	55.08	323.59	
P18	8/30/2010 6:45:00	33.39	33.16	0.01	33.38	55.08	55.08	323.59	
P18	8/30/2010 7:00:00	33.39	33.16	0.01	33.38	55.07	55.08	323.59	
P18	8/30/2010 7:15:00	33.39	33.17	0.02	33.38	55.07	55.08	323.59	
P18	8/30/2010 7:30:00	33.40	33.17	0.02	33.38	55.06	55.08	323.59	
P18	8/30/2010 7:45:00	33.40	33.17	0.02	33.38	55.06	55.08	323.59	
P18	8/30/2010 8:00:00	33.40	33.18	0.03	33.38	55.06	55.08	323.59	
P18	8/30/2010 8:15:00	33.40	33.18	0.03	33.38	55.06	55.08	323.59	
P18	8/30/2010 8:30:00	33.41	33.18	0.03	33.38	55.05	55.08	323.59	
P18	8/30/2010 8:45:00	33.41	33.19	0.04	33.38	55.05	55.08	323.59	
P18	8/30/2010 9:00:00	33.41	33.19	0.04	33.38	55.05	55.08	323.59	
P18	8/30/2010 9:15:00	33.41	33.19	0.04	33.38	55.05	55.08	323.59	
P18	8/30/2010 9:30:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	8/30/2010 9:45:00	33.42	33.19	0.04	33.38	55.04	55.08	323.59	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	8/30/2010 10:00:00	33.42	33.19	0.04	33.39	55.04	55.07	323.60	
P18	8/30/2010 10:15:00	33.42	33.19	0.04	33.39	55.04	55.07	323.60	
P18	8/30/2010 10:30:00	33.42	33.19	0.04	33.39	55.04	55.07	323.60	
P18	8/30/2010 10:45:00	33.43	33.19	0.03	33.40	55.04	55.06	323.61	
P18	8/30/2010 11:00:00	33.43	33.18	0.03	33.40	55.04	55.06	323.61	
P18	8/30/2010 11:15:00	33.43	33.18	0.03	33.40	55.04	55.06	323.61	
P18	8/30/2010 11:30:00	33.43	33.18	0.03	33.40	55.03	55.06	323.61	
P18	8/30/2010 11:45:00	33.43	33.18	0.03	33.41	55.03	55.05	323.62	
P18	8/30/2010 12:00:00	33.43	33.18	0.02	33.41	55.03	55.05	323.62	
P18	8/30/2010 12:15:00	33.43	33.17	0.02	33.41	55.03	55.05	323.62	
P18	8/30/2010 12:30:00	33.43	33.17	0.02	33.41	55.03	55.05	323.62	
P18	8/30/2010 12:45:00	33.43	33.17	0.02	33.42	55.03	55.04	323.63	
P18	8/30/2010 13:00:00	33.43	33.17	0.02	33.42	55.03	55.04	323.63	
P18	8/30/2010 13:15:00	33.43	33.17	0.01	33.42	55.03	55.04	323.63	
P18	8/30/2010 13:30:00	33.43	33.16	0.01	33.42	55.03	55.04	323.63	
P18	8/30/2010 13:45:00	33.44	33.16	0.01	33.43	55.02	55.03	323.64	
P18	8/30/2010 14:00:00	33.44	33.16	0.01	33.43	55.02	55.03	323.64	
P18	8/30/2010 14:15:00	33.44	33.16	0.01	33.43	55.02	55.03	323.64	
P18	8/30/2010 14:30:00	33.44	33.16	0.01	33.43	55.02	55.03	323.64	
P18	8/30/2010 14:45:00	33.44	33.16	0.01	33.43	55.02	55.03	323.64	
P18	8/30/2010 15:00:00	33.44	33.16	0.01	33.43	55.02	55.03	323.64	
P18	8/30/2010 15:15:00	33.44	33.16	0.01	33.43	55.02	55.03	323.64	
P18	8/30/2010 15:30:00	33.44	33.16	0.01	33.43	55.02	55.03	323.64	
P18	8/30/2010 15:45:00	33.44	33.16	0.01	33.43	55.02	55.03	323.64	
P18	8/30/2010 16:00:00	33.44	33.16	0.01	33.44	55.02	55.02	323.65	
P18	8/30/2010 16:15:00	33.45	33.16	0.01	33.44	55.01	55.02	323.65	
P18	8/30/2010 16:30:00	33.45	33.16	0.01	33.44	55.01	55.02	323.65	
P18	8/30/2010 16:45:00	33.45	33.16	0.01	33.44	55.01	55.02	323.65	
P18	8/30/2010 17:00:00	33.45	33.16	0.01	33.44	55.01	55.02	323.65	
P18	8/30/2010 17:15:00	33.45	33.16	0.01	33.45	55.01	55.01	323.66	
P18	8/30/2010 17:30:00	33.45	33.16	0.01	33.45	55.01	55.01	323.66	
P18	8/30/2010 17:45:00	33.45	33.16	0.01	33.44	55.01	55.02	323.65	
P18	8/30/2010 18:00:00	33.46	33.17	0.02	33.44	55.01	55.02	323.65	
P18	8/30/2010 18:15:00	33.46	33.17	0.02	33.44	55.00	55.02	323.65	
P18	8/30/2010 18:30:00	33.46	33.18	0.02	33.44	55.00	55.02	323.65	
P18	8/30/2010 18:45:00	33.46	33.18	0.03	33.44	55.00	55.02	323.65	
P18	8/30/2010 19:00:00	33.47	33.19	0.03	33.44	55.00	55.02	323.65	
P18	8/30/2010 19:15:00	33.47	33.19	0.04	33.43	55.00	55.03	323.64	
P18	8/30/2010 19:30:00	33.47	33.20	0.04	33.43	54.99	55.03	323.64	
P18	8/30/2010 19:45:00	33.47	33.20	0.05	33.43	54.99	55.03	323.64	
P18	8/30/2010 20:00:00	33.48	33.20	0.05	33.43	54.98	55.03	323.64	
P18	8/30/2010 20:15:00	33.48	33.21	0.06	33.44	54.98	55.02	323.65	
P18	8/30/2010 20:30:00	33.49	33.21	0.06	33.44	54.97	55.02	323.65	
P18	8/30/2010 20:45:00	33.49	33.22	0.07	33.44	54.97	55.02	323.65	
P18	8/30/2010 21:00:00	33.50	33.22	0.07	33.44	54.96	55.02	323.65	
P18	8/30/2010 21:15:00	33.50	33.23	0.08	33.44	54.96	55.02	323.65	
P18	8/30/2010 21:30:00	33.50	33.23	0.08	33.44	54.96	55.02	323.65	
P18	8/30/2010 21:45:00	33.51	33.24	0.09	33.44	54.95	55.02	323.65	
P18	8/30/2010 22:00:00	33.51	33.24	0.09	33.44	54.95	55.02	323.65	
P18	8/30/2010 22:15:00	33.51	33.25	0.10	33.44	54.95	55.02	323.65	
P18	8/30/2010 22:30:00	33.52	33.25	0.10	33.44	54.94	55.02	323.65	
P18	8/30/2010 22:45:00	33.52	33.26	0.11	33.44	54.94	55.02	323.65	
P18	8/30/2010 23:00:00	33.52	33.26	0.11	33.43	54.94	55.03	323.64	
P18	8/30/2010 23:15:00	33.52	33.27	0.12	33.43	54.94	55.03	323.64	
P18	8/30/2010 23:30:00	33.53	33.27	0.12	33.43	54.94	55.03	323.64	
P18	8/30/2010 23:45:00	33.53	33.28	0.13	33.43	54.94	55.03	323.64	
P18	8/31/2010 0:00:00	33.53	33.28	0.13	33.43	54.93	55.03	323.64	
P18	8/31/2010 0:15:00	33.53	33.29	0.13	33.42	54.93	55.04	323.63	
P18	8/31/2010 0:30:00	33.53	33.29	0.14	33.42	54.93	55.04	323.63	
P18	8/31/2010 0:45:00	33.53	33.30	0.14	33.42	54.93	55.04	323.63	
P18	8/31/2010 1:00:00	33.53	33.30	0.15	33.42	54.93	55.04	323.63	
P18	8/31/2010 1:15:00	33.54	33.31	0.15	33.41	54.93	55.05	323.62	
P18	8/31/2010 1:30:00	33.54	33.31	0.16	33.41	54.92	55.05	323.62	
P18	8/31/2010 1:45:00	33.54	33.31	0.16	33.41	54.92	55.05	323.62	
P18	8/31/2010 2:00:00	33.54	33.31	0.16	33.42	54.92	55.04	323.63	
P18	8/31/2010 2:15:00	33.54	33.32	0.16	33.41	54.92	55.05	323.62	
P18	8/31/2010 2:30:00	33.55	33.32	0.17	33.42	54.91	55.04	323.63	
P18	8/31/2010 2:45:00	33.55	33.32	0.17	33.42	54.91	55.04	323.63	
P18	8/31/2010 3:00:00	33.55	33.32	0.17	33.42	54.91	55.04	323.63	
P18	8/31/2010 3:15:00	33.55	33.32	0.17	33.42	54.91	55.04	323.63	
P18	8/31/2010 3:30:00	33.55	33.32	0.17	33.42	54.91	55.04	323.63	
P18	8/31/2010 3:45:00	33.56	33.33	0.18	33.42	54.90	55.04	323.63	
P18	8/31/2010 4:00:00	33.56	33.33	0.18	33.42	54.90	55.04	323.63	
P18	8/31/2010 4:15:00	33.56	33.33	0.18	33.42	54.90	55.04	323.63	
P18	8/31/2010 4:30:00	33.56	33.33	0.18	33.42	54.90	55.04	323.63	
P18	8/31/2010 4:45:00	33.56	33.33	0.18	33.42	54.90	55.04	323.63	
P18	8/31/2010 5:00:00	33.56	33.34	0.18	33.41	54.90	55.05	323.62	
P18	8/31/2010 5:15:00	33.56	33.34	0.19	33.41	54.90	55.05	323.62	
P18	8/31/2010 5:30:00	33.56	33.34	0.19	33.41	54.90	55.05	323.62	
P18	8/31/2010 5:45:00	33.56	33.34	0.19	33.41	54.90	55.05	323.62	
P18	8/31/2010 6:00:00	33.56	33.34	0.19	33.41	54.90	55.05	323.62	
P18	8/31/2010 6:15:00	33.56	33.34	0.19	33.41	54.90	55.05	323.62	
P18	8/31/2010 6:30:00	33.56	33.34	0.19	33.41	54.90	55.05	323.62	
P18	8/31/2010 6:45:00	33.56	33.34	0.19	33.41	54.90	55.05	323.62	
P18	8/31/2010 7:00:00	33.56	33.34	0.19	33.41	54.90	55.05	323.62	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	8/31/2010 7:15:00	33.57	33.34	0.19	33.42	54.90	55.04	323.63	
P18	8/31/2010 7:30:00	33.57	33.34	0.19	33.42	54.89	55.04	323.63	
P18	8/31/2010 7:45:00	33.57	33.34	0.19	33.42	54.89	55.04	323.63	
P18	8/31/2010 8:00:00	33.57	33.34	0.19	33.42	54.89	55.04	323.63	
P18	8/31/2010 8:15:00	33.57	33.34	0.19	33.42	54.89	55.04	323.63	
P18	8/31/2010 8:30:00	33.57	33.34	0.19	33.42	54.89	55.04	323.63	
P18	8/31/2010 8:45:00	33.57	33.34	0.19	33.42	54.89	55.04	323.63	
P18	8/31/2010 9:00:00	33.57	33.34	0.19	33.42	54.89	55.04	323.63	
P18	8/31/2010 9:15:00	33.57	33.34	0.19	33.42	54.89	55.04	323.63	
P18	8/31/2010 9:30:00	33.57	33.35	0.19	33.42	54.89	55.04	323.63	
P18	8/31/2010 9:45:00	33.56	33.34	0.19	33.42	54.90	55.04	323.63	
P18	8/31/2010 10:00:00	33.56	33.34	0.18	33.42	54.90	55.04	323.63	
P18	8/31/2010 10:15:00	33.56	33.33	0.18	33.42	54.90	55.04	323.63	
P18	8/31/2010 10:30:00	33.56	33.33	0.18	33.42	54.90	55.04	323.63	
P18	8/31/2010 10:45:00	33.55	33.32	0.17	33.42	54.91	55.04	323.63	
P18	8/31/2010 11:00:00	33.55	33.32	0.17	33.42	54.91	55.04	323.63	
P18	8/31/2010 11:15:00	33.55	33.31	0.16	33.42	54.91	55.04	323.63	
P18	8/31/2010 11:30:00	33.55	33.31	0.16	33.42	54.91	55.04	323.63	
P18	8/31/2010 11:45:00	33.55	33.30	0.15	33.43	54.91	55.03	323.64	
P18	8/31/2010 12:00:00	33.54	33.30	0.15	33.43	54.92	55.03	323.64	
P18	8/31/2010 12:15:00	33.54	33.29	0.14	33.43	54.92	55.03	323.64	
P18	8/31/2010 12:30:00	33.54	33.29	0.14	33.43	54.92	55.03	323.64	
P18	8/31/2010 12:45:00	33.53	33.28	0.13	33.43	54.93	55.03	323.64	
P18	8/31/2010 13:00:00	33.53	33.28	0.13	33.43	54.93	55.03	323.64	
P18	8/31/2010 13:15:00	33.53	33.28	0.12	33.43	54.93	55.03	323.64	
P18	8/31/2010 13:30:00	33.53	33.27	0.12	33.43	54.94	55.03	323.64	
P18	8/31/2010 13:45:00	33.53	33.27	0.12	33.43	54.94	55.03	323.64	
P18	8/31/2010 14:00:00	33.52	33.26	0.11	33.44	54.94	55.02	323.65	
P18	8/31/2010 14:15:00	33.52	33.26	0.11	33.44	54.94	55.02	323.65	
P18	8/31/2010 14:30:00	33.52	33.25	0.10	33.44	54.94	55.02	323.65	
P18	8/31/2010 14:45:00	33.52	33.25	0.10	33.44	54.94	55.02	323.65	
P18	8/31/2010 15:00:00	33.51	33.24	0.09	33.44	54.95	55.02	323.65	
P18	8/31/2010 15:15:00	33.51	33.24	0.09	33.44	54.95	55.02	323.65	
P18	8/31/2010 15:30:00	33.51	33.23	0.08	33.44	54.95	55.02	323.65	
P18	8/31/2010 15:45:00	33.51	33.23	0.08	33.45	54.95	55.01	323.66	
P18	8/31/2010 16:00:00	33.50	33.23	0.07	33.45	54.96	55.01	323.66	
P18	8/31/2010 16:15:00	33.50	33.22	0.07	33.45	54.96	55.01	323.66	
P18	8/31/2010 16:30:00	33.50	33.22	0.07	33.45	54.96	55.01	323.66	
P18	8/31/2010 16:45:00	33.50	33.21	0.06	33.45	54.97	55.01	323.66	
P18	8/31/2010 17:00:00	33.49	33.21	0.06	33.45	54.97	55.01	323.66	
P18	8/31/2010 17:15:00	33.49	33.20	0.05	33.45	54.97	55.01	323.66	
P18	8/31/2010 17:30:00	33.49	33.20	0.05	33.45	54.97	55.01	323.66	
P18	8/31/2010 17:45:00	33.49	33.20	0.05	33.45	54.97	55.01	323.66	
P18	8/31/2010 18:00:00	33.49	33.20	0.05	33.45	54.97	55.01	323.66	
P18	8/31/2010 18:15:00	33.49	33.20	0.05	33.45	54.97	55.01	323.66	
P18	8/31/2010 18:30:00	33.49	33.21	0.06	33.44	54.97	55.02	323.65	
P18	8/31/2010 18:45:00	33.49	33.21	0.06	33.44	54.97	55.02	323.65	
P18	8/31/2010 19:00:00	33.49	33.21	0.06	33.44	54.97	55.02	323.65	
P18	8/31/2010 19:15:00	33.49	33.21	0.06	33.44	54.97	55.02	323.65	
P18	8/31/2010 19:30:00	33.49	33.22	0.07	33.44	54.97	55.02	323.65	
P18	8/31/2010 19:45:00	33.49	33.22	0.07	33.43	54.97	55.03	323.64	
P18	8/31/2010 20:00:00	33.49	33.22	0.07	33.44	54.97	55.02	323.65	
P18	8/31/2010 20:15:00	33.49	33.22	0.07	33.43	54.97	55.03	323.64	
P18	8/31/2010 20:30:00	33.49	33.23	0.07	33.44	54.97	55.02	323.65	
P18	8/31/2010 20:45:00	33.50	33.23	0.08	33.44	54.96	55.02	323.65	
P18	8/31/2010 21:00:00	33.50	33.23	0.08	33.44	54.96	55.02	323.65	
P18	8/31/2010 21:15:00	33.50	33.23	0.08	33.44	54.96	55.02	323.65	
P18	8/31/2010 21:30:00	33.50	33.23	0.08	33.44	54.96	55.02	323.65	
P18	8/31/2010 21:45:00	33.50	33.24	0.09	33.44	54.96	55.02	323.65	
P18	8/31/2010 22:00:00	33.50	33.24	0.09	33.44	54.96	55.02	323.65	
P18	8/31/2010 22:15:00	33.51	33.24	0.09	33.44	54.95	55.02	323.65	
P18	8/31/2010 22:30:00	33.51	33.24	0.09	33.44	54.95	55.02	323.65	
P18	8/31/2010 22:45:00	33.51	33.24	0.09	33.44	54.95	55.02	323.65	
P18	8/31/2010 23:00:00	33.51	33.25	0.10	33.44	54.95	55.02	323.65	
P18	8/31/2010 23:15:00	33.51	33.25	0.10	33.43	54.95	55.03	323.64	
P18	8/31/2010 23:30:00	33.51	33.25	0.10	33.44	54.95	55.02	323.65	
P18	8/31/2010 23:45:00	33.51	33.25	0.10	33.43	54.95	55.03	323.64	
P18	9/1/2010 0:00:00	33.51	33.25	0.10	33.43	54.95	55.03	323.64	
P18	9/1/2010 0:15:00	33.51	33.26	0.11	33.43	54.95	55.03	323.64	
P18	9/1/2010 0:30:00	33.51	33.26	0.11	33.43	54.95	55.03	323.64	
P18	9/1/2010 0:45:00	33.51	33.26	0.11	33.43	54.95	55.03	323.64	
P18	9/1/2010 1:00:00	33.52	33.26	0.11	33.43	54.94	55.03	323.64	
P18	9/1/2010 1:15:00	33.52	33.26	0.11	33.43	54.94	55.03	323.64	
P18	9/1/2010 1:30:00	33.52	33.27	0.12	33.43	54.94	55.03	323.64	
P18	9/1/2010 1:45:00	33.52	33.27	0.12	33.43	54.94	55.03	323.64	
P18	9/1/2010 2:00:00	33.52	33.27	0.12	33.43	54.94	55.03	323.64	
P18	9/1/2010 2:15:00	33.52	33.27	0.12	33.43	54.94	55.03	323.64	
P18	9/1/2010 2:30:00	33.51	33.27	0.12	33.42	54.95	55.04	323.63	
P18	9/1/2010 2:45:00	33.51	33.27	0.11	33.42	54.95	55.04	323.63	
P18	9/1/2010 3:00:00	33.51	33.27	0.11	33.42	54.95	55.04	323.63	
P18	9/1/2010 3:15:00	33.51	33.27	0.11	33.42	54.95	55.04	323.63	
P18	9/1/2010 3:30:00	33.51	33.27	0.11	33.42	54.95	55.04	323.63	
P18	9/1/2010 3:45:00	33.51	33.26	0.11	33.42	54.95	55.04	323.63	
P18	9/1/2010 4:00:00	33.51	33.26	0.11	33.42	54.95	55.04	323.63	
P18	9/1/2010 4:15:00	33.51	33.26	0.11	33.42	54.95	55.04	323.63	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/1/2010 4:30:00	33.51	33.26	0.11	33.42	54.95	55.04	323.63	
P18	9/1/2010 4:45:00	33.51	33.26	0.11	33.42	54.95	55.04	323.63	
P18	9/1/2010 5:00:00	33.51	33.26	0.11	33.42	54.95	55.04	323.63	
P18	9/1/2010 5:15:00	33.51	33.26	0.11	33.42	54.95	55.04	323.63	
P18	9/1/2010 5:30:00	33.51	33.26	0.11	33.42	54.95	55.04	323.63	
P18	9/1/2010 5:45:00	33.51	33.27	0.12	33.42	54.95	55.04	323.63	
P18	9/1/2010 6:00:00	33.51	33.27	0.12	33.42	54.95	55.04	323.63	
P18	9/1/2010 6:15:00	33.52	33.28	0.13	33.42	54.94	55.04	323.63	
P18	9/1/2010 6:30:00	33.52	33.28	0.13	33.41	54.94	55.05	323.62	
P18	9/1/2010 6:45:00	33.52	33.29	0.14	33.42	54.94	55.04	323.63	
P18	9/1/2010 7:00:00	33.53	33.29	0.14	33.42	54.93	55.04	323.63	
P18	9/1/2010 7:15:00	33.53	33.30	0.14	33.42	54.93	55.04	323.63	
P18	9/1/2010 7:30:00	33.54	33.30	0.15	33.42	54.92	55.04	323.63	
P18	9/1/2010 7:45:00	33.54	33.31	0.15	33.42	54.92	55.04	323.63	
P18	9/1/2010 8:00:00	33.54	33.31	0.16	33.42	54.92	55.04	323.63	
P18	9/1/2010 8:15:00	33.54	33.31	0.16	33.42	54.92	55.04	323.63	
P18	9/1/2010 8:30:00	33.55	33.32	0.17	33.42	54.91	55.04	323.63	
P18	9/1/2010 8:45:00	33.55	33.32	0.17	33.41	54.91	55.05	323.62	
P18	9/1/2010 9:00:00	33.55	33.33	0.18	33.41	54.91	55.05	323.62	
P18	9/1/2010 9:15:00	33.55	33.33	0.18	33.41	54.91	55.05	323.62	
P18	9/1/2010 9:30:00	33.56	33.34	0.19	33.41	54.90	55.05	323.62	
P18	9/1/2010 9:45:00	33.56	33.34	0.19	33.41	54.90	55.05	323.62	
P18	9/1/2010 10:00:00	33.57	33.35	0.20	33.41	54.90	55.05	323.62	
P18	9/1/2010 10:15:00	33.57	33.35	0.20	33.42	54.89	55.04	323.63	
P18	9/1/2010 10:30:00	33.58	33.35	0.20	33.42	54.88	55.04	323.63	
P18	9/1/2010 10:45:00	33.58	33.36	0.21	33.42	54.88	55.04	323.63	
P18	9/1/2010 11:00:00	33.59	33.36	0.21	33.42	54.87	55.04	323.63	
P18	9/1/2010 11:15:00	33.59	33.37	0.22	33.42	54.87	55.04	323.63	
P18	9/1/2010 11:30:00	33.60	33.37	0.22	33.43	54.86	55.03	323.64	
P18	9/1/2010 11:45:00	33.60	33.37	0.22	33.43	54.86	55.03	323.64	
P18	9/1/2010 12:00:00	33.61	33.38	0.23	33.43	54.86	55.03	323.64	
P18	9/1/2010 12:15:00	33.61	33.38	0.23	33.43	54.85	55.03	323.64	
P18	9/1/2010 12:30:00	33.61	33.39	0.24	33.43	54.85	55.03	323.64	
P18	9/1/2010 12:45:00	33.61	33.39	0.24	33.42	54.85	55.04	323.63	
P18	9/1/2010 13:00:00	33.62	33.39	0.24	33.43	54.84	55.03	323.64	
P18	9/1/2010 13:15:00	33.62	33.40	0.25	33.43	54.84	55.03	323.64	
P18	9/1/2010 13:30:00	33.62	33.40	0.25	33.42	54.84	55.04	323.63	
P18	9/1/2010 13:45:00	33.62	33.40	0.25	33.43	54.84	55.03	323.64	
P18	9/1/2010 14:00:00	33.63	33.40	0.25	33.43	54.83	55.03	323.64	
P18	9/1/2010 14:15:00	33.63	33.41	0.25	33.43	54.83	55.03	323.64	
P18	9/1/2010 14:30:00	33.63	33.41	0.26	33.43	54.83	55.03	323.64	
P18	9/1/2010 14:45:00	33.64	33.41	0.26	33.44	54.83	55.02	323.65	
P18	9/1/2010 15:00:00	33.64	33.41	0.26	33.44	54.82	55.02	323.65	
P18	9/1/2010 15:15:00	33.64	33.41	0.26	33.44	54.82	55.02	323.65	
P18	9/1/2010 15:30:00	33.64	33.41	0.26	33.44	54.82	55.02	323.65	
P18	9/1/2010 15:45:00	33.64	33.41	0.26	33.44	54.82	55.02	323.65	
P18	9/1/2010 16:00:00	33.65	33.41	0.26	33.44	54.81	55.02	323.65	
P18	9/1/2010 16:15:00	33.65	33.41	0.26	33.44	54.81	55.02	323.65	
P18	9/1/2010 16:30:00	33.65	33.41	0.26	33.44	54.81	55.02	323.65	
P18	9/1/2010 16:45:00	33.65	33.41	0.26	33.44	54.81	55.02	323.65	
P18	9/1/2010 17:00:00	33.65	33.41	0.26	33.44	54.81	55.02	323.65	
P18	9/1/2010 17:15:00	33.65	33.42	0.26	33.44	54.81	55.02	323.65	
P18	9/1/2010 17:30:00	33.65	33.42	0.27	33.44	54.81	55.02	323.65	
P18	9/1/2010 17:45:00	33.65	33.42	0.27	33.45	54.81	55.01	323.66	
P18	9/1/2010 18:00:00	33.65	33.42	0.27	33.44	54.81	55.02	323.65	
P18	9/1/2010 18:15:00	33.65	33.42	0.27	33.44	54.81	55.02	323.65	
P18	9/1/2010 18:30:00	33.66	33.43	0.28	33.44	54.80	55.02	323.65	
P18	9/1/2010 18:45:00	33.66	33.43	0.28	33.44	54.80	55.02	323.65	
P18	9/1/2010 19:00:00	33.66	33.43	0.28	33.44	54.80	55.02	323.65	
P18	9/1/2010 19:15:00	33.66	33.43	0.28	33.44	54.80	55.02	323.65	
P18	9/1/2010 19:30:00	33.66	33.44	0.29	33.44	54.80	55.02	323.65	
P18	9/1/2010 19:45:00	33.66	33.44	0.29	33.44	54.80	55.02	323.65	
P18	9/1/2010 20:00:00	33.66	33.44	0.29	33.44	54.80	55.02	323.65	
P18	9/1/2010 20:15:00	33.67	33.44	0.29	33.44	54.80	55.02	323.65	
P18	9/1/2010 20:30:00	33.67	33.45	0.30	33.44	54.79	55.02	323.65	
P18	9/1/2010 20:45:00	33.67	33.45	0.30	33.44	54.79	55.02	323.65	
P18	9/1/2010 21:00:00	33.68	33.45	0.30	33.44	54.78	55.02	323.65	
P18	9/1/2010 21:15:00	33.68	33.45	0.30	33.44	54.78	55.02	323.65	
P18	9/1/2010 21:30:00	33.68	33.46	0.31	33.45	54.78	55.01	323.66	
P18	9/1/2010 21:45:00	33.69	33.46	0.31	33.45	54.77	55.01	323.66	
P18	9/1/2010 22:00:00	33.69	33.46	0.31	33.44	54.77	55.02	323.65	
P18	9/1/2010 22:15:00	33.69	33.46	0.31	33.45	54.77	55.01	323.66	
P18	9/1/2010 22:30:00	33.69	33.47	0.32	33.45	54.77	55.01	323.66	
P18	9/1/2010 22:45:00	33.69	33.47	0.32	33.44	54.77	55.02	323.65	
P18	9/1/2010 23:00:00	33.69	33.47	0.32	33.44	54.77	55.02	323.65	
P18	9/1/2010 23:15:00	33.69	33.47	0.32	33.44	54.77	55.02	323.65	
P18	9/1/2010 23:30:00	33.69	33.48	0.33	33.44	54.77	55.02	323.65	
P18	9/1/2010 23:45:00	33.70	33.48	0.33	33.44	54.76	55.02	323.65	
P18	9/2/2010 0:00:00	33.70	33.48	0.33	33.44	54.76	55.02	323.65	
P18	9/2/2010 0:15:00	33.70	33.48	0.33	33.44	54.76	55.02	323.65	
P18	9/2/2010 0:30:00	33.70	33.49	0.34	33.44	54.76	55.02	323.65	
P18	9/2/2010 0:45:00	33.70	33.49	0.34	33.44	54.76	55.02	323.65	
P18	9/2/2010 1:00:00	33.70	33.49	0.34	33.43	54.76	55.03	323.64	
P18	9/2/2010 1:15:00	33.70	33.49	0.34	33.43	54.76	55.03	323.64	
P18	9/2/2010 1:30:00	33.70	33.50	0.35	33.43	54.76	55.03	323.64	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/2/2010 1:45:00	33.70	33.50	0.35	33.43	54.76	55.03	323.64	
P18	9/2/2010 2:00:00	33.70	33.50	0.35	33.43	54.76	55.03	323.64	
P18	9/2/2010 2:15:00	33.70	33.50	0.35	33.43	54.76	55.03	323.64	
P18	9/2/2010 2:30:00	33.70	33.50	0.35	33.43	54.76	55.03	323.64	
P18	9/2/2010 2:45:00	33.70	33.50	0.35	33.42	54.76	55.04	323.63	
P18	9/2/2010 3:00:00	33.70	33.51	0.35	33.43	54.76	55.03	323.64	
P18	9/2/2010 3:15:00	33.70	33.51	0.36	33.43	54.76	55.03	323.64	
P18	9/2/2010 3:30:00	33.71	33.51	0.36	33.43	54.76	55.03	323.64	
P18	9/2/2010 3:45:00	33.70	33.51	0.36	33.42	54.76	55.04	323.63	
P18	9/2/2010 4:00:00	33.71	33.51	0.36	33.42	54.76	55.04	323.63	
P18	9/2/2010 4:15:00	33.71	33.51	0.36	33.42	54.76	55.04	323.63	
P18	9/2/2010 4:30:00	33.71	33.51	0.36	33.42	54.76	55.04	323.63	
P18	9/2/2010 4:45:00	33.71	33.52	0.36	33.42	54.76	55.04	323.63	
P18	9/2/2010 5:00:00	33.70	33.52	0.37	33.42	54.76	55.04	323.63	
P18	9/2/2010 5:15:00	33.70	33.52	0.37	33.41	54.76	55.05	323.62	
P18	9/2/2010 5:30:00	33.70	33.52	0.37	33.41	54.76	55.05	323.62	
P18	9/2/2010 5:45:00	33.70	33.52	0.37	33.41	54.76	55.05	323.62	
P18	9/2/2010 6:00:00	33.70	33.52	0.37	33.42	54.76	55.04	323.63	
P18	9/2/2010 6:15:00	33.70	33.52	0.37	33.42	54.76	55.04	323.63	
P18	9/2/2010 6:30:00	33.70	33.51	0.36	33.42	54.76	55.04	323.63	
P18	9/2/2010 6:45:00	33.70	33.51	0.36	33.42	54.76	55.04	323.63	
P18	9/2/2010 7:00:00	33.71	33.51	0.36	33.42	54.76	55.04	323.63	
P18	9/2/2010 7:15:00	33.71	33.51	0.36	33.42	54.76	55.04	323.63	
P18	9/2/2010 7:30:00	33.71	33.51	0.36	33.43	54.76	55.03	323.64	
P18	9/2/2010 7:45:00	33.71	33.51	0.36	33.43	54.75	55.03	323.64	
P18	9/2/2010 8:00:00	33.71	33.51	0.36	33.43	54.75	55.03	323.64	
P18	9/2/2010 8:15:00	33.71	33.51	0.35	33.43	54.76	55.03	323.64	
P18	9/2/2010 8:30:00	33.71	33.50	0.35	33.43	54.76	55.03	323.64	
P18	9/2/2010 8:45:00	33.70	33.50	0.35	33.43	54.76	55.03	323.64	
P18	9/2/2010 9:00:00	33.70	33.50	0.35	33.43	54.76	55.03	323.64	
P18	9/2/2010 9:15:00	33.70	33.50	0.35	33.43	54.76	55.03	323.64	
P18	9/2/2010 9:30:00	33.70	33.50	0.35	33.42	54.76	55.04	323.63	
P18	9/2/2010 9:45:00	33.69	33.49	0.34	33.43	54.77	55.03	323.64	
P18	9/2/2010 10:00:00	33.69	33.48	0.33	33.43	54.77	55.03	323.64	
P18	9/2/2010 10:15:00	33.69	33.47	0.32	33.44	54.77	55.02	323.65	
P18	9/2/2010 10:30:00	33.69	33.46	0.31	33.45	54.77	55.01	323.66	
P18	9/2/2010 10:45:00	33.68	33.45	0.30	33.45	54.78	55.01	323.66	
P18	9/2/2010 11:00:00	33.68	33.44	0.29	33.46	54.78	55.00	323.67	
P18	9/2/2010 11:15:00	33.68	33.43	0.28	33.46	54.78	55.00	323.67	
P18	9/2/2010 11:30:00	33.68	33.42	0.27	33.46	54.79	55.00	323.67	
P18	9/2/2010 11:45:00	33.67	33.41	0.26	33.47	54.79	54.99	323.68	
P18	9/2/2010 12:00:00	33.67	33.40	0.25	33.47	54.80	54.99	323.68	
P18	9/2/2010 12:15:00	33.66	33.39	0.24	33.47	54.80	54.99	323.68	
P18	9/2/2010 12:30:00	33.66	33.38	0.23	33.48	54.80	54.98	323.69	
P18	9/2/2010 12:45:00	33.65	33.37	0.22	33.48	54.81	54.98	323.69	
P18	9/2/2010 13:00:00	33.64	33.36	0.21	33.48	54.82	54.98	323.69	
P18	9/2/2010 13:15:00	33.64	33.35	0.20	33.49	54.82	54.97	323.70	
P18	9/2/2010 13:30:00	33.64	33.34	0.19	33.49	54.82	54.97	323.70	
P18	9/2/2010 13:45:00	33.63	33.33	0.18	33.49	54.83	54.97	323.70	
P18	9/2/2010 14:00:00	33.63	33.33	0.18	33.49	54.83	54.97	323.70	
P18	9/2/2010 14:15:00	33.62	33.32	0.17	33.49	54.84	54.97	323.70	
P18	9/2/2010 14:30:00	33.61	33.31	0.16	33.49	54.85	54.97	323.70	
P18	9/2/2010 14:45:00	33.61	33.30	0.15	33.49	54.85	54.97	323.70	
P18	9/2/2010 15:00:00	33.60	33.30	0.15	33.49	54.86	54.97	323.70	
P18	9/2/2010 15:15:00	33.60	33.29	0.14	33.49	54.86	54.97	323.70	
P18	9/2/2010 15:30:00	33.59	33.28	0.13	33.49	54.87	54.97	323.70	
P18	9/2/2010 15:45:00	33.59	33.27	0.12	33.49	54.87	54.97	323.70	
P18	9/2/2010 16:00:00	33.58	33.27	0.12	33.49	54.88	54.97	323.70	
P18	9/2/2010 16:15:00	33.58	33.26	0.11	33.49	54.88	54.97	323.70	
P18	9/2/2010 16:30:00	33.57	33.25	0.10	33.50	54.89	54.96	323.71	
P18	9/2/2010 16:45:00	33.57	33.24	0.09	33.50	54.89	54.96	323.71	
P18	9/2/2010 17:00:00	33.57	33.24	0.09	33.50	54.89	54.96	323.71	
P18	9/2/2010 17:15:00	33.57	33.23	0.08	33.51	54.89	54.95	323.72	
P18	9/2/2010 17:30:00	33.57	33.22	0.07	33.51	54.90	54.95	323.72	
P18	9/2/2010 17:45:00	33.56	33.22	0.07	33.51	54.90	54.95	323.72	
P18	9/2/2010 18:00:00	33.56	33.22	0.07	33.51	54.90	54.95	323.72	
P18	9/2/2010 18:15:00	33.55	33.22	0.07	33.50	54.91	54.96	323.71	
P18	9/2/2010 18:30:00	33.55	33.22	0.06	33.50	54.91	54.96	323.71	
P18	9/2/2010 18:45:00	33.54	33.21	0.06	33.49	54.92	54.97	323.70	
P18	9/2/2010 19:00:00	33.54	33.21	0.06	33.50	54.92	54.96	323.71	
P18	9/2/2010 19:15:00	33.54	33.21	0.06	33.50	54.92	54.96	323.71	
P18	9/2/2010 19:30:00	33.54	33.21	0.06	33.49	54.92	54.97	323.70	
P18	9/2/2010 19:45:00	33.54	33.21	0.06	33.49	54.92	54.97	323.70	
P18	9/2/2010 20:00:00	33.54	33.21	0.05	33.49	54.93	54.97	323.70	
P18	9/2/2010 20:15:00	33.54	33.20	0.05	33.49	54.93	54.97	323.70	
P18	9/2/2010 20:30:00	33.54	33.20	0.05	33.49	54.93	54.97	323.70	
P18	9/2/2010 20:45:00	33.53	33.20	0.05	33.49	54.93	54.97	323.70	
P18	9/2/2010 21:00:00	33.53	33.20	0.05	33.49	54.93	54.97	323.70	
P18	9/2/2010 21:15:00	33.53	33.20	0.05	33.50	54.93	54.96	323.71	
P18	9/2/2010 21:30:00	33.53	33.20	0.05	33.50	54.93	54.96	323.71	
P18	9/2/2010 21:45:00	33.53	33.20	0.05	33.49	54.93	54.97	323.70	
P18	9/2/2010 22:00:00	33.53	33.20	0.05	33.49	54.93	54.97	323.70	
P18	9/2/2010 22:15:00	33.53	33.20	0.05	33.49	54.93	54.97	323.70	
P18	9/2/2010 22:30:00	33.53	33.20	0.05	33.49	54.94	54.97	323.70	
P18	9/2/2010 22:45:00	33.53	33.20	0.05	33.49	54.94	54.97	323.70	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/2/2010 23:00:00	33.53	33.20	0.05	33.49	54.94	54.97	323.70	
P18	9/2/2010 23:15:00	33.52	33.20	0.05	33.48	54.94	54.98	323.69	
P18	9/2/2010 23:30:00	33.52	33.20	0.05	33.48	54.94	54.98	323.69	
P18	9/2/2010 23:45:00	33.52	33.20	0.05	33.48	54.94	54.98	323.69	
P18	9/3/2010 0:00:00	33.52	33.20	0.05	33.48	54.94	54.98	323.69	
P18	9/3/2010 0:15:00	33.51	33.20	0.05	33.47	54.95	54.99	323.68	
P18	9/3/2010 0:30:00	33.51	33.20	0.05	33.47	54.95	54.99	323.68	
P18	9/3/2010 0:45:00	33.51	33.20	0.05	33.47	54.95	54.99	323.68	
P18	9/3/2010 1:00:00	33.51	33.20	0.05	33.47	54.95	54.99	323.68	
P18	9/3/2010 1:15:00	33.51	33.21	0.05	33.47	54.95	54.99	323.68	
P18	9/3/2010 1:30:00	33.51	33.21	0.06	33.47	54.95	54.99	323.68	
P18	9/3/2010 1:45:00	33.51	33.21	0.06	33.47	54.95	54.99	323.68	
P18	9/3/2010 2:00:00	33.51	33.21	0.06	33.46	54.95	55.00	323.67	
P18	9/3/2010 2:15:00	33.51	33.21	0.06	33.46	54.95	55.00	323.67	
P18	9/3/2010 2:30:00	33.51	33.22	0.06	33.46	54.95	55.00	323.67	
P18	9/3/2010 2:45:00	33.51	33.22	0.07	33.46	54.95	55.00	323.67	
P18	9/3/2010 3:00:00	33.51	33.22	0.07	33.46	54.95	55.00	323.67	
P18	9/3/2010 3:15:00	33.51	33.22	0.07	33.45	54.95	55.01	323.66	
P18	9/3/2010 3:30:00	33.51	33.22	0.07	33.45	54.95	55.01	323.66	
P18	9/3/2010 3:45:00	33.51	33.23	0.08	33.45	54.95	55.01	323.66	
P18	9/3/2010 4:00:00	33.51	33.23	0.08	33.45	54.95	55.01	323.66	
P18	9/3/2010 4:15:00	33.50	33.23	0.08	33.44	54.96	55.02	323.65	
P18	9/3/2010 4:30:00	33.50	33.23	0.08	33.44	54.96	55.02	323.65	
P18	9/3/2010 4:45:00	33.50	33.24	0.09	33.44	54.96	55.02	323.65	
P18	9/3/2010 5:00:00	33.50	33.24	0.09	33.43	54.96	55.03	323.64	
P18	9/3/2010 5:15:00	33.50	33.24	0.09	33.43	54.96	55.03	323.64	
P18	9/3/2010 5:30:00	33.50	33.24	0.09	33.43	54.96	55.03	323.64	
P18	9/3/2010 5:45:00	33.50	33.24	0.09	33.42	54.96	55.04	323.63	
P18	9/3/2010 6:00:00	33.50	33.24	0.09	33.42	54.96	55.04	323.63	
P18	9/3/2010 6:15:00	33.50	33.25	0.09	33.42	54.97	55.04	323.63	
P18	9/3/2010 6:30:00	33.50	33.25	0.10	33.42	54.97	55.04	323.63	
P18	9/3/2010 6:45:00	33.50	33.25	0.10	33.42	54.97	55.04	323.63	
P18	9/3/2010 7:00:00	33.50	33.25	0.10	33.42	54.97	55.04	323.63	
P18	9/3/2010 7:15:00	33.50	33.25	0.10	33.42	54.96	55.04	323.63	
P18	9/3/2010 7:30:00	33.50	33.25	0.10	33.42	54.96	55.04	323.63	
P18	9/3/2010 7:45:00	33.50	33.25	0.10	33.42	54.96	55.04	323.63	
P18	9/3/2010 8:00:00	33.50	33.25	0.10	33.42	54.96	55.04	323.63	
P18	9/3/2010 8:15:00	33.50	33.25	0.10	33.42	54.96	55.04	323.63	
P18	9/3/2010 8:30:00	33.50	33.25	0.10	33.42	54.96	55.04	323.63	
P18	9/3/2010 8:45:00	33.50	33.25	0.10	33.42	54.96	55.04	323.63	
P18	9/3/2010 9:00:00	33.50	33.25	0.10	33.42	54.96	55.04	323.63	
P18	9/3/2010 9:15:00	33.50	33.25	0.10	33.42	54.96	55.04	323.63	
P18	9/3/2010 9:30:00	33.50	33.26	0.10	33.42	54.96	55.04	323.63	
P18	9/3/2010 9:45:00	33.50	33.25	0.10	33.42	54.96	55.04	323.63	
P18	9/3/2010 10:00:00	33.50	33.25	0.10	33.42	54.96	55.04	323.63	
P18	9/3/2010 10:15:00	33.50	33.24	0.09	33.43	54.96	55.03	323.64	
P18	9/3/2010 10:30:00	33.50	33.24	0.09	33.43	54.96	55.03	323.64	
P18	9/3/2010 10:45:00	33.50	33.23	0.08	33.43	54.96	55.03	323.64	
P18	9/3/2010 11:00:00	33.50	33.23	0.08	33.44	54.96	55.02	323.65	
P18	9/3/2010 11:15:00	33.50	33.23	0.08	33.44	54.96	55.02	323.65	
P18	9/3/2010 11:30:00	33.50	33.22	0.07	33.44	54.96	55.02	323.65	
P18	9/3/2010 11:45:00	33.50	33.22	0.07	33.44	54.96	55.02	323.65	
P18	9/3/2010 12:00:00	33.50	33.21	0.06	33.45	54.96	55.01	323.66	
P18	9/3/2010 12:15:00	33.50	33.21	0.06	33.45	54.96	55.01	323.66	
P18	9/3/2010 12:30:00	33.50	33.21	0.06	33.45	54.97	55.01	323.66	
P18	9/3/2010 12:45:00	33.50	33.20	0.05	33.46	54.97	55.00	323.67	
P18	9/3/2010 13:00:00	33.49	33.20	0.05	33.46	54.97	55.00	323.67	
P18	9/3/2010 13:15:00	33.49	33.19	0.04	33.45	54.97	55.01	323.66	
P18	9/3/2010 13:30:00	33.49	33.19	0.04	33.46	54.97	55.00	323.67	
P18	9/3/2010 13:45:00	33.48	33.19	0.04	33.45	54.98	55.01	323.66	
P18	9/3/2010 14:00:00	33.48	33.18	0.03	33.45	54.98	55.01	323.66	
P18	9/3/2010 14:15:00	33.48	33.18	0.03	33.46	54.98	55.00	323.67	
P18	9/3/2010 14:30:00	33.48	33.18	0.03	33.46	54.98	55.00	323.67	
P18	9/3/2010 14:45:00	33.48	33.18	0.03	33.46	54.98	55.00	323.67	
P18	9/3/2010 15:00:00	33.47	33.17	0.02	33.46	54.99	55.00	323.67	
P18	9/3/2010 15:15:00	33.47	33.17	0.02	33.46	54.99	55.00	323.67	
P18	9/3/2010 15:30:00	33.47	33.17	0.02	33.46	54.99	55.00	323.67	
P18	9/3/2010 15:45:00	33.47	33.17	0.02	33.46	54.99	55.00	323.67	
P18	9/3/2010 16:00:00	33.47	33.16	0.01	33.46	54.99	55.00	323.67	
P18	9/3/2010 16:15:00	33.47	33.16	0.01	33.46	54.99	55.00	323.67	
P18	9/3/2010 16:30:00	33.47	33.16	0.01	33.46	55.00	55.00	323.67	
P18	9/3/2010 16:45:00	33.46	33.16	0.00	33.46	55.00	55.00	323.67	
P18	9/3/2010 17:00:00	33.46	33.15	0.00	33.46	55.00	55.00	323.67	
P18	9/3/2010 17:15:00	33.46	33.15	0.00	33.46	55.00	55.00	323.67	
P18	9/3/2010 17:30:00	33.46	33.15	0.00	33.46	55.00	55.00	323.67	
P18	9/3/2010 17:45:00	33.47	33.15	0.00	33.46	55.00	55.00	323.67	
P18	9/3/2010 18:00:00	33.47	33.16	0.01	33.46	54.99	55.00	323.67	
P18	9/3/2010 18:15:00	33.47	33.16	0.01	33.46	54.99	55.00	323.67	
P18	9/3/2010 18:30:00	33.47	33.17	0.01	33.46	54.99	55.00	323.67	
P18	9/3/2010 18:45:00	33.47	33.17	0.02	33.45	54.99	55.01	323.66	
P18	9/3/2010 19:00:00	33.47	33.17	0.02	33.45	54.99	55.01	323.66	
P18	9/3/2010 19:15:00	33.47	33.18	0.03	33.45	54.99	55.01	323.66	
P18	9/3/2010 19:30:00	33.47	33.18	0.03	33.45	54.99	55.01	323.66	
P18	9/3/2010 19:45:00	33.48	33.19	0.04	33.45	54.98	55.01	323.66	
P18	9/3/2010 20:00:00	33.48	33.19	0.04	33.45	54.98	55.01	323.66	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/3/2010 20:15:00	33.49	33.20	0.05	33.45	54.97	55.01	323.66	
P18	9/3/2010 20:30:00	33.49	33.20	0.05	33.45	54.97	55.01	323.66	
P18	9/3/2010 20:45:00	33.49	33.21	0.05	33.45	54.97	55.01	323.66	
P18	9/3/2010 21:00:00	33.50	33.21	0.06	33.45	54.97	55.01	323.66	
P18	9/3/2010 21:15:00	33.50	33.21	0.06	33.45	54.96	55.01	323.66	
P18	9/3/2010 21:30:00	33.50	33.22	0.07	33.45	54.96	55.01	323.66	
P18	9/3/2010 21:45:00	33.51	33.22	0.07	33.45	54.95	55.01	323.66	
P18	9/3/2010 22:00:00	33.51	33.23	0.08	33.45	54.95	55.01	323.66	
P18	9/3/2010 22:15:00	33.51	33.23	0.08	33.45	54.95	55.01	323.66	
P18	9/3/2010 22:30:00	33.51	33.24	0.09	33.45	54.95	55.01	323.66	
P18	9/3/2010 22:45:00	33.52	33.24	0.09	33.45	54.94	55.01	323.66	
P18	9/3/2010 23:00:00	33.52	33.25	0.09	33.45	54.94	55.01	323.66	
P18	9/3/2010 23:15:00	33.53	33.25	0.10	33.45	54.94	55.01	323.66	
P18	9/3/2010 23:30:00	33.53	33.25	0.10	33.45	54.93	55.01	323.66	
P18	9/3/2010 23:45:00	33.53	33.26	0.11	33.45	54.93	55.01	323.66	
P18	9/4/2010 0:00:00	33.53	33.26	0.11	33.44	54.93	55.02	323.65	
P18	9/4/2010 0:15:00	33.54	33.27	0.12	33.44	54.93	55.02	323.65	
P18	9/4/2010 0:30:00	33.54	33.27	0.12	33.44	54.93	55.02	323.65	
P18	9/4/2010 0:45:00	33.54	33.28	0.13	33.44	54.93	55.02	323.65	
P18	9/4/2010 1:00:00	33.54	33.28	0.13	33.43	54.93	55.03	323.64	
P18	9/4/2010 1:15:00	33.54	33.29	0.13	33.43	54.92	55.03	323.64	
P18	9/4/2010 1:30:00	33.54	33.29	0.14	33.43	54.92	55.03	323.64	
P18	9/4/2010 1:45:00	33.54	33.29	0.14	33.43	54.92	55.03	323.64	
P18	9/4/2010 2:00:00	33.54	33.30	0.14	33.42	54.92	55.04	323.63	
P18	9/4/2010 2:15:00	33.54	33.30	0.15	33.42	54.92	55.04	323.63	
P18	9/4/2010 2:30:00	33.54	33.30	0.15	33.42	54.92	55.04	323.63	
P18	9/4/2010 2:45:00	33.54	33.30	0.15	33.42	54.92	55.04	323.63	
P18	9/4/2010 3:00:00	33.54	33.31	0.15	33.42	54.92	55.04	323.63	
P18	9/4/2010 3:15:00	33.55	33.31	0.16	33.42	54.91	55.04	323.63	
P18	9/4/2010 3:30:00	33.55	33.31	0.16	33.42	54.91	55.04	323.63	
P18	9/4/2010 3:45:00	33.55	33.31	0.16	33.42	54.91	55.04	323.63	
P18	9/4/2010 4:00:00	33.55	33.32	0.16	33.42	54.91	55.04	323.63	
P18	9/4/2010 4:15:00	33.55	33.32	0.17	33.42	54.91	55.04	323.63	
P18	9/4/2010 4:30:00	33.55	33.32	0.17	33.42	54.91	55.04	323.63	
P18	9/4/2010 4:45:00	33.55	33.32	0.17	33.42	54.91	55.04	323.63	
P18	9/4/2010 5:00:00	33.55	33.33	0.17	33.42	54.91	55.04	323.63	
P18	9/4/2010 5:15:00	33.56	33.33	0.18	33.42	54.90	55.04	323.63	
P18	9/4/2010 5:30:00	33.56	33.33	0.18	33.42	54.90	55.04	323.63	
P18	9/4/2010 5:45:00	33.56	33.33	0.18	33.41	54.90	55.05	323.62	
P18	9/4/2010 6:00:00	33.56	33.34	0.19	33.41	54.90	55.05	323.62	
P18	9/4/2010 6:15:00	33.56	33.34	0.19	33.41	54.90	55.05	323.62	
P18	9/4/2010 6:30:00	33.57	33.35	0.20	33.41	54.90	55.05	323.62	
P18	9/4/2010 6:45:00	33.57	33.35	0.20	33.41	54.89	55.05	323.62	
P18	9/4/2010 7:00:00	33.57	33.36	0.21	33.41	54.89	55.05	323.62	
P18	9/4/2010 7:15:00	33.58	33.36	0.21	33.41	54.88	55.05	323.62	
P18	9/4/2010 7:30:00	33.58	33.37	0.22	33.41	54.88	55.05	323.62	
P18	9/4/2010 7:45:00	33.58	33.37	0.22	33.41	54.88	55.05	323.62	
P18	9/4/2010 8:00:00	33.59	33.38	0.23	33.41	54.87	55.05	323.62	
P18	9/4/2010 8:15:00	33.59	33.38	0.23	33.41	54.87	55.05	323.62	
P18	9/4/2010 8:30:00	33.59	33.39	0.24	33.41	54.87	55.05	323.62	
P18	9/4/2010 8:45:00	33.60	33.39	0.24	33.41	54.87	55.05	323.62	
P18	9/4/2010 9:00:00	33.60	33.40	0.25	33.41	54.86	55.05	323.62	
P18	9/4/2010 9:15:00	33.60	33.40	0.25	33.40	54.86	55.06	323.61	
P18	9/4/2010 9:30:00	33.60	33.41	0.26	33.40	54.86	55.06	323.61	
P18	9/4/2010 9:45:00	33.60	33.41	0.26	33.40	54.86	55.06	323.61	
P18	9/4/2010 10:00:00	33.61	33.40	0.25	33.41	54.85	55.05	323.62	
P18	9/4/2010 10:15:00	33.61	33.40	0.25	33.41	54.85	55.05	323.62	
P18	9/4/2010 10:30:00	33.61	33.40	0.25	33.41	54.85	55.05	323.62	
P18	9/4/2010 10:45:00	33.61	33.40	0.25	33.42	54.85	55.04	323.63	
P18	9/4/2010 11:00:00	33.61	33.40	0.25	33.42	54.85	55.04	323.63	
P18	9/4/2010 11:15:00	33.61	33.40	0.25	33.42	54.85	55.04	323.63	
P18	9/4/2010 11:30:00	33.61	33.39	0.24	33.42	54.85	55.04	323.63	
P18	9/4/2010 11:45:00	33.61	33.39	0.24	33.42	54.85	55.04	323.63	
P18	9/4/2010 12:00:00	33.61	33.39	0.24	33.42	54.85	55.04	323.63	
P18	9/4/2010 12:15:00	33.61	33.39	0.24	33.43	54.85	55.03	323.64	
P18	9/4/2010 12:30:00	33.61	33.39	0.24	33.43	54.85	55.03	323.64	
P18	9/4/2010 12:45:00	33.61	33.39	0.24	33.43	54.85	55.03	323.64	
P18	9/4/2010 13:00:00	33.61	33.38	0.23	33.43	54.85	55.03	323.64	
P18	9/4/2010 13:15:00	33.61	33.38	0.23	33.43	54.85	55.03	323.64	
P18	9/4/2010 13:30:00	33.61	33.38	0.23	33.43	54.85	55.03	323.64	
P18	9/4/2010 13:45:00	33.61	33.38	0.23	33.43	54.85	55.03	323.64	
P18	9/4/2010 14:00:00	33.61	33.38	0.22	33.43	54.85	55.03	323.64	
P18	9/4/2010 14:15:00	33.61	33.37	0.22	33.44	54.85	55.02	323.65	
P18	9/4/2010 14:30:00	33.61	33.37	0.22	33.44	54.85	55.02	323.65	
P18	9/4/2010 14:45:00	33.61	33.37	0.22	33.44	54.85	55.02	323.65	
P18	9/4/2010 15:00:00	33.61	33.36	0.21	33.44	54.86	55.02	323.65	
P18	9/4/2010 15:15:00	33.61	33.36	0.21	33.44	54.86	55.02	323.65	
P18	9/4/2010 15:30:00	33.61	33.36	0.21	33.44	54.86	55.02	323.65	
P18	9/4/2010 15:45:00	33.61	33.36	0.21	33.45	54.85	55.01	323.66	
P18	9/4/2010 16:00:00	33.61	33.35	0.20	33.45	54.85	55.01	323.66	
P18	9/4/2010 16:15:00	33.61	33.35	0.20	33.45	54.86	55.01	323.66	
P18	9/4/2010 16:30:00	33.60	33.35	0.20	33.45	54.86	55.01	323.66	
P18	9/4/2010 16:45:00	33.60	33.35	0.20	33.45	54.86	55.01	323.66	
P18	9/4/2010 17:00:00	33.60	33.34	0.19	33.45	54.86	55.01	323.66	
P18	9/4/2010 17:15:00	33.60	33.34	0.19	33.45	54.86	55.01	323.66	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/4/2010 17:30:00	33.60	33.34	0.19	33.45	54.86	55.01	323.66	
P18	9/4/2010 17:45:00	33.60	33.34	0.19	33.45	54.86	55.01	323.66	
P18	9/4/2010 18:00:00	33.60	33.34	0.19	33.45	54.86	55.01	323.66	
P18	9/4/2010 18:15:00	33.60	33.34	0.19	33.45	54.86	55.01	323.66	
P18	9/4/2010 18:30:00	33.60	33.35	0.20	33.45	54.86	55.01	323.66	
P18	9/4/2010 18:45:00	33.60	33.35	0.20	33.44	54.86	55.02	323.65	
P18	9/4/2010 19:00:00	33.60	33.35	0.20	33.44	54.86	55.02	323.65	
P18	9/4/2010 19:15:00	33.60	33.35	0.20	33.44	54.86	55.02	323.65	
P18	9/4/2010 19:30:00	33.60	33.36	0.20	33.44	54.86	55.02	323.65	
P18	9/4/2010 19:45:00	33.60	33.36	0.21	33.44	54.86	55.02	323.65	
P18	9/4/2010 20:00:00	33.60	33.36	0.21	33.44	54.86	55.02	323.65	
P18	9/4/2010 20:15:00	33.60	33.36	0.21	33.44	54.86	55.02	323.65	
P18	9/4/2010 20:30:00	33.61	33.36	0.21	33.44	54.86	55.02	323.65	
P18	9/4/2010 20:45:00	33.61	33.37	0.21	33.44	54.85	55.02	323.65	
P18	9/4/2010 21:00:00	33.61	33.37	0.22	33.44	54.85	55.02	323.65	
P18	9/4/2010 21:15:00	33.61	33.37	0.22	33.44	54.85	55.02	323.65	
P18	9/4/2010 21:30:00	33.61	33.37	0.22	33.44	54.85	55.02	323.65	
P18	9/4/2010 21:45:00	33.61	33.37	0.22	33.44	54.85	55.02	323.65	
P18	9/4/2010 22:00:00	33.61	33.38	0.22	33.44	54.85	55.02	323.65	
P18	9/4/2010 22:15:00	33.61	33.38	0.23	33.44	54.85	55.02	323.65	
P18	9/4/2010 22:30:00	33.61	33.38	0.23	33.43	54.85	55.03	323.64	
P18	9/4/2010 22:45:00	33.61	33.38	0.23	33.43	54.85	55.03	323.64	
P18	9/4/2010 23:00:00	33.61	33.38	0.23	33.43	54.85	55.03	323.64	
P18	9/4/2010 23:15:00	33.61	33.38	0.23	33.43	54.85	55.03	323.64	
P18	9/4/2010 23:30:00	33.61	33.39	0.24	33.43	54.85	55.03	323.64	
P18	9/4/2010 23:45:00	33.61	33.39	0.24	33.43	54.85	55.03	323.64	
P18	9/5/2010 0:00:00	33.61	33.39	0.24	33.43	54.85	55.03	323.64	
P18	9/5/2010 0:15:00	33.61	33.39	0.24	33.43	54.85	55.03	323.64	
P18	9/5/2010 0:30:00	33.62	33.39	0.24	33.43	54.84	55.03	323.64	
P18	9/5/2010 0:45:00	33.62	33.40	0.24	33.43	54.84	55.03	323.64	
P18	9/5/2010 1:00:00	33.62	33.40	0.25	33.43	54.84	55.03	323.64	
P18	9/5/2010 1:15:00	33.62	33.40	0.25	33.42	54.84	55.04	323.63	
P18	9/5/2010 1:30:00	33.62	33.40	0.25	33.42	54.84	55.04	323.63	
P18	9/5/2010 1:45:00	33.62	33.40	0.25	33.42	54.84	55.04	323.63	
P18	9/5/2010 2:00:00	33.61	33.40	0.25	33.42	54.85	55.04	323.63	
P18	9/5/2010 2:15:00	33.62	33.41	0.26	33.42	54.84	55.04	323.63	
P18	9/5/2010 2:30:00	33.62	33.41	0.26	33.42	54.84	55.04	323.63	
P18	9/5/2010 2:45:00	33.62	33.41	0.26	33.42	54.84	55.04	323.63	
P18	9/5/2010 3:00:00	33.62	33.41	0.26	33.42	54.84	55.04	323.63	
P18	9/5/2010 3:15:00	33.62	33.41	0.26	33.42	54.84	55.04	323.63	
P18	9/5/2010 3:30:00	33.62	33.42	0.26	33.41	54.84	55.05	323.62	
P18	9/5/2010 3:45:00	33.62	33.42	0.27	33.41	54.84	55.05	323.62	
P18	9/5/2010 4:00:00	33.62	33.42	0.27	33.41	54.84	55.05	323.62	
P18	9/5/2010 4:15:00	33.62	33.42	0.27	33.41	54.84	55.05	323.62	
P18	9/5/2010 4:30:00	33.62	33.42	0.27	33.41	54.84	55.05	323.62	
P18	9/5/2010 4:45:00	33.63	33.42	0.27	33.41	54.83	55.05	323.62	
P18	9/5/2010 5:00:00	33.63	33.43	0.28	33.41	54.83	55.05	323.62	
P18	9/5/2010 5:15:00	33.63	33.43	0.28	33.41	54.83	55.05	323.62	
P18	9/5/2010 5:30:00	33.63	33.43	0.28	33.41	54.83	55.05	323.62	
P18	9/5/2010 5:45:00	33.63	33.43	0.28	33.41	54.83	55.05	323.62	
P18	9/5/2010 6:00:00	33.63	33.44	0.29	33.41	54.83	55.05	323.62	
P18	9/5/2010 6:15:00	33.63	33.44	0.29	33.41	54.83	55.05	323.62	
P18	9/5/2010 6:30:00	33.64	33.45	0.30	33.40	54.83	55.06	323.61	
P18	9/5/2010 6:45:00	33.64	33.45	0.30	33.40	54.82	55.06	323.61	
P18	9/5/2010 7:00:00	33.64	33.45	0.30	33.40	54.82	55.06	323.61	
P18	9/5/2010 7:15:00	33.64	33.46	0.31	33.40	54.82	55.06	323.61	
P18	9/5/2010 7:30:00	33.65	33.46	0.31	33.40	54.81	55.06	323.61	
P18	9/5/2010 7:45:00	33.65	33.47	0.32	33.41	54.81	55.05	323.62	
P18	9/5/2010 8:00:00	33.65	33.47	0.32	33.41	54.81	55.05	323.62	
P18	9/5/2010 8:15:00	33.66	33.47	0.32	33.40	54.80	55.06	323.61	
P18	9/5/2010 8:30:00	33.66	33.48	0.33	33.40	54.80	55.06	323.61	
P18	9/5/2010 8:45:00	33.66	33.48	0.33	33.40	54.80	55.06	323.61	
P18	9/5/2010 9:00:00	33.66	33.49	0.34	33.40	54.80	55.06	323.61	
P18	9/5/2010 9:15:00	33.67	33.49	0.34	33.40	54.80	55.06	323.61	
P18	9/5/2010 9:30:00	33.67	33.49	0.34	33.40	54.79	55.06	323.61	
P18	9/5/2010 9:45:00	33.68	33.49	0.34	33.41	54.79	55.05	323.62	
P18	9/5/2010 10:00:00	33.68	33.49	0.34	33.41	54.78	55.05	323.62	
P18	9/5/2010 10:15:00	33.68	33.49	0.34	33.41	54.78	55.05	323.62	
P18	9/5/2010 10:30:00	33.68	33.49	0.33	33.42	54.78	55.04	323.63	
P18	9/5/2010 10:45:00	33.68	33.48	0.33	33.42	54.78	55.04	323.63	
P18	9/5/2010 11:00:00	33.68	33.48	0.33	33.42	54.78	55.04	323.63	
P18	9/5/2010 11:15:00	33.68	33.48	0.33	33.42	54.78	55.04	323.63	
P18	9/5/2010 11:30:00	33.68	33.48	0.33	33.43	54.78	55.03	323.64	
P18	9/5/2010 11:45:00	33.68	33.47	0.32	33.43	54.78	55.03	323.64	
P18	9/5/2010 12:00:00	33.68	33.47	0.32	33.43	54.78	55.03	323.64	
P18	9/5/2010 12:15:00	33.68	33.47	0.32	33.43	54.78	55.03	323.64	
P18	9/5/2010 12:30:00	33.68	33.47	0.32	33.43	54.78	55.03	323.64	
P18	9/5/2010 12:45:00	33.68	33.46	0.31	33.43	54.78	55.03	323.64	
P18	9/5/2010 13:00:00	33.68	33.46	0.31	33.43	54.78	55.03	323.64	
P18	9/5/2010 13:15:00	33.68	33.46	0.31	33.44	54.78	55.02	323.65	
P18	9/5/2010 13:30:00	33.68	33.46	0.31	33.44	54.78	55.02	323.65	
P18	9/5/2010 13:45:00	33.68	33.46	0.30	33.44	54.78	55.02	323.65	
P18	9/5/2010 14:00:00	33.68	33.45	0.30	33.44	54.78	55.02	323.65	
P18	9/5/2010 14:15:00	33.68	33.45	0.30	33.44	54.78	55.02	323.65	
P18	9/5/2010 14:30:00	33.68	33.45	0.30	33.44	54.78	55.02	323.65	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/5/2010 14:45:00	33.68	33.45	0.30	33.44	54.79	55.02	323.65	
P18	9/5/2010 15:00:00	33.67	33.44	0.29	33.44	54.79	55.02	323.65	
P18	9/5/2010 15:15:00	33.67	33.44	0.29	33.44	54.79	55.02	323.65	
P18	9/5/2010 15:30:00	33.67	33.44	0.29	33.44	54.79	55.02	323.65	
P18	9/5/2010 15:45:00	33.67	33.44	0.29	33.44	54.79	55.02	323.65	
P18	9/5/2010 16:00:00	33.67	33.44	0.29	33.45	54.79	55.01	323.66	
P18	9/5/2010 16:15:00	33.67	33.43	0.28	33.44	54.80	55.02	323.65	
P18	9/5/2010 16:30:00	33.67	33.43	0.28	33.45	54.79	55.01	323.66	
P18	9/5/2010 16:45:00	33.67	33.43	0.28	33.45	54.80	55.01	323.66	
P18	9/5/2010 17:00:00	33.67	33.43	0.28	33.45	54.80	55.01	323.66	
P18	9/5/2010 17:15:00	33.67	33.43	0.27	33.45	54.80	55.01	323.66	
P18	9/5/2010 17:30:00	33.67	33.42	0.27	33.45	54.80	55.01	323.66	
P18	9/5/2010 17:45:00	33.67	33.42	0.27	33.45	54.80	55.01	323.66	
P18	9/5/2010 18:00:00	33.67	33.43	0.27	33.45	54.80	55.01	323.66	
P18	9/5/2010 18:15:00	33.66	33.43	0.28	33.45	54.80	55.01	323.66	
P18	9/5/2010 18:30:00	33.66	33.43	0.28	33.45	54.80	55.01	323.66	
P18	9/5/2010 18:45:00	33.67	33.43	0.28	33.45	54.80	55.01	323.66	
P18	9/5/2010 19:00:00	33.66	33.43	0.28	33.45	54.80	55.01	323.66	
P18	9/5/2010 19:15:00	33.66	33.43	0.28	33.45	54.80	55.01	323.66	
P18	9/5/2010 19:30:00	33.67	33.43	0.28	33.45	54.80	55.01	323.66	
P18	9/5/2010 19:45:00	33.67	33.43	0.28	33.45	54.80	55.01	323.66	
P18	9/5/2010 20:00:00	33.67	33.43	0.28	33.44	54.80	55.02	323.65	
P18	9/5/2010 20:15:00	33.66	33.43	0.28	33.44	54.80	55.02	323.65	
P18	9/5/2010 20:30:00	33.67	33.44	0.28	33.44	54.80	55.02	323.65	
P18	9/5/2010 20:45:00	33.67	33.44	0.29	33.45	54.79	55.01	323.66	
P18	9/5/2010 21:00:00	33.67	33.44	0.29	33.45	54.79	55.01	323.66	
P18	9/5/2010 21:15:00	33.67	33.44	0.29	33.45	54.79	55.01	323.66	
P18	9/5/2010 21:30:00	33.68	33.44	0.29	33.45	54.79	55.01	323.66	
P18	9/5/2010 21:45:00	33.68	33.44	0.29	33.45	54.79	55.01	323.66	
P18	9/5/2010 22:00:00	33.68	33.44	0.29	33.45	54.78	55.01	323.66	
P18	9/5/2010 22:15:00	33.68	33.44	0.29	33.45	54.78	55.01	323.66	
P18	9/5/2010 22:30:00	33.68	33.44	0.29	33.45	54.79	55.01	323.66	
P18	9/5/2010 22:45:00	33.68	33.44	0.29	33.45	54.79	55.01	323.66	
P18	9/5/2010 23:00:00	33.68	33.44	0.29	33.45	54.78	55.01	323.66	
P18	9/5/2010 23:15:00	33.68	33.44	0.29	33.45	54.79	55.01	323.66	
P18	9/5/2010 23:30:00	33.68	33.44	0.29	33.45	54.78	55.01	323.66	
P18	9/5/2010 23:45:00	33.68	33.44	0.29	33.45	54.79	55.01	323.66	
P18	9/6/2010 0:00:00	33.68	33.45	0.29	33.45	54.79	55.01	323.66	
P18	9/6/2010 0:15:00	33.67	33.45	0.29	33.44	54.79	55.02	323.65	
P18	9/6/2010 0:30:00	33.67	33.45	0.30	33.44	54.79	55.02	323.65	
P18	9/6/2010 0:45:00	33.67	33.45	0.30	33.44	54.79	55.02	323.65	
P18	9/6/2010 1:00:00	33.67	33.45	0.30	33.44	54.79	55.02	323.65	
P18	9/6/2010 1:15:00	33.67	33.45	0.30	33.43	54.80	55.03	323.64	
P18	9/6/2010 1:30:00	33.66	33.45	0.30	33.43	54.80	55.03	323.64	
P18	9/6/2010 1:45:00	33.66	33.45	0.30	33.43	54.80	55.03	323.64	
P18	9/6/2010 2:00:00	33.66	33.45	0.30	33.43	54.80	55.03	323.64	
P18	9/6/2010 2:15:00	33.66	33.45	0.30	33.43	54.80	55.03	323.64	
P18	9/6/2010 2:30:00	33.66	33.45	0.30	33.43	54.80	55.03	323.64	
P18	9/6/2010 2:45:00	33.66	33.45	0.30	33.43	54.80	55.03	323.64	
P18	9/6/2010 3:00:00	33.67	33.45	0.30	33.43	54.80	55.03	323.64	
P18	9/6/2010 3:15:00	33.67	33.45	0.30	33.43	54.80	55.03	323.64	
P18	9/6/2010 3:30:00	33.67	33.45	0.30	33.44	54.79	55.02	323.65	
P18	9/6/2010 3:45:00	33.67	33.45	0.30	33.44	54.79	55.02	323.65	
P18	9/6/2010 4:00:00	33.67	33.45	0.30	33.44	54.79	55.02	323.65	
P18	9/6/2010 4:15:00	33.67	33.45	0.30	33.44	54.79	55.02	323.65	
P18	9/6/2010 4:30:00	33.67	33.45	0.30	33.44	54.79	55.02	323.65	
P18	9/6/2010 4:45:00	33.67	33.45	0.30	33.43	54.80	55.03	323.64	
P18	9/6/2010 5:00:00	33.66	33.45	0.30	33.43	54.80	55.03	323.64	
P18	9/6/2010 5:15:00	33.66	33.45	0.30	33.43	54.80	55.03	323.64	
P18	9/6/2010 5:30:00	33.66	33.45	0.30	33.43	54.80	55.03	323.64	
P18	9/6/2010 5:45:00	33.66	33.45	0.29	33.43	54.80	55.03	323.64	
P18	9/6/2010 6:00:00	33.66	33.44	0.29	33.43	54.80	55.03	323.64	
P18	9/6/2010 6:15:00	33.65	33.44	0.29	33.43	54.81	55.03	323.64	
P18	9/6/2010 6:30:00	33.65	33.44	0.29	33.43	54.81	55.03	323.64	
P18	9/6/2010 6:45:00	33.64	33.43	0.28	33.42	54.82	55.04	323.63	
P18	9/6/2010 7:00:00	33.64	33.43	0.28	33.42	54.82	55.04	323.63	
P18	9/6/2010 7:15:00	33.64	33.43	0.28	33.42	54.82	55.04	323.63	
P18	9/6/2010 7:30:00	33.64	33.42	0.27	33.42	54.82	55.04	323.63	
P18	9/6/2010 7:45:00	33.64	33.42	0.27	33.43	54.82	55.03	323.64	
P18	9/6/2010 8:00:00	33.64	33.42	0.27	33.43	54.83	55.03	323.64	
P18	9/6/2010 8:15:00	33.63	33.41	0.26	33.43	54.83	55.03	323.64	
P18	9/6/2010 8:30:00	33.63	33.41	0.26	33.43	54.83	55.03	323.64	
P18	9/6/2010 8:45:00	33.63	33.41	0.26	33.43	54.83	55.03	323.64	
P18	9/6/2010 9:00:00	33.63	33.40	0.25	33.43	54.83	55.03	323.64	
P18	9/6/2010 9:15:00	33.63	33.40	0.25	33.43	54.83	55.03	323.64	
P18	9/6/2010 9:30:00	33.62	33.40	0.25	33.43	54.84	55.03	323.64	
P18	9/6/2010 9:45:00	33.62	33.39	0.24	33.43	54.84	55.03	323.64	
P18	9/6/2010 10:00:00	33.62	33.39	0.24	33.43	54.84	55.03	323.64	
P18	9/6/2010 10:15:00	33.61	33.38	0.23	33.43	54.85	55.03	323.64	
P18	9/6/2010 10:30:00	33.61	33.38	0.23	33.44	54.85	55.02	323.65	
P18	9/6/2010 10:45:00	33.62	33.37	0.22	33.44	54.84	55.02	323.65	
P18	9/6/2010 11:00:00	33.61	33.37	0.22	33.44	54.85	55.02	323.65	
P18	9/6/2010 11:15:00	33.61	33.36	0.21	33.45	54.85	55.01	323.66	
P18	9/6/2010 11:30:00	33.61	33.36	0.21	33.45	54.85	55.01	323.66	
P18	9/6/2010 11:45:00	33.61	33.35	0.20	33.45	54.86	55.01	323.66	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/6/2010 12:00:00	33.61	33.35	0.20	33.45	54.86	55.01	323.66	
P18	9/6/2010 12:15:00	33.60	33.34	0.19	33.45	54.86	55.01	323.66	
P18	9/6/2010 12:30:00	33.60	33.34	0.19	33.45	54.87	55.01	323.66	
P18	9/6/2010 12:45:00	33.59	33.33	0.18	33.45	54.87	55.01	323.66	
P18	9/6/2010 13:00:00	33.59	33.33	0.18	33.45	54.87	55.01	323.66	
P18	9/6/2010 13:15:00	33.58	33.32	0.17	33.45	54.88	55.01	323.66	
P18	9/6/2010 13:30:00	33.58	33.32	0.17	33.45	54.88	55.01	323.66	
P18	9/6/2010 13:45:00	33.57	33.31	0.16	33.45	54.89	55.01	323.66	
P18	9/6/2010 14:00:00	33.57	33.31	0.16	33.45	54.89	55.01	323.66	
P18	9/6/2010 14:15:00	33.57	33.30	0.15	33.45	54.89	55.01	323.66	
P18	9/6/2010 14:30:00	33.57	33.30	0.14	33.45	54.90	55.01	323.66	
P18	9/6/2010 14:45:00	33.56	33.29	0.14	33.45	54.90	55.01	323.66	
P18	9/6/2010 15:00:00	33.56	33.28	0.13	33.45	54.90	55.01	323.66	
P18	9/6/2010 15:15:00	33.56	33.28	0.13	33.46	54.90	55.00	323.67	
P18	9/6/2010 15:30:00	33.55	33.27	0.12	33.46	54.91	55.00	323.67	
P18	9/6/2010 15:45:00	33.55	33.27	0.11	33.46	54.91	55.00	323.67	
P18	9/6/2010 16:00:00	33.54	33.26	0.11	33.46	54.92	55.00	323.67	
P18	9/6/2010 16:15:00	33.54	33.25	0.10	33.46	54.92	55.00	323.67	
P18	9/6/2010 16:30:00	33.54	33.25	0.10	33.46	54.92	55.00	323.67	
P18	9/6/2010 16:45:00	33.54	33.24	0.09	33.46	54.93	55.00	323.67	
P18	9/6/2010 17:00:00	33.53	33.24	0.08	33.46	54.93	55.00	323.67	
P18	9/6/2010 17:15:00	33.53	33.23	0.08	33.46	54.94	55.00	323.67	
P18	9/6/2010 17:30:00	33.52	33.22	0.07	33.46	54.94	55.00	323.67	
P18	9/6/2010 17:45:00	33.52	33.22	0.07	33.46	54.94	55.00	323.67	
P18	9/6/2010 18:00:00	33.51	33.22	0.07	33.46	54.95	55.00	323.67	
P18	9/6/2010 18:15:00	33.51	33.22	0.07	33.45	54.95	55.01	323.66	
P18	9/6/2010 18:30:00	33.50	33.22	0.06	33.45	54.96	55.01	323.66	
P18	9/6/2010 18:45:00	33.50	33.21	0.06	33.45	54.96	55.01	323.66	
P18	9/6/2010 19:00:00	33.50	33.21	0.06	33.45	54.96	55.01	323.66	
P18	9/6/2010 19:15:00	33.50	33.21	0.06	33.45	54.97	55.01	323.66	
P18	9/6/2010 19:30:00	33.49	33.21	0.06	33.45	54.97	55.01	323.66	
P18	9/6/2010 19:45:00	33.49	33.21	0.05	33.45	54.97	55.01	323.66	
P18	9/6/2010 20:00:00	33.49	33.20	0.05	33.45	54.97	55.01	323.66	
P18	9/6/2010 20:15:00	33.49	33.20	0.05	33.45	54.97	55.01	323.66	
P18	9/6/2010 20:30:00	33.49	33.20	0.05	33.45	54.97	55.01	323.66	
P18	9/6/2010 20:45:00	33.49	33.20	0.05	33.45	54.97	55.01	323.66	
P18	9/6/2010 21:00:00	33.49	33.20	0.04	33.45	54.97	55.01	323.66	
P18	9/6/2010 21:15:00	33.49	33.19	0.04	33.45	54.97	55.01	323.66	
P18	9/6/2010 21:30:00	33.48	33.19	0.04	33.45	54.98	55.01	323.66	
P18	9/6/2010 21:45:00	33.48	33.19	0.04	33.45	54.98	55.01	323.66	
P18	9/6/2010 22:00:00	33.48	33.18	0.03	33.45	54.98	55.01	323.66	
P18	9/6/2010 22:15:00	33.47	33.18	0.03	33.45	54.99	55.01	323.66	
P18	9/6/2010 22:30:00	33.47	33.18	0.03	33.45	54.99	55.01	323.66	
P18	9/6/2010 22:45:00	33.47	33.18	0.02	33.45	54.99	55.01	323.66	
P18	9/6/2010 23:00:00	33.47	33.17	0.02	33.45	55.00	55.01	323.66	
P18	9/6/2010 23:15:00	33.46	33.17	0.02	33.45	55.00	55.01	323.66	
P18	9/6/2010 23:30:00	33.46	33.17	0.02	33.45	55.00	55.01	323.66	
P18	9/6/2010 23:45:00	33.45	33.16	0.01	33.44	55.01	55.02	323.65	
P18	9/7/2010 0:00:00	33.45	33.16	0.01	33.44	55.01	55.02	323.65	
P18	9/7/2010 0:15:00	33.45	33.16	0.01	33.44	55.01	55.02	323.65	
P18	9/7/2010 0:30:00	33.44	33.15	0.00	33.44	55.02	55.02	323.65	
P18	9/7/2010 0:45:00	33.44	33.15	0.00	33.44	55.02	55.02	323.65	
P18	9/7/2010 1:00:00	33.44	33.15	0.00	33.44	55.02	55.02	323.65	
P18	9/7/2010 1:15:00	33.43	33.15	-0.01	33.44	55.03	55.02	323.65	
P18	9/7/2010 1:30:00	33.43	33.14	-0.01	33.44	55.03	55.02	323.65	
P18	9/7/2010 1:45:00	33.43	33.14	-0.01	33.44	55.03	55.02	323.65	
P18	9/7/2010 2:00:00	33.43	33.14	-0.01	33.44	55.04	55.02	323.65	
P18	9/7/2010 2:15:00	33.42	33.13	-0.02	33.44	55.04	55.02	323.65	
P18	9/7/2010 2:30:00	33.42	33.13	-0.02	33.43	55.04	55.03	323.64	
P18	9/7/2010 2:45:00	33.42	33.13	-0.02	33.43	55.04	55.03	323.64	
P18	9/7/2010 3:00:00	33.41	33.13	-0.02	33.43	55.05	55.03	323.64	
P18	9/7/2010 3:15:00	33.41	33.12	-0.03	33.43	55.05	55.03	323.64	
P18	9/7/2010 3:30:00	33.41	33.12	-0.03	33.43	55.05	55.03	323.64	
P18	9/7/2010 3:45:00	33.41	33.12	-0.03	33.43	55.05	55.03	323.64	
P18	9/7/2010 4:00:00	33.40	33.12	-0.03	33.43	55.06	55.03	323.64	
P18	9/7/2010 4:15:00	33.40	33.12	-0.04	33.43	55.06	55.03	323.64	
P18	9/7/2010 4:30:00	33.40	33.11	-0.04	33.43	55.06	55.03	323.64	
P18	9/7/2010 4:45:00	33.40	33.11	-0.04	33.43	55.06	55.03	323.64	
P18	9/7/2010 5:00:00	33.40	33.11	-0.04	33.43	55.07	55.03	323.64	
P18	9/7/2010 5:15:00	33.39	33.11	-0.05	33.43	55.07	55.03	323.64	
P18	9/7/2010 5:30:00	33.39	33.10	-0.05	33.43	55.07	55.03	323.64	
P18	9/7/2010 5:45:00	33.39	33.10	-0.05	33.43	55.07	55.03	323.64	
P18	9/7/2010 6:00:00	33.39	33.10	-0.05	33.42	55.08	55.04	323.63	
P18	9/7/2010 6:15:00	33.38	33.10	-0.05	33.42	55.08	55.04	323.63	
P18	9/7/2010 6:30:00	33.38	33.10	-0.05	33.42	55.08	55.04	323.63	
P18	9/7/2010 6:45:00	33.38	33.10	-0.05	33.42	55.08	55.04	323.63	
P18	9/7/2010 7:00:00	33.38	33.10	-0.05	33.42	55.08	55.04	323.63	
P18	9/7/2010 7:15:00	33.38	33.10	-0.05	33.42	55.08	55.04	323.63	
P18	9/7/2010 7:30:00	33.38	33.10	-0.05	33.42	55.08	55.04	323.63	
P18	9/7/2010 7:45:00	33.38	33.10	-0.05	33.42	55.08	55.04	323.63	
P18	9/7/2010 8:00:00	33.38	33.10	-0.05	33.41	55.08	55.05	323.62	
P18	9/7/2010 8:15:00	33.38	33.11	-0.05	33.41	55.08	55.05	323.62	
P18	9/7/2010 8:30:00	33.37	33.11	-0.05	33.41	55.09	55.05	323.62	
P18	9/7/2010 8:45:00	33.37	33.11	-0.05	33.41	55.09	55.05	323.62	
P18	9/7/2010 9:00:00	33.37	33.11	-0.05	33.41	55.09	55.05	323.62	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/7/2010 9:15:00	33.37	33.11	-0.05	33.41	55.09	55.05	323.62	
P18	9/7/2010 9:30:00	33.37	33.11	-0.05	33.40	55.09	55.06	323.61	
P18	9/7/2010 9:45:00	33.37	33.10	-0.05	33.41	55.09	55.05	323.62	
P18	9/7/2010 10:00:00	33.37	33.10	-0.05	33.41	55.09	55.05	323.62	
P18	9/7/2010 10:15:00	33.36	33.10	-0.05	33.40	55.10	55.06	323.61	
P18	9/7/2010 10:30:00	33.36	33.09	-0.06	33.41	55.10	55.05	323.62	
P18	9/7/2010 10:45:00	33.36	33.09	-0.06	33.41	55.10	55.05	323.62	
P18	9/7/2010 11:00:00	33.36	33.09	-0.06	33.41	55.10	55.05	323.62	
P18	9/7/2010 11:15:00	33.36	33.09	-0.07	33.41	55.10	55.05	323.62	
P18	9/7/2010 11:30:00	33.36	33.08	-0.07	33.41	55.11	55.05	323.62	
P18	9/7/2010 11:45:00	33.35	33.08	-0.07	33.41	55.11	55.05	323.62	
P18	9/7/2010 12:00:00	33.35	33.08	-0.07	33.41	55.11	55.05	323.62	
P18	9/7/2010 12:15:00	33.35	33.07	-0.08	33.41	55.11	55.05	323.62	
P18	9/7/2010 12:30:00	33.35	33.07	-0.08	33.41	55.11	55.05	323.62	
P18	9/7/2010 12:45:00	33.34	33.07	-0.08	33.41	55.12	55.05	323.62	
P18	9/7/2010 13:00:00	33.34	33.06	-0.09	33.41	55.12	55.05	323.62	
P18	9/7/2010 13:15:00	33.34	33.06	-0.09	33.41	55.12	55.05	323.62	
P18	9/7/2010 13:30:00	33.34	33.06	-0.09	33.41	55.12	55.05	323.62	
P18	9/7/2010 13:45:00	33.33	33.06	-0.09	33.41	55.13	55.05	323.62	
P18	9/7/2010 14:00:00	33.33	33.05	-0.10	33.41	55.13	55.05	323.62	
P18	9/7/2010 14:15:00	33.33	33.05	-0.10	33.40	55.13	55.06	323.61	
P18	9/7/2010 14:30:00	33.33	33.05	-0.10	33.40	55.14	55.06	323.61	
P18	9/7/2010 14:45:00	33.32	33.05	-0.10	33.40	55.14	55.06	323.61	
P18	9/7/2010 15:00:00	33.32	33.04	-0.11	33.41	55.14	55.05	323.62	
P18	9/7/2010 15:15:00	33.32	33.04	-0.11	33.41	55.14	55.05	323.62	
P18	9/7/2010 15:30:00	33.32	33.04	-0.11	33.40	55.14	55.06	323.61	
P18	9/7/2010 15:45:00	33.32	33.04	-0.11	33.40	55.15	55.06	323.61	
P18	9/7/2010 16:00:00	33.32	33.03	-0.12	33.41	55.15	55.05	323.62	
P18	9/7/2010 16:15:00	33.31	33.03	-0.12	33.41	55.15	55.05	323.62	
P18	9/7/2010 16:30:00	33.31	33.03	-0.12	33.41	55.15	55.05	323.62	
P18	9/7/2010 16:45:00	33.31	33.03	-0.12	33.40	55.15	55.06	323.61	
P18	9/7/2010 17:00:00	33.31	33.02	-0.13	33.40	55.15	55.06	323.61	
P18	9/7/2010 17:15:00	33.31	33.02	-0.13	33.41	55.15	55.05	323.62	
P18	9/7/2010 17:30:00	33.30	33.02	-0.13	33.41	55.16	55.05	323.62	
P18	9/7/2010 17:45:00	33.30	33.02	-0.13	33.40	55.16	55.06	323.61	
P18	9/7/2010 18:00:00	33.30	33.02	-0.13	33.40	55.16	55.06	323.61	
P18	9/7/2010 18:15:00	33.30	33.02	-0.13	33.40	55.16	55.06	323.61	
P18	9/7/2010 18:30:00	33.30	33.03	-0.13	33.40	55.16	55.06	323.61	
P18	9/7/2010 18:45:00	33.30	33.03	-0.12	33.40	55.16	55.06	323.61	
P18	9/7/2010 19:00:00	33.30	33.03	-0.12	33.39	55.16	55.07	323.60	
P18	9/7/2010 19:15:00	33.30	33.03	-0.12	33.39	55.16	55.07	323.60	
P18	9/7/2010 19:30:00	33.29	33.03	-0.12	33.39	55.17	55.07	323.60	
P18	9/7/2010 19:45:00	33.29	33.03	-0.12	33.39	55.17	55.07	323.60	
P18	9/7/2010 20:00:00	33.29	33.04	-0.12	33.38	55.17	55.08	323.59	
P18	9/7/2010 20:15:00	33.30	33.04	-0.11	33.39	55.16	55.07	323.60	
P18	9/7/2010 20:30:00	33.30	33.04	-0.11	33.39	55.16	55.07	323.60	
P18	9/7/2010 20:45:00	33.30	33.04	-0.11	33.39	55.16	55.07	323.60	
P18	9/7/2010 21:00:00	33.30	33.04	-0.11	33.38	55.16	55.08	323.59	
P18	9/7/2010 21:15:00	33.30	33.04	-0.11	33.39	55.16	55.07	323.60	
P18	9/7/2010 21:30:00	33.30	33.04	-0.11	33.39	55.16	55.07	323.60	
P18	9/7/2010 21:45:00	33.30	33.04	-0.11	33.38	55.16	55.08	323.59	
P18	9/7/2010 22:00:00	33.30	33.05	-0.11	33.38	55.16	55.08	323.59	
P18	9/7/2010 22:15:00	33.30	33.05	-0.11	33.38	55.16	55.08	323.59	
P18	9/7/2010 22:30:00	33.30	33.05	-0.10	33.38	55.16	55.08	323.59	
P18	9/7/2010 22:45:00	33.30	33.05	-0.10	33.38	55.16	55.08	323.59	
P18	9/7/2010 23:00:00	33.30	33.05	-0.10	33.38	55.16	55.08	323.59	
P18	9/7/2010 23:15:00	33.29	33.05	-0.10	33.37	55.17	55.09	323.58	
P18	9/7/2010 23:30:00	33.29	33.05	-0.10	33.37	55.17	55.09	323.58	
P18	9/7/2010 23:45:00	33.29	33.05	-0.10	33.37	55.17	55.09	323.58	
P18	9/8/2010 0:00:00	33.29	33.05	-0.10	33.37	55.17	55.09	323.58	
P18	9/8/2010 0:15:00	33.30	33.05	-0.10	33.38	55.16	55.08	323.59	
P18	9/8/2010 0:30:00	33.30	33.05	-0.10	33.38	55.16	55.08	323.59	
P18	9/8/2010 0:45:00	33.30	33.05	-0.10	33.37	55.16	55.09	323.58	
P18	9/8/2010 1:00:00	33.30	33.05	-0.10	33.37	55.16	55.09	323.58	
P18	9/8/2010 1:15:00	33.30	33.05	-0.10	33.37	55.16	55.09	323.58	
P18	9/8/2010 1:30:00	33.29	33.05	-0.10	33.37	55.17	55.09	323.58	
P18	9/8/2010 1:45:00	33.29	33.05	-0.10	33.37	55.17	55.09	323.58	
P18	9/8/2010 2:00:00	33.29	33.05	-0.10	33.37	55.17	55.09	323.58	
P18	9/8/2010 2:15:00	33.29	33.06	-0.10	33.36	55.17	55.10	323.57	
P18	9/8/2010 2:30:00	33.29	33.06	-0.09	33.36	55.17	55.10	323.57	
P18	9/8/2010 2:45:00	33.29	33.06	-0.09	33.36	55.17	55.10	323.57	
P18	9/8/2010 3:00:00	33.29	33.06	-0.09	33.36	55.17	55.10	323.57	
P18	9/8/2010 3:15:00	33.29	33.06	-0.09	33.36	55.17	55.10	323.57	
P18	9/8/2010 3:30:00	33.29	33.06	-0.09	33.36	55.17	55.10	323.57	
P18	9/8/2010 3:45:00	33.29	33.06	-0.09	33.36	55.17	55.10	323.57	
P18	9/8/2010 4:00:00	33.29	33.06	-0.09	33.36	55.17	55.10	323.57	
P18	9/8/2010 4:15:00	33.29	33.06	-0.09	33.36	55.17	55.10	323.57	
P18	9/8/2010 4:30:00	33.29	33.06	-0.09	33.36	55.17	55.10	323.57	
P18	9/8/2010 4:45:00	33.29	33.06	-0.09	33.36	55.17	55.10	323.57	
P18	9/8/2010 5:00:00	33.29	33.06	-0.09	33.36	55.17	55.10	323.57	
P18	9/8/2010 5:15:00	33.29	33.07	-0.09	33.36	55.17	55.10	323.57	
P18	9/8/2010 5:30:00	33.29	33.07	-0.08	33.36	55.17	55.10	323.57	
P18	9/8/2010 5:45:00	33.29	33.07	-0.08	33.36	55.17	55.10	323.57	
P18	9/8/2010 6:00:00	33.29	33.07	-0.08	33.36	55.17	55.10	323.57	
P18	9/8/2010 6:15:00	33.29	33.07	-0.08	33.35	55.17	55.11	323.56	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/8/2010 6:30:00	33.30	33.08	-0.08	33.36	55.16	55.10	323.57	
P18	9/8/2010 6:45:00	33.30	33.08	-0.07	33.35	55.16	55.11	323.56	
P18	9/8/2010 7:00:00	33.30	33.08	-0.07	33.35	55.16	55.11	323.56	
P18	9/8/2010 7:15:00	33.30	33.08	-0.07	33.35	55.16	55.11	323.56	
P18	9/8/2010 7:30:00	33.30	33.09	-0.07	33.36	55.16	55.10	323.57	
P18	9/8/2010 7:45:00	33.30	33.09	-0.06	33.35	55.16	55.11	323.56	
P18	9/8/2010 8:00:00	33.30	33.09	-0.06	33.35	55.16	55.11	323.56	
P18	9/8/2010 8:15:00	33.31	33.09	-0.06	33.35	55.15	55.11	323.56	
P18	9/8/2010 8:30:00	33.31	33.10	-0.06	33.35	55.15	55.11	323.56	
P18	9/8/2010 8:45:00	33.31	33.10	-0.05	33.35	55.15	55.11	323.56	
P18	9/8/2010 9:00:00	33.31	33.10	-0.05	33.35	55.15	55.11	323.56	
P18	9/8/2010 9:15:00	33.31	33.10	-0.05	33.35	55.15	55.11	323.56	
P18	9/8/2010 9:30:00	33.31	33.11	-0.05	33.35	55.15	55.11	323.56	
P18	9/8/2010 9:45:00	33.31	33.10	-0.05	33.35	55.15	55.11	323.56	
P18	9/8/2010 10:00:00	33.32	33.10	-0.05	33.35	55.15	55.11	323.56	
P18	9/8/2010 10:15:00	33.32	33.10	-0.05	33.35	55.15	55.11	323.56	
P18	9/8/2010 10:30:00	33.32	33.10	-0.05	33.35	55.14	55.11	323.56	
P18	9/8/2010 10:45:00	33.32	33.10	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 11:00:00	33.32	33.10	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 11:15:00	33.32	33.10	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 11:30:00	33.32	33.10	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 11:45:00	33.32	33.10	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 12:00:00	33.32	33.10	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 12:15:00	33.32	33.10	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 12:30:00	33.32	33.10	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 12:45:00	33.32	33.10	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 13:00:00	33.32	33.10	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 13:15:00	33.32	33.10	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 13:30:00	33.32	33.10	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 13:45:00	33.32	33.10	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 14:00:00	33.32	33.10	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 14:15:00	33.32	33.10	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 14:30:00	33.32	33.10	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 14:45:00	33.32	33.10	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 15:00:00	33.32	33.10	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 15:15:00	33.32	33.10	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 15:30:00	33.32	33.10	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 15:45:00	33.32	33.10	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 16:00:00	33.32	33.10	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 16:15:00	33.32	33.10	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 16:30:00	33.32	33.10	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 16:45:00	33.32	33.10	-0.06	33.36	55.14	55.10	323.57	
P18	9/8/2010 17:00:00	33.32	33.10	-0.06	33.36	55.14	55.10	323.57	
P18	9/8/2010 17:15:00	33.32	33.09	-0.06	33.36	55.14	55.10	323.57	
P18	9/8/2010 17:30:00	33.32	33.09	-0.06	33.36	55.14	55.10	323.57	
P18	9/8/2010 17:45:00	33.32	33.10	-0.06	33.36	55.14	55.10	323.57	
P18	9/8/2010 18:00:00	33.32	33.10	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 18:15:00	33.32	33.10	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 18:30:00	33.32	33.10	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 18:45:00	33.32	33.10	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 19:00:00	33.32	33.10	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 19:15:00	33.32	33.10	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 19:30:00	33.32	33.10	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 19:45:00	33.32	33.10	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 20:00:00	33.32	33.10	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 20:15:00	33.32	33.11	-0.05	33.36	55.14	55.10	323.57	
P18	9/8/2010 20:30:00	33.32	33.11	-0.04	33.36	55.14	55.10	323.57	
P18	9/8/2010 20:45:00	33.32	33.11	-0.04	33.36	55.14	55.10	323.57	
P18	9/8/2010 21:00:00	33.33	33.11	-0.04	33.36	55.14	55.10	323.57	
P18	9/8/2010 21:15:00	33.33	33.11	-0.04	33.36	55.14	55.10	323.57	
P18	9/8/2010 21:30:00	33.33	33.11	-0.04	33.36	55.13	55.10	323.57	
P18	9/8/2010 21:45:00	33.33	33.11	-0.04	33.36	55.13	55.10	323.57	
P18	9/8/2010 22:00:00	33.33	33.11	-0.04	33.36	55.13	55.10	323.57	
P18	9/8/2010 22:15:00	33.33	33.12	-0.04	33.36	55.13	55.10	323.57	
P18	9/8/2010 22:30:00	33.33	33.12	-0.03	33.36	55.13	55.10	323.57	
P18	9/8/2010 22:45:00	33.33	33.12	-0.03	33.36	55.13	55.10	323.57	
P18	9/8/2010 23:00:00	33.33	33.12	-0.03	33.36	55.13	55.10	323.57	
P18	9/8/2010 23:15:00	33.33	33.12	-0.03	33.36	55.13	55.10	323.57	
P18	9/8/2010 23:30:00	33.33	33.12	-0.03	33.36	55.13	55.10	323.57	
P18	9/8/2010 23:45:00	33.33	33.13	-0.03	33.35	55.13	55.11	323.56	
P18	9/9/2010 0:00:00	33.33	33.13	-0.02	33.35	55.13	55.11	323.56	
P18	9/9/2010 0:15:00	33.34	33.13	-0.02	33.35	55.12	55.11	323.56	
P18	9/9/2010 0:30:00	33.34	33.13	-0.02	33.35	55.12	55.11	323.56	
P18	9/9/2010 0:45:00	33.34	33.13	-0.02	33.35	55.12	55.11	323.56	
P18	9/9/2010 1:00:00	33.34	33.13	-0.02	33.35	55.12	55.11	323.56	
P18	9/9/2010 1:15:00	33.34	33.14	-0.01	33.35	55.12	55.11	323.56	
P18	9/9/2010 1:30:00	33.34	33.14	-0.01	33.35	55.12	55.11	323.56	
P18	9/9/2010 1:45:00	33.34	33.14	-0.01	33.35	55.12	55.11	323.56	
P18	9/9/2010 2:00:00	33.34	33.14	-0.01	33.35	55.12	55.11	323.56	
P18	9/9/2010 2:15:00	33.34	33.14	-0.01	33.35	55.12	55.11	323.56	
P18	9/9/2010 2:30:00	33.34	33.15	0.00	33.35	55.12	55.11	323.56	
P18	9/9/2010 2:45:00	33.34	33.15	0.00	33.34	55.12	55.12	323.55	
P18	9/9/2010 3:00:00	33.34	33.15	0.00	33.34	55.12	55.12	323.55	
P18	9/9/2010 3:15:00	33.34	33.15	0.00	33.34	55.12	55.12	323.55	
P18	9/9/2010 3:30:00	33.35	33.15	0.00	33.34	55.11	55.12	323.55	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/9/2010 3:45:00	33.35	33.16	0.01	33.34	55.11	55.12	323.55	
P18	9/9/2010 4:00:00	33.35	33.16	0.01	33.34	55.11	55.12	323.55	
P18	9/9/2010 4:15:00	33.35	33.16	0.01	33.34	55.11	55.12	323.55	
P18	9/9/2010 4:30:00	33.35	33.16	0.01	33.34	55.11	55.12	323.55	
P18	9/9/2010 4:45:00	33.35	33.16	0.01	33.34	55.11	55.12	323.55	
P18	9/9/2010 5:00:00	33.35	33.17	0.02	33.34	55.11	55.12	323.55	
P18	9/9/2010 5:15:00	33.36	33.17	0.02	33.34	55.11	55.12	323.55	
P18	9/9/2010 5:30:00	33.36	33.17	0.02	33.34	55.10	55.12	323.55	
P18	9/9/2010 5:45:00	33.36	33.17	0.02	33.34	55.10	55.12	323.55	
P18	9/9/2010 6:00:00	33.36	33.18	0.03	33.34	55.10	55.12	323.55	
P18	9/9/2010 6:15:00	33.37	33.18	0.03	33.34	55.09	55.12	323.55	
P18	9/9/2010 6:30:00	33.37	33.19	0.04	33.34	55.09	55.12	323.55	
P18	9/9/2010 6:45:00	33.37	33.19	0.04	33.34	55.09	55.12	323.55	
P18	9/9/2010 7:00:00	33.37	33.19	0.04	33.34	55.09	55.12	323.55	
P18	9/9/2010 7:15:00	33.37	33.20	0.05	33.34	55.09	55.12	323.55	
P18	9/9/2010 7:30:00	33.38	33.20	0.05	33.34	55.08	55.12	323.55	
P18	9/9/2010 7:45:00	33.38	33.20	0.05	33.34	55.08	55.12	323.55	
P18	9/9/2010 8:00:00	33.38	33.21	0.06	33.34	55.08	55.12	323.55	
P18	9/9/2010 8:15:00	33.39	33.21	0.06	33.34	55.08	55.12	323.55	
P18	9/9/2010 8:30:00	33.39	33.22	0.07	33.34	55.07	55.12	323.55	
P18	9/9/2010 8:45:00	33.39	33.22	0.07	33.34	55.07	55.12	323.55	
P18	9/9/2010 9:00:00	33.39	33.22	0.07	33.34	55.07	55.12	323.55	
P18	9/9/2010 9:15:00	33.40	33.23	0.08	33.34	55.07	55.12	323.55	
P18	9/9/2010 9:30:00	33.40	33.23	0.08	33.34	55.06	55.12	323.55	
P18	9/9/2010 9:45:00	33.40	33.23	0.08	33.34	55.06	55.12	323.55	
P18	9/9/2010 10:00:00	33.41	33.24	0.09	33.34	55.05	55.12	323.55	
P18	9/9/2010 10:15:00	33.41	33.24	0.09	33.34	55.05	55.12	323.55	
P18	9/9/2010 10:30:00	33.41	33.24	0.09	33.34	55.05	55.12	323.55	
P18	9/9/2010 10:45:00	33.42	33.24	0.09	33.34	55.04	55.12	323.55	
P18	9/9/2010 11:00:00	33.42	33.25	0.10	33.34	55.04	55.12	323.55	
P18	9/9/2010 11:15:00	33.42	33.25	0.10	33.34	55.04	55.12	323.55	
P18	9/9/2010 11:30:00	33.42	33.25	0.10	33.34	55.04	55.12	323.55	
P18	9/9/2010 11:45:00	33.42	33.25	0.10	33.34	55.04	55.12	323.55	
P18	9/9/2010 12:00:00	33.43	33.26	0.11	33.34	55.03	55.12	323.55	
P18	9/9/2010 12:15:00	33.43	33.26	0.11	33.34	55.03	55.12	323.55	
P18	9/9/2010 12:30:00	33.43	33.26	0.11	33.34	55.03	55.12	323.55	
P18	9/9/2010 12:45:00	33.43	33.26	0.11	33.34	55.03	55.12	323.55	
P18	9/9/2010 13:00:00	33.44	33.27	0.12	33.35	55.02	55.11	323.56	
P18	9/9/2010 13:15:00	33.44	33.27	0.12	33.34	55.02	55.12	323.55	
P18	9/9/2010 13:30:00	33.44	33.27	0.12	33.34	55.02	55.12	323.55	
P18	9/9/2010 13:45:00	33.44	33.27	0.12	33.35	55.02	55.11	323.56	
P18	9/9/2010 14:00:00	33.44	33.28	0.12	33.35	55.02	55.11	323.56	
P18	9/9/2010 14:15:00	33.45	33.28	0.13	33.35	55.01	55.11	323.56	
P18	9/9/2010 14:30:00	33.45	33.28	0.13	33.35	55.01	55.11	323.56	
P18	9/9/2010 14:45:00	33.45	33.28	0.13	33.35	55.01	55.11	323.56	
P18	9/9/2010 15:00:00	33.46	33.28	0.13	33.36	55.00	55.10	323.57	
P18	9/9/2010 15:15:00	33.46	33.28	0.13	33.35	55.00	55.11	323.56	
P18	9/9/2010 15:30:00	33.46	33.29	0.13	33.36	55.00	55.10	323.57	
P18	9/9/2010 15:45:00	33.46	33.29	0.14	33.35	55.00	55.11	323.56	
P18	9/9/2010 16:00:00	33.46	33.29	0.14	33.35	55.00	55.11	323.56	
P18	9/9/2010 16:15:00	33.47	33.29	0.14	33.36	55.00	55.10	323.57	
P18	9/9/2010 16:30:00	33.47	33.29	0.14	33.36	54.99	55.10	323.57	
P18	9/9/2010 16:45:00	33.47	33.29	0.14	33.36	54.99	55.10	323.57	
P18	9/9/2010 17:00:00	33.47	33.29	0.14	33.36	54.99	55.10	323.57	
P18	9/9/2010 17:15:00	33.47	33.30	0.15	33.36	54.99	55.10	323.57	
P18	9/9/2010 17:30:00	33.47	33.30	0.15	33.36	54.99	55.10	323.57	
P18	9/9/2010 17:45:00	33.48	33.30	0.15	33.36	54.98	55.10	323.57	
P18	9/9/2010 18:00:00	33.48	33.30	0.15	33.36	54.98	55.10	323.57	
P18	9/9/2010 18:15:00	33.48	33.31	0.16	33.36	54.98	55.10	323.57	
P18	9/9/2010 18:30:00	33.48	33.31	0.16	33.36	54.98	55.10	323.57	
P18	9/9/2010 18:45:00	33.48	33.31	0.16	33.36	54.98	55.10	323.57	
P18	9/9/2010 19:00:00	33.49	33.32	0.16	33.36	54.97	55.10	323.57	
P18	9/9/2010 19:15:00	33.49	33.32	0.17	33.36	54.97	55.10	323.57	
P18	9/9/2010 19:30:00	33.49	33.32	0.17	33.36	54.97	55.10	323.57	
P18	9/9/2010 19:45:00	33.49	33.32	0.17	33.36	54.97	55.10	323.57	
P18	9/9/2010 20:00:00	33.50	33.33	0.18	33.36	54.97	55.10	323.57	
P18	9/9/2010 20:15:00	33.50	33.33	0.18	33.36	54.96	55.10	323.57	
P18	9/9/2010 20:30:00	33.50	33.33	0.18	33.36	54.96	55.10	323.57	
P18	9/9/2010 20:45:00	33.50	33.34	0.19	33.36	54.96	55.10	323.57	
P18	9/9/2010 21:00:00	33.50	33.34	0.19	33.36	54.96	55.10	323.57	
P18	9/9/2010 21:15:00	33.51	33.34	0.19	33.36	54.95	55.10	323.57	
P18	9/9/2010 21:30:00	33.51	33.35	0.19	33.36	54.95	55.10	323.57	
P18	9/9/2010 21:45:00	33.51	33.35	0.20	33.36	54.95	55.10	323.57	
P18	9/9/2010 22:00:00	33.52	33.35	0.20	33.36	54.94	55.10	323.57	
P18	9/9/2010 22:15:00	33.52	33.35	0.20	33.36	54.94	55.10	323.57	
P18	9/9/2010 22:30:00	33.52	33.36	0.20	33.36	54.94	55.10	323.57	
P18	9/9/2010 22:45:00	33.53	33.36	0.21	33.36	54.94	55.10	323.57	
P18	9/9/2010 23:00:00	33.53	33.36	0.21	33.36	54.93	55.10	323.57	
P18	9/9/2010 23:15:00	33.53	33.36	0.21	33.36	54.93	55.10	323.57	
P18	9/9/2010 23:30:00	33.53	33.37	0.22	33.36	54.93	55.10	323.57	
P18	9/9/2010 23:45:00	33.53	33.37	0.22	33.36	54.93	55.10	323.57	
P18	9/10/2010 0:00:00	33.53	33.37	0.22	33.36	54.93	55.10	323.57	
P18	9/10/2010 0:15:00	33.53	33.37	0.22	33.36	54.93	55.10	323.57	
P18	9/10/2010 0:30:00	33.54	33.38	0.23	33.36	54.93	55.10	323.57	
P18	9/10/2010 0:45:00	33.54	33.38	0.23	33.36	54.92	55.10	323.57	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/10/2010 1:00:00	33.54	33.38	0.23	33.36	54.92	55.10	323.57	
P18	9/10/2010 1:15:00	33.54	33.38	0.23	33.36	54.92	55.10	323.57	
P18	9/10/2010 1:30:00	33.54	33.39	0.24	33.35	54.92	55.11	323.56	
P18	9/10/2010 1:45:00	33.54	33.39	0.24	33.35	54.92	55.11	323.56	
P18	9/10/2010 2:00:00	33.54	33.39	0.24	33.36	54.92	55.10	323.57	
P18	9/10/2010 2:15:00	33.54	33.39	0.24	33.36	54.92	55.10	323.57	
P18	9/10/2010 2:30:00	33.55	33.39	0.24	33.36	54.91	55.10	323.57	
P18	9/10/2010 2:45:00	33.55	33.39	0.24	33.36	54.91	55.10	323.57	
P18	9/10/2010 3:00:00	33.55	33.39	0.24	33.36	54.91	55.10	323.57	
P18	9/10/2010 3:15:00	33.55	33.39	0.24	33.36	54.91	55.10	323.57	
P18	9/10/2010 3:30:00	33.55	33.40	0.25	33.36	54.91	55.10	323.57	
P18	9/10/2010 3:45:00	33.56	33.40	0.25	33.36	54.90	55.10	323.57	
P18	9/10/2010 4:00:00	33.56	33.40	0.25	33.36	54.90	55.10	323.57	
P18	9/10/2010 4:15:00	33.56	33.40	0.25	33.36	54.90	55.10	323.57	
P18	9/10/2010 4:30:00	33.56	33.40	0.25	33.36	54.90	55.10	323.57	
P18	9/10/2010 4:45:00	33.56	33.40	0.25	33.36	54.90	55.10	323.57	
P18	9/10/2010 5:00:00	33.56	33.40	0.25	33.36	54.90	55.10	323.57	
P18	9/10/2010 5:15:00	33.56	33.40	0.25	33.36	54.90	55.10	323.57	
P18	9/10/2010 5:30:00	33.56	33.41	0.25	33.36	54.90	55.10	323.57	
P18	9/10/2010 5:45:00	33.56	33.41	0.26	33.36	54.90	55.10	323.57	
P18	9/10/2010 6:00:00	33.56	33.41	0.26	33.36	54.90	55.10	323.57	
P18	9/10/2010 6:15:00	33.57	33.41	0.26	33.36	54.90	55.10	323.57	
P18	9/10/2010 6:30:00	33.57	33.41	0.26	33.36	54.89	55.10	323.57	
P18	9/10/2010 6:45:00	33.57	33.42	0.27	33.36	54.89	55.10	323.57	
P18	9/10/2010 7:00:00	33.57	33.42	0.27	33.36	54.89	55.10	323.57	
P18	9/10/2010 7:15:00	33.58	33.42	0.27	33.37	54.88	55.09	323.58	
P18	9/10/2010 7:30:00	33.58	33.42	0.27	33.37	54.88	55.09	323.58	
P18	9/10/2010 7:45:00	33.58	33.43	0.28	33.37	54.88	55.09	323.58	
P18	9/10/2010 8:00:00	33.58	33.43	0.28	33.37	54.88	55.09	323.58	
P18	9/10/2010 8:15:00	33.59	33.43	0.28	33.37	54.87	55.09	323.58	
P18	9/10/2010 8:30:00	33.59	33.43	0.28	33.37	54.87	55.09	323.58	
P18	9/10/2010 8:45:00	33.59	33.44	0.28	33.37	54.87	55.09	323.58	
P18	9/10/2010 9:00:00	33.59	33.44	0.29	33.37	54.87	55.09	323.58	
P18	9/10/2010 9:15:00	33.59	33.44	0.29	33.37	54.87	55.09	323.58	
P18	9/10/2010 9:30:00	33.59	33.44	0.29	33.37	54.87	55.09	323.58	
P18	9/10/2010 9:45:00	33.60	33.44	0.29	33.37	54.87	55.09	323.58	
P18	9/10/2010 10:00:00	33.60	33.44	0.29	33.37	54.87	55.09	323.58	
P18	9/10/2010 10:15:00	33.60	33.44	0.29	33.37	54.86	55.09	323.58	
P18	9/10/2010 10:30:00	33.60	33.44	0.29	33.37	54.86	55.09	323.58	
P18	9/10/2010 10:45:00	33.60	33.44	0.29	33.37	54.86	55.09	323.58	
P18	9/10/2010 11:00:00	33.60	33.44	0.29	33.37	54.86	55.09	323.58	
P18	9/10/2010 11:15:00	33.61	33.44	0.29	33.38	54.86	55.08	323.59	
P18	9/10/2010 11:30:00	33.61	33.44	0.29	33.38	54.85	55.08	323.59	
P18	9/10/2010 11:45:00	33.61	33.44	0.29	33.38	54.85	55.08	323.59	
P18	9/10/2010 12:00:00	33.61	33.44	0.29	33.38	54.85	55.08	323.59	
P18	9/10/2010 12:15:00	33.61	33.44	0.29	33.38	54.85	55.08	323.59	
P18	9/10/2010 12:30:00	33.61	33.44	0.29	33.38	54.85	55.08	323.59	
P18	9/10/2010 12:45:00	33.61	33.44	0.29	33.38	54.85	55.08	323.59	
P18	9/10/2010 13:00:00	33.61	33.44	0.29	33.39	54.85	55.07	323.60	
P18	9/10/2010 13:15:00	33.61	33.44	0.29	33.39	54.85	55.07	323.60	
P18	9/10/2010 13:30:00	33.62	33.44	0.29	33.39	54.84	55.07	323.60	
P18	9/10/2010 13:45:00	33.62	33.44	0.29	33.39	54.84	55.07	323.60	
P18	9/10/2010 14:00:00	33.62	33.44	0.29	33.39	54.84	55.07	323.60	
P18	9/10/2010 14:15:00	33.62	33.44	0.29	33.39	54.84	55.07	323.60	
P18	9/10/2010 14:30:00	33.62	33.44	0.29	33.40	54.84	55.06	323.61	
P18	9/10/2010 14:45:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	
P18	9/10/2010 15:00:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	
P18	9/10/2010 15:15:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	
P18	9/10/2010 15:30:00	33.63	33.44	0.29	33.41	54.83	55.05	323.62	
P18	9/10/2010 15:45:00	33.63	33.44	0.28	33.41	54.83	55.05	323.62	
P18	9/10/2010 16:00:00	33.63	33.43	0.28	33.41	54.83	55.05	323.62	
P18	9/10/2010 16:15:00	33.63	33.43	0.28	33.41	54.83	55.05	323.62	
P18	9/10/2010 16:30:00	33.63	33.43	0.28	33.41	54.83	55.05	323.62	
P18	9/10/2010 16:45:00	33.63	33.43	0.28	33.41	54.83	55.05	323.62	
P18	9/10/2010 17:00:00	33.63	33.43	0.28	33.41	54.83	55.05	323.62	
P18	9/10/2010 17:15:00	33.63	33.43	0.28	33.41	54.83	55.05	323.62	
P18	9/10/2010 17:30:00	33.62	33.43	0.28	33.41	54.84	55.05	323.62	
P18	9/10/2010 17:45:00	33.62	33.43	0.28	33.40	54.84	55.06	323.61	
P18	9/10/2010 18:00:00	33.62	33.43	0.28	33.40	54.84	55.06	323.61	
P18	9/10/2010 18:15:00	33.62	33.43	0.28	33.40	54.84	55.06	323.61	
P18	9/10/2010 18:30:00	33.62	33.43	0.28	33.40	54.84	55.06	323.61	
P18	9/10/2010 18:45:00	33.62	33.43	0.28	33.40	54.84	55.06	323.61	
P18	9/10/2010 19:00:00	33.62	33.43	0.28	33.40	54.84	55.06	323.61	
P18	9/10/2010 19:15:00	33.62	33.43	0.28	33.40	54.84	55.06	323.61	
P18	9/10/2010 19:30:00	33.62	33.44	0.28	33.40	54.84	55.06	323.61	
P18	9/10/2010 19:45:00	33.62	33.44	0.28	33.40	54.84	55.06	323.61	
P18	9/10/2010 20:00:00	33.62	33.44	0.29	33.40	54.84	55.06	323.61	
P18	9/10/2010 20:15:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	
P18	9/10/2010 20:30:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	
P18	9/10/2010 20:45:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	
P18	9/10/2010 21:00:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	
P18	9/10/2010 21:15:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	
P18	9/10/2010 21:30:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	
P18	9/10/2010 21:45:00	33.63	33.44	0.29	33.41	54.83	55.05	323.62	
P18	9/10/2010 22:00:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/10/2010 22:15:00	33.63	33.44	0.29	33.41	54.83	55.05	323.62	
P18	9/10/2010 22:30:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	
P18	9/10/2010 22:45:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	
P18	9/10/2010 23:00:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	
P18	9/10/2010 23:15:00	33.63	33.45	0.29	33.40	54.83	55.06	323.61	
P18	9/10/2010 23:30:00	33.63	33.45	0.30	33.40	54.83	55.06	323.61	
P18	9/10/2010 23:45:00	33.63	33.45	0.30	33.40	54.83	55.06	323.61	
P18	9/11/2010 0:00:00	33.63	33.45	0.30	33.40	54.83	55.06	323.61	
P18	9/11/2010 0:15:00	33.63	33.45	0.30	33.40	54.83	55.06	323.61	
P18	9/11/2010 0:30:00	33.63	33.45	0.30	33.40	54.83	55.06	323.61	
P18	9/11/2010 0:45:00	33.64	33.45	0.30	33.40	54.83	55.06	323.61	
P18	9/11/2010 1:00:00	33.64	33.45	0.30	33.40	54.83	55.06	323.61	
P18	9/11/2010 1:15:00	33.64	33.45	0.30	33.40	54.83	55.06	323.61	
P18	9/11/2010 1:30:00	33.64	33.45	0.30	33.40	54.83	55.06	323.61	
P18	9/11/2010 1:45:00	33.63	33.45	0.30	33.40	54.83	55.06	323.61	
P18	9/11/2010 2:00:00	33.63	33.45	0.30	33.40	54.83	55.06	323.61	
P18	9/11/2010 2:15:00	33.64	33.46	0.30	33.40	54.83	55.06	323.61	
P18	9/11/2010 2:30:00	33.64	33.46	0.31	33.40	54.83	55.06	323.61	
P18	9/11/2010 2:45:00	33.64	33.46	0.31	33.40	54.82	55.06	323.61	
P18	9/11/2010 3:00:00	33.64	33.46	0.31	33.40	54.82	55.06	323.61	
P18	9/11/2010 3:15:00	33.64	33.46	0.31	33.39	54.82	55.07	323.60	
P18	9/11/2010 3:30:00	33.64	33.46	0.31	33.39	54.83	55.07	323.60	
P18	9/11/2010 3:45:00	33.64	33.47	0.31	33.39	54.83	55.07	323.60	
P18	9/11/2010 4:00:00	33.64	33.47	0.32	33.39	54.82	55.07	323.60	
P18	9/11/2010 4:15:00	33.64	33.47	0.32	33.39	54.83	55.07	323.60	
P18	9/11/2010 4:30:00	33.63	33.47	0.32	33.38	54.83	55.08	323.59	
P18	9/11/2010 4:45:00	33.63	33.47	0.32	33.38	54.83	55.08	323.59	
P18	9/11/2010 5:00:00	33.64	33.47	0.32	33.38	54.83	55.08	323.59	
P18	9/11/2010 5:15:00	33.64	33.47	0.32	33.38	54.83	55.08	323.59	
P18	9/11/2010 5:30:00	33.64	33.48	0.32	33.38	54.82	55.08	323.59	
P18	9/11/2010 5:45:00	33.64	33.48	0.33	33.38	54.82	55.08	323.59	
P18	9/11/2010 6:00:00	33.64	33.48	0.33	33.38	54.82	55.08	323.59	
P18	9/11/2010 6:15:00	33.64	33.48	0.33	33.38	54.82	55.08	323.59	
P18	9/11/2010 6:30:00	33.64	33.49	0.34	33.38	54.82	55.08	323.59	
P18	9/11/2010 6:45:00	33.64	33.49	0.34	33.38	54.82	55.08	323.59	
P18	9/11/2010 7:00:00	33.65	33.49	0.34	33.38	54.81	55.08	323.59	
P18	9/11/2010 7:15:00	33.65	33.49	0.34	33.38	54.81	55.08	323.59	
P18	9/11/2010 7:30:00	33.65	33.50	0.34	33.38	54.81	55.08	323.59	
P18	9/11/2010 7:45:00	33.65	33.50	0.35	33.38	54.81	55.08	323.59	
P18	9/11/2010 8:00:00	33.65	33.50	0.35	33.38	54.81	55.08	323.59	
P18	9/11/2010 8:15:00	33.65	33.50	0.35	33.38	54.81	55.08	323.59	
P18	9/11/2010 8:30:00	33.65	33.51	0.35	33.37	54.81	55.09	323.58	
P18	9/11/2010 8:45:00	33.65	33.51	0.36	33.38	54.81	55.08	323.59	
P18	9/11/2010 9:00:00	33.65	33.51	0.36	33.37	54.81	55.09	323.58	
P18	9/11/2010 9:15:00	33.66	33.51	0.36	33.37	54.80	55.09	323.58	
P18	9/11/2010 9:30:00	33.66	33.52	0.37	33.37	54.80	55.09	323.58	
P18	9/11/2010 9:45:00	33.66	33.51	0.36	33.37	54.80	55.09	323.58	
P18	9/11/2010 10:00:00	33.66	33.51	0.36	33.38	54.80	55.08	323.59	
P18	9/11/2010 10:15:00	33.66	33.51	0.35	33.38	54.80	55.08	323.59	
P18	9/11/2010 10:30:00	33.66	33.50	0.35	33.38	54.80	55.08	323.59	
P18	9/11/2010 10:45:00	33.66	33.50	0.35	33.39	54.80	55.07	323.60	
P18	9/11/2010 11:00:00	33.66	33.50	0.34	33.39	54.80	55.07	323.60	
P18	9/11/2010 11:15:00	33.66	33.49	0.34	33.39	54.80	55.07	323.60	
P18	9/11/2010 11:30:00	33.66	33.49	0.34	33.39	54.80	55.07	323.60	
P18	9/11/2010 11:45:00	33.66	33.49	0.33	33.40	54.80	55.06	323.61	
P18	9/11/2010 12:00:00	33.66	33.48	0.33	33.40	54.80	55.06	323.61	
P18	9/11/2010 12:15:00	33.66	33.48	0.33	33.40	54.80	55.06	323.61	
P18	9/11/2010 12:30:00	33.66	33.48	0.32	33.40	54.80	55.06	323.61	
P18	9/11/2010 12:45:00	33.65	33.47	0.32	33.40	54.81	55.06	323.61	
P18	9/11/2010 13:00:00	33.65	33.47	0.32	33.40	54.81	55.06	323.61	
P18	9/11/2010 13:15:00	33.65	33.47	0.31	33.40	54.81	55.06	323.61	
P18	9/11/2010 13:30:00	33.65	33.46	0.31	33.40	54.81	55.06	323.61	
P18	9/11/2010 13:45:00	33.64	33.46	0.31	33.40	54.82	55.06	323.61	
P18	9/11/2010 14:00:00	33.64	33.45	0.30	33.41	54.82	55.05	323.62	
P18	9/11/2010 14:15:00	33.64	33.45	0.30	33.40	54.82	55.06	323.61	
P18	9/11/2010 14:30:00	33.64	33.44	0.29	33.41	54.82	55.05	323.62	
P18	9/11/2010 14:45:00	33.64	33.44	0.29	33.41	54.83	55.05	323.62	
P18	9/11/2010 15:00:00	33.63	33.44	0.28	33.41	54.83	55.05	323.62	
P18	9/11/2010 15:15:00	33.63	33.43	0.28	33.41	54.83	55.05	323.62	
P18	9/11/2010 15:30:00	33.63	33.43	0.28	33.42	54.83	55.04	323.63	
P18	9/11/2010 15:45:00	33.63	33.42	0.27	33.42	54.83	55.04	323.63	
P18	9/11/2010 16:00:00	33.63	33.42	0.27	33.42	54.83	55.04	323.63	
P18	9/11/2010 16:15:00	33.62	33.41	0.26	33.42	54.84	55.04	323.63	
P18	9/11/2010 16:30:00	33.62	33.41	0.26	33.42	54.84	55.04	323.63	
P18	9/11/2010 16:45:00	33.62	33.40	0.25	33.42	54.84	55.04	323.63	
P18	9/11/2010 17:00:00	33.62	33.40	0.25	33.42	54.84	55.04	323.63	
P18	9/11/2010 17:15:00	33.62	33.39	0.24	33.43	54.84	55.03	323.64	
P18	9/11/2010 17:30:00	33.62	33.39	0.24	33.43	54.84	55.03	323.64	
P18	9/11/2010 17:45:00	33.61	33.39	0.24	33.43	54.85	55.03	323.64	
P18	9/11/2010 18:00:00	33.61	33.39	0.24	33.43	54.85	55.03	323.64	
P18	9/11/2010 18:15:00	33.61	33.39	0.24	33.43	54.85	55.03	323.64	
P18	9/11/2010 18:30:00	33.61	33.39	0.24	33.42	54.85	55.04	323.63	
P18	9/11/2010 18:45:00	33.61	33.39	0.24	33.42	54.85	55.04	323.63	
P18	9/11/2010 19:00:00	33.61	33.39	0.24	33.42	54.85	55.04	323.63	
P18	9/11/2010 19:15:00	33.61	33.39	0.24	33.42	54.86	55.04	323.63	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/11/2010 19:30:00	33.60	33.39	0.24	33.42	54.86	55.04	323.63	
P18	9/11/2010 19:45:00	33.60	33.39	0.24	33.42	54.86	55.04	323.63	
P18	9/11/2010 20:00:00	33.60	33.39	0.24	33.42	54.86	55.04	323.63	
P18	9/11/2010 20:15:00	33.60	33.39	0.24	33.42	54.86	55.04	323.63	
P18	9/11/2010 20:30:00	33.60	33.39	0.24	33.41	54.86	55.05	323.62	
P18	9/11/2010 20:45:00	33.61	33.39	0.24	33.42	54.86	55.04	323.63	
P18	9/11/2010 21:00:00	33.61	33.39	0.24	33.42	54.85	55.04	323.63	
P18	9/11/2010 21:15:00	33.61	33.39	0.24	33.42	54.85	55.04	323.63	
P18	9/11/2010 21:30:00	33.61	33.39	0.24	33.42	54.85	55.04	323.63	
P18	9/11/2010 21:45:00	33.61	33.39	0.24	33.42	54.85	55.04	323.63	
P18	9/11/2010 22:00:00	33.61	33.39	0.24	33.42	54.85	55.04	323.63	
P18	9/11/2010 22:15:00	33.61	33.40	0.24	33.42	54.85	55.04	323.63	
P18	9/11/2010 22:30:00	33.61	33.40	0.25	33.42	54.85	55.04	323.63	
P18	9/11/2010 22:45:00	33.61	33.40	0.25	33.42	54.85	55.04	323.63	
P18	9/11/2010 23:00:00	33.61	33.40	0.25	33.42	54.85	55.04	323.63	
P18	9/11/2010 23:15:00	33.61	33.40	0.25	33.42	54.85	55.04	323.63	
P18	9/11/2010 23:30:00	33.61	33.40	0.25	33.42	54.85	55.04	323.63	
P18	9/11/2010 23:45:00	33.61	33.41	0.25	33.42	54.85	55.04	323.63	
P18	9/12/2010 0:00:00	33.61	33.41	0.26	33.41	54.85	55.05	323.62	
P18	9/12/2010 0:15:00	33.61	33.41	0.26	33.41	54.85	55.05	323.62	
P18	9/12/2010 0:30:00	33.61	33.41	0.26	33.41	54.85	55.05	323.62	
P18	9/12/2010 0:45:00	33.61	33.41	0.26	33.41	54.85	55.05	323.62	
P18	9/12/2010 1:00:00	33.61	33.41	0.26	33.41	54.85	55.05	323.62	
P18	9/12/2010 1:15:00	33.61	33.41	0.26	33.40	54.85	55.06	323.61	
P18	9/12/2010 1:30:00	33.61	33.42	0.27	33.40	54.85	55.06	323.61	
P18	9/12/2010 1:45:00	33.61	33.42	0.26	33.40	54.85	55.06	323.61	
P18	9/12/2010 2:00:00	33.61	33.42	0.26	33.40	54.85	55.06	323.61	
P18	9/12/2010 2:15:00	33.61	33.42	0.26	33.40	54.85	55.06	323.61	
P18	9/12/2010 2:30:00	33.61	33.42	0.26	33.40	54.85	55.06	323.61	
P18	9/12/2010 2:45:00	33.61	33.42	0.26	33.40	54.85	55.06	323.61	
P18	9/12/2010 3:00:00	33.61	33.41	0.26	33.40	54.86	55.06	323.61	
P18	9/12/2010 3:15:00	33.61	33.41	0.26	33.40	54.86	55.06	323.61	
P18	9/12/2010 3:30:00	33.60	33.41	0.26	33.40	54.86	55.06	323.61	
P18	9/12/2010 3:45:00	33.60	33.41	0.26	33.39	54.86	55.07	323.60	
P18	9/12/2010 4:00:00	33.60	33.41	0.26	33.39	54.86	55.07	323.60	
P18	9/12/2010 4:15:00	33.60	33.41	0.26	33.39	54.86	55.07	323.60	
P18	9/12/2010 4:30:00	33.60	33.41	0.26	33.39	54.86	55.07	323.60	
P18	9/12/2010 4:45:00	33.60	33.41	0.26	33.39	54.86	55.07	323.60	
P18	9/12/2010 5:00:00	33.60	33.41	0.26	33.39	54.87	55.07	323.60	
P18	9/12/2010 5:15:00	33.60	33.41	0.26	33.39	54.87	55.07	323.60	
P18	9/12/2010 5:30:00	33.60	33.41	0.26	33.39	54.87	55.07	323.60	
P18	9/12/2010 5:45:00	33.59	33.41	0.26	33.39	54.87	55.07	323.60	
P18	9/12/2010 6:00:00	33.59	33.41	0.26	33.39	54.87	55.07	323.60	
P18	9/12/2010 6:15:00	33.59	33.41	0.26	33.39	54.87	55.07	323.60	
P18	9/12/2010 6:30:00	33.59	33.41	0.26	33.39	54.87	55.07	323.60	
P18	9/12/2010 6:45:00	33.59	33.41	0.26	33.39	54.87	55.07	323.60	
P18	9/12/2010 7:00:00	33.59	33.42	0.26	33.39	54.87	55.07	323.60	
P18	9/12/2010 7:15:00	33.60	33.42	0.26	33.39	54.87	55.07	323.60	
P18	9/12/2010 7:30:00	33.60	33.42	0.27	33.39	54.87	55.07	323.60	
P18	9/12/2010 7:45:00	33.60	33.42	0.27	33.39	54.87	55.07	323.60	
P18	9/12/2010 8:00:00	33.60	33.42	0.27	33.39	54.86	55.07	323.60	
P18	9/12/2010 8:15:00	33.60	33.42	0.27	33.39	54.86	55.07	323.60	
P18	9/12/2010 8:30:00	33.60	33.42	0.27	33.39	54.86	55.07	323.60	
P18	9/12/2010 8:45:00	33.60	33.42	0.27	33.39	54.86	55.07	323.60	
P18	9/12/2010 9:00:00	33.60	33.42	0.27	33.39	54.86	55.07	323.60	
P18	9/12/2010 9:15:00	33.60	33.42	0.27	33.39	54.86	55.07	323.60	
P18	9/12/2010 9:30:00	33.60	33.42	0.27	33.39	54.86	55.07	323.60	
P18	9/12/2010 9:45:00	33.60	33.42	0.27	33.39	54.86	55.07	323.60	
P18	9/12/2010 10:00:00	33.60	33.42	0.26	33.39	54.86	55.07	323.60	
P18	9/12/2010 10:15:00	33.60	33.41	0.26	33.40	54.86	55.06	323.61	
P18	9/12/2010 10:30:00	33.60	33.41	0.26	33.40	54.86	55.06	323.61	
P18	9/12/2010 10:45:00	33.60	33.41	0.26	33.40	54.86	55.06	323.61	
P18	9/12/2010 11:00:00	33.60	33.41	0.26	33.40	54.86	55.06	323.61	
P18	9/12/2010 11:15:00	33.60	33.41	0.25	33.40	54.86	55.06	323.61	
P18	9/12/2010 11:30:00	33.60	33.40	0.25	33.40	54.86	55.06	323.61	
P18	9/12/2010 11:45:00	33.60	33.40	0.25	33.40	54.86	55.06	323.61	
P18	9/12/2010 12:00:00	33.60	33.40	0.25	33.40	54.86	55.06	323.61	
P18	9/12/2010 12:15:00	33.60	33.40	0.25	33.41	54.86	55.05	323.62	
P18	9/12/2010 12:30:00	33.60	33.40	0.25	33.41	54.86	55.05	323.62	
P18	9/12/2010 12:45:00	33.60	33.39	0.24	33.41	54.86	55.05	323.62	
P18	9/12/2010 13:00:00	33.60	33.39	0.24	33.41	54.87	55.05	323.62	
P18	9/12/2010 13:15:00	33.60	33.39	0.24	33.41	54.87	55.05	323.62	
P18	9/12/2010 13:30:00	33.60	33.39	0.24	33.41	54.87	55.05	323.62	
P18	9/12/2010 13:45:00	33.60	33.39	0.24	33.41	54.87	55.05	323.62	
P18	9/12/2010 14:00:00	33.60	33.39	0.24	33.41	54.87	55.05	323.62	
P18	9/12/2010 14:15:00	33.60	33.38	0.23	33.41	54.87	55.05	323.62	
P18	9/12/2010 14:30:00	33.60	33.38	0.23	33.41	54.87	55.05	323.62	
P18	9/12/2010 14:45:00	33.60	33.38	0.23	33.42	54.87	55.04	323.63	
P18	9/12/2010 15:00:00	33.59	33.38	0.23	33.41	54.87	55.05	323.62	
P18	9/12/2010 15:15:00	33.59	33.38	0.23	33.41	54.87	55.05	323.62	
P18	9/12/2010 15:30:00	33.59	33.38	0.23	33.41	54.87	55.05	323.62	
P18	9/12/2010 15:45:00	33.59	33.38	0.22	33.42	54.87	55.04	323.63	
P18	9/12/2010 16:00:00	33.59	33.37	0.22	33.42	54.87	55.04	323.63	
P18	9/12/2010 16:15:00	33.59	33.37	0.22	33.42	54.87	55.04	323.63	
P18	9/12/2010 16:30:00	33.59	33.37	0.22	33.42	54.87	55.04	323.63	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/12/2010 16:45:00	33.59	33.37	0.22	33.42	54.87	55.04	323.63	
P18	9/12/2010 17:00:00	33.59	33.37	0.22	33.42	54.87	55.04	323.63	
P18	9/12/2010 17:15:00	33.59	33.37	0.22	33.42	54.87	55.04	323.63	
P18	9/12/2010 17:30:00	33.59	33.37	0.21	33.42	54.87	55.04	323.63	
P18	9/12/2010 17:45:00	33.59	33.37	0.21	33.42	54.87	55.04	323.63	
P18	9/12/2010 18:00:00	33.59	33.37	0.22	33.42	54.87	55.04	323.63	
P18	9/12/2010 18:15:00	33.58	33.37	0.22	33.42	54.88	55.04	323.63	
P18	9/12/2010 18:30:00	33.58	33.37	0.22	33.42	54.88	55.04	323.63	
P18	9/12/2010 18:45:00	33.58	33.37	0.22	33.41	54.88	55.05	323.62	
P18	9/12/2010 19:00:00	33.58	33.37	0.22	33.41	54.88	55.05	323.62	
P18	9/12/2010 19:15:00	33.58	33.37	0.22	33.41	54.88	55.05	323.62	
P18	9/12/2010 19:30:00	33.58	33.37	0.22	33.41	54.88	55.05	323.62	
P18	9/12/2010 19:45:00	33.58	33.37	0.22	33.41	54.88	55.05	323.62	
P18	9/12/2010 20:00:00	33.58	33.37	0.22	33.41	54.88	55.05	323.62	
P18	9/12/2010 20:15:00	33.58	33.37	0.22	33.41	54.88	55.05	323.62	
P18	9/12/2010 20:30:00	33.58	33.37	0.22	33.41	54.88	55.05	323.62	
P18	9/12/2010 20:45:00	33.59	33.37	0.22	33.41	54.87	55.05	323.62	
P18	9/12/2010 21:00:00	33.59	33.37	0.22	33.41	54.87	55.05	323.62	
P18	9/12/2010 21:15:00	33.59	33.37	0.22	33.42	54.87	55.04	323.63	
P18	9/12/2010 21:30:00	33.59	33.38	0.22	33.42	54.87	55.04	323.63	
P18	9/12/2010 21:45:00	33.59	33.38	0.23	33.42	54.87	55.04	323.63	
P18	9/12/2010 22:00:00	33.59	33.38	0.23	33.42	54.87	55.04	323.63	
P18	9/12/2010 22:15:00	33.59	33.38	0.23	33.42	54.87	55.04	323.63	
P18	9/12/2010 22:30:00	33.60	33.38	0.23	33.42	54.87	55.04	323.63	
P18	9/12/2010 22:45:00	33.60	33.38	0.23	33.42	54.87	55.04	323.63	
P18	9/12/2010 23:00:00	33.59	33.38	0.23	33.41	54.87	55.05	323.62	
P18	9/12/2010 23:15:00	33.59	33.38	0.23	33.41	54.87	55.05	323.62	
P18	9/12/2010 23:30:00	33.59	33.38	0.23	33.41	54.87	55.05	323.62	
P18	9/12/2010 23:45:00	33.59	33.39	0.23	33.41	54.87	55.05	323.62	
P18	9/13/2010 0:00:00	33.59	33.39	0.24	33.41	54.87	55.05	323.62	
P18	9/13/2010 0:15:00	33.59	33.39	0.24	33.41	54.87	55.05	323.62	
P18	9/13/2010 0:30:00	33.59	33.39	0.24	33.40	54.87	55.06	323.61	
P18	9/13/2010 0:45:00	33.59	33.39	0.24	33.40	54.87	55.06	323.61	
P18	9/13/2010 1:00:00	33.59	33.39	0.24	33.40	54.87	55.06	323.61	
P18	9/13/2010 1:15:00	33.59	33.39	0.24	33.40	54.87	55.06	323.61	
P18	9/13/2010 1:30:00	33.59	33.39	0.24	33.40	54.87	55.06	323.61	
P18	9/13/2010 1:45:00	33.59	33.40	0.24	33.40	54.87	55.06	323.61	
P18	9/13/2010 2:00:00	33.59	33.40	0.25	33.40	54.87	55.06	323.61	
P18	9/13/2010 2:15:00	33.59	33.40	0.25	33.40	54.87	55.06	323.61	
P18	9/13/2010 2:30:00	33.59	33.40	0.25	33.40	54.87	55.06	323.61	
P18	9/13/2010 2:45:00	33.59	33.40	0.25	33.40	54.87	55.06	323.61	
P18	9/13/2010 3:00:00	33.59	33.40	0.25	33.40	54.87	55.06	323.61	
P18	9/13/2010 3:15:00	33.59	33.40	0.25	33.40	54.87	55.06	323.61	
P18	9/13/2010 3:30:00	33.59	33.40	0.25	33.40	54.87	55.06	323.61	
P18	9/13/2010 3:45:00	33.59	33.40	0.25	33.40	54.87	55.06	323.61	
P18	9/13/2010 4:00:00	33.59	33.41	0.25	33.39	54.87	55.07	323.60	
P18	9/13/2010 4:15:00	33.59	33.41	0.26	33.39	54.87	55.07	323.60	
P18	9/13/2010 4:30:00	33.59	33.41	0.26	33.39	54.87	55.07	323.60	
P18	9/13/2010 4:45:00	33.59	33.41	0.26	33.39	54.87	55.07	323.60	
P18	9/13/2010 5:00:00	33.59	33.41	0.26	33.39	54.87	55.07	323.60	
P18	9/13/2010 5:15:00	33.59	33.41	0.26	33.39	54.87	55.07	323.60	
P18	9/13/2010 5:30:00	33.59	33.41	0.26	33.39	54.87	55.07	323.60	
P18	9/13/2010 5:45:00	33.59	33.41	0.26	33.39	54.87	55.07	323.60	
P18	9/13/2010 6:00:00	33.59	33.41	0.26	33.39	54.87	55.07	323.60	
P18	9/13/2010 6:15:00	33.59	33.41	0.26	33.39	54.87	55.07	323.60	
P18	9/13/2010 6:30:00	33.59	33.41	0.26	33.39	54.87	55.07	323.60	
P18	9/13/2010 6:45:00	33.60	33.41	0.26	33.39	54.87	55.07	323.60	
P18	9/13/2010 7:00:00	33.60	33.41	0.26	33.39	54.87	55.07	323.60	
P18	9/13/2010 7:15:00	33.60	33.42	0.26	33.39	54.87	55.07	323.60	
P18	9/13/2010 7:30:00	33.60	33.42	0.26	33.39	54.86	55.07	323.60	
P18	9/13/2010 7:45:00	33.60	33.42	0.26	33.39	54.86	55.07	323.60	
P18	9/13/2010 8:00:00	33.60	33.42	0.27	33.39	54.86	55.07	323.60	
P18	9/13/2010 8:15:00	33.60	33.42	0.27	33.39	54.86	55.07	323.60	
P18	9/13/2010 8:30:00	33.60	33.42	0.27	33.39	54.86	55.07	323.60	
P18	9/13/2010 8:45:00	33.60	33.42	0.27	33.39	54.86	55.07	323.60	
P18	9/13/2010 9:00:00	33.60	33.42	0.27	33.39	54.86	55.07	323.60	
P18	9/13/2010 9:15:00	33.60	33.42	0.27	33.39	54.86	55.07	323.60	
P18	9/13/2010 9:30:00	33.60	33.42	0.27	33.39	54.86	55.07	323.60	
P18	9/13/2010 9:45:00	33.60	33.41	0.26	33.39	54.86	55.07	323.60	
P18	9/13/2010 10:00:00	33.60	33.41	0.26	33.40	54.86	55.06	323.61	
P18	9/13/2010 10:15:00	33.60	33.41	0.26	33.40	54.86	55.06	323.61	
P18	9/13/2010 10:30:00	33.60	33.41	0.25	33.40	54.86	55.06	323.61	
P18	9/13/2010 10:45:00	33.60	33.40	0.25	33.40	54.86	55.06	323.61	
P18	9/13/2010 11:00:00	33.60	33.40	0.25	33.40	54.87	55.06	323.61	
P18	9/13/2010 11:15:00	33.60	33.40	0.25	33.40	54.87	55.06	323.61	
P18	9/13/2010 11:30:00	33.59	33.39	0.24	33.40	54.87	55.06	323.61	
P18	9/13/2010 11:45:00	33.59	33.39	0.24	33.40	54.87	55.06	323.61	
P18	9/13/2010 12:00:00	33.59	33.39	0.24	33.41	54.87	55.05	323.62	
P18	9/13/2010 12:15:00	33.59	33.38	0.23	33.41	54.87	55.05	323.62	
P18	9/13/2010 12:30:00	33.59	33.38	0.23	33.41	54.87	55.05	323.62	
P18	9/13/2010 12:45:00	33.58	33.38	0.23	33.41	54.88	55.05	323.62	
P18	9/13/2010 13:00:00	33.58	33.38	0.22	33.41	54.88	55.05	323.62	
P18	9/13/2010 13:15:00	33.58	33.37	0.22	33.41	54.88	55.05	323.62	
P18	9/13/2010 13:30:00	33.58	33.37	0.22	33.41	54.88	55.05	323.62	
P18	9/13/2010 13:45:00	33.58	33.37	0.21	33.41	54.88	55.05	323.62	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/13/2010 14:00:00	33.58	33.36	0.21	33.41	54.88	55.05	323.62	
P18	9/13/2010 14:15:00	33.57	33.36	0.21	33.41	54.89	55.05	323.62	
P18	9/13/2010 14:30:00	33.57	33.35	0.20	33.41	54.89	55.05	323.62	
P18	9/13/2010 14:45:00	33.57	33.35	0.20	33.41	54.89	55.05	323.62	
P18	9/13/2010 15:00:00	33.57	33.35	0.20	33.41	54.89	55.05	323.62	
P18	9/13/2010 15:15:00	33.57	33.34	0.19	33.42	54.90	55.04	323.63	
P18	9/13/2010 15:30:00	33.56	33.34	0.19	33.42	54.90	55.04	323.63	
P18	9/13/2010 15:45:00	33.56	33.33	0.18	33.42	54.90	55.04	323.63	
P18	9/13/2010 16:00:00	33.56	33.33	0.18	33.42	54.90	55.04	323.63	
P18	9/13/2010 16:15:00	33.56	33.33	0.18	33.42	54.90	55.04	323.63	
P18	9/13/2010 16:30:00	33.55	33.32	0.17	33.42	54.91	55.04	323.63	
P18	9/13/2010 16:45:00	33.55	33.32	0.17	33.42	54.91	55.04	323.63	
P18	9/13/2010 17:00:00	33.55	33.32	0.16	33.42	54.91	55.04	323.63	
P18	9/13/2010 17:15:00	33.55	33.31	0.16	33.42	54.91	55.04	323.63	
P18	9/13/2010 17:30:00	33.55	33.31	0.16	33.42	54.91	55.04	323.63	
P18	9/13/2010 17:45:00	33.54	33.31	0.16	33.42	54.92	55.04	323.63	
P18	9/13/2010 18:00:00	33.54	33.31	0.16	33.42	54.92	55.04	323.63	
P18	9/13/2010 18:15:00	33.54	33.31	0.16	33.42	54.92	55.04	323.63	
P18	9/13/2010 18:30:00	33.54	33.31	0.16	33.42	54.92	55.04	323.63	
P18	9/13/2010 18:45:00	33.54	33.31	0.16	33.41	54.92	55.05	323.62	
P18	9/13/2010 19:00:00	33.54	33.32	0.16	33.41	54.92	55.05	323.62	
P18	9/13/2010 19:15:00	33.54	33.32	0.17	33.41	54.92	55.05	323.62	
P18	9/13/2010 19:30:00	33.54	33.32	0.17	33.41	54.92	55.05	323.62	
P18	9/13/2010 19:45:00	33.54	33.32	0.17	33.41	54.92	55.05	323.62	
P18	9/13/2010 20:00:00	33.54	33.32	0.17	33.41	54.92	55.05	323.62	
P18	9/13/2010 20:15:00	33.54	33.32	0.17	33.41	54.92	55.05	323.62	
P18	9/13/2010 20:30:00	33.54	33.32	0.17	33.41	54.92	55.05	323.62	
P18	9/13/2010 20:45:00	33.55	33.32	0.17	33.41	54.91	55.05	323.62	
P18	9/13/2010 21:00:00	33.55	33.32	0.17	33.41	54.91	55.05	323.62	
P18	9/13/2010 21:15:00	33.55	33.33	0.17	33.41	54.91	55.05	323.62	
P18	9/13/2010 21:30:00	33.55	33.33	0.18	33.41	54.91	55.05	323.62	
P18	9/13/2010 21:45:00	33.55	33.33	0.18	33.41	54.91	55.05	323.62	
P18	9/13/2010 22:00:00	33.55	33.33	0.18	33.41	54.91	55.05	323.62	
P18	9/13/2010 22:15:00	33.55	33.33	0.18	33.41	54.91	55.05	323.62	
P18	9/13/2010 22:30:00	33.55	33.33	0.18	33.41	54.91	55.05	323.62	
P18	9/13/2010 22:45:00	33.55	33.33	0.18	33.41	54.91	55.05	323.62	
P18	9/13/2010 23:00:00	33.55	33.33	0.18	33.41	54.91	55.05	323.62	
P18	9/13/2010 23:15:00	33.55	33.33	0.18	33.41	54.91	55.05	323.62	
P18	9/13/2010 23:30:00	33.55	33.33	0.18	33.41	54.91	55.05	323.62	
P18	9/13/2010 23:45:00	33.55	33.33	0.18	33.40	54.91	55.06	323.61	
P18	9/14/2010 0:00:00	33.55	33.33	0.18	33.40	54.91	55.06	323.61	
P18	9/14/2010 0:15:00	33.54	33.33	0.18	33.40	54.92	55.06	323.61	
P18	9/14/2010 0:30:00	33.54	33.33	0.18	33.40	54.92	55.06	323.61	
P18	9/14/2010 0:45:00	33.54	33.33	0.18	33.40	54.92	55.06	323.61	
P18	9/14/2010 1:00:00	33.54	33.33	0.18	33.40	54.92	55.06	323.61	
P18	9/14/2010 1:15:00	33.54	33.34	0.18	33.40	54.92	55.06	323.61	
P18	9/14/2010 1:30:00	33.54	33.34	0.19	33.40	54.92	55.06	323.61	
P18	9/14/2010 1:45:00	33.54	33.34	0.19	33.40	54.92	55.06	323.61	
P18	9/14/2010 2:00:00	33.54	33.34	0.19	33.39	54.92	55.07	323.60	
P18	9/14/2010 2:15:00	33.54	33.34	0.19	33.39	54.92	55.07	323.60	
P18	9/14/2010 2:30:00	33.54	33.34	0.19	33.39	54.92	55.07	323.60	
P18	9/14/2010 2:45:00	33.54	33.34	0.19	33.39	54.92	55.07	323.60	
P18	9/14/2010 3:00:00	33.54	33.34	0.19	33.39	54.92	55.07	323.60	
P18	9/14/2010 3:15:00	33.54	33.35	0.20	33.39	54.92	55.07	323.60	
P18	9/14/2010 3:30:00	33.54	33.35	0.20	33.39	54.92	55.07	323.60	
P18	9/14/2010 3:45:00	33.54	33.35	0.20	33.39	54.92	55.07	323.60	
P18	9/14/2010 4:00:00	33.54	33.35	0.20	33.39	54.92	55.07	323.60	
P18	9/14/2010 4:15:00	33.54	33.35	0.20	33.38	54.92	55.08	323.59	
P18	9/14/2010 4:30:00	33.54	33.35	0.20	33.38	54.92	55.08	323.59	
P18	9/14/2010 4:45:00	33.54	33.35	0.20	33.38	54.92	55.08	323.59	
P18	9/14/2010 5:00:00	33.54	33.36	0.21	33.38	54.92	55.08	323.59	
P18	9/14/2010 5:15:00	33.54	33.36	0.21	33.38	54.92	55.08	323.59	
P18	9/14/2010 5:30:00	33.54	33.36	0.21	33.38	54.92	55.08	323.59	
P18	9/14/2010 5:45:00	33.55	33.36	0.21	33.39	54.91	55.07	323.60	
P18	9/14/2010 6:00:00	33.55	33.36	0.21	33.38	54.91	55.08	323.59	
P18	9/14/2010 6:15:00	33.55	33.36	0.21	33.38	54.91	55.08	323.59	
P18	9/14/2010 6:30:00	33.55	33.36	0.21	33.38	54.91	55.08	323.59	
P18	9/14/2010 6:45:00	33.55	33.37	0.21	33.38	54.91	55.08	323.59	
P18	9/14/2010 7:00:00	33.55	33.37	0.22	33.38	54.91	55.08	323.59	
P18	9/14/2010 7:15:00	33.55	33.37	0.22	33.38	54.91	55.08	323.59	
P18	9/14/2010 7:30:00	33.55	33.37	0.22	33.38	54.91	55.08	323.59	
P18	9/14/2010 7:45:00	33.56	33.37	0.22	33.38	54.90	55.08	323.59	
P18	9/14/2010 8:00:00	33.56	33.37	0.22	33.38	54.90	55.08	323.59	
P18	9/14/2010 8:15:00	33.56	33.37	0.22	33.38	54.90	55.08	323.59	
P18	9/14/2010 8:30:00	33.56	33.38	0.22	33.38	54.90	55.08	323.59	
P18	9/14/2010 8:45:00	33.56	33.38	0.23	33.38	54.90	55.08	323.59	
P18	9/14/2010 9:00:00	33.56	33.38	0.23	33.38	54.90	55.08	323.59	
P18	9/14/2010 9:15:00	33.56	33.38	0.23	33.38	54.90	55.08	323.59	
P18	9/14/2010 9:30:00	33.56	33.38	0.23	33.38	54.90	55.08	323.59	
P18	9/14/2010 9:45:00	33.56	33.38	0.23	33.38	54.90	55.08	323.59	
P18	9/14/2010 10:00:00	33.56	33.38	0.23	33.38	54.90	55.08	323.59	
P18	9/14/2010 10:15:00	33.57	33.38	0.23	33.39	54.90	55.07	323.60	
P18	9/14/2010 10:30:00	33.57	33.38	0.23	33.39	54.89	55.07	323.60	
P18	9/14/2010 10:45:00	33.57	33.38	0.23	33.39	54.89	55.07	323.60	
P18	9/14/2010 11:00:00	33.57	33.38	0.23	33.39	54.89	55.07	323.60	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/14/2010 11:15:00	33.57	33.38	0.22	33.39	54.89	55.07	323.60	
P18	9/14/2010 11:30:00	33.57	33.37	0.22	33.39	54.89	55.07	323.60	
P18	9/14/2010 11:45:00	33.57	33.37	0.22	33.39	54.89	55.07	323.60	
P18	9/14/2010 12:00:00	33.57	33.37	0.22	33.39	54.90	55.07	323.60	
P18	9/14/2010 12:15:00	33.57	33.37	0.22	33.39	54.90	55.07	323.60	
P18	9/14/2010 12:30:00	33.57	33.37	0.22	33.39	54.90	55.07	323.60	
P18	9/14/2010 12:45:00	33.57	33.37	0.22	33.39	54.90	55.07	323.60	
P18	9/14/2010 13:00:00	33.56	33.37	0.22	33.39	54.90	55.07	323.60	
P18	9/14/2010 13:15:00	33.56	33.37	0.22	33.39	54.90	55.07	323.60	
P18	9/14/2010 13:30:00	33.56	33.37	0.22	33.39	54.90	55.07	323.60	
P18	9/14/2010 13:45:00	33.56	33.36	0.21	33.39	54.90	55.07	323.60	
P18	9/14/2010 14:00:00	33.56	33.36	0.21	33.39	54.90	55.07	323.60	
P18	9/14/2010 14:15:00	33.56	33.36	0.21	33.40	54.90	55.06	323.61	
P18	9/14/2010 14:30:00	33.56	33.35	0.20	33.40	54.90	55.06	323.61	
P18	9/14/2010 14:45:00	33.55	33.35	0.20	33.40	54.91	55.06	323.61	
P18	9/14/2010 15:00:00	33.55	33.34	0.19	33.40	54.91	55.06	323.61	
P18	9/14/2010 15:15:00	33.55	33.34	0.19	33.40	54.91	55.06	323.61	
P18	9/14/2010 15:30:00	33.55	33.34	0.19	33.40	54.91	55.06	323.61	
P18	9/14/2010 15:45:00	33.54	33.33	0.18	33.40	54.92	55.06	323.61	
P18	9/14/2010 16:00:00	33.54	33.33	0.18	33.40	54.92	55.06	323.61	
P18	9/14/2010 16:15:00	33.54	33.33	0.17	33.40	54.92	55.06	323.61	
P18	9/14/2010 16:30:00	33.54	33.32	0.17	33.40	54.93	55.06	323.61	
P18	9/14/2010 16:45:00	33.54	33.32	0.17	33.41	54.93	55.05	323.62	
P18	9/14/2010 17:00:00	33.53	33.31	0.16	33.41	54.93	55.05	323.62	
P18	9/14/2010 17:15:00	33.53	33.31	0.16	33.41	54.93	55.05	323.62	
P18	9/14/2010 17:30:00	33.53	33.31	0.16	33.41	54.93	55.05	323.62	
P18	9/14/2010 17:45:00	33.53	33.31	0.15	33.41	54.93	55.05	323.62	
P18	9/14/2010 18:00:00	33.53	33.30	0.15	33.41	54.93	55.05	323.62	
P18	9/14/2010 18:15:00	33.53	33.30	0.15	33.41	54.93	55.05	323.62	
P18	9/14/2010 18:30:00	33.53	33.30	0.15	33.41	54.94	55.05	323.62	
P18	9/14/2010 18:45:00	33.52	33.30	0.15	33.41	54.94	55.05	323.62	
P18	9/14/2010 19:00:00	33.52	33.30	0.15	33.41	54.94	55.05	323.62	
P18	9/14/2010 19:15:00	33.52	33.30	0.15	33.41	54.94	55.05	323.62	
P18	9/14/2010 19:30:00	33.52	33.30	0.15	33.41	54.94	55.05	323.62	
P18	9/14/2010 19:45:00	33.52	33.30	0.15	33.40	54.94	55.06	323.61	
P18	9/14/2010 20:00:00	33.52	33.30	0.15	33.41	54.94	55.05	323.62	
P18	9/14/2010 20:15:00	33.52	33.30	0.14	33.41	54.94	55.05	323.62	
P18	9/14/2010 20:30:00	33.52	33.29	0.14	33.41	54.94	55.05	323.62	
P18	9/14/2010 20:45:00	33.52	33.29	0.14	33.41	54.94	55.05	323.62	
P18	9/14/2010 21:00:00	33.52	33.29	0.14	33.41	54.94	55.05	323.62	
P18	9/14/2010 21:15:00	33.52	33.29	0.14	33.41	54.94	55.05	323.62	
P18	9/14/2010 21:30:00	33.52	33.29	0.14	33.41	54.94	55.05	323.62	
P18	9/14/2010 21:45:00	33.52	33.29	0.14	33.41	54.94	55.05	323.62	
P18	9/14/2010 22:00:00	33.51	33.29	0.14	33.41	54.95	55.05	323.62	
P18	9/14/2010 22:15:00	33.51	33.28	0.13	33.41	54.95	55.05	323.62	
P18	9/14/2010 22:30:00	33.51	33.28	0.13	33.41	54.95	55.05	323.62	
P18	9/14/2010 22:45:00	33.51	33.28	0.13	33.41	54.95	55.05	323.62	
P18	9/14/2010 23:00:00	33.51	33.28	0.13	33.41	54.95	55.05	323.62	
P18	9/14/2010 23:15:00	33.50	33.28	0.13	33.40	54.96	55.06	323.61	
P18	9/14/2010 23:30:00	33.50	33.28	0.13	33.40	54.96	55.06	323.61	
P18	9/14/2010 23:45:00	33.50	33.27	0.12	33.40	54.96	55.06	323.61	
P18	9/15/2010 0:00:00	33.50	33.27	0.12	33.40	54.96	55.06	323.61	
P18	9/15/2010 0:15:00	33.50	33.27	0.12	33.40	54.97	55.06	323.61	
P18	9/15/2010 0:30:00	33.49	33.27	0.12	33.40	54.97	55.06	323.61	
P18	9/15/2010 0:45:00	33.49	33.27	0.12	33.40	54.97	55.06	323.61	
P18	9/15/2010 1:00:00	33.49	33.27	0.12	33.40	54.97	55.06	323.61	
P18	9/15/2010 1:15:00	33.49	33.26	0.11	33.40	54.97	55.06	323.61	
P18	9/15/2010 1:30:00	33.49	33.26	0.11	33.40	54.97	55.06	323.61	
P18	9/15/2010 1:45:00	33.48	33.26	0.11	33.39	54.98	55.07	323.60	
P18	9/15/2010 2:00:00	33.48	33.26	0.11	33.39	54.98	55.07	323.60	
P18	9/15/2010 2:15:00	33.48	33.26	0.11	33.39	54.98	55.07	323.60	
P18	9/15/2010 2:30:00	33.48	33.26	0.11	33.39	54.98	55.07	323.60	
P18	9/15/2010 2:45:00	33.48	33.26	0.11	33.39	54.98	55.07	323.60	
P18	9/15/2010 3:00:00	33.47	33.26	0.11	33.39	54.99	55.07	323.60	
P18	9/15/2010 3:15:00	33.47	33.26	0.11	33.39	54.99	55.07	323.60	
P18	9/15/2010 3:30:00	33.47	33.26	0.11	33.39	54.99	55.07	323.60	
P18	9/15/2010 3:45:00	33.47	33.26	0.11	33.39	54.99	55.07	323.60	
P18	9/15/2010 4:00:00	33.47	33.26	0.10	33.39	54.99	55.07	323.60	
P18	9/15/2010 4:15:00	33.47	33.25	0.10	33.39	54.99	55.07	323.60	
P18	9/15/2010 4:30:00	33.47	33.25	0.10	33.39	54.99	55.07	323.60	
P18	9/15/2010 4:45:00	33.47	33.25	0.10	33.39	54.99	55.07	323.60	
P18	9/15/2010 5:00:00	33.47	33.25	0.10	33.39	55.00	55.07	323.60	
P18	9/15/2010 5:15:00	33.47	33.25	0.10	33.39	55.00	55.07	323.60	
P18	9/15/2010 5:30:00	33.46	33.25	0.10	33.38	55.00	55.08	323.59	
P18	9/15/2010 5:45:00	33.47	33.25	0.10	33.39	55.00	55.07	323.60	
P18	9/15/2010 6:00:00	33.47	33.25	0.10	33.38	55.00	55.08	323.59	
P18	9/15/2010 6:15:00	33.47	33.26	0.11	33.38	55.00	55.08	323.59	
P18	9/15/2010 6:30:00	33.47	33.26	0.11	33.38	54.99	55.08	323.59	
P18	9/15/2010 6:45:00	33.47	33.26	0.11	33.38	54.99	55.08	323.59	
P18	9/15/2010 7:00:00	33.47	33.26	0.11	33.38	55.00	55.08	323.59	
P18	9/15/2010 7:15:00	33.47	33.26	0.11	33.38	55.00	55.08	323.59	
P18	9/15/2010 7:30:00	33.47	33.27	0.11	33.38	54.99	55.08	323.59	
P18	9/15/2010 7:45:00	33.47	33.27	0.12	33.37	55.00	55.09	323.58	
P18	9/15/2010 8:00:00	33.47	33.27	0.12	33.38	54.99	55.08	323.59	
P18	9/15/2010 8:15:00	33.47	33.27	0.12	33.37	54.99	55.09	323.58	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/15/2010 8:30:00	33.47	33.27	0.12	33.37	54.99	55.09	323.58	
P18	9/15/2010 8:45:00	33.47	33.27	0.12	33.37	54.99	55.09	323.58	
P18	9/15/2010 9:00:00	33.47	33.28	0.12	33.37	54.99	55.09	323.58	
P18	9/15/2010 9:15:00	33.47	33.28	0.13	33.37	54.99	55.09	323.58	
P18	9/15/2010 9:30:00	33.47	33.28	0.13	33.37	54.99	55.09	323.58	
P18	9/15/2010 9:45:00	33.47	33.28	0.13	33.37	54.99	55.09	323.58	
P18	9/15/2010 10:00:00	33.47	33.28	0.12	33.37	55.00	55.09	323.58	
P18	9/15/2010 10:15:00	33.46	33.27	0.12	33.37	55.00	55.09	323.58	
P18	9/15/2010 10:30:00	33.46	33.27	0.12	33.37	55.00	55.09	323.58	
P18	9/15/2010 10:45:00	33.46	33.27	0.12	33.37	55.00	55.09	323.58	
P18	9/15/2010 11:00:00	33.46	33.27	0.12	33.37	55.00	55.09	323.58	
P18	9/15/2010 11:15:00	33.46	33.27	0.11	33.37	55.01	55.09	323.58	
P18	9/15/2010 11:30:00	33.46	33.26	0.11	33.37	55.01	55.09	323.58	
P18	9/15/2010 11:45:00	33.45	33.26	0.11	33.37	55.01	55.09	323.58	
P18	9/15/2010 12:00:00	33.45	33.26	0.11	33.37	55.01	55.09	323.58	
P18	9/15/2010 12:15:00	33.45	33.26	0.11	33.37	55.01	55.09	323.58	
P18	9/15/2010 12:30:00	33.45	33.26	0.10	33.37	55.01	55.09	323.58	
P18	9/15/2010 12:45:00	33.45	33.25	0.10	33.37	55.01	55.09	323.58	
P18	9/15/2010 13:00:00	33.45	33.25	0.10	33.37	55.01	55.09	323.58	
P18	9/15/2010 13:15:00	33.46	33.25	0.10	33.38	55.01	55.08	323.59	
P18	9/15/2010 13:30:00	33.46	33.25	0.10	33.38	55.00	55.08	323.59	
P18	9/15/2010 13:45:00	33.46	33.25	0.09	33.39	55.00	55.07	323.60	
P18	9/15/2010 14:00:00	33.46	33.24	0.09	33.39	55.00	55.07	323.60	
P18	9/15/2010 14:15:00	33.45	33.24	0.09	33.38	55.01	55.08	323.59	
P18	9/15/2010 14:30:00	33.45	33.24	0.09	33.38	55.01	55.08	323.59	
P18	9/15/2010 14:45:00	33.45	33.23	0.08	33.38	55.01	55.08	323.59	
P18	9/15/2010 15:00:00	33.45	33.23	0.08	33.38	55.01	55.08	323.59	
P18	9/15/2010 15:15:00	33.45	33.23	0.08	33.39	55.01	55.07	323.60	
P18	9/15/2010 15:30:00	33.45	33.23	0.07	33.39	55.01	55.07	323.60	
P18	9/15/2010 15:45:00	33.44	33.22	0.07	33.39	55.02	55.07	323.60	
P18	9/15/2010 16:00:00	33.44	33.22	0.07	33.39	55.02	55.07	323.60	
P18	9/15/2010 16:15:00	33.44	33.22	0.07	33.39	55.02	55.07	323.60	
P18	9/15/2010 16:30:00	33.44	33.21	0.06	33.39	55.02	55.07	323.60	
P18	9/15/2010 16:45:00	33.44	33.21	0.06	33.39	55.02	55.07	323.60	
P18	9/15/2010 17:00:00	33.43	33.21	0.06	33.39	55.03	55.07	323.60	
P18	9/15/2010 17:15:00	33.43	33.21	0.05	33.39	55.03	55.07	323.60	
P18	9/15/2010 17:30:00	33.43	33.20	0.05	33.39	55.03	55.07	323.60	
P18	9/15/2010 17:45:00	33.43	33.20	0.05	33.39	55.03	55.07	323.60	
P18	9/15/2010 18:00:00	33.43	33.20	0.05	33.39	55.03	55.07	323.60	
P18	9/15/2010 18:15:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	9/15/2010 18:30:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	9/15/2010 18:45:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	9/15/2010 19:00:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	9/15/2010 19:15:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	9/15/2010 19:30:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	9/15/2010 19:45:00	33.41	33.20	0.05	33.37	55.05	55.09	323.58	
P18	9/15/2010 20:00:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	9/15/2010 20:15:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	9/15/2010 20:30:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	9/15/2010 20:45:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	9/15/2010 21:00:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	9/15/2010 21:15:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	9/15/2010 21:30:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	9/15/2010 21:45:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	9/15/2010 22:00:00	33.42	33.21	0.06	33.38	55.04	55.08	323.59	
P18	9/15/2010 22:15:00	33.43	33.21	0.06	33.38	55.04	55.08	323.59	
P18	9/15/2010 22:30:00	33.43	33.21	0.06	33.38	55.04	55.08	323.59	
P18	9/15/2010 22:45:00	33.43	33.22	0.06	33.38	55.03	55.08	323.59	
P18	9/15/2010 23:00:00	33.43	33.22	0.07	33.38	55.03	55.08	323.59	
P18	9/15/2010 23:15:00	33.43	33.22	0.07	33.38	55.03	55.08	323.59	
P18	9/15/2010 23:30:00	33.44	33.22	0.07	33.38	55.02	55.08	323.59	
P18	9/15/2010 23:45:00	33.44	33.23	0.07	33.38	55.02	55.08	323.59	
P18	9/16/2010 0:00:00	33.44	33.23	0.08	33.38	55.02	55.08	323.59	
P18	9/16/2010 0:15:00	33.45	33.23	0.08	33.38	55.01	55.08	323.59	
P18	9/16/2010 0:30:00	33.45	33.23	0.08	33.38	55.01	55.08	323.59	
P18	9/16/2010 0:45:00	33.45	33.24	0.09	33.38	55.01	55.08	323.59	
P18	9/16/2010 1:00:00	33.45	33.24	0.09	33.38	55.01	55.08	323.59	
P18	9/16/2010 1:15:00	33.45	33.24	0.09	33.38	55.01	55.08	323.59	
P18	9/16/2010 1:30:00	33.45	33.24	0.09	33.38	55.01	55.08	323.59	
P18	9/16/2010 1:45:00	33.45	33.24	0.09	33.37	55.01	55.09	323.58	
P18	9/16/2010 2:00:00	33.45	33.25	0.09	33.37	55.01	55.09	323.58	
P18	9/16/2010 2:15:00	33.45	33.25	0.09	33.38	55.01	55.08	323.59	
P18	9/16/2010 2:30:00	33.45	33.25	0.10	33.38	55.01	55.08	323.59	
P18	9/16/2010 2:45:00	33.45	33.25	0.10	33.38	55.01	55.08	323.59	
P18	9/16/2010 3:00:00	33.45	33.25	0.10	33.38	55.01	55.08	323.59	
P18	9/16/2010 3:15:00	33.45	33.25	0.10	33.38	55.01	55.08	323.59	
P18	9/16/2010 3:30:00	33.45	33.25	0.10	33.38	55.01	55.08	323.59	
P18	9/16/2010 3:45:00	33.45	33.25	0.10	33.37	55.01	55.09	323.58	
P18	9/16/2010 4:00:00	33.45	33.25	0.10	33.37	55.01	55.09	323.58	
P18	9/16/2010 4:15:00	33.45	33.25	0.10	33.37	55.01	55.09	323.58	
P18	9/16/2010 4:30:00	33.45	33.25	0.10	33.37	55.01	55.09	323.58	
P18	9/16/2010 4:45:00	33.45	33.25	0.10	33.37	55.01	55.09	323.58	
P18	9/16/2010 5:00:00	33.45	33.25	0.10	33.37	55.01	55.09	323.58	
P18	9/16/2010 5:15:00	33.45	33.25	0.10	33.37	55.01	55.09	323.58	
P18	9/16/2010 5:30:00	33.45	33.25	0.10	33.37	55.01	55.09	323.58	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/16/2010 5:45:00	33.45	33.25	0.10	33.37	55.01	55.09	323.58	
P18	9/16/2010 6:00:00	33.45	33.25	0.10	33.37	55.01	55.09	323.58	
P18	9/16/2010 6:15:00	33.45	33.25	0.10	33.37	55.01	55.09	323.58	
P18	9/16/2010 6:30:00	33.45	33.26	0.10	33.37	55.01	55.09	323.58	
P18	9/16/2010 6:45:00	33.45	33.26	0.11	33.37	55.01	55.09	323.58	
P18	9/16/2010 7:00:00	33.45	33.26	0.11	33.37	55.01	55.09	323.58	
P18	9/16/2010 7:15:00	33.46	33.26	0.11	33.37	55.01	55.09	323.58	
P18	9/16/2010 7:30:00	33.46	33.26	0.11	33.37	55.01	55.09	323.58	
P18	9/16/2010 7:45:00	33.46	33.26	0.11	33.37	55.01	55.09	323.58	
P18	9/16/2010 8:00:00	33.46	33.26	0.11	33.37	55.01	55.09	323.58	
P18	9/16/2010 8:15:00	33.46	33.26	0.11	33.37	55.00	55.09	323.58	
P18	9/16/2010 8:30:00	33.46	33.26	0.11	33.37	55.01	55.09	323.58	
P18	9/16/2010 8:45:00	33.45	33.26	0.11	33.37	55.01	55.09	323.58	
P18	9/16/2010 9:00:00	33.46	33.26	0.11	33.37	55.01	55.09	323.58	
P18	9/16/2010 9:15:00	33.46	33.26	0.11	33.37	55.00	55.09	323.58	
P18	9/16/2010 9:30:00	33.46	33.27	0.11	33.37	55.00	55.09	323.58	
P18	9/16/2010 9:45:00	33.46	33.26	0.11	33.37	55.00	55.09	323.58	
P18	9/16/2010 10:00:00	33.46	33.26	0.11	33.37	55.00	55.09	323.58	
P18	9/16/2010 10:15:00	33.46	33.26	0.11	33.37	55.00	55.09	323.58	
P18	9/16/2010 10:30:00	33.46	33.26	0.11	33.37	55.00	55.09	323.58	
P18	9/16/2010 10:45:00	33.46	33.26	0.11	33.38	55.00	55.08	323.59	
P18	9/16/2010 11:00:00	33.46	33.26	0.11	33.38	55.00	55.08	323.59	
P18	9/16/2010 11:15:00	33.46	33.26	0.11	33.38	55.00	55.08	323.59	
P18	9/16/2010 11:30:00	33.46	33.26	0.11	33.38	55.00	55.08	323.59	
P18	9/16/2010 11:45:00	33.46	33.26	0.11	33.38	55.00	55.08	323.59	
P18	9/16/2010 12:00:00	33.46	33.26	0.11	33.38	55.00	55.08	323.59	
P18	9/16/2010 12:15:00	33.46	33.26	0.11	33.38	55.00	55.08	323.59	
P18	9/16/2010 12:30:00	33.46	33.26	0.11	33.38	55.00	55.08	323.59	
P18	9/16/2010 12:45:00	33.46	33.26	0.10	33.38	55.00	55.08	323.59	
P18	9/16/2010 13:00:00	33.46	33.25	0.10	33.38	55.00	55.08	323.59	
P18	9/16/2010 13:15:00	33.46	33.25	0.10	33.38	55.00	55.08	323.59	
P18	9/16/2010 13:30:00	33.46	33.25	0.10	33.38	55.00	55.08	323.59	
P18	9/16/2010 13:45:00	33.46	33.25	0.10	33.38	55.00	55.08	323.59	
P18	9/16/2010 14:00:00	33.46	33.25	0.09	33.38	55.00	55.08	323.59	
P18	9/16/2010 14:15:00	33.46	33.24	0.09	33.38	55.01	55.08	323.59	
P18	9/16/2010 14:30:00	33.46	33.24	0.09	33.39	55.01	55.07	323.60	
P18	9/16/2010 14:45:00	33.45	33.24	0.08	33.39	55.01	55.07	323.60	
P18	9/16/2010 15:00:00	33.45	33.23	0.08	33.39	55.01	55.07	323.60	
P18	9/16/2010 15:15:00	33.44	33.23	0.08	33.38	55.02	55.08	323.59	
P18	9/16/2010 15:30:00	33.44	33.22	0.07	33.38	55.02	55.08	323.59	
P18	9/16/2010 15:45:00	33.44	33.22	0.07	33.38	55.02	55.08	323.59	
P18	9/16/2010 16:00:00	33.43	33.22	0.07	33.38	55.03	55.08	323.59	
P18	9/16/2010 16:15:00	33.43	33.21	0.06	33.39	55.03	55.07	323.60	
P18	9/16/2010 16:30:00	33.43	33.21	0.06	33.39	55.03	55.07	323.60	
P18	9/16/2010 16:45:00	33.43	33.21	0.06	33.39	55.03	55.07	323.60	
P18	9/16/2010 17:00:00	33.43	33.20	0.05	33.39	55.03	55.07	323.60	
P18	9/16/2010 17:15:00	33.43	33.20	0.05	33.39	55.03	55.07	323.60	
P18	9/16/2010 17:30:00	33.43	33.20	0.05	33.39	55.04	55.07	323.60	
P18	9/16/2010 17:45:00	33.43	33.20	0.05	33.39	55.04	55.07	323.60	
P18	9/16/2010 18:00:00	33.42	33.20	0.05	33.39	55.04	55.07	323.60	
P18	9/16/2010 18:15:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	9/16/2010 18:30:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	9/16/2010 18:45:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	9/16/2010 19:00:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	9/16/2010 19:15:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	9/16/2010 19:30:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	9/16/2010 19:45:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	9/16/2010 20:00:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	9/16/2010 20:15:00	33.42	33.21	0.05	33.38	55.04	55.08	323.59	
P18	9/16/2010 20:30:00	33.43	33.21	0.06	33.38	55.04	55.08	323.59	
P18	9/16/2010 20:45:00	33.43	33.21	0.06	33.38	55.03	55.08	323.59	
P18	9/16/2010 21:00:00	33.43	33.21	0.06	33.39	55.03	55.07	323.60	
P18	9/16/2010 21:15:00	33.43	33.21	0.06	33.39	55.03	55.07	323.60	
P18	9/16/2010 21:30:00	33.43	33.21	0.06	33.38	55.03	55.08	323.59	
P18	9/16/2010 21:45:00	33.43	33.21	0.06	33.38	55.03	55.08	323.59	
P18	9/16/2010 22:00:00	33.43	33.21	0.06	33.38	55.03	55.08	323.59	
P18	9/16/2010 22:15:00	33.43	33.21	0.06	33.39	55.03	55.07	323.60	
P18	9/16/2010 22:30:00	33.43	33.21	0.06	33.39	55.03	55.07	323.60	
P18	9/16/2010 22:45:00	33.43	33.21	0.06	33.39	55.03	55.07	323.60	
P18	9/16/2010 23:00:00	33.43	33.21	0.06	33.39	55.03	55.07	323.60	
P18	9/16/2010 23:15:00	33.43	33.21	0.06	33.39	55.03	55.07	323.60	
P18	9/16/2010 23:30:00	33.43	33.21	0.06	33.39	55.03	55.07	323.60	
P18	9/16/2010 23:45:00	33.43	33.21	0.06	33.39	55.03	55.07	323.60	
P18	9/17/2010 0:00:00	33.43	33.21	0.06	33.39	55.03	55.07	323.60	
P18	9/17/2010 0:15:00	33.43	33.21	0.06	33.39	55.03	55.07	323.60	
P18	9/17/2010 0:30:00	33.43	33.21	0.06	33.39	55.03	55.07	323.60	
P18	9/17/2010 0:45:00	33.43	33.21	0.06	33.38	55.03	55.08	323.59	
P18	9/17/2010 1:00:00	33.43	33.21	0.06	33.38	55.04	55.08	323.59	
P18	9/17/2010 1:15:00	33.43	33.21	0.06	33.38	55.04	55.08	323.59	
P18	9/17/2010 1:30:00	33.43	33.21	0.06	33.38	55.04	55.08	323.59	
P18	9/17/2010 1:45:00	33.42	33.21	0.05	33.38	55.04	55.08	323.59	
P18	9/17/2010 2:00:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	9/17/2010 2:15:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	9/17/2010 2:30:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	9/17/2010 2:45:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/17/2010 3:00:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	9/17/2010 3:15:00	33.42	33.20	0.05	33.38	55.04	55.08	323.59	
P18	9/17/2010 3:30:00	33.42	33.19	0.04	33.38	55.04	55.08	323.59	
P18	9/17/2010 3:45:00	33.42	33.19	0.04	33.38	55.04	55.08	323.59	
P18	9/17/2010 4:00:00	33.41	33.19	0.04	33.38	55.05	55.08	323.59	
P18	9/17/2010 4:15:00	33.41	33.19	0.04	33.38	55.05	55.08	323.59	
P18	9/17/2010 4:30:00	33.41	33.19	0.04	33.38	55.05	55.08	323.59	
P18	9/17/2010 4:45:00	33.41	33.19	0.04	33.38	55.05	55.08	323.59	
P18	9/17/2010 5:00:00	33.41	33.19	0.03	33.38	55.05	55.08	323.59	
P18	9/17/2010 5:15:00	33.41	33.18	0.03	33.38	55.05	55.08	323.59	
P18	9/17/2010 5:30:00	33.40	33.18	0.03	33.38	55.06	55.08	323.59	
P18	9/17/2010 5:45:00	33.40	33.18	0.03	33.38	55.06	55.08	323.59	
P18	9/17/2010 6:00:00	33.40	33.18	0.03	33.37	55.06	55.09	323.58	
P18	9/17/2010 6:15:00	33.40	33.18	0.03	33.37	55.07	55.09	323.58	
P18	9/17/2010 6:30:00	33.40	33.18	0.03	33.37	55.07	55.09	323.58	
P18	9/17/2010 6:45:00	33.40	33.18	0.03	33.38	55.06	55.08	323.59	
P18	9/17/2010 7:00:00	33.40	33.18	0.03	33.38	55.06	55.08	323.59	
P18	9/17/2010 7:15:00	33.40	33.18	0.03	33.38	55.07	55.08	323.59	
P18	9/17/2010 7:30:00	33.40	33.18	0.02	33.38	55.07	55.08	323.59	
P18	9/17/2010 7:45:00	33.40	33.17	0.02	33.38	55.07	55.08	323.59	
P18	9/17/2010 8:00:00	33.40	33.17	0.02	33.38	55.07	55.08	323.59	
P18	9/17/2010 8:15:00	33.39	33.17	0.02	33.37	55.07	55.09	323.58	
P18	9/17/2010 8:30:00	33.39	33.17	0.02	33.38	55.07	55.08	323.59	
P18	9/17/2010 8:45:00	33.40	33.17	0.02	33.38	55.07	55.08	323.59	
P18	9/17/2010 9:00:00	33.40	33.17	0.02	33.38	55.07	55.08	323.59	
P18	9/17/2010 9:15:00	33.40	33.17	0.02	33.38	55.07	55.08	323.59	
P18	9/17/2010 9:30:00	33.39	33.17	0.02	33.38	55.07	55.08	323.59	
P18	9/17/2010 9:45:00	33.39	33.17	0.02	33.38	55.07	55.08	323.59	
P18	9/17/2010 10:00:00	33.39	33.16	0.01	33.38	55.07	55.08	323.59	
P18	9/17/2010 10:15:00	33.39	33.16	0.01	33.38	55.07	55.08	323.59	
P18	9/17/2010 10:30:00	33.39	33.16	0.01	33.38	55.07	55.08	323.59	
P18	9/17/2010 10:45:00	33.39	33.15	0.00	33.39	55.07	55.07	323.60	
P18	9/17/2010 11:00:00	33.39	33.15	0.00	33.39	55.07	55.07	323.60	
P18	9/17/2010 11:15:00	33.39	33.15	0.00	33.39	55.08	55.07	323.60	
P18	9/17/2010 11:30:00	33.38	33.15	0.00	33.39	55.08	55.07	323.60	
P18	9/17/2010 11:45:00	33.38	33.14	-0.01	33.39	55.08	55.07	323.60	
P18	9/17/2010 12:00:00	33.38	33.14	-0.01	33.39	55.08	55.07	323.60	
P18	9/17/2010 12:15:00	33.38	33.14	-0.01	33.39	55.08	55.07	323.60	
P18	9/17/2010 12:30:00	33.38	33.14	-0.02	33.39	55.08	55.07	323.60	
P18	9/17/2010 12:45:00	33.37	33.13	-0.02	33.39	55.09	55.07	323.60	
P18	9/17/2010 13:00:00	33.37	33.13	-0.02	33.39	55.09	55.07	323.60	
P18	9/17/2010 13:15:00	33.37	33.13	-0.02	33.39	55.09	55.07	323.60	
P18	9/17/2010 13:30:00	33.36	33.12	-0.03	33.39	55.10	55.07	323.60	
P18	9/17/2010 13:45:00	33.36	33.12	-0.03	33.38	55.10	55.08	323.59	
P18	9/17/2010 14:00:00	33.36	33.12	-0.03	33.38	55.10	55.08	323.59	
P18	9/17/2010 14:15:00	33.36	33.12	-0.03	33.38	55.10	55.08	323.59	
P18	9/17/2010 14:30:00	33.35	33.12	-0.03	33.38	55.11	55.08	323.59	
P18	9/17/2010 14:45:00	33.35	33.12	-0.03	33.38	55.11	55.08	323.59	
P18	9/17/2010 15:00:00	33.35	33.12	-0.04	33.38	55.11	55.08	323.59	
P18	9/17/2010 15:15:00	33.35	33.11	-0.04	33.37	55.11	55.09	323.58	
P18	9/17/2010 15:30:00	33.34	33.11	-0.04	33.37	55.12	55.09	323.58	
P18	9/17/2010 15:45:00	33.34	33.11	-0.04	33.37	55.12	55.09	323.58	
P18	9/17/2010 16:00:00	33.34	33.11	-0.04	33.37	55.12	55.09	323.58	
P18	9/17/2010 16:15:00	33.34	33.11	-0.04	33.37	55.12	55.09	323.58	
P18	9/17/2010 16:30:00	33.34	33.11	-0.04	33.38	55.12	55.08	323.59	
P18	9/17/2010 16:45:00	33.35	33.11	-0.04	33.38	55.11	55.08	323.59	
P18	9/17/2010 17:00:00	33.34	33.10	-0.05	33.38	55.12	55.08	323.59	
P18	9/17/2010 17:15:00	33.34	33.10	-0.05	33.38	55.12	55.08	323.59	
P18	9/17/2010 17:30:00	33.34	33.10	-0.05	33.38	55.12	55.08	323.59	
P18	9/17/2010 17:45:00	33.35	33.10	-0.05	33.38	55.11	55.08	323.59	
P18	9/17/2010 18:00:00	33.34	33.10	-0.05	33.38	55.12	55.08	323.59	
P18	9/17/2010 18:15:00	33.34	33.10	-0.05	33.38	55.12	55.08	323.59	
P18	9/17/2010 18:30:00	33.34	33.11	-0.05	33.38	55.12	55.08	323.59	
P18	9/17/2010 18:45:00	33.34	33.11	-0.04	33.37	55.12	55.09	323.58	
P18	9/17/2010 19:00:00	33.34	33.11	-0.04	33.37	55.12	55.09	323.58	
P18	9/17/2010 19:15:00	33.34	33.11	-0.04	33.37	55.12	55.09	323.58	
P18	9/17/2010 19:30:00	33.34	33.11	-0.04	33.37	55.12	55.09	323.58	
P18	9/17/2010 19:45:00	33.34	33.11	-0.04	33.37	55.12	55.09	323.58	
P18	9/17/2010 20:00:00	33.34	33.11	-0.04	33.37	55.12	55.09	323.58	
P18	9/17/2010 20:15:00	33.34	33.11	-0.04	33.37	55.12	55.09	323.58	
P18	9/17/2010 20:30:00	33.34	33.11	-0.04	33.37	55.12	55.09	323.58	
P18	9/17/2010 20:45:00	33.34	33.11	-0.04	33.37	55.12	55.09	323.58	
P18	9/17/2010 21:00:00	33.34	33.11	-0.04	33.37	55.12	55.09	323.58	
P18	9/17/2010 21:15:00	33.34	33.12	-0.04	33.37	55.12	55.09	323.58	
P18	9/17/2010 21:30:00	33.34	33.12	-0.03	33.37	55.12	55.09	323.58	
P18	9/17/2010 21:45:00	33.34	33.12	-0.03	33.37	55.12	55.09	323.58	
P18	9/17/2010 22:00:00	33.34	33.12	-0.03	33.37	55.12	55.09	323.58	
P18	9/17/2010 22:15:00	33.34	33.12	-0.03	33.36	55.12	55.10	323.57	
P18	9/17/2010 22:30:00	33.34	33.12	-0.03	33.36	55.12	55.10	323.57	
P18	9/17/2010 22:45:00	33.35	33.13	-0.02	33.37	55.11	55.09	323.58	
P18	9/17/2010 23:00:00	33.35	33.13	-0.02	33.37	55.11	55.09	323.58	
P18	9/17/2010 23:15:00	33.35	33.13	-0.02	33.37	55.11	55.09	323.58	
P18	9/17/2010 23:30:00	33.35	33.13	-0.02	33.36	55.11	55.10	323.57	
P18	9/17/2010 23:45:00	33.35	33.13	-0.02	33.36	55.11	55.10	323.57	
P18	9/18/2010 0:00:00	33.35	33.14	-0.01	33.36	55.11	55.10	323.57	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/18/2010 0:15:00	33.35	33.14	-0.01	33.36	55.11	55.10	323.57	
P18	9/18/2010 0:30:00	33.36	33.14	-0.01	33.36	55.11	55.10	323.57	
P18	9/18/2010 0:45:00	33.36	33.14	-0.01	33.36	55.11	55.10	323.57	
P18	9/18/2010 1:00:00	33.36	33.14	-0.01	33.36	55.10	55.10	323.57	
P18	9/18/2010 1:15:00	33.36	33.15	0.00	33.37	55.10	55.09	323.58	
P18	9/18/2010 1:30:00	33.36	33.15	0.00	33.36	55.10	55.10	323.57	
P18	9/18/2010 1:45:00	33.36	33.15	0.00	33.36	55.10	55.10	323.57	
P18	9/18/2010 2:00:00	33.36	33.15	0.00	33.36	55.10	55.10	323.57	
P18	9/18/2010 2:15:00	33.36	33.15	0.00	33.36	55.10	55.10	323.57	
P18	9/18/2010 2:30:00	33.36	33.15	0.00	33.36	55.10	55.10	323.57	
P18	9/18/2010 2:45:00	33.37	33.15	0.00	33.37	55.09	55.09	323.58	
P18	9/18/2010 3:00:00	33.37	33.15	0.00	33.36	55.09	55.10	323.57	
P18	9/18/2010 3:15:00	33.37	33.15	0.00	33.37	55.09	55.09	323.58	
P18	9/18/2010 3:30:00	33.37	33.16	0.00	33.37	55.09	55.09	323.58	
P18	9/18/2010 3:45:00	33.37	33.16	0.01	33.36	55.09	55.10	323.57	
P18	9/18/2010 4:00:00	33.37	33.16	0.01	33.36	55.09	55.10	323.57	
P18	9/18/2010 4:15:00	33.37	33.16	0.01	33.36	55.09	55.10	323.57	
P18	9/18/2010 4:30:00	33.37	33.16	0.01	33.36	55.09	55.10	323.57	
P18	9/18/2010 4:45:00	33.37	33.16	0.01	33.36	55.09	55.10	323.57	
P18	9/18/2010 5:00:00	33.37	33.16	0.01	33.36	55.09	55.10	323.57	
P18	9/18/2010 5:15:00	33.37	33.16	0.01	33.36	55.09	55.10	323.57	
P18	9/18/2010 5:30:00	33.37	33.16	0.01	33.36	55.09	55.10	323.57	
P18	9/18/2010 5:45:00	33.37	33.16	0.01	33.36	55.09	55.10	323.57	
P18	9/18/2010 6:00:00	33.37	33.16	0.01	33.36	55.09	55.10	323.57	
P18	9/18/2010 6:15:00	33.37	33.16	0.01	33.36	55.09	55.10	323.57	
P18	9/18/2010 6:30:00	33.37	33.16	0.01	33.36	55.09	55.10	323.57	
P18	9/18/2010 6:45:00	33.37	33.16	0.01	33.36	55.09	55.10	323.57	
P18	9/18/2010 7:00:00	33.36	33.16	0.01	33.35	55.10	55.11	323.56	
P18	9/18/2010 7:15:00	33.36	33.16	0.01	33.35	55.10	55.11	323.56	
P18	9/18/2010 7:30:00	33.36	33.16	0.01	33.35	55.10	55.11	323.56	
P18	9/18/2010 7:45:00	33.37	33.16	0.01	33.36	55.09	55.10	323.57	
P18	9/18/2010 8:00:00	33.37	33.16	0.01	33.36	55.09	55.10	323.57	
P18	9/18/2010 8:15:00	33.37	33.16	0.01	33.36	55.09	55.10	323.57	
P18	9/18/2010 8:30:00	33.36	33.16	0.01	33.35	55.10	55.11	323.56	
P18	9/18/2010 8:45:00	33.36	33.16	0.01	33.35	55.10	55.11	323.56	
P18	9/18/2010 9:00:00	33.37	33.16	0.01	33.36	55.09	55.10	323.57	
P18	9/18/2010 9:15:00	33.37	33.16	0.01	33.36	55.09	55.10	323.57	
P18	9/18/2010 9:30:00	33.37	33.16	0.01	33.36	55.09	55.10	323.57	
P18	9/18/2010 9:45:00	33.37	33.16	0.01	33.37	55.09	55.09	323.58	
P18	9/18/2010 10:00:00	33.37	33.15	0.00	33.37	55.09	55.09	323.58	
P18	9/18/2010 10:15:00	33.37	33.15	0.00	33.37	55.09	55.09	323.58	
P18	9/18/2010 10:30:00	33.36	33.14	-0.01	33.37	55.10	55.09	323.58	
P18	9/18/2010 10:45:00	33.36	33.14	-0.01	33.37	55.10	55.09	323.58	
P18	9/18/2010 11:00:00	33.36	33.14	-0.02	33.37	55.10	55.09	323.58	
P18	9/18/2010 11:15:00	33.36	33.13	-0.02	33.38	55.10	55.08	323.59	
P18	9/18/2010 11:30:00	33.36	33.13	-0.02	33.38	55.10	55.08	323.59	
P18	9/18/2010 11:45:00	33.35	33.12	-0.03	33.38	55.11	55.08	323.59	
P18	9/18/2010 12:00:00	33.35	33.12	-0.03	33.38	55.11	55.08	323.59	
P18	9/18/2010 12:15:00	33.34	33.11	-0.04	33.37	55.12	55.09	323.58	
P18	9/18/2010 12:30:00	33.35	33.11	-0.04	33.38	55.11	55.08	323.59	
P18	9/18/2010 12:45:00	33.35	33.10	-0.05	33.38	55.11	55.08	323.59	
P18	9/18/2010 13:00:00	33.34	33.10	-0.05	33.38	55.12	55.08	323.59	
P18	9/18/2010 13:15:00	33.34	33.09	-0.06	33.38	55.12	55.08	323.59	
P18	9/18/2010 13:30:00	33.33	33.09	-0.06	33.38	55.13	55.08	323.59	
P18	9/18/2010 13:45:00	33.33	33.09	-0.06	33.38	55.13	55.08	323.59	
P18	9/18/2010 14:00:00	33.33	33.08	-0.07	33.38	55.13	55.08	323.59	
P18	9/18/2010 14:15:00	33.32	33.08	-0.07	33.38	55.14	55.08	323.59	
P18	9/18/2010 14:30:00	33.32	33.08	-0.07	33.37	55.14	55.09	323.58	
P18	9/18/2010 14:45:00	33.32	33.08	-0.08	33.38	55.14	55.08	323.59	
P18	9/18/2010 15:00:00	33.32	33.07	-0.08	33.38	55.15	55.08	323.59	
P18	9/18/2010 15:15:00	33.31	33.07	-0.08	33.37	55.15	55.09	323.58	
P18	9/18/2010 15:30:00	33.31	33.07	-0.08	33.37	55.15	55.09	323.58	
P18	9/18/2010 15:45:00	33.30	33.06	-0.09	33.37	55.16	55.09	323.58	
P18	9/18/2010 16:00:00	33.30	33.06	-0.09	33.37	55.16	55.09	323.58	
P18	9/18/2010 16:15:00	33.30	33.06	-0.09	33.37	55.16	55.09	323.58	
P18	9/18/2010 16:30:00	33.30	33.06	-0.09	33.37	55.16	55.09	323.58	
P18	9/18/2010 16:45:00	33.30	33.05	-0.10	33.38	55.16	55.08	323.59	
P18	9/18/2010 17:00:00	33.30	33.05	-0.10	33.38	55.16	55.08	323.59	
P18	9/18/2010 17:15:00	33.30	33.05	-0.10	33.38	55.16	55.08	323.59	
P18	9/18/2010 17:30:00	33.30	33.05	-0.11	33.38	55.16	55.08	323.59	
P18	9/18/2010 17:45:00	33.30	33.04	-0.11	33.38	55.16	55.08	323.59	
P18	9/18/2010 18:00:00	33.29	33.04	-0.11	33.38	55.17	55.08	323.59	
P18	9/18/2010 18:15:00	33.29	33.04	-0.11	33.38	55.17	55.08	323.59	
P18	9/18/2010 18:30:00	33.29	33.04	-0.11	33.38	55.17	55.08	323.59	
P18	9/18/2010 18:45:00	33.29	33.03	-0.12	33.38	55.17	55.08	323.59	
P18	9/18/2010 19:00:00	33.29	33.03	-0.12	33.38	55.17	55.08	323.59	
P18	9/18/2010 19:15:00	33.29	33.03	-0.12	33.38	55.18	55.08	323.59	
P18	9/18/2010 19:30:00	33.28	33.03	-0.12	33.38	55.18	55.08	323.59	
P18	9/18/2010 19:45:00	33.28	33.03	-0.12	33.38	55.18	55.08	323.59	
P18	9/18/2010 20:00:00	33.28	33.02	-0.13	33.38	55.18	55.08	323.59	
P18	9/18/2010 20:15:00	33.28	33.02	-0.13	33.38	55.18	55.08	323.59	
P18	9/18/2010 20:30:00	33.28	33.02	-0.13	33.38	55.18	55.08	323.59	
P18	9/18/2010 20:45:00	33.28	33.02	-0.13	33.38	55.18	55.08	323.59	
P18	9/18/2010 21:00:00	33.27	33.02	-0.13	33.38	55.19	55.08	323.59	
P18	9/18/2010 21:15:00	33.27	33.01	-0.14	33.38	55.19	55.08	323.59	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/18/2010 21:30:00	33.27	33.01	-0.14	33.38	55.19	55.08	323.59	
P18	9/18/2010 21:45:00	33.27	33.01	-0.14	33.38	55.19	55.08	323.59	
P18	9/18/2010 22:00:00	33.27	33.01	-0.14	33.38	55.19	55.08	323.59	
P18	9/18/2010 22:15:00	33.27	33.01	-0.14	33.38	55.19	55.08	323.59	
P18	9/18/2010 22:30:00	33.26	33.01	-0.15	33.38	55.20	55.08	323.59	
P18	9/18/2010 22:45:00	33.26	33.00	-0.15	33.38	55.20	55.08	323.59	
P18	9/18/2010 23:00:00	33.26	33.00	-0.15	33.38	55.20	55.08	323.59	
P18	9/18/2010 23:15:00	33.26	33.00	-0.15	33.38	55.20	55.08	323.59	
P18	9/18/2010 23:30:00	33.26	33.00	-0.15	33.38	55.20	55.08	323.59	
P18	9/18/2010 23:45:00	33.26	33.00	-0.15	33.38	55.20	55.08	323.59	
P18	9/19/2010 0:00:00	33.25	33.00	-0.16	33.37	55.21	55.09	323.58	
P18	9/19/2010 0:15:00	33.25	32.99	-0.16	33.37	55.21	55.09	323.58	
P18	9/19/2010 0:30:00	33.25	32.99	-0.16	33.37	55.21	55.09	323.58	
P18	9/19/2010 0:45:00	33.25	32.99	-0.16	33.37	55.21	55.09	323.58	
P18	9/19/2010 1:00:00	33.24	32.99	-0.16	33.37	55.22	55.09	323.58	
P18	9/19/2010 1:15:00	33.25	32.99	-0.16	33.37	55.22	55.09	323.58	
P18	9/19/2010 1:30:00	33.24	32.99	-0.16	33.37	55.22	55.09	323.58	
P18	9/19/2010 1:45:00	33.24	32.98	-0.17	33.37	55.22	55.09	323.58	
P18	9/19/2010 2:00:00	33.24	32.98	-0.17	33.37	55.22	55.09	323.58	
P18	9/19/2010 2:15:00	33.24	32.98	-0.17	33.37	55.22	55.09	323.58	
P18	9/19/2010 2:30:00	33.23	32.98	-0.17	33.37	55.23	55.09	323.58	
P18	9/19/2010 2:45:00	33.23	32.97	-0.18	33.37	55.23	55.09	323.58	
P18	9/19/2010 3:00:00	33.23	32.97	-0.18	33.37	55.23	55.09	323.58	
P18	9/19/2010 3:15:00	33.23	32.97	-0.18	33.37	55.23	55.09	323.58	
P18	9/19/2010 3:30:00	33.23	32.97	-0.18	33.37	55.23	55.09	323.58	
P18	9/19/2010 3:45:00	33.22	32.96	-0.19	33.37	55.24	55.09	323.58	
P18	9/19/2010 4:00:00	33.22	32.96	-0.19	33.37	55.24	55.09	323.58	
P18	9/19/2010 4:15:00	33.22	32.96	-0.19	33.37	55.24	55.09	323.58	
P18	9/19/2010 4:30:00	33.22	32.96	-0.19	33.37	55.24	55.09	323.58	
P18	9/19/2010 4:45:00	33.22	32.96	-0.20	33.37	55.25	55.09	323.58	
P18	9/19/2010 5:00:00	33.21	32.95	-0.20	33.37	55.25	55.09	323.58	
P18	9/19/2010 5:15:00	33.21	32.95	-0.20	33.37	55.25	55.09	323.58	
P18	9/19/2010 5:30:00	33.21	32.95	-0.20	33.36	55.25	55.10	323.57	
P18	9/19/2010 5:45:00	33.20	32.95	-0.20	33.36	55.26	55.10	323.57	
P18	9/19/2010 6:00:00	33.20	32.95	-0.20	33.36	55.26	55.10	323.57	
P18	9/19/2010 6:15:00	33.20	32.95	-0.20	33.36	55.26	55.10	323.57	
P18	9/19/2010 6:30:00	33.20	32.96	-0.20	33.35	55.26	55.11	323.56	
P18	9/19/2010 6:45:00	33.20	32.96	-0.19	33.35	55.26	55.11	323.56	
P18	9/19/2010 7:00:00	33.20	32.96	-0.19	33.35	55.26	55.11	323.56	
P18	9/19/2010 7:15:00	33.20	32.96	-0.19	33.35	55.26	55.11	323.56	
P18	9/19/2010 7:30:00	33.20	32.96	-0.19	33.35	55.26	55.11	323.56	
P18	9/19/2010 7:45:00	33.20	32.96	-0.19	33.35	55.26	55.11	323.56	
P18	9/19/2010 8:00:00	33.20	32.97	-0.18	33.35	55.26	55.11	323.56	
P18	9/19/2010 8:15:00	33.20	32.97	-0.18	33.35	55.26	55.11	323.56	
P18	9/19/2010 8:30:00	33.20	32.97	-0.18	33.34	55.26	55.12	323.55	
P18	9/19/2010 8:45:00	33.20	32.97	-0.18	33.34	55.26	55.12	323.55	
P18	9/19/2010 9:00:00	33.20	32.97	-0.18	33.34	55.26	55.12	323.55	
P18	9/19/2010 9:15:00	33.21	32.98	-0.18	33.34	55.25	55.12	323.55	
P18	9/19/2010 9:30:00	33.21	32.98	-0.17	33.34	55.25	55.12	323.55	
P18	9/19/2010 9:45:00	33.21	32.98	-0.17	33.34	55.25	55.12	323.55	
P18	9/19/2010 10:00:00	33.21	32.98	-0.17	33.34	55.25	55.12	323.55	
P18	9/19/2010 10:15:00	33.21	32.99	-0.17	33.34	55.25	55.12	323.55	
P18	9/19/2010 10:30:00	33.22	32.99	-0.16	33.34	55.25	55.12	323.55	
P18	9/19/2010 10:45:00	33.22	32.99	-0.16	33.34	55.25	55.12	323.55	
P18	9/19/2010 11:00:00	33.22	32.99	-0.16	33.34	55.25	55.12	323.55	
P18	9/19/2010 11:15:00	33.22	33.00	-0.15	33.34	55.25	55.12	323.55	
P18	9/19/2010 11:30:00	33.22	33.00	-0.15	33.34	55.24	55.12	323.55	
P18	9/19/2010 11:45:00	33.22	33.00	-0.15	33.34	55.24	55.12	323.55	
P18	9/19/2010 12:00:00	33.22	33.01	-0.15	33.34	55.24	55.12	323.55	
P18	9/19/2010 12:15:00	33.23	33.01	-0.14	33.34	55.23	55.12	323.55	
P18	9/19/2010 12:30:00	33.23	33.01	-0.14	33.34	55.23	55.12	323.55	
P18	9/19/2010 12:45:00	33.23	33.01	-0.14	33.34	55.23	55.12	323.55	
P18	9/19/2010 13:00:00	33.23	33.02	-0.13	33.34	55.23	55.12	323.55	
P18	9/19/2010 13:15:00	33.23	33.02	-0.13	33.34	55.23	55.12	323.55	
P18	9/19/2010 13:30:00	33.24	33.02	-0.13	33.34	55.22	55.12	323.55	
P18	9/19/2010 13:45:00	33.24	33.02	-0.13	33.34	55.22	55.12	323.55	
P18	9/19/2010 14:00:00	33.24	33.02	-0.13	33.34	55.22	55.12	323.55	
P18	9/19/2010 14:15:00	33.24	33.02	-0.13	33.34	55.22	55.12	323.55	
P18	9/19/2010 14:30:00	33.24	33.02	-0.13	33.34	55.22	55.12	323.55	
P18	9/19/2010 14:45:00	33.24	33.02	-0.13	33.34	55.22	55.12	323.55	
P18	9/19/2010 15:00:00	33.24	33.02	-0.13	33.34	55.22	55.12	323.55	
P18	9/19/2010 15:15:00	33.24	33.02	-0.13	33.34	55.22	55.12	323.55	
P18	9/19/2010 15:30:00	33.24	33.02	-0.13	33.34	55.22	55.12	323.55	
P18	9/19/2010 15:45:00	33.24	33.02	-0.13	33.34	55.22	55.12	323.55	
P18	9/19/2010 16:00:00	33.24	33.02	-0.13	33.34	55.22	55.12	323.55	
P18	9/19/2010 16:15:00	33.24	33.02	-0.13	33.34	55.22	55.12	323.55	
P18	9/19/2010 16:30:00	33.24	33.02	-0.13	33.34	55.22	55.12	323.55	
P18	9/19/2010 16:45:00	33.24	33.02	-0.13	33.34	55.22	55.12	323.55	
P18	9/19/2010 17:00:00	33.24	33.02	-0.13	33.34	55.22	55.12	323.55	
P18	9/19/2010 17:15:00	33.24	33.02	-0.13	33.34	55.22	55.12	323.55	
P18	9/19/2010 17:30:00	33.24	33.02	-0.13	33.34	55.22	55.12	323.55	
P18	9/19/2010 17:45:00	33.25	33.02	-0.13	33.34	55.22	55.12	323.55	
P18	9/19/2010 18:00:00	33.25	33.03	-0.13	33.35	55.21	55.11	323.56	
P18	9/19/2010 18:15:00	33.25	33.03	-0.12	33.35	55.21	55.11	323.56	
P18	9/19/2010 18:30:00	33.25	33.03	-0.12	33.34	55.21	55.12	323.55	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/19/2010 18:45:00	33.25	33.03	-0.12	33.34	55.22	55.12	323.55	
P18	9/19/2010 19:00:00	33.25	33.03	-0.12	33.34	55.22	55.12	323.55	
P18	9/19/2010 19:15:00	33.25	33.03	-0.12	33.34	55.22	55.12	323.55	
P18	9/19/2010 19:30:00	33.25	33.03	-0.12	33.34	55.21	55.12	323.55	
P18	9/19/2010 19:45:00	33.25	33.03	-0.12	33.34	55.21	55.12	323.55	
P18	9/19/2010 20:00:00	33.25	33.03	-0.12	33.34	55.21	55.12	323.55	
P18	9/19/2010 20:15:00	33.25	33.04	-0.12	33.34	55.21	55.12	323.55	
P18	9/19/2010 20:30:00	33.26	33.04	-0.11	33.34	55.21	55.12	323.55	
P18	9/19/2010 20:45:00	33.26	33.04	-0.11	33.34	55.21	55.12	323.55	
P18	9/19/2010 21:00:00	33.26	33.04	-0.11	33.34	55.21	55.12	323.55	
P18	9/19/2010 21:15:00	33.26	33.04	-0.11	33.34	55.21	55.12	323.55	
P18	9/19/2010 21:30:00	33.26	33.04	-0.11	33.34	55.21	55.12	323.55	
P18	9/19/2010 21:45:00	33.25	33.04	-0.11	33.34	55.21	55.12	323.55	
P18	9/19/2010 22:00:00	33.25	33.04	-0.11	33.33	55.21	55.13	323.54	
P18	9/19/2010 22:15:00	33.25	33.04	-0.11	33.33	55.21	55.13	323.54	
P18	9/19/2010 22:30:00	33.25	33.04	-0.11	33.33	55.21	55.13	323.54	
P18	9/19/2010 22:45:00	33.25	33.04	-0.11	33.33	55.21	55.13	323.54	
P18	9/19/2010 23:00:00	33.25	33.05	-0.11	33.33	55.21	55.13	323.54	
P18	9/19/2010 23:15:00	33.25	33.05	-0.10	33.33	55.21	55.13	323.54	
P18	9/19/2010 23:30:00	33.25	33.05	-0.10	33.33	55.21	55.13	323.54	
P18	9/19/2010 23:45:00	33.25	33.05	-0.10	33.33	55.21	55.13	323.54	
P18	9/20/2010 0:00:00	33.25	33.05	-0.10	33.33	55.21	55.13	323.54	
P18	9/20/2010 0:15:00	33.25	33.05	-0.10	33.33	55.21	55.13	323.54	
P18	9/20/2010 0:30:00	33.25	33.05	-0.10	33.33	55.21	55.13	323.54	
P18	9/20/2010 0:45:00	33.25	33.05	-0.10	33.33	55.21	55.13	323.54	
P18	9/20/2010 1:00:00	33.25	33.05	-0.10	33.33	55.21	55.13	323.54	
P18	9/20/2010 1:15:00	33.25	33.05	-0.10	33.33	55.21	55.13	323.54	
P18	9/20/2010 1:30:00	33.26	33.05	-0.10	33.33	55.21	55.13	323.54	
P18	9/20/2010 1:45:00	33.26	33.05	-0.10	33.33	55.20	55.13	323.54	
P18	9/20/2010 2:00:00	33.26	33.06	-0.10	33.34	55.20	55.12	323.55	
P18	9/20/2010 2:15:00	33.26	33.06	-0.09	33.34	55.20	55.12	323.55	
P18	9/20/2010 2:30:00	33.26	33.06	-0.09	33.34	55.20	55.12	323.55	
P18	9/20/2010 2:45:00	33.26	33.06	-0.09	33.34	55.20	55.12	323.55	
P18	9/20/2010 3:00:00	33.26	33.06	-0.09	33.33	55.20	55.13	323.54	
P18	9/20/2010 3:15:00	33.26	33.06	-0.09	33.33	55.20	55.13	323.54	
P18	9/20/2010 3:30:00	33.26	33.06	-0.09	33.33	55.20	55.13	323.54	
P18	9/20/2010 3:45:00	33.27	33.06	-0.09	33.33	55.19	55.13	323.54	
P18	9/20/2010 4:00:00	33.27	33.07	-0.08	33.33	55.19	55.13	323.54	
P18	9/20/2010 4:15:00	33.27	33.07	-0.08	33.33	55.19	55.13	323.54	
P18	9/20/2010 4:30:00	33.27	33.07	-0.08	33.33	55.19	55.13	323.54	
P18	9/20/2010 4:45:00	33.27	33.07	-0.08	33.33	55.19	55.13	323.54	
P18	9/20/2010 5:00:00	33.27	33.07	-0.08	33.33	55.19	55.13	323.54	
P18	9/20/2010 5:15:00	33.27	33.07	-0.08	33.33	55.19	55.13	323.54	
P18	9/20/2010 5:30:00	33.27	33.07	-0.08	33.33	55.19	55.13	323.54	
P18	9/20/2010 5:45:00	33.27	33.08	-0.07	33.33	55.19	55.13	323.54	
P18	9/20/2010 6:00:00	33.28	33.08	-0.07	33.33	55.18	55.13	323.54	
P18	9/20/2010 6:15:00	33.28	33.09	-0.06	33.33	55.18	55.13	323.54	
P18	9/20/2010 6:30:00	33.28	33.09	-0.06	33.32	55.18	55.14	323.53	
P18	9/20/2010 6:45:00	33.28	33.10	-0.06	33.32	55.18	55.14	323.53	
P18	9/20/2010 7:00:00	33.28	33.10	-0.05	33.32	55.18	55.14	323.53	
P18	9/20/2010 7:15:00	33.29	33.10	-0.05	33.32	55.18	55.14	323.53	
P18	9/20/2010 7:30:00	33.29	33.11	-0.04	33.32	55.17	55.14	323.53	
P18	9/20/2010 7:45:00	33.29	33.11	-0.04	33.32	55.17	55.14	323.53	
P18	9/20/2010 8:00:00	33.29	33.12	-0.03	33.32	55.17	55.14	323.53	
P18	9/20/2010 8:15:00	33.29	33.12	-0.03	33.32	55.17	55.14	323.53	
P18	9/20/2010 8:30:00	33.30	33.13	-0.02	33.32	55.16	55.14	323.53	
P18	9/20/2010 8:45:00	33.30	33.13	-0.02	33.31	55.16	55.15	323.52	
P18	9/20/2010 9:00:00	33.30	33.14	-0.02	33.32	55.16	55.14	323.53	
P18	9/20/2010 9:15:00	33.31	33.14	-0.01	33.31	55.15	55.15	323.52	
P18	9/20/2010 9:30:00	33.31	33.14	-0.01	33.32	55.15	55.14	323.53	
P18	9/20/2010 9:45:00	33.32	33.15	0.00	33.32	55.15	55.14	323.53	
P18	9/20/2010 10:00:00	33.32	33.15	0.00	33.32	55.14	55.14	323.53	
P18	9/20/2010 10:15:00	33.32	33.15	0.00	33.32	55.14	55.14	323.53	
P18	9/20/2010 10:30:00	33.33	33.16	0.01	33.32	55.14	55.14	323.53	
P18	9/20/2010 10:45:00	33.33	33.16	0.01	33.32	55.13	55.14	323.53	
P18	9/20/2010 11:00:00	33.33	33.16	0.01	33.32	55.13	55.14	323.53	
P18	9/20/2010 11:15:00	33.33	33.17	0.01	33.32	55.13	55.14	323.53	
P18	9/20/2010 11:30:00	33.33	33.17	0.02	33.32	55.13	55.14	323.53	
P18	9/20/2010 11:45:00	33.34	33.17	0.02	33.32	55.12	55.14	323.53	
P18	9/20/2010 12:00:00	33.34	33.17	0.02	33.32	55.12	55.14	323.53	
P18	9/20/2010 12:15:00	33.34	33.18	0.03	33.32	55.12	55.14	323.53	
P18	9/20/2010 12:30:00	33.34	33.18	0.03	33.32	55.12	55.14	323.53	
P18	9/20/2010 12:45:00	33.35	33.18	0.03	33.32	55.11	55.14	323.53	
P18	9/20/2010 13:00:00	33.35	33.19	0.04	33.32	55.11	55.14	323.53	
P18	9/20/2010 13:15:00	33.35	33.19	0.04	33.32	55.11	55.14	323.53	
P18	9/20/2010 13:30:00	33.35	33.19	0.04	33.32	55.11	55.14	323.53	
P18	9/20/2010 13:45:00	33.36	33.19	0.04	33.32	55.11	55.14	323.53	
P18	9/20/2010 14:00:00	33.36	33.19	0.04	33.33	55.10	55.13	323.54	
P18	9/20/2010 14:15:00	33.36	33.19	0.04	33.33	55.10	55.13	323.54	
P18	9/20/2010 14:30:00	33.36	33.19	0.04	33.33	55.10	55.13	323.54	
P18	9/20/2010 14:45:00	33.36	33.19	0.04	33.33	55.10	55.13	323.54	
P18	9/20/2010 15:00:00	33.36	33.19	0.04	33.33	55.10	55.13	323.54	
P18	9/20/2010 15:15:00	33.36	33.19	0.04	33.33	55.10	55.13	323.54	
P18	9/20/2010 15:30:00	33.36	33.19	0.04	33.33	55.10	55.13	323.54	
P18	9/20/2010 15:45:00	33.36	33.19	0.04	33.33	55.10	55.13	323.54	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/20/2010 16:00:00	33.36	33.19	0.04	33.33	55.10	55.13	323.54	
P18	9/20/2010 16:15:00	33.36	33.19	0.04	33.33	55.10	55.13	323.54	
P18	9/20/2010 16:30:00	33.36	33.19	0.04	33.33	55.10	55.13	323.54	
P18	9/20/2010 16:45:00	33.36	33.19	0.04	33.33	55.10	55.13	323.54	
P18	9/20/2010 17:00:00	33.36	33.19	0.04	33.33	55.10	55.13	323.54	
P18	9/20/2010 17:15:00	33.37	33.19	0.04	33.34	55.09	55.12	323.55	
P18	9/20/2010 17:30:00	33.37	33.19	0.04	33.34	55.09	55.12	323.55	
P18	9/20/2010 17:45:00	33.37	33.19	0.04	33.34	55.09	55.12	323.55	
P18	9/20/2010 18:00:00	33.36	33.19	0.04	33.33	55.10	55.13	323.54	
P18	9/20/2010 18:15:00	33.36	33.19	0.04	33.33	55.10	55.13	323.54	
P18	9/20/2010 18:30:00	33.36	33.19	0.04	33.33	55.10	55.13	323.54	
P18	9/20/2010 18:45:00	33.36	33.19	0.04	33.33	55.10	55.13	323.54	
P18	9/20/2010 19:00:00	33.37	33.19	0.04	33.33	55.09	55.13	323.54	
P18	9/20/2010 19:15:00	33.36	33.20	0.04	33.33	55.10	55.13	323.54	
P18	9/20/2010 19:30:00	33.36	33.20	0.05	33.33	55.10	55.13	323.54	
P18	9/20/2010 19:45:00	33.36	33.20	0.05	33.33	55.10	55.13	323.54	
P18	9/20/2010 20:00:00	33.36	33.20	0.05	33.33	55.10	55.13	323.54	
P18	9/20/2010 20:15:00	33.37	33.20	0.05	33.33	55.09	55.13	323.54	
P18	9/20/2010 20:30:00	33.37	33.20	0.05	33.33	55.09	55.13	323.54	
P18	9/20/2010 20:45:00	33.37	33.20	0.05	33.33	55.09	55.13	323.54	
P18	9/20/2010 21:00:00	33.37	33.20	0.05	33.33	55.09	55.13	323.54	
P18	9/20/2010 21:15:00	33.37	33.20	0.05	33.33	55.09	55.13	323.54	
P18	9/20/2010 21:30:00	33.38	33.20	0.05	33.34	55.08	55.12	323.55	
P18	9/20/2010 21:45:00	33.38	33.20	0.05	33.34	55.08	55.12	323.55	
P18	9/20/2010 22:00:00	33.38	33.20	0.05	33.34	55.08	55.12	323.55	
P18	9/20/2010 22:15:00	33.38	33.20	0.05	33.34	55.08	55.12	323.55	
P18	9/20/2010 22:30:00	33.38	33.21	0.05	33.34	55.08	55.12	323.55	
P18	9/20/2010 22:45:00	33.38	33.21	0.06	33.34	55.08	55.12	323.55	
P18	9/20/2010 23:00:00	33.38	33.21	0.06	33.33	55.08	55.13	323.54	
P18	9/20/2010 23:15:00	33.38	33.21	0.06	33.34	55.08	55.12	323.55	
P18	9/20/2010 23:30:00	33.38	33.21	0.06	33.34	55.08	55.12	323.55	
P18	9/20/2010 23:45:00	33.38	33.21	0.06	33.34	55.08	55.12	323.55	
P18	9/21/2010 0:00:00	33.38	33.21	0.06	33.34	55.08	55.12	323.55	
P18	9/21/2010 0:15:00	33.38	33.21	0.06	33.34	55.08	55.12	323.55	
P18	9/21/2010 0:30:00	33.38	33.21	0.06	33.34	55.08	55.12	323.55	
P18	9/21/2010 0:45:00	33.38	33.21	0.06	33.34	55.08	55.12	323.55	
P18	9/21/2010 1:00:00	33.38	33.21	0.06	33.34	55.08	55.12	323.55	
P18	9/21/2010 1:15:00	33.38	33.21	0.06	33.34	55.08	55.12	323.55	
P18	9/21/2010 1:30:00	33.38	33.21	0.06	33.33	55.08	55.13	323.54	
P18	9/21/2010 1:45:00	33.38	33.21	0.06	33.33	55.08	55.13	323.54	
P18	9/21/2010 2:00:00	33.38	33.21	0.06	33.33	55.08	55.13	323.54	
P18	9/21/2010 2:15:00	33.38	33.22	0.06	33.33	55.08	55.13	323.54	
P18	9/21/2010 2:30:00	33.38	33.22	0.07	33.33	55.08	55.13	323.54	
P18	9/21/2010 2:45:00	33.38	33.22	0.07	33.33	55.08	55.13	323.54	
P18	9/21/2010 3:00:00	33.38	33.22	0.07	33.33	55.08	55.13	323.54	
P18	9/21/2010 3:15:00	33.38	33.22	0.07	33.33	55.08	55.13	323.54	
P18	9/21/2010 3:30:00	33.38	33.22	0.07	33.32	55.08	55.14	323.53	
P18	9/21/2010 3:45:00	33.38	33.22	0.07	33.32	55.08	55.14	323.53	
P18	9/21/2010 4:00:00	33.38	33.22	0.07	33.32	55.08	55.14	323.53	
P18	9/21/2010 4:15:00	33.38	33.22	0.07	33.32	55.08	55.14	323.53	
P18	9/21/2010 4:30:00	33.38	33.22	0.07	33.32	55.08	55.14	323.53	
P18	9/21/2010 4:45:00	33.38	33.22	0.07	33.32	55.08	55.14	323.53	
P18	9/21/2010 5:00:00	33.38	33.22	0.07	33.32	55.08	55.14	323.53	
P18	9/21/2010 5:15:00	33.38	33.22	0.07	33.32	55.08	55.14	323.53	
P18	9/21/2010 5:30:00	33.38	33.23	0.07	33.32	55.08	55.14	323.53	
P18	9/21/2010 5:45:00	33.38	33.23	0.08	33.32	55.08	55.14	323.53	
P18	9/21/2010 6:00:00	33.38	33.23	0.08	33.32	55.08	55.14	323.53	
P18	9/21/2010 6:15:00	33.39	33.23	0.08	33.32	55.08	55.14	323.53	
P18	9/21/2010 6:30:00	33.39	33.23	0.08	33.33	55.07	55.13	323.54	
P18	9/21/2010 6:45:00	33.39	33.23	0.08	33.32	55.08	55.14	323.53	
P18	9/21/2010 7:00:00	33.39	33.23	0.08	33.32	55.08	55.14	323.53	
P18	9/21/2010 7:15:00	33.39	33.24	0.08	33.32	55.07	55.14	323.53	
P18	9/21/2010 7:30:00	33.39	33.24	0.09	33.32	55.07	55.14	323.53	
P18	9/21/2010 7:45:00	33.39	33.24	0.09	33.32	55.07	55.14	323.53	
P18	9/21/2010 8:00:00	33.39	33.24	0.09	33.32	55.07	55.14	323.53	
P18	9/21/2010 8:15:00	33.39	33.24	0.09	33.32	55.07	55.14	323.53	
P18	9/21/2010 8:30:00	33.39	33.24	0.09	33.32	55.07	55.14	323.53	
P18	9/21/2010 8:45:00	33.40	33.24	0.09	33.32	55.07	55.14	323.53	
P18	9/21/2010 9:00:00	33.40	33.25	0.10	33.32	55.07	55.14	323.53	
P18	9/21/2010 9:15:00	33.40	33.25	0.10	33.32	55.06	55.14	323.53	
P18	9/21/2010 9:30:00	33.40	33.25	0.10	33.32	55.06	55.14	323.53	
P18	9/21/2010 9:45:00	33.40	33.24	0.09	33.33	55.06	55.13	323.54	
P18	9/21/2010 10:00:00	33.40	33.24	0.09	33.33	55.06	55.13	323.54	
P18	9/21/2010 10:15:00	33.40	33.24	0.09	33.33	55.06	55.13	323.54	
P18	9/21/2010 10:30:00	33.40	33.23	0.08	33.33	55.06	55.13	323.54	
P18	9/21/2010 10:45:00	33.40	33.23	0.08	33.34	55.06	55.12	323.55	
P18	9/21/2010 11:00:00	33.40	33.22	0.07	33.34	55.07	55.12	323.55	
P18	9/21/2010 11:15:00	33.40	33.22	0.07	33.34	55.07	55.12	323.55	
P18	9/21/2010 11:30:00	33.39	33.22	0.06	33.34	55.07	55.12	323.55	
P18	9/21/2010 11:45:00	33.39	33.21	0.06	33.34	55.07	55.12	323.55	
P18	9/21/2010 12:00:00	33.39	33.21	0.06	33.34	55.07	55.12	323.55	
P18	9/21/2010 12:15:00	33.39	33.20	0.05	33.34	55.08	55.12	323.55	
P18	9/21/2010 12:30:00	33.39	33.20	0.05	33.35	55.08	55.11	323.56	
P18	9/21/2010 12:45:00	33.38	33.19	0.04	33.35	55.08	55.11	323.56	
P18	9/21/2010 13:00:00	33.38	33.19	0.04	33.35	55.08	55.11	323.56	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/21/2010 13:15:00	33.38	33.19	0.04	33.35	55.08	55.11	323.56	
P18	9/21/2010 13:30:00	33.38	33.18	0.03	33.35	55.08	55.11	323.56	
P18	9/21/2010 13:45:00	33.38	33.18	0.03	33.36	55.08	55.10	323.57	
P18	9/21/2010 14:00:00	33.37	33.17	0.02	33.36	55.09	55.10	323.57	
P18	9/21/2010 14:15:00	33.37	33.17	0.02	33.36	55.09	55.10	323.57	
P18	9/21/2010 14:30:00	33.37	33.16	0.01	33.36	55.09	55.10	323.57	
P18	9/21/2010 14:45:00	33.36	33.16	0.01	33.36	55.10	55.10	323.57	
P18	9/21/2010 15:00:00	33.36	33.15	0.00	33.36	55.10	55.10	323.57	
P18	9/21/2010 15:15:00	33.36	33.15	0.00	33.36	55.10	55.10	323.57	
P18	9/21/2010 15:30:00	33.36	33.15	-0.01	33.36	55.10	55.10	323.57	
P18	9/21/2010 15:45:00	33.36	33.14	-0.01	33.36	55.11	55.10	323.57	
P18	9/21/2010 16:00:00	33.35	33.14	-0.02	33.36	55.11	55.10	323.57	
P18	9/21/2010 16:15:00	33.35	33.13	-0.02	33.37	55.11	55.09	323.58	
P18	9/21/2010 16:30:00	33.35	33.13	-0.02	33.37	55.11	55.09	323.58	
P18	9/21/2010 16:45:00	33.35	33.12	-0.03	33.37	55.11	55.09	323.58	
P18	9/21/2010 17:00:00	33.34	33.12	-0.03	33.37	55.12	55.09	323.58	
P18	9/21/2010 17:15:00	33.34	33.11	-0.04	33.37	55.12	55.09	323.58	
P18	9/21/2010 17:30:00	33.34	33.11	-0.04	33.37	55.12	55.09	323.58	
P18	9/21/2010 17:45:00	33.34	33.11	-0.04	33.37	55.12	55.09	323.58	
P18	9/21/2010 18:00:00	33.34	33.11	-0.04	33.37	55.12	55.09	323.58	
P18	9/21/2010 18:15:00	33.34	33.11	-0.04	33.36	55.12	55.10	323.57	
P18	9/21/2010 18:30:00	33.34	33.12	-0.03	33.36	55.12	55.10	323.57	
P18	9/21/2010 18:45:00	33.34	33.12	-0.03	33.36	55.12	55.10	323.57	
P18	9/21/2010 19:00:00	33.34	33.12	-0.03	33.36	55.12	55.10	323.57	
P18	9/21/2010 19:15:00	33.34	33.12	-0.03	33.36	55.12	55.10	323.57	
P18	9/21/2010 19:30:00	33.34	33.13	-0.03	33.36	55.12	55.10	323.57	
P18	9/21/2010 19:45:00	33.34	33.13	-0.02	33.36	55.12	55.10	323.57	
P18	9/21/2010 20:00:00	33.35	33.13	-0.02	33.36	55.11	55.10	323.57	
P18	9/21/2010 20:15:00	33.35	33.13	-0.02	33.36	55.11	55.10	323.57	
P18	9/21/2010 20:30:00	33.35	33.13	-0.02	33.36	55.11	55.10	323.57	
P18	9/21/2010 20:45:00	33.35	33.14	-0.02	33.36	55.11	55.10	323.57	
P18	9/21/2010 21:00:00	33.35	33.14	-0.01	33.36	55.11	55.10	323.57	
P18	9/21/2010 21:15:00	33.35	33.14	-0.01	33.36	55.11	55.10	323.57	
P18	9/21/2010 21:30:00	33.35	33.14	-0.01	33.36	55.11	55.10	323.57	
P18	9/21/2010 21:45:00	33.35	33.14	-0.01	33.36	55.11	55.10	323.57	
P18	9/21/2010 22:00:00	33.36	33.14	-0.01	33.36	55.11	55.10	323.57	
P18	9/21/2010 22:15:00	33.36	33.14	-0.01	33.36	55.11	55.10	323.57	
P18	9/21/2010 22:30:00	33.35	33.14	-0.01	33.36	55.11	55.10	323.57	
P18	9/21/2010 22:45:00	33.35	33.14	-0.01	33.36	55.11	55.10	323.57	
P18	9/21/2010 23:00:00	33.35	33.14	-0.01	33.36	55.11	55.10	323.57	
P18	9/21/2010 23:15:00	33.35	33.14	-0.01	33.35	55.11	55.11	323.56	
P18	9/21/2010 23:30:00	33.35	33.15	-0.01	33.35	55.11	55.11	323.56	
P18	9/21/2010 23:45:00	33.35	33.15	-0.01	33.35	55.11	55.11	323.56	
P18	9/22/2010 0:00:00	33.35	33.15	-0.01	33.35	55.11	55.11	323.56	
P18	9/22/2010 0:15:00	33.35	33.15	0.00	33.35	55.11	55.11	323.56	
P18	9/22/2010 0:30:00	33.35	33.15	0.00	33.35	55.11	55.11	323.56	
P18	9/22/2010 0:45:00	33.35	33.15	0.00	33.35	55.11	55.11	323.56	
P18	9/22/2010 1:00:00	33.35	33.15	0.00	33.35	55.11	55.11	323.56	
P18	9/22/2010 1:15:00	33.35	33.15	0.00	33.35	55.11	55.11	323.56	
P18	9/22/2010 1:30:00	33.35	33.15	0.00	33.35	55.11	55.11	323.56	
P18	9/22/2010 1:45:00	33.34	33.15	0.00	33.34	55.12	55.12	323.55	
P18	9/22/2010 2:00:00	33.35	33.15	0.00	33.35	55.11	55.11	323.56	
P18	9/22/2010 2:15:00	33.35	33.15	0.00	33.34	55.11	55.12	323.55	
P18	9/22/2010 2:30:00	33.34	33.16	0.00	33.34	55.12	55.12	323.55	
P18	9/22/2010 2:45:00	33.34	33.16	0.01	33.34	55.12	55.12	323.55	
P18	9/22/2010 3:00:00	33.34	33.16	0.01	33.33	55.12	55.13	323.54	
P18	9/22/2010 3:15:00	33.34	33.16	0.01	33.33	55.12	55.13	323.54	
P18	9/22/2010 3:30:00	33.34	33.16	0.01	33.33	55.12	55.13	323.54	
P18	9/22/2010 3:45:00	33.34	33.16	0.01	33.33	55.12	55.13	323.54	
P18	9/22/2010 4:00:00	33.34	33.17	0.02	33.33	55.12	55.13	323.54	
P18	9/22/2010 4:15:00	33.34	33.17	0.02	33.33	55.12	55.13	323.54	
P18	9/22/2010 4:30:00	33.34	33.17	0.02	33.33	55.12	55.13	323.54	
P18	9/22/2010 4:45:00	33.34	33.17	0.02	33.32	55.12	55.14	323.53	
P18	9/22/2010 5:00:00	33.34	33.17	0.02	33.32	55.12	55.14	323.53	
P18	9/22/2010 5:15:00	33.34	33.18	0.03	33.32	55.12	55.14	323.53	
P18	9/22/2010 5:30:00	33.34	33.18	0.03	33.32	55.12	55.14	323.53	
P18	9/22/2010 5:45:00	33.34	33.18	0.03	33.32	55.12	55.14	323.53	
P18	9/22/2010 6:00:00	33.34	33.18	0.03	33.32	55.12	55.14	323.53	
P18	9/22/2010 6:15:00	33.35	33.18	0.03	33.32	55.11	55.14	323.53	
P18	9/22/2010 6:30:00	33.34	33.18	0.03	33.32	55.12	55.14	323.53	
P18	9/22/2010 6:45:00	33.34	33.19	0.03	33.32	55.12	55.14	323.53	
P18	9/22/2010 7:00:00	33.35	33.19	0.04	33.32	55.11	55.14	323.53	
P18	9/22/2010 7:15:00	33.35	33.19	0.04	33.32	55.11	55.14	323.53	
P18	9/22/2010 7:30:00	33.35	33.19	0.04	33.32	55.11	55.14	323.53	
P18	9/22/2010 7:45:00	33.35	33.19	0.04	33.32	55.11	55.14	323.53	
P18	9/22/2010 8:00:00	33.35	33.19	0.04	33.32	55.11	55.14	323.53	
P18	9/22/2010 8:15:00	33.35	33.19	0.04	33.32	55.11	55.14	323.53	
P18	9/22/2010 8:30:00	33.35	33.20	0.05	33.31	55.11	55.15	323.52	
P18	9/22/2010 8:45:00	33.35	33.20	0.05	33.31	55.11	55.15	323.52	
P18	9/22/2010 9:00:00	33.35	33.20	0.05	33.31	55.11	55.15	323.52	
P18	9/22/2010 9:15:00	33.35	33.20	0.05	33.31	55.11	55.15	323.52	
P18	9/22/2010 9:30:00	33.35	33.20	0.05	33.31	55.11	55.15	323.52	
P18	9/22/2010 9:45:00	33.35	33.20	0.05	33.31	55.11	55.15	323.52	
P18	9/22/2010 10:00:00	33.35	33.19	0.04	33.32	55.11	55.14	323.53	
P18	9/22/2010 10:15:00	33.35	33.19	0.04	33.32	55.11	55.14	323.53	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/22/2010 10:30:00	33.35	33.19	0.04	33.32	55.11	55.14	323.53	
P18	9/22/2010 10:45:00	33.35	33.18	0.03	33.32	55.11	55.14	323.53	
P18	9/22/2010 11:00:00	33.35	33.18	0.03	33.33	55.11	55.13	323.54	
P18	9/22/2010 11:15:00	33.35	33.18	0.03	33.33	55.11	55.13	323.54	
P18	9/22/2010 11:30:00	33.35	33.17	0.02	33.33	55.11	55.13	323.54	
P18	9/22/2010 11:45:00	33.35	33.17	0.02	33.33	55.11	55.13	323.54	
P18	9/22/2010 12:00:00	33.34	33.17	0.01	33.33	55.12	55.13	323.54	
P18	9/22/2010 12:15:00	33.34	33.16	0.01	33.33	55.12	55.13	323.54	
P18	9/22/2010 12:30:00	33.34	33.16	0.01	33.33	55.12	55.13	323.54	
P18	9/22/2010 12:45:00	33.34	33.15	0.00	33.33	55.12	55.13	323.54	
P18	9/22/2010 13:00:00	33.34	33.15	0.00	33.34	55.12	55.12	323.55	
P18	9/22/2010 13:15:00	33.34	33.15	0.00	33.34	55.12	55.12	323.55	
P18	9/22/2010 13:30:00	33.33	33.14	-0.01	33.34	55.13	55.12	323.55	
P18	9/22/2010 13:45:00	33.33	33.14	-0.01	33.34	55.13	55.12	323.55	
P18	9/22/2010 14:00:00	33.33	33.14	-0.01	33.34	55.13	55.12	323.55	
P18	9/22/2010 14:15:00	33.33	33.13	-0.02	33.34	55.13	55.12	323.55	
P18	9/22/2010 14:30:00	33.33	33.13	-0.02	33.34	55.13	55.12	323.55	
P18	9/22/2010 14:45:00	33.33	33.13	-0.02	33.34	55.14	55.12	323.55	
P18	9/22/2010 15:00:00	33.32	33.12	-0.03	33.34	55.14	55.12	323.55	
P18	9/22/2010 15:15:00	33.32	33.12	-0.03	33.34	55.14	55.12	323.55	
P18	9/22/2010 15:30:00	33.32	33.12	-0.03	33.34	55.14	55.12	323.55	
P18	9/22/2010 15:45:00	33.32	33.11	-0.04	33.35	55.14	55.11	323.56	
P18	9/22/2010 16:00:00	33.32	33.11	-0.04	33.35	55.14	55.11	323.56	
P18	9/22/2010 16:15:00	33.32	33.11	-0.04	33.35	55.15	55.11	323.56	
P18	9/22/2010 16:30:00	33.32	33.11	-0.05	33.35	55.15	55.11	323.56	
P18	9/22/2010 16:45:00	33.32	33.10	-0.05	33.35	55.15	55.11	323.56	
P18	9/22/2010 17:00:00	33.31	33.10	-0.05	33.35	55.15	55.11	323.56	
P18	9/22/2010 17:15:00	33.31	33.10	-0.05	33.36	55.15	55.10	323.57	
P18	9/22/2010 17:30:00	33.31	33.09	-0.06	33.36	55.15	55.10	323.57	
P18	9/22/2010 17:45:00	33.31	33.10	-0.06	33.35	55.15	55.11	323.56	
P18	9/22/2010 18:00:00	33.31	33.10	-0.05	33.35	55.15	55.11	323.56	
P18	9/22/2010 18:15:00	33.31	33.10	-0.05	33.35	55.15	55.11	323.56	
P18	9/22/2010 18:30:00	33.31	33.10	-0.05	33.35	55.15	55.11	323.56	
P18	9/22/2010 18:45:00	33.31	33.11	-0.04	33.35	55.15	55.11	323.56	
P18	9/22/2010 19:00:00	33.31	33.11	-0.04	33.35	55.15	55.11	323.56	
P18	9/22/2010 19:15:00	33.32	33.11	-0.04	33.35	55.14	55.11	323.56	
P18	9/22/2010 19:30:00	33.32	33.12	-0.04	33.35	55.14	55.11	323.56	
P18	9/22/2010 19:45:00	33.32	33.12	-0.03	33.35	55.14	55.11	323.56	
P18	9/22/2010 20:00:00	33.32	33.12	-0.03	33.35	55.14	55.11	323.56	
P18	9/22/2010 20:15:00	33.33	33.12	-0.03	33.35	55.14	55.11	323.56	
P18	9/22/2010 20:30:00	33.33	33.13	-0.02	33.35	55.13	55.11	323.56	
P18	9/22/2010 20:45:00	33.33	33.13	-0.02	33.35	55.13	55.11	323.56	
P18	9/22/2010 21:00:00	33.33	33.13	-0.02	33.34	55.13	55.12	323.55	
P18	9/22/2010 21:15:00	33.33	33.13	-0.02	33.35	55.13	55.11	323.56	
P18	9/22/2010 21:30:00	33.34	33.14	-0.01	33.35	55.12	55.11	323.56	
P18	9/22/2010 21:45:00	33.34	33.14	-0.01	33.35	55.12	55.11	323.56	
P18	9/22/2010 22:00:00	33.34	33.14	-0.01	33.35	55.12	55.11	323.56	
P18	9/22/2010 22:15:00	33.34	33.14	-0.01	33.35	55.12	55.11	323.56	
P18	9/22/2010 22:30:00	33.34	33.15	0.00	33.35	55.12	55.11	323.56	
P18	9/22/2010 22:45:00	33.35	33.15	0.00	33.35	55.11	55.11	323.56	
P18	9/22/2010 23:00:00	33.34	33.15	0.00	33.34	55.12	55.12	323.55	
P18	9/22/2010 23:15:00	33.34	33.15	0.00	33.34	55.12	55.12	323.55	
P18	9/22/2010 23:30:00	33.35	33.16	0.00	33.34	55.11	55.12	323.55	
P18	9/22/2010 23:45:00	33.35	33.16	0.01	33.34	55.11	55.12	323.55	
P18	9/23/2010 0:00:00	33.35	33.16	0.01	33.34	55.11	55.12	323.55	
P18	9/23/2010 0:15:00	33.35	33.16	0.01	33.34	55.11	55.12	323.55	
P18	9/23/2010 0:30:00	33.35	33.16	0.01	33.34	55.11	55.12	323.55	
P18	9/23/2010 0:45:00	33.35	33.17	0.02	33.34	55.11	55.12	323.55	
P18	9/23/2010 1:00:00	33.35	33.17	0.02	33.33	55.11	55.13	323.54	
P18	9/23/2010 1:15:00	33.35	33.17	0.02	33.33	55.11	55.13	323.54	
P18	9/23/2010 1:30:00	33.35	33.17	0.02	33.33	55.11	55.13	323.54	
P18	9/23/2010 1:45:00	33.35	33.18	0.03	33.33	55.11	55.13	323.54	
P18	9/23/2010 2:00:00	33.35	33.18	0.03	33.33	55.11	55.13	323.54	
P18	9/23/2010 2:15:00	33.35	33.18	0.03	33.33	55.11	55.13	323.54	
P18	9/23/2010 2:30:00	33.36	33.18	0.03	33.33	55.11	55.13	323.54	
P18	9/23/2010 2:45:00	33.36	33.19	0.04	33.33	55.10	55.13	323.54	
P18	9/23/2010 3:00:00	33.36	33.19	0.04	33.33	55.10	55.13	323.54	
P18	9/23/2010 3:15:00	33.36	33.19	0.04	33.33	55.10	55.13	323.54	
P18	9/23/2010 3:30:00	33.37	33.19	0.04	33.34	55.09	55.12	323.55	
P18	9/23/2010 3:45:00	33.37	33.20	0.05	33.34	55.09	55.12	323.55	
P18	9/23/2010 4:00:00	33.37	33.20	0.05	33.33	55.09	55.13	323.54	
P18	9/23/2010 4:15:00	33.37	33.20	0.05	33.33	55.09	55.13	323.54	
P18	9/23/2010 4:30:00	33.37	33.20	0.05	33.33	55.09	55.13	323.54	
P18	9/23/2010 4:45:00	33.37	33.21	0.06	33.33	55.09	55.13	323.54	
P18	9/23/2010 5:00:00	33.37	33.21	0.06	33.32	55.09	55.14	323.53	
P18	9/23/2010 5:15:00	33.37	33.21	0.06	33.32	55.09	55.14	323.53	
P18	9/23/2010 5:30:00	33.37	33.22	0.06	33.32	55.09	55.14	323.53	
P18	9/23/2010 5:45:00	33.37	33.22	0.07	33.32	55.09	55.14	323.53	
P18	9/23/2010 6:00:00	33.37	33.22	0.07	33.32	55.09	55.14	323.53	
P18	9/23/2010 6:15:00	33.37	33.22	0.07	33.32	55.09	55.14	323.53	
P18	9/23/2010 6:30:00	33.37	33.22	0.07	33.32	55.09	55.14	323.53	
P18	9/23/2010 6:45:00	33.37	33.22	0.07	33.31	55.09	55.15	323.52	
P18	9/23/2010 7:00:00	33.36	33.22	0.07	33.31	55.10	55.15	323.52	
P18	9/23/2010 7:15:00	33.36	33.22	0.07	33.31	55.10	55.15	323.52	
P18	9/23/2010 7:30:00	33.37	33.22	0.07	33.31	55.09	55.15	323.52	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/23/2010 7:45:00	33.36	33.23	0.07	33.31	55.10	55.15	323.52	
P18	9/23/2010 8:00:00	33.36	33.23	0.08	33.31	55.10	55.15	323.52	
P18	9/23/2010 8:15:00	33.36	33.23	0.08	33.30	55.10	55.16	323.51	
P18	9/23/2010 8:30:00	33.37	33.23	0.08	33.31	55.09	55.15	323.52	
P18	9/23/2010 8:45:00	33.37	33.23	0.08	33.31	55.09	55.15	323.52	
P18	9/23/2010 9:00:00	33.37	33.23	0.08	33.31	55.09	55.15	323.52	
P18	9/23/2010 9:15:00	33.38	33.23	0.08	33.31	55.08	55.15	323.52	
P18	9/23/2010 9:30:00	33.38	33.23	0.08	33.32	55.08	55.14	323.53	
P18	9/23/2010 9:45:00	33.38	33.24	0.08	33.31	55.08	55.15	323.52	
P18	9/23/2010 10:00:00	33.38	33.24	0.09	33.31	55.08	55.15	323.52	
P18	9/23/2010 10:15:00	33.38	33.24	0.09	33.31	55.08	55.15	323.52	
P18	9/23/2010 10:30:00	33.38	33.24	0.09	33.31	55.08	55.15	323.52	
P18	9/23/2010 10:45:00	33.39	33.25	0.10	33.31	55.08	55.15	323.52	
P18	9/23/2010 11:00:00	33.39	33.25	0.10	33.31	55.08	55.15	323.52	
P18	9/23/2010 11:15:00	33.39	33.25	0.10	33.31	55.08	55.15	323.52	
P18	9/23/2010 11:30:00	33.39	33.26	0.10	33.31	55.07	55.15	323.52	
P18	9/23/2010 11:45:00	33.39	33.26	0.11	33.31	55.07	55.15	323.52	
P18	9/23/2010 12:00:00	33.40	33.26	0.11	33.31	55.07	55.15	323.52	
P18	9/23/2010 12:15:00	33.40	33.26	0.11	33.31	55.07	55.15	323.52	
P18	9/23/2010 12:30:00	33.40	33.27	0.12	33.31	55.06	55.15	323.52	
P18	9/23/2010 12:45:00	33.40	33.27	0.12	33.31	55.06	55.15	323.52	
P18	9/23/2010 13:00:00	33.41	33.27	0.12	33.32	55.05	55.14	323.53	
P18	9/23/2010 13:15:00	33.41	33.27	0.12	33.31	55.05	55.15	323.52	
P18	9/23/2010 13:30:00	33.41	33.28	0.13	33.31	55.05	55.15	323.52	
P18	9/23/2010 13:45:00	33.42	33.28	0.13	33.32	55.04	55.14	323.53	
P18	9/23/2010 14:00:00	33.42	33.28	0.13	33.32	55.04	55.14	323.53	
P18	9/23/2010 14:15:00	33.43	33.28	0.13	33.32	55.04	55.14	323.53	
P18	9/23/2010 14:30:00	33.43	33.29	0.13	33.32	55.03	55.14	323.53	
P18	9/23/2010 14:45:00	33.43	33.29	0.14	33.32	55.03	55.14	323.53	
P18	9/23/2010 15:00:00	33.43	33.29	0.14	33.33	55.03	55.13	323.54	
P18	9/23/2010 15:15:00	33.44	33.29	0.14	33.33	55.02	55.13	323.54	
P18	9/23/2010 15:30:00	33.44	33.29	0.14	33.33	55.02	55.13	323.54	
P18	9/23/2010 15:45:00	33.44	33.30	0.14	33.33	55.02	55.13	323.54	
P18	9/23/2010 16:00:00	33.44	33.30	0.15	33.32	55.02	55.14	323.53	
P18	9/23/2010 16:15:00	33.44	33.30	0.15	33.33	55.02	55.13	323.54	
P18	9/23/2010 16:30:00	33.44	33.30	0.15	33.33	55.02	55.13	323.54	
P18	9/23/2010 16:45:00	33.45	33.30	0.15	33.33	55.01	55.13	323.54	
P18	9/23/2010 17:00:00	33.45	33.31	0.15	33.33	55.01	55.13	323.54	
P18	9/23/2010 17:15:00	33.46	33.31	0.16	33.33	55.01	55.13	323.54	
P18	9/23/2010 17:30:00	33.46	33.31	0.16	33.33	55.01	55.13	323.54	
P18	9/23/2010 17:45:00	33.46	33.31	0.16	33.33	55.00	55.13	323.54	
P18	9/23/2010 18:00:00	33.46	33.32	0.17	33.33	55.00	55.13	323.54	
P18	9/23/2010 18:15:00	33.47	33.32	0.17	33.33	55.00	55.13	323.54	
P18	9/23/2010 18:30:00	33.47	33.32	0.17	33.33	54.99	55.13	323.54	
P18	9/23/2010 18:45:00	33.47	33.33	0.18	33.33	54.99	55.13	323.54	
P18	9/23/2010 19:00:00	33.47	33.33	0.18	33.33	54.99	55.13	323.54	
P18	9/23/2010 19:15:00	33.48	33.33	0.18	33.33	54.98	55.13	323.54	
P18	9/23/2010 19:30:00	33.48	33.34	0.19	33.33	54.98	55.13	323.54	
P18	9/23/2010 19:45:00	33.48	33.34	0.19	33.33	54.98	55.13	323.54	
P18	9/23/2010 20:00:00	33.48	33.34	0.19	33.33	54.98	55.13	323.54	
P18	9/23/2010 20:15:00	33.48	33.35	0.20	33.33	54.98	55.13	323.54	
P18	9/23/2010 20:30:00	33.49	33.35	0.20	33.33	54.97	55.13	323.54	
P18	9/23/2010 20:45:00	33.49	33.35	0.20	33.33	54.97	55.13	323.54	
P18	9/23/2010 21:00:00	33.49	33.36	0.21	33.33	54.97	55.13	323.54	
P18	9/23/2010 21:15:00	33.50	33.36	0.21	33.33	54.97	55.13	323.54	
P18	9/23/2010 21:30:00	33.50	33.36	0.21	33.33	54.96	55.13	323.54	
P18	9/23/2010 21:45:00	33.50	33.37	0.21	33.34	54.96	55.12	323.55	
P18	9/23/2010 22:00:00	33.51	33.37	0.22	33.34	54.95	55.12	323.55	
P18	9/23/2010 22:15:00	33.51	33.37	0.22	33.34	54.95	55.12	323.55	
P18	9/23/2010 22:30:00	33.52	33.37	0.22	33.35	54.94	55.11	323.56	
P18	9/23/2010 22:45:00	33.52	33.37	0.22	33.35	54.94	55.11	323.56	
P18	9/23/2010 23:00:00	33.53	33.37	0.22	33.35	54.94	55.11	323.56	
P18	9/23/2010 23:15:00	33.53	33.37	0.22	33.36	54.93	55.10	323.57	
P18	9/23/2010 23:30:00	33.53	33.37	0.22	33.36	54.93	55.10	323.57	
P18	9/23/2010 23:45:00	33.53	33.38	0.22	33.36	54.93	55.10	323.57	
P18	9/24/2010 0:00:00	33.53	33.38	0.23	33.35	54.93	55.11	323.56	
P18	9/24/2010 0:15:00	33.53	33.38	0.23	33.36	54.93	55.10	323.57	
P18	9/24/2010 0:30:00	33.53	33.38	0.23	33.35	54.93	55.11	323.56	
P18	9/24/2010 0:45:00	33.53	33.38	0.23	33.35	54.93	55.11	323.56	
P18	9/24/2010 1:00:00	33.53	33.38	0.23	33.35	54.93	55.11	323.56	
P18	9/24/2010 1:15:00	33.53	33.38	0.23	33.35	54.93	55.11	323.56	
P18	9/24/2010 1:30:00	33.53	33.38	0.23	33.35	54.93	55.11	323.56	
P18	9/24/2010 1:45:00	33.53	33.39	0.24	33.35	54.93	55.11	323.56	
P18	9/24/2010 2:00:00	33.53	33.39	0.24	33.34	54.93	55.12	323.55	
P18	9/24/2010 2:15:00	33.53	33.39	0.24	33.34	54.93	55.12	323.55	
P18	9/24/2010 2:30:00	33.53	33.40	0.25	33.34	54.93	55.12	323.55	
P18	9/24/2010 2:45:00	33.54	33.40	0.25	33.34	54.93	55.12	323.55	
P18	9/24/2010 3:00:00	33.54	33.40	0.25	33.34	54.92	55.12	323.55	
P18	9/24/2010 3:15:00	33.54	33.41	0.26	33.34	54.92	55.12	323.55	
P18	9/24/2010 3:30:00	33.54	33.41	0.26	33.34	54.92	55.12	323.55	
P18	9/24/2010 3:45:00	33.55	33.41	0.26	33.34	54.91	55.12	323.55	
P18	9/24/2010 4:00:00	33.55	33.42	0.27	33.34	54.91	55.12	323.55	
P18	9/24/2010 4:15:00	33.56	33.42	0.27	33.35	54.90	55.11	323.56	
P18	9/24/2010 4:30:00	33.56	33.42	0.27	33.34	54.90	55.12	323.55	
P18	9/24/2010 4:45:00	33.56	33.43	0.28	33.34	54.90	55.12	323.55	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/24/2010 5:00:00	33.56	33.43	0.28	33.34	54.90	55.12	323.55	
P18	9/24/2010 5:15:00	33.56	33.43	0.28	33.34	54.90	55.12	323.55	
P18	9/24/2010 5:30:00	33.57	33.44	0.29	33.34	54.90	55.12	323.55	
P18	9/24/2010 5:45:00	33.57	33.44	0.29	33.34	54.89	55.12	323.55	
P18	9/24/2010 6:00:00	33.57	33.44	0.29	33.34	54.89	55.12	323.55	
P18	9/24/2010 6:15:00	33.58	33.44	0.29	33.35	54.88	55.11	323.56	
P18	9/24/2010 6:30:00	33.58	33.45	0.30	33.35	54.88	55.11	323.56	
P18	9/24/2010 6:45:00	33.58	33.45	0.30	33.35	54.88	55.11	323.56	
P18	9/24/2010 7:00:00	33.58	33.45	0.30	33.35	54.88	55.11	323.56	
P18	9/24/2010 7:15:00	33.59	33.45	0.30	33.35	54.87	55.11	323.56	
P18	9/24/2010 7:30:00	33.59	33.46	0.30	33.35	54.87	55.11	323.56	
P18	9/24/2010 7:45:00	33.60	33.46	0.31	33.36	54.87	55.10	323.57	
P18	9/24/2010 8:00:00	33.60	33.46	0.31	33.36	54.86	55.10	323.57	
P18	9/24/2010 8:15:00	33.60	33.46	0.31	33.36	54.86	55.10	323.57	
P18	9/24/2010 8:30:00	33.60	33.46	0.31	33.35	54.86	55.11	323.56	
P18	9/24/2010 8:45:00	33.60	33.47	0.31	33.35	54.86	55.11	323.56	
P18	9/24/2010 9:00:00	33.60	33.47	0.32	33.35	54.86	55.11	323.56	
P18	9/24/2010 9:15:00	33.60	33.47	0.32	33.35	54.86	55.11	323.56	
P18	9/24/2010 9:30:00	33.60	33.47	0.32	33.35	54.86	55.11	323.56	
P18	9/24/2010 9:45:00	33.60	33.47	0.32	33.35	54.86	55.11	323.56	
P18	9/24/2010 10:00:00	33.60	33.48	0.32	33.35	54.86	55.11	323.56	
P18	9/24/2010 10:15:00	33.61	33.48	0.33	33.35	54.86	55.11	323.56	
P18	9/24/2010 10:30:00	33.61	33.48	0.33	33.35	54.85	55.11	323.56	
P18	9/24/2010 10:45:00	33.61	33.48	0.33	33.35	54.85	55.11	323.56	
P18	9/24/2010 11:00:00	33.61	33.48	0.33	33.36	54.85	55.10	323.57	
P18	9/24/2010 11:15:00	33.62	33.48	0.33	33.36	54.84	55.10	323.57	
P18	9/24/2010 11:30:00	33.62	33.49	0.34	33.36	54.84	55.10	323.57	
P18	9/24/2010 11:45:00	33.63	33.49	0.34	33.36	54.83	55.10	323.57	
P18	9/24/2010 12:00:00	33.63	33.49	0.34	33.36	54.83	55.10	323.57	
P18	9/24/2010 12:15:00	33.63	33.49	0.34	33.36	54.83	55.10	323.57	
P18	9/24/2010 12:30:00	33.63	33.49	0.34	33.36	54.83	55.10	323.57	
P18	9/24/2010 12:45:00	33.63	33.49	0.34	33.36	54.83	55.10	323.57	
P18	9/24/2010 13:00:00	33.63	33.50	0.35	33.36	54.83	55.10	323.57	
P18	9/24/2010 13:15:00	33.63	33.50	0.35	33.36	54.83	55.10	323.57	
P18	9/24/2010 13:30:00	33.64	33.50	0.35	33.36	54.83	55.10	323.57	
P18	9/24/2010 13:45:00	33.64	33.50	0.35	33.37	54.83	55.09	323.58	
P18	9/24/2010 14:00:00	33.63	33.49	0.34	33.37	54.83	55.09	323.58	
P18	9/24/2010 14:15:00	33.63	33.49	0.34	33.37	54.83	55.09	323.58	
P18	9/24/2010 14:30:00	33.63	33.49	0.34	33.37	54.83	55.09	323.58	
P18	9/24/2010 14:45:00	33.63	33.48	0.33	33.37	54.83	55.09	323.58	
P18	9/24/2010 15:00:00	33.63	33.48	0.33	33.37	54.83	55.09	323.58	
P18	9/24/2010 15:15:00	33.63	33.48	0.33	33.37	54.83	55.09	323.58	
P18	9/24/2010 15:30:00	33.63	33.47	0.32	33.37	54.83	55.09	323.58	
P18	9/24/2010 15:45:00	33.63	33.47	0.32	33.38	54.83	55.08	323.59	
P18	9/24/2010 16:00:00	33.63	33.47	0.32	33.38	54.83	55.08	323.59	
P18	9/24/2010 16:15:00	33.63	33.46	0.31	33.38	54.83	55.08	323.59	
P18	9/24/2010 16:30:00	33.63	33.46	0.31	33.39	54.83	55.07	323.60	
P18	9/24/2010 16:45:00	33.63	33.46	0.31	33.39	54.83	55.07	323.60	
P18	9/24/2010 17:00:00	33.63	33.45	0.30	33.39	54.83	55.07	323.60	
P18	9/24/2010 17:15:00	33.63	33.45	0.30	33.40	54.83	55.06	323.61	
P18	9/24/2010 17:30:00	33.63	33.45	0.30	33.40	54.83	55.06	323.61	
P18	9/24/2010 17:45:00	33.63	33.45	0.29	33.40	54.83	55.06	323.61	
P18	9/24/2010 18:00:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	
P18	9/24/2010 18:15:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	
P18	9/24/2010 18:30:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	
P18	9/24/2010 18:45:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	
P18	9/24/2010 19:00:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	
P18	9/24/2010 19:15:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	
P18	9/24/2010 19:30:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	
P18	9/24/2010 19:45:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	
P18	9/24/2010 20:00:00	33.63	33.44	0.29	33.41	54.83	55.05	323.62	
P18	9/24/2010 20:15:00	33.63	33.44	0.28	33.41	54.83	55.05	323.62	
P18	9/24/2010 20:30:00	33.63	33.43	0.28	33.41	54.83	55.05	323.62	
P18	9/24/2010 20:45:00	33.63	33.43	0.28	33.41	54.83	55.05	323.62	
P18	9/24/2010 21:00:00	33.63	33.43	0.28	33.41	54.83	55.05	323.62	
P18	9/24/2010 21:15:00	33.63	33.43	0.28	33.41	54.83	55.05	323.62	
P18	9/24/2010 21:30:00	33.63	33.43	0.28	33.41	54.83	55.05	323.62	
P18	9/24/2010 21:45:00	33.63	33.43	0.28	33.41	54.83	55.05	323.62	
P18	9/24/2010 22:00:00	33.63	33.43	0.28	33.41	54.83	55.05	323.62	
P18	9/24/2010 22:15:00	33.63	33.43	0.28	33.41	54.83	55.05	323.62	
P18	9/24/2010 22:30:00	33.63	33.43	0.28	33.41	54.83	55.05	323.62	
P18	9/24/2010 22:45:00	33.63	33.43	0.28	33.41	54.83	55.05	323.62	
P18	9/24/2010 23:00:00	33.63	33.44	0.28	33.40	54.83	55.06	323.61	
P18	9/24/2010 23:15:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	
P18	9/24/2010 23:30:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	
P18	9/24/2010 23:45:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	
P18	9/25/2010 0:00:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	
P18	9/25/2010 0:15:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	
P18	9/25/2010 0:30:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	
P18	9/25/2010 0:45:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	
P18	9/25/2010 1:00:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	
P18	9/25/2010 1:15:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	
P18	9/25/2010 1:30:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	
P18	9/25/2010 1:45:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	
P18	9/25/2010 2:00:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/25/2010 2:15:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	
P18	9/25/2010 2:30:00	33.63	33.44	0.29	33.40	54.83	55.06	323.61	
P18	9/25/2010 2:45:00	33.62	33.44	0.29	33.40	54.84	55.06	323.61	
P18	9/25/2010 3:00:00	33.62	33.44	0.29	33.40	54.84	55.06	323.61	
P18	9/25/2010 3:15:00	33.62	33.44	0.29	33.39	54.84	55.07	323.60	
P18	9/25/2010 3:30:00	33.62	33.44	0.29	33.39	54.84	55.07	323.60	
P18	9/25/2010 3:45:00	33.61	33.44	0.29	33.39	54.85	55.07	323.60	
P18	9/25/2010 4:00:00	33.61	33.44	0.29	33.39	54.85	55.07	323.60	
P18	9/25/2010 4:15:00	33.61	33.44	0.29	33.38	54.85	55.08	323.59	
P18	9/25/2010 4:30:00	33.61	33.44	0.29	33.39	54.85	55.07	323.60	
P18	9/25/2010 4:45:00	33.61	33.44	0.29	33.38	54.85	55.08	323.59	
P18	9/25/2010 5:00:00	33.61	33.44	0.29	33.38	54.85	55.08	323.59	
P18	9/25/2010 5:15:00	33.61	33.44	0.29	33.39	54.85	55.07	323.60	
P18	9/25/2010 5:30:00	33.61	33.44	0.29	33.39	54.85	55.07	323.60	
P18	9/25/2010 5:45:00	33.61	33.44	0.28	33.39	54.85	55.07	323.60	
P18	9/25/2010 6:00:00	33.61	33.43	0.28	33.38	54.86	55.08	323.59	
P18	9/25/2010 6:15:00	33.61	33.43	0.28	33.39	54.85	55.07	323.60	
P18	9/25/2010 6:30:00	33.61	33.43	0.28	33.39	54.85	55.07	323.60	
P18	9/25/2010 6:45:00	33.61	33.43	0.28	33.39	54.85	55.07	323.60	
P18	9/25/2010 7:00:00	33.61	33.43	0.28	33.39	54.85	55.07	323.60	
P18	9/25/2010 7:15:00	33.61	33.43	0.28	33.39	54.85	55.07	323.60	
P18	9/25/2010 7:30:00	33.61	33.43	0.28	33.39	54.85	55.07	323.60	
P18	9/25/2010 7:45:00	33.61	33.43	0.28	33.39	54.85	55.07	323.60	
P18	9/25/2010 8:00:00	33.61	33.43	0.28	33.39	54.86	55.07	323.60	
P18	9/25/2010 8:15:00	33.60	33.43	0.28	33.39	54.86	55.07	323.60	
P18	9/25/2010 8:30:00	33.60	33.43	0.28	33.39	54.86	55.07	323.60	
P18	9/25/2010 8:45:00	33.60	33.43	0.27	33.39	54.86	55.07	323.60	
P18	9/25/2010 9:00:00	33.60	33.42	0.27	33.39	54.86	55.07	323.60	
P18	9/25/2010 9:15:00	33.60	33.42	0.27	33.39	54.86	55.07	323.60	
P18	9/25/2010 9:30:00	33.60	33.42	0.27	33.38	54.87	55.08	323.59	
P18	9/25/2010 9:45:00	33.59	33.42	0.27	33.39	54.87	55.07	323.60	
P18	9/25/2010 10:00:00	33.59	33.41	0.26	33.39	54.87	55.07	323.60	
P18	9/25/2010 10:15:00	33.59	33.40	0.25	33.39	54.87	55.07	323.60	
P18	9/25/2010 10:30:00	33.59	33.40	0.25	33.39	54.87	55.07	323.60	
P18	9/25/2010 10:45:00	33.58	33.39	0.24	33.39	54.88	55.07	323.60	
P18	9/25/2010 11:00:00	33.58	33.38	0.23	33.40	54.88	55.06	323.61	
P18	9/25/2010 11:15:00	33.58	33.38	0.23	33.40	54.88	55.06	323.61	
P18	9/25/2010 11:30:00	33.58	33.37	0.22	33.41	54.88	55.05	323.62	
P18	9/25/2010 11:45:00	33.57	33.37	0.21	33.41	54.89	55.05	323.62	
P18	9/25/2010 12:00:00	33.57	33.36	0.21	33.41	54.89	55.05	323.62	
P18	9/25/2010 12:15:00	33.57	33.35	0.20	33.41	54.89	55.05	323.62	
P18	9/25/2010 12:30:00	33.57	33.35	0.19	33.41	54.90	55.05	323.62	
P18	9/25/2010 12:45:00	33.56	33.34	0.19	33.42	54.90	55.04	323.63	
P18	9/25/2010 13:00:00	33.56	33.33	0.18	33.42	54.90	55.04	323.63	
P18	9/25/2010 13:15:00	33.56	33.33	0.18	33.42	54.90	55.04	323.63	
P18	9/25/2010 13:30:00	33.55	33.32	0.17	33.42	54.91	55.04	323.63	
P18	9/25/2010 13:45:00	33.55	33.32	0.16	33.42	54.91	55.04	323.63	
P18	9/25/2010 14:00:00	33.55	33.31	0.16	33.43	54.91	55.03	323.64	
P18	9/25/2010 14:15:00	33.55	33.31	0.16	33.43	54.91	55.03	323.64	
P18	9/25/2010 14:30:00	33.55	33.30	0.15	33.43	54.91	55.03	323.64	
P18	9/25/2010 14:45:00	33.54	33.30	0.15	33.43	54.92	55.03	323.64	
P18	9/25/2010 15:00:00	33.54	33.29	0.14	33.43	54.92	55.03	323.64	
P18	9/25/2010 15:15:00	33.54	33.29	0.14	33.43	54.92	55.03	323.64	
P18	9/25/2010 15:30:00	33.54	33.28	0.13	33.43	54.93	55.03	323.64	
P18	9/25/2010 15:45:00	33.53	33.28	0.13	33.43	54.93	55.03	323.64	
P18	9/25/2010 16:00:00	33.53	33.27	0.12	33.43	54.94	55.03	323.64	
P18	9/25/2010 16:15:00	33.52	33.27	0.12	33.43	54.94	55.03	323.64	
P18	9/25/2010 16:30:00	33.52	33.26	0.11	33.43	54.94	55.03	323.64	
P18	9/25/2010 16:45:00	33.52	33.26	0.11	33.43	54.94	55.03	323.64	
P18	9/25/2010 17:00:00	33.52	33.26	0.10	33.43	54.94	55.03	323.64	
P18	9/25/2010 17:15:00	33.51	33.25	0.10	33.44	54.95	55.02	323.65	
P18	9/25/2010 17:30:00	33.51	33.25	0.10	33.44	54.95	55.02	323.65	
P18	9/25/2010 17:45:00	33.51	33.25	0.10	33.43	54.95	55.03	323.64	
P18	9/25/2010 18:00:00	33.51	33.25	0.10	33.43	54.95	55.03	323.64	
P18	9/25/2010 18:15:00	33.51	33.25	0.10	33.43	54.95	55.03	323.64	
P18	9/25/2010 18:30:00	33.51	33.25	0.10	33.43	54.95	55.03	323.64	
P18	9/25/2010 18:45:00	33.51	33.25	0.10	33.43	54.95	55.03	323.64	
P18	9/25/2010 19:00:00	33.51	33.25	0.10	33.43	54.95	55.03	323.64	
P18	9/25/2010 19:15:00	33.51	33.25	0.10	33.43	54.95	55.03	323.64	
P18	9/25/2010 19:30:00	33.51	33.25	0.10	33.43	54.95	55.03	323.64	
P18	9/25/2010 19:45:00	33.51	33.25	0.10	33.43	54.95	55.03	323.64	
P18	9/25/2010 20:00:00	33.51	33.25	0.10	33.43	54.95	55.03	323.64	
P18	9/25/2010 20:15:00	33.51	33.25	0.10	33.43	54.95	55.03	323.64	
P18	9/25/2010 20:30:00	33.51	33.25	0.10	33.43	54.95	55.03	323.64	
P18	9/25/2010 20:45:00	33.51	33.25	0.10	33.43	54.95	55.03	323.64	
P18	9/25/2010 21:00:00	33.50	33.25	0.10	33.43	54.96	55.03	323.64	
P18	9/25/2010 21:15:00	33.50	33.25	0.10	33.42	54.96	55.04	323.63	
P18	9/25/2010 21:30:00	33.50	33.25	0.10	33.42	54.96	55.04	323.63	
P18	9/25/2010 21:45:00	33.50	33.25	0.10	33.42	54.96	55.04	323.63	
P18	9/25/2010 22:00:00	33.49	33.25	0.10	33.41	54.97	55.05	323.62	
P18	9/25/2010 22:15:00	33.49	33.25	0.10	33.41	54.97	55.05	323.62	
P18	9/25/2010 22:30:00	33.49	33.25	0.10	33.41	54.97	55.05	323.62	
P18	9/25/2010 22:45:00	33.49	33.25	0.10	33.41	54.97	55.05	323.62	
P18	9/25/2010 23:00:00	33.48	33.26	0.10	33.40	54.98	55.06	323.61	
P18	9/25/2010 23:15:00	33.48	33.26	0.11	33.40	54.98	55.06	323.61	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/25/2010 23:30:00	33.48	33.26	0.11	33.40	54.98	55.06	323.61	
P18	9/25/2010 23:45:00	33.48	33.26	0.11	33.40	54.98	55.06	323.61	
P18	9/26/2010 0:00:00	33.49	33.26	0.11	33.40	54.97	55.06	323.61	
P18	9/26/2010 0:15:00	33.49	33.26	0.11	33.40	54.97	55.06	323.61	
P18	9/26/2010 0:30:00	33.49	33.26	0.11	33.40	54.97	55.06	323.61	
P18	9/26/2010 0:45:00	33.49	33.26	0.11	33.40	54.97	55.06	323.61	
P18	9/26/2010 1:00:00	33.50	33.26	0.11	33.41	54.97	55.05	323.62	
P18	9/26/2010 1:15:00	33.49	33.26	0.11	33.40	54.97	55.06	323.61	
P18	9/26/2010 1:30:00	33.49	33.26	0.11	33.40	54.97	55.06	323.61	
P18	9/26/2010 1:45:00	33.49	33.26	0.11	33.41	54.97	55.05	323.62	
P18	9/26/2010 2:00:00	33.49	33.26	0.11	33.41	54.97	55.05	323.62	
P18	9/26/2010 2:15:00	33.49	33.26	0.11	33.41	54.97	55.05	323.62	
P18	9/26/2010 2:30:00	33.48	33.25	0.10	33.40	54.98	55.06	323.61	
P18	9/26/2010 2:45:00	33.47	33.25	0.10	33.39	54.99	55.07	323.60	
P18	9/26/2010 3:00:00	33.46	33.25	0.10	33.38	55.01	55.08	323.59	
P18	9/26/2010 3:15:00	33.44	33.25	0.09	33.37	55.02	55.09	323.58	
P18	9/26/2010 3:30:00	33.43	33.24	0.09	33.36	55.03	55.10	323.57	
P18	9/26/2010 3:45:00	33.43	33.24	0.09	33.36	55.03	55.10	323.57	
P18	9/26/2010 4:00:00	33.43	33.24	0.09	33.36	55.03	55.10	323.57	
P18	9/26/2010 4:15:00	33.45	33.24	0.08	33.38	55.01	55.08	323.59	
P18	9/26/2010 4:30:00	33.45	33.23	0.08	33.39	55.01	55.07	323.60	
P18	9/26/2010 4:45:00	33.46	33.23	0.08	33.39	55.01	55.07	323.60	
P18	9/26/2010 5:00:00	33.46	33.23	0.08	33.40	55.01	55.06	323.61	
P18	9/26/2010 5:15:00	33.46	33.22	0.07	33.40	55.00	55.06	323.61	
P18	9/26/2010 5:30:00	33.46	33.22	0.07	33.40	55.01	55.06	323.61	
P18	9/26/2010 5:45:00	33.45	33.22	0.07	33.40	55.01	55.06	323.61	
P18	9/26/2010 6:00:00	33.45	33.22	0.07	33.40	55.01	55.06	323.61	
P18	9/26/2010 6:15:00	33.45	33.23	0.07	33.39	55.01	55.07	323.60	
P18	9/26/2010 6:30:00	33.45	33.23	0.08	33.39	55.01	55.07	323.60	
P18	9/26/2010 6:45:00	33.45	33.23	0.08	33.39	55.01	55.07	323.60	
P18	9/26/2010 7:00:00	33.45	33.23	0.08	33.39	55.01	55.07	323.60	
P18	9/26/2010 7:15:00	33.45	33.23	0.08	33.39	55.01	55.07	323.60	
P18	9/26/2010 7:30:00	33.45	33.23	0.08	33.39	55.01	55.07	323.60	
P18	9/26/2010 7:45:00	33.45	33.23	0.08	33.39	55.01	55.07	323.60	
P18	9/26/2010 8:00:00	33.45	33.24	0.08	33.39	55.01	55.07	323.60	
P18	9/26/2010 8:15:00	33.46	33.24	0.09	33.39	55.01	55.07	323.60	
P18	9/26/2010 8:30:00	33.46	33.24	0.09	33.39	55.01	55.07	323.60	
P18	9/26/2010 8:45:00	33.46	33.24	0.09	33.39	55.00	55.07	323.60	
P18	9/26/2010 9:00:00	33.46	33.24	0.09	33.39	55.00	55.07	323.60	
P18	9/26/2010 9:15:00	33.46	33.24	0.09	33.39	55.00	55.07	323.60	
P18	9/26/2010 9:30:00	33.46	33.24	0.09	33.39	55.00	55.07	323.60	
P18	9/26/2010 9:45:00	33.46	33.25	0.09	33.39	55.00	55.07	323.60	
P18	9/26/2010 10:00:00	33.47	33.25	0.10	33.39	55.00	55.07	323.60	
P18	9/26/2010 10:15:00	33.47	33.25	0.10	33.39	54.99	55.07	323.60	
P18	9/26/2010 10:30:00	33.47	33.25	0.10	33.39	54.99	55.07	323.60	
P18	9/26/2010 10:45:00	33.48	33.26	0.10	33.39	54.98	55.07	323.60	
P18	9/26/2010 11:00:00	33.48	33.26	0.11	33.40	54.98	55.06	323.61	
P18	9/26/2010 11:15:00	33.48	33.26	0.11	33.40	54.98	55.06	323.61	
P18	9/26/2010 11:30:00	33.49	33.26	0.11	33.40	54.97	55.06	323.61	
P18	9/26/2010 11:45:00	33.49	33.27	0.12	33.40	54.97	55.06	323.61	
P18	9/26/2010 12:00:00	33.49	33.27	0.12	33.40	54.97	55.06	323.61	
P18	9/26/2010 12:15:00	33.49	33.27	0.12	33.40	54.97	55.06	323.61	
P18	9/26/2010 12:30:00	33.49	33.27	0.12	33.40	54.97	55.06	323.61	
P18	9/26/2010 12:45:00	33.49	33.28	0.13	33.40	54.97	55.06	323.61	
P18	9/26/2010 13:00:00	33.49	33.28	0.13	33.39	54.97	55.07	323.60	
P18	9/26/2010 13:15:00	33.49	33.28	0.13	33.39	54.97	55.07	323.60	
P18	9/26/2010 13:30:00	33.49	33.28	0.13	33.39	54.97	55.07	323.60	
P18	9/26/2010 13:45:00	33.49	33.28	0.13	33.39	54.97	55.07	323.60	
P18	9/26/2010 14:00:00	33.50	33.28	0.13	33.39	54.97	55.07	323.60	
P18	9/26/2010 14:15:00	33.49	33.28	0.13	33.39	54.97	55.07	323.60	
P18	9/26/2010 14:30:00	33.49	33.28	0.13	33.39	54.97	55.07	323.60	
P18	9/26/2010 14:45:00	33.49	33.28	0.13	33.39	54.97	55.07	323.60	
P18	9/26/2010 15:00:00	33.49	33.28	0.13	33.39	54.97	55.07	323.60	
P18	9/26/2010 15:15:00	33.49	33.28	0.13	33.39	54.97	55.07	323.60	
P18	9/26/2010 15:30:00	33.49	33.28	0.13	33.39	54.97	55.07	323.60	
P18	9/26/2010 15:45:00	33.49	33.28	0.13	33.39	54.97	55.07	323.60	
P18	9/26/2010 16:00:00	33.49	33.28	0.13	33.39	54.97	55.07	323.60	
P18	9/26/2010 16:15:00	33.49	33.28	0.13	33.39	54.97	55.07	323.60	
P18	9/26/2010 16:30:00	33.49	33.28	0.13	33.39	54.97	55.07	323.60	
P18	9/26/2010 16:45:00	33.49	33.28	0.12	33.39	54.97	55.07	323.60	
P18	9/26/2010 17:00:00	33.49	33.28	0.12	33.39	54.97	55.07	323.60	
P18	9/26/2010 17:15:00	33.49	33.27	0.12	33.40	54.97	55.06	323.61	
P18	9/26/2010 17:30:00	33.50	33.27	0.12	33.40	54.97	55.06	323.61	
P18	9/26/2010 17:45:00	33.50	33.28	0.12	33.40	54.97	55.06	323.61	
P18	9/26/2010 18:00:00	33.50	33.28	0.13	33.40	54.97	55.06	323.61	
P18	9/26/2010 18:15:00	33.50	33.28	0.13	33.40	54.96	55.06	323.61	
P18	9/26/2010 18:30:00	33.50	33.28	0.13	33.40	54.96	55.06	323.61	
P18	9/26/2010 18:45:00	33.50	33.28	0.13	33.40	54.96	55.06	323.61	
P18	9/26/2010 19:00:00	33.50	33.28	0.13	33.39	54.96	55.07	323.60	
P18	9/26/2010 19:15:00	33.50	33.28	0.13	33.39	54.96	55.07	323.60	
P18	9/26/2010 19:30:00	33.50	33.29	0.13	33.40	54.96	55.06	323.61	
P18	9/26/2010 19:45:00	33.50	33.29	0.14	33.39	54.96	55.07	323.60	
P18	9/26/2010 20:00:00	33.50	33.29	0.14	33.39	54.96	55.07	323.60	
P18	9/26/2010 20:15:00	33.50	33.29	0.14	33.39	54.96	55.07	323.60	
P18	9/26/2010 20:30:00	33.50	33.29	0.14	33.39	54.96	55.07	323.60	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/26/2010 20:45:00	33.50	33.29	0.14	33.39	54.96	55.07	323.60	
P18	9/26/2010 21:00:00	33.51	33.29	0.14	33.40	54.95	55.06	323.61	
P18	9/26/2010 21:15:00	33.51	33.29	0.14	33.40	54.95	55.06	323.61	
P18	9/26/2010 21:30:00	33.51	33.30	0.15	33.40	54.95	55.06	323.61	
P18	9/26/2010 21:45:00	33.51	33.30	0.15	33.40	54.95	55.06	323.61	
P18	9/26/2010 22:00:00	33.51	33.30	0.15	33.40	54.95	55.06	323.61	
P18	9/26/2010 22:15:00	33.51	33.30	0.15	33.40	54.95	55.06	323.61	
P18	9/26/2010 22:30:00	33.51	33.30	0.15	33.40	54.95	55.06	323.61	
P18	9/26/2010 22:45:00	33.52	33.30	0.15	33.40	54.94	55.06	323.61	
P18	9/26/2010 23:00:00	33.52	33.30	0.15	33.40	54.94	55.06	323.61	
P18	9/26/2010 23:15:00	33.52	33.30	0.15	33.40	54.94	55.06	323.61	
P18	9/26/2010 23:30:00	33.52	33.31	0.15	33.40	54.94	55.06	323.61	
P18	9/26/2010 23:45:00	33.52	33.31	0.16	33.40	54.94	55.06	323.61	
P18	9/27/2010 0:00:00	33.51	33.31	0.16	33.39	54.95	55.07	323.60	
P18	9/27/2010 0:15:00	33.52	33.31	0.16	33.39	54.94	55.07	323.60	
P18	9/27/2010 0:30:00	33.52	33.31	0.16	33.39	54.94	55.07	323.60	
P18	9/27/2010 0:45:00	33.52	33.31	0.16	33.39	54.94	55.07	323.60	
P18	9/27/2010 1:00:00	33.52	33.31	0.16	33.39	54.94	55.07	323.60	
P18	9/27/2010 1:15:00	33.52	33.31	0.16	33.39	54.94	55.07	323.60	
P18	9/27/2010 1:30:00	33.52	33.31	0.16	33.39	54.94	55.07	323.60	
P18	9/27/2010 1:45:00	33.52	33.31	0.16	33.39	54.94	55.07	323.60	
P18	9/27/2010 2:00:00	33.52	33.32	0.16	33.39	54.94	55.07	323.60	
P18	9/27/2010 2:15:00	33.52	33.32	0.17	33.39	54.94	55.07	323.60	
P18	9/27/2010 2:30:00	33.52	33.32	0.17	33.39	54.94	55.07	323.60	
P18	9/27/2010 2:45:00	33.52	33.32	0.17	33.39	54.94	55.07	323.60	
P18	9/27/2010 3:00:00	33.53	33.32	0.17	33.39	54.94	55.07	323.60	
P18	9/27/2010 3:15:00	33.53	33.32	0.17	33.39	54.94	55.07	323.60	
P18	9/27/2010 3:30:00	33.53	33.32	0.17	33.40	54.93	55.06	323.61	
P18	9/27/2010 3:45:00	33.53	33.32	0.17	33.40	54.93	55.06	323.61	
P18	9/27/2010 4:00:00	33.53	33.32	0.17	33.40	54.93	55.06	323.61	
P18	9/27/2010 4:15:00	33.53	33.32	0.17	33.40	54.93	55.06	323.61	
P18	9/27/2010 4:30:00	33.53	33.32	0.17	33.40	54.93	55.06	323.61	
P18	9/27/2010 4:45:00	33.53	33.32	0.17	33.40	54.93	55.06	323.61	
P18	9/27/2010 5:00:00	33.53	33.32	0.17	33.39	54.93	55.07	323.60	
P18	9/27/2010 5:15:00	33.53	33.33	0.17	33.39	54.93	55.07	323.60	
P18	9/27/2010 5:30:00	33.53	33.33	0.17	33.39	54.93	55.07	323.60	
P18	9/27/2010 5:45:00	33.53	33.33	0.17	33.39	54.93	55.07	323.60	
P18	9/27/2010 6:00:00	33.53	33.33	0.17	33.39	54.93	55.07	323.60	
P18	9/27/2010 6:15:00	33.53	33.33	0.17	33.39	54.93	55.07	323.60	
P18	9/27/2010 6:30:00	33.53	33.33	0.17	33.39	54.93	55.07	323.60	
P18	9/27/2010 6:45:00	33.53	33.32	0.17	33.39	54.93	55.07	323.60	
P18	9/27/2010 7:00:00	33.53	33.32	0.17	33.39	54.93	55.07	323.60	
P18	9/27/2010 7:15:00	33.53	33.32	0.17	33.39	54.93	55.07	323.60	
P18	9/27/2010 7:30:00	33.53	33.32	0.17	33.40	54.93	55.06	323.61	
P18	9/27/2010 7:45:00	33.53	33.32	0.17	33.40	54.93	55.06	323.61	
P18	9/27/2010 8:00:00	33.53	33.32	0.17	33.40	54.93	55.06	323.61	
P18	9/27/2010 8:15:00	33.53	33.32	0.17	33.40	54.93	55.06	323.61	
P18	9/27/2010 8:30:00	33.53	33.32	0.17	33.39	54.93	55.07	323.60	
P18	9/27/2010 8:45:00	33.53	33.32	0.17	33.39	54.93	55.07	323.60	
P18	9/27/2010 9:00:00	33.53	33.32	0.17	33.40	54.93	55.06	323.61	
P18	9/27/2010 9:15:00	33.53	33.32	0.17	33.40	54.93	55.06	323.61	
P18	9/27/2010 9:30:00	33.53	33.32	0.17	33.40	54.93	55.06	323.61	
P18	9/27/2010 9:45:00	33.53	33.32	0.17	33.40	54.93	55.06	323.61	
P18	9/27/2010 10:00:00	33.53	33.32	0.17	33.40	54.93	55.06	323.61	
P18	9/27/2010 10:15:00	33.54	33.32	0.17	33.40	54.93	55.06	323.61	
P18	9/27/2010 10:30:00	33.54	33.32	0.17	33.40	54.93	55.06	323.61	
P18	9/27/2010 10:45:00	33.54	33.32	0.17	33.40	54.92	55.06	323.61	
P18	9/27/2010 11:00:00	33.54	33.32	0.17	33.41	54.92	55.05	323.62	
P18	9/27/2010 11:15:00	33.54	33.32	0.17	33.41	54.92	55.05	323.62	
P18	9/27/2010 11:30:00	33.54	33.32	0.17	33.41	54.92	55.05	323.62	
P18	9/27/2010 11:45:00	33.54	33.32	0.17	33.41	54.92	55.05	323.62	
P18	9/27/2010 12:00:00	33.54	33.32	0.17	33.41	54.92	55.05	323.62	
P18	9/27/2010 12:15:00	33.54	33.32	0.17	33.41	54.92	55.05	323.62	
P18	9/27/2010 12:30:00	33.54	33.32	0.17	33.41	54.92	55.05	323.62	
P18	9/27/2010 12:45:00	33.55	33.32	0.17	33.41	54.91	55.05	323.62	
P18	9/27/2010 13:00:00	33.55	33.32	0.17	33.41	54.91	55.05	323.62	
P18	9/27/2010 13:15:00	33.55	33.32	0.17	33.42	54.91	55.04	323.63	
P18	9/27/2010 13:30:00	33.54	33.32	0.17	33.41	54.92	55.05	323.62	
P18	9/27/2010 13:45:00	33.54	33.32	0.16	33.42	54.92	55.04	323.63	
P18	9/27/2010 14:00:00	33.54	33.31	0.16	33.42	54.92	55.04	323.63	
P18	9/27/2010 14:15:00	33.54	33.31	0.16	33.42	54.92	55.04	323.63	
P18	9/27/2010 14:30:00	33.54	33.30	0.15	33.42	54.92	55.04	323.63	
P18	9/27/2010 14:45:00	33.54	33.30	0.15	33.42	54.92	55.04	323.63	
P18	9/27/2010 15:00:00	33.53	33.29	0.14	33.42	54.93	55.04	323.63	
P18	9/27/2010 15:15:00	33.53	33.29	0.14	33.42	54.93	55.04	323.63	
P18	9/27/2010 15:30:00	33.53	33.29	0.14	33.42	54.93	55.04	323.63	
P18	9/27/2010 15:45:00	33.53	33.28	0.13	33.43	54.93	55.03	323.64	
P18	9/27/2010 16:00:00	33.53	33.28	0.13	33.43	54.93	55.03	323.64	
P18	9/27/2010 16:15:00	33.52	33.27	0.12	33.43	54.94	55.03	323.64	
P18	9/27/2010 16:30:00	33.52	33.27	0.12	33.43	54.94	55.03	323.64	
P18	9/27/2010 16:45:00	33.52	33.26	0.11	33.43	54.94	55.03	323.64	
P18	9/27/2010 17:00:00	33.52	33.26	0.11	33.43	54.94	55.03	323.64	
P18	9/27/2010 17:15:00	33.52	33.26	0.11	33.43	54.94	55.03	323.64	
P18	9/27/2010 17:30:00	33.51	33.25	0.10	33.44	54.95	55.02	323.65	
P18	9/27/2010 17:45:00	33.51	33.26	0.10	33.43	54.95	55.03	323.64	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/27/2010 18:00:00	33.51	33.26	0.11	33.43	54.95	55.03	323.64	
P18	9/27/2010 18:15:00	33.51	33.26	0.11	33.42	54.95	55.04	323.63	
P18	9/27/2010 18:30:00	33.51	33.26	0.11	33.42	54.95	55.04	323.63	
P18	9/27/2010 18:45:00	33.51	33.27	0.12	33.42	54.95	55.04	323.63	
P18	9/27/2010 19:00:00	33.51	33.27	0.12	33.42	54.95	55.04	323.63	
P18	9/27/2010 19:15:00	33.51	33.27	0.12	33.42	54.95	55.04	323.63	
P18	9/27/2010 19:30:00	33.52	33.28	0.13	33.42	54.94	55.04	323.63	
P18	9/27/2010 19:45:00	33.52	33.28	0.13	33.42	54.94	55.04	323.63	
P18	9/27/2010 20:00:00	33.53	33.28	0.13	33.42	54.94	55.04	323.63	
P18	9/27/2010 20:15:00	33.53	33.29	0.14	33.42	54.93	55.04	323.63	
P18	9/27/2010 20:30:00	33.53	33.29	0.14	33.42	54.93	55.04	323.63	
P18	9/27/2010 20:45:00	33.53	33.29	0.14	33.42	54.93	55.04	323.63	
P18	9/27/2010 21:00:00	33.54	33.30	0.14	33.42	54.93	55.04	323.63	
P18	9/27/2010 21:15:00	33.54	33.30	0.15	33.42	54.92	55.04	323.63	
P18	9/27/2010 21:30:00	33.54	33.30	0.15	33.42	54.92	55.04	323.63	
P18	9/27/2010 21:45:00	33.54	33.30	0.15	33.42	54.92	55.04	323.63	
P18	9/27/2010 22:00:00	33.54	33.30	0.15	33.43	54.92	55.03	323.64	
P18	9/27/2010 22:15:00	33.54	33.30	0.15	33.43	54.92	55.03	323.64	
P18	9/27/2010 22:30:00	33.54	33.30	0.15	33.43	54.92	55.03	323.64	
P18	9/27/2010 22:45:00	33.54	33.30	0.15	33.42	54.92	55.04	323.63	
P18	9/27/2010 23:00:00	33.54	33.30	0.15	33.43	54.92	55.03	323.64	
P18	9/27/2010 23:15:00	33.54	33.30	0.15	33.43	54.92	55.03	323.64	
P18	9/27/2010 23:30:00	33.54	33.30	0.14	33.43	54.92	55.03	323.64	
P18	9/27/2010 23:45:00	33.54	33.29	0.14	33.43	54.92	55.03	323.64	
P18	9/28/2010 0:00:00	33.54	33.29	0.14	33.43	54.92	55.03	323.64	
P18	9/28/2010 0:15:00	33.54	33.29	0.14	33.42	54.93	55.04	323.63	
P18	9/28/2010 0:30:00	33.54	33.29	0.14	33.42	54.93	55.04	323.63	
P18	9/28/2010 0:45:00	33.53	33.29	0.14	33.42	54.93	55.04	323.63	
P18	9/28/2010 1:00:00	33.53	33.29	0.14	33.42	54.93	55.04	323.63	
P18	9/28/2010 1:15:00	33.53	33.29	0.14	33.42	54.93	55.04	323.63	
P18	9/28/2010 1:30:00	33.53	33.29	0.14	33.42	54.93	55.04	323.63	
P18	9/28/2010 1:45:00	33.53	33.29	0.14	33.42	54.93	55.04	323.63	
P18	9/28/2010 2:00:00	33.54	33.29	0.14	33.43	54.93	55.03	323.64	
P18	9/28/2010 2:15:00	33.54	33.29	0.14	33.43	54.93	55.03	323.64	
P18	9/28/2010 2:30:00	33.54	33.29	0.14	33.43	54.93	55.03	323.64	
P18	9/28/2010 2:45:00	33.53	33.29	0.14	33.42	54.93	55.04	323.63	
P18	9/28/2010 3:00:00	33.53	33.29	0.14	33.42	54.93	55.04	323.63	
P18	9/28/2010 3:15:00	33.53	33.29	0.14	33.42	54.93	55.04	323.63	
P18	9/28/2010 3:30:00	33.53	33.29	0.14	33.42	54.93	55.04	323.63	
P18	9/28/2010 3:45:00	33.53	33.30	0.14	33.42	54.93	55.04	323.63	
P18	9/28/2010 4:00:00	33.53	33.30	0.14	33.42	54.93	55.04	323.63	
P18	9/28/2010 4:15:00	33.53	33.30	0.15	33.42	54.93	55.04	323.63	
P18	9/28/2010 4:30:00	33.54	33.30	0.15	33.42	54.93	55.04	323.63	
P18	9/28/2010 4:45:00	33.54	33.30	0.15	33.42	54.93	55.04	323.63	
P18	9/28/2010 5:00:00	33.54	33.30	0.15	33.42	54.92	55.04	323.63	
P18	9/28/2010 5:15:00	33.54	33.30	0.15	33.42	54.92	55.04	323.63	
P18	9/28/2010 5:30:00	33.54	33.30	0.15	33.42	54.92	55.04	323.63	
P18	9/28/2010 5:45:00	33.54	33.30	0.15	33.42	54.92	55.04	323.63	
P18	9/28/2010 6:00:00	33.54	33.31	0.16	33.42	54.92	55.04	323.63	
P18	9/28/2010 6:15:00	33.54	33.31	0.16	33.42	54.92	55.04	323.63	
P18	9/28/2010 6:30:00	33.55	33.31	0.16	33.42	54.91	55.04	323.63	
P18	9/28/2010 6:45:00	33.55	33.32	0.17	33.42	54.91	55.04	323.63	
P18	9/28/2010 7:00:00	33.55	33.32	0.17	33.42	54.91	55.04	323.63	
P18	9/28/2010 7:15:00	33.56	33.32	0.17	33.42	54.90	55.04	323.63	
P18	9/28/2010 7:30:00	33.56	33.33	0.18	33.42	54.90	55.04	323.63	
P18	9/28/2010 7:45:00	33.56	33.33	0.18	33.42	54.90	55.04	323.63	
P18	9/28/2010 8:00:00	33.57	33.33	0.18	33.42	54.90	55.04	323.63	
P18	9/28/2010 8:15:00	33.56	33.34	0.19	33.42	54.90	55.04	323.63	
P18	9/28/2010 8:30:00	33.56	33.34	0.19	33.41	54.90	55.05	323.62	
P18	9/28/2010 8:45:00	33.56	33.34	0.19	33.41	54.90	55.05	323.62	
P18	9/28/2010 9:00:00	33.57	33.35	0.20	33.41	54.90	55.05	323.62	
P18	9/28/2010 9:15:00	33.57	33.35	0.20	33.41	54.89	55.05	323.62	
P18	9/28/2010 9:30:00	33.57	33.36	0.20	33.41	54.89	55.05	323.62	
P18	9/28/2010 9:45:00	33.57	33.36	0.21	33.41	54.89	55.05	323.62	
P18	9/28/2010 10:00:00	33.57	33.36	0.21	33.41	54.89	55.05	323.62	
P18	9/28/2010 10:15:00	33.58	33.36	0.21	33.42	54.88	55.04	323.63	
P18	9/28/2010 10:30:00	33.58	33.36	0.21	33.41	54.88	55.05	323.62	
P18	9/28/2010 10:45:00	33.58	33.36	0.21	33.42	54.88	55.04	323.63	
P18	9/28/2010 11:00:00	33.58	33.36	0.21	33.42	54.88	55.04	323.63	
P18	9/28/2010 11:15:00	33.58	33.36	0.21	33.42	54.88	55.04	323.63	
P18	9/28/2010 11:30:00	33.59	33.36	0.21	33.42	54.87	55.04	323.63	
P18	9/28/2010 11:45:00	33.59	33.37	0.21	33.43	54.87	55.03	323.64	
P18	9/28/2010 12:00:00	33.60	33.37	0.22	33.43	54.86	55.03	323.64	
P18	9/28/2010 12:15:00	33.60	33.37	0.22	33.43	54.86	55.03	323.64	
P18	9/28/2010 12:30:00	33.60	33.37	0.22	33.43	54.86	55.03	323.64	
P18	9/28/2010 12:45:00	33.60	33.37	0.22	33.43	54.86	55.03	323.64	
P18	9/28/2010 13:00:00	33.60	33.37	0.22	33.43	54.86	55.03	323.64	
P18	9/28/2010 13:15:00	33.60	33.37	0.22	33.43	54.86	55.03	323.64	
P18	9/28/2010 13:30:00	33.60	33.37	0.22	33.43	54.86	55.03	323.64	
P18	9/28/2010 13:45:00	33.60	33.38	0.22	33.42	54.86	55.04	323.63	
P18	9/28/2010 14:00:00	33.60	33.38	0.23	33.42	54.86	55.04	323.63	
P18	9/28/2010 14:15:00	33.60	33.38	0.23	33.42	54.86	55.04	323.63	
P18	9/28/2010 14:30:00	33.60	33.38	0.23	33.42	54.86	55.04	323.63	
P18	9/28/2010 14:45:00	33.60	33.38	0.23	33.42	54.86	55.04	323.63	
P18	9/28/2010 15:00:00	33.60	33.38	0.23	33.42	54.86	55.04	323.63	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/28/2010 15:15:00	33.60	33.38	0.23	33.42	54.86	55.04	323.63	
P18	9/28/2010 15:30:00	33.60	33.38	0.23	33.42	54.86	55.04	323.63	
P18	9/28/2010 15:45:00	33.60	33.39	0.23	33.42	54.86	55.04	323.63	
P18	9/28/2010 16:00:00	33.61	33.39	0.24	33.42	54.86	55.04	323.63	
P18	9/28/2010 16:15:00	33.61	33.39	0.24	33.42	54.86	55.04	323.63	
P18	9/28/2010 16:30:00	33.61	33.39	0.24	33.42	54.85	55.04	323.63	
P18	9/28/2010 16:45:00	33.61	33.39	0.24	33.42	54.85	55.04	323.63	
P18	9/28/2010 17:00:00	33.61	33.39	0.24	33.42	54.85	55.04	323.63	
P18	9/28/2010 17:15:00	33.62	33.39	0.24	33.43	54.84	55.03	323.64	
P18	9/28/2010 17:30:00	33.62	33.40	0.24	33.43	54.84	55.03	323.64	
P18	9/28/2010 17:45:00	33.62	33.40	0.25	33.43	54.84	55.03	323.64	
P18	9/28/2010 18:00:00	33.63	33.40	0.25	33.43	54.83	55.03	323.64	
P18	9/28/2010 18:15:00	33.63	33.40	0.25	33.44	54.83	55.02	323.65	
P18	9/28/2010 18:30:00	33.63	33.40	0.25	33.44	54.83	55.02	323.65	
P18	9/28/2010 18:45:00	33.63	33.40	0.25	33.44	54.83	55.02	323.65	
P18	9/28/2010 19:00:00	33.63	33.41	0.25	33.43	54.83	55.03	323.64	
P18	9/28/2010 19:15:00	33.63	33.41	0.26	33.43	54.83	55.03	323.64	
P18	9/28/2010 19:30:00	33.63	33.41	0.26	33.43	54.83	55.03	323.64	
P18	9/28/2010 19:45:00	33.63	33.41	0.26	33.43	54.83	55.03	323.64	
P18	9/28/2010 20:00:00	33.63	33.41	0.26	33.42	54.83	55.04	323.63	
P18	9/28/2010 20:15:00	33.63	33.41	0.26	33.42	54.83	55.04	323.63	
P18	9/28/2010 20:30:00	33.63	33.42	0.26	33.42	54.83	55.04	323.63	
P18	9/28/2010 20:45:00	33.63	33.42	0.27	33.42	54.83	55.04	323.63	
P18	9/28/2010 21:00:00	33.63	33.42	0.27	33.42	54.83	55.04	323.63	
P18	9/28/2010 21:15:00	33.63	33.42	0.27	33.42	54.83	55.04	323.63	
P18	9/28/2010 21:30:00	33.64	33.42	0.27	33.42	54.83	55.04	323.63	
P18	9/28/2010 21:45:00	33.64	33.42	0.27	33.43	54.82	55.03	323.64	
P18	9/28/2010 22:00:00	33.64	33.42	0.27	33.43	54.82	55.03	323.64	
P18	9/28/2010 22:15:00	33.64	33.42	0.27	33.43	54.82	55.03	323.64	
P18	9/28/2010 22:30:00	33.64	33.42	0.27	33.43	54.82	55.03	323.64	
P18	9/28/2010 22:45:00	33.65	33.42	0.27	33.43	54.81	55.03	323.64	
P18	9/28/2010 23:00:00	33.65	33.43	0.27	33.43	54.81	55.03	323.64	
P18	9/28/2010 23:15:00	33.65	33.43	0.27	33.43	54.81	55.03	323.64	
P18	9/28/2010 23:30:00	33.65	33.43	0.28	33.43	54.81	55.03	323.64	
P18	9/28/2010 23:45:00	33.65	33.43	0.28	33.44	54.81	55.02	323.65	
P18	9/29/2010 0:00:00	33.65	33.43	0.28	33.43	54.81	55.03	323.64	
P18	9/29/2010 0:15:00	33.65	33.43	0.28	33.43	54.81	55.03	323.64	
P18	9/29/2010 0:30:00	33.65	33.43	0.28	33.43	54.81	55.03	323.64	
P18	9/29/2010 0:45:00	33.65	33.43	0.28	33.43	54.81	55.03	323.64	
P18	9/29/2010 1:00:00	33.65	33.43	0.28	33.43	54.81	55.03	323.64	
P18	9/29/2010 1:15:00	33.64	33.43	0.28	33.43	54.82	55.03	323.64	
P18	9/29/2010 1:30:00	33.64	33.43	0.28	33.43	54.82	55.03	323.64	
P18	9/29/2010 1:45:00	33.64	33.43	0.28	33.42	54.82	55.04	323.63	
P18	9/29/2010 2:00:00	33.64	33.43	0.28	33.42	54.82	55.04	323.63	
P18	9/29/2010 2:15:00	33.64	33.44	0.29	33.42	54.82	55.04	323.63	
P18	9/29/2010 2:30:00	33.65	33.44	0.29	33.42	54.81	55.04	323.63	
P18	9/29/2010 2:45:00	33.65	33.44	0.29	33.42	54.81	55.04	323.63	
P18	9/29/2010 3:00:00	33.65	33.44	0.29	33.42	54.81	55.04	323.63	
P18	9/29/2010 3:15:00	33.65	33.44	0.29	33.42	54.81	55.04	323.63	
P18	9/29/2010 3:30:00	33.65	33.45	0.29	33.42	54.81	55.04	323.63	
P18	9/29/2010 3:45:00	33.65	33.45	0.30	33.42	54.81	55.04	323.63	
P18	9/29/2010 4:00:00	33.65	33.45	0.30	33.42	54.81	55.04	323.63	
P18	9/29/2010 4:15:00	33.65	33.45	0.30	33.42	54.81	55.04	323.63	
P18	9/29/2010 4:30:00	33.65	33.45	0.30	33.41	54.81	55.05	323.62	
P18	9/29/2010 4:45:00	33.65	33.45	0.30	33.41	54.81	55.05	323.62	
P18	9/29/2010 5:00:00	33.65	33.46	0.30	33.41	54.81	55.05	323.62	
P18	9/29/2010 5:15:00	33.65	33.46	0.31	33.41	54.81	55.05	323.62	
P18	9/29/2010 5:30:00	33.65	33.46	0.31	33.41	54.81	55.05	323.62	
P18	9/29/2010 5:45:00	33.65	33.46	0.31	33.41	54.81	55.05	323.62	
P18	9/29/2010 6:00:00	33.65	33.46	0.31	33.41	54.81	55.05	323.62	
P18	9/29/2010 6:15:00	33.65	33.46	0.31	33.40	54.81	55.06	323.61	
P18	9/29/2010 6:30:00	33.65	33.46	0.31	33.40	54.81	55.06	323.61	
P18	9/29/2010 6:45:00	33.65	33.46	0.31	33.40	54.81	55.06	323.61	
P18	9/29/2010 7:00:00	33.65	33.47	0.32	33.40	54.81	55.06	323.61	
P18	9/29/2010 7:15:00	33.65	33.47	0.32	33.40	54.81	55.06	323.61	
P18	9/29/2010 7:30:00	33.65	33.47	0.32	33.40	54.81	55.06	323.61	
P18	9/29/2010 7:45:00	33.65	33.47	0.32	33.40	54.81	55.06	323.61	
P18	9/29/2010 8:00:00	33.65	33.47	0.32	33.40	54.81	55.06	323.61	
P18	9/29/2010 8:15:00	33.65	33.47	0.32	33.40	54.81	55.06	323.61	
P18	9/29/2010 8:30:00	33.65	33.47	0.32	33.40	54.81	55.06	323.61	
P18	9/29/2010 8:45:00	33.65	33.47	0.32	33.40	54.81	55.06	323.61	
P18	9/29/2010 9:00:00	33.65	33.48	0.32	33.40	54.81	55.06	323.61	
P18	9/29/2010 9:15:00	33.65	33.48	0.33	33.40	54.81	55.06	323.61	
P18	9/29/2010 9:30:00	33.66	33.48	0.33	33.40	54.80	55.06	323.61	
P18	9/29/2010 9:45:00	33.66	33.47	0.32	33.40	54.80	55.06	323.61	
P18	9/29/2010 10:00:00	33.66	33.47	0.32	33.41	54.80	55.05	323.62	
P18	9/29/2010 10:15:00	33.66	33.46	0.31	33.41	54.80	55.05	323.62	
P18	9/29/2010 10:30:00	33.66	33.46	0.31	33.41	54.80	55.05	323.62	
P18	9/29/2010 10:45:00	33.65	33.46	0.30	33.42	54.81	55.04	323.63	
P18	9/29/2010 11:00:00	33.65	33.45	0.30	33.42	54.81	55.04	323.63	
P18	9/29/2010 11:15:00	33.65	33.45	0.30	33.42	54.81	55.04	323.63	
P18	9/29/2010 11:30:00	33.65	33.44	0.29	33.42	54.81	55.04	323.63	
P18	9/29/2010 11:45:00	33.64	33.44	0.29	33.42	54.82	55.04	323.63	
P18	9/29/2010 12:00:00	33.64	33.43	0.28	33.42	54.82	55.04	323.63	
P18	9/29/2010 12:15:00	33.64	33.43	0.28	33.42	54.82	55.04	323.63	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/29/2010 12:30:00	33.64	33.42	0.27	33.42	54.83	55.04	323.63	
P18	9/29/2010 12:45:00	33.63	33.42	0.27	33.42	54.83	55.04	323.63	
P18	9/29/2010 13:00:00	33.63	33.42	0.26	33.43	54.83	55.03	323.64	
P18	9/29/2010 13:15:00	33.63	33.41	0.26	33.43	54.83	55.03	323.64	
P18	9/29/2010 13:30:00	33.63	33.41	0.25	33.43	54.83	55.03	323.64	
P18	9/29/2010 13:45:00	33.62	33.40	0.25	33.43	54.84	55.03	323.64	
P18	9/29/2010 14:00:00	33.62	33.39	0.24	33.43	54.84	55.03	323.64	
P18	9/29/2010 14:15:00	33.62	33.38	0.23	33.43	54.84	55.03	323.64	
P18	9/29/2010 14:30:00	33.61	33.38	0.23	33.44	54.85	55.02	323.65	
P18	9/29/2010 14:45:00	33.61	33.37	0.22	33.44	54.85	55.02	323.65	
P18	9/29/2010 15:00:00	33.60	33.36	0.21	33.44	54.86	55.02	323.65	
P18	9/29/2010 15:15:00	33.60	33.35	0.20	33.44	54.86	55.02	323.65	
P18	9/29/2010 15:30:00	33.59	33.35	0.20	33.44	54.87	55.02	323.65	
P18	9/29/2010 15:45:00	33.59	33.34	0.19	33.44	54.87	55.02	323.65	
P18	9/29/2010 16:00:00	33.58	33.33	0.18	33.44	54.88	55.02	323.65	
P18	9/29/2010 16:15:00	33.58	33.32	0.17	33.44	54.88	55.02	323.65	
P18	9/29/2010 16:30:00	33.57	33.32	0.17	33.44	54.89	55.02	323.65	
P18	9/29/2010 16:45:00	33.57	33.31	0.16	33.45	54.89	55.01	323.66	
P18	9/29/2010 17:00:00	33.57	33.30	0.15	33.45	54.89	55.01	323.66	
P18	9/29/2010 17:15:00	33.57	33.30	0.14	33.45	54.90	55.01	323.66	
P18	9/29/2010 17:30:00	33.56	33.29	0.14	33.46	54.90	55.00	323.67	
P18	9/29/2010 17:45:00	33.56	33.29	0.14	33.45	54.90	55.01	323.66	
P18	9/29/2010 18:00:00	33.56	33.29	0.14	33.45	54.90	55.01	323.66	
P18	9/29/2010 18:15:00	33.56	33.29	0.14	33.45	54.90	55.01	323.66	
P18	9/29/2010 18:30:00	33.55	33.29	0.14	33.45	54.91	55.01	323.66	
P18	9/29/2010 18:45:00	33.55	33.29	0.14	33.44	54.91	55.02	323.65	
P18	9/29/2010 19:00:00	33.55	33.29	0.14	33.44	54.91	55.02	323.65	
P18	9/29/2010 19:15:00	33.55	33.29	0.14	33.44	54.91	55.02	323.65	
P18	9/29/2010 19:30:00	33.55	33.29	0.14	33.44	54.91	55.02	323.65	
P18	9/29/2010 19:45:00	33.55	33.29	0.14	33.44	54.91	55.02	323.65	
P18	9/29/2010 20:00:00	33.55	33.29	0.14	33.44	54.91	55.02	323.65	
P18	9/29/2010 20:15:00	33.55	33.29	0.14	33.44	54.91	55.02	323.65	
P18	9/29/2010 20:30:00	33.55	33.29	0.14	33.44	54.91	55.02	323.65	
P18	9/29/2010 20:45:00	33.55	33.29	0.14	33.44	54.91	55.02	323.65	
P18	9/29/2010 21:00:00	33.55	33.29	0.14	33.44	54.91	55.02	323.65	
P18	9/29/2010 21:15:00	33.55	33.29	0.14	33.44	54.91	55.02	323.65	
P18	9/29/2010 21:30:00	33.55	33.29	0.14	33.44	54.91	55.02	323.65	
P18	9/29/2010 21:45:00	33.55	33.29	0.14	33.44	54.91	55.02	323.65	
P18	9/29/2010 22:00:00	33.55	33.29	0.14	33.44	54.91	55.02	323.65	
P18	9/29/2010 22:15:00	33.55	33.29	0.14	33.44	54.91	55.02	323.65	
P18	9/29/2010 22:30:00	33.55	33.29	0.14	33.44	54.91	55.02	323.65	
P18	9/29/2010 22:45:00	33.54	33.29	0.14	33.44	54.92	55.02	323.65	
P18	9/29/2010 23:00:00	33.54	33.29	0.14	33.44	54.92	55.02	323.65	
P18	9/29/2010 23:15:00	33.54	33.29	0.14	33.43	54.92	55.03	323.64	
P18	9/29/2010 23:30:00	33.54	33.29	0.14	33.43	54.92	55.03	323.64	
P18	9/29/2010 23:45:00	33.54	33.29	0.14	33.43	54.93	55.03	323.64	
P18	9/30/2010 0:00:00	33.54	33.29	0.14	33.43	54.93	55.03	323.64	
P18	9/30/2010 0:15:00	33.53	33.29	0.14	33.43	54.93	55.03	323.64	
P18	9/30/2010 0:30:00	33.53	33.29	0.14	33.42	54.93	55.04	323.63	
P18	9/30/2010 0:45:00	33.53	33.29	0.13	33.42	54.93	55.04	323.63	
P18	9/30/2010 1:00:00	33.53	33.29	0.13	33.42	54.94	55.04	323.63	
P18	9/30/2010 1:15:00	33.52	33.29	0.13	33.42	54.94	55.04	323.63	
P18	9/30/2010 1:30:00	33.52	33.29	0.13	33.42	54.94	55.04	323.63	
P18	9/30/2010 1:45:00	33.52	33.28	0.13	33.42	54.94	55.04	323.63	
P18	9/30/2010 2:00:00	33.52	33.28	0.13	33.42	54.94	55.04	323.63	
P18	9/30/2010 2:15:00	33.52	33.28	0.12	33.42	54.94	55.04	323.63	
P18	9/30/2010 2:30:00	33.51	33.27	0.12	33.42	54.95	55.04	323.63	
P18	9/30/2010 2:45:00	33.51	33.27	0.12	33.42	54.95	55.04	323.63	
P18	9/30/2010 3:00:00	33.51	33.27	0.12	33.42	54.95	55.04	323.63	
P18	9/30/2010 3:15:00	33.50	33.26	0.11	33.42	54.96	55.04	323.63	
P18	9/30/2010 3:30:00	33.50	33.26	0.11	33.42	54.96	55.04	323.63	
P18	9/30/2010 3:45:00	33.50	33.26	0.11	33.42	54.96	55.04	323.63	
P18	9/30/2010 4:00:00	33.50	33.25	0.10	33.42	54.96	55.04	323.63	
P18	9/30/2010 4:15:00	33.50	33.25	0.10	33.42	54.97	55.04	323.63	
P18	9/30/2010 4:30:00	33.49	33.25	0.10	33.42	54.97	55.04	323.63	
P18	9/30/2010 4:45:00	33.49	33.25	0.09	33.41	54.97	55.05	323.62	
P18	9/30/2010 5:00:00	33.49	33.24	0.09	33.42	54.97	55.04	323.63	
P18	9/30/2010 5:15:00	33.49	33.24	0.09	33.42	54.97	55.04	323.63	
P18	9/30/2010 5:30:00	33.48	33.24	0.09	33.42	54.98	55.04	323.63	
P18	9/30/2010 5:45:00	33.48	33.24	0.08	33.42	54.98	55.04	323.63	
P18	9/30/2010 6:00:00	33.48	33.23	0.08	33.41	54.98	55.05	323.62	
P18	9/30/2010 6:15:00	33.48	33.23	0.08	33.41	54.98	55.05	323.62	
P18	9/30/2010 6:30:00	33.47	33.23	0.08	33.41	54.99	55.05	323.62	
P18	9/30/2010 6:45:00	33.47	33.23	0.08	33.41	54.99	55.05	323.62	
P18	9/30/2010 7:00:00	33.47	33.23	0.08	33.41	54.99	55.05	323.62	
P18	9/30/2010 7:15:00	33.47	33.23	0.08	33.41	54.99	55.05	323.62	
P18	9/30/2010 7:30:00	33.47	33.23	0.08	33.41	54.99	55.05	323.62	
P18	9/30/2010 7:45:00	33.47	33.23	0.08	33.41	54.99	55.05	323.62	
P18	9/30/2010 8:00:00	33.47	33.23	0.08	33.41	54.99	55.05	323.62	
P18	9/30/2010 8:15:00	33.47	33.23	0.08	33.41	54.99	55.05	323.62	
P18	9/30/2010 8:30:00	33.47	33.23	0.08	33.41	54.99	55.05	323.62	
P18	9/30/2010 8:45:00	33.47	33.23	0.08	33.41	54.99	55.05	323.62	
P18	9/30/2010 9:00:00	33.47	33.23	0.08	33.41	54.99	55.05	323.62	
P18	9/30/2010 9:15:00	33.47	33.23	0.08	33.41	54.99	55.05	323.62	
P18	9/30/2010 9:30:00	33.47	33.23	0.08	33.41	54.99	55.05	323.62	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	9/30/2010 9:45:00	33.47	33.22	0.07	33.41	55.00	55.05	323.62	
P18	9/30/2010 10:00:00	33.47	33.22	0.06	33.41	55.00	55.05	323.62	
P18	9/30/2010 10:15:00	33.46	33.21	0.06	33.42	55.00	55.04	323.63	
P18	9/30/2010 10:30:00	33.46	33.21	0.05	33.42	55.00	55.04	323.63	
P18	9/30/2010 10:45:00	33.46	33.20	0.05	33.42	55.00	55.04	323.63	
P18	9/30/2010 11:00:00	33.46	33.20	0.04	33.42	55.00	55.04	323.63	
P18	9/30/2010 11:15:00	33.46	33.19	0.04	33.42	55.01	55.04	323.63	
P18	9/30/2010 11:30:00	33.45	33.19	0.03	33.43	55.01	55.03	323.64	
P18	9/30/2010 11:45:00	33.45	33.18	0.03	33.43	55.01	55.03	323.64	
P18	9/30/2010 12:00:00	33.45	33.17	0.02	33.43	55.01	55.03	323.64	
P18	9/30/2010 12:15:00	33.44	33.17	0.02	33.43	55.02	55.03	323.64	
P18	9/30/2010 12:30:00	33.44	33.16	0.01	33.43	55.02	55.03	323.64	
P18	9/30/2010 12:45:00	33.43	33.16	0.01	33.43	55.03	55.03	323.64	
P18	9/30/2010 13:00:00	33.43	33.15	0.00	33.43	55.03	55.03	323.64	
P18	9/30/2010 13:15:00	33.43	33.15	0.00	33.43	55.04	55.03	323.64	
P18	9/30/2010 13:30:00	33.42	33.14	-0.01	33.43	55.04	55.03	323.64	
P18	9/30/2010 13:45:00	33.42	33.14	-0.01	33.43	55.04	55.03	323.64	
P18	9/30/2010 14:00:00	33.41	33.13	-0.02	33.42	55.05	55.04	323.63	
P18	9/30/2010 14:15:00	33.40	33.13	-0.02	33.42	55.06	55.04	323.63	
P18	9/30/2010 14:30:00	33.40	33.12	-0.03	33.42	55.06	55.04	323.63	
P18	9/30/2010 14:45:00	33.39	33.11	-0.04	33.42	55.07	55.04	323.63	
P18	9/30/2010 15:00:00	33.39	33.11	-0.04	33.42	55.07	55.04	323.63	
P18	9/30/2010 15:15:00	33.38	33.10	-0.05	33.42	55.08	55.04	323.63	
P18	9/30/2010 15:30:00	33.38	33.10	-0.05	33.42	55.08	55.04	323.63	
P18	9/30/2010 15:45:00	33.38	33.09	-0.06	33.42	55.08	55.04	323.63	
P18	9/30/2010 16:00:00	33.37	33.09	-0.07	33.43	55.09	55.03	323.64	
P18	9/30/2010 16:15:00	33.37	33.08	-0.07	33.42	55.09	55.04	323.63	
P18	9/30/2010 16:30:00	33.37	33.07	-0.08	33.43	55.09	55.03	323.64	
P18	9/30/2010 16:45:00	33.37	33.07	-0.08	33.43	55.09	55.03	323.64	
P18	9/30/2010 17:00:00	33.36	33.06	-0.09	33.43	55.10	55.03	323.64	
P18	9/30/2010 17:15:00	33.36	33.06	-0.10	33.43	55.10	55.03	323.64	
P18	9/30/2010 17:30:00	33.36	33.05	-0.10	33.44	55.10	55.02	323.65	
P18	9/30/2010 17:45:00	33.36	33.05	-0.10	33.43	55.10	55.03	323.64	
P18	9/30/2010 18:00:00	33.36	33.05	-0.10	33.43	55.11	55.03	323.64	
P18	9/30/2010 18:15:00	33.36	33.06	-0.10	33.43	55.11	55.03	323.64	
P18	9/30/2010 18:30:00	33.35	33.06	-0.09	33.43	55.11	55.03	323.64	
P18	9/30/2010 18:45:00	33.35	33.06	-0.09	33.42	55.11	55.04	323.63	
P18	9/30/2010 19:00:00	33.35	33.06	-0.09	33.42	55.11	55.04	323.63	
P18	9/30/2010 19:15:00	33.35	33.06	-0.09	33.42	55.11	55.04	323.63	
P18	9/30/2010 19:30:00	33.35	33.06	-0.09	33.42	55.11	55.04	323.63	
P18	9/30/2010 19:45:00	33.36	33.07	-0.09	33.42	55.11	55.04	323.63	
P18	9/30/2010 20:00:00	33.36	33.07	-0.08	33.42	55.11	55.04	323.63	
P18	9/30/2010 20:15:00	33.36	33.07	-0.08	33.42	55.11	55.04	323.63	
P18	9/30/2010 20:30:00	33.36	33.07	-0.08	33.42	55.11	55.04	323.63	
P18	9/30/2010 20:45:00	33.36	33.07	-0.08	33.42	55.10	55.04	323.63	
P18	9/30/2010 21:00:00	33.36	33.07	-0.08	33.41	55.11	55.05	323.62	
P18	9/30/2010 21:15:00	33.36	33.08	-0.07	33.41	55.11	55.05	323.62	
P18	9/30/2010 21:30:00	33.36	33.08	-0.07	33.41	55.11	55.05	323.62	
P18	9/30/2010 21:45:00	33.36	33.08	-0.07	33.41	55.11	55.05	323.62	
P18	9/30/2010 22:00:00	33.36	33.08	-0.07	33.41	55.11	55.05	323.62	
P18	9/30/2010 22:15:00	33.36	33.09	-0.06	33.40	55.11	55.06	323.61	
P18	9/30/2010 22:30:00	33.36	33.09	-0.06	33.41	55.10	55.05	323.62	
P18	9/30/2010 22:45:00	33.36	33.09	-0.06	33.40	55.10	55.06	323.61	
P18	9/30/2010 23:00:00	33.36	33.10	-0.05	33.40	55.10	55.06	323.61	
P18	9/30/2010 23:15:00	33.36	33.10	-0.05	33.40	55.10	55.06	323.61	
P18	9/30/2010 23:30:00	33.36	33.10	-0.05	33.40	55.10	55.06	323.61	
P18	9/30/2010 23:45:00	33.36	33.11	-0.04	33.40	55.10	55.06	323.61	
P18	10/1/2010 0:00:00	33.36	33.11	-0.04	33.39	55.10	55.07	323.60	
P18	10/1/2010 0:15:00	33.36	33.11	-0.04	33.39	55.10	55.07	323.60	
P18	10/1/2010 0:30:00	33.36	33.12	-0.03	33.39	55.10	55.07	323.60	
P18	10/1/2010 0:45:00	33.36	33.12	-0.03	33.39	55.10	55.07	323.60	
P18	10/1/2010 1:00:00	33.37	33.12	-0.03	33.39	55.09	55.07	323.60	
P18	10/1/2010 1:15:00	33.36	33.13	-0.03	33.38	55.10	55.08	323.59	
P18	10/1/2010 1:30:00	33.36	33.13	-0.02	33.38	55.10	55.08	323.59	
P18	10/1/2010 1:45:00	33.36	33.13	-0.02	33.37	55.10	55.09	323.58	
P18	10/1/2010 2:00:00	33.36	33.14	-0.01	33.37	55.10	55.09	323.58	
P18	10/1/2010 2:15:00	33.36	33.15	0.00	33.37	55.10	55.09	323.58	
P18	10/1/2010 2:30:00	33.36	33.15	0.00	33.36	55.10	55.10	323.57	
P18	10/1/2010 2:45:00	33.36	33.16	0.01	33.36	55.10	55.10	323.57	
P18	10/1/2010 3:00:00	33.36	33.16	0.01	33.35	55.10	55.11	323.56	
P18	10/1/2010 3:15:00	33.37	33.17	0.02	33.35	55.09	55.11	323.56	
P18	10/1/2010 3:30:00	33.37	33.18	0.03	33.35	55.09	55.11	323.56	
P18	10/1/2010 3:45:00	33.37	33.18	0.03	33.35	55.09	55.11	323.56	
P18	10/1/2010 4:00:00	33.38	33.19	0.04	33.35	55.08	55.11	323.56	
P18	10/1/2010 4:15:00	33.38	33.19	0.04	33.34	55.08	55.12	323.55	
P18	10/1/2010 4:30:00	33.38	33.20	0.05	33.34	55.08	55.12	323.55	
P18	10/1/2010 4:45:00	33.39	33.21	0.06	33.34	55.08	55.12	323.55	
P18	10/1/2010 5:00:00	33.39	33.21	0.06	33.34	55.07	55.12	323.55	
P18	10/1/2010 5:15:00	33.39	33.22	0.07	33.34	55.07	55.12	323.55	
P18	10/1/2010 5:30:00	33.40	33.22	0.07	33.34	55.07	55.12	323.55	
P18	10/1/2010 5:45:00	33.40	33.23	0.08	33.34	55.06	55.12	323.55	
P18	10/1/2010 6:00:00	33.40	33.24	0.09	33.34	55.06	55.12	323.55	
P18	10/1/2010 6:15:00	33.41	33.25	0.10	33.33	55.05	55.13	323.54	
P18	10/1/2010 6:30:00	33.41	33.25	0.10	33.33	55.05	55.13	323.54	
P18	10/1/2010 6:45:00	33.42	33.26	0.11	33.33	55.04	55.13	323.54	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	10/1/2010 7:00:00	33.42	33.27	0.12	33.33	55.04	55.13	323.54	
P18	10/1/2010 7:15:00	33.43	33.28	0.13	33.33	55.04	55.13	323.54	
P18	10/1/2010 7:30:00	33.43	33.28	0.13	33.33	55.03	55.13	323.54	
P18	10/1/2010 7:45:00	33.44	33.29	0.14	33.33	55.02	55.13	323.54	
P18	10/1/2010 8:00:00	33.44	33.30	0.15	33.32	55.02	55.14	323.53	
P18	10/1/2010 8:15:00	33.44	33.31	0.16	33.32	55.02	55.14	323.53	
P18	10/1/2010 8:30:00	33.45	33.31	0.16	33.32	55.01	55.14	323.53	
P18	10/1/2010 8:45:00	33.45	33.32	0.17	33.32	55.01	55.14	323.53	
P18	10/1/2010 9:00:00	33.46	33.33	0.18	33.32	55.00	55.14	323.53	
P18	10/1/2010 9:15:00	33.46	33.34	0.19	33.32	55.00	55.14	323.53	
P18	10/1/2010 9:30:00	33.47	33.34	0.19	33.31	55.00	55.15	323.52	
P18	10/1/2010 9:45:00	33.47	33.35	0.20	33.32	54.99	55.14	323.53	
P18	10/1/2010 10:00:00	33.47	33.35	0.20	33.32	54.99	55.14	323.53	
P18	10/1/2010 10:15:00	33.48	33.35	0.20	33.32	54.98	55.14	323.53	
P18	10/1/2010 10:30:00	33.49	33.36	0.20	33.33	54.97	55.13	323.54	
P18	10/1/2010 10:45:00	33.49	33.36	0.21	33.33	54.97	55.13	323.54	
P18	10/1/2010 11:00:00	33.49	33.36	0.21	33.33	54.97	55.13	323.54	
P18	10/1/2010 11:15:00	33.50	33.36	0.21	33.33	54.96	55.13	323.54	
P18	10/1/2010 11:30:00	33.50	33.37	0.22	33.33	54.96	55.13	323.54	
P18	10/1/2010 11:45:00	33.51	33.37	0.22	33.34	54.95	55.12	323.55	
P18	10/1/2010 12:00:00	33.51	33.37	0.22	33.34	54.95	55.12	323.55	
P18	10/1/2010 12:15:00	33.51	33.38	0.22	33.33	54.95	55.13	323.54	
P18	10/1/2010 12:30:00	33.51	33.38	0.23	33.34	54.95	55.12	323.55	
P18	10/1/2010 12:45:00	33.52	33.38	0.23	33.34	54.94	55.12	323.55	
P18	10/1/2010 13:00:00	33.52	33.38	0.23	33.34	54.94	55.12	323.55	
P18	10/1/2010 13:15:00	33.52	33.39	0.24	33.34	54.94	55.12	323.55	
P18	10/1/2010 13:30:00	33.53	33.39	0.24	33.34	54.94	55.12	323.55	
P18	10/1/2010 13:45:00	33.53	33.39	0.24	33.34	54.93	55.12	323.55	
P18	10/1/2010 14:00:00	33.53	33.39	0.24	33.34	54.93	55.12	323.55	
P18	10/1/2010 14:15:00	33.53	33.39	0.24	33.35	54.93	55.11	323.56	
P18	10/1/2010 14:30:00	33.53	33.39	0.24	33.35	54.93	55.11	323.56	
P18	10/1/2010 14:45:00	33.54	33.39	0.24	33.35	54.93	55.11	323.56	
P18	10/1/2010 15:00:00	33.54	33.39	0.24	33.35	54.92	55.11	323.56	
P18	10/1/2010 15:15:00	33.54	33.39	0.24	33.36	54.92	55.10	323.57	
P18	10/1/2010 15:30:00	33.54	33.39	0.23	33.36	54.92	55.10	323.57	
P18	10/1/2010 15:45:00	33.54	33.38	0.23	33.36	54.92	55.10	323.57	
P18	10/1/2010 16:00:00	33.54	33.38	0.23	33.36	54.92	55.10	323.57	
P18	10/1/2010 16:15:00	33.54	33.38	0.23	33.36	54.92	55.10	323.57	
P18	10/1/2010 16:30:00	33.54	33.38	0.23	33.36	54.92	55.10	323.57	
P18	10/1/2010 16:45:00	33.55	33.38	0.23	33.37	54.91	55.09	323.58	
P18	10/1/2010 17:00:00	33.55	33.38	0.23	33.37	54.91	55.09	323.58	
P18	10/1/2010 17:15:00	33.55	33.38	0.23	33.37	54.91	55.09	323.58	
P18	10/1/2010 17:30:00	33.55	33.38	0.23	33.37	54.91	55.09	323.58	
P18	10/1/2010 17:45:00	33.55	33.38	0.23	33.37	54.91	55.09	323.58	
P18	10/1/2010 18:00:00	33.55	33.38	0.23	33.37	54.91	55.09	323.58	
P18	10/1/2010 18:15:00	33.55	33.39	0.24	33.37	54.91	55.09	323.58	
P18	10/1/2010 18:30:00	33.56	33.39	0.24	33.37	54.90	55.09	323.58	
P18	10/1/2010 18:45:00	33.56	33.39	0.24	33.37	54.90	55.09	323.58	
P18	10/1/2010 19:00:00	33.56	33.39	0.24	33.37	54.90	55.09	323.58	
P18	10/1/2010 19:15:00	33.56	33.39	0.24	33.37	54.90	55.09	323.58	
P18	10/1/2010 19:30:00	33.57	33.39	0.24	33.38	54.90	55.08	323.59	
P18	10/1/2010 19:45:00	33.57	33.40	0.25	33.38	54.89	55.08	323.59	
P18	10/1/2010 20:00:00	33.57	33.40	0.25	33.38	54.89	55.08	323.59	
P18	10/1/2010 20:15:00	33.57	33.40	0.25	33.38	54.89	55.08	323.59	
P18	10/1/2010 20:30:00	33.57	33.40	0.25	33.38	54.89	55.08	323.59	
P18	10/1/2010 20:45:00	33.58	33.40	0.25	33.38	54.88	55.08	323.59	
P18	10/1/2010 21:00:00	33.58	33.40	0.25	33.38	54.88	55.08	323.59	
P18	10/1/2010 21:15:00	33.58	33.41	0.26	33.38	54.88	55.08	323.59	
P18	10/1/2010 21:30:00	33.58	33.41	0.26	33.38	54.88	55.08	323.59	
P18	10/1/2010 21:45:00	33.58	33.41	0.26	33.38	54.88	55.08	323.59	
P18	10/1/2010 22:00:00	33.59	33.41	0.26	33.38	54.87	55.08	323.59	
P18	10/1/2010 22:15:00	33.59	33.41	0.26	33.39	54.87	55.07	323.60	
P18	10/1/2010 22:30:00	33.59	33.41	0.26	33.39	54.87	55.07	323.60	
P18	10/1/2010 22:45:00	33.59	33.41	0.26	33.39	54.87	55.07	323.60	
P18	10/1/2010 23:00:00	33.59	33.41	0.26	33.39	54.87	55.07	323.60	
P18	10/1/2010 23:15:00	33.59	33.41	0.26	33.39	54.87	55.07	323.60	
P18	10/1/2010 23:30:00	33.60	33.41	0.26	33.39	54.87	55.07	323.60	
P18	10/1/2010 23:45:00	33.60	33.41	0.26	33.39	54.87	55.07	323.60	
P18	10/2/2010 0:00:00	33.60	33.41	0.26	33.39	54.87	55.07	323.60	
P18	10/2/2010 0:15:00	33.60	33.41	0.26	33.39	54.86	55.07	323.60	
P18	10/2/2010 0:30:00	33.60	33.42	0.26	33.39	54.86	55.07	323.60	
P18	10/2/2010 0:45:00	33.60	33.42	0.27	33.39	54.86	55.07	323.60	
P18	10/2/2010 1:00:00	33.60	33.42	0.27	33.39	54.86	55.07	323.60	
P18	10/2/2010 1:15:00	33.60	33.42	0.27	33.39	54.86	55.07	323.60	
P18	10/2/2010 1:30:00	33.60	33.42	0.27	33.39	54.86	55.07	323.60	
P18	10/2/2010 1:45:00	33.60	33.42	0.27	33.39	54.86	55.07	323.60	
P18	10/2/2010 2:00:00	33.61	33.42	0.27	33.40	54.86	55.06	323.61	
P18	10/2/2010 2:15:00	33.61	33.42	0.27	33.40	54.85	55.06	323.61	
P18	10/2/2010 2:30:00	33.61	33.42	0.27	33.40	54.85	55.06	323.61	
P18	10/2/2010 2:45:00	33.61	33.42	0.27	33.40	54.85	55.06	323.61	
P18	10/2/2010 3:00:00	33.61	33.42	0.27	33.40	54.86	55.06	323.61	
P18	10/2/2010 3:15:00	33.61	33.42	0.27	33.40	54.85	55.06	323.61	
P18	10/2/2010 3:30:00	33.61	33.42	0.27	33.40	54.85	55.06	323.61	
P18	10/2/2010 3:45:00	33.61	33.42	0.27	33.40	54.85	55.06	323.61	
P18	10/2/2010 4:00:00	33.61	33.42	0.27	33.40	54.85	55.06	323.61	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	10/2/2010 4:15:00	33.61	33.42	0.27	33.40	54.85	55.06	323.61	
P18	10/2/2010 4:30:00	33.61	33.42	0.27	33.40	54.85	55.06	323.61	
P18	10/2/2010 4:45:00	33.61	33.42	0.27	33.40	54.85	55.06	323.61	
P18	10/2/2010 5:00:00	33.61	33.42	0.27	33.40	54.85	55.06	323.61	
P18	10/2/2010 5:15:00	33.61	33.42	0.27	33.40	54.85	55.06	323.61	
P18	10/2/2010 5:30:00	33.61	33.42	0.27	33.40	54.85	55.06	323.61	
P18	10/2/2010 5:45:00	33.61	33.42	0.27	33.40	54.85	55.06	323.61	
P18	10/2/2010 6:00:00	33.61	33.42	0.27	33.40	54.85	55.06	323.61	
P18	10/2/2010 6:15:00	33.61	33.42	0.27	33.40	54.85	55.06	323.61	
P18	10/2/2010 6:30:00	33.61	33.42	0.27	33.40	54.85	55.06	323.61	
P18	10/2/2010 6:45:00	33.61	33.42	0.27	33.40	54.85	55.06	323.61	
P18	10/2/2010 7:00:00	33.61	33.42	0.27	33.40	54.85	55.06	323.61	
P18	10/2/2010 7:15:00	33.62	33.42	0.27	33.41	54.84	55.05	323.62	
P18	10/2/2010 7:30:00	33.61	33.42	0.27	33.40	54.85	55.06	323.61	
P18	10/2/2010 7:45:00	33.62	33.42	0.27	33.40	54.84	55.06	323.61	
P18	10/2/2010 8:00:00	33.62	33.42	0.27	33.40	54.84	55.06	323.61	
P18	10/2/2010 8:15:00	33.61	33.42	0.27	33.40	54.85	55.06	323.61	
P18	10/2/2010 8:30:00	33.62	33.42	0.27	33.40	54.84	55.06	323.61	
P18	10/2/2010 8:45:00	33.62	33.42	0.27	33.41	54.84	55.05	323.62	
P18	10/2/2010 9:00:00	33.62	33.42	0.27	33.41	54.84	55.05	323.62	
P18	10/2/2010 9:15:00	33.62	33.42	0.27	33.41	54.84	55.05	323.62	
P18	10/2/2010 9:30:00	33.62	33.43	0.27	33.41	54.84	55.05	323.62	
P18	10/2/2010 9:45:00	33.62	33.42	0.27	33.41	54.84	55.05	323.62	
P18	10/2/2010 10:00:00	33.62	33.42	0.26	33.41	54.84	55.05	323.62	
P18	10/2/2010 10:15:00	33.62	33.41	0.26	33.41	54.84	55.05	323.62	
P18	10/2/2010 10:30:00	33.62	33.41	0.26	33.42	54.84	55.04	323.63	
P18	10/2/2010 10:45:00	33.62	33.40	0.25	33.42	54.84	55.04	323.63	
P18	10/2/2010 11:00:00	33.62	33.40	0.25	33.42	54.84	55.04	323.63	
P18	10/2/2010 11:15:00	33.61	33.39	0.24	33.43	54.85	55.03	323.64	
P18	10/2/2010 11:30:00	33.61	33.39	0.24	33.43	54.85	55.03	323.64	
P18	10/2/2010 11:45:00	33.61	33.38	0.23	33.43	54.85	55.03	323.64	
P18	10/2/2010 12:00:00	33.61	33.38	0.23	33.43	54.85	55.03	323.64	
P18	10/2/2010 12:15:00	33.61	33.37	0.22	33.43	54.86	55.03	323.64	
P18	10/2/2010 12:30:00	33.60	33.37	0.22	33.43	54.86	55.03	323.64	
P18	10/2/2010 12:45:00	33.60	33.37	0.21	33.43	54.86	55.03	323.64	
P18	10/2/2010 13:00:00	33.60	33.36	0.21	33.43	54.87	55.03	323.64	
P18	10/2/2010 13:15:00	33.59	33.36	0.21	33.43	54.87	55.03	323.64	
P18	10/2/2010 13:30:00	33.59	33.35	0.20	33.43	54.87	55.03	323.64	
P18	10/2/2010 13:45:00	33.59	33.35	0.19	33.43	54.87	55.03	323.64	
P18	10/2/2010 14:00:00	33.58	33.34	0.19	33.44	54.88	55.02	323.65	
P18	10/2/2010 14:15:00	33.58	33.33	0.18	33.44	54.88	55.02	323.65	
P18	10/2/2010 14:30:00	33.57	33.33	0.18	33.44	54.89	55.02	323.65	
P18	10/2/2010 14:45:00	33.57	33.32	0.17	33.44	54.89	55.02	323.65	
P18	10/2/2010 15:00:00	33.57	33.32	0.16	33.44	54.89	55.02	323.65	
P18	10/2/2010 15:15:00	33.57	33.31	0.16	33.44	54.90	55.02	323.65	
P18	10/2/2010 15:30:00	33.56	33.30	0.15	33.44	54.90	55.02	323.65	
P18	10/2/2010 15:45:00	33.56	33.30	0.15	33.44	54.90	55.02	323.65	
P18	10/2/2010 16:00:00	33.55	33.29	0.14	33.44	54.91	55.02	323.65	
P18	10/2/2010 16:15:00	33.55	33.29	0.13	33.44	54.91	55.02	323.65	
P18	10/2/2010 16:30:00	33.55	33.28	0.13	33.45	54.91	55.01	323.66	
P18	10/2/2010 16:45:00	33.54	33.27	0.12	33.45	54.92	55.01	323.66	
P18	10/2/2010 17:00:00	33.54	33.27	0.12	33.45	54.92	55.01	323.66	
P18	10/2/2010 17:15:00	33.54	33.26	0.11	33.45	54.93	55.01	323.66	
P18	10/2/2010 17:30:00	33.53	33.26	0.10	33.45	54.93	55.01	323.66	
P18	10/2/2010 17:45:00	33.53	33.25	0.10	33.44	54.94	55.02	323.65	
P18	10/2/2010 18:00:00	33.52	33.25	0.10	33.44	54.94	55.02	323.65	
P18	10/2/2010 18:15:00	33.52	33.25	0.10	33.44	54.94	55.02	323.65	
P18	10/2/2010 18:30:00	33.52	33.25	0.10	33.44	54.94	55.02	323.65	
P18	10/2/2010 18:45:00	33.51	33.25	0.10	33.44	54.95	55.02	323.65	
P18	10/2/2010 19:00:00	33.51	33.25	0.10	33.44	54.95	55.02	323.65	
P18	10/2/2010 19:15:00	33.51	33.25	0.10	33.43	54.95	55.03	323.64	
P18	10/2/2010 19:30:00	33.51	33.25	0.10	33.43	54.95	55.03	323.64	
P18	10/2/2010 19:45:00	33.51	33.24	0.09	33.43	54.95	55.03	323.64	
P18	10/2/2010 20:00:00	33.51	33.24	0.09	33.44	54.95	55.02	323.65	
P18	10/2/2010 20:15:00	33.51	33.24	0.09	33.44	54.95	55.02	323.65	
P18	10/2/2010 20:30:00	33.51	33.24	0.09	33.44	54.95	55.02	323.65	
P18	10/2/2010 20:45:00	33.51	33.24	0.09	33.44	54.95	55.02	323.65	
P18	10/2/2010 21:00:00	33.50	33.24	0.09	33.44	54.96	55.02	323.65	
P18	10/2/2010 21:15:00	33.50	33.24	0.09	33.44	54.96	55.02	323.65	
P18	10/2/2010 21:30:00	33.50	33.24	0.09	33.43	54.96	55.03	323.64	
P18	10/2/2010 21:45:00	33.50	33.24	0.09	33.43	54.96	55.03	323.64	
P18	10/2/2010 22:00:00	33.50	33.24	0.09	33.43	54.96	55.03	323.64	
P18	10/2/2010 22:15:00	33.50	33.24	0.09	33.43	54.96	55.03	323.64	
P18	10/2/2010 22:30:00	33.50	33.24	0.09	33.43	54.96	55.03	323.64	
P18	10/2/2010 22:45:00	33.50	33.24	0.09	33.43	54.96	55.03	323.64	
P18	10/2/2010 23:00:00	33.50	33.24	0.09	33.43	54.96	55.03	323.64	
P18	10/2/2010 23:15:00	33.50	33.24	0.09	33.43	54.96	55.03	323.64	
P18	10/2/2010 23:30:00	33.50	33.24	0.09	33.43	54.96	55.03	323.64	
P18	10/2/2010 23:45:00	33.50	33.24	0.09	33.43	54.96	55.03	323.64	
P18	10/3/2010 0:00:00	33.50	33.24	0.09	33.43	54.96	55.03	323.64	
P18	10/3/2010 0:15:00	33.50	33.24	0.09	33.42	54.96	55.04	323.63	
P18	10/3/2010 0:30:00	33.50	33.24	0.09	33.42	54.97	55.04	323.63	
P18	10/3/2010 0:45:00	33.49	33.25	0.09	33.42	54.97	55.04	323.63	
P18	10/3/2010 1:00:00	33.50	33.25	0.09	33.42	54.97	55.04	323.63	
P18	10/3/2010 1:15:00	33.50	33.25	0.10	33.42	54.97	55.04	323.63	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	10/3/2010 1:30:00	33.49	33.25	0.10	33.42	54.97	55.04	323.63	
P18	10/3/2010 1:45:00	33.50	33.25	0.10	33.42	54.97	55.04	323.63	
P18	10/3/2010 2:00:00	33.49	33.25	0.10	33.42	54.97	55.04	323.63	
P18	10/3/2010 2:15:00	33.50	33.25	0.10	33.42	54.97	55.04	323.63	
P18	10/3/2010 2:30:00	33.50	33.25	0.10	33.42	54.97	55.04	323.63	
P18	10/3/2010 2:45:00	33.49	33.25	0.10	33.42	54.97	55.04	323.63	
P18	10/3/2010 3:00:00	33.49	33.25	0.10	33.41	54.97	55.05	323.62	
P18	10/3/2010 3:15:00	33.49	33.25	0.10	33.41	54.97	55.05	323.62	
P18	10/3/2010 3:30:00	33.49	33.25	0.10	33.41	54.97	55.05	323.62	
P18	10/3/2010 3:45:00	33.49	33.25	0.10	33.41	54.97	55.05	323.62	
P18	10/3/2010 4:00:00	33.49	33.25	0.10	33.41	54.97	55.05	323.62	
P18	10/3/2010 4:15:00	33.49	33.25	0.10	33.41	54.97	55.05	323.62	
P18	10/3/2010 4:30:00	33.49	33.25	0.10	33.41	54.97	55.05	323.62	
P18	10/3/2010 4:45:00	33.48	33.25	0.10	33.41	54.98	55.05	323.62	
P18	10/3/2010 5:00:00	33.48	33.25	0.10	33.41	54.98	55.05	323.62	
P18	10/3/2010 5:15:00	33.48	33.25	0.10	33.41	54.98	55.05	323.62	
P18	10/3/2010 5:30:00	33.49	33.25	0.10	33.41	54.97	55.05	323.62	
P18	10/3/2010 5:45:00	33.49	33.25	0.10	33.41	54.97	55.05	323.62	
P18	10/3/2010 6:00:00	33.49	33.25	0.10	33.41	54.97	55.05	323.62	
P18	10/3/2010 6:15:00	33.49	33.26	0.11	33.40	54.97	55.06	323.61	
P18	10/3/2010 6:30:00	33.49	33.26	0.11	33.40	54.97	55.06	323.61	
P18	10/3/2010 6:45:00	33.49	33.26	0.11	33.40	54.97	55.06	323.61	
P18	10/3/2010 7:00:00	33.49	33.26	0.11	33.40	54.97	55.06	323.61	
P18	10/3/2010 7:15:00	33.49	33.26	0.11	33.40	54.97	55.06	323.61	
P18	10/3/2010 7:30:00	33.49	33.27	0.12	33.40	54.97	55.06	323.61	
P18	10/3/2010 7:45:00	33.49	33.27	0.12	33.40	54.97	55.06	323.61	
P18	10/3/2010 8:00:00	33.49	33.27	0.12	33.40	54.97	55.06	323.61	
P18	10/3/2010 8:15:00	33.49	33.27	0.12	33.39	54.97	55.07	323.60	
P18	10/3/2010 8:30:00	33.49	33.28	0.12	33.39	54.97	55.07	323.60	
P18	10/3/2010 8:45:00	33.49	33.28	0.13	33.39	54.97	55.07	323.60	
P18	10/3/2010 9:00:00	33.50	33.28	0.13	33.39	54.97	55.07	323.60	
P18	10/3/2010 9:15:00	33.50	33.28	0.13	33.39	54.96	55.07	323.60	
P18	10/3/2010 9:30:00	33.50	33.28	0.13	33.39	54.96	55.07	323.60	
P18	10/3/2010 9:45:00	33.50	33.28	0.13	33.40	54.96	55.06	323.61	
P18	10/3/2010 10:00:00	33.50	33.28	0.13	33.40	54.96	55.06	323.61	
P18	10/3/2010 10:15:00	33.50	33.28	0.13	33.40	54.96	55.06	323.61	
P18	10/3/2010 10:30:00	33.50	33.28	0.13	33.40	54.96	55.06	323.61	
P18	10/3/2010 10:45:00	33.50	33.28	0.13	33.40	54.96	55.06	323.61	
P18	10/3/2010 11:00:00	33.50	33.29	0.13	33.40	54.96	55.06	323.61	
P18	10/3/2010 11:15:00	33.50	33.29	0.13	33.40	54.96	55.06	323.61	
P18	10/3/2010 11:30:00	33.50	33.29	0.13	33.40	54.96	55.06	323.61	
P18	10/3/2010 11:45:00	33.50	33.29	0.13	33.40	54.96	55.06	323.61	
P18	10/3/2010 12:00:00	33.51	33.29	0.13	33.40	54.95	55.06	323.61	
P18	10/3/2010 12:15:00	33.51	33.29	0.14	33.40	54.95	55.06	323.61	
P18	10/3/2010 12:30:00	33.51	33.29	0.14	33.40	54.95	55.06	323.61	
P18	10/3/2010 12:45:00	33.51	33.29	0.14	33.40	54.95	55.06	323.61	
P18	10/3/2010 13:00:00	33.51	33.29	0.14	33.40	54.95	55.06	323.61	
P18	10/3/2010 13:15:00	33.51	33.29	0.14	33.40	54.95	55.06	323.61	
P18	10/3/2010 13:30:00	33.50	33.29	0.14	33.40	54.96	55.06	323.61	
P18	10/3/2010 13:45:00	33.50	33.29	0.13	33.40	54.96	55.06	323.61	
P18	10/3/2010 14:00:00	33.50	33.28	0.13	33.40	54.96	55.06	323.61	
P18	10/3/2010 14:15:00	33.50	33.28	0.13	33.40	54.96	55.06	323.61	
P18	10/3/2010 14:30:00	33.50	33.28	0.13	33.40	54.96	55.06	323.61	
P18	10/3/2010 14:45:00	33.50	33.28	0.13	33.40	54.96	55.06	323.61	
P18	10/3/2010 15:00:00	33.50	33.28	0.13	33.40	54.96	55.06	323.61	
P18	10/3/2010 15:15:00	33.50	33.28	0.13	33.40	54.96	55.06	323.61	
P18	10/3/2010 15:30:00	33.50	33.28	0.13	33.40	54.96	55.06	323.61	
P18	10/3/2010 15:45:00	33.50	33.28	0.13	33.40	54.96	55.06	323.61	
P18	10/3/2010 16:00:00	33.50	33.28	0.12	33.40	54.97	55.06	323.61	
P18	10/3/2010 16:15:00	33.50	33.27	0.12	33.40	54.97	55.06	323.61	
P18	10/3/2010 16:30:00	33.50	33.27	0.12	33.40	54.97	55.06	323.61	
P18	10/3/2010 16:45:00	33.49	33.27	0.12	33.40	54.97	55.06	323.61	
P18	10/3/2010 17:00:00	33.50	33.27	0.12	33.40	54.97	55.06	323.61	
P18	10/3/2010 17:15:00	33.50	33.27	0.12	33.40	54.97	55.06	323.61	
P18	10/3/2010 17:30:00	33.50	33.27	0.12	33.40	54.97	55.06	323.61	
P18	10/3/2010 17:45:00	33.50	33.27	0.12	33.40	54.97	55.06	323.61	
P18	10/3/2010 18:00:00	33.50	33.27	0.12	33.40	54.97	55.06	323.61	
P18	10/3/2010 18:15:00	33.50	33.28	0.13	33.40	54.97	55.06	323.61	
P18	10/3/2010 18:30:00	33.49	33.28	0.13	33.39	54.97	55.07	323.60	
P18	10/3/2010 18:45:00	33.50	33.28	0.13	33.39	54.97	55.07	323.60	
P18	10/3/2010 19:00:00	33.50	33.29	0.13	33.39	54.97	55.07	323.60	
P18	10/3/2010 19:15:00	33.50	33.29	0.14	33.39	54.96	55.07	323.60	
P18	10/3/2010 19:30:00	33.50	33.29	0.14	33.39	54.96	55.07	323.60	
P18	10/3/2010 19:45:00	33.50	33.29	0.14	33.39	54.96	55.07	323.60	
P18	10/3/2010 20:00:00	33.50	33.30	0.15	33.39	54.96	55.07	323.60	
P18	10/3/2010 20:15:00	33.51	33.30	0.15	33.39	54.95	55.07	323.60	
P18	10/3/2010 20:30:00	33.51	33.30	0.15	33.39	54.95	55.07	323.60	
P18	10/3/2010 20:45:00	33.51	33.31	0.15	33.39	54.95	55.07	323.60	
P18	10/3/2010 21:00:00	33.51	33.31	0.16	33.39	54.95	55.07	323.60	
P18	10/3/2010 21:15:00	33.52	33.31	0.16	33.39	54.94	55.07	323.60	
P18	10/3/2010 21:30:00	33.52	33.31	0.16	33.39	54.94	55.07	323.60	
P18	10/3/2010 21:45:00	33.52	33.32	0.17	33.39	54.94	55.07	323.60	
P18	10/3/2010 22:00:00	33.52	33.32	0.17	33.39	54.94	55.07	323.60	
P18	10/3/2010 22:15:00	33.52	33.33	0.17	33.39	54.94	55.07	323.60	
P18	10/3/2010 22:30:00	33.52	33.33	0.18	33.38	54.94	55.08	323.59	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	10/3/2010 22:45:00	33.53	33.33	0.18	33.38	54.94	55.08	323.59	
P18	10/3/2010 23:00:00	33.53	33.34	0.19	33.38	54.93	55.08	323.59	
P18	10/3/2010 23:15:00	33.53	33.34	0.19	33.38	54.93	55.08	323.59	
P18	10/3/2010 23:30:00	33.53	33.34	0.19	33.38	54.93	55.08	323.59	
P18	10/3/2010 23:45:00	33.53	33.35	0.20	33.38	54.93	55.08	323.59	
P18	10/4/2010 0:00:00	33.54	33.35	0.20	33.38	54.93	55.08	323.59	
P18	10/4/2010 0:15:00	33.54	33.35	0.20	33.38	54.93	55.08	323.59	
P18	10/4/2010 0:30:00	33.54	33.36	0.21	33.37	54.93	55.09	323.58	
P18	10/4/2010 0:45:00	33.54	33.36	0.21	33.37	54.92	55.09	323.58	
P18	10/4/2010 1:00:00	33.54	33.37	0.21	33.37	54.92	55.09	323.58	
P18	10/4/2010 1:15:00	33.54	33.37	0.22	33.37	54.92	55.09	323.58	
P18	10/4/2010 1:30:00	33.54	33.37	0.22	33.37	54.92	55.09	323.58	
P18	10/4/2010 1:45:00	33.54	33.38	0.23	33.37	54.92	55.09	323.58	
P18	10/4/2010 2:00:00	33.54	33.38	0.23	33.36	54.92	55.10	323.57	
P18	10/4/2010 2:15:00	33.54	33.38	0.23	33.36	54.92	55.10	323.57	
P18	10/4/2010 2:30:00	33.55	33.39	0.24	33.36	54.91	55.10	323.57	
P18	10/4/2010 2:45:00	33.55	33.39	0.24	33.36	54.91	55.10	323.57	
P18	10/4/2010 3:00:00	33.55	33.39	0.24	33.36	54.91	55.10	323.57	
P18	10/4/2010 3:15:00	33.55	33.40	0.25	33.36	54.91	55.10	323.57	
P18	10/4/2010 3:30:00	33.55	33.40	0.25	33.36	54.91	55.10	323.57	
P18	10/4/2010 3:45:00	33.55	33.40	0.25	33.35	54.91	55.11	323.56	
P18	10/4/2010 4:00:00	33.55	33.41	0.26	33.35	54.91	55.11	323.56	
P18	10/4/2010 4:15:00	33.55	33.41	0.26	33.35	54.91	55.11	323.56	
P18	10/4/2010 4:30:00	33.56	33.41	0.26	33.35	54.90	55.11	323.56	
P18	10/4/2010 4:45:00	33.56	33.42	0.27	33.35	54.90	55.11	323.56	
P18	10/4/2010 5:00:00	33.56	33.42	0.27	33.35	54.90	55.11	323.56	
P18	10/4/2010 5:15:00	33.56	33.42	0.27	33.35	54.90	55.11	323.56	
P18	10/4/2010 5:30:00	33.56	33.43	0.28	33.35	54.90	55.11	323.56	
P18	10/4/2010 5:45:00	33.56	33.43	0.28	33.35	54.90	55.11	323.56	
P18	10/4/2010 6:00:00	33.57	33.43	0.28	33.34	54.90	55.12	323.55	
P18	10/4/2010 6:15:00	33.57	33.44	0.29	33.34	54.90	55.12	323.55	
P18	10/4/2010 6:30:00	33.57	33.44	0.29	33.34	54.89	55.12	323.55	
P18	10/4/2010 6:45:00	33.57	33.45	0.30	33.34	54.89	55.12	323.55	
P18	10/4/2010 7:00:00	33.57	33.45	0.30	33.34	54.89	55.12	323.55	
P18	10/4/2010 7:15:00	33.58	33.46	0.30	33.34	54.88	55.12	323.55	
P18	10/4/2010 7:30:00	33.58	33.46	0.31	33.34	54.88	55.12	323.55	
P18	10/4/2010 7:45:00	33.58	33.46	0.31	33.34	54.88	55.12	323.55	
P18	10/4/2010 8:00:00	33.59	33.47	0.32	33.34	54.87	55.12	323.55	
P18	10/4/2010 8:15:00	33.59	33.47	0.32	33.34	54.87	55.12	323.55	
P18	10/4/2010 8:30:00	33.59	33.48	0.33	33.34	54.87	55.12	323.55	
P18	10/4/2010 8:45:00	33.60	33.48	0.33	33.34	54.87	55.12	323.55	
P18	10/4/2010 9:00:00	33.60	33.49	0.33	33.34	54.86	55.12	323.55	
P18	10/4/2010 9:15:00	33.60	33.49	0.34	33.34	54.86	55.12	323.55	
P18	10/4/2010 9:30:00	33.61	33.49	0.34	33.34	54.86	55.12	323.55	
P18	10/4/2010 9:45:00	33.61	33.49	0.34	33.34	54.85	55.12	323.55	
P18	10/4/2010 10:00:00	33.61	33.49	0.34	33.35	54.85	55.11	323.56	
P18	10/4/2010 10:15:00	33.61	33.49	0.34	33.35	54.85	55.11	323.56	
P18	10/4/2010 10:30:00	33.61	33.49	0.34	33.35	54.85	55.11	323.56	
P18	10/4/2010 10:45:00	33.61	33.49	0.34	33.35	54.85	55.11	323.56	
P18	10/4/2010 11:00:00	33.62	33.49	0.34	33.35	54.84	55.11	323.56	
P18	10/4/2010 11:15:00	33.62	33.49	0.34	33.36	54.84	55.10	323.57	
P18	10/4/2010 11:30:00	33.62	33.49	0.34	33.36	54.84	55.10	323.57	
P18	10/4/2010 11:45:00	33.63	33.49	0.34	33.36	54.83	55.10	323.57	
P18	10/4/2010 12:00:00	33.63	33.49	0.34	33.36	54.83	55.10	323.57	
P18	10/4/2010 12:15:00	33.63	33.49	0.34	33.36	54.83	55.10	323.57	
P18	10/4/2010 12:30:00	33.63	33.49	0.34	33.37	54.83	55.09	323.58	
P18	10/4/2010 12:45:00	33.64	33.49	0.34	33.37	54.83	55.09	323.58	
P18	10/4/2010 13:00:00	33.64	33.49	0.34	33.37	54.83	55.09	323.58	
P18	10/4/2010 13:15:00	33.64	33.49	0.34	33.37	54.83	55.09	323.58	
P18	10/4/2010 13:30:00	33.64	33.49	0.34	33.38	54.82	55.08	323.59	
P18	10/4/2010 13:45:00	33.64	33.49	0.34	33.38	54.82	55.08	323.59	
P18	10/4/2010 14:00:00	33.64	33.49	0.34	33.38	54.82	55.08	323.59	
P18	10/4/2010 14:15:00	33.64	33.49	0.34	33.38	54.82	55.08	323.59	
P18	10/4/2010 14:30:00	33.64	33.49	0.34	33.38	54.82	55.08	323.59	
P18	10/4/2010 14:45:00	33.64	33.49	0.34	33.38	54.82	55.08	323.59	
P18	10/4/2010 15:00:00	33.65	33.49	0.34	33.38	54.81	55.08	323.59	
P18	10/4/2010 15:15:00	33.65	33.49	0.34	33.38	54.81	55.08	323.59	
P18	10/4/2010 15:30:00	33.65	33.49	0.34	33.38	54.81	55.08	323.59	
P18	10/4/2010 15:45:00	33.65	33.49	0.34	33.39	54.81	55.07	323.60	
P18	10/4/2010 16:00:00	33.65	33.49	0.34	33.39	54.81	55.07	323.60	
P18	10/4/2010 16:15:00	33.66	33.49	0.34	33.39	54.80	55.07	323.60	
P18	10/4/2010 16:30:00	33.66	33.49	0.34	33.39	54.80	55.07	323.60	
P18	10/4/2010 16:45:00	33.66	33.49	0.34	33.40	54.80	55.06	323.61	
P18	10/4/2010 17:00:00	33.67	33.49	0.34	33.40	54.80	55.06	323.61	
P18	10/4/2010 17:15:00	33.67	33.49	0.34	33.40	54.79	55.06	323.61	
P18	10/4/2010 17:30:00	33.67	33.50	0.34	33.40	54.79	55.06	323.61	
P18	10/4/2010 17:45:00	33.67	33.50	0.35	33.40	54.79	55.06	323.61	
P18	10/4/2010 18:00:00	33.67	33.51	0.36	33.40	54.79	55.06	323.61	
P18	10/4/2010 18:15:00	33.68	33.51	0.36	33.40	54.78	55.06	323.61	
P18	10/4/2010 18:30:00	33.68	33.52	0.37	33.40	54.78	55.06	323.61	
P18	10/4/2010 18:45:00	33.68	33.52	0.37	33.39	54.78	55.07	323.60	
P18	10/4/2010 19:00:00	33.69	33.53	0.38	33.39	54.77	55.07	323.60	
P18	10/4/2010 19:15:00	33.69	33.53	0.38	33.39	54.77	55.07	323.60	
P18	10/4/2010 19:30:00	33.69	33.54	0.39	33.39	54.77	55.07	323.60	
P18	10/4/2010 19:45:00	33.70	33.54	0.39	33.39	54.76	55.07	323.60	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	10/4/2010 20:00:00	33.70	33.55	0.40	33.39	54.76	55.07	323.60	
P18	10/4/2010 20:15:00	33.71	33.56	0.40	33.39	54.75	55.07	323.60	
P18	10/4/2010 20:30:00	33.71	33.56	0.41	33.39	54.75	55.07	323.60	
P18	10/4/2010 20:45:00	33.72	33.57	0.42	33.39	54.74	55.07	323.60	
P18	10/4/2010 21:00:00	33.72	33.57	0.42	33.39	54.74	55.07	323.60	
P18	10/4/2010 21:15:00	33.73	33.58	0.43	33.39	54.73	55.07	323.60	
P18	10/4/2010 21:30:00	33.73	33.58	0.43	33.39	54.73	55.07	323.60	
P18	10/4/2010 21:45:00	33.73	33.59	0.44	33.39	54.73	55.07	323.60	
P18	10/4/2010 22:00:00	33.74	33.59	0.44	33.39	54.73	55.07	323.60	
P18	10/4/2010 22:15:00	33.74	33.60	0.45	33.39	54.72	55.07	323.60	
P18	10/4/2010 22:30:00	33.75	33.61	0.45	33.39	54.72	55.07	323.60	
P18	10/4/2010 22:45:00	33.75	33.61	0.46	33.39	54.71	55.07	323.60	
P18	10/4/2010 23:00:00	33.75	33.62	0.47	33.39	54.71	55.07	323.60	
P18	10/4/2010 23:15:00	33.76	33.62	0.47	33.39	54.70	55.07	323.60	
P18	10/4/2010 23:30:00	33.76	33.63	0.48	33.39	54.70	55.07	323.60	
P18	10/4/2010 23:45:00	33.76	33.63	0.48	33.39	54.70	55.07	323.60	
P18	10/5/2010 0:00:00	33.77	33.64	0.49	33.39	54.69	55.07	323.60	
P18	10/5/2010 0:15:00	33.77	33.64	0.49	33.39	54.69	55.07	323.60	
P18	10/5/2010 0:30:00	33.77	33.65	0.50	33.38	54.69	55.08	323.59	
P18	10/5/2010 0:45:00	33.78	33.66	0.50	33.38	54.69	55.08	323.59	
P18	10/5/2010 1:00:00	33.78	33.66	0.51	33.38	54.68	55.08	323.59	
P18	10/5/2010 1:15:00	33.78	33.67	0.52	33.38	54.68	55.08	323.59	
P18	10/5/2010 1:30:00	33.78	33.67	0.52	33.38	54.68	55.08	323.59	
P18	10/5/2010 1:45:00	33.79	33.68	0.53	33.38	54.67	55.08	323.59	
P18	10/5/2010 2:00:00	33.79	33.69	0.53	33.37	54.67	55.09	323.58	
P18	10/5/2010 2:15:00	33.80	33.69	0.54	33.37	54.66	55.09	323.58	
P18	10/5/2010 2:30:00	33.80	33.70	0.55	33.37	54.66	55.09	323.58	
P18	10/5/2010 2:45:00	33.80	33.71	0.55	33.37	54.66	55.09	323.58	
P18	10/5/2010 3:00:00	33.81	33.71	0.56	33.37	54.66	55.09	323.58	
P18	10/5/2010 3:15:00	33.81	33.72	0.57	33.37	54.65	55.09	323.58	
P18	10/5/2010 3:30:00	33.82	33.73	0.58	33.37	54.65	55.09	323.58	
P18	10/5/2010 3:45:00	33.82	33.73	0.58	33.37	54.64	55.09	323.58	
P18	10/5/2010 4:00:00	33.82	33.74	0.59	33.36	54.64	55.10	323.57	
P18	10/5/2010 4:15:00	33.82	33.75	0.60	33.36	54.64	55.10	323.57	
P18	10/5/2010 4:30:00	33.83	33.75	0.60	33.36	54.63	55.10	323.57	
P18	10/5/2010 4:45:00	33.84	33.76	0.61	33.36	54.62	55.10	323.57	
P18	10/5/2010 5:00:00	33.84	33.77	0.62	33.36	54.62	55.10	323.57	
P18	10/5/2010 5:15:00	33.84	33.77	0.62	33.36	54.62	55.10	323.57	
P18	10/5/2010 5:30:00	33.85	33.78	0.63	33.36	54.61	55.10	323.57	
P18	10/5/2010 5:45:00	33.85	33.79	0.63	33.36	54.61	55.10	323.57	
P18	10/5/2010 6:00:00	33.85	33.79	0.64	33.36	54.61	55.10	323.57	
P18	10/5/2010 6:15:00	33.86	33.80	0.64	33.35	54.60	55.11	323.56	
P18	10/5/2010 6:30:00	33.86	33.80	0.65	33.35	54.60	55.11	323.56	
P18	10/5/2010 6:45:00	33.86	33.81	0.65	33.35	54.60	55.11	323.56	
P18	10/5/2010 7:00:00	33.87	33.81	0.66	33.35	54.59	55.11	323.56	
P18	10/5/2010 7:15:00	33.87	33.82	0.66	33.35	54.59	55.11	323.56	
P18	10/5/2010 7:30:00	33.88	33.82	0.67	33.35	54.59	55.11	323.56	
P18	10/5/2010 7:45:00	33.88	33.83	0.68	33.35	54.58	55.11	323.56	
P18	10/5/2010 8:00:00	33.89	33.83	0.68	33.35	54.58	55.11	323.56	
P18	10/5/2010 8:15:00	33.89	33.84	0.69	33.35	54.57	55.11	323.56	
P18	10/5/2010 8:30:00	33.89	33.84	0.69	33.36	54.57	55.10	323.57	
P18	10/5/2010 8:45:00	33.90	33.85	0.70	33.36	54.56	55.10	323.57	
P18	10/5/2010 9:00:00	33.90	33.85	0.70	33.36	54.56	55.10	323.57	
P18	10/5/2010 9:15:00	33.91	33.86	0.71	33.36	54.55	55.10	323.57	
P18	10/5/2010 9:30:00	33.91	33.86	0.71	33.36	54.55	55.10	323.57	
P18	10/5/2010 9:45:00	33.92	33.86	0.71	33.36	54.55	55.10	323.57	
P18	10/5/2010 10:00:00	33.92	33.85	0.70	33.37	54.54	55.09	323.58	
P18	10/5/2010 10:15:00	33.92	33.85	0.70	33.38	54.54	55.08	323.59	
P18	10/5/2010 10:30:00	33.92	33.84	0.69	33.38	54.54	55.08	323.59	
P18	10/5/2010 10:45:00	33.92	33.84	0.69	33.39	54.54	55.07	323.60	
P18	10/5/2010 11:00:00	33.92	33.84	0.69	33.39	54.54	55.07	323.60	
P18	10/5/2010 11:15:00	33.93	33.83	0.68	33.40	54.53	55.06	323.61	
P18	10/5/2010 11:30:00	33.93	33.83	0.68	33.40	54.53	55.06	323.61	
P18	10/5/2010 11:45:00	33.93	33.82	0.67	33.40	54.53	55.06	323.61	
P18	10/5/2010 12:00:00	33.93	33.82	0.67	33.41	54.53	55.05	323.62	
P18	10/5/2010 12:15:00	33.93	33.81	0.66	33.41	54.53	55.05	323.62	
P18	10/5/2010 12:30:00	33.93	33.81	0.66	33.42	54.53	55.04	323.63	
P18	10/5/2010 12:45:00	33.93	33.81	0.65	33.42	54.53	55.04	323.63	
P18	10/5/2010 13:00:00	33.93	33.80	0.65	33.42	54.53	55.04	323.63	
P18	10/5/2010 13:15:00	33.93	33.80	0.65	33.42	54.53	55.04	323.63	
P18	10/5/2010 13:30:00	33.92	33.79	0.64	33.42	54.54	55.04	323.63	
P18	10/5/2010 13:45:00	33.92	33.79	0.64	33.43	54.54	55.03	323.64	
P18	10/5/2010 14:00:00	33.92	33.78	0.63	33.43	54.54	55.03	323.64	
P18	10/5/2010 14:15:00	33.91	33.77	0.62	33.42	54.55	55.04	323.63	
P18	10/5/2010 14:30:00	33.91	33.77	0.62	33.43	54.55	55.03	323.64	
P18	10/5/2010 14:45:00	33.91	33.76	0.61	33.43	54.55	55.03	323.64	
P18	10/5/2010 15:00:00	33.90	33.76	0.60	33.43	54.56	55.03	323.64	
P18	10/5/2010 15:15:00	33.90	33.75	0.60	33.44	54.56	55.02	323.65	
P18	10/5/2010 15:30:00	33.90	33.74	0.59	33.44	54.56	55.02	323.65	
P18	10/5/2010 15:45:00	33.90	33.74	0.59	33.44	54.56	55.02	323.65	
P18	10/5/2010 16:00:00	33.90	33.73	0.58	33.45	54.56	55.01	323.66	
P18	10/5/2010 16:15:00	33.90	33.72	0.57	33.45	54.56	55.01	323.66	
P18	10/5/2010 16:30:00	33.90	33.72	0.57	33.46	54.56	55.00	323.67	
P18	10/5/2010 16:45:00	33.90	33.71	0.56	33.46	54.56	55.00	323.67	
P18	10/5/2010 17:00:00	33.90	33.70	0.55	33.46	54.56	55.00	323.67	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	10/5/2010 17:15:00	33.90	33.70	0.55	33.47	54.56	54.99	323.68	
P18	10/5/2010 17:30:00	33.89	33.69	0.54	33.47	54.57	54.99	323.68	
P18	10/5/2010 17:45:00	33.89	33.69	0.54	33.47	54.57	54.99	323.68	
P18	10/5/2010 18:00:00	33.89	33.69	0.54	33.47	54.57	54.99	323.68	
P18	10/5/2010 18:15:00	33.89	33.69	0.54	33.47	54.57	54.99	323.68	
P18	10/5/2010 18:30:00	33.89	33.69	0.54	33.47	54.57	54.99	323.68	
P18	10/5/2010 18:45:00	33.89	33.69	0.54	33.47	54.57	54.99	323.68	
P18	10/5/2010 19:00:00	33.89	33.69	0.54	33.47	54.57	54.99	323.68	
P18	10/5/2010 19:15:00	33.89	33.69	0.53	33.47	54.57	54.99	323.68	
P18	10/5/2010 19:30:00	33.89	33.68	0.53	33.47	54.57	54.99	323.68	
P18	10/5/2010 19:45:00	33.89	33.68	0.53	33.47	54.57	54.99	323.68	
P18	10/5/2010 20:00:00	33.89	33.68	0.53	33.47	54.58	54.99	323.68	
P18	10/5/2010 20:15:00	33.88	33.68	0.53	33.47	54.58	54.99	323.68	
P18	10/5/2010 20:30:00	33.88	33.68	0.53	33.47	54.58	54.99	323.68	
P18	10/5/2010 20:45:00	33.88	33.68	0.53	33.47	54.58	54.99	323.68	
P18	10/5/2010 21:00:00	33.88	33.68	0.53	33.47	54.58	54.99	323.68	
P18	10/5/2010 21:15:00	33.88	33.68	0.53	33.47	54.58	54.99	323.68	
P18	10/5/2010 21:30:00	33.88	33.68	0.53	33.47	54.58	54.99	323.68	
P18	10/5/2010 21:45:00	33.88	33.67	0.52	33.47	54.58	54.99	323.68	
P18	10/5/2010 22:00:00	33.88	33.67	0.52	33.47	54.59	54.99	323.68	
P18	10/5/2010 22:15:00	33.87	33.67	0.52	33.46	54.59	55.00	323.67	
P18	10/5/2010 22:30:00	33.87	33.67	0.52	33.46	54.59	55.00	323.67	
P18	10/5/2010 22:45:00	33.87	33.66	0.51	33.47	54.59	54.99	323.68	
P18	10/5/2010 23:00:00	33.86	33.66	0.51	33.46	54.60	55.00	323.67	
P18	10/5/2010 23:15:00	33.86	33.66	0.51	33.46	54.60	55.00	323.67	
P18	10/5/2010 23:30:00	33.86	33.66	0.51	33.46	54.60	55.00	323.67	
P18	10/5/2010 23:45:00	33.85	33.66	0.50	33.46	54.61	55.00	323.67	
P18	10/6/2010 0:00:00	33.85	33.65	0.50	33.46	54.61	55.00	323.67	
P18	10/6/2010 0:15:00	33.85	33.65	0.50	33.46	54.61	55.00	323.67	
P18	10/6/2010 0:30:00	33.84	33.65	0.50	33.45	54.62	55.01	323.66	
P18	10/6/2010 0:45:00	33.84	33.65	0.50	33.45	54.62	55.01	323.66	
P18	10/6/2010 1:00:00	33.84	33.64	0.49	33.45	54.62	55.01	323.66	
P18	10/6/2010 1:15:00	33.83	33.64	0.49	33.45	54.63	55.01	323.66	
P18	10/6/2010 1:30:00	33.83	33.64	0.49	33.45	54.63	55.01	323.66	
P18	10/6/2010 1:45:00	33.83	33.64	0.49	33.45	54.63	55.01	323.66	
P18	10/6/2010 2:00:00	33.82	33.64	0.48	33.44	54.64	55.02	323.65	
P18	10/6/2010 2:15:00	33.82	33.63	0.48	33.44	54.64	55.02	323.65	
P18	10/6/2010 2:30:00	33.81	33.63	0.48	33.44	54.65	55.02	323.65	
P18	10/6/2010 2:45:00	33.81	33.63	0.48	33.44	54.65	55.02	323.65	
P18	10/6/2010 3:00:00	33.81	33.63	0.48	33.44	54.65	55.02	323.65	
P18	10/6/2010 3:15:00	33.80	33.62	0.47	33.43	54.66	55.03	323.64	
P18	10/6/2010 3:30:00	33.80	33.62	0.47	33.43	54.66	55.03	323.64	
P18	10/6/2010 3:45:00	33.80	33.62	0.47	33.43	54.66	55.03	323.64	
P18	10/6/2010 4:00:00	33.79	33.62	0.47	33.43	54.67	55.03	323.64	
P18	10/6/2010 4:15:00	33.79	33.62	0.46	33.43	54.67	55.03	323.64	
P18	10/6/2010 4:30:00	33.78	33.61	0.46	33.42	54.68	55.04	323.63	
P18	10/6/2010 4:45:00	33.78	33.61	0.46	33.42	54.68	55.04	323.63	
P18	10/6/2010 5:00:00	33.78	33.61	0.46	33.42	54.68	55.04	323.63	
P18	10/6/2010 5:15:00	33.78	33.61	0.46	33.42	54.69	55.04	323.63	
P18	10/6/2010 5:30:00	33.78	33.60	0.45	33.42	54.69	55.04	323.63	
P18	10/6/2010 5:45:00	33.77	33.60	0.45	33.42	54.69	55.04	323.63	
P18	10/6/2010 6:00:00	33.77	33.59	0.44	33.42	54.69	55.04	323.63	
P18	10/6/2010 6:15:00	33.77	33.59	0.44	33.42	54.69	55.04	323.63	
P18	10/6/2010 6:30:00	33.76	33.58	0.43	33.43	54.70	55.03	323.64	
P18	10/6/2010 6:45:00	33.76	33.58	0.43	33.43	54.70	55.03	323.64	
P18	10/6/2010 7:00:00	33.75	33.57	0.42	33.42	54.71	55.04	323.63	
P18	10/6/2010 7:15:00	33.75	33.57	0.42	33.43	54.71	55.03	323.64	
P18	10/6/2010 7:30:00	33.75	33.56	0.41	33.42	54.71	55.04	323.63	
P18	10/6/2010 7:45:00	33.74	33.56	0.41	33.42	54.72	55.04	323.63	
P18	10/6/2010 8:00:00	33.74	33.55	0.40	33.43	54.72	55.03	323.64	
P18	10/6/2010 8:15:00	33.74	33.55	0.40	33.43	54.72	55.03	323.64	
P18	10/6/2010 8:30:00	33.73	33.54	0.39	33.43	54.73	55.03	323.64	
P18	10/6/2010 8:45:00	33.61	33.54	0.39	33.31	54.85	55.15	323.52	
P18	10/6/2010 9:00:00	33.79	33.53	0.38	33.49	54.67	54.97	323.70	
P18	10/6/2010 9:15:00	33.79	33.53	0.38	33.49	54.67	54.97	323.70	
P18	10/6/2010 9:30:00	33.78	33.52	0.37	33.49	54.68	54.97	323.70	
P18	10/6/2010 9:45:00	33.78	33.51	0.36	33.49	54.68	54.97	323.70	
P18	10/6/2010 10:00:00	33.77	33.50	0.35	33.50	54.69	54.96	323.71	
P18	10/6/2010 10:15:00	33.77	33.49	0.34	33.51	54.69	54.95	323.72	
P18	10/6/2010 10:30:00	33.77	33.48	0.33	33.51	54.69	54.95	323.72	
P18	10/6/2010 10:45:00	33.77	33.47	0.32	33.52	54.69	54.94	323.73	
P18	10/6/2010 11:00:00	33.76	33.46	0.31	33.52	54.70	54.94	323.73	
P18	10/6/2010 11:15:00	33.76	33.45	0.30	33.53	54.70	54.93	323.74	
P18	10/6/2010 11:30:00	33.75	33.44	0.29	33.53	54.71	54.93	323.74	
P18	10/6/2010 11:45:00	33.75	33.43	0.28	33.54	54.71	54.92	323.75	
P18	10/6/2010 12:00:00	33.75	33.42	0.26	33.54	54.72	54.92	323.75	
P18	10/6/2010 12:15:00	33.74	33.40	0.25	33.54	54.72	54.92	323.75	
P18	10/6/2010 12:30:00	33.73	33.39	0.24	33.54	54.73	54.92	323.75	
P18	10/6/2010 12:45:00	33.73	33.38	0.23	33.55	54.73	54.91	323.76	
P18	10/6/2010 13:00:00	33.72	33.37	0.22	33.55	54.74	54.91	323.76	
P18	10/6/2010 13:15:00	33.72	33.36	0.21	33.55	54.74	54.91	323.76	
P18	10/6/2010 13:30:00	33.71	33.35	0.20	33.55	54.75	54.91	323.76	
P18	10/6/2010 13:45:00	33.70	33.34	0.19	33.56	54.76	54.90	323.77	
P18	10/6/2010 14:00:00	33.69	33.33	0.18	33.55	54.77	54.91	323.76	
P18	10/6/2010 14:15:00	33.68	33.32	0.17	33.55	54.78	54.91	323.76	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	10/6/2010 14:30:00	33.68	33.31	0.16	33.55	54.78	54.91	323.76	
P18	10/6/2010 14:45:00	33.67	33.30	0.15	33.55	54.79	54.91	323.76	
P18	10/6/2010 15:00:00	33.66	33.29	0.14	33.56	54.80	54.90	323.77	
P18	10/6/2010 15:15:00	33.65	33.28	0.12	33.56	54.81	54.90	323.77	
P18	10/6/2010 15:30:00	33.65	33.27	0.11	33.56	54.81	54.90	323.77	
P18	10/6/2010 15:45:00	33.64	33.25	0.10	33.56	54.82	54.90	323.77	
P18	10/6/2010 16:00:00	33.64	33.24	0.09	33.56	54.83	54.90	323.77	
P18	10/6/2010 16:15:00	33.63	33.23	0.08	33.57	54.83	54.89	323.78	
P18	10/6/2010 16:30:00	33.63	33.22	0.07	33.57	54.83	54.89	323.78	
P18	10/6/2010 16:45:00	33.62	33.21	0.06	33.57	54.84	54.89	323.78	
P18	10/6/2010 17:00:00	33.61	33.20	0.05	33.57	54.85	54.89	323.78	
P18	10/6/2010 17:15:00	33.61	33.19	0.04	33.58	54.85	54.88	323.79	
P18	10/6/2010 17:30:00	33.61	33.18	0.03	33.58	54.86	54.88	323.79	
P18	10/6/2010 17:45:00	33.60	33.18	0.03	33.58	54.86	54.88	323.79	
P18	10/6/2010 18:00:00	33.60	33.18	0.03	33.57	54.86	54.89	323.78	
P18	10/6/2010 18:15:00	33.59	33.18	0.03	33.57	54.87	54.89	323.78	
P18	10/6/2010 18:30:00	33.59	33.19	0.03	33.56	54.87	54.90	323.77	
P18	10/6/2010 18:45:00	33.59	33.19	0.04	33.56	54.87	54.90	323.77	
P18	10/6/2010 19:00:00	33.58	33.19	0.04	33.56	54.88	54.90	323.77	
P18	10/6/2010 19:15:00	33.58	33.19	0.04	33.55	54.88	54.91	323.76	
P18	10/6/2010 19:30:00	33.58	33.19	0.04	33.55	54.88	54.91	323.76	
P18	10/6/2010 19:45:00	33.58	33.19	0.04	33.55	54.88	54.91	323.76	
P18	10/6/2010 20:00:00	33.58	33.19	0.04	33.54	54.88	54.92	323.75	
P18	10/6/2010 20:15:00	33.57	33.19	0.04	33.54	54.89	54.92	323.75	
P18	10/6/2010 20:30:00	33.57	33.20	0.04	33.54	54.89	54.92	323.75	
P18	10/6/2010 20:45:00	33.57	33.20	0.05	33.53	54.89	54.93	323.74	
P18	10/6/2010 21:00:00	33.57	33.20	0.05	33.53	54.89	54.93	323.74	
P18	10/6/2010 21:15:00	33.57	33.20	0.05	33.53	54.90	54.93	323.74	
P18	10/6/2010 21:30:00	33.57	33.20	0.05	33.53	54.90	54.93	323.74	
P18	10/6/2010 21:45:00	33.57	33.20	0.05	33.53	54.90	54.93	323.74	
P18	10/6/2010 22:00:00	33.56	33.20	0.05	33.52	54.90	54.94	323.73	
P18	10/6/2010 22:15:00	33.56	33.20	0.05	33.52	54.90	54.94	323.73	
P18	10/6/2010 22:30:00	33.56	33.21	0.05	33.52	54.90	54.94	323.73	
P18	10/6/2010 22:45:00	33.56	33.21	0.06	33.51	54.90	54.95	323.72	
P18	10/6/2010 23:00:00	33.56	33.21	0.06	33.51	54.90	54.95	323.72	
P18	10/6/2010 23:15:00	33.56	33.21	0.06	33.51	54.90	54.95	323.72	
P18	10/6/2010 23:30:00	33.55	33.21	0.06	33.50	54.91	54.96	323.71	
P18	10/6/2010 23:45:00	33.55	33.21	0.06	33.50	54.91	54.96	323.71	
P18	10/7/2010 0:00:00	33.55	33.21	0.06	33.50	54.91	54.96	323.71	
P18	10/7/2010 0:15:00	33.55	33.21	0.06	33.50	54.91	54.96	323.71	
P18	10/7/2010 0:30:00	33.55	33.21	0.06	33.50	54.91	54.96	323.71	
P18	10/7/2010 0:45:00	33.54	33.22	0.06	33.49	54.92	54.97	323.70	
P18	10/7/2010 1:00:00	33.54	33.22	0.07	33.49	54.92	54.97	323.70	
P18	10/7/2010 1:15:00	33.54	33.22	0.07	33.49	54.92	54.97	323.70	
P18	10/7/2010 1:30:00	33.54	33.22	0.07	33.49	54.92	54.97	323.70	
P18	10/7/2010 1:45:00	33.54	33.22	0.07	33.49	54.92	54.97	323.70	
P18	10/7/2010 2:00:00	33.54	33.22	0.07	33.49	54.92	54.97	323.70	
P18	10/7/2010 2:15:00	33.54	33.23	0.07	33.48	54.92	54.98	323.69	
P18	10/7/2010 2:30:00	33.54	33.23	0.08	33.48	54.92	54.98	323.69	
P18	10/7/2010 2:45:00	33.54	33.23	0.08	33.48	54.92	54.98	323.69	
P18	10/7/2010 3:00:00	33.54	33.23	0.08	33.47	54.92	54.99	323.68	
P18	10/7/2010 3:15:00	33.54	33.23	0.08	33.47	54.92	54.99	323.68	
P18	10/7/2010 3:30:00	33.54	33.24	0.09	33.47	54.93	54.99	323.68	
P18	10/7/2010 3:45:00	33.54	33.24	0.09	33.47	54.93	54.99	323.68	
P18	10/7/2010 4:00:00	33.53	33.24	0.09	33.46	54.93	55.00	323.67	
P18	10/7/2010 4:15:00	33.53	33.24	0.09	33.46	54.93	55.00	323.67	
P18	10/7/2010 4:30:00	33.53	33.25	0.10	33.46	54.93	55.00	323.67	
P18	10/7/2010 4:45:00	33.53	33.25	0.10	33.45	54.93	55.01	323.66	
P18	10/7/2010 5:00:00	33.53	33.25	0.10	33.45	54.93	55.01	323.66	
P18	10/7/2010 5:15:00	33.53	33.25	0.10	33.45	54.93	55.01	323.66	
P18	10/7/2010 5:30:00	33.53	33.26	0.10	33.45	54.93	55.01	323.66	
P18	10/7/2010 5:45:00	33.53	33.26	0.11	33.45	54.93	55.01	323.66	
P18	10/7/2010 6:00:00	33.53	33.26	0.11	33.45	54.93	55.01	323.66	
P18	10/7/2010 6:15:00	33.54	33.26	0.11	33.45	54.93	55.01	323.66	
P18	10/7/2010 6:30:00	33.54	33.26	0.11	33.45	54.93	55.01	323.66	
P18	10/7/2010 6:45:00	33.54	33.27	0.11	33.45	54.93	55.01	323.66	
P18	10/7/2010 7:00:00	33.54	33.27	0.12	33.45	54.92	55.01	323.66	
P18	10/7/2010 7:15:00	33.54	33.27	0.12	33.44	54.92	55.02	323.65	
P18	10/7/2010 7:30:00	33.54	33.27	0.12	33.45	54.92	55.01	323.66	
P18	10/7/2010 7:45:00	33.54	33.27	0.12	33.45	54.92	55.01	323.66	
P18	10/7/2010 8:00:00	33.54	33.28	0.12	33.44	54.92	55.02	323.65	
P18	10/7/2010 8:15:00	33.54	33.28	0.13	33.45	54.92	55.01	323.66	
P18	10/7/2010 8:30:00	33.54	33.28	0.13	33.44	54.92	55.02	323.65	
P18	10/7/2010 8:45:00	33.55	33.28	0.13	33.44	54.91	55.02	323.65	
P18	10/7/2010 9:00:00	33.55	33.28	0.13	33.44	54.91	55.02	323.65	
P18	10/7/2010 9:15:00	33.55	33.29	0.13	33.45	54.91	55.01	323.66	
P18	10/7/2010 9:30:00	33.55	33.29	0.14	33.45	54.91	55.01	323.66	
P18	10/7/2010 9:45:00	33.56	33.29	0.14	33.45	54.90	55.01	323.66	
P18	10/7/2010 10:00:00	33.56	33.29	0.14	33.45	54.90	55.01	323.66	
P18	10/7/2010 10:15:00	33.56	33.29	0.14	33.45	54.90	55.01	323.66	
P18	10/7/2010 10:30:00	33.57	33.29	0.14	33.45	54.90	55.01	323.66	
P18	10/7/2010 10:45:00	33.57	33.29	0.14	33.45	54.90	55.01	323.66	
P18	10/7/2010 11:00:00	33.57	33.30	0.15	33.45	54.89	55.01	323.66	
P18	10/7/2010 11:15:00	33.57	33.30	0.15	33.45	54.89	55.01	323.66	
P18	10/7/2010 11:30:00	33.57	33.30	0.15	33.45	54.89	55.01	323.66	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	10/7/2010 11:45:00	33.57	33.30	0.15	33.46	54.89	55.00	323.67	
P18	10/7/2010 12:00:00	33.57	33.30	0.15	33.46	54.89	55.00	323.67	
P18	10/7/2010 12:15:00	33.58	33.30	0.15	33.46	54.89	55.00	323.67	
P18	10/7/2010 12:30:00	33.58	33.30	0.15	33.46	54.88	55.00	323.67	
P18	10/7/2010 12:45:00	33.58	33.31	0.15	33.46	54.88	55.00	323.67	
P18	10/7/2010 13:00:00	33.58	33.31	0.16	33.46	54.88	55.00	323.67	
P18	10/7/2010 13:15:00	33.58	33.31	0.16	33.46	54.88	55.00	323.67	
P18	10/7/2010 13:30:00	33.58	33.31	0.16	33.46	54.88	55.00	323.67	
P18	10/7/2010 13:45:00	33.58	33.32	0.16	33.46	54.88	55.00	323.67	
P18	10/7/2010 14:00:00	33.58	33.32	0.17	33.45	54.88	55.01	323.66	
P18	10/7/2010 14:15:00	33.59	33.33	0.17	33.45	54.87	55.01	323.66	
P18	10/7/2010 14:30:00	33.59	33.33	0.18	33.45	54.87	55.01	323.66	
P18	10/7/2010 14:45:00	33.59	33.33	0.18	33.45	54.87	55.01	323.66	
P18	10/7/2010 15:00:00	33.59	33.34	0.18	33.44	54.87	55.02	323.65	
P18	10/7/2010 15:15:00	33.59	33.34	0.19	33.45	54.87	55.01	323.66	
P18	10/7/2010 15:30:00	33.59	33.34	0.19	33.45	54.87	55.01	323.66	
P18	10/7/2010 15:45:00	33.60	33.35	0.19	33.44	54.87	55.02	323.65	
P18	10/7/2010 16:00:00	33.60	33.35	0.20	33.44	54.86	55.02	323.65	
P18	10/7/2010 16:15:00	33.60	33.35	0.20	33.45	54.86	55.01	323.66	
P18	10/7/2010 16:30:00	33.60	33.35	0.20	33.44	54.86	55.02	323.65	
P18	10/7/2010 16:45:00	33.60	33.35	0.20	33.45	54.86	55.01	323.66	
P18	10/7/2010 17:00:00	33.61	33.35	0.20	33.45	54.86	55.01	323.66	
P18	10/7/2010 17:15:00	33.61	33.36	0.20	33.45	54.86	55.01	323.66	
P18	10/7/2010 17:30:00	33.61	33.35	0.20	33.45	54.86	55.01	323.66	
P18	10/7/2010 17:45:00	33.61	33.35	0.20	33.45	54.85	55.01	323.66	
P18	10/7/2010 18:00:00	33.61	33.36	0.21	33.45	54.85	55.01	323.66	
P18	10/7/2010 18:15:00	33.61	33.36	0.21	33.45	54.85	55.01	323.66	
P18	10/7/2010 18:30:00	33.61	33.36	0.21	33.45	54.85	55.01	323.66	
P18	10/7/2010 18:45:00	33.62	33.37	0.22	33.45	54.84	55.01	323.66	
P18	10/7/2010 19:00:00	33.62	33.37	0.22	33.45	54.84	55.01	323.66	
P18	10/7/2010 19:15:00	33.62	33.38	0.22	33.45	54.84	55.01	323.66	
P18	10/7/2010 19:30:00	33.62	33.38	0.23	33.45	54.84	55.01	323.66	
P18	10/7/2010 19:45:00	33.63	33.38	0.23	33.45	54.83	55.01	323.66	
P18	10/7/2010 20:00:00	33.63	33.39	0.24	33.45	54.83	55.01	323.66	
P18	10/7/2010 20:15:00	33.63	33.39	0.24	33.45	54.83	55.01	323.66	
P18	10/7/2010 20:30:00	33.64	33.39	0.24	33.45	54.83	55.01	323.66	
P18	10/7/2010 20:45:00	33.64	33.39	0.24	33.45	54.82	55.01	323.66	
P18	10/7/2010 21:00:00	33.64	33.39	0.24	33.45	54.82	55.01	323.66	
P18	10/7/2010 21:15:00	33.64	33.40	0.25	33.45	54.82	55.01	323.66	
P18	10/7/2010 21:30:00	33.64	33.40	0.25	33.45	54.82	55.01	323.66	
P18	10/7/2010 21:45:00	33.65	33.40	0.25	33.45	54.81	55.01	323.66	
P18	10/7/2010 22:00:00	33.65	33.41	0.25	33.45	54.81	55.01	323.66	
P18	10/7/2010 22:15:00	33.65	33.41	0.25	33.45	54.81	55.01	323.66	
P18	10/7/2010 22:30:00	33.65	33.40	0.25	33.46	54.81	55.00	323.67	
P18	10/7/2010 22:45:00	33.65	33.41	0.25	33.45	54.81	55.01	323.66	
P18	10/7/2010 23:00:00	33.65	33.40	0.25	33.45	54.81	55.01	323.66	
P18	10/7/2010 23:15:00	33.65	33.40	0.25	33.46	54.81	55.00	323.67	
P18	10/7/2010 23:30:00	33.65	33.40	0.25	33.46	54.81	55.00	323.67	
P18	10/7/2010 23:45:00	33.65	33.40	0.25	33.46	54.81	55.00	323.67	
P18	10/8/2010 0:00:00	33.65	33.40	0.25	33.46	54.81	55.00	323.67	
P18	10/8/2010 0:15:00	33.65	33.40	0.25	33.46	54.81	55.00	323.67	
P18	10/8/2010 0:30:00	33.66	33.40	0.25	33.46	54.80	55.00	323.67	
P18	10/8/2010 0:45:00	33.66	33.40	0.25	33.46	54.80	55.00	323.67	
P18	10/8/2010 1:00:00	33.66	33.40	0.25	33.46	54.80	55.00	323.67	
P18	10/8/2010 1:15:00	33.66	33.40	0.25	33.46	54.80	55.00	323.67	
P18	10/8/2010 1:30:00	33.66	33.40	0.25	33.46	54.80	55.00	323.67	
P18	10/8/2010 1:45:00	33.66	33.40	0.25	33.46	54.80	55.00	323.67	
P18	10/8/2010 2:00:00	33.66	33.41	0.26	33.46	54.80	55.00	323.67	
P18	10/8/2010 2:15:00	33.66	33.40	0.25	33.46	54.80	55.00	323.67	
P18	10/8/2010 2:30:00	33.66	33.41	0.25	33.46	54.80	55.00	323.67	
P18	10/8/2010 2:45:00	33.66	33.41	0.26	33.46	54.80	55.00	323.67	
P18	10/8/2010 3:00:00	33.67	33.41	0.26	33.46	54.80	55.00	323.67	
P18	10/8/2010 3:15:00	33.67	33.41	0.26	33.47	54.80	54.99	323.68	
P18	10/8/2010 3:30:00	33.67	33.41	0.26	33.47	54.79	54.99	323.68	
P18	10/8/2010 3:45:00	33.67	33.41	0.26	33.46	54.79	55.00	323.67	
P18	10/8/2010 4:00:00	33.67	33.41	0.26	33.47	54.79	54.99	323.68	
P18	10/8/2010 4:15:00	33.67	33.40	0.25	33.47	54.79	54.99	323.68	
P18	10/8/2010 4:30:00	33.67	33.40	0.25	33.47	54.79	54.99	323.68	
P18	10/8/2010 4:45:00	33.67	33.40	0.25	33.47	54.79	54.99	323.68	
P18	10/8/2010 5:00:00	33.67	33.41	0.26	33.47	54.79	54.99	323.68	
P18	10/8/2010 5:15:00	33.67	33.41	0.26	33.47	54.79	54.99	323.68	
P18	10/8/2010 5:30:00	33.67	33.41	0.26	33.47	54.79	54.99	323.68	
P18	10/8/2010 5:45:00	33.67	33.41	0.26	33.47	54.79	54.99	323.68	
P18	10/8/2010 6:00:00	33.67	33.41	0.26	33.47	54.79	54.99	323.68	
P18	10/8/2010 6:15:00	33.67	33.41	0.25	33.47	54.79	54.99	323.68	
P18	10/8/2010 6:30:00	33.67	33.40	0.25	33.48	54.79	54.98	323.69	
P18	10/8/2010 6:45:00	33.67	33.40	0.25	33.48	54.79	54.98	323.69	
P18	10/8/2010 7:00:00	33.67	33.40	0.25	33.48	54.79	54.98	323.69	
P18	10/8/2010 7:15:00	33.67	33.41	0.25	33.47	54.79	54.99	323.68	
P18	10/8/2010 7:30:00	33.68	33.41	0.25	33.48	54.79	54.98	323.69	
P18	10/8/2010 7:45:00	33.68	33.41	0.26	33.48	54.78	54.98	323.69	
P18	10/8/2010 8:00:00	33.68	33.41	0.26	33.47	54.78	54.99	323.68	
P18	10/8/2010 8:15:00	33.68	33.41	0.26	33.47	54.78	54.99	323.68	
P18	10/8/2010 8:30:00	33.68	33.42	0.27	33.47	54.78	54.99	323.68	
P18	10/8/2010 8:45:00	33.68	33.42	0.27	33.47	54.78	54.99	323.68	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	10/8/2010 9:00:00	33.64	33.43	0.28	33.43	54.82	55.03	323.64	
P18	10/8/2010 9:15:00	33.63	33.43	0.27	33.42	54.83	55.04	323.63	
P18	10/8/2010 9:30:00	33.64	33.43	0.28	33.42	54.82	55.04	323.63	
P18	10/8/2010 9:45:00	33.64	33.43	0.28	33.42	54.83	55.04	323.63	
P18	10/8/2010 10:00:00	33.64	33.43	0.28	33.42	54.82	55.04	323.63	
P18	10/8/2010 10:15:00	33.64	33.43	0.28	33.42	54.82	55.04	323.63	
P18	10/8/2010 10:30:00	33.64	33.43	0.28	33.42	54.82	55.04	323.63	
P18	10/8/2010 10:45:00	33.64	33.44	0.29	33.41	54.82	55.05	323.62	
P18	10/8/2010 11:00:00	33.64	33.44	0.29	33.42	54.82	55.04	323.63	
P18	10/8/2010 11:15:00	33.64	33.44	0.28	33.42	54.82	55.04	323.63	
P18	10/8/2010 11:30:00	33.64	33.43	0.28	33.42	54.82	55.04	323.63	
P18	10/8/2010 11:45:00	33.64	33.43	0.28	33.42	54.82	55.04	323.63	
P18	10/8/2010 12:00:00	33.64	33.43	0.28	33.42	54.82	55.04	323.63	
P18	10/8/2010 12:15:00	33.64	33.42	0.27	33.43	54.82	55.03	323.64	
P18	10/8/2010 12:30:00	33.63	33.41	0.26	33.43	54.83	55.03	323.64	
P18	10/8/2010 12:45:00	33.63	33.41	0.26	33.43	54.83	55.03	323.64	
P18	10/8/2010 13:00:00	33.63	33.41	0.26	33.43	54.83	55.03	323.64	
P18	10/8/2010 13:15:00	33.63	33.40	0.25	33.43	54.83	55.03	323.64	
P18	10/8/2010 13:30:00	33.63	33.40	0.25	33.43	54.83	55.03	323.64	
P18	10/8/2010 13:45:00	33.62	33.39	0.24	33.44	54.84	55.02	323.65	
P18	10/8/2010 14:00:00	33.62	33.38	0.23	33.44	54.84	55.02	323.65	
P18	10/8/2010 14:15:00	33.61	33.37	0.22	33.44	54.85	55.02	323.65	
P18	10/8/2010 14:30:00	33.61	33.37	0.22	33.44	54.85	55.02	323.65	
P18	10/8/2010 14:45:00	33.61	33.36	0.21	33.44	54.86	55.02	323.65	
P18	10/8/2010 15:00:00	33.60	33.36	0.21	33.44	54.86	55.02	323.65	
P18	10/8/2010 15:15:00	33.60	33.36	0.21	33.44	54.86	55.02	323.65	
P18	10/8/2010 15:30:00	33.60	33.36	0.21	33.44	54.86	55.02	323.65	
P18	10/8/2010 15:45:00	33.60	33.36	0.21	33.44	54.86	55.02	323.65	
P18	10/8/2010 16:00:00	33.60	33.36	0.21	33.44	54.86	55.02	323.65	
P18	10/8/2010 16:15:00	33.60	33.35	0.20	33.44	54.86	55.02	323.65	
P18	10/8/2010 16:30:00	33.60	33.35	0.20	33.44	54.86	55.02	323.65	
P18	10/8/2010 16:45:00	33.60	33.35	0.20	33.44	54.87	55.02	323.65	
P18	10/8/2010 17:00:00	33.60	33.35	0.20	33.44	54.87	55.02	323.65	
P18	10/8/2010 17:15:00	33.60	33.34	0.19	33.44	54.87	55.02	323.65	
P18	10/8/2010 17:30:00	33.59	33.34	0.19	33.44	54.87	55.02	323.65	
P18	10/8/2010 17:45:00	33.59	33.33	0.18	33.45	54.87	55.01	323.66	
P18	10/8/2010 18:00:00	33.59	33.34	0.19	33.44	54.87	55.02	323.65	
P18	10/8/2010 18:15:00	33.59	33.34	0.19	33.45	54.87	55.01	323.66	
P18	10/8/2010 18:30:00	33.59	33.34	0.19	33.44	54.87	55.02	323.65	
P18	10/8/2010 18:45:00	33.59	33.34	0.19	33.44	54.87	55.02	323.65	
P18	10/8/2010 19:00:00	33.59	33.33	0.18	33.45	54.87	55.01	323.66	
P18	10/8/2010 19:15:00	33.59	33.33	0.18	33.45	54.87	55.01	323.66	
P18	10/8/2010 19:30:00	33.59	33.33	0.18	33.44	54.87	55.02	323.65	
P18	10/8/2010 19:45:00	33.58	33.33	0.18	33.44	54.88	55.02	323.65	
P18	10/8/2010 20:00:00	33.58	33.33	0.18	33.44	54.88	55.02	323.65	
P18	10/8/2010 20:15:00	33.58	33.32	0.17	33.44	54.88	55.02	323.65	
P18	10/8/2010 20:30:00	33.58	33.32	0.17	33.45	54.88	55.01	323.66	
P18	10/8/2010 20:45:00	33.58	33.31	0.16	33.45	54.88	55.01	323.66	
P18	10/8/2010 21:00:00	33.57	33.31	0.16	33.45	54.89	55.01	323.66	
P18	10/8/2010 21:15:00	33.57	33.31	0.16	33.45	54.89	55.01	323.66	
P18	10/8/2010 21:30:00	33.57	33.30	0.15	33.45	54.89	55.01	323.66	
P18	10/8/2010 21:45:00	33.57	33.32	0.17	33.44	54.89	55.02	323.65	
P18	10/8/2010 22:00:00	33.57	33.32	0.17	33.44	54.89	55.02	323.65	
P18	10/8/2010 22:15:00	33.57	33.32	0.17	33.44	54.89	55.02	323.65	
P18	10/8/2010 22:30:00	33.57	33.33	0.18	33.44	54.89	55.02	323.65	
P18	10/8/2010 22:45:00	33.58	33.33	0.18	33.44	54.88	55.02	323.65	
P18	10/8/2010 23:00:00	33.58	33.33	0.18	33.44	54.88	55.02	323.65	
P18	10/8/2010 23:15:00	33.58	33.33	0.18	33.44	54.88	55.02	323.65	
P18	10/8/2010 23:30:00	33.58	33.33	0.18	33.44	54.88	55.02	323.65	
P18	10/8/2010 23:45:00	33.58	33.33	0.18	33.44	54.88	55.02	323.65	
P18	10/9/2010 0:00:00	33.58	33.33	0.18	33.44	54.88	55.02	323.65	
P18	10/9/2010 0:15:00	33.58	33.34	0.19	33.44	54.88	55.02	323.65	
P18	10/9/2010 0:30:00	33.58	33.34	0.19	33.44	54.88	55.02	323.65	
P18	10/9/2010 0:45:00	33.59	33.34	0.19	33.44	54.87	55.02	323.65	
P18	10/9/2010 1:00:00	33.59	33.35	0.19	33.43	54.87	55.03	323.64	
P18	10/9/2010 1:15:00	33.59	33.34	0.19	33.44	54.87	55.02	323.65	
P18	10/9/2010 1:30:00	33.59	33.35	0.20	33.43	54.87	55.03	323.64	
P18	10/9/2010 1:45:00	33.59	33.35	0.20	33.43	54.87	55.03	323.64	
P18	10/9/2010 2:00:00	33.59	33.36	0.21	33.43	54.87	55.03	323.64	
P18	10/9/2010 2:15:00	33.59	33.36	0.21	33.43	54.87	55.03	323.64	
P18	10/9/2010 2:30:00	33.60	33.37	0.22	33.43	54.86	55.03	323.64	
P18	10/9/2010 2:45:00	33.60	33.37	0.22	33.43	54.86	55.03	323.64	
P18	10/9/2010 3:00:00	33.60	33.37	0.22	33.43	54.86	55.03	323.64	
P18	10/9/2010 3:15:00	33.60	33.36	0.21	33.43	54.86	55.03	323.64	
P18	10/9/2010 3:30:00	33.60	33.37	0.22	33.43	54.86	55.03	323.64	
P18	10/9/2010 3:45:00	33.61	33.38	0.23	33.43	54.86	55.03	323.64	
P18	10/9/2010 4:00:00	33.61	33.38	0.23	33.43	54.85	55.03	323.64	
P18	10/9/2010 4:15:00	33.61	33.39	0.24	33.43	54.85	55.03	323.64	
P18	10/9/2010 4:30:00	33.61	33.39	0.23	33.43	54.85	55.03	323.64	
P18	10/9/2010 4:45:00	33.61	33.38	0.23	33.43	54.85	55.03	323.64	
P18	10/9/2010 5:00:00	33.61	33.39	0.24	33.43	54.85	55.03	323.64	
P18	10/9/2010 5:15:00	33.61	33.39	0.24	33.43	54.85	55.03	323.64	
P18	10/9/2010 5:30:00	33.61	33.39	0.24	33.43	54.85	55.03	323.64	
P18	10/9/2010 5:45:00	33.62	33.39	0.24	33.43	54.84	55.03	323.64	
P18	10/9/2010 6:00:00	33.62	33.40	0.25	33.43	54.84	55.03	323.64	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	10/9/2010 6:15:00	33.62	33.40	0.25	33.43	54.84	55.03	323.64	
P18	10/9/2010 6:30:00	33.62	33.39	0.24	33.44	54.84	55.02	323.65	
P18	10/9/2010 6:45:00	33.62	33.39	0.24	33.43	54.84	55.03	323.64	
P18	10/9/2010 7:00:00	33.62	33.39	0.24	33.43	54.84	55.03	323.64	
P18	10/9/2010 7:15:00	33.62	33.39	0.24	33.43	54.84	55.03	323.64	
P18	10/9/2010 7:30:00	33.62	33.39	0.24	33.44	54.84	55.02	323.65	
P18	10/9/2010 7:45:00	33.62	33.39	0.24	33.43	54.84	55.03	323.64	
P18	10/9/2010 8:00:00	33.62	33.40	0.25	33.43	54.84	55.03	323.64	
P18	10/9/2010 8:15:00	33.63	33.40	0.24	33.44	54.83	55.02	323.65	
P18	10/9/2010 8:30:00	33.63	33.40	0.25	33.43	54.83	55.03	323.64	
P18	10/9/2010 8:45:00	33.63	33.41	0.26	33.43	54.83	55.03	323.64	
P18	10/9/2010 9:00:00	33.63	33.41	0.26	33.43	54.83	55.03	323.64	
P18	10/9/2010 9:15:00	33.64	33.42	0.27	33.43	54.83	55.03	323.64	
P18	10/9/2010 9:30:00	33.74	33.43	0.28	33.53	54.72	54.93	323.74	
P18	10/9/2010 9:45:00	33.75	33.43	0.28	33.53	54.71	54.93	323.74	
P18	10/9/2010 10:00:00	33.75	33.43	0.28	33.53	54.71	54.93	323.74	
P18	10/9/2010 10:15:00	33.75	33.43	0.28	33.53	54.71	54.93	323.74	
P18	10/9/2010 10:30:00	33.75	33.43	0.28	33.53	54.71	54.93	323.74	
P18	10/9/2010 10:45:00	33.75	33.43	0.28	33.53	54.71	54.93	323.74	
P18	10/9/2010 11:00:00	33.74	33.43	0.28	33.53	54.72	54.93	323.74	
P18	10/9/2010 11:15:00	33.74	33.42	0.27	33.53	54.72	54.93	323.74	
P18	10/9/2010 11:30:00	33.74	33.42	0.27	33.53	54.72	54.93	323.74	
P18	10/9/2010 11:45:00	33.74	33.42	0.27	33.53	54.72	54.93	323.74	
P18	10/9/2010 12:00:00	33.75	33.42	0.27	33.54	54.72	54.92	323.75	
P18	10/9/2010 12:15:00	33.75	33.42	0.27	33.54	54.72	54.92	323.75	
P18	10/9/2010 12:30:00	33.74	33.41	0.26	33.54	54.72	54.92	323.75	
P18	10/9/2010 12:45:00	33.74	33.41	0.26	33.54	54.72	54.92	323.75	
P18	10/9/2010 13:00:00	33.74	33.40	0.25	33.54	54.72	54.92	323.75	
P18	10/9/2010 13:15:00	33.73	33.40	0.24	33.54	54.73	54.92	323.75	
P18	10/9/2010 13:30:00	33.73	33.39	0.24	33.55	54.73	54.91	323.76	
P18	10/9/2010 13:45:00	33.73	33.38	0.23	33.55	54.73	54.91	323.76	
P18	10/9/2010 14:00:00	33.72	33.37	0.22	33.55	54.74	54.91	323.76	
P18	10/9/2010 14:15:00	33.72	33.37	0.22	33.55	54.74	54.91	323.76	
P18	10/9/2010 14:30:00	33.72	33.36	0.21	33.55	54.74	54.91	323.76	
P18	10/9/2010 14:45:00	33.71	33.36	0.20	33.55	54.75	54.91	323.76	
P18	10/9/2010 15:00:00	33.71	33.35	0.20	33.55	54.75	54.91	323.76	
P18	10/9/2010 15:15:00	33.71	33.35	0.20	33.55	54.75	54.91	323.76	
P18	10/9/2010 15:30:00	33.71	33.34	0.19	33.55	54.76	54.91	323.76	
P18	10/9/2010 15:45:00	33.70	33.34	0.19	33.55	54.76	54.91	323.76	
P18	10/9/2010 16:00:00	33.70	33.34	0.19	33.55	54.76	54.91	323.76	
P18	10/9/2010 16:15:00	33.70	33.34	0.19	33.55	54.76	54.91	323.76	
P18	10/9/2010 16:30:00	33.70	33.33	0.18	33.56	54.76	54.90	323.77	
P18	10/9/2010 16:45:00	33.70	33.33	0.18	33.55	54.76	54.91	323.76	
P18	10/9/2010 17:00:00	33.69	33.33	0.18	33.56	54.77	54.90	323.77	
P18	10/9/2010 17:15:00	33.69	33.32	0.17	33.56	54.77	54.90	323.77	
P18	10/9/2010 17:30:00	33.69	33.32	0.17	33.55	54.77	54.91	323.76	
P18	10/9/2010 17:45:00	33.69	33.32	0.17	33.55	54.77	54.91	323.76	
P18	10/9/2010 18:00:00	33.68	33.32	0.16	33.56	54.78	54.90	323.77	
P18	10/9/2010 18:15:00	33.68	33.32	0.17	33.55	54.78	54.91	323.76	
P18	10/9/2010 18:30:00	33.68	33.32	0.17	33.56	54.78	54.90	323.77	
P18	10/9/2010 18:45:00	33.68	33.32	0.17	33.55	54.78	54.91	323.76	
P18	10/9/2010 19:00:00	33.69	33.33	0.18	33.55	54.77	54.91	323.76	
P18	10/9/2010 19:15:00	33.69	33.33	0.18	33.55	54.77	54.91	323.76	
P18	10/9/2010 19:30:00	33.69	33.34	0.19	33.54	54.77	54.92	323.75	
P18	10/9/2010 19:45:00	33.69	33.34	0.19	33.55	54.77	54.91	323.76	
P18	10/9/2010 20:00:00	33.69	33.34	0.19	33.55	54.77	54.91	323.76	
P18	10/9/2010 20:15:00	33.69	33.34	0.19	33.55	54.77	54.91	323.76	
P18	10/9/2010 20:30:00	33.70	33.34	0.19	33.55	54.76	54.91	323.76	
P18	10/9/2010 20:45:00	33.70	33.34	0.19	33.55	54.76	54.91	323.76	
P18	10/9/2010 21:00:00	33.69	33.34	0.18	33.55	54.77	54.91	323.76	
P18	10/9/2010 21:15:00	33.69	33.33	0.18	33.55	54.77	54.91	323.76	
P18	10/9/2010 21:30:00	33.69	33.33	0.18	33.55	54.77	54.91	323.76	
P18	10/9/2010 21:45:00	33.69	33.33	0.18	33.55	54.77	54.91	323.76	
P18	10/9/2010 22:00:00	33.69	33.34	0.19	33.55	54.77	54.91	323.76	
P18	10/9/2010 22:15:00	33.69	33.33	0.18	33.55	54.77	54.91	323.76	
P18	10/9/2010 22:30:00	33.69	33.33	0.18	33.55	54.77	54.91	323.76	
P18	10/9/2010 22:45:00	33.69	33.33	0.18	33.55	54.77	54.91	323.76	
P18	10/9/2010 23:00:00	33.69	33.33	0.18	33.55	54.77	54.91	323.76	
P18	10/9/2010 23:15:00	33.69	33.33	0.18	33.55	54.77	54.91	323.76	
P18	10/9/2010 23:30:00	33.69	33.34	0.19	33.55	54.77	54.91	323.76	
P18	10/9/2010 23:45:00	33.70	33.34	0.19	33.55	54.76	54.91	323.76	
P18	10/10/2010 0:00:00	33.69	33.34	0.19	33.55	54.77	54.91	323.76	
P18	10/10/2010 0:15:00	33.69	33.34	0.19	33.54	54.77	54.92	323.75	
P18	10/10/2010 0:30:00	33.70	33.34	0.19	33.55	54.76	54.91	323.76	
P18	10/10/2010 0:45:00	33.70	33.34	0.19	33.55	54.76	54.91	323.76	
P18	10/10/2010 1:00:00	33.69	33.34	0.19	33.55	54.77	54.91	323.76	
P18	10/10/2010 1:15:00	33.70	33.34	0.19	33.55	54.76	54.91	323.76	
P18	10/10/2010 1:30:00	33.70	33.35	0.20	33.55	54.76	54.91	323.76	
P18	10/10/2010 1:45:00	33.70	33.35	0.20	33.55	54.76	54.91	323.76	
P18	10/10/2010 2:00:00	33.70	33.35	0.20	33.54	54.76	54.92	323.75	
P18	10/10/2010 2:15:00	33.71	33.36	0.21	33.55	54.76	54.91	323.76	
P18	10/10/2010 2:30:00	33.71	33.36	0.21	33.54	54.76	54.92	323.75	
P18	10/10/2010 2:45:00	33.71	33.37	0.21	33.54	54.75	54.92	323.75	
P18	10/10/2010 3:00:00	33.71	33.37	0.22	33.54	54.75	54.92	323.75	
P18	10/10/2010 3:15:00	33.71	33.37	0.22	33.54	54.75	54.92	323.75	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	10/10/2010 3:30:00	33.71	33.36	0.21	33.54	54.75	54.92	323.75	
P18	10/10/2010 3:45:00	33.71	33.38	0.23	33.54	54.75	54.92	323.75	
P18	10/10/2010 4:00:00	33.72	33.38	0.23	33.54	54.74	54.92	323.75	
P18	10/10/2010 4:15:00	33.72	33.39	0.24	33.54	54.74	54.92	323.75	
P18	10/10/2010 4:30:00	33.72	33.39	0.24	33.54	54.74	54.92	323.75	
P18	10/10/2010 4:45:00	33.73	33.40	0.25	33.53	54.73	54.93	323.74	
P18	10/10/2010 5:00:00	33.73	33.41	0.26	33.53	54.73	54.93	323.74	
P18	10/10/2010 5:15:00	33.74	33.41	0.26	33.53	54.72	54.93	323.74	
P18	10/10/2010 5:30:00	33.74	33.43	0.28	33.53	54.72	54.93	323.74	
P18	10/10/2010 5:45:00	33.75	33.43	0.28	33.53	54.71	54.93	323.74	
P18	10/10/2010 6:00:00	33.75	33.44	0.29	33.53	54.71	54.93	323.74	
P18	10/10/2010 6:15:00	33.75	33.45	0.29	33.52	54.71	54.94	323.73	
P18	10/10/2010 6:30:00	33.76	33.46	0.30	33.52	54.70	54.94	323.73	
P18	10/10/2010 6:45:00	33.77	33.47	0.32	33.52	54.69	54.94	323.73	
P18	10/10/2010 7:00:00	33.77	33.48	0.33	33.51	54.69	54.95	323.72	
P18	10/10/2010 7:15:00	33.78	33.49	0.34	33.52	54.68	54.94	323.73	
P18	10/10/2010 7:30:00	33.78	33.49	0.34	33.52	54.68	54.94	323.73	
P18	10/10/2010 7:45:00	33.79	33.50	0.35	33.52	54.67	54.94	323.73	
P18	10/10/2010 8:00:00	33.80	33.53	0.38	33.50	54.66	54.96	323.71	
P18	10/10/2010 8:15:00	33.80	33.55	0.40	33.49	54.66	54.97	323.70	
P18	10/10/2010 8:30:00	33.81	33.54	0.39	33.50	54.65	54.96	323.71	
P18	10/10/2010 8:45:00	33.82	33.55	0.40	33.51	54.64	54.95	323.72	
P18	10/10/2010 9:00:00	33.82	33.55	0.40	33.52	54.64	54.94	323.73	
P18	10/10/2010 9:15:00	33.82	33.54	0.39	33.52	54.64	54.94	323.73	
P18	10/10/2010 9:30:00	33.84	33.55	0.39	33.54	54.62	54.92	323.75	
P18	10/10/2010 9:45:00	33.84	33.55	0.40	33.53	54.62	54.93	323.74	
P18	10/10/2010 10:00:00	33.84	33.56	0.41	33.52	54.62	54.94	323.73	
P18	10/10/2010 10:15:00	33.85	33.56	0.41	33.52	54.62	54.94	323.73	
P18	10/10/2010 10:30:00	33.85	33.57	0.42	33.52	54.61	54.94	323.73	
P18	10/10/2010 10:45:00	33.85	33.57	0.42	33.53	54.61	54.93	323.74	
P18	10/10/2010 11:00:00	33.85	33.57	0.42	33.53	54.61	54.93	323.74	
P18	10/10/2010 11:15:00	33.85	33.57	0.42	33.53	54.61	54.93	323.74	
P18	10/10/2010 11:30:00	33.85	33.57	0.42	33.53	54.61	54.93	323.74	
P18	10/10/2010 11:45:00	33.85	33.57	0.41	33.53	54.61	54.93	323.74	
P18	10/10/2010 12:00:00	33.85	33.56	0.41	33.53	54.61	54.93	323.74	
P18	10/10/2010 12:15:00	33.86	33.56	0.41	33.54	54.60	54.92	323.75	
P18	10/10/2010 12:30:00	33.86	33.56	0.41	33.54	54.60	54.92	323.75	
P18	10/10/2010 12:45:00	33.86	33.56	0.41	33.54	54.60	54.92	323.75	
P18	10/10/2010 13:00:00	33.86	33.56	0.41	33.54	54.60	54.92	323.75	
P18	10/10/2010 13:15:00	33.86	33.56	0.41	33.54	54.60	54.92	323.75	
P18	10/10/2010 13:30:00	33.87	33.56	0.41	33.54	54.59	54.92	323.75	
P18	10/10/2010 13:45:00	33.87	33.56	0.41	33.55	54.59	54.91	323.76	
P18	10/10/2010 14:00:00	33.87	33.56	0.40	33.55	54.59	54.91	323.76	
P18	10/10/2010 14:15:00	33.87	33.56	0.40	33.55	54.59	54.91	323.76	
P18	10/10/2010 14:30:00	33.87	33.55	0.40	33.56	54.59	54.90	323.77	
P18	10/10/2010 14:45:00	33.87	33.55	0.40	33.56	54.59	54.90	323.77	
P18	10/10/2010 15:00:00	33.87	33.55	0.40	33.56	54.59	54.90	323.77	
P18	10/10/2010 15:15:00	33.87	33.54	0.39	33.56	54.59	54.90	323.77	
P18	10/10/2010 15:30:00	33.87	33.54	0.39	33.56	54.59	54.90	323.77	
P18	10/10/2010 15:45:00	33.87	33.54	0.39	33.57	54.59	54.89	323.78	
P18	10/10/2010 16:00:00	33.87	33.54	0.39	33.57	54.59	54.89	323.78	
P18	10/10/2010 16:15:00	33.87	33.53	0.38	33.58	54.59	54.88	323.79	
P18	10/10/2010 16:30:00	33.88	33.54	0.39	33.57	54.59	54.89	323.78	
P18	10/10/2010 16:45:00	33.88	33.54	0.39	33.58	54.58	54.88	323.79	
P18	10/10/2010 17:00:00	33.88	33.54	0.39	33.58	54.58	54.88	323.79	
P18	10/10/2010 17:15:00	33.88	33.54	0.39	33.58	54.58	54.88	323.79	
P18	10/10/2010 17:30:00	33.88	33.54	0.39	33.58	54.58	54.88	323.79	
P18	10/10/2010 17:45:00	33.88	33.54	0.39	33.58	54.58	54.88	323.79	
P18	10/10/2010 18:00:00	33.88	33.54	0.39	33.58	54.58	54.88	323.79	
P18	10/10/2010 18:15:00	33.89	33.55	0.39	33.58	54.58	54.88	323.79	
P18	10/10/2010 18:30:00	33.89	33.55	0.40	33.58	54.57	54.88	323.79	
P18	10/10/2010 18:45:00	33.89	33.56	0.41	33.57	54.57	54.89	323.78	
P18	10/10/2010 19:00:00	33.89	33.56	0.41	33.57	54.57	54.89	323.78	
P18	10/10/2010 19:15:00	33.89	33.57	0.42	33.57	54.57	54.89	323.78	
P18	10/10/2010 19:30:00	33.90	33.58	0.43	33.56	54.56	54.90	323.77	
P18	10/10/2010 19:45:00	33.90	33.58	0.43	33.56	54.56	54.90	323.77	
P18	10/10/2010 20:00:00	33.90	33.59	0.44	33.56	54.56	54.90	323.77	
P18	10/10/2010 20:15:00	33.90	33.59	0.44	33.56	54.56	54.90	323.77	
P18	10/10/2010 20:30:00	33.91	33.59	0.44	33.56	54.55	54.90	323.77	
P18	10/10/2010 20:45:00	33.91	33.60	0.45	33.56	54.55	54.90	323.77	
P18	10/10/2010 21:00:00	33.91	33.60	0.45	33.56	54.55	54.90	323.77	
P18	10/10/2010 21:15:00	33.91	33.61	0.46	33.55	54.55	54.91	323.76	
P18	10/10/2010 21:30:00	33.91	33.62	0.47	33.55	54.55	54.91	323.76	
P18	10/10/2010 21:45:00	33.92	33.63	0.48	33.55	54.54	54.91	323.76	
P18	10/10/2010 22:00:00	33.92	33.63	0.48	33.55	54.54	54.91	323.76	
P18	10/10/2010 22:15:00	33.92	33.64	0.49	33.54	54.54	54.92	323.75	
P18	10/10/2010 22:30:00	33.92	33.64	0.49	33.54	54.54	54.92	323.75	
P18	10/10/2010 22:45:00	33.92	33.65	0.50	33.54	54.54	54.92	323.75	
P18	10/10/2010 23:00:00	33.93	33.65	0.50	33.54	54.53	54.92	323.75	
P18	10/10/2010 23:15:00	33.93	33.66	0.51	33.53	54.53	54.93	323.74	
P18	10/10/2010 23:30:00	33.93	33.67	0.52	33.53	54.53	54.93	323.74	
P18	10/10/2010 23:45:00	33.94	33.68	0.53	33.52	54.52	54.94	323.73	
P18	10/11/2010 0:00:00	33.94	33.69	0.54	33.52	54.52	54.94	323.73	
P18	10/11/2010 0:15:00	33.95	33.69	0.54	33.52	54.52	54.94	323.73	
P18	10/11/2010 0:30:00	33.95	33.70	0.55	33.52	54.51	54.94	323.73	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	10/11/2010 0:45:00	33.95	33.70	0.55	33.52	54.51	54.94	323.73	
P18	10/11/2010 1:00:00	33.95	33.71	0.56	33.51	54.51	54.95	323.72	
P18	10/11/2010 1:15:00	33.96	33.72	0.57	33.51	54.51	54.95	323.72	
P18	10/11/2010 1:30:00	33.96	33.72	0.57	33.51	54.50	54.95	323.72	
P18	10/11/2010 1:45:00	33.96	33.73	0.58	33.51	54.50	54.95	323.72	
P18	10/11/2010 2:00:00	33.96	33.73	0.58	33.51	54.50	54.95	323.72	
P18	10/11/2010 2:15:00	33.96	33.74	0.59	33.50	54.50	54.96	323.71	
P18	10/11/2010 2:30:00	33.97	33.75	0.60	33.50	54.49	54.96	323.71	
P18	10/11/2010 2:45:00	33.97	33.76	0.61	33.50	54.49	54.96	323.71	
P18	10/11/2010 3:00:00	33.98	33.77	0.62	33.50	54.48	54.96	323.71	
P18	10/11/2010 3:15:00	33.98	33.77	0.62	33.49	54.48	54.97	323.70	
P18	10/11/2010 3:30:00	33.98	33.78	0.63	33.49	54.48	54.97	323.70	
P18	10/11/2010 3:45:00	33.98	33.78	0.63	33.49	54.48	54.97	323.70	
P18	10/11/2010 4:00:00	33.99	33.79	0.64	33.49	54.48	54.97	323.70	
P18	10/11/2010 4:15:00	33.99	33.79	0.64	33.49	54.47	54.97	323.70	
P18	10/11/2010 4:30:00	33.99	33.80	0.65	33.49	54.47	54.97	323.70	
P18	10/11/2010 4:45:00	33.99	33.80	0.65	33.49	54.47	54.97	323.70	
P18	10/11/2010 5:00:00	33.99	33.81	0.66	33.48	54.47	54.98	323.69	
P18	10/11/2010 5:15:00	34.00	33.82	0.67	33.48	54.46	54.98	323.69	
P18	10/11/2010 5:30:00	34.00	33.82	0.67	33.48	54.46	54.98	323.69	
P18	10/11/2010 5:45:00	34.01	33.83	0.67	33.48	54.45	54.98	323.69	
P18	10/11/2010 6:00:00	34.01	33.83	0.68	33.48	54.45	54.98	323.69	
P18	10/11/2010 6:15:00	34.01	33.84	0.68	33.48	54.45	54.98	323.69	
P18	10/11/2010 6:30:00	34.02	33.84	0.69	33.48	54.45	54.98	323.69	
P18	10/11/2010 6:45:00	34.02	33.85	0.70	33.48	54.44	54.98	323.69	
P18	10/11/2010 7:00:00	34.02	33.85	0.70	33.48	54.44	54.98	323.69	
P18	10/11/2010 7:15:00	34.02	33.86	0.71	33.47	54.44	54.99	323.68	
P18	10/11/2010 7:30:00	34.03	33.86	0.71	33.47	54.43	54.99	323.68	
P18	10/11/2010 7:45:00	34.03	33.87	0.72	33.47	54.43	54.99	323.68	
P18	10/11/2010 8:00:00	34.03	33.88	0.72	33.47	54.43	54.99	323.68	
P18	10/11/2010 8:15:00	34.04	33.87	0.72	33.48	54.42	54.98	323.69	
P18	10/11/2010 8:30:00	34.04	33.88	0.73	33.48	54.42	54.98	323.69	
P18	10/11/2010 8:45:00	34.04	33.88	0.73	33.48	54.42	54.98	323.69	
P18	10/11/2010 9:00:00	34.04	33.87	0.72	33.48	54.42	54.98	323.69	
P18	10/11/2010 9:15:00	34.05	33.87	0.71	33.49	54.41	54.97	323.70	
P18	10/11/2010 9:30:00	34.05	33.87	0.72	33.49	54.41	54.97	323.70	
P18	10/11/2010 9:45:00	34.06	33.86	0.71	33.50	54.40	54.96	323.71	
P18	10/11/2010 10:00:00	34.06	33.85	0.70	33.52	54.40	54.94	323.73	
P18	10/11/2010 10:15:00	34.06	33.84	0.69	33.53	54.40	54.93	323.74	
P18	10/11/2010 10:30:00	34.06	33.82	0.67	33.54	54.40	54.92	323.75	
P18	10/11/2010 10:45:00	34.06	33.82	0.66	33.55	54.40	54.91	323.76	
P18	10/11/2010 11:00:00	34.07	33.81	0.66	33.55	54.39	54.91	323.76	
P18	10/11/2010 11:15:00	34.07	33.81	0.66	33.56	54.39	54.90	323.77	
P18	10/11/2010 11:30:00	34.07	33.80	0.65	33.56	54.39	54.90	323.77	
P18	10/11/2010 11:45:00	34.07	33.80	0.65	33.57	54.39	54.89	323.78	
P18	10/11/2010 12:00:00	34.07	33.80	0.64	33.57	54.39	54.89	323.78	
P18	10/11/2010 12:15:00	34.08	33.80	0.65	33.57	54.38	54.89	323.78	
P18	10/11/2010 12:30:00	34.08	33.79	0.64	33.58	54.38	54.88	323.79	
P18	10/11/2010 12:45:00	34.08	33.79	0.64	33.58	54.38	54.88	323.79	
P18	10/11/2010 13:00:00	34.08	33.78	0.63	33.59	54.38	54.87	323.80	
P18	10/11/2010 13:15:00	34.08	33.78	0.63	33.59	54.38	54.87	323.80	
P18	10/11/2010 13:30:00	34.08	33.77	0.62	33.59	54.38	54.87	323.80	
P18	10/11/2010 13:45:00	34.08	33.78	0.63	33.59	54.38	54.87	323.80	
P18	10/11/2010 14:00:00	34.08	33.77	0.62	33.59	54.38	54.87	323.80	
P18	10/11/2010 14:15:00	34.08	33.77	0.62	33.60	54.38	54.86	323.81	
P18	10/11/2010 14:30:00	34.08	33.77	0.61	33.60	54.38	54.86	323.81	
P18	10/11/2010 14:45:00	34.08	33.76	0.61	33.61	54.38	54.85	323.82	
P18	10/11/2010 15:00:00	34.08	33.75	0.59	33.62	54.38	54.84	323.83	
P18	10/11/2010 15:15:00	34.08	33.74	0.59	33.62	54.38	54.84	323.83	
P18	10/11/2010 15:30:00	34.08	33.74	0.59	33.62	54.38	54.84	323.83	
P18	10/11/2010 15:45:00	34.08	33.74	0.59	33.62	54.38	54.84	323.83	
P18	10/11/2010 16:00:00	34.08	33.75	0.60	33.61	54.38	54.85	323.82	
P18	10/11/2010 16:15:00	34.08	33.75	0.60	33.62	54.38	54.84	323.83	
P18	10/11/2010 16:30:00	34.09	33.75	0.60	33.62	54.37	54.84	323.83	
P18	10/11/2010 16:45:00	34.09	33.74	0.59	33.63	54.38	54.83	323.84	
P18	10/11/2010 17:00:00	34.09	33.74	0.59	33.63	54.38	54.83	323.84	
P18	10/11/2010 17:15:00	34.08	33.74	0.58	33.63	54.38	54.83	323.84	
P18	10/11/2010 17:30:00	34.09	33.73	0.58	33.63	54.38	54.83	323.84	
P18	10/11/2010 17:45:00	34.08	33.73	0.58	33.63	54.38	54.83	323.84	
P18	10/11/2010 18:00:00	34.08	33.73	0.58	33.63	54.38	54.83	323.84	
P18	10/11/2010 18:15:00	34.08	33.73	0.58	33.63	54.38	54.83	323.84	
P18	10/11/2010 18:30:00	34.08	33.73	0.58	33.63	54.38	54.83	323.84	
P18	10/11/2010 18:45:00	34.08	33.75	0.60	33.62	54.38	54.84	323.83	
P18	10/11/2010 19:00:00	34.08	33.75	0.60	33.62	54.38	54.84	323.83	
P18	10/11/2010 19:15:00	34.09	33.76	0.60	33.61	54.38	54.85	323.82	
P18	10/11/2010 19:30:00	34.09	33.76	0.61	33.61	54.38	54.85	323.82	
P18	10/11/2010 19:45:00	34.09	33.77	0.62	33.60	54.37	54.86	323.81	
P18	10/11/2010 20:00:00	34.09	33.77	0.62	33.61	54.37	54.85	323.82	
P18	10/11/2010 20:15:00	34.09	33.78	0.63	33.60	54.37	54.86	323.81	
P18	10/11/2010 20:30:00	34.09	33.78	0.63	33.60	54.37	54.86	323.81	
P18	10/11/2010 20:45:00	34.09	33.78	0.63	33.60	54.37	54.86	323.81	
P18	10/11/2010 21:00:00	34.09	33.79	0.64	33.59	54.37	54.87	323.80	
P18	10/11/2010 21:15:00	34.09	33.79	0.64	33.59	54.37	54.87	323.80	
P18	10/11/2010 21:30:00	34.09	33.80	0.65	33.59	54.37	54.87	323.80	
P18	10/11/2010 21:45:00	34.09	33.81	0.66	33.58	54.37	54.88	323.79	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	10/11/2010 22:00:00	34.10	33.81	0.66	33.59	54.36	54.87	323.80	
P18	10/11/2010 22:15:00	34.10	33.82	0.67	33.58	54.36	54.88	323.79	
P18	10/11/2010 22:30:00	34.10	33.82	0.67	33.58	54.36	54.88	323.79	
P18	10/11/2010 22:45:00	34.10	33.82	0.67	33.58	54.36	54.88	323.79	
P18	10/11/2010 23:00:00	34.10	33.82	0.66	33.58	54.36	54.88	323.79	
P18	10/11/2010 23:15:00	34.10	33.82	0.66	33.58	54.36	54.88	323.79	
P18	10/11/2010 23:30:00	34.10	33.82	0.67	33.58	54.36	54.88	323.79	
P18	10/11/2010 23:45:00	34.10	33.82	0.67	33.58	54.36	54.88	323.79	
P18	10/12/2010 0:00:00	34.09	33.82	0.67	33.58	54.37	54.88	323.79	
P18	10/12/2010 0:15:00	34.09	33.81	0.66	33.57	54.37	54.89	323.78	
P18	10/12/2010 0:30:00	34.09	33.81	0.66	33.57	54.37	54.89	323.78	
P18	10/12/2010 0:45:00	34.09	33.81	0.66	33.58	54.37	54.88	323.79	
P18	10/12/2010 1:00:00	34.09	33.81	0.66	33.58	54.37	54.88	323.79	
P18	10/12/2010 1:15:00	34.09	33.81	0.66	33.58	54.37	54.88	323.79	
P18	10/12/2010 1:30:00	34.09	33.81	0.66	33.57	54.38	54.89	323.78	
P18	10/12/2010 1:45:00	34.09	33.81	0.66	33.57	54.38	54.89	323.78	
P18	10/12/2010 2:00:00	34.09	33.81	0.66	33.57	54.38	54.89	323.78	
P18	10/12/2010 2:15:00	34.08	33.81	0.66	33.57	54.38	54.89	323.78	
P18	10/12/2010 2:30:00	34.08	33.81	0.66	33.57	54.38	54.89	323.78	
P18	10/12/2010 2:45:00	34.08	33.81	0.66	33.57	54.38	54.89	323.78	
P18	10/12/2010 3:00:00	34.08	33.81	0.66	33.57	54.38	54.89	323.78	
P18	10/12/2010 3:15:00	34.08	33.80	0.65	33.57	54.38	54.89	323.78	
P18	10/12/2010 3:30:00	34.07	33.80	0.65	33.57	54.39	54.89	323.78	
P18	10/12/2010 3:45:00	34.07	33.79	0.64	33.57	54.39	54.89	323.78	
P18	10/12/2010 4:00:00	34.07	33.79	0.64	33.57	54.39	54.89	323.78	
P18	10/12/2010 4:15:00	34.06	33.79	0.64	33.57	54.40	54.89	323.78	
P18	10/12/2010 4:30:00	34.06	33.79	0.64	33.57	54.40	54.89	323.78	
P18	10/12/2010 4:45:00	34.06	33.79	0.64	33.56	54.40	54.90	323.77	
P18	10/12/2010 5:00:00	34.06	33.80	0.64	33.56	54.40	54.90	323.77	
P18	10/12/2010 5:15:00	34.06	33.80	0.65	33.56	54.40	54.90	323.77	
P18	10/12/2010 5:30:00	34.06	33.79	0.64	33.56	54.40	54.90	323.77	
P18	10/12/2010 5:45:00	34.06	33.79	0.64	33.56	54.41	54.90	323.77	
P18	10/12/2010 6:00:00	34.05	33.79	0.64	33.55	54.41	54.91	323.76	
P18	10/12/2010 6:15:00	34.05	33.79	0.64	33.55	54.41	54.91	323.76	
P18	10/12/2010 6:30:00	34.05	33.80	0.65	33.55	54.41	54.92	323.76	
P18	10/12/2010 6:45:00	34.06	33.81	0.65	33.54	54.41	54.92	323.75	
P18	10/12/2010 7:00:00	34.06	33.80	0.65	33.55	54.41	54.91	323.76	
P18	10/12/2010 7:15:00	34.05	33.80	0.65	33.54	54.41	54.92	323.75	
P18	10/12/2010 7:30:00	34.05	33.80	0.65	33.55	54.41	54.91	323.76	
P18	10/12/2010 7:45:00	34.05	33.80	0.65	33.54	54.41	54.92	323.75	
P18	10/12/2010 8:00:00	34.05	33.80	0.65	33.54	54.41	54.92	323.75	
P18	10/12/2010 8:15:00	34.05	33.80	0.65	33.54	54.41	54.92	323.75	
P18	10/12/2010 8:30:00	34.05	33.79	0.64	33.55	54.41	54.91	323.76	
P18	10/12/2010 8:45:00	34.05	33.79	0.63	33.55	54.42	54.91	323.76	
P18	10/12/2010 9:00:00	34.05	33.79	0.64	33.55	54.42	54.91	323.76	
P18	10/12/2010 9:15:00	34.05	33.77	0.62	33.56	54.42	54.90	323.77	
P18	10/12/2010 9:30:00	34.04	33.75	0.60	33.57	54.42	54.89	323.78	
P18	10/12/2010 9:45:00	34.04	33.75	0.60	33.58	54.42	54.88	323.79	
P18	10/12/2010 10:00:00	34.04	33.73	0.58	33.59	54.42	54.87	323.80	
P18	10/12/2010 10:15:00	34.05	33.74	0.58	33.59	54.42	54.87	323.80	
P18	10/12/2010 10:30:00	34.05	33.72	0.57	33.60	54.42	54.86	323.81	
P18	10/12/2010 10:45:00	34.05	33.71	0.56	33.61	54.42	54.85	323.82	
P18	10/12/2010 11:00:00	34.04	33.70	0.55	33.61	54.42	54.85	323.82	
P18	10/12/2010 11:15:00	34.04	33.70	0.55	33.62	54.42	54.84	323.83	
P18	10/12/2010 11:30:00	34.04	33.70	0.55	33.62	54.42	54.84	323.83	
P18	10/12/2010 11:45:00	34.04	33.69	0.54	33.62	54.42	54.84	323.83	
P18	10/12/2010 12:00:00	34.05	33.69	0.54	33.63	54.42	54.83	323.84	
P18	10/12/2010 12:15:00	34.05	33.68	0.53	33.63	54.42	54.83	323.84	
P18	10/12/2010 12:30:00	34.04	33.68	0.53	33.63	54.42	54.83	323.84	
P18	10/12/2010 12:45:00	34.04	33.67	0.52	33.64	54.42	54.82	323.85	
P18	10/12/2010 13:00:00	34.04	33.67	0.52	33.64	54.42	54.82	323.85	
P18	10/12/2010 13:15:00	34.04	33.67	0.52	33.64	54.42	54.82	323.85	
P18	10/12/2010 13:30:00	34.04	33.66	0.51	33.64	54.42	54.82	323.85	
P18	10/12/2010 13:45:00	34.03	33.65	0.50	33.65	54.43	54.81	323.86	
P18	10/12/2010 14:00:00	34.03	33.64	0.49	33.65	54.43	54.81	323.86	
P18	10/12/2010 14:15:00	34.03	33.63	0.48	33.66	54.43	54.80	323.87	
P18	10/12/2010 14:30:00	34.02	33.62	0.47	33.65	54.44	54.81	323.86	
P18	10/12/2010 14:45:00	34.02	33.61	0.46	33.66	54.44	54.80	323.87	
P18	10/12/2010 15:00:00	34.02	33.61	0.46	33.66	54.45	54.80	323.87	
P18	10/12/2010 15:15:00	34.01	33.60	0.45	33.66	54.45	54.80	323.87	
P18	10/12/2010 15:30:00	34.01	33.60	0.44	33.66	54.45	54.80	323.87	
P18	10/12/2010 15:45:00	34.01	33.59	0.44	33.66	54.45	54.80	323.87	
P18	10/12/2010 16:00:00	34.01	33.59	0.44	33.67	54.45	54.79	323.88	
P18	10/12/2010 16:15:00	34.00	33.58	0.43	33.67	54.46	54.79	323.88	
P18	10/12/2010 16:30:00	34.00	33.57	0.42	33.67	54.46	54.79	323.88	
P18	10/12/2010 16:45:00	34.00	33.57	0.42	33.67	54.46	54.79	323.88	
P18	10/12/2010 17:00:00	33.99	33.57	0.42	33.67	54.47	54.79	323.88	
P18	10/12/2010 17:15:00	33.99	33.57	0.42	33.67	54.47	54.79	323.88	
P18	10/12/2010 17:30:00	33.99	33.57	0.42	33.67	54.47	54.79	323.88	
P18	10/12/2010 17:45:00	33.99	33.56	0.41	33.67	54.47	54.79	323.88	
P18	10/12/2010 18:00:00	33.99	33.57	0.41	33.66	54.48	54.80	323.87	
P18	10/12/2010 18:15:00	33.99	33.56	0.41	33.66	54.48	54.80	323.87	
P18	10/12/2010 18:30:00	33.99	33.57	0.42	33.66	54.48	54.80	323.87	
P18	10/12/2010 18:45:00	33.98	33.57	0.42	33.66	54.48	54.80	323.87	
P18	10/12/2010 19:00:00	33.98	33.58	0.42	33.65	54.48	54.81	323.86	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
P18	10/12/2010 19:15:00	33.98	33.58	0.43	33.65	54.48	54.81	323.86	
P18	10/12/2010 19:30:00	33.98	33.58	0.43	33.64	54.48	54.82	323.85	
P18	10/12/2010 19:45:00	33.98	33.59	0.44	33.64	54.48	54.82	323.85	
P18	10/12/2010 20:00:00	33.98	33.59	0.44	33.64	54.48	54.82	323.85	
P18	10/12/2010 20:15:00	33.98	33.59	0.44	33.64	54.48	54.82	323.85	
P18	10/12/2010 20:30:00	33.98	33.60	0.45	33.63	54.48	54.83	323.84	
P18	10/12/2010 20:45:00	33.98	33.60	0.45	33.63	54.48	54.83	323.84	
P18	10/12/2010 21:00:00	33.98	33.60	0.45	33.62	54.48	54.84	323.83	
P18	10/12/2010 21:15:00	33.97	33.61	0.46	33.62	54.49	54.84	323.83	
P18	10/12/2010 21:30:00	33.97	33.61	0.46	33.62	54.49	54.84	323.83	
P18	10/12/2010 21:45:00	33.97	33.61	0.46	33.61	54.49	54.85	323.82	
P18	10/12/2010 22:00:00	33.97	33.61	0.46	33.61	54.49	54.85	323.82	
P18	10/12/2010 22:15:00	33.97	33.61	0.46	33.61	54.49	54.85	323.82	
P18	10/12/2010 22:30:00	33.96	33.61	0.46	33.60	54.50	54.86	323.81	
P18	10/12/2010 22:45:00	33.96	33.62	0.46	33.60	54.50	54.86	323.81	
P18	10/12/2010 23:00:00	33.96	33.62	0.47	33.59	54.50	54.87	323.80	
P18	10/12/2010 23:15:00	33.96	33.62	0.47	33.59	54.50	54.87	323.80	
P18	10/12/2010 23:30:00	33.96	33.62	0.47	33.59	54.50	54.87	323.80	
P18	10/12/2010 23:45:00	33.96	33.62	0.47	33.59	54.51	54.87	323.80	
P18	10/13/2010 0:00:00	33.95	33.63	0.48	33.58	54.51	54.88	323.79	
P18	10/13/2010 0:15:00	33.95	33.63	0.48	33.58	54.51	54.88	323.79	
P18	10/13/2010 0:30:00	33.95	33.63	0.48	33.58	54.51	54.88	323.79	
P18	10/13/2010 0:45:00	33.95	33.62	0.47	33.58	54.52	54.88	323.79	
P18	10/13/2010 1:00:00	33.94	33.62	0.47	33.58	54.52	54.88	323.79	
P18	10/13/2010 1:15:00	33.94	33.62	0.47	33.57	54.52	54.89	323.78	
P18	10/13/2010 1:30:00	33.93	33.61	0.46	33.57	54.53	54.89	323.78	
P18	10/13/2010 1:45:00	33.93	33.62	0.47	33.57	54.53	54.89	323.78	
P18	10/13/2010 2:00:00	33.93	33.61	0.46	33.57	54.53	54.89	323.78	
P18	10/13/2010 2:15:00	33.92	33.61	0.46	33.57	54.54	54.89	323.78	
P18	10/13/2010 2:30:00	33.92	33.61	0.46	33.56	54.54	54.90	323.77	
P18	10/13/2010 2:45:00	33.92	33.61	0.46	33.56	54.54	54.90	323.77	
P18	10/13/2010 3:00:00	33.92	33.61	0.45	33.56	54.55	54.90	323.77	
P18	10/13/2010 3:15:00	33.91	33.60	0.45	33.56	54.55	54.90	323.77	
P18	10/13/2010 3:30:00	33.91	33.60	0.45	33.56	54.55	54.90	323.77	
P18	10/13/2010 3:45:00	33.91	33.60	0.45	33.56	54.55	54.91	323.77	
P18	10/13/2010 4:00:00	33.91	33.60	0.45	33.56	54.55	54.90	323.77	
P18	10/13/2010 4:15:00	33.90	33.60	0.45	33.55	54.56	54.91	323.76	
P18	10/13/2010 4:30:00	33.90	33.60	0.44	33.55	54.56	54.91	323.76	
P18	10/13/2010 4:45:00	33.90	33.59	0.44	33.55	54.56	54.91	323.76	
P18	10/13/2010 5:00:00	33.89	33.59	0.44	33.55	54.57	54.91	323.76	
P18	10/13/2010 5:15:00	33.89	33.59	0.44	33.55	54.57	54.91	323.76	
P18	10/13/2010 5:30:00	33.89	33.59	0.43	33.55	54.57	54.91	323.76	
P18	10/13/2010 5:45:00	33.89	33.58	0.43	33.55	54.58	54.91	323.76	
P18	10/13/2010 6:00:00	33.88	33.57	0.42	33.55	54.58	54.91	323.76	
P18	10/13/2010 6:15:00	33.88	33.57	0.42	33.55	54.58	54.91	323.76	
P18	10/13/2010 6:30:00	33.87	33.57	0.42	33.55	54.59	54.91	323.76	
P18	10/13/2010 6:45:00	33.87	33.56	0.41	33.55	54.59	54.91	323.76	
P18	10/13/2010 7:00:00	33.87	33.56	0.41	33.55	54.59	54.91	323.76	
P18	10/13/2010 7:15:00	33.86	33.56	0.41	33.55	54.60	54.91	323.76	
P18	10/13/2010 7:30:00	33.86	33.56	0.41	33.55	54.60	54.91	323.76	
P18	10/13/2010 7:45:00	33.86	33.55	0.40	33.55	54.60	54.91	323.76	
P18	10/13/2010 8:00:00	33.86	33.55	0.40	33.55	54.60	54.91	323.76	
P18	10/13/2010 8:15:00	33.85	33.55	0.39	33.55	54.61	54.91	323.76	
P18	10/13/2010 8:30:00	33.85	33.54	0.39	33.55	54.61	54.91	323.76	
P18	10/13/2010 8:45:00	33.85	33.54	0.39	33.55	54.61	54.91	323.76	
P18	10/13/2010 9:00:00	33.85	33.54	0.39	33.55	54.61	54.91	323.76	
P18	10/13/2010 9:15:00	33.85	33.54	0.39	33.54	54.61	54.92	323.75	
P18	10/13/2010 9:30:00	33.85	33.53	0.38	33.55	54.61	54.91	323.76	
P18	10/13/2010 9:45:00	33.85	33.53	0.38	33.55	54.62	54.91	323.76	
P18	10/13/2010 10:00:00	33.85	33.53	0.38	33.55	54.62	54.91	323.76	
P18	10/13/2010 10:15:00	33.84	33.52	0.37	33.56	54.62	54.90	323.77	
P18	10/13/2010 10:30:00	33.84	33.51	0.36	33.56	54.62	54.90	323.77	
Baker Well	08/18/10 15:09:42	0.01	33.13	0.00	0.01	52.16	52.16	292.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 15:09:44	0.01	33.13	0.00	0.01	52.16	52.16	292.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 15:09:45	0.02	33.13	0.00	0.02	52.15	52.15	292.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 15:09:46	0.02	33.13	0.00	0.02	52.15	52.15	292.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 15:09:47	0.02	33.13	0.00	0.02	52.15	52.15	292.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 15:09:48	0.01	33.13	0.00	0.01	52.16	52.16	292.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 15:10:01	0.01	33.13	0.00	0.01	52.16	52.16	292.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 15:10:03	0.01	33.13	0.00	0.01	52.16	52.16	292.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 15:10:04	0.02	33.13	0.00	0.02	52.15	52.14	292.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 15:10:05	0.01	33.13	0.00	0.01	52.16	52.16	292.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 15:10:06	0.02	33.13	0.00	0.02	52.15	52.15	292.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 15:10:07	0.02	33.13	0.00	0.02	52.14	52.14	292.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 15:10:08	0.02	33.13	0.00	0.02	52.15	52.15	292.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 15:10:09	0.02	33.13	0.00	0.02	52.15	52.15	292.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 15:10:10	0.02	33.13	0.00	0.02	52.14	52.14	292.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 15:10:11	0.02	33.13	0.00	0.02	52.15	52.14	292.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 15:10:12	0.02	33.13	0.00	0.02	52.15	52.14	292.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 15:10:13	0.02	33.13	0.00	0.02	52.14	52.14	292.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 15:10:14	0.02	33.13	0.00	0.02	52.15	52.14	292.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 15:10:15	0.02	33.13	0.00	0.02	52.14	52.14	292.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 15:10:16	0.02	33.13	0.00	0.02	52.14	52.14	292.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 15:10:17	0.02	33.13	0.00	0.02	52.14	52.14	292.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 15:10:18	0.02	33.13	0.00	0.02	52.14	52.14	292.86	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	08/18/10 15:10:19	0.02	33.13	0.00	0.02	52.14	52.14	292.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 15:10:20	0.02	33.13	0.00	0.02	52.14	52.14	292.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 15:10:21	0.02	33.13	0.00	0.02	52.14	52.14	292.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 15:10:22	0.02	33.13	0.00	0.02	52.15	52.15	292.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 15:10:23	0.02	33.13	0.00	0.02	52.14	52.14	292.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 15:10:24	0.02	33.13	0.00	0.02	52.14	52.14	292.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 15:10:38	0.01	33.13	0.00	0.01	52.15	52.15	292.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 15:15:00	0.03	33.13	0.00	0.03	52.13	52.13	292.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 15:30:00	0.11	33.13	0.00	0.12	52.05	52.05	292.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 15:45:00	0.19	33.13	-0.01	0.19	51.98	51.97	293.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 16:00:00	0.25	33.13	-0.01	0.26	51.91	51.91	293.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 16:15:00	0.29	33.12	-0.01	0.30	51.88	51.87	293.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 16:30:00	0.25	33.12	-0.01	0.26	51.92	51.91	293.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 16:45:00	0.25	33.12	-0.02	0.26	51.92	51.91	293.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 17:00:00	0.23	33.12	-0.02	0.24	51.94	51.92	293.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 17:15:00	0.14	33.11	-0.02	0.15	52.03	52.01	292.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 17:30:00	-6.44	33.11	-0.02	-6.42	58.61	58.59	286.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 17:45:00	-1.00	33.13	0.00	-1.00	53.17	53.16	291.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 18:00:00	-0.70	33.15	0.02	-0.71	52.86	52.88	292.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 18:15:00	-0.57	33.17	0.04	-0.60	52.73	52.76	292.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 18:30:00	-0.47	33.19	0.06	-0.52	52.64	52.68	292.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 18:45:00	-2.07	33.21	0.08	-2.14	54.24	54.30	290.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 19:00:00	-0.92	33.24	0.10	-1.00	53.09	53.17	291.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 19:15:00	-0.72	33.26	0.12	-0.81	52.88	52.98	292.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 19:30:00	-0.55	33.28	0.14	-0.67	52.72	52.83	292.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 19:45:00	-0.43	33.30	0.16	-0.55	52.59	52.72	292.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 20:00:00	-0.38	33.32	0.18	-0.53	52.55	52.69	292.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 20:15:00	-0.64	33.34	0.21	-0.80	52.81	52.97	292.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 20:30:00	-1.00	33.36	0.23	-1.18	53.17	53.34	291.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 20:45:00	-1.34	33.38	0.25	-1.54	53.51	53.70	291.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 21:00:00	-1.62	33.40	0.27	-1.83	53.78	53.99	291.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 21:15:00	-3.56	33.42	0.29	-3.78	55.72	55.95	289.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 21:30:00	-2.20	33.45	0.31	-2.44	54.37	54.61	290.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 21:45:00	-2.02	33.45	0.31	-2.27	54.19	54.43	290.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 22:00:00	-1.88	33.45	0.31	-2.12	54.04	54.29	290.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 22:15:00	-1.80	33.45	0.32	-2.05	53.97	54.21	290.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 22:30:00	-1.77	33.45	0.32	-2.01	53.93	54.18	290.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 22:45:00	-1.75	33.45	0.32	-2.00	53.92	54.16	290.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 23:00:00	-1.75	33.45	0.32	-2.00	53.91	54.16	290.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 23:15:00	-1.80	33.46	0.32	-2.05	53.97	54.22	290.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 23:30:00	-2.03	33.46	0.32	-2.28	54.20	54.45	290.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/18/10 23:45:00	-2.35	33.46	0.32	-2.60	54.51	54.77	290.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 00:00:00	-2.64	33.46	0.33	-2.89	54.80	55.06	289.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 00:15:00	-2.88	33.46	0.33	-3.14	55.05	55.30	289.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 00:30:00	-3.05	33.46	0.33	-3.31	55.21	55.47	289.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 00:45:00	-3.21	33.47	0.33	-3.47	55.38	55.64	289.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 01:00:00	-3.28	33.47	0.33	-3.54	55.45	55.71	289.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 01:15:00	-3.20	33.47	0.33	-3.46	55.37	55.63	289.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 01:30:00	-2.98	33.47	0.34	-3.24	55.14	55.40	289.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 01:45:00	-2.75	33.47	0.34	-3.01	54.91	55.18	289.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 02:00:00	-2.60	33.47	0.34	-2.86	54.76	55.03	289.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 02:15:00	-2.46	33.47	0.34	-2.72	54.62	54.89	290.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 02:30:00	-2.38	33.47	0.34	-2.64	54.54	54.81	290.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 02:45:00	-2.31	33.48	0.34	-2.57	54.47	54.74	290.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 03:00:00	-2.22	33.48	0.34	-2.49	54.39	54.66	290.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 03:15:00	-2.17	33.48	0.34	-2.44	54.33	54.60	290.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 03:30:00	-2.13	33.48	0.34	-2.40	54.30	54.57	290.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 03:45:00	-2.10	33.48	0.34	-2.36	54.26	54.53	290.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 04:00:00	-2.08	33.48	0.35	-2.34	54.24	54.51	290.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 04:15:00	-2.09	33.48	0.35	-2.36	54.25	54.52	290.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 04:30:00	-2.04	33.48	0.35	-2.31	54.21	54.48	290.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 04:45:00	-1.98	33.48	0.35	-2.25	54.14	54.42	290.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 05:00:00	-1.91	33.48	0.35	-2.18	54.07	54.35	290.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 05:15:00	-1.93	33.49	0.35	-2.20	54.09	54.37	290.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 05:30:00	-2.10	33.49	0.35	-2.37	54.26	54.53	290.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 05:45:00	-3.47	33.49	0.35	-3.74	55.63	55.91	289.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 06:00:00	-2.79	33.49	0.36	-3.07	54.96	55.24	289.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 06:15:00	-2.57	33.49	0.36	-2.85	54.74	55.02	289.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 06:30:00	-2.43	33.49	0.36	-2.71	54.60	54.88	290.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 06:45:00	-2.37	33.50	0.36	-2.65	54.54	54.82	290.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 07:00:00	-2.47	33.50	0.36	-2.75	54.63	54.92	290.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 07:15:00	-2.52	33.50	0.37	-2.81	54.69	54.97	290.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 07:30:00	-10.57	33.50	0.37	-10.85	62.73	63.02	281.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 07:45:00	-3.09	33.51	0.37	-3.38	55.25	55.54	289.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 08:00:00	-2.48	33.51	0.37	-2.77	54.65	54.94	290.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 08:15:00	-17.08	33.51	0.38	-17.37	69.25	69.54	275.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 08:30:00	-16.93	33.51	0.38	-17.23	69.10	69.39	275.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 08:45:00	-4.75	33.51	0.38	-5.04	56.91	57.21	287.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 09:00:00	-3.16	33.52	0.38	-3.46	55.32	55.62	289.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 09:15:00	-4.00	33.52	0.38	-4.30	56.17	56.47	288.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 09:30:00	-2.60	33.52	0.39	-2.91	54.77	55.07	289.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 09:45:00	-2.12	33.52	0.39	-2.42	54.28	54.58	290.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 10:00:00	-1.83	33.52	0.39	-2.13	53.99	54.30	290.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 10:15:00	-1.61	33.52	0.39	-1.91	53.78	54.08	290.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 10:30:00	-1.46	33.52	0.39	-1.76	53.63	53.93	291.07	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	08/19/10 10:45:00	-1.34	33.52	0.39	-1.64	53.51	53.81	291.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 11:00:00	-1.25	33.52	0.39	-1.55	53.41	53.71	291.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 11:15:00	-1.24	33.52	0.39	-1.54	53.40	53.70	291.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 11:30:00	-1.36	33.52	0.39	-1.66	53.52	53.82	291.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 11:45:00	-1.47	33.52	0.39	-1.77	53.64	53.94	291.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 12:00:00	-1.41	33.52	0.39	-1.71	53.58	53.88	291.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 12:15:00	-1.25	33.52	0.39	-1.55	53.42	53.72	291.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 12:30:00	-1.13	33.52	0.39	-1.43	53.30	53.60	291.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 12:45:00	-1.02	33.52	0.39	-1.32	53.19	53.49	291.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 13:00:00	-1.09	33.52	0.39	-1.39	53.26	53.56	291.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 13:15:00	-1.13	33.52	0.39	-1.43	53.29	53.60	291.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 13:30:00	-1.02	33.52	0.39	-1.33	53.19	53.49	291.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 13:45:00	-0.92	33.52	0.38	-1.22	53.08	53.38	291.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 14:00:00	-0.80	33.51	0.37	-1.10	52.97	53.26	291.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 14:15:00	-0.71	33.50	0.37	-0.99	52.87	53.16	291.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 14:30:00	-0.63	33.50	0.36	-0.91	52.79	53.07	291.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 14:45:00	-0.55	33.49	0.36	-0.83	52.71	52.99	292.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 15:00:00	-0.48	33.49	0.35	-0.76	52.65	52.92	292.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 15:15:00	-0.43	33.48	0.35	-0.70	52.60	52.87	292.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 15:30:00	-0.38	33.47	0.34	-0.65	52.55	52.81	292.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 15:45:00	-0.34	33.47	0.33	-0.60	52.51	52.77	292.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 16:00:00	-0.32	33.46	0.33	-0.58	52.49	52.74	292.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 16:15:00	-0.35	33.46	0.32	-0.60	52.52	52.77	292.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 16:30:00	-0.31	33.45	0.32	-0.56	52.48	52.73	292.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 16:45:00	-0.27	33.44	0.31	-0.51	52.44	52.68	292.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 17:00:00	-0.24	33.44	0.30	-0.48	52.41	52.64	292.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 17:15:00	-0.29	33.43	0.30	-0.52	52.46	52.69	292.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 17:30:00	-0.48	33.43	0.29	-0.70	52.64	52.87	292.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 17:45:00	-0.66	33.43	0.29	-0.88	52.82	53.05	291.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 18:00:00	-7.43	33.43	0.29	-7.66	59.60	59.83	285.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 18:15:00	-1.29	33.43	0.29	-1.52	53.46	53.68	291.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 18:30:00	-0.79	33.43	0.29	-1.02	52.95	53.18	291.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 18:45:00	-0.61	33.43	0.29	-0.83	52.77	53.00	292.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 19:00:00	-0.68	33.43	0.29	-0.90	52.84	53.07	291.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 19:15:00	-6.36	33.43	0.29	-6.59	58.53	58.76	286.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 19:30:00	-1.31	33.43	0.29	-1.54	53.48	53.71	291.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 19:45:00	-0.83	33.43	0.29	-1.06	52.99	53.22	291.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 20:00:00	-0.59	33.43	0.29	-0.82	52.76	52.99	292.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 20:15:00	-0.46	33.43	0.29	-0.68	52.62	52.85	292.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 20:30:00	-0.44	33.43	0.29	-0.67	52.61	52.84	292.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 20:45:00	-0.47	33.43	0.29	-0.69	52.63	52.86	292.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 21:00:00	-6.76	33.43	0.29	-6.99	58.93	59.16	285.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 21:15:00	-1.23	33.43	0.29	-1.46	53.40	53.63	291.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 21:30:00	-0.95	33.43	0.29	-1.17	53.11	53.34	291.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 21:45:00	-0.95	33.43	0.29	-1.17	53.11	53.34	291.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 22:00:00	-1.06	33.43	0.29	-1.29	53.23	53.46	291.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 22:15:00	-1.13	33.43	0.29	-1.36	53.30	53.53	291.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 22:30:00	-1.18	33.43	0.29	-1.41	53.35	53.58	291.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 22:45:00	-1.22	33.43	0.29	-1.45	53.39	53.62	291.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 23:00:00	-1.26	33.43	0.29	-1.49	53.42	53.65	291.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 23:15:00	-1.37	33.43	0.29	-1.60	53.53	53.76	291.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 23:30:00	-1.63	33.43	0.29	-1.86	53.79	54.02	290.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/19/10 23:45:00	-1.87	33.43	0.29	-2.10	54.03	54.26	290.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 00:00:00	-1.96	33.43	0.29	-2.19	54.12	54.35	290.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 00:15:00	-1.93	33.43	0.29	-2.16	54.10	54.32	290.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 00:30:00	-1.91	33.43	0.29	-2.14	54.07	54.30	290.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 00:45:00	-1.91	33.43	0.29	-2.14	54.08	54.31	290.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 01:00:00	-2.09	33.43	0.29	-2.32	54.25	54.48	290.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 01:15:00	-2.21	33.43	0.29	-2.44	54.38	54.61	290.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 01:30:00	-2.19	33.43	0.30	-2.42	54.35	54.58	290.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 01:45:00	-2.15	33.43	0.29	-2.38	54.32	54.55	290.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 02:00:00	-2.13	33.43	0.29	-2.35	54.29	54.52	290.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 02:15:00	-2.11	33.43	0.29	-2.34	54.27	54.50	290.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 02:30:00	-2.10	33.43	0.29	-2.33	54.27	54.49	290.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 02:45:00	-2.10	33.42	0.29	-2.33	54.27	54.49	290.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 03:00:00	-2.11	33.42	0.29	-2.34	54.28	54.50	290.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 03:15:00	-2.12	33.42	0.29	-2.35	54.29	54.51	290.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 03:30:00	-2.15	33.42	0.29	-2.37	54.31	54.54	290.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 03:45:00	-2.39	33.42	0.29	-2.61	54.55	54.78	290.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 04:00:00	-2.69	33.42	0.28	-2.91	54.85	55.08	289.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 04:15:00	-3.00	33.42	0.28	-3.22	55.17	55.39	289.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 04:30:00	-3.24	33.42	0.28	-3.46	55.41	55.63	289.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 04:45:00	-5.82	33.42	0.28	-6.04	57.99	58.21	286.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 05:00:00	-4.61	33.42	0.28	-4.83	56.78	57.00	288.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 05:15:00	-3.86	33.41	0.28	-4.08	56.03	56.25	288.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 05:30:00	-3.76	33.41	0.28	-3.98	55.93	56.14	288.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 05:45:00	-3.78	33.41	0.28	-4.00	55.94	56.16	288.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 06:00:00	-3.65	33.41	0.28	-3.87	55.82	56.03	288.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 06:15:00	-3.53	33.41	0.28	-3.74	55.69	55.91	289.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 06:30:00	-3.41	33.41	0.28	-3.63	55.58	55.79	289.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 06:45:00	-3.33	33.41	0.28	-3.55	55.50	55.72	289.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 07:00:00	-3.46	33.41	0.28	-3.68	55.63	55.84	289.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 07:15:00	-12.10	33.41	0.28	-12.32	64.26	64.48	280.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 07:30:00	-4.21	33.42	0.28	-4.43	56.37	56.59	288.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 07:45:00	-3.49	33.42	0.28	-3.71	55.66	55.87	289.13	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	08/20/10 08:00:00	-3.22	33.42	0.28	-3.44	55.39	55.60	289.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 08:15:00	-3.00	33.42	0.28	-3.22	55.17	55.39	289.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 08:30:00	-6.23	33.42	0.28	-6.45	58.39	58.61	286.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 08:45:00	-3.17	33.42	0.28	-3.39	55.34	55.56	289.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 09:00:00	-2.64	33.42	0.28	-2.86	54.80	55.02	289.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 09:15:00	-2.36	33.42	0.28	-2.58	54.53	54.75	290.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 09:30:00	-2.12	33.42	0.28	-2.34	54.29	54.51	290.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 09:45:00	-1.95	33.41	0.28	-2.17	54.12	54.33	290.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 10:00:00	-1.80	33.41	0.27	-2.01	53.97	54.18	290.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 10:15:00	-1.67	33.40	0.27	-1.88	53.83	54.04	290.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 10:30:00	-1.54	33.40	0.26	-1.75	53.71	53.91	291.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 10:45:00	-1.43	33.39	0.26	-1.63	53.60	53.80	291.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 11:00:00	-1.36	33.38	0.25	-1.56	53.53	53.72	291.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 11:15:00	-1.36	33.38	0.24	-1.55	53.53	53.72	291.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 11:30:00	-1.46	33.37	0.24	-1.65	53.63	53.81	291.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 11:45:00	-1.54	33.37	0.23	-1.73	53.71	53.89	291.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 12:00:00	-1.48	33.36	0.23	-1.66	53.64	53.82	291.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 12:15:00	-1.31	33.36	0.22	-1.48	53.48	53.65	291.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 12:30:00	-1.18	33.35	0.22	-1.35	53.35	53.52	291.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 12:45:00	-1.06	33.35	0.21	-1.23	53.23	53.39	291.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 13:00:00	-1.12	33.34	0.21	-1.28	53.28	53.45	291.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 13:15:00	-1.13	33.34	0.20	-1.29	53.29	53.45	291.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 13:30:00	-1.02	33.33	0.20	-1.17	53.18	53.34	291.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 13:45:00	-0.92	33.32	0.19	-1.07	53.09	53.23	291.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 14:00:00	-0.82	33.32	0.18	-0.97	52.99	53.13	291.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 14:15:00	-0.73	33.31	0.18	-0.87	52.89	53.03	291.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 14:30:00	-0.66	33.30	0.17	-0.79	52.82	52.96	292.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 14:45:00	-0.59	33.30	0.16	-0.72	52.76	52.88	292.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 15:00:00	-0.54	33.29	0.15	-0.66	52.70	52.82	292.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 15:15:00	-0.48	33.28	0.15	-0.60	52.65	52.76	292.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 15:30:00	-0.46	33.28	0.14	-0.57	52.63	52.74	292.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 15:45:00	-0.48	33.27	0.13	-0.59	52.65	52.75	292.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 16:00:00	-0.44	33.26	0.13	-0.54	52.61	52.71	292.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 16:15:00	-0.40	33.26	0.12	-0.49	52.56	52.66	292.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 16:30:00	-0.36	33.25	0.11	-0.45	52.53	52.62	292.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 16:45:00	-0.33	33.24	0.11	-0.41	52.49	52.58	292.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 17:00:00	-0.30	33.23	0.10	-0.38	52.46	52.54	292.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 17:15:00	-0.34	33.23	0.09	-0.41	52.51	52.58	292.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 17:30:00	-0.51	33.22	0.09	-0.58	52.68	52.74	292.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 17:45:00	-0.67	33.22	0.09	-0.74	52.84	52.90	292.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 18:00:00	-0.66	33.22	0.08	-0.72	52.82	52.89	292.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 18:15:00	-0.54	33.22	0.08	-0.61	52.71	52.77	292.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 18:30:00	-0.43	33.22	0.08	-0.50	52.60	52.66	292.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 18:45:00	-0.36	33.22	0.08	-0.42	52.52	52.59	292.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 19:00:00	-0.46	33.22	0.08	-0.52	52.62	52.68	292.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 19:15:00	-0.45	33.22	0.08	-0.52	52.62	52.68	292.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 19:30:00	-0.36	33.22	0.08	-0.42	52.53	52.59	292.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 19:45:00	-1.55	33.21	0.08	-1.61	53.71	53.77	291.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 20:00:00	-0.60	33.21	0.08	-0.66	52.76	52.83	292.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 20:15:00	-0.43	33.21	0.08	-0.49	52.60	52.66	292.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 20:30:00	-0.54	33.21	0.08	-0.60	52.70	52.76	292.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 20:45:00	-0.68	33.21	0.08	-0.74	52.85	52.91	292.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 21:00:00	-0.80	33.21	0.08	-0.86	52.97	53.03	291.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 21:15:00	-0.93	33.21	0.08	-0.99	53.10	53.16	291.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 21:30:00	-2.15	33.21	0.08	-2.20	54.31	54.37	290.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 21:45:00	-1.52	33.21	0.08	-1.58	53.68	53.74	291.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 22:00:00	-1.44	33.21	0.08	-1.50	53.61	53.67	291.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 22:15:00	-1.48	33.21	0.08	-1.54	53.64	53.70	291.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 22:30:00	-1.56	33.21	0.08	-1.62	53.72	53.79	291.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 22:45:00	-1.60	33.22	0.08	-1.66	53.76	53.83	291.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 23:00:00	-1.58	33.22	0.08	-1.64	53.74	53.81	291.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 23:15:00	-1.62	33.22	0.08	-1.68	53.78	53.85	291.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 23:30:00	-1.82	33.22	0.08	-1.88	53.98	54.05	290.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/20/10 23:45:00	-2.11	33.22	0.09	-2.18	54.28	54.34	290.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 00:00:00	-2.42	33.22	0.09	-2.49	54.59	54.66	290.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 00:15:00	-2.68	33.22	0.09	-2.75	54.84	54.91	290.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 00:30:00	-2.92	33.22	0.09	-2.99	55.09	55.16	289.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 00:45:00	-3.09	33.23	0.09	-3.16	55.26	55.33	289.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 01:00:00	-3.24	33.23	0.09	-3.31	55.40	55.48	289.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 01:15:00	-3.27	33.23	0.09	-3.34	55.44	55.51	289.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 01:30:00	-3.10	33.23	0.09	-3.17	55.27	55.34	289.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 01:45:00	-2.93	33.23	0.10	-3.01	55.10	55.17	289.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 02:00:00	-2.77	33.23	0.10	-2.84	54.93	55.01	289.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 02:15:00	-2.65	33.23	0.10	-2.73	54.81	54.89	290.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 02:30:00	-2.55	33.24	0.10	-2.63	54.72	54.80	290.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 02:45:00	-2.47	33.24	0.10	-2.55	54.63	54.71	290.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 03:00:00	-2.40	33.24	0.10	-2.48	54.57	54.65	290.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 03:15:00	-2.36	33.24	0.11	-2.45	54.53	54.61	290.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 03:30:00	-2.34	33.24	0.11	-2.42	54.50	54.59	290.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 03:45:00	-2.36	33.24	0.11	-2.45	54.53	54.61	290.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 04:00:00	-2.32	33.25	0.11	-2.41	54.49	54.58	290.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 04:15:00	-2.25	33.25	0.11	-2.33	54.41	54.50	290.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 04:30:00	-2.18	33.25	0.11	-2.27	54.34	54.43	290.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 04:45:00	-2.12	33.25	0.12	-2.21	54.29	54.38	290.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 05:00:00	-2.07	33.25	0.12	-2.16	54.24	54.33	290.67	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	08/21/10 05:15:00	-2.09	33.25	0.12	-2.19	54.26	54.35	290.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 05:30:00	-2.27	33.26	0.12	-2.36	54.43	54.53	290.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 05:45:00	-2.44	33.26	0.12	-2.53	54.60	54.70	290.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 06:00:00	-8.84	33.26	0.13	-8.94	61.00	61.10	283.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 06:15:00	-3.13	33.27	0.13	-3.23	55.29	55.40	289.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 06:30:00	-10.11	33.27	0.14	-10.21	62.27	62.38	282.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 06:45:00	-3.23	33.27	0.14	-3.34	55.40	55.51	289.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 07:00:00	-12.65	33.28	0.14	-12.76	64.82	64.93	280.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 07:15:00	-3.66	33.28	0.15	-3.78	55.83	55.94	289.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 07:30:00	-4.77	33.29	0.15	-4.88	56.93	57.05	287.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 07:45:00	-14.21	33.29	0.15	-14.33	66.37	66.49	278.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 08:00:00	-3.56	33.29	0.16	-3.69	55.73	55.85	289.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 08:15:00	-4.56	33.30	0.16	-4.69	56.72	56.85	288.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 08:30:00	-2.83	33.30	0.17	-2.96	55.00	55.12	289.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 08:45:00	-2.36	33.30	0.17	-2.50	54.53	54.66	290.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 09:00:00	-9.97	33.31	0.17	-10.10	62.13	62.27	282.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 09:15:00	-2.72	33.31	0.18	-2.86	54.89	55.02	289.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 09:30:00	-2.07	33.32	0.18	-2.21	54.23	54.37	290.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 09:45:00	-10.67	33.30	0.17	-10.80	62.84	62.97	282.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 10:00:00	-2.41	33.29	0.15	-2.53	54.57	54.69	290.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 10:15:00	-1.76	33.27	0.14	-1.87	53.93	54.04	290.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 10:30:00	-1.52	33.26	0.12	-1.62	53.68	53.78	291.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 10:45:00	-1.47	33.24	0.11	-1.56	53.64	53.72	291.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 11:00:00	-1.40	33.23	0.09	-1.47	53.56	53.64	291.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 11:15:00	-1.38	33.21	0.08	-1.44	53.55	53.61	291.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 11:30:00	-1.48	33.20	0.06	-1.53	53.64	53.69	291.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 11:45:00	-1.56	33.18	0.05	-1.60	53.72	53.76	291.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 12:00:00	-6.70	33.17	0.03	-6.72	58.86	58.89	286.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 12:15:00	-2.03	33.16	0.02	-2.05	54.20	54.21	290.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 12:30:00	-1.54	33.14	0.01	-1.54	53.70	53.71	291.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 12:45:00	-1.28	33.13	-0.01	-1.27	53.45	53.44	291.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 13:00:00	-1.31	33.11	-0.02	-1.29	53.47	53.45	291.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 13:15:00	-1.30	33.10	-0.04	-1.27	53.46	53.43	291.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 13:30:00	-1.19	33.08	-0.05	-1.15	53.36	53.32	291.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 13:45:00	-1.14	33.11	-0.03	-1.12	53.30	53.28	291.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 14:00:00	-1.05	33.14	0.00	-1.05	53.22	53.22	291.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 14:15:00	-0.93	33.16	0.03	-0.95	53.10	53.12	291.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 14:30:00	-0.81	33.19	0.05	-0.85	52.98	53.02	291.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 14:45:00	-0.74	33.21	0.08	-0.80	52.91	52.97	292.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 15:00:00	-0.72	33.24	0.11	-0.80	52.89	52.97	292.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 15:15:00	-0.71	33.27	0.13	-0.82	52.88	52.98	292.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 15:30:00	-8.80	33.29	0.16	-8.92	60.97	61.09	283.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 15:45:00	-12.86	33.32	0.19	-13.00	65.02	65.17	279.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 16:00:00	-17.20	33.35	0.21	-17.37	69.37	69.53	275.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 16:15:00	-5.34	33.37	0.24	-5.53	57.51	57.69	287.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 16:30:00	-2.48	33.40	0.27	-2.69	54.65	54.85	290.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 16:45:00	-1.77	33.43	0.29	-2.00	53.94	54.17	290.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 17:00:00	-14.11	33.45	0.32	-14.36	66.28	66.53	278.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 17:15:00	-17.09	33.48	0.35	-17.35	69.25	69.52	275.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 17:30:00	-4.76	33.51	0.37	-5.05	56.92	57.21	287.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 17:45:00	-3.00	33.51	0.38	-3.29	55.16	55.45	289.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 18:00:00	-2.42	33.52	0.38	-2.72	54.58	54.88	290.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 18:15:00	-2.03	33.52	0.39	-2.34	54.20	54.50	290.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 18:30:00	-1.74	33.53	0.39	-2.04	53.90	54.21	290.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 18:45:00	-1.52	33.53	0.40	-1.83	53.69	54.00	291.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 19:00:00	-1.53	33.54	0.41	-1.84	53.69	54.01	290.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 19:15:00	-1.48	33.55	0.41	-1.81	53.65	53.97	291.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 19:30:00	-17.18	33.55	0.42	-17.50	69.34	69.67	275.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 19:45:00	-17.18	33.56	0.42	-17.51	69.34	69.67	275.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 20:00:00	-11.97	33.56	0.43	-12.30	64.13	64.47	280.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 20:15:00	-3.93	33.57	0.43	-4.26	56.09	56.43	288.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 20:30:00	-4.13	33.57	0.44	-4.47	56.29	56.64	288.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 20:45:00	-7.07	33.58	0.44	-7.42	59.24	59.58	285.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 21:00:00	-2.63	33.58	0.45	-2.99	54.80	55.15	289.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 21:15:00	-2.09	33.59	0.46	-2.45	54.26	54.61	290.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 21:30:00	-1.90	33.60	0.46	-2.26	54.07	54.43	290.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 21:45:00	-1.84	33.60	0.47	-2.21	54.01	54.37	290.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 22:00:00	-1.85	33.60	0.47	-2.21	54.01	54.38	290.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 22:15:00	-1.94	33.61	0.47	-2.31	54.11	54.48	290.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 22:30:00	-2.05	33.61	0.48	-2.42	54.21	54.58	290.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 22:45:00	-2.09	33.62	0.48	-2.47	54.26	54.63	290.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 23:00:00	-2.13	33.62	0.49	-2.51	54.30	54.67	290.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 23:15:00	-2.22	33.62	0.49	-2.60	54.38	54.77	290.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 23:30:00	-2.44	33.63	0.49	-2.83	54.61	54.99	290.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/21/10 23:45:00	-2.64	33.63	0.50	-3.03	54.80	55.19	289.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 00:00:00	-2.65	33.64	0.50	-3.05	54.82	55.21	289.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 00:15:00	-2.56	33.64	0.51	-2.96	54.73	55.12	289.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 00:30:00	-11.70	33.65	0.51	-12.10	63.86	64.26	280.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 00:45:00	-3.20	33.65	0.51	-3.61	55.37	55.77	289.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 01:00:00	-2.83	33.65	0.52	-3.24	55.00	55.40	289.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 01:15:00	-2.74	33.66	0.52	-3.14	54.90	55.31	289.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 01:30:00	-2.62	33.66	0.53	-3.03	54.78	55.20	289.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 01:45:00	-2.50	33.67	0.53	-2.91	54.66	55.08	289.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 02:00:00	-2.41	33.67	0.54	-2.83	54.57	54.99	290.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 02:15:00	-2.36	33.68	0.54	-2.78	54.52	54.94	290.06	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	08/22/10 02:30:00	-2.31	33.68	0.55	-2.74	54.48	54.90	290.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 02:45:00	-2.26	33.69	0.55	-2.69	54.43	54.86	290.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 03:00:00	-2.22	33.69	0.56	-2.65	54.38	54.82	290.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 03:15:00	-2.19	33.70	0.56	-2.62	54.35	54.79	290.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 03:30:00	-2.18	33.70	0.57	-2.62	54.35	54.79	290.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 03:45:00	-2.39	33.71	0.57	-2.84	54.56	55.00	290.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 04:00:00	-2.67	33.71	0.58	-3.12	54.83	55.28	289.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 04:15:00	-2.95	33.71	0.58	-3.40	55.12	55.57	289.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 04:30:00	-3.15	33.72	0.58	-3.61	55.32	55.77	289.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 04:45:00	-3.29	33.72	0.59	-3.75	55.45	55.91	289.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 05:00:00	-3.37	33.73	0.59	-3.83	55.53	56.00	289.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 05:15:00	-3.27	33.73	0.60	-3.73	55.43	55.90	289.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 05:30:00	-3.24	33.74	0.60	-3.71	55.41	55.88	289.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 05:45:00	-3.27	33.74	0.61	-3.75	55.43	55.91	289.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 06:00:00	-3.20	33.75	0.61	-3.68	55.36	55.84	289.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 06:15:00	-3.04	33.75	0.62	-3.52	55.20	55.69	289.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 06:30:00	-2.93	33.76	0.63	-3.42	55.09	55.58	289.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 06:45:00	-2.79	33.77	0.63	-3.28	54.95	55.45	289.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 07:00:00	-2.88	33.77	0.64	-3.38	55.05	55.54	289.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 07:15:00	-2.89	33.78	0.64	-3.39	55.06	55.56	289.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 07:30:00	-2.77	33.78	0.65	-3.27	54.93	55.44	289.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 07:45:00	-5.39	33.79	0.65	-5.90	57.56	58.07	286.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 08:00:00	-9.40	33.79	0.66	-9.91	61.57	62.08	282.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 08:15:00	-3.40	33.80	0.66	-3.92	55.56	56.08	288.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 08:30:00	-2.68	33.80	0.67	-3.20	54.85	55.37	289.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 08:45:00	-5.64	33.81	0.67	-6.17	57.80	58.33	286.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 09:00:00	-2.69	33.81	0.68	-3.22	54.86	55.39	289.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 09:15:00	-2.22	33.82	0.68	-2.76	54.39	54.92	290.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 09:30:00	-1.95	33.82	0.69	-2.49	54.12	54.66	290.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 09:45:00	-1.80	33.76	0.62	-2.29	53.97	54.45	290.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 10:00:00	-1.65	33.70	0.56	-2.08	53.81	54.25	290.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 10:15:00	-1.58	33.63	0.50	-1.97	53.75	54.13	290.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 10:30:00	-1.50	33.57	0.43	-1.84	53.67	54.00	291.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 10:45:00	-4.66	33.50	0.37	-4.95	56.83	57.11	287.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 11:00:00	-1.80	33.44	0.30	-2.04	53.97	54.20	290.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 11:15:00	-1.54	33.37	0.24	-1.73	53.71	53.89	291.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 11:30:00	-1.59	33.31	0.17	-1.73	53.76	53.90	291.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 11:45:00	-1.71	33.24	0.11	-1.79	53.87	53.96	291.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 12:00:00	-1.65	33.18	0.05	-1.68	53.81	53.85	291.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 12:15:00	-6.86	33.12	-0.02	-6.85	59.03	59.01	285.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 12:30:00	-16.82	33.05	-0.08	-16.75	68.98	68.92	276.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 12:45:00	-12.98	32.99	-0.15	-12.87	65.15	65.03	279.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 13:00:00	-3.57	32.92	-0.21	-3.41	55.74	55.57	289.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 13:15:00	-2.40	32.86	-0.28	-2.19	54.57	54.35	290.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 13:30:00	-1.86	32.79	-0.34	-1.60	54.03	53.76	291.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 13:45:00	-1.59	32.85	-0.28	-1.37	53.75	53.53	291.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 14:00:00	-1.35	32.91	-0.22	-1.17	53.51	53.34	291.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 14:15:00	-1.20	32.97	-0.17	-1.07	53.36	53.23	291.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 14:30:00	-1.13	33.03	-0.11	-1.04	53.29	53.21	291.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 14:45:00	-2.21	33.08	-0.05	-2.17	54.37	54.33	290.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 15:00:00	-1.28	33.14	0.01	-1.29	53.45	53.45	291.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 15:15:00	-1.08	33.20	0.07	-1.13	53.25	53.30	291.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 15:30:00	-1.00	33.26	0.12	-1.10	53.17	53.26	291.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 15:45:00	-0.98	33.32	0.18	-1.12	53.15	53.29	291.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 16:00:00	-0.93	33.37	0.24	-1.11	53.09	53.28	291.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 16:15:00	-0.89	33.43	0.30	-1.12	53.05	53.28	291.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 16:30:00	-0.83	33.49	0.36	-1.11	52.99	53.27	291.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 16:45:00	-0.84	33.55	0.41	-1.16	53.00	53.33	291.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 17:00:00	-0.87	33.61	0.47	-1.24	53.04	53.41	291.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 17:15:00	-0.92	33.66	0.53	-1.33	53.08	53.50	291.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 17:30:00	-0.96	33.72	0.59	-1.41	53.12	53.58	291.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 17:45:00	-0.93	33.73	0.59	-1.39	53.10	53.56	291.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 18:00:00	-0.94	33.73	0.60	-1.41	53.11	53.57	291.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 18:15:00	-0.92	33.73	0.60	-1.38	53.08	53.55	291.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 18:30:00	-0.81	33.74	0.60	-1.28	52.98	53.45	291.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 18:45:00	-0.72	33.74	0.61	-1.19	52.88	53.36	291.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 19:00:00	-0.82	33.75	0.61	-1.30	52.98	53.46	291.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 19:15:00	-0.81	33.75	0.62	-1.29	52.98	53.46	291.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 19:30:00	-0.77	33.75	0.62	-1.26	52.94	53.42	291.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 19:45:00	-0.77	33.76	0.62	-1.26	52.94	53.42	291.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 20:00:00	-0.70	33.76	0.63	-1.19	52.87	53.36	291.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 20:15:00	-0.68	33.77	0.63	-1.17	52.84	53.33	291.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 20:30:00	-0.74	33.77	0.63	-1.24	52.91	53.40	291.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 20:45:00	-0.70	33.77	0.64	-1.20	52.86	53.36	291.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 21:00:00	-1.87	33.78	0.64	-2.37	54.03	54.53	290.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 21:15:00	-1.34	33.78	0.65	-1.85	53.51	54.01	290.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 21:30:00	-1.34	33.79	0.65	-1.85	53.51	54.01	290.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 21:45:00	-1.40	33.79	0.65	-1.91	53.57	54.08	290.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 22:00:00	-1.50	33.79	0.66	-2.02	53.67	54.18	290.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 22:15:00	-1.62	33.79	0.66	-2.13	53.78	54.30	290.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 22:30:00	-1.77	33.80	0.66	-2.29	53.94	54.46	290.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 22:45:00	-1.97	33.80	0.67	-2.49	54.14	54.66	290.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 23:00:00	-2.10	33.80	0.67	-2.62	54.26	54.79	290.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 23:15:00	-2.29	33.81	0.67	-2.81	54.45	54.98	290.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/22/10 23:30:00	-2.56	33.81	0.68	-3.09	54.72	55.25	289.75	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	08/22/10 23:45:00	-2.86	33.81	0.68	-3.39	55.03	55.56	289.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 00:00:00	-3.15	33.82	0.68	-3.68	55.31	55.84	289.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 00:15:00	-3.38	33.82	0.69	-3.92	55.55	56.08	288.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 00:30:00	-3.58	33.82	0.69	-4.11	55.74	56.28	288.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 00:45:00	-3.73	33.83	0.69	-4.27	55.89	56.43	288.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 01:00:00	-3.84	33.83	0.70	-4.39	56.01	56.55	288.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 01:15:00	-3.86	33.83	0.70	-4.40	56.02	56.57	288.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 01:30:00	-3.67	33.84	0.70	-4.22	55.84	56.38	288.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 01:45:00	-3.47	33.84	0.70	-4.02	55.64	56.19	288.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 02:00:00	-3.27	33.84	0.71	-3.82	55.43	55.99	289.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 02:15:00	-3.14	33.84	0.71	-3.69	55.30	55.86	289.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 02:30:00	-3.02	33.84	0.71	-3.57	55.19	55.74	289.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 02:45:00	-2.95	33.85	0.71	-3.50	55.11	55.67	289.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 03:00:00	-2.88	33.85	0.71	-3.44	55.05	55.60	289.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 03:15:00	-4.08	33.85	0.71	-4.64	56.25	56.80	288.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 03:30:00	-3.15	33.85	0.72	-3.71	55.31	55.87	289.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 03:45:00	-2.93	33.85	0.72	-3.49	55.09	55.65	289.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 04:00:00	-2.79	33.85	0.72	-3.35	54.95	55.52	289.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 04:15:00	-2.70	33.86	0.72	-3.27	54.87	55.43	289.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 04:30:00	-2.71	33.86	0.72	-3.27	54.87	55.44	289.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 04:45:00	-2.68	33.86	0.72	-3.25	54.85	55.41	289.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 05:00:00	-2.64	33.86	0.73	-3.21	54.81	55.38	289.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 05:15:00	-2.68	33.86	0.73	-3.25	54.85	55.41	289.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 05:30:00	-6.02	33.86	0.73	-6.59	58.19	58.75	286.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 05:45:00	-4.52	33.86	0.73	-5.09	56.68	57.25	287.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 06:00:00	-7.11	33.86	0.73	-7.68	59.27	59.84	285.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 06:15:00	-3.93	33.87	0.73	-4.50	56.09	56.66	288.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 06:30:00	-3.44	33.87	0.73	-4.01	55.60	56.17	288.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 06:45:00	-3.24	33.87	0.73	-3.81	55.41	55.98	289.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 07:00:00	-3.25	33.87	0.73	-3.82	55.42	55.99	289.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 07:15:00	-3.21	33.87	0.73	-3.78	55.37	55.95	289.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 07:30:00	-3.03	33.87	0.74	-3.60	55.19	55.76	289.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 07:45:00	-5.09	33.87	0.74	-5.67	57.26	57.83	287.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 08:00:00	-10.96	33.87	0.74	-11.54	63.13	63.70	281.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 08:15:00	-3.61	33.87	0.74	-4.18	55.77	56.35	288.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 08:30:00	-2.99	33.87	0.74	-3.57	55.15	55.73	289.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 08:45:00	-2.73	33.88	0.74	-3.31	54.89	55.47	289.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 09:00:00	-2.59	33.88	0.74	-3.17	54.75	55.33	289.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 09:15:00	-2.53	33.88	0.74	-3.10	54.69	55.27	289.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 09:30:00	-2.56	33.88	0.74	-3.14	54.73	55.31	289.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 09:45:00	-3.53	33.85	0.72	-4.09	55.70	56.26	288.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 10:00:00	-2.68	33.83	0.69	-3.22	54.85	55.39	289.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 10:15:00	-2.40	33.80	0.67	-2.92	54.57	55.09	289.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 10:30:00	-2.20	33.78	0.65	-2.70	54.36	54.87	290.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 10:45:00	-2.06	33.76	0.62	-2.54	54.22	54.71	290.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 11:00:00	-1.96	33.73	0.60	-2.43	54.13	54.60	290.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 11:15:00	-1.95	33.71	0.57	-2.40	54.12	54.56	290.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 11:30:00	-2.08	33.68	0.55	-2.50	54.24	54.67	290.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 11:45:00	-2.18	33.66	0.52	-2.59	54.35	54.76	290.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 12:00:00	-2.16	33.63	0.50	-2.55	54.32	54.71	290.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 12:15:00	-2.03	33.61	0.48	-2.40	54.20	54.57	290.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 12:30:00	-1.88	33.59	0.45	-2.23	54.05	54.40	290.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 12:45:00	-1.80	33.56	0.43	-2.13	53.97	54.30	290.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 13:00:00	-1.81	33.54	0.40	-2.12	53.97	54.28	290.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 13:15:00	-1.73	33.51	0.38	-2.03	53.90	54.19	290.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 13:30:00	-1.55	33.49	0.35	-1.83	53.72	53.99	291.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 13:45:00	-1.43	33.48	0.35	-1.70	53.59	53.86	291.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 14:00:00	-1.34	33.48	0.35	-1.60	53.50	53.77	291.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 14:15:00	-1.20	33.48	0.34	-1.47	53.36	53.63	291.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 14:30:00	-1.05	33.47	0.34	-1.32	53.22	53.48	291.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 14:45:00	-0.92	33.47	0.33	-1.18	53.09	53.35	291.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 15:00:00	-0.81	33.47	0.33	-1.07	52.97	53.23	291.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 15:15:00	-0.72	33.46	0.33	-0.97	52.88	53.14	291.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 15:30:00	-0.61	33.46	0.32	-0.87	52.78	53.03	291.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 15:45:00	-1.95	33.45	0.32	-2.20	54.11	54.36	290.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 16:00:00	-0.86	33.45	0.32	-1.11	53.03	53.27	291.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 16:15:00	-0.57	33.45	0.31	-0.81	52.73	52.98	292.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 16:30:00	-0.42	33.44	0.31	-0.66	52.59	52.83	292.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 16:45:00	-0.39	33.44	0.31	-0.63	52.55	52.79	292.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 17:00:00	-0.28	33.44	0.30	-0.52	52.45	52.68	292.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 17:15:00	-0.22	33.43	0.30	-0.45	52.38	52.62	292.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 17:30:00	-0.33	33.43	0.29	-0.56	52.50	52.73	292.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 17:45:00	-0.44	33.43	0.29	-0.67	52.60	52.83	292.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 18:00:00	-0.39	33.43	0.29	-0.61	52.55	52.78	292.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 18:15:00	-0.26	33.42	0.29	-0.48	52.42	52.65	292.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 18:30:00	-0.13	33.42	0.29	-0.35	52.29	52.52	292.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 18:45:00	-0.03	33.42	0.29	-0.25	52.19	52.42	292.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 19:00:00	-0.08	33.42	0.29	-0.31	52.25	52.47	292.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 19:15:00	-0.09	33.42	0.28	-0.31	52.26	52.48	292.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 19:30:00	-0.01	33.42	0.28	-0.24	52.18	52.40	292.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 19:45:00	0.04	33.42	0.28	-0.18	52.12	52.34	292.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 20:00:00	-0.03	33.41	0.28	-0.25	52.19	52.41	292.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 20:15:00	-0.18	33.41	0.28	-0.39	52.34	52.56	292.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 20:30:00	-0.37	33.41	0.28	-0.58	52.53	52.75	292.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 20:45:00	-0.57	33.41	0.28	-0.79	52.74	52.95	292.05	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	08/23/10 21:00:00	-2.41	33.41	0.27	-2.62	54.57	54.78	290.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 21:15:00	-1.37	33.41	0.27	-1.59	53.54	53.75	291.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 21:30:00	-1.31	33.41	0.27	-1.52	53.47	53.68	291.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 21:45:00	-1.39	33.41	0.27	-1.60	53.55	53.77	291.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 22:00:00	-1.39	33.41	0.27	-1.60	53.55	53.77	291.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 22:15:00	-1.36	33.41	0.27	-1.58	53.53	53.74	291.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 22:30:00	-1.35	33.41	0.28	-1.56	53.51	53.73	291.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 22:45:00	-1.34	33.41	0.28	-1.55	53.50	53.72	291.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 23:00:00	-1.34	33.41	0.28	-1.56	53.51	53.72	291.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 23:15:00	-1.43	33.41	0.28	-1.65	53.59	53.81	291.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 23:30:00	-1.61	33.42	0.28	-1.83	53.78	53.99	291.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/23/10 23:45:00	-1.77	33.42	0.28	-1.99	53.94	54.16	290.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 00:00:00	-1.75	33.42	0.28	-1.97	53.92	54.14	290.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 00:15:00	-1.62	33.42	0.28	-1.84	53.79	54.01	290.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 00:30:00	-1.52	33.42	0.28	-1.74	53.68	53.91	291.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 00:45:00	-1.42	33.42	0.29	-1.65	53.59	53.81	291.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 01:00:00	-1.51	33.42	0.29	-1.74	53.68	53.90	291.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 01:15:00	-1.54	33.42	0.29	-1.77	53.71	53.93	291.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 01:30:00	-1.48	33.42	0.29	-1.70	53.64	53.87	291.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 01:45:00	-1.40	33.43	0.29	-1.62	53.56	53.79	291.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 02:00:00	-1.33	33.43	0.29	-1.56	53.49	53.72	291.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 02:15:00	-1.27	33.43	0.30	-1.50	53.44	53.67	291.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 02:30:00	-1.23	33.43	0.30	-1.46	53.39	53.63	291.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 02:45:00	-1.19	33.44	0.30	-1.43	53.35	53.59	291.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 03:00:00	-1.14	33.44	0.30	-1.38	53.31	53.54	291.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 03:15:00	-1.09	33.44	0.31	-1.33	53.26	53.49	291.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 03:30:00	-1.05	33.45	0.31	-1.29	53.21	53.45	291.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 03:45:00	-1.24	33.45	0.31	-1.49	53.41	53.65	291.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 04:00:00	-4.10	33.45	0.32	-4.34	56.26	56.51	288.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 04:15:00	-11.78	33.45	0.32	-12.02	63.94	64.19	280.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 04:30:00	-3.20	33.46	0.32	-3.45	55.37	55.62	289.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 04:45:00	-2.63	33.46	0.32	-2.88	54.79	55.05	289.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 05:00:00	-2.51	33.46	0.33	-2.76	54.67	54.93	290.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 05:15:00	-2.38	33.46	0.33	-2.64	54.55	54.80	290.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 05:30:00	-2.37	33.47	0.33	-2.63	54.53	54.79	290.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 05:45:00	-2.40	33.46	0.33	-2.66	54.57	54.82	290.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 06:00:00	-2.35	33.46	0.32	-2.60	54.51	54.77	290.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 06:15:00	-7.02	33.46	0.32	-7.27	59.19	59.44	285.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 06:30:00	-2.67	33.45	0.32	-2.92	54.83	55.08	289.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 06:45:00	-2.21	33.45	0.32	-2.46	54.38	54.63	290.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 07:00:00	-2.08	33.45	0.31	-2.32	54.24	54.48	290.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 07:15:00	-1.87	33.44	0.31	-2.11	54.03	54.27	290.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 07:30:00	-1.70	33.44	0.31	-1.94	53.87	54.10	290.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 07:45:00	-12.32	33.44	0.30	-12.55	64.48	64.72	280.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 08:00:00	-16.80	33.43	0.30	-17.03	68.96	69.20	275.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 08:15:00	-16.89	33.43	0.30	-17.12	69.05	69.29	275.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 08:30:00	-6.94	33.43	0.29	-7.17	59.11	59.34	285.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 08:45:00	-5.59	33.42	0.29	-5.82	57.76	57.98	287.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 09:00:00	-2.60	33.42	0.29	-2.83	54.77	54.99	290.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 09:15:00	-1.79	33.42	0.28	-2.01	53.95	54.17	290.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 09:30:00	-1.30	33.42	0.28	-1.52	53.46	53.68	291.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 09:45:00	-0.99	33.40	0.26	-1.19	53.15	53.36	291.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 10:00:00	-0.77	33.38	0.25	-0.97	52.94	53.13	291.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 10:15:00	-0.60	33.37	0.23	-0.78	52.76	52.94	292.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 10:30:00	-0.44	33.35	0.21	-0.60	52.60	52.77	292.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 10:45:00	-0.32	33.33	0.20	-0.47	52.48	52.64	292.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 11:00:00	-0.31	33.32	0.18	-0.46	52.48	52.62	292.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 11:15:00	-0.32	33.30	0.17	-0.45	52.48	52.61	292.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 11:30:00	-0.42	33.28	0.15	-0.54	52.59	52.70	292.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 11:45:00	-0.54	33.27	0.13	-0.65	52.71	52.81	292.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 12:00:00	-0.50	33.25	0.12	-0.59	52.66	52.75	292.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 12:15:00	-0.37	33.24	0.10	-0.45	52.53	52.61	292.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 12:30:00	-0.24	33.22	0.08	-0.30	52.40	52.47	292.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 12:45:00	-0.12	33.20	0.07	-0.17	52.29	52.34	292.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 13:00:00	-0.19	33.19	0.05	-0.23	52.35	52.39	292.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 13:15:00	-0.20	33.17	0.04	-0.23	52.37	52.40	292.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 13:30:00	-0.09	33.15	0.02	-0.11	52.26	52.27	292.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 13:45:00	0.02	33.15	0.01	0.01	52.15	52.15	292.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 14:00:00	0.10	33.14	0.00	0.10	52.06	52.06	292.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 14:15:00	0.18	33.13	-0.01	0.18	51.99	51.98	293.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 14:30:00	0.24	33.12	-0.02	0.25	51.92	51.91	293.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 14:45:00	0.28	33.11	-0.02	0.30	51.88	51.86	293.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 15:00:00	0.35	33.10	-0.03	0.37	51.82	51.79	293.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 15:15:00	0.42	33.09	-0.04	0.45	51.75	51.72	293.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 15:30:00	0.48	33.09	-0.05	0.52	51.69	51.65	293.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 15:45:00	0.52	33.08	-0.06	0.56	51.65	51.60	293.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 16:00:00	0.55	33.07	-0.07	0.60	51.61	51.56	293.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 16:15:00	0.61	33.06	-0.08	0.67	51.55	51.49	293.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 16:30:00	0.66	33.05	-0.08	0.73	51.50	51.44	293.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 16:45:00	0.66	33.04	-0.09	0.74	51.50	51.43	293.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 17:00:00	0.64	33.03	-0.10	0.71	51.53	51.45	293.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 17:15:00	0.62	33.02	-0.11	0.71	51.54	51.46	293.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 17:30:00	-0.74	33.02	-0.12	-0.65	52.90	52.81	292.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 17:45:00	-0.05	33.02	-0.12	0.04	52.22	52.13	292.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 18:00:00	0.13	33.02	-0.11	0.22	52.03	51.95	293.05	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	08/24/10 18:15:00	0.29	33.02	-0.11	0.37	51.88	51.79	293.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 18:30:00	0.42	33.03	-0.11	0.50	51.74	51.66	293.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 18:45:00	0.52	33.03	-0.10	0.60	51.64	51.56	293.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 19:00:00	0.45	33.03	-0.10	0.53	51.71	51.63	293.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 19:15:00	0.40	33.04	-0.10	0.48	51.77	51.69	293.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 19:30:00	0.48	33.04	-0.10	0.55	51.69	51.61	293.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 19:45:00	0.53	33.04	-0.09	0.60	51.63	51.56	293.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 20:00:00	0.53	33.04	-0.09	0.60	51.63	51.56	293.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 20:15:00	0.51	33.05	-0.09	0.58	51.66	51.59	293.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 20:30:00	0.51	33.05	-0.08	0.57	51.66	51.59	293.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 20:45:00	0.51	33.05	-0.08	0.57	51.66	51.60	293.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 21:00:00	0.41	33.06	-0.08	0.47	51.76	51.70	293.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 21:15:00	0.45	33.06	-0.08	0.51	51.71	51.65	293.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 21:30:00	0.43	33.06	-0.07	0.49	51.74	51.68	293.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 21:45:00	0.38	33.06	-0.07	0.43	51.79	51.73	293.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 22:00:00	0.33	33.07	-0.07	0.38	51.84	51.78	293.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 22:15:00	0.28	33.07	-0.07	0.33	51.89	51.83	293.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 22:30:00	0.19	33.07	-0.07	0.24	51.97	51.92	293.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 22:45:00	-6.23	33.07	-0.06	-6.18	58.39	58.34	286.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 23:00:00	-0.60	33.07	-0.06	-0.55	52.77	52.72	292.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 23:15:00	-0.31	33.07	-0.06	-0.26	52.47	52.42	292.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 23:30:00	-0.41	33.08	-0.06	-0.37	52.58	52.53	292.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/24/10 23:45:00	-0.67	33.08	-0.06	-0.62	52.83	52.79	292.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 00:00:00	-0.95	33.08	-0.06	-0.91	53.11	53.07	291.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 00:15:00	-1.18	33.08	-0.05	-1.14	53.35	53.31	291.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 00:30:00	-1.38	33.08	-0.05	-1.34	53.54	53.50	291.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 00:45:00	-1.57	33.08	-0.05	-1.54	53.74	53.70	291.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 01:00:00	-1.77	33.09	-0.05	-1.73	53.93	53.90	291.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 01:15:00	-1.81	33.09	-0.05	-1.78	53.98	53.94	291.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 01:30:00	-1.64	33.09	-0.04	-1.61	53.81	53.77	291.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 01:45:00	-1.44	33.09	-0.04	-1.41	53.61	53.57	291.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 02:00:00	-1.28	33.10	-0.04	-1.25	53.44	53.42	291.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 02:15:00	-1.18	33.10	-0.03	-1.15	53.34	53.32	291.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 02:30:00	-1.09	33.11	-0.03	-1.07	53.25	53.23	291.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 02:45:00	-1.01	33.11	-0.02	-1.00	53.18	53.16	291.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 03:00:00	-0.96	33.12	-0.02	-0.95	53.13	53.11	291.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 03:15:00	-0.94	33.12	-0.01	-0.93	53.10	53.09	291.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 03:30:00	-0.93	33.13	-0.01	-0.92	53.09	53.09	291.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 03:45:00	-0.92	33.13	0.00	-0.91	53.08	53.08	291.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 04:00:00	-0.89	33.13	0.00	-0.89	53.06	53.06	291.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 04:15:00	-0.87	33.14	0.00	-0.88	53.04	53.04	291.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 04:30:00	-2.76	33.14	0.01	-2.77	54.93	54.93	290.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 04:45:00	-1.34	33.15	0.01	-1.35	53.50	53.51	291.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 05:00:00	-1.07	33.15	0.02	-1.09	53.24	53.25	291.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 05:15:00	-1.01	33.16	0.02	-1.02	53.17	53.19	291.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 05:30:00	-1.17	33.16	0.03	-1.19	53.34	53.36	291.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 05:45:00	-1.37	33.16	0.02	-1.38	53.53	53.55	291.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 06:00:00	-1.41	33.15	0.02	-1.43	53.58	53.59	291.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 06:15:00	-1.31	33.15	0.01	-1.32	53.48	53.49	291.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 06:30:00	-1.25	33.14	0.01	-1.26	53.42	53.43	291.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 06:45:00	-6.06	33.14	0.00	-6.07	58.23	58.23	286.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 07:00:00	-2.05	33.13	0.00	-2.05	54.22	54.22	290.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 07:15:00	-1.78	33.13	0.00	-1.78	53.95	53.94	291.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 07:30:00	-1.58	33.13	-0.01	-1.58	53.75	53.74	291.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 07:45:00	-3.90	33.12	-0.01	-3.89	56.06	56.05	288.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 08:00:00	-1.82	33.12	-0.02	-1.81	53.99	53.97	291.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 08:15:00	-1.55	33.11	-0.02	-1.53	53.71	53.70	291.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 08:30:00	-3.44	33.11	-0.03	-3.42	55.61	55.58	289.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 08:45:00	-1.69	33.10	-0.03	-1.67	53.86	53.83	291.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 09:00:00	-1.23	33.10	-0.04	-1.20	53.39	53.36	291.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 09:15:00	-0.96	33.10	-0.04	-0.92	53.12	53.09	291.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 09:30:00	-0.78	33.09	-0.04	-0.75	52.95	52.91	292.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 09:45:00	-0.66	33.08	-0.05	-0.61	52.82	52.78	292.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 10:00:00	-0.58	33.07	-0.06	-0.54	52.75	52.70	292.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 10:15:00	-0.55	33.07	-0.07	-0.50	52.72	52.66	292.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 10:30:00	-0.47	33.06	-0.08	-0.41	52.64	52.58	292.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 10:45:00	-0.36	33.05	-0.09	-0.29	52.52	52.46	292.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 11:00:00	-0.27	33.04	-0.09	-0.19	52.43	52.36	292.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 11:15:00	-0.29	33.03	-0.10	-0.21	52.45	52.37	292.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 11:30:00	-0.40	33.02	-0.11	-0.31	52.57	52.48	292.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 11:45:00	-0.52	33.02	-0.12	-0.43	52.69	52.59	292.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 12:00:00	-0.46	33.01	-0.13	-0.36	52.62	52.52	292.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 12:15:00	-0.32	33.00	-0.14	-0.21	52.48	52.38	292.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 12:30:00	-0.19	32.99	-0.15	-0.08	52.36	52.24	292.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 12:45:00	-0.09	32.98	-0.15	0.03	52.25	52.13	292.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 13:00:00	-0.18	32.97	-0.16	-0.05	52.34	52.22	292.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 13:15:00	-0.21	32.96	-0.17	-0.07	52.37	52.24	292.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 13:30:00	-0.10	32.96	-0.18	0.04	52.27	52.13	292.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 13:45:00	0.03	32.95	-0.18	0.17	52.14	51.99	293.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 14:00:00	0.13	32.94	-0.19	0.28	52.03	51.88	293.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 14:15:00	0.20	32.94	-0.20	0.35	51.96	51.81	293.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 14:30:00	0.28	32.93	-0.20	0.43	51.89	51.73	293.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 14:45:00	0.36	32.93	-0.21	0.52	51.80	51.64	293.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 15:00:00	0.44	32.92	-0.21	0.61	51.72	51.56	293.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 15:15:00	0.50	32.92	-0.22	0.67	51.66	51.49	293.51	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	08/25/10 15:30:00	-2.64	32.91	-0.22	-2.46	54.80	54.63	290.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 15:45:00	0.04	32.90	-0.23	0.22	52.12	51.94	293.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 16:00:00	0.26	32.90	-0.24	0.45	51.90	51.72	293.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 16:15:00	0.39	32.89	-0.24	0.58	51.78	51.59	293.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 16:30:00	0.47	32.89	-0.25	0.66	51.70	51.50	293.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 16:45:00	0.50	32.88	-0.25	0.70	51.66	51.46	293.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 17:00:00	0.53	32.88	-0.26	0.73	51.64	51.44	293.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 17:15:00	0.47	32.87	-0.27	0.68	51.70	51.49	293.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 17:30:00	0.27	32.86	-0.27	0.49	51.89	51.68	293.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 17:45:00	0.14	32.87	-0.27	0.34	52.03	51.82	293.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 18:00:00	0.16	32.87	-0.27	0.37	52.01	51.80	293.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 18:15:00	0.25	32.87	-0.27	0.46	51.92	51.71	293.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 18:30:00	0.33	32.87	-0.26	0.54	51.83	51.63	293.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 18:45:00	0.40	32.87	-0.26	0.60	51.77	51.56	293.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 19:00:00	0.24	32.87	-0.26	0.44	51.92	51.72	293.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 19:15:00	0.15	32.88	-0.26	0.35	52.02	51.82	293.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 19:30:00	0.19	32.88	-0.26	0.39	51.97	51.77	293.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 19:45:00	0.25	32.88	-0.25	0.45	51.91	51.71	293.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 20:00:00	-1.78	32.88	-0.25	-1.58	53.94	53.75	291.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 20:15:00	-7.50	32.88	-0.25	-7.31	59.67	59.47	285.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 20:30:00	-0.80	32.89	-0.25	-0.60	52.96	52.77	292.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 20:45:00	-0.21	32.89	-0.25	-0.01	52.37	52.18	292.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 21:00:00	-0.06	32.89	-0.25	0.13	52.23	52.04	292.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 21:15:00	0.14	32.89	-0.24	0.33	52.03	51.84	293.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 21:30:00	0.22	32.89	-0.24	0.41	51.94	51.75	293.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 21:45:00	-2.39	32.90	-0.24	-2.21	54.56	54.37	290.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 22:00:00	-0.37	32.90	-0.24	-0.18	52.53	52.35	292.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 22:15:00	-0.16	32.90	-0.23	0.02	52.33	52.15	292.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 22:30:00	-0.14	32.91	-0.23	0.03	52.31	52.13	292.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 22:45:00	-0.15	32.91	-0.22	0.03	52.31	52.14	292.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 23:00:00	-0.20	32.91	-0.22	-0.03	52.37	52.20	292.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 23:15:00	-0.27	32.92	-0.22	-0.10	52.44	52.27	292.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 23:30:00	-0.47	32.92	-0.21	-0.30	52.63	52.46	292.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/25/10 23:45:00	-0.64	32.92	-0.21	-0.48	52.81	52.64	292.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 00:00:00	-0.65	32.93	-0.21	-0.48	52.81	52.65	292.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 00:15:00	-0.55	32.93	-0.20	-0.39	52.72	52.56	292.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 00:30:00	-0.47	32.93	-0.20	-0.32	52.64	52.48	292.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 00:45:00	-0.43	32.94	-0.20	-0.27	52.59	52.44	292.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 01:00:00	-0.62	32.94	-0.19	-0.47	52.79	52.64	292.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 01:15:00	-0.76	32.94	-0.19	-0.61	52.92	52.77	292.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 01:30:00	-0.72	32.95	-0.19	-0.57	52.89	52.74	292.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 01:45:00	-0.68	32.95	-0.18	-0.53	52.84	52.70	292.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 02:00:00	-0.64	32.96	-0.18	-0.50	52.80	52.67	292.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 02:15:00	-0.62	32.96	-0.17	-0.48	52.78	52.65	292.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 02:30:00	-0.60	32.97	-0.17	-0.47	52.76	52.63	292.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 02:45:00	-0.58	32.98	-0.16	-0.46	52.75	52.62	292.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 03:00:00	-0.56	32.98	-0.15	-0.44	52.73	52.61	292.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 03:15:00	-0.57	32.99	-0.15	-0.45	52.73	52.62	292.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 03:30:00	-0.59	32.99	-0.14	-0.48	52.76	52.65	292.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 03:45:00	-0.82	33.00	-0.14	-0.71	52.99	52.88	292.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 04:00:00	-1.13	33.00	-0.13	-1.03	53.30	53.20	291.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 04:15:00	-1.44	33.01	-0.13	-1.34	53.61	53.51	291.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 04:30:00	-1.69	33.02	-0.12	-1.60	53.85	53.76	291.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 04:45:00	-1.86	33.02	-0.11	-1.77	54.03	53.94	291.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 05:00:00	-1.96	33.03	-0.11	-1.88	54.13	54.04	290.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 05:15:00	-1.90	33.03	-0.10	-1.82	54.06	53.98	291.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 05:30:00	-1.94	33.04	-0.10	-1.87	54.11	54.03	290.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 05:45:00	-2.03	33.04	-0.09	-1.96	54.20	54.13	290.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 06:00:00	-1.96	33.05	-0.08	-1.89	54.12	54.06	290.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 06:15:00	-4.19	33.06	-0.08	-4.13	56.35	56.29	288.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 06:30:00	-2.11	33.06	-0.07	-2.05	54.27	54.22	290.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 06:45:00	-1.77	33.07	-0.06	-1.72	53.94	53.89	291.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 07:00:00	-1.81	33.08	-0.06	-1.76	53.97	53.93	291.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 07:15:00	-1.81	33.08	-0.05	-1.77	53.98	53.94	291.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 07:30:00	-1.71	33.09	-0.04	-1.68	53.88	53.84	291.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 07:45:00	-6.59	33.10	-0.04	-6.56	58.75	58.72	286.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 08:00:00	-2.12	33.10	-0.03	-2.09	54.28	54.26	290.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 08:15:00	-10.58	33.11	-0.02	-10.56	62.74	62.73	282.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 08:30:00	-2.16	33.12	-0.02	-2.14	54.32	54.31	290.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 08:45:00	-1.53	33.12	-0.01	-1.52	53.69	53.68	291.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 09:00:00	-1.19	33.13	0.00	-1.19	53.36	53.35	291.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 09:15:00	-0.99	33.14	0.00	-0.99	53.15	53.15	291.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 09:30:00	-0.84	33.14	0.01	-0.85	53.01	53.01	291.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 09:45:00	-0.70	33.14	0.01	-0.71	52.87	52.87	292.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 10:00:00	-0.60	33.14	0.01	-0.60	52.76	52.77	292.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 10:15:00	-0.51	33.14	0.01	-0.51	52.67	52.68	292.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 10:30:00	-0.39	33.14	0.00	-0.39	52.55	52.56	292.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 10:45:00	-0.29	33.14	0.00	-0.29	52.45	52.46	292.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 11:00:00	-0.19	33.14	0.00	-0.19	52.35	52.35	292.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 11:15:00	-0.26	33.14	0.00	-0.27	52.43	52.43	292.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 11:30:00	-0.37	33.14	0.00	-0.37	52.54	52.54	292.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 11:45:00	-0.45	33.14	0.00	-0.45	52.62	52.62	292.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 12:00:00	-0.39	33.13	0.00	-0.39	52.55	52.55	292.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 12:15:00	-0.21	33.13	0.00	-0.21	52.38	52.38	292.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 12:30:00	-0.07	33.13	0.00	-0.07	52.23	52.23	292.77	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	08/26/10 12:45:00	0.06	33.13	0.00	0.06	52.11	52.11	292.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 13:00:00	-0.06	33.13	0.00	-0.06	52.23	52.22	292.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 13:15:00	-0.10	33.13	0.00	-0.10	52.27	52.26	292.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 13:30:00	0.03	33.13	0.00	0.04	52.13	52.13	292.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 13:45:00	0.16	33.13	0.00	0.17	52.00	52.00	293.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 14:00:00	0.27	33.14	0.00	0.27	51.89	51.90	293.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 14:15:00	0.39	33.14	0.01	0.39	51.77	51.78	293.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 14:30:00	0.50	33.15	0.01	0.49	51.67	51.68	293.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 14:45:00	0.60	33.15	0.01	0.59	51.57	51.58	293.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 15:00:00	0.67	33.15	0.02	0.66	51.49	51.51	293.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 15:15:00	0.71	33.16	0.02	0.70	51.45	51.47	293.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 15:30:00	0.76	33.16	0.03	0.74	51.41	51.43	293.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 15:45:00	0.82	33.16	0.03	0.79	51.35	51.37	293.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 16:00:00	0.89	33.17	0.03	0.86	51.28	51.30	293.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 16:15:00	0.94	33.17	0.04	0.91	51.22	51.25	293.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 16:30:00	1.00	33.18	0.04	0.96	51.17	51.20	293.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 16:45:00	1.02	33.18	0.04	0.99	51.14	51.18	293.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 17:00:00	0.99	33.18	0.05	0.95	51.17	51.21	293.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 17:15:00	0.97	33.19	0.05	0.93	51.19	51.23	293.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 17:30:00	0.84	33.19	0.06	0.79	51.33	51.37	293.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 17:45:00	0.71	33.20	0.06	0.66	51.46	51.51	293.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 18:00:00	0.70	33.20	0.07	0.65	51.46	51.52	293.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 18:15:00	0.78	33.21	0.07	0.72	51.39	51.44	293.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 18:30:00	0.86	33.22	0.08	0.79	51.31	51.37	293.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 18:45:00	0.90	33.22	0.09	0.83	51.27	51.34	293.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 19:00:00	0.73	33.23	0.09	0.66	51.43	51.51	293.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 19:15:00	0.64	33.23	0.10	0.56	51.53	51.60	293.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 19:30:00	0.70	33.24	0.10	0.62	51.46	51.54	293.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 19:45:00	0.72	33.25	0.11	0.63	51.45	51.53	293.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 20:00:00	0.73	33.25	0.12	0.64	51.44	51.53	293.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 20:15:00	0.68	33.26	0.12	0.59	51.48	51.58	293.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 20:30:00	-1.53	33.26	0.13	-1.63	53.69	53.79	291.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 20:45:00	0.25	33.27	0.14	0.15	51.91	52.02	292.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 21:00:00	0.50	33.28	0.14	0.39	51.66	51.77	293.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 21:15:00	0.63	33.28	0.15	0.52	51.53	51.65	293.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 21:30:00	0.54	33.29	0.15	0.42	51.62	51.74	293.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 21:45:00	-1.96	33.29	0.16	-2.08	54.13	54.25	290.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 22:00:00	-0.18	33.30	0.16	-0.31	52.35	52.47	292.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 22:15:00	-0.03	33.30	0.17	-0.16	52.20	52.33	292.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 22:30:00	0.01	33.30	0.17	-0.12	52.16	52.29	292.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 22:45:00	0.01	33.31	0.17	-0.13	52.16	52.29	292.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 23:00:00	-0.02	33.31	0.18	-0.16	52.18	52.32	292.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 23:15:00	-0.11	33.32	0.18	-0.25	52.28	52.42	292.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 23:30:00	-0.35	33.32	0.19	-0.49	52.51	52.66	292.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/26/10 23:45:00	-0.66	33.32	0.19	-0.81	52.82	52.97	292.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 00:00:00	-0.96	33.33	0.19	-1.11	53.12	53.28	291.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 00:15:00	-1.19	33.33	0.20	-1.35	53.36	53.51	291.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 00:30:00	-1.39	33.34	0.20	-1.55	53.56	53.71	291.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 00:45:00	-1.57	33.34	0.21	-1.74	53.74	53.90	291.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 01:00:00	-1.74	33.34	0.21	-1.90	53.90	54.07	290.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 01:15:00	-1.76	33.35	0.21	-1.93	53.93	54.10	290.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 01:30:00	-1.56	33.35	0.22	-1.73	53.73	53.90	291.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 01:45:00	-1.35	33.36	0.22	-1.52	53.52	53.69	291.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 02:00:00	-1.22	33.36	0.22	-1.39	53.39	53.56	291.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 02:15:00	-1.14	33.36	0.22	-1.31	53.30	53.48	291.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 02:30:00	-1.05	33.36	0.23	-1.23	53.22	53.39	291.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 02:45:00	-0.98	33.36	0.23	-1.16	53.14	53.32	291.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 03:00:00	-0.92	33.37	0.23	-1.10	53.09	53.27	291.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 03:15:00	-0.87	33.37	0.23	-1.05	53.03	53.21	291.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 03:30:00	-0.82	33.37	0.23	-1.01	52.99	53.17	291.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 03:45:00	-0.78	33.37	0.24	-0.97	52.95	53.13	291.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 04:00:00	-0.75	33.37	0.24	-0.94	52.92	53.11	291.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 04:15:00	-0.74	33.38	0.24	-0.92	52.90	53.09	291.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 04:30:00	-0.78	33.38	0.24	-0.97	52.95	53.14	291.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 04:45:00	-0.76	33.38	0.25	-0.95	52.93	53.12	291.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 05:00:00	-0.73	33.38	0.25	-0.92	52.89	53.08	291.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 05:15:00	-0.78	33.38	0.25	-0.97	52.94	53.14	291.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 05:30:00	-1.99	33.39	0.25	-2.19	54.16	54.35	290.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 05:45:00	-1.51	33.38	0.25	-1.70	53.67	53.86	291.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 06:00:00	-1.34	33.38	0.24	-1.53	53.51	53.70	291.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 06:15:00	-1.19	33.38	0.24	-1.38	53.35	53.54	291.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 06:30:00	-1.07	33.37	0.24	-1.26	53.24	53.42	291.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 06:45:00	-1.01	33.37	0.23	-1.19	53.18	53.36	291.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 07:00:00	-1.16	33.37	0.23	-1.34	53.33	53.51	291.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 07:15:00	-1.27	33.36	0.23	-1.45	53.44	53.62	291.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 07:30:00	-13.05	33.36	0.22	-13.23	65.22	65.39	279.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 07:45:00	-1.79	33.35	0.22	-1.96	53.96	54.13	290.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 08:00:00	-16.96	33.35	0.22	-17.13	69.12	69.29	275.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 08:15:00	-16.86	33.35	0.21	-17.03	69.03	69.19	275.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 08:30:00	-9.12	33.34	0.21	-9.29	61.29	61.45	283.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 08:45:00	-5.74	33.34	0.21	-5.90	57.90	58.06	286.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 09:00:00	-2.58	33.34	0.20	-2.74	54.75	54.90	290.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 09:15:00	-1.37	33.33	0.20	-1.53	53.54	53.69	291.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 09:30:00	-0.86	33.33	0.20	-1.01	53.02	53.18	291.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 09:45:00	-0.51	33.32	0.19	-0.65	52.67	52.82	292.18	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	08/27/10 10:00:00	-0.28	33.31	0.18	-0.42	52.45	52.59	292.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 10:15:00	-0.13	33.30	0.17	-0.26	52.29	52.42	292.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 10:30:00	-0.03	33.29	0.16	-0.15	52.19	52.32	292.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 10:45:00	0.05	33.28	0.15	-0.06	52.11	52.23	292.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 11:00:00	0.06	33.27	0.14	-0.05	52.10	52.21	292.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 11:15:00	0.01	33.27	0.13	-0.09	52.16	52.26	292.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 11:30:00	-0.16	33.26	0.12	-0.25	52.32	52.41	292.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 11:45:00	-0.32	33.25	0.11	-0.40	52.48	52.57	292.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 12:00:00	-0.31	33.24	0.10	-0.39	52.48	52.56	292.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 12:15:00	-0.16	33.23	0.09	-0.24	52.33	52.40	292.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 12:30:00	-0.02	33.22	0.08	-0.09	52.19	52.25	292.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 12:45:00	0.09	33.21	0.07	0.03	52.07	52.13	292.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 13:00:00	-0.03	33.20	0.07	-0.08	52.19	52.24	292.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 13:15:00	-0.08	33.19	0.06	-0.12	52.24	52.29	292.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 13:30:00	-0.01	33.18	0.05	-0.05	52.18	52.21	292.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 13:45:00	0.12	33.18	0.04	0.09	52.05	52.08	292.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 14:00:00	0.14	33.17	0.03	0.11	52.03	52.05	292.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 14:15:00	0.10	33.16	0.03	0.08	52.06	52.08	292.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 14:30:00	0.12	33.16	0.02	0.10	52.05	52.06	292.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 14:45:00	0.14	33.15	0.01	0.12	52.03	52.04	292.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 15:00:00	0.17	33.14	0.01	0.16	52.00	52.00	293.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 15:15:00	0.20	33.13	0.00	0.20	51.96	51.96	293.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 15:30:00	0.23	33.13	-0.01	0.24	51.93	51.93	293.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 15:45:00	0.27	33.12	-0.01	0.28	51.90	51.89	293.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 16:00:00	0.30	33.11	-0.02	0.32	51.87	51.85	293.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 16:15:00	0.33	33.11	-0.03	0.35	51.84	51.81	293.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 16:30:00	0.32	33.10	-0.03	0.35	51.84	51.82	293.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 16:45:00	0.30	33.09	-0.04	0.33	51.86	51.83	293.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 17:00:00	0.28	33.09	-0.05	0.32	51.89	51.85	293.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 17:15:00	0.17	33.08	-0.05	0.21	52.00	51.95	293.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 17:30:00	-0.06	33.07	-0.06	-0.01	52.22	52.18	292.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 17:45:00	-0.25	33.07	-0.06	-0.20	52.41	52.37	292.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 18:00:00	-1.63	33.07	-0.06	-1.58	53.79	53.75	291.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 18:15:00	-5.03	33.07	-0.06	-4.98	57.19	57.14	287.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 18:30:00	-0.96	33.07	-0.06	-0.91	53.13	53.08	291.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 18:45:00	-0.52	33.07	-0.06	-0.47	52.68	52.63	292.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 19:00:00	-0.54	33.07	-0.06	-0.49	52.70	52.65	292.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 19:15:00	-0.54	33.07	-0.06	-0.49	52.71	52.66	292.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 19:30:00	-0.39	33.07	-0.06	-0.35	52.56	52.51	292.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 19:45:00	-4.81	33.07	-0.06	-4.76	56.98	56.93	288.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 20:00:00	-0.75	33.07	-0.06	-0.70	52.91	52.86	292.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 20:15:00	-0.22	33.07	-0.06	-0.17	52.38	52.33	292.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 20:30:00	0.01	33.07	-0.06	0.06	52.15	52.10	292.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 20:45:00	-1.81	33.07	-0.06	-1.76	53.98	53.93	291.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 21:00:00	-6.17	33.07	-0.06	-6.12	58.34	58.29	286.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 21:15:00	-0.65	33.07	-0.06	-0.60	52.81	52.76	292.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 21:30:00	-0.16	33.07	-0.06	-0.11	52.33	52.28	292.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 21:45:00	-0.05	33.08	-0.06	0.00	52.21	52.17	292.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 22:00:00	-0.04	33.08	-0.05	0.00	52.21	52.17	292.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 22:15:00	-0.09	33.09	-0.05	-0.05	52.25	52.21	292.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 22:30:00	-0.20	33.09	-0.05	-0.17	52.37	52.33	292.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 22:45:00	-0.29	33.09	-0.04	-0.26	52.45	52.42	292.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 23:00:00	-0.31	33.10	-0.04	-0.28	52.48	52.45	292.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 23:15:00	-0.37	33.10	-0.03	-0.35	52.54	52.51	292.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 23:30:00	-0.57	33.11	-0.03	-0.55	52.74	52.71	292.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/27/10 23:45:00	-0.73	33.11	-0.02	-0.71	52.90	52.88	292.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 00:00:00	-0.74	33.12	-0.02	-0.72	52.90	52.89	292.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 00:15:00	-0.67	33.12	-0.01	-0.65	52.83	52.82	292.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 00:30:00	-0.61	33.13	-0.01	-0.60	52.78	52.77	292.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 00:45:00	-0.57	33.13	-0.01	-0.57	52.74	52.74	292.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 01:00:00	-0.74	33.13	0.00	-0.74	52.91	52.91	292.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 01:15:00	-0.86	33.14	0.00	-0.86	53.02	53.02	291.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 01:30:00	-0.79	33.14	0.01	-0.80	52.96	52.97	292.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 01:45:00	-0.73	33.15	0.01	-0.74	52.89	52.90	292.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 02:00:00	-0.69	33.15	0.02	-0.70	52.85	52.86	292.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 02:15:00	-0.68	33.15	0.02	-0.69	52.84	52.86	292.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 02:30:00	-0.67	33.16	0.02	-0.69	52.84	52.85	292.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 02:45:00	-0.66	33.16	0.03	-0.68	52.83	52.85	292.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 03:00:00	-0.65	33.16	0.03	-0.68	52.82	52.84	292.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 03:15:00	-0.65	33.17	0.03	-0.67	52.81	52.84	292.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 03:30:00	-0.67	33.17	0.04	-0.70	52.84	52.87	292.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 03:45:00	-0.91	33.18	0.04	-0.94	53.07	53.11	291.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 04:00:00	-1.20	33.18	0.04	-1.24	53.37	53.40	291.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 04:15:00	-1.52	33.18	0.05	-1.56	53.69	53.72	291.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 04:30:00	-1.76	33.19	0.05	-1.80	53.92	53.96	291.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 04:45:00	-1.92	33.19	0.06	-1.96	54.09	54.13	290.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 05:00:00	-2.01	33.19	0.06	-2.06	54.17	54.22	290.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 05:15:00	-1.94	33.20	0.06	-1.99	54.10	54.15	290.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 05:30:00	-5.27	33.20	0.07	-5.32	57.43	57.49	287.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 05:45:00	-2.47	33.20	0.07	-2.52	54.63	54.68	290.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 06:00:00	-2.07	33.20	0.07	-2.12	54.24	54.29	290.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 06:15:00	-1.79	33.20	0.06	-1.84	53.95	54.00	291.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 06:30:00	-1.58	33.20	0.06	-1.63	53.74	53.79	291.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 06:45:00	-5.21	33.20	0.06	-5.26	57.38	57.43	287.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 07:00:00	-6.02	33.20	0.06	-6.07	58.18	58.23	286.77	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	08/28/10 07:15:00	-2.45	33.20	0.06	-2.50	54.62	54.66	290.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 07:30:00	-2.92	33.20	0.06	-2.97	55.09	55.14	289.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 07:45:00	-4.16	33.20	0.06	-4.21	56.32	56.37	288.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 08:00:00	-17.21	33.20	0.06	-17.26	69.38	69.43	275.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 08:15:00	-17.22	33.20	0.06	-17.27	69.38	69.43	275.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 08:30:00	-17.15	33.20	0.06	-17.20	69.32	69.37	275.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 08:45:00	-5.53	33.20	0.06	-5.58	57.70	57.75	287.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 09:00:00	-4.66	33.19	0.06	-4.71	56.82	56.87	288.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 09:15:00	-2.50	33.19	0.06	-2.54	54.66	54.71	290.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 09:30:00	-3.09	33.19	0.06	-3.13	55.25	55.30	289.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 09:45:00	-1.66	33.18	0.05	-1.70	53.83	53.87	291.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 10:00:00	-1.17	33.17	0.04	-1.20	53.34	53.37	291.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 10:15:00	-0.90	33.16	0.03	-0.92	53.06	53.08	291.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 10:30:00	-0.78	33.15	0.02	-0.79	52.94	52.96	292.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 10:45:00	-0.71	33.14	0.01	-0.72	52.88	52.88	292.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 11:00:00	-0.66	33.13	0.00	-0.66	52.82	52.82	292.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 11:15:00	-0.67	33.12	-0.01	-0.65	52.83	52.82	292.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 11:30:00	-0.81	33.11	-0.03	-0.79	52.97	52.96	292.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 11:45:00	-0.94	33.10	-0.04	-0.91	53.10	53.08	291.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 12:00:00	-0.93	33.09	-0.05	-0.89	53.09	53.06	291.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 12:15:00	-0.85	33.08	-0.06	-0.81	53.02	52.97	292.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 12:30:00	-0.78	33.07	-0.07	-0.73	52.95	52.90	292.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 12:45:00	-0.75	33.06	-0.08	-0.69	52.91	52.85	292.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 13:00:00	-7.77	33.05	-0.09	-7.70	59.93	59.86	285.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 13:15:00	-13.63	33.04	-0.10	-13.55	65.79	65.72	279.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 13:30:00	-2.16	33.03	-0.11	-2.07	54.32	54.24	290.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 13:45:00	-1.38	33.02	-0.11	-1.29	53.54	53.45	291.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 14:00:00	-1.10	33.02	-0.12	-1.01	53.26	53.17	291.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 14:15:00	-0.94	33.01	-0.12	-0.84	53.10	53.01	291.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 14:30:00	-9.03	33.01	-0.13	-8.93	61.19	61.09	283.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 14:45:00	-1.47	33.00	-0.13	-1.36	53.63	53.53	291.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 15:00:00	-0.97	33.00	-0.14	-0.86	53.13	53.02	291.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 15:15:00	-0.80	32.99	-0.14	-0.68	52.96	52.85	292.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 15:30:00	-7.92	32.99	-0.15	-7.81	60.09	59.97	285.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 15:45:00	-1.45	32.98	-0.15	-1.33	53.61	53.49	291.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 16:00:00	-0.94	32.98	-0.16	-0.82	53.11	52.98	292.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 16:15:00	-0.75	32.97	-0.16	-0.62	52.91	52.79	292.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 16:30:00	-0.64	32.97	-0.17	-0.51	52.81	52.67	292.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 16:45:00	-1.95	32.96	-0.17	-1.82	54.12	53.98	291.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 17:00:00	-0.92	32.96	-0.18	-0.78	53.09	52.95	292.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 17:15:00	-0.83	32.95	-0.18	-0.68	52.99	52.85	292.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 17:30:00	-10.87	32.95	-0.19	-10.73	63.04	62.89	282.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 17:45:00	-2.00	32.95	-0.19	-1.86	54.17	54.02	290.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 18:00:00	-1.57	32.95	-0.19	-1.43	53.74	53.59	291.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 18:15:00	-1.40	32.95	-0.18	-1.26	53.57	53.43	291.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 18:30:00	-2.55	32.95	-0.18	-2.40	54.71	54.57	290.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 18:45:00	-1.61	32.96	-0.18	-1.48	53.78	53.64	291.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 19:00:00	-1.59	32.96	-0.18	-1.46	53.76	53.62	291.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 19:15:00	-1.64	32.96	-0.17	-1.50	53.80	53.67	291.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 19:30:00	-2.99	32.96	-0.17	-2.86	55.16	55.02	289.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 19:45:00	-1.87	32.97	-0.17	-1.74	54.03	53.90	291.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 20:00:00	-1.61	32.97	-0.17	-1.48	53.77	53.64	291.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 20:15:00	-2.92	32.97	-0.16	-2.79	55.09	54.96	290.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 20:30:00	-1.85	32.97	-0.16	-1.72	54.01	53.89	291.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 20:45:00	-1.65	32.98	-0.16	-1.52	53.81	53.69	291.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 21:00:00	-1.59	32.98	-0.16	-1.47	53.76	53.63	291.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 21:15:00	-3.89	32.98	-0.15	-3.77	56.05	55.93	289.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 21:30:00	-2.20	32.98	-0.15	-2.08	54.36	54.24	290.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 21:45:00	-1.98	32.99	-0.15	-1.87	54.15	54.03	290.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 22:00:00	-12.64	32.99	-0.14	-12.53	64.81	64.70	280.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 22:15:00	-2.87	33.00	-0.14	-2.76	55.04	54.93	290.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 22:30:00	-3.60	33.00	-0.13	-3.50	55.76	55.66	289.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 22:45:00	-2.54	33.01	-0.13	-2.44	54.71	54.61	290.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 23:00:00	-2.33	33.01	-0.12	-2.24	54.50	54.40	290.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 23:15:00	-2.33	33.02	-0.12	-2.24	54.50	54.41	290.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 23:30:00	-2.47	33.02	-0.11	-2.38	54.64	54.55	290.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/28/10 23:45:00	-7.23	33.03	-0.11	-7.14	59.39	59.31	285.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 00:00:00	-3.73	33.03	-0.10	-3.65	55.89	55.81	289.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 00:15:00	-3.59	33.04	-0.10	-3.52	55.76	55.68	289.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 00:30:00	-3.69	33.04	-0.09	-3.61	55.85	55.78	289.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 00:45:00	-3.82	33.04	-0.09	-3.75	55.98	55.91	289.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 01:00:00	-3.93	33.05	-0.09	-3.87	56.10	56.03	288.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 01:15:00	-15.72	33.05	-0.08	-15.66	67.89	67.82	277.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 01:30:00	-4.70	33.06	-0.08	-4.64	56.86	56.80	288.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 01:45:00	-3.88	33.07	-0.07	-3.82	56.04	55.99	289.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 02:00:00	-3.57	33.07	-0.06	-3.52	55.74	55.69	289.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 02:15:00	-3.37	33.08	-0.06	-3.33	55.54	55.49	289.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 02:30:00	-3.24	33.08	-0.05	-3.20	55.41	55.37	289.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 02:45:00	-3.17	33.09	-0.05	-3.13	55.33	55.30	289.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 03:00:00	-4.78	33.10	-0.04	-4.75	56.95	56.92	288.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 03:15:00	-3.51	33.10	-0.03	-3.49	55.68	55.65	289.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 03:30:00	-3.23	33.11	-0.03	-3.21	55.39	55.37	289.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 03:45:00	-3.09	33.11	-0.02	-3.08	55.26	55.24	289.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 04:00:00	-3.01	33.12	-0.02	-2.99	55.17	55.16	289.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 04:15:00	-2.96	33.13	-0.01	-2.95	55.13	55.12	289.88	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	08/29/10 04:30:00	-7.00	33.13	0.00	-7.00	59.17	59.17	285.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 04:45:00	-3.44	33.14	0.00	-3.44	55.60	55.61	289.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 05:00:00	-3.07	33.14	0.01	-3.08	55.23	55.24	289.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 05:15:00	-3.00	33.15	0.02	-3.01	55.17	55.18	289.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 05:30:00	-3.14	33.16	0.02	-3.16	55.31	55.32	289.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 05:45:00	-12.92	33.16	0.02	-12.94	65.09	65.10	279.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 06:00:00	-4.39	33.16	0.02	-4.40	56.55	56.57	288.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 06:15:00	-3.67	33.16	0.02	-3.69	55.84	55.86	289.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 06:30:00	-3.46	33.16	0.02	-3.48	55.63	55.64	289.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 06:45:00	-3.32	33.16	0.02	-3.34	55.49	55.50	289.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 07:00:00	-3.46	33.15	0.02	-3.47	55.62	55.64	289.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 07:15:00	-4.95	33.15	0.02	-4.97	57.12	57.13	287.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 07:30:00	-11.80	33.15	0.02	-11.81	63.96	63.98	281.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 07:45:00	-4.27	33.15	0.02	-4.28	56.43	56.45	288.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 08:00:00	-12.27	33.15	0.02	-12.28	64.43	64.45	280.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 08:15:00	-3.90	33.15	0.02	-3.92	56.07	56.08	288.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 08:30:00	-3.22	33.15	0.02	-3.24	55.39	55.40	289.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 08:45:00	-12.36	33.15	0.02	-12.38	64.53	64.54	280.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 09:00:00	-3.62	33.15	0.02	-3.64	55.79	55.80	289.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 09:15:00	-4.65	33.15	0.02	-4.66	56.81	56.83	288.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 09:30:00	-3.17	33.15	0.02	-3.19	55.34	55.35	289.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 09:45:00	-2.75	33.15	0.01	-2.76	54.91	54.92	290.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 10:00:00	-2.54	33.15	0.01	-2.55	54.70	54.71	290.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 10:15:00	-2.39	33.14	0.01	-2.39	54.55	54.56	290.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 10:30:00	-2.27	33.14	0.00	-2.28	54.44	54.44	290.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 10:45:00	-2.15	33.14	0.00	-2.15	54.32	54.32	290.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 11:00:00	-2.09	33.13	0.00	-2.09	54.26	54.26	290.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 11:15:00	-4.99	33.13	0.00	-4.98	57.15	57.15	287.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 11:30:00	-2.84	33.13	-0.01	-2.84	55.01	55.00	290.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 11:45:00	-2.67	33.12	-0.01	-2.66	54.83	54.82	290.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 12:00:00	-2.55	33.12	-0.01	-2.53	54.71	54.70	290.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 12:15:00	-2.40	33.12	-0.02	-2.38	54.56	54.55	290.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 12:30:00	-2.33	33.11	-0.02	-2.32	54.50	54.48	290.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 12:45:00	-3.44	33.11	-0.02	-3.42	55.60	55.58	289.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 13:00:00	-2.80	33.11	-0.03	-2.78	54.97	54.95	290.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 13:15:00	-2.71	33.10	-0.03	-2.69	54.88	54.85	290.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 13:30:00	-2.58	33.10	-0.03	-2.55	54.74	54.71	290.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 13:45:00	-2.41	33.10	-0.04	-2.38	54.57	54.54	290.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 14:00:00	-2.28	33.09	-0.04	-2.25	54.45	54.41	290.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 14:15:00	-2.15	33.09	-0.05	-2.12	54.32	54.28	290.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 14:30:00	-6.14	33.08	-0.05	-6.10	58.30	58.26	286.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 14:45:00	-2.55	33.08	-0.06	-2.50	54.71	54.67	290.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 15:00:00	-2.20	33.07	-0.06	-2.15	54.36	54.31	290.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 15:15:00	-2.01	33.07	-0.06	-1.96	54.17	54.12	290.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 15:30:00	-1.84	33.07	-0.07	-1.79	54.01	53.96	291.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 15:45:00	-1.74	33.06	-0.07	-1.68	53.90	53.85	291.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 16:00:00	-8.13	33.06	-0.08	-8.07	60.30	60.24	284.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 16:15:00	-2.19	33.05	-0.08	-2.13	54.36	54.29	290.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 16:30:00	-1.80	33.05	-0.09	-1.73	53.96	53.89	291.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 16:45:00	-2.69	33.04	-0.09	-2.62	54.86	54.79	290.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 17:00:00	-1.88	33.04	-0.09	-1.81	54.04	53.97	291.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 17:15:00	-1.67	33.04	-0.10	-1.59	53.83	53.76	291.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 17:30:00	-1.72	33.03	-0.10	-1.64	53.89	53.81	291.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 17:45:00	-1.79	33.04	-0.10	-1.71	53.95	53.88	291.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 18:00:00	-1.75	33.04	-0.10	-1.67	53.91	53.84	291.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 18:15:00	-1.59	33.04	-0.09	-1.52	53.76	53.68	291.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 18:30:00	-2.63	33.04	-0.09	-2.56	54.79	54.72	290.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 18:45:00	-1.63	33.05	-0.09	-1.56	53.79	53.73	291.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 19:00:00	-1.53	33.05	-0.08	-1.46	53.69	53.63	291.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 19:15:00	-1.43	33.05	-0.08	-1.37	53.60	53.54	291.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 19:30:00	-2.66	33.06	-0.08	-2.60	54.83	54.77	290.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 19:45:00	-1.50	33.06	-0.08	-1.44	53.66	53.60	291.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 20:00:00	-1.15	33.06	-0.07	-1.10	53.32	53.26	291.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 20:15:00	-0.93	33.07	-0.07	-0.88	53.10	53.05	291.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 20:30:00	-0.86	33.07	-0.07	-0.81	53.03	52.97	292.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 20:45:00	-7.29	33.07	-0.06	-7.24	59.45	59.40	285.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 21:00:00	-1.58	33.07	-0.06	-1.53	53.74	53.69	291.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 21:15:00	-1.18	33.08	-0.06	-1.14	53.34	53.30	291.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 21:30:00	-6.77	33.08	-0.05	-6.73	58.94	58.90	286.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 21:45:00	-1.70	33.08	-0.05	-1.66	53.86	53.82	291.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 22:00:00	-1.27	33.09	-0.05	-1.23	53.44	53.40	291.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 22:15:00	-1.19	33.09	-0.05	-1.15	53.36	53.32	291.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 22:30:00	-1.16	33.09	-0.05	-1.12	53.32	53.29	291.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 22:45:00	-1.12	33.09	-0.04	-1.08	53.28	53.25	291.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 23:00:00	-1.08	33.09	-0.04	-1.05	53.24	53.21	291.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 23:15:00	-1.10	33.10	-0.04	-1.07	53.27	53.24	291.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 23:30:00	-1.28	33.10	-0.04	-1.25	53.44	53.41	291.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/29/10 23:45:00	-1.48	33.10	-0.03	-1.45	53.64	53.61	291.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 00:00:00	-1.52	33.10	-0.03	-1.49	53.68	53.66	291.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 00:15:00	-1.43	33.10	-0.03	-1.40	53.59	53.57	291.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 00:30:00	-1.35	33.11	-0.03	-1.32	53.51	53.49	291.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 00:45:00	-1.30	33.11	-0.03	-1.28	53.46	53.44	291.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 01:00:00	-1.48	33.11	-0.02	-1.46	53.64	53.62	291.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 01:15:00	-1.58	33.11	-0.02	-1.56	53.74	53.73	291.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 01:30:00	-1.55	33.12	-0.02	-1.53	53.71	53.70	291.30	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	08/30/10 01:45:00	-1.48	33.12	-0.02	-1.47	53.64	53.63	291.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 02:00:00	-1.41	33.12	-0.02	-1.39	53.57	53.56	291.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 02:15:00	-1.35	33.12	-0.01	-1.34	53.51	53.50	291.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 02:30:00	-1.31	33.12	-0.01	-1.30	53.48	53.47	291.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 02:45:00	-1.28	33.12	-0.01	-1.27	53.44	53.43	291.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 03:00:00	-1.25	33.13	-0.01	-1.25	53.42	53.41	291.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 03:15:00	-1.24	33.13	-0.01	-1.24	53.41	53.40	291.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 03:30:00	-1.23	33.13	0.00	-1.23	53.40	53.39	291.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 03:45:00	-1.44	33.13	0.00	-1.43	53.60	53.60	291.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 04:00:00	-1.75	33.13	0.00	-1.75	53.92	53.92	291.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 04:15:00	-2.05	33.14	0.00	-2.05	54.21	54.22	290.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 04:30:00	-2.28	33.14	0.00	-2.29	54.45	54.45	290.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 04:45:00	-2.42	33.14	0.01	-2.43	54.59	54.59	290.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 05:00:00	-2.50	33.14	0.01	-2.51	54.67	54.67	290.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 05:15:00	-2.41	33.14	0.01	-2.42	54.58	54.58	290.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 05:30:00	-2.41	33.15	0.01	-2.41	54.57	54.58	290.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 05:45:00	-2.47	33.15	0.01	-2.48	54.63	54.64	290.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 06:00:00	-2.41	33.15	0.02	-2.43	54.58	54.59	290.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 06:15:00	-2.31	33.16	0.02	-2.33	54.47	54.49	290.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 06:30:00	-2.18	33.16	0.02	-2.20	54.34	54.36	290.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 06:45:00	-2.08	33.16	0.03	-2.10	54.25	54.27	290.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 07:00:00	-3.50	33.16	0.03	-3.52	55.66	55.69	289.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 07:15:00	-15.46	33.17	0.03	-15.49	67.63	67.65	277.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 07:30:00	-3.21	33.17	0.04	-3.24	55.38	55.41	289.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 07:45:00	-2.36	33.17	0.04	-2.40	54.53	54.56	290.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 08:00:00	-1.95	33.18	0.04	-1.98	54.11	54.15	290.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 08:15:00	-1.65	33.18	0.05	-1.68	53.81	53.85	291.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 08:30:00	-1.44	33.18	0.05	-1.48	53.60	53.64	291.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 08:45:00	-1.28	33.19	0.05	-1.32	53.44	53.48	291.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 09:00:00	-1.17	33.19	0.05	-1.22	53.34	53.38	291.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 09:15:00	-1.07	33.19	0.06	-1.12	53.24	53.28	291.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 09:30:00	-0.95	33.20	0.06	-1.00	53.12	53.17	291.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 09:45:00	-0.92	33.19	0.06	-0.97	53.08	53.13	291.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 10:00:00	-0.80	33.19	0.06	-0.85	52.97	53.01	291.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 10:15:00	-0.69	33.19	0.06	-0.74	52.86	52.90	292.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 10:30:00	-0.59	33.19	0.05	-0.63	52.76	52.80	292.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 10:45:00	-0.50	33.19	0.05	-0.54	52.67	52.71	292.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 11:00:00	-0.42	33.18	0.05	-0.45	52.58	52.62	292.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 11:15:00	-0.43	33.18	0.05	-0.47	52.59	52.63	292.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 11:30:00	-0.56	33.18	0.04	-0.60	52.73	52.76	292.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 11:45:00	-0.66	33.18	0.04	-0.70	52.83	52.86	292.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 12:00:00	-0.59	33.18	0.04	-0.62	52.76	52.79	292.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 12:15:00	-0.42	33.17	0.04	-0.45	52.59	52.62	292.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 12:30:00	-0.28	33.17	0.04	-0.31	52.44	52.47	292.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 12:45:00	-0.15	33.17	0.03	-0.17	52.31	52.34	292.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 13:00:00	-0.23	33.17	0.03	-0.26	52.40	52.42	292.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 13:15:00	-0.26	33.17	0.03	-0.29	52.43	52.45	292.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 13:30:00	-0.16	33.16	0.03	-0.19	52.33	52.35	292.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 13:45:00	-0.14	33.16	0.03	-0.17	52.31	52.33	292.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 14:00:00	-0.10	33.16	0.03	-0.13	52.27	52.29	292.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 14:15:00	-0.09	33.16	0.03	-0.11	52.25	52.27	292.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 14:30:00	0.01	33.16	0.03	-0.01	52.15	52.17	292.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 14:45:00	0.12	33.16	0.03	0.10	52.05	52.07	292.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 15:00:00	0.19	33.16	0.03	0.17	51.98	52.00	293.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 15:15:00	0.24	33.16	0.03	0.22	51.92	51.94	293.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 15:30:00	0.31	33.16	0.03	0.29	51.85	51.87	293.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 15:45:00	0.37	33.16	0.02	0.35	51.79	51.81	293.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 16:00:00	0.43	33.16	0.02	0.41	51.74	51.76	293.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 16:15:00	0.48	33.16	0.02	0.46	51.69	51.71	293.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 16:30:00	0.50	33.16	0.02	0.49	51.66	51.68	293.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 16:45:00	0.54	33.16	0.02	0.52	51.63	51.65	293.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 17:00:00	0.56	33.16	0.02	0.54	51.60	51.62	293.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 17:15:00	0.49	33.16	0.02	0.47	51.68	51.69	293.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 17:30:00	0.30	33.16	0.02	0.28	51.86	51.88	293.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 17:45:00	-5.15	33.16	0.03	-5.17	57.32	57.34	287.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 18:00:00	-0.37	33.17	0.03	-0.40	52.54	52.56	292.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 18:15:00	0.11	33.17	0.04	0.08	52.05	52.08	292.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 18:30:00	0.32	33.18	0.04	0.29	51.84	51.88	293.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 18:45:00	0.42	33.18	0.05	0.39	51.74	51.78	293.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 19:00:00	0.27	33.19	0.05	0.23	51.89	51.93	293.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 19:15:00	0.23	33.19	0.06	0.19	51.94	51.98	293.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 19:30:00	0.28	33.20	0.06	0.24	51.88	51.93	293.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 19:45:00	0.33	33.20	0.06	0.28	51.83	51.88	293.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 20:00:00	0.31	33.20	0.07	0.25	51.86	51.91	293.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 20:15:00	0.27	33.21	0.07	0.21	51.90	51.95	293.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 20:30:00	0.18	33.21	0.08	0.12	51.99	52.05	292.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 20:45:00	0.07	33.22	0.08	0.00	52.10	52.16	292.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 21:00:00	-7.71	33.22	0.09	-7.78	59.87	59.94	285.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 21:15:00	-0.95	33.23	0.09	-1.03	53.12	53.19	291.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 21:30:00	-0.67	33.23	0.10	-0.75	52.84	52.91	292.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 21:45:00	-0.66	33.24	0.10	-0.74	52.82	52.90	292.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 22:00:00	-0.70	33.24	0.11	-0.78	52.87	52.95	292.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 22:15:00	-0.76	33.25	0.11	-0.84	52.92	53.01	291.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 22:30:00	-0.80	33.25	0.12	-0.89	52.96	53.05	291.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 22:45:00	-0.81	33.26	0.12	-0.91	52.98	53.07	291.93	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	08/30/10 23:00:00	-0.80	33.26	0.13	-0.90	52.97	53.07	291.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 23:15:00	-0.90	33.27	0.13	-1.00	53.07	53.17	291.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 23:30:00	-1.11	33.27	0.14	-1.22	53.27	53.38	291.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/30/10 23:45:00	-1.40	33.28	0.14	-1.51	53.57	53.68	291.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 00:00:00	-1.69	33.28	0.15	-1.80	53.85	53.97	291.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 00:15:00	-1.89	33.29	0.15	-2.01	54.06	54.18	290.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 00:30:00	-2.09	33.29	0.16	-2.21	54.25	54.37	290.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 00:45:00	-2.26	33.30	0.16	-2.38	54.42	54.55	290.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 01:00:00	-2.39	33.30	0.17	-2.52	54.56	54.69	290.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 01:15:00	-2.43	33.31	0.17	-2.56	54.59	54.73	290.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 01:30:00	-2.24	33.31	0.18	-2.38	54.41	54.54	290.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 01:45:00	-2.04	33.31	0.18	-2.18	54.20	54.34	290.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 02:00:00	-1.86	33.31	0.18	-2.00	54.03	54.16	290.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 02:15:00	-1.74	33.32	0.18	-1.88	53.91	54.05	290.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 02:30:00	-1.62	33.32	0.18	-1.77	53.79	53.93	291.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 02:45:00	-1.55	33.32	0.18	-1.69	53.71	53.86	291.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 03:00:00	-1.48	33.32	0.19	-1.63	53.65	53.79	291.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 03:15:00	-1.43	33.32	0.19	-1.57	53.59	53.74	291.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 03:30:00	-1.36	33.32	0.19	-1.51	53.53	53.68	291.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 03:45:00	-6.30	33.33	0.19	-6.45	58.46	58.61	286.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 04:00:00	-1.88	33.33	0.19	-2.03	54.05	54.20	290.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 04:15:00	-1.53	33.33	0.20	-1.68	53.69	53.85	291.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 04:30:00	-1.36	33.33	0.20	-1.51	53.52	53.68	291.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 04:45:00	-1.26	33.33	0.20	-1.41	53.42	53.58	291.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 05:00:00	-1.18	33.34	0.20	-1.33	53.34	53.50	291.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 05:15:00	-1.21	33.34	0.20	-1.36	53.37	53.53	291.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 05:30:00	-1.38	33.34	0.20	-1.54	53.55	53.71	291.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 05:45:00	-1.59	33.34	0.20	-1.75	53.75	53.91	291.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 06:00:00	-1.62	33.34	0.20	-1.78	53.79	53.95	291.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 06:15:00	-1.58	33.34	0.21	-1.74	53.74	53.90	291.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 06:30:00	-1.54	33.34	0.21	-1.70	53.70	53.86	291.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 06:45:00	-1.52	33.34	0.21	-1.68	53.68	53.84	291.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 07:00:00	-1.71	33.34	0.21	-1.87	53.87	54.03	290.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 07:15:00	-1.81	33.34	0.21	-1.97	53.97	54.14	290.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 07:30:00	-1.69	33.34	0.21	-1.86	53.86	54.02	290.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 07:45:00	-3.70	33.34	0.21	-3.86	55.86	56.03	288.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 08:00:00	-1.77	33.34	0.21	-1.93	53.93	54.09	290.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 08:15:00	-14.10	33.34	0.21	-14.26	66.26	66.43	278.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 08:30:00	-1.91	33.34	0.21	-2.08	54.08	54.24	290.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 08:45:00	-1.19	33.34	0.21	-1.35	53.35	53.52	291.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 09:00:00	-0.94	33.34	0.21	-1.10	53.10	53.27	291.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 09:15:00	-0.78	33.34	0.21	-0.95	52.95	53.11	291.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 09:30:00	-0.73	33.35	0.21	-0.89	52.89	53.06	291.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 09:45:00	-0.63	33.34	0.21	-0.79	52.79	52.95	292.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 10:00:00	-0.48	33.34	0.20	-0.64	52.65	52.80	292.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 10:15:00	-1.59	33.33	0.20	-1.74	53.75	53.90	291.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 10:30:00	-0.65	33.33	0.19	-0.80	52.81	52.96	292.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 10:45:00	-0.36	33.32	0.19	-0.51	52.53	52.67	292.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 11:00:00	-0.19	33.32	0.18	-0.33	52.36	52.50	292.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 11:15:00	-0.17	33.31	0.18	-0.31	52.34	52.48	292.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 11:30:00	-0.30	33.31	0.17	-0.43	52.46	52.60	292.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 11:45:00	-0.38	33.30	0.17	-0.51	52.55	52.68	292.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 12:00:00	-0.32	33.30	0.16	-0.44	52.48	52.61	292.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 12:15:00	-0.17	33.29	0.16	-0.30	52.34	52.46	292.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 12:30:00	-0.05	33.29	0.15	-0.17	52.21	52.33	292.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 12:45:00	0.06	33.28	0.15	-0.05	52.10	52.22	292.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 13:00:00	-0.06	33.28	0.15	-0.17	52.22	52.34	292.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 13:15:00	-0.10	33.28	0.14	-0.21	52.27	52.38	292.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 13:30:00	0.00	33.27	0.14	-0.11	52.17	52.27	292.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 13:45:00	0.11	33.27	0.13	0.01	52.05	52.16	292.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 14:00:00	0.19	33.26	0.13	0.09	51.98	52.08	292.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 14:15:00	0.26	33.26	0.12	0.16	51.91	52.00	293.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 14:30:00	0.34	33.25	0.12	0.25	51.82	51.92	293.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 14:45:00	0.42	33.25	0.11	0.34	51.74	51.83	293.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 15:00:00	0.50	33.24	0.11	0.41	51.67	51.75	293.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 15:15:00	0.56	33.24	0.10	0.47	51.61	51.69	293.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 15:30:00	0.60	33.23	0.10	0.53	51.56	51.64	293.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 15:45:00	0.64	33.23	0.10	0.57	51.52	51.60	293.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 16:00:00	0.67	33.23	0.09	0.60	51.49	51.57	293.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 16:15:00	0.65	33.22	0.09	0.58	51.52	51.58	293.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 16:30:00	0.69	33.22	0.08	0.62	51.48	51.54	293.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 16:45:00	0.72	33.21	0.08	0.66	51.45	51.51	293.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 17:00:00	-0.26	33.21	0.07	-0.31	52.42	52.48	292.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 17:15:00	0.36	33.20	0.07	0.30	51.81	51.86	293.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 17:30:00	0.31	33.20	0.06	0.26	51.86	51.90	293.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 17:45:00	0.20	33.20	0.07	0.15	51.96	52.01	292.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 18:00:00	0.24	33.20	0.07	0.18	51.93	51.98	293.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 18:15:00	-0.45	33.20	0.07	-0.51	52.62	52.67	292.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 18:30:00	-0.50	33.21	0.07	-0.55	52.66	52.72	292.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 18:45:00	0.22	33.21	0.07	0.17	51.94	52.00	293.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 19:00:00	0.28	33.21	0.08	0.22	51.89	51.95	293.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 19:15:00	0.30	33.21	0.08	0.24	51.87	51.93	293.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 19:30:00	0.34	33.22	0.08	0.28	51.82	51.89	293.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 19:45:00	0.42	33.22	0.08	0.36	51.74	51.81	293.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 20:00:00	0.52	33.22	0.09	0.45	51.65	51.71	293.29	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	08/31/10 20:15:00	0.62	33.22	0.09	0.56	51.54	51.61	293.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 20:30:00	0.69	33.23	0.09	0.62	51.47	51.54	293.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 20:45:00	0.73	33.23	0.09	0.66	51.43	51.50	293.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 21:00:00	0.78	33.23	0.09	0.70	51.39	51.46	293.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 21:15:00	-2.29	33.23	0.10	-2.37	54.46	54.53	290.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 21:30:00	0.35	33.23	0.10	0.28	51.81	51.89	293.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 21:45:00	0.67	33.24	0.10	0.59	51.49	51.57	293.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 22:00:00	0.78	33.24	0.10	0.70	51.38	51.46	293.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 22:15:00	0.86	33.24	0.11	0.77	51.31	51.39	293.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 22:30:00	0.90	33.24	0.11	0.82	51.26	51.35	293.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 22:45:00	0.93	33.24	0.11	0.85	51.23	51.32	293.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 23:00:00	0.88	33.25	0.11	0.80	51.28	51.37	293.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 23:15:00	0.84	33.25	0.11	0.75	51.32	51.41	293.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 23:30:00	0.68	33.25	0.12	0.58	51.49	51.58	293.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	08/31/10 23:45:00	0.52	33.25	0.12	0.43	51.65	51.74	293.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 00:00:00	0.54	33.25	0.12	0.45	51.62	51.71	293.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 00:15:00	0.68	33.26	0.12	0.59	51.48	51.58	293.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 00:30:00	0.79	33.26	0.12	0.70	51.37	51.47	293.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 00:45:00	0.90	33.26	0.13	0.80	51.27	51.37	293.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 01:00:00	0.82	33.26	0.13	0.72	51.35	51.45	293.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 01:15:00	0.78	33.26	0.13	0.68	51.39	51.49	293.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 01:30:00	0.84	33.27	0.13	0.74	51.32	51.42	293.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 01:45:00	0.92	33.27	0.13	0.81	51.25	51.35	293.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 02:00:00	0.98	33.27	0.13	0.88	51.18	51.29	293.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 02:15:00	1.04	33.27	0.13	0.94	51.12	51.23	293.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 02:30:00	1.10	33.27	0.13	1.00	51.06	51.17	293.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 02:45:00	1.15	33.27	0.13	1.05	51.01	51.11	293.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 03:00:00	1.19	33.27	0.13	1.09	50.97	51.07	293.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 03:15:00	1.23	33.27	0.13	1.13	50.93	51.03	293.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 03:30:00	1.26	33.27	0.13	1.15	50.91	51.01	293.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 03:45:00	1.06	33.26	0.13	0.96	51.10	51.20	293.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 04:00:00	0.80	33.26	0.13	0.70	51.36	51.47	293.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 04:15:00	0.51	33.26	0.13	0.40	51.66	51.76	293.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 04:30:00	0.24	33.26	0.13	0.14	51.93	52.03	292.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 04:45:00	0.06	33.26	0.13	-0.04	52.11	52.21	292.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 05:00:00	-2.57	33.26	0.13	-2.67	54.74	54.84	290.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 05:15:00	-0.48	33.26	0.13	-0.58	52.64	52.74	292.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 05:30:00	-0.21	33.26	0.13	-0.31	52.37	52.47	292.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 05:45:00	-0.20	33.27	0.13	-0.31	52.37	52.47	292.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 06:00:00	-0.10	33.27	0.14	-0.20	52.26	52.37	292.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 06:15:00	0.08	33.28	0.14	-0.04	52.09	52.20	292.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 06:30:00	0.20	33.28	0.15	0.08	51.97	52.08	292.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 06:45:00	0.31	33.29	0.15	0.19	51.86	51.98	293.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 07:00:00	0.24	33.29	0.16	0.12	51.92	52.04	292.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 07:15:00	0.27	33.30	0.16	0.14	51.90	52.02	292.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 07:30:00	0.38	33.30	0.17	0.25	51.78	51.91	293.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 07:45:00	0.47	33.31	0.17	0.34	51.69	51.82	293.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 08:00:00	-5.94	33.31	0.18	-6.08	58.11	58.24	286.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 08:15:00	-0.41	33.31	0.18	-0.55	52.57	52.71	292.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 08:30:00	0.29	33.32	0.18	0.15	51.87	52.01	292.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 08:45:00	0.53	33.32	0.19	0.38	51.64	51.79	293.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 09:00:00	0.68	33.33	0.19	0.53	51.48	51.64	293.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 09:15:00	0.71	33.33	0.20	0.56	51.45	51.61	293.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 09:30:00	0.77	33.34	0.20	0.61	51.40	51.55	293.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 09:45:00	0.87	33.34	0.21	0.71	51.30	51.46	293.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 10:00:00	0.95	33.35	0.21	0.79	51.21	51.38	293.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 10:15:00	1.04	33.35	0.22	0.87	51.12	51.29	293.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 10:30:00	1.12	33.35	0.22	0.95	51.05	51.22	293.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 10:45:00	1.16	33.36	0.22	0.99	51.00	51.18	293.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 11:00:00	1.18	33.36	0.23	1.00	50.98	51.16	293.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 11:15:00	1.11	33.37	0.23	0.93	51.05	51.23	293.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 11:30:00	0.92	33.37	0.24	0.73	51.25	51.43	293.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 11:45:00	0.74	33.37	0.24	0.55	51.42	51.61	293.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 12:00:00	0.77	33.38	0.24	0.58	51.40	51.59	293.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 12:15:00	0.90	33.38	0.25	0.70	51.27	51.46	293.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 12:30:00	0.98	33.39	0.25	0.79	51.18	51.38	293.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 12:45:00	1.05	33.39	0.26	0.85	51.12	51.32	293.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 13:00:00	0.96	33.39	0.26	0.76	51.20	51.41	293.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 13:15:00	0.94	33.40	0.26	0.73	51.23	51.43	293.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 13:30:00	1.00	33.40	0.27	0.79	51.17	51.38	293.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 13:45:00	1.08	33.40	0.27	0.88	51.08	51.29	293.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 14:00:00	-2.07	33.40	0.27	-2.28	54.23	54.44	290.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 14:15:00	0.72	33.41	0.27	0.51	51.44	51.65	293.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 14:30:00	1.06	33.41	0.27	0.85	51.10	51.31	293.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 14:45:00	1.22	33.41	0.27	1.01	50.94	51.16	293.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 15:00:00	1.28	33.41	0.27	1.07	50.88	51.09	293.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 15:15:00	1.34	33.41	0.27	1.13	50.82	51.03	293.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 15:30:00	1.41	33.41	0.27	1.19	50.76	50.97	294.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 15:45:00	1.46	33.41	0.28	1.25	50.70	50.92	294.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 16:00:00	1.46	33.41	0.28	1.25	50.70	50.92	294.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 16:15:00	1.40	33.41	0.28	1.19	50.76	50.98	294.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 16:30:00	1.40	33.41	0.28	1.18	50.77	50.99	294.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 16:45:00	1.40	33.41	0.28	1.18	50.77	50.99	294.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 17:00:00	1.41	33.41	0.28	1.19	50.76	50.98	294.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 17:15:00	1.37	33.42	0.28	1.15	50.80	51.02	293.98	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/01/10 17:30:00	1.22	33.42	0.28	1.00	50.95	51.17	293.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 17:45:00	1.06	33.42	0.28	0.84	51.10	51.32	293.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 18:00:00	1.06	33.42	0.29	0.84	51.11	51.33	293.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 18:15:00	1.15	33.42	0.29	0.92	51.02	51.25	293.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 18:30:00	1.24	33.43	0.29	1.01	50.92	51.15	293.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 18:45:00	1.31	33.43	0.29	1.08	50.86	51.09	293.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 19:00:00	1.21	33.43	0.30	0.98	50.96	51.19	293.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 19:15:00	1.14	33.43	0.30	0.91	51.03	51.26	293.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 19:30:00	1.21	33.44	0.30	0.98	50.95	51.19	293.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 19:45:00	1.28	33.44	0.30	1.04	50.88	51.12	293.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 20:00:00	-8.78	33.44	0.31	-9.02	60.95	61.19	283.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 20:15:00	0.69	33.44	0.31	0.44	51.48	51.72	293.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 20:30:00	1.08	33.45	0.31	0.84	51.09	51.33	293.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 20:45:00	-3.41	33.45	0.31	-3.65	55.58	55.82	289.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 21:00:00	-5.11	33.45	0.32	-5.36	57.27	57.52	287.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 21:15:00	-0.42	33.45	0.32	-0.67	52.59	52.83	292.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 21:30:00	0.27	33.46	0.32	0.02	51.89	52.14	292.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 21:45:00	0.43	33.46	0.32	0.18	51.73	51.99	293.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 22:00:00	-1.15	33.46	0.33	-1.41	53.32	53.57	291.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 22:15:00	0.12	33.46	0.33	-0.13	52.04	52.30	292.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 22:30:00	0.33	33.47	0.33	0.07	51.83	52.09	292.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 22:45:00	0.39	33.47	0.33	0.13	51.78	52.04	292.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 23:00:00	0.33	33.47	0.34	0.07	51.84	52.10	292.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 23:15:00	0.28	33.47	0.34	0.02	51.88	52.15	292.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 23:30:00	0.10	33.48	0.34	-0.16	52.06	52.33	292.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/01/10 23:45:00	-0.21	33.48	0.34	-0.48	52.38	52.65	292.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 00:00:00	-0.56	33.48	0.35	-0.83	52.73	53.00	292.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 00:15:00	-0.84	33.48	0.35	-1.11	53.01	53.28	291.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 00:30:00	-1.07	33.49	0.35	-1.34	53.23	53.51	291.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 00:45:00	-1.26	33.49	0.35	-1.53	53.42	53.70	291.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 01:00:00	-1.44	33.49	0.36	-1.72	53.60	53.88	291.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 01:15:00	-1.47	33.49	0.36	-1.75	53.63	53.91	291.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 01:30:00	-1.26	33.50	0.36	-1.54	53.43	53.71	291.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 01:45:00	-1.06	33.50	0.36	-1.34	53.22	53.51	291.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 02:00:00	-1.99	33.50	0.37	-2.28	54.16	54.44	290.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 02:15:00	-1.16	33.50	0.37	-1.45	53.33	53.61	291.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 02:30:00	-0.94	33.50	0.37	-1.23	53.10	53.39	291.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 02:45:00	-0.81	33.50	0.37	-1.10	52.97	53.26	291.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 03:00:00	-0.72	33.51	0.37	-1.01	52.89	53.17	291.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 03:15:00	-0.67	33.51	0.37	-0.96	52.83	53.12	291.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 03:30:00	-0.61	33.51	0.37	-0.90	52.78	53.07	291.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 03:45:00	-0.55	33.51	0.38	-0.85	52.72	53.01	291.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 04:00:00	-0.50	33.51	0.38	-0.79	52.66	52.96	292.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 04:15:00	-0.48	33.51	0.38	-0.77	52.64	52.94	292.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 04:30:00	-0.47	33.51	0.38	-0.77	52.63	52.93	292.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 04:45:00	-0.49	33.52	0.38	-0.79	52.65	52.95	292.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 05:00:00	-0.43	33.52	0.38	-0.73	52.60	52.89	292.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 05:15:00	-0.43	33.52	0.38	-0.73	52.59	52.89	292.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 05:30:00	-0.62	33.52	0.39	-0.92	52.79	53.09	291.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 05:45:00	-0.87	33.52	0.38	-1.17	53.03	53.33	291.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 06:00:00	-0.95	33.52	0.38	-1.24	53.11	53.41	291.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 06:15:00	-0.91	33.52	0.38	-1.20	53.07	53.37	291.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 06:30:00	-13.64	33.51	0.38	-13.94	65.81	66.10	278.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 06:45:00	-1.69	33.51	0.38	-1.98	53.85	54.15	290.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 07:00:00	-1.30	33.51	0.38	-1.59	53.46	53.76	291.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 07:15:00	-1.22	33.51	0.38	-1.52	53.39	53.68	291.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 07:30:00	-3.56	33.51	0.37	-3.85	55.72	56.02	288.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 07:45:00	-1.44	33.51	0.37	-1.73	53.60	53.89	291.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 08:00:00	-2.59	33.51	0.37	-2.88	54.76	55.05	289.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 08:15:00	-1.16	33.51	0.37	-1.45	53.32	53.61	291.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 08:30:00	-0.75	33.50	0.37	-1.04	52.92	53.21	291.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 08:45:00	-1.94	33.50	0.37	-2.23	54.11	54.39	290.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 09:00:00	-0.69	33.50	0.37	-0.97	52.85	53.14	291.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 09:15:00	-0.33	33.50	0.37	-0.61	52.49	52.78	292.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 09:30:00	-0.12	33.50	0.36	-0.41	52.29	52.57	292.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 09:45:00	0.05	33.49	0.35	-0.23	52.12	52.39	292.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 10:00:00	0.18	33.48	0.34	-0.08	51.98	52.25	292.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 10:15:00	0.30	33.47	0.33	0.04	51.86	52.13	292.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 10:30:00	0.42	33.46	0.32	0.16	51.75	52.00	293.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 10:45:00	0.50	33.45	0.32	0.25	51.67	51.91	293.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 11:00:00	0.56	33.44	0.31	0.32	51.61	51.85	293.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 11:15:00	0.53	33.43	0.30	0.30	51.64	51.87	293.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 11:30:00	0.39	33.42	0.29	0.17	51.78	52.00	293.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 11:45:00	0.25	33.41	0.28	0.03	51.92	52.13	292.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 12:00:00	0.29	33.40	0.27	0.09	51.87	52.08	292.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 12:15:00	0.43	33.39	0.26	0.23	51.74	51.94	293.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 12:30:00	0.53	33.38	0.25	0.33	51.64	51.83	293.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 12:45:00	0.61	33.37	0.24	0.42	51.56	51.74	293.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 13:00:00	0.50	33.36	0.23	0.32	51.67	51.84	293.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 13:15:00	0.51	33.35	0.22	0.34	51.65	51.82	293.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 13:30:00	0.62	33.34	0.21	0.46	51.54	51.70	293.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 13:45:00	0.69	33.33	0.20	0.53	51.48	51.63	293.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 14:00:00	0.75	33.33	0.19	0.60	51.41	51.56	293.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 14:15:00	0.80	33.32	0.18	0.66	51.36	51.51	293.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 14:30:00	0.84	33.31	0.18	0.70	51.32	51.46	293.54	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/02/10 14:45:00	0.89	33.30	0.17	0.76	51.27	51.41	293.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 15:00:00	0.93	33.30	0.16	0.80	51.24	51.36	293.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 15:15:00	0.90	33.29	0.15	0.78	51.27	51.39	293.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 15:30:00	0.91	33.28	0.15	0.79	51.26	51.37	293.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 15:45:00	0.95	33.27	0.14	0.85	51.21	51.32	293.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 16:00:00	1.01	33.27	0.13	0.91	51.15	51.26	293.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 16:15:00	1.06	33.26	0.12	0.96	51.10	51.20	293.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 16:30:00	1.10	33.25	0.12	1.01	51.07	51.16	293.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 16:45:00	1.11	33.24	0.11	1.03	51.05	51.14	293.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 17:00:00	1.15	33.24	0.10	1.07	51.02	51.10	293.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 17:15:00	1.10	33.23	0.09	1.02	51.07	51.14	293.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 17:30:00	0.93	33.22	0.09	0.87	51.23	51.30	293.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 17:45:00	0.77	33.22	0.09	0.70	51.39	51.46	293.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 18:00:00	0.77	33.22	0.08	0.70	51.40	51.46	293.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 18:15:00	0.85	33.22	0.08	0.78	51.32	51.38	293.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 18:30:00	0.90	33.22	0.08	0.83	51.27	51.33	293.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 18:45:00	0.90	33.21	0.08	0.83	51.27	51.33	293.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 19:00:00	-1.05	33.21	0.08	-1.11	53.21	53.27	291.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 19:15:00	0.26	33.21	0.08	0.20	51.91	51.96	293.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 19:30:00	0.55	33.21	0.07	0.49	51.62	51.67	293.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 19:45:00	0.70	33.21	0.07	0.65	51.46	51.52	293.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 20:00:00	0.78	33.21	0.07	0.72	51.39	51.44	293.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 20:15:00	0.83	33.20	0.07	0.77	51.34	51.39	293.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 20:30:00	0.86	33.20	0.07	0.81	51.30	51.36	293.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 20:45:00	0.88	33.20	0.07	0.83	51.29	51.34	293.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 21:00:00	-7.17	33.20	0.06	-7.22	59.34	59.39	285.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 21:15:00	0.19	33.20	0.06	0.14	51.98	52.03	292.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 21:30:00	0.63	33.20	0.06	0.58	51.54	51.58	293.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 21:45:00	0.71	33.20	0.06	0.66	51.46	51.51	293.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 22:00:00	0.80	33.20	0.06	0.75	51.36	51.41	293.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 22:15:00	0.89	33.20	0.06	0.84	51.28	51.33	293.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 22:30:00	0.93	33.20	0.06	0.88	51.23	51.28	293.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 22:45:00	0.99	33.20	0.06	0.94	51.18	51.23	293.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 23:00:00	1.04	33.20	0.06	0.99	51.12	51.18	293.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 23:15:00	0.99	33.20	0.07	0.94	51.17	51.22	293.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 23:30:00	0.83	33.20	0.07	0.78	51.33	51.39	293.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/02/10 23:45:00	0.69	33.20	0.07	0.64	51.48	51.53	293.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 00:00:00	0.70	33.20	0.07	0.64	51.47	51.52	293.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 00:15:00	0.79	33.20	0.07	0.73	51.38	51.43	293.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 00:30:00	0.90	33.20	0.07	0.84	51.27	51.32	293.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 00:45:00	0.98	33.20	0.07	0.93	51.18	51.24	293.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 01:00:00	-7.10	33.20	0.07	-7.16	59.27	59.32	285.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 01:15:00	0.02	33.21	0.07	-0.03	52.14	52.20	292.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 01:30:00	0.70	33.21	0.07	0.64	51.47	51.52	293.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 01:45:00	0.94	33.21	0.07	0.88	51.23	51.29	293.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 02:00:00	1.08	33.21	0.08	1.02	51.09	51.15	293.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 02:15:00	1.20	33.21	0.08	1.14	50.97	51.03	293.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 02:30:00	1.27	33.22	0.08	1.21	50.89	50.95	294.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 02:45:00	1.33	33.22	0.08	1.27	50.83	50.90	294.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 03:00:00	1.36	33.22	0.09	1.30	50.80	50.87	294.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 03:15:00	1.41	33.22	0.09	1.34	50.76	50.83	294.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 03:30:00	1.43	33.22	0.09	1.36	50.74	50.81	294.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 03:45:00	1.24	33.23	0.09	1.17	50.93	51.00	294.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 04:00:00	0.96	33.23	0.09	0.89	51.20	51.27	293.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 04:15:00	0.71	33.23	0.10	0.64	51.45	51.53	293.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 04:30:00	0.49	33.23	0.10	0.41	51.67	51.75	293.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 04:45:00	0.30	33.24	0.10	0.22	51.87	51.94	293.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 05:00:00	0.22	33.24	0.10	0.14	51.95	52.03	292.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 05:15:00	0.27	33.24	0.11	0.18	51.90	51.98	293.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 05:30:00	0.21	33.24	0.11	0.13	51.95	52.04	292.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 05:45:00	0.16	33.24	0.11	0.07	52.01	52.09	292.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 06:00:00	0.23	33.24	0.11	0.15	51.93	52.02	292.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 06:15:00	0.40	33.25	0.11	0.31	51.77	51.86	293.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 06:30:00	0.50	33.25	0.11	0.41	51.66	51.75	293.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 06:45:00	0.58	33.25	0.11	0.50	51.58	51.67	293.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 07:00:00	-0.65	33.25	0.11	-0.74	52.82	52.90	292.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 07:15:00	0.04	33.25	0.11	-0.04	52.12	52.21	292.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 07:30:00	0.31	33.25	0.11	0.22	51.86	51.94	293.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 07:45:00	0.51	33.25	0.11	0.42	51.65	51.74	293.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 08:00:00	0.66	33.25	0.12	0.57	51.50	51.59	293.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 08:15:00	-2.58	33.25	0.12	-2.68	54.75	54.84	290.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 08:30:00	0.26	33.25	0.12	0.17	51.90	52.00	293.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 08:45:00	-7.71	33.25	0.12	-7.80	59.87	59.96	285.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 09:00:00	-0.01	33.25	0.12	-0.11	52.18	52.27	292.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 09:15:00	0.55	33.25	0.12	0.45	51.62	51.71	293.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 09:30:00	0.75	33.26	0.12	0.66	51.41	51.51	293.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 09:45:00	0.87	33.25	0.12	0.78	51.30	51.39	293.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 10:00:00	0.90	33.25	0.11	0.81	51.27	51.36	293.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 10:15:00	0.88	33.24	0.11	0.80	51.28	51.37	293.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 10:30:00	0.92	33.24	0.10	0.84	51.25	51.33	293.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 10:45:00	0.95	33.23	0.10	0.88	51.21	51.29	293.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 11:00:00	0.97	33.23	0.10	0.90	51.19	51.27	293.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 11:15:00	0.94	33.23	0.09	0.87	51.22	51.29	293.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 11:30:00	0.80	33.22	0.09	0.73	51.36	51.43	293.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 11:45:00	0.69	33.22	0.08	0.62	51.48	51.54	293.46	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/03/10 12:00:00	0.69	33.21	0.08	0.63	51.47	51.53	293.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 12:15:00	0.79	33.21	0.08	0.73	51.37	51.43	293.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 12:30:00	0.88	33.21	0.07	0.83	51.28	51.34	293.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 12:45:00	0.92	33.20	0.07	0.87	51.25	51.30	293.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 13:00:00	0.77	33.20	0.06	0.72	51.40	51.45	293.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 13:15:00	0.69	33.19	0.06	0.65	51.47	51.52	293.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 13:30:00	0.74	33.19	0.06	0.70	51.42	51.46	293.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 13:45:00	0.81	33.19	0.05	0.77	51.36	51.40	293.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 14:00:00	0.89	33.18	0.05	0.85	51.28	51.32	293.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 14:15:00	0.96	33.18	0.05	0.92	51.21	51.24	293.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 14:30:00	1.02	33.18	0.04	0.99	51.14	51.18	293.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 14:45:00	1.05	33.18	0.04	1.02	51.12	51.15	293.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 15:00:00	1.07	33.17	0.04	1.04	51.09	51.12	293.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 15:15:00	1.11	33.17	0.04	1.08	51.06	51.09	293.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 15:30:00	1.15	33.17	0.03	1.12	51.01	51.04	293.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 15:45:00	1.18	33.17	0.03	1.15	50.99	51.01	293.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 16:00:00	1.19	33.16	0.03	1.16	50.98	51.00	294.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 16:15:00	1.17	33.16	0.03	1.15	51.00	51.02	293.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 16:30:00	1.10	33.16	0.02	1.09	51.06	51.08	293.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 16:45:00	1.10	33.16	0.02	1.08	51.06	51.08	293.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 17:00:00	1.07	33.15	0.02	1.06	51.09	51.11	293.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 17:15:00	0.96	33.15	0.02	0.94	51.21	51.22	293.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 17:30:00	0.74	33.15	0.01	0.73	51.43	51.44	293.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 17:45:00	0.55	33.15	0.02	0.54	51.61	51.63	293.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 18:00:00	0.52	33.16	0.02	0.50	51.64	51.66	293.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 18:15:00	-3.99	33.16	0.03	-4.01	56.16	56.18	288.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 18:30:00	0.03	33.17	0.03	0.00	52.14	52.16	292.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 18:45:00	0.37	33.17	0.04	0.35	51.79	51.82	293.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 19:00:00	0.31	33.17	0.04	0.28	51.86	51.89	293.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 19:15:00	0.26	33.18	0.04	0.22	51.91	51.94	293.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 19:30:00	0.30	33.18	0.05	0.26	51.87	51.91	293.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 19:45:00	-5.49	33.19	0.05	-5.53	57.65	57.69	287.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 20:00:00	-0.68	33.19	0.06	-0.72	52.84	52.89	292.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 20:15:00	-0.07	33.20	0.06	-0.12	52.23	52.28	292.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 20:30:00	0.10	33.20	0.07	0.04	52.07	52.12	292.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 20:45:00	0.14	33.21	0.07	0.09	52.02	52.08	292.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 21:00:00	0.15	33.21	0.08	0.09	52.02	52.07	292.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 21:15:00	0.11	33.21	0.08	0.05	52.05	52.11	292.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 21:30:00	0.08	33.22	0.08	0.01	52.08	52.15	292.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 21:45:00	-1.04	33.22	0.09	-1.11	53.20	53.27	291.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 22:00:00	-0.34	33.23	0.09	-0.41	52.50	52.57	292.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 22:15:00	-0.22	33.23	0.10	-0.29	52.38	52.46	292.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 22:30:00	-0.25	33.24	0.10	-0.33	52.41	52.49	292.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 22:45:00	-0.22	33.24	0.11	-0.30	52.39	52.47	292.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 23:00:00	-0.18	33.25	0.11	-0.26	52.34	52.43	292.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 23:15:00	-0.22	33.25	0.12	-0.31	52.38	52.47	292.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 23:30:00	-0.43	33.25	0.12	-0.53	52.60	52.69	292.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/03/10 23:45:00	-0.74	33.26	0.12	-0.84	52.91	53.00	292.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 00:00:00	-1.05	33.26	0.13	-1.15	53.22	53.32	291.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 00:15:00	-1.29	33.27	0.13	-1.40	53.46	53.56	291.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 00:30:00	-1.52	33.27	0.14	-1.62	53.68	53.79	291.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 00:45:00	-1.69	33.28	0.14	-1.80	53.86	53.97	291.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 01:00:00	-1.83	33.28	0.15	-1.94	54.00	54.11	290.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 01:15:00	-1.88	33.29	0.15	-2.00	54.04	54.16	290.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 01:30:00	-1.73	33.29	0.16	-1.86	53.90	54.02	290.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 01:45:00	-1.53	33.29	0.16	-1.65	53.70	53.82	291.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 02:00:00	-1.35	33.30	0.16	-1.47	53.51	53.64	291.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 02:15:00	-1.21	33.30	0.16	-1.34	53.38	53.51	291.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 02:30:00	-1.11	33.30	0.17	-1.24	53.28	53.41	291.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 02:45:00	-1.03	33.30	0.17	-1.16	53.19	53.32	291.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 03:00:00	-0.97	33.31	0.17	-1.10	53.13	53.26	291.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 03:15:00	-0.93	33.31	0.17	-1.06	53.09	53.23	291.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 03:30:00	-0.90	33.31	0.18	-1.03	53.06	53.20	291.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 03:45:00	-0.87	33.31	0.18	-1.01	53.03	53.17	291.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 04:00:00	-0.83	33.32	0.18	-0.97	52.99	53.13	291.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 04:15:00	-0.79	33.32	0.18	-0.93	52.95	53.10	291.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 04:30:00	-0.81	33.32	0.19	-0.96	52.98	53.12	291.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 04:45:00	-0.75	33.32	0.19	-0.90	52.92	53.07	291.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 05:00:00	-0.69	33.33	0.19	-0.84	52.85	53.00	292.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 05:15:00	-0.69	33.33	0.19	-0.84	52.85	53.00	292.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 05:30:00	-0.89	33.33	0.20	-1.05	53.06	53.21	291.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 05:45:00	-1.11	33.33	0.20	-1.26	53.27	53.43	291.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 06:00:00	-1.18	33.34	0.20	-1.34	53.34	53.50	291.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 06:15:00	-6.13	33.34	0.21	-6.29	58.29	58.46	286.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 06:30:00	-1.75	33.35	0.21	-1.92	53.92	54.08	290.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 06:45:00	-1.34	33.35	0.22	-1.51	53.50	53.67	291.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 07:00:00	-9.63	33.36	0.22	-9.81	61.80	61.97	283.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 07:15:00	-2.46	33.36	0.23	-2.64	54.63	54.81	290.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 07:30:00	-3.23	33.37	0.23	-3.41	55.40	55.58	289.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 07:45:00	-1.76	33.37	0.24	-1.95	53.92	54.11	290.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 08:00:00	-3.66	33.38	0.24	-3.85	55.82	56.01	288.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 08:15:00	-14.61	33.38	0.25	-14.80	66.77	66.97	278.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 08:30:00	-16.97	33.39	0.25	-17.17	69.13	69.33	275.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 08:45:00	-16.86	33.39	0.26	-17.07	69.03	69.23	275.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 09:00:00	-14.27	33.40	0.26	-14.47	66.43	66.64	278.36	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/04/10 09:15:00	-3.76	33.40	0.27	-3.97	55.92	56.13	288.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 09:30:00	-5.64	33.41	0.27	-5.86	57.81	58.02	286.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 09:45:00	-2.00	33.41	0.27	-2.21	54.17	54.38	290.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 10:00:00	-1.24	33.40	0.27	-1.45	53.40	53.62	291.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 10:15:00	-0.83	33.40	0.27	-1.04	52.99	53.20	291.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 10:30:00	-0.56	33.40	0.27	-0.77	52.73	52.94	292.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 10:45:00	-0.35	33.40	0.26	-0.56	52.52	52.72	292.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 11:00:00	-0.19	33.40	0.26	-0.39	52.35	52.56	292.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 11:15:00	-0.14	33.40	0.26	-0.34	52.30	52.51	292.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 11:30:00	-0.30	33.39	0.26	-0.50	52.46	52.66	292.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 11:45:00	-0.44	33.39	0.26	-0.64	52.60	52.81	292.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 12:00:00	-0.42	33.39	0.26	-0.62	52.59	52.79	292.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 12:15:00	-0.31	33.39	0.25	-0.51	52.48	52.67	292.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 12:30:00	-0.19	33.39	0.25	-0.38	52.35	52.55	292.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 12:45:00	-0.10	33.39	0.25	-0.29	52.26	52.46	292.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 13:00:00	-1.30	33.38	0.25	-1.49	53.47	53.66	291.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 13:15:00	-0.50	33.38	0.25	-0.69	52.66	52.86	292.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 13:30:00	-0.18	33.38	0.25	-0.37	52.35	52.54	292.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 13:45:00	0.04	33.38	0.24	-0.15	52.12	52.31	292.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 14:00:00	0.20	33.38	0.24	0.02	51.96	52.15	292.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 14:15:00	0.34	33.37	0.24	0.15	51.83	52.01	292.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 14:30:00	0.44	33.37	0.24	0.26	51.72	51.91	293.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 14:45:00	0.50	33.37	0.23	0.32	51.67	51.85	293.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 15:00:00	0.48	33.36	0.23	0.30	51.68	51.86	293.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 15:15:00	0.54	33.36	0.23	0.36	51.63	51.80	293.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 15:30:00	0.63	33.36	0.22	0.46	51.53	51.71	293.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 15:45:00	0.70	33.36	0.22	0.53	51.46	51.64	293.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 16:00:00	0.76	33.35	0.22	0.59	51.41	51.58	293.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 16:15:00	0.82	33.35	0.22	0.65	51.35	51.52	293.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 16:30:00	0.87	33.35	0.21	0.71	51.29	51.46	293.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 16:45:00	0.92	33.35	0.21	0.76	51.24	51.41	293.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 17:00:00	0.95	33.34	0.21	0.79	51.22	51.38	293.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 17:15:00	0.88	33.34	0.21	0.72	51.29	51.45	293.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 17:30:00	0.71	33.34	0.20	0.56	51.45	51.61	293.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 17:45:00	0.59	33.34	0.21	0.43	51.57	51.74	293.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 18:00:00	0.65	33.34	0.21	0.49	51.52	51.68	293.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 18:15:00	0.76	33.34	0.21	0.59	51.41	51.57	293.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 18:30:00	0.77	33.35	0.21	0.61	51.39	51.56	293.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 18:45:00	-10.92	33.35	0.21	-11.08	63.08	63.25	281.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 19:00:00	-0.23	33.35	0.22	-0.40	52.40	52.56	292.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 19:15:00	0.20	33.35	0.22	0.03	51.97	52.14	292.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 19:30:00	0.44	33.36	0.22	0.27	51.72	51.89	293.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 19:45:00	0.59	33.36	0.22	0.42	51.57	51.74	293.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 20:00:00	0.63	33.36	0.22	0.45	51.54	51.71	293.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 20:15:00	0.72	33.36	0.23	0.54	51.45	51.62	293.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 20:30:00	0.81	33.36	0.23	0.63	51.35	51.53	293.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 20:45:00	0.89	33.37	0.23	0.71	51.28	51.46	293.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 21:00:00	0.93	33.37	0.23	0.75	51.23	51.41	293.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 21:15:00	0.99	33.37	0.24	0.80	51.18	51.36	293.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 21:30:00	1.03	33.37	0.24	0.84	51.14	51.32	293.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 21:45:00	-10.16	33.37	0.24	-10.35	62.33	62.51	282.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 22:00:00	0.30	33.38	0.24	0.11	51.87	52.05	292.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 22:15:00	0.77	33.38	0.24	0.58	51.40	51.59	293.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 22:30:00	0.94	33.38	0.24	0.75	51.23	51.42	293.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 22:45:00	1.05	33.38	0.25	0.86	51.12	51.31	293.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 23:00:00	1.13	33.38	0.25	0.94	51.03	51.23	293.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 23:15:00	1.11	33.38	0.25	0.92	51.05	51.25	293.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 23:30:00	0.94	33.39	0.25	0.75	51.22	51.42	293.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/04/10 23:45:00	0.79	33.39	0.25	0.59	51.37	51.57	293.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 00:00:00	0.81	33.39	0.26	0.61	51.35	51.55	293.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 00:15:00	0.93	33.39	0.26	0.73	51.23	51.43	293.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 00:30:00	1.04	33.39	0.26	0.84	51.12	51.33	293.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 00:45:00	1.13	33.40	0.26	0.92	51.04	51.24	293.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 01:00:00	1.00	33.40	0.26	0.79	51.17	51.37	293.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 01:15:00	0.95	33.40	0.26	0.74	51.22	51.43	293.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 01:30:00	1.02	33.40	0.27	0.81	51.14	51.35	293.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 01:45:00	1.09	33.40	0.27	0.88	51.07	51.28	293.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 02:00:00	1.17	33.40	0.27	0.96	50.99	51.20	293.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 02:15:00	1.24	33.41	0.27	1.03	50.93	51.14	293.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 02:30:00	1.29	33.41	0.27	1.07	50.88	51.09	293.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 02:45:00	1.34	33.41	0.28	1.12	50.83	51.04	293.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 03:00:00	1.39	33.41	0.28	1.17	50.78	51.00	294.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 03:15:00	1.43	33.41	0.28	1.21	50.74	50.95	294.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 03:30:00	1.45	33.42	0.28	1.23	50.72	50.94	294.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 03:45:00	1.24	33.42	0.28	1.02	50.92	51.14	293.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 04:00:00	0.95	33.42	0.28	0.73	51.21	51.43	293.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 04:15:00	0.68	33.42	0.29	0.45	51.49	51.71	293.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 04:30:00	0.42	33.42	0.29	0.19	51.75	51.97	293.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 04:45:00	0.22	33.42	0.29	0.00	51.94	52.17	292.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 05:00:00	0.14	33.43	0.29	-0.09	52.03	52.26	292.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 05:15:00	0.21	33.43	0.29	-0.02	51.96	52.19	292.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 05:30:00	0.22	33.43	0.30	-0.01	51.94	52.17	292.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 05:45:00	0.20	33.43	0.30	-0.03	51.97	52.20	292.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 06:00:00	0.27	33.44	0.30	0.03	51.90	52.13	292.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 06:15:00	-1.01	33.44	0.31	-1.25	53.18	53.42	291.58	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/05/10 06:30:00	0.14	33.45	0.31	-0.10	52.02	52.26	292.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 06:45:00	0.45	33.45	0.32	0.20	51.72	51.96	293.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 07:00:00	0.44	33.45	0.32	0.19	51.73	51.98	293.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 07:15:00	0.47	33.46	0.32	0.22	51.69	51.95	293.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 07:30:00	0.65	33.46	0.33	0.39	51.52	51.77	293.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 07:45:00	0.78	33.47	0.33	0.52	51.38	51.64	293.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 08:00:00	0.91	33.47	0.34	0.65	51.26	51.52	293.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 08:15:00	1.00	33.47	0.34	0.73	51.17	51.43	293.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 08:30:00	1.01	33.48	0.34	0.74	51.15	51.42	293.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 08:45:00	-0.12	33.48	0.35	-0.39	52.28	52.55	292.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 09:00:00	0.75	33.49	0.35	0.48	51.42	51.69	293.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 09:15:00	-12.39	33.49	0.36	-12.67	64.56	64.83	280.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 09:30:00	-0.35	33.49	0.36	-0.63	52.51	52.79	292.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 09:45:00	0.51	33.49	0.36	0.23	51.66	51.93	293.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 10:00:00	-8.75	33.49	0.35	-9.03	60.92	61.19	283.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 10:15:00	-0.38	33.49	0.35	-0.66	52.55	52.82	292.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 10:30:00	-2.79	33.49	0.35	-3.06	54.95	55.23	289.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 10:45:00	0.26	33.48	0.35	-0.01	51.90	52.17	292.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 11:00:00	0.70	33.48	0.35	0.43	51.47	51.74	293.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 11:15:00	0.81	33.48	0.34	0.54	51.35	51.62	293.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 11:30:00	0.70	33.48	0.34	0.43	51.46	51.73	293.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 11:45:00	0.58	33.47	0.34	0.32	51.58	51.85	293.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 12:00:00	0.53	33.47	0.34	0.27	51.63	51.89	293.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 12:15:00	0.65	33.47	0.33	0.39	51.51	51.77	293.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 12:30:00	0.78	33.47	0.33	0.52	51.38	51.64	293.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 12:45:00	0.88	33.46	0.33	0.62	51.29	51.55	293.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 13:00:00	0.75	33.46	0.33	0.49	51.42	51.67	293.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 13:15:00	0.75	33.46	0.33	0.50	51.42	51.67	293.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 13:30:00	0.89	33.46	0.32	0.63	51.28	51.53	293.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 13:45:00	0.93	33.46	0.32	0.68	51.24	51.49	293.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 14:00:00	-0.78	33.45	0.32	-1.03	52.95	53.20	291.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 14:15:00	0.68	33.45	0.32	0.43	51.48	51.73	293.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 14:30:00	0.95	33.45	0.31	0.71	51.21	51.46	293.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 14:45:00	1.10	33.45	0.31	0.85	51.07	51.31	293.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 15:00:00	-2.99	33.44	0.31	-3.23	55.16	55.40	289.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 15:15:00	-16.85	33.44	0.31	-17.09	69.01	69.25	275.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 15:30:00	-17.02	33.44	0.31	-17.26	69.18	69.42	275.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 15:45:00	-16.95	33.44	0.30	-17.19	69.11	69.35	275.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 16:00:00	-17.09	33.44	0.30	-17.33	69.26	69.49	275.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 16:15:00	-17.15	33.43	0.30	-17.38	69.32	69.55	275.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 16:30:00	-17.13	33.43	0.30	-17.36	69.29	69.53	275.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 16:45:00	-17.11	33.43	0.29	-17.34	69.27	69.50	275.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 17:00:00	-17.13	33.43	0.29	-17.36	69.30	69.52	275.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 17:15:00	-17.17	33.43	0.29	-17.39	69.33	69.56	275.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 17:30:00	-17.16	33.42	0.29	-17.39	69.33	69.55	275.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 17:45:00	-14.01	33.42	0.29	-14.23	66.17	66.40	278.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 18:00:00	-3.75	33.43	0.29	-3.97	55.91	56.14	288.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 18:15:00	-2.07	33.43	0.29	-2.30	54.24	54.47	290.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 18:30:00	-1.24	33.43	0.29	-1.47	53.41	53.64	291.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 18:45:00	-0.80	33.43	0.29	-1.03	52.97	53.20	291.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 19:00:00	-1.79	33.43	0.29	-2.02	53.96	54.19	290.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 19:15:00	-0.91	33.43	0.30	-1.15	53.08	53.31	291.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 19:30:00	-6.22	33.43	0.30	-6.45	58.38	58.61	286.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 19:45:00	-0.86	33.43	0.30	-1.09	53.02	53.25	291.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 20:00:00	-0.31	33.43	0.30	-0.55	52.48	52.71	292.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 20:15:00	-0.06	33.43	0.30	-0.29	52.22	52.46	292.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 20:30:00	-0.05	33.44	0.30	-0.28	52.21	52.45	292.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 20:45:00	-0.05	33.44	0.30	-0.28	52.21	52.45	292.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 21:00:00	-2.16	33.44	0.30	-2.40	54.33	54.56	290.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 21:15:00	-0.68	33.44	0.30	-0.91	52.84	53.08	291.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 21:30:00	-0.58	33.44	0.31	-0.82	52.75	52.99	292.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 21:45:00	-0.59	33.44	0.31	-0.83	52.76	53.00	292.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 22:00:00	-0.56	33.44	0.31	-0.80	52.72	52.96	292.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 22:15:00	-0.61	33.44	0.31	-0.85	52.78	53.02	291.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 22:30:00	-0.60	33.44	0.31	-0.84	52.77	53.01	291.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 22:45:00	-0.55	33.44	0.31	-0.79	52.72	52.96	292.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 23:00:00	-0.54	33.44	0.31	-0.78	52.71	52.95	292.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 23:15:00	-0.63	33.44	0.31	-0.87	52.79	53.04	291.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 23:30:00	-0.80	33.44	0.31	-1.04	52.96	53.21	291.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/05/10 23:45:00	-1.07	33.44	0.31	-1.31	53.23	53.47	291.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 00:00:00	-1.34	33.45	0.31	-1.58	53.50	53.74	291.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 00:15:00	-1.57	33.45	0.31	-1.81	53.73	53.97	291.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 00:30:00	-1.76	33.45	0.31	-2.00	53.93	54.17	290.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 00:45:00	-1.92	33.45	0.31	-2.16	54.08	54.33	290.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 01:00:00	-2.07	33.45	0.31	-2.32	54.24	54.48	290.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 01:15:00	-2.10	33.45	0.31	-2.34	54.26	54.50	290.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 01:30:00	-1.90	33.45	0.31	-2.15	54.07	54.31	290.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 01:45:00	-1.71	33.45	0.31	-1.96	53.88	54.12	290.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 02:00:00	-4.51	33.45	0.31	-4.76	56.68	56.92	288.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 02:15:00	-1.89	33.45	0.31	-2.13	54.06	54.30	290.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 02:30:00	-1.52	33.45	0.31	-1.77	53.69	53.93	291.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 02:45:00	-1.32	33.45	0.31	-1.57	53.49	53.73	291.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 03:00:00	-1.21	33.45	0.31	-1.46	53.38	53.62	291.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 03:15:00	-1.14	33.45	0.31	-1.38	53.30	53.55	291.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 03:30:00	-1.06	33.45	0.31	-1.30	53.22	53.47	291.53	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/06/10 03:45:00	-0.99	33.45	0.31	-1.23	53.15	53.40	291.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 04:00:00	-0.94	33.45	0.31	-1.18	53.10	53.35	291.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 04:15:00	-0.96	33.45	0.31	-1.20	53.12	53.37	291.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 04:30:00	-0.93	33.45	0.31	-1.17	53.09	53.34	291.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 04:45:00	-0.88	33.45	0.31	-1.12	53.04	53.29	291.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 05:00:00	-0.81	33.45	0.31	-1.05	52.97	53.22	291.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 05:15:00	-0.81	33.45	0.31	-1.06	52.98	53.22	291.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 05:30:00	-1.00	33.45	0.31	-1.24	53.16	53.41	291.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 05:45:00	-1.23	33.45	0.31	-1.47	53.39	53.64	291.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 06:00:00	-1.28	33.44	0.31	-1.52	53.45	53.69	291.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 06:15:00	-1.25	33.44	0.30	-1.48	53.41	53.65	291.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 06:30:00	-1.21	33.44	0.30	-1.45	53.38	53.61	291.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 06:45:00	-1.19	33.43	0.30	-1.42	53.35	53.58	291.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 07:00:00	-1.41	33.43	0.29	-1.64	53.58	53.81	291.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 07:15:00	-3.62	33.43	0.29	-3.85	55.79	56.01	288.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 07:30:00	-1.97	33.42	0.29	-2.20	54.14	54.36	290.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 07:45:00	-1.54	33.42	0.28	-1.76	53.70	53.92	291.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 08:00:00	-1.22	33.42	0.28	-1.44	53.39	53.61	291.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 08:15:00	-1.10	33.41	0.28	-1.31	53.26	53.48	291.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 08:30:00	-0.94	33.41	0.28	-1.16	53.11	53.32	291.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 08:45:00	-0.83	33.41	0.27	-1.04	53.00	53.21	291.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 09:00:00	-0.65	33.40	0.27	-0.86	52.81	53.02	291.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 09:15:00	-0.49	33.40	0.27	-0.70	52.66	52.86	292.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 09:30:00	-0.47	33.40	0.26	-0.67	52.63	52.84	292.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 09:45:00	-7.23	33.39	0.26	-7.43	59.39	59.60	285.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 10:00:00	-9.06	33.39	0.25	-9.26	61.22	61.42	283.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 10:15:00	-1.13	33.38	0.25	-1.32	53.29	53.49	291.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 10:30:00	-0.45	33.38	0.24	-0.64	52.61	52.80	292.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 10:45:00	-0.26	33.37	0.24	-0.44	52.42	52.61	292.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 11:00:00	-0.11	33.37	0.23	-0.29	52.28	52.46	292.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 11:15:00	-1.41	33.36	0.23	-1.59	53.57	53.75	291.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 11:30:00	-0.60	33.36	0.22	-0.78	52.77	52.94	292.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 11:45:00	-0.33	33.35	0.22	-0.50	52.49	52.66	292.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 12:00:00	-0.13	33.35	0.21	-0.30	52.29	52.46	292.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 12:15:00	0.02	33.34	0.21	-0.15	52.15	52.31	292.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 12:30:00	0.12	33.34	0.20	-0.04	52.05	52.20	292.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 12:45:00	0.14	33.33	0.20	-0.02	52.03	52.18	292.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 13:00:00	0.22	33.33	0.19	0.07	51.95	52.10	292.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 13:15:00	0.28	33.32	0.19	0.13	51.88	52.03	292.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 13:30:00	-0.77	33.32	0.18	-0.92	52.94	53.08	291.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 13:45:00	-9.69	33.31	0.18	-9.83	61.85	61.99	283.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 14:00:00	-0.54	33.31	0.17	-0.68	52.71	52.84	292.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 14:15:00	-1.45	33.30	0.17	-1.58	53.61	53.74	291.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 14:30:00	-4.80	33.30	0.16	-4.93	56.97	57.09	287.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 14:45:00	-0.57	33.29	0.15	-0.69	52.74	52.86	292.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 15:00:00	-0.09	33.28	0.15	-0.21	52.26	52.37	292.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 15:15:00	0.07	33.28	0.14	-0.04	52.10	52.21	292.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 15:30:00	-0.50	33.27	0.14	-0.61	52.67	52.78	292.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 15:45:00	-1.25	33.27	0.13	-1.35	53.41	53.52	291.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 16:00:00	-4.19	33.26	0.12	-4.29	56.35	56.45	288.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 16:15:00	-0.67	33.25	0.12	-0.76	52.83	52.93	292.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 16:30:00	-0.25	33.25	0.11	-0.34	52.42	52.50	292.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 16:45:00	-0.11	33.24	0.11	-0.19	52.27	52.36	292.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 17:00:00	-0.09	33.24	0.10	-0.17	52.25	52.33	292.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 17:15:00	-0.02	33.23	0.10	-0.09	52.18	52.26	292.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 17:30:00	-10.73	33.22	0.09	-10.80	62.89	62.96	282.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 17:45:00	-0.70	33.22	0.09	-0.77	52.87	52.93	292.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 18:00:00	-0.18	33.22	0.09	-0.24	52.34	52.41	292.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 18:15:00	0.01	33.22	0.08	-0.06	52.16	52.22	292.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 18:30:00	0.16	33.22	0.08	0.10	52.01	52.07	292.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 18:45:00	0.23	33.21	0.08	0.16	51.94	52.00	293.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 19:00:00	0.28	33.21	0.08	0.22	51.89	51.95	293.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 19:15:00	0.36	33.21	0.07	0.31	51.80	51.86	293.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 19:30:00	0.40	33.21	0.07	0.34	51.77	51.83	293.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 19:45:00	0.43	33.21	0.07	0.38	51.73	51.79	293.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 20:00:00	0.50	33.20	0.07	0.45	51.66	51.72	293.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 20:15:00	0.59	33.20	0.07	0.53	51.58	51.63	293.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 20:30:00	0.57	33.20	0.06	0.52	51.60	51.65	293.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 20:45:00	-5.00	33.20	0.06	-5.05	57.16	57.21	287.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 21:00:00	-0.24	33.20	0.06	-0.29	52.41	52.46	292.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 21:15:00	-0.01	33.19	0.06	-0.05	52.17	52.22	292.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 21:30:00	0.05	33.19	0.06	0.00	52.12	52.16	292.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 21:45:00	0.02	33.19	0.05	-0.02	52.14	52.18	292.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 22:00:00	-0.08	33.18	0.05	-0.12	52.24	52.28	292.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 22:15:00	-0.10	33.18	0.05	-0.13	52.26	52.30	292.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 22:30:00	-0.11	33.18	0.04	-0.14	52.27	52.31	292.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 22:45:00	-0.14	33.18	0.04	-0.17	52.30	52.33	292.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 23:00:00	-1.48	33.17	0.04	-1.51	53.65	53.68	291.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 23:15:00	-0.53	33.17	0.03	-0.56	52.70	52.73	292.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 23:30:00	-0.36	33.17	0.03	-0.39	52.53	52.55	292.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/06/10 23:45:00	-0.31	33.16	0.03	-0.33	52.48	52.50	292.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 00:00:00	-0.29	33.16	0.03	-0.31	52.46	52.48	292.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 00:15:00	-0.31	33.16	0.02	-0.33	52.48	52.50	292.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 00:30:00	-0.38	33.15	0.02	-0.39	52.54	52.56	292.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 00:45:00	-0.39	33.15	0.02	-0.40	52.56	52.57	292.43	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/07/10 01:00:00	-0.43	33.15	0.01	-0.44	52.59	52.60	292.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 01:15:00	-0.46	33.15	0.01	-0.47	52.62	52.63	292.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 01:30:00	-0.48	33.14	0.01	-0.48	52.64	52.65	292.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 01:45:00	-0.48	33.14	0.00	-0.49	52.65	52.65	292.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 02:00:00	-0.48	33.14	0.00	-0.49	52.65	52.65	292.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 02:15:00	-0.48	33.13	0.00	-0.48	52.65	52.65	292.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 02:30:00	-0.49	33.13	0.00	-0.48	52.65	52.65	292.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 02:45:00	-0.49	33.13	0.00	-0.49	52.66	52.66	292.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 03:00:00	-0.50	33.13	-0.01	-0.49	52.66	52.66	292.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 03:15:00	-0.51	33.12	-0.01	-0.50	52.67	52.67	292.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 03:30:00	-0.53	33.12	-0.01	-0.52	52.69	52.68	292.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 03:45:00	-0.76	33.12	-0.01	-0.74	52.92	52.91	292.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 04:00:00	-1.05	33.12	-0.02	-1.04	53.22	53.20	291.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 04:15:00	-1.36	33.12	-0.02	-1.34	53.52	53.51	291.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 04:30:00	-1.61	33.11	-0.02	-1.59	53.78	53.76	291.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 04:45:00	-1.80	33.11	-0.02	-1.78	53.96	53.94	291.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 05:00:00	-1.87	33.11	-0.03	-1.85	54.03	54.01	290.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 05:15:00	-1.76	33.11	-0.03	-1.74	53.93	53.91	291.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 05:30:00	-1.57	33.10	-0.03	-1.55	53.74	53.71	291.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 05:45:00	-1.51	33.10	-0.03	-1.49	53.68	53.65	291.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 06:00:00	-1.47	33.10	-0.03	-1.45	53.64	53.61	291.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 06:15:00	-1.43	33.10	-0.03	-1.40	53.59	53.57	291.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 06:30:00	-1.38	33.10	-0.03	-1.36	53.55	53.52	291.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 06:45:00	-1.34	33.10	-0.03	-1.31	53.50	53.48	291.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 07:00:00	-6.42	33.10	-0.03	-6.40	58.59	58.57	286.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 07:15:00	-1.97	33.10	-0.03	-1.95	54.14	54.11	290.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 07:30:00	-1.55	33.10	-0.03	-1.53	53.72	53.69	291.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 07:45:00	-1.28	33.10	-0.03	-1.25	53.44	53.42	291.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 08:00:00	-1.06	33.10	-0.03	-1.04	53.23	53.20	291.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 08:15:00	-0.87	33.11	-0.03	-0.85	53.04	53.02	291.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 08:30:00	-3.26	33.11	-0.03	-3.24	55.43	55.41	289.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 08:45:00	-1.05	33.11	-0.03	-1.03	53.21	53.19	291.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 09:00:00	-11.17	33.11	-0.03	-11.15	63.34	63.31	281.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 09:15:00	-1.19	33.11	-0.03	-1.17	53.36	53.34	291.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 09:30:00	-2.19	33.11	-0.03	-2.17	54.35	54.33	290.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 09:45:00	-0.77	33.10	-0.03	-0.75	52.94	52.91	292.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 10:00:00	-0.40	33.10	-0.03	-0.38	52.57	52.54	292.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 10:15:00	-0.24	33.10	-0.04	-0.21	52.40	52.37	292.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 10:30:00	-0.12	33.09	-0.04	-0.09	52.29	52.26	292.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 10:45:00	0.01	33.09	-0.04	0.04	52.16	52.13	292.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 11:00:00	0.10	33.09	-0.05	0.14	52.06	52.02	292.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 11:15:00	0.17	33.09	-0.05	0.21	52.00	51.96	293.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 11:30:00	0.24	33.08	-0.05	0.28	51.93	51.89	293.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 11:45:00	0.31	33.08	-0.06	0.35	51.85	51.81	293.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 12:00:00	0.37	33.08	-0.06	0.41	51.80	51.75	293.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 12:15:00	0.40	33.07	-0.06	0.45	51.76	51.71	293.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 12:30:00	0.43	33.07	-0.06	0.48	51.74	51.69	293.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 12:45:00	0.46	33.07	-0.07	0.51	51.70	51.65	293.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 13:00:00	0.51	33.06	-0.07	0.56	51.66	51.60	293.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 13:15:00	0.56	33.06	-0.07	0.62	51.61	51.55	293.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 13:30:00	0.63	33.06	-0.08	0.69	51.54	51.48	293.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 13:45:00	0.67	33.06	-0.08	0.73	51.49	51.43	293.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 14:00:00	0.68	33.05	-0.08	0.74	51.48	51.42	293.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 14:15:00	0.67	33.05	-0.08	0.73	51.50	51.43	293.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 14:30:00	0.66	33.05	-0.09	0.73	51.50	51.44	293.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 14:45:00	0.70	33.05	-0.09	0.77	51.46	51.39	293.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 15:00:00	0.76	33.04	-0.09	0.83	51.41	51.34	293.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 15:15:00	0.78	33.04	-0.09	0.86	51.38	51.31	293.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 15:30:00	0.78	33.04	-0.10	0.86	51.38	51.31	293.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 15:45:00	0.77	33.04	-0.10	0.85	51.40	51.32	293.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 16:00:00	0.78	33.03	-0.10	0.85	51.39	51.31	293.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 16:15:00	0.81	33.03	-0.10	0.89	51.35	51.27	293.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 16:30:00	0.85	33.03	-0.11	0.93	51.32	51.24	293.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 16:45:00	0.85	33.03	-0.11	0.94	51.31	51.23	293.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 17:00:00	0.87	33.02	-0.11	0.96	51.29	51.20	293.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 17:15:00	0.91	33.02	-0.11	0.99	51.26	51.17	293.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 17:30:00	0.92	33.02	-0.11	1.01	51.25	51.16	293.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 17:45:00	0.92	33.02	-0.11	1.01	51.24	51.16	293.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 18:00:00	0.92	33.02	-0.11	1.01	51.24	51.16	293.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 18:15:00	0.88	33.02	-0.11	0.97	51.28	51.19	293.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 18:30:00	0.89	33.03	-0.11	0.97	51.28	51.19	293.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 18:45:00	0.90	33.03	-0.11	0.99	51.26	51.18	293.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 19:00:00	0.93	33.03	-0.11	1.01	51.23	51.15	293.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 19:15:00	0.97	33.03	-0.10	1.05	51.20	51.12	293.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 19:30:00	0.98	33.03	-0.10	1.06	51.19	51.11	293.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 19:45:00	0.91	33.03	-0.10	0.99	51.25	51.17	293.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 20:00:00	0.93	33.04	-0.10	1.00	51.24	51.16	293.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 20:15:00	0.94	33.04	-0.10	1.02	51.22	51.14	293.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 20:30:00	0.96	33.04	-0.10	1.04	51.20	51.13	293.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 20:45:00	0.99	33.04	-0.10	1.06	51.17	51.10	293.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 21:00:00	1.00	33.04	-0.09	1.07	51.17	51.10	293.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 21:15:00	0.95	33.04	-0.09	1.02	51.22	51.14	293.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 21:30:00	0.92	33.04	-0.09	0.99	51.25	51.18	293.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 21:45:00	0.95	33.04	-0.09	1.02	51.22	51.15	293.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 22:00:00	0.99	33.05	-0.09	1.06	51.17	51.10	293.90	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/07/10 22:15:00	1.02	33.05	-0.09	1.09	51.14	51.07	293.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 22:30:00	1.04	33.05	-0.09	1.11	51.12	51.05	293.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 22:45:00	1.08	33.05	-0.09	1.15	51.09	51.02	293.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 23:00:00	1.11	33.05	-0.09	1.18	51.05	50.98	294.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 23:15:00	1.13	33.05	-0.09	1.20	51.04	50.97	294.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 23:30:00	1.15	33.05	-0.09	1.21	51.02	50.95	294.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/07/10 23:45:00	-1.60	33.05	-0.09	-1.53	53.76	53.70	291.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 00:00:00	0.15	33.05	-0.09	0.22	52.01	51.95	293.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 00:15:00	0.16	33.05	-0.08	0.22	52.01	51.94	293.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 00:30:00	0.05	33.05	-0.08	0.11	52.12	52.05	292.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 00:45:00	-0.08	33.05	-0.08	-0.01	52.24	52.18	292.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 01:00:00	-0.10	33.05	-0.08	-0.03	52.26	52.20	292.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 01:15:00	0.07	33.05	-0.08	0.14	52.09	52.03	292.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 01:30:00	0.31	33.05	-0.08	0.37	51.86	51.80	293.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 01:45:00	0.50	33.05	-0.08	0.56	51.67	51.61	293.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 02:00:00	0.65	33.05	-0.08	0.72	51.51	51.45	293.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 02:15:00	0.77	33.06	-0.08	0.83	51.40	51.34	293.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 02:30:00	0.88	33.06	-0.08	0.94	51.28	51.22	293.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 02:45:00	0.97	33.06	-0.08	1.03	51.20	51.14	293.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 03:00:00	1.05	33.06	-0.08	1.11	51.12	51.06	293.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 03:15:00	1.12	33.06	-0.08	1.18	51.04	50.98	294.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 03:30:00	1.19	33.06	-0.08	1.25	50.98	50.92	294.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 03:45:00	1.24	33.06	-0.07	1.30	50.92	50.87	294.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 04:00:00	1.28	33.06	-0.07	1.34	50.88	50.83	294.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 04:15:00	1.31	33.06	-0.07	1.37	50.85	50.79	294.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 04:30:00	1.26	33.06	-0.07	1.32	50.90	50.85	294.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 04:45:00	1.27	33.06	-0.07	1.32	50.90	50.84	294.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 05:00:00	1.30	33.06	-0.07	1.36	50.86	50.81	294.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 05:15:00	-4.74	33.07	-0.07	-4.69	56.91	56.85	288.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 05:30:00	0.75	33.07	-0.07	0.80	51.42	51.36	293.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 05:45:00	1.00	33.07	-0.07	1.05	51.17	51.11	293.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 06:00:00	1.06	33.07	-0.06	1.11	51.11	51.06	293.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 06:15:00	1.08	33.07	-0.06	1.13	51.09	51.04	293.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 06:30:00	1.09	33.08	-0.06	1.14	51.07	51.03	293.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 06:45:00	1.12	33.08	-0.06	1.16	51.05	51.01	293.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 07:00:00	-0.75	33.08	-0.05	-0.70	52.91	52.87	292.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 07:15:00	0.66	33.08	-0.05	0.70	51.50	51.46	293.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 07:30:00	0.93	33.09	-0.05	0.97	51.24	51.20	293.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 07:45:00	1.07	33.09	-0.05	1.10	51.10	51.06	293.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 08:00:00	1.17	33.09	-0.04	1.21	50.99	50.96	294.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 08:15:00	1.20	33.09	-0.04	1.24	50.96	50.93	294.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 08:30:00	1.23	33.10	-0.04	1.26	50.94	50.91	294.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 08:45:00	1.26	33.10	-0.04	1.29	50.91	50.88	294.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 09:00:00	1.27	33.10	-0.03	1.29	50.90	50.87	294.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 09:15:00	1.25	33.10	-0.03	1.28	50.91	50.89	294.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 09:30:00	-2.87	33.11	-0.03	-2.84	55.03	55.01	289.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 09:45:00	0.73	33.10	-0.03	0.76	51.43	51.41	293.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 10:00:00	1.06	33.10	-0.03	1.08	51.11	51.08	293.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 10:15:00	1.13	33.10	-0.03	1.15	51.04	51.01	293.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 10:30:00	1.14	33.10	-0.03	1.17	51.02	51.00	294.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 10:45:00	1.18	33.10	-0.03	1.21	50.98	50.96	294.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 11:00:00	1.22	33.10	-0.03	1.24	50.95	50.92	294.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 11:15:00	1.23	33.10	-0.03	1.26	50.93	50.91	294.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 11:30:00	1.26	33.10	-0.03	1.28	50.91	50.88	294.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 11:45:00	1.26	33.10	-0.03	1.29	50.90	50.88	294.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 12:00:00	1.26	33.10	-0.03	1.29	50.90	50.88	294.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 12:15:00	1.26	33.10	-0.03	1.29	50.90	50.88	294.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 12:30:00	1.27	33.10	-0.03	1.30	50.89	50.87	294.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 12:45:00	1.28	33.10	-0.03	1.30	50.89	50.86	294.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 13:00:00	1.29	33.10	-0.03	1.31	50.88	50.85	294.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 13:15:00	1.32	33.10	-0.03	1.34	50.85	50.82	294.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 13:30:00	1.35	33.10	-0.03	1.38	50.81	50.79	294.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 13:45:00	1.36	33.10	-0.03	1.39	50.81	50.78	294.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 14:00:00	1.37	33.10	-0.03	1.40	50.79	50.77	294.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 14:15:00	1.38	33.10	-0.03	1.41	50.78	50.76	294.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 14:30:00	1.35	33.10	-0.03	1.38	50.82	50.79	294.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 14:45:00	1.39	33.10	-0.04	1.42	50.77	50.75	294.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 15:00:00	1.41	33.10	-0.04	1.44	50.75	50.72	294.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 15:15:00	1.43	33.10	-0.04	1.46	50.73	50.70	294.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 15:30:00	1.43	33.10	-0.04	1.46	50.73	50.70	294.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 15:45:00	1.43	33.10	-0.04	1.46	50.74	50.71	294.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 16:00:00	1.42	33.10	-0.04	1.45	50.74	50.71	294.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 16:15:00	1.41	33.10	-0.04	1.44	50.75	50.72	294.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 16:30:00	1.43	33.10	-0.04	1.46	50.74	50.71	294.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 16:45:00	1.41	33.10	-0.04	1.45	50.75	50.72	294.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 17:00:00	1.31	33.10	-0.04	1.35	50.85	50.82	294.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 17:15:00	1.34	33.09	-0.04	1.37	50.83	50.79	294.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 17:30:00	1.38	33.09	-0.04	1.41	50.78	50.75	294.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 17:45:00	1.41	33.10	-0.04	1.44	50.76	50.72	294.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 18:00:00	1.36	33.10	-0.04	1.39	50.81	50.78	294.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 18:15:00	1.37	33.10	-0.04	1.40	50.80	50.77	294.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 18:30:00	1.41	33.10	-0.04	1.44	50.75	50.72	294.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 18:45:00	1.36	33.10	-0.04	1.39	50.81	50.78	294.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 19:00:00	1.36	33.10	-0.03	1.39	50.81	50.78	294.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 19:15:00	1.33	33.10	-0.03	1.36	50.83	50.81	294.19	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/08/10 19:30:00	1.28	33.10	-0.03	1.31	50.88	50.86	294.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 19:45:00	1.24	33.10	-0.03	1.26	50.93	50.90	294.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 20:00:00	1.23	33.10	-0.03	1.26	50.93	50.91	294.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 20:15:00	1.27	33.11	-0.03	1.29	50.89	50.87	294.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 20:30:00	1.26	33.11	-0.03	1.28	50.90	50.88	294.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 20:45:00	1.27	33.11	-0.03	1.29	50.90	50.87	294.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 21:00:00	1.29	33.11	-0.03	1.31	50.88	50.86	294.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 21:15:00	-1.41	33.11	-0.03	-1.39	53.57	53.55	291.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 21:30:00	0.84	33.11	-0.02	0.86	51.33	51.31	293.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 21:45:00	1.11	33.11	-0.02	1.13	51.06	51.04	293.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 22:00:00	1.25	33.11	-0.02	1.27	50.91	50.90	294.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 22:15:00	1.33	33.12	-0.02	1.35	50.83	50.82	294.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 22:30:00	1.33	33.12	-0.02	1.35	50.83	50.82	294.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 22:45:00	1.35	33.12	-0.02	1.36	50.82	50.81	294.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 23:00:00	1.39	33.12	-0.01	1.40	50.78	50.77	294.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 23:15:00	1.44	33.12	-0.01	1.45	50.73	50.72	294.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 23:30:00	1.49	33.12	-0.01	1.50	50.68	50.67	294.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/08/10 23:45:00	1.53	33.13	-0.01	1.53	50.64	50.63	294.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 00:00:00	1.56	33.13	-0.01	1.57	50.60	50.60	294.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 00:15:00	1.60	33.13	-0.01	1.60	50.56	50.56	294.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 00:30:00	-5.59	33.13	0.00	-5.59	57.76	57.76	287.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 00:45:00	0.77	33.13	0.00	0.77	51.39	51.39	293.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 01:00:00	1.36	33.13	0.00	1.36	50.80	50.80	294.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 01:15:00	1.46	33.14	0.00	1.46	50.70	50.70	294.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 01:30:00	1.53	33.14	0.00	1.53	50.64	50.64	294.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 01:45:00	1.57	33.14	0.01	1.57	50.59	50.60	294.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 02:00:00	1.62	33.14	0.01	1.62	50.54	50.55	294.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 02:15:00	1.67	33.14	0.01	1.66	50.49	50.50	294.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 02:30:00	1.72	33.15	0.01	1.71	50.45	50.46	294.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 02:45:00	1.75	33.15	0.01	1.74	50.41	50.42	294.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 03:00:00	1.78	33.15	0.02	1.77	50.38	50.40	294.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 03:15:00	1.81	33.15	0.02	1.79	50.36	50.37	294.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 03:30:00	1.81	33.15	0.02	1.80	50.35	50.37	294.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 03:45:00	1.61	33.16	0.02	1.59	50.56	50.58	294.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 04:00:00	1.32	33.16	0.02	1.31	50.84	50.86	294.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 04:15:00	1.04	33.16	0.03	1.02	51.13	51.15	293.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 04:30:00	0.77	33.16	0.03	0.75	51.40	51.42	293.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 04:45:00	0.56	33.16	0.03	0.53	51.61	51.63	293.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 05:00:00	0.46	33.17	0.03	0.44	51.70	51.73	293.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 05:15:00	0.59	33.17	0.03	0.56	51.57	51.60	293.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 05:30:00	0.79	33.17	0.04	0.76	51.38	51.41	293.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 05:45:00	0.94	33.17	0.04	0.91	51.22	51.25	293.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 06:00:00	1.03	33.18	0.04	1.00	51.13	51.16	293.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 06:15:00	1.07	33.18	0.05	1.04	51.09	51.13	293.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 06:30:00	1.03	33.19	0.05	0.99	51.14	51.18	293.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 06:45:00	1.07	33.19	0.05	1.03	51.10	51.14	293.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 07:00:00	1.14	33.19	0.06	1.10	51.02	51.07	293.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 07:15:00	1.20	33.20	0.06	1.15	50.97	51.02	293.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 07:30:00	1.23	33.20	0.07	1.18	50.94	50.99	294.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 07:45:00	-1.76	33.20	0.07	-1.81	53.92	53.98	291.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 08:00:00	0.80	33.21	0.07	0.74	51.37	51.43	293.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 08:15:00	1.08	33.21	0.08	1.02	51.08	51.14	293.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 08:30:00	1.22	33.22	0.08	1.16	50.94	51.00	294.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 08:45:00	1.30	33.22	0.08	1.24	50.86	50.93	294.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 09:00:00	1.37	33.22	0.09	1.30	50.79	50.86	294.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 09:15:00	1.36	33.23	0.09	1.28	50.81	50.88	294.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 09:30:00	1.41	33.23	0.10	1.33	50.76	50.83	294.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 09:45:00	1.45	33.23	0.10	1.38	50.71	50.79	294.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 10:00:00	1.48	33.24	0.10	1.40	50.69	50.77	294.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 10:15:00	1.49	33.24	0.10	1.41	50.67	50.76	294.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 10:30:00	0.42	33.24	0.11	0.34	51.74	51.83	293.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 10:45:00	1.05	33.24	0.11	0.96	51.12	51.20	293.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 11:00:00	1.20	33.25	0.11	1.12	50.96	51.05	293.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 11:15:00	1.19	33.25	0.11	1.11	50.97	51.06	293.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 11:30:00	1.19	33.25	0.12	1.10	50.97	51.06	293.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 11:45:00	1.21	33.25	0.12	1.12	50.95	51.05	293.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 12:00:00	1.22	33.26	0.12	1.13	50.94	51.04	293.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 12:15:00	1.15	33.26	0.12	1.05	51.01	51.11	293.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 12:30:00	1.16	33.26	0.13	1.06	51.00	51.10	293.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 12:45:00	1.11	33.26	0.13	1.01	51.06	51.16	293.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 13:00:00	1.17	33.27	0.13	1.07	50.99	51.09	293.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 13:15:00	1.24	33.27	0.13	1.13	50.93	51.03	293.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 13:30:00	1.28	33.27	0.14	1.17	50.89	51.00	294.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 13:45:00	1.26	33.27	0.14	1.15	50.91	51.02	293.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 14:00:00	1.26	33.28	0.14	1.15	50.90	51.01	293.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 14:15:00	1.33	33.28	0.14	1.22	50.83	50.94	294.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 14:30:00	1.41	33.28	0.14	1.30	50.76	50.87	294.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 14:45:00	1.45	33.28	0.15	1.34	50.71	50.82	294.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 15:00:00	1.49	33.28	0.15	1.38	50.67	50.79	294.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 15:15:00	1.53	33.28	0.15	1.42	50.63	50.75	294.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 15:30:00	1.56	33.29	0.15	1.44	50.61	50.72	294.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 15:45:00	1.57	33.29	0.15	1.45	50.59	50.71	294.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 16:00:00	1.60	33.29	0.15	1.48	50.57	50.69	294.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 16:15:00	1.58	33.29	0.16	1.46	50.59	50.71	294.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 16:30:00	1.57	33.29	0.16	1.44	50.60	50.72	294.28	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/09/10 16:45:00	1.59	33.29	0.16	1.47	50.57	50.70	294.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 17:00:00	1.63	33.29	0.16	1.51	50.53	50.66	294.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 17:15:00	1.67	33.30	0.16	1.54	50.50	50.62	294.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 17:30:00	1.68	33.30	0.16	1.56	50.48	50.61	294.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 17:45:00	1.70	33.30	0.17	1.57	50.47	50.60	294.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 18:00:00	1.71	33.30	0.17	1.58	50.46	50.59	294.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 18:15:00	1.71	33.31	0.17	1.57	50.46	50.59	294.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 18:30:00	1.70	33.31	0.17	1.56	50.47	50.60	294.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 18:45:00	1.67	33.31	0.18	1.53	50.49	50.63	294.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 19:00:00	1.62	33.32	0.18	1.48	50.54	50.68	294.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 19:15:00	1.57	33.32	0.18	1.43	50.60	50.74	294.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 19:30:00	1.54	33.32	0.19	1.39	50.63	50.77	294.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 19:45:00	1.58	33.32	0.19	1.43	50.59	50.74	294.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 20:00:00	1.62	33.33	0.19	1.47	50.55	50.70	294.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 20:15:00	1.66	33.33	0.20	1.51	50.50	50.66	294.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 20:30:00	1.72	33.33	0.20	1.57	50.44	50.60	294.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 20:45:00	0.29	33.34	0.20	0.13	51.87	52.03	292.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 21:00:00	1.37	33.34	0.20	1.21	50.80	50.96	294.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 21:15:00	1.49	33.34	0.21	1.33	50.67	50.83	294.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 21:30:00	1.56	33.35	0.21	1.40	50.60	50.77	294.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 21:45:00	-0.49	33.35	0.21	-0.66	52.66	52.82	292.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 22:00:00	1.26	33.35	0.22	1.09	50.91	51.07	293.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 22:15:00	1.56	33.35	0.22	1.39	50.60	50.77	294.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 22:30:00	1.71	33.36	0.22	1.54	50.45	50.63	294.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 22:45:00	1.77	33.36	0.22	1.59	50.40	50.57	294.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 23:00:00	1.81	33.36	0.23	1.63	50.36	50.53	294.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 23:15:00	1.81	33.36	0.23	1.63	50.35	50.53	294.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 23:30:00	1.77	33.37	0.23	1.59	50.40	50.58	294.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/09/10 23:45:00	1.61	33.37	0.23	1.42	50.56	50.74	294.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 00:00:00	1.37	33.37	0.24	1.19	50.79	50.98	294.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 00:15:00	1.11	33.37	0.24	0.92	51.05	51.24	293.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 00:30:00	0.91	33.38	0.24	0.72	51.26	51.44	293.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 00:45:00	0.75	33.38	0.24	0.56	51.42	51.61	293.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 01:00:00	0.71	33.38	0.25	0.52	51.45	51.65	293.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 01:15:00	0.87	33.38	0.25	0.68	51.29	51.49	293.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 01:30:00	1.10	33.39	0.25	0.91	51.06	51.26	293.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 01:45:00	1.31	33.39	0.25	1.11	50.85	51.05	293.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 02:00:00	1.49	33.39	0.25	1.29	50.68	50.88	294.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 02:15:00	1.58	33.39	0.26	1.38	50.58	50.78	294.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 02:30:00	1.67	33.39	0.26	1.47	50.49	50.69	294.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 02:45:00	1.77	33.39	0.26	1.57	50.40	50.60	294.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 03:00:00	1.84	33.39	0.26	1.63	50.33	50.53	294.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 03:15:00	1.91	33.39	0.26	1.70	50.26	50.46	294.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 03:30:00	1.98	33.40	0.26	1.78	50.18	50.39	294.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 03:45:00	2.03	33.40	0.26	1.82	50.14	50.34	294.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 04:00:00	2.01	33.40	0.26	1.80	50.16	50.36	294.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 04:15:00	2.07	33.40	0.26	1.87	50.09	50.30	294.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 04:30:00	2.13	33.40	0.27	1.92	50.04	50.25	294.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 04:45:00	-0.65	33.40	0.27	-0.86	52.81	53.02	291.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 05:00:00	1.70	33.40	0.27	1.49	50.46	50.67	294.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 05:15:00	1.98	33.40	0.27	1.77	50.19	50.40	294.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 05:30:00	2.06	33.41	0.27	1.85	50.11	50.32	294.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 05:45:00	2.02	33.41	0.27	1.81	50.15	50.36	294.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 06:00:00	2.02	33.41	0.27	1.80	50.15	50.36	294.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 06:15:00	1.92	33.41	0.28	1.71	50.24	50.46	294.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 06:30:00	1.93	33.41	0.28	1.71	50.24	50.45	294.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 06:45:00	1.99	33.42	0.28	1.77	50.17	50.39	294.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 07:00:00	2.07	33.42	0.28	1.85	50.09	50.31	294.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 07:15:00	1.13	33.42	0.29	0.91	51.03	51.26	293.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 07:30:00	1.76	33.42	0.29	1.53	50.41	50.63	294.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 07:45:00	1.87	33.43	0.29	1.64	50.30	50.52	294.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 08:00:00	1.94	33.43	0.29	1.71	50.23	50.46	294.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 08:15:00	2.01	33.43	0.30	1.78	50.16	50.39	294.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 08:30:00	2.07	33.43	0.30	1.84	50.09	50.33	294.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 08:45:00	2.08	33.44	0.30	1.84	50.09	50.32	294.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 09:00:00	1.02	33.44	0.30	0.78	51.15	51.38	293.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 09:15:00	1.79	33.44	0.31	1.55	50.37	50.61	294.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 09:30:00	2.00	33.44	0.31	1.76	50.17	50.41	294.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 09:45:00	2.10	33.44	0.31	1.86	50.07	50.31	294.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 10:00:00	2.16	33.44	0.31	1.92	50.00	50.24	294.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 10:15:00	2.23	33.44	0.31	1.99	49.94	50.18	294.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 10:30:00	2.27	33.44	0.31	2.03	49.89	50.13	294.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 10:45:00	2.28	33.44	0.31	2.04	49.88	50.12	294.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 11:00:00	2.26	33.44	0.31	2.02	49.90	50.14	294.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 11:15:00	2.24	33.44	0.31	2.00	49.92	50.16	294.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 11:30:00	2.24	33.44	0.31	2.00	49.93	50.17	294.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 11:45:00	2.18	33.44	0.31	1.93	49.99	50.23	294.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 12:00:00	2.18	33.44	0.31	1.93	49.99	50.23	294.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 12:15:00	2.19	33.44	0.31	1.95	49.97	50.21	294.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 12:30:00	2.23	33.44	0.31	1.99	49.94	50.18	294.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 12:45:00	2.22	33.44	0.31	1.98	49.94	50.18	294.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 13:00:00	2.12	33.44	0.31	1.88	50.04	50.29	294.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 13:15:00	2.10	33.44	0.31	1.86	50.06	50.30	294.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 13:30:00	2.11	33.44	0.31	1.86	50.06	50.30	294.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 13:45:00	2.17	33.44	0.31	1.93	49.99	50.23	294.77	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/10/10 14:00:00	2.20	33.44	0.31	1.96	49.97	50.21	294.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 14:15:00	2.16	33.44	0.31	1.92	50.00	50.24	294.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 14:30:00	2.15	33.44	0.31	1.91	50.02	50.26	294.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 14:45:00	2.18	33.44	0.30	1.94	49.98	50.22	294.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 15:00:00	2.26	33.44	0.30	2.03	49.90	50.14	294.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 15:15:00	2.30	33.44	0.30	2.07	49.86	50.10	294.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 15:30:00	2.33	33.44	0.30	2.09	49.84	50.07	294.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 15:45:00	2.34	33.44	0.30	2.11	49.83	50.06	294.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 16:00:00	2.35	33.43	0.30	2.12	49.82	50.05	294.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 16:15:00	2.35	33.43	0.30	2.12	49.81	50.05	294.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 16:30:00	2.36	33.43	0.30	2.13	49.80	50.03	294.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 16:45:00	2.39	33.43	0.30	2.16	49.78	50.01	294.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 17:00:00	2.37	33.43	0.30	2.13	49.80	50.03	294.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 17:15:00	2.34	33.43	0.30	2.11	49.83	50.06	294.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 17:30:00	2.36	33.43	0.29	2.13	49.80	50.03	294.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 17:45:00	2.38	33.43	0.29	2.15	49.78	50.01	294.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 18:00:00	2.40	33.43	0.30	2.17	49.77	50.00	295.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 18:15:00	2.40	33.43	0.30	2.17	49.77	50.00	295.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 18:30:00	2.36	33.43	0.30	2.13	49.81	50.04	294.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 18:45:00	2.35	33.43	0.30	2.11	49.82	50.05	294.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 19:00:00	2.36	33.43	0.30	2.12	49.81	50.04	294.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 19:15:00	0.89	33.43	0.30	0.65	51.28	51.51	293.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 19:30:00	1.89	33.44	0.30	1.65	50.28	50.51	294.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 19:45:00	1.96	33.44	0.30	1.72	50.21	50.44	294.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 20:00:00	-1.50	33.44	0.30	-1.73	53.66	53.90	291.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 20:15:00	1.47	33.44	0.30	1.23	50.70	50.93	294.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 20:30:00	1.70	33.44	0.30	1.46	50.47	50.70	294.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 20:45:00	1.81	33.44	0.30	1.57	50.36	50.60	294.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 21:00:00	1.96	33.44	0.30	1.72	50.20	50.44	294.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 21:15:00	-6.23	33.44	0.31	-6.47	58.39	58.63	286.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 21:30:00	1.08	33.44	0.31	0.85	51.08	51.32	293.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 21:45:00	1.85	33.44	0.31	1.61	50.32	50.56	294.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 22:00:00	2.10	33.44	0.31	1.86	50.07	50.31	294.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 22:15:00	2.22	33.44	0.31	1.98	49.94	50.18	294.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 22:30:00	2.32	33.44	0.31	2.07	49.85	50.09	294.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 22:45:00	2.36	33.44	0.31	2.12	49.80	50.05	294.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 23:00:00	2.39	33.44	0.31	2.15	49.78	50.02	294.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 23:15:00	2.39	33.45	0.31	2.15	49.77	50.01	294.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 23:30:00	2.39	33.45	0.31	2.15	49.78	50.02	294.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/10/10 23:45:00	-4.45	33.45	0.31	-4.69	56.61	56.85	288.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 00:00:00	1.82	33.45	0.31	1.58	50.34	50.59	294.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 00:15:00	2.27	33.45	0.31	2.03	49.89	50.14	294.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 00:30:00	2.41	33.45	0.31	2.17	49.75	50.00	295.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 00:45:00	2.47	33.45	0.31	2.23	49.69	49.94	295.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 01:00:00	2.53	33.45	0.31	2.29	49.63	49.88	295.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 01:15:00	2.59	33.45	0.32	2.34	49.58	49.83	295.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 01:30:00	2.63	33.45	0.32	2.38	49.54	49.79	295.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 01:45:00	2.66	33.45	0.32	2.41	49.51	49.76	295.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 02:00:00	2.68	33.45	0.32	2.44	49.48	49.73	295.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 02:15:00	2.71	33.46	0.32	2.46	49.46	49.71	295.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 02:30:00	2.73	33.46	0.32	2.48	49.43	49.69	295.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 02:45:00	2.76	33.46	0.32	2.50	49.41	49.66	295.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 03:00:00	2.79	33.46	0.33	2.53	49.38	49.63	295.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 03:15:00	2.76	33.46	0.33	2.51	49.40	49.66	295.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 03:30:00	2.71	33.46	0.33	2.45	49.46	49.71	295.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 03:45:00	2.53	33.47	0.33	2.27	49.64	49.90	295.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 04:00:00	2.26	33.47	0.33	2.00	49.91	50.16	294.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 04:15:00	1.97	33.47	0.33	1.71	50.19	50.45	294.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 04:30:00	1.72	33.47	0.33	1.46	50.44	50.70	294.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 04:45:00	1.53	33.47	0.34	1.26	50.64	50.90	294.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 05:00:00	1.45	33.47	0.34	1.19	50.71	50.98	294.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 05:15:00	1.57	33.47	0.34	1.30	50.60	50.86	294.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 05:30:00	1.78	33.48	0.34	1.51	50.39	50.65	294.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 05:45:00	0.68	33.48	0.34	0.42	51.48	51.75	293.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 06:00:00	1.68	33.48	0.35	1.41	50.48	50.75	294.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 06:15:00	1.93	33.48	0.35	1.65	50.24	50.51	294.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 06:30:00	2.06	33.49	0.35	1.79	50.10	50.37	294.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 06:45:00	-1.69	33.49	0.35	-1.96	53.85	54.13	290.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 07:00:00	-7.22	33.49	0.36	-7.50	59.38	59.66	285.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 07:15:00	1.04	33.49	0.36	0.76	51.12	51.40	293.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 07:30:00	0.05	33.50	0.36	-0.23	52.12	52.40	292.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 07:45:00	1.62	33.50	0.36	1.33	50.55	50.83	294.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 08:00:00	2.03	33.50	0.37	1.75	50.13	50.42	294.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 08:15:00	2.21	33.50	0.37	1.93	49.95	50.24	294.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 08:30:00	2.33	33.51	0.37	2.05	49.83	50.12	294.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 08:45:00	2.37	33.51	0.37	2.07	49.80	50.09	294.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 09:00:00	2.39	33.51	0.38	2.10	49.77	50.06	294.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 09:15:00	2.46	33.51	0.38	2.16	49.71	50.00	295.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 09:30:00	2.50	33.52	0.38	2.21	49.66	49.96	295.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 09:45:00	2.55	33.51	0.38	2.26	49.61	49.91	295.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 10:00:00	2.59	33.51	0.37	2.30	49.57	49.86	295.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 10:15:00	2.63	33.51	0.37	2.34	49.54	49.82	295.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 10:30:00	2.64	33.50	0.37	2.35	49.52	49.81	295.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 10:45:00	2.54	33.50	0.36	2.26	49.62	49.91	295.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 11:00:00	2.50	33.50	0.36	2.22	49.66	49.94	295.06	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/11/10 11:15:00	2.52	33.49	0.36	2.25	49.64	49.92	295.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 11:30:00	2.56	33.49	0.35	2.28	49.61	49.88	295.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 11:45:00	2.60	33.49	0.35	2.33	49.56	49.83	295.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 12:00:00	2.64	33.48	0.35	2.37	49.53	49.80	295.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 12:15:00	2.64	33.48	0.34	2.37	49.53	49.79	295.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 12:30:00	2.63	33.48	0.34	2.37	49.53	49.80	295.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 12:45:00	2.52	33.47	0.34	2.26	49.65	49.91	295.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 13:00:00	2.44	33.47	0.33	2.18	49.73	49.99	295.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 13:15:00	2.47	33.47	0.33	2.21	49.70	49.95	295.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 13:30:00	2.49	33.46	0.33	2.24	49.67	49.93	295.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 13:45:00	2.53	33.46	0.32	2.28	49.64	49.89	295.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 14:00:00	2.44	33.45	0.32	2.19	49.72	49.97	295.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 14:15:00	2.44	33.45	0.31	2.20	49.72	49.97	295.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 14:30:00	2.50	33.44	0.31	2.26	49.67	49.91	295.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 14:45:00	2.57	33.44	0.30	2.33	49.60	49.84	295.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 15:00:00	2.62	33.44	0.30	2.39	49.55	49.78	295.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 15:15:00	2.64	33.43	0.30	2.41	49.52	49.75	295.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 15:30:00	2.66	33.43	0.29	2.43	49.50	49.73	295.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 15:45:00	2.68	33.42	0.29	2.46	49.48	49.71	295.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 16:00:00	2.64	33.42	0.28	2.42	49.52	49.74	295.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 16:15:00	2.63	33.41	0.28	2.41	49.54	49.75	295.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 16:30:00	2.66	33.41	0.27	2.45	49.50	49.72	295.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 16:45:00	2.70	33.40	0.27	2.49	49.47	49.68	295.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 17:00:00	2.72	33.40	0.26	2.52	49.44	49.65	295.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 17:15:00	2.73	33.39	0.26	2.53	49.43	49.64	295.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 17:30:00	2.75	33.39	0.26	2.55	49.42	49.62	295.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 17:45:00	2.77	33.39	0.26	2.58	49.39	49.59	295.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 18:00:00	2.81	33.39	0.26	2.61	49.36	49.56	295.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 18:15:00	2.81	33.39	0.26	2.61	49.35	49.55	295.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 18:30:00	2.82	33.39	0.26	2.62	49.35	49.54	295.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 18:45:00	2.84	33.39	0.26	2.64	49.32	49.52	295.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 19:00:00	2.87	33.39	0.26	2.67	49.30	49.50	295.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 19:15:00	2.79	33.39	0.26	2.59	49.38	49.58	295.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 19:30:00	2.78	33.39	0.26	2.58	49.39	49.59	295.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 19:45:00	2.80	33.39	0.26	2.60	49.36	49.56	295.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 20:00:00	2.81	33.39	0.26	2.61	49.36	49.56	295.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 20:15:00	2.69	33.39	0.26	2.49	49.47	49.67	295.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 20:30:00	2.71	33.39	0.26	2.51	49.46	49.66	295.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 20:45:00	-3.95	33.39	0.26	-4.15	56.11	56.31	288.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 21:00:00	2.03	33.39	0.26	1.83	50.14	50.34	294.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 21:15:00	2.46	33.39	0.26	2.26	49.70	49.90	295.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 21:30:00	2.64	33.39	0.26	2.44	49.53	49.73	295.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 21:45:00	-1.37	33.39	0.26	-1.57	53.54	53.74	291.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 22:00:00	2.03	33.39	0.26	1.83	50.14	50.34	294.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 22:15:00	2.26	33.40	0.26	2.06	49.90	50.10	294.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 22:30:00	2.29	33.40	0.26	2.09	49.87	50.08	294.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 22:45:00	2.37	33.40	0.26	2.16	49.79	50.00	295.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 23:00:00	2.44	33.40	0.27	2.23	49.72	49.93	295.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 23:15:00	2.51	33.40	0.27	2.31	49.65	49.86	295.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 23:30:00	2.58	33.40	0.27	2.37	49.59	49.80	295.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/11/10 23:45:00	2.40	33.41	0.27	2.19	49.77	49.98	295.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 00:00:00	2.14	33.41	0.27	1.93	50.02	50.24	294.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 00:15:00	1.83	33.41	0.27	1.61	50.34	50.55	294.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 00:30:00	1.56	33.41	0.27	1.34	50.61	50.82	294.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 00:45:00	1.36	33.41	0.28	1.14	50.81	51.02	293.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 01:00:00	1.29	33.41	0.28	1.08	50.87	51.09	293.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 01:15:00	1.45	33.41	0.28	1.23	50.71	50.93	294.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 01:30:00	1.69	33.42	0.28	1.47	50.48	50.70	294.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 01:45:00	1.89	33.42	0.28	1.67	50.27	50.49	294.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 02:00:00	2.08	33.42	0.28	1.86	50.09	50.31	294.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 02:15:00	2.20	33.42	0.28	1.98	49.97	50.19	294.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 02:30:00	2.31	33.42	0.28	2.09	49.85	50.07	294.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 02:45:00	2.39	33.42	0.28	2.17	49.78	50.00	295.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 03:00:00	2.45	33.41	0.28	2.23	49.72	49.94	295.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 03:15:00	2.49	33.41	0.28	2.27	49.68	49.89	295.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 03:30:00	2.53	33.41	0.28	2.31	49.63	49.85	295.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 03:45:00	2.59	33.41	0.28	2.37	49.58	49.80	295.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 04:00:00	2.57	33.41	0.28	2.36	49.59	49.81	295.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 04:15:00	2.58	33.41	0.28	2.36	49.59	49.81	295.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 04:30:00	2.63	33.41	0.28	2.42	49.53	49.75	295.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 04:45:00	2.68	33.41	0.28	2.46	49.49	49.71	295.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 05:00:00	2.72	33.41	0.28	2.50	49.45	49.67	295.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 05:15:00	2.75	33.41	0.28	2.53	49.41	49.63	295.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 05:30:00	2.76	33.41	0.28	2.54	49.41	49.62	295.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 05:45:00	2.74	33.41	0.28	2.53	49.42	49.64	295.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 06:00:00	2.73	33.41	0.28	2.51	49.44	49.66	295.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 06:15:00	2.72	33.41	0.28	2.50	49.45	49.67	295.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 06:30:00	2.73	33.41	0.28	2.51	49.44	49.66	295.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 06:45:00	2.75	33.41	0.28	2.53	49.42	49.63	295.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 07:00:00	2.76	33.42	0.28	2.54	49.41	49.63	295.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 07:15:00	2.77	33.42	0.28	2.55	49.39	49.61	295.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 07:30:00	2.74	33.42	0.28	2.52	49.43	49.65	295.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 07:45:00	1.17	33.42	0.28	0.95	51.00	51.22	293.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 08:00:00	2.32	33.42	0.28	2.10	49.84	50.06	294.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 08:15:00	-1.81	33.42	0.28	-2.03	53.98	54.20	290.80	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/12/10 08:30:00	2.10	33.42	0.28	1.88	50.06	50.28	294.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 08:45:00	-2.25	33.42	0.28	-2.47	54.42	54.64	290.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 09:00:00	2.01	33.42	0.28	1.79	50.15	50.37	294.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 09:15:00	-0.09	33.42	0.28	-0.31	52.26	52.48	292.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 09:30:00	2.02	33.42	0.28	1.79	50.15	50.37	294.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 09:45:00	-9.39	33.42	0.28	-9.61	61.55	61.77	283.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 10:00:00	1.39	33.42	0.28	1.17	50.78	50.99	294.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 10:15:00	0.62	33.41	0.28	0.40	51.55	51.76	293.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 10:30:00	1.94	33.41	0.28	1.73	50.22	50.44	294.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 10:45:00	2.29	33.41	0.27	2.07	49.88	50.09	294.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 11:00:00	2.41	33.41	0.27	2.20	49.76	49.97	295.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 11:15:00	-16.98	33.41	0.27	-17.19	69.14	69.36	275.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 11:30:00	-16.88	33.40	0.27	-17.09	69.05	69.26	275.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 11:45:00	-16.99	33.40	0.27	-17.20	69.15	69.36	275.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 12:00:00	-16.88	33.40	0.27	-17.09	69.05	69.25	275.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 12:15:00	-4.51	33.40	0.26	-4.72	56.68	56.88	288.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 12:30:00	-0.37	33.40	0.26	-0.58	52.54	52.74	292.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 12:45:00	0.71	33.39	0.26	0.51	51.45	51.65	293.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 13:00:00	1.19	33.39	0.26	0.99	50.97	51.17	293.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 13:15:00	1.49	33.39	0.26	1.29	50.67	50.87	294.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 13:30:00	-0.42	33.39	0.25	-0.62	52.58	52.78	292.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 13:45:00	1.39	33.39	0.25	1.19	50.77	50.97	294.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 14:00:00	-1.20	33.39	0.25	-1.39	53.36	53.56	291.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 14:15:00	1.25	33.38	0.25	1.06	50.91	51.11	293.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 14:30:00	1.61	33.38	0.25	1.42	50.55	50.74	294.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 14:45:00	1.76	33.38	0.25	1.56	50.41	50.60	294.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 15:00:00	1.75	33.38	0.25	1.55	50.42	50.61	294.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 15:15:00	1.84	33.38	0.24	1.65	50.32	50.51	294.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 15:30:00	0.30	33.38	0.24	0.11	51.86	52.05	292.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 15:45:00	1.67	33.38	0.24	1.48	50.49	50.68	294.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 16:00:00	1.96	33.37	0.24	1.77	50.21	50.39	294.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 16:15:00	2.10	33.37	0.24	1.92	50.06	50.25	294.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 16:30:00	2.18	33.37	0.24	2.00	49.98	50.17	294.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 16:45:00	2.24	33.37	0.23	2.06	49.93	50.11	294.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 17:00:00	2.27	33.37	0.23	2.09	49.90	50.08	294.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 17:15:00	2.30	33.37	0.23	2.11	49.87	50.05	294.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 17:30:00	0.50	33.37	0.23	0.32	51.66	51.84	293.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 17:45:00	1.70	33.37	0.23	1.52	50.47	50.65	294.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 18:00:00	1.85	33.37	0.23	1.67	50.31	50.50	294.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 18:15:00	1.99	33.37	0.23	1.81	50.18	50.36	294.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 18:30:00	2.07	33.37	0.23	1.89	50.09	50.27	294.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 18:45:00	2.08	33.37	0.23	1.90	50.08	50.27	294.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 19:00:00	1.85	33.37	0.23	1.66	50.32	50.50	294.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 19:15:00	-6.87	33.37	0.23	-7.05	59.03	59.21	285.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 19:30:00	1.03	33.37	0.24	0.85	51.13	51.32	293.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 19:45:00	-0.07	33.37	0.24	-0.26	52.24	52.42	292.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 20:00:00	-3.91	33.37	0.24	-4.09	56.07	56.26	288.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 20:15:00	0.96	33.37	0.24	0.78	51.20	51.39	293.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 20:30:00	1.45	33.37	0.24	1.26	50.72	50.90	294.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 20:45:00	1.56	33.37	0.24	1.38	50.60	50.79	294.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 21:00:00	1.58	33.37	0.24	1.39	50.59	50.77	294.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 21:15:00	1.44	33.37	0.24	1.25	50.72	50.91	294.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 21:30:00	1.35	33.38	0.24	1.17	50.81	51.00	294.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 21:45:00	0.10	33.38	0.24	-0.09	52.07	52.26	292.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 22:00:00	0.92	33.38	0.24	0.73	51.25	51.44	293.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 22:15:00	1.08	33.38	0.24	0.89	51.09	51.28	293.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 22:30:00	1.16	33.38	0.24	0.97	51.00	51.19	293.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 22:45:00	1.06	33.38	0.25	0.87	51.10	51.29	293.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 23:00:00	1.03	33.38	0.25	0.83	51.14	51.33	293.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 23:15:00	1.02	33.38	0.25	0.82	51.15	51.34	293.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 23:30:00	1.00	33.38	0.25	0.80	51.17	51.36	293.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/12/10 23:45:00	0.85	33.39	0.25	0.66	51.31	51.51	293.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 00:00:00	0.81	33.39	0.25	0.61	51.35	51.55	293.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 00:15:00	0.84	33.39	0.25	0.65	51.32	51.52	293.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 00:30:00	0.86	33.39	0.25	0.67	51.30	51.50	293.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 00:45:00	0.87	33.39	0.26	0.67	51.30	51.50	293.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 01:00:00	0.67	33.39	0.26	0.47	51.49	51.69	293.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 01:15:00	0.54	33.39	0.26	0.34	51.62	51.82	293.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 01:30:00	0.61	33.39	0.26	0.41	51.56	51.76	293.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 01:45:00	0.67	33.40	0.26	0.47	51.49	51.70	293.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 02:00:00	0.72	33.40	0.26	0.51	51.45	51.65	293.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 02:15:00	0.75	33.40	0.26	0.55	51.41	51.62	293.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 02:30:00	0.77	33.40	0.26	0.57	51.39	51.60	293.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 02:45:00	-0.36	33.40	0.27	-0.57	52.53	52.73	292.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 03:00:00	0.42	33.40	0.27	0.21	51.74	51.95	293.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 03:15:00	0.56	33.40	0.27	0.35	51.61	51.81	293.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 03:30:00	0.55	33.40	0.27	0.34	51.61	51.82	293.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 03:45:00	0.40	33.40	0.27	0.18	51.77	51.98	293.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 04:00:00	0.14	33.41	0.27	-0.07	52.02	52.23	292.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 04:15:00	-0.13	33.41	0.27	-0.34	52.30	52.51	292.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 04:30:00	-0.35	33.41	0.27	-0.56	52.51	52.73	292.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 04:45:00	-0.51	33.41	0.27	-0.73	52.68	52.89	292.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 05:00:00	-0.58	33.41	0.28	-0.80	52.75	52.96	292.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 05:15:00	-0.49	33.41	0.28	-0.71	52.66	52.88	292.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 05:30:00	-0.54	33.41	0.28	-0.76	52.71	52.92	292.08	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/13/10 05:45:00	-0.67	33.41	0.28	-0.88	52.83	53.05	291.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 06:00:00	-0.64	33.41	0.28	-0.86	52.81	53.03	291.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 06:15:00	-0.53	33.41	0.28	-0.74	52.69	52.91	292.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 06:30:00	-0.40	33.41	0.28	-0.62	52.57	52.78	292.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 06:45:00	-1.53	33.41	0.28	-1.75	53.69	53.91	291.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 07:00:00	-1.48	33.41	0.28	-1.70	53.65	53.87	291.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 07:15:00	-0.92	33.42	0.28	-1.14	53.09	53.30	291.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 07:30:00	-0.73	33.42	0.28	-0.94	52.89	53.11	291.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 07:45:00	-0.54	33.42	0.28	-0.76	52.70	52.92	292.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 08:00:00	-3.91	33.42	0.28	-4.13	56.08	56.30	288.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 08:15:00	-0.64	33.42	0.28	-0.86	52.80	53.02	291.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 08:30:00	-16.96	33.42	0.28	-17.18	69.12	69.34	275.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 08:45:00	-16.88	33.42	0.28	-17.10	69.05	69.27	275.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 09:00:00	-3.75	33.42	0.28	-3.97	55.92	56.14	288.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 09:15:00	-1.23	33.42	0.28	-1.45	53.39	53.61	291.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 09:30:00	-0.45	33.42	0.28	-0.67	52.61	52.83	292.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 09:45:00	-0.05	33.41	0.28	-0.27	52.22	52.44	292.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 10:00:00	0.27	33.41	0.28	0.05	51.89	52.11	292.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 10:15:00	0.54	33.41	0.27	0.32	51.63	51.84	293.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 10:30:00	0.67	33.41	0.27	0.46	51.49	51.71	293.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 10:45:00	0.79	33.40	0.27	0.58	51.38	51.59	293.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 11:00:00	0.93	33.40	0.26	0.72	51.23	51.44	293.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 11:15:00	0.99	33.40	0.26	0.79	51.17	51.38	293.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 11:30:00	0.90	33.39	0.26	0.70	51.27	51.47	293.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 11:45:00	0.81	33.39	0.26	0.61	51.36	51.56	293.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 12:00:00	0.87	33.39	0.25	0.68	51.29	51.49	293.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 12:15:00	0.99	33.38	0.25	0.80	51.17	51.37	293.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 12:30:00	1.12	33.38	0.25	0.93	51.04	51.24	293.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 12:45:00	1.22	33.38	0.24	1.03	50.94	51.13	293.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 13:00:00	1.08	33.38	0.24	0.90	51.08	51.27	293.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 13:15:00	1.05	33.37	0.24	0.87	51.11	51.30	293.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 13:30:00	1.18	33.37	0.23	0.99	50.99	51.17	293.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 13:45:00	1.28	33.37	0.23	1.10	50.89	51.07	293.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 14:00:00	1.38	33.36	0.23	1.20	50.79	50.97	294.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 14:15:00	1.46	33.36	0.22	1.28	50.71	50.88	294.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 14:30:00	1.52	33.35	0.22	1.35	50.65	50.82	294.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 14:45:00	1.58	33.35	0.22	1.41	50.58	50.75	294.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 15:00:00	1.64	33.35	0.21	1.47	50.53	50.69	294.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 15:15:00	1.68	33.34	0.21	1.52	50.48	50.65	294.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 15:30:00	1.73	33.34	0.20	1.57	50.43	50.59	294.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 15:45:00	1.79	33.33	0.20	1.63	50.38	50.53	294.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 16:00:00	1.84	33.33	0.20	1.68	50.33	50.48	294.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 16:15:00	1.88	33.33	0.19	1.73	50.29	50.44	294.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 16:30:00	1.85	33.32	0.19	1.70	50.32	50.46	294.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 16:45:00	1.84	33.32	0.18	1.69	50.33	50.47	294.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 17:00:00	1.88	33.32	0.18	1.74	50.28	50.42	294.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 17:15:00	1.84	33.31	0.18	1.70	50.33	50.46	294.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 17:30:00	1.64	33.31	0.17	1.50	50.53	50.66	294.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 17:45:00	1.47	33.31	0.17	1.34	50.69	50.83	294.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 18:00:00	1.49	33.31	0.18	1.35	50.68	50.82	294.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 18:15:00	-0.99	33.31	0.18	-1.13	53.16	53.30	291.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 18:30:00	0.47	33.31	0.18	0.33	51.70	51.84	293.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 18:45:00	1.31	33.31	0.18	1.17	50.86	51.00	294.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 19:00:00	1.32	33.32	0.18	1.18	50.84	50.98	294.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 19:15:00	1.30	33.32	0.18	1.16	50.86	51.00	294.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 19:30:00	1.44	33.32	0.18	1.30	50.72	50.86	294.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 19:45:00	1.51	33.32	0.18	1.36	50.66	50.80	294.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 20:00:00	1.54	33.32	0.19	1.39	50.63	50.77	294.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 20:15:00	1.61	33.32	0.19	1.46	50.56	50.70	294.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 20:30:00	1.62	33.32	0.19	1.48	50.54	50.69	294.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 20:45:00	-3.25	33.32	0.19	-3.40	55.41	55.56	289.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 21:00:00	0.93	33.32	0.19	0.78	51.23	51.38	293.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 21:15:00	1.17	33.33	0.19	1.02	50.99	51.14	293.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 21:30:00	-2.06	33.33	0.19	-2.21	54.22	54.37	290.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 21:45:00	0.65	33.33	0.19	0.50	51.51	51.66	293.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 22:00:00	0.86	33.33	0.19	0.71	51.30	51.45	293.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 22:15:00	0.90	33.33	0.19	0.75	51.27	51.42	293.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 22:30:00	0.89	33.33	0.19	0.74	51.27	51.43	293.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 22:45:00	0.82	33.33	0.20	0.67	51.34	51.49	293.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 23:00:00	0.74	33.33	0.20	0.59	51.43	51.58	293.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 23:15:00	0.65	33.33	0.20	0.50	51.51	51.66	293.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 23:30:00	0.38	33.33	0.20	0.23	51.78	51.93	293.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/13/10 23:45:00	0.02	33.33	0.20	-0.13	52.14	52.29	292.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 00:00:00	-0.35	33.33	0.20	-0.50	52.51	52.66	292.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 00:15:00	-0.65	33.33	0.20	-0.81	52.82	52.97	292.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 00:30:00	-0.93	33.33	0.20	-1.08	53.09	53.25	291.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 00:45:00	-1.16	33.33	0.20	-1.31	53.32	53.48	291.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 01:00:00	-1.35	33.33	0.20	-1.51	53.51	53.67	291.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 01:15:00	-1.44	33.34	0.20	-1.59	53.60	53.76	291.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 01:30:00	-1.27	33.34	0.20	-1.43	53.43	53.59	291.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 01:45:00	-1.09	33.34	0.20	-1.25	53.26	53.41	291.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 02:00:00	-0.96	33.34	0.20	-1.11	53.12	53.28	291.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 02:15:00	-0.86	33.34	0.21	-1.02	53.02	53.18	291.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 02:30:00	-0.78	33.34	0.21	-0.95	52.95	53.11	291.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 02:45:00	-0.74	33.34	0.21	-0.90	52.90	53.06	291.94	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/14/10 03:00:00	-0.71	33.34	0.21	-0.87	52.88	53.04	291.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 03:15:00	-0.70	33.35	0.21	-0.87	52.87	53.03	291.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 03:30:00	-0.68	33.35	0.21	-0.85	52.85	53.02	291.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 03:45:00	-0.66	33.35	0.21	-0.83	52.82	52.99	292.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 04:00:00	-0.65	33.35	0.22	-0.81	52.81	52.98	292.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 04:15:00	-0.63	33.35	0.22	-0.80	52.80	52.97	292.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 04:30:00	-0.61	33.35	0.22	-0.78	52.78	52.95	292.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 04:45:00	-0.59	33.35	0.22	-0.76	52.75	52.92	292.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 05:00:00	-0.63	33.36	0.22	-0.80	52.79	52.96	292.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 05:15:00	-0.68	33.36	0.22	-0.86	52.85	53.02	291.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 05:30:00	-0.93	33.36	0.22	-1.10	53.09	53.27	291.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 05:45:00	-1.17	33.36	0.23	-1.35	53.34	53.52	291.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 06:00:00	-7.08	33.36	0.23	-7.26	59.25	59.43	285.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 06:15:00	-1.94	33.36	0.23	-2.12	54.10	54.28	290.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 06:30:00	-1.53	33.36	0.23	-1.71	53.69	53.87	291.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 06:45:00	-1.37	33.37	0.23	-1.55	53.53	53.71	291.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 07:00:00	-1.50	33.37	0.23	-1.68	53.66	53.84	291.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 07:15:00	-1.53	33.37	0.23	-1.72	53.70	53.88	291.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 07:30:00	-1.34	33.37	0.24	-1.53	53.51	53.69	291.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 07:45:00	-2.33	33.37	0.24	-2.51	54.49	54.68	290.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 08:00:00	-1.25	33.37	0.24	-1.44	53.41	53.60	291.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 08:15:00	-0.89	33.37	0.24	-1.08	53.06	53.25	291.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 08:30:00	-0.63	33.38	0.24	-0.81	52.79	52.98	292.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 08:45:00	-4.07	33.38	0.24	-4.26	56.24	56.43	288.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 09:00:00	-0.81	33.38	0.24	-1.00	52.98	53.17	291.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 09:15:00	-0.42	33.38	0.24	-0.62	52.59	52.78	292.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 09:30:00	-0.18	33.38	0.25	-0.38	52.35	52.54	292.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 09:45:00	-0.02	33.38	0.25	-0.21	52.18	52.37	292.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 10:00:00	0.12	33.38	0.24	-0.07	52.04	52.23	292.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 10:15:00	0.23	33.38	0.24	0.04	51.93	52.12	292.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 10:30:00	0.35	33.38	0.24	0.16	51.82	52.01	292.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 10:45:00	0.46	33.38	0.24	0.27	51.71	51.90	293.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 11:00:00	0.54	33.38	0.24	0.35	51.63	51.81	293.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 11:15:00	-1.56	33.38	0.24	-1.75	53.73	53.92	291.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 11:30:00	-0.07	33.37	0.24	-0.26	52.24	52.43	292.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 11:45:00	0.02	33.37	0.24	-0.16	52.14	52.33	292.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 12:00:00	0.15	33.37	0.24	-0.04	52.02	52.20	292.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 12:15:00	0.33	33.37	0.24	0.14	51.84	52.02	292.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 12:30:00	-2.71	33.37	0.24	-2.90	54.88	55.06	289.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 12:45:00	0.08	33.37	0.24	-0.11	52.09	52.27	292.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 13:00:00	0.22	33.37	0.23	0.04	51.94	52.13	292.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 13:15:00	0.28	33.37	0.23	0.09	51.89	52.07	292.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 13:30:00	0.45	33.37	0.23	0.27	51.71	51.89	293.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 13:45:00	0.62	33.36	0.23	0.44	51.54	51.72	293.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 14:00:00	0.74	33.36	0.23	0.56	51.43	51.61	293.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 14:15:00	0.84	33.36	0.22	0.66	51.33	51.50	293.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 14:30:00	0.92	33.35	0.22	0.75	51.25	51.42	293.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 14:45:00	0.98	33.35	0.21	0.82	51.18	51.35	293.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 15:00:00	1.03	33.34	0.21	0.87	51.14	51.30	293.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 15:15:00	1.05	33.34	0.21	0.89	51.11	51.27	293.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 15:30:00	1.09	33.34	0.20	0.93	51.08	51.23	293.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 15:45:00	1.14	33.33	0.20	0.98	51.03	51.18	293.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 16:00:00	1.18	33.33	0.19	1.03	50.98	51.13	293.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 16:15:00	1.22	33.33	0.19	1.07	50.95	51.09	293.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 16:30:00	1.24	33.32	0.19	1.10	50.92	51.07	293.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 16:45:00	1.21	33.32	0.18	1.07	50.95	51.09	293.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 17:00:00	1.21	33.31	0.18	1.07	50.96	51.10	293.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 17:15:00	1.18	33.31	0.18	1.05	50.98	51.12	293.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 17:30:00	0.99	33.31	0.17	0.86	51.17	51.30	293.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 17:45:00	0.85	33.31	0.17	0.71	51.32	51.45	293.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 18:00:00	0.86	33.30	0.17	0.73	51.31	51.44	293.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 18:15:00	0.94	33.30	0.17	0.81	51.22	51.35	293.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 18:30:00	1.02	33.30	0.17	0.89	51.15	51.28	293.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 18:45:00	1.07	33.30	0.17	0.94	51.09	51.22	293.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 19:00:00	0.90	33.30	0.17	0.77	51.27	51.39	293.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 19:15:00	0.79	33.30	0.16	0.66	51.38	51.50	293.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 19:30:00	0.84	33.30	0.16	0.71	51.33	51.45	293.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 19:45:00	-0.56	33.30	0.16	-0.69	52.73	52.85	292.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 20:00:00	0.49	33.30	0.16	0.36	51.68	51.80	293.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 20:15:00	0.76	33.30	0.16	0.63	51.41	51.53	293.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 20:30:00	0.90	33.29	0.16	0.77	51.27	51.39	293.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 20:45:00	-1.37	33.29	0.16	-1.49	53.54	53.66	291.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 21:00:00	0.58	33.29	0.16	0.46	51.58	51.71	293.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 21:15:00	-2.90	33.29	0.16	-3.02	55.06	55.18	289.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 21:30:00	0.45	33.29	0.16	0.33	51.71	51.84	293.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 21:45:00	0.76	33.29	0.15	0.64	51.40	51.52	293.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 22:00:00	0.93	33.29	0.15	0.81	51.24	51.35	293.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 22:15:00	1.02	33.28	0.15	0.91	51.14	51.26	293.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 22:30:00	1.09	33.28	0.15	0.97	51.08	51.19	293.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 22:45:00	1.06	33.28	0.15	0.94	51.11	51.22	293.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 23:00:00	1.12	33.28	0.15	1.00	51.05	51.16	293.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 23:15:00	1.10	33.28	0.14	0.99	51.07	51.18	293.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 23:30:00	0.96	33.28	0.14	0.85	51.20	51.31	293.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/14/10 23:45:00	0.82	33.27	0.14	0.71	51.35	51.46	293.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 00:00:00	0.84	33.27	0.14	0.73	51.33	51.44	293.56	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/15/10 00:15:00	0.94	33.27	0.14	0.84	51.22	51.33	293.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 00:30:00	1.05	33.27	0.13	0.94	51.12	51.22	293.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 00:45:00	1.14	33.27	0.13	1.04	51.02	51.13	293.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 01:00:00	1.01	33.27	0.13	0.90	51.16	51.26	293.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 01:15:00	0.96	33.26	0.13	0.86	51.21	51.31	293.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 01:30:00	1.05	33.26	0.13	0.95	51.11	51.21	293.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 01:45:00	1.17	33.26	0.13	1.07	51.00	51.09	293.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 02:00:00	1.25	33.26	0.13	1.16	50.91	51.01	293.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 02:15:00	1.31	33.26	0.13	1.22	50.85	50.95	294.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 02:30:00	1.35	33.26	0.13	1.25	50.82	50.91	294.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 02:45:00	1.39	33.26	0.12	1.29	50.78	50.88	294.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 03:00:00	1.43	33.26	0.12	1.33	50.74	50.83	294.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 03:15:00	1.47	33.26	0.12	1.38	50.69	50.79	294.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 03:30:00	1.49	33.26	0.12	1.39	50.68	50.77	294.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 03:45:00	1.28	33.26	0.12	1.18	50.89	50.98	294.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 04:00:00	1.01	33.26	0.12	0.92	51.16	51.25	293.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 04:15:00	0.75	33.25	0.12	0.66	51.41	51.51	293.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 04:30:00	0.53	33.25	0.12	0.44	51.63	51.73	293.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 04:45:00	0.34	33.25	0.12	0.25	51.82	51.92	293.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 05:00:00	0.25	33.25	0.12	0.16	51.91	52.00	293.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 05:15:00	0.30	33.25	0.12	0.20	51.87	51.96	293.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 05:30:00	0.29	33.25	0.12	0.20	51.87	51.96	293.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 05:45:00	0.24	33.25	0.12	0.15	51.93	52.02	292.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 06:00:00	-8.38	33.25	0.12	-8.47	60.54	60.63	284.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 06:15:00	-0.37	33.26	0.12	-0.47	52.54	52.63	292.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 06:30:00	0.27	33.26	0.12	0.18	51.89	51.99	293.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 06:45:00	0.53	33.26	0.12	0.43	51.64	51.74	293.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 07:00:00	0.48	33.26	0.13	0.38	51.69	51.78	293.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 07:15:00	-1.86	33.26	0.13	-1.96	54.03	54.13	290.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 07:30:00	-0.66	33.27	0.13	-0.77	52.83	52.93	292.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 07:45:00	0.22	33.27	0.13	0.12	51.95	52.05	292.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 08:00:00	0.48	33.27	0.13	0.37	51.69	51.79	293.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 08:15:00	0.56	33.27	0.14	0.45	51.61	51.71	293.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 08:30:00	-0.33	33.27	0.14	-0.44	52.50	52.61	292.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 08:45:00	0.42	33.27	0.14	0.31	51.74	51.85	293.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 09:00:00	-1.82	33.28	0.14	-1.92	53.98	54.09	290.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 09:15:00	0.31	33.28	0.14	0.20	51.85	51.96	293.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 09:30:00	0.68	33.28	0.14	0.57	51.48	51.60	293.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 09:45:00	0.84	33.28	0.14	0.72	51.33	51.44	293.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 10:00:00	0.93	33.28	0.14	0.82	51.23	51.34	293.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 10:15:00	0.05	33.27	0.14	-0.06	52.12	52.23	292.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 10:30:00	0.67	33.27	0.14	0.56	51.50	51.60	293.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 10:45:00	0.83	33.27	0.13	0.72	51.34	51.44	293.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 11:00:00	0.93	33.27	0.13	0.83	51.23	51.33	293.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 11:15:00	0.95	33.27	0.13	0.85	51.22	51.32	293.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 11:30:00	0.81	33.26	0.13	0.71	51.35	51.45	293.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 11:45:00	0.69	33.26	0.13	0.59	51.47	51.57	293.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 12:00:00	0.71	33.26	0.12	0.62	51.45	51.55	293.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 12:15:00	0.83	33.26	0.12	0.73	51.33	51.43	293.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 12:30:00	0.95	33.26	0.12	0.86	51.22	51.31	293.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 12:45:00	1.05	33.25	0.12	0.96	51.11	51.20	293.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 13:00:00	0.95	33.25	0.12	0.86	51.22	51.31	293.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 13:15:00	0.92	33.25	0.12	0.83	51.25	51.34	293.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 13:30:00	1.03	33.25	0.11	0.94	51.13	51.22	293.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 13:45:00	1.14	33.25	0.11	1.06	51.02	51.11	293.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 14:00:00	1.22	33.24	0.11	1.14	50.94	51.03	293.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 14:15:00	1.27	33.24	0.10	1.19	50.89	50.97	294.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 14:30:00	1.32	33.24	0.10	1.25	50.84	50.92	294.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 14:45:00	1.38	33.23	0.10	1.30	50.78	50.86	294.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 15:00:00	1.41	33.23	0.10	1.34	50.75	50.83	294.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 15:15:00	1.45	33.23	0.09	1.38	50.71	50.78	294.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 15:30:00	1.50	33.23	0.09	1.43	50.67	50.74	294.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 15:45:00	1.53	33.22	0.09	1.46	50.63	50.70	294.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 16:00:00	1.54	33.22	0.09	1.47	50.63	50.70	294.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 16:15:00	1.56	33.22	0.08	1.49	50.61	50.67	294.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 16:30:00	1.57	33.21	0.08	1.51	50.60	50.66	294.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 16:45:00	1.51	33.21	0.08	1.45	50.65	50.71	294.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 17:00:00	1.53	33.21	0.07	1.47	50.64	50.70	294.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 17:15:00	1.49	33.21	0.07	1.44	50.67	50.73	294.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 17:30:00	1.29	33.20	0.07	1.23	50.88	50.93	294.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 17:45:00	1.12	33.20	0.07	1.07	51.04	51.10	293.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 18:00:00	1.12	33.20	0.07	1.06	51.05	51.10	293.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 18:15:00	1.21	33.20	0.07	1.15	50.96	51.01	293.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 18:30:00	1.29	33.20	0.07	1.23	50.88	50.93	294.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 18:45:00	1.35	33.20	0.07	1.30	50.81	50.86	294.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 19:00:00	1.21	33.20	0.07	1.16	50.95	51.01	293.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 19:15:00	1.06	33.20	0.07	1.01	51.10	51.16	293.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 19:30:00	1.14	33.20	0.07	1.09	51.02	51.08	293.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 19:45:00	-0.21	33.20	0.07	-0.26	52.37	52.43	292.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 20:00:00	0.93	33.20	0.07	0.87	51.24	51.29	293.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 20:15:00	1.14	33.20	0.07	1.09	51.02	51.08	293.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 20:30:00	1.21	33.20	0.07	1.16	50.96	51.01	293.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 20:45:00	1.21	33.20	0.07	1.16	50.96	51.01	293.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 21:00:00	1.15	33.20	0.07	1.10	51.01	51.07	293.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 21:15:00	1.07	33.20	0.07	1.02	51.10	51.15	293.85	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/15/10 21:30:00	1.00	33.20	0.07	0.95	51.16	51.21	293.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 21:45:00	0.94	33.20	0.07	0.88	51.23	51.28	293.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 22:00:00	0.86	33.21	0.07	0.80	51.31	51.36	293.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 22:15:00	0.74	33.21	0.08	0.69	51.42	51.48	293.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 22:30:00	0.70	33.21	0.08	0.64	51.46	51.52	293.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 22:45:00	0.68	33.22	0.08	0.61	51.49	51.55	293.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 23:00:00	0.64	33.22	0.08	0.57	51.53	51.59	293.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 23:15:00	0.52	33.22	0.09	0.45	51.65	51.71	293.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 23:30:00	-1.82	33.22	0.09	-1.88	53.98	54.05	290.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/15/10 23:45:00	-0.49	33.23	0.09	-0.56	52.65	52.73	292.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 00:00:00	-0.59	33.23	0.09	-0.66	52.75	52.83	292.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 00:15:00	-0.77	33.23	0.10	-0.85	52.94	53.01	291.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 00:30:00	-0.97	33.23	0.10	-1.04	53.13	53.21	291.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 00:45:00	-1.14	33.24	0.10	-1.22	53.31	53.39	291.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 01:00:00	-1.29	33.24	0.10	-1.37	53.46	53.54	291.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 01:15:00	-1.33	33.24	0.11	-1.41	53.50	53.58	291.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 01:30:00	-1.14	33.24	0.11	-1.23	53.31	53.39	291.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 01:45:00	-0.93	33.24	0.11	-1.02	53.10	53.18	291.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 02:00:00	-0.77	33.25	0.11	-0.86	52.94	53.02	291.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 02:15:00	-0.67	33.25	0.11	-0.75	52.83	52.92	292.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 02:30:00	-0.59	33.25	0.11	-0.67	52.75	52.84	292.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 02:45:00	-0.51	33.25	0.11	-0.60	52.68	52.77	292.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 03:00:00	-0.46	33.25	0.11	-0.54	52.62	52.71	292.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 03:15:00	-0.42	33.25	0.11	-0.51	52.58	52.67	292.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 03:30:00	-0.38	33.25	0.11	-0.46	52.54	52.63	292.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 03:45:00	-0.34	33.25	0.11	-0.42	52.50	52.59	292.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 04:00:00	-0.29	33.25	0.11	-0.38	52.46	52.54	292.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 04:15:00	-0.26	33.25	0.11	-0.35	52.42	52.51	292.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 04:30:00	-0.21	33.25	0.12	-0.30	52.38	52.47	292.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 04:45:00	-0.21	33.25	0.12	-0.30	52.37	52.46	292.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 05:00:00	-0.20	33.25	0.12	-0.29	52.37	52.46	292.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 05:15:00	-3.57	33.25	0.12	-3.67	55.74	55.83	289.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 05:30:00	-1.00	33.25	0.12	-1.09	53.16	53.26	291.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 05:45:00	-0.94	33.25	0.12	-1.03	53.10	53.20	291.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 06:00:00	-0.92	33.25	0.12	-1.01	53.08	53.17	291.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 06:15:00	-6.54	33.25	0.12	-6.64	58.71	58.80	286.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 06:30:00	-1.45	33.26	0.12	-1.54	53.61	53.71	291.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 06:45:00	-1.11	33.26	0.12	-1.20	53.27	53.37	291.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 07:00:00	-1.15	33.26	0.12	-1.24	53.31	53.41	291.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 07:15:00	-1.21	33.26	0.12	-1.31	53.38	53.47	291.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 07:30:00	-1.03	33.26	0.12	-1.13	53.19	53.29	291.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 07:45:00	-0.81	33.26	0.12	-0.90	52.97	53.07	291.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 08:00:00	-4.69	33.26	0.13	-4.78	56.85	56.95	288.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 08:15:00	-0.96	33.26	0.13	-1.06	53.12	53.22	291.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 08:30:00	-0.47	33.26	0.13	-0.57	52.64	52.74	292.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 08:45:00	-0.22	33.26	0.13	-0.32	52.38	52.48	292.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 09:00:00	-0.04	33.26	0.13	-0.14	52.21	52.31	292.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 09:15:00	0.08	33.26	0.13	-0.02	52.08	52.19	292.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 09:30:00	0.16	33.27	0.13	0.06	52.00	52.11	292.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 09:45:00	0.23	33.26	0.13	0.13	51.93	52.03	292.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 10:00:00	0.31	33.26	0.13	0.21	51.85	51.95	293.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 10:15:00	0.38	33.26	0.13	0.28	51.79	51.89	293.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 10:30:00	0.38	33.26	0.13	0.28	51.78	51.88	293.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 10:45:00	0.46	33.26	0.13	0.36	51.70	51.80	293.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 11:00:00	0.55	33.26	0.13	0.45	51.62	51.71	293.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 11:15:00	0.54	33.26	0.12	0.44	51.62	51.72	293.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 11:30:00	0.41	33.26	0.12	0.32	51.75	51.85	293.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 11:45:00	0.30	33.26	0.12	0.20	51.87	51.96	293.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 12:00:00	0.34	33.26	0.12	0.25	51.82	51.92	293.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 12:15:00	0.46	33.26	0.12	0.36	51.71	51.80	293.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 12:30:00	0.56	33.26	0.12	0.46	51.61	51.70	293.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 12:45:00	0.65	33.26	0.12	0.56	51.51	51.60	293.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 13:00:00	0.51	33.25	0.12	0.41	51.66	51.75	293.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 13:15:00	0.47	33.25	0.12	0.38	51.69	51.78	293.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 13:30:00	0.60	33.25	0.12	0.51	51.56	51.65	293.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 13:45:00	0.71	33.25	0.11	0.62	51.45	51.54	293.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 14:00:00	0.77	33.25	0.11	0.68	51.40	51.49	293.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 14:15:00	0.82	33.24	0.11	0.73	51.35	51.43	293.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 14:30:00	0.86	33.24	0.10	0.78	51.30	51.38	293.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 14:45:00	0.89	33.24	0.10	0.81	51.27	51.35	293.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 15:00:00	0.93	33.23	0.10	0.85	51.24	51.31	293.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 15:15:00	0.95	33.23	0.09	0.88	51.22	51.29	293.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 15:30:00	0.96	33.22	0.09	0.89	51.21	51.28	293.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 15:45:00	0.98	33.22	0.09	0.91	51.19	51.26	293.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 16:00:00	0.99	33.22	0.08	0.93	51.17	51.24	293.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 16:15:00	1.01	33.21	0.08	0.95	51.15	51.21	293.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 16:30:00	1.02	33.21	0.08	0.97	51.14	51.20	293.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 16:45:00	0.97	33.21	0.07	0.91	51.20	51.25	293.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 17:00:00	0.99	33.20	0.07	0.94	51.17	51.23	293.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 17:15:00	0.96	33.20	0.06	0.91	51.21	51.26	293.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 17:30:00	0.81	33.20	0.06	0.76	51.36	51.41	293.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 17:45:00	-0.37	33.20	0.06	-0.42	52.54	52.59	292.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 18:00:00	0.31	33.20	0.06	0.27	51.85	51.90	293.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 18:15:00	-2.71	33.20	0.06	-2.76	54.88	54.93	290.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 18:30:00	0.20	33.20	0.06	0.15	51.97	52.02	292.98	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/16/10 18:45:00	0.62	33.20	0.07	0.57	51.55	51.60	293.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 19:00:00	0.59	33.20	0.07	0.54	51.57	51.63	293.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 19:15:00	0.59	33.20	0.07	0.53	51.58	51.63	293.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 19:30:00	0.70	33.20	0.07	0.65	51.46	51.51	293.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 19:45:00	0.80	33.20	0.07	0.75	51.37	51.42	293.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 20:00:00	0.86	33.20	0.07	0.80	51.31	51.36	293.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 20:15:00	0.87	33.21	0.07	0.82	51.29	51.35	293.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 20:30:00	-0.39	33.21	0.07	-0.45	52.55	52.61	292.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 20:45:00	0.64	33.21	0.07	0.58	51.53	51.59	293.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 21:00:00	0.84	33.21	0.07	0.78	51.32	51.38	293.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 21:15:00	0.93	33.21	0.07	0.87	51.24	51.29	293.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 21:30:00	0.98	33.21	0.08	0.92	51.19	51.24	293.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 21:45:00	1.03	33.21	0.08	0.97	51.13	51.19	293.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 22:00:00	1.10	33.21	0.07	1.04	51.07	51.13	293.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 22:15:00	1.13	33.21	0.07	1.07	51.04	51.09	293.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 22:30:00	1.09	33.21	0.07	1.04	51.07	51.13	293.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 22:45:00	-11.06	33.21	0.07	-11.12	63.23	63.28	281.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 23:00:00	0.38	33.21	0.07	0.32	51.78	51.84	293.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 23:15:00	0.85	33.21	0.07	0.79	51.31	51.37	293.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 23:30:00	0.82	33.21	0.07	0.77	51.34	51.40	293.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/16/10 23:45:00	0.75	33.21	0.07	0.69	51.42	51.47	293.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 00:00:00	0.81	33.21	0.07	0.75	51.36	51.42	293.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 00:15:00	0.94	33.21	0.07	0.88	51.23	51.28	293.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 00:30:00	1.06	33.21	0.07	1.00	51.11	51.16	293.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 00:45:00	1.16	33.21	0.07	1.10	51.01	51.06	293.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 01:00:00	1.02	33.21	0.07	0.96	51.15	51.20	293.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 01:15:00	0.97	33.21	0.07	0.91	51.20	51.25	293.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 01:30:00	1.05	33.21	0.07	1.00	51.11	51.17	293.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 01:45:00	1.13	33.21	0.07	1.08	51.03	51.09	293.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 02:00:00	1.20	33.20	0.07	1.14	50.97	51.02	293.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 02:15:00	1.25	33.20	0.07	1.20	50.92	50.97	294.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 02:30:00	1.30	33.20	0.07	1.25	50.87	50.92	294.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 02:45:00	1.35	33.20	0.06	1.30	50.82	50.87	294.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 03:00:00	1.40	33.20	0.06	1.35	50.77	50.82	294.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 03:15:00	1.44	33.20	0.06	1.39	50.73	50.77	294.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 03:30:00	1.47	33.19	0.06	1.43	50.69	50.74	294.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 03:45:00	1.50	33.19	0.06	1.46	50.66	50.71	294.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 04:00:00	1.53	33.19	0.06	1.48	50.64	50.68	294.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 04:15:00	1.55	33.19	0.06	1.50	50.62	50.66	294.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 04:30:00	1.50	33.19	0.05	1.46	50.66	50.71	294.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 04:45:00	1.47	33.19	0.05	1.43	50.70	50.74	294.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 05:00:00	1.49	33.19	0.05	1.45	50.67	50.71	294.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 05:15:00	1.45	33.18	0.05	1.41	50.72	50.76	294.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 05:30:00	1.22	33.18	0.05	1.18	50.95	50.99	294.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 05:45:00	-0.95	33.18	0.05	-0.98	53.11	53.15	291.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 06:00:00	0.46	33.18	0.05	0.42	51.71	51.74	293.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 06:15:00	0.72	33.18	0.04	0.68	51.45	51.48	293.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 06:30:00	0.82	33.18	0.04	0.79	51.34	51.38	293.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 06:45:00	0.83	33.18	0.04	0.80	51.33	51.37	293.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 07:00:00	0.72	33.18	0.04	0.69	51.44	51.47	293.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 07:15:00	0.66	33.18	0.04	0.63	51.50	51.54	293.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 07:30:00	0.75	33.18	0.04	0.72	51.42	51.45	293.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 07:45:00	0.84	33.17	0.04	0.81	51.33	51.36	293.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 08:00:00	0.90	33.17	0.04	0.87	51.26	51.29	293.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 08:15:00	-0.16	33.17	0.04	-0.19	52.32	52.35	292.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 08:30:00	0.66	33.17	0.04	0.63	51.51	51.54	293.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 08:45:00	0.88	33.17	0.04	0.85	51.29	51.32	293.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 09:00:00	-0.14	33.17	0.04	-0.17	52.31	52.34	292.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 09:15:00	-1.26	33.17	0.04	-1.29	53.43	53.45	291.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 09:30:00	0.52	33.17	0.03	0.49	51.65	51.68	293.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 09:45:00	0.87	33.17	0.03	0.85	51.30	51.32	293.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 10:00:00	0.96	33.16	0.03	0.94	51.21	51.23	293.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 10:15:00	1.04	33.16	0.03	1.02	51.12	51.14	293.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 10:30:00	1.13	33.16	0.02	1.12	51.03	51.05	293.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 10:45:00	1.22	33.15	0.02	1.21	50.94	50.96	294.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 11:00:00	1.27	33.15	0.02	1.26	50.89	50.91	294.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 11:15:00	1.21	33.15	0.01	1.20	50.96	50.97	294.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 11:30:00	1.02	33.15	0.01	1.01	51.15	51.16	293.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 11:45:00	0.86	33.14	0.01	0.85	51.31	51.31	293.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 12:00:00	0.85	33.14	0.01	0.85	51.31	51.32	293.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 12:15:00	0.93	33.14	0.00	0.93	51.23	51.24	293.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 12:30:00	0.98	33.14	0.00	0.98	51.19	51.19	293.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 12:45:00	1.03	33.13	0.00	1.03	51.14	51.13	293.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 13:00:00	0.89	33.13	-0.01	0.90	51.27	51.27	293.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 13:15:00	0.84	33.13	-0.01	0.85	51.32	51.32	293.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 13:30:00	0.94	33.12	-0.01	0.95	51.23	51.22	293.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 13:45:00	0.96	33.12	-0.01	0.97	51.20	51.19	293.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 14:00:00	0.99	33.12	-0.01	1.00	51.18	51.17	293.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 14:15:00	1.00	33.12	-0.01	1.01	51.17	51.16	293.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 14:30:00	1.03	33.12	-0.02	1.04	51.14	51.13	293.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 14:45:00	1.10	33.12	-0.02	1.12	51.06	51.05	293.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 15:00:00	1.05	33.12	-0.02	1.07	51.11	51.10	293.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 15:15:00	1.03	33.11	-0.02	1.04	51.14	51.12	293.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 15:30:00	1.08	33.11	-0.02	1.10	51.08	51.07	293.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 15:45:00	1.16	33.11	-0.02	1.17	51.01	50.99	294.01	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/17/10 16:00:00	1.22	33.11	-0.02	1.24	50.94	50.92	294.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 16:15:00	1.27	33.11	-0.03	1.29	50.90	50.88	294.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 16:30:00	1.31	33.11	-0.03	1.33	50.86	50.83	294.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 16:45:00	1.32	33.11	-0.03	1.34	50.84	50.82	294.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 17:00:00	1.34	33.10	-0.03	1.37	50.82	50.80	294.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 17:15:00	1.26	33.10	-0.03	1.29	50.90	50.88	294.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 17:30:00	1.06	33.10	-0.03	1.09	51.10	51.08	293.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 17:45:00	0.90	33.10	-0.03	0.92	51.27	51.24	293.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 18:00:00	-1.50	33.10	-0.03	-1.47	53.66	53.64	291.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 18:15:00	0.51	33.10	-0.03	0.53	51.66	51.64	293.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 18:30:00	0.87	33.11	-0.03	0.89	51.30	51.27	293.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 18:45:00	1.01	33.11	-0.03	1.03	51.15	51.13	293.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 19:00:00	-11.27	33.11	-0.03	-11.25	63.44	63.42	281.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 19:15:00	-0.53	33.11	-0.03	-0.51	52.70	52.68	292.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 19:30:00	-2.71	33.11	-0.03	-2.69	54.87	54.85	290.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 19:45:00	0.27	33.11	-0.02	0.29	51.90	51.88	293.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 20:00:00	0.72	33.11	-0.02	0.73	51.45	51.43	293.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 20:15:00	-1.79	33.11	-0.02	-1.78	53.96	53.94	291.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 20:30:00	0.41	33.11	-0.02	0.43	51.75	51.73	293.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 20:45:00	0.76	33.11	-0.02	0.78	51.40	51.38	293.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 21:00:00	0.95	33.11	-0.02	0.96	51.22	51.20	293.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 21:15:00	1.07	33.12	-0.02	1.08	51.10	51.08	293.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 21:30:00	-0.59	33.12	-0.02	-0.57	52.75	52.74	292.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 21:45:00	0.80	33.12	-0.02	0.81	51.37	51.36	293.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 22:00:00	1.04	33.12	-0.01	1.05	51.12	51.11	293.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 22:15:00	1.10	33.12	-0.01	1.11	51.07	51.06	293.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 22:30:00	1.18	33.12	-0.01	1.19	50.99	50.98	294.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 22:45:00	1.26	33.13	-0.01	1.27	50.90	50.90	294.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 23:00:00	1.33	33.13	-0.01	1.34	50.83	50.83	294.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 23:15:00	1.31	33.13	0.00	1.31	50.86	50.85	294.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 23:30:00	1.17	33.13	0.00	1.17	50.99	50.99	294.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/17/10 23:45:00	1.01	33.13	0.00	1.01	51.15	51.15	293.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 00:00:00	1.01	33.14	0.00	1.01	51.15	51.15	293.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 00:15:00	1.12	33.14	0.00	1.11	51.05	51.05	293.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 00:30:00	1.23	33.14	0.01	1.22	50.94	50.94	294.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 00:45:00	1.28	33.14	0.01	1.28	50.88	50.89	294.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 01:00:00	1.14	33.14	0.01	1.13	51.02	51.03	293.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 01:15:00	1.07	33.15	0.01	1.06	51.10	51.11	293.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 01:30:00	1.16	33.15	0.01	1.15	51.01	51.02	293.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 01:45:00	1.25	33.15	0.01	1.24	50.91	50.92	294.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 02:00:00	1.32	33.15	0.02	1.31	50.85	50.86	294.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 02:15:00	1.37	33.15	0.02	1.36	50.79	50.81	294.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 02:30:00	1.41	33.15	0.02	1.39	50.76	50.77	294.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 02:45:00	1.45	33.15	0.02	1.43	50.72	50.73	294.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 03:00:00	1.48	33.15	0.02	1.47	50.68	50.70	294.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 03:15:00	1.51	33.15	0.02	1.50	50.65	50.67	294.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 03:30:00	1.54	33.16	0.02	1.53	50.62	50.64	294.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 03:45:00	1.56	33.16	0.02	1.54	50.60	50.62	294.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 04:00:00	1.58	33.16	0.02	1.57	50.58	50.60	294.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 04:15:00	1.54	33.16	0.02	1.52	50.62	50.64	294.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 04:30:00	-0.61	33.16	0.02	-0.63	52.78	52.80	292.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 04:45:00	1.15	33.16	0.03	1.13	51.01	51.03	293.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 05:00:00	1.41	33.16	0.03	1.39	50.76	50.78	294.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 05:15:00	1.43	33.16	0.03	1.41	50.74	50.76	294.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 05:30:00	1.25	33.16	0.03	1.23	50.91	50.94	294.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 05:45:00	1.06	33.16	0.03	1.04	51.11	51.13	293.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 06:00:00	1.03	33.16	0.03	1.00	51.14	51.16	293.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 06:15:00	1.09	33.16	0.03	1.07	51.08	51.10	293.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 06:30:00	1.15	33.16	0.03	1.13	51.01	51.04	293.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 06:45:00	1.21	33.16	0.03	1.19	50.95	50.98	294.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 07:00:00	-2.94	33.16	0.03	-2.96	55.10	55.12	289.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 07:15:00	0.10	33.16	0.03	0.07	52.07	52.09	292.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 07:30:00	-0.57	33.16	0.03	-0.59	52.73	52.75	292.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 07:45:00	-4.14	33.16	0.03	-4.16	56.31	56.33	288.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 08:00:00	0.30	33.16	0.03	0.28	51.86	51.88	293.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 08:15:00	-0.36	33.16	0.03	-0.38	52.52	52.54	292.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 08:30:00	0.66	33.16	0.03	0.63	51.51	51.53	293.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 08:45:00	0.87	33.16	0.03	0.85	51.29	51.31	293.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 09:00:00	0.98	33.16	0.03	0.96	51.19	51.21	293.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 09:15:00	1.08	33.16	0.03	1.06	51.08	51.10	293.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 09:30:00	-1.80	33.16	0.03	-1.82	53.97	53.99	291.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 09:45:00	0.72	33.16	0.02	0.70	51.45	51.47	293.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 10:00:00	1.01	33.15	0.02	1.00	51.15	51.17	293.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 10:15:00	1.10	33.15	0.01	1.09	51.06	51.07	293.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 10:30:00	1.17	33.14	0.01	1.16	50.99	51.00	294.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 10:45:00	1.23	33.14	0.01	1.22	50.94	50.94	294.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 11:00:00	1.28	33.14	0.00	1.28	50.89	50.89	294.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 11:15:00	1.22	33.13	0.00	1.22	50.95	50.94	294.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 11:30:00	1.12	33.13	-0.01	1.13	51.04	51.04	293.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 11:45:00	1.15	33.12	-0.01	1.16	51.01	51.00	294.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 12:00:00	1.21	33.12	-0.02	1.23	50.95	50.94	294.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 12:15:00	1.25	33.11	-0.02	1.26	50.92	50.90	294.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 12:30:00	1.22	33.11	-0.03	1.24	50.94	50.92	294.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 12:45:00	1.19	33.10	-0.03	1.21	50.98	50.95	294.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 13:00:00	0.98	33.10	-0.04	1.01	51.18	51.15	293.85	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/18/10 13:15:00	0.92	33.09	-0.04	0.95	51.24	51.21	293.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 13:30:00	0.99	33.09	-0.04	1.03	51.17	51.14	293.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 13:45:00	1.05	33.09	-0.05	1.09	51.11	51.07	293.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 14:00:00	1.04	33.08	-0.05	1.08	51.13	51.09	293.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 14:15:00	1.08	33.08	-0.05	1.13	51.08	51.04	293.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 14:30:00	1.15	33.08	-0.06	1.19	51.02	50.98	294.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 14:45:00	1.18	33.08	-0.06	1.23	50.98	50.94	294.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 15:00:00	1.11	33.07	-0.06	1.16	51.06	51.01	293.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 15:15:00	1.01	33.07	-0.06	1.06	51.16	51.11	293.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 15:30:00	0.91	33.07	-0.07	0.96	51.25	51.20	293.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 15:45:00	0.91	33.06	-0.07	0.96	51.26	51.20	293.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 16:00:00	0.95	33.06	-0.07	1.01	51.21	51.15	293.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 16:15:00	1.00	33.06	-0.08	1.06	51.17	51.11	293.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 16:30:00	1.04	33.06	-0.08	1.11	51.12	51.06	293.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 16:45:00	1.04	33.05	-0.08	1.11	51.12	51.06	293.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 17:00:00	1.01	33.05	-0.08	1.08	51.15	51.09	293.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 17:15:00	1.04	33.05	-0.09	1.10	51.13	51.06	293.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 17:30:00	1.08	33.05	-0.09	1.15	51.09	51.01	293.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 17:45:00	1.14	33.04	-0.09	1.21	51.03	50.96	294.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 18:00:00	1.17	33.04	-0.09	1.25	50.99	50.92	294.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 18:15:00	1.19	33.04	-0.10	1.27	50.97	50.90	294.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 18:30:00	1.22	33.04	-0.10	1.30	50.94	50.87	294.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 18:45:00	1.23	33.03	-0.10	1.31	50.93	50.85	294.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 19:00:00	-0.04	33.03	-0.10	0.03	52.21	52.13	292.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 19:15:00	0.59	33.03	-0.10	0.67	51.57	51.49	293.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 19:30:00	0.80	33.03	-0.11	0.88	51.36	51.28	293.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 19:45:00	0.93	33.03	-0.11	1.02	51.23	51.15	293.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 20:00:00	1.01	33.02	-0.11	1.10	51.15	51.07	293.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 20:15:00	1.09	33.02	-0.11	1.18	51.08	50.99	294.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 20:30:00	-1.36	33.02	-0.11	-1.27	53.52	53.44	291.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 20:45:00	0.67	33.02	-0.12	0.76	51.50	51.41	293.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 21:00:00	0.88	33.02	-0.12	0.98	51.28	51.19	293.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 21:15:00	0.93	33.01	-0.12	1.02	51.24	51.14	293.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 21:30:00	0.98	33.01	-0.12	1.08	51.18	51.09	293.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 21:45:00	-2.85	33.01	-0.12	-2.75	55.02	54.92	290.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 22:00:00	0.36	33.01	-0.13	0.46	51.81	51.71	293.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 22:15:00	0.70	33.01	-0.13	0.80	51.47	51.37	293.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 22:30:00	0.88	33.01	-0.13	0.99	51.28	51.18	293.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 22:45:00	0.99	33.00	-0.13	1.09	51.18	51.08	293.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 23:00:00	1.06	33.00	-0.13	1.16	51.11	51.00	294.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 23:15:00	1.13	33.00	-0.13	1.24	51.03	50.93	294.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 23:30:00	1.20	33.00	-0.14	1.30	50.97	50.86	294.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/18/10 23:45:00	1.25	33.00	-0.14	1.36	50.92	50.81	294.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 00:00:00	1.28	33.00	-0.14	1.39	50.88	50.77	294.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 00:15:00	1.32	32.99	-0.14	1.43	50.84	50.73	294.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 00:30:00	1.35	32.99	-0.14	1.47	50.81	50.70	294.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 00:45:00	1.35	32.99	-0.14	1.46	50.81	50.70	294.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 01:00:00	1.12	32.99	-0.15	1.24	51.04	50.93	294.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 01:15:00	1.06	32.99	-0.15	1.18	51.10	50.99	294.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 01:30:00	1.15	32.99	-0.15	1.26	51.02	50.90	294.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 01:45:00	1.24	32.98	-0.15	1.36	50.92	50.80	294.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 02:00:00	1.31	32.98	-0.15	1.43	50.86	50.74	294.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 02:15:00	1.37	32.98	-0.16	1.49	50.79	50.67	294.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 02:30:00	1.43	32.98	-0.16	1.55	50.74	50.61	294.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 02:45:00	1.48	32.97	-0.16	1.60	50.69	50.56	294.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 03:00:00	1.45	32.97	-0.16	1.58	50.71	50.58	294.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 03:15:00	1.45	32.97	-0.17	1.58	50.71	50.58	294.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 03:30:00	1.49	32.97	-0.17	1.62	50.68	50.55	294.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 03:45:00	1.49	32.96	-0.17	1.63	50.67	50.54	294.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 04:00:00	1.51	32.96	-0.17	1.65	50.65	50.52	294.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 04:15:00	1.53	32.96	-0.17	1.67	50.64	50.50	294.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 04:30:00	1.55	32.96	-0.18	1.69	50.61	50.48	294.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 04:45:00	1.57	32.96	-0.18	1.71	50.59	50.45	294.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 05:00:00	1.59	32.95	-0.18	1.73	50.57	50.43	294.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 05:15:00	1.54	32.95	-0.18	1.68	50.63	50.48	294.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 05:30:00	1.53	32.95	-0.19	1.68	50.63	50.49	294.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 05:45:00	1.53	32.95	-0.18	1.68	50.63	50.49	294.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 06:00:00	1.52	32.95	-0.18	1.66	50.64	50.50	294.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 06:15:00	1.51	32.95	-0.18	1.65	50.66	50.52	294.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 06:30:00	0.13	32.96	-0.18	0.27	52.04	51.90	293.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 06:45:00	1.06	32.96	-0.18	1.20	51.10	50.96	294.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 07:00:00	1.04	32.96	-0.18	1.18	51.12	50.98	294.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 07:15:00	-9.79	32.96	-0.17	-9.65	61.95	61.82	283.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 07:30:00	-0.06	32.96	-0.17	0.07	52.23	52.09	292.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 07:45:00	0.85	32.96	-0.17	0.98	51.32	51.18	293.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 08:00:00	1.13	32.97	-0.17	1.26	51.04	50.90	294.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 08:15:00	-5.67	32.97	-0.17	-5.54	57.83	57.70	287.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 08:30:00	0.50	32.97	-0.17	0.63	51.67	51.54	293.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 08:45:00	-0.46	32.97	-0.16	-0.33	52.63	52.50	292.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 09:00:00	0.68	32.97	-0.16	0.80	51.49	51.36	293.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 09:15:00	0.97	32.98	-0.16	1.10	51.19	51.07	293.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 09:30:00	1.05	32.98	-0.16	1.17	51.12	50.99	294.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 09:45:00	-3.87	32.98	-0.15	-3.75	56.03	55.91	289.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 10:00:00	-10.20	32.98	-0.15	-10.09	62.37	62.25	282.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 10:15:00	-0.18	32.99	-0.15	-0.07	52.35	52.23	292.77	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/19/10 10:30:00	0.66	32.99	-0.15	0.77	51.50	51.39	293.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 10:45:00	0.87	32.99	-0.14	0.98	51.30	51.18	293.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 11:00:00	0.94	32.99	-0.14	1.05	51.22	51.11	293.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 11:15:00	1.03	33.00	-0.14	1.14	51.13	51.03	293.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 11:30:00	1.16	33.00	-0.14	1.26	51.01	50.90	294.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 11:45:00	1.24	33.00	-0.13	1.34	50.92	50.82	294.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 12:00:00	1.30	33.01	-0.13	1.40	50.87	50.76	294.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 12:15:00	1.34	33.01	-0.13	1.44	50.82	50.72	294.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 12:30:00	1.35	33.01	-0.12	1.45	50.82	50.72	294.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 12:45:00	1.31	33.01	-0.12	1.40	50.86	50.76	294.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 13:00:00	-5.83	33.02	-0.12	-5.74	57.99	57.90	287.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 13:15:00	0.07	33.02	-0.12	0.16	52.10	52.01	292.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 13:30:00	0.65	33.02	-0.11	0.74	51.51	51.43	293.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 13:45:00	0.87	33.02	-0.11	0.96	51.30	51.21	293.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 14:00:00	1.01	33.02	-0.11	1.09	51.16	51.07	293.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 14:15:00	-2.06	33.02	-0.11	-1.97	54.22	54.13	290.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 14:30:00	0.37	33.02	-0.11	0.46	51.79	51.71	293.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 14:45:00	-1.07	33.02	-0.11	-0.98	53.23	53.14	291.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 15:00:00	0.56	33.02	-0.11	0.65	51.60	51.51	293.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 15:15:00	0.89	33.02	-0.11	0.98	51.27	51.18	293.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 15:30:00	1.06	33.02	-0.11	1.14	51.11	51.02	293.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 15:45:00	1.18	33.02	-0.11	1.27	50.98	50.89	294.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 16:00:00	1.21	33.02	-0.11	1.30	50.95	50.87	294.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 16:15:00	1.22	33.02	-0.11	1.31	50.94	50.86	294.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 16:30:00	-8.46	33.02	-0.11	-8.37	60.62	60.54	284.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 16:45:00	0.52	33.02	-0.11	0.61	51.64	51.56	293.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 17:00:00	1.05	33.02	-0.11	1.14	51.11	51.03	293.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 17:15:00	1.23	33.02	-0.11	1.32	50.93	50.84	294.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 17:30:00	1.29	33.02	-0.11	1.37	50.88	50.79	294.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 17:45:00	1.30	33.02	-0.11	1.38	50.87	50.78	294.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 18:00:00	1.38	33.03	-0.11	1.47	50.78	50.70	294.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 18:15:00	1.45	33.03	-0.11	1.54	50.71	50.63	294.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 18:30:00	1.49	33.03	-0.11	1.57	50.68	50.60	294.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 18:45:00	-7.79	33.03	-0.11	-7.70	59.95	59.87	285.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 19:00:00	0.51	33.03	-0.11	0.59	51.66	51.57	293.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 19:15:00	0.80	33.03	-0.10	0.88	51.37	51.29	293.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 19:30:00	0.84	33.03	-0.10	0.92	51.32	51.24	293.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 19:45:00	0.91	33.03	-0.10	0.99	51.25	51.17	293.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 20:00:00	0.91	33.03	-0.10	0.99	51.26	51.18	293.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 20:15:00	0.94	33.04	-0.10	1.02	51.22	51.15	293.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 20:30:00	0.95	33.04	-0.10	1.02	51.22	51.14	293.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 20:45:00	1.04	33.04	-0.10	1.12	51.12	51.05	293.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 21:00:00	-0.07	33.04	-0.10	0.01	52.23	52.16	292.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 21:15:00	0.78	33.04	-0.09	0.86	51.38	51.31	293.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 21:30:00	1.02	33.04	-0.09	1.09	51.14	51.07	293.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 21:45:00	-4.17	33.04	-0.09	-4.10	56.34	56.27	288.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 22:00:00	0.45	33.04	-0.09	0.52	51.72	51.65	293.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 22:15:00	0.94	33.04	-0.09	1.02	51.22	51.15	293.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 22:30:00	-0.45	33.04	-0.09	-0.38	52.62	52.55	292.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 22:45:00	0.79	33.04	-0.09	0.86	51.38	51.31	293.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 23:00:00	1.05	33.05	-0.09	1.12	51.12	51.05	293.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 23:15:00	1.12	33.05	-0.09	1.19	51.04	50.97	294.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 23:30:00	1.16	33.05	-0.09	1.23	51.00	50.94	294.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/19/10 23:45:00	1.22	33.05	-0.09	1.28	50.95	50.88	294.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 00:00:00	1.31	33.05	-0.09	1.38	50.85	50.78	294.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 00:15:00	1.34	33.05	-0.09	1.41	50.83	50.76	294.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 00:30:00	1.39	33.05	-0.08	1.46	50.77	50.71	294.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 00:45:00	1.46	33.05	-0.08	1.53	50.70	50.64	294.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 01:00:00	1.34	33.05	-0.08	1.41	50.82	50.76	294.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 01:15:00	1.31	33.05	-0.08	1.37	50.86	50.79	294.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 01:30:00	1.41	33.05	-0.08	1.47	50.76	50.69	294.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 01:45:00	1.51	33.05	-0.08	1.57	50.66	50.59	294.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 02:00:00	1.58	33.06	-0.08	1.64	50.59	50.53	294.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 02:15:00	1.65	33.06	-0.08	1.71	50.52	50.46	294.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 02:30:00	1.71	33.06	-0.08	1.77	50.46	50.40	294.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 02:45:00	1.76	33.06	-0.08	1.82	50.41	50.35	294.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 03:00:00	1.77	33.06	-0.07	1.83	50.39	50.34	294.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 03:15:00	1.79	33.06	-0.07	1.85	50.37	50.32	294.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 03:30:00	1.82	33.06	-0.07	1.87	50.35	50.29	294.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 03:45:00	1.84	33.06	-0.07	1.90	50.32	50.27	294.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 04:00:00	1.87	33.07	-0.07	1.93	50.29	50.24	294.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 04:15:00	1.90	33.07	-0.07	1.96	50.26	50.21	294.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 04:30:00	1.94	33.07	-0.07	1.99	50.23	50.18	294.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 04:45:00	1.89	33.07	-0.06	1.94	50.28	50.23	294.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 05:00:00	1.90	33.07	-0.06	1.95	50.26	50.21	294.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 05:15:00	1.93	33.07	-0.06	1.98	50.23	50.19	294.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 05:30:00	1.92	33.07	-0.06	1.97	50.24	50.19	294.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 05:45:00	1.82	33.08	-0.06	1.86	50.35	50.30	294.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 06:00:00	1.79	33.08	-0.05	1.83	50.38	50.34	294.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 06:15:00	1.66	33.09	-0.05	1.70	50.50	50.47	294.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 06:30:00	-3.04	33.09	-0.04	-3.01	55.21	55.17	289.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 06:45:00	1.08	33.10	-0.04	1.11	51.09	51.06	293.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 07:00:00	1.26	33.10	-0.03	1.28	50.91	50.88	294.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 07:15:00	1.27	33.10	-0.03	1.29	50.89	50.87	294.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 07:30:00	1.36	33.11	-0.03	1.38	50.80	50.78	294.22	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/20/10 07:45:00	1.45	33.11	-0.02	1.47	50.71	50.70	294.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 08:00:00	1.51	33.12	-0.02	1.52	50.66	50.64	294.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 08:15:00	-5.63	33.12	-0.01	-5.62	57.80	57.79	287.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 08:30:00	0.91	33.13	-0.01	0.92	51.25	51.24	293.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 08:45:00	1.39	33.13	0.00	1.39	50.78	50.77	294.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 09:00:00	1.57	33.14	0.00	1.57	50.60	50.60	294.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 09:15:00	1.61	33.14	0.00	1.61	50.56	50.56	294.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 09:30:00	1.67	33.14	0.01	1.67	50.49	50.50	294.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 09:45:00	1.73	33.15	0.01	1.72	50.44	50.45	294.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 10:00:00	1.77	33.15	0.02	1.76	50.40	50.41	294.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 10:15:00	1.81	33.15	0.02	1.80	50.35	50.37	294.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 10:30:00	1.85	33.16	0.02	1.83	50.32	50.33	294.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 10:45:00	1.87	33.16	0.02	1.85	50.30	50.31	294.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 11:00:00	1.89	33.16	0.03	1.86	50.28	50.30	294.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 11:15:00	1.91	33.17	0.03	1.88	50.26	50.28	294.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 11:30:00	1.91	33.17	0.03	1.88	50.26	50.28	294.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 11:45:00	1.92	33.17	0.04	1.89	50.25	50.28	294.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 12:00:00	1.92	33.17	0.04	1.89	50.25	50.28	294.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 12:15:00	1.93	33.18	0.04	1.90	50.23	50.27	294.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 12:30:00	1.91	33.18	0.05	1.88	50.25	50.29	294.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 12:45:00	1.90	33.18	0.05	1.86	50.26	50.30	294.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 13:00:00	1.79	33.19	0.05	1.75	50.37	50.41	294.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 13:15:00	1.75	33.19	0.05	1.71	50.42	50.46	294.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 13:30:00	1.82	33.19	0.06	1.77	50.35	50.39	294.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 13:45:00	1.89	33.19	0.06	1.84	50.28	50.32	294.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 14:00:00	1.94	33.19	0.06	1.90	50.23	50.27	294.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 14:15:00	1.97	33.19	0.06	1.93	50.19	50.24	294.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 14:30:00	2.01	33.19	0.06	1.96	50.16	50.20	294.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 14:45:00	2.05	33.19	0.06	2.00	50.12	50.16	294.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 15:00:00	2.08	33.19	0.06	2.04	50.08	50.13	294.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 15:15:00	2.11	33.19	0.06	2.07	50.06	50.10	294.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 15:30:00	2.13	33.19	0.06	2.09	50.03	50.08	294.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 15:45:00	2.13	33.19	0.06	2.09	50.03	50.08	294.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 16:00:00	2.14	33.19	0.06	2.09	50.03	50.07	294.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 16:15:00	2.16	33.19	0.06	2.12	50.01	50.05	294.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 16:30:00	2.18	33.19	0.05	2.13	49.99	50.03	294.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 16:45:00	2.20	33.19	0.05	2.16	49.97	50.01	294.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 17:00:00	2.14	33.19	0.05	2.10	50.02	50.07	294.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 17:15:00	2.12	33.19	0.05	2.08	50.04	50.08	294.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 17:30:00	2.12	33.19	0.05	2.08	50.05	50.09	294.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 17:45:00	-1.78	33.19	0.06	-1.82	53.95	53.99	291.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 18:00:00	1.49	33.19	0.06	1.44	50.68	50.72	294.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 18:15:00	1.80	33.19	0.06	1.75	50.37	50.41	294.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 18:30:00	1.91	33.19	0.06	1.87	50.25	50.30	294.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 18:45:00	1.97	33.19	0.06	1.92	50.20	50.25	294.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 19:00:00	1.79	33.19	0.06	1.75	50.37	50.42	294.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 19:15:00	1.71	33.20	0.06	1.66	50.46	50.51	294.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 19:30:00	1.78	33.20	0.06	1.73	50.39	50.43	294.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 19:45:00	1.85	33.20	0.06	1.80	50.32	50.36	294.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 20:00:00	1.90	33.20	0.06	1.85	50.26	50.31	294.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 20:15:00	1.93	33.20	0.06	1.88	50.23	50.28	294.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 20:30:00	1.97	33.20	0.06	1.92	50.20	50.25	294.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 20:45:00	0.81	33.20	0.07	0.76	51.35	51.41	293.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 21:00:00	1.66	33.20	0.07	1.61	50.51	50.56	294.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 21:15:00	1.86	33.20	0.07	1.81	50.30	50.35	294.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 21:30:00	1.95	33.20	0.07	1.90	50.22	50.27	294.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 21:45:00	2.00	33.20	0.07	1.95	50.16	50.22	294.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 22:00:00	1.96	33.20	0.07	1.91	50.20	50.26	294.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 22:15:00	1.91	33.20	0.07	1.85	50.26	50.31	294.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 22:30:00	1.92	33.21	0.07	1.87	50.24	50.30	294.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 22:45:00	1.94	33.21	0.07	1.88	50.23	50.28	294.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 23:00:00	1.95	33.21	0.07	1.89	50.22	50.27	294.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 23:15:00	1.98	33.21	0.07	1.92	50.18	50.24	294.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 23:30:00	2.02	33.21	0.07	1.96	50.15	50.20	294.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/20/10 23:45:00	2.06	33.21	0.07	2.00	50.11	50.17	294.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 00:00:00	2.08	33.21	0.07	2.03	50.08	50.14	294.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 00:15:00	2.11	33.21	0.08	2.05	50.06	50.12	294.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 00:30:00	2.13	33.21	0.08	2.08	50.03	50.09	294.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 00:45:00	2.14	33.21	0.08	2.08	50.03	50.09	294.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 01:00:00	1.95	33.21	0.08	1.89	50.22	50.28	294.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 01:15:00	1.88	33.21	0.08	1.81	50.29	50.35	294.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 01:30:00	1.91	33.21	0.08	1.85	50.26	50.32	294.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 01:45:00	1.96	33.21	0.08	1.90	50.20	50.26	294.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 02:00:00	-0.68	33.21	0.08	-0.74	52.85	52.91	292.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 02:15:00	1.57	33.22	0.08	1.51	50.59	50.66	294.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 02:30:00	1.86	33.22	0.08	1.79	50.31	50.37	294.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 02:45:00	1.98	33.22	0.08	1.92	50.18	50.24	294.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 03:00:00	2.06	33.22	0.08	1.99	50.11	50.17	294.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 03:15:00	2.03	33.22	0.08	1.97	50.13	50.20	294.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 03:30:00	2.03	33.22	0.08	1.97	50.13	50.20	294.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 03:45:00	2.05	33.22	0.08	1.98	50.12	50.18	294.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 04:00:00	2.07	33.22	0.09	2.00	50.10	50.16	294.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 04:15:00	2.09	33.22	0.09	2.03	50.07	50.14	294.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 04:30:00	2.12	33.22	0.09	2.05	50.05	50.12	294.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 04:45:00	2.13	33.22	0.09	2.06	50.03	50.10	294.90	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/21/10 05:00:00	2.15	33.22	0.09	2.08	50.01	50.08	294.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 05:15:00	2.17	33.22	0.09	2.10	50.00	50.07	294.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 05:30:00	2.09	33.23	0.09	2.02	50.07	50.14	294.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 05:45:00	2.04	33.23	0.09	1.97	50.13	50.20	294.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 06:00:00	1.91	33.23	0.09	1.84	50.25	50.32	294.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 06:15:00	1.86	33.23	0.09	1.78	50.31	50.38	294.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 06:30:00	1.84	33.23	0.10	1.76	50.33	50.40	294.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 06:45:00	1.82	33.23	0.10	1.74	50.35	50.43	294.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 07:00:00	-3.92	33.23	0.10	-4.00	56.08	56.16	288.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 07:15:00	0.88	33.24	0.10	0.80	51.28	51.36	293.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 07:30:00	1.25	33.24	0.10	1.17	50.91	50.99	294.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 07:45:00	1.38	33.24	0.10	1.30	50.78	50.87	294.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 08:00:00	1.47	33.24	0.11	1.39	50.70	50.78	294.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 08:15:00	1.54	33.24	0.11	1.45	50.63	50.71	294.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 08:30:00	1.60	33.24	0.11	1.52	50.56	50.65	294.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 08:45:00	1.68	33.24	0.11	1.59	50.49	50.58	294.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 09:00:00	1.74	33.25	0.11	1.66	50.42	50.51	294.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 09:15:00	1.76	33.25	0.11	1.67	50.41	50.49	294.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 09:30:00	-3.47	33.25	0.11	-3.56	55.64	55.72	289.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 09:45:00	1.07	33.24	0.11	0.98	51.09	51.18	293.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 10:00:00	1.47	33.24	0.11	1.39	50.69	50.77	294.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 10:15:00	1.60	33.24	0.10	1.52	50.56	50.64	294.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 10:30:00	1.69	33.23	0.10	1.62	50.47	50.55	294.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 10:45:00	1.74	33.23	0.09	1.67	50.43	50.50	294.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 11:00:00	1.77	33.22	0.09	1.70	50.39	50.46	294.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 11:15:00	1.80	33.22	0.08	1.74	50.36	50.43	294.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 11:30:00	1.83	33.22	0.08	1.76	50.34	50.40	294.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 11:45:00	1.82	33.21	0.08	1.76	50.34	50.40	294.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 12:00:00	1.82	33.21	0.07	1.77	50.34	50.40	294.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 12:15:00	1.81	33.20	0.07	1.76	50.35	50.40	294.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 12:30:00	1.81	33.20	0.06	1.76	50.36	50.41	294.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 12:45:00	1.78	33.19	0.06	1.74	50.38	50.43	294.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 13:00:00	1.57	33.19	0.06	1.53	50.59	50.64	294.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 13:15:00	1.53	33.19	0.05	1.49	50.64	50.68	294.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 13:30:00	1.57	33.18	0.05	1.53	50.60	50.64	294.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 13:45:00	1.61	33.18	0.04	1.58	50.56	50.59	294.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 14:00:00	1.66	33.17	0.04	1.63	50.51	50.54	294.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 14:15:00	1.70	33.17	0.03	1.67	50.47	50.49	294.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 14:30:00	1.73	33.16	0.03	1.71	50.43	50.45	294.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 14:45:00	1.74	33.16	0.02	1.73	50.42	50.44	294.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 15:00:00	1.71	33.15	0.02	1.69	50.46	50.47	294.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 15:15:00	1.68	33.15	0.01	1.67	50.48	50.49	294.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 15:30:00	1.70	33.15	0.01	1.69	50.47	50.48	294.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 15:45:00	1.71	33.14	0.01	1.70	50.46	50.46	294.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 16:00:00	1.70	33.14	0.00	1.70	50.46	50.47	294.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 16:15:00	1.69	33.13	0.00	1.70	50.47	50.47	294.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 16:30:00	1.68	33.13	-0.01	1.69	50.48	50.47	294.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 16:45:00	1.70	33.12	-0.01	1.71	50.47	50.46	294.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 17:00:00	1.70	33.12	-0.02	1.72	50.46	50.45	294.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 17:15:00	1.70	33.11	-0.02	1.72	50.46	50.45	294.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 17:30:00	1.72	33.11	-0.03	1.74	50.44	50.42	294.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 17:45:00	1.74	33.11	-0.02	1.76	50.43	50.41	294.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 18:00:00	1.73	33.11	-0.02	1.75	50.43	50.42	294.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 18:15:00	-9.38	33.11	-0.02	-9.36	61.54	61.53	283.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 18:30:00	0.85	33.12	-0.02	0.86	51.32	51.30	293.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 18:45:00	1.33	33.12	-0.02	1.34	50.83	50.82	294.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 19:00:00	1.29	33.12	-0.01	1.30	50.87	50.86	294.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 19:15:00	1.30	33.12	-0.01	1.31	50.87	50.86	294.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 19:30:00	1.37	33.13	-0.01	1.38	50.79	50.78	294.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 19:45:00	1.43	33.13	-0.01	1.44	50.73	50.72	294.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 20:00:00	1.38	33.13	-0.01	1.39	50.78	50.78	294.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 20:15:00	1.39	33.13	0.00	1.39	50.77	50.77	294.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 20:30:00	1.43	33.13	0.00	1.43	50.74	50.74	294.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 20:45:00	1.46	33.14	0.00	1.46	50.70	50.70	294.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 21:00:00	1.49	33.14	0.00	1.49	50.68	50.68	294.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 21:15:00	0.24	33.14	0.01	0.24	51.92	51.93	293.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 21:30:00	1.06	33.14	0.01	1.05	51.11	51.11	293.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 21:45:00	1.23	33.14	0.01	1.23	50.93	50.94	294.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 22:00:00	1.31	33.14	0.01	1.31	50.85	50.86	294.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 22:15:00	1.40	33.14	0.01	1.40	50.76	50.77	294.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 22:30:00	1.48	33.14	0.01	1.48	50.68	50.69	294.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 22:45:00	1.54	33.14	0.01	1.53	50.63	50.64	294.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 23:00:00	1.57	33.14	0.01	1.56	50.60	50.60	294.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 23:15:00	1.60	33.14	0.01	1.59	50.56	50.57	294.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 23:30:00	1.64	33.15	0.01	1.63	50.53	50.53	294.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/21/10 23:45:00	1.68	33.15	0.01	1.67	50.48	50.49	294.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 00:00:00	1.72	33.15	0.01	1.72	50.44	50.45	294.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 00:15:00	1.76	33.15	0.01	1.75	50.41	50.42	294.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 00:30:00	1.79	33.15	0.01	1.78	50.38	50.39	294.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 00:45:00	1.79	33.15	0.01	1.78	50.37	50.38	294.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 01:00:00	1.61	33.15	0.01	1.60	50.55	50.56	294.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 01:15:00	1.57	33.15	0.01	1.56	50.59	50.60	294.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 01:30:00	1.61	33.15	0.01	1.60	50.56	50.57	294.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 01:45:00	1.67	33.15	0.02	1.65	50.50	50.51	294.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 02:00:00	1.73	33.15	0.02	1.72	50.43	50.45	294.55	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/22/10 02:15:00	1.78	33.15	0.02	1.76	50.39	50.40	294.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 02:30:00	1.82	33.16	0.02	1.80	50.35	50.36	294.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 02:45:00	1.85	33.16	0.02	1.83	50.32	50.33	294.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 03:00:00	1.82	33.16	0.02	1.80	50.35	50.37	294.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 03:15:00	1.83	33.16	0.03	1.81	50.33	50.35	294.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 03:30:00	1.88	33.16	0.03	1.86	50.29	50.31	294.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 03:45:00	1.92	33.16	0.03	1.90	50.24	50.27	294.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 04:00:00	1.97	33.17	0.03	1.94	50.20	50.22	294.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 04:15:00	1.99	33.17	0.03	1.96	50.17	50.20	294.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 04:30:00	2.00	33.17	0.04	1.97	50.17	50.20	294.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 04:45:00	-6.62	33.17	0.04	-6.65	58.78	58.81	286.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 05:00:00	1.30	33.17	0.04	1.27	50.86	50.89	294.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 05:15:00	1.77	33.18	0.04	1.73	50.40	50.43	294.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 05:30:00	1.88	33.18	0.04	1.85	50.28	50.32	294.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 05:45:00	1.83	33.18	0.04	1.79	50.34	50.37	294.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 06:00:00	1.83	33.18	0.05	1.79	50.34	50.37	294.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 06:15:00	1.76	33.18	0.05	1.72	50.41	50.45	294.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 06:30:00	1.74	33.18	0.05	1.70	50.42	50.46	294.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 06:45:00	1.76	33.19	0.05	1.72	50.41	50.45	294.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 07:00:00	-4.86	33.19	0.05	-4.90	57.03	57.07	287.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 07:15:00	0.89	33.19	0.05	0.84	51.28	51.32	293.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 07:30:00	1.30	33.19	0.06	1.26	50.86	50.90	294.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 07:45:00	1.50	33.19	0.06	1.46	50.66	50.71	294.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 08:00:00	1.59	33.19	0.06	1.55	50.57	50.62	294.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 08:15:00	1.67	33.19	0.06	1.62	50.49	50.54	294.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 08:30:00	1.74	33.20	0.06	1.70	50.42	50.47	294.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 08:45:00	-5.06	33.20	0.06	-5.11	57.22	57.27	287.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 09:00:00	1.15	33.20	0.06	1.10	51.02	51.07	293.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 09:15:00	1.58	33.20	0.07	1.53	50.59	50.64	294.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 09:30:00	1.73	33.20	0.07	1.68	50.44	50.49	294.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 09:45:00	1.81	33.20	0.06	1.76	50.36	50.41	294.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 10:00:00	1.87	33.19	0.06	1.82	50.30	50.34	294.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 10:15:00	1.93	33.19	0.06	1.88	50.24	50.28	294.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 10:30:00	1.95	33.19	0.05	1.91	50.21	50.25	294.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 10:45:00	1.89	33.18	0.05	1.85	50.27	50.31	294.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 11:00:00	1.89	33.18	0.05	1.86	50.27	50.31	294.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 11:15:00	1.91	33.18	0.04	1.87	50.26	50.29	294.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 11:30:00	1.94	33.17	0.04	1.91	50.23	50.26	294.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 11:45:00	1.95	33.17	0.03	1.93	50.21	50.24	294.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 12:00:00	1.93	33.17	0.03	1.90	50.24	50.26	294.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 12:15:00	1.92	33.16	0.03	1.90	50.25	50.27	294.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 12:30:00	1.93	33.16	0.02	1.91	50.23	50.25	294.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 12:45:00	1.92	33.15	0.02	1.91	50.24	50.26	294.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 13:00:00	1.76	33.15	0.02	1.75	50.40	50.42	294.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 13:15:00	1.71	33.15	0.01	1.70	50.46	50.47	294.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 13:30:00	1.78	33.14	0.01	1.78	50.38	50.39	294.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 13:45:00	1.86	33.14	0.01	1.85	50.31	50.31	294.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 14:00:00	1.92	33.14	0.00	1.92	50.24	50.24	294.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 14:15:00	1.96	33.13	0.00	1.96	50.21	50.21	294.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 14:30:00	1.99	33.13	0.00	1.99	50.18	50.18	294.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 14:45:00	2.03	33.13	-0.01	2.03	50.14	50.13	294.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 15:00:00	2.05	33.12	-0.01	2.06	50.11	50.11	294.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 15:15:00	2.05	33.12	-0.01	2.06	50.11	50.10	294.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 15:30:00	2.05	33.12	-0.02	2.07	50.11	50.10	294.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 15:45:00	2.06	33.11	-0.02	2.07	50.11	50.09	294.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 16:00:00	2.07	33.11	-0.02	2.09	50.09	50.08	294.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 16:15:00	1.99	33.11	-0.03	2.01	50.17	50.15	294.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 16:30:00	2.00	33.11	-0.03	2.02	50.17	50.15	294.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 16:45:00	2.01	33.10	-0.03	2.04	50.15	50.13	294.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 17:00:00	2.01	33.10	-0.04	2.04	50.16	50.13	294.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 17:15:00	2.01	33.10	-0.04	2.04	50.15	50.12	294.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 17:30:00	1.98	33.09	-0.04	2.01	50.19	50.15	294.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 17:45:00	1.98	33.10	-0.04	2.01	50.19	50.16	294.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 18:00:00	2.00	33.10	-0.04	2.02	50.17	50.14	294.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 18:15:00	1.99	33.10	-0.03	2.02	50.17	50.15	294.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 18:30:00	2.01	33.10	-0.03	2.03	50.16	50.13	294.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 18:45:00	-8.68	33.11	-0.03	-8.65	60.84	60.82	284.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 19:00:00	0.88	33.11	-0.03	0.90	51.28	51.26	293.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 19:15:00	1.36	33.11	-0.02	1.38	50.80	50.78	294.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 19:30:00	1.52	33.12	-0.02	1.54	50.64	50.63	294.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 19:45:00	1.64	33.12	-0.02	1.66	50.52	50.51	294.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 20:00:00	-3.97	33.12	-0.01	-3.96	56.14	56.13	288.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 20:15:00	1.23	33.12	-0.01	1.24	50.94	50.93	294.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 20:30:00	1.64	33.13	-0.01	1.65	50.53	50.52	294.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 20:45:00	1.78	33.13	-0.01	1.79	50.38	50.38	294.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 21:00:00	1.79	33.13	0.00	1.79	50.38	50.37	294.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 21:15:00	1.84	33.13	0.00	1.84	50.32	50.32	294.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 21:30:00	1.91	33.14	0.00	1.91	50.25	50.26	294.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 21:45:00	1.98	33.14	0.00	1.98	50.18	50.19	294.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 22:00:00	2.03	33.14	0.01	2.02	50.14	50.14	294.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 22:15:00	2.05	33.14	0.01	2.04	50.12	50.12	294.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 22:30:00	2.07	33.15	0.01	2.06	50.09	50.10	294.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 22:45:00	2.10	33.15	0.01	2.08	50.07	50.08	294.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 23:00:00	2.13	33.15	0.02	2.11	50.04	50.05	294.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 23:15:00	2.15	33.15	0.02	2.14	50.01	50.02	294.98	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/22/10 23:30:00	2.19	33.16	0.02	2.17	49.98	49.99	295.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/22/10 23:45:00	2.22	33.16	0.02	2.20	49.95	49.97	295.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 00:00:00	2.20	33.16	0.03	2.18	49.97	49.99	295.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 00:15:00	2.18	33.16	0.03	2.16	49.98	50.00	295.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 00:30:00	2.22	33.16	0.03	2.20	49.94	49.97	295.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 00:45:00	2.23	33.17	0.03	2.21	49.93	49.96	295.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 01:00:00	2.08	33.17	0.03	2.05	50.09	50.11	294.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 01:15:00	1.99	33.17	0.04	1.96	50.17	50.20	294.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 01:30:00	2.06	33.17	0.04	2.03	50.11	50.14	294.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 01:45:00	2.12	33.18	0.04	2.09	50.04	50.07	294.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 02:00:00	2.17	33.18	0.04	2.14	49.99	50.03	294.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 02:15:00	2.23	33.18	0.05	2.19	49.94	49.97	295.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 02:30:00	2.28	33.18	0.05	2.24	49.88	49.92	295.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 02:45:00	2.32	33.19	0.05	2.28	49.84	49.88	295.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 03:00:00	2.35	33.19	0.05	2.31	49.81	49.85	295.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 03:15:00	2.37	33.19	0.06	2.32	49.80	49.84	295.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 03:30:00	2.37	33.19	0.06	2.32	49.79	49.84	295.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 03:45:00	2.38	33.20	0.06	2.33	49.79	49.84	295.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 04:00:00	2.38	33.20	0.06	2.33	49.78	49.83	295.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 04:15:00	-6.54	33.20	0.07	-6.59	58.71	58.76	286.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 04:30:00	1.68	33.20	0.07	1.62	50.49	50.54	294.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 04:45:00	2.13	33.21	0.07	2.07	50.04	50.10	294.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 05:00:00	2.21	33.21	0.08	2.15	49.96	50.01	294.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 05:15:00	2.30	33.21	0.08	2.24	49.87	49.93	295.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 05:30:00	2.33	33.22	0.08	2.26	49.84	49.90	295.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 05:45:00	2.31	33.22	0.08	2.25	49.85	49.92	295.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 06:00:00	2.21	33.22	0.08	2.14	49.96	50.02	294.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 06:15:00	2.17	33.22	0.08	2.11	49.99	50.06	294.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 06:30:00	2.17	33.22	0.08	2.10	50.00	50.07	294.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 06:45:00	2.15	33.22	0.09	2.08	50.02	50.08	294.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 07:00:00	1.95	33.22	0.09	1.89	50.21	50.28	294.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 07:15:00	1.91	33.22	0.09	1.84	50.26	50.33	294.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 07:30:00	1.98	33.22	0.09	1.91	50.19	50.26	294.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 07:45:00	0.34	33.23	0.09	0.27	51.83	51.90	293.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 08:00:00	1.64	33.23	0.09	1.57	50.52	50.59	294.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 08:15:00	1.87	33.23	0.09	1.80	50.30	50.37	294.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 08:30:00	1.98	33.23	0.09	1.91	50.18	50.26	294.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 08:45:00	1.98	33.23	0.09	1.91	50.18	50.25	294.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 09:00:00	2.06	33.23	0.10	1.98	50.11	50.18	294.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 09:15:00	-17.20	33.23	0.10	-17.27	69.36	69.44	275.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 09:30:00	-0.60	33.23	0.10	-0.68	52.77	52.84	292.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 09:45:00	1.15	33.24	0.10	1.07	51.01	51.09	293.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 10:00:00	1.61	33.24	0.10	1.53	50.55	50.63	294.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 10:15:00	1.83	33.24	0.11	1.74	50.34	50.42	294.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 10:30:00	1.96	33.24	0.11	1.88	50.20	50.29	294.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 10:45:00	2.04	33.25	0.11	1.96	50.12	50.21	294.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 11:00:00	2.08	33.25	0.11	1.99	50.09	50.17	294.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 11:15:00	2.12	33.25	0.12	2.03	50.04	50.13	294.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 11:30:00	2.17	33.26	0.12	2.07	50.00	50.09	294.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 11:45:00	2.19	33.26	0.12	2.09	49.97	50.07	294.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 12:00:00	2.22	33.26	0.13	2.12	49.95	50.05	294.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 12:15:00	2.25	33.26	0.13	2.15	49.91	50.01	294.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 12:30:00	2.26	33.27	0.13	2.16	49.91	50.01	294.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 12:45:00	2.23	33.27	0.13	2.13	49.93	50.04	294.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 13:00:00	2.12	33.27	0.14	2.01	50.05	50.15	294.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 13:15:00	2.07	33.27	0.14	1.96	50.10	50.21	294.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 13:30:00	2.12	33.28	0.14	2.01	50.05	50.16	294.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 13:45:00	2.17	33.28	0.14	2.05	50.00	50.11	294.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 14:00:00	2.19	33.28	0.15	2.08	49.97	50.09	294.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 14:15:00	2.23	33.28	0.15	2.12	49.93	50.05	294.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 14:30:00	2.28	33.29	0.15	2.16	49.89	50.01	294.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 14:45:00	2.32	33.29	0.15	2.20	49.84	49.96	295.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 15:00:00	2.35	33.29	0.15	2.23	49.82	49.94	295.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 15:15:00	2.36	33.29	0.16	2.23	49.81	49.93	295.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 15:30:00	2.37	33.29	0.16	2.25	49.79	49.92	295.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 15:45:00	2.38	33.30	0.16	2.26	49.78	49.91	295.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 16:00:00	2.39	33.30	0.16	2.26	49.78	49.90	295.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 16:15:00	2.39	33.30	0.16	2.26	49.77	49.90	295.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 16:30:00	2.40	33.30	0.17	2.27	49.76	49.89	295.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 16:45:00	2.43	33.30	0.17	2.29	49.74	49.87	295.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 17:00:00	2.37	33.31	0.17	2.24	49.79	49.92	295.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 17:15:00	2.37	33.31	0.17	2.23	49.80	49.93	295.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 17:30:00	2.39	33.31	0.18	2.25	49.78	49.92	295.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 17:45:00	2.40	33.31	0.18	2.26	49.77	49.91	295.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 18:00:00	2.40	33.32	0.18	2.26	49.76	49.90	295.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 18:15:00	2.41	33.32	0.19	2.27	49.75	49.90	295.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 18:30:00	2.40	33.32	0.19	2.26	49.76	49.91	295.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 18:45:00	2.39	33.33	0.19	2.24	49.77	49.92	295.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 19:00:00	-7.08	33.33	0.20	-7.23	59.25	59.40	285.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 19:15:00	1.24	33.33	0.20	1.09	50.92	51.08	293.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 19:30:00	1.91	33.34	0.20	1.75	50.26	50.42	294.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 19:45:00	2.14	33.34	0.21	1.97	50.03	50.19	294.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 20:00:00	2.24	33.34	0.21	2.08	49.92	50.09	294.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 20:15:00	2.23	33.35	0.21	2.07	49.93	50.10	294.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 20:30:00	2.29	33.35	0.22	2.12	49.87	50.04	294.96	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/23/10 20:45:00	2.34	33.35	0.22	2.17	49.82	49.99	295.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 21:00:00	-4.17	33.36	0.22	-4.35	56.34	56.51	288.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 21:15:00	1.78	33.36	0.23	1.60	50.39	50.57	294.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 21:30:00	2.17	33.36	0.23	1.99	49.99	50.17	294.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 21:45:00	2.31	33.37	0.23	2.13	49.85	50.03	294.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 22:00:00	-10.30	33.37	0.23	-10.48	62.46	62.64	282.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 22:15:00	1.52	33.37	0.23	1.34	50.65	50.83	294.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 22:30:00	2.00	33.37	0.23	1.82	50.17	50.35	294.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 22:45:00	2.17	33.37	0.24	1.99	49.99	50.18	294.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 23:00:00	2.30	33.37	0.24	2.12	49.86	50.05	294.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 23:15:00	2.38	33.37	0.24	2.20	49.78	49.97	295.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 23:30:00	2.44	33.37	0.24	2.25	49.72	49.91	295.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/23/10 23:45:00	2.48	33.38	0.24	2.30	49.68	49.87	295.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 00:00:00	2.50	33.38	0.24	2.31	49.67	49.85	295.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 00:15:00	2.52	33.38	0.24	2.33	49.64	49.83	295.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 00:30:00	2.55	33.38	0.24	2.36	49.62	49.81	295.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 00:45:00	2.53	33.38	0.25	2.34	49.63	49.82	295.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 01:00:00	2.36	33.38	0.25	2.17	49.80	49.99	295.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 01:15:00	2.33	33.38	0.25	2.13	49.84	50.03	294.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 01:30:00	2.38	33.38	0.25	2.18	49.79	49.98	295.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 01:45:00	2.41	33.39	0.25	2.21	49.76	49.95	295.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 02:00:00	2.44	33.39	0.26	2.24	49.73	49.93	295.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 02:15:00	2.48	33.39	0.26	2.28	49.68	49.89	295.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 02:30:00	2.53	33.40	0.26	2.33	49.63	49.84	295.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 02:45:00	2.58	33.40	0.27	2.37	49.59	49.79	295.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 03:00:00	-0.33	33.40	0.27	-0.54	52.50	52.71	292.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 03:15:00	2.12	33.41	0.27	1.91	50.04	50.26	294.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 03:30:00	2.35	33.41	0.28	2.14	49.81	50.03	294.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 03:45:00	2.44	33.41	0.28	2.22	49.72	49.94	295.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 04:00:00	2.51	33.42	0.28	2.29	49.65	49.87	295.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 04:15:00	2.57	33.42	0.29	2.35	49.59	49.81	295.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 04:30:00	2.62	33.42	0.29	2.39	49.55	49.77	295.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 04:45:00	2.65	33.43	0.29	2.42	49.51	49.74	295.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 05:00:00	2.68	33.43	0.30	2.45	49.49	49.72	295.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 05:15:00	2.69	33.43	0.30	2.46	49.47	49.71	295.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 05:30:00	2.66	33.44	0.30	2.42	49.50	49.74	295.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 05:45:00	2.50	33.44	0.31	2.26	49.67	49.91	295.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 06:00:00	2.40	33.44	0.31	2.16	49.76	50.00	295.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 06:15:00	2.39	33.44	0.31	2.15	49.78	50.02	294.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 06:30:00	2.39	33.45	0.31	2.15	49.78	50.02	294.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 06:45:00	2.40	33.45	0.31	2.15	49.77	50.01	294.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 07:00:00	-1.90	33.45	0.32	-2.15	54.07	54.31	290.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 07:15:00	1.23	33.45	0.32	0.99	50.93	51.18	293.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 07:30:00	1.86	33.46	0.32	1.61	50.31	50.56	294.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 07:45:00	2.07	33.46	0.32	1.82	50.09	50.35	294.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 08:00:00	2.16	33.46	0.32	1.91	50.00	50.25	294.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 08:15:00	2.22	33.46	0.33	1.97	49.94	50.20	294.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 08:30:00	2.27	33.46	0.33	2.02	49.89	50.15	294.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 08:45:00	2.32	33.47	0.33	2.06	49.85	50.10	294.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 09:00:00	2.36	33.47	0.33	2.10	49.80	50.06	294.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 09:15:00	0.88	33.47	0.34	0.62	51.29	51.55	293.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 09:30:00	1.90	33.47	0.34	1.64	50.26	50.52	294.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 09:45:00	2.14	33.47	0.34	1.87	50.03	50.29	294.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 10:00:00	-1.44	33.48	0.34	-1.70	53.60	53.87	291.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 10:15:00	1.77	33.48	0.34	1.51	50.39	50.66	294.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 10:30:00	2.11	33.48	0.34	1.84	50.06	50.33	294.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 10:45:00	2.22	33.48	0.35	1.95	49.94	50.21	294.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 11:00:00	2.31	33.48	0.35	2.04	49.85	50.12	294.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 11:15:00	2.37	33.48	0.35	2.10	49.79	50.07	294.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 11:30:00	2.42	33.49	0.35	2.14	49.75	50.02	294.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 11:45:00	2.40	33.49	0.35	2.12	49.77	50.04	294.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 12:00:00	2.38	33.49	0.35	2.10	49.79	50.07	294.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 12:15:00	2.40	33.49	0.36	2.13	49.76	50.04	294.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 12:30:00	2.44	33.49	0.36	2.16	49.73	50.01	294.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 12:45:00	2.44	33.49	0.36	2.16	49.72	50.00	295.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 13:00:00	2.28	33.50	0.36	2.00	49.89	50.17	294.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 13:15:00	2.20	33.50	0.36	1.92	49.97	50.25	294.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 13:30:00	2.24	33.50	0.37	1.95	49.93	50.21	294.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 13:45:00	2.30	33.50	0.36	2.02	49.87	50.15	294.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 14:00:00	2.33	33.49	0.36	2.05	49.84	50.12	294.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 14:15:00	2.30	33.49	0.36	2.02	49.86	50.14	294.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 14:30:00	2.35	33.49	0.35	2.08	49.82	50.09	294.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 14:45:00	2.38	33.48	0.35	2.11	49.78	50.05	294.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 15:00:00	2.40	33.48	0.34	2.13	49.77	50.04	294.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 15:15:00	2.42	33.48	0.34	2.15	49.75	50.01	294.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 15:30:00	2.44	33.47	0.34	2.18	49.72	49.98	295.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 15:45:00	2.44	33.47	0.33	2.18	49.72	49.98	295.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 16:00:00	2.44	33.47	0.33	2.18	49.72	49.98	295.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 16:15:00	2.43	33.46	0.33	2.18	49.73	49.99	295.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 16:30:00	2.43	33.46	0.32	2.18	49.73	49.99	295.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 16:45:00	2.45	33.46	0.32	2.20	49.72	49.97	295.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 17:00:00	2.48	33.45	0.32	2.23	49.69	49.94	295.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 17:15:00	2.45	33.45	0.31	2.20	49.72	49.96	295.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 17:30:00	2.43	33.45	0.31	2.19	49.73	49.98	295.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 17:45:00	2.45	33.45	0.31	2.21	49.72	49.96	295.04	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/24/10 18:00:00	2.46	33.44	0.31	2.22	49.71	49.95	295.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 18:15:00	2.48	33.44	0.31	2.24	49.69	49.93	295.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 18:30:00	2.48	33.44	0.31	2.24	49.69	49.93	295.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 18:45:00	2.45	33.44	0.31	2.21	49.71	49.95	295.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 19:00:00	2.26	33.44	0.31	2.02	49.90	50.14	294.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 19:15:00	2.18	33.44	0.30	1.95	49.98	50.22	294.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 19:30:00	2.24	33.44	0.30	2.01	49.92	50.16	294.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 19:45:00	-5.62	33.44	0.30	-5.85	57.78	58.02	286.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 20:00:00	1.58	33.44	0.30	1.35	50.58	50.82	294.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 20:15:00	2.07	33.44	0.30	1.83	50.10	50.33	294.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 20:30:00	2.19	33.43	0.30	1.96	49.97	50.21	294.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 20:45:00	2.19	33.43	0.30	1.95	49.98	50.21	294.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 21:00:00	2.24	33.43	0.30	2.01	49.92	50.15	294.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 21:15:00	2.30	33.43	0.30	2.07	49.86	50.09	294.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 21:30:00	2.35	33.43	0.30	2.12	49.82	50.05	294.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 21:45:00	2.38	33.43	0.30	2.15	49.78	50.01	294.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 22:00:00	2.42	33.43	0.30	2.19	49.75	49.98	295.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 22:15:00	2.45	33.43	0.30	2.21	49.72	49.95	295.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 22:30:00	1.26	33.43	0.30	1.02	50.91	51.14	293.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 22:45:00	-1.10	33.43	0.30	-1.33	53.27	53.50	291.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 23:00:00	1.75	33.44	0.30	1.51	50.42	50.65	294.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 23:15:00	1.99	33.44	0.30	1.75	50.18	50.41	294.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 23:30:00	2.08	33.44	0.30	1.84	50.08	50.32	294.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/24/10 23:45:00	2.16	33.44	0.30	1.93	50.00	50.24	294.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 00:00:00	2.19	33.44	0.30	1.96	49.97	50.21	294.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 00:15:00	2.28	33.44	0.30	2.04	49.89	50.12	294.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 00:30:00	2.35	33.44	0.31	2.11	49.82	50.05	294.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 00:45:00	2.39	33.44	0.31	2.15	49.77	50.01	294.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 01:00:00	2.25	33.44	0.31	2.01	49.91	50.15	294.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 01:15:00	2.18	33.44	0.31	1.94	49.99	50.23	294.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 01:30:00	2.24	33.44	0.31	2.00	49.93	50.17	294.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 01:45:00	2.32	33.44	0.31	2.08	49.85	50.09	294.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 02:00:00	2.37	33.44	0.31	2.13	49.80	50.04	294.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 02:15:00	2.41	33.44	0.31	2.17	49.76	50.00	295.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 02:30:00	2.43	33.44	0.31	2.19	49.73	49.97	295.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 02:45:00	2.46	33.44	0.31	2.22	49.70	49.94	295.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 03:00:00	2.50	33.44	0.31	2.26	49.67	49.90	295.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 03:15:00	2.51	33.44	0.31	2.27	49.65	49.89	295.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 03:30:00	2.51	33.44	0.30	2.27	49.66	49.89	295.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 03:45:00	2.50	33.44	0.30	2.27	49.66	49.90	295.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 04:00:00	2.44	33.44	0.30	2.21	49.72	49.96	295.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 04:15:00	2.47	33.44	0.30	2.24	49.69	49.93	295.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 04:30:00	2.51	33.44	0.30	2.28	49.65	49.89	295.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 04:45:00	2.56	33.44	0.30	2.32	49.61	49.84	295.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 05:00:00	2.60	33.44	0.30	2.36	49.57	49.80	295.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 05:15:00	2.62	33.44	0.30	2.38	49.55	49.78	295.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 05:30:00	2.61	33.44	0.30	2.37	49.56	49.79	295.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 05:45:00	2.57	33.44	0.30	2.34	49.60	49.83	295.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 06:00:00	2.52	33.43	0.30	2.28	49.65	49.88	295.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 06:15:00	0.43	33.43	0.30	0.20	51.74	51.97	293.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 06:30:00	1.53	33.43	0.30	1.30	50.64	50.87	294.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 06:45:00	2.09	33.43	0.30	1.86	50.08	50.31	294.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 07:00:00	2.04	33.43	0.30	1.81	50.13	50.36	294.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 07:15:00	-0.01	33.43	0.30	-0.24	52.17	52.40	292.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 07:30:00	-5.18	33.43	0.29	-5.41	57.34	57.57	287.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 07:45:00	1.23	33.43	0.29	1.00	50.94	51.17	293.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 08:00:00	-3.18	33.43	0.29	-3.41	55.35	55.57	289.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 08:15:00	1.34	33.43	0.29	1.11	50.83	51.06	293.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 08:30:00	0.61	33.43	0.29	0.38	51.55	51.78	293.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 08:45:00	1.58	33.43	0.29	1.35	50.59	50.81	294.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 09:00:00	0.58	33.42	0.29	0.35	51.59	51.81	293.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 09:15:00	-16.29	33.42	0.29	-16.52	68.46	68.68	276.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 09:30:00	-14.61	33.42	0.29	-14.83	66.77	67.00	278.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 09:45:00	-0.47	33.42	0.28	-0.69	52.64	52.86	292.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 10:00:00	0.82	33.41	0.28	0.60	51.35	51.56	293.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 10:15:00	-3.13	33.40	0.27	-3.34	55.29	55.50	289.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 10:30:00	0.86	33.40	0.26	0.66	51.31	51.51	293.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 10:45:00	-0.30	33.39	0.26	-0.50	52.46	52.66	292.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 11:00:00	-0.76	33.38	0.25	-0.95	52.92	53.12	291.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 11:15:00	0.92	33.38	0.24	0.73	51.24	51.43	293.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 11:30:00	1.32	33.37	0.24	1.13	50.85	51.03	293.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 11:45:00	1.53	33.37	0.23	1.35	50.64	50.82	294.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 12:00:00	1.65	33.36	0.22	1.47	50.52	50.69	294.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 12:15:00	1.73	33.35	0.22	1.56	50.44	50.61	294.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 12:30:00	1.72	33.35	0.21	1.56	50.44	50.61	294.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 12:45:00	1.72	33.34	0.20	1.56	50.45	50.61	294.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 13:00:00	1.59	33.33	0.20	1.44	50.57	50.73	294.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 13:15:00	1.55	33.33	0.19	1.40	50.62	50.77	294.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 13:30:00	1.60	33.32	0.19	1.45	50.57	50.71	294.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 13:45:00	1.67	33.32	0.18	1.52	50.50	50.64	294.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 14:00:00	1.74	33.31	0.18	1.60	50.43	50.57	294.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 14:15:00	1.70	33.31	0.17	1.57	50.46	50.60	294.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 14:30:00	1.72	33.30	0.17	1.59	50.44	50.57	294.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 14:45:00	1.77	33.30	0.16	1.64	50.40	50.53	294.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 15:00:00	1.81	33.29	0.16	1.69	50.35	50.48	294.52	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/25/10 15:15:00	1.84	33.29	0.15	1.72	50.33	50.45	294.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 15:30:00	1.85	33.28	0.15	1.73	50.31	50.43	294.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 15:45:00	1.88	33.28	0.14	1.77	50.29	50.40	294.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 16:00:00	1.89	33.27	0.14	1.78	50.28	50.39	294.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 16:15:00	1.90	33.27	0.13	1.80	50.26	50.37	294.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 16:30:00	1.94	33.26	0.13	1.84	50.23	50.33	294.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 16:45:00	1.91	33.26	0.13	1.81	50.26	50.35	294.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 17:00:00	1.80	33.26	0.12	1.71	50.36	50.46	294.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 17:15:00	1.77	33.25	0.12	1.68	50.39	50.48	294.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 17:30:00	-8.84	33.25	0.11	-8.92	61.00	61.09	283.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 17:45:00	0.84	33.25	0.11	0.75	51.33	51.41	293.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 18:00:00	1.40	33.25	0.11	1.31	50.76	50.85	294.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 18:15:00	1.61	33.25	0.11	1.53	50.55	50.64	294.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 18:30:00	1.74	33.25	0.11	1.65	50.42	50.51	294.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 18:45:00	1.80	33.25	0.11	1.71	50.36	50.45	294.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 19:00:00	1.65	33.25	0.11	1.56	50.51	50.60	294.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 19:15:00	1.62	33.25	0.11	1.54	50.54	50.63	294.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 19:30:00	1.69	33.25	0.11	1.60	50.48	50.57	294.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 19:45:00	1.70	33.25	0.11	1.61	50.47	50.56	294.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 20:00:00	1.73	33.25	0.11	1.64	50.44	50.52	294.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 20:15:00	-3.68	33.25	0.11	-3.77	55.85	55.93	289.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 20:30:00	1.27	33.25	0.11	1.18	50.90	50.99	294.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 20:45:00	-6.33	33.25	0.11	-6.42	58.50	58.58	286.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 21:00:00	0.54	33.25	0.11	0.45	51.62	51.71	293.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 21:15:00	-1.23	33.25	0.11	-1.32	53.39	53.48	291.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 21:30:00	1.23	33.25	0.12	1.14	50.94	51.03	293.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 21:45:00	1.59	33.25	0.12	1.50	50.58	50.67	294.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 22:00:00	1.76	33.25	0.12	1.67	50.41	50.50	294.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 22:15:00	1.84	33.25	0.12	1.75	50.32	50.41	294.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 22:30:00	1.93	33.25	0.12	1.84	50.23	50.33	294.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 22:45:00	1.99	33.25	0.12	1.89	50.18	50.27	294.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 23:00:00	1.92	33.26	0.12	1.82	50.25	50.34	294.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 23:15:00	1.93	33.26	0.12	1.84	50.23	50.33	294.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 23:30:00	1.99	33.26	0.12	1.89	50.18	50.28	294.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/25/10 23:45:00	2.05	33.26	0.12	1.95	50.12	50.21	294.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 00:00:00	2.10	33.26	0.12	2.01	50.06	50.16	294.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 00:15:00	2.14	33.26	0.12	2.04	50.03	50.12	294.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 00:30:00	2.17	33.26	0.13	2.07	50.00	50.09	294.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 00:45:00	2.18	33.26	0.13	2.08	49.99	50.09	294.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 01:00:00	1.99	33.26	0.13	1.89	50.17	50.27	294.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 01:15:00	1.89	33.26	0.13	1.79	50.27	50.37	294.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 01:30:00	1.97	33.26	0.13	1.87	50.20	50.30	294.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 01:45:00	2.06	33.26	0.13	1.96	50.10	50.20	294.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 02:00:00	2.11	33.26	0.12	2.01	50.05	50.15	294.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 02:15:00	2.16	33.26	0.12	2.06	50.01	50.10	294.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 02:30:00	2.18	33.25	0.12	2.09	49.98	50.08	294.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 02:45:00	2.21	33.25	0.12	2.11	49.96	50.05	294.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 03:00:00	2.21	33.25	0.11	2.12	49.96	50.05	294.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 03:15:00	2.21	33.25	0.11	2.12	49.96	50.05	294.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 03:30:00	2.12	33.24	0.11	2.03	50.05	50.13	294.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 03:45:00	2.16	33.24	0.11	2.07	50.01	50.09	294.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 04:00:00	2.20	33.24	0.10	2.12	49.96	50.04	294.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 04:15:00	2.28	33.24	0.10	2.20	49.89	49.96	295.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 04:30:00	2.31	33.23	0.10	2.23	49.86	49.93	295.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 04:45:00	2.33	33.23	0.10	2.25	49.84	49.91	295.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 05:00:00	2.36	33.23	0.09	2.28	49.81	49.88	295.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 05:15:00	2.37	33.22	0.09	2.30	49.79	49.86	295.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 05:30:00	2.35	33.22	0.09	2.29	49.81	49.88	295.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 05:45:00	2.33	33.22	0.09	2.26	49.84	49.91	295.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 06:00:00	2.30	33.22	0.09	2.23	49.86	49.93	295.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 06:15:00	2.27	33.23	0.09	2.20	49.90	49.97	295.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 06:30:00	2.20	33.23	0.09	2.13	49.96	50.04	294.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 06:45:00	2.15	33.23	0.09	2.08	50.01	50.09	294.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 07:00:00	2.02	33.23	0.10	1.94	50.15	50.22	294.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 07:15:00	-6.98	33.23	0.10	-7.06	59.15	59.22	285.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 07:30:00	1.10	33.23	0.10	1.02	51.07	51.14	293.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 07:45:00	1.72	33.23	0.10	1.64	50.44	50.52	294.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 08:00:00	1.88	33.24	0.10	1.80	50.29	50.37	294.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 08:15:00	-2.52	33.24	0.10	-2.60	54.68	54.76	290.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 08:30:00	1.27	33.24	0.10	1.19	50.90	50.98	294.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 08:45:00	-0.90	33.24	0.10	-0.98	53.06	53.14	291.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 09:00:00	1.41	33.24	0.11	1.33	50.75	50.83	294.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 09:15:00	1.76	33.24	0.11	1.68	50.40	50.49	294.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 09:30:00	1.80	33.24	0.11	1.72	50.36	50.45	294.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 09:45:00	1.83	33.25	0.11	1.74	50.34	50.43	294.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 10:00:00	1.79	33.25	0.11	1.70	50.38	50.47	294.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 10:15:00	1.80	33.25	0.12	1.71	50.36	50.45	294.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 10:30:00	1.82	33.25	0.12	1.73	50.34	50.43	294.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 10:45:00	-5.91	33.26	0.12	-6.00	58.07	58.17	286.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 11:00:00	1.02	33.26	0.12	0.92	51.15	51.24	293.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 11:15:00	1.53	33.26	0.13	1.43	50.64	50.74	294.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 11:30:00	1.71	33.26	0.13	1.61	50.46	50.56	294.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 11:45:00	1.74	33.27	0.13	1.64	50.42	50.52	294.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 12:00:00	1.77	33.27	0.13	1.66	50.40	50.50	294.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 12:15:00	-7.19	33.27	0.14	-7.30	59.36	59.47	285.53	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/26/10 12:30:00	0.90	33.27	0.14	0.80	51.26	51.37	293.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 12:45:00	0.09	33.28	0.14	-0.02	52.07	52.18	292.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 13:00:00	0.98	33.28	0.14	0.86	51.19	51.30	293.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 13:15:00	1.19	33.28	0.15	1.07	50.98	51.09	293.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 13:30:00	1.38	33.28	0.15	1.26	50.79	50.90	294.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 13:45:00	1.45	33.28	0.15	1.34	50.71	50.83	294.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 14:00:00	1.50	33.28	0.15	1.39	50.66	50.78	294.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 14:15:00	1.60	33.28	0.15	1.49	50.56	50.68	294.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 14:30:00	1.68	33.28	0.15	1.57	50.48	50.60	294.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 14:45:00	1.74	33.28	0.15	1.63	50.42	50.54	294.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 15:00:00	1.79	33.28	0.15	1.68	50.37	50.48	294.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 15:15:00	1.82	33.28	0.14	1.71	50.34	50.45	294.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 15:30:00	1.86	33.28	0.14	1.75	50.31	50.42	294.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 15:45:00	1.90	33.28	0.14	1.79	50.26	50.37	294.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 16:00:00	-2.69	33.28	0.14	-2.80	54.85	54.96	290.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 16:15:00	1.37	33.28	0.14	1.26	50.80	50.91	294.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 16:30:00	-2.73	33.28	0.14	-2.84	54.90	55.01	289.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 16:45:00	1.18	33.28	0.14	1.07	50.98	51.09	293.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 17:00:00	1.53	33.28	0.14	1.42	50.64	50.75	294.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 17:15:00	1.64	33.27	0.14	1.54	50.52	50.63	294.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 17:30:00	1.76	33.27	0.14	1.65	50.40	50.51	294.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 17:45:00	1.82	33.28	0.14	1.71	50.35	50.46	294.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 18:00:00	-0.66	33.28	0.14	-0.77	52.82	52.93	292.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 18:15:00	1.44	33.28	0.14	1.33	50.72	50.83	294.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 18:30:00	1.71	33.28	0.14	1.60	50.45	50.57	294.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 18:45:00	1.83	33.28	0.15	1.71	50.34	50.45	294.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 19:00:00	1.71	33.28	0.15	1.59	50.46	50.57	294.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 19:15:00	1.66	33.28	0.15	1.54	50.51	50.63	294.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 19:30:00	1.62	33.29	0.15	1.51	50.54	50.66	294.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 19:45:00	1.68	33.29	0.15	1.56	50.49	50.60	294.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 20:00:00	1.70	33.29	0.15	1.58	50.46	50.58	294.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 20:15:00	1.80	33.29	0.15	1.68	50.36	50.48	294.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 20:30:00	1.83	33.29	0.16	1.71	50.33	50.45	294.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 20:45:00	-7.28	33.29	0.16	-7.41	59.45	59.57	285.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 21:00:00	0.98	33.29	0.16	0.86	51.18	51.31	293.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 21:15:00	1.57	33.29	0.16	1.45	50.59	50.72	294.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 21:30:00	1.76	33.30	0.16	1.64	50.40	50.53	294.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 21:45:00	1.86	33.30	0.16	1.73	50.30	50.43	294.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 22:00:00	1.87	33.30	0.16	1.74	50.30	50.42	294.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 22:15:00	1.82	33.30	0.16	1.69	50.34	50.47	294.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 22:30:00	1.88	33.30	0.17	1.75	50.29	50.42	294.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 22:45:00	1.94	33.30	0.17	1.80	50.23	50.36	294.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 23:00:00	1.91	33.30	0.17	1.78	50.26	50.39	294.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 23:15:00	1.93	33.30	0.17	1.80	50.23	50.37	294.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 23:30:00	-9.90	33.31	0.17	-10.03	62.06	62.20	282.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/26/10 23:45:00	1.25	33.31	0.17	1.11	50.92	51.05	293.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 00:00:00	1.78	33.31	0.17	1.64	50.39	50.52	294.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 00:15:00	1.94	33.31	0.17	1.80	50.23	50.36	294.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 00:30:00	2.05	33.31	0.17	1.92	50.11	50.25	294.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 00:45:00	2.07	33.31	0.18	1.93	50.10	50.23	294.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 01:00:00	1.87	33.31	0.18	1.73	50.30	50.44	294.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 01:15:00	1.80	33.31	0.18	1.66	50.37	50.51	294.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 01:30:00	1.83	33.31	0.18	1.69	50.33	50.47	294.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 01:45:00	1.89	33.31	0.18	1.75	50.27	50.41	294.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 02:00:00	1.97	33.32	0.18	1.83	50.20	50.34	294.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 02:15:00	2.04	33.32	0.18	1.90	50.13	50.27	294.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 02:30:00	2.09	33.32	0.18	1.94	50.08	50.22	294.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 02:45:00	2.13	33.32	0.18	1.98	50.04	50.18	294.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 03:00:00	2.15	33.32	0.18	2.01	50.01	50.15	294.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 03:15:00	2.16	33.32	0.18	2.02	50.00	50.15	294.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 03:30:00	2.18	33.32	0.19	2.03	49.99	50.13	294.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 03:45:00	2.13	33.32	0.19	1.98	50.04	50.18	294.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 04:00:00	2.16	33.32	0.19	2.01	50.01	50.15	294.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 04:15:00	2.20	33.32	0.19	2.06	49.96	50.11	294.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 04:30:00	2.24	33.32	0.19	2.10	49.92	50.07	294.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 04:45:00	2.28	33.32	0.19	2.13	49.88	50.03	294.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 05:00:00	2.30	33.32	0.19	2.16	49.86	50.01	294.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 05:15:00	2.30	33.33	0.19	2.15	49.87	50.02	294.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 05:30:00	2.26	33.33	0.19	2.11	49.90	50.05	294.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 05:45:00	2.15	33.33	0.19	2.00	50.02	50.17	294.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 06:00:00	2.05	33.33	0.19	1.90	50.11	50.26	294.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 06:15:00	2.03	33.33	0.19	1.88	50.14	50.28	294.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 06:30:00	2.03	33.33	0.19	1.89	50.13	50.28	294.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 06:45:00	-1.43	33.32	0.19	-1.58	53.59	53.74	291.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 07:00:00	1.29	33.32	0.19	1.14	50.88	51.03	293.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 07:15:00	1.52	33.32	0.19	1.37	50.65	50.79	294.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 07:30:00	1.67	33.32	0.19	1.53	50.49	50.64	294.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 07:45:00	-0.75	33.32	0.19	-0.89	52.91	53.06	291.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 08:00:00	1.34	33.32	0.19	1.20	50.82	50.97	294.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 08:15:00	1.61	33.32	0.19	1.46	50.55	50.70	294.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 08:30:00	1.76	33.32	0.19	1.61	50.41	50.55	294.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 08:45:00	1.81	33.32	0.19	1.66	50.36	50.51	294.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 09:00:00	1.84	33.32	0.19	1.69	50.33	50.47	294.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 09:15:00	1.84	33.32	0.19	1.69	50.33	50.47	294.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 09:30:00	1.86	33.32	0.19	1.72	50.30	50.45	294.55	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/27/10 09:45:00	1.93	33.32	0.19	1.78	50.24	50.38	294.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 10:00:00	1.98	33.32	0.19	1.83	50.19	50.33	294.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 10:15:00	2.04	33.32	0.19	1.89	50.13	50.27	294.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 10:30:00	2.09	33.32	0.19	1.94	50.08	50.22	294.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 10:45:00	2.13	33.32	0.19	1.98	50.04	50.18	294.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 11:00:00	2.17	33.32	0.19	2.02	50.00	50.14	294.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 11:15:00	2.19	33.32	0.19	2.04	49.98	50.12	294.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 11:30:00	2.20	33.32	0.19	2.05	49.97	50.11	294.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 11:45:00	2.21	33.32	0.19	2.07	49.95	50.10	294.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 12:00:00	2.21	33.32	0.19	2.06	49.96	50.10	294.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 12:15:00	2.21	33.32	0.19	2.07	49.95	50.10	294.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 12:30:00	2.24	33.32	0.19	2.09	49.93	50.07	294.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 12:45:00	2.19	33.32	0.19	2.05	49.97	50.12	294.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 13:00:00	0.18	33.32	0.19	0.04	51.99	52.13	292.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 13:15:00	1.46	33.32	0.19	1.32	50.70	50.85	294.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 13:30:00	1.74	33.32	0.19	1.60	50.42	50.56	294.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 13:45:00	1.89	33.32	0.18	1.74	50.28	50.42	294.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 14:00:00	1.98	33.31	0.18	1.84	50.19	50.33	294.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 14:15:00	2.06	33.31	0.17	1.92	50.11	50.24	294.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 14:30:00	2.12	33.30	0.17	1.99	50.05	50.18	294.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 14:45:00	2.15	33.30	0.16	2.02	50.02	50.14	294.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 15:00:00	2.18	33.29	0.16	2.06	49.98	50.11	294.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 15:15:00	2.23	33.29	0.16	2.11	49.94	50.06	294.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 15:30:00	2.27	33.29	0.15	2.15	49.89	50.01	294.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 15:45:00	2.29	33.28	0.15	2.17	49.88	49.99	295.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 16:00:00	2.29	33.28	0.14	2.18	49.88	49.99	295.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 16:15:00	2.30	33.27	0.14	2.19	49.86	49.97	295.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 16:30:00	2.30	33.27	0.13	2.20	49.86	49.97	295.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 16:45:00	2.29	33.26	0.13	2.19	49.87	49.98	295.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 17:00:00	2.19	33.26	0.13	2.09	49.98	50.08	294.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 17:15:00	2.12	33.26	0.12	2.03	50.04	50.14	294.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 17:30:00	2.10	33.25	0.12	2.01	50.06	50.15	294.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 17:45:00	2.07	33.26	0.12	1.97	50.10	50.19	294.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 18:00:00	2.01	33.26	0.12	1.92	50.15	50.25	294.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 18:15:00	1.96	33.26	0.13	1.87	50.20	50.30	294.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 18:30:00	1.84	33.26	0.13	1.74	50.33	50.43	294.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 18:45:00	1.73	33.27	0.13	1.63	50.43	50.54	294.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 19:00:00	-3.92	33.27	0.14	-4.03	56.08	56.19	288.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 19:15:00	0.90	33.27	0.14	0.79	51.26	51.37	293.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 19:30:00	1.26	33.28	0.14	1.15	50.90	51.01	293.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 19:45:00	1.39	33.28	0.15	1.28	50.78	50.89	294.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 20:00:00	1.42	33.28	0.15	1.30	50.75	50.86	294.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 20:15:00	1.40	33.29	0.15	1.28	50.76	50.88	294.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 20:30:00	1.37	33.29	0.15	1.25	50.80	50.92	294.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 20:45:00	-1.67	33.29	0.16	-1.79	53.83	53.95	291.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 21:00:00	0.84	33.30	0.16	0.72	51.32	51.45	293.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 21:15:00	1.08	33.30	0.16	0.95	51.08	51.21	293.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 21:30:00	1.17	33.30	0.17	1.04	50.99	51.12	293.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 21:45:00	1.12	33.30	0.17	0.99	51.04	51.17	293.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 22:00:00	1.12	33.30	0.17	0.99	51.05	51.18	293.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 22:15:00	1.15	33.30	0.16	1.02	51.02	51.14	293.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 22:30:00	-7.93	33.30	0.16	-8.06	60.09	60.22	284.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 22:45:00	0.44	33.30	0.16	0.32	51.72	51.85	293.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 23:00:00	0.88	33.30	0.16	0.75	51.29	51.41	293.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 23:15:00	0.99	33.30	0.16	0.87	51.17	51.30	293.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 23:30:00	1.06	33.30	0.16	0.93	51.11	51.23	293.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/27/10 23:45:00	1.09	33.29	0.16	0.97	51.08	51.20	293.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 00:00:00	1.10	33.29	0.16	0.98	51.06	51.19	293.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 00:15:00	1.10	33.29	0.16	0.97	51.07	51.19	293.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 00:30:00	1.09	33.29	0.16	0.96	51.08	51.20	293.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 00:45:00	1.07	33.29	0.16	0.95	51.09	51.22	293.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 01:00:00	0.99	33.29	0.16	0.87	51.18	51.30	293.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 01:15:00	0.94	33.29	0.16	0.82	51.23	51.35	293.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 01:30:00	0.93	33.29	0.15	0.81	51.24	51.36	293.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 01:45:00	0.94	33.29	0.15	0.82	51.23	51.35	293.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 02:00:00	0.95	33.29	0.16	0.83	51.21	51.34	293.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 02:15:00	0.97	33.29	0.16	0.85	51.20	51.32	293.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 02:30:00	0.96	33.29	0.16	0.84	51.20	51.32	293.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 02:45:00	0.96	33.29	0.16	0.83	51.21	51.33	293.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 03:00:00	0.95	33.29	0.16	0.82	51.22	51.34	293.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 03:15:00	0.94	33.29	0.16	0.82	51.22	51.34	293.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 03:30:00	0.93	33.29	0.16	0.80	51.24	51.36	293.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 03:45:00	0.92	33.30	0.16	0.79	51.25	51.37	293.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 04:00:00	0.92	33.30	0.16	0.79	51.25	51.37	293.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 04:15:00	0.93	33.30	0.16	0.80	51.24	51.36	293.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 04:30:00	0.94	33.30	0.16	0.81	51.23	51.35	293.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 04:45:00	0.94	33.30	0.16	0.82	51.22	51.35	293.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 05:00:00	0.89	33.30	0.16	0.76	51.27	51.40	293.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 05:15:00	0.88	33.30	0.16	0.75	51.29	51.41	293.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 05:30:00	0.86	33.30	0.17	0.73	51.31	51.44	293.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 05:45:00	-0.97	33.30	0.17	-1.10	53.13	53.26	291.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 06:00:00	0.16	33.31	0.17	0.02	52.01	52.14	292.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 06:15:00	0.31	33.31	0.18	0.18	51.85	51.99	293.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 06:30:00	0.39	33.31	0.18	0.25	51.77	51.91	293.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 06:45:00	0.45	33.32	0.18	0.31	51.71	51.85	293.15	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/28/10 07:00:00	0.51	33.32	0.19	0.36	51.66	51.80	293.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 07:15:00	0.52	33.32	0.19	0.38	51.64	51.79	293.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 07:30:00	-4.79	33.33	0.19	-4.94	56.96	57.11	287.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 07:45:00	-0.05	33.33	0.20	-0.21	52.22	52.37	292.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 08:00:00	-9.41	33.33	0.20	-9.56	61.57	61.73	283.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 08:15:00	-3.51	33.34	0.20	-3.67	55.67	55.83	289.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 08:30:00	-0.86	33.34	0.21	-1.02	53.03	53.19	291.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 08:45:00	-0.29	33.34	0.21	-0.45	52.45	52.62	292.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 09:00:00	-0.02	33.35	0.21	-0.19	52.18	52.35	292.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 09:15:00	0.14	33.35	0.22	-0.03	52.02	52.19	292.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 09:30:00	-0.72	33.36	0.22	-0.89	52.88	53.06	291.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 09:45:00	0.00	33.36	0.22	-0.17	52.16	52.34	292.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 10:00:00	0.20	33.36	0.22	0.02	51.97	52.14	292.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 10:15:00	0.28	33.36	0.22	0.10	51.89	52.06	292.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 10:30:00	-3.54	33.36	0.22	-3.72	55.71	55.88	289.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 10:45:00	-0.20	33.36	0.23	-0.37	52.36	52.54	292.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 11:00:00	0.15	33.36	0.23	-0.03	52.02	52.19	292.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 11:15:00	0.25	33.36	0.23	0.08	51.91	52.09	292.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 11:30:00	0.33	33.36	0.23	0.15	51.84	52.02	292.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 11:45:00	0.36	33.37	0.23	0.18	51.81	51.99	293.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 12:00:00	0.38	33.37	0.23	0.20	51.78	51.96	293.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 12:15:00	0.36	33.37	0.23	0.17	51.81	51.99	293.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 12:30:00	0.32	33.37	0.23	0.13	51.85	52.03	292.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 12:45:00	0.32	33.37	0.24	0.14	51.84	52.02	292.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 13:00:00	0.32	33.37	0.24	0.14	51.84	52.03	292.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 13:15:00	0.32	33.37	0.24	0.13	51.84	52.03	292.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 13:30:00	0.29	33.37	0.24	0.11	51.87	52.06	292.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 13:45:00	0.26	33.38	0.24	0.08	51.90	52.09	292.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 14:00:00	0.24	33.38	0.24	0.06	51.92	52.11	292.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 14:15:00	0.25	33.38	0.24	0.06	51.92	52.11	292.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 14:30:00	0.27	33.38	0.24	0.08	51.89	52.08	292.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 14:45:00	0.29	33.38	0.25	0.10	51.87	52.06	292.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 15:00:00	0.29	33.38	0.25	0.10	51.88	52.07	292.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 15:15:00	0.30	33.38	0.25	0.10	51.87	52.06	292.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 15:30:00	0.32	33.38	0.25	0.12	51.85	52.04	292.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 15:45:00	0.35	33.39	0.25	0.15	51.82	52.01	292.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 16:00:00	0.38	33.39	0.25	0.18	51.79	51.99	293.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 16:15:00	0.40	33.39	0.25	0.20	51.77	51.97	293.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 16:30:00	0.32	33.39	0.25	0.12	51.84	52.04	292.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 16:45:00	0.27	33.39	0.26	0.07	51.90	52.10	292.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 17:00:00	0.32	33.39	0.26	0.12	51.84	52.05	292.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 17:15:00	0.42	33.39	0.26	0.22	51.75	51.95	293.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 17:30:00	0.45	33.40	0.26	0.25	51.72	51.92	293.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 17:45:00	0.42	33.40	0.26	0.22	51.74	51.94	293.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 18:00:00	-1.28	33.40	0.26	-1.49	53.45	53.65	291.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 18:15:00	0.11	33.40	0.27	-0.09	52.05	52.26	292.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 18:30:00	0.39	33.40	0.27	0.18	51.77	51.98	293.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 18:45:00	0.50	33.40	0.27	0.29	51.66	51.87	293.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 19:00:00	0.35	33.41	0.27	0.14	51.81	52.02	292.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 19:15:00	0.34	33.41	0.27	0.13	51.83	52.04	292.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 19:30:00	-6.32	33.41	0.27	-6.54	58.49	58.70	286.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 19:45:00	-0.41	33.41	0.28	-0.62	52.57	52.79	292.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 20:00:00	0.19	33.41	0.28	-0.02	51.97	52.19	292.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 20:15:00	0.41	33.41	0.28	0.19	51.76	51.98	293.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 20:30:00	0.55	33.42	0.28	0.33	51.61	51.83	293.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 20:45:00	0.67	33.42	0.28	0.45	51.50	51.72	293.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 21:00:00	0.72	33.42	0.28	0.50	51.44	51.66	293.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 21:15:00	0.72	33.42	0.29	0.50	51.45	51.67	293.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 21:30:00	-3.94	33.42	0.29	-4.16	56.10	56.33	288.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 21:45:00	0.28	33.42	0.29	0.06	51.88	52.11	292.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 22:00:00	0.71	33.42	0.29	0.48	51.46	51.68	293.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 22:15:00	0.87	33.42	0.29	0.65	51.29	51.52	293.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 22:30:00	0.91	33.42	0.29	0.68	51.26	51.48	293.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 22:45:00	0.96	33.42	0.29	0.73	51.21	51.44	293.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 23:00:00	1.01	33.43	0.29	0.78	51.16	51.38	293.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 23:15:00	1.07	33.43	0.29	0.84	51.09	51.32	293.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 23:30:00	1.13	33.43	0.29	0.90	51.04	51.26	293.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/28/10 23:45:00	1.18	33.43	0.29	0.96	50.98	51.21	293.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 00:00:00	1.15	33.43	0.29	0.92	51.01	51.24	293.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 00:15:00	1.20	33.43	0.29	0.97	50.97	51.20	293.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 00:30:00	1.25	33.43	0.29	1.02	50.91	51.14	293.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 00:45:00	1.29	33.43	0.29	1.06	50.88	51.11	293.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 01:00:00	1.18	33.43	0.30	0.95	50.99	51.22	293.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 01:15:00	1.12	33.43	0.30	0.89	51.04	51.28	293.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 01:30:00	1.18	33.43	0.30	0.95	50.98	51.21	293.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 01:45:00	1.25	33.43	0.30	1.02	50.91	51.15	293.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 02:00:00	1.31	33.43	0.30	1.07	50.86	51.09	293.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 02:15:00	1.32	33.44	0.30	1.09	50.84	51.08	293.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 02:30:00	1.33	33.44	0.30	1.10	50.83	51.07	293.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 02:45:00	1.39	33.44	0.30	1.16	50.77	51.01	293.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 03:00:00	1.46	33.44	0.31	1.22	50.71	50.95	294.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 03:15:00	1.50	33.44	0.31	1.26	50.66	50.90	294.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 03:30:00	1.54	33.45	0.31	1.30	50.62	50.86	294.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 03:45:00	1.53	33.45	0.31	1.29	50.64	50.88	294.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 04:00:00	1.53	33.45	0.31	1.29	50.63	50.88	294.12	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/29/10 04:15:00	1.56	33.45	0.32	1.31	50.61	50.85	294.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 04:30:00	1.58	33.45	0.32	1.33	50.59	50.83	294.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 04:45:00	1.60	33.45	0.32	1.35	50.56	50.81	294.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 05:00:00	-0.98	33.46	0.32	-1.23	53.14	53.39	291.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 05:15:00	1.04	33.46	0.32	0.79	51.13	51.38	293.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 05:30:00	1.13	33.46	0.32	0.88	51.04	51.29	293.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 05:45:00	0.99	33.46	0.33	0.73	51.18	51.43	293.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 06:00:00	0.98	33.46	0.33	0.73	51.18	51.44	293.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 06:15:00	1.05	33.46	0.33	0.79	51.12	51.37	293.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 06:30:00	1.13	33.46	0.33	0.88	51.03	51.29	293.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 06:45:00	1.20	33.46	0.33	0.94	50.96	51.22	293.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 07:00:00	1.08	33.47	0.33	0.82	51.08	51.34	293.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 07:15:00	1.10	33.47	0.33	0.84	51.07	51.32	293.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 07:30:00	1.13	33.47	0.33	0.87	51.04	51.30	293.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 07:45:00	-0.73	33.47	0.33	-0.99	52.90	53.16	291.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 08:00:00	0.82	33.47	0.34	0.55	51.35	51.61	293.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 08:15:00	1.08	33.47	0.34	0.82	51.08	51.34	293.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 08:30:00	1.24	33.47	0.34	0.97	50.93	51.19	293.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 08:45:00	1.32	33.47	0.34	1.06	50.84	51.11	293.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 09:00:00	1.31	33.48	0.34	1.04	50.86	51.12	293.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 09:15:00	1.36	33.48	0.34	1.09	50.81	51.07	293.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 09:30:00	1.43	33.48	0.34	1.16	50.73	51.00	294.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 09:45:00	1.49	33.47	0.34	1.23	50.67	50.94	294.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 10:00:00	1.53	33.47	0.33	1.27	50.64	50.90	294.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 10:15:00	1.48	33.46	0.33	1.22	50.68	50.94	294.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 10:30:00	1.47	33.46	0.33	1.22	50.69	50.95	294.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 10:45:00	1.51	33.46	0.32	1.26	50.66	50.91	294.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 11:00:00	1.55	33.45	0.32	1.30	50.61	50.86	294.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 11:15:00	1.50	33.45	0.31	1.26	50.67	50.91	294.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 11:30:00	1.34	33.44	0.31	1.10	50.83	51.07	293.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 11:45:00	1.20	33.44	0.30	0.97	50.96	51.20	293.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 12:00:00	1.20	33.43	0.30	0.97	50.97	51.20	293.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 12:15:00	1.26	33.43	0.29	1.03	50.90	51.13	293.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 12:30:00	1.32	33.42	0.29	1.10	50.84	51.07	293.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 12:45:00	1.35	33.42	0.28	1.13	50.82	51.04	293.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 13:00:00	1.23	33.42	0.28	1.01	50.94	51.15	293.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 13:15:00	1.21	33.41	0.28	0.99	50.96	51.17	293.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 13:30:00	1.27	33.41	0.27	1.06	50.90	51.11	293.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 13:45:00	1.30	33.40	0.26	1.09	50.87	51.07	293.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 14:00:00	1.29	33.39	0.26	1.09	50.88	51.08	293.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 14:15:00	1.34	33.38	0.25	1.14	50.83	51.02	293.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 14:30:00	1.41	33.38	0.24	1.22	50.76	50.95	294.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 14:45:00	1.47	33.37	0.23	1.29	50.69	50.88	294.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 15:00:00	1.51	33.36	0.23	1.33	50.66	50.84	294.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 15:15:00	1.47	33.35	0.22	1.30	50.69	50.86	294.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 15:30:00	1.50	33.35	0.21	1.34	50.66	50.83	294.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 15:45:00	1.53	33.34	0.20	1.37	50.64	50.80	294.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 16:00:00	1.55	33.33	0.20	1.39	50.62	50.77	294.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 16:15:00	1.55	33.32	0.19	1.40	50.62	50.77	294.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 16:30:00	1.50	33.32	0.18	1.35	50.67	50.81	294.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 16:45:00	1.50	33.31	0.18	1.37	50.66	50.80	294.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 17:00:00	1.52	33.30	0.17	1.39	50.64	50.78	294.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 17:15:00	1.45	33.30	0.16	1.32	50.72	50.84	294.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 17:30:00	1.29	33.29	0.15	1.17	50.88	51.00	294.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 17:45:00	1.16	33.29	0.15	1.04	51.01	51.13	293.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 18:00:00	1.16	33.29	0.15	1.04	51.01	51.13	293.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 18:15:00	1.24	33.29	0.15	1.12	50.93	51.05	293.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 18:30:00	1.24	33.29	0.15	1.12	50.93	51.05	293.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 18:45:00	1.28	33.29	0.15	1.16	50.89	51.01	293.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 19:00:00	1.17	33.29	0.15	1.05	50.99	51.11	293.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 19:15:00	1.17	33.29	0.15	1.05	51.00	51.12	293.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 19:30:00	1.26	33.29	0.15	1.14	50.90	51.02	293.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 19:45:00	-0.41	33.29	0.15	-0.53	52.57	52.69	292.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 20:00:00	0.37	33.29	0.15	0.25	51.79	51.91	293.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 20:15:00	1.07	33.29	0.15	0.95	51.10	51.22	293.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 20:30:00	1.28	33.29	0.15	1.16	50.89	51.01	293.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 20:45:00	1.37	33.29	0.15	1.25	50.79	50.91	294.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 21:00:00	1.41	33.29	0.15	1.28	50.76	50.88	294.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 21:15:00	1.42	33.29	0.15	1.30	50.75	50.87	294.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 21:30:00	1.47	33.29	0.15	1.35	50.69	50.82	294.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 21:45:00	1.51	33.29	0.15	1.39	50.66	50.78	294.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 22:00:00	1.55	33.29	0.15	1.43	50.62	50.74	294.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 22:15:00	-0.19	33.29	0.15	-0.30	52.35	52.47	292.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 22:30:00	1.11	33.29	0.15	0.99	51.06	51.18	293.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 22:45:00	1.39	33.29	0.15	1.27	50.77	50.89	294.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 23:00:00	1.52	33.29	0.15	1.40	50.64	50.76	294.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 23:15:00	1.49	33.29	0.15	1.37	50.67	50.79	294.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 23:30:00	1.36	33.29	0.15	1.24	50.81	50.93	294.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/29/10 23:45:00	1.25	33.29	0.15	1.14	50.91	51.03	293.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 00:00:00	1.29	33.29	0.15	1.18	50.87	50.99	294.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 00:15:00	1.41	33.29	0.15	1.30	50.75	50.87	294.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 00:30:00	1.52	33.29	0.15	1.40	50.65	50.77	294.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 00:45:00	1.57	33.29	0.15	1.45	50.60	50.72	294.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 01:00:00	1.47	33.29	0.15	1.35	50.70	50.81	294.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 01:15:00	1.47	33.29	0.15	1.35	50.70	50.81	294.19	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/30/10 01:30:00	1.55	33.29	0.15	1.43	50.62	50.74	294.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 01:45:00	1.58	33.28	0.15	1.47	50.58	50.70	294.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 02:00:00	1.60	33.28	0.14	1.49	50.57	50.68	294.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 02:15:00	1.64	33.28	0.14	1.53	50.52	50.63	294.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 02:30:00	1.68	33.27	0.14	1.58	50.48	50.59	294.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 02:45:00	1.73	33.27	0.13	1.63	50.43	50.54	294.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 03:00:00	1.70	33.27	0.13	1.59	50.47	50.57	294.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 03:15:00	1.72	33.26	0.13	1.62	50.44	50.54	294.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 03:30:00	1.77	33.26	0.13	1.67	50.39	50.49	294.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 03:45:00	1.81	33.26	0.12	1.72	50.35	50.45	294.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 04:00:00	1.85	33.25	0.12	1.75	50.32	50.41	294.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 04:15:00	1.81	33.25	0.12	1.72	50.35	50.44	294.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 04:30:00	1.83	33.25	0.11	1.74	50.34	50.43	294.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 04:45:00	1.87	33.25	0.11	1.78	50.30	50.39	294.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 05:00:00	1.90	33.24	0.11	1.82	50.26	50.35	294.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 05:15:00	1.82	33.24	0.10	1.74	50.35	50.43	294.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 05:30:00	1.62	33.24	0.10	1.54	50.55	50.63	294.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 05:45:00	1.42	33.24	0.10	1.34	50.75	50.83	294.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 06:00:00	1.29	33.23	0.10	1.22	50.87	50.95	294.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 06:15:00	1.33	33.23	0.10	1.26	50.83	50.91	294.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 06:30:00	1.39	33.23	0.10	1.31	50.78	50.85	294.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 06:45:00	1.36	33.23	0.10	1.28	50.81	50.88	294.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 07:00:00	0.06	33.23	0.10	-0.02	52.11	52.19	292.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 07:15:00	0.82	33.23	0.10	0.74	51.35	51.42	293.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 07:30:00	0.96	33.23	0.10	0.89	51.20	51.28	293.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 07:45:00	-17.06	33.23	0.10	-17.14	69.23	69.30	275.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 08:00:00	-3.66	33.23	0.09	-3.73	55.82	55.90	289.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 08:15:00	-0.25	33.23	0.09	-0.33	52.42	52.49	292.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 08:30:00	0.50	33.23	0.09	0.42	51.67	51.74	293.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 08:45:00	-6.14	33.23	0.09	-6.22	58.31	58.38	286.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 09:00:00	0.30	33.23	0.09	0.23	51.86	51.94	293.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 09:15:00	0.85	33.23	0.09	0.78	51.31	51.38	293.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 09:30:00	1.09	33.23	0.09	1.02	51.07	51.14	293.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 09:45:00	1.25	33.22	0.09	1.18	50.92	50.98	294.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 10:00:00	1.33	33.22	0.08	1.26	50.84	50.90	294.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 10:15:00	1.34	33.21	0.08	1.28	50.83	50.89	294.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 10:30:00	1.41	33.21	0.07	1.35	50.76	50.81	294.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 10:45:00	1.50	33.20	0.07	1.44	50.67	50.72	294.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 11:00:00	1.56	33.20	0.06	1.51	50.61	50.66	294.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 11:15:00	1.52	33.19	0.06	1.47	50.65	50.69	294.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 11:30:00	1.39	33.19	0.05	1.35	50.77	50.81	294.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 11:45:00	1.28	33.18	0.05	1.24	50.89	50.92	294.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 12:00:00	1.30	33.17	0.04	1.27	50.87	50.90	294.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 12:15:00	1.40	33.17	0.03	1.37	50.77	50.80	294.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 12:30:00	1.49	33.16	0.03	1.47	50.67	50.70	294.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 12:45:00	1.52	33.16	0.02	1.50	50.65	50.67	294.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 13:00:00	1.38	33.15	0.02	1.36	50.79	50.80	294.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 13:15:00	1.35	33.15	0.01	1.34	50.82	50.83	294.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 13:30:00	1.38	33.14	0.01	1.38	50.78	50.79	294.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 13:45:00	1.48	33.14	0.00	1.47	50.69	50.69	294.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 14:00:00	1.49	33.13	0.00	1.49	50.68	50.68	294.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 14:15:00	1.49	33.13	-0.01	1.50	50.67	50.67	294.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 14:30:00	1.54	33.12	-0.01	1.55	50.62	50.61	294.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 14:45:00	1.60	33.11	-0.02	1.61	50.57	50.55	294.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 15:00:00	1.65	33.11	-0.03	1.67	50.52	50.50	294.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 15:15:00	1.64	33.10	-0.03	1.67	50.52	50.50	294.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 15:30:00	1.65	33.10	-0.04	1.68	50.52	50.49	294.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 15:45:00	1.70	33.09	-0.04	1.73	50.47	50.44	294.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 16:00:00	1.66	33.09	-0.05	1.70	50.51	50.47	294.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 16:15:00	1.64	33.08	-0.06	1.69	50.52	50.48	294.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 16:30:00	1.69	33.07	-0.06	1.74	50.47	50.42	294.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 16:45:00	1.75	33.07	-0.07	1.80	50.41	50.36	294.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 17:00:00	1.74	33.06	-0.07	1.79	50.43	50.37	294.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 17:15:00	1.64	33.06	-0.08	1.70	50.53	50.47	294.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 17:30:00	1.51	33.05	-0.08	1.57	50.66	50.59	294.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 17:45:00	1.38	33.05	-0.08	1.44	50.79	50.72	294.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 18:00:00	0.14	33.05	-0.08	0.20	52.02	51.96	293.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 18:15:00	1.10	33.06	-0.08	1.16	51.07	51.00	294.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 18:30:00	1.35	33.06	-0.08	1.41	50.82	50.76	294.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 18:45:00	1.47	33.06	-0.08	1.53	50.69	50.63	294.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 19:00:00	1.37	33.06	-0.07	1.43	50.80	50.74	294.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 19:15:00	1.34	33.06	-0.07	1.39	50.83	50.77	294.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 19:30:00	1.40	33.06	-0.07	1.45	50.77	50.71	294.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 19:45:00	-0.67	33.07	-0.07	-0.62	52.84	52.79	292.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 20:00:00	0.45	33.07	-0.07	0.50	51.72	51.67	293.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 20:15:00	1.10	33.07	-0.07	1.15	51.07	51.01	293.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 20:30:00	1.21	33.07	-0.06	1.26	50.95	50.90	294.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 20:45:00	1.29	33.07	-0.06	1.34	50.87	50.82	294.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 21:00:00	1.39	33.07	-0.06	1.43	50.78	50.73	294.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 21:15:00	1.45	33.08	-0.06	1.50	50.71	50.67	294.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 21:30:00	1.43	33.08	-0.06	1.47	50.74	50.69	294.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 21:45:00	1.37	33.08	-0.05	1.41	50.80	50.75	294.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 22:00:00	-3.92	33.08	-0.05	-3.88	56.09	56.05	288.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 22:15:00	0.75	33.09	-0.05	0.79	51.41	51.37	293.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 22:30:00	1.07	33.09	-0.04	1.10	51.09	51.06	293.94	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	09/30/10 22:45:00	1.13	33.09	-0.04	1.16	51.04	51.01	293.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 23:00:00	1.26	33.10	-0.04	1.29	50.90	50.87	294.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 23:15:00	1.26	33.10	-0.03	1.29	50.91	50.88	294.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 23:30:00	1.15	33.10	-0.03	1.18	51.01	50.99	294.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	09/30/10 23:45:00	1.04	33.11	-0.03	1.07	51.12	51.10	293.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 00:00:00	1.09	33.11	-0.02	1.11	51.07	51.05	293.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 00:15:00	1.24	33.11	-0.02	1.26	50.92	50.91	294.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 00:30:00	1.36	33.12	-0.02	1.37	50.81	50.79	294.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 00:45:00	1.43	33.12	-0.02	1.45	50.73	50.72	294.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 01:00:00	1.34	33.12	-0.01	1.35	50.83	50.82	294.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 01:15:00	1.35	33.13	-0.01	1.36	50.81	50.80	294.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 01:30:00	1.44	33.13	-0.01	1.44	50.73	50.72	294.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 01:45:00	1.47	33.13	0.00	1.47	50.70	50.70	294.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 02:00:00	1.54	33.14	0.01	1.54	50.62	50.63	294.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 02:15:00	1.61	33.15	0.01	1.60	50.55	50.56	294.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 02:30:00	1.66	33.15	0.02	1.65	50.50	50.52	294.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 02:45:00	1.62	33.16	0.02	1.60	50.55	50.56	294.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 03:00:00	1.64	33.16	0.03	1.62	50.52	50.55	294.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 03:15:00	1.69	33.17	0.04	1.66	50.47	50.50	294.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 03:30:00	1.75	33.18	0.04	1.71	50.42	50.45	294.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 03:45:00	1.79	33.18	0.05	1.75	50.38	50.42	294.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 04:00:00	1.75	33.19	0.05	1.71	50.41	50.45	294.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 04:15:00	1.78	33.19	0.06	1.73	50.38	50.43	294.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 04:30:00	1.82	33.20	0.07	1.77	50.34	50.39	294.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 04:45:00	1.86	33.21	0.07	1.81	50.30	50.36	294.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 05:00:00	1.90	33.21	0.08	1.84	50.26	50.32	294.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 05:15:00	1.80	33.22	0.08	1.73	50.37	50.43	294.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 05:30:00	1.60	33.22	0.09	1.53	50.56	50.63	294.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 05:45:00	1.40	33.23	0.10	1.33	50.76	50.84	294.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 06:00:00	1.34	33.24	0.10	1.26	50.82	50.90	294.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 06:15:00	0.21	33.25	0.11	0.12	51.96	52.04	292.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 06:30:00	1.01	33.25	0.12	0.91	51.16	51.25	293.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 06:45:00	1.20	33.26	0.13	1.10	50.97	51.06	293.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 07:00:00	1.16	33.27	0.13	1.05	51.01	51.11	293.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 07:15:00	1.14	33.28	0.14	1.03	51.02	51.14	293.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 07:30:00	-1.03	33.28	0.15	-1.15	53.20	53.31	291.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 07:45:00	0.78	33.29	0.16	0.66	51.38	51.51	293.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 08:00:00	1.02	33.30	0.16	0.89	51.15	51.28	293.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 08:15:00	1.17	33.31	0.17	1.03	51.00	51.13	293.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 08:30:00	-5.26	33.31	0.18	-5.40	57.42	57.56	287.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 08:45:00	0.66	33.32	0.19	0.52	51.50	51.65	293.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 09:00:00	1.03	33.33	0.19	0.88	51.14	51.29	293.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 09:15:00	1.22	33.34	0.20	1.06	50.95	51.11	293.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 09:30:00	1.32	33.34	0.21	1.16	50.84	51.00	294.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 09:45:00	1.43	33.35	0.21	1.26	50.74	50.90	294.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 10:00:00	1.44	33.35	0.21	1.28	50.72	50.89	294.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 10:15:00	1.51	33.35	0.22	1.34	50.65	50.82	294.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 10:30:00	1.56	33.36	0.22	1.39	50.61	50.78	294.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 10:45:00	1.61	33.36	0.22	1.44	50.56	50.73	294.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 11:00:00	1.67	33.36	0.23	1.50	50.49	50.67	294.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 11:15:00	1.60	33.36	0.23	1.42	50.56	50.74	294.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 11:30:00	1.46	33.37	0.23	1.28	50.70	50.88	294.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 11:45:00	1.32	33.37	0.24	1.14	50.84	51.03	293.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 12:00:00	1.37	33.37	0.24	1.18	50.80	50.98	294.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 12:15:00	1.46	33.38	0.24	1.27	50.71	50.89	294.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 12:30:00	1.49	33.38	0.24	1.30	50.68	50.87	294.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 12:45:00	1.51	33.38	0.25	1.32	50.65	50.85	294.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 13:00:00	1.44	33.38	0.25	1.24	50.73	50.92	294.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 13:15:00	1.41	33.39	0.25	1.21	50.76	50.96	294.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 13:30:00	1.49	33.39	0.26	1.29	50.68	50.88	294.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 13:45:00	1.55	33.39	0.25	1.35	50.62	50.82	294.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 14:00:00	1.59	33.39	0.25	1.39	50.57	50.77	294.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 14:15:00	1.64	33.39	0.25	1.44	50.53	50.72	294.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 14:30:00	1.58	33.39	0.25	1.39	50.58	50.78	294.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 14:45:00	1.59	33.39	0.25	1.40	50.57	50.77	294.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 15:00:00	1.61	33.39	0.25	1.42	50.55	50.75	294.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 15:15:00	1.65	33.39	0.25	1.46	50.51	50.71	294.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 15:30:00	1.70	33.39	0.25	1.51	50.46	50.66	294.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 15:45:00	1.66	33.38	0.25	1.47	50.50	50.70	294.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 16:00:00	1.67	33.38	0.25	1.48	50.49	50.69	294.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 16:15:00	1.70	33.38	0.25	1.51	50.46	50.66	294.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 16:30:00	1.73	33.38	0.25	1.53	50.44	50.63	294.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 16:45:00	1.76	33.38	0.25	1.56	50.41	50.60	294.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 17:00:00	1.75	33.38	0.25	1.56	50.42	50.61	294.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 17:15:00	1.68	33.38	0.25	1.49	50.49	50.68	294.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 17:30:00	1.54	33.38	0.25	1.34	50.63	50.82	294.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 17:45:00	1.41	33.38	0.25	1.21	50.76	50.95	294.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 18:00:00	1.43	33.38	0.25	1.23	50.74	50.93	294.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 18:15:00	1.53	33.39	0.25	1.34	50.63	50.83	294.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 18:30:00	1.54	33.39	0.25	1.35	50.62	50.82	294.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 18:45:00	1.50	33.39	0.25	1.30	50.66	50.86	294.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 19:00:00	1.36	33.39	0.26	1.16	50.80	51.00	294.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 19:15:00	1.31	33.39	0.26	1.11	50.86	51.06	293.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 19:30:00	1.39	33.39	0.26	1.19	50.78	50.98	294.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 19:45:00	1.48	33.40	0.26	1.28	50.68	50.89	294.11	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	10/01/10 20:00:00	-10.66	33.40	0.26	-10.87	62.83	63.03	281.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 20:15:00	0.62	33.40	0.26	0.41	51.55	51.76	293.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 20:30:00	1.17	33.40	0.27	0.96	51.00	51.20	293.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 20:45:00	1.35	33.40	0.27	1.14	50.82	51.02	293.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 21:00:00	1.48	33.40	0.27	1.27	50.69	50.90	294.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 21:15:00	1.54	33.41	0.27	1.33	50.62	50.84	294.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 21:30:00	1.59	33.41	0.27	1.38	50.57	50.79	294.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 21:45:00	-3.25	33.41	0.27	-3.46	55.41	55.63	289.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 22:00:00	1.04	33.41	0.27	0.83	51.12	51.34	293.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 22:15:00	1.44	33.41	0.28	1.23	50.72	50.94	294.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 22:30:00	1.55	33.41	0.28	1.33	50.62	50.83	294.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 22:45:00	1.56	33.41	0.28	1.34	50.61	50.82	294.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 23:00:00	1.63	33.41	0.28	1.41	50.54	50.76	294.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 23:15:00	1.57	33.41	0.28	1.35	50.60	50.82	294.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 23:30:00	1.45	33.41	0.28	1.23	50.72	50.94	294.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/01/10 23:45:00	1.33	33.41	0.28	1.11	50.83	51.05	293.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 00:00:00	1.39	33.41	0.28	1.17	50.78	50.99	294.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 00:15:00	1.50	33.41	0.28	1.28	50.66	50.88	294.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 00:30:00	1.58	33.42	0.28	1.36	50.58	50.80	294.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 00:45:00	1.63	33.42	0.28	1.41	50.53	50.75	294.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 01:00:00	1.53	33.42	0.28	1.31	50.63	50.85	294.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 01:15:00	1.54	33.42	0.28	1.32	50.62	50.84	294.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 01:30:00	1.63	33.42	0.28	1.41	50.54	50.76	294.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 01:45:00	1.63	33.42	0.28	1.41	50.53	50.76	294.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 02:00:00	1.66	33.42	0.28	1.44	50.50	50.72	294.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 02:15:00	1.73	33.42	0.28	1.51	50.44	50.66	294.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 02:30:00	1.78	33.42	0.28	1.56	50.39	50.61	294.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 02:45:00	1.82	33.42	0.28	1.60	50.35	50.57	294.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 03:00:00	1.82	33.42	0.28	1.60	50.35	50.57	294.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 03:15:00	1.80	33.42	0.28	1.58	50.36	50.58	294.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 03:30:00	1.84	33.42	0.28	1.62	50.32	50.54	294.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 03:45:00	1.89	33.42	0.28	1.67	50.28	50.50	294.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 04:00:00	1.93	33.42	0.28	1.71	50.23	50.46	294.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 04:15:00	1.95	33.42	0.28	1.73	50.21	50.44	294.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 04:30:00	-1.20	33.42	0.28	-1.42	53.37	53.59	291.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 04:45:00	1.47	33.42	0.28	1.25	50.70	50.92	294.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 05:00:00	1.74	33.42	0.28	1.52	50.42	50.64	294.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 05:15:00	1.76	33.42	0.28	1.54	50.41	50.63	294.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 05:30:00	1.61	33.42	0.28	1.38	50.56	50.78	294.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 05:45:00	1.45	33.42	0.28	1.23	50.71	50.93	294.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 06:00:00	1.41	33.42	0.28	1.19	50.75	50.97	294.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 06:15:00	1.39	33.42	0.28	1.17	50.78	51.00	294.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 06:30:00	1.47	33.42	0.28	1.25	50.69	50.92	294.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 06:45:00	1.46	33.42	0.29	1.24	50.70	50.92	294.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 07:00:00	1.37	33.42	0.29	1.15	50.80	51.02	293.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 07:15:00	-1.18	33.42	0.29	-1.40	53.34	53.57	291.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 07:30:00	-6.75	33.42	0.29	-6.97	58.91	59.13	285.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 07:45:00	0.52	33.42	0.29	0.29	51.65	51.87	293.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 08:00:00	-5.36	33.42	0.29	-5.58	57.52	57.75	287.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 08:15:00	0.47	33.42	0.29	0.24	51.70	51.92	293.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 08:30:00	-0.48	33.42	0.29	-0.71	52.65	52.87	292.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 08:45:00	0.93	33.42	0.29	0.70	51.24	51.46	293.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 09:00:00	-5.06	33.42	0.29	-5.28	57.22	57.45	287.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 09:15:00	0.84	33.42	0.29	0.62	51.32	51.55	293.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 09:30:00	1.28	33.43	0.29	1.05	50.89	51.11	293.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 09:45:00	1.43	33.42	0.29	1.21	50.74	50.96	294.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 10:00:00	1.52	33.42	0.28	1.30	50.65	50.87	294.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 10:15:00	1.58	33.41	0.28	1.37	50.58	50.80	294.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 10:30:00	1.64	33.41	0.27	1.43	50.53	50.74	294.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 10:45:00	1.65	33.40	0.27	1.44	50.51	50.72	294.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 11:00:00	1.59	33.40	0.26	1.38	50.58	50.78	294.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 11:15:00	1.56	33.39	0.26	1.36	50.60	50.81	294.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 11:30:00	1.44	33.39	0.25	1.24	50.73	50.93	294.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 11:45:00	1.30	33.38	0.25	1.11	50.86	51.06	293.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 12:00:00	1.31	33.38	0.24	1.12	50.86	51.05	293.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 12:15:00	1.39	33.37	0.24	1.20	50.78	50.97	294.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 12:30:00	1.47	33.37	0.24	1.29	50.70	50.88	294.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 12:45:00	1.49	33.37	0.23	1.31	50.68	50.86	294.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 13:00:00	1.33	33.36	0.23	1.15	50.84	51.02	293.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 13:15:00	1.30	33.36	0.22	1.13	50.86	51.03	293.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 13:30:00	1.32	33.35	0.22	1.15	50.85	51.02	293.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 13:45:00	1.35	33.35	0.21	1.18	50.82	50.98	294.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 14:00:00	1.41	33.34	0.21	1.25	50.76	50.92	294.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 14:15:00	1.45	33.33	0.20	1.30	50.71	50.87	294.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 14:30:00	1.47	33.33	0.19	1.32	50.69	50.84	294.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 14:45:00	1.42	33.32	0.19	1.27	50.75	50.89	294.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 15:00:00	1.45	33.32	0.18	1.31	50.72	50.86	294.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 15:15:00	1.38	33.31	0.17	1.25	50.78	50.92	294.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 15:30:00	1.42	33.30	0.17	1.29	50.74	50.87	294.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 15:45:00	1.39	33.30	0.16	1.26	50.78	50.91	294.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 16:00:00	1.37	33.29	0.16	1.25	50.79	50.92	294.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 16:15:00	1.38	33.29	0.15	1.26	50.78	50.90	294.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 16:30:00	1.38	33.28	0.14	1.27	50.79	50.90	294.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 16:45:00	-8.27	33.27	0.14	-8.38	60.43	60.54	284.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 17:00:00	0.32	33.27	0.13	0.22	51.84	51.95	293.05	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	10/02/10 17:15:00	-0.68	33.26	0.13	-0.78	52.85	52.94	292.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 17:30:00	0.44	33.26	0.12	0.34	51.73	51.82	293.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 17:45:00	-0.31	33.25	0.12	-0.40	52.48	52.57	292.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 18:00:00	0.51	33.25	0.12	0.41	51.66	51.75	293.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 18:15:00	0.71	33.25	0.12	0.62	51.45	51.55	293.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 18:30:00	0.88	33.25	0.12	0.79	51.28	51.37	293.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 18:45:00	0.99	33.25	0.11	0.90	51.18	51.27	293.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 19:00:00	0.92	33.25	0.11	0.83	51.25	51.33	293.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 19:15:00	0.93	33.25	0.11	0.84	51.24	51.32	293.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 19:30:00	1.02	33.25	0.11	0.94	51.14	51.23	293.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 19:45:00	-8.90	33.24	0.11	-8.99	61.07	61.15	283.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 20:00:00	0.29	33.24	0.11	0.21	51.87	51.96	293.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 20:15:00	0.90	33.24	0.11	0.82	51.26	51.35	293.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 20:30:00	1.08	33.24	0.11	1.00	51.09	51.17	293.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 20:45:00	1.20	33.24	0.11	1.12	50.97	51.05	293.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 21:00:00	-2.42	33.24	0.10	-2.50	54.58	54.67	290.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 21:15:00	0.66	33.24	0.10	0.58	51.51	51.59	293.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 21:30:00	0.99	33.24	0.10	0.91	51.17	51.25	293.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 21:45:00	1.13	33.24	0.10	1.05	51.03	51.11	293.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 22:00:00	1.14	33.24	0.10	1.06	51.02	51.10	293.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 22:15:00	1.11	33.24	0.10	1.03	51.05	51.13	293.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 22:30:00	1.20	33.24	0.10	1.12	50.96	51.04	293.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 22:45:00	-4.54	33.24	0.11	-4.63	56.71	56.79	288.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 23:00:00	0.71	33.24	0.11	0.62	51.46	51.54	293.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 23:15:00	0.99	33.24	0.11	0.90	51.18	51.26	293.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 23:30:00	1.01	33.24	0.11	0.93	51.15	51.24	293.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/02/10 23:45:00	1.08	33.24	0.11	0.99	51.09	51.17	293.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 00:00:00	1.18	33.24	0.11	1.10	50.98	51.07	293.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 00:15:00	1.28	33.24	0.11	1.19	50.89	50.97	294.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 00:30:00	1.36	33.24	0.11	1.28	50.80	50.89	294.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 00:45:00	1.40	33.25	0.11	1.32	50.76	50.85	294.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 01:00:00	1.26	33.25	0.11	1.18	50.90	50.99	294.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 01:15:00	1.27	33.25	0.11	1.18	50.90	50.99	294.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 01:30:00	1.31	33.25	0.11	1.22	50.85	50.94	294.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 01:45:00	1.34	33.25	0.11	1.26	50.82	50.91	294.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 02:00:00	1.43	33.25	0.11	1.34	50.74	50.82	294.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 02:15:00	1.50	33.25	0.11	1.41	50.66	50.75	294.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 02:30:00	1.55	33.25	0.11	1.47	50.61	50.70	294.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 02:45:00	1.54	33.25	0.11	1.45	50.63	50.72	294.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 03:00:00	1.56	33.25	0.11	1.47	50.60	50.69	294.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 03:15:00	1.62	33.25	0.11	1.53	50.55	50.64	294.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 03:30:00	1.67	33.25	0.11	1.58	50.50	50.59	294.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 03:45:00	1.67	33.25	0.11	1.58	50.50	50.59	294.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 04:00:00	1.61	33.25	0.11	1.53	50.55	50.64	294.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 04:15:00	1.65	33.25	0.11	1.56	50.52	50.60	294.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 04:30:00	1.69	33.25	0.11	1.61	50.47	50.56	294.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 04:45:00	1.74	33.25	0.11	1.65	50.42	50.51	294.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 05:00:00	1.75	33.25	0.11	1.66	50.42	50.51	294.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 05:15:00	1.66	33.25	0.12	1.57	50.51	50.60	294.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 05:30:00	1.52	33.25	0.12	1.43	50.65	50.74	294.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 05:45:00	1.51	33.25	0.12	1.42	50.66	50.75	294.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 06:00:00	1.53	33.25	0.12	1.44	50.63	50.73	294.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 06:15:00	1.55	33.26	0.12	1.45	50.62	50.71	294.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 06:30:00	1.58	33.26	0.12	1.48	50.59	50.69	294.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 06:45:00	1.55	33.26	0.13	1.45	50.62	50.72	294.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 07:00:00	1.44	33.26	0.13	1.34	50.73	50.83	294.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 07:15:00	1.37	33.26	0.13	1.27	50.79	50.89	294.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 07:30:00	-6.33	33.27	0.13	-6.43	58.50	58.60	286.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 07:45:00	0.83	33.27	0.13	0.72	51.34	51.44	293.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 08:00:00	1.30	33.27	0.14	1.20	50.86	50.97	294.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 08:15:00	1.38	33.27	0.14	1.27	50.79	50.90	294.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 08:30:00	-1.64	33.28	0.14	-1.75	53.80	53.91	291.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 08:45:00	0.76	33.28	0.14	0.65	51.40	51.52	293.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 09:00:00	-0.71	33.28	0.14	-0.83	52.88	52.99	292.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 09:15:00	0.88	33.28	0.15	0.76	51.29	51.40	293.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 09:30:00	-5.80	33.28	0.15	-5.92	57.97	58.08	286.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 09:45:00	0.05	33.28	0.15	-0.07	52.12	52.23	292.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 10:00:00	-2.00	33.28	0.15	-2.12	54.16	54.28	290.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 10:15:00	0.49	33.28	0.15	0.37	51.68	51.79	293.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 10:30:00	-11.03	33.28	0.15	-11.14	63.19	63.31	281.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 10:45:00	0.23	33.28	0.15	0.12	51.93	52.05	292.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 11:00:00	-0.84	33.29	0.15	-0.96	53.01	53.13	291.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 11:15:00	-0.85	33.29	0.15	-0.97	53.01	53.13	291.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 11:30:00	0.33	33.29	0.15	0.21	51.84	51.95	293.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 11:45:00	0.69	33.29	0.15	0.57	51.47	51.59	293.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 12:00:00	0.83	33.29	0.15	0.72	51.33	51.45	293.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 12:15:00	0.92	33.29	0.15	0.80	51.24	51.36	293.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 12:30:00	0.99	33.29	0.15	0.87	51.18	51.30	293.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 12:45:00	1.02	33.29	0.15	0.90	51.15	51.27	293.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 13:00:00	0.88	33.29	0.15	0.77	51.28	51.40	293.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 13:15:00	0.85	33.29	0.15	0.73	51.32	51.44	293.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 13:30:00	0.88	33.29	0.15	0.76	51.29	51.41	293.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 13:45:00	0.87	33.29	0.15	0.75	51.30	51.42	293.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 14:00:00	0.83	33.28	0.15	0.71	51.33	51.45	293.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 14:15:00	0.88	33.28	0.15	0.76	51.29	51.40	293.60	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	10/03/10 14:30:00	0.93	33.28	0.15	0.82	51.23	51.35	293.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 14:45:00	0.91	33.28	0.15	0.80	51.25	51.37	293.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 15:00:00	0.95	33.28	0.15	0.84	51.22	51.33	293.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 15:15:00	1.01	33.28	0.14	0.90	51.15	51.26	293.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 15:30:00	1.08	33.28	0.14	0.97	51.08	51.19	293.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 15:45:00	-0.45	33.28	0.14	-0.56	52.61	52.73	292.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 16:00:00	0.64	33.28	0.14	0.53	51.52	51.63	293.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 16:15:00	0.91	33.27	0.14	0.80	51.26	51.37	293.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 16:30:00	0.97	33.27	0.14	0.86	51.20	51.31	293.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 16:45:00	-17.02	33.27	0.14	-17.12	69.18	69.29	275.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 17:00:00	-1.11	33.27	0.14	-1.22	53.28	53.38	291.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 17:15:00	-10.76	33.27	0.14	-10.87	62.93	63.03	281.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 17:30:00	-0.39	33.27	0.13	-0.49	52.55	52.66	292.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 17:45:00	0.31	33.27	0.14	0.20	51.86	51.96	293.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 18:00:00	0.52	33.27	0.14	0.41	51.64	51.75	293.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 18:15:00	0.71	33.28	0.14	0.60	51.46	51.57	293.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 18:30:00	0.81	33.28	0.15	0.69	51.36	51.47	293.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 18:45:00	0.84	33.28	0.15	0.72	51.33	51.44	293.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 19:00:00	0.77	33.29	0.15	0.66	51.39	51.51	293.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 19:15:00	0.77	33.29	0.15	0.65	51.40	51.52	293.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 19:30:00	0.79	33.29	0.16	0.67	51.38	51.50	293.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 19:45:00	0.90	33.29	0.16	0.78	51.26	51.39	293.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 20:00:00	0.94	33.30	0.16	0.82	51.22	51.35	293.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 20:15:00	1.00	33.30	0.17	0.87	51.17	51.30	293.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 20:30:00	-0.53	33.30	0.17	-0.66	52.70	52.83	292.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 20:45:00	0.71	33.31	0.17	0.57	51.46	51.59	293.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 21:00:00	0.95	33.31	0.17	0.81	51.22	51.35	293.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 21:15:00	1.03	33.31	0.18	0.89	51.14	51.28	293.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 21:30:00	1.08	33.31	0.18	0.94	51.09	51.23	293.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 21:45:00	1.18	33.32	0.18	1.03	50.99	51.13	293.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 22:00:00	1.25	33.32	0.19	1.11	50.91	51.06	293.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 22:15:00	1.24	33.33	0.19	1.09	50.93	51.08	293.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 22:30:00	1.26	33.33	0.19	1.11	50.90	51.06	293.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 22:45:00	1.32	33.33	0.20	1.17	50.84	51.00	294.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 23:00:00	1.39	33.34	0.20	1.23	50.78	50.94	294.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 23:15:00	1.34	33.34	0.21	1.18	50.82	50.98	294.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 23:30:00	1.25	33.34	0.21	1.09	50.91	51.07	293.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/03/10 23:45:00	1.31	33.35	0.21	1.14	50.86	51.02	293.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 00:00:00	1.37	33.35	0.22	1.20	50.80	50.97	294.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 00:15:00	1.39	33.35	0.22	1.22	50.77	50.94	294.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 00:30:00	1.46	33.36	0.22	1.28	50.71	50.88	294.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 00:45:00	1.49	33.36	0.23	1.31	50.68	50.86	294.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 01:00:00	-5.74	33.37	0.23	-5.92	57.91	58.09	286.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 01:15:00	0.49	33.37	0.23	0.30	51.68	51.86	293.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 01:30:00	1.12	33.37	0.24	0.94	51.04	51.23	293.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 01:45:00	1.31	33.38	0.24	1.13	50.85	51.04	293.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 02:00:00	1.39	33.38	0.24	1.20	50.77	50.97	294.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 02:15:00	1.50	33.38	0.25	1.30	50.67	50.86	294.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 02:30:00	1.57	33.39	0.25	1.37	50.60	50.79	294.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 02:45:00	1.63	33.39	0.25	1.43	50.53	50.73	294.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 03:00:00	1.67	33.39	0.26	1.46	50.50	50.70	294.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 03:15:00	1.65	33.40	0.26	1.45	50.52	50.72	294.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 03:30:00	1.70	33.40	0.26	1.49	50.47	50.68	294.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 03:45:00	1.73	33.40	0.27	1.52	50.44	50.65	294.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 04:00:00	1.75	33.41	0.27	1.54	50.42	50.63	294.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 04:15:00	1.76	33.41	0.27	1.55	50.40	50.62	294.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 04:30:00	1.73	33.41	0.28	1.51	50.44	50.66	294.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 04:45:00	1.76	33.42	0.28	1.55	50.40	50.62	294.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 05:00:00	1.80	33.42	0.28	1.58	50.36	50.58	294.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 05:15:00	1.75	33.42	0.29	1.53	50.42	50.64	294.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 05:30:00	1.59	33.43	0.29	1.36	50.57	50.80	294.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 05:45:00	1.50	33.43	0.30	1.27	50.66	50.89	294.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 06:00:00	1.44	33.43	0.30	1.21	50.72	50.96	294.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 06:15:00	1.41	33.44	0.30	1.17	50.76	51.00	294.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 06:30:00	1.43	33.44	0.31	1.19	50.73	50.97	294.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 06:45:00	-7.21	33.45	0.31	-7.46	59.38	59.62	285.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 07:00:00	0.47	33.45	0.32	0.22	51.70	51.95	293.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 07:15:00	0.95	33.46	0.32	0.70	51.21	51.46	293.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 07:30:00	1.14	33.46	0.33	0.88	51.03	51.28	293.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 07:45:00	1.18	33.46	0.33	0.92	50.99	51.24	293.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 08:00:00	1.27	33.47	0.33	1.01	50.90	51.16	293.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 08:15:00	1.36	33.47	0.34	1.10	50.80	51.07	293.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 08:30:00	0.34	33.48	0.34	0.07	51.83	52.09	292.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 08:45:00	1.11	33.48	0.35	0.84	51.06	51.33	293.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 09:00:00	1.25	33.49	0.35	0.98	50.91	51.19	293.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 09:15:00	1.35	33.49	0.35	1.07	50.82	51.09	293.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 09:30:00	1.44	33.49	0.36	1.16	50.72	51.00	294.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 09:45:00	1.51	33.49	0.36	1.23	50.66	50.94	294.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 10:00:00	1.49	33.49	0.36	1.21	50.67	50.95	294.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 10:15:00	1.50	33.49	0.36	1.22	50.67	50.95	294.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 10:30:00	1.55	33.49	0.36	1.27	50.62	50.90	294.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 10:45:00	1.60	33.49	0.36	1.32	50.56	50.84	294.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 11:00:00	1.66	33.49	0.36	1.38	50.50	50.78	294.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 11:15:00	1.60	33.49	0.36	1.32	50.57	50.85	294.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 11:30:00	1.51	33.49	0.36	1.23	50.65	50.93	294.07	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	10/04/10 11:45:00	1.54	33.49	0.35	1.27	50.62	50.90	294.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 12:00:00	1.52	33.49	0.35	1.25	50.64	50.92	294.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 12:15:00	1.57	33.49	0.35	1.30	50.59	50.87	294.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 12:30:00	1.65	33.49	0.35	1.37	50.52	50.79	294.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 12:45:00	1.69	33.49	0.35	1.42	50.47	50.75	294.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 13:00:00	1.57	33.49	0.35	1.29	50.60	50.87	294.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 13:15:00	1.55	33.49	0.35	1.28	50.61	50.89	294.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 13:30:00	1.60	33.49	0.35	1.33	50.56	50.84	294.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 13:45:00	1.61	33.49	0.35	1.33	50.56	50.83	294.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 14:00:00	1.62	33.49	0.35	1.34	50.55	50.82	294.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 14:15:00	1.65	33.49	0.35	1.38	50.51	50.79	294.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 14:30:00	1.68	33.49	0.35	1.41	50.48	50.76	294.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 14:45:00	1.72	33.49	0.35	1.45	50.44	50.72	294.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 15:00:00	1.68	33.49	0.35	1.40	50.49	50.77	294.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 15:15:00	1.70	33.49	0.36	1.42	50.47	50.74	294.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 15:30:00	1.73	33.49	0.36	1.45	50.43	50.71	294.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 15:45:00	1.77	33.49	0.36	1.49	50.40	50.67	294.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 16:00:00	1.77	33.49	0.36	1.49	50.40	50.68	294.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 16:15:00	1.76	33.49	0.36	1.48	50.41	50.69	294.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 16:30:00	1.78	33.49	0.36	1.50	50.39	50.67	294.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 16:45:00	1.78	33.49	0.36	1.50	50.38	50.66	294.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 17:00:00	1.74	33.49	0.36	1.46	50.42	50.70	294.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 17:15:00	1.69	33.49	0.36	1.41	50.48	50.76	294.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 17:30:00	1.55	33.50	0.36	1.27	50.61	50.89	294.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 17:45:00	1.59	33.50	0.37	1.30	50.58	50.86	294.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 18:00:00	1.65	33.51	0.37	1.36	50.52	50.81	294.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 18:15:00	1.71	33.51	0.38	1.41	50.46	50.75	294.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 18:30:00	1.67	33.52	0.38	1.37	50.50	50.80	294.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 18:45:00	-0.26	33.52	0.39	-0.57	52.43	52.73	292.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 19:00:00	1.05	33.53	0.39	0.74	51.12	51.42	293.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 19:15:00	1.28	33.53	0.40	0.97	50.88	51.19	293.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 19:30:00	1.37	33.54	0.40	1.06	50.79	51.11	293.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 19:45:00	1.49	33.54	0.41	1.17	50.67	50.99	294.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 20:00:00	-11.23	33.55	0.42	-11.56	63.40	63.72	281.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 20:15:00	0.39	33.56	0.42	0.06	51.78	52.10	292.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 20:30:00	-9.28	33.56	0.43	-9.61	61.44	61.77	283.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 20:45:00	0.68	33.57	0.43	0.34	51.49	51.82	293.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 21:00:00	1.25	33.57	0.44	0.91	50.92	51.26	293.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 21:15:00	1.42	33.58	0.44	1.08	50.74	51.09	293.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 21:30:00	1.51	33.58	0.45	1.16	50.66	51.01	293.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 21:45:00	1.61	33.59	0.45	1.25	50.56	50.91	294.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 22:00:00	1.70	33.59	0.46	1.35	50.46	50.82	294.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 22:15:00	-3.92	33.60	0.46	-4.28	56.09	56.45	288.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 22:30:00	0.89	33.61	0.47	0.53	51.27	51.64	293.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 22:45:00	1.48	33.61	0.48	1.11	50.69	51.06	293.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 23:00:00	1.66	33.62	0.48	1.28	50.51	50.88	294.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 23:15:00	1.66	33.62	0.49	1.28	50.50	50.88	294.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 23:30:00	1.57	33.63	0.49	1.18	50.60	50.98	294.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/04/10 23:45:00	1.58	33.63	0.50	1.19	50.59	50.98	294.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 00:00:00	1.58	33.64	0.50	1.19	50.58	50.98	294.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 00:15:00	1.66	33.64	0.51	1.26	50.51	50.91	294.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 00:30:00	1.70	33.65	0.51	1.30	50.47	50.87	294.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 00:45:00	1.78	33.66	0.52	1.38	50.38	50.79	294.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 01:00:00	1.65	33.66	0.53	1.24	50.52	50.93	294.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 01:15:00	1.62	33.67	0.53	1.21	50.55	50.96	294.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 01:30:00	1.74	33.67	0.54	1.32	50.43	50.85	294.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 01:45:00	1.83	33.68	0.54	1.40	50.34	50.76	294.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 02:00:00	1.84	33.69	0.55	1.41	50.32	50.75	294.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 02:15:00	1.89	33.69	0.56	1.46	50.27	50.71	294.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 02:30:00	1.95	33.70	0.56	1.51	50.22	50.66	294.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 02:45:00	2.02	33.71	0.57	1.57	50.15	50.59	294.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 03:00:00	-10.46	33.71	0.58	-10.91	62.63	63.08	281.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 03:15:00	1.21	33.72	0.58	0.75	50.95	51.41	293.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 03:30:00	1.77	33.73	0.59	1.31	50.40	50.86	294.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 03:45:00	1.95	33.73	0.60	1.49	50.21	50.68	294.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 04:00:00	2.07	33.74	0.60	1.60	50.09	50.56	294.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 04:15:00	2.10	33.75	0.61	1.62	50.07	50.54	294.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 04:30:00	2.12	33.75	0.62	1.63	50.05	50.53	294.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 04:45:00	2.17	33.76	0.62	1.68	50.00	50.48	294.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 05:00:00	2.22	33.77	0.63	1.72	49.95	50.44	294.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 05:15:00	2.13	33.77	0.64	1.63	50.03	50.53	294.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 05:30:00	1.96	33.78	0.65	1.46	50.20	50.71	294.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 05:45:00	1.89	33.79	0.65	1.38	50.27	50.78	294.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 06:00:00	1.82	33.79	0.66	1.31	50.35	50.86	294.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 06:15:00	1.82	33.80	0.66	1.31	50.34	50.86	294.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 06:30:00	1.85	33.80	0.67	1.33	50.32	50.84	294.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 06:45:00	1.86	33.81	0.67	1.34	50.30	50.83	294.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 07:00:00	1.73	33.81	0.68	1.21	50.43	50.96	294.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 07:15:00	1.68	33.82	0.68	1.15	50.48	51.01	293.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 07:30:00	1.67	33.82	0.69	1.14	50.49	51.03	293.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 07:45:00	1.75	33.83	0.69	1.22	50.41	50.95	294.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 08:00:00	0.86	33.83	0.70	0.32	51.30	51.84	293.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 08:15:00	-9.36	33.84	0.70	-9.91	61.53	62.08	282.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 08:30:00	-2.46	33.84	0.71	-3.02	54.63	55.18	289.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 08:45:00	0.55	33.85	0.71	0.00	51.61	52.17	292.83	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	10/05/10 09:00:00	1.15	33.85	0.72	0.59	51.02	51.58	293.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 09:15:00	1.44	33.86	0.72	0.88	50.72	51.28	293.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 09:30:00	1.55	33.86	0.73	0.98	50.62	51.18	293.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 09:45:00	1.70	33.86	0.72	1.14	50.46	51.03	293.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 10:00:00	1.83	33.85	0.72	1.27	50.34	50.90	294.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 10:15:00	1.85	33.85	0.71	1.29	50.32	50.87	294.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 10:30:00	1.88	33.84	0.71	1.33	50.28	50.84	294.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 10:45:00	1.95	33.84	0.71	1.40	50.22	50.77	294.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 11:00:00	1.99	33.84	0.70	1.44	50.17	50.72	294.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 11:15:00	1.93	33.83	0.70	1.38	50.24	50.78	294.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 11:30:00	1.83	33.83	0.69	1.29	50.33	50.87	294.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 11:45:00	1.90	33.82	0.69	1.36	50.27	50.80	294.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 12:00:00	1.90	33.82	0.68	1.37	50.26	50.80	294.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 12:15:00	1.93	33.81	0.68	1.39	50.24	50.77	294.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 12:30:00	1.98	33.81	0.68	1.45	50.18	50.71	294.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 12:45:00	2.01	33.81	0.67	1.49	50.15	50.68	294.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 13:00:00	1.86	33.80	0.67	1.34	50.31	50.83	294.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 13:15:00	1.81	33.80	0.66	1.30	50.35	50.87	294.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 13:30:00	1.84	33.79	0.66	1.33	50.32	50.84	294.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 13:45:00	1.82	33.79	0.65	1.31	50.34	50.85	294.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 14:00:00	1.84	33.78	0.65	1.34	50.32	50.83	294.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 14:15:00	1.89	33.77	0.64	1.39	50.27	50.77	294.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 14:30:00	1.96	33.77	0.63	1.46	50.21	50.70	294.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 14:45:00	1.94	33.76	0.63	1.46	50.22	50.71	294.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 15:00:00	1.94	33.76	0.62	1.46	50.23	50.71	294.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 15:15:00	1.99	33.75	0.61	1.51	50.17	50.65	294.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 15:30:00	2.02	33.74	0.61	1.55	50.14	50.62	294.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 15:45:00	2.06	33.74	0.60	1.59	50.11	50.58	294.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 16:00:00	2.04	33.73	0.60	1.57	50.13	50.59	294.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 16:15:00	2.05	33.72	0.59	1.59	50.11	50.57	294.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 16:30:00	2.09	33.72	0.58	1.63	50.08	50.53	294.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 16:45:00	2.11	33.71	0.58	1.66	50.05	50.50	294.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 17:00:00	2.14	33.70	0.57	1.70	50.02	50.47	294.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 17:15:00	2.05	33.70	0.56	1.61	50.12	50.56	294.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 17:30:00	1.87	33.69	0.56	1.43	50.30	50.73	294.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 17:45:00	-0.67	33.69	0.56	-1.10	52.83	53.26	291.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 18:00:00	1.07	33.69	0.56	0.64	51.09	51.53	293.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 18:15:00	1.69	33.69	0.55	1.26	50.48	50.91	294.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 18:30:00	1.82	33.69	0.55	1.39	50.34	50.77	294.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 18:45:00	1.82	33.69	0.55	1.39	50.34	50.77	294.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 19:00:00	1.73	33.69	0.55	1.30	50.43	50.86	294.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 19:15:00	1.72	33.69	0.55	1.29	50.45	50.88	294.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 19:30:00	1.81	33.68	0.55	1.38	50.36	50.78	294.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 19:45:00	1.88	33.68	0.55	1.45	50.29	50.72	294.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 20:00:00	1.94	33.68	0.55	1.51	50.23	50.65	294.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 20:15:00	1.93	33.68	0.55	1.50	50.24	50.66	294.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 20:30:00	1.94	33.68	0.55	1.52	50.22	50.65	294.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 20:45:00	1.99	33.68	0.54	1.56	50.18	50.60	294.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 21:00:00	2.05	33.68	0.54	1.62	50.12	50.54	294.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 21:15:00	0.34	33.68	0.54	-0.08	51.83	52.25	292.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 21:30:00	1.55	33.68	0.54	1.13	50.61	51.03	293.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 21:45:00	1.80	33.67	0.54	1.38	50.36	50.78	294.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 22:00:00	1.92	33.67	0.54	1.50	50.24	50.66	294.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 22:15:00	1.98	33.67	0.53	1.56	50.19	50.61	294.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 22:30:00	0.72	33.67	0.53	0.30	51.45	51.86	293.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 22:45:00	1.60	33.66	0.53	1.19	50.56	50.98	294.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 23:00:00	1.85	33.66	0.53	1.44	50.32	50.73	294.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 23:15:00	1.88	33.66	0.53	1.47	50.28	50.69	294.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 23:30:00	1.82	33.66	0.52	1.41	50.34	50.75	294.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/05/10 23:45:00	1.90	33.66	0.52	1.50	50.26	50.67	294.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 00:00:00	2.01	33.65	0.52	1.61	50.15	50.56	294.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 00:15:00	2.01	33.65	0.52	1.60	50.16	50.56	294.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 00:30:00	2.06	33.65	0.51	1.66	50.10	50.50	294.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 00:45:00	2.08	33.65	0.51	1.68	50.08	50.48	294.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 01:00:00	1.95	33.64	0.51	1.55	50.22	50.62	294.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 01:15:00	1.95	33.64	0.51	1.55	50.22	50.61	294.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 01:30:00	2.04	33.64	0.51	1.65	50.13	50.52	294.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 01:45:00	2.04	33.64	0.50	1.65	50.13	50.52	294.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 02:00:00	2.08	33.64	0.50	1.69	50.08	50.47	294.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 02:15:00	2.12	33.63	0.50	1.73	50.05	50.44	294.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 02:30:00	2.15	33.63	0.50	1.77	50.01	50.40	294.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 02:45:00	2.15	33.63	0.49	1.76	50.02	50.40	294.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 03:00:00	2.15	33.63	0.49	1.77	50.01	50.39	294.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 03:15:00	2.21	33.62	0.49	1.82	49.96	50.34	294.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 03:30:00	2.26	33.62	0.49	1.88	49.91	50.29	294.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 03:45:00	2.30	33.62	0.48	1.92	49.87	50.24	294.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 04:00:00	2.25	33.62	0.48	1.87	49.92	50.29	294.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 04:15:00	2.24	33.62	0.48	1.87	49.92	50.30	294.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 04:30:00	2.29	33.61	0.48	1.91	49.88	50.25	294.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 04:45:00	2.32	33.61	0.48	1.95	49.85	50.22	294.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 05:00:00	2.35	33.61	0.47	1.98	49.81	50.18	294.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 05:15:00	-7.29	33.61	0.47	-7.66	59.45	59.82	285.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 05:30:00	1.35	33.60	0.47	0.98	50.82	51.18	293.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 05:45:00	1.66	33.60	0.46	1.30	50.50	50.87	294.13	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 06:00:00	1.81	33.59	0.46	1.45	50.36	50.72	294.28	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	10/06/10 06:15:00	1.88	33.59	0.45	1.53	50.28	50.64	294.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 06:30:00	1.94	33.58	0.45	1.59	50.23	50.58	294.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 06:45:00	1.91	33.58	0.44	1.57	50.25	50.60	294.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 07:00:00	1.75	33.57	0.44	1.40	50.42	50.76	294.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 07:15:00	1.57	33.57	0.43	1.23	50.60	50.93	294.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 07:30:00	1.60	33.56	0.43	1.27	50.56	50.90	294.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 07:45:00	-9.67	33.56	0.42	-10.00	61.84	62.17	282.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 08:00:00	0.85	33.55	0.42	0.52	51.32	51.64	293.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 08:15:00	1.48	33.55	0.41	1.16	50.69	51.01	293.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 08:30:00	1.64	33.54	0.41	1.32	50.53	50.85	294.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 08:45:00	1.74	33.54	0.40	1.43	50.42	50.74	294.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 09:00:00	1.80	33.53	0.40	1.49	50.37	50.68	294.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 09:15:00	1.79	33.53	0.39	1.48	50.37	50.68	294.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 09:30:00	1.81	33.52	0.39	1.51	50.36	50.66	294.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 09:45:00	1.84	33.51	0.38	1.55	50.32	50.62	294.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 10:00:00	1.92	33.50	0.37	1.64	50.24	50.53	294.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 10:15:00	1.97	33.49	0.36	1.69	50.20	50.48	294.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 10:30:00	1.94	33.48	0.35	1.67	50.23	50.49	294.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 10:45:00	-0.97	33.47	0.33	-1.23	53.13	53.39	291.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 11:00:00	1.57	33.46	0.32	1.31	50.60	50.85	294.15	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 11:15:00	1.76	33.45	0.31	1.52	50.40	50.65	294.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 11:30:00	1.69	33.44	0.30	1.45	50.48	50.71	294.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 11:45:00	1.74	33.43	0.29	1.51	50.43	50.65	294.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 12:00:00	1.81	33.42	0.28	1.59	50.36	50.58	294.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 12:15:00	1.80	33.40	0.27	1.59	50.36	50.57	294.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 12:30:00	1.86	33.39	0.26	1.65	50.31	50.51	294.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 12:45:00	1.90	33.38	0.25	1.71	50.26	50.46	294.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 13:00:00	1.76	33.37	0.24	1.57	50.41	50.59	294.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 13:15:00	1.69	33.36	0.23	1.51	50.48	50.66	294.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 13:30:00	1.74	33.35	0.22	1.57	50.43	50.59	294.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 13:45:00	1.75	33.34	0.20	1.59	50.41	50.57	294.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 14:00:00	1.71	33.33	0.19	1.56	50.45	50.61	294.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 14:15:00	1.75	33.32	0.18	1.60	50.42	50.56	294.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 14:30:00	1.78	33.31	0.17	1.65	50.38	50.52	294.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 14:45:00	1.82	33.30	0.16	1.69	50.34	50.47	294.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 15:00:00	1.83	33.29	0.15	1.71	50.33	50.45	294.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 15:15:00	1.81	33.28	0.14	1.70	50.35	50.46	294.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 15:30:00	1.86	33.27	0.13	1.76	50.30	50.40	294.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 15:45:00	1.91	33.25	0.12	1.82	50.26	50.35	294.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 16:00:00	1.95	33.24	0.11	1.86	50.22	50.30	294.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 16:15:00	1.92	33.23	0.10	1.84	50.24	50.32	294.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 16:30:00	1.96	33.22	0.09	1.89	50.21	50.28	294.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 16:45:00	2.02	33.21	0.08	1.96	50.15	50.21	294.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 17:00:00	2.05	33.20	0.07	2.00	50.12	50.17	294.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 17:15:00	1.97	33.19	0.06	1.93	50.19	50.23	294.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 17:30:00	1.86	33.18	0.05	1.82	50.30	50.34	294.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 17:45:00	1.93	33.18	0.05	1.90	50.23	50.27	294.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 18:00:00	1.93	33.18	0.05	1.90	50.23	50.27	294.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 18:15:00	1.98	33.18	0.05	1.94	50.19	50.23	294.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 18:30:00	2.04	33.19	0.05	2.00	50.12	50.16	294.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 18:45:00	2.06	33.19	0.05	2.02	50.11	50.15	294.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 19:00:00	1.90	33.19	0.05	1.86	50.27	50.31	294.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 19:15:00	1.89	33.19	0.05	1.85	50.28	50.32	294.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 19:30:00	1.88	33.19	0.06	1.83	50.29	50.33	294.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 19:45:00	-1.38	33.19	0.06	-1.42	53.54	53.59	291.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 20:00:00	1.37	33.19	0.06	1.32	50.80	50.84	294.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 20:15:00	1.68	33.19	0.06	1.63	50.49	50.53	294.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 20:30:00	1.82	33.20	0.06	1.77	50.35	50.39	294.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 20:45:00	1.93	33.20	0.06	1.88	50.24	50.29	294.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 21:00:00	2.03	33.20	0.06	1.98	50.14	50.19	294.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 21:15:00	-1.24	33.20	0.06	-1.30	53.41	53.46	291.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 21:30:00	1.54	33.20	0.07	1.48	50.63	50.68	294.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 21:45:00	1.87	33.20	0.07	1.81	50.30	50.35	294.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 22:00:00	2.02	33.20	0.07	1.97	50.14	50.20	294.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 22:15:00	2.06	33.20	0.07	2.01	50.10	50.15	294.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 22:30:00	2.09	33.21	0.07	2.04	50.07	50.13	294.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 22:45:00	2.14	33.21	0.07	2.08	50.03	50.09	294.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 23:00:00	2.18	33.21	0.07	2.13	49.98	50.04	294.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 23:15:00	2.12	33.21	0.07	2.07	50.04	50.10	294.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 23:30:00	2.05	33.21	0.08	1.99	50.11	50.17	294.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/06/10 23:45:00	2.09	33.21	0.08	2.03	50.08	50.14	294.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 00:00:00	2.12	33.21	0.08	2.06	50.05	50.11	294.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 00:15:00	0.21	33.21	0.08	0.15	51.95	52.01	292.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 00:30:00	1.81	33.21	0.08	1.75	50.36	50.42	294.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 00:45:00	2.06	33.22	0.08	2.00	50.11	50.17	294.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 01:00:00	1.99	33.22	0.08	1.92	50.18	50.24	294.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 01:15:00	2.00	33.22	0.08	1.94	50.16	50.23	294.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 01:30:00	2.10	33.22	0.08	2.03	50.07	50.13	294.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 01:45:00	2.13	33.22	0.09	2.07	50.03	50.10	294.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 02:00:00	2.12	33.22	0.09	2.05	50.04	50.11	294.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 02:15:00	2.16	33.23	0.09	2.09	50.00	50.07	294.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 02:30:00	2.21	33.23	0.09	2.14	49.95	50.03	294.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 02:45:00	2.25	33.23	0.10	2.18	49.91	49.99	295.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 03:00:00	2.24	33.23	0.10	2.16	49.93	50.00	295.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 03:15:00	2.22	33.23	0.10	2.14	49.94	50.02	294.98	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	10/07/10 03:30:00	2.26	33.24	0.10	2.18	49.90	49.98	295.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 03:45:00	2.29	33.24	0.10	2.21	49.87	49.95	295.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 04:00:00	2.32	33.24	0.11	2.24	49.84	49.93	295.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 04:15:00	2.30	33.24	0.11	2.21	49.87	49.95	295.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 04:30:00	2.27	33.25	0.11	2.19	49.89	49.98	295.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 04:45:00	2.30	33.25	0.11	2.21	49.86	49.95	295.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 05:00:00	2.33	33.25	0.12	2.24	49.84	49.93	295.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 05:15:00	2.23	33.25	0.12	2.14	49.93	50.02	294.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 05:30:00	2.08	33.26	0.12	1.98	50.09	50.18	294.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 05:45:00	2.01	33.26	0.12	1.92	50.15	50.25	294.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 06:00:00	1.90	33.26	0.12	1.81	50.26	50.36	294.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 06:15:00	1.87	33.26	0.13	1.77	50.30	50.40	294.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 06:30:00	1.88	33.26	0.13	1.78	50.29	50.39	294.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 06:45:00	1.88	33.27	0.13	1.78	50.28	50.38	294.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 07:00:00	0.29	33.27	0.13	0.19	51.87	51.98	293.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 07:15:00	1.34	33.27	0.13	1.24	50.82	50.93	294.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 07:30:00	1.54	33.27	0.14	1.43	50.62	50.73	294.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 07:45:00	1.69	33.27	0.14	1.59	50.47	50.58	294.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 08:00:00	-2.69	33.28	0.14	-2.80	54.86	54.96	290.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 08:15:00	1.28	33.28	0.14	1.17	50.89	51.00	294.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 08:30:00	1.69	33.28	0.14	1.57	50.48	50.59	294.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 08:45:00	1.88	33.28	0.15	1.77	50.28	50.40	294.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 09:00:00	2.03	33.28	0.15	1.91	50.14	50.25	294.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 09:15:00	2.10	33.29	0.15	1.98	50.06	50.18	294.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 09:30:00	2.12	33.29	0.15	2.00	50.04	50.16	294.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 09:45:00	2.13	33.29	0.15	2.01	50.03	50.16	294.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 10:00:00	2.14	33.29	0.16	2.02	50.02	50.15	294.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 10:15:00	2.11	33.29	0.16	1.99	50.05	50.17	294.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 10:30:00	2.17	33.29	0.16	2.05	49.99	50.12	294.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 10:45:00	2.25	33.29	0.16	2.12	49.92	50.04	294.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 11:00:00	2.28	33.30	0.16	2.16	49.88	50.01	294.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 11:15:00	2.20	33.30	0.16	2.07	49.97	50.10	294.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 11:30:00	2.10	33.30	0.16	1.97	50.07	50.20	294.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 11:45:00	2.15	33.30	0.17	2.02	50.02	50.14	294.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 12:00:00	2.16	33.30	0.17	2.03	50.00	50.13	294.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 12:15:00	2.20	33.30	0.17	2.06	49.97	50.10	294.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 12:30:00	2.24	33.30	0.17	2.11	49.92	50.05	294.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 12:45:00	2.28	33.31	0.17	2.15	49.89	50.02	294.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 13:00:00	2.15	33.31	0.17	2.01	50.02	50.15	294.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 13:15:00	2.13	33.31	0.17	1.99	50.04	50.17	294.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 13:30:00	2.13	33.31	0.18	1.99	50.04	50.17	294.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 13:45:00	2.19	33.32	0.18	2.04	49.98	50.12	294.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 14:00:00	2.26	33.32	0.19	2.12	49.90	50.05	294.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 14:15:00	2.29	33.33	0.19	2.14	49.88	50.03	294.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 14:30:00	2.30	33.33	0.20	2.15	49.86	50.02	294.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 14:45:00	2.26	33.33	0.20	2.11	49.90	50.06	294.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 15:00:00	2.31	33.34	0.20	2.16	49.85	50.01	294.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 15:15:00	2.36	33.34	0.20	2.21	49.80	49.96	295.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 15:30:00	2.38	33.34	0.20	2.22	49.79	49.95	295.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 15:45:00	2.33	33.35	0.21	2.17	49.83	50.00	295.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 16:00:00	2.34	33.35	0.21	2.17	49.82	49.99	295.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 16:15:00	2.35	33.35	0.21	2.19	49.81	49.98	295.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 16:30:00	2.37	33.35	0.22	2.20	49.79	49.96	295.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 16:45:00	2.34	33.35	0.22	2.17	49.82	49.99	295.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 17:00:00	-0.53	33.35	0.22	-0.70	52.69	52.86	292.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 17:15:00	1.77	33.36	0.22	1.60	50.40	50.57	294.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 17:30:00	1.87	33.35	0.22	1.70	50.30	50.47	294.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 17:45:00	2.01	33.35	0.22	1.84	50.16	50.33	294.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 18:00:00	2.11	33.36	0.22	1.93	50.06	50.23	294.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 18:15:00	2.12	33.36	0.22	1.94	50.05	50.22	294.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 18:30:00	2.14	33.36	0.23	1.96	50.02	50.20	294.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 18:45:00	2.15	33.37	0.23	1.97	50.01	50.19	294.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 19:00:00	1.93	33.37	0.24	1.74	50.24	50.42	294.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 19:15:00	-6.45	33.38	0.24	-6.64	58.62	58.80	286.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 19:30:00	0.91	33.38	0.24	0.72	51.25	51.44	293.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 19:45:00	1.50	33.38	0.25	1.30	50.67	50.86	294.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 20:00:00	1.73	33.39	0.25	1.53	50.44	50.63	294.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 20:15:00	1.87	33.39	0.25	1.67	50.30	50.50	294.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 20:30:00	1.89	33.39	0.25	1.69	50.28	50.48	294.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 20:45:00	1.95	33.39	0.26	1.75	50.21	50.41	294.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 21:00:00	1.05	33.39	0.26	0.84	51.12	51.32	293.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 21:15:00	1.76	33.40	0.26	1.56	50.40	50.61	294.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 21:30:00	1.88	33.40	0.26	1.67	50.29	50.49	294.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 21:45:00	1.97	33.40	0.27	1.76	50.20	50.40	294.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 22:00:00	1.97	33.41	0.27	1.76	50.19	50.40	294.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 22:15:00	1.98	33.41	0.27	1.76	50.19	50.40	294.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 22:30:00	1.96	33.40	0.27	1.76	50.20	50.41	294.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 22:45:00	1.94	33.41	0.27	1.73	50.22	50.43	294.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 23:00:00	1.85	33.40	0.27	1.64	50.32	50.53	294.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 23:15:00	1.80	33.40	0.27	1.59	50.37	50.58	294.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 23:30:00	-4.52	33.40	0.27	-4.73	56.69	56.89	288.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/07/10 23:45:00	1.15	33.40	0.27	0.94	51.02	51.22	293.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 00:00:00	1.62	33.40	0.27	1.41	50.55	50.76	294.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 00:15:00	1.84	33.40	0.27	1.63	50.32	50.53	294.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 00:30:00	1.99	33.40	0.27	1.78	50.18	50.39	294.61	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	10/08/10 00:45:00	2.06	33.40	0.27	1.85	50.10	50.31	294.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 01:00:00	1.93	33.40	0.27	1.72	50.23	50.44	294.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 01:15:00	1.94	33.40	0.27	1.73	50.22	50.43	294.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 01:30:00	2.01	33.40	0.27	1.81	50.15	50.36	294.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 01:45:00	2.00	33.40	0.27	1.79	50.16	50.37	294.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 02:00:00	2.07	33.41	0.27	1.86	50.09	50.30	294.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 02:15:00	2.13	33.40	0.27	1.92	50.03	50.24	294.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 02:30:00	2.19	33.41	0.27	1.98	49.97	50.18	294.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 02:45:00	2.25	33.41	0.27	2.04	49.92	50.13	294.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 03:00:00	2.22	33.41	0.28	2.01	49.94	50.16	294.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 03:15:00	2.25	33.41	0.27	2.04	49.91	50.13	294.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 03:30:00	2.30	33.41	0.28	2.09	49.86	50.08	294.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 03:45:00	2.32	33.41	0.28	2.10	49.84	50.06	294.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 04:00:00	2.33	33.41	0.27	2.12	49.83	50.05	294.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 04:15:00	2.35	33.40	0.27	2.14	49.81	50.02	294.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 04:30:00	2.31	33.40	0.27	2.10	49.86	50.07	294.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 04:45:00	2.32	33.40	0.27	2.11	49.85	50.06	294.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 05:00:00	2.36	33.41	0.27	2.15	49.81	50.02	294.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 05:15:00	2.28	33.41	0.27	2.07	49.88	50.10	294.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 05:30:00	2.10	33.41	0.27	1.89	50.06	50.28	294.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 05:45:00	1.97	33.41	0.27	1.75	50.20	50.41	294.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 06:00:00	-2.36	33.41	0.27	-2.57	54.53	54.74	290.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 06:15:00	1.35	33.41	0.27	1.14	50.82	51.03	293.97	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 06:30:00	1.68	33.40	0.27	1.47	50.48	50.69	294.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 06:45:00	1.80	33.40	0.27	1.59	50.37	50.58	294.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 07:00:00	1.67	33.40	0.27	1.46	50.50	50.70	294.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 07:15:00	1.64	33.41	0.27	1.43	50.53	50.74	294.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 07:30:00	1.65	33.41	0.27	1.44	50.52	50.73	294.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 07:45:00	1.75	33.41	0.27	1.54	50.41	50.63	294.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 08:00:00	1.81	33.41	0.28	1.59	50.35	50.57	294.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 08:15:00	-11.59	33.41	0.28	-11.81	63.76	63.97	281.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 08:30:00	0.94	33.42	0.28	0.72	51.22	51.44	293.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 08:45:00	1.57	33.42	0.29	1.35	50.59	50.81	294.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 09:00:00	1.80	33.43	0.29	1.57	50.37	50.59	294.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 09:15:00	1.84	33.43	0.29	1.61	50.33	50.55	294.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 09:30:00	1.81	33.43	0.29	1.58	50.36	50.59	294.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 09:45:00	1.81	33.43	0.30	1.58	50.36	50.59	294.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 10:00:00	1.87	33.43	0.30	1.64	50.30	50.53	294.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 10:15:00	1.92	33.43	0.29	1.69	50.25	50.48	294.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 10:30:00	1.97	33.43	0.30	1.74	50.19	50.42	294.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 10:45:00	2.01	33.44	0.30	1.78	50.15	50.39	294.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 10:45:00	2.01	33.44	0.30	1.78	50.15	50.39	294.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 11:00:00	1.97	33.44	0.30	1.73	50.20	50.43	294.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 11:15:00	1.91	33.44	0.30	1.68	50.25	50.49	294.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 11:30:00	1.78	33.43	0.29	1.55	50.38	50.61	294.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 11:45:00	1.81	33.43	0.29	1.58	50.35	50.58	294.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 12:00:00	1.88	33.43	0.30	1.65	50.28	50.51	294.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 12:15:00	1.94	33.42	0.28	1.72	50.23	50.45	294.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 12:30:00	1.97	33.41	0.28	1.75	50.20	50.41	294.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 12:45:00	1.96	33.41	0.28	1.75	50.20	50.42	294.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 13:00:00	1.80	33.41	0.27	1.58	50.37	50.58	294.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 13:15:00	1.76	33.40	0.27	1.55	50.41	50.62	294.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 13:30:00	1.81	33.40	0.26	1.60	50.36	50.56	294.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 13:45:00	1.78	33.39	0.26	1.58	50.38	50.58	294.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 14:00:00	1.79	33.38	0.25	1.60	50.37	50.57	294.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 14:15:00	1.83	33.37	0.24	1.64	50.34	50.52	294.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 14:30:00	1.87	33.37	0.23	1.69	50.29	50.48	294.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 14:45:00	1.91	33.36	0.23	1.74	50.25	50.43	294.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 15:00:00	1.92	33.36	0.22	1.75	50.24	50.42	294.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 15:15:00	1.88	33.36	0.23	1.70	50.29	50.47	294.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 15:30:00	1.80	33.36	0.23	1.62	50.36	50.54	294.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 15:45:00	1.75	33.36	0.23	1.57	50.42	50.59	294.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 16:00:00	1.77	33.36	0.22	1.60	50.39	50.57	294.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 16:15:00	1.81	33.35	0.22	1.64	50.36	50.52	294.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 16:30:00	1.76	33.35	0.22	1.59	50.41	50.58	294.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 16:45:00	1.75	33.35	0.21	1.59	50.41	50.58	294.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 17:00:00	1.77	33.35	0.22	1.60	50.40	50.57	294.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 17:15:00	1.66	33.34	0.21	1.50	50.50	50.67	294.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 17:30:00	1.53	33.34	0.21	1.36	50.64	50.80	294.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 17:45:00	1.53	33.33	0.20	1.38	50.63	50.79	294.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 18:00:00	1.55	33.34	0.20	1.39	50.62	50.77	294.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 18:15:00	1.50	33.34	0.20	1.34	50.67	50.82	294.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 18:30:00	0.02	33.34	0.21	-0.14	52.15	52.31	292.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 18:45:00	1.10	33.34	0.21	0.94	51.07	51.23	293.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 19:00:00	1.15	33.33	0.20	1.00	51.01	51.17	293.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 19:15:00	0.23	33.33	0.20	0.08	51.93	52.09	292.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 19:30:00	0.95	33.33	0.20	0.80	51.22	51.37	293.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 19:45:00	1.14	33.33	0.20	0.99	51.02	51.17	293.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 20:00:00	1.30	33.33	0.19	1.15	50.87	51.02	293.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 20:15:00	-0.78	33.32	0.19	-0.93	52.94	53.09	291.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 20:30:00	-9.98	33.32	0.18	-10.12	62.14	62.29	282.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 20:45:00	0.34	33.31	0.18	0.20	51.82	51.96	293.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 21:00:00	-0.09	33.31	0.18	-0.22	52.25	52.39	292.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 21:15:00	-6.25	33.31	0.18	-6.39	58.41	58.55	286.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 21:30:00	0.01	33.30	0.17	-0.12	52.16	52.29	292.71	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	10/08/10 21:45:00	-10.33	33.32	0.18	-10.48	62.50	62.64	282.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 22:00:00	0.18	33.32	0.18	0.04	51.98	52.12	292.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 22:15:00	-6.95	33.32	0.18	-7.09	59.11	59.25	285.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 22:30:00	0.35	33.33	0.19	0.20	51.81	51.96	293.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 22:45:00	-2.06	33.33	0.20	-2.21	54.23	54.38	290.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 23:00:00	0.63	33.33	0.20	0.48	51.54	51.69	293.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 23:15:00	0.89	33.33	0.19	0.74	51.28	51.43	293.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 23:30:00	0.91	33.33	0.20	0.75	51.26	51.41	293.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/08/10 23:45:00	1.03	33.33	0.20	0.88	51.13	51.29	293.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 00:00:00	1.18	33.33	0.20	1.03	50.98	51.14	293.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 00:15:00	1.29	33.34	0.20	1.13	50.88	51.04	293.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 00:30:00	1.36	33.34	0.20	1.20	50.81	50.97	294.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 00:45:00	1.37	33.34	0.21	1.20	50.80	50.96	294.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 01:00:00	1.25	33.35	0.21	1.08	50.92	51.08	293.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 01:15:00	1.21	33.34	0.21	1.05	50.96	51.12	293.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 01:30:00	1.29	33.35	0.22	1.12	50.88	51.05	293.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 01:45:00	1.37	33.35	0.22	1.20	50.79	50.96	294.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 02:00:00	1.44	33.36	0.22	1.27	50.73	50.90	294.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 02:15:00	1.41	33.36	0.22	1.24	50.76	50.93	294.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 02:30:00	1.47	33.37	0.23	1.29	50.70	50.88	294.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 02:45:00	1.52	33.37	0.23	1.34	50.64	50.82	294.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 03:00:00	1.56	33.37	0.23	1.38	50.60	50.78	294.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 03:15:00	1.57	33.36	0.23	1.39	50.59	50.77	294.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 03:30:00	1.54	33.37	0.24	1.36	50.62	50.81	294.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 03:45:00	1.56	33.38	0.24	1.37	50.60	50.79	294.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 04:00:00	1.60	33.38	0.25	1.40	50.57	50.76	294.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 04:15:00	1.64	33.39	0.25	1.44	50.53	50.72	294.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 04:30:00	1.65	33.39	0.25	1.46	50.51	50.71	294.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 04:45:00	1.60	33.38	0.25	1.40	50.57	50.76	294.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 05:00:00	1.62	33.39	0.25	1.42	50.55	50.74	294.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 05:15:00	1.57	33.39	0.25	1.37	50.60	50.79	294.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 05:30:00	1.41	33.39	0.25	1.22	50.75	50.95	294.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 05:45:00	1.41	33.39	0.26	1.20	50.76	50.96	294.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 06:00:00	-3.49	33.40	0.26	-3.69	55.65	55.86	289.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 06:15:00	0.81	33.40	0.26	0.61	51.35	51.56	293.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 06:30:00	1.09	33.39	0.26	0.89	51.07	51.27	293.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 06:45:00	1.23	33.39	0.26	1.03	50.93	51.13	293.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 07:00:00	1.18	33.39	0.26	0.98	50.98	51.18	293.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 07:15:00	1.18	33.39	0.26	0.97	50.99	51.19	293.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 07:30:00	1.25	33.39	0.26	1.05	50.92	51.12	293.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 07:45:00	1.25	33.39	0.26	1.05	50.91	51.12	293.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 08:00:00	1.31	33.40	0.26	1.10	50.86	51.06	293.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 08:15:00	1.31	33.40	0.26	1.10	50.86	51.06	293.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 08:30:00	1.36	33.40	0.26	1.16	50.80	51.01	293.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 08:45:00	1.42	33.41	0.27	1.21	50.74	50.96	294.04	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 09:00:00	1.41	33.41	0.28	1.19	50.76	50.97	294.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 09:15:00	1.30	33.42	0.29	1.08	50.87	51.09	293.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 09:30:00	1.31	33.43	0.29	1.08	50.86	51.08	293.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 09:45:00	1.32	33.43	0.29	1.10	50.84	51.07	293.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 10:00:00	1.24	33.43	0.30	1.01	50.92	51.15	293.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 10:15:00	1.19	33.43	0.30	0.96	50.98	51.21	293.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 10:30:00	1.18	33.43	0.30	0.95	50.99	51.22	293.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 10:45:00	1.13	33.43	0.29	0.90	51.04	51.27	293.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 11:00:00	1.15	33.43	0.29	0.92	51.02	51.25	293.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 11:00:00	1.15	33.43	0.29	0.92	51.02	51.25	293.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 11:15:00	1.14	33.42	0.29	0.91	51.03	51.26	293.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 11:30:00	1.15	33.42	0.29	0.93	51.01	51.24	293.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 11:45:00	1.20	33.42	0.29	0.98	50.96	51.19	293.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 12:00:00	1.19	33.42	0.29	0.97	50.98	51.20	293.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 12:15:00	1.22	33.42	0.29	1.00	50.94	51.17	293.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 12:30:00	1.19	33.41	0.28	0.98	50.97	51.19	293.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 12:45:00	1.22	33.41	0.27	1.01	50.95	51.16	293.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 13:00:00	1.25	33.40	0.26	1.04	50.92	51.13	293.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 13:15:00	1.28	33.40	0.26	1.08	50.89	51.09	293.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 13:30:00	1.30	33.39	0.25	1.10	50.87	51.06	293.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 13:45:00	1.30	33.38	0.25	1.10	50.87	51.06	293.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 14:00:00	1.23	33.37	0.24	1.04	50.94	51.12	293.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 14:15:00	1.25	33.37	0.24	1.06	50.92	51.10	293.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 14:30:00	1.27	33.36	0.23	1.10	50.89	51.07	293.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 14:45:00	1.29	33.36	0.22	1.11	50.88	51.05	293.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 15:00:00	1.29	33.35	0.22	1.12	50.87	51.04	293.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 15:15:00	0.17	33.35	0.22	0.00	52.00	52.17	292.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 15:30:00	0.99	33.34	0.21	0.82	51.18	51.34	293.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 15:45:00	1.18	33.34	0.21	1.02	50.98	51.15	293.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 16:00:00	1.17	33.34	0.21	1.01	51.00	51.16	293.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 16:15:00	1.21	33.34	0.20	1.05	50.96	51.11	293.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 16:30:00	1.25	33.33	0.20	1.09	50.92	51.07	293.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 16:45:00	1.25	33.33	0.20	1.10	50.91	51.06	293.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 17:00:00	1.22	33.33	0.19	1.07	50.95	51.10	293.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 17:15:00	1.22	33.32	0.18	1.08	50.94	51.09	293.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 17:30:00	1.17	33.32	0.18	1.02	51.00	51.14	293.86	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 17:45:00	1.12	33.32	0.19	0.97	51.04	51.19	293.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 18:00:00	1.14	33.32	0.18	1.00	51.03	51.17	293.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 18:15:00	1.18	33.32	0.19	1.03	50.99	51.13	293.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 18:30:00	1.20	33.32	0.18	1.06	50.97	51.11	293.89	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	10/09/10 18:45:00	1.20	33.32	0.18	1.05	50.97	51.11	293.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 19:00:00	1.21	33.33	0.19	1.06	50.96	51.11	293.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 19:15:00	1.12	33.33	0.20	0.97	51.04	51.19	293.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 19:30:00	1.10	33.34	0.20	0.95	51.06	51.22	293.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 19:45:00	1.12	33.34	0.20	0.96	51.05	51.21	293.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 20:00:00	1.12	33.34	0.21	0.96	51.04	51.20	293.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 20:15:00	1.14	33.34	0.20	0.98	51.02	51.18	293.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 20:30:00	-11.24	33.34	0.20	-11.40	63.41	63.57	281.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 20:45:00	0.33	33.34	0.20	0.17	51.84	52.00	293.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 21:00:00	0.80	33.34	0.20	0.64	51.36	51.52	293.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 21:15:00	0.96	33.33	0.20	0.81	51.20	51.36	293.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 21:30:00	1.04	33.33	0.20	0.89	51.12	51.28	293.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 21:45:00	1.08	33.33	0.19	0.93	51.09	51.24	293.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 22:00:00	1.12	33.34	0.20	0.96	51.05	51.21	293.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 22:15:00	1.14	33.33	0.19	0.99	51.03	51.18	293.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 22:30:00	1.16	33.33	0.20	1.01	51.00	51.15	293.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 22:45:00	1.17	33.33	0.19	1.02	51.00	51.15	293.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 23:00:00	1.15	33.33	0.19	1.00	51.01	51.16	293.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 23:15:00	1.14	33.33	0.20	0.99	51.02	51.18	293.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 23:30:00	-2.14	33.34	0.21	-2.30	54.31	54.47	290.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/09/10 23:45:00	0.62	33.34	0.21	0.46	51.54	51.70	293.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 00:00:00	0.80	33.34	0.20	0.64	51.37	51.53	293.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 00:15:00	0.87	33.34	0.21	0.71	51.29	51.45	293.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 00:30:00	0.93	33.34	0.21	0.77	51.23	51.39	293.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 00:45:00	0.99	33.34	0.20	0.83	51.18	51.34	293.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 01:00:00	1.03	33.34	0.20	0.87	51.14	51.30	293.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 01:15:00	1.06	33.34	0.21	0.90	51.10	51.26	293.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 01:30:00	1.09	33.35	0.21	0.93	51.07	51.23	293.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 01:45:00	1.12	33.35	0.21	0.95	51.04	51.21	293.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 02:00:00	1.13	33.35	0.22	0.96	51.04	51.21	293.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 02:15:00	1.12	33.36	0.22	0.95	51.04	51.21	293.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 02:30:00	1.13	33.36	0.23	0.95	51.03	51.21	293.79	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 02:45:00	1.15	33.37	0.23	0.97	51.01	51.19	293.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 03:00:00	1.16	33.37	0.23	0.98	51.00	51.18	293.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 03:15:00	1.18	33.37	0.23	1.00	50.99	51.17	293.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 03:30:00	1.16	33.36	0.23	0.99	51.00	51.18	293.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 03:45:00	1.13	33.38	0.24	0.94	51.03	51.22	293.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 04:00:00	1.16	33.38	0.25	0.96	51.01	51.20	293.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 04:15:00	1.17	33.39	0.25	0.98	50.99	51.19	293.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 04:30:00	1.17	33.39	0.25	0.98	50.99	51.19	293.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 04:45:00	1.19	33.40	0.26	0.99	50.97	51.18	293.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 05:00:00	1.22	33.41	0.27	1.00	50.95	51.16	293.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 05:15:00	1.23	33.41	0.28	1.02	50.93	51.15	293.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 05:30:00	1.24	33.43	0.29	1.01	50.93	51.16	293.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 05:45:00	1.21	33.43	0.29	0.98	50.96	51.19	293.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 06:00:00	1.18	33.44	0.30	0.95	50.98	51.22	293.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 06:15:00	1.15	33.45	0.31	0.91	51.01	51.26	293.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 06:30:00	1.08	33.46	0.32	0.83	51.08	51.33	293.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 06:45:00	1.06	33.47	0.33	0.80	51.10	51.37	293.63	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 07:00:00	0.84	33.48	0.35	0.57	51.32	51.60	293.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 07:15:00	0.12	33.49	0.35	-0.15	52.04	52.32	292.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 07:30:00	0.77	33.49	0.36	0.49	51.40	51.68	293.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 07:45:00	0.94	33.50	0.36	0.66	51.22	51.51	293.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 08:00:00	1.03	33.53	0.40	0.72	51.14	51.44	293.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 08:15:00	-1.51	33.55	0.41	-1.83	53.67	54.00	291.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 08:30:00	-8.45	33.54	0.41	-8.77	60.62	60.94	284.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 08:45:00	-0.03	33.55	0.41	-0.35	52.20	52.52	292.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 09:00:00	0.57	33.55	0.41	0.24	51.60	51.92	293.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 09:15:00	-6.14	33.54	0.40	-6.46	58.31	58.62	286.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 09:30:00	-0.17	33.55	0.41	-0.49	52.33	52.65	292.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 09:45:00	-0.97	33.55	0.41	-1.29	53.13	53.46	291.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 10:00:00	0.14	33.56	0.43	-0.19	52.03	52.36	292.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 10:15:00	-3.24	33.56	0.43	-3.57	55.40	55.73	289.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 10:30:00	-11.51	33.57	0.43	-11.85	63.67	64.01	280.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 10:45:00	-0.65	33.57	0.43	-0.98	52.81	53.15	291.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 11:00:00	0.10	33.57	0.43	-0.23	52.06	52.40	292.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 11:15:00	0.26	33.57	0.43	-0.07	51.90	52.24	292.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 11:30:00	0.41	33.57	0.43	0.07	51.76	52.10	292.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 11:45:00	0.52	33.57	0.43	0.18	51.65	51.99	293.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 12:00:00	0.61	33.56	0.43	0.28	51.56	51.89	293.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 12:15:00	0.67	33.56	0.42	0.34	51.50	51.83	293.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 12:30:00	0.69	33.56	0.43	0.35	51.48	51.81	293.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 12:45:00	0.68	33.56	0.43	0.35	51.48	51.81	293.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 13:00:00	-0.61	33.56	0.42	-0.94	52.78	53.11	291.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 13:15:00	0.25	33.56	0.43	-0.09	51.92	52.25	292.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 13:30:00	0.41	33.56	0.43	0.07	51.76	52.09	292.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 13:45:00	0.44	33.56	0.43	0.10	51.73	52.06	292.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 14:00:00	0.42	33.56	0.42	0.09	51.74	52.07	292.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 14:15:00	0.42	33.56	0.42	0.09	51.75	52.07	292.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 14:30:00	0.42	33.55	0.42	0.10	51.74	52.07	292.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 14:45:00	-4.21	33.55	0.41	-4.54	56.38	56.70	288.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 15:00:00	-0.24	33.55	0.42	-0.56	52.40	52.72	292.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 15:15:00	0.07	33.54	0.41	-0.25	52.09	52.41	292.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 15:30:00	0.19	33.54	0.41	-0.13	51.98	52.30	292.70	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 15:45:00	0.24	33.54	0.40	-0.07	51.92	52.24	292.76	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	10/10/10 16:00:00	0.19	33.54	0.40	-0.12	51.97	52.28	292.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 16:15:00	0.18	33.53	0.40	-0.13	51.98	52.29	292.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 16:30:00	0.22	33.54	0.41	-0.10	51.94	52.26	292.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 16:45:00	0.22	33.54	0.41	-0.10	51.94	52.26	292.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 17:00:00	-16.76	33.54	0.41	-17.08	68.93	69.24	275.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 17:15:00	-16.75	33.54	0.40	-17.06	68.91	69.23	275.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 17:30:00	-16.76	33.54	0.40	-17.08	68.93	69.24	275.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 17:45:00	-4.59	33.54	0.40	-4.90	56.75	57.07	287.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 18:00:00	-2.04	33.54	0.41	-2.35	54.20	54.52	290.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 18:15:00	-1.28	33.55	0.41	-1.60	53.44	53.76	291.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 18:30:00	-0.89	33.55	0.42	-1.22	53.06	53.38	291.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 18:45:00	-0.71	33.56	0.42	-1.04	52.87	53.20	291.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 19:00:00	-0.57	33.56	0.43	-0.90	52.74	53.07	291.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 19:15:00	-0.41	33.57	0.44	-0.75	52.58	52.92	292.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 19:30:00	-0.29	33.58	0.44	-0.64	52.46	52.80	292.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 19:45:00	-1.39	33.58	0.45	-1.74	53.55	53.90	291.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 20:00:00	-0.52	33.59	0.45	-0.87	52.68	53.04	291.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 20:15:00	-0.28	33.59	0.45	-0.63	52.44	52.80	292.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 20:30:00	-0.13	33.59	0.46	-0.49	52.30	52.66	292.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 20:45:00	-0.04	33.60	0.46	-0.40	52.20	52.56	292.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 21:00:00	0.07	33.60	0.47	-0.30	52.10	52.46	292.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 21:15:00	0.15	33.61	0.47	-0.22	52.02	52.39	292.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 21:30:00	0.19	33.62	0.48	-0.19	51.97	52.35	292.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 21:45:00	0.17	33.63	0.49	-0.22	52.00	52.38	292.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 22:00:00	0.20	33.63	0.50	-0.19	51.97	52.35	292.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 22:15:00	-1.19	33.64	0.50	-1.58	53.36	53.75	291.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 22:30:00	-0.12	33.64	0.51	-0.51	52.28	52.68	292.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 22:45:00	0.15	33.65	0.51	-0.25	52.01	52.41	292.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 23:00:00	0.28	33.65	0.52	-0.12	51.89	52.29	292.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 23:15:00	0.39	33.66	0.53	-0.02	51.77	52.19	292.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 23:30:00	0.45	33.67	0.54	0.03	51.71	52.13	292.87	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/10/10 23:45:00	0.50	33.68	0.55	0.07	51.67	52.09	292.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 00:00:00	0.54	33.69	0.55	0.11	51.62	52.05	292.95	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 00:15:00	0.60	33.69	0.56	0.16	51.57	52.00	293.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 00:30:00	0.63	33.70	0.56	0.19	51.53	51.97	293.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 00:45:00	0.66	33.70	0.57	0.22	51.50	51.95	293.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 01:00:00	0.69	33.71	0.58	0.24	51.47	51.92	293.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 01:15:00	0.65	33.72	0.58	0.20	51.51	51.97	293.03	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 01:30:00	0.68	33.72	0.59	0.22	51.48	51.94	293.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 01:45:00	0.70	33.73	0.59	0.24	51.46	51.93	293.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 02:00:00	0.73	33.73	0.60	0.26	51.44	51.90	293.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 02:15:00	-1.46	33.74	0.61	-1.94	53.63	54.10	290.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 02:30:00	0.31	33.75	0.61	-0.17	51.86	52.33	292.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 02:45:00	0.61	33.76	0.62	0.12	51.56	52.04	292.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 03:00:00	0.72	33.77	0.63	0.23	51.44	51.93	293.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 03:15:00	0.80	33.77	0.64	0.30	51.37	51.86	293.14	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 03:30:00	0.86	33.78	0.64	0.36	51.31	51.81	293.19	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 03:45:00	0.90	33.78	0.65	0.40	51.26	51.77	293.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 04:00:00	0.94	33.79	0.65	0.43	51.23	51.74	293.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 04:15:00	0.96	33.79	0.66	0.45	51.20	51.72	293.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 04:30:00	0.94	33.80	0.66	0.43	51.22	51.74	293.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 04:45:00	0.90	33.80	0.67	0.38	51.27	51.79	293.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 05:00:00	0.92	33.81	0.67	0.40	51.24	51.77	293.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 05:15:00	0.95	33.82	0.68	0.42	51.21	51.74	293.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 05:30:00	0.96	33.82	0.69	0.43	51.20	51.74	293.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 05:45:00	-8.30	33.83	0.69	-8.84	60.46	61.00	284.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 06:00:00	0.13	33.83	0.70	-0.41	52.04	52.58	292.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 06:15:00	0.53	33.84	0.70	-0.02	51.64	52.18	292.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 06:30:00	0.61	33.84	0.71	0.06	51.55	52.11	292.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 06:45:00	0.60	33.85	0.71	0.05	51.56	52.12	292.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 07:00:00	0.66	33.85	0.72	0.10	51.51	52.07	292.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 07:15:00	0.69	33.86	0.72	0.13	51.47	52.04	292.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 07:30:00	0.72	33.86	0.73	0.15	51.45	52.02	292.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 07:45:00	0.74	33.87	0.74	0.16	51.43	52.00	293.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 08:00:00	-0.44	33.88	0.74	-1.02	52.61	53.18	291.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 08:15:00	0.41	33.87	0.74	-0.17	51.76	52.33	292.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 08:30:00	0.63	33.88	0.74	0.05	51.54	52.11	292.89	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 08:45:00	0.73	33.88	0.74	0.15	51.44	52.02	292.98	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 09:00:00	0.79	33.87	0.73	0.22	51.37	51.94	293.06	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 09:15:00	0.83	33.87	0.73	0.26	51.33	51.90	293.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 09:30:00	0.82	33.87	0.73	0.25	51.34	51.91	293.09	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 09:45:00	0.83	33.86	0.73	0.27	51.33	51.90	293.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 10:00:00	0.88	33.85	0.71	0.33	51.28	51.84	293.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 10:15:00	0.93	33.84	0.70	0.38	51.24	51.78	293.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 10:30:00	0.96	33.82	0.69	0.42	51.20	51.74	293.26	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 10:45:00	0.98	33.82	0.68	0.45	51.19	51.72	293.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 11:00:00	-0.48	33.81	0.68	-1.00	52.64	53.17	291.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 11:15:00	0.65	33.81	0.67	0.13	51.51	52.04	292.96	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 11:30:00	0.86	33.80	0.67	0.34	51.31	51.83	293.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 11:45:00	0.95	33.80	0.66	0.44	51.21	51.73	293.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 12:00:00	1.02	33.80	0.66	0.50	51.15	51.66	293.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 12:15:00	1.06	33.80	0.66	0.55	51.10	51.62	293.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 12:30:00	1.08	33.79	0.66	0.56	51.09	51.60	293.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 12:45:00	1.07	33.79	0.65	0.56	51.09	51.60	293.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 13:00:00	1.08	33.78	0.65	0.57	51.09	51.59	293.41	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	10/11/10 13:15:00	1.04	33.78	0.64	0.54	51.12	51.62	293.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 13:30:00	1.00	33.77	0.64	0.51	51.16	51.66	293.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 13:45:00	1.02	33.78	0.64	0.52	51.15	51.65	293.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 14:00:00	1.05	33.77	0.64	0.55	51.12	51.61	293.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 14:15:00	1.08	33.77	0.63	0.59	51.08	51.57	293.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 14:30:00	1.11	33.77	0.63	0.62	51.05	51.54	293.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 14:45:00	1.15	33.76	0.62	0.66	51.02	51.50	293.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 15:00:00	1.17	33.75	0.61	0.70	50.99	51.47	293.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 15:15:00	1.20	33.74	0.61	0.72	50.97	51.44	293.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 15:30:00	1.20	33.74	0.61	0.73	50.96	51.44	293.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 15:45:00	1.21	33.74	0.61	0.73	50.96	51.43	293.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 16:00:00	1.22	33.75	0.61	0.74	50.94	51.42	293.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 16:15:00	1.24	33.75	0.62	0.76	50.93	51.41	293.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 16:30:00	1.24	33.75	0.61	0.76	50.93	51.40	293.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 16:45:00	1.23	33.74	0.61	0.76	50.93	51.41	293.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 17:00:00	1.23	33.74	0.60	0.76	50.94	51.41	293.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 17:15:00	0.12	33.74	0.60	-0.34	52.04	52.51	292.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 17:30:00	0.83	33.73	0.60	0.37	51.33	51.80	293.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 17:45:00	0.98	33.73	0.60	0.51	51.19	51.65	293.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 18:00:00	1.05	33.73	0.60	0.58	51.12	51.58	293.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 18:15:00	1.08	33.73	0.59	0.62	51.08	51.54	293.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 18:30:00	1.07	33.73	0.59	0.61	51.09	51.56	293.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 18:45:00	1.02	33.75	0.61	0.54	51.15	51.63	293.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 19:00:00	0.99	33.75	0.62	0.51	51.18	51.66	293.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 19:15:00	-1.06	33.76	0.62	-1.54	53.22	53.71	291.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 19:30:00	0.42	33.76	0.63	-0.07	51.74	52.23	292.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 19:45:00	0.68	33.77	0.64	0.19	51.48	51.98	293.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 20:00:00	0.78	33.77	0.63	0.28	51.39	51.88	293.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 20:15:00	0.84	33.78	0.64	0.33	51.33	51.83	293.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 20:30:00	0.79	33.78	0.64	0.29	51.38	51.88	293.12	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 20:45:00	-0.41	33.78	0.64	-0.91	52.58	53.08	291.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 21:00:00	0.48	33.79	0.65	-0.03	51.68	52.19	292.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 21:15:00	0.69	33.79	0.66	0.17	51.48	51.99	293.01	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 21:30:00	0.79	33.80	0.66	0.27	51.37	51.89	293.11	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 21:45:00	0.87	33.81	0.67	0.34	51.30	51.82	293.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 22:00:00	0.90	33.81	0.67	0.38	51.26	51.79	293.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 22:15:00	0.93	33.82	0.68	0.40	51.23	51.76	293.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 22:30:00	-0.10	33.82	0.68	-0.63	52.26	52.80	292.20	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 22:45:00	0.61	33.82	0.69	0.08	51.55	52.09	292.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 23:00:00	0.77	33.82	0.68	0.24	51.40	51.93	293.07	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 23:15:00	0.86	33.82	0.68	0.33	51.30	51.83	293.17	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 23:30:00	0.93	33.82	0.68	0.39	51.24	51.77	293.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/11/10 23:45:00	0.97	33.82	0.68	0.43	51.20	51.73	293.27	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 00:00:00	1.01	33.82	0.68	0.48	51.15	51.69	293.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 00:15:00	1.03	33.81	0.68	0.50	51.14	51.67	293.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 00:30:00	1.04	33.81	0.68	0.51	51.12	51.65	293.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 00:45:00	1.07	33.81	0.68	0.54	51.10	51.62	293.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 01:00:00	1.10	33.81	0.67	0.57	51.07	51.59	293.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 01:15:00	1.13	33.81	0.67	0.61	51.03	51.56	293.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 01:30:00	1.12	33.81	0.67	0.59	51.05	51.57	293.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 01:45:00	1.06	33.81	0.67	0.53	51.11	51.63	293.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 02:00:00	1.07	33.81	0.67	0.55	51.09	51.62	293.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 02:15:00	1.11	33.81	0.67	0.59	51.05	51.58	293.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 02:30:00	1.15	33.81	0.67	0.63	51.02	51.54	293.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 02:45:00	0.26	33.81	0.67	-0.27	51.91	52.43	292.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 03:00:00	0.90	33.81	0.67	0.38	51.26	51.79	293.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 03:15:00	1.05	33.80	0.66	0.54	51.11	51.63	293.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 03:30:00	1.15	33.80	0.66	0.63	51.02	51.53	293.47	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 03:45:00	1.21	33.79	0.66	0.69	50.96	51.47	293.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 04:00:00	1.24	33.79	0.65	0.73	50.92	51.43	293.57	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 04:15:00	1.27	33.79	0.65	0.76	50.89	51.40	293.60	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 04:30:00	1.29	33.79	0.65	0.78	50.88	51.39	293.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 04:45:00	1.29	33.79	0.66	0.78	50.88	51.39	293.61	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 05:00:00	1.27	33.80	0.66	0.76	50.89	51.41	293.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 05:15:00	1.24	33.80	0.66	0.72	50.93	51.44	293.56	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 05:30:00	1.23	33.79	0.66	0.72	50.94	51.45	293.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 05:45:00	1.09	33.79	0.66	0.58	51.07	51.58	293.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 06:00:00	1.01	33.79	0.65	0.50	51.15	51.66	293.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 06:15:00	1.00	33.79	0.66	0.48	51.17	51.68	293.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 06:30:00	-6.21	33.80	0.67	-6.73	58.38	58.90	286.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 06:45:00	0.34	33.81	0.67	-0.18	51.82	52.34	292.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 07:00:00	0.73	33.80	0.66	0.22	51.43	51.95	293.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 07:15:00	0.85	33.80	0.67	0.33	51.32	51.84	293.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 07:30:00	0.86	33.80	0.66	0.34	51.31	51.82	293.18	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 07:45:00	0.91	33.80	0.67	0.39	51.25	51.77	293.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 08:00:00	-9.66	33.80	0.66	-10.18	61.83	62.34	282.66	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 08:15:00	0.12	33.80	0.67	-0.40	52.05	52.57	292.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 08:30:00	0.73	33.79	0.66	0.22	51.44	51.95	293.05	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 08:45:00	0.92	33.79	0.65	0.41	51.25	51.75	293.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 09:00:00	1.01	33.79	0.65	0.50	51.16	51.67	293.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 09:15:00	1.05	33.77	0.63	0.55	51.12	51.61	293.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 09:30:00	1.09	33.75	0.62	0.60	51.08	51.56	293.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 09:45:00	-4.81	33.75	0.61	-5.28	56.97	57.45	287.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 10:00:00	0.46	33.73	0.60	-0.01	51.71	52.17	292.83	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 10:15:00	0.80	33.74	0.60	0.33	51.37	51.83	293.17	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	10/12/10 10:30:00	0.92	33.72	0.59	0.47	51.24	51.70	293.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 10:45:00	1.00	33.71	0.58	0.55	51.16	51.61	293.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 11:00:00	-10.47	33.70	0.57	-10.91	62.64	63.08	281.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 11:15:00	0.30	33.70	0.56	-0.14	51.87	52.31	292.69	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 11:30:00	0.83	33.70	0.56	0.39	51.33	51.77	293.23	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 11:45:00	0.97	33.69	0.56	0.54	51.19	51.63	293.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 12:00:00	1.04	33.69	0.55	0.61	51.12	51.55	293.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 12:15:00	1.01	33.68	0.55	0.58	51.15	51.58	293.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 12:30:00	1.03	33.68	0.54	0.60	51.14	51.56	293.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 12:45:00	1.01	33.67	0.54	0.59	51.15	51.57	293.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 13:00:00	0.95	33.67	0.54	0.54	51.21	51.63	293.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 13:15:00	0.91	33.67	0.53	0.50	51.25	51.67	293.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 13:30:00	0.97	33.66	0.52	0.56	51.20	51.61	293.39	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 13:45:00	0.94	33.65	0.51	0.54	51.23	51.63	293.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 14:00:00	0.89	33.64	0.50	0.49	51.28	51.67	293.33	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 14:15:00	0.83	33.63	0.49	0.44	51.34	51.72	293.28	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 14:30:00	0.85	33.62	0.49	0.47	51.31	51.69	293.31	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 14:45:00	-0.36	33.61	0.48	-0.74	52.53	52.90	292.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 15:00:00	0.55	33.61	0.47	0.19	51.61	51.98	293.02	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 15:15:00	0.78	33.60	0.47	0.42	51.38	51.75	293.25	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 15:30:00	-9.15	33.60	0.46	-9.51	61.32	61.68	283.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 15:45:00	-0.40	33.59	0.45	-0.75	52.56	52.92	292.08	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 16:00:00	0.44	33.59	0.45	0.08	51.73	52.08	292.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 16:15:00	0.73	33.58	0.45	0.38	51.44	51.78	293.22	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 16:30:00	0.87	33.57	0.44	0.53	51.29	51.63	293.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 16:45:00	0.91	33.57	0.44	0.57	51.26	51.60	293.40	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 17:00:00	0.95	33.57	0.43	0.61	51.22	51.56	293.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 17:15:00	0.99	33.57	0.43	0.66	51.17	51.51	293.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 17:30:00	1.03	33.57	0.43	0.69	51.14	51.47	293.53	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 17:45:00	1.05	33.56	0.43	0.72	51.11	51.45	293.55	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 18:00:00	1.09	33.57	0.43	0.76	51.07	51.41	293.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 18:15:00	-10.76	33.56	0.43	-11.10	62.93	63.26	281.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 18:30:00	0.15	33.57	0.44	-0.19	52.01	52.35	292.65	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 18:45:00	0.71	33.57	0.44	0.37	51.45	51.79	293.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 19:00:00	0.79	33.58	0.44	0.45	51.37	51.71	293.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 19:15:00	-1.67	33.58	0.44	-2.02	53.84	54.19	290.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 19:30:00	-10.49	33.58	0.45	-10.84	62.65	63.00	282.00	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 19:45:00	0.00	33.59	0.46	-0.36	52.17	52.52	292.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 20:00:00	0.62	33.59	0.46	0.26	51.54	51.90	293.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 20:15:00	0.81	33.59	0.46	0.46	51.35	51.71	293.29	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 20:30:00	0.84	33.60	0.46	0.48	51.32	51.68	293.32	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 20:45:00	0.89	33.60	0.46	0.53	51.27	51.63	293.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 21:00:00	0.88	33.60	0.47	0.52	51.28	51.65	293.35	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 21:15:00	0.92	33.61	0.47	0.55	51.25	51.62	293.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 21:30:00	0.95	33.61	0.47	0.58	51.21	51.58	293.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 21:45:00	0.92	33.61	0.48	0.55	51.25	51.62	293.38	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 22:00:00	0.95	33.61	0.48	0.57	51.22	51.59	293.41	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 22:15:00	0.99	33.61	0.47	0.62	51.17	51.54	293.46	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 22:30:00	1.02	33.61	0.48	0.65	51.14	51.51	293.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 22:45:00	-0.61	33.62	0.48	-0.98	52.77	53.15	291.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 23:00:00	0.70	33.62	0.48	0.33	51.46	51.84	293.16	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 23:15:00	0.89	33.62	0.49	0.51	51.28	51.66	293.34	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 23:30:00	0.91	33.62	0.49	0.53	51.26	51.64	293.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/12/10 23:45:00	0.96	33.62	0.49	0.58	51.20	51.58	293.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 00:00:00	1.03	33.63	0.49	0.65	51.13	51.52	293.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 00:15:00	1.09	33.63	0.49	0.70	51.08	51.46	293.54	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 00:30:00	1.14	33.63	0.49	0.76	51.02	51.41	293.59	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 00:45:00	1.18	33.62	0.48	0.81	50.98	51.36	293.64	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 01:00:00	1.22	33.62	0.48	0.84	50.94	51.32	293.68	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 01:15:00	1.25	33.62	0.48	0.87	50.92	51.29	293.71	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 01:30:00	1.27	33.61	0.48	0.90	50.89	51.27	293.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 01:45:00	1.28	33.62	0.48	0.91	50.88	51.26	293.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 02:00:00	1.28	33.61	0.48	0.91	50.88	51.25	293.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 02:15:00	1.29	33.61	0.47	0.92	50.87	51.24	293.76	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 02:30:00	1.31	33.61	0.47	0.94	50.85	51.22	293.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 02:45:00	1.26	33.61	0.47	0.90	50.90	51.27	293.73	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 03:00:00	1.28	33.61	0.47	0.91	50.88	51.25	293.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 03:15:00	1.31	33.60	0.47	0.95	50.85	51.22	293.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 03:30:00	1.35	33.60	0.46	0.98	50.82	51.18	293.82	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 03:45:00	1.38	33.60	0.47	1.02	50.78	51.15	293.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 04:00:00	1.41	33.60	0.46	1.05	50.76	51.12	293.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 04:15:00	1.44	33.60	0.46	1.08	50.73	51.09	293.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 04:30:00	1.46	33.60	0.46	1.10	50.71	51.07	293.93	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 04:45:00	1.46	33.59	0.46	1.10	50.71	51.06	293.94	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 05:00:00	-4.38	33.59	0.46	-4.74	56.55	56.90	288.10	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 05:15:00	-0.12	33.59	0.45	-0.48	52.29	52.64	292.36	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 05:30:00	-3.50	33.59	0.45	-3.85	55.66	56.01	288.99	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 05:45:00	0.43	33.58	0.45	0.09	51.73	52.08	292.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 06:00:00	0.75	33.57	0.44	0.40	51.42	51.76	293.24	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 06:15:00	0.87	33.57	0.43	0.53	51.30	51.63	293.37	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 06:30:00	0.94	33.57	0.43	0.60	51.23	51.56	293.44	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 06:45:00	0.98	33.56	0.43	0.65	51.18	51.52	293.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 07:00:00	1.00	33.56	0.42	0.67	51.17	51.50	293.50	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 07:15:00	1.00	33.56	0.42	0.67	51.17	51.49	293.51	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 07:30:00	0.92	33.56	0.42	0.59	51.24	51.57	293.43	transducer pressure reading "zeroed" and is measuring change in pressure

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Baker Well	10/13/10 07:45:00	0.92	33.55	0.42	0.60	51.24	51.57	293.43	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 08:00:00	0.97	33.55	0.42	0.64	51.20	51.52	293.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 08:15:00	-0.07	33.55	0.41	-0.39	52.23	52.55	292.45	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 08:30:00	0.69	33.54	0.41	0.37	51.48	51.79	293.21	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 08:45:00	0.78	33.54	0.41	0.47	51.38	51.70	293.30	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 09:00:00	0.90	33.54	0.40	0.59	51.26	51.58	293.42	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 09:15:00	0.97	33.54	0.40	0.65	51.20	51.51	293.49	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 09:30:00	0.96	33.53	0.40	0.65	51.21	51.52	293.48	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 09:45:00	1.00	33.53	0.39	0.69	51.17	51.48	293.52	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 10:00:00	1.05	33.53	0.39	0.75	51.11	51.42	293.58	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 10:15:00	1.09	33.52	0.38	0.79	51.08	51.38	293.62	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 10:30:00	1.13	33.51	0.38	0.84	51.03	51.33	293.67	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 10:45:00	1.18	33.51	0.37	0.89	50.98	51.28	293.72	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 11:00:00	1.19	33.51	0.37	0.90	50.97	51.26	293.74	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 11:15:00	1.21	33.51	0.37	0.91	50.96	51.25	293.75	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 11:30:00	1.24	33.51	0.37	0.94	50.93	51.22	293.78	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 11:45:00	1.27	33.51	0.37	0.98	50.90	51.19	293.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 12:00:00	1.31	33.51	0.37	1.01	50.86	51.15	293.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 12:15:00	1.34	33.51	0.37	1.05	50.83	51.12	293.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 12:30:00	1.26	33.51	0.37	0.97	50.90	51.19	293.81	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 12:45:00	1.23	33.51	0.37	0.93	50.94	51.23	293.77	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 13:00:00	1.26	33.51	0.37	0.97	50.90	51.20	293.80	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 13:15:00	1.30	33.51	0.37	1.01	50.86	51.15	293.85	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 13:30:00	1.33	33.51	0.37	1.04	50.83	51.12	293.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 13:45:00	1.34	33.51	0.37	1.05	50.82	51.12	293.88	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 14:00:00	1.36	33.51	0.37	1.07	50.81	51.10	293.90	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 14:15:00	1.37	33.51	0.37	1.08	50.79	51.08	293.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 14:30:00	1.37	33.51	0.37	1.08	50.79	51.08	293.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 14:45:00	1.37	33.51	0.37	1.08	50.80	51.09	293.91	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 15:00:00	1.38	33.51	0.37	1.08	50.79	51.08	293.92	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 15:15:00	1.30	33.51	0.37	1.01	50.86	51.16	293.84	transducer pressure reading "zeroed" and is measuring change in pressure
Baker Well	10/13/10 15:30:00	1.29	33.51	0.37	0.99	50.88	51.17	293.83	transducer pressure reading "zeroed" and is measuring change in pressure
Purvis Well	8/18/2010 16:45:00	65.31	33.12	0.00	65.31	84.78	84.78	297.22	
Purvis Well	8/18/2010 17:00:00	65.40	33.12	0.00	65.40	84.70	84.70	297.30	
Purvis Well	8/18/2010 17:15:00	65.47	33.11	-0.01	65.47	84.63	84.62	297.38	
Purvis Well	8/18/2010 17:30:00	65.54	33.11	-0.01	65.54	84.56	84.55	297.45	
Purvis Well	8/18/2010 17:45:00	63.48	33.13	0.01	63.47	86.61	86.62	295.38	
Purvis Well	8/18/2010 18:00:00	64.30	33.15	0.03	64.28	85.79	85.82	296.18	
Purvis Well	8/18/2010 18:15:00	62.97	33.17	0.06	62.92	87.13	87.17	294.83	
Purvis Well	8/18/2010 18:30:00	64.74	33.19	0.08	64.68	85.35	85.41	296.59	
Purvis Well	8/18/2010 18:45:00	65.23	33.21	0.10	65.15	84.87	84.94	297.06	
Purvis Well	8/18/2010 19:00:00	65.47	33.24	0.12	65.37	84.63	84.72	297.28	
Purvis Well	8/18/2010 19:15:00	63.16	33.26	0.14	63.05	86.94	87.04	294.96	
Purvis Well	8/18/2010 19:30:00	64.97	33.28	0.16	64.84	85.13	85.25	296.75	
Purvis Well	8/18/2010 19:45:00	65.43	33.30	0.18	65.29	84.66	84.80	297.20	
Purvis Well	8/18/2010 20:00:00	65.64	33.32	0.20	65.48	84.45	84.61	297.39	
Purvis Well	8/18/2010 20:15:00	65.78	33.34	0.22	65.61	84.31	84.49	297.51	
Purvis Well	8/18/2010 20:30:00	65.89	33.36	0.24	65.70	84.20	84.39	297.61	
Purvis Well	8/18/2010 20:45:00	55.81	33.38	0.26	55.60	94.29	94.49	287.51	
Purvis Well	8/18/2010 21:00:00	59.96	33.40	0.29	59.74	90.13	90.35	291.65	
Purvis Well	8/18/2010 21:15:00	56.69	33.42	0.31	56.45	93.41	93.64	288.36	
Purvis Well	8/18/2010 21:30:00	51.16	33.45	0.33	50.90	98.93	99.19	282.81	
Purvis Well	8/18/2010 21:45:00	58.29	33.45	0.33	58.03	91.80	92.06	289.94	
Purvis Well	8/18/2010 22:00:00	55.36	33.45	0.33	55.10	94.74	94.99	287.01	
Purvis Well	8/18/2010 22:15:00	48.01	33.45	0.33	47.75	102.08	102.34	279.66	
Purvis Well	8/18/2010 22:30:00	46.33	33.45	0.33	46.06	103.77	104.03	277.97	
Purvis Well	8/18/2010 22:45:00	47.54	33.45	0.34	47.28	102.56	102.82	279.18	
Purvis Well	8/18/2010 23:00:00	49.73	33.45	0.34	49.46	100.37	100.63	281.37	
Purvis Well	8/18/2010 23:15:00	53.58	33.46	0.34	53.31	96.52	96.78	285.22	
Purvis Well	8/18/2010 23:30:00	53.09	33.46	0.34	52.82	97.00	97.27	284.73	
Purvis Well	8/18/2010 23:45:00	52.06	33.46	0.34	51.79	98.03	98.30	283.70	
Purvis Well	8/19/2010 0:00:00	57.52	33.46	0.34	57.25	92.58	92.84	289.16	
Purvis Well	8/19/2010 0:15:00	61.07	33.46	0.35	60.80	89.02	89.29	292.71	
Purvis Well	8/19/2010 0:30:00	62.49	33.46	0.35	62.22	87.61	87.88	294.12	
Purvis Well	8/19/2010 0:45:00	63.30	33.47	0.35	63.03	86.80	87.07	294.93	
Purvis Well	8/19/2010 1:00:00	63.87	33.47	0.35	63.59	86.23	86.50	295.50	
Purvis Well	8/19/2010 1:15:00	64.29	33.47	0.35	64.01	85.81	86.08	295.92	
Purvis Well	8/19/2010 1:30:00	64.63	33.47	0.35	64.35	85.47	85.74	296.26	
Purvis Well	8/19/2010 1:45:00	64.90	33.47	0.35	64.63	85.19	85.47	296.53	
Purvis Well	8/19/2010 2:00:00	65.14	33.47	0.36	64.86	84.96	85.23	296.77	
Purvis Well	8/19/2010 2:15:00	65.34	33.47	0.36	65.06	84.76	85.03	296.97	
Purvis Well	8/19/2010 2:30:00	65.51	33.47	0.36	65.23	84.59	84.86	297.14	
Purvis Well	8/19/2010 2:45:00	65.66	33.48	0.36	65.38	84.43	84.71	297.29	
Purvis Well	8/19/2010 3:00:00	65.79	33.48	0.36	65.51	84.31	84.58	297.42	
Purvis Well	8/19/2010 3:15:00	65.91	33.48	0.36	65.63	84.19	84.47	297.53	
Purvis Well	8/19/2010 3:30:00	63.89	33.48	0.36	63.61	86.21	86.49	295.51	
Purvis Well	8/19/2010 3:45:00	65.41	33.48	0.36	65.12	84.69	84.97	297.03	
Purvis Well	8/19/2010 4:00:00	65.82	33.48	0.36	65.54	84.27	84.56	297.44	
Purvis Well	8/19/2010 4:15:00	65.60	33.48	0.36	65.32	84.49	84.78	297.22	
Purvis Well	8/19/2010 4:30:00	64.67	33.48	0.36	64.39	85.42	85.70	296.30	
Purvis Well	8/19/2010 4:45:00	58.46	33.48	0.37	58.17	91.64	91.92	290.08	
Purvis Well	8/19/2010 5:00:00	51.10	33.48	0.37	50.81	99.00	99.28	282.72	
Purvis Well	8/19/2010 5:15:00	58.91	33.49	0.37	58.62	91.18	91.47	290.53	
Purvis Well	8/19/2010 5:30:00	55.65	33.49	0.37	55.36	94.45	94.73	287.27	
Purvis Well	8/19/2010 5:45:00	50.85	33.49	0.37	50.56	99.25	99.53	282.47	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	8/19/2010 6:00:00	57.54	33.49	0.37	57.25	92.56	92.85	289.15	
Purvis Well	8/19/2010 6:15:00	53.04	33.49	0.37	52.74	97.06	97.35	284.65	
Purvis Well	8/19/2010 6:30:00	49.80	33.49	0.38	49.51	100.29	100.59	281.41	
Purvis Well	8/19/2010 6:45:00	45.88	33.50	0.38	45.59	104.21	104.51	277.49	
Purvis Well	8/19/2010 7:00:00	46.48	33.50	0.38	46.18	103.61	103.91	278.09	
Purvis Well	8/19/2010 7:15:00	48.15	33.50	0.38	47.85	101.95	102.25	279.75	
Purvis Well	8/19/2010 7:30:00	50.99	33.50	0.39	50.68	99.11	99.41	282.59	
Purvis Well	8/19/2010 7:45:00	53.32	33.51	0.39	53.02	96.77	97.08	284.92	
Purvis Well	8/19/2010 8:00:00	57.67	33.51	0.39	57.37	92.42	92.73	289.27	
Purvis Well	8/19/2010 8:15:00	61.22	33.51	0.39	60.92	88.87	89.18	292.82	
Purvis Well	8/19/2010 8:30:00	62.63	33.51	0.39	62.32	87.47	87.77	294.23	
Purvis Well	8/19/2010 8:45:00	63.43	33.51	0.40	63.12	86.66	86.97	295.03	
Purvis Well	8/19/2010 9:00:00	63.99	33.52	0.40	63.68	86.11	86.42	295.58	
Purvis Well	8/19/2010 9:15:00	64.40	33.52	0.40	64.09	85.69	86.01	295.99	
Purvis Well	8/19/2010 9:30:00	64.73	33.52	0.40	64.41	85.37	85.68	296.32	
Purvis Well	8/19/2010 9:45:00	64.99	33.52	0.40	64.68	85.10	85.42	296.58	
Purvis Well	8/19/2010 10:00:00	65.21	33.52	0.40	64.90	84.88	85.20	296.80	
Purvis Well	8/19/2010 10:15:00	65.40	33.52	0.40	65.09	84.69	85.01	296.99	
Purvis Well	8/19/2010 10:30:00	65.56	33.52	0.40	65.25	84.53	84.85	297.15	
Purvis Well	8/19/2010 10:45:00	56.95	33.52	0.40	56.63	93.15	93.46	288.54	
Purvis Well	8/19/2010 11:00:00	58.41	33.52	0.40	58.10	91.68	92.00	290.00	
Purvis Well	8/19/2010 11:15:00	60.57	33.52	0.40	60.25	89.53	89.84	292.16	
Purvis Well	8/19/2010 11:30:00	52.87	33.52	0.40	52.56	97.22	97.54	284.46	
Purvis Well	8/19/2010 11:45:00	57.97	33.52	0.40	57.65	92.13	92.44	289.56	
Purvis Well	8/19/2010 12:00:00	60.11	33.52	0.40	59.79	89.99	90.30	291.70	
Purvis Well	8/19/2010 12:15:00	51.06	33.52	0.40	50.75	99.03	99.35	282.65	
Purvis Well	8/19/2010 12:30:00	57.86	33.52	0.40	57.54	92.24	92.55	289.45	
Purvis Well	8/19/2010 12:45:00	59.89	33.52	0.40	59.57	90.21	90.52	291.48	
Purvis Well	8/19/2010 13:00:00	51.98	33.52	0.40	51.66	98.12	98.43	283.57	
Purvis Well	8/19/2010 13:15:00	57.74	33.52	0.40	57.42	92.36	92.67	289.33	
Purvis Well	8/19/2010 13:30:00	59.72	33.52	0.40	59.40	90.38	90.69	291.31	
Purvis Well	8/19/2010 13:45:00	51.61	33.52	0.40	51.30	98.49	98.80	283.20	
Purvis Well	8/19/2010 14:00:00	54.63	33.51	0.39	54.33	95.46	95.77	286.23	
Purvis Well	8/19/2010 14:15:00	52.78	33.50	0.39	52.48	97.31	97.61	284.39	
Purvis Well	8/19/2010 14:30:00	48.90	33.50	0.38	48.60	101.20	101.49	280.51	
Purvis Well	8/19/2010 14:45:00	47.65	33.49	0.37	47.36	102.45	102.74	279.26	
Purvis Well	8/19/2010 15:00:00	45.06	33.49	0.37	44.77	105.03	105.32	276.68	
Purvis Well	8/19/2010 15:15:00	42.27	33.48	0.36	41.98	107.83	108.11	273.89	
Purvis Well	8/19/2010 15:30:00	42.19	33.47	0.36	41.91	107.91	108.19	273.81	
Purvis Well	8/19/2010 15:45:00	42.97	33.47	0.35	42.70	107.12	107.40	274.60	
Purvis Well	8/19/2010 16:00:00	43.85	33.46	0.34	43.58	106.25	106.52	275.48	
Purvis Well	8/19/2010 16:15:00	45.27	33.46	0.34	45.01	104.82	105.09	276.91	
Purvis Well	8/19/2010 16:30:00	46.37	33.45	0.33	46.11	103.72	103.98	278.02	
Purvis Well	8/19/2010 16:45:00	56.78	33.44	0.33	56.52	93.32	93.57	288.43	
Purvis Well	8/19/2010 17:00:00	60.16	33.44	0.32	59.91	89.94	90.19	291.81	
Purvis Well	8/19/2010 17:15:00	61.64	33.43	0.32	61.39	88.46	88.70	293.30	
Purvis Well	8/19/2010 17:30:00	62.53	33.43	0.31	62.29	87.56	87.81	294.19	
Purvis Well	8/19/2010 17:45:00	63.17	33.43	0.31	62.92	86.93	87.17	294.83	
Purvis Well	8/19/2010 18:00:00	63.65	33.43	0.31	63.41	86.44	86.68	295.32	
Purvis Well	8/19/2010 18:15:00	64.04	33.43	0.31	63.80	86.05	86.29	295.71	
Purvis Well	8/19/2010 18:30:00	56.50	33.43	0.31	56.26	93.59	93.83	288.17	
Purvis Well	8/19/2010 18:45:00	63.04	33.43	0.31	62.80	87.05	87.29	294.71	
Purvis Well	8/19/2010 19:00:00	60.39	33.43	0.31	60.14	89.71	89.95	292.05	
Purvis Well	8/19/2010 19:15:00	63.26	33.43	0.31	63.01	86.84	87.08	294.92	
Purvis Well	8/19/2010 19:30:00	64.40	33.43	0.31	64.16	85.69	85.93	296.07	
Purvis Well	8/19/2010 19:45:00	64.87	33.43	0.31	64.63	85.22	85.46	296.54	
Purvis Well	8/19/2010 20:00:00	65.17	33.43	0.31	64.93	84.93	85.17	296.83	
Purvis Well	8/19/2010 20:15:00	65.39	33.43	0.31	65.15	84.70	84.94	297.06	
Purvis Well	8/19/2010 20:30:00	65.58	33.43	0.31	65.33	84.52	84.76	297.24	
Purvis Well	8/19/2010 20:45:00	56.90	33.43	0.31	56.66	93.19	93.43	288.57	
Purvis Well	8/19/2010 21:00:00	53.19	33.43	0.31	52.95	96.91	97.15	284.85	
Purvis Well	8/19/2010 21:15:00	58.16	33.43	0.31	57.91	91.94	92.18	289.82	
Purvis Well	8/19/2010 21:30:00	56.40	33.43	0.31	56.16	93.70	93.94	288.06	
Purvis Well	8/19/2010 21:45:00	49.53	33.43	0.31	49.29	100.57	100.81	281.19	
Purvis Well	8/19/2010 22:00:00	57.93	33.43	0.31	57.69	92.16	92.40	289.60	
Purvis Well	8/19/2010 22:15:00	55.23	33.43	0.31	54.99	94.87	95.11	286.89	
Purvis Well	8/19/2010 22:30:00	53.78	33.43	0.31	53.54	96.31	96.55	285.45	
Purvis Well	8/19/2010 22:45:00	52.66	33.43	0.31	52.42	97.43	97.67	284.33	
Purvis Well	8/19/2010 23:00:00	51.35	33.43	0.31	51.11	98.75	98.99	283.01	
Purvis Well	8/19/2010 23:15:00	49.90	33.43	0.31	49.66	100.20	100.44	281.56	
Purvis Well	8/19/2010 23:30:00	47.96	33.43	0.31	47.71	102.14	102.38	279.62	
Purvis Well	8/19/2010 23:45:00	44.43	33.43	0.31	44.19	105.66	105.91	276.09	
Purvis Well	8/20/2010 0:00:00	58.90	33.43	0.31	58.66	91.19	91.44	290.56	
Purvis Well	8/20/2010 0:15:00	59.86	33.43	0.31	59.62	90.23	90.47	291.53	
Purvis Well	8/20/2010 0:30:00	62.12	33.43	0.31	61.88	87.97	88.21	293.79	
Purvis Well	8/20/2010 0:45:00	63.15	33.43	0.31	62.91	86.94	87.19	294.81	
Purvis Well	8/20/2010 1:00:00	63.79	33.43	0.31	63.54	86.31	86.55	295.45	
Purvis Well	8/20/2010 1:15:00	64.25	33.43	0.31	64.01	85.85	86.09	295.91	
Purvis Well	8/20/2010 1:30:00	64.61	33.43	0.31	64.36	85.49	85.73	296.27	
Purvis Well	8/20/2010 1:45:00	64.89	33.43	0.31	64.65	85.20	85.44	296.56	
Purvis Well	8/20/2010 2:00:00	65.14	33.43	0.31	64.90	84.96	85.20	296.80	
Purvis Well	8/20/2010 2:15:00	65.35	33.43	0.31	65.10	84.75	84.99	297.01	
Purvis Well	8/20/2010 2:30:00	65.52	33.43	0.31	65.28	84.58	84.82	297.18	
Purvis Well	8/20/2010 2:45:00	65.67	33.42	0.31	65.43	84.43	84.66	297.34	
Purvis Well	8/20/2010 3:00:00	62.88	33.42	0.31	62.64	87.22	87.46	294.54	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	8/20/2010 3:15:00	65.10	33.42	0.30	64.86	85.00	85.23	296.77	
Purvis Well	8/20/2010 3:30:00	65.61	33.42	0.30	65.38	84.48	84.72	297.28	
Purvis Well	8/20/2010 3:45:00	65.85	33.42	0.30	65.61	84.25	84.48	297.52	
Purvis Well	8/20/2010 4:00:00	66.00	33.42	0.30	65.77	84.09	84.33	297.67	
Purvis Well	8/20/2010 4:15:00	60.00	33.42	0.30	59.77	90.09	90.33	291.67	
Purvis Well	8/20/2010 4:30:00	65.04	33.42	0.30	64.81	85.05	85.29	296.71	
Purvis Well	8/20/2010 4:45:00	56.89	33.42	0.30	56.66	93.20	93.43	288.57	
Purvis Well	8/20/2010 5:00:00	53.95	33.42	0.30	53.72	96.15	96.38	285.62	
Purvis Well	8/20/2010 5:15:00	58.34	33.41	0.30	58.11	91.75	91.98	290.02	
Purvis Well	8/20/2010 5:30:00	54.87	33.41	0.30	54.63	95.23	95.46	286.54	
Purvis Well	8/20/2010 5:45:00	51.79	33.41	0.30	51.56	98.30	98.53	283.47	
Purvis Well	8/20/2010 6:00:00	57.38	33.41	0.30	57.15	92.72	92.95	289.05	
Purvis Well	8/20/2010 6:15:00	53.18	33.41	0.30	52.95	96.91	97.14	284.86	
Purvis Well	8/20/2010 6:30:00	50.34	33.41	0.30	50.11	99.75	99.98	282.02	
Purvis Well	8/20/2010 6:45:00	49.43	33.41	0.30	49.20	100.67	100.90	281.10	
Purvis Well	8/20/2010 7:00:00	47.82	33.41	0.30	47.58	102.28	102.51	279.49	
Purvis Well	8/20/2010 7:15:00	44.82	33.41	0.30	44.59	105.28	105.51	276.49	
Purvis Well	8/20/2010 7:30:00	45.76	33.42	0.30	45.52	104.34	104.57	277.43	
Purvis Well	8/20/2010 7:45:00	47.21	33.42	0.30	46.98	102.88	103.11	278.89	
Purvis Well	8/20/2010 8:00:00	58.52	33.42	0.30	58.29	91.58	91.81	290.19	
Purvis Well	8/20/2010 8:15:00	61.51	33.42	0.30	61.28	88.58	88.81	293.19	
Purvis Well	8/20/2010 8:30:00	62.77	33.42	0.30	62.54	87.32	87.55	294.45	
Purvis Well	8/20/2010 8:45:00	63.52	33.42	0.30	63.29	86.57	86.80	295.20	
Purvis Well	8/20/2010 9:00:00	64.04	33.42	0.30	63.81	86.05	86.28	295.72	
Purvis Well	8/20/2010 9:15:00	62.62	33.42	0.30	62.39	87.47	87.70	294.30	
Purvis Well	8/20/2010 9:30:00	64.10	33.42	0.30	63.86	86.00	86.23	295.77	
Purvis Well	8/20/2010 9:45:00	64.64	33.41	0.29	64.41	85.46	85.69	296.31	
Purvis Well	8/20/2010 10:00:00	64.96	33.41	0.29	64.73	85.14	85.36	296.64	
Purvis Well	8/20/2010 10:15:00	65.19	33.40	0.28	64.97	84.90	85.12	296.88	
Purvis Well	8/20/2010 10:30:00	65.38	33.40	0.28	65.17	84.71	84.93	297.07	
Purvis Well	8/20/2010 10:45:00	56.44	33.39	0.27	56.23	93.65	93.86	288.14	
Purvis Well	8/20/2010 11:00:00	64.37	33.38	0.27	64.16	85.72	85.93	296.07	
Purvis Well	8/20/2010 11:15:00	63.37	33.38	0.26	63.16	86.73	86.93	295.07	
Purvis Well	8/20/2010 11:30:00	64.86	33.37	0.26	64.66	85.24	85.44	296.56	
Purvis Well	8/20/2010 11:45:00	65.35	33.37	0.25	65.16	84.74	84.94	297.06	
Purvis Well	8/20/2010 12:00:00	65.61	33.36	0.25	65.42	84.48	84.67	297.33	
Purvis Well	8/20/2010 12:15:00	65.79	33.36	0.24	65.61	84.30	84.49	297.51	
Purvis Well	8/20/2010 12:30:00	65.93	33.35	0.23	65.75	84.16	84.35	297.65	
Purvis Well	8/20/2010 12:45:00	66.04	33.35	0.23	65.86	84.05	84.23	297.77	
Purvis Well	8/20/2010 13:00:00	63.77	33.34	0.22	63.60	86.32	86.49	295.51	
Purvis Well	8/20/2010 13:15:00	65.44	33.34	0.22	65.26	84.66	84.83	297.17	
Purvis Well	8/20/2010 13:30:00	65.87	33.33	0.21	65.70	84.22	84.39	297.61	
Purvis Well	8/20/2010 13:45:00	66.07	33.32	0.21	65.91	84.02	84.18	297.82	
Purvis Well	8/20/2010 14:00:00	64.01	33.32	0.20	63.86	86.08	86.24	295.76	
Purvis Well	8/20/2010 14:15:00	65.56	33.31	0.19	65.41	84.53	84.68	297.32	
Purvis Well	8/20/2010 14:30:00	64.27	33.30	0.19	64.12	85.83	85.97	296.03	
Purvis Well	8/20/2010 14:45:00	62.94	33.30	0.18	62.80	87.16	87.29	294.71	
Purvis Well	8/20/2010 15:00:00	65.01	33.29	0.17	64.88	85.08	85.22	296.78	
Purvis Well	8/20/2010 15:15:00	65.62	33.28	0.17	65.49	84.47	84.60	297.40	
Purvis Well	8/20/2010 15:30:00	65.91	33.28	0.16	65.79	84.18	84.30	297.70	
Purvis Well	8/20/2010 15:45:00	66.11	33.27	0.15	65.99	83.99	84.11	297.89	
Purvis Well	8/20/2010 16:00:00	66.24	33.26	0.14	66.13	83.85	83.96	298.04	
Purvis Well	8/20/2010 16:15:00	61.96	33.26	0.14	61.85	88.14	88.24	293.76	
Purvis Well	8/20/2010 16:30:00	62.61	33.25	0.13	62.51	87.49	87.59	294.41	
Purvis Well	8/20/2010 16:45:00	57.06	33.24	0.12	56.96	93.03	93.13	288.87	
Purvis Well	8/20/2010 17:00:00	60.27	33.23	0.12	60.18	89.82	89.91	292.09	
Purvis Well	8/20/2010 17:15:00	53.73	33.23	0.11	53.65	96.36	96.45	285.55	
Purvis Well	8/20/2010 17:30:00	62.59	33.22	0.10	62.51	87.50	87.58	294.42	
Purvis Well	8/20/2010 17:45:00	64.41	33.22	0.10	64.32	85.69	85.77	296.23	
Purvis Well	8/20/2010 18:00:00	65.12	33.22	0.10	65.04	84.97	85.05	296.95	
Purvis Well	8/20/2010 18:15:00	65.52	33.22	0.10	65.45	84.57	84.65	297.35	
Purvis Well	8/20/2010 18:30:00	63.20	33.22	0.10	63.12	86.89	86.97	295.03	
Purvis Well	8/20/2010 18:45:00	65.15	33.22	0.10	65.07	84.94	85.02	296.98	
Purvis Well	8/20/2010 19:00:00	65.70	33.22	0.10	65.63	84.39	84.47	297.53	
Purvis Well	8/20/2010 19:15:00	65.99	33.22	0.10	65.91	84.11	84.19	297.81	
Purvis Well	8/20/2010 19:30:00	66.17	33.22	0.10	66.09	83.93	84.00	298.00	
Purvis Well	8/20/2010 19:45:00	66.31	33.21	0.10	66.23	83.79	83.86	298.14	
Purvis Well	8/20/2010 20:00:00	66.42	33.21	0.10	66.35	83.67	83.75	298.25	
Purvis Well	8/20/2010 20:15:00	63.10	33.21	0.10	63.02	87.00	87.07	294.93	
Purvis Well	8/20/2010 20:30:00	65.59	33.21	0.10	65.52	84.50	84.57	297.43	
Purvis Well	8/20/2010 20:45:00	55.19	33.21	0.09	55.11	94.91	94.98	287.02	
Purvis Well	8/20/2010 21:00:00	59.67	33.21	0.09	59.60	90.42	90.50	291.50	
Purvis Well	8/20/2010 21:15:00	55.11	33.21	0.09	55.03	94.99	95.06	286.94	
Purvis Well	8/20/2010 21:30:00	55.24	33.21	0.09	55.17	94.86	94.93	287.07	
Purvis Well	8/20/2010 21:45:00	57.25	33.21	0.09	57.17	92.85	92.92	289.08	
Purvis Well	8/20/2010 22:00:00	52.16	33.21	0.09	52.08	97.94	98.01	283.99	
Purvis Well	8/20/2010 22:15:00	49.17	33.21	0.10	49.09	100.93	101.00	281.00	
Purvis Well	8/20/2010 22:30:00	50.98	33.21	0.10	50.90	99.12	99.19	282.81	
Purvis Well	8/20/2010 22:45:00	54.84	33.22	0.10	54.76	95.26	95.33	286.67	
Purvis Well	8/20/2010 23:00:00	54.05	33.22	0.10	53.98	96.04	96.12	285.88	
Purvis Well	8/20/2010 23:15:00	52.88	33.22	0.10	52.80	97.22	97.30	284.70	
Purvis Well	8/20/2010 23:30:00	51.56	33.22	0.10	51.48	98.54	98.62	283.38	
Purvis Well	8/20/2010 23:45:00	49.99	33.22	0.10	49.91	100.11	100.19	281.81	
Purvis Well	8/21/2010 0:00:00	57.74	33.22	0.10	57.66	92.35	92.43	289.57	
Purvis Well	8/21/2010 0:15:00	61.37	33.22	0.11	61.29	88.73	88.81	293.19	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	8/21/2010 0:30:00	62.78	33.22	0.11	62.69	87.32	87.40	294.60	
Purvis Well	8/21/2010 0:45:00	63.57	33.23	0.11	63.48	86.53	86.61	295.39	
Purvis Well	8/21/2010 1:00:00	64.11	33.23	0.11	64.02	85.99	86.07	295.93	
Purvis Well	8/21/2010 1:15:00	64.51	33.23	0.11	64.43	85.58	85.67	296.33	
Purvis Well	8/21/2010 1:30:00	56.22	33.23	0.11	56.13	93.88	93.96	288.04	
Purvis Well	8/21/2010 1:45:00	63.90	33.23	0.11	63.81	86.19	86.28	295.72	
Purvis Well	8/21/2010 2:00:00	64.77	33.23	0.11	64.68	85.32	85.41	296.59	
Purvis Well	8/21/2010 2:15:00	65.14	33.23	0.12	65.05	84.95	85.04	296.96	
Purvis Well	8/21/2010 2:30:00	65.38	33.24	0.12	65.29	84.71	84.81	297.19	
Purvis Well	8/21/2010 2:45:00	65.56	33.24	0.12	65.46	84.54	84.63	297.37	
Purvis Well	8/21/2010 3:00:00	65.70	33.24	0.12	65.60	84.40	84.49	297.51	
Purvis Well	8/21/2010 3:15:00	65.81	33.24	0.12	65.72	84.28	84.38	297.62	
Purvis Well	8/21/2010 3:30:00	65.91	33.24	0.12	65.82	84.18	84.28	297.72	
Purvis Well	8/21/2010 3:45:00	66.00	33.24	0.13	65.91	84.09	84.19	297.81	
Purvis Well	8/21/2010 4:00:00	66.08	33.25	0.13	65.98	84.02	84.12	297.88	
Purvis Well	8/21/2010 4:15:00	66.14	33.25	0.13	66.04	83.95	84.05	297.95	
Purvis Well	8/21/2010 4:30:00	62.42	33.25	0.13	62.32	87.67	87.78	294.22	
Purvis Well	8/21/2010 4:45:00	61.94	33.25	0.13	61.83	88.16	88.26	293.74	
Purvis Well	8/21/2010 5:00:00	58.05	33.25	0.13	57.95	92.04	92.14	289.86	
Purvis Well	8/21/2010 5:15:00	51.89	33.25	0.14	51.79	98.20	98.31	283.69	
Purvis Well	8/21/2010 5:30:00	59.02	33.26	0.14	58.91	91.08	91.18	290.82	
Purvis Well	8/21/2010 5:45:00	56.51	33.26	0.14	56.40	93.59	93.70	288.30	
Purvis Well	8/21/2010 6:00:00	51.68	33.26	0.14	51.57	98.42	98.53	283.47	
Purvis Well	8/21/2010 6:15:00	50.88	33.27	0.15	50.76	99.21	99.33	282.67	
Purvis Well	8/21/2010 6:30:00	50.71	33.27	0.15	50.59	99.38	99.50	282.50	
Purvis Well	8/21/2010 6:45:00	52.20	33.27	0.16	52.08	97.90	98.02	283.98	
Purvis Well	8/21/2010 7:00:00	49.41	33.28	0.16	49.29	100.68	100.81	281.19	
Purvis Well	8/21/2010 7:15:00	53.63	33.28	0.16	53.50	96.47	96.59	285.41	
Purvis Well	8/21/2010 7:30:00	53.04	33.29	0.17	52.91	97.06	97.19	284.81	
Purvis Well	8/21/2010 7:45:00	52.30	33.29	0.17	52.17	97.80	97.93	284.07	
Purvis Well	8/21/2010 8:00:00	57.36	33.29	0.18	57.22	92.73	92.87	289.13	
Purvis Well	8/21/2010 8:15:00	60.94	33.30	0.18	60.80	89.16	89.29	292.71	
Purvis Well	8/21/2010 8:30:00	57.64	33.30	0.18	57.50	92.45	92.60	289.40	
Purvis Well	8/21/2010 8:45:00	61.72	33.30	0.19	61.57	88.38	88.52	293.48	
Purvis Well	8/21/2010 9:00:00	63.09	33.31	0.19	62.94	87.00	87.15	294.85	
Purvis Well	8/21/2010 9:15:00	63.74	33.31	0.19	63.58	86.36	86.51	295.49	
Purvis Well	8/21/2010 9:30:00	64.15	33.32	0.20	63.99	85.95	86.10	295.90	
Purvis Well	8/21/2010 9:45:00	62.71	33.30	0.18	62.56	87.39	87.53	294.47	
Purvis Well	8/21/2010 10:00:00	64.08	33.29	0.17	63.95	86.01	86.14	295.86	
Purvis Well	8/21/2010 10:15:00	60.26	33.27	0.15	60.14	89.83	89.95	292.05	
Purvis Well	8/21/2010 10:30:00	63.81	33.26	0.14	63.70	86.29	86.39	295.61	
Purvis Well	8/21/2010 10:45:00	55.43	33.24	0.13	55.33	94.67	94.77	287.23	
Purvis Well	8/21/2010 11:00:00	63.43	33.23	0.11	63.35	86.66	86.75	295.25	
Purvis Well	8/21/2010 11:15:00	59.90	33.21	0.10	59.83	90.19	90.27	291.73	
Purvis Well	8/21/2010 11:30:00	60.79	33.20	0.08	60.72	89.31	89.37	292.63	
Purvis Well	8/21/2010 11:45:00	63.06	33.18	0.07	63.01	87.03	87.09	294.91	
Purvis Well	8/21/2010 12:00:00	64.38	33.17	0.05	64.34	85.72	85.76	296.24	
Purvis Well	8/21/2010 12:15:00	64.88	33.16	0.04	64.85	85.22	85.25	296.75	
Purvis Well	8/21/2010 12:30:00	65.17	33.14	0.02	65.15	84.93	84.94	297.06	
Purvis Well	8/21/2010 12:45:00	65.38	33.13	0.01	65.37	84.71	84.72	297.28	
Purvis Well	8/21/2010 13:00:00	65.55	33.11	-0.01	65.55	84.55	84.54	297.46	
Purvis Well	8/21/2010 13:15:00	65.68	33.10	-0.02	65.70	84.41	84.40	297.60	
Purvis Well	8/21/2010 13:30:00	65.80	33.08	-0.04	65.82	84.30	84.27	297.73	
Purvis Well	8/21/2010 13:45:00	63.72	33.11	-0.01	63.72	86.38	86.37	295.63	
Purvis Well	8/21/2010 14:00:00	65.22	33.14	0.02	65.20	84.88	84.89	297.11	
Purvis Well	8/21/2010 14:15:00	65.64	33.16	0.04	65.61	84.45	84.49	297.51	
Purvis Well	8/21/2010 14:30:00	65.85	33.19	0.07	65.79	84.25	84.30	297.70	
Purvis Well	8/21/2010 14:45:00	65.98	33.21	0.10	65.90	84.11	84.19	297.81	
Purvis Well	8/21/2010 15:00:00	66.09	33.24	0.12	65.99	84.01	84.10	297.90	
Purvis Well	8/21/2010 15:15:00	66.17	33.27	0.15	66.05	83.93	84.04	297.96	
Purvis Well	8/21/2010 15:30:00	64.75	33.29	0.18	64.61	85.35	85.48	296.52	
Purvis Well	8/21/2010 15:45:00	65.72	33.32	0.20	65.56	84.37	84.53	297.47	
Purvis Well	8/21/2010 16:00:00	66.02	33.35	0.23	65.84	84.07	84.25	297.75	
Purvis Well	8/21/2010 16:15:00	66.17	33.37	0.26	65.97	83.92	84.12	297.88	
Purvis Well	8/21/2010 16:30:00	66.28	33.40	0.28	66.06	83.82	84.04	297.96	
Purvis Well	8/21/2010 16:45:00	66.36	33.43	0.31	66.12	83.74	83.98	298.02	
Purvis Well	8/21/2010 17:00:00	66.42	33.45	0.34	66.16	83.67	83.94	298.06	
Purvis Well	8/21/2010 17:15:00	66.48	33.48	0.36	66.19	83.62	83.90	298.10	
Purvis Well	8/21/2010 17:30:00	62.37	33.51	0.39	62.06	87.73	88.03	293.97	
Purvis Well	8/21/2010 17:45:00	65.58	33.51	0.39	65.27	84.51	84.82	297.18	
Purvis Well	8/21/2010 18:00:00	54.43	33.52	0.40	54.12	95.66	95.98	286.02	
Purvis Well	8/21/2010 18:15:00	55.11	33.52	0.41	54.79	94.99	95.30	286.70	
Purvis Well	8/21/2010 18:30:00	55.68	33.53	0.41	55.35	94.42	94.74	287.26	
Purvis Well	8/21/2010 18:45:00	56.53	33.53	0.42	56.21	93.56	93.89	288.11	
Purvis Well	8/21/2010 19:00:00	57.18	33.54	0.42	56.85	92.91	93.24	288.76	
Purvis Well	8/21/2010 19:15:00	58.24	33.55	0.43	57.90	91.86	92.19	289.81	
Purvis Well	8/21/2010 19:30:00	59.56	33.55	0.43	59.22	90.54	90.87	291.13	
Purvis Well	8/21/2010 19:45:00	60.80	33.56	0.44	60.46	89.30	89.64	292.36	
Purvis Well	8/21/2010 20:00:00	62.28	33.56	0.44	61.94	87.81	88.16	293.84	
Purvis Well	8/21/2010 20:15:00	63.13	33.57	0.45	62.78	86.97	87.32	294.68	
Purvis Well	8/21/2010 20:30:00	63.03	33.57	0.46	62.67	87.07	87.42	294.58	
Purvis Well	8/21/2010 20:45:00	56.52	33.58	0.46	56.16	93.58	93.94	288.06	
Purvis Well	8/21/2010 21:00:00	54.30	33.58	0.47	53.93	95.80	96.16	285.84	
Purvis Well	8/21/2010 21:15:00	52.92	33.59	0.47	52.55	97.18	97.54	284.46	
Purvis Well	8/21/2010 21:30:00	51.82	33.60	0.48	51.45	98.28	98.65	283.35	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	8/21/2010 21:45:00	50.92	33.60	0.48	50.54	99.18	99.55	282.45	
Purvis Well	8/21/2010 22:00:00	50.12	33.60	0.49	49.74	99.97	100.35	281.65	
Purvis Well	8/21/2010 22:15:00	46.91	33.61	0.49	46.52	103.19	103.57	278.43	
Purvis Well	8/21/2010 22:30:00	44.96	33.61	0.49	44.58	105.13	105.52	276.48	
Purvis Well	8/21/2010 22:45:00	43.83	33.62	0.50	43.44	106.26	106.65	275.35	
Purvis Well	8/21/2010 23:00:00	42.93	33.62	0.50	42.53	107.17	107.56	274.44	
Purvis Well	8/21/2010 23:15:00	42.03	33.62	0.51	41.63	108.07	108.46	273.54	
Purvis Well	8/21/2010 23:30:00	37.29	33.63	0.51	36.89	112.81	113.20	268.80	
Purvis Well	8/21/2010 23:45:00	37.18	33.63	0.52	36.78	112.91	113.31	268.69	
Purvis Well	8/22/2010 0:00:00	53.39	33.64	0.52	52.98	96.71	97.11	284.89	
Purvis Well	8/22/2010 0:15:00	56.40	33.64	0.52	55.99	93.70	94.11	287.89	
Purvis Well	8/22/2010 0:30:00	57.67	33.65	0.53	57.26	92.43	92.84	289.16	
Purvis Well	8/22/2010 0:45:00	58.39	33.65	0.53	57.97	91.71	92.12	289.88	
Purvis Well	8/22/2010 1:00:00	58.88	33.65	0.54	58.46	91.21	91.63	290.37	
Purvis Well	8/22/2010 1:15:00	59.27	33.66	0.54	58.84	90.83	91.25	290.75	
Purvis Well	8/22/2010 1:30:00	59.58	33.66	0.54	59.15	90.52	90.94	291.06	
Purvis Well	8/22/2010 1:45:00	59.84	33.67	0.55	59.41	90.26	90.68	291.32	
Purvis Well	8/22/2010 2:00:00	60.05	33.67	0.55	59.61	90.05	90.48	291.52	
Purvis Well	8/22/2010 2:15:00	60.23	33.68	0.56	59.79	89.87	90.30	291.70	
Purvis Well	8/22/2010 2:30:00	60.39	33.68	0.56	59.95	89.70	90.14	291.86	
Purvis Well	8/22/2010 2:45:00	60.53	33.69	0.57	60.09	89.56	90.00	292.00	
Purvis Well	8/22/2010 3:00:00	60.65	33.69	0.57	60.20	89.45	89.89	292.11	
Purvis Well	8/22/2010 3:15:00	60.76	33.70	0.58	60.31	89.34	89.79	292.21	
Purvis Well	8/22/2010 3:30:00	60.85	33.70	0.58	60.39	89.25	89.70	292.30	
Purvis Well	8/22/2010 3:45:00	60.94	33.71	0.59	60.48	89.16	89.62	292.38	
Purvis Well	8/22/2010 4:00:00	61.02	33.71	0.59	60.56	89.07	89.54	292.46	
Purvis Well	8/22/2010 4:15:00	61.10	33.71	0.60	60.63	89.00	89.46	292.54	
Purvis Well	8/22/2010 4:30:00	61.17	33.72	0.60	60.70	88.93	89.39	292.61	
Purvis Well	8/22/2010 4:45:00	55.05	33.72	0.61	54.57	95.05	95.52	286.48	
Purvis Well	8/22/2010 5:00:00	53.26	33.73	0.61	52.78	96.84	97.31	284.69	
Purvis Well	8/22/2010 5:15:00	52.32	33.73	0.62	51.84	97.77	98.25	283.75	
Purvis Well	8/22/2010 5:30:00	51.72	33.74	0.62	51.24	98.37	98.86	283.14	
Purvis Well	8/22/2010 5:45:00	51.25	33.74	0.63	50.76	98.85	99.34	282.66	
Purvis Well	8/22/2010 6:00:00	50.89	33.75	0.63	50.39	99.21	99.70	282.30	
Purvis Well	8/22/2010 6:15:00	49.77	33.75	0.64	49.27	100.33	100.82	281.18	
Purvis Well	8/22/2010 6:30:00	47.59	33.76	0.64	47.09	102.51	103.01	278.99	
Purvis Well	8/22/2010 6:45:00	45.79	33.77	0.65	45.28	104.31	104.81	277.19	
Purvis Well	8/22/2010 7:00:00	45.68	33.77	0.65	45.17	104.42	104.93	277.07	
Purvis Well	8/22/2010 7:15:00	45.41	33.78	0.66	44.90	104.69	105.20	276.80	
Purvis Well	8/22/2010 7:30:00	45.18	33.78	0.66	44.67	104.91	105.43	276.57	
Purvis Well	8/22/2010 7:45:00	41.16	33.79	0.67	40.64	108.93	109.45	272.55	
Purvis Well	8/22/2010 8:00:00	52.96	33.79	0.67	52.43	97.13	97.66	284.34	
Purvis Well	8/22/2010 8:15:00	56.13	33.80	0.68	55.60	93.96	94.49	287.51	
Purvis Well	8/22/2010 8:30:00	57.70	33.80	0.69	57.17	92.39	92.93	289.07	
Purvis Well	8/22/2010 8:45:00	58.56	33.81	0.69	58.02	91.53	92.07	289.93	
Purvis Well	8/22/2010 9:00:00	59.14	33.81	0.70	58.60	90.95	91.50	290.50	
Purvis Well	8/22/2010 9:15:00	59.55	33.82	0.70	59.00	90.54	91.09	290.91	
Purvis Well	8/22/2010 9:30:00	59.88	33.82	0.71	59.32	90.22	90.77	291.23	
Purvis Well	8/22/2010 9:45:00	53.51	33.76	0.64	53.01	96.58	97.08	284.92	
Purvis Well	8/22/2010 10:00:00	53.61	33.70	0.58	53.16	96.48	96.93	285.07	
Purvis Well	8/22/2010 10:15:00	53.18	33.63	0.51	52.78	96.91	97.31	284.69	
Purvis Well	8/22/2010 10:30:00	55.69	33.57	0.45	55.34	94.41	94.76	287.24	
Purvis Well	8/22/2010 10:45:00	55.48	33.50	0.38	55.18	94.61	94.91	287.09	
Purvis Well	8/22/2010 11:00:00	56.60	33.44	0.32	56.35	93.49	93.74	288.26	
Purvis Well	8/22/2010 11:15:00	56.96	33.37	0.26	56.76	93.13	93.33	288.67	
Purvis Well	8/22/2010 11:30:00	57.15	33.31	0.19	57.00	92.94	93.09	288.91	
Purvis Well	8/22/2010 11:45:00	57.25	33.24	0.13	57.15	92.85	92.95	289.05	
Purvis Well	8/22/2010 12:00:00	57.29	33.18	0.06	57.24	92.80	92.85	289.15	
Purvis Well	8/22/2010 12:15:00	57.79	33.12	0.00	57.79	92.30	92.30	289.70	
Purvis Well	8/22/2010 12:30:00	56.02	33.05	-0.07	56.07	94.08	94.03	287.97	
Purvis Well	8/22/2010 12:45:00	58.02	32.99	-0.13	58.12	92.08	91.98	290.02	
Purvis Well	8/22/2010 13:00:00	58.46	32.92	-0.19	58.61	91.64	91.48	290.52	
Purvis Well	8/22/2010 13:15:00	58.68	32.86	-0.26	58.88	91.42	91.21	290.79	
Purvis Well	8/22/2010 13:30:00	58.80	32.79	-0.32	59.05	91.30	91.05	290.95	
Purvis Well	8/22/2010 13:45:00	58.88	32.85	-0.27	59.09	91.21	91.00	291.00	
Purvis Well	8/22/2010 14:00:00	58.92	32.91	-0.21	59.08	91.17	91.01	290.99	
Purvis Well	8/22/2010 14:15:00	58.92	32.97	-0.15	59.03	91.18	91.06	290.94	
Purvis Well	8/22/2010 14:30:00	58.88	33.03	-0.09	58.96	91.21	91.14	290.86	
Purvis Well	8/22/2010 14:45:00	58.84	33.08	-0.03	58.86	91.26	91.23	290.77	
Purvis Well	8/22/2010 15:00:00	58.72	33.14	0.02	58.70	91.38	91.40	290.60	
Purvis Well	8/22/2010 15:15:00	58.51	33.20	0.08	58.44	91.59	91.65	290.35	
Purvis Well	8/22/2010 15:30:00	59.54	33.26	0.14	59.43	90.56	90.67	291.33	
Purvis Well	8/22/2010 15:45:00	59.79	33.32	0.20	59.63	90.31	90.46	291.54	
Purvis Well	8/22/2010 16:00:00	59.88	33.37	0.26	59.68	90.21	90.41	291.59	
Purvis Well	8/22/2010 16:15:00	59.94	33.43	0.31	59.69	90.16	90.40	291.60	
Purvis Well	8/22/2010 16:30:00	59.95	33.49	0.37	59.66	90.14	90.43	291.57	
Purvis Well	8/22/2010 16:45:00	59.95	33.55	0.43	59.61	90.15	90.48	291.52	
Purvis Well	8/22/2010 17:00:00	59.93	33.61	0.49	59.55	90.17	90.55	291.45	
Purvis Well	8/22/2010 17:15:00	59.89	33.66	0.55	59.46	90.21	90.63	291.37	
Purvis Well	8/22/2010 17:30:00	59.85	33.72	0.61	59.38	90.24	90.72	291.28	
Purvis Well	8/22/2010 17:45:00	59.81	33.73	0.61	59.34	90.28	90.76	291.24	
Purvis Well	8/22/2010 18:00:00	59.77	33.73	0.61	59.29	90.32	90.80	291.20	
Purvis Well	8/22/2010 18:15:00	59.72	33.73	0.62	59.24	90.38	90.86	291.14	
Purvis Well	8/22/2010 18:30:00	59.66	33.74	0.62	59.18	90.43	90.91	291.09	
Purvis Well	8/22/2010 18:45:00	59.62	33.74	0.62	59.13	90.47	90.96	291.04	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	8/22/2010 19:00:00	59.12	33.75	0.63	58.63	90.98	91.47	290.53	
Purvis Well	8/22/2010 19:15:00	59.43	33.75	0.63	58.93	90.67	91.16	290.84	
Purvis Well	8/22/2010 19:30:00	59.48	33.75	0.64	58.98	90.62	91.11	290.89	
Purvis Well	8/22/2010 19:45:00	59.50	33.76	0.64	59.00	90.59	91.09	290.91	
Purvis Well	8/22/2010 20:00:00	59.52	33.76	0.64	59.02	90.57	91.07	290.93	
Purvis Well	8/22/2010 20:15:00	59.56	33.77	0.65	59.05	90.54	91.04	290.96	
Purvis Well	8/22/2010 20:30:00	59.59	33.77	0.65	59.08	90.50	91.01	290.99	
Purvis Well	8/22/2010 20:45:00	52.30	33.77	0.66	51.79	97.79	98.30	283.70	
Purvis Well	8/22/2010 21:00:00	50.14	33.78	0.66	49.62	99.96	100.47	281.53	
Purvis Well	8/22/2010 21:15:00	48.81	33.78	0.66	48.29	101.29	101.80	280.20	
Purvis Well	8/22/2010 21:30:00	47.74	33.79	0.67	47.22	102.36	102.88	279.12	
Purvis Well	8/22/2010 21:45:00	46.82	33.79	0.67	46.30	103.27	103.80	278.20	
Purvis Well	8/22/2010 22:00:00	40.03	33.79	0.67	39.51	110.06	110.59	271.41	
Purvis Well	8/22/2010 22:15:00	39.85	33.79	0.68	39.32	110.25	110.78	271.22	
Purvis Well	8/22/2010 22:30:00	42.61	33.80	0.68	42.08	107.48	108.01	273.99	
Purvis Well	8/22/2010 22:45:00	40.83	33.80	0.68	40.29	109.27	109.80	272.20	
Purvis Well	8/22/2010 23:00:00	40.11	33.80	0.69	39.57	109.98	110.52	271.48	
Purvis Well	8/22/2010 23:15:00	40.57	33.81	0.69	40.03	109.52	110.06	271.94	
Purvis Well	8/22/2010 23:30:00	40.27	33.81	0.69	39.72	109.83	110.37	271.63	
Purvis Well	8/22/2010 23:45:00	39.78	33.81	0.70	39.23	110.32	110.86	271.14	
Purvis Well	8/23/2010 0:00:00	52.92	33.82	0.70	52.38	97.17	97.72	284.28	
Purvis Well	8/23/2010 0:15:00	56.03	33.82	0.70	55.48	94.06	94.61	287.39	
Purvis Well	8/23/2010 0:30:00	57.40	33.82	0.71	56.85	92.69	93.24	288.76	
Purvis Well	8/23/2010 0:45:00	58.21	33.83	0.71	57.66	91.88	92.44	289.56	
Purvis Well	8/23/2010 1:00:00	58.78	33.83	0.71	58.22	91.32	91.87	290.13	
Purvis Well	8/23/2010 1:15:00	59.22	33.83	0.72	58.66	90.87	91.43	290.57	
Purvis Well	8/23/2010 1:30:00	59.57	33.84	0.72	59.01	90.52	91.08	290.92	
Purvis Well	8/23/2010 1:45:00	59.88	33.84	0.72	59.32	90.22	90.78	291.22	
Purvis Well	8/23/2010 2:00:00	60.14	33.84	0.72	59.58	89.95	90.51	291.49	
Purvis Well	8/23/2010 2:15:00	60.38	33.84	0.72	59.81	89.72	90.28	291.72	
Purvis Well	8/23/2010 2:30:00	60.57	33.84	0.73	60.01	89.52	90.09	291.91	
Purvis Well	8/23/2010 2:45:00	60.76	33.85	0.73	60.20	89.33	89.90	292.10	
Purvis Well	8/23/2010 3:00:00	60.94	33.85	0.73	60.37	89.16	89.72	292.28	
Purvis Well	8/23/2010 3:15:00	61.10	33.85	0.73	60.53	89.00	89.57	292.43	
Purvis Well	8/23/2010 3:30:00	61.25	33.85	0.73	60.68	88.85	89.42	292.58	
Purvis Well	8/23/2010 3:45:00	61.39	33.85	0.73	60.82	88.70	89.28	292.72	
Purvis Well	8/23/2010 4:00:00	61.53	33.85	0.74	60.96	88.56	89.14	292.86	
Purvis Well	8/23/2010 4:15:00	61.66	33.86	0.74	61.09	88.43	89.01	292.99	
Purvis Well	8/23/2010 4:30:00	61.78	33.86	0.74	61.20	88.32	88.89	293.11	
Purvis Well	8/23/2010 4:45:00	56.02	33.86	0.74	55.44	94.08	94.66	287.34	
Purvis Well	8/23/2010 5:00:00	52.94	33.86	0.74	52.36	97.15	97.73	284.27	
Purvis Well	8/23/2010 5:15:00	51.18	33.86	0.74	50.60	98.92	99.50	282.50	
Purvis Well	8/23/2010 5:30:00	50.19	33.86	0.75	49.61	99.90	100.49	281.51	
Purvis Well	8/23/2010 5:45:00	49.32	33.86	0.75	48.74	100.77	101.36	280.64	
Purvis Well	8/23/2010 6:00:00	48.60	33.86	0.75	48.02	101.50	102.08	279.92	
Purvis Well	8/23/2010 6:15:00	48.16	33.87	0.75	47.57	101.94	102.52	279.48	
Purvis Well	8/23/2010 6:30:00	45.79	33.87	0.75	45.20	104.31	104.89	277.11	
Purvis Well	8/23/2010 6:45:00	44.26	33.87	0.75	43.68	105.83	106.42	275.58	
Purvis Well	8/23/2010 7:00:00	38.75	33.87	0.75	38.16	111.35	111.93	270.07	
Purvis Well	8/23/2010 7:15:00	40.15	33.87	0.75	39.56	109.95	110.53	271.47	
Purvis Well	8/23/2010 7:30:00	45.23	33.87	0.75	44.64	104.86	105.45	276.55	
Purvis Well	8/23/2010 7:45:00	42.60	33.87	0.75	42.01	107.49	108.08	273.92	
Purvis Well	8/23/2010 8:00:00	52.24	33.87	0.75	51.65	97.86	98.45	283.55	
Purvis Well	8/23/2010 8:15:00	57.78	33.87	0.76	57.19	92.32	92.91	289.09	
Purvis Well	8/23/2010 8:30:00	59.99	33.87	0.76	59.40	90.10	90.69	291.31	
Purvis Well	8/23/2010 8:45:00	61.25	33.88	0.76	60.66	88.85	89.44	292.56	
Purvis Well	8/23/2010 9:00:00	62.11	33.88	0.76	61.51	87.99	88.58	293.42	
Purvis Well	8/23/2010 9:15:00	62.75	33.88	0.76	62.16	87.35	87.94	294.06	
Purvis Well	8/23/2010 9:30:00	63.26	33.88	0.76	62.66	86.84	87.43	294.57	
Purvis Well	8/23/2010 9:45:00	63.67	33.85	0.74	63.09	86.43	87.00	295.00	
Purvis Well	8/23/2010 10:00:00	63.27	33.83	0.71	62.72	86.82	87.38	294.62	
Purvis Well	8/23/2010 10:15:00	62.96	33.80	0.69	62.42	87.14	87.67	294.33	
Purvis Well	8/23/2010 10:30:00	64.01	33.78	0.66	63.49	86.09	86.60	295.40	
Purvis Well	8/23/2010 10:45:00	64.44	33.76	0.64	63.94	85.65	86.15	295.85	
Purvis Well	8/23/2010 11:00:00	64.72	33.73	0.61	64.24	85.37	85.85	296.15	
Purvis Well	8/23/2010 11:15:00	64.94	33.71	0.59	64.48	85.16	85.61	296.39	
Purvis Well	8/23/2010 11:30:00	65.12	33.68	0.57	64.68	84.98	85.42	296.58	
Purvis Well	8/23/2010 11:45:00	55.23	33.66	0.54	54.81	94.86	95.28	286.72	
Purvis Well	8/23/2010 12:00:00	63.98	33.63	0.52	63.57	86.12	86.52	295.48	
Purvis Well	8/23/2010 12:15:00	64.90	33.61	0.49	64.52	85.19	85.58	296.42	
Purvis Well	8/23/2010 12:30:00	65.25	33.59	0.47	64.88	84.85	85.21	296.79	
Purvis Well	8/23/2010 12:45:00	63.84	33.56	0.44	63.50	86.25	86.60	295.40	
Purvis Well	8/23/2010 13:00:00	64.99	33.54	0.42	64.66	85.11	85.43	296.57	
Purvis Well	8/23/2010 13:15:00	65.37	33.51	0.39	65.06	84.73	85.04	296.96	
Purvis Well	8/23/2010 13:30:00	65.57	33.49	0.37	65.28	84.52	84.81	297.19	
Purvis Well	8/23/2010 13:45:00	65.71	33.48	0.37	65.43	84.38	84.67	297.33	
Purvis Well	8/23/2010 14:00:00	65.82	33.48	0.36	65.54	84.27	84.56	297.44	
Purvis Well	8/23/2010 14:15:00	65.91	33.48	0.36	65.63	84.18	84.46	297.54	
Purvis Well	8/23/2010 14:30:00	63.49	33.47	0.36	63.21	86.61	86.89	295.11	
Purvis Well	8/23/2010 14:45:00	64.69	33.47	0.35	64.42	85.40	85.68	296.32	
Purvis Well	8/23/2010 15:00:00	65.56	33.47	0.35	65.29	84.53	84.80	297.20	
Purvis Well	8/23/2010 15:15:00	65.84	33.46	0.34	65.58	84.25	84.52	297.48	
Purvis Well	8/23/2010 15:30:00	66.00	33.46	0.34	65.73	84.10	84.36	297.64	
Purvis Well	8/23/2010 15:45:00	66.09	33.45	0.34	65.83	84.00	84.26	297.74	
Purvis Well	8/23/2010 16:00:00	57.97	33.45	0.33	57.71	92.12	92.38	289.62	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	8/23/2010 16:15:00	64.83	33.45	0.33	64.58	85.26	85.52	296.48	
Purvis Well	8/23/2010 16:30:00	65.69	33.44	0.33	65.43	84.41	84.66	297.34	
Purvis Well	8/23/2010 16:45:00	65.97	33.44	0.32	65.72	84.13	84.38	297.62	
Purvis Well	8/23/2010 17:00:00	66.11	33.44	0.32	65.86	83.98	84.23	297.77	
Purvis Well	8/23/2010 17:15:00	66.21	33.43	0.31	65.96	83.88	84.13	297.87	
Purvis Well	8/23/2010 17:30:00	66.29	33.43	0.31	66.04	83.81	84.05	297.95	
Purvis Well	8/23/2010 17:45:00	61.95	33.43	0.31	61.71	88.15	88.39	293.61	
Purvis Well	8/23/2010 18:00:00	65.33	33.43	0.31	65.09	84.76	85.00	297.00	
Purvis Well	8/23/2010 18:15:00	65.93	33.42	0.31	65.69	84.16	84.40	297.60	
Purvis Well	8/23/2010 18:30:00	66.16	33.42	0.31	65.92	83.94	84.18	297.82	
Purvis Well	8/23/2010 18:45:00	66.27	33.42	0.30	66.04	83.82	84.06	297.94	
Purvis Well	8/23/2010 19:00:00	66.36	33.42	0.30	66.12	83.74	83.98	298.02	
Purvis Well	8/23/2010 19:15:00	64.27	33.42	0.30	64.03	85.83	86.06	295.94	
Purvis Well	8/23/2010 19:30:00	65.75	33.42	0.30	65.52	84.34	84.58	297.42	
Purvis Well	8/23/2010 19:45:00	66.13	33.42	0.30	65.89	83.97	84.20	297.80	
Purvis Well	8/23/2010 20:00:00	66.28	33.41	0.30	66.05	83.81	84.04	297.96	
Purvis Well	8/23/2010 20:15:00	66.38	33.41	0.30	66.15	83.72	83.95	298.05	
Purvis Well	8/23/2010 20:30:00	66.45	33.41	0.29	66.22	83.65	83.88	298.12	
Purvis Well	8/23/2010 20:45:00	58.89	33.41	0.29	58.66	91.21	91.43	290.57	
Purvis Well	8/23/2010 21:00:00	52.75	33.41	0.29	52.52	97.35	97.57	284.43	
Purvis Well	8/23/2010 21:15:00	50.83	33.41	0.29	50.60	99.27	99.49	282.51	
Purvis Well	8/23/2010 21:30:00	58.03	33.41	0.29	57.81	92.06	92.28	289.72	
Purvis Well	8/23/2010 21:45:00	54.84	33.41	0.29	54.62	95.25	95.48	286.52	
Purvis Well	8/23/2010 22:00:00	50.72	33.41	0.29	50.49	99.37	99.60	282.40	
Purvis Well	8/23/2010 22:15:00	54.94	33.41	0.29	54.71	95.16	95.38	286.62	
Purvis Well	8/23/2010 22:30:00	53.86	33.41	0.29	53.63	96.24	96.47	285.53	
Purvis Well	8/23/2010 22:45:00	52.88	33.41	0.29	52.65	97.22	97.45	284.55	
Purvis Well	8/23/2010 23:00:00	51.64	33.41	0.30	51.41	98.45	98.68	283.32	
Purvis Well	8/23/2010 23:15:00	49.47	33.41	0.30	49.24	100.62	100.85	281.15	
Purvis Well	8/23/2010 23:30:00	47.79	33.42	0.30	47.56	102.30	102.53	279.47	
Purvis Well	8/23/2010 23:45:00	45.52	33.42	0.30	45.29	104.58	104.81	277.19	
Purvis Well	8/24/2010 0:00:00	58.86	33.42	0.30	58.62	91.24	91.47	290.53	
Purvis Well	8/24/2010 0:15:00	61.56	33.42	0.30	61.32	88.54	88.77	293.23	
Purvis Well	8/24/2010 0:30:00	56.81	33.42	0.30	56.57	93.29	93.52	288.48	
Purvis Well	8/24/2010 0:45:00	62.39	33.42	0.30	62.15	87.71	87.94	294.06	
Purvis Well	8/24/2010 1:00:00	63.49	33.42	0.30	63.26	86.60	86.84	295.16	
Purvis Well	8/24/2010 1:15:00	64.05	33.42	0.31	63.82	86.04	86.28	295.72	
Purvis Well	8/24/2010 1:30:00	64.44	33.42	0.31	64.20	85.66	85.90	296.10	
Purvis Well	8/24/2010 1:45:00	64.73	33.43	0.31	64.48	85.37	85.61	296.39	
Purvis Well	8/24/2010 2:00:00	64.96	33.43	0.31	64.71	85.14	85.38	296.62	
Purvis Well	8/24/2010 2:15:00	65.15	33.43	0.31	64.90	84.95	85.19	296.81	
Purvis Well	8/24/2010 2:30:00	65.31	33.43	0.32	65.06	84.79	85.04	296.96	
Purvis Well	8/24/2010 2:45:00	65.45	33.44	0.32	65.20	84.65	84.90	297.10	
Purvis Well	8/24/2010 3:00:00	64.07	33.44	0.32	63.81	86.03	86.28	295.72	
Purvis Well	8/24/2010 3:15:00	65.09	33.44	0.32	64.84	85.00	85.26	296.74	
Purvis Well	8/24/2010 3:30:00	65.43	33.45	0.33	65.18	84.66	84.92	297.08	
Purvis Well	8/24/2010 3:45:00	65.61	33.45	0.33	65.35	84.48	84.74	297.26	
Purvis Well	8/24/2010 4:00:00	65.73	33.45	0.33	65.47	84.36	84.62	297.38	
Purvis Well	8/24/2010 4:15:00	63.14	33.45	0.34	62.88	86.96	87.22	294.78	
Purvis Well	8/24/2010 4:30:00	65.10	33.46	0.34	64.83	85.00	85.26	296.74	
Purvis Well	8/24/2010 4:45:00	58.53	33.46	0.34	58.26	91.57	91.83	290.17	
Purvis Well	8/24/2010 5:00:00	52.30	33.46	0.34	52.03	97.80	98.06	283.94	
Purvis Well	8/24/2010 5:15:00	49.66	33.46	0.35	49.39	100.43	100.70	281.30	
Purvis Well	8/24/2010 5:30:00	57.83	33.47	0.35	57.56	92.26	92.53	289.47	
Purvis Well	8/24/2010 5:45:00	55.33	33.46	0.35	55.06	94.76	95.03	286.97	
Purvis Well	8/24/2010 6:00:00	49.41	33.46	0.34	49.14	100.69	100.95	281.05	
Purvis Well	8/24/2010 6:15:00	51.31	33.46	0.34	51.04	98.79	99.05	282.95	
Purvis Well	8/24/2010 6:30:00	51.25	33.45	0.34	50.98	98.85	99.11	282.89	
Purvis Well	8/24/2010 6:45:00	52.61	33.45	0.33	52.35	97.49	97.75	284.25	
Purvis Well	8/24/2010 7:00:00	53.71	33.45	0.33	53.45	96.38	96.64	285.36	
Purvis Well	8/24/2010 7:15:00	52.98	33.44	0.33	52.72	97.12	97.37	284.63	
Purvis Well	8/24/2010 7:30:00	52.24	33.44	0.32	51.99	97.85	98.10	283.90	
Purvis Well	8/24/2010 7:45:00	51.53	33.44	0.32	51.28	98.57	98.82	283.18	
Purvis Well	8/24/2010 8:00:00	56.94	33.43	0.32	56.70	93.15	93.40	288.60	
Purvis Well	8/24/2010 8:15:00	60.57	33.43	0.31	60.32	89.53	89.77	292.23	
Purvis Well	8/24/2010 8:30:00	61.97	33.43	0.31	61.73	88.13	88.37	293.63	
Purvis Well	8/24/2010 8:45:00	62.76	33.42	0.31	62.52	87.33	87.57	294.43	
Purvis Well	8/24/2010 9:00:00	63.30	33.42	0.30	63.07	86.79	87.03	294.97	
Purvis Well	8/24/2010 9:15:00	63.69	33.42	0.30	63.46	86.40	86.64	295.36	
Purvis Well	8/24/2010 9:30:00	64.00	33.42	0.30	63.77	86.09	86.33	295.67	
Purvis Well	8/24/2010 9:45:00	64.25	33.40	0.28	64.03	85.85	86.06	295.94	
Purvis Well	8/24/2010 10:00:00	64.46	33.38	0.26	64.25	85.64	85.84	296.16	
Purvis Well	8/24/2010 10:15:00	64.63	33.37	0.25	64.43	85.47	85.66	296.34	
Purvis Well	8/24/2010 10:30:00	64.77	33.35	0.23	64.59	85.32	85.50	296.50	
Purvis Well	8/24/2010 10:45:00	63.22	33.33	0.22	63.06	86.87	87.04	294.96	
Purvis Well	8/24/2010 11:00:00	64.38	33.32	0.20	64.23	85.71	85.87	296.13	
Purvis Well	8/24/2010 11:15:00	64.74	33.30	0.18	64.60	85.35	85.49	296.51	
Purvis Well	8/24/2010 11:30:00	64.94	33.28	0.17	64.80	85.16	85.29	296.71	
Purvis Well	8/24/2010 11:45:00	65.07	33.27	0.15	64.95	85.03	85.14	296.86	
Purvis Well	8/24/2010 12:00:00	65.17	33.25	0.13	65.06	84.93	85.03	296.97	
Purvis Well	8/24/2010 12:15:00	65.26	33.24	0.12	65.17	84.84	84.93	297.07	
Purvis Well	8/24/2010 12:30:00	62.68	33.22	0.10	62.60	87.42	87.50	294.50	
Purvis Well	8/24/2010 12:45:00	64.03	33.20	0.09	63.96	86.07	86.13	295.87	
Purvis Well	8/24/2010 13:00:00	64.89	33.19	0.07	64.83	85.21	85.26	296.74	
Purvis Well	8/24/2010 13:15:00	65.16	33.17	0.05	65.12	84.93	84.97	297.03	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	8/24/2010 13:30:00	65.30	33.15	0.04	65.27	84.79	84.82	297.18	
Purvis Well	8/24/2010 13:45:00	65.40	33.15	0.03	65.38	84.70	84.72	297.28	
Purvis Well	8/24/2010 14:00:00	65.47	33.14	0.02	65.46	84.62	84.64	297.36	
Purvis Well	8/24/2010 14:15:00	65.53	33.13	0.01	65.52	84.56	84.57	297.43	
Purvis Well	8/24/2010 14:30:00	65.58	33.12	0.00	65.58	84.52	84.52	297.48	
Purvis Well	8/24/2010 14:45:00	59.79	33.11	-0.01	59.79	90.31	90.30	291.70	
Purvis Well	8/24/2010 15:00:00	61.91	33.10	-0.02	61.92	88.18	88.17	293.83	
Purvis Well	8/24/2010 15:15:00	56.17	33.09	-0.02	56.19	93.93	93.91	288.09	
Purvis Well	8/24/2010 15:30:00	63.43	33.09	-0.03	63.45	86.67	86.64	295.36	
Purvis Well	8/24/2010 15:45:00	64.54	33.08	-0.04	64.57	85.56	85.52	296.48	
Purvis Well	8/24/2010 16:00:00	64.95	33.07	-0.05	64.99	85.14	85.10	296.90	
Purvis Well	8/24/2010 16:15:00	65.18	33.06	-0.06	65.22	84.92	84.87	297.13	
Purvis Well	8/24/2010 16:30:00	59.89	33.05	-0.07	59.94	90.21	90.16	291.84	
Purvis Well	8/24/2010 16:45:00	64.11	33.04	-0.08	64.17	85.98	85.92	296.08	
Purvis Well	8/24/2010 17:00:00	61.73	33.03	-0.08	61.79	88.37	88.30	293.70	
Purvis Well	8/24/2010 17:15:00	54.41	33.02	-0.09	54.48	95.68	95.61	286.39	
Purvis Well	8/24/2010 17:30:00	58.75	33.02	-0.10	58.83	91.34	91.26	290.74	
Purvis Well	8/24/2010 17:45:00	54.51	33.02	-0.10	54.58	95.59	95.51	286.49	
Purvis Well	8/24/2010 18:00:00	56.26	33.02	-0.10	56.34	93.83	93.76	288.24	
Purvis Well	8/24/2010 18:15:00	59.04	33.02	-0.09	59.11	91.05	90.98	291.02	
Purvis Well	8/24/2010 18:30:00	52.81	33.03	-0.09	52.88	97.28	97.21	284.79	
Purvis Well	8/24/2010 18:45:00	52.28	33.03	-0.09	52.35	97.82	97.75	284.25	
Purvis Well	8/24/2010 19:00:00	57.46	33.03	-0.08	57.52	92.64	92.57	289.43	
Purvis Well	8/24/2010 19:15:00	49.61	33.04	-0.08	49.68	100.48	100.42	281.58	
Purvis Well	8/24/2010 19:30:00	55.57	33.04	-0.08	55.63	94.53	94.47	287.53	
Purvis Well	8/24/2010 19:45:00	51.73	33.04	-0.08	51.79	98.36	98.30	283.70	
Purvis Well	8/24/2010 20:00:00	51.47	33.04	-0.07	51.52	98.63	98.57	283.43	
Purvis Well	8/24/2010 20:15:00	51.78	33.05	-0.07	51.84	98.31	98.26	283.74	
Purvis Well	8/24/2010 20:30:00	47.58	33.05	-0.07	47.63	102.51	102.46	279.54	
Purvis Well	8/24/2010 20:45:00	43.34	33.05	-0.06	43.39	106.76	106.71	275.29	
Purvis Well	8/24/2010 21:00:00	41.59	33.06	-0.06	41.64	108.51	108.46	273.54	
Purvis Well	8/24/2010 21:15:00	48.40	33.06	-0.06	48.44	101.70	101.65	280.35	
Purvis Well	8/24/2010 21:30:00	43.70	33.06	-0.06	43.74	106.40	106.35	275.65	
Purvis Well	8/24/2010 21:45:00	45.19	33.06	-0.05	45.23	104.91	104.86	277.14	
Purvis Well	8/24/2010 22:00:00	47.11	33.07	-0.05	47.15	102.98	102.94	279.06	
Purvis Well	8/24/2010 22:15:00	51.91	33.07	-0.05	51.95	98.18	98.14	283.86	
Purvis Well	8/24/2010 22:30:00	49.66	33.07	-0.05	49.69	100.44	100.40	281.60	
Purvis Well	8/24/2010 22:45:00	47.46	33.07	-0.05	47.49	102.64	102.60	279.40	
Purvis Well	8/24/2010 23:00:00	44.10	33.07	-0.05	44.14	105.99	105.96	276.04	
Purvis Well	8/24/2010 23:15:00	43.00	33.07	-0.04	43.03	107.10	107.06	274.94	
Purvis Well	8/24/2010 23:30:00	41.99	33.08	-0.04	42.02	108.10	108.07	273.93	
Purvis Well	8/24/2010 23:45:00	45.41	33.08	-0.04	45.44	104.69	104.65	277.35	
Purvis Well	8/25/2010 0:00:00	56.05	33.08	-0.04	56.08	94.04	94.01	287.99	
Purvis Well	8/25/2010 0:15:00	59.39	33.08	-0.04	59.42	90.71	90.68	291.32	
Purvis Well	8/25/2010 0:30:00	60.82	33.08	-0.03	60.85	89.28	89.25	292.75	
Purvis Well	8/25/2010 0:45:00	61.68	33.08	-0.03	61.71	88.41	88.38	293.62	
Purvis Well	8/25/2010 1:00:00	62.29	33.09	-0.03	62.31	87.81	87.78	294.22	
Purvis Well	8/25/2010 1:15:00	62.75	33.09	-0.03	62.77	87.34	87.32	294.68	
Purvis Well	8/25/2010 1:30:00	63.12	33.09	-0.03	63.14	86.97	86.95	295.05	
Purvis Well	8/25/2010 1:45:00	56.17	33.09	-0.02	56.19	93.93	93.91	288.09	
Purvis Well	8/25/2010 2:00:00	62.54	33.10	-0.02	62.56	87.55	87.54	294.46	
Purvis Well	8/25/2010 2:15:00	63.40	33.10	-0.01	63.41	86.69	86.68	295.32	
Purvis Well	8/25/2010 2:30:00	63.78	33.11	-0.01	63.79	86.31	86.31	295.69	
Purvis Well	8/25/2010 2:45:00	64.03	33.11	-0.01	64.04	86.06	86.06	295.94	
Purvis Well	8/25/2010 3:00:00	64.23	33.12	0.00	64.23	85.87	85.87	296.13	
Purvis Well	8/25/2010 3:15:00	64.39	33.12	0.00	64.38	85.71	85.71	296.29	
Purvis Well	8/25/2010 3:30:00	64.52	33.13	0.01	64.51	85.58	85.58	296.42	
Purvis Well	8/25/2010 3:45:00	64.64	33.13	0.01	64.63	85.46	85.46	296.54	
Purvis Well	8/25/2010 4:00:00	64.75	33.13	0.02	64.74	85.34	85.36	296.64	
Purvis Well	8/25/2010 4:15:00	62.98	33.14	0.02	62.97	87.11	87.13	294.87	
Purvis Well	8/25/2010 4:30:00	61.86	33.14	0.03	61.84	88.24	88.25	293.75	
Purvis Well	8/25/2010 4:45:00	52.22	33.15	0.03	52.19	97.88	97.90	284.10	
Purvis Well	8/25/2010 5:00:00	57.91	33.15	0.03	57.88	92.19	92.21	289.79	
Purvis Well	8/25/2010 5:15:00	54.39	33.16	0.04	54.36	95.71	95.74	286.26	
Purvis Well	8/25/2010 5:30:00	49.76	33.16	0.04	49.73	100.33	100.37	281.63	
Purvis Well	8/25/2010 5:45:00	56.40	33.16	0.04	56.37	93.70	93.73	288.27	
Purvis Well	8/25/2010 6:00:00	53.22	33.15	0.03	53.19	96.88	96.91	285.09	
Purvis Well	8/25/2010 6:15:00	47.32	33.15	0.03	47.29	102.78	102.80	279.20	
Purvis Well	8/25/2010 6:30:00	47.25	33.14	0.03	47.23	102.84	102.86	279.14	
Purvis Well	8/25/2010 6:45:00	48.70	33.14	0.02	48.68	101.40	101.41	280.59	
Purvis Well	8/25/2010 7:00:00	51.36	33.13	0.02	51.35	98.73	98.74	283.26	
Purvis Well	8/25/2010 7:15:00	52.37	33.13	0.01	52.36	97.73	97.74	284.26	
Purvis Well	8/25/2010 7:30:00	51.19	33.13	0.01	51.19	98.90	98.91	283.09	
Purvis Well	8/25/2010 7:45:00	50.46	33.12	0.00	50.46	99.64	99.64	282.36	
Purvis Well	8/25/2010 8:00:00	56.11	33.12	0.00	56.11	93.99	93.99	288.01	
Purvis Well	8/25/2010 8:15:00	59.79	33.11	0.00	59.79	90.31	90.31	291.69	
Purvis Well	8/25/2010 8:30:00	61.22	33.11	-0.01	61.23	88.87	88.86	293.14	
Purvis Well	8/25/2010 8:45:00	62.05	33.10	-0.01	62.06	88.05	88.04	293.96	
Purvis Well	8/25/2010 9:00:00	58.43	33.10	-0.02	58.45	91.66	91.65	290.35	
Purvis Well	8/25/2010 9:15:00	61.98	33.10	-0.02	62.00	88.11	88.09	293.91	
Purvis Well	8/25/2010 9:30:00	62.86	33.09	-0.03	62.88	87.23	87.21	294.79	
Purvis Well	8/25/2010 9:45:00	63.31	33.08	-0.04	63.34	86.78	86.76	295.24	
Purvis Well	8/25/2010 10:00:00	63.62	33.07	-0.04	63.65	86.48	86.44	295.56	
Purvis Well	8/25/2010 10:15:00	63.86	33.07	-0.05	63.90	86.24	86.20	295.80	
Purvis Well	8/25/2010 10:30:00	62.31	33.06	-0.06	62.36	87.79	87.74	294.26	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	8/25/2010 10:45:00	44.65	33.05	-0.07	44.71	105.44	105.39	276.61	
Purvis Well	8/25/2010 11:00:00	36.07	33.04	-0.08	36.13	114.02	113.96	268.04	
Purvis Well	8/25/2010 11:15:00	33.66	33.03	-0.09	33.73	116.43	116.37	265.63	
Purvis Well	8/25/2010 11:30:00	33.66	33.02	-0.09	33.73	116.44	116.36	265.64	
Purvis Well	8/25/2010 11:45:00	49.75	33.02	-0.10	49.83	100.34	100.26	281.74	
Purvis Well	8/25/2010 12:00:00	56.90	33.01	-0.11	56.99	93.19	93.10	288.90	
Purvis Well	8/25/2010 12:15:00	59.47	33.00	-0.12	59.57	90.62	90.53	291.47	
Purvis Well	8/25/2010 12:30:00	60.79	32.99	-0.13	60.89	89.30	89.20	292.80	
Purvis Well	8/25/2010 12:45:00	61.64	32.98	-0.14	61.75	88.45	88.35	293.65	
Purvis Well	8/25/2010 13:00:00	62.25	32.97	-0.14	62.36	87.85	87.74	294.26	
Purvis Well	8/25/2010 13:15:00	62.71	32.96	-0.15	62.82	87.39	87.27	294.73	
Purvis Well	8/25/2010 13:30:00	63.08	32.96	-0.16	63.20	87.02	86.89	295.11	
Purvis Well	8/25/2010 13:45:00	63.38	32.95	-0.17	63.51	86.72	86.58	295.42	
Purvis Well	8/25/2010 14:00:00	63.63	32.94	-0.17	63.77	86.46	86.33	295.67	
Purvis Well	8/25/2010 14:15:00	61.95	32.94	-0.18	62.09	88.14	88.00	294.00	
Purvis Well	8/25/2010 14:30:00	63.36	32.93	-0.18	63.50	86.74	86.59	295.41	
Purvis Well	8/25/2010 14:45:00	63.82	32.93	-0.19	63.97	86.27	86.12	295.88	
Purvis Well	8/25/2010 15:00:00	64.09	32.92	-0.20	64.25	86.00	85.85	296.15	
Purvis Well	8/25/2010 15:15:00	64.29	32.92	-0.20	64.45	85.81	85.65	296.35	
Purvis Well	8/25/2010 15:30:00	64.45	32.91	-0.21	64.61	85.64	85.48	296.52	
Purvis Well	8/25/2010 15:45:00	64.59	32.90	-0.21	64.76	85.50	85.34	296.66	
Purvis Well	8/25/2010 16:00:00	64.72	32.90	-0.22	64.89	85.38	85.21	296.79	
Purvis Well	8/25/2010 16:15:00	64.83	32.89	-0.22	65.01	85.26	85.09	296.91	
Purvis Well	8/25/2010 16:30:00	64.94	32.89	-0.23	65.12	85.16	84.98	297.02	
Purvis Well	8/25/2010 16:45:00	62.28	32.88	-0.24	62.46	87.82	87.63	294.37	
Purvis Well	8/25/2010 17:00:00	64.30	32.88	-0.24	64.48	85.80	85.61	296.39	
Purvis Well	8/25/2010 17:15:00	64.78	32.87	-0.25	64.97	85.32	85.12	296.88	
Purvis Well	8/25/2010 17:30:00	64.99	32.86	-0.25	65.19	85.10	84.90	297.10	
Purvis Well	8/25/2010 17:45:00	61.66	32.87	-0.25	61.85	88.44	88.24	293.76	
Purvis Well	8/25/2010 18:00:00	63.94	32.87	-0.25	64.13	86.16	85.96	296.04	
Purvis Well	8/25/2010 18:15:00	64.59	32.87	-0.25	64.78	85.51	85.32	296.68	
Purvis Well	8/25/2010 18:30:00	64.89	32.87	-0.25	65.08	85.21	85.02	296.98	
Purvis Well	8/25/2010 18:45:00	63.36	32.87	-0.24	63.55	86.73	86.54	295.46	
Purvis Well	8/25/2010 19:00:00	64.58	32.87	-0.24	64.77	85.52	85.33	296.67	
Purvis Well	8/25/2010 19:15:00	64.96	32.88	-0.24	65.15	85.13	84.94	297.06	
Purvis Well	8/25/2010 19:30:00	65.17	32.88	-0.24	65.36	84.93	84.74	297.26	
Purvis Well	8/25/2010 19:45:00	61.55	32.88	-0.24	61.74	88.54	88.36	293.64	
Purvis Well	8/25/2010 20:00:00	64.44	32.88	-0.24	64.62	85.65	85.47	296.53	
Purvis Well	8/25/2010 20:15:00	65.04	32.88	-0.23	65.22	85.06	84.87	297.13	
Purvis Well	8/25/2010 20:30:00	65.29	32.89	-0.23	65.47	84.81	84.63	297.37	
Purvis Well	8/25/2010 20:45:00	57.15	32.89	-0.23	57.32	92.95	92.77	289.23	
Purvis Well	8/25/2010 21:00:00	53.04	32.89	-0.23	53.22	97.05	96.87	285.13	
Purvis Well	8/25/2010 21:15:00	56.93	32.89	-0.23	57.11	93.16	92.99	289.01	
Purvis Well	8/25/2010 21:30:00	51.60	32.89	-0.22	51.78	98.49	98.32	283.68	
Purvis Well	8/25/2010 21:45:00	56.64	32.90	-0.22	56.81	93.46	93.28	288.72	
Purvis Well	8/25/2010 22:00:00	54.73	32.90	-0.22	54.90	95.36	95.19	286.81	
Purvis Well	8/25/2010 22:15:00	47.23	32.90	-0.21	47.40	102.86	102.69	279.31	
Purvis Well	8/25/2010 22:30:00	48.26	32.91	-0.21	48.43	101.83	101.67	280.33	
Purvis Well	8/25/2010 22:45:00	52.32	32.91	-0.21	52.48	97.77	97.61	284.39	
Purvis Well	8/25/2010 23:00:00	52.76	32.91	-0.20	52.91	97.34	97.18	284.82	
Purvis Well	8/25/2010 23:15:00	51.09	32.92	-0.20	51.25	99.00	98.84	283.16	
Purvis Well	8/25/2010 23:30:00	49.07	32.92	-0.20	49.23	101.02	100.87	281.13	
Purvis Well	8/25/2010 23:45:00	41.75	32.92	-0.19	41.90	108.34	108.19	273.81	
Purvis Well	8/26/2010 0:00:00	57.64	32.93	-0.19	57.79	92.45	92.30	289.70	
Purvis Well	8/26/2010 0:15:00	60.62	32.93	-0.19	60.77	89.48	89.33	292.67	
Purvis Well	8/26/2010 0:30:00	61.89	32.93	-0.18	62.03	88.20	88.06	293.94	
Purvis Well	8/26/2010 0:45:00	62.65	32.94	-0.18	62.79	87.44	87.30	294.70	
Purvis Well	8/26/2010 1:00:00	61.60	32.94	-0.18	61.74	88.50	88.36	293.64	
Purvis Well	8/26/2010 1:15:00	62.97	32.94	-0.17	63.10	87.13	86.99	295.01	
Purvis Well	8/26/2010 1:30:00	63.54	32.95	-0.17	63.67	86.55	86.42	295.58	
Purvis Well	8/26/2010 1:45:00	63.90	32.95	-0.16	64.03	86.20	86.07	295.93	
Purvis Well	8/26/2010 2:00:00	64.17	32.96	-0.16	64.29	85.93	85.80	296.20	
Purvis Well	8/26/2010 2:15:00	64.38	32.96	-0.15	64.50	85.71	85.59	296.41	
Purvis Well	8/26/2010 2:30:00	64.57	32.97	-0.15	64.68	85.53	85.41	296.59	
Purvis Well	8/26/2010 2:45:00	64.72	32.98	-0.14	64.83	85.38	85.27	296.73	
Purvis Well	8/26/2010 3:00:00	64.85	32.98	-0.14	64.96	85.24	85.13	296.87	
Purvis Well	8/26/2010 3:15:00	64.97	32.99	-0.13	65.07	85.13	85.02	296.98	
Purvis Well	8/26/2010 3:30:00	61.63	32.99	-0.13	61.72	88.47	88.37	293.63	
Purvis Well	8/26/2010 3:45:00	64.27	33.00	-0.12	64.36	85.83	85.73	296.27	
Purvis Well	8/26/2010 4:00:00	64.82	33.00	-0.11	64.91	85.28	85.19	296.81	
Purvis Well	8/26/2010 4:15:00	65.05	33.01	-0.11	65.13	85.05	84.96	297.04	
Purvis Well	8/26/2010 4:30:00	63.22	33.02	-0.10	63.30	86.87	86.79	295.21	
Purvis Well	8/26/2010 4:45:00	52.04	33.02	-0.10	52.11	98.06	97.98	284.02	
Purvis Well	8/26/2010 5:00:00	58.48	33.03	-0.09	58.55	91.61	91.54	290.46	
Purvis Well	8/26/2010 5:15:00	54.75	33.03	-0.09	54.81	95.35	95.28	286.72	
Purvis Well	8/26/2010 5:30:00	50.96	33.04	-0.08	51.02	99.13	99.07	282.93	
Purvis Well	8/26/2010 5:45:00	56.55	33.04	-0.07	56.61	93.54	93.48	288.52	
Purvis Well	8/26/2010 6:00:00	52.74	33.05	-0.07	52.79	97.35	97.30	284.70	
Purvis Well	8/26/2010 6:15:00	49.02	33.06	-0.06	49.06	101.08	101.03	280.97	
Purvis Well	8/26/2010 6:30:00	49.84	33.06	-0.05	49.88	100.25	100.21	281.79	
Purvis Well	8/26/2010 6:45:00	53.33	33.07	-0.05	53.37	96.76	96.73	285.27	
Purvis Well	8/26/2010 7:00:00	52.86	33.08	-0.04	52.89	97.24	97.21	284.79	
Purvis Well	8/26/2010 7:15:00	51.63	33.08	-0.03	51.66	98.46	98.44	283.56	
Purvis Well	8/26/2010 7:30:00	50.31	33.09	-0.03	50.33	99.79	99.77	282.23	
Purvis Well	8/26/2010 7:45:00	48.74	33.10	-0.02	48.76	101.35	101.33	280.67	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	8/26/2010 8:00:00	56.54	33.10	-0.01	56.55	93.56	93.55	288.45	
Purvis Well	8/26/2010 8:15:00	60.26	33.11	-0.01	60.27	89.83	89.83	292.17	
Purvis Well	8/26/2010 8:30:00	61.70	33.12	0.00	61.70	88.40	88.40	293.60	
Purvis Well	8/26/2010 8:45:00	62.52	33.12	0.01	62.51	87.58	87.58	294.42	
Purvis Well	8/26/2010 9:00:00	63.08	33.13	0.01	63.07	87.02	87.03	294.97	
Purvis Well	8/26/2010 9:15:00	63.49	33.14	0.02	63.47	86.61	86.62	295.38	
Purvis Well	8/26/2010 9:30:00	63.82	33.14	0.03	63.80	86.28	86.30	295.70	
Purvis Well	8/26/2010 9:45:00	64.08	33.14	0.02	64.06	86.01	86.03	295.97	
Purvis Well	8/26/2010 10:00:00	64.31	33.14	0.02	64.29	85.78	85.80	296.20	
Purvis Well	8/26/2010 10:15:00	64.50	33.14	0.02	64.49	85.59	85.61	296.39	
Purvis Well	8/26/2010 10:30:00	61.81	33.14	0.02	61.79	88.28	88.30	293.70	
Purvis Well	8/26/2010 10:45:00	61.32	33.14	0.02	61.30	88.78	88.79	293.21	
Purvis Well	8/26/2010 11:00:00	63.61	33.14	0.02	63.59	86.48	86.50	295.50	
Purvis Well	8/26/2010 11:15:00	64.27	33.14	0.02	64.25	85.83	85.84	296.16	
Purvis Well	8/26/2010 11:30:00	64.61	33.14	0.02	64.59	85.49	85.50	296.50	
Purvis Well	8/26/2010 11:45:00	56.51	33.14	0.02	56.50	93.58	93.60	288.40	
Purvis Well	8/26/2010 12:00:00	63.66	33.13	0.02	63.65	86.43	86.45	295.55	
Purvis Well	8/26/2010 12:15:00	58.87	33.13	0.02	58.85	91.23	91.24	290.76	
Purvis Well	8/26/2010 12:30:00	63.36	33.13	0.02	63.35	86.73	86.74	295.26	
Purvis Well	8/26/2010 12:45:00	61.94	33.13	0.01	61.93	88.15	88.16	293.84	
Purvis Well	8/26/2010 13:00:00	64.04	33.13	0.01	64.03	86.05	86.06	295.94	
Purvis Well	8/26/2010 13:15:00	61.79	33.13	0.01	61.78	88.30	88.31	293.69	
Purvis Well	8/26/2010 13:30:00	64.13	33.13	0.01	64.12	85.97	85.98	296.02	
Purvis Well	8/26/2010 13:45:00	64.75	33.13	0.02	64.74	85.35	85.36	296.64	
Purvis Well	8/26/2010 14:00:00	65.05	33.14	0.02	65.03	85.05	85.06	296.94	
Purvis Well	8/26/2010 14:15:00	65.24	33.14	0.02	65.23	84.85	84.87	297.13	
Purvis Well	8/26/2010 14:30:00	65.39	33.15	0.03	65.37	84.70	84.72	297.28	
Purvis Well	8/26/2010 14:45:00	63.39	33.15	0.03	63.37	86.70	86.73	295.27	
Purvis Well	8/26/2010 15:00:00	64.90	33.15	0.04	64.87	85.20	85.22	296.78	
Purvis Well	8/26/2010 15:15:00	65.31	33.16	0.04	65.28	84.78	84.81	297.19	
Purvis Well	8/26/2010 15:30:00	65.50	33.16	0.04	65.47	84.59	84.63	297.37	
Purvis Well	8/26/2010 15:45:00	65.63	33.16	0.05	65.59	84.46	84.50	297.50	
Purvis Well	8/26/2010 16:00:00	65.73	33.17	0.05	65.69	84.36	84.40	297.60	
Purvis Well	8/26/2010 16:15:00	61.79	33.17	0.05	61.74	88.31	88.35	293.65	
Purvis Well	8/26/2010 16:30:00	64.82	33.18	0.06	64.78	85.27	85.32	296.68	
Purvis Well	8/26/2010 16:45:00	62.51	33.18	0.06	62.46	87.58	87.63	294.37	
Purvis Well	8/26/2010 17:00:00	64.83	33.18	0.07	64.78	85.26	85.31	296.69	
Purvis Well	8/26/2010 17:15:00	63.45	33.19	0.07	63.39	86.65	86.70	295.30	
Purvis Well	8/26/2010 17:30:00	63.92	33.19	0.07	63.86	86.18	86.23	295.77	
Purvis Well	8/26/2010 17:45:00	61.61	33.20	0.08	61.55	88.48	88.55	293.45	
Purvis Well	8/26/2010 18:00:00	64.55	33.20	0.09	64.49	85.54	85.61	296.39	
Purvis Well	8/26/2010 18:15:00	65.23	33.21	0.09	65.16	84.87	84.94	297.06	
Purvis Well	8/26/2010 18:30:00	65.52	33.22	0.10	65.44	84.57	84.65	297.35	
Purvis Well	8/26/2010 18:45:00	65.70	33.22	0.10	65.62	84.39	84.47	297.53	
Purvis Well	8/26/2010 19:00:00	61.15	33.23	0.11	61.06	88.94	89.03	292.97	
Purvis Well	8/26/2010 19:15:00	64.64	33.23	0.12	64.55	85.46	85.55	296.45	
Purvis Well	8/26/2010 19:30:00	65.47	33.24	0.12	65.38	84.62	84.72	297.28	
Purvis Well	8/26/2010 19:45:00	65.75	33.25	0.13	65.65	84.34	84.44	297.56	
Purvis Well	8/26/2010 20:00:00	65.90	33.25	0.13	65.80	84.19	84.30	297.70	
Purvis Well	8/26/2010 20:15:00	55.82	33.26	0.14	55.71	94.27	94.38	287.62	
Purvis Well	8/26/2010 20:30:00	64.64	33.26	0.15	64.53	85.45	85.56	296.44	
Purvis Well	8/26/2010 20:45:00	61.12	33.27	0.15	61.00	88.97	89.09	292.91	
Purvis Well	8/26/2010 21:00:00	58.05	33.28	0.16	57.93	92.04	92.16	289.84	
Purvis Well	8/26/2010 21:15:00	51.30	33.28	0.16	51.17	98.79	98.92	283.08	
Purvis Well	8/26/2010 21:30:00	58.69	33.29	0.17	58.56	91.40	91.53	290.47	
Purvis Well	8/26/2010 21:45:00	56.25	33.29	0.17	56.11	93.85	93.99	288.01	
Purvis Well	8/26/2010 22:00:00	51.22	33.30	0.18	51.08	98.88	99.01	282.99	
Purvis Well	8/26/2010 22:15:00	49.65	33.30	0.18	49.51	100.45	100.59	281.41	
Purvis Well	8/26/2010 22:30:00	50.73	33.30	0.19	50.59	99.36	99.51	282.49	
Purvis Well	8/26/2010 22:45:00	53.78	33.31	0.19	53.63	96.31	96.46	285.54	
Purvis Well	8/26/2010 23:00:00	53.52	33.31	0.19	53.36	96.58	96.73	285.27	
Purvis Well	8/26/2010 23:15:00	52.39	33.32	0.20	52.23	97.71	97.86	284.14	
Purvis Well	8/26/2010 23:30:00	51.22	33.32	0.20	51.06	98.88	99.04	282.96	
Purvis Well	8/26/2010 23:45:00	49.91	33.32	0.21	49.75	100.19	100.35	281.65	
Purvis Well	8/27/2010 0:00:00	57.08	33.33	0.21	56.91	93.02	93.18	288.82	
Purvis Well	8/27/2010 0:15:00	60.78	33.33	0.21	60.61	89.32	89.49	292.51	
Purvis Well	8/27/2010 0:30:00	62.19	33.34	0.22	62.02	87.90	88.07	293.93	
Purvis Well	8/27/2010 0:45:00	63.00	33.34	0.22	62.83	87.09	87.27	294.73	
Purvis Well	8/27/2010 1:00:00	63.55	33.34	0.23	63.37	86.54	86.72	295.28	
Purvis Well	8/27/2010 1:15:00	63.96	33.35	0.23	63.78	86.13	86.31	295.69	
Purvis Well	8/27/2010 1:30:00	64.29	33.35	0.24	64.10	85.81	85.99	296.01	
Purvis Well	8/27/2010 1:45:00	64.55	33.36	0.24	64.36	85.55	85.73	296.27	
Purvis Well	8/27/2010 2:00:00	55.99	33.36	0.24	55.80	94.10	94.29	287.71	
Purvis Well	8/27/2010 2:15:00	63.79	33.36	0.24	63.60	86.31	86.49	295.51	
Purvis Well	8/27/2010 2:30:00	64.62	33.36	0.24	64.43	85.48	85.67	296.33	
Purvis Well	8/27/2010 2:45:00	64.96	33.36	0.25	64.76	85.14	85.33	296.67	
Purvis Well	8/27/2010 3:00:00	65.17	33.37	0.25	64.97	84.93	85.12	296.88	
Purvis Well	8/27/2010 3:15:00	65.33	33.37	0.25	65.13	84.77	84.96	297.04	
Purvis Well	8/27/2010 3:30:00	65.46	33.37	0.25	65.27	84.63	84.83	297.17	
Purvis Well	8/27/2010 3:45:00	65.58	33.37	0.25	65.38	84.52	84.71	297.29	
Purvis Well	8/27/2010 4:00:00	65.68	33.37	0.26	65.48	84.41	84.61	297.39	
Purvis Well	8/27/2010 4:15:00	63.76	33.38	0.26	63.56	86.34	86.54	295.46	
Purvis Well	8/27/2010 4:30:00	57.13	33.38	0.26	56.93	92.96	93.17	288.83	
Purvis Well	8/27/2010 4:45:00	60.83	33.38	0.26	60.62	89.27	89.47	292.53	
Purvis Well	8/27/2010 5:00:00	57.03	33.38	0.26	56.82	93.07	93.28	288.72	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	8/27/2010 5:15:00	49.69	33.38	0.27	49.48	100.41	100.61	281.39	
Purvis Well	8/27/2010 5:30:00	58.30	33.39	0.27	58.09	91.79	92.00	290.00	
Purvis Well	8/27/2010 5:45:00	55.53	33.38	0.26	55.32	94.57	94.77	287.23	
Purvis Well	8/27/2010 6:00:00	48.68	33.38	0.26	48.47	101.42	101.62	280.38	
Purvis Well	8/27/2010 6:15:00	46.73	33.38	0.26	46.53	103.37	103.57	278.43	
Purvis Well	8/27/2010 6:30:00	44.23	33.37	0.25	44.03	105.87	106.06	275.94	
Purvis Well	8/27/2010 6:45:00	50.58	33.37	0.25	50.39	99.51	99.71	282.29	
Purvis Well	8/27/2010 7:00:00	46.26	33.37	0.25	46.06	103.84	104.03	277.97	
Purvis Well	8/27/2010 7:15:00	51.82	33.36	0.24	51.63	98.28	98.47	283.53	
Purvis Well	8/27/2010 7:30:00	49.05	33.36	0.24	48.86	101.04	101.23	280.77	
Purvis Well	8/27/2010 7:45:00	49.75	33.35	0.24	49.56	100.35	100.53	281.47	
Purvis Well	8/27/2010 8:00:00	56.21	33.35	0.23	56.03	93.88	94.07	287.93	
Purvis Well	8/27/2010 8:15:00	60.17	33.35	0.23	59.99	89.92	90.10	291.90	
Purvis Well	8/27/2010 8:30:00	61.75	33.34	0.23	61.58	88.34	88.52	293.48	
Purvis Well	8/27/2010 8:45:00	62.67	33.34	0.22	62.50	87.42	87.59	294.41	
Purvis Well	8/27/2010 9:00:00	63.31	33.34	0.22	63.14	86.78	86.96	295.04	
Purvis Well	8/27/2010 9:15:00	63.79	33.33	0.22	63.62	86.31	86.48	295.52	
Purvis Well	8/27/2010 9:30:00	64.16	33.33	0.21	64.00	85.93	86.10	295.90	
Purvis Well	8/27/2010 9:45:00	64.47	33.32	0.20	64.31	85.62	85.78	296.22	
Purvis Well	8/27/2010 10:00:00	64.73	33.31	0.19	64.58	85.37	85.52	296.48	
Purvis Well	8/27/2010 10:15:00	63.12	33.30	0.18	62.98	86.97	87.12	294.88	
Purvis Well	8/27/2010 10:30:00	63.82	33.29	0.18	63.68	86.27	86.41	295.59	
Purvis Well	8/27/2010 10:45:00	64.76	33.28	0.17	64.63	85.33	85.46	296.54	
Purvis Well	8/27/2010 11:00:00	65.12	33.27	0.16	65.00	84.97	85.09	296.91	
Purvis Well	8/27/2010 11:15:00	65.34	33.27	0.15	65.23	84.75	84.87	297.13	
Purvis Well	8/27/2010 11:30:00	65.51	33.26	0.14	65.40	84.59	84.70	297.30	
Purvis Well	8/27/2010 11:45:00	61.84	33.25	0.13	61.74	88.26	88.36	293.64	
Purvis Well	8/27/2010 12:00:00	64.77	33.24	0.12	64.67	85.33	85.42	296.58	
Purvis Well	8/27/2010 12:15:00	65.37	33.23	0.11	65.29	84.72	84.81	297.19	
Purvis Well	8/27/2010 12:30:00	65.63	33.22	0.10	65.55	84.47	84.55	297.45	
Purvis Well	8/27/2010 12:45:00	65.79	33.21	0.09	65.71	84.31	84.38	297.62	
Purvis Well	8/27/2010 13:00:00	65.90	33.20	0.08	65.83	84.20	84.26	297.74	
Purvis Well	8/27/2010 13:15:00	61.97	33.19	0.07	61.91	88.13	88.18	293.82	
Purvis Well	8/27/2010 13:30:00	65.10	33.18	0.06	65.05	84.99	85.04	296.96	
Purvis Well	8/27/2010 13:45:00	65.68	33.18	0.06	65.64	84.41	84.45	297.55	
Purvis Well	8/27/2010 14:00:00	65.91	33.17	0.05	65.87	84.18	84.22	297.78	
Purvis Well	8/27/2010 14:15:00	66.05	33.16	0.04	66.01	84.05	84.08	297.92	
Purvis Well	8/27/2010 14:30:00	66.14	33.16	0.04	66.11	83.96	83.99	298.01	
Purvis Well	8/27/2010 14:45:00	66.21	33.15	0.03	66.18	83.89	83.91	298.09	
Purvis Well	8/27/2010 15:00:00	66.27	33.14	0.02	66.25	83.83	83.85	298.15	
Purvis Well	8/27/2010 15:15:00	66.31	33.13	0.02	66.30	83.78	83.80	298.20	
Purvis Well	8/27/2010 15:30:00	64.94	33.13	0.01	64.94	85.15	85.16	296.84	
Purvis Well	8/27/2010 15:45:00	65.82	33.12	0.00	65.82	84.27	84.28	297.72	
Purvis Well	8/27/2010 16:00:00	66.08	33.11	0.00	66.08	84.01	84.01	297.99	
Purvis Well	8/27/2010 16:15:00	66.21	33.11	-0.01	66.22	83.88	83.87	298.13	
Purvis Well	8/27/2010 16:30:00	66.30	33.10	-0.02	66.31	83.80	83.78	298.22	
Purvis Well	8/27/2010 16:45:00	66.36	33.09	-0.02	66.37	83.74	83.72	298.28	
Purvis Well	8/27/2010 17:00:00	66.41	33.09	-0.03	66.43	83.69	83.67	298.33	
Purvis Well	8/27/2010 17:15:00	66.45	33.08	-0.04	66.48	83.65	83.62	298.38	
Purvis Well	8/27/2010 17:30:00	64.02	33.07	-0.04	64.06	86.07	86.04	295.96	
Purvis Well	8/27/2010 17:45:00	65.67	33.07	-0.04	65.71	84.42	84.39	297.61	
Purvis Well	8/27/2010 18:00:00	66.07	33.07	-0.04	66.11	84.02	83.99	298.01	
Purvis Well	8/27/2010 18:15:00	66.24	33.07	-0.04	66.28	83.85	83.82	298.18	
Purvis Well	8/27/2010 18:30:00	58.71	33.07	-0.04	58.75	91.38	91.35	290.65	
Purvis Well	8/27/2010 18:45:00	57.44	33.07	-0.04	57.48	92.65	92.62	289.38	
Purvis Well	8/27/2010 19:00:00	56.86	33.07	-0.04	56.89	93.24	93.20	288.80	
Purvis Well	8/27/2010 19:15:00	52.58	33.07	-0.04	52.62	97.51	97.48	284.52	
Purvis Well	8/27/2010 19:30:00	58.58	33.07	-0.04	58.61	91.52	91.48	290.52	
Purvis Well	8/27/2010 19:45:00	55.20	33.07	-0.04	55.24	94.89	94.86	287.14	
Purvis Well	8/27/2010 20:00:00	55.96	33.07	-0.04	56.00	94.13	94.09	287.91	
Purvis Well	8/27/2010 20:15:00	55.77	33.07	-0.05	55.81	94.32	94.29	287.71	
Purvis Well	8/27/2010 20:30:00	51.02	33.07	-0.05	51.06	99.07	99.03	282.97	
Purvis Well	8/27/2010 20:45:00	44.10	33.07	-0.05	44.14	105.99	105.96	276.04	
Purvis Well	8/27/2010 21:00:00	42.30	33.07	-0.05	42.34	107.79	107.76	274.24	
Purvis Well	8/27/2010 21:15:00	41.73	33.07	-0.05	41.76	108.37	108.33	273.67	
Purvis Well	8/27/2010 21:30:00	41.65	33.07	-0.05	41.68	108.45	108.41	273.59	
Purvis Well	8/27/2010 21:45:00	41.89	33.08	-0.04	41.92	108.21	108.18	273.82	
Purvis Well	8/27/2010 22:00:00	42.51	33.08	-0.04	42.53	107.59	107.56	274.44	
Purvis Well	8/27/2010 22:15:00	42.37	33.09	-0.03	42.39	107.73	107.70	274.30	
Purvis Well	8/27/2010 22:30:00	34.98	33.09	-0.03	35.00	115.12	115.10	266.90	
Purvis Well	8/27/2010 22:45:00	33.63	33.09	-0.02	33.64	116.47	116.45	265.55	
Purvis Well	8/27/2010 23:00:00	38.68	33.10	-0.02	38.70	111.41	111.40	270.60	
Purvis Well	8/27/2010 23:15:00	33.62	33.10	-0.01	33.63	116.47	116.46	265.54	
Purvis Well	8/27/2010 23:30:00	34.10	33.11	-0.01	34.11	115.99	115.98	266.02	
Purvis Well	8/27/2010 23:45:00	39.13	33.11	-0.01	39.14	110.96	110.96	271.04	
Purvis Well	8/28/2010 0:00:00	41.53	33.12	0.00	41.53	108.57	108.57	273.43	
Purvis Well	8/28/2010 0:15:00	50.90	33.12	0.00	50.89	99.20	99.20	282.80	
Purvis Well	8/28/2010 0:30:00	48.72	33.13	0.01	48.72	101.37	101.38	280.62	
Purvis Well	8/28/2010 0:45:00	50.78	33.13	0.01	50.77	99.32	99.33	282.67	
Purvis Well	8/28/2010 1:00:00	51.60	33.13	0.02	51.58	98.50	98.51	283.49	
Purvis Well	8/28/2010 1:15:00	46.29	33.14	0.02	46.28	103.80	103.82	278.18	
Purvis Well	8/28/2010 1:30:00	53.41	33.14	0.03	53.39	96.68	96.70	285.30	
Purvis Well	8/28/2010 1:45:00	48.73	33.15	0.03	48.71	101.36	101.39	280.61	
Purvis Well	8/28/2010 2:00:00	54.77	33.15	0.03	54.74	95.33	95.35	286.65	
Purvis Well	8/28/2010 2:15:00	51.81	33.15	0.04	51.78	98.28	98.31	283.69	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	8/28/2010 2:30:00	50.02	33.16	0.04	49.99	100.08	100.11	281.89	
Purvis Well	8/28/2010 2:45:00	53.61	33.16	0.04	53.57	96.49	96.52	285.48	
Purvis Well	8/28/2010 3:00:00	47.07	33.16	0.05	47.03	103.02	103.06	278.94	
Purvis Well	8/28/2010 3:15:00	54.94	33.17	0.05	54.90	95.16	95.19	286.81	
Purvis Well	8/28/2010 3:30:00	51.55	33.17	0.05	51.50	98.55	98.59	283.41	
Purvis Well	8/28/2010 3:45:00	52.87	33.18	0.06	52.82	97.23	97.27	284.73	
Purvis Well	8/28/2010 4:00:00	53.58	33.18	0.06	53.53	96.51	96.56	285.44	
Purvis Well	8/28/2010 4:15:00	46.92	33.18	0.07	46.87	103.17	103.22	278.78	
Purvis Well	8/28/2010 4:30:00	55.01	33.19	0.07	54.96	95.08	95.13	286.87	
Purvis Well	8/28/2010 4:45:00	48.63	33.19	0.07	48.58	101.46	101.52	280.48	
Purvis Well	8/28/2010 5:00:00	41.58	33.19	0.08	41.52	108.51	108.57	273.43	
Purvis Well	8/28/2010 5:15:00	35.43	33.20	0.08	35.37	114.66	114.72	267.28	
Purvis Well	8/28/2010 5:30:00	35.97	33.20	0.08	35.91	114.12	114.18	267.82	
Purvis Well	8/28/2010 5:45:00	37.33	33.20	0.08	37.26	112.77	112.83	269.17	
Purvis Well	8/28/2010 6:00:00	37.18	33.20	0.08	37.12	112.91	112.98	269.02	
Purvis Well	8/28/2010 6:15:00	34.43	33.20	0.08	34.37	115.66	115.73	266.27	
Purvis Well	8/28/2010 6:30:00	34.70	33.20	0.08	34.64	115.39	115.45	266.55	
Purvis Well	8/28/2010 6:45:00	40.40	33.20	0.08	40.34	109.69	109.75	272.25	
Purvis Well	8/28/2010 7:00:00	33.61	33.20	0.08	33.55	116.48	116.55	265.45	
Purvis Well	8/28/2010 7:15:00	33.61	33.20	0.08	33.54	116.49	116.55	265.45	
Purvis Well	8/28/2010 7:30:00	34.65	33.20	0.08	34.59	115.44	115.50	266.50	
Purvis Well	8/28/2010 7:45:00	33.62	33.20	0.08	33.55	116.48	116.54	265.46	
Purvis Well	8/28/2010 8:00:00	38.95	33.20	0.08	38.89	111.15	111.21	270.79	
Purvis Well	8/28/2010 8:15:00	48.76	33.20	0.08	48.70	101.34	101.40	280.60	
Purvis Well	8/28/2010 8:30:00	44.81	33.20	0.08	44.75	105.28	105.34	276.66	
Purvis Well	8/28/2010 8:45:00	52.07	33.20	0.08	52.01	98.02	98.08	283.92	
Purvis Well	8/28/2010 9:00:00	49.08	33.19	0.08	49.02	101.02	101.08	280.92	
Purvis Well	8/28/2010 9:15:00	51.61	33.19	0.08	51.55	98.49	98.55	283.45	
Purvis Well	8/28/2010 9:30:00	51.27	33.19	0.08	51.21	98.82	98.88	283.12	
Purvis Well	8/28/2010 9:45:00	46.98	33.18	0.07	46.93	103.11	103.16	278.84	
Purvis Well	8/28/2010 10:00:00	53.66	33.17	0.06	53.62	96.43	96.47	285.53	
Purvis Well	8/28/2010 10:15:00	50.33	33.16	0.04	50.29	99.77	99.80	282.20	
Purvis Well	8/28/2010 10:30:00	45.63	33.15	0.03	45.60	104.47	104.49	277.51	
Purvis Well	8/28/2010 10:45:00	53.50	33.14	0.02	53.48	96.60	96.62	285.38	
Purvis Well	8/28/2010 11:00:00	50.04	33.13	0.01	50.03	100.06	100.07	281.93	
Purvis Well	8/28/2010 11:15:00	57.82	33.12	0.00	57.81	92.28	92.28	289.72	
Purvis Well	8/28/2010 11:30:00	59.86	33.11	-0.01	59.86	90.24	90.23	291.77	
Purvis Well	8/28/2010 11:45:00	60.88	33.10	-0.02	60.89	89.21	89.20	292.80	
Purvis Well	8/28/2010 12:00:00	61.55	33.09	-0.03	61.57	88.54	88.52	293.48	
Purvis Well	8/28/2010 12:15:00	62.05	33.08	-0.04	62.09	88.04	88.01	293.99	
Purvis Well	8/28/2010 12:30:00	62.46	33.07	-0.05	62.50	87.64	87.60	294.40	
Purvis Well	8/28/2010 12:45:00	62.79	33.06	-0.06	62.83	87.31	87.26	294.74	
Purvis Well	8/28/2010 13:00:00	60.06	33.05	-0.07	60.12	90.03	89.98	292.02	
Purvis Well	8/28/2010 13:15:00	62.36	33.04	-0.08	62.43	87.73	87.67	294.33	
Purvis Well	8/28/2010 13:30:00	63.03	33.03	-0.09	63.10	87.07	86.99	295.01	
Purvis Well	8/28/2010 13:45:00	63.38	33.02	-0.10	63.46	86.71	86.64	295.36	
Purvis Well	8/28/2010 14:00:00	63.63	33.02	-0.10	63.71	86.47	86.38	295.62	
Purvis Well	8/28/2010 14:15:00	63.83	33.01	-0.11	63.91	86.27	86.18	295.82	
Purvis Well	8/28/2010 14:30:00	64.00	33.01	-0.11	64.09	86.09	86.01	295.99	
Purvis Well	8/28/2010 14:45:00	64.14	33.00	-0.12	64.24	85.95	85.86	296.14	
Purvis Well	8/28/2010 15:00:00	64.27	33.00	-0.12	64.37	85.82	85.73	296.27	
Purvis Well	8/28/2010 15:15:00	64.39	32.99	-0.13	64.49	85.70	85.60	296.40	
Purvis Well	8/28/2010 15:30:00	61.88	32.99	-0.13	61.98	88.22	88.12	293.88	
Purvis Well	8/28/2010 15:45:00	63.78	32.98	-0.14	63.88	86.32	86.21	295.79	
Purvis Well	8/28/2010 16:00:00	64.26	32.98	-0.14	64.37	85.84	85.73	296.27	
Purvis Well	8/28/2010 16:15:00	64.48	32.97	-0.15	64.59	85.62	85.50	296.50	
Purvis Well	8/28/2010 16:30:00	64.63	32.97	-0.15	64.75	85.46	85.34	296.66	
Purvis Well	8/28/2010 16:45:00	64.74	32.96	-0.16	64.87	85.35	85.23	296.77	
Purvis Well	8/28/2010 17:00:00	64.84	32.96	-0.16	64.97	85.25	85.13	296.87	
Purvis Well	8/28/2010 17:15:00	64.93	32.95	-0.17	65.06	85.17	85.04	296.96	
Purvis Well	8/28/2010 17:30:00	65.00	32.95	-0.17	65.14	85.09	84.96	297.04	
Purvis Well	8/28/2010 17:45:00	61.11	32.95	-0.17	61.24	88.99	88.85	293.15	
Purvis Well	8/28/2010 18:00:00	64.04	32.95	-0.17	64.17	86.06	85.92	296.08	
Purvis Well	8/28/2010 18:15:00	64.66	32.95	-0.17	64.78	85.44	85.31	296.69	
Purvis Well	8/28/2010 18:30:00	63.19	32.95	-0.16	63.31	86.91	86.78	295.22	
Purvis Well	8/28/2010 18:45:00	64.40	32.96	-0.16	64.52	85.70	85.57	296.43	
Purvis Well	8/28/2010 19:00:00	64.78	32.96	-0.16	64.91	85.31	85.19	296.81	
Purvis Well	8/28/2010 19:15:00	64.98	32.96	-0.16	65.10	85.11	84.99	297.01	
Purvis Well	8/28/2010 19:30:00	65.12	32.96	-0.15	65.23	84.98	84.86	297.14	
Purvis Well	8/28/2010 19:45:00	65.22	32.97	-0.15	65.34	84.87	84.76	297.24	
Purvis Well	8/28/2010 20:00:00	65.31	32.97	-0.15	65.43	84.78	84.67	297.33	
Purvis Well	8/28/2010 20:15:00	65.39	32.97	-0.15	65.50	84.71	84.59	297.41	
Purvis Well	8/28/2010 20:30:00	65.46	32.97	-0.14	65.57	84.64	84.52	297.48	
Purvis Well	8/28/2010 20:45:00	57.66	32.98	-0.14	57.77	92.44	92.33	289.67	
Purvis Well	8/28/2010 21:00:00	52.64	32.98	-0.14	52.75	97.46	97.35	284.65	
Purvis Well	8/28/2010 21:15:00	57.42	32.98	-0.14	57.53	92.67	92.57	289.43	
Purvis Well	8/28/2010 21:30:00	54.22	32.98	-0.13	54.33	95.87	95.77	286.23	
Purvis Well	8/28/2010 21:45:00	51.43	32.99	-0.13	51.53	98.67	98.56	283.44	
Purvis Well	8/28/2010 22:00:00	56.10	32.99	-0.13	56.20	93.99	93.89	288.11	
Purvis Well	8/28/2010 22:15:00	53.36	33.00	-0.12	53.45	96.74	96.64	285.36	
Purvis Well	8/28/2010 22:30:00	50.46	33.00	-0.12	50.55	99.64	99.54	282.46	
Purvis Well	8/28/2010 22:45:00	47.45	33.01	-0.11	47.54	102.64	102.56	279.44	
Purvis Well	8/28/2010 23:00:00	43.88	33.01	-0.11	43.96	106.21	106.13	275.87	
Purvis Well	8/28/2010 23:15:00	47.14	33.02	-0.10	47.22	102.95	102.87	279.13	
Purvis Well	8/28/2010 23:30:00	51.22	33.02	-0.10	51.30	98.87	98.80	283.20	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	8/28/2010 23:45:00	52.08	33.03	-0.09	52.15	98.01	97.94	284.06	
Purvis Well	8/29/2010 0:00:00	56.58	33.03	-0.09	56.64	93.52	93.45	288.55	
Purvis Well	8/29/2010 0:15:00	60.24	33.04	-0.08	60.31	89.85	89.79	292.21	
Purvis Well	8/29/2010 0:30:00	61.69	33.04	-0.08	61.75	88.41	88.35	293.65	
Purvis Well	8/29/2010 0:45:00	62.52	33.04	-0.07	62.57	87.58	87.52	294.48	
Purvis Well	8/29/2010 1:00:00	63.09	33.05	-0.07	63.14	87.00	86.95	295.05	
Purvis Well	8/29/2010 1:15:00	63.52	33.05	-0.06	63.57	86.58	86.53	295.47	
Purvis Well	8/29/2010 1:30:00	63.86	33.06	-0.06	63.90	86.24	86.19	295.81	
Purvis Well	8/29/2010 1:45:00	64.14	33.07	-0.05	64.18	85.96	85.92	296.08	
Purvis Well	8/29/2010 2:00:00	64.37	33.07	-0.05	64.41	85.72	85.69	296.31	
Purvis Well	8/29/2010 2:15:00	64.56	33.08	-0.04	64.59	85.54	85.51	296.49	
Purvis Well	8/29/2010 2:30:00	63.86	33.08	-0.03	63.88	86.24	86.21	295.79	
Purvis Well	8/29/2010 2:45:00	63.56	33.09	-0.03	63.58	86.54	86.52	295.48	
Purvis Well	8/29/2010 3:00:00	64.47	33.10	-0.02	64.49	85.62	85.61	296.39	
Purvis Well	8/29/2010 3:15:00	64.81	33.10	-0.02	64.82	85.28	85.27	296.73	
Purvis Well	8/29/2010 3:30:00	65.01	33.11	-0.01	65.01	85.09	85.08	296.92	
Purvis Well	8/29/2010 3:45:00	65.15	33.11	0.00	65.16	84.94	84.94	297.06	
Purvis Well	8/29/2010 4:00:00	65.27	33.12	0.00	65.27	84.82	84.82	297.18	
Purvis Well	8/29/2010 4:15:00	59.72	33.13	0.01	59.71	90.38	90.39	291.61	
Purvis Well	8/29/2010 4:30:00	58.61	33.13	0.01	58.60	91.48	91.49	290.51	
Purvis Well	8/29/2010 4:45:00	59.36	33.14	0.02	59.34	90.73	90.75	291.25	
Purvis Well	8/29/2010 5:00:00	53.30	33.14	0.03	53.28	96.80	96.82	285.18	
Purvis Well	8/29/2010 5:15:00	56.21	33.15	0.03	56.19	93.88	93.91	288.09	
Purvis Well	8/29/2010 5:30:00	55.92	33.16	0.04	55.89	94.18	94.21	287.79	
Purvis Well	8/29/2010 5:45:00	50.75	33.16	0.04	50.72	99.34	99.37	282.63	
Purvis Well	8/29/2010 6:00:00	57.31	33.16	0.04	57.28	92.79	92.81	289.19	
Purvis Well	8/29/2010 6:15:00	54.67	33.16	0.04	54.64	95.42	95.45	286.55	
Purvis Well	8/29/2010 6:30:00	52.33	33.16	0.04	52.30	97.76	97.79	284.21	
Purvis Well	8/29/2010 6:45:00	50.64	33.16	0.04	50.61	99.45	99.48	282.52	
Purvis Well	8/29/2010 7:00:00	48.84	33.15	0.04	48.81	101.25	101.28	280.72	
Purvis Well	8/29/2010 7:15:00	46.52	33.15	0.04	46.50	103.57	103.60	278.40	
Purvis Well	8/29/2010 7:30:00	43.59	33.15	0.04	43.56	106.51	106.54	275.46	
Purvis Well	8/29/2010 7:45:00	44.72	33.15	0.04	44.69	105.37	105.40	276.60	
Purvis Well	8/29/2010 8:00:00	57.79	33.15	0.04	57.76	92.30	92.33	289.67	
Purvis Well	8/29/2010 8:15:00	60.73	33.15	0.04	60.70	89.37	89.40	292.60	
Purvis Well	8/29/2010 8:30:00	61.98	33.15	0.04	61.95	88.11	88.14	293.86	
Purvis Well	8/29/2010 8:45:00	62.73	33.15	0.04	62.71	87.36	87.39	294.61	
Purvis Well	8/29/2010 9:00:00	63.26	33.15	0.04	63.23	86.84	86.87	295.13	
Purvis Well	8/29/2010 9:15:00	59.31	33.15	0.04	59.28	90.79	90.82	291.18	
Purvis Well	8/29/2010 9:30:00	62.67	33.15	0.04	62.64	87.42	87.45	294.55	
Purvis Well	8/29/2010 9:45:00	63.68	33.15	0.03	63.66	86.41	86.44	295.56	
Purvis Well	8/29/2010 10:00:00	64.11	33.15	0.03	64.08	85.99	86.01	295.99	
Purvis Well	8/29/2010 10:15:00	64.38	33.14	0.03	64.36	85.72	85.74	296.26	
Purvis Well	8/29/2010 10:30:00	64.59	33.14	0.02	64.57	85.51	85.53	296.47	
Purvis Well	8/29/2010 10:45:00	64.75	33.14	0.02	64.74	85.34	85.36	296.64	
Purvis Well	8/29/2010 11:00:00	64.89	33.13	0.02	64.88	85.20	85.21	296.79	
Purvis Well	8/29/2010 11:15:00	65.01	33.13	0.01	65.00	85.08	85.09	296.91	
Purvis Well	8/29/2010 11:30:00	65.12	33.13	0.01	65.11	84.98	84.99	297.01	
Purvis Well	8/29/2010 11:45:00	65.21	33.12	0.01	65.20	84.89	84.89	297.11	
Purvis Well	8/29/2010 12:00:00	60.67	33.12	0.00	60.67	89.42	89.43	292.57	
Purvis Well	8/29/2010 12:15:00	64.34	33.12	0.00	64.34	85.76	85.75	296.25	
Purvis Well	8/29/2010 12:30:00	64.95	33.11	0.00	64.95	85.14	85.14	296.86	
Purvis Well	8/29/2010 12:45:00	65.18	33.11	-0.01	65.19	84.91	84.91	297.09	
Purvis Well	8/29/2010 13:00:00	65.32	33.11	-0.01	65.33	84.78	84.77	297.23	
Purvis Well	8/29/2010 13:15:00	65.42	33.10	-0.01	65.43	84.68	84.66	297.34	
Purvis Well	8/29/2010 13:30:00	65.49	33.10	-0.02	65.51	84.60	84.59	297.41	
Purvis Well	8/29/2010 13:45:00	65.56	33.10	-0.02	65.58	84.54	84.52	297.48	
Purvis Well	8/29/2010 14:00:00	65.62	33.09	-0.03	65.64	84.48	84.46	297.54	
Purvis Well	8/29/2010 14:15:00	65.67	33.09	-0.03	65.69	84.43	84.41	297.59	
Purvis Well	8/29/2010 14:30:00	65.71	33.08	-0.03	65.73	84.39	84.36	297.64	
Purvis Well	8/29/2010 14:45:00	65.75	33.08	-0.04	65.78	84.35	84.32	297.68	
Purvis Well	8/29/2010 15:00:00	65.79	33.07	-0.04	65.82	84.31	84.28	297.72	
Purvis Well	8/29/2010 15:15:00	62.57	33.07	-0.05	62.60	87.53	87.49	294.51	
Purvis Well	8/29/2010 15:30:00	64.97	33.07	-0.05	65.01	85.13	85.09	296.91	
Purvis Well	8/29/2010 15:45:00	65.45	33.06	-0.06	65.49	84.65	84.60	297.40	
Purvis Well	8/29/2010 16:00:00	65.63	33.06	-0.06	65.68	84.46	84.42	297.58	
Purvis Well	8/29/2010 16:15:00	65.73	33.05	-0.06	65.78	84.37	84.32	297.68	
Purvis Well	8/29/2010 16:30:00	65.80	33.05	-0.07	65.85	84.30	84.24	297.76	
Purvis Well	8/29/2010 16:45:00	65.85	33.04	-0.07	65.90	84.25	84.19	297.81	
Purvis Well	8/29/2010 17:00:00	65.89	33.04	-0.08	65.95	84.20	84.14	297.86	
Purvis Well	8/29/2010 17:15:00	65.93	33.04	-0.08	65.99	84.16	84.10	297.90	
Purvis Well	8/29/2010 17:30:00	65.96	33.03	-0.09	66.02	84.14	84.07	297.93	
Purvis Well	8/29/2010 17:45:00	65.99	33.04	-0.08	66.06	84.10	84.04	297.96	
Purvis Well	8/29/2010 18:00:00	66.02	33.04	-0.08	66.08	84.08	84.01	297.99	
Purvis Well	8/29/2010 18:15:00	66.05	33.04	-0.08	66.11	84.04	83.98	298.02	
Purvis Well	8/29/2010 18:30:00	64.15	33.04	-0.07	64.21	85.94	85.88	296.12	
Purvis Well	8/29/2010 18:45:00	65.44	33.05	-0.07	65.49	84.66	84.60	297.40	
Purvis Well	8/29/2010 19:00:00	65.77	33.05	-0.07	65.82	84.33	84.28	297.72	
Purvis Well	8/29/2010 19:15:00	65.92	33.05	-0.06	65.97	84.18	84.13	297.87	
Purvis Well	8/29/2010 19:30:00	66.01	33.06	-0.06	66.06	84.08	84.03	297.97	
Purvis Well	8/29/2010 19:45:00	66.08	33.06	-0.06	66.12	84.02	83.97	298.03	
Purvis Well	8/29/2010 20:00:00	66.14	33.06	-0.06	66.18	83.95	83.91	298.09	
Purvis Well	8/29/2010 20:15:00	66.19	33.07	-0.05	66.23	83.91	83.87	298.13	
Purvis Well	8/29/2010 20:30:00	66.23	33.07	-0.05	66.27	83.86	83.82	298.18	
Purvis Well	8/29/2010 20:45:00	60.34	33.07	-0.05	60.38	89.75	89.72	292.28	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	8/29/2010 21:00:00	56.82	33.07	-0.04	56.85	93.28	93.24	288.76	
Purvis Well	8/29/2010 21:15:00	50.76	33.08	-0.04	50.79	99.34	99.30	282.70	
Purvis Well	8/29/2010 21:30:00	58.23	33.08	-0.04	58.26	91.87	91.84	290.16	
Purvis Well	8/29/2010 21:45:00	54.94	33.08	-0.03	54.97	95.15	95.12	286.88	
Purvis Well	8/29/2010 22:00:00	50.99	33.09	-0.03	51.01	99.11	99.08	282.92	
Purvis Well	8/29/2010 22:15:00	55.22	33.09	-0.03	55.24	94.88	94.86	287.14	
Purvis Well	8/29/2010 22:30:00	55.00	33.09	-0.03	55.02	95.09	95.07	286.93	
Purvis Well	8/29/2010 22:45:00	53.52	33.09	-0.03	53.54	96.57	96.55	285.45	
Purvis Well	8/29/2010 23:00:00	52.72	33.09	-0.02	52.74	97.37	97.36	284.64	
Purvis Well	8/29/2010 23:15:00	51.47	33.10	-0.02	51.48	98.63	98.61	283.39	
Purvis Well	8/29/2010 23:30:00	50.05	33.10	-0.02	50.06	100.05	100.03	281.97	
Purvis Well	8/29/2010 23:45:00	48.21	33.10	-0.02	48.23	101.88	101.87	280.13	
Purvis Well	8/30/2010 0:00:00	56.99	33.10	-0.02	57.00	93.10	93.09	288.91	
Purvis Well	8/30/2010 0:15:00	60.72	33.10	-0.01	60.73	89.37	89.36	292.64	
Purvis Well	8/30/2010 0:30:00	62.14	33.11	-0.01	62.15	87.95	87.95	294.05	
Purvis Well	8/30/2010 0:45:00	62.94	33.11	-0.01	62.94	87.16	87.15	294.85	
Purvis Well	8/30/2010 1:00:00	63.47	33.11	-0.01	63.48	86.62	86.62	295.38	
Purvis Well	8/30/2010 1:15:00	63.87	33.11	0.00	63.87	86.23	86.22	295.78	
Purvis Well	8/30/2010 1:30:00	64.18	33.12	0.00	64.18	85.92	85.92	296.08	
Purvis Well	8/30/2010 1:45:00	64.42	33.12	0.00	64.42	85.67	85.67	296.33	
Purvis Well	8/30/2010 2:00:00	64.63	33.12	0.00	64.63	85.47	85.47	296.53	
Purvis Well	8/30/2010 2:15:00	64.80	33.12	0.00	64.79	85.30	85.30	296.70	
Purvis Well	8/30/2010 2:30:00	64.93	33.12	0.01	64.93	85.16	85.17	296.83	
Purvis Well	8/30/2010 2:45:00	65.06	33.12	0.01	65.05	85.04	85.04	296.96	
Purvis Well	8/30/2010 3:00:00	62.58	33.13	0.01	62.57	87.51	87.52	294.48	
Purvis Well	8/30/2010 3:15:00	64.48	33.13	0.01	64.47	85.62	85.62	296.38	
Purvis Well	8/30/2010 3:30:00	64.93	33.13	0.01	64.92	85.16	85.17	296.83	
Purvis Well	8/30/2010 3:45:00	65.13	33.13	0.01	65.12	84.96	84.97	297.03	
Purvis Well	8/30/2010 4:00:00	65.26	33.13	0.02	65.25	84.83	84.84	297.16	
Purvis Well	8/30/2010 4:15:00	60.70	33.14	0.02	60.69	89.39	89.41	292.59	
Purvis Well	8/30/2010 4:30:00	64.01	33.14	0.02	63.99	86.08	86.10	295.90	
Purvis Well	8/30/2010 4:45:00	52.16	33.14	0.02	52.14	97.93	97.95	284.05	
Purvis Well	8/30/2010 5:00:00	58.68	33.14	0.02	58.66	91.42	91.44	290.56	
Purvis Well	8/30/2010 5:15:00	55.31	33.14	0.03	55.28	94.79	94.81	287.19	
Purvis Well	8/30/2010 5:30:00	49.85	33.15	0.03	49.83	100.24	100.27	281.73	
Purvis Well	8/30/2010 5:45:00	57.07	33.15	0.03	57.04	93.03	93.05	288.95	
Purvis Well	8/30/2010 6:00:00	53.94	33.15	0.03	53.91	96.16	96.18	285.82	
Purvis Well	8/30/2010 6:15:00	47.70	33.16	0.04	47.67	102.39	102.42	279.58	
Purvis Well	8/30/2010 6:30:00	47.67	33.16	0.04	47.64	102.42	102.45	279.55	
Purvis Well	8/30/2010 6:45:00	49.15	33.16	0.04	49.12	100.94	100.98	281.02	
Purvis Well	8/30/2010 7:00:00	52.16	33.16	0.05	52.12	97.94	97.97	284.03	
Purvis Well	8/30/2010 7:15:00	52.90	33.17	0.05	52.86	97.20	97.24	284.76	
Purvis Well	8/30/2010 7:30:00	51.89	33.17	0.05	51.84	98.21	98.25	283.75	
Purvis Well	8/30/2010 7:45:00	50.85	33.17	0.06	50.80	99.25	99.29	282.71	
Purvis Well	8/30/2010 8:00:00	56.55	33.18	0.06	56.51	93.54	93.59	288.41	
Purvis Well	8/30/2010 8:15:00	60.20	33.18	0.06	60.15	89.89	89.94	292.06	
Purvis Well	8/30/2010 8:30:00	61.61	33.18	0.07	61.56	88.48	88.54	293.46	
Purvis Well	8/30/2010 8:45:00	60.78	33.19	0.07	60.73	89.31	89.36	292.64	
Purvis Well	8/30/2010 9:00:00	60.89	33.19	0.07	60.84	89.20	89.26	292.74	
Purvis Well	8/30/2010 9:15:00	62.44	33.19	0.08	62.38	87.66	87.72	294.28	
Purvis Well	8/30/2010 9:30:00	61.50	33.20	0.08	61.44	88.59	88.66	293.34	
Purvis Well	8/30/2010 9:45:00	59.73	33.19	0.08	59.67	90.36	90.42	291.58	
Purvis Well	8/30/2010 10:00:00	62.58	33.19	0.07	62.52	87.52	87.57	294.43	
Purvis Well	8/30/2010 10:15:00	63.37	33.19	0.07	63.32	86.72	86.78	295.22	
Purvis Well	8/30/2010 10:30:00	63.78	33.19	0.07	63.72	86.32	86.37	295.63	
Purvis Well	8/30/2010 10:45:00	64.05	33.19	0.07	64.00	86.04	86.09	295.91	
Purvis Well	8/30/2010 11:00:00	64.27	33.18	0.07	64.22	85.83	85.88	296.12	
Purvis Well	8/30/2010 11:15:00	64.44	33.18	0.06	64.39	85.65	85.70	296.30	
Purvis Well	8/30/2010 11:30:00	64.59	33.18	0.06	64.54	85.51	85.55	296.45	
Purvis Well	8/30/2010 11:45:00	64.71	33.18	0.06	64.67	85.38	85.43	296.57	
Purvis Well	8/30/2010 12:00:00	64.83	33.18	0.06	64.78	85.27	85.31	296.69	
Purvis Well	8/30/2010 12:15:00	55.16	33.17	0.06	55.12	94.93	94.97	287.03	
Purvis Well	8/30/2010 12:30:00	63.46	33.17	0.05	63.42	86.63	86.67	295.33	
Purvis Well	8/30/2010 12:45:00	64.42	33.17	0.05	64.38	85.67	85.71	296.29	
Purvis Well	8/30/2010 13:00:00	64.75	33.17	0.05	64.71	85.35	85.38	296.62	
Purvis Well	8/30/2010 13:15:00	64.92	33.17	0.05	64.89	85.17	85.21	296.79	
Purvis Well	8/30/2010 13:30:00	65.05	33.16	0.05	65.02	85.04	85.08	296.92	
Purvis Well	8/30/2010 13:45:00	65.15	33.16	0.04	65.11	84.94	84.98	297.02	
Purvis Well	8/30/2010 14:00:00	65.23	33.16	0.04	65.20	84.86	84.90	297.10	
Purvis Well	8/30/2010 14:15:00	63.08	33.16	0.04	63.04	87.02	87.05	294.95	
Purvis Well	8/30/2010 14:30:00	64.00	33.16	0.04	63.97	86.09	86.13	295.87	
Purvis Well	8/30/2010 14:45:00	64.87	33.16	0.04	64.84	85.23	85.26	296.74	
Purvis Well	8/30/2010 15:00:00	65.16	33.16	0.04	65.12	84.94	84.97	297.03	
Purvis Well	8/30/2010 15:15:00	65.31	33.16	0.04	65.28	84.78	84.82	297.18	
Purvis Well	8/30/2010 15:30:00	65.42	33.16	0.04	65.39	84.67	84.70	297.30	
Purvis Well	8/30/2010 15:45:00	63.58	33.16	0.04	63.55	86.51	86.54	295.46	
Purvis Well	8/30/2010 16:00:00	56.03	33.16	0.04	56.00	94.06	94.10	287.90	
Purvis Well	8/30/2010 16:15:00	63.98	33.16	0.04	63.95	86.11	86.14	295.86	
Purvis Well	8/30/2010 16:30:00	64.87	33.16	0.04	64.83	85.23	85.26	296.74	
Purvis Well	8/30/2010 16:45:00	65.19	33.16	0.04	65.16	84.91	84.94	297.06	
Purvis Well	8/30/2010 17:00:00	65.37	33.16	0.04	65.34	84.72	84.75	297.25	
Purvis Well	8/30/2010 17:15:00	65.50	33.16	0.04	65.47	84.60	84.63	297.37	
Purvis Well	8/30/2010 17:30:00	59.23	33.16	0.04	59.20	90.87	90.90	291.10	
Purvis Well	8/30/2010 17:45:00	64.51	33.16	0.04	64.48	85.58	85.62	296.38	
Purvis Well	8/30/2010 18:00:00	65.22	33.17	0.05	65.18	84.88	84.92	297.08	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	8/30/2010 18:15:00	65.47	33.17	0.05	65.43	84.62	84.67	297.33	
Purvis Well	8/30/2010 18:30:00	65.61	33.18	0.06	65.57	84.48	84.53	297.47	
Purvis Well	8/30/2010 18:45:00	65.71	33.18	0.06	65.66	84.39	84.44	297.56	
Purvis Well	8/30/2010 19:00:00	65.78	33.19	0.07	65.73	84.31	84.36	297.64	
Purvis Well	8/30/2010 19:15:00	62.81	33.19	0.07	62.75	87.28	87.34	294.66	
Purvis Well	8/30/2010 19:30:00	65.05	33.20	0.08	64.98	85.05	85.11	296.89	
Purvis Well	8/30/2010 19:45:00	65.52	33.20	0.08	65.46	84.57	84.64	297.36	
Purvis Well	8/30/2010 20:00:00	65.71	33.20	0.09	65.64	84.38	84.45	297.55	
Purvis Well	8/30/2010 20:15:00	65.83	33.21	0.09	65.75	84.27	84.34	297.66	
Purvis Well	8/30/2010 20:30:00	65.91	33.21	0.10	65.83	84.19	84.26	297.74	
Purvis Well	8/30/2010 20:45:00	58.24	33.22	0.10	58.16	91.86	91.94	290.06	
Purvis Well	8/30/2010 21:00:00	50.69	33.22	0.11	50.61	99.41	99.49	282.51	
Purvis Well	8/30/2010 21:15:00	58.86	33.23	0.11	58.77	91.24	91.32	290.68	
Purvis Well	8/30/2010 21:30:00	55.80	33.23	0.12	55.71	94.29	94.38	287.62	
Purvis Well	8/30/2010 21:45:00	48.40	33.24	0.12	48.30	101.70	101.79	280.21	
Purvis Well	8/30/2010 22:00:00	55.12	33.24	0.12	55.02	94.98	95.07	286.93	
Purvis Well	8/30/2010 22:15:00	52.86	33.25	0.13	52.76	97.23	97.33	284.67	
Purvis Well	8/30/2010 22:30:00	50.62	33.25	0.13	50.51	99.48	99.58	282.42	
Purvis Well	8/30/2010 22:45:00	50.74	33.26	0.14	50.63	99.36	99.46	282.54	
Purvis Well	8/30/2010 23:00:00	49.95	33.26	0.14	49.84	100.15	100.26	281.74	
Purvis Well	8/30/2010 23:15:00	48.28	33.27	0.15	48.17	101.81	101.93	280.07	
Purvis Well	8/30/2010 23:30:00	45.86	33.27	0.15	45.74	104.24	104.36	277.64	
Purvis Well	8/30/2010 23:45:00	43.56	33.28	0.16	43.43	106.54	106.66	275.34	
Purvis Well	8/31/2010 0:00:00	57.98	33.28	0.16	57.85	92.12	92.25	289.75	
Purvis Well	8/31/2010 0:15:00	60.80	33.29	0.17	60.67	89.30	89.43	292.57	
Purvis Well	8/31/2010 0:30:00	62.04	33.29	0.17	61.90	88.06	88.19	293.81	
Purvis Well	8/31/2010 0:45:00	62.78	33.30	0.18	62.64	87.32	87.46	294.54	
Purvis Well	8/31/2010 1:00:00	59.27	33.30	0.18	59.13	90.82	90.96	291.04	
Purvis Well	8/31/2010 1:15:00	62.73	33.31	0.19	62.58	87.37	87.51	294.49	
Purvis Well	8/31/2010 1:30:00	63.56	33.31	0.19	63.40	86.54	86.69	295.31	
Purvis Well	8/31/2010 1:45:00	63.97	33.31	0.19	63.82	86.13	86.28	295.72	
Purvis Well	8/31/2010 2:00:00	64.26	33.31	0.20	64.10	85.84	85.99	296.01	
Purvis Well	8/31/2010 2:15:00	64.49	33.32	0.20	64.33	85.61	85.76	296.24	
Purvis Well	8/31/2010 2:30:00	64.68	33.32	0.20	64.52	85.42	85.57	296.43	
Purvis Well	8/31/2010 2:45:00	64.83	33.32	0.20	64.68	85.26	85.42	296.58	
Purvis Well	8/31/2010 3:00:00	64.96	33.32	0.20	64.80	85.13	85.29	296.71	
Purvis Well	8/31/2010 3:15:00	65.08	33.32	0.20	64.92	85.01	85.17	296.83	
Purvis Well	8/31/2010 3:30:00	65.19	33.32	0.21	65.02	84.91	85.07	296.93	
Purvis Well	8/31/2010 3:45:00	65.28	33.33	0.21	65.12	84.82	84.98	297.02	
Purvis Well	8/31/2010 4:00:00	63.04	33.33	0.21	62.87	87.06	87.22	294.78	
Purvis Well	8/31/2010 4:15:00	64.70	33.33	0.21	64.53	85.40	85.56	296.44	
Purvis Well	8/31/2010 4:30:00	62.70	33.33	0.21	62.53	87.40	87.56	294.44	
Purvis Well	8/31/2010 4:45:00	54.68	33.33	0.22	54.51	95.41	95.58	286.42	
Purvis Well	8/31/2010 5:00:00	58.19	33.34	0.22	58.02	91.90	92.07	289.93	
Purvis Well	8/31/2010 5:15:00	54.19	33.34	0.22	54.02	95.90	96.07	285.93	
Purvis Well	8/31/2010 5:30:00	52.44	33.34	0.22	52.27	97.66	97.83	284.17	
Purvis Well	8/31/2010 5:45:00	56.51	33.34	0.22	56.34	93.58	93.76	288.24	
Purvis Well	8/31/2010 6:00:00	52.72	33.34	0.22	52.55	97.37	97.54	284.46	
Purvis Well	8/31/2010 6:15:00	49.20	33.34	0.22	49.02	100.90	101.07	280.93	
Purvis Well	8/31/2010 6:30:00	49.59	33.34	0.22	49.42	100.50	100.67	281.33	
Purvis Well	8/31/2010 6:45:00	52.23	33.34	0.22	52.06	97.86	98.04	283.96	
Purvis Well	8/31/2010 7:00:00	52.29	33.34	0.22	52.11	97.81	97.98	284.02	
Purvis Well	8/31/2010 7:15:00	52.39	33.34	0.22	52.22	97.70	97.88	284.12	
Purvis Well	8/31/2010 7:30:00	51.57	33.34	0.22	51.39	98.53	98.70	283.30	
Purvis Well	8/31/2010 7:45:00	50.59	33.34	0.22	50.42	99.50	99.68	282.32	
Purvis Well	8/31/2010 8:00:00	56.64	33.34	0.23	56.47	93.45	93.63	288.37	
Purvis Well	8/31/2010 8:15:00	60.34	33.34	0.23	60.16	89.76	89.93	292.07	
Purvis Well	8/31/2010 8:30:00	61.78	33.34	0.23	61.60	88.32	88.49	293.51	
Purvis Well	8/31/2010 8:45:00	62.60	33.34	0.23	62.42	87.50	87.67	294.33	
Purvis Well	8/31/2010 9:00:00	63.16	33.34	0.23	62.98	86.94	87.11	294.89	
Purvis Well	8/31/2010 9:15:00	63.58	33.34	0.23	63.41	86.51	86.69	295.31	
Purvis Well	8/31/2010 9:30:00	63.91	33.35	0.23	63.73	86.19	86.37	295.63	
Purvis Well	8/31/2010 9:45:00	64.18	33.34	0.22	64.01	85.92	86.09	295.91	
Purvis Well	8/31/2010 10:00:00	64.41	33.34	0.22	64.24	85.68	85.85	296.15	
Purvis Well	8/31/2010 10:15:00	64.61	33.33	0.21	64.44	85.49	85.65	296.35	
Purvis Well	8/31/2010 10:30:00	64.78	33.33	0.21	64.62	85.31	85.47	296.53	
Purvis Well	8/31/2010 10:45:00	64.94	33.32	0.20	64.78	85.15	85.31	296.69	
Purvis Well	8/31/2010 11:00:00	65.08	33.32	0.20	64.92	85.02	85.17	296.83	
Purvis Well	8/31/2010 11:15:00	65.20	33.31	0.19	65.05	84.89	85.05	296.95	
Purvis Well	8/31/2010 11:30:00	65.31	33.31	0.19	65.16	84.78	84.93	297.07	
Purvis Well	8/31/2010 11:45:00	65.41	33.30	0.19	65.26	84.69	84.83	297.17	
Purvis Well	8/31/2010 12:00:00	65.33	33.30	0.18	65.19	84.76	84.90	297.10	
Purvis Well	8/31/2010 12:15:00	64.05	33.29	0.18	63.92	86.04	86.18	295.82	
Purvis Well	8/31/2010 12:30:00	65.03	33.29	0.17	64.89	85.07	85.20	296.80	
Purvis Well	8/31/2010 12:45:00	65.34	33.28	0.17	65.21	84.76	84.89	297.11	
Purvis Well	8/31/2010 13:00:00	65.50	33.28	0.16	65.37	84.59	84.72	297.28	
Purvis Well	8/31/2010 13:15:00	65.62	33.28	0.16	65.49	84.48	84.60	297.40	
Purvis Well	8/31/2010 13:30:00	65.71	33.27	0.15	65.59	84.39	84.51	297.49	
Purvis Well	8/31/2010 13:45:00	65.78	33.27	0.15	65.67	84.31	84.43	297.57	
Purvis Well	8/31/2010 14:00:00	65.84	33.26	0.14	65.73	84.25	84.37	297.63	
Purvis Well	8/31/2010 14:15:00	65.90	33.26	0.14	65.79	84.20	84.30	297.70	
Purvis Well	8/31/2010 14:30:00	65.95	33.25	0.14	65.84	84.15	84.25	297.75	
Purvis Well	8/31/2010 14:45:00	65.99	33.25	0.13	65.89	84.11	84.21	297.79	
Purvis Well	8/31/2010 15:00:00	66.03	33.24	0.13	65.93	84.07	84.17	297.83	
Purvis Well	8/31/2010 15:15:00	66.06	33.24	0.12	65.97	84.03	84.13	297.87	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	8/31/2010 15:30:00	66.10	33.23	0.12	66.01	83.99	84.08	297.92	
Purvis Well	8/31/2010 15:45:00	66.13	33.23	0.11	66.04	83.97	84.05	297.95	
Purvis Well	8/31/2010 16:00:00	66.16	33.23	0.11	66.08	83.93	84.02	297.98	
Purvis Well	8/31/2010 16:15:00	60.76	33.22	0.10	60.68	89.34	89.42	292.58	
Purvis Well	8/31/2010 16:30:00	65.14	33.22	0.10	65.07	84.95	85.03	296.97	
Purvis Well	8/31/2010 16:45:00	65.75	33.21	0.09	65.67	84.35	84.42	297.58	
Purvis Well	8/31/2010 17:00:00	65.95	33.21	0.09	65.88	84.15	84.22	297.78	
Purvis Well	8/31/2010 17:15:00	66.05	33.20	0.08	65.98	84.05	84.11	297.89	
Purvis Well	8/31/2010 17:30:00	66.11	33.20	0.08	66.05	83.98	84.04	297.96	
Purvis Well	8/31/2010 17:45:00	66.17	33.20	0.08	66.10	83.93	83.99	298.01	
Purvis Well	8/31/2010 18:00:00	66.20	33.20	0.08	66.14	83.89	83.96	298.04	
Purvis Well	8/31/2010 18:15:00	66.24	33.20	0.09	66.17	83.86	83.92	298.08	
Purvis Well	8/31/2010 18:30:00	66.27	33.21	0.09	66.20	83.83	83.90	298.10	
Purvis Well	8/31/2010 18:45:00	66.29	33.21	0.09	66.22	83.81	83.88	298.12	
Purvis Well	8/31/2010 19:00:00	63.51	33.21	0.09	63.43	86.59	86.66	295.34	
Purvis Well	8/31/2010 19:15:00	65.52	33.21	0.10	65.45	84.57	84.65	297.35	
Purvis Well	8/31/2010 19:30:00	65.94	33.22	0.10	65.86	84.16	84.23	297.77	
Purvis Well	8/31/2010 19:45:00	66.10	33.22	0.10	66.02	84.00	84.07	297.93	
Purvis Well	8/31/2010 20:00:00	66.19	33.22	0.10	66.11	83.90	83.98	298.02	
Purvis Well	8/31/2010 20:15:00	66.25	33.22	0.11	66.16	83.85	83.93	298.07	
Purvis Well	8/31/2010 20:30:00	66.30	33.23	0.11	66.21	83.80	83.88	298.12	
Purvis Well	8/31/2010 20:45:00	53.77	33.23	0.11	53.69	96.32	96.41	285.59	
Purvis Well	8/31/2010 21:00:00	60.45	33.23	0.11	60.36	89.64	89.73	292.27	
Purvis Well	8/31/2010 21:15:00	57.11	33.23	0.11	57.02	92.99	93.08	288.92	
Purvis Well	8/31/2010 21:30:00	53.17	33.23	0.12	53.07	96.93	97.02	284.98	
Purvis Well	8/31/2010 21:45:00	54.79	33.24	0.12	54.70	95.30	95.40	286.60	
Purvis Well	8/31/2010 22:00:00	56.49	33.24	0.12	56.40	93.60	93.69	288.31	
Purvis Well	8/31/2010 22:15:00	50.63	33.24	0.12	50.53	99.46	99.56	282.44	
Purvis Well	8/31/2010 22:30:00	46.11	33.24	0.12	46.01	103.99	104.08	277.92	
Purvis Well	8/31/2010 22:45:00	46.99	33.24	0.13	46.89	103.10	103.20	278.80	
Purvis Well	8/31/2010 23:00:00	44.47	33.25	0.13	44.37	105.62	105.72	276.28	
Purvis Well	8/31/2010 23:15:00	45.44	33.25	0.13	45.34	104.65	104.75	277.25	
Purvis Well	8/31/2010 23:30:00	46.81	33.25	0.13	46.71	103.29	103.39	278.61	
Purvis Well	8/31/2010 23:45:00	49.00	33.25	0.13	48.90	101.09	101.20	280.80	
Purvis Well	9/1/2010 0:00:00	57.70	33.25	0.14	57.59	92.40	92.50	289.50	
Purvis Well	9/1/2010 0:15:00	60.95	33.26	0.14	60.84	89.15	89.26	292.74	
Purvis Well	9/1/2010 0:30:00	62.27	33.26	0.14	62.16	87.82	87.93	294.07	
Purvis Well	9/1/2010 0:45:00	63.04	33.26	0.14	62.93	87.05	87.16	294.84	
Purvis Well	9/1/2010 1:00:00	63.57	33.26	0.15	63.46	86.52	86.64	295.36	
Purvis Well	9/1/2010 1:15:00	63.96	33.26	0.15	63.85	86.13	86.25	295.75	
Purvis Well	9/1/2010 1:30:00	64.27	33.27	0.15	64.15	85.83	85.95	296.05	
Purvis Well	9/1/2010 1:45:00	64.52	33.27	0.15	64.40	85.58	85.69	296.31	
Purvis Well	9/1/2010 2:00:00	64.73	33.27	0.15	64.61	85.37	85.49	296.51	
Purvis Well	9/1/2010 2:15:00	63.28	33.27	0.15	63.17	86.81	86.93	295.07	
Purvis Well	9/1/2010 2:30:00	64.44	33.27	0.15	64.33	85.65	85.77	296.23	
Purvis Well	9/1/2010 2:45:00	64.83	33.27	0.15	64.71	85.26	85.38	296.62	
Purvis Well	9/1/2010 3:00:00	65.05	33.27	0.15	64.93	85.05	85.16	296.84	
Purvis Well	9/1/2010 3:15:00	65.21	33.27	0.15	65.09	84.89	85.00	297.00	
Purvis Well	9/1/2010 3:30:00	65.33	33.27	0.15	65.22	84.76	84.88	297.12	
Purvis Well	9/1/2010 3:45:00	65.44	33.26	0.15	65.33	84.65	84.77	297.23	
Purvis Well	9/1/2010 4:00:00	65.53	33.26	0.15	65.41	84.57	84.68	297.32	
Purvis Well	9/1/2010 4:15:00	60.95	33.26	0.15	60.83	89.15	89.26	292.74	
Purvis Well	9/1/2010 4:30:00	64.61	33.26	0.15	64.49	85.49	85.60	296.40	
Purvis Well	9/1/2010 4:45:00	55.90	33.26	0.15	55.79	94.19	94.31	287.69	
Purvis Well	9/1/2010 5:00:00	50.08	33.26	0.15	49.96	100.02	100.13	281.87	
Purvis Well	9/1/2010 5:15:00	58.38	33.26	0.15	58.26	91.72	91.83	290.17	
Purvis Well	9/1/2010 5:30:00	55.38	33.26	0.15	55.27	94.72	94.83	287.17	
Purvis Well	9/1/2010 5:45:00	49.19	33.27	0.15	49.07	100.90	101.02	280.98	
Purvis Well	9/1/2010 6:00:00	57.19	33.27	0.15	57.07	92.90	93.02	288.98	
Purvis Well	9/1/2010 6:15:00	54.13	33.28	0.16	54.00	95.97	96.09	285.91	
Purvis Well	9/1/2010 6:30:00	51.43	33.28	0.16	51.30	98.67	98.79	283.21	
Purvis Well	9/1/2010 6:45:00	49.27	33.29	0.17	49.14	100.83	100.96	281.04	
Purvis Well	9/1/2010 7:00:00	46.64	33.29	0.17	46.51	103.45	103.59	278.41	
Purvis Well	9/1/2010 7:15:00	44.28	33.30	0.18	44.14	105.82	105.96	276.04	
Purvis Well	9/1/2010 7:30:00	45.44	33.30	0.18	45.30	104.65	104.80	277.20	
Purvis Well	9/1/2010 7:45:00	47.22	33.31	0.19	47.08	102.87	103.02	278.98	
Purvis Well	9/1/2010 8:00:00	57.74	33.31	0.19	57.59	92.36	92.51	289.49	
Purvis Well	9/1/2010 8:15:00	60.87	33.31	0.20	60.72	89.22	89.37	292.63	
Purvis Well	9/1/2010 8:30:00	62.19	33.32	0.20	62.03	87.90	88.06	293.94	
Purvis Well	9/1/2010 8:45:00	62.97	33.32	0.21	62.81	87.12	87.28	294.72	
Purvis Well	9/1/2010 9:00:00	63.52	33.33	0.21	63.35	86.58	86.74	295.26	
Purvis Well	9/1/2010 9:15:00	63.93	33.33	0.22	63.76	86.16	86.33	295.67	
Purvis Well	9/1/2010 9:30:00	64.27	33.34	0.22	64.09	85.83	86.00	296.00	
Purvis Well	9/1/2010 9:45:00	64.53	33.34	0.22	64.36	85.56	85.74	296.26	
Purvis Well	9/1/2010 10:00:00	62.92	33.35	0.23	62.74	87.18	87.36	294.64	
Purvis Well	9/1/2010 10:15:00	64.32	33.35	0.23	64.13	85.78	85.96	296.04	
Purvis Well	9/1/2010 10:30:00	64.78	33.35	0.24	64.59	85.32	85.50	296.50	
Purvis Well	9/1/2010 10:45:00	65.04	33.36	0.24	64.85	85.06	85.24	296.76	
Purvis Well	9/1/2010 11:00:00	65.22	33.36	0.24	65.03	84.87	85.06	296.94	
Purvis Well	9/1/2010 11:15:00	65.38	33.37	0.25	65.18	84.72	84.91	297.09	
Purvis Well	9/1/2010 11:30:00	64.14	33.37	0.25	63.95	85.95	86.15	295.85	
Purvis Well	9/1/2010 11:45:00	65.07	33.37	0.26	64.87	85.03	85.23	296.77	
Purvis Well	9/1/2010 12:00:00	65.39	33.38	0.26	65.19	84.70	84.91	297.09	
Purvis Well	9/1/2010 12:15:00	65.58	33.38	0.26	65.37	84.52	84.73	297.27	
Purvis Well	9/1/2010 12:30:00	65.71	33.39	0.27	65.50	84.39	84.60	297.40	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/1/2010 12:45:00	65.81	33.39	0.27	65.60	84.29	84.50	297.50	
Purvis Well	9/1/2010 13:00:00	65.90	33.39	0.28	65.68	84.20	84.41	297.59	
Purvis Well	9/1/2010 13:15:00	65.97	33.40	0.28	65.75	84.12	84.34	297.66	
Purvis Well	9/1/2010 13:30:00	66.04	33.40	0.29	65.81	84.06	84.28	297.72	
Purvis Well	9/1/2010 13:45:00	66.09	33.40	0.29	65.87	84.00	84.22	297.78	
Purvis Well	9/1/2010 14:00:00	66.15	33.40	0.29	65.92	83.95	84.17	297.83	
Purvis Well	9/1/2010 14:15:00	66.20	33.41	0.29	65.97	83.90	84.12	297.88	
Purvis Well	9/1/2010 14:30:00	66.24	33.41	0.29	66.02	83.85	84.08	297.92	
Purvis Well	9/1/2010 14:45:00	64.82	33.41	0.29	64.59	85.28	85.50	296.50	
Purvis Well	9/1/2010 15:00:00	65.73	33.41	0.29	65.50	84.36	84.59	297.41	
Purvis Well	9/1/2010 15:15:00	66.00	33.41	0.29	65.78	84.09	84.32	297.68	
Purvis Well	9/1/2010 15:30:00	66.14	33.41	0.29	65.91	83.96	84.19	297.81	
Purvis Well	9/1/2010 15:45:00	66.22	33.41	0.29	65.99	83.87	84.10	297.90	
Purvis Well	9/1/2010 16:00:00	66.28	33.41	0.29	66.05	83.82	84.05	297.95	
Purvis Well	9/1/2010 16:15:00	66.33	33.41	0.29	66.10	83.77	84.00	298.00	
Purvis Well	9/1/2010 16:30:00	66.37	33.41	0.30	66.14	83.73	83.96	298.04	
Purvis Well	9/1/2010 16:45:00	66.40	33.41	0.30	66.17	83.69	83.92	298.08	
Purvis Well	9/1/2010 17:00:00	66.43	33.41	0.30	66.20	83.67	83.90	298.10	
Purvis Well	9/1/2010 17:15:00	63.93	33.42	0.30	63.70	86.16	86.40	295.60	
Purvis Well	9/1/2010 17:30:00	65.63	33.42	0.30	65.40	84.46	84.69	297.31	
Purvis Well	9/1/2010 17:45:00	66.04	33.42	0.30	65.81	84.05	84.29	297.71	
Purvis Well	9/1/2010 18:00:00	66.21	33.42	0.30	65.97	83.88	84.12	297.88	
Purvis Well	9/1/2010 18:15:00	66.30	33.42	0.31	66.06	83.79	84.03	297.97	
Purvis Well	9/1/2010 18:30:00	66.36	33.43	0.31	66.12	83.73	83.97	298.03	
Purvis Well	9/1/2010 18:45:00	66.41	33.43	0.31	66.16	83.69	83.93	298.07	
Purvis Well	9/1/2010 19:00:00	58.11	33.43	0.31	57.86	91.99	92.23	289.77	
Purvis Well	9/1/2010 19:15:00	65.12	33.43	0.32	64.88	84.97	85.22	296.78	
Purvis Well	9/1/2010 19:30:00	65.91	33.44	0.32	65.66	84.19	84.44	297.56	
Purvis Well	9/1/2010 19:45:00	66.16	33.44	0.32	65.91	83.93	84.18	297.82	
Purvis Well	9/1/2010 20:00:00	66.29	33.44	0.32	66.04	83.81	84.06	297.94	
Purvis Well	9/1/2010 20:15:00	66.37	33.44	0.33	66.11	83.73	83.98	298.02	
Purvis Well	9/1/2010 20:30:00	66.43	33.45	0.33	66.17	83.67	83.93	298.07	
Purvis Well	9/1/2010 20:45:00	58.15	33.45	0.33	57.89	91.94	92.20	289.80	
Purvis Well	9/1/2010 21:00:00	54.25	33.45	0.33	53.99	95.85	96.11	285.89	
Purvis Well	9/1/2010 21:15:00	58.68	33.45	0.34	58.42	91.42	91.68	290.32	
Purvis Well	9/1/2010 21:30:00	54.61	33.46	0.34	54.34	95.49	95.75	286.25	
Purvis Well	9/1/2010 21:45:00	53.14	33.46	0.34	52.87	96.96	97.22	284.78	
Purvis Well	9/1/2010 22:00:00	57.12	33.46	0.34	56.85	92.98	93.24	288.76	
Purvis Well	9/1/2010 22:15:00	54.59	33.46	0.35	54.32	95.51	95.78	286.22	
Purvis Well	9/1/2010 22:30:00	49.32	33.47	0.35	49.05	100.77	101.05	280.95	
Purvis Well	9/1/2010 22:45:00	48.35	33.47	0.35	48.08	101.74	102.01	279.99	
Purvis Well	9/1/2010 23:00:00	45.96	33.47	0.35	45.68	104.14	104.41	277.59	
Purvis Well	9/1/2010 23:15:00	44.74	33.47	0.36	44.47	105.35	105.63	276.37	
Purvis Well	9/1/2010 23:30:00	45.46	33.48	0.36	45.18	104.63	104.91	277.09	
Purvis Well	9/1/2010 23:45:00	46.42	33.48	0.36	46.14	103.67	103.95	278.05	
Purvis Well	9/2/2010 0:00:00	58.25	33.48	0.36	57.96	91.85	92.13	289.87	
Purvis Well	9/2/2010 0:15:00	61.27	33.48	0.37	60.99	88.82	89.11	292.89	
Purvis Well	9/2/2010 0:30:00	62.55	33.49	0.37	62.26	87.55	87.83	294.17	
Purvis Well	9/2/2010 0:45:00	63.30	33.49	0.37	63.01	86.80	87.09	294.91	
Purvis Well	9/2/2010 1:00:00	63.82	33.49	0.37	63.52	86.28	86.57	295.43	
Purvis Well	9/2/2010 1:15:00	64.21	33.49	0.38	63.92	85.88	86.18	295.82	
Purvis Well	9/2/2010 1:30:00	64.52	33.50	0.38	64.22	85.58	85.87	296.13	
Purvis Well	9/2/2010 1:45:00	60.61	33.50	0.38	60.31	89.48	89.78	292.22	
Purvis Well	9/2/2010 2:00:00	64.02	33.50	0.38	63.72	86.08	86.38	295.62	
Purvis Well	9/2/2010 2:15:00	64.70	33.50	0.38	64.40	85.39	85.69	296.31	
Purvis Well	9/2/2010 2:30:00	65.02	33.50	0.39	64.72	85.07	85.37	296.63	
Purvis Well	9/2/2010 2:45:00	65.24	33.50	0.39	64.94	84.85	85.16	296.84	
Purvis Well	9/2/2010 3:00:00	65.40	33.51	0.39	65.10	84.69	84.99	297.01	
Purvis Well	9/2/2010 3:15:00	65.55	33.51	0.39	65.24	84.55	84.85	297.15	
Purvis Well	9/2/2010 3:30:00	65.67	33.51	0.39	65.36	84.43	84.73	297.27	
Purvis Well	9/2/2010 3:45:00	65.77	33.51	0.39	65.47	84.32	84.63	297.37	
Purvis Well	9/2/2010 4:00:00	65.87	33.51	0.39	65.56	84.23	84.53	297.47	
Purvis Well	9/2/2010 4:15:00	65.96	33.51	0.40	65.65	84.14	84.45	297.55	
Purvis Well	9/2/2010 4:30:00	66.03	33.51	0.40	65.72	84.06	84.37	297.63	
Purvis Well	9/2/2010 4:45:00	58.60	33.52	0.40	58.29	91.49	91.80	290.20	
Purvis Well	9/2/2010 5:00:00	51.48	33.52	0.40	51.16	98.62	98.93	283.07	
Purvis Well	9/2/2010 5:15:00	59.23	33.52	0.40	58.92	90.87	91.18	290.82	
Purvis Well	9/2/2010 5:30:00	56.54	33.52	0.40	56.22	93.56	93.87	288.13	
Purvis Well	9/2/2010 5:45:00	51.06	33.52	0.40	50.75	99.03	99.34	282.66	
Purvis Well	9/2/2010 6:00:00	57.61	33.52	0.40	57.30	92.49	92.80	289.20	
Purvis Well	9/2/2010 6:15:00	55.91	33.52	0.40	55.60	94.19	94.50	287.50	
Purvis Well	9/2/2010 6:30:00	53.89	33.51	0.40	53.58	96.21	96.52	285.48	
Purvis Well	9/2/2010 6:45:00	52.76	33.51	0.40	52.45	97.33	97.64	284.36	
Purvis Well	9/2/2010 7:00:00	51.85	33.51	0.39	51.54	98.24	98.55	283.45	
Purvis Well	9/2/2010 7:15:00	50.49	33.51	0.39	50.18	99.61	99.91	282.09	
Purvis Well	9/2/2010 7:30:00	49.68	33.51	0.39	49.37	100.42	100.72	281.28	
Purvis Well	9/2/2010 7:45:00	48.70	33.51	0.39	48.39	101.40	101.70	280.30	
Purvis Well	9/2/2010 8:00:00	56.84	33.51	0.39	56.53	93.26	93.56	288.44	
Purvis Well	9/2/2010 8:15:00	52.76	33.51	0.39	52.46	97.33	97.63	284.37	
Purvis Well	9/2/2010 8:30:00	60.73	33.50	0.39	60.43	89.37	89.67	292.33	
Purvis Well	9/2/2010 8:45:00	62.42	33.50	0.39	62.12	87.67	87.97	294.03	
Purvis Well	9/2/2010 9:00:00	63.24	33.50	0.38	62.94	86.86	87.16	294.84	
Purvis Well	9/2/2010 9:15:00	63.76	33.50	0.38	63.46	86.33	86.63	295.37	
Purvis Well	9/2/2010 9:30:00	62.06	33.50	0.38	61.76	88.04	88.33	293.67	
Purvis Well	9/2/2010 9:45:00	63.73	33.49	0.37	63.44	86.37	86.66	295.34	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/2/2010 10:00:00	64.30	33.48	0.36	64.02	85.79	86.07	295.93	
Purvis Well	9/2/2010 10:15:00	64.63	33.47	0.35	64.35	85.47	85.74	296.26	
Purvis Well	9/2/2010 10:30:00	64.87	33.46	0.34	64.60	85.23	85.49	296.51	
Purvis Well	9/2/2010 10:45:00	60.55	33.45	0.33	60.29	89.55	89.80	292.20	
Purvis Well	9/2/2010 11:00:00	63.90	33.44	0.32	63.65	86.19	86.44	295.56	
Purvis Well	9/2/2010 11:15:00	64.68	33.43	0.31	64.44	85.41	85.66	296.34	
Purvis Well	9/2/2010 11:30:00	65.02	33.42	0.30	64.78	85.07	85.31	296.69	
Purvis Well	9/2/2010 11:45:00	65.23	33.41	0.29	65.00	84.87	85.09	296.91	
Purvis Well	9/2/2010 12:00:00	65.38	33.40	0.28	65.16	84.71	84.93	297.07	
Purvis Well	9/2/2010 12:15:00	65.50	33.39	0.27	65.29	84.59	84.81	297.19	
Purvis Well	9/2/2010 12:30:00	65.60	33.38	0.26	65.39	84.50	84.70	297.30	
Purvis Well	9/2/2010 12:45:00	62.04	33.37	0.25	61.84	88.06	88.25	293.75	
Purvis Well	9/2/2010 13:00:00	64.82	33.36	0.24	64.63	85.27	85.46	296.54	
Purvis Well	9/2/2010 13:15:00	65.37	33.35	0.23	65.19	84.73	84.91	297.09	
Purvis Well	9/2/2010 13:30:00	65.58	33.34	0.22	65.41	84.51	84.69	297.31	
Purvis Well	9/2/2010 13:45:00	65.71	33.33	0.22	65.54	84.39	84.56	297.44	
Purvis Well	9/2/2010 14:00:00	65.80	33.33	0.21	65.63	84.30	84.46	297.54	
Purvis Well	9/2/2010 14:15:00	65.86	33.32	0.20	65.71	84.23	84.39	297.61	
Purvis Well	9/2/2010 14:30:00	65.92	33.31	0.19	65.77	84.18	84.33	297.67	
Purvis Well	9/2/2010 14:45:00	65.97	33.30	0.19	65.82	84.13	84.27	297.73	
Purvis Well	9/2/2010 15:00:00	66.00	33.30	0.18	65.86	84.09	84.23	297.77	
Purvis Well	9/2/2010 15:15:00	66.04	33.29	0.17	65.90	84.06	84.19	297.81	
Purvis Well	9/2/2010 15:30:00	66.07	33.28	0.16	65.95	84.02	84.15	297.85	
Purvis Well	9/2/2010 15:45:00	66.10	33.27	0.16	65.98	83.99	84.11	297.89	
Purvis Well	9/2/2010 16:00:00	63.73	33.27	0.15	63.61	86.36	86.48	295.52	
Purvis Well	9/2/2010 16:15:00	65.38	33.26	0.14	65.27	84.71	84.82	297.18	
Purvis Well	9/2/2010 16:30:00	65.76	33.25	0.13	65.66	84.33	84.44	297.56	
Purvis Well	9/2/2010 16:45:00	65.92	33.24	0.13	65.82	84.18	84.27	297.73	
Purvis Well	9/2/2010 17:00:00	66.01	33.24	0.12	65.91	84.09	84.18	297.82	
Purvis Well	9/2/2010 17:15:00	66.07	33.23	0.11	65.98	84.02	84.11	297.89	
Purvis Well	9/2/2010 17:30:00	66.11	33.22	0.10	66.03	83.98	84.06	297.94	
Purvis Well	9/2/2010 17:45:00	66.14	33.22	0.10	66.06	83.95	84.03	297.97	
Purvis Well	9/2/2010 18:00:00	66.17	33.22	0.10	66.09	83.92	84.00	298.00	
Purvis Well	9/2/2010 18:15:00	66.20	33.22	0.10	66.12	83.90	83.98	298.02	
Purvis Well	9/2/2010 18:30:00	64.40	33.22	0.10	64.32	85.70	85.77	296.23	
Purvis Well	9/2/2010 18:45:00	65.57	33.21	0.10	65.50	84.52	84.60	297.40	
Purvis Well	9/2/2010 19:00:00	65.88	33.21	0.09	65.81	84.21	84.28	297.72	
Purvis Well	9/2/2010 19:15:00	66.01	33.21	0.09	65.94	84.08	84.15	297.85	
Purvis Well	9/2/2010 19:30:00	66.09	33.21	0.09	66.02	84.00	84.08	297.92	
Purvis Well	9/2/2010 19:45:00	66.15	33.21	0.09	66.08	83.95	84.02	297.98	
Purvis Well	9/2/2010 20:00:00	61.73	33.21	0.09	61.66	88.36	88.43	293.57	
Purvis Well	9/2/2010 20:15:00	65.09	33.20	0.09	65.02	85.00	85.07	296.93	
Purvis Well	9/2/2010 20:30:00	65.71	33.20	0.08	65.65	84.38	84.45	297.55	
Purvis Well	9/2/2010 20:45:00	55.54	33.20	0.08	55.48	94.55	94.62	287.38	
Purvis Well	9/2/2010 21:00:00	59.11	33.20	0.08	59.04	90.99	91.05	290.95	
Purvis Well	9/2/2010 21:15:00	54.46	33.20	0.08	54.40	95.64	95.70	286.30	
Purvis Well	9/2/2010 21:30:00	55.93	33.20	0.08	55.86	94.17	94.23	287.77	
Purvis Well	9/2/2010 21:45:00	55.84	33.20	0.08	55.78	94.26	94.32	287.68	
Purvis Well	9/2/2010 22:00:00	49.00	33.20	0.08	48.94	101.09	101.16	280.84	
Purvis Well	9/2/2010 22:15:00	42.43	33.20	0.08	42.37	107.66	107.72	274.28	
Purvis Well	9/2/2010 22:30:00	44.64	33.20	0.08	44.57	105.46	105.52	276.48	
Purvis Well	9/2/2010 22:45:00	46.71	33.20	0.08	46.64	103.39	103.45	278.55	
Purvis Well	9/2/2010 23:00:00	52.09	33.20	0.08	52.02	98.01	98.07	283.93	
Purvis Well	9/2/2010 23:15:00	52.24	33.20	0.08	52.18	97.85	97.91	284.09	
Purvis Well	9/2/2010 23:30:00	51.18	33.20	0.08	51.11	98.92	98.98	283.02	
Purvis Well	9/2/2010 23:45:00	49.85	33.20	0.08	49.79	100.24	100.31	281.69	
Purvis Well	9/3/2010 0:00:00	56.57	33.20	0.08	56.50	93.53	93.59	288.41	
Purvis Well	9/3/2010 0:15:00	60.38	33.20	0.09	60.31	89.72	89.78	292.22	
Purvis Well	9/3/2010 0:30:00	61.87	33.20	0.09	61.80	88.22	88.29	293.71	
Purvis Well	9/3/2010 0:45:00	62.72	33.20	0.09	62.65	87.38	87.44	294.56	
Purvis Well	9/3/2010 1:00:00	63.31	33.20	0.09	63.24	86.78	86.85	295.15	
Purvis Well	9/3/2010 1:15:00	63.75	33.21	0.09	63.68	86.34	86.41	295.59	
Purvis Well	9/3/2010 1:30:00	64.10	33.21	0.09	64.03	85.99	86.06	295.94	
Purvis Well	9/3/2010 1:45:00	64.39	33.21	0.09	64.32	85.70	85.77	296.23	
Purvis Well	9/3/2010 2:00:00	64.63	33.21	0.09	64.56	85.46	85.54	296.46	
Purvis Well	9/3/2010 2:15:00	64.83	33.21	0.10	64.76	85.26	85.34	296.66	
Purvis Well	9/3/2010 2:30:00	65.01	33.22	0.10	64.93	85.09	85.16	296.84	
Purvis Well	9/3/2010 2:45:00	63.41	33.22	0.10	63.33	86.68	86.76	295.24	
Purvis Well	9/3/2010 3:00:00	64.62	33.22	0.10	64.54	85.47	85.55	296.45	
Purvis Well	9/3/2010 3:15:00	65.03	33.22	0.10	64.94	85.07	85.15	296.85	
Purvis Well	9/3/2010 3:30:00	65.24	33.22	0.11	65.16	84.85	84.93	297.07	
Purvis Well	9/3/2010 3:45:00	65.39	33.23	0.11	65.31	84.70	84.79	297.21	
Purvis Well	9/3/2010 4:00:00	65.51	33.23	0.11	65.42	84.59	84.67	297.33	
Purvis Well	9/3/2010 4:15:00	65.61	33.23	0.11	65.52	84.48	84.57	297.43	
Purvis Well	9/3/2010 4:30:00	65.70	33.23	0.12	65.61	84.39	84.48	297.52	
Purvis Well	9/3/2010 4:45:00	56.43	33.24	0.12	56.34	93.67	93.76	288.24	
Purvis Well	9/3/2010 5:00:00	55.73	33.24	0.12	55.63	94.37	94.46	287.54	
Purvis Well	9/3/2010 5:15:00	57.75	33.24	0.12	57.65	92.35	92.44	289.56	
Purvis Well	9/3/2010 5:30:00	53.59	33.24	0.13	53.50	96.50	96.60	285.40	
Purvis Well	9/3/2010 5:45:00	53.71	33.24	0.13	53.61	96.39	96.49	285.51	
Purvis Well	9/3/2010 6:00:00	56.48	33.24	0.13	56.38	93.62	93.72	288.28	
Purvis Well	9/3/2010 6:15:00	51.06	33.25	0.13	50.96	99.04	99.14	282.86	
Purvis Well	9/3/2010 6:30:00	47.29	33.25	0.13	47.18	102.81	102.91	279.09	
Purvis Well	9/3/2010 6:45:00	43.01	33.25	0.13	42.91	107.08	107.18	274.82	
Purvis Well	9/3/2010 7:00:00	46.06	33.25	0.13	45.96	104.03	104.13	277.87	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/3/2010 7:15:00	43.82	33.25	0.13	43.72	106.27	106.37	275.63	
Purvis Well	9/3/2010 7:30:00	50.63	33.25	0.13	50.53	99.46	99.57	282.43	
Purvis Well	9/3/2010 7:45:00	51.22	33.25	0.13	51.12	98.88	98.98	283.02	
Purvis Well	9/3/2010 8:00:00	56.24	33.25	0.13	56.14	93.85	93.95	288.05	
Purvis Well	9/3/2010 8:15:00	60.10	33.25	0.13	60.00	89.99	90.10	291.90	
Purvis Well	9/3/2010 8:30:00	61.63	33.25	0.13	61.53	88.46	88.57	293.43	
Purvis Well	9/3/2010 8:45:00	62.50	33.25	0.14	62.40	87.59	87.70	294.30	
Purvis Well	9/3/2010 9:00:00	63.10	33.25	0.14	62.99	87.00	87.10	294.90	
Purvis Well	9/3/2010 9:15:00	63.54	33.25	0.14	63.44	86.55	86.66	295.34	
Purvis Well	9/3/2010 9:30:00	63.89	33.26	0.14	63.78	86.20	86.31	295.69	
Purvis Well	9/3/2010 9:45:00	64.18	33.25	0.13	64.07	85.92	86.02	295.98	
Purvis Well	9/3/2010 10:00:00	64.41	33.25	0.13	64.31	85.69	85.79	296.21	
Purvis Well	9/3/2010 10:15:00	64.61	33.24	0.13	64.51	85.49	85.58	296.42	
Purvis Well	9/3/2010 10:30:00	64.78	33.24	0.12	64.68	85.32	85.41	296.59	
Purvis Well	9/3/2010 10:45:00	64.92	33.23	0.12	64.83	85.17	85.26	296.74	
Purvis Well	9/3/2010 11:00:00	65.05	33.23	0.11	64.96	85.04	85.13	296.87	
Purvis Well	9/3/2010 11:15:00	65.16	33.23	0.11	65.08	84.93	85.02	296.98	
Purvis Well	9/3/2010 11:30:00	65.26	33.22	0.10	65.18	84.83	84.91	297.09	
Purvis Well	9/3/2010 11:45:00	65.35	33.22	0.10	65.27	84.74	84.82	297.18	
Purvis Well	9/3/2010 12:00:00	65.43	33.21	0.10	65.36	84.66	84.74	297.26	
Purvis Well	9/3/2010 12:15:00	65.50	33.21	0.09	65.43	84.59	84.67	297.33	
Purvis Well	9/3/2010 12:30:00	63.19	33.21	0.09	63.12	86.91	86.98	295.02	
Purvis Well	9/3/2010 12:45:00	64.86	33.20	0.08	64.80	85.23	85.30	296.70	
Purvis Well	9/3/2010 13:00:00	65.27	33.20	0.08	65.21	84.82	84.89	297.11	
Purvis Well	9/3/2010 13:15:00	65.45	33.19	0.08	65.39	84.64	84.70	297.30	
Purvis Well	9/3/2010 13:30:00	65.56	33.19	0.07	65.50	84.54	84.59	297.41	
Purvis Well	9/3/2010 13:45:00	65.65	33.19	0.07	65.59	84.45	84.50	297.50	
Purvis Well	9/3/2010 14:00:00	65.71	33.18	0.07	65.66	84.38	84.44	297.56	
Purvis Well	9/3/2010 14:15:00	65.77	33.18	0.06	65.72	84.33	84.38	297.62	
Purvis Well	9/3/2010 14:30:00	65.82	33.18	0.06	65.77	84.28	84.33	297.67	
Purvis Well	9/3/2010 14:45:00	65.86	33.18	0.06	65.81	84.23	84.28	297.72	
Purvis Well	9/3/2010 15:00:00	65.90	33.17	0.06	65.85	84.20	84.24	297.76	
Purvis Well	9/3/2010 15:15:00	65.93	33.17	0.05	65.89	84.16	84.20	297.80	
Purvis Well	9/3/2010 15:30:00	65.97	33.17	0.05	65.93	84.13	84.17	297.83	
Purvis Well	9/3/2010 15:45:00	66.00	33.17	0.05	65.97	84.09	84.13	297.87	
Purvis Well	9/3/2010 16:00:00	66.03	33.16	0.05	66.00	84.06	84.10	297.90	
Purvis Well	9/3/2010 16:15:00	66.06	33.16	0.04	66.02	84.04	84.07	297.93	
Purvis Well	9/3/2010 16:30:00	66.08	33.16	0.04	66.05	84.01	84.04	297.96	
Purvis Well	9/3/2010 16:45:00	66.11	33.16	0.04	66.08	83.99	84.01	297.99	
Purvis Well	9/3/2010 17:00:00	66.13	33.15	0.04	66.10	83.96	83.99	298.01	
Purvis Well	9/3/2010 17:15:00	63.90	33.15	0.03	63.88	86.19	86.22	295.78	
Purvis Well	9/3/2010 17:30:00	65.43	33.15	0.03	65.41	84.66	84.69	297.31	
Purvis Well	9/3/2010 17:45:00	65.80	33.15	0.03	65.77	84.30	84.32	297.68	
Purvis Well	9/3/2010 18:00:00	65.95	33.16	0.04	65.92	84.15	84.18	297.82	
Purvis Well	9/3/2010 18:15:00	66.03	33.16	0.04	66.00	84.06	84.10	297.90	
Purvis Well	9/3/2010 18:30:00	66.09	33.17	0.05	66.06	84.00	84.04	297.96	
Purvis Well	9/3/2010 18:45:00	66.13	33.17	0.05	66.09	83.96	84.00	298.00	
Purvis Well	9/3/2010 19:00:00	66.18	33.17	0.06	66.13	83.92	83.96	298.04	
Purvis Well	9/3/2010 19:15:00	66.21	33.18	0.06	66.17	83.88	83.93	298.07	
Purvis Well	9/3/2010 19:30:00	57.71	33.18	0.07	57.66	92.38	92.43	289.57	
Purvis Well	9/3/2010 19:45:00	60.69	33.19	0.07	60.64	89.40	89.45	292.55	
Purvis Well	9/3/2010 20:00:00	52.44	33.19	0.07	52.38	97.65	97.71	284.29	
Purvis Well	9/3/2010 20:15:00	55.59	33.20	0.08	55.53	94.50	94.56	287.44	
Purvis Well	9/3/2010 20:30:00	59.23	33.20	0.08	59.16	90.87	90.93	291.07	
Purvis Well	9/3/2010 20:45:00	41.92	33.21	0.09	41.85	108.17	108.24	273.76	
Purvis Well	9/3/2010 21:00:00	48.72	33.21	0.09	48.65	101.37	101.44	280.56	
Purvis Well	9/3/2010 21:15:00	54.47	33.21	0.10	54.39	95.63	95.70	286.30	
Purvis Well	9/3/2010 21:30:00	48.88	33.22	0.10	48.80	101.21	101.29	280.71	
Purvis Well	9/3/2010 21:45:00	56.74	33.22	0.11	56.66	93.35	93.43	288.57	
Purvis Well	9/3/2010 22:00:00	53.67	33.23	0.11	53.59	96.42	96.51	285.49	
Purvis Well	9/3/2010 22:15:00	47.85	33.23	0.11	47.76	102.25	102.34	279.66	
Purvis Well	9/3/2010 22:30:00	42.40	33.24	0.12	42.30	107.70	107.79	274.21	
Purvis Well	9/3/2010 22:45:00	41.68	33.24	0.12	41.58	108.42	108.51	273.49	
Purvis Well	9/3/2010 23:00:00	43.37	33.25	0.13	43.27	106.73	106.83	275.17	
Purvis Well	9/3/2010 23:15:00	46.16	33.25	0.13	46.06	103.93	104.04	277.96	
Purvis Well	9/3/2010 23:30:00	49.60	33.25	0.14	49.49	100.49	100.60	281.40	
Purvis Well	9/3/2010 23:45:00	51.98	33.26	0.14	51.87	98.12	98.23	283.77	
Purvis Well	9/4/2010 0:00:00	56.49	33.26	0.15	56.37	93.61	93.72	288.28	
Purvis Well	9/4/2010 0:15:00	60.19	33.27	0.15	60.07	89.91	90.03	291.97	
Purvis Well	9/4/2010 0:30:00	61.67	33.27	0.15	61.55	88.43	88.55	293.45	
Purvis Well	9/4/2010 0:45:00	62.53	33.28	0.16	62.41	87.56	87.68	294.32	
Purvis Well	9/4/2010 1:00:00	63.13	33.28	0.16	63.01	86.96	87.09	294.91	
Purvis Well	9/4/2010 1:15:00	63.58	33.29	0.17	63.45	86.51	86.64	295.36	
Purvis Well	9/4/2010 1:30:00	63.93	33.29	0.17	63.80	86.16	86.30	295.70	
Purvis Well	9/4/2010 1:45:00	64.22	33.29	0.17	64.08	85.88	86.01	295.99	
Purvis Well	9/4/2010 2:00:00	60.37	33.30	0.18	60.24	89.72	89.86	292.14	
Purvis Well	9/4/2010 2:15:00	63.69	33.30	0.18	63.55	86.40	86.54	295.46	
Purvis Well	9/4/2010 2:30:00	64.38	33.30	0.18	64.24	85.71	85.85	296.15	
Purvis Well	9/4/2010 2:45:00	64.70	33.30	0.18	64.55	85.40	85.54	296.46	
Purvis Well	9/4/2010 3:00:00	64.91	33.31	0.19	64.76	85.19	85.33	296.67	
Purvis Well	9/4/2010 3:15:00	65.07	33.31	0.19	64.92	85.03	85.17	296.83	
Purvis Well	9/4/2010 3:30:00	65.20	33.31	0.19	65.05	84.89	85.04	296.96	
Purvis Well	9/4/2010 3:45:00	65.31	33.31	0.19	65.16	84.78	84.94	297.06	
Purvis Well	9/4/2010 4:00:00	65.41	33.32	0.20	65.26	84.68	84.84	297.16	
Purvis Well	9/4/2010 4:15:00	63.95	33.32	0.20	63.79	86.15	86.30	295.70	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/4/2010 4:30:00	64.98	33.32	0.20	64.82	85.12	85.28	296.72	
Purvis Well	9/4/2010 4:45:00	56.32	33.32	0.20	56.16	93.77	93.93	288.07	
Purvis Well	9/4/2010 5:00:00	50.37	33.33	0.21	50.21	99.72	99.88	282.12	
Purvis Well	9/4/2010 5:15:00	58.10	33.33	0.21	57.93	92.00	92.16	289.84	
Purvis Well	9/4/2010 5:30:00	54.97	33.33	0.21	54.80	95.12	95.29	286.71	
Purvis Well	9/4/2010 5:45:00	49.75	33.33	0.22	49.58	100.35	100.52	281.48	
Purvis Well	9/4/2010 6:00:00	56.87	33.34	0.22	56.70	93.22	93.39	288.61	
Purvis Well	9/4/2010 6:15:00	52.26	33.34	0.23	52.08	97.84	98.02	283.98	
Purvis Well	9/4/2010 6:30:00	49.08	33.35	0.23	48.90	101.01	101.19	280.81	
Purvis Well	9/4/2010 6:45:00	46.03	33.35	0.24	45.84	104.07	104.25	277.75	
Purvis Well	9/4/2010 7:00:00	44.59	33.36	0.24	44.41	105.50	105.69	276.31	
Purvis Well	9/4/2010 7:15:00	45.49	33.36	0.25	45.30	104.60	104.80	277.20	
Purvis Well	9/4/2010 7:30:00	46.86	33.37	0.25	46.66	103.23	103.43	278.57	
Purvis Well	9/4/2010 7:45:00	49.10	33.37	0.26	48.90	101.00	101.20	280.80	
Purvis Well	9/4/2010 8:00:00	57.27	33.38	0.26	57.06	92.83	93.03	288.97	
Purvis Well	9/4/2010 8:15:00	60.54	33.38	0.27	60.33	89.55	89.76	292.24	
Purvis Well	9/4/2010 8:30:00	61.88	33.39	0.27	61.67	88.22	88.43	293.57	
Purvis Well	9/4/2010 8:45:00	62.66	33.39	0.28	62.44	87.44	87.65	294.35	
Purvis Well	9/4/2010 9:00:00	63.19	33.40	0.28	62.97	86.90	87.12	294.88	
Purvis Well	9/4/2010 9:15:00	61.73	33.40	0.29	61.51	88.36	88.59	293.41	
Purvis Well	9/4/2010 9:30:00	63.26	33.41	0.29	63.04	86.83	87.06	294.94	
Purvis Well	9/4/2010 9:45:00	63.81	33.41	0.29	63.59	86.28	86.51	295.49	
Purvis Well	9/4/2010 10:00:00	64.15	33.40	0.29	63.92	85.95	86.17	295.83	
Purvis Well	9/4/2010 10:15:00	62.92	33.40	0.29	62.69	87.18	87.40	294.60	
Purvis Well	9/4/2010 10:30:00	64.01	33.40	0.28	63.79	86.09	86.31	295.69	
Purvis Well	9/4/2010 10:45:00	58.78	33.40	0.28	58.56	91.31	91.53	290.47	
Purvis Well	9/4/2010 11:00:00	63.58	33.40	0.28	63.36	86.51	86.73	295.27	
Purvis Well	9/4/2010 11:15:00	64.35	33.40	0.28	64.13	85.74	85.96	296.04	
Purvis Well	9/4/2010 11:30:00	64.67	33.39	0.28	64.46	85.42	85.64	296.36	
Purvis Well	9/4/2010 11:45:00	64.88	33.39	0.28	64.66	85.22	85.43	296.57	
Purvis Well	9/4/2010 12:00:00	65.03	33.39	0.27	64.82	85.06	85.27	296.73	
Purvis Well	9/4/2010 12:15:00	65.16	33.39	0.27	64.95	84.93	85.14	296.86	
Purvis Well	9/4/2010 12:30:00	65.26	33.39	0.27	65.05	84.83	85.04	296.96	
Purvis Well	9/4/2010 12:45:00	63.03	33.39	0.27	62.82	87.07	87.27	294.73	
Purvis Well	9/4/2010 13:00:00	64.69	33.38	0.27	64.49	85.40	85.61	296.39	
Purvis Well	9/4/2010 13:15:00	57.32	33.38	0.27	57.11	92.78	92.98	289.02	
Purvis Well	9/4/2010 13:30:00	64.07	33.38	0.26	63.86	86.02	86.23	295.77	
Purvis Well	9/4/2010 13:45:00	64.89	33.38	0.26	64.69	85.20	85.40	296.60	
Purvis Well	9/4/2010 14:00:00	65.19	33.38	0.26	64.99	84.90	85.10	296.90	
Purvis Well	9/4/2010 14:15:00	65.36	33.37	0.26	65.16	84.73	84.93	297.07	
Purvis Well	9/4/2010 14:30:00	56.51	33.37	0.25	56.31	93.58	93.78	288.22	
Purvis Well	9/4/2010 14:45:00	64.38	33.37	0.25	64.19	85.71	85.91	296.09	
Purvis Well	9/4/2010 15:00:00	65.14	33.36	0.25	64.95	84.96	85.15	296.85	
Purvis Well	9/4/2010 15:15:00	65.41	33.36	0.24	65.22	84.68	84.87	297.13	
Purvis Well	9/4/2010 15:30:00	65.56	33.36	0.24	65.38	84.53	84.72	297.28	
Purvis Well	9/4/2010 15:45:00	65.67	33.36	0.24	65.49	84.42	84.61	297.39	
Purvis Well	9/4/2010 16:00:00	65.76	33.35	0.24	65.57	84.34	84.52	297.48	
Purvis Well	9/4/2010 16:15:00	65.83	33.35	0.23	65.65	84.26	84.44	297.56	
Purvis Well	9/4/2010 16:30:00	65.90	33.35	0.23	65.72	84.20	84.38	297.62	
Purvis Well	9/4/2010 16:45:00	65.96	33.35	0.23	65.78	84.14	84.32	297.68	
Purvis Well	9/4/2010 17:00:00	66.01	33.34	0.23	65.84	84.08	84.26	297.74	
Purvis Well	9/4/2010 17:15:00	56.14	33.34	0.22	55.97	93.96	94.13	287.87	
Purvis Well	9/4/2010 17:30:00	64.61	33.34	0.22	64.44	85.48	85.65	296.35	
Purvis Well	9/4/2010 17:45:00	65.49	33.34	0.22	65.32	84.60	84.77	297.23	
Purvis Well	9/4/2010 18:00:00	65.78	33.34	0.22	65.60	84.32	84.49	297.51	
Purvis Well	9/4/2010 18:15:00	65.92	33.34	0.23	65.74	84.18	84.35	297.65	
Purvis Well	9/4/2010 18:30:00	66.01	33.35	0.23	65.83	84.09	84.26	297.74	
Purvis Well	9/4/2010 18:45:00	66.08	33.35	0.23	65.90	84.02	84.20	297.80	
Purvis Well	9/4/2010 19:00:00	66.13	33.35	0.23	65.95	83.96	84.14	297.86	
Purvis Well	9/4/2010 19:15:00	66.18	33.35	0.24	65.99	83.92	84.10	297.90	
Purvis Well	9/4/2010 19:30:00	66.22	33.36	0.24	66.03	83.88	84.06	297.94	
Purvis Well	9/4/2010 19:45:00	66.25	33.36	0.24	66.06	83.85	84.03	297.97	
Purvis Well	9/4/2010 20:00:00	61.43	33.36	0.24	61.24	88.67	88.86	293.14	
Purvis Well	9/4/2010 20:15:00	65.29	33.36	0.24	65.10	84.80	84.99	297.01	
Purvis Well	9/4/2010 20:30:00	65.87	33.36	0.25	65.68	84.22	84.41	297.59	
Purvis Well	9/4/2010 20:45:00	60.18	33.37	0.25	59.98	89.92	90.11	291.89	
Purvis Well	9/4/2010 21:00:00	58.86	33.37	0.25	58.67	91.23	91.43	290.57	
Purvis Well	9/4/2010 21:15:00	54.03	33.37	0.25	53.84	96.06	96.26	285.74	
Purvis Well	9/4/2010 21:30:00	55.22	33.37	0.25	55.02	94.88	95.07	286.93	
Purvis Well	9/4/2010 21:45:00	57.02	33.37	0.26	56.82	93.08	93.28	288.72	
Purvis Well	9/4/2010 22:00:00	52.79	33.38	0.26	52.59	97.30	97.50	284.50	
Purvis Well	9/4/2010 22:15:00	49.74	33.38	0.26	49.54	100.35	100.56	281.44	
Purvis Well	9/4/2010 22:30:00	49.66	33.38	0.26	49.45	100.44	100.64	281.36	
Purvis Well	9/4/2010 22:45:00	51.65	33.38	0.26	51.44	98.45	98.65	283.35	
Purvis Well	9/4/2010 23:00:00	53.91	33.38	0.27	53.70	96.19	96.39	285.61	
Purvis Well	9/4/2010 23:15:00	53.01	33.38	0.27	52.80	97.09	97.30	284.70	
Purvis Well	9/4/2010 23:30:00	52.08	33.39	0.27	51.87	98.01	98.22	283.78	
Purvis Well	9/4/2010 23:45:00	51.11	33.39	0.27	50.89	98.99	99.20	282.80	
Purvis Well	9/5/2010 0:00:00	56.87	33.39	0.27	56.66	93.22	93.43	288.57	
Purvis Well	9/5/2010 0:15:00	60.63	33.39	0.27	60.42	89.46	89.68	292.32	
Purvis Well	9/5/2010 0:30:00	62.07	33.39	0.28	61.85	88.02	88.24	293.76	
Purvis Well	9/5/2010 0:45:00	62.87	33.40	0.28	62.65	87.23	87.45	294.55	
Purvis Well	9/5/2010 1:00:00	63.41	33.40	0.28	63.19	86.68	86.90	295.10	
Purvis Well	9/5/2010 1:15:00	63.81	33.40	0.28	63.59	86.29	86.51	295.49	
Purvis Well	9/5/2010 1:30:00	64.12	33.40	0.28	63.90	85.98	86.20	295.80	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/5/2010 1:45:00	64.36	33.40	0.29	64.14	85.73	85.95	296.05	
Purvis Well	9/5/2010 2:00:00	64.57	33.40	0.29	64.34	85.53	85.75	296.25	
Purvis Well	9/5/2010 2:15:00	64.74	33.41	0.29	64.52	85.35	85.58	296.42	
Purvis Well	9/5/2010 2:30:00	62.37	33.41	0.29	62.14	87.72	87.95	294.05	
Purvis Well	9/5/2010 2:45:00	63.73	33.41	0.29	63.50	86.37	86.60	295.40	
Purvis Well	9/5/2010 3:00:00	64.59	33.41	0.29	64.36	85.51	85.74	296.26	
Purvis Well	9/5/2010 3:15:00	64.89	33.41	0.30	64.66	85.20	85.43	296.57	
Purvis Well	9/5/2010 3:30:00	65.06	33.42	0.30	64.83	85.03	85.26	296.74	
Purvis Well	9/5/2010 3:45:00	65.18	33.42	0.30	64.95	84.91	85.15	296.85	
Purvis Well	9/5/2010 4:00:00	65.27	33.42	0.30	65.04	84.82	85.06	296.94	
Purvis Well	9/5/2010 4:15:00	65.35	33.42	0.30	65.11	84.75	84.99	297.01	
Purvis Well	9/5/2010 4:30:00	65.41	33.42	0.31	65.17	84.68	84.92	297.08	
Purvis Well	9/5/2010 4:45:00	56.30	33.42	0.31	56.06	93.79	94.03	287.97	
Purvis Well	9/5/2010 5:00:00	54.82	33.43	0.31	54.58	95.27	95.51	286.49	
Purvis Well	9/5/2010 5:15:00	57.57	33.43	0.31	57.33	92.52	92.77	289.23	
Purvis Well	9/5/2010 5:30:00	53.76	33.43	0.31	53.52	96.33	96.58	285.42	
Purvis Well	9/5/2010 5:45:00	52.08	33.43	0.32	51.83	98.01	98.26	283.74	
Purvis Well	9/5/2010 6:00:00	56.46	33.44	0.32	56.21	93.64	93.89	288.11	
Purvis Well	9/5/2010 6:15:00	51.64	33.44	0.32	51.39	98.45	98.71	283.29	
Purvis Well	9/5/2010 6:30:00	48.62	33.45	0.33	48.36	101.48	101.73	280.27	
Purvis Well	9/5/2010 6:45:00	44.33	33.45	0.33	44.07	105.76	106.02	275.98	
Purvis Well	9/5/2010 7:00:00	43.06	33.45	0.34	42.80	107.04	107.30	274.70	
Purvis Well	9/5/2010 7:15:00	43.20	33.46	0.34	42.93	106.90	107.16	274.84	
Purvis Well	9/5/2010 7:30:00	45.39	33.46	0.34	45.12	104.70	104.97	277.03	
Purvis Well	9/5/2010 7:45:00	48.49	33.47	0.35	48.22	101.60	101.87	280.13	
Purvis Well	9/5/2010 8:00:00	56.55	33.47	0.35	56.27	93.55	93.82	288.18	
Purvis Well	9/5/2010 8:15:00	59.97	33.47	0.36	59.69	90.13	90.40	291.60	
Purvis Well	9/5/2010 8:30:00	61.38	33.48	0.36	61.10	88.71	88.99	293.01	
Purvis Well	9/5/2010 8:45:00	62.20	33.48	0.36	61.92	87.89	88.18	293.82	
Purvis Well	9/5/2010 9:00:00	62.78	33.49	0.37	62.49	87.32	87.61	294.39	
Purvis Well	9/5/2010 9:15:00	63.21	33.49	0.37	62.92	86.88	87.17	294.83	
Purvis Well	9/5/2010 9:30:00	63.55	33.49	0.38	63.25	86.55	86.84	295.16	
Purvis Well	9/5/2010 9:45:00	63.82	33.49	0.37	63.53	86.27	86.57	295.43	
Purvis Well	9/5/2010 10:00:00	57.76	33.49	0.37	57.47	92.34	92.63	289.37	
Purvis Well	9/5/2010 10:15:00	63.01	33.49	0.37	62.72	87.08	87.37	294.63	
Purvis Well	9/5/2010 10:30:00	63.89	33.49	0.37	63.60	86.21	86.49	295.51	
Purvis Well	9/5/2010 10:45:00	64.24	33.48	0.37	63.96	85.85	86.14	295.86	
Purvis Well	9/5/2010 11:00:00	64.46	33.48	0.36	64.18	85.63	85.91	296.09	
Purvis Well	9/5/2010 11:15:00	64.64	33.48	0.36	64.35	85.46	85.74	296.26	
Purvis Well	9/5/2010 11:30:00	64.78	33.48	0.36	64.50	85.32	85.60	296.40	
Purvis Well	9/5/2010 11:45:00	64.90	33.47	0.36	64.62	85.19	85.47	296.53	
Purvis Well	9/5/2010 12:00:00	65.01	33.47	0.35	64.73	85.08	85.36	296.64	
Purvis Well	9/5/2010 12:15:00	65.11	33.47	0.35	64.83	84.99	85.26	296.74	
Purvis Well	9/5/2010 12:30:00	63.35	33.47	0.35	63.08	86.74	87.01	294.99	
Purvis Well	9/5/2010 12:45:00	64.57	33.46	0.35	64.30	85.53	85.80	296.20	
Purvis Well	9/5/2010 13:00:00	64.94	33.46	0.34	64.67	85.15	85.42	296.58	
Purvis Well	9/5/2010 13:15:00	65.13	33.46	0.34	64.86	84.96	85.23	296.77	
Purvis Well	9/5/2010 13:30:00	65.26	33.46	0.34	64.99	84.84	85.10	296.90	
Purvis Well	9/5/2010 13:45:00	65.35	33.46	0.34	65.09	84.74	85.00	297.00	
Purvis Well	9/5/2010 14:00:00	65.44	33.45	0.34	65.18	84.66	84.92	297.08	
Purvis Well	9/5/2010 14:15:00	65.51	33.45	0.33	65.25	84.59	84.85	297.15	
Purvis Well	9/5/2010 14:30:00	58.61	33.45	0.33	58.35	91.48	91.74	290.26	
Purvis Well	9/5/2010 14:45:00	64.39	33.45	0.33	64.13	85.71	85.96	296.04	
Purvis Well	9/5/2010 15:00:00	65.14	33.44	0.33	64.89	84.95	85.21	296.79	
Purvis Well	9/5/2010 15:15:00	65.40	33.44	0.33	65.14	84.70	84.95	297.05	
Purvis Well	9/5/2010 15:30:00	65.52	33.44	0.32	65.27	84.57	84.82	297.18	
Purvis Well	9/5/2010 15:45:00	65.61	33.44	0.32	65.36	84.48	84.73	297.27	
Purvis Well	9/5/2010 16:00:00	65.68	33.44	0.32	65.43	84.41	84.66	297.34	
Purvis Well	9/5/2010 16:15:00	65.74	33.43	0.32	65.49	84.36	84.61	297.39	
Purvis Well	9/5/2010 16:30:00	65.79	33.43	0.31	65.54	84.31	84.55	297.45	
Purvis Well	9/5/2010 16:45:00	65.82	33.43	0.31	65.58	84.27	84.51	297.49	
Purvis Well	9/5/2010 17:00:00	63.98	33.43	0.31	63.73	86.12	86.36	295.64	
Purvis Well	9/5/2010 17:15:00	65.16	33.43	0.31	64.92	84.93	85.17	296.83	
Purvis Well	9/5/2010 17:30:00	65.50	33.42	0.31	65.26	84.60	84.84	297.16	
Purvis Well	9/5/2010 17:45:00	65.65	33.42	0.31	65.41	84.45	84.69	297.31	
Purvis Well	9/5/2010 18:00:00	65.74	33.43	0.31	65.50	84.36	84.59	297.41	
Purvis Well	9/5/2010 18:15:00	65.80	33.43	0.31	65.56	84.29	84.53	297.47	
Purvis Well	9/5/2010 18:30:00	65.85	33.43	0.31	65.61	84.24	84.48	297.52	
Purvis Well	9/5/2010 18:45:00	65.89	33.43	0.31	65.65	84.20	84.45	297.55	
Purvis Well	9/5/2010 19:00:00	65.93	33.43	0.31	65.68	84.17	84.41	297.59	
Purvis Well	9/5/2010 19:15:00	64.28	33.43	0.31	64.04	85.81	86.06	295.94	
Purvis Well	9/5/2010 19:30:00	65.36	33.43	0.31	65.11	84.74	84.98	297.02	
Purvis Well	9/5/2010 19:45:00	65.65	33.43	0.31	65.40	84.45	84.69	297.31	
Purvis Well	9/5/2010 20:00:00	65.78	33.43	0.32	65.53	84.32	84.56	297.44	
Purvis Well	9/5/2010 20:15:00	65.85	33.43	0.32	65.60	84.24	84.49	297.51	
Purvis Well	9/5/2010 20:30:00	65.91	33.44	0.32	65.66	84.19	84.44	297.56	
Purvis Well	9/5/2010 20:45:00	54.64	33.44	0.32	54.39	95.45	95.70	286.30	
Purvis Well	9/5/2010 21:00:00	60.14	33.44	0.32	59.89	89.96	90.21	291.79	
Purvis Well	9/5/2010 21:15:00	57.21	33.44	0.32	56.96	92.88	93.13	288.87	
Purvis Well	9/5/2010 21:30:00	51.82	33.44	0.32	51.57	98.27	98.52	283.48	
Purvis Well	9/5/2010 21:45:00	57.37	33.44	0.32	57.12	92.73	92.98	289.02	
Purvis Well	9/5/2010 22:00:00	55.96	33.44	0.32	55.71	94.13	94.38	287.62	
Purvis Well	9/5/2010 22:15:00	49.75	33.44	0.32	49.50	100.34	100.59	281.41	
Purvis Well	9/5/2010 22:30:00	45.64	33.44	0.32	45.39	104.46	104.71	277.29	
Purvis Well	9/5/2010 22:45:00	45.98	33.44	0.32	45.73	104.12	104.37	277.63	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/5/2010 23:00:00	46.78	33.44	0.33	46.53	103.31	103.57	278.43	
Purvis Well	9/5/2010 23:15:00	48.10	33.44	0.33	47.84	102.00	102.25	279.75	
Purvis Well	9/5/2010 23:30:00	50.14	33.44	0.33	49.88	99.96	100.21	281.79	
Purvis Well	9/5/2010 23:45:00	52.50	33.44	0.33	52.24	97.60	97.85	284.15	
Purvis Well	9/6/2010 0:00:00	56.95	33.45	0.33	56.69	93.15	93.40	288.60	
Purvis Well	9/6/2010 0:15:00	60.48	33.45	0.33	60.22	89.62	89.87	292.13	
Purvis Well	9/6/2010 0:30:00	61.87	33.45	0.33	61.61	88.23	88.48	293.52	
Purvis Well	9/6/2010 0:45:00	62.66	33.45	0.33	62.40	87.44	87.69	294.31	
Purvis Well	9/6/2010 1:00:00	63.20	33.45	0.33	62.94	86.89	87.15	294.85	
Purvis Well	9/6/2010 1:15:00	63.60	33.45	0.33	63.34	86.50	86.75	295.25	
Purvis Well	9/6/2010 1:30:00	59.13	33.45	0.33	58.87	90.96	91.22	290.78	
Purvis Well	9/6/2010 1:45:00	63.16	33.45	0.33	62.90	86.93	87.19	294.81	
Purvis Well	9/6/2010 2:00:00	63.93	33.45	0.33	63.67	86.16	86.42	295.58	
Purvis Well	9/6/2010 2:15:00	64.28	33.45	0.33	64.02	85.81	86.07	295.93	
Purvis Well	9/6/2010 2:30:00	64.52	33.45	0.33	64.26	85.58	85.83	296.17	
Purvis Well	9/6/2010 2:45:00	64.71	33.45	0.33	64.45	85.39	85.65	296.35	
Purvis Well	9/6/2010 3:00:00	64.85	33.45	0.33	64.60	85.24	85.50	296.50	
Purvis Well	9/6/2010 3:15:00	64.98	33.45	0.33	64.72	85.11	85.37	296.63	
Purvis Well	9/6/2010 3:30:00	65.10	33.45	0.33	64.84	85.00	85.26	296.74	
Purvis Well	9/6/2010 3:45:00	65.20	33.45	0.33	64.94	84.90	85.16	296.84	
Purvis Well	9/6/2010 4:00:00	65.28	33.45	0.33	65.02	84.81	85.07	296.93	
Purvis Well	9/6/2010 4:15:00	65.36	33.45	0.33	65.10	84.74	85.00	297.00	
Purvis Well	9/6/2010 4:30:00	62.95	33.45	0.33	62.69	87.14	87.40	294.60	
Purvis Well	9/6/2010 4:45:00	61.19	33.45	0.33	60.93	88.91	89.17	292.83	
Purvis Well	9/6/2010 5:00:00	56.95	33.45	0.33	56.69	93.15	93.41	288.59	
Purvis Well	9/6/2010 5:15:00	49.51	33.45	0.33	49.25	100.59	100.85	281.15	
Purvis Well	9/6/2010 5:30:00	58.06	33.45	0.33	57.80	92.03	92.29	289.71	
Purvis Well	9/6/2010 5:45:00	55.31	33.45	0.33	55.06	94.78	95.04	286.96	
Purvis Well	9/6/2010 6:00:00	48.86	33.44	0.32	48.61	101.23	101.49	280.51	
Purvis Well	9/6/2010 6:15:00	52.37	33.44	0.32	52.12	97.73	97.98	284.02	
Purvis Well	9/6/2010 6:30:00	53.28	33.44	0.32	53.03	96.81	97.06	284.94	
Purvis Well	9/6/2010 6:45:00	53.82	33.43	0.32	53.58	96.27	96.52	285.48	
Purvis Well	9/6/2010 7:00:00	52.83	33.43	0.31	52.58	97.27	97.51	284.49	
Purvis Well	9/6/2010 7:15:00	51.90	33.43	0.31	51.66	98.20	98.44	283.56	
Purvis Well	9/6/2010 7:30:00	50.95	33.42	0.31	50.72	99.14	99.38	282.62	
Purvis Well	9/6/2010 7:45:00	50.14	33.42	0.30	49.90	99.96	100.19	281.81	
Purvis Well	9/6/2010 8:00:00	55.95	33.42	0.30	55.71	94.15	94.38	287.62	
Purvis Well	9/6/2010 8:15:00	60.04	33.41	0.30	59.81	90.06	90.29	291.71	
Purvis Well	9/6/2010 8:30:00	61.58	33.41	0.29	61.35	88.52	88.74	293.26	
Purvis Well	9/6/2010 8:45:00	62.43	33.41	0.29	62.20	87.67	87.89	294.11	
Purvis Well	9/6/2010 9:00:00	60.76	33.40	0.29	60.53	89.34	89.56	292.44	
Purvis Well	9/6/2010 9:15:00	62.72	33.40	0.28	62.50	87.37	87.59	294.41	
Purvis Well	9/6/2010 9:30:00	63.39	33.40	0.28	63.17	86.70	86.92	295.08	
Purvis Well	9/6/2010 9:45:00	63.79	33.39	0.27	63.57	86.31	86.52	295.48	
Purvis Well	9/6/2010 10:00:00	64.07	33.39	0.27	63.86	86.02	86.23	295.77	
Purvis Well	9/6/2010 10:15:00	64.30	33.38	0.26	64.09	85.79	86.00	296.00	
Purvis Well	9/6/2010 10:30:00	64.50	33.38	0.26	64.29	85.60	85.80	296.20	
Purvis Well	9/6/2010 10:45:00	64.66	33.37	0.25	64.46	85.44	85.64	296.36	
Purvis Well	9/6/2010 11:00:00	62.99	33.37	0.25	62.80	87.10	87.30	294.70	
Purvis Well	9/6/2010 11:15:00	60.67	33.36	0.25	60.48	89.42	89.62	292.38	
Purvis Well	9/6/2010 11:30:00	63.68	33.36	0.24	63.49	86.42	86.61	295.39	
Purvis Well	9/6/2010 11:45:00	64.38	33.35	0.24	64.19	85.72	85.90	296.10	
Purvis Well	9/6/2010 12:00:00	64.69	33.35	0.23	64.51	85.40	85.58	296.42	
Purvis Well	9/6/2010 12:15:00	64.88	33.34	0.23	64.70	85.21	85.39	296.61	
Purvis Well	9/6/2010 12:30:00	65.01	33.34	0.22	64.84	85.08	85.25	296.75	
Purvis Well	9/6/2010 12:45:00	65.12	33.33	0.22	64.95	84.98	85.14	296.86	
Purvis Well	9/6/2010 13:00:00	55.81	33.33	0.21	55.64	94.29	94.45	287.55	
Purvis Well	9/6/2010 13:15:00	63.96	33.32	0.21	63.80	86.14	86.30	295.70	
Purvis Well	9/6/2010 13:30:00	64.78	33.32	0.20	64.62	85.31	85.47	296.53	
Purvis Well	9/6/2010 13:45:00	65.06	33.31	0.20	64.91	85.03	85.18	296.82	
Purvis Well	9/6/2010 14:00:00	65.22	33.31	0.19	65.07	84.88	85.02	296.98	
Purvis Well	9/6/2010 14:15:00	65.33	33.30	0.18	65.18	84.77	84.91	297.09	
Purvis Well	9/6/2010 14:30:00	65.40	33.30	0.18	65.27	84.69	84.83	297.17	
Purvis Well	9/6/2010 14:45:00	65.47	33.29	0.17	65.33	84.63	84.76	297.24	
Purvis Well	9/6/2010 15:00:00	63.22	33.28	0.17	63.09	86.87	87.00	295.00	
Purvis Well	9/6/2010 15:15:00	64.82	33.28	0.16	64.69	85.28	85.40	296.60	
Purvis Well	9/6/2010 15:30:00	65.21	33.27	0.15	65.09	84.89	85.00	297.00	
Purvis Well	9/6/2010 15:45:00	65.38	33.27	0.15	65.26	84.72	84.83	297.17	
Purvis Well	9/6/2010 16:00:00	63.65	33.26	0.14	63.54	86.45	86.56	295.44	
Purvis Well	9/6/2010 16:15:00	64.85	33.25	0.14	64.74	85.24	85.35	296.65	
Purvis Well	9/6/2010 16:30:00	65.20	33.25	0.13	65.10	84.90	85.00	297.00	
Purvis Well	9/6/2010 16:45:00	60.44	33.24	0.12	60.34	89.66	89.75	292.25	
Purvis Well	9/6/2010 17:00:00	64.26	33.24	0.12	64.16	85.84	85.93	296.07	
Purvis Well	9/6/2010 17:15:00	64.96	33.23	0.11	64.87	85.14	85.22	296.78	
Purvis Well	9/6/2010 17:30:00	65.22	33.22	0.11	65.14	84.87	84.96	297.04	
Purvis Well	9/6/2010 17:45:00	65.36	33.22	0.10	65.28	84.73	84.81	297.19	
Purvis Well	9/6/2010 18:00:00	63.63	33.22	0.10	63.55	86.47	86.54	295.46	
Purvis Well	9/6/2010 18:15:00	64.82	33.22	0.10	64.74	85.28	85.35	296.65	
Purvis Well	9/6/2010 18:30:00	63.11	33.22	0.10	63.03	86.99	87.06	294.94	
Purvis Well	9/6/2010 18:45:00	64.58	33.21	0.10	64.51	85.51	85.59	296.41	
Purvis Well	9/6/2010 19:00:00	65.01	33.21	0.09	64.94	85.08	85.16	296.84	
Purvis Well	9/6/2010 19:15:00	65.22	33.21	0.09	65.15	84.88	84.95	297.05	
Purvis Well	9/6/2010 19:30:00	65.35	33.21	0.09	65.27	84.75	84.82	297.18	
Purvis Well	9/6/2010 19:45:00	58.02	33.21	0.09	57.95	92.08	92.15	289.85	
Purvis Well	9/6/2010 20:00:00	64.28	33.20	0.09	64.21	85.81	85.88	296.12	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/6/2010 20:15:00	65.04	33.20	0.08	64.98	85.05	85.12	296.88	
Purvis Well	9/6/2010 20:30:00	65.29	33.20	0.08	65.23	84.80	84.86	297.14	
Purvis Well	9/6/2010 20:45:00	58.08	33.20	0.08	58.02	92.01	92.08	289.92	
Purvis Well	9/6/2010 21:00:00	58.22	33.20	0.08	58.16	91.87	91.93	290.07	
Purvis Well	9/6/2010 21:15:00	52.60	33.19	0.08	52.54	97.50	97.56	284.44	
Purvis Well	9/6/2010 21:30:00	58.25	33.19	0.07	58.20	91.84	91.90	290.10	
Purvis Well	9/6/2010 21:45:00	55.71	33.19	0.07	55.66	94.38	94.44	287.56	
Purvis Well	9/6/2010 22:00:00	48.70	33.18	0.07	48.64	101.40	101.45	280.55	
Purvis Well	9/6/2010 22:15:00	53.81	33.18	0.06	53.76	96.29	96.34	285.66	
Purvis Well	9/6/2010 22:30:00	54.62	33.18	0.06	54.57	95.48	95.52	286.48	
Purvis Well	9/6/2010 22:45:00	53.01	33.18	0.06	52.96	97.09	97.13	284.87	
Purvis Well	9/6/2010 23:00:00	51.62	33.17	0.05	51.57	98.48	98.52	283.48	
Purvis Well	9/6/2010 23:15:00	50.03	33.17	0.05	49.99	100.06	100.10	281.90	
Purvis Well	9/6/2010 23:30:00	48.16	33.17	0.05	48.12	101.94	101.97	280.03	
Purvis Well	9/6/2010 23:45:00	45.32	33.16	0.05	45.28	104.77	104.81	277.19	
Purvis Well	9/7/2010 0:00:00	56.25	33.16	0.04	56.21	93.85	93.88	288.12	
Purvis Well	9/7/2010 0:15:00	60.10	33.16	0.04	60.07	90.00	90.03	291.97	
Purvis Well	9/7/2010 0:30:00	61.55	33.15	0.04	61.52	88.55	88.58	293.42	
Purvis Well	9/7/2010 0:45:00	62.36	33.15	0.03	62.34	87.73	87.76	294.24	
Purvis Well	9/7/2010 1:00:00	62.91	33.15	0.03	62.89	87.18	87.21	294.79	
Purvis Well	9/7/2010 1:15:00	63.32	33.15	0.03	63.30	86.77	86.79	295.21	
Purvis Well	9/7/2010 1:30:00	63.64	33.14	0.02	63.62	86.45	86.47	295.53	
Purvis Well	9/7/2010 1:45:00	63.91	33.14	0.02	63.89	86.19	86.21	295.79	
Purvis Well	9/7/2010 2:00:00	64.13	33.14	0.02	64.12	85.96	85.98	296.02	
Purvis Well	9/7/2010 2:15:00	64.32	33.13	0.02	64.31	85.77	85.78	296.22	
Purvis Well	9/7/2010 2:30:00	64.49	33.13	0.01	64.48	85.61	85.62	296.38	
Purvis Well	9/7/2010 2:45:00	64.64	33.13	0.01	64.63	85.46	85.47	296.53	
Purvis Well	9/7/2010 3:00:00	64.77	33.13	0.01	64.76	85.32	85.33	296.67	
Purvis Well	9/7/2010 3:15:00	58.18	33.12	0.01	58.17	91.92	91.92	290.08	
Purvis Well	9/7/2010 3:30:00	63.88	33.12	0.00	63.88	86.22	86.22	295.78	
Purvis Well	9/7/2010 3:45:00	64.60	33.12	0.00	64.59	85.50	85.50	296.50	
Purvis Well	9/7/2010 4:00:00	64.87	33.12	0.00	64.87	85.23	85.22	296.78	
Purvis Well	9/7/2010 4:15:00	65.03	33.12	0.00	65.03	85.07	85.06	296.94	
Purvis Well	9/7/2010 4:30:00	65.15	33.11	0.00	65.15	84.94	84.94	297.06	
Purvis Well	9/7/2010 4:45:00	53.71	33.11	-0.01	53.72	96.38	96.37	285.63	
Purvis Well	9/7/2010 5:00:00	58.88	33.11	-0.01	58.88	91.22	91.21	290.79	
Purvis Well	9/7/2010 5:15:00	54.32	33.11	-0.01	54.33	95.78	95.77	286.23	
Purvis Well	9/7/2010 5:30:00	53.98	33.10	-0.01	53.99	96.11	96.10	285.90	
Purvis Well	9/7/2010 5:45:00	49.88	33.10	-0.01	49.89	100.22	100.20	281.80	
Purvis Well	9/7/2010 6:00:00	54.11	33.10	-0.01	54.12	95.98	95.97	286.03	
Purvis Well	9/7/2010 6:15:00	54.42	33.10	-0.01	54.44	95.67	95.66	286.34	
Purvis Well	9/7/2010 6:30:00	51.93	33.10	-0.01	51.94	98.17	98.15	283.85	
Purvis Well	9/7/2010 6:45:00	50.00	33.10	-0.01	50.01	100.10	100.09	281.91	
Purvis Well	9/7/2010 7:00:00	47.78	33.10	-0.01	47.79	102.31	102.30	279.70	
Purvis Well	9/7/2010 7:15:00	44.51	33.10	-0.01	44.52	105.59	105.58	276.42	
Purvis Well	9/7/2010 7:30:00	43.99	33.10	-0.01	44.00	106.10	106.09	275.91	
Purvis Well	9/7/2010 7:45:00	45.67	33.10	-0.01	45.68	104.42	104.41	277.59	
Purvis Well	9/7/2010 8:00:00	57.23	33.10	-0.01	57.24	92.86	92.85	289.15	
Purvis Well	9/7/2010 8:15:00	60.29	33.11	-0.01	60.30	89.81	89.80	292.20	
Purvis Well	9/7/2010 8:30:00	61.58	33.11	-0.01	61.58	88.52	88.51	293.49	
Purvis Well	9/7/2010 8:45:00	62.34	33.11	-0.01	62.34	87.76	87.75	294.25	
Purvis Well	9/7/2010 9:00:00	62.86	33.11	-0.01	62.87	87.23	87.22	294.78	
Purvis Well	9/7/2010 9:15:00	63.25	33.11	-0.01	63.26	86.84	86.83	295.17	
Purvis Well	9/7/2010 9:30:00	57.57	33.11	-0.01	57.58	92.52	92.51	289.49	
Purvis Well	9/7/2010 9:45:00	62.60	33.10	-0.01	62.61	87.49	87.48	294.52	
Purvis Well	9/7/2010 10:00:00	63.48	33.10	-0.02	63.49	86.62	86.60	295.40	
Purvis Well	9/7/2010 10:15:00	56.95	33.10	-0.02	56.97	93.14	93.12	288.88	
Purvis Well	9/7/2010 10:30:00	62.94	33.09	-0.02	62.96	87.16	87.14	294.86	
Purvis Well	9/7/2010 10:45:00	63.78	33.09	-0.03	63.80	86.32	86.30	295.70	
Purvis Well	9/7/2010 11:00:00	64.13	33.09	-0.03	64.15	85.97	85.94	296.06	
Purvis Well	9/7/2010 11:15:00	64.34	33.09	-0.03	64.37	85.75	85.73	296.27	
Purvis Well	9/7/2010 11:30:00	61.99	33.08	-0.04	62.02	88.11	88.08	293.92	
Purvis Well	9/7/2010 11:45:00	63.80	33.08	-0.04	63.83	86.30	86.27	295.73	
Purvis Well	9/7/2010 12:00:00	64.28	33.08	-0.04	64.31	85.81	85.78	296.22	
Purvis Well	9/7/2010 12:15:00	64.51	33.07	-0.04	64.55	85.58	85.55	296.45	
Purvis Well	9/7/2010 12:30:00	64.67	33.07	-0.05	64.70	85.43	85.39	296.61	
Purvis Well	9/7/2010 12:45:00	64.79	33.07	-0.05	64.83	85.31	85.27	296.73	
Purvis Well	9/7/2010 13:00:00	64.88	33.06	-0.05	64.92	85.22	85.18	296.82	
Purvis Well	9/7/2010 13:15:00	61.78	33.06	-0.06	61.82	88.31	88.27	293.73	
Purvis Well	9/7/2010 13:30:00	64.07	33.06	-0.06	64.12	86.02	85.97	296.03	
Purvis Well	9/7/2010 13:45:00	64.60	33.06	-0.06	64.64	85.50	85.45	296.55	
Purvis Well	9/7/2010 14:00:00	64.81	33.05	-0.06	64.86	85.28	85.23	296.77	
Purvis Well	9/7/2010 14:15:00	64.94	33.05	-0.07	64.99	85.16	85.10	296.90	
Purvis Well	9/7/2010 14:30:00	65.03	33.05	-0.07	65.08	85.07	85.01	296.99	
Purvis Well	9/7/2010 14:45:00	65.11	33.05	-0.07	65.16	84.99	84.93	297.07	
Purvis Well	9/7/2010 15:00:00	65.17	33.04	-0.07	65.22	84.93	84.87	297.13	
Purvis Well	9/7/2010 15:15:00	65.22	33.04	-0.08	65.28	84.87	84.81	297.19	
Purvis Well	9/7/2010 15:30:00	65.27	33.04	-0.08	65.33	84.83	84.77	297.23	
Purvis Well	9/7/2010 15:45:00	65.31	33.04	-0.08	65.37	84.79	84.73	297.27	
Purvis Well	9/7/2010 16:00:00	63.26	33.03	-0.08	63.32	86.84	86.77	295.23	
Purvis Well	9/7/2010 16:15:00	64.68	33.03	-0.09	64.74	85.42	85.35	296.65	
Purvis Well	9/7/2010 16:30:00	65.03	33.03	-0.09	65.10	85.06	84.99	297.01	
Purvis Well	9/7/2010 16:45:00	65.18	33.03	-0.09	65.25	84.91	84.84	297.16	
Purvis Well	9/7/2010 17:00:00	55.48	33.02	-0.09	55.55	94.61	94.54	287.46	
Purvis Well	9/7/2010 17:15:00	63.90	33.02	-0.10	63.97	86.20	86.12	295.88	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/7/2010 17:30:00	64.77	33.02	-0.10	64.85	85.32	85.25	296.75	
Purvis Well	9/7/2010 17:45:00	65.06	33.02	-0.10	65.14	85.03	84.96	297.04	
Purvis Well	9/7/2010 18:00:00	65.21	33.02	-0.09	65.28	84.89	84.82	297.18	
Purvis Well	9/7/2010 18:15:00	60.18	33.02	-0.09	60.26	89.91	89.84	292.16	
Purvis Well	9/7/2010 18:30:00	64.31	33.03	-0.09	64.38	85.78	85.71	296.29	
Purvis Well	9/7/2010 18:45:00	63.07	33.03	-0.09	63.14	87.02	86.95	295.05	
Purvis Well	9/7/2010 19:00:00	64.46	33.03	-0.09	64.53	85.63	85.56	296.44	
Purvis Well	9/7/2010 19:15:00	62.76	33.03	-0.09	62.83	87.33	87.27	294.73	
Purvis Well	9/7/2010 19:30:00	64.32	33.03	-0.09	64.39	85.78	85.71	296.29	
Purvis Well	9/7/2010 19:45:00	64.79	33.03	-0.08	64.85	85.31	85.24	296.76	
Purvis Well	9/7/2010 20:00:00	65.01	33.04	-0.08	65.08	85.08	85.02	296.98	
Purvis Well	9/7/2010 20:15:00	65.16	33.04	-0.08	65.23	84.93	84.87	297.13	
Purvis Well	9/7/2010 20:30:00	62.62	33.04	-0.08	62.68	87.48	87.42	294.58	
Purvis Well	9/7/2010 20:45:00	61.13	33.04	-0.08	61.19	88.96	88.90	293.10	
Purvis Well	9/7/2010 21:00:00	57.77	33.04	-0.08	57.82	92.33	92.27	289.73	
Purvis Well	9/7/2010 21:15:00	55.41	33.04	-0.08	55.47	94.68	94.62	287.38	
Purvis Well	9/7/2010 21:30:00	49.20	33.04	-0.07	49.26	100.89	100.83	281.17	
Purvis Well	9/7/2010 21:45:00	54.06	33.04	-0.07	54.12	96.03	95.98	286.02	
Purvis Well	9/7/2010 22:00:00	55.28	33.05	-0.07	55.33	94.82	94.76	287.24	
Purvis Well	9/7/2010 22:15:00	48.15	33.05	-0.07	48.21	101.94	101.89	280.11	
Purvis Well	9/7/2010 22:30:00	45.93	33.05	-0.07	45.99	104.16	104.11	277.89	
Purvis Well	9/7/2010 22:45:00	47.27	33.05	-0.07	47.32	102.83	102.77	279.23	
Purvis Well	9/7/2010 23:00:00	50.06	33.05	-0.07	50.11	100.04	99.98	282.02	
Purvis Well	9/7/2010 23:15:00	52.91	33.05	-0.07	52.97	97.18	97.13	284.87	
Purvis Well	9/7/2010 23:30:00	51.77	33.05	-0.07	51.82	98.33	98.28	283.72	
Purvis Well	9/7/2010 23:45:00	50.47	33.05	-0.07	50.52	99.62	99.57	282.43	
Purvis Well	9/8/2010 0:00:00	56.32	33.05	-0.07	56.37	93.78	93.73	288.27	
Purvis Well	9/8/2010 0:15:00	60.09	33.05	-0.07	60.15	90.00	89.95	292.05	
Purvis Well	9/8/2010 0:30:00	61.54	33.05	-0.07	61.59	88.55	88.50	293.50	
Purvis Well	9/8/2010 0:45:00	62.36	33.05	-0.07	62.41	87.74	87.68	294.32	
Purvis Well	9/8/2010 1:00:00	62.92	33.05	-0.07	62.97	87.18	87.13	294.87	
Purvis Well	9/8/2010 1:15:00	63.33	33.05	-0.07	63.38	86.76	86.71	295.29	
Purvis Well	9/8/2010 1:30:00	63.66	33.05	-0.06	63.71	86.44	86.39	295.61	
Purvis Well	9/8/2010 1:45:00	63.93	33.05	-0.06	63.98	86.17	86.12	295.88	
Purvis Well	9/8/2010 2:00:00	64.15	33.05	-0.06	64.20	85.95	85.90	296.10	
Purvis Well	9/8/2010 2:15:00	64.34	33.06	-0.06	64.39	85.76	85.71	296.29	
Purvis Well	9/8/2010 2:30:00	64.50	33.06	-0.06	64.55	85.59	85.54	296.46	
Purvis Well	9/8/2010 2:45:00	64.65	33.06	-0.06	64.69	85.45	85.40	296.60	
Purvis Well	9/8/2010 3:00:00	64.78	33.06	-0.06	64.82	85.32	85.27	296.73	
Purvis Well	9/8/2010 3:15:00	62.79	33.06	-0.06	62.83	87.31	87.26	294.74	
Purvis Well	9/8/2010 3:30:00	64.29	33.06	-0.06	64.33	85.81	85.76	296.24	
Purvis Well	9/8/2010 3:45:00	64.70	33.06	-0.06	64.74	85.40	85.35	296.65	
Purvis Well	9/8/2010 4:00:00	64.90	33.06	-0.06	64.94	85.20	85.15	296.85	
Purvis Well	9/8/2010 4:15:00	55.77	33.06	-0.06	55.81	94.33	94.29	287.71	
Purvis Well	9/8/2010 4:30:00	63.84	33.06	-0.05	63.88	86.26	86.22	295.78	
Purvis Well	9/8/2010 4:45:00	51.92	33.06	-0.05	51.96	98.18	98.13	283.87	
Purvis Well	9/8/2010 5:00:00	52.91	33.06	-0.05	52.95	97.18	97.14	284.86	
Purvis Well	9/8/2010 5:15:00	56.65	33.07	-0.05	56.69	93.44	93.40	288.60	
Purvis Well	9/8/2010 5:30:00	52.37	33.07	-0.05	52.41	97.72	97.68	284.32	
Purvis Well	9/8/2010 5:45:00	54.55	33.07	-0.05	54.59	95.55	95.51	286.49	
Purvis Well	9/8/2010 6:00:00	55.40	33.07	-0.05	55.44	94.69	94.65	287.35	
Purvis Well	9/8/2010 6:15:00	48.72	33.07	-0.04	48.75	101.38	101.34	280.66	
Purvis Well	9/8/2010 6:30:00	45.42	33.08	-0.04	45.45	104.68	104.64	277.36	
Purvis Well	9/8/2010 6:45:00	46.21	33.08	-0.04	46.24	103.89	103.85	278.15	
Purvis Well	9/8/2010 7:00:00	47.92	33.08	-0.04	47.95	102.17	102.15	279.85	
Purvis Well	9/8/2010 7:15:00	51.00	33.08	-0.03	51.02	99.10	99.07	282.93	
Purvis Well	9/8/2010 7:30:00	52.38	33.09	-0.03	52.40	97.72	97.69	284.31	
Purvis Well	9/8/2010 7:45:00	51.33	33.09	-0.03	51.36	98.76	98.74	283.26	
Purvis Well	9/8/2010 8:00:00	56.16	33.09	-0.03	56.18	93.94	93.92	288.08	
Purvis Well	9/8/2010 8:15:00	59.96	33.09	-0.02	59.98	90.14	90.12	291.88	
Purvis Well	9/8/2010 8:30:00	61.42	33.10	-0.02	61.43	88.68	88.66	293.34	
Purvis Well	9/8/2010 8:45:00	62.24	33.10	-0.02	62.25	87.86	87.84	294.16	
Purvis Well	9/8/2010 9:00:00	62.80	33.10	-0.02	62.81	87.30	87.29	294.71	
Purvis Well	9/8/2010 9:15:00	63.21	33.10	-0.02	63.22	86.88	86.87	295.13	
Purvis Well	9/8/2010 9:30:00	63.54	33.11	-0.01	63.55	86.56	86.55	295.45	
Purvis Well	9/8/2010 9:45:00	63.80	33.10	-0.01	63.81	86.29	86.28	295.72	
Purvis Well	9/8/2010 10:00:00	64.02	33.10	-0.01	64.03	86.08	86.06	295.94	
Purvis Well	9/8/2010 10:15:00	62.22	33.10	-0.01	62.23	87.87	87.86	294.14	
Purvis Well	9/8/2010 10:30:00	63.68	33.10	-0.01	63.69	86.41	86.40	295.60	
Purvis Well	9/8/2010 10:45:00	64.13	33.10	-0.01	64.14	85.97	85.95	296.05	
Purvis Well	9/8/2010 11:00:00	64.36	33.10	-0.01	64.37	85.73	85.72	296.28	
Purvis Well	9/8/2010 11:15:00	64.53	33.10	-0.01	64.54	85.56	85.55	296.45	
Purvis Well	9/8/2010 11:30:00	64.66	33.10	-0.01	64.67	85.43	85.42	296.58	
Purvis Well	9/8/2010 11:45:00	64.77	33.10	-0.01	64.78	85.32	85.31	296.69	
Purvis Well	9/8/2010 12:00:00	64.86	33.10	-0.01	64.87	85.23	85.22	296.78	
Purvis Well	9/8/2010 12:15:00	64.94	33.10	-0.01	64.96	85.15	85.14	296.86	
Purvis Well	9/8/2010 12:30:00	65.01	33.10	-0.01	65.02	85.08	85.07	296.93	
Purvis Well	9/8/2010 12:45:00	65.08	33.10	-0.02	65.09	85.02	85.01	296.99	
Purvis Well	9/8/2010 13:00:00	62.73	33.10	-0.02	62.74	87.37	87.35	294.65	
Purvis Well	9/8/2010 13:15:00	64.45	33.10	-0.02	64.46	85.65	85.63	296.37	
Purvis Well	9/8/2010 13:30:00	64.86	33.10	-0.02	64.87	85.24	85.22	296.78	
Purvis Well	9/8/2010 13:45:00	65.04	33.10	-0.02	65.05	85.05	85.04	296.96	
Purvis Well	9/8/2010 14:00:00	65.15	33.10	-0.02	65.17	84.94	84.93	297.07	
Purvis Well	9/8/2010 14:15:00	65.24	33.10	-0.02	65.25	84.85	84.84	297.16	
Purvis Well	9/8/2010 14:30:00	65.31	33.10	-0.02	65.32	84.79	84.77	297.23	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/8/2010 14:45:00	65.37	33.10	-0.02	65.38	84.73	84.71	297.29	
Purvis Well	9/8/2010 15:00:00	65.42	33.10	-0.02	65.43	84.68	84.66	297.34	
Purvis Well	9/8/2010 15:15:00	65.46	33.10	-0.02	65.48	84.63	84.62	297.38	
Purvis Well	9/8/2010 15:30:00	62.85	33.10	-0.02	62.87	87.24	87.23	294.77	
Purvis Well	9/8/2010 15:45:00	64.75	33.10	-0.02	64.77	85.34	85.33	296.67	
Purvis Well	9/8/2010 16:00:00	65.17	33.10	-0.02	65.19	84.92	84.90	297.10	
Purvis Well	9/8/2010 16:15:00	65.35	33.10	-0.02	65.36	84.75	84.73	297.27	
Purvis Well	9/8/2010 16:30:00	65.45	33.10	-0.02	65.46	84.65	84.63	297.37	
Purvis Well	9/8/2010 16:45:00	65.52	33.10	-0.02	65.53	84.58	84.56	297.44	
Purvis Well	9/8/2010 17:00:00	65.58	33.10	-0.02	65.59	84.52	84.50	297.50	
Purvis Well	9/8/2010 17:15:00	65.62	33.09	-0.02	65.64	84.47	84.45	297.55	
Purvis Well	9/8/2010 17:30:00	65.66	33.09	-0.02	65.68	84.43	84.41	297.59	
Purvis Well	9/8/2010 17:45:00	65.70	33.10	-0.02	65.71	84.40	84.38	297.62	
Purvis Well	9/8/2010 18:00:00	62.20	33.10	-0.02	62.22	87.89	87.87	294.13	
Purvis Well	9/8/2010 18:15:00	64.82	33.10	-0.02	64.84	85.28	85.26	296.74	
Purvis Well	9/8/2010 18:30:00	65.33	33.10	-0.02	65.34	84.77	84.75	297.25	
Purvis Well	9/8/2010 18:45:00	65.52	33.10	-0.02	65.53	84.57	84.56	297.44	
Purvis Well	9/8/2010 19:00:00	65.63	33.10	-0.02	65.64	84.46	84.45	297.55	
Purvis Well	9/8/2010 19:15:00	65.70	33.10	-0.02	65.72	84.39	84.38	297.62	
Purvis Well	9/8/2010 19:30:00	65.76	33.10	-0.02	65.77	84.33	84.32	297.68	
Purvis Well	9/8/2010 19:45:00	58.58	33.10	-0.01	58.60	91.51	91.50	290.50	
Purvis Well	9/8/2010 20:00:00	64.54	33.10	-0.01	64.55	85.55	85.54	296.46	
Purvis Well	9/8/2010 20:15:00	65.31	33.11	-0.01	65.32	84.78	84.77	297.23	
Purvis Well	9/8/2010 20:30:00	65.58	33.11	-0.01	65.58	84.52	84.51	297.49	
Purvis Well	9/8/2010 20:45:00	58.11	33.11	-0.01	58.12	91.99	91.98	290.02	
Purvis Well	9/8/2010 21:00:00	58.69	33.11	-0.01	58.69	91.41	91.40	290.60	
Purvis Well	9/8/2010 21:15:00	55.19	33.11	-0.01	55.20	94.90	94.90	287.10	
Purvis Well	9/8/2010 21:30:00	52.09	33.11	-0.01	52.10	98.00	98.00	284.00	
Purvis Well	9/8/2010 21:45:00	55.55	33.11	-0.01	55.56	94.54	94.54	287.46	
Purvis Well	9/8/2010 22:00:00	51.08	33.11	0.00	51.09	99.01	99.01	282.99	
Purvis Well	9/8/2010 22:15:00	51.41	33.12	0.00	51.41	98.68	98.68	283.32	
Purvis Well	9/8/2010 22:30:00	52.80	33.12	0.00	52.80	97.29	97.29	284.71	
Purvis Well	9/8/2010 22:45:00	53.86	33.12	0.00	53.86	96.23	96.23	285.77	
Purvis Well	9/8/2010 23:00:00	52.63	33.12	0.00	52.63	97.46	97.47	284.53	
Purvis Well	9/8/2010 23:15:00	51.39	33.12	0.00	51.38	98.71	98.71	283.29	
Purvis Well	9/8/2010 23:30:00	49.40	33.12	0.01	49.40	100.69	100.70	281.30	
Purvis Well	9/8/2010 23:45:00	47.68	33.13	0.01	47.67	102.42	102.42	279.58	
Purvis Well	9/9/2010 0:00:00	56.46	33.13	0.01	56.45	93.64	93.64	288.36	
Purvis Well	9/9/2010 0:15:00	60.34	33.13	0.01	60.33	89.75	89.76	292.24	
Purvis Well	9/9/2010 0:30:00	61.81	33.13	0.01	61.79	88.29	88.30	293.70	
Purvis Well	9/9/2010 0:45:00	62.63	33.13	0.02	62.62	87.47	87.48	294.52	
Purvis Well	9/9/2010 1:00:00	63.19	33.13	0.02	63.17	86.91	86.92	295.08	
Purvis Well	9/9/2010 1:15:00	63.60	33.14	0.02	63.58	86.50	86.51	295.49	
Purvis Well	9/9/2010 1:30:00	63.92	33.14	0.02	63.90	86.18	86.19	295.81	
Purvis Well	9/9/2010 1:45:00	64.18	33.14	0.02	64.16	85.92	85.93	296.07	
Purvis Well	9/9/2010 2:00:00	64.39	33.14	0.02	64.37	85.70	85.72	296.28	
Purvis Well	9/9/2010 2:15:00	64.58	33.14	0.03	64.56	85.52	85.54	296.46	
Purvis Well	9/9/2010 2:30:00	64.73	33.15	0.03	64.71	85.36	85.38	296.62	
Purvis Well	9/9/2010 2:45:00	64.87	33.15	0.03	64.84	85.23	85.25	296.75	
Purvis Well	9/9/2010 3:00:00	63.45	33.15	0.03	63.42	86.64	86.67	295.33	
Purvis Well	9/9/2010 3:15:00	64.49	33.15	0.03	64.46	85.60	85.63	296.37	
Purvis Well	9/9/2010 3:30:00	64.83	33.15	0.04	64.81	85.26	85.29	296.71	
Purvis Well	9/9/2010 3:45:00	65.02	33.16	0.04	64.99	85.07	85.10	296.90	
Purvis Well	9/9/2010 4:00:00	65.15	33.16	0.04	65.12	84.94	84.98	297.02	
Purvis Well	9/9/2010 4:15:00	57.73	33.16	0.04	57.69	92.37	92.40	289.60	
Purvis Well	9/9/2010 4:30:00	64.01	33.16	0.05	63.97	86.09	86.12	295.88	
Purvis Well	9/9/2010 4:45:00	55.02	33.16	0.05	54.98	95.08	95.11	286.89	
Purvis Well	9/9/2010 5:00:00	53.22	33.17	0.05	53.18	96.88	96.91	285.09	
Purvis Well	9/9/2010 5:15:00	56.95	33.17	0.05	56.91	93.15	93.19	288.81	
Purvis Well	9/9/2010 5:30:00	52.63	33.17	0.05	52.58	97.47	97.51	284.49	
Purvis Well	9/9/2010 5:45:00	53.13	33.17	0.06	53.09	96.96	97.01	284.99	
Purvis Well	9/9/2010 6:00:00	55.70	33.18	0.06	55.65	94.40	94.44	287.56	
Purvis Well	9/9/2010 6:15:00	49.71	33.18	0.06	49.66	100.39	100.44	281.56	
Purvis Well	9/9/2010 6:30:00	45.23	33.19	0.07	45.17	104.87	104.92	277.08	
Purvis Well	9/9/2010 6:45:00	45.07	33.19	0.07	45.01	105.02	105.08	276.92	
Purvis Well	9/9/2010 7:00:00	45.96	33.19	0.08	45.90	104.14	104.20	277.80	
Purvis Well	9/9/2010 7:15:00	47.51	33.20	0.08	47.44	102.59	102.65	279.35	
Purvis Well	9/9/2010 7:30:00	50.14	33.20	0.08	50.07	99.96	100.02	281.98	
Purvis Well	9/9/2010 7:45:00	52.21	33.20	0.09	52.14	97.89	97.96	284.04	
Purvis Well	9/9/2010 8:00:00	56.59	33.21	0.09	56.52	93.51	93.58	288.42	
Purvis Well	9/9/2010 8:15:00	60.15	33.21	0.09	60.08	89.94	90.02	291.98	
Purvis Well	9/9/2010 8:30:00	61.57	33.22	0.10	61.49	88.53	88.60	293.40	
Purvis Well	9/9/2010 8:45:00	62.38	33.22	0.10	62.30	87.71	87.79	294.21	
Purvis Well	9/9/2010 9:00:00	62.94	33.22	0.11	62.86	87.15	87.23	294.77	
Purvis Well	9/9/2010 9:15:00	63.36	33.23	0.11	63.27	86.73	86.82	295.18	
Purvis Well	9/9/2010 9:30:00	63.70	33.23	0.11	63.61	86.40	86.49	295.51	
Purvis Well	9/9/2010 9:45:00	63.97	33.23	0.12	63.87	86.13	86.22	295.78	
Purvis Well	9/9/2010 10:00:00	64.20	33.24	0.12	64.10	85.90	85.99	296.01	
Purvis Well	9/9/2010 10:15:00	64.38	33.24	0.12	64.29	85.71	85.81	296.19	
Purvis Well	9/9/2010 10:30:00	64.55	33.24	0.12	64.45	85.54	85.64	296.36	
Purvis Well	9/9/2010 10:45:00	62.98	33.24	0.13	62.88	87.12	87.22	294.78	
Purvis Well	9/9/2010 11:00:00	64.18	33.25	0.13	64.08	85.91	86.01	295.99	
Purvis Well	9/9/2010 11:15:00	64.57	33.25	0.13	64.46	85.53	85.63	296.37	
Purvis Well	9/9/2010 11:30:00	64.78	33.25	0.13	64.67	85.32	85.42	296.58	
Purvis Well	9/9/2010 11:45:00	64.92	33.25	0.14	64.82	85.17	85.28	296.72	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/9/2010 12:00:00	65.04	33.26	0.14	64.93	85.05	85.16	296.84	
Purvis Well	9/9/2010 12:15:00	58.49	33.26	0.14	58.38	91.60	91.71	290.29	
Purvis Well	9/9/2010 12:30:00	64.01	33.26	0.14	63.90	86.08	86.19	295.81	
Purvis Well	9/9/2010 12:45:00	64.76	33.26	0.15	64.65	85.33	85.45	296.55	
Purvis Well	9/9/2010 13:00:00	65.05	33.27	0.15	64.93	85.05	85.17	296.83	
Purvis Well	9/9/2010 13:15:00	65.21	33.27	0.15	65.09	84.88	85.00	297.00	
Purvis Well	9/9/2010 13:30:00	65.33	33.27	0.15	65.21	84.76	84.88	297.12	
Purvis Well	9/9/2010 13:45:00	65.44	33.27	0.16	65.31	84.66	84.78	297.22	
Purvis Well	9/9/2010 14:00:00	63.95	33.28	0.16	63.83	86.15	86.27	295.73	
Purvis Well	9/9/2010 14:15:00	64.99	33.28	0.16	64.87	85.10	85.22	296.78	
Purvis Well	9/9/2010 14:30:00	65.32	33.28	0.16	65.20	84.77	84.90	297.10	
Purvis Well	9/9/2010 14:45:00	65.49	33.28	0.16	65.37	84.60	84.73	297.27	
Purvis Well	9/9/2010 15:00:00	65.61	33.28	0.16	65.48	84.49	84.62	297.38	
Purvis Well	9/9/2010 15:15:00	65.70	33.28	0.17	65.57	84.39	84.52	297.48	
Purvis Well	9/9/2010 15:30:00	65.79	33.29	0.17	65.65	84.31	84.44	297.56	
Purvis Well	9/9/2010 15:45:00	65.86	33.29	0.17	65.73	84.23	84.37	297.63	
Purvis Well	9/9/2010 16:00:00	65.93	33.29	0.17	65.80	84.16	84.29	297.71	
Purvis Well	9/9/2010 16:15:00	66.00	33.29	0.17	65.87	84.09	84.23	297.77	
Purvis Well	9/9/2010 16:30:00	66.07	33.29	0.17	65.93	84.03	84.16	297.84	
Purvis Well	9/9/2010 16:45:00	66.13	33.29	0.18	65.99	83.97	84.11	297.89	
Purvis Well	9/9/2010 17:00:00	62.17	33.29	0.18	62.03	87.93	88.07	293.93	
Purvis Well	9/9/2010 17:15:00	65.24	33.30	0.18	65.10	84.86	85.00	297.00	
Purvis Well	9/9/2010 17:30:00	65.81	33.30	0.18	65.67	84.28	84.42	297.58	
Purvis Well	9/9/2010 17:45:00	64.03	33.30	0.18	63.89	86.06	86.21	295.79	
Purvis Well	9/9/2010 18:00:00	62.10	33.30	0.19	61.96	87.99	88.14	293.86	
Purvis Well	9/9/2010 18:15:00	64.88	33.31	0.19	64.73	85.21	85.36	296.64	
Purvis Well	9/9/2010 18:30:00	65.57	33.31	0.19	65.42	84.53	84.68	297.32	
Purvis Well	9/9/2010 18:45:00	65.88	33.31	0.19	65.73	84.22	84.37	297.63	
Purvis Well	9/9/2010 19:00:00	66.07	33.32	0.20	65.92	84.02	84.17	297.83	
Purvis Well	9/9/2010 19:15:00	62.95	33.32	0.20	62.79	87.15	87.30	294.70	
Purvis Well	9/9/2010 19:30:00	65.38	33.32	0.20	65.22	84.72	84.88	297.12	
Purvis Well	9/9/2010 19:45:00	65.94	33.32	0.21	65.78	84.16	84.32	297.68	
Purvis Well	9/9/2010 20:00:00	66.19	33.33	0.21	66.03	83.90	84.07	297.93	
Purvis Well	9/9/2010 20:15:00	66.35	33.33	0.21	66.18	83.75	83.91	298.09	
Purvis Well	9/9/2010 20:30:00	66.47	33.33	0.22	66.30	83.63	83.79	298.21	
Purvis Well	9/9/2010 20:45:00	56.44	33.34	0.22	56.27	93.65	93.82	288.18	
Purvis Well	9/9/2010 21:00:00	57.86	33.34	0.22	57.69	92.24	92.41	289.59	
Purvis Well	9/9/2010 21:15:00	58.30	33.34	0.22	58.12	91.79	91.97	290.03	
Purvis Well	9/9/2010 21:30:00	56.03	33.35	0.23	55.85	94.06	94.24	287.76	
Purvis Well	9/9/2010 21:45:00	49.39	33.35	0.23	49.21	100.71	100.89	281.11	
Purvis Well	9/9/2010 22:00:00	57.76	33.35	0.23	57.58	92.33	92.51	289.49	
Purvis Well	9/9/2010 22:15:00	54.41	33.35	0.24	54.22	95.69	95.87	286.13	
Purvis Well	9/9/2010 22:30:00	50.27	33.36	0.24	50.09	99.82	100.01	281.99	
Purvis Well	9/9/2010 22:45:00	48.40	33.36	0.24	48.21	101.69	101.88	280.12	
Purvis Well	9/9/2010 23:00:00	45.84	33.36	0.24	45.65	104.26	104.45	277.55	
Purvis Well	9/9/2010 23:15:00	45.33	33.36	0.25	45.14	104.77	104.96	277.04	
Purvis Well	9/9/2010 23:30:00	46.15	33.37	0.25	45.95	103.95	104.14	277.86	
Purvis Well	9/9/2010 23:45:00	47.31	33.37	0.25	47.11	102.79	102.98	279.02	
Purvis Well	9/10/2010 0:00:00	58.74	33.37	0.25	58.54	91.36	91.56	290.44	
Purvis Well	9/10/2010 0:15:00	61.85	33.37	0.26	61.65	88.24	88.44	293.56	
Purvis Well	9/10/2010 0:30:00	63.15	33.38	0.26	62.95	86.94	87.15	294.85	
Purvis Well	9/10/2010 0:45:00	63.92	33.38	0.26	63.71	86.18	86.38	295.62	
Purvis Well	9/10/2010 1:00:00	64.45	33.38	0.26	64.25	85.64	85.85	296.15	
Purvis Well	9/10/2010 1:15:00	64.86	33.38	0.27	64.65	85.23	85.44	296.56	
Purvis Well	9/10/2010 1:30:00	63.52	33.39	0.27	63.31	86.57	86.78	295.22	
Purvis Well	9/10/2010 1:45:00	64.85	33.39	0.27	64.64	85.24	85.45	296.55	
Purvis Well	9/10/2010 2:00:00	65.35	33.39	0.27	65.13	84.75	84.96	297.04	
Purvis Well	9/10/2010 2:15:00	65.65	33.39	0.27	65.43	84.45	84.66	297.34	
Purvis Well	9/10/2010 2:30:00	65.88	33.39	0.27	65.66	84.22	84.43	297.57	
Purvis Well	9/10/2010 2:45:00	66.06	33.39	0.27	65.85	84.03	84.25	297.75	
Purvis Well	9/10/2010 3:00:00	66.23	33.39	0.28	66.01	83.87	84.08	297.92	
Purvis Well	9/10/2010 3:15:00	66.37	33.39	0.28	66.15	83.72	83.94	298.06	
Purvis Well	9/10/2010 3:30:00	66.50	33.40	0.28	66.28	83.60	83.81	298.19	
Purvis Well	9/10/2010 3:45:00	66.62	33.40	0.28	66.40	83.48	83.70	298.30	
Purvis Well	9/10/2010 4:00:00	66.72	33.40	0.28	66.50	83.38	83.60	298.40	
Purvis Well	9/10/2010 4:15:00	65.19	33.40	0.28	64.97	84.90	85.12	296.88	
Purvis Well	9/10/2010 4:30:00	58.44	33.40	0.28	58.22	91.65	91.87	290.13	
Purvis Well	9/10/2010 4:45:00	60.48	33.40	0.28	60.26	89.61	89.83	292.17	
Purvis Well	9/10/2010 5:00:00	56.57	33.40	0.29	56.35	93.53	93.75	288.25	
Purvis Well	9/10/2010 5:15:00	53.15	33.40	0.29	52.92	96.95	97.17	284.83	
Purvis Well	9/10/2010 5:30:00	58.69	33.41	0.29	58.46	91.41	91.63	290.37	
Purvis Well	9/10/2010 5:45:00	56.49	33.41	0.29	56.26	93.60	93.83	288.17	
Purvis Well	9/10/2010 6:00:00	50.76	33.41	0.29	50.53	99.34	99.57	282.43	
Purvis Well	9/10/2010 6:15:00	53.24	33.41	0.29	53.01	96.86	97.09	284.91	
Purvis Well	9/10/2010 6:30:00	53.91	33.41	0.30	53.68	96.18	96.41	285.59	
Purvis Well	9/10/2010 6:45:00	55.31	33.42	0.30	55.08	94.78	95.01	286.99	
Purvis Well	9/10/2010 7:00:00	54.37	33.42	0.30	54.14	95.72	95.96	286.04	
Purvis Well	9/10/2010 7:15:00	53.50	33.42	0.30	53.27	96.59	96.83	285.17	
Purvis Well	9/10/2010 7:30:00	52.60	33.42	0.31	52.36	97.50	97.74	284.26	
Purvis Well	9/10/2010 7:45:00	51.69	33.43	0.31	51.45	98.41	98.65	283.35	
Purvis Well	9/10/2010 8:00:00	57.98	33.43	0.31	57.74	92.11	92.35	289.65	
Purvis Well	9/10/2010 8:15:00	61.87	33.43	0.31	61.62	88.23	88.47	293.53	
Purvis Well	9/10/2010 8:30:00	63.35	33.43	0.32	63.10	86.75	87.00	295.00	
Purvis Well	9/10/2010 8:45:00	64.19	33.44	0.32	63.94	85.91	86.16	295.84	
Purvis Well	9/10/2010 9:00:00	64.76	33.44	0.32	64.51	85.34	85.59	296.41	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/10/2010 9:15:00	65.19	33.44	0.32	64.93	84.91	85.16	296.84	
Purvis Well	9/10/2010 9:30:00	65.53	33.44	0.33	65.27	84.57	84.82	297.18	
Purvis Well	9/10/2010 9:45:00	65.81	33.44	0.33	65.56	84.29	84.54	297.46	
Purvis Well	9/10/2010 10:00:00	58.62	33.44	0.33	58.37	91.48	91.73	290.27	
Purvis Well	9/10/2010 10:15:00	65.12	33.44	0.33	64.86	84.98	85.23	296.77	
Purvis Well	9/10/2010 10:30:00	65.92	33.44	0.33	65.67	84.17	84.43	297.57	
Purvis Well	9/10/2010 10:45:00	66.26	33.44	0.33	66.01	83.83	84.09	297.91	
Purvis Well	9/10/2010 11:00:00	66.48	33.44	0.33	66.23	83.61	83.87	298.13	
Purvis Well	9/10/2010 11:15:00	66.65	33.44	0.33	66.40	83.44	83.70	298.30	
Purvis Well	9/10/2010 11:30:00	66.79	33.44	0.33	66.54	83.30	83.56	298.44	
Purvis Well	9/10/2010 11:45:00	66.91	33.44	0.33	66.66	83.18	83.44	298.56	
Purvis Well	9/10/2010 12:00:00	67.01	33.44	0.33	66.76	83.08	83.33	298.67	
Purvis Well	9/10/2010 12:15:00	67.11	33.44	0.33	66.85	82.99	83.24	298.76	
Purvis Well	9/10/2010 12:30:00	65.19	33.44	0.33	64.93	84.91	85.16	296.84	
Purvis Well	9/10/2010 12:45:00	66.55	33.44	0.33	66.30	83.54	83.79	298.21	
Purvis Well	9/10/2010 13:00:00	66.94	33.44	0.33	66.68	83.16	83.41	298.59	
Purvis Well	9/10/2010 13:15:00	67.12	33.44	0.33	66.87	82.97	83.23	298.77	
Purvis Well	9/10/2010 13:30:00	67.25	33.44	0.33	67.00	82.84	83.10	298.90	
Purvis Well	9/10/2010 13:45:00	67.35	33.44	0.33	67.10	82.74	82.99	299.01	
Purvis Well	9/10/2010 14:00:00	67.43	33.44	0.32	67.18	82.66	82.92	299.08	
Purvis Well	9/10/2010 14:15:00	61.63	33.44	0.32	61.38	88.47	88.72	293.28	
Purvis Well	9/10/2010 14:30:00	66.45	33.44	0.32	66.20	83.64	83.89	298.11	
Purvis Well	9/10/2010 14:45:00	67.12	33.44	0.32	66.87	82.97	83.22	298.78	
Purvis Well	9/10/2010 15:00:00	67.37	33.44	0.32	67.12	82.73	82.98	299.02	
Purvis Well	9/10/2010 15:15:00	67.50	33.44	0.32	67.25	82.59	82.84	299.16	
Purvis Well	9/10/2010 15:30:00	67.60	33.44	0.32	67.35	82.50	82.74	299.26	
Purvis Well	9/10/2010 15:45:00	67.67	33.44	0.32	67.43	82.42	82.67	299.33	
Purvis Well	9/10/2010 16:00:00	61.21	33.43	0.32	60.96	88.89	89.13	292.87	
Purvis Well	9/10/2010 16:15:00	66.60	33.43	0.32	66.35	83.49	83.74	298.26	
Purvis Well	9/10/2010 16:30:00	67.30	33.43	0.32	67.06	82.79	83.04	298.96	
Purvis Well	9/10/2010 16:45:00	67.55	33.43	0.31	67.30	82.55	82.79	299.21	
Purvis Well	9/10/2010 17:00:00	67.68	33.43	0.31	67.44	82.41	82.66	299.34	
Purvis Well	9/10/2010 17:15:00	67.77	33.43	0.31	67.53	82.32	82.57	299.43	
Purvis Well	9/10/2010 17:30:00	66.07	33.43	0.31	65.83	84.02	84.27	297.73	
Purvis Well	9/10/2010 17:45:00	67.27	33.43	0.31	67.03	82.82	83.07	298.93	
Purvis Well	9/10/2010 18:00:00	67.60	33.43	0.31	67.35	82.50	82.74	299.26	
Purvis Well	9/10/2010 18:15:00	67.75	33.43	0.31	67.50	82.35	82.59	299.41	
Purvis Well	9/10/2010 18:30:00	65.57	33.43	0.31	65.33	84.52	84.77	297.23	
Purvis Well	9/10/2010 18:45:00	67.15	33.43	0.32	66.91	82.94	83.19	298.81	
Purvis Well	9/10/2010 19:00:00	67.56	33.43	0.32	67.31	82.54	82.78	299.22	
Purvis Well	9/10/2010 19:15:00	67.75	33.43	0.32	67.50	82.35	82.59	299.41	
Purvis Well	9/10/2010 19:30:00	67.86	33.44	0.32	67.61	82.23	82.48	299.52	
Purvis Well	9/10/2010 19:45:00	65.64	33.44	0.32	65.39	84.45	84.70	297.30	
Purvis Well	9/10/2010 20:00:00	67.30	33.44	0.32	67.05	82.80	83.05	298.95	
Purvis Well	9/10/2010 20:15:00	67.69	33.44	0.32	67.44	82.41	82.65	299.35	
Purvis Well	9/10/2010 20:30:00	65.71	33.44	0.32	65.46	84.39	84.64	297.36	
Purvis Well	9/10/2010 20:45:00	63.60	33.44	0.32	63.35	86.49	86.74	295.26	
Purvis Well	9/10/2010 21:00:00	59.46	33.44	0.32	59.21	90.64	90.89	291.11	
Purvis Well	9/10/2010 21:15:00	52.17	33.44	0.32	51.92	97.92	98.18	283.82	
Purvis Well	9/10/2010 21:30:00	56.81	33.44	0.32	56.56	93.28	93.53	288.47	
Purvis Well	9/10/2010 21:45:00	58.51	33.44	0.32	58.26	91.58	91.84	290.16	
Purvis Well	9/10/2010 22:00:00	54.35	33.44	0.32	54.10	95.74	95.99	286.01	
Purvis Well	9/10/2010 22:15:00	50.91	33.44	0.33	50.65	99.19	99.44	282.56	
Purvis Well	9/10/2010 22:30:00	50.68	33.44	0.33	50.43	99.41	99.67	282.33	
Purvis Well	9/10/2010 22:45:00	50.56	33.44	0.33	50.31	99.53	99.78	282.22	
Purvis Well	9/10/2010 23:00:00	49.02	33.44	0.33	48.76	101.07	101.33	280.67	
Purvis Well	9/10/2010 23:15:00	51.32	33.45	0.33	51.06	98.77	99.03	282.97	
Purvis Well	9/10/2010 23:30:00	54.17	33.45	0.33	53.91	95.93	96.18	285.82	
Purvis Well	9/10/2010 23:45:00	54.52	33.45	0.33	54.26	95.58	95.83	286.17	
Purvis Well	9/11/2010 0:00:00	59.05	33.45	0.33	58.79	91.04	91.30	290.70	
Purvis Well	9/11/2010 0:15:00	62.65	33.45	0.33	62.39	87.45	87.70	294.30	
Purvis Well	9/11/2010 0:30:00	64.06	33.45	0.33	63.80	86.04	86.29	295.71	
Purvis Well	9/11/2010 0:45:00	64.86	33.45	0.33	64.60	85.23	85.49	296.51	
Purvis Well	9/11/2010 1:00:00	65.41	33.45	0.33	65.15	84.69	84.95	297.05	
Purvis Well	9/11/2010 1:15:00	65.81	33.45	0.33	65.55	84.28	84.54	297.46	
Purvis Well	9/11/2010 1:30:00	66.13	33.45	0.33	65.87	83.96	84.22	297.78	
Purvis Well	9/11/2010 1:45:00	64.85	33.45	0.33	64.58	85.25	85.51	296.49	
Purvis Well	9/11/2010 2:00:00	66.03	33.45	0.34	65.77	84.07	84.33	297.67	
Purvis Well	9/11/2010 2:15:00	66.46	33.46	0.34	66.20	83.63	83.90	298.10	
Purvis Well	9/11/2010 2:30:00	66.72	33.46	0.34	66.45	83.38	83.64	298.36	
Purvis Well	9/11/2010 2:45:00	66.92	33.46	0.34	66.65	83.18	83.44	298.56	
Purvis Well	9/11/2010 3:00:00	67.07	33.46	0.34	66.80	83.02	83.29	298.71	
Purvis Well	9/11/2010 3:15:00	67.21	33.46	0.34	66.94	82.89	83.16	298.84	
Purvis Well	9/11/2010 3:30:00	67.32	33.46	0.35	67.05	82.77	83.04	298.96	
Purvis Well	9/11/2010 3:45:00	67.43	33.47	0.35	67.16	82.67	82.94	299.06	
Purvis Well	9/11/2010 4:00:00	67.52	33.47	0.35	67.24	82.58	82.85	299.15	
Purvis Well	9/11/2010 4:15:00	67.60	33.47	0.35	67.33	82.50	82.77	299.23	
Purvis Well	9/11/2010 4:30:00	64.98	33.47	0.35	64.70	85.12	85.39	296.61	
Purvis Well	9/11/2010 4:45:00	63.39	33.47	0.35	63.12	86.70	86.98	295.02	
Purvis Well	9/11/2010 5:00:00	59.16	33.47	0.36	58.88	90.93	91.21	290.79	
Purvis Well	9/11/2010 5:15:00	51.78	33.47	0.36	51.51	98.31	98.59	283.41	
Purvis Well	9/11/2010 5:30:00	60.46	33.48	0.36	60.18	89.64	89.92	292.08	
Purvis Well	9/11/2010 5:45:00	57.84	33.48	0.36	57.55	92.26	92.54	289.46	
Purvis Well	9/11/2010 6:00:00	52.50	33.48	0.36	52.21	97.60	97.88	284.12	
Purvis Well	9/11/2010 6:15:00	53.53	33.48	0.37	53.25	96.56	96.85	285.15	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/11/2010 6:30:00	53.03	33.49	0.37	52.74	97.06	97.35	284.65	
Purvis Well	9/11/2010 6:45:00	53.91	33.49	0.37	53.62	96.19	96.48	285.52	
Purvis Well	9/11/2010 7:00:00	53.34	33.49	0.37	53.04	96.76	97.05	284.95	
Purvis Well	9/11/2010 7:15:00	52.88	33.49	0.38	52.59	97.21	97.51	284.49	
Purvis Well	9/11/2010 7:30:00	52.32	33.50	0.38	52.02	97.78	98.07	283.93	
Purvis Well	9/11/2010 7:45:00	52.57	33.50	0.38	52.27	97.52	97.82	284.18	
Purvis Well	9/11/2010 8:00:00	58.26	33.50	0.38	57.96	91.83	92.13	289.87	
Purvis Well	9/11/2010 8:15:00	62.27	33.50	0.39	61.96	87.83	88.13	293.87	
Purvis Well	9/11/2010 8:30:00	63.81	33.51	0.39	63.50	86.29	86.59	295.41	
Purvis Well	9/11/2010 8:45:00	64.67	33.51	0.39	64.37	85.42	85.73	296.27	
Purvis Well	9/11/2010 9:00:00	65.26	33.51	0.39	64.95	84.84	85.14	296.86	
Purvis Well	9/11/2010 9:15:00	63.98	33.51	0.40	63.67	86.11	86.42	295.58	
Purvis Well	9/11/2010 9:30:00	65.43	33.52	0.40	65.12	84.67	84.98	297.02	
Purvis Well	9/11/2010 9:45:00	65.98	33.51	0.39	65.67	84.12	84.43	297.57	
Purvis Well	9/11/2010 10:00:00	66.32	33.51	0.39	66.01	83.77	84.08	297.92	
Purvis Well	9/11/2010 10:15:00	66.58	33.51	0.39	66.27	83.52	83.82	298.18	
Purvis Well	9/11/2010 10:30:00	65.24	33.50	0.38	64.94	84.85	85.15	296.85	
Purvis Well	9/11/2010 10:45:00	63.65	33.50	0.38	63.35	86.45	86.75	295.25	
Purvis Well	9/11/2010 11:00:00	65.95	33.50	0.38	65.66	84.14	84.44	297.56	
Purvis Well	9/11/2010 11:15:00	58.79	33.49	0.37	58.50	91.30	91.60	290.40	
Purvis Well	9/11/2010 11:30:00	61.77	33.49	0.37	61.48	88.32	88.61	293.39	
Purvis Well	9/11/2010 11:45:00	56.71	33.49	0.37	56.42	93.39	93.68	288.32	
Purvis Well	9/11/2010 12:00:00	60.79	33.48	0.36	60.50	89.31	89.59	292.41	
Purvis Well	9/11/2010 12:15:00	54.28	33.48	0.36	54.00	95.81	96.10	285.90	
Purvis Well	9/11/2010 12:30:00	59.81	33.48	0.36	59.53	90.29	90.57	291.43	
Purvis Well	9/11/2010 12:45:00	56.80	33.47	0.35	56.52	93.30	93.58	288.42	
Purvis Well	9/11/2010 13:00:00	57.94	33.47	0.35	57.66	92.16	92.43	289.57	
Purvis Well	9/11/2010 13:15:00	63.71	33.47	0.35	63.44	86.39	86.66	295.34	
Purvis Well	9/11/2010 13:30:00	65.14	33.46	0.34	64.87	84.96	85.22	296.78	
Purvis Well	9/11/2010 13:45:00	63.72	33.46	0.34	63.46	86.37	86.64	295.36	
Purvis Well	9/11/2010 14:00:00	65.47	33.45	0.34	65.21	84.62	84.88	297.12	
Purvis Well	9/11/2010 14:15:00	66.10	33.45	0.33	65.84	83.99	84.25	297.75	
Purvis Well	9/11/2010 14:30:00	66.47	33.44	0.33	66.21	83.63	83.88	298.12	
Purvis Well	9/11/2010 14:45:00	66.73	33.44	0.32	66.48	83.37	83.62	298.38	
Purvis Well	9/11/2010 15:00:00	65.40	33.44	0.32	65.15	84.70	84.95	297.05	
Purvis Well	9/11/2010 15:15:00	66.51	33.43	0.31	66.27	83.58	83.83	298.17	
Purvis Well	9/11/2010 15:30:00	66.89	33.43	0.31	66.65	83.20	83.44	298.56	
Purvis Well	9/11/2010 15:45:00	63.53	33.42	0.30	63.29	86.57	86.80	295.20	
Purvis Well	9/11/2010 16:00:00	66.37	33.42	0.30	66.14	83.72	83.96	298.04	
Purvis Well	9/11/2010 16:15:00	66.96	33.41	0.29	66.73	83.14	83.36	298.64	
Purvis Well	9/11/2010 16:30:00	67.23	33.41	0.29	67.00	82.87	83.10	298.90	
Purvis Well	9/11/2010 16:45:00	62.64	33.40	0.29	62.42	87.45	87.67	294.33	
Purvis Well	9/11/2010 17:00:00	63.40	33.40	0.28	63.18	86.69	86.91	295.09	
Purvis Well	9/11/2010 17:15:00	66.17	33.39	0.28	65.95	83.93	84.14	297.86	
Purvis Well	9/11/2010 17:30:00	66.88	33.39	0.27	66.67	83.21	83.43	298.57	
Purvis Well	9/11/2010 17:45:00	67.21	33.39	0.27	67.00	82.89	83.10	298.90	
Purvis Well	9/11/2010 18:00:00	65.09	33.39	0.27	64.88	85.01	85.22	296.78	
Purvis Well	9/11/2010 18:15:00	66.82	33.39	0.27	66.61	83.27	83.48	298.52	
Purvis Well	9/11/2010 18:30:00	67.28	33.39	0.27	67.07	82.82	83.03	298.97	
Purvis Well	9/11/2010 18:45:00	65.88	33.39	0.27	65.67	84.21	84.42	297.58	
Purvis Well	9/11/2010 19:00:00	67.03	33.39	0.27	66.82	83.06	83.27	298.73	
Purvis Well	9/11/2010 19:15:00	67.40	33.39	0.27	67.18	82.70	82.91	299.09	
Purvis Well	9/11/2010 19:30:00	67.59	33.39	0.27	67.37	82.51	82.72	299.28	
Purvis Well	9/11/2010 19:45:00	67.72	33.39	0.27	67.51	82.37	82.59	299.41	
Purvis Well	9/11/2010 20:00:00	67.82	33.39	0.27	67.61	82.27	82.49	299.51	
Purvis Well	9/11/2010 20:15:00	65.87	33.39	0.27	65.66	84.23	84.44	297.56	
Purvis Well	9/11/2010 20:30:00	67.29	33.39	0.27	67.07	82.81	83.02	298.98	
Purvis Well	9/11/2010 20:45:00	55.68	33.39	0.27	55.47	94.42	94.63	287.37	
Purvis Well	9/11/2010 21:00:00	52.00	33.39	0.27	51.78	98.10	98.31	283.69	
Purvis Well	9/11/2010 21:15:00	60.43	33.39	0.27	60.22	89.66	89.88	292.12	
Purvis Well	9/11/2010 21:30:00	56.72	33.39	0.27	56.51	93.37	93.59	288.41	
Purvis Well	9/11/2010 21:45:00	51.26	33.39	0.27	51.04	98.84	99.05	282.95	
Purvis Well	9/11/2010 22:00:00	56.76	33.39	0.28	56.54	93.34	93.55	288.45	
Purvis Well	9/11/2010 22:15:00	57.60	33.40	0.28	57.39	92.49	92.71	289.29	
Purvis Well	9/11/2010 22:30:00	53.66	33.40	0.28	53.45	96.43	96.65	285.35	
Purvis Well	9/11/2010 22:45:00	55.57	33.40	0.28	55.35	94.53	94.75	287.25	
Purvis Well	9/11/2010 23:00:00	54.71	33.40	0.28	54.48	95.39	95.61	286.39	
Purvis Well	9/11/2010 23:15:00	53.91	33.40	0.28	53.68	96.19	96.41	285.59	
Purvis Well	9/11/2010 23:30:00	53.06	33.40	0.29	52.84	97.03	97.25	284.75	
Purvis Well	9/11/2010 23:45:00	52.15	33.41	0.29	51.92	97.95	98.17	283.83	
Purvis Well	9/12/2010 0:00:00	58.58	33.41	0.29	58.35	91.51	91.74	290.26	
Purvis Well	9/12/2010 0:15:00	62.50	33.41	0.29	62.27	87.60	87.83	294.17	
Purvis Well	9/12/2010 0:30:00	63.98	33.41	0.29	63.75	86.12	86.35	295.65	
Purvis Well	9/12/2010 0:45:00	64.80	33.41	0.29	64.57	85.29	85.52	296.48	
Purvis Well	9/12/2010 1:00:00	65.37	33.41	0.30	65.14	84.73	84.96	297.04	
Purvis Well	9/12/2010 1:15:00	65.79	33.41	0.30	65.56	84.31	84.54	297.46	
Purvis Well	9/12/2010 1:30:00	66.12	33.42	0.30	65.89	83.97	84.21	297.79	
Purvis Well	9/12/2010 1:45:00	66.39	33.42	0.30	66.16	83.70	83.94	298.06	
Purvis Well	9/12/2010 2:00:00	64.71	33.42	0.30	64.47	85.39	85.62	296.38	
Purvis Well	9/12/2010 2:15:00	66.14	33.42	0.30	65.91	83.95	84.19	297.81	
Purvis Well	9/12/2010 2:30:00	66.60	33.42	0.30	66.36	83.50	83.73	298.27	
Purvis Well	9/12/2010 2:45:00	66.85	33.42	0.30	66.62	83.24	83.48	298.52	
Purvis Well	9/12/2010 3:00:00	67.03	33.41	0.30	66.80	83.06	83.29	298.71	
Purvis Well	9/12/2010 3:15:00	67.18	33.41	0.30	66.95	82.91	83.14	298.86	
Purvis Well	9/12/2010 3:30:00	67.31	33.41	0.30	67.07	82.79	83.02	298.98	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/12/2010 3:45:00	67.42	33.41	0.30	67.18	82.68	82.91	299.09	
Purvis Well	9/12/2010 4:00:00	67.51	33.41	0.30	67.28	82.59	82.82	299.18	
Purvis Well	9/12/2010 4:15:00	67.60	33.41	0.30	67.36	82.50	82.73	299.27	
Purvis Well	9/12/2010 4:30:00	62.04	33.41	0.30	61.81	88.05	88.28	293.72	
Purvis Well	9/12/2010 4:45:00	63.03	33.41	0.30	62.80	87.06	87.29	294.71	
Purvis Well	9/12/2010 5:00:00	58.84	33.41	0.30	58.61	91.25	91.48	290.52	
Purvis Well	9/12/2010 5:15:00	52.06	33.41	0.30	51.83	98.04	98.27	283.73	
Purvis Well	9/12/2010 5:30:00	60.30	33.41	0.30	60.07	89.79	90.02	291.98	
Purvis Well	9/12/2010 5:45:00	57.62	33.41	0.30	57.39	92.48	92.71	289.29	
Purvis Well	9/12/2010 6:00:00	48.55	33.41	0.30	48.32	101.54	101.77	280.23	
Purvis Well	9/12/2010 6:15:00	48.60	33.41	0.30	48.37	101.50	101.73	280.27	
Purvis Well	9/12/2010 6:30:00	49.79	33.41	0.30	49.56	100.31	100.54	281.46	
Purvis Well	9/12/2010 6:45:00	50.98	33.41	0.30	50.75	99.11	99.34	282.66	
Purvis Well	9/12/2010 7:00:00	52.31	33.42	0.30	52.07	97.79	98.02	283.98	
Purvis Well	9/12/2010 7:15:00	54.26	33.42	0.30	54.03	95.83	96.07	285.93	
Purvis Well	9/12/2010 7:30:00	54.62	33.42	0.30	54.38	95.48	95.71	286.29	
Purvis Well	9/12/2010 7:45:00	53.99	33.42	0.30	53.75	96.11	96.34	285.66	
Purvis Well	9/12/2010 8:00:00	58.78	33.42	0.30	58.55	91.31	91.54	290.46	
Purvis Well	9/12/2010 8:15:00	62.49	33.42	0.30	62.26	87.60	87.84	294.16	
Purvis Well	9/12/2010 8:30:00	63.94	33.42	0.30	63.71	86.15	86.39	295.61	
Purvis Well	9/12/2010 8:45:00	64.76	33.42	0.30	64.53	85.33	85.56	296.44	
Purvis Well	9/12/2010 9:00:00	65.33	33.42	0.30	65.09	84.77	85.00	297.00	
Purvis Well	9/12/2010 9:15:00	64.07	33.42	0.30	63.84	86.02	86.26	295.74	
Purvis Well	9/12/2010 9:30:00	65.44	33.42	0.30	65.20	84.66	84.89	297.11	
Purvis Well	9/12/2010 9:45:00	65.98	33.42	0.30	65.75	84.11	84.35	297.65	
Purvis Well	9/12/2010 10:00:00	66.32	33.42	0.30	66.09	83.77	84.00	298.00	
Purvis Well	9/12/2010 10:15:00	66.58	33.41	0.30	66.35	83.52	83.75	298.25	
Purvis Well	9/12/2010 10:30:00	66.79	33.41	0.29	66.56	83.31	83.54	298.46	
Purvis Well	9/12/2010 10:45:00	66.96	33.41	0.29	66.73	83.14	83.36	298.64	
Purvis Well	9/12/2010 11:00:00	65.16	33.41	0.29	64.94	84.93	85.16	296.84	
Purvis Well	9/12/2010 11:15:00	65.95	33.41	0.29	65.73	84.14	84.37	297.63	
Purvis Well	9/12/2010 11:30:00	66.82	33.40	0.29	66.59	83.28	83.50	298.50	
Purvis Well	9/12/2010 11:45:00	67.12	33.40	0.28	66.90	82.97	83.19	298.81	
Purvis Well	9/12/2010 12:00:00	67.30	33.40	0.28	67.08	82.79	83.01	298.99	
Purvis Well	9/12/2010 12:15:00	67.44	33.40	0.28	67.22	82.66	82.88	299.12	
Purvis Well	9/12/2010 12:30:00	67.54	33.40	0.28	67.33	82.55	82.77	299.23	
Purvis Well	9/12/2010 12:45:00	67.63	33.39	0.28	67.42	82.46	82.68	299.32	
Purvis Well	9/12/2010 13:00:00	67.71	33.39	0.28	67.50	82.38	82.60	299.40	
Purvis Well	9/12/2010 13:15:00	67.78	33.39	0.27	67.57	82.31	82.53	299.47	
Purvis Well	9/12/2010 13:30:00	67.85	33.39	0.27	67.64	82.25	82.46	299.54	
Purvis Well	9/12/2010 13:45:00	66.04	33.39	0.27	65.83	84.06	84.27	297.73	
Purvis Well	9/12/2010 14:00:00	67.28	33.39	0.27	67.07	82.82	83.02	298.98	
Purvis Well	9/12/2010 14:15:00	67.62	33.38	0.27	67.41	82.48	82.68	299.32	
Purvis Well	9/12/2010 14:30:00	67.78	33.38	0.27	67.57	82.32	82.52	299.48	
Purvis Well	9/12/2010 14:45:00	67.88	33.38	0.26	67.67	82.22	82.42	299.58	
Purvis Well	9/12/2010 15:00:00	64.98	33.38	0.26	64.78	85.11	85.32	296.68	
Purvis Well	9/12/2010 15:15:00	67.19	33.38	0.26	66.99	82.91	83.11	298.89	
Purvis Well	9/12/2010 15:30:00	67.65	33.38	0.26	67.45	82.44	82.64	299.36	
Purvis Well	9/12/2010 15:45:00	67.84	33.38	0.26	67.64	82.26	82.46	299.54	
Purvis Well	9/12/2010 16:00:00	67.95	33.37	0.26	67.75	82.15	82.34	299.66	
Purvis Well	9/12/2010 16:15:00	68.03	33.37	0.25	67.83	82.06	82.26	299.74	
Purvis Well	9/12/2010 16:30:00	68.09	33.37	0.25	67.90	82.00	82.20	299.80	
Purvis Well	9/12/2010 16:45:00	68.15	33.37	0.25	67.95	81.95	82.14	299.86	
Purvis Well	9/12/2010 17:00:00	68.20	33.37	0.25	68.00	81.90	82.09	299.91	
Purvis Well	9/12/2010 17:15:00	64.43	33.37	0.25	64.24	85.66	85.86	296.14	
Purvis Well	9/12/2010 17:30:00	67.34	33.37	0.25	67.15	82.76	82.95	299.05	
Purvis Well	9/12/2010 17:45:00	67.85	33.37	0.25	67.65	82.25	82.44	299.56	
Purvis Well	9/12/2010 18:00:00	68.03	33.37	0.25	67.84	82.06	82.26	299.74	
Purvis Well	9/12/2010 18:15:00	68.14	33.37	0.25	67.94	81.96	82.15	299.85	
Purvis Well	9/12/2010 18:30:00	68.20	33.37	0.25	68.01	81.89	82.09	299.91	
Purvis Well	9/12/2010 18:45:00	68.26	33.37	0.25	68.06	81.84	82.03	299.97	
Purvis Well	9/12/2010 19:00:00	66.57	33.37	0.25	66.37	83.53	83.72	298.28	
Purvis Well	9/12/2010 19:15:00	67.66	33.37	0.25	67.46	82.43	82.63	299.37	
Purvis Well	9/12/2010 19:30:00	66.19	33.37	0.25	65.99	83.91	84.10	297.90	
Purvis Well	9/12/2010 19:45:00	67.41	33.37	0.25	67.21	82.68	82.88	299.12	
Purvis Well	9/12/2010 20:00:00	67.79	33.37	0.25	67.60	82.30	82.50	299.50	
Purvis Well	9/12/2010 20:15:00	58.33	33.37	0.25	58.13	91.77	91.97	290.03	
Purvis Well	9/12/2010 20:30:00	66.61	33.37	0.25	66.41	83.49	83.69	298.31	
Purvis Well	9/12/2010 20:45:00	64.09	33.37	0.26	63.89	86.01	86.21	295.79	
Purvis Well	9/12/2010 21:00:00	59.65	33.37	0.26	59.45	90.45	90.65	291.35	
Purvis Well	9/12/2010 21:15:00	55.09	33.37	0.26	54.89	95.01	95.21	286.79	
Purvis Well	9/12/2010 21:30:00	57.32	33.38	0.26	57.12	92.77	92.97	289.03	
Purvis Well	9/12/2010 21:45:00	58.62	33.38	0.26	58.41	91.48	91.68	290.32	
Purvis Well	9/12/2010 22:00:00	53.90	33.38	0.26	53.70	96.20	96.40	285.60	
Purvis Well	9/12/2010 22:15:00	49.06	33.38	0.26	48.86	101.03	101.23	280.77	
Purvis Well	9/12/2010 22:30:00	49.19	33.38	0.26	48.99	100.90	101.11	280.89	
Purvis Well	9/12/2010 22:45:00	50.26	33.38	0.26	50.05	99.84	100.04	281.96	
Purvis Well	9/12/2010 23:00:00	52.26	33.38	0.26	52.05	97.84	98.04	283.96	
Purvis Well	9/12/2010 23:15:00	55.60	33.38	0.27	55.39	94.49	94.70	287.30	
Purvis Well	9/12/2010 23:30:00	54.72	33.38	0.27	54.51	95.37	95.58	286.42	
Purvis Well	9/12/2010 23:45:00	53.68	33.39	0.27	53.47	96.41	96.62	285.38	
Purvis Well	9/13/2010 0:00:00	58.77	33.39	0.27	58.56	91.32	91.53	290.47	
Purvis Well	9/13/2010 0:15:00	62.67	33.39	0.27	62.46	87.43	87.64	294.36	
Purvis Well	9/13/2010 0:30:00	64.14	33.39	0.27	63.93	85.95	86.17	295.83	
Purvis Well	9/13/2010 0:45:00	64.96	33.39	0.27	64.75	85.14	85.35	296.65	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/13/2010 1:00:00	65.51	33.39	0.27	65.30	84.58	84.79	297.21	
Purvis Well	9/13/2010 1:15:00	65.92	33.39	0.28	65.71	84.17	84.39	297.61	
Purvis Well	9/13/2010 1:30:00	66.25	33.39	0.28	66.03	83.84	84.06	297.94	
Purvis Well	9/13/2010 1:45:00	66.51	33.40	0.28	66.29	83.59	83.80	298.20	
Purvis Well	9/13/2010 2:00:00	66.73	33.40	0.28	66.51	83.37	83.59	298.41	
Purvis Well	9/13/2010 2:15:00	61.19	33.40	0.28	60.97	88.91	89.12	292.88	
Purvis Well	9/13/2010 2:30:00	66.02	33.40	0.28	65.80	84.07	84.29	297.71	
Purvis Well	9/13/2010 2:45:00	66.73	33.40	0.28	66.50	83.37	83.59	298.41	
Purvis Well	9/13/2010 3:00:00	67.02	33.40	0.28	66.80	83.08	83.30	298.70	
Purvis Well	9/13/2010 3:15:00	67.20	33.40	0.28	66.98	82.89	83.12	298.88	
Purvis Well	9/13/2010 3:30:00	67.34	33.40	0.29	67.12	82.75	82.98	299.02	
Purvis Well	9/13/2010 3:45:00	67.46	33.40	0.29	67.23	82.64	82.86	299.14	
Purvis Well	9/13/2010 4:00:00	67.55	33.41	0.29	67.32	82.55	82.77	299.23	
Purvis Well	9/13/2010 4:15:00	64.82	33.41	0.29	64.59	85.28	85.50	296.50	
Purvis Well	9/13/2010 4:30:00	66.89	33.41	0.29	66.66	83.21	83.43	298.57	
Purvis Well	9/13/2010 4:45:00	58.21	33.41	0.29	57.99	91.88	92.11	289.89	
Purvis Well	9/13/2010 5:00:00	55.02	33.41	0.29	54.79	95.07	95.30	286.70	
Purvis Well	9/13/2010 5:15:00	59.24	33.41	0.29	59.01	90.86	91.09	290.91	
Purvis Well	9/13/2010 5:30:00	58.11	33.41	0.30	57.87	91.99	92.22	289.78	
Purvis Well	9/13/2010 5:45:00	54.62	33.41	0.30	54.39	95.48	95.71	286.29	
Purvis Well	9/13/2010 6:00:00	54.73	33.41	0.30	54.50	95.37	95.60	286.40	
Purvis Well	9/13/2010 6:15:00	58.40	33.41	0.30	58.17	91.69	91.92	290.08	
Purvis Well	9/13/2010 6:30:00	56.23	33.41	0.30	56.00	93.86	94.09	287.91	
Purvis Well	9/13/2010 6:45:00	54.96	33.41	0.30	54.73	95.14	95.37	286.63	
Purvis Well	9/13/2010 7:00:00	53.87	33.41	0.30	53.63	96.23	96.46	285.54	
Purvis Well	9/13/2010 7:15:00	52.82	33.42	0.30	52.59	97.27	97.51	284.49	
Purvis Well	9/13/2010 7:30:00	51.74	33.42	0.30	51.50	98.36	98.59	283.41	
Purvis Well	9/13/2010 7:45:00	50.53	33.42	0.30	50.30	99.56	99.79	282.21	
Purvis Well	9/13/2010 8:00:00	58.49	33.42	0.30	58.26	91.60	91.84	290.16	
Purvis Well	9/13/2010 8:15:00	62.43	33.42	0.30	62.20	87.67	87.90	294.10	
Purvis Well	9/13/2010 8:30:00	63.91	33.42	0.30	63.68	86.18	86.42	295.58	
Purvis Well	9/13/2010 8:45:00	64.74	33.42	0.30	64.50	85.36	85.59	296.41	
Purvis Well	9/13/2010 9:00:00	65.29	33.42	0.30	65.06	84.80	85.03	296.97	
Purvis Well	9/13/2010 9:15:00	65.72	33.42	0.30	65.49	84.38	84.61	297.39	
Purvis Well	9/13/2010 9:30:00	66.05	33.42	0.30	65.81	84.05	84.28	297.72	
Purvis Well	9/13/2010 9:45:00	66.32	33.41	0.30	66.08	83.78	84.01	297.99	
Purvis Well	9/13/2010 10:00:00	66.54	33.41	0.29	66.31	83.55	83.78	298.22	
Purvis Well	9/13/2010 10:15:00	66.73	33.41	0.29	66.51	83.36	83.59	298.41	
Purvis Well	9/13/2010 10:30:00	66.90	33.41	0.29	66.67	83.20	83.42	298.58	
Purvis Well	9/13/2010 10:45:00	62.85	33.40	0.29	62.63	87.24	87.46	294.54	
Purvis Well	9/13/2010 11:00:00	66.22	33.40	0.28	66.00	83.87	84.09	297.91	
Purvis Well	9/13/2010 11:15:00	66.83	33.40	0.28	66.61	83.26	83.48	298.52	
Purvis Well	9/13/2010 11:30:00	67.08	33.39	0.28	66.87	83.01	83.23	298.77	
Purvis Well	9/13/2010 11:45:00	67.25	33.39	0.27	67.04	82.85	83.06	298.94	
Purvis Well	9/13/2010 12:00:00	67.37	33.39	0.27	67.16	82.72	82.93	299.07	
Purvis Well	9/13/2010 12:15:00	67.47	33.38	0.27	67.26	82.63	82.84	299.16	
Purvis Well	9/13/2010 12:30:00	63.58	33.38	0.26	63.37	86.52	86.72	295.28	
Purvis Well	9/13/2010 12:45:00	66.66	33.38	0.26	66.45	83.44	83.64	298.36	
Purvis Well	9/13/2010 13:00:00	67.22	33.38	0.26	67.02	82.87	83.07	298.93	
Purvis Well	9/13/2010 13:15:00	67.45	33.37	0.25	67.25	82.65	82.85	299.15	
Purvis Well	9/13/2010 13:30:00	67.58	33.37	0.25	67.39	82.51	82.71	299.29	
Purvis Well	9/13/2010 13:45:00	67.68	33.37	0.25	67.48	82.42	82.61	299.39	
Purvis Well	9/13/2010 14:00:00	63.02	33.36	0.24	62.83	87.08	87.27	294.73	
Purvis Well	9/13/2010 14:15:00	66.82	33.36	0.24	66.63	83.28	83.46	298.54	
Purvis Well	9/13/2010 14:30:00	67.41	33.35	0.24	67.23	82.68	82.87	299.13	
Purvis Well	9/13/2010 14:45:00	67.62	33.35	0.23	67.44	82.47	82.65	299.35	
Purvis Well	9/13/2010 15:00:00	67.74	33.35	0.23	67.56	82.35	82.53	299.47	
Purvis Well	9/13/2010 15:15:00	67.83	33.34	0.22	67.65	82.27	82.44	299.56	
Purvis Well	9/13/2010 15:30:00	67.89	33.34	0.22	67.71	82.21	82.38	299.62	
Purvis Well	9/13/2010 15:45:00	67.94	33.33	0.22	67.77	82.15	82.32	299.68	
Purvis Well	9/13/2010 16:00:00	67.99	33.33	0.21	67.82	82.11	82.28	299.72	
Purvis Well	9/13/2010 16:15:00	68.02	33.33	0.21	67.86	82.07	82.23	299.77	
Purvis Well	9/13/2010 16:30:00	62.59	33.32	0.21	62.43	87.50	87.66	294.34	
Purvis Well	9/13/2010 16:45:00	66.85	33.32	0.20	66.69	83.24	83.40	298.60	
Purvis Well	9/13/2010 17:00:00	67.60	33.32	0.20	67.44	82.50	82.65	299.35	
Purvis Well	9/13/2010 17:15:00	67.83	33.31	0.19	67.68	82.27	82.42	299.58	
Purvis Well	9/13/2010 17:30:00	66.41	33.31	0.19	66.26	83.68	83.83	298.17	
Purvis Well	9/13/2010 17:45:00	67.42	33.31	0.19	67.27	82.68	82.83	299.17	
Purvis Well	9/13/2010 18:00:00	67.72	33.31	0.19	67.57	82.38	82.53	299.47	
Purvis Well	9/13/2010 18:15:00	67.87	33.31	0.19	67.72	82.23	82.38	299.62	
Purvis Well	9/13/2010 18:30:00	67.96	33.31	0.20	67.81	82.13	82.29	299.71	
Purvis Well	9/13/2010 18:45:00	64.31	33.31	0.20	64.16	85.78	85.94	296.06	
Purvis Well	9/13/2010 19:00:00	67.15	33.32	0.20	67.00	82.94	83.09	298.91	
Purvis Well	9/13/2010 19:15:00	67.68	33.32	0.20	67.52	82.42	82.57	299.43	
Purvis Well	9/13/2010 19:30:00	67.88	33.32	0.20	67.72	82.22	82.37	299.63	
Purvis Well	9/13/2010 19:45:00	67.99	33.32	0.20	67.83	82.11	82.27	299.73	
Purvis Well	9/13/2010 20:00:00	64.95	33.32	0.20	64.79	85.14	85.30	296.70	
Purvis Well	9/13/2010 20:15:00	67.24	33.32	0.20	67.08	82.85	83.01	298.99	
Purvis Well	9/13/2010 20:30:00	67.72	33.32	0.20	67.56	82.37	82.53	299.47	
Purvis Well	9/13/2010 20:45:00	61.26	33.32	0.21	61.10	88.84	89.00	293.00	
Purvis Well	9/13/2010 21:00:00	60.67	33.32	0.21	60.51	89.42	89.58	292.42	
Purvis Well	9/13/2010 21:15:00	55.03	33.33	0.21	54.87	95.06	95.22	286.78	
Purvis Well	9/13/2010 21:30:00	60.87	33.33	0.21	60.71	89.23	89.39	292.61	
Purvis Well	9/13/2010 21:45:00	58.21	33.33	0.21	58.05	91.88	92.05	289.95	
Purvis Well	9/13/2010 22:00:00	54.11	33.33	0.21	53.95	95.98	96.15	285.85	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/13/2010 22:15:00	51.46	33.33	0.21	51.29	98.64	98.80	283.20	
Purvis Well	9/13/2010 22:30:00	54.10	33.33	0.21	53.94	95.99	96.16	285.84	
Purvis Well	9/13/2010 22:45:00	56.16	33.33	0.21	55.99	93.94	94.10	287.90	
Purvis Well	9/13/2010 23:00:00	55.03	33.33	0.21	54.86	95.07	95.23	286.77	
Purvis Well	9/13/2010 23:15:00	53.91	33.33	0.21	53.75	96.18	96.35	285.65	
Purvis Well	9/13/2010 23:30:00	52.73	33.33	0.21	52.56	97.37	97.53	284.47	
Purvis Well	9/13/2010 23:45:00	51.45	33.33	0.21	51.29	98.64	98.81	283.19	
Purvis Well	9/14/2010 0:00:00	58.46	33.33	0.21	58.30	91.63	91.80	290.20	
Purvis Well	9/14/2010 0:15:00	62.27	33.33	0.22	62.10	87.83	87.99	294.01	
Purvis Well	9/14/2010 0:30:00	63.67	33.33	0.22	63.50	86.42	86.59	295.41	
Purvis Well	9/14/2010 0:45:00	64.45	33.33	0.22	64.28	85.65	85.82	296.18	
Purvis Well	9/14/2010 1:00:00	64.96	33.33	0.22	64.79	85.14	85.30	296.70	
Purvis Well	9/14/2010 1:15:00	65.33	33.34	0.22	65.16	84.76	84.93	297.07	
Purvis Well	9/14/2010 1:30:00	65.62	33.34	0.22	65.45	84.47	84.64	297.36	
Purvis Well	9/14/2010 1:45:00	65.85	33.34	0.22	65.68	84.25	84.42	297.58	
Purvis Well	9/14/2010 2:00:00	66.04	33.34	0.22	65.86	84.06	84.23	297.77	
Purvis Well	9/14/2010 2:15:00	66.19	33.34	0.22	66.01	83.91	84.08	297.92	
Purvis Well	9/14/2010 2:30:00	66.31	33.34	0.22	66.13	83.79	83.96	298.04	
Purvis Well	9/14/2010 2:45:00	66.41	33.34	0.23	66.24	83.68	83.86	298.14	
Purvis Well	9/14/2010 3:00:00	65.07	33.34	0.23	64.89	85.02	85.20	296.80	
Purvis Well	9/14/2010 3:15:00	66.01	33.35	0.23	65.83	84.08	84.26	297.74	
Purvis Well	9/14/2010 3:30:00	66.30	33.35	0.23	66.12	83.79	83.97	298.03	
Purvis Well	9/14/2010 3:45:00	66.46	33.35	0.23	66.28	83.64	83.82	298.18	
Purvis Well	9/14/2010 4:00:00	66.56	33.35	0.23	66.38	83.54	83.72	298.28	
Purvis Well	9/14/2010 4:15:00	59.41	33.35	0.23	59.23	90.68	90.87	291.13	
Purvis Well	9/14/2010 4:30:00	65.39	33.35	0.24	65.21	84.70	84.89	297.11	
Purvis Well	9/14/2010 4:45:00	55.71	33.35	0.24	55.52	94.39	94.57	287.43	
Purvis Well	9/14/2010 5:00:00	59.60	33.36	0.24	59.41	90.50	90.68	291.32	
Purvis Well	9/14/2010 5:15:00	55.49	33.36	0.24	55.30	94.60	94.79	287.21	
Purvis Well	9/14/2010 5:30:00	49.68	33.36	0.24	49.49	100.42	100.61	281.39	
Purvis Well	9/14/2010 5:45:00	58.38	33.36	0.24	58.19	91.71	91.90	290.10	
Purvis Well	9/14/2010 6:00:00	55.70	33.36	0.24	55.50	94.40	94.59	287.41	
Purvis Well	9/14/2010 6:15:00	48.15	33.36	0.25	47.95	101.95	102.14	279.86	
Purvis Well	9/14/2010 6:30:00	47.36	33.36	0.25	47.16	102.74	102.93	279.07	
Purvis Well	9/14/2010 6:45:00	47.94	33.37	0.25	47.74	102.16	102.35	279.65	
Purvis Well	9/14/2010 7:00:00	49.16	33.37	0.25	48.97	100.93	101.13	280.87	
Purvis Well	9/14/2010 7:15:00	51.33	33.37	0.25	51.13	98.77	98.96	283.04	
Purvis Well	9/14/2010 7:30:00	53.85	33.37	0.25	53.65	96.24	96.44	285.56	
Purvis Well	9/14/2010 7:45:00	52.99	33.37	0.25	52.79	97.11	97.30	284.70	
Purvis Well	9/14/2010 8:00:00	57.62	33.37	0.26	57.42	92.47	92.67	289.33	
Purvis Well	9/14/2010 8:15:00	61.25	33.37	0.26	61.05	88.84	89.04	292.96	
Purvis Well	9/14/2010 8:30:00	62.66	33.38	0.26	62.46	87.44	87.64	294.36	
Purvis Well	9/14/2010 8:45:00	63.46	33.38	0.26	63.26	86.63	86.83	295.17	
Purvis Well	9/14/2010 9:00:00	64.01	33.38	0.26	63.80	86.09	86.29	295.71	
Purvis Well	9/14/2010 9:15:00	64.41	33.38	0.26	64.21	85.68	85.89	296.11	
Purvis Well	9/14/2010 9:30:00	64.73	33.38	0.26	64.52	85.37	85.57	296.43	
Purvis Well	9/14/2010 9:45:00	64.99	33.38	0.26	64.79	85.10	85.31	296.69	
Purvis Well	9/14/2010 10:00:00	62.43	33.38	0.26	62.22	87.67	87.87	294.13	
Purvis Well	9/14/2010 10:15:00	64.51	33.38	0.26	64.31	85.58	85.79	296.21	
Purvis Well	9/14/2010 10:30:00	65.07	33.38	0.26	64.87	85.03	85.23	296.77	
Purvis Well	9/14/2010 10:45:00	65.34	33.38	0.26	65.14	84.75	84.96	297.04	
Purvis Well	9/14/2010 11:00:00	65.52	33.38	0.26	65.32	84.57	84.77	297.23	
Purvis Well	9/14/2010 11:15:00	65.67	33.38	0.26	65.46	84.43	84.63	297.37	
Purvis Well	9/14/2010 11:30:00	65.78	33.37	0.26	65.58	84.32	84.52	297.48	
Purvis Well	9/14/2010 11:45:00	65.87	33.37	0.26	65.67	84.23	84.43	297.57	
Purvis Well	9/14/2010 12:00:00	65.94	33.37	0.26	65.74	84.15	84.35	297.65	
Purvis Well	9/14/2010 12:15:00	64.50	33.37	0.25	64.30	85.60	85.79	296.21	
Purvis Well	9/14/2010 12:30:00	65.48	33.37	0.25	65.28	84.62	84.81	297.19	
Purvis Well	9/14/2010 12:45:00	65.77	33.37	0.25	65.57	84.32	84.52	297.48	
Purvis Well	9/14/2010 13:00:00	65.91	33.37	0.25	65.72	84.18	84.38	297.62	
Purvis Well	9/14/2010 13:15:00	66.00	33.37	0.25	65.81	84.09	84.29	297.71	
Purvis Well	9/14/2010 13:30:00	66.07	33.37	0.25	65.87	84.02	84.22	297.78	
Purvis Well	9/14/2010 13:45:00	64.52	33.36	0.25	64.32	85.58	85.77	296.23	
Purvis Well	9/14/2010 14:00:00	65.56	33.36	0.24	65.37	84.53	84.72	297.28	
Purvis Well	9/14/2010 14:15:00	65.85	33.36	0.24	65.66	84.25	84.43	297.57	
Purvis Well	9/14/2010 14:30:00	65.98	33.35	0.23	65.80	84.11	84.30	297.70	
Purvis Well	9/14/2010 14:45:00	66.06	33.35	0.23	65.88	84.03	84.21	297.79	
Purvis Well	9/14/2010 15:00:00	61.38	33.34	0.23	61.20	88.72	88.90	293.10	
Purvis Well	9/14/2010 15:15:00	65.06	33.34	0.22	64.89	85.03	85.21	296.79	
Purvis Well	9/14/2010 15:30:00	65.68	33.34	0.22	65.51	84.41	84.58	297.42	
Purvis Well	9/14/2010 15:45:00	65.90	33.33	0.22	65.73	84.20	84.37	297.63	
Purvis Well	9/14/2010 16:00:00	66.01	33.33	0.21	65.84	84.09	84.25	297.75	
Purvis Well	9/14/2010 16:15:00	66.08	33.33	0.21	65.92	84.01	84.17	297.83	
Purvis Well	9/14/2010 16:30:00	66.14	33.32	0.20	65.98	83.96	84.12	297.88	
Purvis Well	9/14/2010 16:45:00	66.18	33.32	0.20	66.02	83.92	84.07	297.93	
Purvis Well	9/14/2010 17:00:00	64.72	33.31	0.20	64.56	85.38	85.53	296.47	
Purvis Well	9/14/2010 17:15:00	65.65	33.31	0.19	65.50	84.45	84.59	297.41	
Purvis Well	9/14/2010 17:30:00	63.42	33.31	0.19	63.27	86.68	86.83	295.17	
Purvis Well	9/14/2010 17:45:00	63.65	33.31	0.19	63.50	86.45	86.59	295.41	
Purvis Well	9/14/2010 18:00:00	65.04	33.30	0.19	64.89	85.06	85.20	296.80	
Purvis Well	9/14/2010 18:15:00	57.93	33.30	0.19	57.78	92.17	92.31	289.69	
Purvis Well	9/14/2010 18:30:00	58.61	33.30	0.18	58.46	91.49	91.63	290.37	
Purvis Well	9/14/2010 18:45:00	63.86	33.30	0.18	63.72	86.23	86.37	295.63	
Purvis Well	9/14/2010 19:00:00	61.15	33.30	0.18	61.01	88.94	89.08	292.92	
Purvis Well	9/14/2010 19:15:00	64.29	33.30	0.18	64.14	85.81	85.95	296.05	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/14/2010 19:30:00	65.03	33.30	0.18	64.89	85.06	85.20	296.80	
Purvis Well	9/14/2010 19:45:00	65.36	33.30	0.18	65.22	84.73	84.87	297.13	
Purvis Well	9/14/2010 20:00:00	65.56	33.30	0.18	65.42	84.53	84.67	297.33	
Purvis Well	9/14/2010 20:15:00	65.70	33.30	0.18	65.56	84.39	84.53	297.47	
Purvis Well	9/14/2010 20:30:00	59.95	33.29	0.18	59.82	90.14	90.28	291.72	
Purvis Well	9/14/2010 20:45:00	60.92	33.29	0.18	60.78	89.18	89.31	292.69	
Purvis Well	9/14/2010 21:00:00	56.01	33.29	0.17	55.87	94.09	94.22	287.78	
Purvis Well	9/14/2010 21:15:00	53.19	33.29	0.17	53.05	96.91	97.04	284.96	
Purvis Well	9/14/2010 21:30:00	57.45	33.29	0.17	57.31	92.65	92.78	289.22	
Purvis Well	9/14/2010 21:45:00	53.20	33.29	0.17	53.07	96.89	97.02	284.98	
Purvis Well	9/14/2010 22:00:00	54.35	33.29	0.17	54.21	95.75	95.88	286.12	
Purvis Well	9/14/2010 22:15:00	56.60	33.28	0.17	56.47	93.49	93.62	288.38	
Purvis Well	9/14/2010 22:30:00	54.19	33.28	0.17	54.06	95.91	96.04	285.96	
Purvis Well	9/14/2010 22:45:00	52.57	33.28	0.16	52.44	97.52	97.65	284.35	
Purvis Well	9/14/2010 23:00:00	51.03	33.28	0.16	50.90	99.07	99.19	282.81	
Purvis Well	9/14/2010 23:15:00	49.32	33.28	0.16	49.20	100.77	100.90	281.10	
Purvis Well	9/14/2010 23:30:00	43.07	33.28	0.16	42.95	107.02	107.14	274.86	
Purvis Well	9/14/2010 23:45:00	44.59	33.27	0.16	44.46	105.51	105.63	276.37	
Purvis Well	9/15/2010 0:00:00	57.97	33.27	0.16	57.85	92.12	92.24	289.76	
Purvis Well	9/15/2010 0:15:00	60.92	33.27	0.15	60.80	89.17	89.29	292.71	
Purvis Well	9/15/2010 0:30:00	62.18	33.27	0.15	62.06	87.91	88.03	293.97	
Purvis Well	9/15/2010 0:45:00	62.94	33.27	0.15	62.82	87.16	87.28	294.72	
Purvis Well	9/15/2010 1:00:00	61.52	33.27	0.15	61.41	88.57	88.69	293.31	
Purvis Well	9/15/2010 1:15:00	63.19	33.26	0.15	63.07	86.91	87.02	294.98	
Purvis Well	9/15/2010 1:30:00	63.79	33.26	0.15	63.68	86.31	86.42	295.58	
Purvis Well	9/15/2010 1:45:00	64.16	33.26	0.14	64.05	85.93	86.05	295.95	
Purvis Well	9/15/2010 2:00:00	64.44	33.26	0.14	64.32	85.66	85.77	296.23	
Purvis Well	9/15/2010 2:15:00	64.66	33.26	0.14	64.55	85.43	85.54	296.46	
Purvis Well	9/15/2010 2:30:00	64.85	33.26	0.14	64.73	85.25	85.36	296.64	
Purvis Well	9/15/2010 2:45:00	65.01	33.26	0.14	64.90	85.08	85.19	296.81	
Purvis Well	9/15/2010 3:00:00	65.14	33.26	0.14	65.03	84.95	85.06	296.94	
Purvis Well	9/15/2010 3:15:00	65.26	33.26	0.14	65.15	84.83	84.94	297.06	
Purvis Well	9/15/2010 3:30:00	65.38	33.26	0.14	65.27	84.72	84.83	297.17	
Purvis Well	9/15/2010 3:45:00	57.85	33.26	0.14	57.74	92.24	92.35	289.65	
Purvis Well	9/15/2010 4:00:00	64.44	33.26	0.14	64.33	85.65	85.76	296.24	
Purvis Well	9/15/2010 4:15:00	65.14	33.25	0.14	65.04	84.95	85.06	296.94	
Purvis Well	9/15/2010 4:30:00	65.41	33.25	0.14	65.30	84.69	84.79	297.21	
Purvis Well	9/15/2010 4:45:00	58.98	33.25	0.14	58.87	91.12	91.22	290.78	
Purvis Well	9/15/2010 5:00:00	58.53	33.25	0.13	58.42	91.57	91.67	290.33	
Purvis Well	9/15/2010 5:15:00	53.48	33.25	0.13	53.38	96.61	96.72	285.28	
Purvis Well	9/15/2010 5:30:00	55.72	33.25	0.13	55.61	94.38	94.48	287.52	
Purvis Well	9/15/2010 5:45:00	56.31	33.25	0.14	56.20	93.79	93.89	288.11	
Purvis Well	9/15/2010 6:00:00	50.95	33.25	0.14	50.85	99.14	99.25	282.75	
Purvis Well	9/15/2010 6:15:00	51.18	33.26	0.14	51.07	98.91	99.02	282.98	
Purvis Well	9/15/2010 6:30:00	52.12	33.26	0.14	52.01	97.97	98.08	283.92	
Purvis Well	9/15/2010 6:45:00	53.24	33.26	0.14	53.12	96.86	96.97	285.03	
Purvis Well	9/15/2010 7:00:00	50.93	33.26	0.14	50.82	99.16	99.27	282.73	
Purvis Well	9/15/2010 7:15:00	50.54	33.26	0.15	50.43	99.55	99.67	282.33	
Purvis Well	9/15/2010 7:30:00	50.39	33.27	0.15	50.27	99.71	99.82	282.18	
Purvis Well	9/15/2010 7:45:00	50.57	33.27	0.15	50.46	99.52	99.64	282.36	
Purvis Well	9/15/2010 8:00:00	56.20	33.27	0.15	56.08	93.89	94.01	287.99	
Purvis Well	9/15/2010 8:15:00	60.19	33.27	0.15	60.07	89.91	90.03	291.97	
Purvis Well	9/15/2010 8:30:00	61.73	33.27	0.15	61.61	88.36	88.48	293.52	
Purvis Well	9/15/2010 8:45:00	62.62	33.27	0.16	62.50	87.47	87.59	294.41	
Purvis Well	9/15/2010 9:00:00	63.23	33.28	0.16	63.11	86.86	86.99	295.01	
Purvis Well	9/15/2010 9:15:00	61.44	33.28	0.16	61.32	88.65	88.78	293.22	
Purvis Well	9/15/2010 9:30:00	63.33	33.28	0.16	63.21	86.76	86.89	295.11	
Purvis Well	9/15/2010 9:45:00	63.96	33.28	0.16	63.84	86.13	86.26	295.74	
Purvis Well	9/15/2010 10:00:00	64.33	33.28	0.16	64.21	85.77	85.89	296.11	
Purvis Well	9/15/2010 10:15:00	64.60	33.27	0.16	64.47	85.50	85.62	296.38	
Purvis Well	9/15/2010 10:30:00	64.82	33.27	0.15	64.70	85.28	85.39	296.61	
Purvis Well	9/15/2010 10:45:00	61.26	33.27	0.15	61.14	88.84	88.95	293.05	
Purvis Well	9/15/2010 11:00:00	52.92	33.27	0.15	52.80	97.18	97.30	284.70	
Purvis Well	9/15/2010 11:15:00	58.64	33.27	0.15	58.52	91.46	91.57	290.43	
Purvis Well	9/15/2010 11:30:00	55.80	33.26	0.15	55.69	94.29	94.40	287.60	
Purvis Well	9/15/2010 11:45:00	56.34	33.26	0.14	56.23	93.75	93.86	288.14	
Purvis Well	9/15/2010 12:00:00	59.11	33.26	0.14	59.00	90.98	91.09	290.91	
Purvis Well	9/15/2010 12:15:00	50.92	33.26	0.14	50.81	99.18	99.29	282.71	
Purvis Well	9/15/2010 12:30:00	56.88	33.26	0.14	56.77	93.21	93.32	288.68	
Purvis Well	9/15/2010 12:45:00	59.40	33.25	0.14	59.29	90.70	90.81	291.19	
Purvis Well	9/15/2010 13:00:00	56.36	33.25	0.13	56.26	93.73	93.84	288.16	
Purvis Well	9/15/2010 13:15:00	59.00	33.25	0.13	58.90	91.09	91.20	290.80	
Purvis Well	9/15/2010 13:30:00	60.43	33.25	0.13	60.33	89.67	89.77	292.23	
Purvis Well	9/15/2010 13:45:00	62.67	33.25	0.13	62.57	87.43	87.53	294.47	
Purvis Well	9/15/2010 14:00:00	63.56	33.24	0.12	63.47	86.53	86.63	295.37	
Purvis Well	9/15/2010 14:15:00	64.08	33.24	0.12	63.98	86.02	86.11	295.89	
Purvis Well	9/15/2010 14:30:00	64.45	33.24	0.12	64.35	85.65	85.74	296.26	
Purvis Well	9/15/2010 14:45:00	64.73	33.23	0.12	64.64	85.37	85.46	296.54	
Purvis Well	9/15/2010 15:00:00	64.96	33.23	0.11	64.87	85.14	85.22	296.78	
Purvis Well	9/15/2010 15:15:00	65.15	33.23	0.11	65.06	84.95	85.03	296.97	
Purvis Well	9/15/2010 15:30:00	65.31	33.23	0.11	65.23	84.78	84.87	297.13	
Purvis Well	9/15/2010 15:45:00	65.45	33.22	0.11	65.36	84.65	84.73	297.27	
Purvis Well	9/15/2010 16:00:00	60.99	33.22	0.10	60.91	89.10	89.18	292.82	
Purvis Well	9/15/2010 16:15:00	64.66	33.22	0.10	64.59	85.43	85.51	296.49	
Purvis Well	9/15/2010 16:30:00	65.29	33.21	0.10	65.22	84.80	84.88	297.12	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/15/2010 16:45:00	65.55	33.21	0.09	65.47	84.55	84.62	297.38	
Purvis Well	9/15/2010 17:00:00	65.70	33.21	0.09	65.63	84.40	84.47	297.53	
Purvis Well	9/15/2010 17:15:00	65.82	33.21	0.09	65.75	84.28	84.35	297.65	
Purvis Well	9/15/2010 17:30:00	64.01	33.20	0.09	63.94	86.09	86.15	295.85	
Purvis Well	9/15/2010 17:45:00	65.33	33.20	0.09	65.26	84.77	84.83	297.17	
Purvis Well	9/15/2010 18:00:00	65.69	33.20	0.09	65.63	84.40	84.47	297.53	
Purvis Well	9/15/2010 18:15:00	65.86	33.20	0.09	65.80	84.23	84.30	297.70	
Purvis Well	9/15/2010 18:30:00	65.99	33.20	0.09	65.92	84.11	84.17	297.83	
Purvis Well	9/15/2010 18:45:00	66.07	33.20	0.08	66.01	84.02	84.09	297.91	
Purvis Well	9/15/2010 19:00:00	66.15	33.20	0.08	66.08	83.95	84.01	297.99	
Purvis Well	9/15/2010 19:15:00	64.84	33.20	0.08	64.77	85.26	85.32	296.68	
Purvis Well	9/15/2010 19:30:00	65.71	33.20	0.08	65.64	84.39	84.45	297.55	
Purvis Well	9/15/2010 19:45:00	65.98	33.20	0.08	65.91	84.11	84.18	297.82	
Purvis Well	9/15/2010 20:00:00	66.13	33.20	0.08	66.06	83.97	84.03	297.97	
Purvis Well	9/15/2010 20:15:00	66.23	33.20	0.08	66.16	83.87	83.93	298.07	
Purvis Well	9/15/2010 20:30:00	66.30	33.20	0.08	66.24	83.79	83.86	298.14	
Purvis Well	9/15/2010 20:45:00	57.38	33.20	0.08	57.31	92.72	92.78	289.22	
Purvis Well	9/15/2010 21:00:00	50.78	33.20	0.08	50.71	99.32	99.38	282.62	
Purvis Well	9/15/2010 21:15:00	59.21	33.20	0.08	59.14	90.89	90.95	291.05	
Purvis Well	9/15/2010 21:30:00	55.73	33.20	0.08	55.67	94.36	94.43	287.57	
Purvis Well	9/15/2010 21:45:00	51.46	33.20	0.09	51.39	98.64	98.70	283.30	
Purvis Well	9/15/2010 22:00:00	57.39	33.21	0.09	57.32	92.70	92.77	289.23	
Purvis Well	9/15/2010 22:15:00	51.62	33.21	0.09	51.55	98.48	98.55	283.45	
Purvis Well	9/15/2010 22:30:00	46.65	33.21	0.09	46.57	103.45	103.52	278.48	
Purvis Well	9/15/2010 22:45:00	46.24	33.22	0.10	46.16	103.86	103.93	278.07	
Purvis Well	9/15/2010 23:00:00	47.74	33.22	0.10	47.66	102.35	102.43	279.57	
Purvis Well	9/15/2010 23:15:00	50.53	33.22	0.10	50.45	99.56	99.64	282.36	
Purvis Well	9/15/2010 23:30:00	53.42	33.22	0.11	53.34	96.68	96.76	285.24	
Purvis Well	9/15/2010 23:45:00	52.26	33.23	0.11	52.17	97.84	97.92	284.08	
Purvis Well	9/16/2010 0:00:00	57.14	33.23	0.11	57.06	92.95	93.04	288.96	
Purvis Well	9/16/2010 0:15:00	60.98	33.23	0.11	60.89	89.11	89.20	292.80	
Purvis Well	9/16/2010 0:30:00	62.43	33.23	0.12	62.34	87.67	87.76	294.24	
Purvis Well	9/16/2010 0:45:00	63.25	33.24	0.12	63.16	86.84	86.94	295.06	
Purvis Well	9/16/2010 1:00:00	63.81	33.24	0.12	63.72	86.28	86.38	295.62	
Purvis Well	9/16/2010 1:15:00	64.23	33.24	0.12	64.13	85.86	85.96	296.04	
Purvis Well	9/16/2010 1:30:00	64.56	33.24	0.13	64.46	85.54	85.64	296.36	
Purvis Well	9/16/2010 1:45:00	64.83	33.24	0.13	64.73	85.27	85.37	296.63	
Purvis Well	9/16/2010 2:00:00	65.05	33.25	0.13	64.95	85.04	85.14	296.86	
Purvis Well	9/16/2010 2:15:00	65.24	33.25	0.13	65.14	84.85	84.95	297.05	
Purvis Well	9/16/2010 2:30:00	65.40	33.25	0.13	65.30	84.69	84.79	297.21	
Purvis Well	9/16/2010 2:45:00	62.87	33.25	0.13	62.77	87.23	87.33	294.67	
Purvis Well	9/16/2010 3:00:00	64.87	33.25	0.13	64.77	85.22	85.32	296.68	
Purvis Well	9/16/2010 3:15:00	65.37	33.25	0.13	65.27	84.72	84.82	297.18	
Purvis Well	9/16/2010 3:30:00	65.60	33.25	0.13	65.50	84.49	84.59	297.41	
Purvis Well	9/16/2010 3:45:00	65.76	33.25	0.13	65.65	84.34	84.44	297.56	
Purvis Well	9/16/2010 4:00:00	65.88	33.25	0.13	65.78	84.22	84.32	297.68	
Purvis Well	9/16/2010 4:15:00	61.60	33.25	0.13	61.50	88.50	88.60	293.40	
Purvis Well	9/16/2010 4:30:00	65.02	33.25	0.13	64.92	85.07	85.18	296.82	
Purvis Well	9/16/2010 4:45:00	57.06	33.25	0.13	56.96	93.03	93.13	288.87	
Purvis Well	9/16/2010 5:00:00	53.96	33.25	0.13	53.85	96.14	96.24	285.76	
Purvis Well	9/16/2010 5:15:00	57.73	33.25	0.13	57.63	92.36	92.47	289.53	
Purvis Well	9/16/2010 5:30:00	55.14	33.25	0.13	55.03	94.96	95.06	286.94	
Purvis Well	9/16/2010 5:45:00	49.25	33.25	0.14	49.14	100.84	100.95	281.05	
Purvis Well	9/16/2010 6:00:00	57.35	33.25	0.14	57.24	92.75	92.85	289.15	
Purvis Well	9/16/2010 6:15:00	53.34	33.25	0.14	53.23	96.75	96.86	285.14	
Purvis Well	9/16/2010 6:30:00	49.81	33.26	0.14	49.70	100.28	100.39	281.61	
Purvis Well	9/16/2010 6:45:00	46.02	33.26	0.14	45.91	104.08	104.18	277.82	
Purvis Well	9/16/2010 7:00:00	45.41	33.26	0.14	45.30	104.69	104.79	277.21	
Purvis Well	9/16/2010 7:15:00	46.99	33.26	0.14	46.88	103.10	103.21	278.79	
Purvis Well	9/16/2010 7:30:00	49.68	33.26	0.14	49.57	100.42	100.52	281.48	
Purvis Well	9/16/2010 7:45:00	53.13	33.26	0.14	53.02	96.97	97.08	284.92	
Purvis Well	9/16/2010 8:00:00	57.43	33.26	0.14	57.32	92.66	92.77	289.23	
Purvis Well	9/16/2010 8:15:00	60.96	33.26	0.14	60.84	89.14	89.25	292.75	
Purvis Well	9/16/2010 8:30:00	62.34	33.26	0.14	62.23	87.76	87.87	294.13	
Purvis Well	9/16/2010 8:45:00	63.14	33.26	0.14	63.02	86.96	87.07	294.93	
Purvis Well	9/16/2010 9:00:00	63.70	33.26	0.15	63.59	86.40	86.51	295.49	
Purvis Well	9/16/2010 9:15:00	64.12	33.26	0.15	64.00	85.98	86.09	295.91	
Purvis Well	9/16/2010 9:30:00	64.45	33.27	0.15	64.34	85.64	85.76	296.24	
Purvis Well	9/16/2010 9:45:00	64.72	33.26	0.15	64.61	85.37	85.49	296.51	
Purvis Well	9/16/2010 10:00:00	64.95	33.26	0.15	64.84	85.14	85.26	296.74	
Purvis Well	9/16/2010 10:15:00	65.15	33.26	0.15	65.03	84.95	85.06	296.94	
Purvis Well	9/16/2010 10:30:00	65.31	33.26	0.14	65.20	84.78	84.89	297.11	
Purvis Well	9/16/2010 10:45:00	63.43	33.26	0.14	63.32	86.66	86.77	295.23	
Purvis Well	9/16/2010 11:00:00	64.90	33.26	0.14	64.78	85.20	85.31	296.69	
Purvis Well	9/16/2010 11:15:00	65.31	33.26	0.14	65.20	84.78	84.89	297.11	
Purvis Well	9/16/2010 11:30:00	65.54	33.26	0.14	65.43	84.56	84.67	297.33	
Purvis Well	9/16/2010 11:45:00	65.69	33.26	0.14	65.58	84.41	84.52	297.48	
Purvis Well	9/16/2010 12:00:00	65.81	33.26	0.14	65.70	84.29	84.39	297.61	
Purvis Well	9/16/2010 12:15:00	65.92	33.26	0.14	65.81	84.18	84.28	297.72	
Purvis Well	9/16/2010 12:30:00	66.00	33.26	0.14	65.90	84.09	84.20	297.80	
Purvis Well	9/16/2010 12:45:00	66.09	33.26	0.14	65.98	84.00	84.11	297.89	
Purvis Well	9/16/2010 13:00:00	61.59	33.25	0.14	61.49	88.50	88.61	293.39	
Purvis Well	9/16/2010 13:15:00	65.18	33.25	0.14	65.07	84.92	85.02	296.98	
Purvis Well	9/16/2010 13:30:00	65.78	33.25	0.14	65.67	84.32	84.42	297.58	
Purvis Well	9/16/2010 13:45:00	66.01	33.25	0.13	65.91	84.09	84.19	297.81	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/16/2010 14:00:00	66.14	33.25	0.13	66.04	83.95	84.05	297.95	
Purvis Well	9/16/2010 14:15:00	66.23	33.24	0.12	66.13	83.86	83.96	298.04	
Purvis Well	9/16/2010 14:30:00	66.30	33.24	0.12	66.21	83.79	83.88	298.12	
Purvis Well	9/16/2010 14:45:00	66.36	33.24	0.12	66.27	83.73	83.82	298.18	
Purvis Well	9/16/2010 15:00:00	60.47	33.23	0.11	60.38	89.63	89.72	292.28	
Purvis Well	9/16/2010 15:15:00	65.37	33.23	0.11	65.28	84.73	84.81	297.19	
Purvis Well	9/16/2010 15:30:00	66.00	33.22	0.11	65.91	84.10	84.18	297.82	
Purvis Well	9/16/2010 15:45:00	66.22	33.22	0.10	66.14	83.88	83.96	298.04	
Purvis Well	9/16/2010 16:00:00	66.34	33.22	0.10	66.26	83.76	83.84	298.16	
Purvis Well	9/16/2010 16:15:00	66.42	33.21	0.10	66.34	83.68	83.75	298.25	
Purvis Well	9/16/2010 16:30:00	66.48	33.21	0.09	66.41	83.61	83.69	298.31	
Purvis Well	9/16/2010 16:45:00	66.53	33.21	0.09	66.46	83.57	83.64	298.36	
Purvis Well	9/16/2010 17:00:00	66.57	33.20	0.09	66.50	83.53	83.59	298.41	
Purvis Well	9/16/2010 17:15:00	64.27	33.20	0.08	64.21	85.82	85.88	296.12	
Purvis Well	9/16/2010 17:30:00	65.82	33.20	0.08	65.76	84.27	84.33	297.67	
Purvis Well	9/16/2010 17:45:00	66.21	33.20	0.08	66.15	83.89	83.95	298.05	
Purvis Well	9/16/2010 18:00:00	66.37	33.20	0.08	66.31	83.72	83.79	298.21	
Purvis Well	9/16/2010 18:15:00	66.47	33.20	0.08	66.41	83.62	83.69	298.31	
Purvis Well	9/16/2010 18:30:00	66.55	33.20	0.08	66.48	83.55	83.61	298.39	
Purvis Well	9/16/2010 18:45:00	65.05	33.20	0.08	64.98	85.05	85.11	296.89	
Purvis Well	9/16/2010 19:00:00	66.05	33.20	0.08	65.98	84.05	84.11	297.89	
Purvis Well	9/16/2010 19:15:00	66.34	33.20	0.08	66.27	83.76	83.82	298.18	
Purvis Well	9/16/2010 19:30:00	66.48	33.20	0.09	66.41	83.62	83.68	298.32	
Purvis Well	9/16/2010 19:45:00	66.56	33.20	0.09	66.49	83.53	83.60	298.40	
Purvis Well	9/16/2010 20:00:00	66.62	33.20	0.09	66.56	83.47	83.54	298.46	
Purvis Well	9/16/2010 20:15:00	66.68	33.21	0.09	66.61	83.42	83.48	298.52	
Purvis Well	9/16/2010 20:30:00	66.07	33.21	0.09	66.00	84.03	84.10	297.90	
Purvis Well	9/16/2010 20:45:00	60.56	33.21	0.09	60.49	89.53	89.60	292.40	
Purvis Well	9/16/2010 21:00:00	53.55	33.21	0.09	53.48	96.54	96.61	285.39	
Purvis Well	9/16/2010 21:15:00	58.87	33.21	0.09	58.80	91.23	91.30	290.70	
Purvis Well	9/16/2010 21:30:00	56.09	33.21	0.09	56.02	94.00	94.07	287.93	
Purvis Well	9/16/2010 21:45:00	50.77	33.21	0.09	50.70	99.32	99.39	282.61	
Purvis Well	9/16/2010 22:00:00	57.68	33.21	0.09	57.61	92.41	92.49	289.51	
Purvis Well	9/16/2010 22:15:00	51.98	33.21	0.09	51.90	98.12	98.19	283.81	
Purvis Well	9/16/2010 22:30:00	47.04	33.21	0.09	46.96	103.06	103.13	278.87	
Purvis Well	9/16/2010 22:45:00	46.24	33.21	0.09	46.16	103.86	103.93	278.07	
Purvis Well	9/16/2010 23:00:00	47.80	33.21	0.09	47.73	102.29	102.36	279.64	
Purvis Well	9/16/2010 23:15:00	50.77	33.21	0.09	50.70	99.32	99.39	282.61	
Purvis Well	9/16/2010 23:30:00	53.34	33.21	0.09	53.27	96.75	96.82	285.18	
Purvis Well	9/16/2010 23:45:00	52.10	33.21	0.09	52.03	98.00	98.07	283.93	
Purvis Well	9/17/2010 0:00:00	57.01	33.21	0.09	56.94	93.08	93.15	288.85	
Purvis Well	9/17/2010 0:15:00	60.87	33.21	0.09	60.79	89.23	89.30	292.70	
Purvis Well	9/17/2010 0:30:00	62.32	33.21	0.09	62.25	87.77	87.84	294.16	
Purvis Well	9/17/2010 0:45:00	63.13	33.21	0.09	63.06	86.96	87.03	294.97	
Purvis Well	9/17/2010 1:00:00	63.67	33.21	0.09	63.60	86.42	86.49	295.51	
Purvis Well	9/17/2010 1:15:00	64.07	33.21	0.09	64.00	86.02	86.09	295.91	
Purvis Well	9/17/2010 1:30:00	64.38	33.21	0.09	64.31	85.72	85.79	296.21	
Purvis Well	9/17/2010 1:45:00	64.63	33.21	0.09	64.56	85.47	85.53	296.47	
Purvis Well	9/17/2010 2:00:00	64.83	33.20	0.09	64.76	85.27	85.34	296.66	
Purvis Well	9/17/2010 2:15:00	64.99	33.20	0.08	64.93	85.10	85.17	296.83	
Purvis Well	9/17/2010 2:30:00	58.59	33.20	0.08	58.52	91.51	91.57	290.43	
Purvis Well	9/17/2010 2:45:00	64.02	33.20	0.08	63.96	86.07	86.14	295.86	
Purvis Well	9/17/2010 3:00:00	64.84	33.20	0.08	64.78	85.26	85.32	296.68	
Purvis Well	9/17/2010 3:15:00	65.13	33.20	0.08	65.07	84.96	85.02	296.98	
Purvis Well	9/17/2010 3:30:00	65.30	33.19	0.08	65.24	84.80	84.86	297.14	
Purvis Well	9/17/2010 3:45:00	65.42	33.19	0.08	65.36	84.67	84.73	297.27	
Purvis Well	9/17/2010 4:00:00	65.52	33.19	0.07	65.46	84.58	84.63	297.37	
Purvis Well	9/17/2010 4:15:00	60.55	33.19	0.07	60.49	89.55	89.60	292.40	
Purvis Well	9/17/2010 4:30:00	64.56	33.19	0.07	64.50	85.54	85.59	296.41	
Purvis Well	9/17/2010 4:45:00	55.34	33.19	0.07	55.29	94.75	94.81	287.19	
Purvis Well	9/17/2010 5:00:00	56.76	33.19	0.07	56.71	93.34	93.39	288.61	
Purvis Well	9/17/2010 5:15:00	56.79	33.18	0.07	56.74	93.30	93.35	288.65	
Purvis Well	9/17/2010 5:30:00	48.59	33.18	0.06	48.54	101.50	101.55	280.45	
Purvis Well	9/17/2010 5:45:00	57.30	33.18	0.06	57.25	92.80	92.85	289.15	
Purvis Well	9/17/2010 6:00:00	54.17	33.18	0.06	54.13	95.92	95.97	286.03	
Purvis Well	9/17/2010 6:15:00	48.09	33.18	0.06	48.04	102.00	102.05	279.95	
Purvis Well	9/17/2010 6:30:00	48.52	33.18	0.06	48.47	101.58	101.62	280.38	
Purvis Well	9/17/2010 6:45:00	51.35	33.18	0.06	51.30	98.74	98.79	283.21	
Purvis Well	9/17/2010 7:00:00	53.11	33.18	0.06	53.06	96.98	97.03	284.97	
Purvis Well	9/17/2010 7:15:00	51.76	33.18	0.06	51.71	98.34	98.38	283.62	
Purvis Well	9/17/2010 7:30:00	50.28	33.18	0.06	50.23	99.82	99.86	282.14	
Purvis Well	9/17/2010 7:45:00	48.52	33.17	0.06	48.48	101.57	101.62	280.38	
Purvis Well	9/17/2010 8:00:00	56.20	33.17	0.06	56.15	93.90	93.94	288.06	
Purvis Well	9/17/2010 8:15:00	60.16	33.17	0.06	60.12	89.94	89.98	292.02	
Purvis Well	9/17/2010 8:30:00	61.65	33.17	0.05	61.61	88.44	88.48	293.52	
Purvis Well	9/17/2010 8:45:00	62.49	33.17	0.05	62.45	87.60	87.64	294.36	
Purvis Well	9/17/2010 9:00:00	63.06	33.17	0.05	63.02	87.03	87.07	294.93	
Purvis Well	9/17/2010 9:15:00	63.48	33.17	0.05	63.44	86.61	86.65	295.35	
Purvis Well	9/17/2010 9:30:00	63.81	33.17	0.05	63.77	86.28	86.32	295.68	
Purvis Well	9/17/2010 9:45:00	64.09	33.17	0.05	64.05	86.01	86.05	295.95	
Purvis Well	9/17/2010 10:00:00	64.31	33.16	0.05	64.27	85.79	85.82	296.18	
Purvis Well	9/17/2010 10:15:00	64.50	33.16	0.04	64.46	85.60	85.63	296.37	
Purvis Well	9/17/2010 10:30:00	64.66	33.16	0.04	64.62	85.44	85.47	296.53	
Purvis Well	9/17/2010 10:45:00	64.80	33.15	0.04	64.77	85.30	85.33	296.67	
Purvis Well	9/17/2010 11:00:00	62.88	33.15	0.03	62.85	87.22	87.24	294.76	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/17/2010 11:15:00	64.32	33.15	0.03	64.29	85.78	85.80	296.20	
Purvis Well	9/17/2010 11:30:00	64.72	33.15	0.03	64.70	85.37	85.40	296.60	
Purvis Well	9/17/2010 11:45:00	64.92	33.14	0.03	64.90	85.17	85.19	296.81	
Purvis Well	9/17/2010 12:00:00	65.05	33.14	0.02	65.03	85.04	85.06	296.94	
Purvis Well	9/17/2010 12:15:00	65.15	33.14	0.02	65.14	84.94	84.96	297.04	
Purvis Well	9/17/2010 12:30:00	65.24	33.14	0.02	65.22	84.86	84.87	297.13	
Purvis Well	9/17/2010 12:45:00	65.31	33.13	0.01	65.29	84.79	84.80	297.20	
Purvis Well	9/17/2010 13:00:00	65.37	33.13	0.01	65.36	84.73	84.74	297.26	
Purvis Well	9/17/2010 13:15:00	63.58	33.13	0.01	63.58	86.51	86.52	295.48	
Purvis Well	9/17/2010 13:30:00	64.80	33.12	0.01	64.79	85.30	85.30	296.70	
Purvis Well	9/17/2010 13:45:00	65.13	33.12	0.00	65.12	84.97	84.97	297.03	
Purvis Well	9/17/2010 14:00:00	65.28	33.12	0.00	65.27	84.82	84.82	297.18	
Purvis Well	9/17/2010 14:15:00	65.37	33.12	0.00	65.37	84.73	84.73	297.27	
Purvis Well	9/17/2010 14:30:00	65.44	33.12	0.00	65.43	84.66	84.66	297.34	
Purvis Well	9/17/2010 14:45:00	65.49	33.12	0.00	65.49	84.61	84.60	297.40	
Purvis Well	9/17/2010 15:00:00	65.53	33.12	0.00	65.53	84.56	84.56	297.44	
Purvis Well	9/17/2010 15:15:00	65.57	33.11	0.00	65.57	84.52	84.52	297.48	
Purvis Well	9/17/2010 15:30:00	65.61	33.11	0.00	65.61	84.49	84.48	297.52	
Purvis Well	9/17/2010 15:45:00	65.64	33.11	-0.01	65.64	84.46	84.45	297.55	
Purvis Well	9/17/2010 16:00:00	60.88	33.11	-0.01	60.88	89.22	89.21	292.79	
Purvis Well	9/17/2010 16:15:00	64.03	33.11	-0.01	64.04	86.06	86.06	295.94	
Purvis Well	9/17/2010 16:30:00	65.03	33.11	-0.01	65.03	85.07	85.06	296.94	
Purvis Well	9/17/2010 16:45:00	65.32	33.11	-0.01	65.33	84.77	84.76	297.24	
Purvis Well	9/17/2010 17:00:00	65.46	33.10	-0.01	65.47	84.64	84.63	297.37	
Purvis Well	9/17/2010 17:15:00	60.41	33.10	-0.01	60.42	89.69	89.67	292.33	
Purvis Well	9/17/2010 17:30:00	64.32	33.10	-0.02	64.33	85.78	85.76	296.24	
Purvis Well	9/17/2010 17:45:00	65.03	33.10	-0.01	65.04	85.06	85.05	296.95	
Purvis Well	9/17/2010 18:00:00	65.29	33.10	-0.01	65.30	84.80	84.79	297.21	
Purvis Well	9/17/2010 18:15:00	65.43	33.10	-0.01	65.44	84.67	84.66	297.34	
Purvis Well	9/17/2010 18:30:00	65.51	33.11	-0.01	65.52	84.58	84.57	297.43	
Purvis Well	9/17/2010 18:45:00	59.01	33.11	-0.01	59.02	91.09	91.08	290.92	
Purvis Well	9/17/2010 19:00:00	64.48	33.11	-0.01	64.49	85.61	85.60	296.40	
Purvis Well	9/17/2010 19:15:00	65.14	33.11	-0.01	65.15	84.95	84.94	297.06	
Purvis Well	9/17/2010 19:30:00	65.37	33.11	-0.01	65.38	84.73	84.72	297.28	
Purvis Well	9/17/2010 19:45:00	65.49	33.11	-0.01	65.49	84.61	84.60	297.40	
Purvis Well	9/17/2010 20:00:00	65.57	33.11	-0.01	65.58	84.52	84.52	297.48	
Purvis Well	9/17/2010 20:15:00	65.63	33.11	-0.01	65.64	84.46	84.46	297.54	
Purvis Well	9/17/2010 20:30:00	65.69	33.11	-0.01	65.69	84.41	84.40	297.60	
Purvis Well	9/17/2010 20:45:00	56.72	33.11	0.00	56.73	93.37	93.37	288.63	
Purvis Well	9/17/2010 21:00:00	54.90	33.11	0.00	54.90	95.20	95.20	286.80	
Purvis Well	9/17/2010 21:15:00	57.34	33.12	0.00	57.34	92.75	92.75	289.25	
Purvis Well	9/17/2010 21:30:00	51.29	33.12	0.00	51.29	98.81	98.80	283.20	
Purvis Well	9/17/2010 21:45:00	57.32	33.12	0.00	57.32	92.78	92.78	289.22	
Purvis Well	9/17/2010 22:00:00	54.47	33.12	0.00	54.47	95.63	95.63	286.37	
Purvis Well	9/17/2010 22:15:00	48.52	33.12	0.00	48.51	101.58	101.58	280.42	
Purvis Well	9/17/2010 22:30:00	49.78	33.12	0.01	49.77	100.32	100.32	281.68	
Purvis Well	9/17/2010 22:45:00	54.07	33.13	0.01	54.06	96.03	96.03	285.97	
Purvis Well	9/17/2010 23:00:00	52.57	33.13	0.01	52.56	97.53	97.53	284.47	
Purvis Well	9/17/2010 23:15:00	51.02	33.13	0.01	51.01	99.07	99.08	282.92	
Purvis Well	9/17/2010 23:30:00	48.76	33.13	0.01	48.74	101.34	101.35	280.65	
Purvis Well	9/17/2010 23:45:00	45.95	33.13	0.02	45.94	104.14	104.16	277.84	
Purvis Well	9/18/2010 0:00:00	56.08	33.14	0.02	56.07	94.01	94.03	287.97	
Purvis Well	9/18/2010 0:15:00	60.12	33.14	0.02	60.10	89.97	89.99	292.01	
Purvis Well	9/18/2010 0:30:00	61.62	33.14	0.02	61.60	88.47	88.49	293.51	
Purvis Well	9/18/2010 0:45:00	62.46	33.14	0.02	62.44	87.64	87.66	294.34	
Purvis Well	9/18/2010 1:00:00	63.02	33.14	0.03	63.00	87.07	87.09	294.91	
Purvis Well	9/18/2010 1:15:00	63.44	33.15	0.03	63.42	86.66	86.68	295.32	
Purvis Well	9/18/2010 1:30:00	63.76	33.15	0.03	63.73	86.34	86.36	295.64	
Purvis Well	9/18/2010 1:45:00	64.02	33.15	0.03	64.00	86.07	86.10	295.90	
Purvis Well	9/18/2010 2:00:00	64.24	33.15	0.03	64.22	85.85	85.88	296.12	
Purvis Well	9/18/2010 2:15:00	64.42	33.15	0.03	64.40	85.67	85.70	296.30	
Purvis Well	9/18/2010 2:30:00	64.58	33.15	0.03	64.55	85.51	85.54	296.46	
Purvis Well	9/18/2010 2:45:00	64.71	33.15	0.03	64.69	85.38	85.41	296.59	
Purvis Well	9/18/2010 3:00:00	63.10	33.15	0.04	63.07	87.00	87.02	294.98	
Purvis Well	9/18/2010 3:15:00	58.67	33.15	0.04	58.64	91.43	91.46	290.54	
Purvis Well	9/18/2010 3:30:00	63.01	33.16	0.04	62.98	87.08	87.11	294.89	
Purvis Well	9/18/2010 3:45:00	64.14	33.16	0.04	64.11	85.95	85.98	296.02	
Purvis Well	9/18/2010 4:00:00	64.54	33.16	0.04	64.51	85.55	85.58	296.42	
Purvis Well	9/18/2010 4:15:00	64.76	33.16	0.04	64.73	85.33	85.37	296.63	
Purvis Well	9/18/2010 4:30:00	64.91	33.16	0.04	64.88	85.18	85.21	296.79	
Purvis Well	9/18/2010 4:45:00	53.76	33.16	0.04	53.73	96.33	96.37	285.63	
Purvis Well	9/18/2010 5:00:00	59.24	33.16	0.04	59.20	90.86	90.89	291.11	
Purvis Well	9/18/2010 5:15:00	55.69	33.16	0.04	55.65	94.41	94.44	287.56	
Purvis Well	9/18/2010 5:30:00	49.30	33.16	0.05	49.26	100.80	100.83	281.17	
Purvis Well	9/18/2010 5:45:00	56.80	33.16	0.05	56.76	93.30	93.33	288.67	
Purvis Well	9/18/2010 6:00:00	53.15	33.16	0.05	53.11	96.95	96.98	285.02	
Purvis Well	9/18/2010 6:15:00	48.79	33.16	0.05	48.75	101.31	101.34	280.66	
Purvis Well	9/18/2010 6:30:00	49.50	33.16	0.05	49.46	100.60	100.63	281.37	
Purvis Well	9/18/2010 6:45:00	53.43	33.16	0.05	53.39	96.67	96.70	285.30	
Purvis Well	9/18/2010 7:00:00	52.23	33.16	0.05	52.19	97.87	97.90	284.10	
Purvis Well	9/18/2010 7:15:00	50.79	33.16	0.05	50.76	99.30	99.34	282.66	
Purvis Well	9/18/2010 7:30:00	49.15	33.16	0.05	49.11	100.95	100.98	281.02	
Purvis Well	9/18/2010 7:45:00	47.03	33.16	0.05	46.99	103.07	103.10	278.90	
Purvis Well	9/18/2010 8:00:00	55.65	33.16	0.05	55.62	94.44	94.48	287.52	
Purvis Well	9/18/2010 8:15:00	59.67	33.16	0.05	59.64	90.42	90.46	291.54	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/18/2010 8:30:00	61.18	33.16	0.05	61.15	88.91	88.95	293.05	
Purvis Well	9/18/2010 8:45:00	62.03	33.16	0.05	61.99	88.07	88.10	293.90	
Purvis Well	9/18/2010 9:00:00	62.60	33.16	0.05	62.56	87.49	87.53	294.47	
Purvis Well	9/18/2010 9:15:00	63.04	33.16	0.05	63.00	87.06	87.09	294.91	
Purvis Well	9/18/2010 9:30:00	55.33	33.16	0.05	55.29	94.77	94.80	287.20	
Purvis Well	9/18/2010 9:45:00	62.30	33.16	0.04	62.27	87.79	87.83	294.17	
Purvis Well	9/18/2010 10:00:00	63.29	33.15	0.04	63.26	86.80	86.83	295.17	
Purvis Well	9/18/2010 10:15:00	62.25	33.15	0.03	62.22	87.85	87.87	294.13	
Purvis Well	9/18/2010 10:30:00	63.39	33.14	0.03	63.37	86.70	86.72	295.28	
Purvis Well	9/18/2010 10:45:00	63.84	33.14	0.02	63.83	86.25	86.27	295.73	
Purvis Well	9/18/2010 11:00:00	64.12	33.14	0.02	64.11	85.97	85.99	296.01	
Purvis Well	9/18/2010 11:15:00	64.32	33.13	0.01	64.31	85.78	85.79	296.21	
Purvis Well	9/18/2010 11:30:00	64.48	33.13	0.01	64.47	85.62	85.62	296.38	
Purvis Well	9/18/2010 11:45:00	64.61	33.12	0.00	64.61	85.48	85.49	296.51	
Purvis Well	9/18/2010 12:00:00	64.73	33.12	0.00	64.73	85.37	85.37	296.63	
Purvis Well	9/18/2010 12:15:00	63.13	33.11	0.00	63.13	86.96	86.96	295.04	
Purvis Well	9/18/2010 12:30:00	64.28	33.11	-0.01	64.29	85.81	85.81	296.19	
Purvis Well	9/18/2010 12:45:00	64.62	33.10	-0.01	64.63	85.47	85.46	296.54	
Purvis Well	9/18/2010 13:00:00	64.80	33.10	-0.02	64.81	85.30	85.28	296.72	
Purvis Well	9/18/2010 13:15:00	64.92	33.09	-0.02	64.94	85.17	85.16	296.84	
Purvis Well	9/18/2010 13:30:00	65.01	33.09	-0.03	65.03	85.08	85.06	296.94	
Purvis Well	9/18/2010 13:45:00	65.09	33.09	-0.03	65.12	85.00	84.98	297.02	
Purvis Well	9/18/2010 14:00:00	65.16	33.08	-0.03	65.18	84.94	84.91	297.09	
Purvis Well	9/18/2010 14:15:00	61.66	33.08	-0.04	61.69	88.43	88.40	293.60	
Purvis Well	9/18/2010 14:30:00	62.25	33.08	-0.04	62.28	87.85	87.82	294.18	
Purvis Well	9/18/2010 14:45:00	64.02	33.08	-0.04	64.06	86.07	86.04	295.96	
Purvis Well	9/18/2010 15:00:00	64.56	33.07	-0.04	64.59	85.54	85.50	296.50	
Purvis Well	9/18/2010 15:15:00	64.80	33.07	-0.05	64.84	85.29	85.25	296.75	
Purvis Well	9/18/2010 15:30:00	64.96	33.07	-0.05	65.00	85.13	85.09	296.91	
Purvis Well	9/18/2010 15:45:00	59.63	33.06	-0.05	59.67	90.47	90.42	291.58	
Purvis Well	9/18/2010 16:00:00	64.02	33.06	-0.06	64.06	86.08	86.04	295.96	
Purvis Well	9/18/2010 16:15:00	64.69	33.06	-0.06	64.74	85.40	85.35	296.65	
Purvis Well	9/18/2010 16:30:00	64.95	33.06	-0.06	64.99	85.15	85.10	296.90	
Purvis Well	9/18/2010 16:45:00	65.08	33.05	-0.06	65.13	85.01	84.96	297.04	
Purvis Well	9/18/2010 17:00:00	65.18	33.05	-0.07	65.23	84.92	84.86	297.14	
Purvis Well	9/18/2010 17:15:00	62.90	33.05	-0.07	62.95	87.19	87.14	294.86	
Purvis Well	9/18/2010 17:30:00	64.52	33.05	-0.07	64.58	85.57	85.52	296.48	
Purvis Well	9/18/2010 17:45:00	64.93	33.04	-0.07	64.99	85.17	85.11	296.89	
Purvis Well	9/18/2010 18:00:00	65.10	33.04	-0.08	65.15	85.00	84.94	297.06	
Purvis Well	9/18/2010 18:15:00	65.20	33.04	-0.08	65.26	84.89	84.83	297.17	
Purvis Well	9/18/2010 18:30:00	61.23	33.04	-0.08	61.29	88.87	88.80	293.20	
Purvis Well	9/18/2010 18:45:00	64.23	33.03	-0.08	64.29	85.87	85.80	296.20	
Purvis Well	9/18/2010 19:00:00	64.83	33.03	-0.09	64.90	85.26	85.20	296.80	
Purvis Well	9/18/2010 19:15:00	65.05	33.03	-0.09	65.12	85.05	84.98	297.02	
Purvis Well	9/18/2010 19:30:00	65.17	33.03	-0.09	65.24	84.92	84.85	297.15	
Purvis Well	9/18/2010 19:45:00	63.08	33.03	-0.09	63.16	87.01	86.94	295.06	
Purvis Well	9/18/2010 20:00:00	64.51	33.02	-0.09	64.58	85.58	85.51	296.49	
Purvis Well	9/18/2010 20:15:00	62.69	33.02	-0.10	62.76	87.40	87.33	294.67	
Purvis Well	9/18/2010 20:30:00	57.89	33.02	-0.10	57.97	92.20	92.12	289.88	
Purvis Well	9/18/2010 20:45:00	63.46	33.02	-0.10	63.54	86.63	86.55	295.45	
Purvis Well	9/18/2010 21:00:00	64.38	33.02	-0.10	64.46	85.72	85.64	296.36	
Purvis Well	9/18/2010 21:15:00	64.73	33.01	-0.10	64.81	85.36	85.28	296.72	
Purvis Well	9/18/2010 21:30:00	64.93	33.01	-0.11	65.01	85.17	85.08	296.92	
Purvis Well	9/18/2010 21:45:00	63.47	33.01	-0.11	63.55	86.62	86.54	295.46	
Purvis Well	9/18/2010 22:00:00	64.52	33.01	-0.11	64.60	85.58	85.49	296.51	
Purvis Well	9/18/2010 22:15:00	64.85	33.01	-0.11	64.94	85.24	85.16	296.84	
Purvis Well	9/18/2010 22:30:00	65.01	33.01	-0.11	65.10	85.08	84.99	297.01	
Purvis Well	9/18/2010 22:45:00	65.14	33.00	-0.11	65.22	84.96	84.87	297.13	
Purvis Well	9/18/2010 23:00:00	65.22	33.00	-0.12	65.31	84.87	84.78	297.22	
Purvis Well	9/18/2010 23:15:00	65.30	33.00	-0.12	65.39	84.80	84.70	297.30	
Purvis Well	9/18/2010 23:30:00	58.17	33.00	-0.12	58.26	91.92	91.83	290.17	
Purvis Well	9/18/2010 23:45:00	64.06	33.00	-0.12	64.16	86.03	85.94	296.06	
Purvis Well	9/19/2010 0:00:00	64.84	33.00	-0.12	64.94	85.25	85.16	296.84	
Purvis Well	9/19/2010 0:15:00	65.12	32.99	-0.12	65.22	84.98	84.88	297.12	
Purvis Well	9/19/2010 0:30:00	65.26	32.99	-0.13	65.36	84.84	84.74	297.26	
Purvis Well	9/19/2010 0:45:00	65.36	32.99	-0.13	65.46	84.73	84.64	297.36	
Purvis Well	9/19/2010 1:00:00	65.43	32.99	-0.13	65.53	84.67	84.57	297.43	
Purvis Well	9/19/2010 1:15:00	65.49	32.99	-0.13	65.59	84.60	84.50	297.50	
Purvis Well	9/19/2010 1:30:00	65.54	32.99	-0.13	65.64	84.55	84.45	297.55	
Purvis Well	9/19/2010 1:45:00	65.58	32.98	-0.13	65.69	84.51	84.41	297.59	
Purvis Well	9/19/2010 2:00:00	65.62	32.98	-0.14	65.72	84.48	84.37	297.63	
Purvis Well	9/19/2010 2:15:00	61.51	32.98	-0.14	61.61	88.59	88.48	293.52	
Purvis Well	9/19/2010 2:30:00	64.68	32.98	-0.14	64.79	85.42	85.31	296.69	
Purvis Well	9/19/2010 2:45:00	65.23	32.97	-0.14	65.34	84.87	84.75	297.25	
Purvis Well	9/19/2010 3:00:00	62.00	32.97	-0.15	62.12	88.09	87.98	294.02	
Purvis Well	9/19/2010 3:15:00	64.62	32.97	-0.15	64.73	85.48	85.36	296.64	
Purvis Well	9/19/2010 3:30:00	65.15	32.97	-0.15	65.26	84.95	84.83	297.17	
Purvis Well	9/19/2010 3:45:00	65.35	32.96	-0.15	65.47	84.75	84.63	297.37	
Purvis Well	9/19/2010 4:00:00	65.47	32.96	-0.16	65.59	84.63	84.51	297.49	
Purvis Well	9/19/2010 4:15:00	65.55	32.96	-0.16	65.67	84.55	84.42	297.58	
Purvis Well	9/19/2010 4:30:00	65.61	32.96	-0.16	65.74	84.48	84.36	297.64	
Purvis Well	9/19/2010 4:45:00	65.67	32.96	-0.16	65.79	84.43	84.30	297.70	
Purvis Well	9/19/2010 5:00:00	65.71	32.95	-0.16	65.84	84.38	84.25	297.75	
Purvis Well	9/19/2010 5:15:00	63.90	32.95	-0.17	64.03	86.19	86.06	295.94	
Purvis Well	9/19/2010 5:30:00	65.12	32.95	-0.17	65.26	84.97	84.84	297.16	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/19/2010 5:45:00	65.44	32.95	-0.17	65.57	84.65	84.52	297.48	
Purvis Well	9/19/2010 6:00:00	65.59	32.95	-0.17	65.72	84.51	84.38	297.62	
Purvis Well	9/19/2010 6:15:00	65.68	32.95	-0.16	65.81	84.42	84.29	297.71	
Purvis Well	9/19/2010 6:30:00	65.74	32.96	-0.16	65.87	84.35	84.22	297.78	
Purvis Well	9/19/2010 6:45:00	65.80	32.96	-0.16	65.92	84.30	84.17	297.83	
Purvis Well	9/19/2010 7:00:00	65.84	32.96	-0.16	65.96	84.25	84.13	297.87	
Purvis Well	9/19/2010 7:15:00	62.53	32.96	-0.16	62.65	87.57	87.45	294.55	
Purvis Well	9/19/2010 7:30:00	65.02	32.96	-0.16	65.14	85.07	84.95	297.05	
Purvis Well	9/19/2010 7:45:00	65.51	32.96	-0.15	65.62	84.59	84.47	297.53	
Purvis Well	9/19/2010 8:00:00	65.69	32.97	-0.15	65.81	84.40	84.28	297.72	
Purvis Well	9/19/2010 8:15:00	65.80	32.97	-0.15	65.91	84.30	84.18	297.82	
Purvis Well	9/19/2010 8:30:00	59.23	32.97	-0.15	59.35	90.86	90.75	291.25	
Purvis Well	9/19/2010 8:45:00	64.80	32.97	-0.15	64.91	85.30	85.18	296.82	
Purvis Well	9/19/2010 9:00:00	65.47	32.97	-0.14	65.58	84.63	84.52	297.48	
Purvis Well	9/19/2010 9:15:00	65.70	32.98	-0.14	65.81	84.40	84.29	297.71	
Purvis Well	9/19/2010 9:30:00	65.82	32.98	-0.14	65.93	84.28	84.17	297.83	
Purvis Well	9/19/2010 9:45:00	65.90	32.98	-0.14	66.01	84.19	84.08	297.92	
Purvis Well	9/19/2010 10:00:00	65.97	32.98	-0.14	66.07	84.13	84.02	297.98	
Purvis Well	9/19/2010 10:15:00	66.02	32.99	-0.13	66.13	84.07	83.97	298.03	
Purvis Well	9/19/2010 10:30:00	66.07	32.99	-0.13	66.17	84.03	83.93	298.07	
Purvis Well	9/19/2010 10:45:00	60.87	32.99	-0.13	60.97	89.22	89.12	292.88	
Purvis Well	9/19/2010 11:00:00	65.08	32.99	-0.12	65.18	85.01	84.91	297.09	
Purvis Well	9/19/2010 11:15:00	65.68	33.00	-0.12	65.78	84.41	84.32	297.68	
Purvis Well	9/19/2010 11:30:00	65.90	33.00	-0.12	65.99	84.20	84.10	297.90	
Purvis Well	9/19/2010 11:45:00	64.21	33.00	-0.12	64.30	85.88	85.79	296.21	
Purvis Well	9/19/2010 12:00:00	65.40	33.01	-0.11	65.48	84.70	84.61	297.39	
Purvis Well	9/19/2010 12:15:00	63.69	33.01	-0.11	63.78	86.40	86.32	295.68	
Purvis Well	9/19/2010 12:30:00	59.35	33.01	-0.11	59.43	90.75	90.67	291.33	
Purvis Well	9/19/2010 12:45:00	64.37	33.01	-0.10	64.45	85.73	85.65	296.35	
Purvis Well	9/19/2010 13:00:00	65.24	33.02	-0.10	65.32	84.86	84.78	297.22	
Purvis Well	9/19/2010 13:15:00	65.58	33.02	-0.10	65.65	84.52	84.44	297.56	
Purvis Well	9/19/2010 13:30:00	65.77	33.02	-0.10	65.84	84.32	84.25	297.75	
Purvis Well	9/19/2010 13:45:00	65.91	33.02	-0.10	65.98	84.19	84.11	297.89	
Purvis Well	9/19/2010 14:00:00	66.00	33.02	-0.10	66.08	84.09	84.02	297.98	
Purvis Well	9/19/2010 14:15:00	66.09	33.02	-0.10	66.16	84.01	83.93	298.07	
Purvis Well	9/19/2010 14:30:00	66.15	33.02	-0.10	66.22	83.95	83.87	298.13	
Purvis Well	9/19/2010 14:45:00	61.75	33.02	-0.10	61.83	88.34	88.27	293.73	
Purvis Well	9/19/2010 15:00:00	65.25	33.02	-0.10	65.33	84.84	84.77	297.23	
Purvis Well	9/19/2010 15:15:00	65.82	33.02	-0.10	65.90	84.27	84.20	297.80	
Purvis Well	9/19/2010 15:30:00	66.04	33.02	-0.10	66.12	84.05	83.98	298.02	
Purvis Well	9/19/2010 15:45:00	66.16	33.02	-0.10	66.23	83.93	83.86	298.14	
Purvis Well	9/19/2010 16:00:00	66.24	33.02	-0.10	66.31	83.86	83.78	298.22	
Purvis Well	9/19/2010 16:15:00	66.30	33.02	-0.09	66.37	83.80	83.72	298.28	
Purvis Well	9/19/2010 16:30:00	66.35	33.02	-0.09	66.42	83.75	83.67	298.33	
Purvis Well	9/19/2010 16:45:00	66.39	33.02	-0.09	66.46	83.70	83.63	298.37	
Purvis Well	9/19/2010 17:00:00	64.24	33.02	-0.09	64.32	85.85	85.78	296.22	
Purvis Well	9/19/2010 17:15:00	65.62	33.02	-0.09	65.70	84.47	84.40	297.60	
Purvis Well	9/19/2010 17:30:00	63.91	33.02	-0.09	63.99	86.18	86.11	295.89	
Purvis Well	9/19/2010 17:45:00	60.73	33.02	-0.09	60.80	89.37	89.29	292.71	
Purvis Well	9/19/2010 18:00:00	64.71	33.03	-0.09	64.79	85.38	85.31	296.69	
Purvis Well	9/19/2010 18:15:00	54.02	33.03	-0.09	54.09	96.08	96.01	285.99	
Purvis Well	9/19/2010 18:30:00	63.88	33.03	-0.09	63.95	86.22	86.15	295.85	
Purvis Well	9/19/2010 18:45:00	55.59	33.03	-0.09	55.66	94.50	94.43	287.57	
Purvis Well	9/19/2010 19:00:00	64.18	33.03	-0.09	64.25	85.92	85.85	296.15	
Purvis Well	9/19/2010 19:15:00	62.46	33.03	-0.09	62.52	87.64	87.57	294.43	
Purvis Well	9/19/2010 19:30:00	64.71	33.03	-0.09	64.77	85.39	85.32	296.68	
Purvis Well	9/19/2010 19:45:00	65.35	33.03	-0.08	65.41	84.75	84.68	297.32	
Purvis Well	9/19/2010 20:00:00	64.23	33.03	-0.08	64.29	85.87	85.80	296.20	
Purvis Well	9/19/2010 20:15:00	64.32	33.04	-0.08	64.38	85.78	85.71	296.29	
Purvis Well	9/19/2010 20:30:00	65.36	33.04	-0.08	65.42	84.73	84.67	297.33	
Purvis Well	9/19/2010 20:45:00	62.96	33.04	-0.08	63.03	87.13	87.07	294.93	
Purvis Well	9/19/2010 21:00:00	65.04	33.04	-0.08	65.10	85.06	85.00	297.00	
Purvis Well	9/19/2010 21:15:00	63.24	33.04	-0.08	63.30	86.85	86.79	295.21	
Purvis Well	9/19/2010 21:30:00	57.71	33.04	-0.08	57.77	92.38	92.32	289.68	
Purvis Well	9/19/2010 21:45:00	64.07	33.04	-0.08	64.13	86.02	85.96	296.04	
Purvis Well	9/19/2010 22:00:00	65.13	33.04	-0.08	65.19	84.97	84.91	297.09	
Purvis Well	9/19/2010 22:15:00	65.54	33.04	-0.07	65.59	84.56	84.50	297.50	
Purvis Well	9/19/2010 22:30:00	65.77	33.04	-0.07	65.83	84.32	84.27	297.73	
Purvis Well	9/19/2010 22:45:00	65.93	33.04	-0.07	65.99	84.16	84.11	297.89	
Purvis Well	9/19/2010 23:00:00	66.05	33.05	-0.07	66.11	84.04	83.99	298.01	
Purvis Well	9/19/2010 23:15:00	66.15	33.05	-0.07	66.20	83.95	83.89	298.11	
Purvis Well	9/19/2010 23:30:00	66.23	33.05	-0.07	66.29	83.86	83.81	298.19	
Purvis Well	9/19/2010 23:45:00	66.29	33.05	-0.07	66.35	83.80	83.75	298.25	
Purvis Well	9/20/2010 0:00:00	63.34	33.05	-0.07	63.39	86.76	86.70	295.30	
Purvis Well	9/20/2010 0:15:00	65.56	33.05	-0.07	65.61	84.54	84.48	297.52	
Purvis Well	9/20/2010 0:30:00	66.02	33.05	-0.07	66.08	84.07	84.02	297.98	
Purvis Well	9/20/2010 0:45:00	66.22	33.05	-0.07	66.27	83.88	83.83	298.17	
Purvis Well	9/20/2010 1:00:00	66.32	33.05	-0.07	66.38	83.77	83.72	298.28	
Purvis Well	9/20/2010 1:15:00	66.40	33.05	-0.07	66.45	83.69	83.64	298.36	
Purvis Well	9/20/2010 1:30:00	66.47	33.05	-0.06	66.52	83.63	83.58	298.42	
Purvis Well	9/20/2010 1:45:00	66.52	33.05	-0.06	66.57	83.57	83.52	298.48	
Purvis Well	9/20/2010 2:00:00	66.57	33.06	-0.06	66.61	83.53	83.48	298.52	
Purvis Well	9/20/2010 2:15:00	66.61	33.06	-0.06	66.66	83.49	83.44	298.56	
Purvis Well	9/20/2010 2:30:00	66.65	33.06	-0.06	66.69	83.45	83.40	298.60	
Purvis Well	9/20/2010 2:45:00	62.92	33.06	-0.06	62.96	87.18	87.13	294.87	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/20/2010 3:00:00	65.77	33.06	-0.06	65.81	84.32	84.28	297.72	
Purvis Well	9/20/2010 3:15:00	66.28	33.06	-0.06	66.32	83.82	83.77	298.23	
Purvis Well	9/20/2010 3:30:00	66.46	33.06	-0.05	66.51	83.63	83.59	298.41	
Purvis Well	9/20/2010 3:45:00	66.56	33.06	-0.05	66.60	83.53	83.49	298.51	
Purvis Well	9/20/2010 4:00:00	66.63	33.07	-0.05	66.67	83.47	83.43	298.57	
Purvis Well	9/20/2010 4:15:00	64.14	33.07	-0.05	64.18	85.96	85.92	296.08	
Purvis Well	9/20/2010 4:30:00	65.92	33.07	-0.05	65.96	84.18	84.14	297.86	
Purvis Well	9/20/2010 4:45:00	64.03	33.07	-0.05	64.07	86.06	86.03	295.97	
Purvis Well	9/20/2010 5:00:00	65.76	33.07	-0.05	65.79	84.34	84.30	297.70	
Purvis Well	9/20/2010 5:15:00	66.20	33.07	-0.05	66.23	83.90	83.86	298.14	
Purvis Well	9/20/2010 5:30:00	66.39	33.07	-0.04	66.43	83.70	83.67	298.33	
Purvis Well	9/20/2010 5:45:00	66.52	33.08	-0.04	66.55	83.58	83.55	298.45	
Purvis Well	9/20/2010 6:00:00	66.60	33.08	-0.03	66.63	83.49	83.47	298.53	
Purvis Well	9/20/2010 6:15:00	66.67	33.09	-0.03	66.69	83.43	83.40	298.60	
Purvis Well	9/20/2010 6:30:00	66.71	33.09	-0.03	66.73	83.38	83.36	298.64	
Purvis Well	9/20/2010 6:45:00	65.42	33.10	-0.02	65.43	84.68	84.66	297.34	
Purvis Well	9/20/2010 7:00:00	66.24	33.10	-0.02	66.26	83.85	83.84	298.16	
Purvis Well	9/20/2010 7:15:00	66.50	33.10	-0.01	66.51	83.60	83.59	298.41	
Purvis Well	9/20/2010 7:30:00	66.62	33.11	-0.01	66.62	83.48	83.47	298.53	
Purvis Well	9/20/2010 7:45:00	66.70	33.11	0.00	66.70	83.40	83.39	298.61	
Purvis Well	9/20/2010 8:00:00	66.75	33.12	0.00	66.75	83.34	83.34	298.66	
Purvis Well	9/20/2010 8:15:00	66.80	33.12	0.00	66.80	83.29	83.29	298.71	
Purvis Well	9/20/2010 8:30:00	66.84	33.13	0.01	66.84	83.25	83.26	298.74	
Purvis Well	9/20/2010 8:45:00	66.88	33.13	0.01	66.87	83.22	83.23	298.77	
Purvis Well	9/20/2010 9:00:00	66.91	33.14	0.02	66.90	83.18	83.19	298.81	
Purvis Well	9/20/2010 9:15:00	64.16	33.14	0.02	64.15	85.93	85.95	296.05	
Purvis Well	9/20/2010 9:30:00	66.11	33.14	0.03	66.09	83.99	84.01	297.99	
Purvis Well	9/20/2010 9:45:00	66.53	33.15	0.03	66.51	83.56	83.58	298.42	
Purvis Well	9/20/2010 10:00:00	66.70	33.15	0.03	66.67	83.40	83.42	298.58	
Purvis Well	9/20/2010 10:15:00	66.80	33.15	0.04	66.77	83.30	83.33	298.67	
Purvis Well	9/20/2010 10:30:00	66.86	33.16	0.04	66.83	83.23	83.26	298.74	
Purvis Well	9/20/2010 10:45:00	66.91	33.16	0.04	66.88	83.19	83.22	298.78	
Purvis Well	9/20/2010 11:00:00	66.95	33.16	0.04	66.91	83.15	83.18	298.82	
Purvis Well	9/20/2010 11:15:00	66.98	33.17	0.05	66.94	83.12	83.16	298.84	
Purvis Well	9/20/2010 11:30:00	67.01	33.17	0.05	66.97	83.09	83.13	298.87	
Purvis Well	9/20/2010 11:45:00	60.36	33.17	0.05	60.32	89.74	89.78	292.22	
Purvis Well	9/20/2010 12:00:00	65.83	33.17	0.06	65.79	84.26	84.30	297.70	
Purvis Well	9/20/2010 12:15:00	66.55	33.18	0.06	66.50	83.54	83.59	298.41	
Purvis Well	9/20/2010 12:30:00	66.76	33.18	0.06	66.72	83.33	83.38	298.62	
Purvis Well	9/20/2010 12:45:00	66.89	33.18	0.07	66.83	83.21	83.26	298.74	
Purvis Well	9/20/2010 13:00:00	66.95	33.19	0.07	66.90	83.14	83.20	298.80	
Purvis Well	9/20/2010 13:15:00	67.00	33.19	0.07	66.95	83.09	83.15	298.85	
Purvis Well	9/20/2010 13:30:00	64.78	33.19	0.07	64.72	85.32	85.38	296.62	
Purvis Well	9/20/2010 13:45:00	66.30	33.19	0.07	66.25	83.79	83.85	298.15	
Purvis Well	9/20/2010 14:00:00	66.67	33.19	0.07	66.62	83.42	83.48	298.52	
Purvis Well	9/20/2010 14:15:00	66.83	33.19	0.07	66.77	83.26	83.32	298.68	
Purvis Well	9/20/2010 14:30:00	66.92	33.19	0.07	66.86	83.17	83.23	298.77	
Purvis Well	9/20/2010 14:45:00	66.98	33.19	0.07	66.92	83.11	83.17	298.83	
Purvis Well	9/20/2010 15:00:00	67.03	33.19	0.07	66.97	83.07	83.12	298.88	
Purvis Well	9/20/2010 15:15:00	67.07	33.19	0.07	67.01	83.03	83.08	298.92	
Purvis Well	9/20/2010 15:30:00	67.10	33.19	0.07	67.05	82.99	83.05	298.95	
Purvis Well	9/20/2010 15:45:00	65.63	33.19	0.07	65.58	84.46	84.52	297.48	
Purvis Well	9/20/2010 16:00:00	66.56	33.19	0.07	66.50	83.54	83.59	298.41	
Purvis Well	9/20/2010 16:15:00	66.82	33.19	0.07	66.77	83.27	83.33	298.67	
Purvis Well	9/20/2010 16:30:00	66.95	33.19	0.07	66.89	83.15	83.20	298.80	
Purvis Well	9/20/2010 16:45:00	67.03	33.19	0.07	66.97	83.07	83.12	298.88	
Purvis Well	9/20/2010 17:00:00	67.08	33.19	0.07	67.02	83.01	83.07	298.93	
Purvis Well	9/20/2010 17:15:00	67.13	33.19	0.07	67.07	82.97	83.02	298.98	
Purvis Well	9/20/2010 17:30:00	67.16	33.19	0.07	67.10	82.94	82.99	299.01	
Purvis Well	9/20/2010 17:45:00	65.37	33.19	0.07	65.31	84.73	84.78	297.22	
Purvis Well	9/20/2010 18:00:00	66.55	33.19	0.07	66.49	83.54	83.60	298.40	
Purvis Well	9/20/2010 18:15:00	66.85	33.19	0.07	66.80	83.24	83.30	298.70	
Purvis Well	9/20/2010 18:30:00	66.98	33.19	0.07	66.92	83.11	83.17	298.83	
Purvis Well	9/20/2010 18:45:00	67.06	33.19	0.08	67.00	83.03	83.09	298.91	
Purvis Well	9/20/2010 19:00:00	67.11	33.19	0.08	67.05	82.98	83.04	298.96	
Purvis Well	9/20/2010 19:15:00	67.15	33.20	0.08	67.09	82.94	83.00	299.00	
Purvis Well	9/20/2010 19:30:00	67.18	33.20	0.08	67.12	82.91	82.97	299.03	
Purvis Well	9/20/2010 19:45:00	63.73	33.20	0.08	63.67	86.36	86.42	295.58	
Purvis Well	9/20/2010 20:00:00	66.28	33.20	0.08	66.22	83.81	83.88	298.12	
Purvis Well	9/20/2010 20:15:00	66.78	33.20	0.08	66.72	83.31	83.38	298.62	
Purvis Well	9/20/2010 20:30:00	66.96	33.20	0.08	66.90	83.14	83.20	298.80	
Purvis Well	9/20/2010 20:45:00	67.06	33.20	0.08	66.99	83.04	83.10	298.90	
Purvis Well	9/20/2010 21:00:00	67.12	33.20	0.08	67.05	82.98	83.04	298.96	
Purvis Well	9/20/2010 21:15:00	65.09	33.20	0.08	65.03	85.00	85.07	296.93	
Purvis Well	9/20/2010 21:30:00	66.46	33.20	0.09	66.40	83.63	83.70	298.30	
Purvis Well	9/20/2010 21:45:00	66.80	33.20	0.09	66.73	83.30	83.37	298.63	
Purvis Well	9/20/2010 22:00:00	66.93	33.20	0.09	66.86	83.17	83.23	298.77	
Purvis Well	9/20/2010 22:15:00	67.00	33.20	0.09	66.93	83.10	83.16	298.84	
Purvis Well	9/20/2010 22:30:00	67.04	33.21	0.09	66.97	83.05	83.12	298.88	
Purvis Well	9/20/2010 22:45:00	67.07	33.21	0.09	67.00	83.03	83.09	298.91	
Purvis Well	9/20/2010 23:00:00	67.09	33.21	0.09	67.02	83.01	83.08	298.92	
Purvis Well	9/20/2010 23:15:00	67.10	33.21	0.09	67.03	83.00	83.07	298.93	
Purvis Well	9/20/2010 23:30:00	64.32	33.21	0.09	64.25	85.77	85.84	296.16	
Purvis Well	9/20/2010 23:45:00	66.29	33.21	0.09	66.22	83.80	83.87	298.13	
Purvis Well	9/21/2010 0:00:00	66.69	33.21	0.09	66.61	83.41	83.48	298.52	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/21/2010 0:15:00	66.82	33.21	0.09	66.75	83.28	83.35	298.65	
Purvis Well	9/21/2010 0:30:00	66.89	33.21	0.09	66.82	83.21	83.28	298.72	
Purvis Well	9/21/2010 0:45:00	66.92	33.21	0.09	66.85	83.17	83.24	298.76	
Purvis Well	9/21/2010 1:00:00	66.95	33.21	0.09	66.87	83.15	83.22	298.78	
Purvis Well	9/21/2010 1:15:00	66.96	33.21	0.09	66.89	83.13	83.20	298.80	
Purvis Well	9/21/2010 1:30:00	66.97	33.21	0.10	66.90	83.12	83.20	298.80	
Purvis Well	9/21/2010 1:45:00	66.98	33.21	0.10	66.90	83.12	83.19	298.81	
Purvis Well	9/21/2010 2:00:00	66.99	33.21	0.10	66.91	83.11	83.18	298.82	
Purvis Well	9/21/2010 2:15:00	59.92	33.22	0.10	59.84	90.18	90.25	291.75	
Purvis Well	9/21/2010 2:30:00	65.86	33.22	0.10	65.79	84.23	84.31	297.69	
Purvis Well	9/21/2010 2:45:00	66.48	33.22	0.10	66.41	83.61	83.69	298.31	
Purvis Well	9/21/2010 3:00:00	66.66	33.22	0.10	66.59	83.43	83.51	298.49	
Purvis Well	9/21/2010 3:15:00	66.75	33.22	0.10	66.67	83.34	83.42	298.58	
Purvis Well	9/21/2010 3:30:00	66.80	33.22	0.10	66.72	83.29	83.37	298.63	
Purvis Well	9/21/2010 3:45:00	66.83	33.22	0.10	66.75	83.27	83.35	298.65	
Purvis Well	9/21/2010 4:00:00	66.84	33.22	0.10	66.76	83.25	83.33	298.67	
Purvis Well	9/21/2010 4:15:00	64.84	33.22	0.10	64.76	85.25	85.33	296.67	
Purvis Well	9/21/2010 4:30:00	63.26	33.22	0.10	63.17	86.84	86.92	295.08	
Purvis Well	9/21/2010 4:45:00	65.60	33.22	0.11	65.51	84.50	84.58	297.42	
Purvis Well	9/21/2010 5:00:00	66.14	33.22	0.11	66.06	83.95	84.03	297.97	
Purvis Well	9/21/2010 5:15:00	64.60	33.22	0.11	64.52	85.49	85.57	296.43	
Purvis Well	9/21/2010 5:30:00	65.85	33.23	0.11	65.76	84.25	84.33	297.67	
Purvis Well	9/21/2010 5:45:00	66.20	33.23	0.11	66.12	83.89	83.98	298.02	
Purvis Well	9/21/2010 6:00:00	66.37	33.23	0.11	66.28	83.73	83.81	298.19	
Purvis Well	9/21/2010 6:15:00	66.47	33.23	0.11	66.38	83.63	83.71	298.29	
Purvis Well	9/21/2010 6:30:00	66.54	33.23	0.11	66.45	83.56	83.64	298.36	
Purvis Well	9/21/2010 6:45:00	66.59	33.23	0.11	66.50	83.50	83.59	298.41	
Purvis Well	9/21/2010 7:00:00	66.64	33.23	0.12	66.54	83.46	83.55	298.45	
Purvis Well	9/21/2010 7:15:00	59.19	33.24	0.12	59.10	90.91	91.00	291.00	
Purvis Well	9/21/2010 7:30:00	65.52	33.24	0.12	65.43	84.57	84.67	297.33	
Purvis Well	9/21/2010 7:45:00	66.22	33.24	0.12	66.12	83.88	83.97	298.03	
Purvis Well	9/21/2010 8:00:00	66.44	33.24	0.12	66.35	83.65	83.75	298.25	
Purvis Well	9/21/2010 8:15:00	66.55	33.24	0.12	66.45	83.54	83.64	298.36	
Purvis Well	9/21/2010 8:30:00	66.62	33.24	0.13	66.52	83.47	83.57	298.43	
Purvis Well	9/21/2010 8:45:00	66.67	33.24	0.13	66.57	83.42	83.52	298.48	
Purvis Well	9/21/2010 9:00:00	66.71	33.25	0.13	66.61	83.39	83.49	298.51	
Purvis Well	9/21/2010 9:15:00	66.73	33.25	0.13	66.63	83.36	83.46	298.54	
Purvis Well	9/21/2010 9:30:00	66.75	33.25	0.13	66.65	83.34	83.44	298.56	
Purvis Well	9/21/2010 9:45:00	66.77	33.24	0.13	66.67	83.33	83.43	298.57	
Purvis Well	9/21/2010 10:00:00	65.25	33.24	0.12	65.16	84.84	84.94	297.06	
Purvis Well	9/21/2010 10:15:00	66.17	33.24	0.12	66.08	83.92	84.02	297.98	
Purvis Well	9/21/2010 10:30:00	66.42	33.23	0.11	66.33	83.67	83.76	298.24	
Purvis Well	9/21/2010 10:45:00	66.53	33.23	0.11	66.44	83.56	83.65	298.35	
Purvis Well	9/21/2010 11:00:00	66.60	33.22	0.11	66.51	83.50	83.58	298.42	
Purvis Well	9/21/2010 11:15:00	66.64	33.22	0.10	66.56	83.46	83.54	298.46	
Purvis Well	9/21/2010 11:30:00	66.66	33.22	0.10	66.58	83.44	83.51	298.49	
Purvis Well	9/21/2010 11:45:00	66.68	33.21	0.09	66.60	83.42	83.49	298.51	
Purvis Well	9/21/2010 12:00:00	65.26	33.21	0.09	65.19	84.84	84.90	297.10	
Purvis Well	9/21/2010 12:15:00	66.11	33.20	0.09	66.04	83.99	84.05	297.95	
Purvis Well	9/21/2010 12:30:00	66.35	33.20	0.08	66.28	83.75	83.81	298.19	
Purvis Well	9/21/2010 12:45:00	66.45	33.19	0.08	66.39	83.65	83.70	298.30	
Purvis Well	9/21/2010 13:00:00	66.51	33.19	0.07	66.45	83.59	83.64	298.36	
Purvis Well	9/21/2010 13:15:00	66.55	33.19	0.07	66.49	83.55	83.60	298.40	
Purvis Well	9/21/2010 13:30:00	66.57	33.18	0.06	66.52	83.53	83.58	298.42	
Purvis Well	9/21/2010 13:45:00	64.80	33.18	0.06	64.76	85.29	85.34	296.66	
Purvis Well	9/21/2010 14:00:00	65.89	33.17	0.06	65.85	84.20	84.25	297.75	
Purvis Well	9/21/2010 14:15:00	66.19	33.17	0.05	66.15	83.90	83.94	298.06	
Purvis Well	9/21/2010 14:30:00	66.32	33.16	0.05	66.28	83.78	83.81	298.19	
Purvis Well	9/21/2010 14:45:00	64.85	33.16	0.04	64.81	85.25	85.28	296.72	
Purvis Well	9/21/2010 15:00:00	65.07	33.15	0.04	65.04	85.02	85.05	296.95	
Purvis Well	9/21/2010 15:15:00	65.90	33.15	0.03	65.87	84.20	84.22	297.78	
Purvis Well	9/21/2010 15:30:00	66.15	33.15	0.03	66.13	83.95	83.97	298.03	
Purvis Well	9/21/2010 15:45:00	66.27	33.14	0.02	66.25	83.83	83.84	298.16	
Purvis Well	9/21/2010 16:00:00	66.34	33.14	0.02	66.32	83.76	83.77	298.23	
Purvis Well	9/21/2010 16:15:00	63.21	33.13	0.01	63.19	86.89	86.90	295.10	
Purvis Well	9/21/2010 16:30:00	65.53	33.13	0.01	65.52	84.57	84.57	297.43	
Purvis Well	9/21/2010 16:45:00	65.99	33.12	0.00	65.99	84.10	84.11	297.89	
Purvis Well	9/21/2010 17:00:00	66.16	33.12	0.00	66.16	83.93	83.93	298.07	
Purvis Well	9/21/2010 17:15:00	66.26	33.11	-0.01	66.26	83.83	83.83	298.17	
Purvis Well	9/21/2010 17:30:00	63.28	33.11	-0.01	63.29	86.81	86.80	295.20	
Purvis Well	9/21/2010 17:45:00	65.49	33.11	-0.01	65.49	84.61	84.60	297.40	
Purvis Well	9/21/2010 18:00:00	63.56	33.11	-0.01	63.57	86.53	86.53	295.47	
Purvis Well	9/21/2010 18:15:00	65.37	33.11	0.00	65.37	84.73	84.73	297.27	
Purvis Well	9/21/2010 18:30:00	65.82	33.12	0.00	65.82	84.28	84.28	297.72	
Purvis Well	9/21/2010 18:45:00	66.01	33.12	0.00	66.01	84.08	84.08	297.92	
Purvis Well	9/21/2010 19:00:00	66.12	33.12	0.00	66.12	83.97	83.98	298.02	
Purvis Well	9/21/2010 19:15:00	64.30	33.12	0.01	64.30	85.79	85.79	296.21	
Purvis Well	9/21/2010 19:30:00	65.56	33.13	0.01	65.56	84.53	84.54	297.46	
Purvis Well	9/21/2010 19:45:00	65.91	33.13	0.01	65.90	84.18	84.19	297.81	
Purvis Well	9/21/2010 20:00:00	66.07	33.13	0.01	66.06	84.02	84.03	297.97	
Purvis Well	9/21/2010 20:15:00	66.17	33.13	0.01	66.16	83.93	83.94	298.06	
Purvis Well	9/21/2010 20:30:00	66.23	33.13	0.02	66.22	83.86	83.87	298.13	
Purvis Well	9/21/2010 20:45:00	63.17	33.14	0.02	63.16	86.92	86.94	295.06	
Purvis Well	9/21/2010 21:00:00	65.44	33.14	0.02	65.42	84.66	84.67	297.33	
Purvis Well	9/21/2010 21:15:00	65.92	33.14	0.02	65.90	84.18	84.19	297.81	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/21/2010 21:30:00	65.56	33.14	0.02	65.55	84.53	84.55	297.45	
Purvis Well	9/21/2010 21:45:00	64.78	33.14	0.02	64.76	85.32	85.34	296.66	
Purvis Well	9/21/2010 22:00:00	65.69	33.14	0.03	65.67	84.40	84.42	297.58	
Purvis Well	9/21/2010 22:15:00	65.98	33.14	0.03	65.96	84.11	84.13	297.87	
Purvis Well	9/21/2010 22:30:00	66.12	33.14	0.03	66.10	83.97	83.99	298.01	
Purvis Well	9/21/2010 22:45:00	66.21	33.14	0.03	66.19	83.88	83.90	298.10	
Purvis Well	9/21/2010 23:00:00	66.28	33.14	0.03	66.26	83.82	83.84	298.16	
Purvis Well	9/21/2010 23:15:00	66.32	33.14	0.03	66.30	83.77	83.79	298.21	
Purvis Well	9/21/2010 23:30:00	66.36	33.15	0.03	66.34	83.73	83.75	298.25	
Purvis Well	9/21/2010 23:45:00	66.39	33.15	0.03	66.37	83.70	83.72	298.28	
Purvis Well	9/22/2010 0:00:00	66.43	33.15	0.03	66.40	83.67	83.69	298.31	
Purvis Well	9/22/2010 0:15:00	64.74	33.15	0.03	64.71	85.36	85.38	296.62	
Purvis Well	9/22/2010 0:30:00	65.84	33.15	0.03	65.81	84.26	84.28	297.72	
Purvis Well	9/22/2010 0:45:00	66.14	33.15	0.03	66.11	83.96	83.98	298.02	
Purvis Well	9/22/2010 1:00:00	66.27	33.15	0.03	66.24	83.83	83.85	298.15	
Purvis Well	9/22/2010 1:15:00	66.34	33.15	0.03	66.32	83.75	83.77	298.23	
Purvis Well	9/22/2010 1:30:00	66.40	33.15	0.03	66.38	83.69	83.72	298.28	
Purvis Well	9/22/2010 1:45:00	66.45	33.15	0.03	66.43	83.64	83.67	298.33	
Purvis Well	9/22/2010 2:00:00	66.50	33.15	0.03	66.47	83.60	83.63	298.37	
Purvis Well	9/22/2010 2:15:00	66.53	33.15	0.04	66.50	83.56	83.59	298.41	
Purvis Well	9/22/2010 2:30:00	66.57	33.16	0.04	66.54	83.53	83.56	298.44	
Purvis Well	9/22/2010 2:45:00	66.59	33.16	0.04	66.56	83.50	83.53	298.47	
Purvis Well	9/22/2010 3:00:00	63.51	33.16	0.04	63.48	86.58	86.61	295.39	
Purvis Well	9/22/2010 3:15:00	65.80	33.16	0.04	65.76	84.30	84.33	297.67	
Purvis Well	9/22/2010 3:30:00	66.25	33.16	0.05	66.21	83.84	83.88	298.12	
Purvis Well	9/22/2010 3:45:00	66.42	33.16	0.05	66.38	83.68	83.71	298.29	
Purvis Well	9/22/2010 4:00:00	66.52	33.17	0.05	66.48	83.58	83.62	298.38	
Purvis Well	9/22/2010 4:15:00	59.96	33.17	0.05	59.92	90.13	90.17	291.83	
Purvis Well	9/22/2010 4:30:00	65.45	33.17	0.05	65.40	84.65	84.69	297.31	
Purvis Well	9/22/2010 4:45:00	66.14	33.17	0.05	66.10	83.95	83.99	298.01	
Purvis Well	9/22/2010 5:00:00	66.39	33.17	0.06	66.34	83.71	83.75	298.25	
Purvis Well	9/22/2010 5:15:00	66.51	33.18	0.06	66.47	83.58	83.63	298.37	
Purvis Well	9/22/2010 5:30:00	66.59	33.18	0.06	66.55	83.50	83.55	298.45	
Purvis Well	9/22/2010 5:45:00	64.12	33.18	0.06	64.07	85.98	86.03	295.97	
Purvis Well	9/22/2010 6:00:00	65.94	33.18	0.06	65.89	84.16	84.21	297.79	
Purvis Well	9/22/2010 6:15:00	66.35	33.18	0.06	66.30	83.74	83.79	298.21	
Purvis Well	9/22/2010 6:30:00	64.36	33.18	0.07	64.31	85.73	85.78	296.22	
Purvis Well	9/22/2010 6:45:00	65.85	33.19	0.07	65.80	84.24	84.29	297.71	
Purvis Well	9/22/2010 7:00:00	66.26	33.19	0.07	66.21	83.83	83.89	298.11	
Purvis Well	9/22/2010 7:15:00	66.45	33.19	0.07	66.39	83.65	83.70	298.30	
Purvis Well	9/22/2010 7:30:00	66.56	33.19	0.07	66.50	83.53	83.59	298.41	
Purvis Well	9/22/2010 7:45:00	66.65	33.19	0.07	66.59	83.45	83.50	298.50	
Purvis Well	9/22/2010 8:00:00	65.17	33.19	0.08	65.11	84.93	84.99	297.01	
Purvis Well	9/22/2010 8:15:00	66.17	33.19	0.08	66.11	83.92	83.98	298.02	
Purvis Well	9/22/2010 8:30:00	66.46	33.20	0.08	66.40	83.63	83.69	298.31	
Purvis Well	9/22/2010 8:45:00	66.61	33.20	0.08	66.54	83.49	83.55	298.45	
Purvis Well	9/22/2010 9:00:00	66.69	33.20	0.08	66.63	83.40	83.47	298.53	
Purvis Well	9/22/2010 9:15:00	66.76	33.20	0.08	66.70	83.33	83.40	298.60	
Purvis Well	9/22/2010 9:30:00	61.86	33.20	0.08	61.79	88.24	88.30	293.70	
Purvis Well	9/22/2010 9:45:00	65.83	33.20	0.08	65.77	84.26	84.32	297.68	
Purvis Well	9/22/2010 10:00:00	66.41	33.19	0.08	66.35	83.68	83.74	298.26	
Purvis Well	9/22/2010 10:15:00	66.62	33.19	0.07	66.56	83.48	83.54	298.46	
Purvis Well	9/22/2010 10:30:00	66.73	33.19	0.07	66.67	83.37	83.42	298.58	
Purvis Well	9/22/2010 10:45:00	66.80	33.18	0.07	66.74	83.30	83.35	298.65	
Purvis Well	9/22/2010 11:00:00	64.37	33.18	0.06	64.33	85.72	85.77	296.23	
Purvis Well	9/22/2010 11:15:00	66.13	33.18	0.06	66.08	83.97	84.01	297.99	
Purvis Well	9/22/2010 11:30:00	66.53	33.17	0.05	66.48	83.57	83.61	298.39	
Purvis Well	9/22/2010 11:45:00	66.69	33.17	0.05	66.65	83.41	83.45	298.55	
Purvis Well	9/22/2010 12:00:00	66.78	33.17	0.05	66.74	83.31	83.35	298.65	
Purvis Well	9/22/2010 12:15:00	66.84	33.16	0.04	66.81	83.25	83.29	298.71	
Purvis Well	9/22/2010 12:30:00	66.89	33.16	0.04	66.86	83.20	83.23	298.77	
Purvis Well	9/22/2010 12:45:00	66.93	33.15	0.04	66.90	83.16	83.19	298.81	
Purvis Well	9/22/2010 13:00:00	66.97	33.15	0.03	66.94	83.13	83.15	298.85	
Purvis Well	9/22/2010 13:15:00	67.00	33.15	0.03	66.98	83.10	83.12	298.88	
Purvis Well	9/22/2010 13:30:00	65.38	33.14	0.03	65.36	84.72	84.74	297.26	
Purvis Well	9/22/2010 13:45:00	66.44	33.14	0.02	66.42	83.66	83.67	298.33	
Purvis Well	9/22/2010 14:00:00	66.71	33.14	0.02	66.70	83.38	83.40	298.60	
Purvis Well	9/22/2010 14:15:00	66.84	33.13	0.02	66.83	83.25	83.26	298.74	
Purvis Well	9/22/2010 14:30:00	66.91	33.13	0.01	66.90	83.18	83.19	298.81	
Purvis Well	9/22/2010 14:45:00	66.97	33.13	0.01	66.96	83.12	83.13	298.87	
Purvis Well	9/22/2010 15:00:00	67.01	33.12	0.01	67.00	83.08	83.09	298.91	
Purvis Well	9/22/2010 15:15:00	67.05	33.12	0.00	67.04	83.05	83.05	298.95	
Purvis Well	9/22/2010 15:30:00	67.08	33.12	0.00	67.08	83.02	83.02	298.98	
Purvis Well	9/22/2010 15:45:00	65.30	33.11	0.00	65.30	84.80	84.79	297.21	
Purvis Well	9/22/2010 16:00:00	66.48	33.11	-0.01	66.48	83.61	83.61	298.39	
Purvis Well	9/22/2010 16:15:00	66.78	33.11	-0.01	66.79	83.31	83.31	298.69	
Purvis Well	9/22/2010 16:30:00	66.91	33.11	-0.01	66.92	83.19	83.18	298.82	
Purvis Well	9/22/2010 16:45:00	66.99	33.10	-0.02	67.00	83.11	83.10	298.90	
Purvis Well	9/22/2010 17:00:00	67.05	33.10	-0.02	67.06	83.05	83.03	298.97	
Purvis Well	9/22/2010 17:15:00	67.09	33.10	-0.02	67.10	83.01	82.99	299.01	
Purvis Well	9/22/2010 17:30:00	67.12	33.09	-0.02	67.14	82.97	82.95	299.05	
Purvis Well	9/22/2010 17:45:00	67.15	33.10	-0.02	67.17	82.94	82.92	299.08	
Purvis Well	9/22/2010 18:00:00	67.18	33.10	-0.02	67.20	82.91	82.90	299.10	
Purvis Well	9/22/2010 18:15:00	67.20	33.10	-0.02	67.21	82.89	82.88	299.12	
Purvis Well	9/22/2010 18:30:00	65.12	33.10	-0.01	65.13	84.98	84.97	297.03	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/22/2010 18:45:00	66.48	33.11	-0.01	66.48	83.62	83.61	298.39	
Purvis Well	9/22/2010 19:00:00	66.82	33.11	-0.01	66.83	83.27	83.26	298.74	
Purvis Well	9/22/2010 19:15:00	66.98	33.11	-0.01	66.98	83.12	83.11	298.89	
Purvis Well	9/22/2010 19:30:00	67.06	33.12	0.00	67.06	83.03	83.03	298.97	
Purvis Well	9/22/2010 19:45:00	67.12	33.12	0.00	67.12	82.97	82.97	299.03	
Purvis Well	9/22/2010 20:00:00	67.17	33.12	0.00	67.16	82.93	82.93	299.07	
Purvis Well	9/22/2010 20:15:00	67.21	33.12	0.01	67.20	82.89	82.89	299.11	
Purvis Well	9/22/2010 20:30:00	67.23	33.13	0.01	67.23	82.86	82.87	299.13	
Purvis Well	9/22/2010 20:45:00	65.57	33.13	0.01	65.56	84.53	84.54	297.46	
Purvis Well	9/22/2010 21:00:00	66.66	33.13	0.01	66.64	83.44	83.45	298.55	
Purvis Well	9/22/2010 21:15:00	66.94	33.13	0.02	66.93	83.15	83.17	298.83	
Purvis Well	9/22/2010 21:30:00	67.07	33.14	0.02	67.05	83.03	83.04	298.96	
Purvis Well	9/22/2010 21:45:00	67.14	33.14	0.02	67.13	82.95	82.97	299.03	
Purvis Well	9/22/2010 22:00:00	64.75	33.14	0.02	64.73	85.35	85.37	296.63	
Purvis Well	9/22/2010 22:15:00	66.47	33.14	0.03	66.45	83.62	83.64	298.36	
Purvis Well	9/22/2010 22:30:00	66.86	33.15	0.03	66.84	83.23	83.25	298.75	
Purvis Well	9/22/2010 22:45:00	67.01	33.15	0.03	66.99	83.08	83.11	298.89	
Purvis Well	9/22/2010 23:00:00	67.10	33.15	0.03	67.07	83.00	83.02	298.98	
Purvis Well	9/22/2010 23:15:00	67.16	33.15	0.04	67.13	82.94	82.96	299.04	
Purvis Well	9/22/2010 23:30:00	67.20	33.16	0.04	67.17	82.89	82.92	299.08	
Purvis Well	9/22/2010 23:45:00	67.24	33.16	0.04	67.20	82.86	82.89	299.11	
Purvis Well	9/23/2010 0:00:00	67.27	33.16	0.04	67.23	82.83	82.86	299.14	
Purvis Well	9/23/2010 0:15:00	67.30	33.16	0.04	67.26	82.80	82.83	299.17	
Purvis Well	9/23/2010 0:30:00	67.31	33.16	0.05	67.28	82.78	82.82	299.18	
Purvis Well	9/23/2010 0:45:00	67.33	33.17	0.05	67.29	82.76	82.80	299.20	
Purvis Well	9/23/2010 1:00:00	64.81	33.17	0.05	64.77	85.29	85.33	296.67	
Purvis Well	9/23/2010 1:15:00	66.60	33.17	0.05	66.55	83.50	83.54	298.46	
Purvis Well	9/23/2010 1:30:00	66.98	33.17	0.06	66.94	83.12	83.16	298.84	
Purvis Well	9/23/2010 1:45:00	67.13	33.18	0.06	67.08	82.97	83.01	298.99	
Purvis Well	9/23/2010 2:00:00	67.21	33.18	0.06	67.16	82.89	82.94	299.06	
Purvis Well	9/23/2010 2:15:00	67.26	33.18	0.06	67.21	82.83	82.88	299.12	
Purvis Well	9/23/2010 2:30:00	67.31	33.18	0.07	67.25	82.79	82.84	299.16	
Purvis Well	9/23/2010 2:45:00	67.35	33.19	0.07	67.29	82.75	82.80	299.20	
Purvis Well	9/23/2010 3:00:00	67.38	33.19	0.07	67.32	82.72	82.77	299.23	
Purvis Well	9/23/2010 3:15:00	67.40	33.19	0.07	67.34	82.69	82.75	299.25	
Purvis Well	9/23/2010 3:30:00	67.43	33.19	0.08	67.37	82.67	82.73	299.27	
Purvis Well	9/23/2010 3:45:00	67.45	33.20	0.08	67.38	82.65	82.71	299.29	
Purvis Well	9/23/2010 4:00:00	65.63	33.20	0.08	65.57	84.46	84.52	297.48	
Purvis Well	9/23/2010 4:15:00	66.82	33.20	0.08	66.76	83.27	83.34	298.66	
Purvis Well	9/23/2010 4:30:00	64.59	33.20	0.09	64.52	85.51	85.57	296.43	
Purvis Well	9/23/2010 4:45:00	66.45	33.21	0.09	66.38	83.64	83.71	298.29	
Purvis Well	9/23/2010 5:00:00	66.90	33.21	0.09	66.83	83.19	83.26	298.74	
Purvis Well	9/23/2010 5:15:00	58.19	33.21	0.09	58.12	91.90	91.98	290.02	
Purvis Well	9/23/2010 5:30:00	65.83	33.22	0.10	65.75	84.27	84.34	297.66	
Purvis Well	9/23/2010 5:45:00	66.66	33.22	0.10	66.58	83.44	83.52	298.48	
Purvis Well	9/23/2010 6:00:00	66.94	33.22	0.10	66.86	83.15	83.23	298.77	
Purvis Well	9/23/2010 6:15:00	67.08	33.22	0.10	67.01	83.01	83.09	298.91	
Purvis Well	9/23/2010 6:30:00	67.18	33.22	0.10	67.10	82.91	82.99	299.01	
Purvis Well	9/23/2010 6:45:00	67.24	33.22	0.10	67.16	82.85	82.93	299.07	
Purvis Well	9/23/2010 7:00:00	67.30	33.22	0.10	67.21	82.80	82.88	299.12	
Purvis Well	9/23/2010 7:15:00	67.34	33.22	0.11	67.26	82.75	82.84	299.16	
Purvis Well	9/23/2010 7:30:00	67.38	33.22	0.11	67.30	82.71	82.80	299.20	
Purvis Well	9/23/2010 7:45:00	67.40	33.23	0.11	67.32	82.69	82.78	299.22	
Purvis Well	9/23/2010 8:00:00	64.53	33.23	0.11	64.45	85.56	85.65	296.35	
Purvis Well	9/23/2010 8:15:00	66.64	33.23	0.11	66.55	83.46	83.54	298.46	
Purvis Well	9/23/2010 8:30:00	67.06	33.23	0.11	66.97	83.04	83.12	298.88	
Purvis Well	9/23/2010 8:45:00	67.22	33.23	0.11	67.13	82.88	82.97	299.03	
Purvis Well	9/23/2010 9:00:00	67.31	33.23	0.11	67.22	82.79	82.88	299.12	
Purvis Well	9/23/2010 9:15:00	67.37	33.23	0.11	67.28	82.73	82.82	299.18	
Purvis Well	9/23/2010 9:30:00	67.41	33.23	0.12	67.32	82.69	82.78	299.22	
Purvis Well	9/23/2010 9:45:00	67.44	33.24	0.12	67.35	82.66	82.75	299.25	
Purvis Well	9/23/2010 10:00:00	67.47	33.24	0.12	67.38	82.62	82.71	299.29	
Purvis Well	9/23/2010 10:15:00	67.50	33.24	0.12	67.40	82.60	82.69	299.31	
Purvis Well	9/23/2010 10:30:00	67.52	33.24	0.13	67.42	82.57	82.67	299.33	
Purvis Well	9/23/2010 10:45:00	61.95	33.25	0.13	61.85	88.14	88.24	293.76	
Purvis Well	9/23/2010 11:00:00	66.34	33.25	0.13	66.23	83.76	83.86	298.14	
Purvis Well	9/23/2010 11:15:00	67.04	33.25	0.13	66.94	83.05	83.16	298.84	
Purvis Well	9/23/2010 11:30:00	67.26	33.26	0.14	67.15	82.84	82.94	299.06	
Purvis Well	9/23/2010 11:45:00	67.36	33.26	0.14	67.25	82.73	82.84	299.16	
Purvis Well	9/23/2010 12:00:00	67.42	33.26	0.14	67.31	82.68	82.79	299.21	
Purvis Well	9/23/2010 12:15:00	67.46	33.26	0.15	67.35	82.63	82.75	299.25	
Purvis Well	9/23/2010 12:30:00	67.51	33.27	0.15	67.39	82.59	82.70	299.30	
Purvis Well	9/23/2010 12:45:00	67.53	33.27	0.15	67.42	82.56	82.68	299.32	
Purvis Well	9/23/2010 13:00:00	67.56	33.27	0.15	67.44	82.53	82.65	299.35	
Purvis Well	9/23/2010 13:15:00	67.58	33.27	0.16	67.46	82.52	82.64	299.36	
Purvis Well	9/23/2010 13:30:00	66.13	33.28	0.16	66.01	83.96	84.09	297.91	
Purvis Well	9/23/2010 13:45:00	67.05	33.28	0.16	66.92	83.05	83.17	298.83	
Purvis Well	9/23/2010 14:00:00	67.29	33.28	0.16	67.17	82.80	82.93	299.07	
Purvis Well	9/23/2010 14:15:00	67.41	33.28	0.17	67.28	82.68	82.81	299.19	
Purvis Well	9/23/2010 14:30:00	67.47	33.29	0.17	67.34	82.62	82.75	299.25	
Purvis Well	9/23/2010 14:45:00	67.53	33.29	0.17	67.39	82.57	82.70	299.30	
Purvis Well	9/23/2010 15:00:00	67.56	33.29	0.17	67.43	82.53	82.67	299.33	
Purvis Well	9/23/2010 15:15:00	64.37	33.29	0.17	64.23	85.72	85.86	296.14	
Purvis Well	9/23/2010 15:30:00	66.76	33.29	0.18	66.62	83.34	83.48	298.52	
Purvis Well	9/23/2010 15:45:00	67.21	33.30	0.18	67.07	82.89	83.03	298.97	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/23/2010 16:00:00	67.38	33.30	0.18	67.24	82.72	82.86	299.14	
Purvis Well	9/23/2010 16:15:00	67.47	33.30	0.18	67.32	82.63	82.77	299.23	
Purvis Well	9/23/2010 16:30:00	67.52	33.30	0.18	67.37	82.58	82.72	299.28	
Purvis Well	9/23/2010 16:45:00	67.56	33.30	0.19	67.42	82.53	82.68	299.32	
Purvis Well	9/23/2010 17:00:00	67.60	33.31	0.19	67.45	82.50	82.64	299.36	
Purvis Well	9/23/2010 17:15:00	67.62	33.31	0.19	67.47	82.48	82.62	299.38	
Purvis Well	9/23/2010 17:30:00	67.64	33.31	0.19	67.49	82.45	82.60	299.40	
Purvis Well	9/23/2010 17:45:00	67.66	33.31	0.20	67.51	82.43	82.59	299.41	
Purvis Well	9/23/2010 18:00:00	65.83	33.32	0.20	65.67	84.27	84.42	297.58	
Purvis Well	9/23/2010 18:15:00	67.04	33.32	0.20	66.88	83.05	83.21	298.79	
Purvis Well	9/23/2010 18:30:00	67.34	33.32	0.21	67.18	82.75	82.91	299.09	
Purvis Well	9/23/2010 18:45:00	67.47	33.33	0.21	67.30	82.63	82.79	299.21	
Purvis Well	9/23/2010 19:00:00	67.54	33.33	0.21	67.37	82.56	82.72	299.28	
Purvis Well	9/23/2010 19:15:00	67.58	33.33	0.22	67.41	82.51	82.68	299.32	
Purvis Well	9/23/2010 19:30:00	67.61	33.34	0.22	67.44	82.48	82.65	299.35	
Purvis Well	9/23/2010 19:45:00	64.97	33.34	0.22	64.80	85.12	85.30	296.70	
Purvis Well	9/23/2010 20:00:00	66.87	33.34	0.23	66.69	83.22	83.40	298.60	
Purvis Well	9/23/2010 20:15:00	67.26	33.35	0.23	67.08	82.83	83.01	298.99	
Purvis Well	9/23/2010 20:30:00	67.41	33.35	0.23	67.23	82.69	82.87	299.13	
Purvis Well	9/23/2010 20:45:00	67.49	33.35	0.24	67.30	82.61	82.79	299.21	
Purvis Well	9/23/2010 21:00:00	67.54	33.36	0.24	67.35	82.56	82.74	299.26	
Purvis Well	9/23/2010 21:15:00	67.57	33.36	0.24	67.38	82.53	82.72	299.28	
Purvis Well	9/23/2010 21:30:00	67.60	33.36	0.25	67.41	82.50	82.69	299.31	
Purvis Well	9/23/2010 21:45:00	67.62	33.37	0.25	67.42	82.48	82.67	299.33	
Purvis Well	9/23/2010 22:00:00	67.63	33.37	0.25	67.44	82.46	82.65	299.35	
Purvis Well	9/23/2010 22:15:00	67.65	33.37	0.25	67.45	82.45	82.64	299.36	
Purvis Well	9/23/2010 22:30:00	63.05	33.37	0.25	62.85	87.05	87.25	294.75	
Purvis Well	9/23/2010 22:45:00	66.49	33.37	0.25	66.29	83.61	83.80	298.20	
Purvis Well	9/23/2010 23:00:00	67.10	33.37	0.25	66.90	83.00	83.19	298.81	
Purvis Well	9/23/2010 23:15:00	67.32	33.37	0.26	67.12	82.78	82.97	299.03	
Purvis Well	9/23/2010 23:30:00	67.43	33.37	0.26	67.23	82.66	82.86	299.14	
Purvis Well	9/23/2010 23:45:00	67.50	33.38	0.26	67.30	82.59	82.79	299.21	
Purvis Well	9/24/2010 0:00:00	67.55	33.38	0.26	67.35	82.54	82.74	299.26	
Purvis Well	9/24/2010 0:15:00	67.59	33.38	0.26	67.39	82.50	82.71	299.29	
Purvis Well	9/24/2010 0:30:00	67.63	33.38	0.26	67.42	82.47	82.67	299.33	
Purvis Well	9/24/2010 0:45:00	60.56	33.38	0.26	60.36	89.53	89.74	292.26	
Purvis Well	9/24/2010 1:00:00	66.51	33.38	0.26	66.31	83.58	83.79	298.21	
Purvis Well	9/24/2010 1:15:00	67.17	33.38	0.27	66.96	82.93	83.13	298.87	
Purvis Well	9/24/2010 1:30:00	67.37	33.38	0.27	67.17	82.72	82.93	299.07	
Purvis Well	9/24/2010 1:45:00	67.48	33.39	0.27	67.27	82.61	82.82	299.18	
Purvis Well	9/24/2010 2:00:00	67.55	33.39	0.27	67.34	82.54	82.75	299.25	
Purvis Well	9/24/2010 2:15:00	67.60	33.39	0.28	67.38	82.50	82.71	299.29	
Purvis Well	9/24/2010 2:30:00	67.65	33.40	0.28	67.43	82.45	82.67	299.33	
Purvis Well	9/24/2010 2:45:00	67.68	33.40	0.28	67.46	82.41	82.63	299.37	
Purvis Well	9/24/2010 3:00:00	67.71	33.40	0.29	67.48	82.39	82.61	299.39	
Purvis Well	9/24/2010 3:15:00	67.74	33.41	0.29	67.51	82.36	82.59	299.41	
Purvis Well	9/24/2010 3:30:00	67.76	33.41	0.29	67.53	82.34	82.56	299.44	
Purvis Well	9/24/2010 3:45:00	66.35	33.41	0.30	66.12	83.75	83.98	298.02	
Purvis Well	9/24/2010 4:00:00	67.24	33.42	0.30	67.01	82.85	83.09	298.91	
Purvis Well	9/24/2010 4:15:00	67.49	33.42	0.30	67.25	82.60	82.84	299.16	
Purvis Well	9/24/2010 4:30:00	67.61	33.42	0.31	67.37	82.49	82.73	299.27	
Purvis Well	9/24/2010 4:45:00	67.67	33.43	0.31	67.43	82.42	82.66	299.34	
Purvis Well	9/24/2010 5:00:00	67.72	33.43	0.31	67.48	82.37	82.61	299.39	
Purvis Well	9/24/2010 5:15:00	67.76	33.43	0.32	67.51	82.34	82.58	299.42	
Purvis Well	9/24/2010 5:30:00	66.24	33.44	0.32	65.99	83.85	84.10	297.90	
Purvis Well	9/24/2010 5:45:00	67.19	33.44	0.32	66.94	82.91	83.16	298.84	
Purvis Well	9/24/2010 6:00:00	67.47	33.44	0.32	67.22	82.62	82.88	299.12	
Purvis Well	9/24/2010 6:15:00	65.83	33.44	0.33	65.58	84.26	84.52	297.48	
Purvis Well	9/24/2010 6:30:00	67.01	33.45	0.33	66.76	83.08	83.34	298.66	
Purvis Well	9/24/2010 6:45:00	67.35	33.45	0.33	67.09	82.74	83.00	299.00	
Purvis Well	9/24/2010 7:00:00	67.51	33.45	0.33	67.25	82.59	82.84	299.16	
Purvis Well	9/24/2010 7:15:00	65.87	33.45	0.34	65.61	84.22	84.48	297.52	
Purvis Well	9/24/2010 7:30:00	67.05	33.46	0.34	66.79	83.05	83.31	298.69	
Purvis Well	9/24/2010 7:45:00	67.38	33.46	0.34	67.12	82.71	82.98	299.02	
Purvis Well	9/24/2010 8:00:00	67.53	33.46	0.34	67.26	82.57	82.84	299.16	
Purvis Well	9/24/2010 8:15:00	67.62	33.46	0.34	67.35	82.48	82.74	299.26	
Purvis Well	9/24/2010 8:30:00	67.68	33.46	0.35	67.41	82.41	82.68	299.32	
Purvis Well	9/24/2010 8:45:00	67.72	33.47	0.35	67.45	82.38	82.65	299.35	
Purvis Well	9/24/2010 9:00:00	67.76	33.47	0.35	67.49	82.34	82.61	299.39	
Purvis Well	9/24/2010 9:15:00	61.27	33.47	0.35	60.99	88.83	89.10	292.90	
Purvis Well	9/24/2010 9:30:00	66.63	33.47	0.35	66.36	83.46	83.74	298.26	
Purvis Well	9/24/2010 9:45:00	67.33	33.47	0.36	67.05	82.77	83.05	298.95	
Purvis Well	9/24/2010 10:00:00	67.54	33.48	0.36	67.26	82.55	82.83	299.17	
Purvis Well	9/24/2010 10:15:00	67.65	33.48	0.36	67.37	82.45	82.73	299.27	
Purvis Well	9/24/2010 10:30:00	67.72	33.48	0.36	67.44	82.37	82.66	299.34	
Purvis Well	9/24/2010 10:45:00	67.77	33.48	0.36	67.48	82.33	82.61	299.39	
Purvis Well	9/24/2010 11:00:00	67.81	33.48	0.36	67.52	82.29	82.57	299.43	
Purvis Well	9/24/2010 11:15:00	67.84	33.48	0.37	67.55	82.26	82.54	299.46	
Purvis Well	9/24/2010 11:30:00	63.85	33.49	0.37	63.56	86.25	86.53	295.47	
Purvis Well	9/24/2010 11:45:00	66.94	33.49	0.37	66.65	83.15	83.44	298.56	
Purvis Well	9/24/2010 12:00:00	67.44	33.49	0.37	67.15	82.65	82.94	299.06	
Purvis Well	9/24/2010 12:15:00	67.61	33.49	0.37	67.32	82.48	82.77	299.23	
Purvis Well	9/24/2010 12:30:00	67.70	33.49	0.38	67.41	82.39	82.69	299.31	
Purvis Well	9/24/2010 12:45:00	67.76	33.49	0.38	67.46	82.34	82.63	299.37	
Purvis Well	9/24/2010 13:00:00	67.80	33.50	0.38	67.50	82.30	82.59	299.41	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/24/2010 13:15:00	60.41	33.50	0.38	60.11	89.69	89.98	292.02	
Purvis Well	9/24/2010 13:30:00	66.72	33.50	0.38	66.42	83.37	83.67	298.33	
Purvis Well	9/24/2010 13:45:00	67.37	33.50	0.38	67.07	82.73	83.02	298.98	
Purvis Well	9/24/2010 14:00:00	67.57	33.49	0.38	67.28	82.53	82.82	299.18	
Purvis Well	9/24/2010 14:15:00	67.67	33.49	0.37	67.38	82.42	82.71	299.29	
Purvis Well	9/24/2010 14:30:00	67.73	33.49	0.37	67.44	82.36	82.65	299.35	
Purvis Well	9/24/2010 14:45:00	66.17	33.48	0.37	65.88	83.93	84.21	297.79	
Purvis Well	9/24/2010 15:00:00	67.19	33.48	0.36	66.91	82.91	83.19	298.81	
Purvis Well	9/24/2010 15:15:00	67.47	33.48	0.36	67.19	82.62	82.90	299.10	
Purvis Well	9/24/2010 15:30:00	67.60	33.47	0.36	67.32	82.50	82.77	299.23	
Purvis Well	9/24/2010 15:45:00	67.68	33.47	0.35	67.40	82.42	82.69	299.31	
Purvis Well	9/24/2010 16:00:00	67.73	33.47	0.35	67.46	82.36	82.63	299.37	
Purvis Well	9/24/2010 16:15:00	66.10	33.46	0.35	65.83	84.00	84.27	297.73	
Purvis Well	9/24/2010 16:30:00	67.19	33.46	0.34	66.92	82.91	83.17	298.83	
Purvis Well	9/24/2010 16:45:00	67.48	33.46	0.34	67.22	82.61	82.88	299.12	
Purvis Well	9/24/2010 17:00:00	67.61	33.45	0.34	67.34	82.49	82.75	299.25	
Purvis Well	9/24/2010 17:15:00	67.69	33.45	0.33	67.43	82.41	82.67	299.33	
Purvis Well	9/24/2010 17:30:00	67.74	33.45	0.33	67.48	82.36	82.62	299.38	
Purvis Well	9/24/2010 17:45:00	67.77	33.45	0.33	67.52	82.32	82.58	299.42	
Purvis Well	9/24/2010 18:00:00	67.81	33.44	0.33	67.55	82.29	82.54	299.46	
Purvis Well	9/24/2010 18:15:00	64.92	33.44	0.33	64.66	85.18	85.43	296.57	
Purvis Well	9/24/2010 18:30:00	67.02	33.44	0.32	66.76	83.08	83.33	298.67	
Purvis Well	9/24/2010 18:45:00	67.44	33.44	0.32	67.19	82.65	82.90	299.10	
Purvis Well	9/24/2010 19:00:00	67.60	33.44	0.32	67.35	82.49	82.74	299.26	
Purvis Well	9/24/2010 19:15:00	67.68	33.44	0.32	67.43	82.41	82.66	299.34	
Purvis Well	9/24/2010 19:30:00	67.74	33.44	0.32	67.49	82.36	82.61	299.39	
Purvis Well	9/24/2010 19:45:00	64.56	33.44	0.32	64.31	85.54	85.79	296.21	
Purvis Well	9/24/2010 20:00:00	66.90	33.44	0.32	66.65	83.19	83.44	298.56	
Purvis Well	9/24/2010 20:15:00	67.37	33.44	0.32	67.12	82.73	82.97	299.03	
Purvis Well	9/24/2010 20:30:00	67.54	33.43	0.32	67.29	82.55	82.80	299.20	
Purvis Well	9/24/2010 20:45:00	67.64	33.43	0.32	67.39	82.46	82.70	299.30	
Purvis Well	9/24/2010 21:00:00	67.70	33.43	0.32	67.45	82.40	82.64	299.36	
Purvis Well	9/24/2010 21:15:00	67.74	33.43	0.31	67.49	82.36	82.60	299.40	
Purvis Well	9/24/2010 21:30:00	63.82	33.43	0.31	63.57	86.28	86.52	295.48	
Purvis Well	9/24/2010 21:45:00	66.85	33.43	0.31	66.60	83.25	83.49	298.51	
Purvis Well	9/24/2010 22:00:00	67.36	33.43	0.31	67.12	82.73	82.98	299.02	
Purvis Well	9/24/2010 22:15:00	67.54	33.43	0.32	67.29	82.56	82.80	299.20	
Purvis Well	9/24/2010 22:30:00	67.63	33.43	0.32	67.38	82.47	82.71	299.29	
Purvis Well	9/24/2010 22:45:00	67.68	33.43	0.32	67.43	82.41	82.66	299.34	
Purvis Well	9/24/2010 23:00:00	65.90	33.44	0.32	65.65	84.20	84.45	297.55	
Purvis Well	9/24/2010 23:15:00	67.08	33.44	0.32	66.84	83.01	83.26	298.74	
Purvis Well	9/24/2010 23:30:00	67.39	33.44	0.32	67.14	82.70	82.95	299.05	
Purvis Well	9/24/2010 23:45:00	67.53	33.44	0.32	67.28	82.57	82.81	299.19	
Purvis Well	9/25/2010 0:00:00	67.61	33.44	0.32	67.36	82.49	82.74	299.26	
Purvis Well	9/25/2010 0:15:00	67.66	33.44	0.32	67.41	82.44	82.69	299.31	
Purvis Well	9/25/2010 0:30:00	67.70	33.44	0.32	67.44	82.40	82.65	299.35	
Purvis Well	9/25/2010 0:45:00	67.73	33.44	0.32	67.48	82.37	82.62	299.38	
Purvis Well	9/25/2010 1:00:00	67.76	33.44	0.32	67.50	82.34	82.59	299.41	
Purvis Well	9/25/2010 1:15:00	67.77	33.44	0.32	67.52	82.32	82.58	299.42	
Purvis Well	9/25/2010 1:30:00	62.21	33.44	0.33	61.96	87.88	88.13	293.87	
Purvis Well	9/25/2010 1:45:00	66.76	33.44	0.32	66.50	83.34	83.59	298.41	
Purvis Well	9/25/2010 2:00:00	67.33	33.44	0.32	67.08	82.76	83.01	298.99	
Purvis Well	9/25/2010 2:15:00	67.52	33.44	0.32	67.27	82.57	82.82	299.18	
Purvis Well	9/25/2010 2:30:00	67.61	33.44	0.32	67.36	82.48	82.74	299.26	
Purvis Well	9/25/2010 2:45:00	67.67	33.44	0.32	67.42	82.43	82.68	299.32	
Purvis Well	9/25/2010 3:00:00	67.71	33.44	0.32	67.46	82.39	82.64	299.36	
Purvis Well	9/25/2010 3:15:00	67.74	33.44	0.32	67.48	82.36	82.61	299.39	
Purvis Well	9/25/2010 3:30:00	67.76	33.44	0.32	67.50	82.34	82.59	299.41	
Purvis Well	9/25/2010 3:45:00	67.77	33.44	0.32	67.52	82.32	82.57	299.43	
Purvis Well	9/25/2010 4:00:00	67.79	33.44	0.32	67.54	82.30	82.55	299.45	
Purvis Well	9/25/2010 4:15:00	67.81	33.44	0.32	67.56	82.29	82.53	299.47	
Purvis Well	9/25/2010 4:30:00	66.25	33.44	0.32	66.00	83.84	84.09	297.91	
Purvis Well	9/25/2010 4:45:00	67.24	33.44	0.32	66.99	82.86	83.11	298.89	
Purvis Well	9/25/2010 5:00:00	67.50	33.44	0.32	67.25	82.59	82.84	299.16	
Purvis Well	9/25/2010 5:15:00	67.62	33.44	0.32	67.37	82.48	82.72	299.28	
Purvis Well	9/25/2010 5:30:00	67.68	33.44	0.32	67.43	82.41	82.66	299.34	
Purvis Well	9/25/2010 5:45:00	67.72	33.44	0.32	67.48	82.37	82.62	299.38	
Purvis Well	9/25/2010 6:00:00	67.76	33.43	0.32	67.51	82.34	82.59	299.41	
Purvis Well	9/25/2010 6:15:00	67.79	33.43	0.32	67.54	82.31	82.55	299.45	
Purvis Well	9/25/2010 6:30:00	65.58	33.43	0.32	65.33	84.52	84.76	297.24	
Purvis Well	9/25/2010 6:45:00	67.02	33.43	0.31	66.77	83.08	83.32	298.68	
Purvis Well	9/25/2010 7:00:00	64.86	33.43	0.31	64.62	85.23	85.48	296.52	
Purvis Well	9/25/2010 7:15:00	66.76	33.43	0.31	66.52	83.33	83.58	298.42	
Purvis Well	9/25/2010 7:30:00	65.08	33.43	0.31	64.84	85.01	85.26	296.74	
Purvis Well	9/25/2010 7:45:00	66.61	33.43	0.31	66.37	83.49	83.73	298.27	
Purvis Well	9/25/2010 8:00:00	67.05	33.43	0.31	66.81	83.04	83.28	298.72	
Purvis Well	9/25/2010 8:15:00	67.27	33.43	0.31	67.03	82.83	83.07	298.93	
Purvis Well	9/25/2010 8:30:00	64.04	33.43	0.31	63.79	86.06	86.30	295.70	
Purvis Well	9/25/2010 8:45:00	66.51	33.43	0.31	66.27	83.59	83.83	298.17	
Purvis Well	9/25/2010 9:00:00	67.05	33.42	0.31	66.81	83.05	83.29	298.71	
Purvis Well	9/25/2010 9:15:00	67.26	33.42	0.31	67.02	82.84	83.08	298.92	
Purvis Well	9/25/2010 9:30:00	67.38	33.42	0.31	67.14	82.72	82.96	299.04	
Purvis Well	9/25/2010 9:45:00	67.46	33.42	0.30	67.23	82.63	82.87	299.13	
Purvis Well	9/25/2010 10:00:00	67.52	33.41	0.29	67.29	82.57	82.80	299.20	
Purvis Well	9/25/2010 10:15:00	59.84	33.40	0.29	59.62	90.25	90.47	291.53	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/25/2010 10:30:00	66.38	33.40	0.28	66.16	83.72	83.94	298.06	
Purvis Well	9/25/2010 10:45:00	67.08	33.39	0.27	66.87	83.01	83.22	298.78	
Purvis Well	9/25/2010 11:00:00	67.31	33.38	0.27	67.10	82.78	82.99	299.01	
Purvis Well	9/25/2010 11:15:00	67.43	33.38	0.26	67.22	82.67	82.87	299.13	
Purvis Well	9/25/2010 11:30:00	58.40	33.37	0.25	58.20	91.69	91.89	290.11	
Purvis Well	9/25/2010 11:45:00	66.19	33.37	0.25	66.00	83.90	84.10	297.90	
Purvis Well	9/25/2010 12:00:00	60.85	33.36	0.24	60.67	89.24	89.43	292.57	
Purvis Well	9/25/2010 12:15:00	66.00	33.35	0.23	65.81	84.10	84.28	297.72	
Purvis Well	9/25/2010 12:30:00	64.58	33.35	0.23	64.40	85.52	85.69	296.31	
Purvis Well	9/25/2010 12:45:00	66.30	33.34	0.22	66.13	83.79	83.97	298.03	
Purvis Well	9/25/2010 13:00:00	62.45	33.33	0.22	62.28	87.64	87.81	294.19	
Purvis Well	9/25/2010 13:15:00	65.47	33.33	0.21	65.31	84.62	84.79	297.21	
Purvis Well	9/25/2010 13:30:00	66.52	33.32	0.20	66.36	83.58	83.74	298.26	
Purvis Well	9/25/2010 13:45:00	66.87	33.32	0.20	66.72	83.22	83.37	298.63	
Purvis Well	9/25/2010 14:00:00	67.06	33.31	0.19	66.91	83.03	83.18	298.82	
Purvis Well	9/25/2010 14:15:00	67.18	33.31	0.19	67.03	82.92	83.06	298.94	
Purvis Well	9/25/2010 14:30:00	64.56	33.30	0.18	64.41	85.54	85.68	296.32	
Purvis Well	9/25/2010 14:45:00	66.52	33.30	0.18	66.38	83.58	83.72	298.28	
Purvis Well	9/25/2010 15:00:00	66.96	33.29	0.17	66.82	83.14	83.28	298.72	
Purvis Well	9/25/2010 15:15:00	67.14	33.29	0.17	67.01	82.95	83.08	298.92	
Purvis Well	9/25/2010 15:30:00	67.25	33.28	0.17	67.12	82.85	82.97	299.03	
Purvis Well	9/25/2010 15:45:00	67.32	33.28	0.16	67.19	82.78	82.90	299.10	
Purvis Well	9/25/2010 16:00:00	67.37	33.27	0.16	67.25	82.72	82.84	299.16	
Purvis Well	9/25/2010 16:15:00	67.42	33.27	0.15	67.30	82.67	82.79	299.21	
Purvis Well	9/25/2010 16:30:00	67.46	33.26	0.15	67.35	82.63	82.75	299.25	
Purvis Well	9/25/2010 16:45:00	67.49	33.26	0.14	67.38	82.60	82.71	299.29	
Purvis Well	9/25/2010 17:00:00	62.27	33.26	0.14	62.17	87.82	87.93	294.07	
Purvis Well	9/25/2010 17:15:00	66.48	33.25	0.13	66.37	83.62	83.72	298.28	
Purvis Well	9/25/2010 17:30:00	67.07	33.25	0.13	66.96	83.03	83.13	298.87	
Purvis Well	9/25/2010 17:45:00	67.26	33.25	0.13	67.16	82.83	82.93	299.07	
Purvis Well	9/25/2010 18:00:00	67.37	33.25	0.13	67.26	82.73	82.83	299.17	
Purvis Well	9/25/2010 18:15:00	67.43	33.25	0.13	67.33	82.67	82.77	299.23	
Purvis Well	9/25/2010 18:30:00	67.48	33.25	0.13	67.38	82.62	82.72	299.28	
Purvis Well	9/25/2010 18:45:00	67.52	33.25	0.13	67.42	82.58	82.68	299.32	
Purvis Well	9/25/2010 19:00:00	67.54	33.25	0.13	67.44	82.55	82.65	299.35	
Purvis Well	9/25/2010 19:15:00	65.26	33.25	0.13	65.16	84.84	84.94	297.06	
Purvis Well	9/25/2010 19:30:00	66.78	33.25	0.13	66.68	83.31	83.41	298.59	
Purvis Well	9/25/2010 19:45:00	64.88	33.25	0.13	64.78	85.22	85.32	296.68	
Purvis Well	9/25/2010 20:00:00	60.69	33.25	0.13	60.59	89.40	89.51	292.49	
Purvis Well	9/25/2010 20:15:00	65.70	33.25	0.13	65.60	84.39	84.49	297.51	
Purvis Well	9/25/2010 20:30:00	66.56	33.25	0.13	66.46	83.53	83.63	298.37	
Purvis Well	9/25/2010 20:45:00	64.46	33.25	0.13	64.35	85.64	85.74	296.26	
Purvis Well	9/25/2010 21:00:00	66.30	33.25	0.13	66.20	83.79	83.89	298.11	
Purvis Well	9/25/2010 21:15:00	63.91	33.25	0.13	63.81	86.18	86.28	295.72	
Purvis Well	9/25/2010 21:30:00	65.41	33.25	0.13	65.30	84.69	84.79	297.21	
Purvis Well	9/25/2010 21:45:00	63.13	33.25	0.13	63.03	86.96	87.07	294.93	
Purvis Well	9/25/2010 22:00:00	61.47	33.25	0.13	61.36	88.63	88.73	293.27	
Purvis Well	9/25/2010 22:15:00	64.94	33.25	0.13	64.83	85.15	85.26	296.74	
Purvis Well	9/25/2010 22:30:00	66.13	33.25	0.14	66.02	83.97	84.07	297.93	
Purvis Well	9/25/2010 22:45:00	66.55	33.25	0.14	66.44	83.55	83.65	298.35	
Purvis Well	9/25/2010 23:00:00	66.76	33.26	0.14	66.65	83.33	83.44	298.56	
Purvis Well	9/25/2010 23:15:00	66.91	33.26	0.14	66.80	83.19	83.29	298.71	
Purvis Well	9/25/2010 23:30:00	67.01	33.26	0.14	66.91	83.08	83.19	298.81	
Purvis Well	9/25/2010 23:45:00	67.10	33.26	0.14	66.99	82.99	83.10	298.90	
Purvis Well	9/26/2010 0:00:00	67.17	33.26	0.14	67.06	82.92	83.03	298.97	
Purvis Well	9/26/2010 0:15:00	67.24	33.26	0.14	67.13	82.86	82.97	299.03	
Purvis Well	9/26/2010 0:30:00	65.48	33.26	0.14	65.37	84.61	84.72	297.28	
Purvis Well	9/26/2010 0:45:00	66.67	33.26	0.14	66.56	83.42	83.53	298.47	
Purvis Well	9/26/2010 1:00:00	66.99	33.26	0.14	66.88	83.10	83.22	298.78	
Purvis Well	9/26/2010 1:15:00	67.12	33.26	0.15	67.01	82.98	83.09	298.91	
Purvis Well	9/26/2010 1:30:00	67.21	33.26	0.15	67.09	82.89	83.00	299.00	
Purvis Well	9/26/2010 1:45:00	67.28	33.26	0.14	67.16	82.82	82.93	299.07	
Purvis Well	9/26/2010 2:00:00	65.25	33.26	0.14	65.14	84.85	84.96	297.04	
Purvis Well	9/26/2010 2:15:00	66.65	33.26	0.14	66.54	83.44	83.55	298.45	
Purvis Well	9/26/2010 2:30:00	66.98	33.25	0.14	66.87	83.12	83.22	298.78	
Purvis Well	9/26/2010 2:45:00	67.11	33.25	0.13	67.00	82.99	83.09	298.91	
Purvis Well	9/26/2010 3:00:00	67.17	33.25	0.13	67.07	82.92	83.03	298.97	
Purvis Well	9/26/2010 3:15:00	67.23	33.25	0.13	67.13	82.87	82.97	299.03	
Purvis Well	9/26/2010 3:30:00	67.25	33.24	0.13	67.15	82.84	82.94	299.06	
Purvis Well	9/26/2010 3:45:00	67.31	33.24	0.12	67.22	82.78	82.88	299.12	
Purvis Well	9/26/2010 4:00:00	67.35	33.24	0.12	67.26	82.74	82.83	299.17	
Purvis Well	9/26/2010 4:15:00	67.41	33.24	0.12	67.32	82.68	82.77	299.23	
Purvis Well	9/26/2010 4:30:00	67.43	33.23	0.11	67.34	82.66	82.75	299.25	
Purvis Well	9/26/2010 4:45:00	65.23	33.23	0.11	65.14	84.87	84.95	297.05	
Purvis Well	9/26/2010 5:00:00	66.75	33.23	0.11	66.66	83.35	83.43	298.57	
Purvis Well	9/26/2010 5:15:00	67.10	33.22	0.11	67.02	82.99	83.07	298.93	
Purvis Well	9/26/2010 5:30:00	67.24	33.22	0.10	67.15	82.86	82.94	299.06	
Purvis Well	9/26/2010 5:45:00	67.31	33.22	0.11	67.23	82.78	82.86	299.14	
Purvis Well	9/26/2010 6:00:00	67.37	33.22	0.11	67.29	82.72	82.81	299.19	
Purvis Well	9/26/2010 6:15:00	67.41	33.23	0.11	67.33	82.68	82.77	299.23	
Purvis Well	9/26/2010 6:30:00	60.84	33.23	0.11	60.76	89.25	89.34	292.66	
Purvis Well	9/26/2010 6:45:00	66.25	33.23	0.11	66.16	83.85	83.93	298.07	
Purvis Well	9/26/2010 7:00:00	66.97	33.23	0.11	66.88	83.13	83.21	298.79	
Purvis Well	9/26/2010 7:15:00	64.27	33.23	0.11	64.18	85.83	85.92	296.08	
Purvis Well	9/26/2010 7:30:00	66.41	33.23	0.11	66.32	83.69	83.78	298.22	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/26/2010 7:45:00	64.41	33.23	0.12	64.32	85.68	85.77	296.23	
Purvis Well	9/26/2010 8:00:00	56.42	33.24	0.12	56.33	93.67	93.77	288.23	
Purvis Well	9/26/2010 8:15:00	65.12	33.24	0.12	65.02	84.98	85.07	296.93	
Purvis Well	9/26/2010 8:30:00	66.27	33.24	0.12	66.18	83.82	83.91	298.09	
Purvis Well	9/26/2010 8:45:00	58.77	33.24	0.12	58.67	91.33	91.42	290.58	
Purvis Well	9/26/2010 9:00:00	65.70	33.24	0.12	65.60	84.39	84.49	297.51	
Purvis Well	9/26/2010 9:15:00	66.52	33.24	0.12	66.42	83.58	83.68	298.32	
Purvis Well	9/26/2010 9:30:00	66.82	33.24	0.13	66.72	83.28	83.38	298.62	
Purvis Well	9/26/2010 9:45:00	66.98	33.25	0.13	66.88	83.11	83.21	298.79	
Purvis Well	9/26/2010 10:00:00	61.13	33.25	0.13	61.03	88.96	89.07	292.93	
Purvis Well	9/26/2010 10:15:00	65.69	33.25	0.13	65.58	84.41	84.51	297.49	
Purvis Well	9/26/2010 10:30:00	60.46	33.25	0.14	60.35	89.63	89.74	292.26	
Purvis Well	9/26/2010 10:45:00	65.67	33.26	0.14	65.57	84.42	84.53	297.47	
Purvis Well	9/26/2010 11:00:00	61.20	33.26	0.14	61.09	88.89	89.00	293.00	
Purvis Well	9/26/2010 11:15:00	65.64	33.26	0.14	65.53	84.46	84.57	297.43	
Purvis Well	9/26/2010 11:30:00	66.44	33.26	0.15	66.32	83.66	83.77	298.23	
Purvis Well	9/26/2010 11:45:00	66.75	33.27	0.15	66.63	83.35	83.46	298.54	
Purvis Well	9/26/2010 12:00:00	66.92	33.27	0.15	66.81	83.17	83.29	298.71	
Purvis Well	9/26/2010 12:15:00	62.50	33.27	0.15	62.38	87.60	87.71	294.29	
Purvis Well	9/26/2010 12:30:00	66.06	33.27	0.16	65.94	84.03	84.15	297.85	
Purvis Well	9/26/2010 12:45:00	64.83	33.28	0.16	64.71	85.26	85.38	296.62	
Purvis Well	9/26/2010 13:00:00	66.24	33.28	0.16	66.11	83.86	83.98	298.02	
Purvis Well	9/26/2010 13:15:00	66.66	33.28	0.16	66.54	83.43	83.56	298.44	
Purvis Well	9/26/2010 13:30:00	66.88	33.28	0.17	66.75	83.22	83.35	298.65	
Purvis Well	9/26/2010 13:45:00	63.32	33.28	0.17	63.19	86.78	86.91	295.09	
Purvis Well	9/26/2010 14:00:00	66.17	33.28	0.17	66.04	83.92	84.05	297.95	
Purvis Well	9/26/2010 14:15:00	66.72	33.28	0.16	66.59	83.38	83.50	298.50	
Purvis Well	9/26/2010 14:30:00	66.93	33.28	0.16	66.80	83.16	83.29	298.71	
Purvis Well	9/26/2010 14:45:00	67.05	33.28	0.16	66.92	83.05	83.17	298.83	
Purvis Well	9/26/2010 15:00:00	67.14	33.28	0.16	67.02	82.95	83.08	298.92	
Purvis Well	9/26/2010 15:15:00	67.21	33.28	0.16	67.08	82.89	83.01	298.99	
Purvis Well	9/26/2010 15:30:00	67.26	33.28	0.16	67.14	82.83	82.96	299.04	
Purvis Well	9/26/2010 15:45:00	67.31	33.28	0.16	67.18	82.79	82.91	299.09	
Purvis Well	9/26/2010 16:00:00	67.35	33.28	0.16	67.22	82.75	82.87	299.13	
Purvis Well	9/26/2010 16:15:00	67.38	33.28	0.16	67.25	82.72	82.84	299.16	
Purvis Well	9/26/2010 16:30:00	61.38	33.28	0.16	61.25	88.72	88.84	293.16	
Purvis Well	9/26/2010 16:45:00	66.08	33.28	0.16	65.95	84.02	84.14	297.86	
Purvis Well	9/26/2010 17:00:00	66.87	33.28	0.16	66.75	83.22	83.34	298.66	
Purvis Well	9/26/2010 17:15:00	67.12	33.27	0.16	67.00	82.98	83.10	298.90	
Purvis Well	9/26/2010 17:30:00	67.24	33.27	0.16	67.12	82.85	82.98	299.02	
Purvis Well	9/26/2010 17:45:00	67.31	33.28	0.16	67.19	82.78	82.90	299.10	
Purvis Well	9/26/2010 18:00:00	67.37	33.28	0.16	67.24	82.73	82.85	299.15	
Purvis Well	9/26/2010 18:15:00	67.41	33.28	0.16	67.28	82.69	82.81	299.19	
Purvis Well	9/26/2010 18:30:00	58.65	33.28	0.16	58.52	91.45	91.57	290.43	
Purvis Well	9/26/2010 18:45:00	65.59	33.28	0.16	65.46	84.51	84.63	297.37	
Purvis Well	9/26/2010 19:00:00	66.56	33.28	0.16	66.43	83.54	83.67	298.33	
Purvis Well	9/26/2010 19:15:00	66.90	33.28	0.17	66.77	83.19	83.32	298.68	
Purvis Well	9/26/2010 19:30:00	67.07	33.29	0.17	66.94	83.02	83.15	298.85	
Purvis Well	9/26/2010 19:45:00	67.18	33.29	0.17	67.05	82.91	83.04	298.96	
Purvis Well	9/26/2010 20:00:00	63.21	33.29	0.17	63.08	86.88	87.01	294.99	
Purvis Well	9/26/2010 20:15:00	66.30	33.29	0.17	66.17	83.79	83.93	298.07	
Purvis Well	9/26/2010 20:30:00	66.87	33.29	0.17	66.74	83.22	83.35	298.65	
Purvis Well	9/26/2010 20:45:00	62.62	33.29	0.17	62.48	87.47	87.61	294.39	
Purvis Well	9/26/2010 21:00:00	66.14	33.29	0.18	66.00	83.96	84.09	297.91	
Purvis Well	9/26/2010 21:15:00	66.76	33.29	0.18	66.63	83.33	83.47	298.53	
Purvis Well	9/26/2010 21:30:00	67.01	33.30	0.18	66.87	83.09	83.23	298.77	
Purvis Well	9/26/2010 21:45:00	67.14	33.30	0.18	67.00	82.96	83.10	298.90	
Purvis Well	9/26/2010 22:00:00	64.90	33.30	0.18	64.76	85.19	85.33	296.67	
Purvis Well	9/26/2010 22:15:00	66.52	33.30	0.18	66.38	83.58	83.72	298.28	
Purvis Well	9/26/2010 22:30:00	66.92	33.30	0.18	66.77	83.18	83.32	298.68	
Purvis Well	9/26/2010 22:45:00	67.09	33.30	0.18	66.94	83.01	83.15	298.85	
Purvis Well	9/26/2010 23:00:00	67.19	33.30	0.19	67.04	82.91	83.05	298.95	
Purvis Well	9/26/2010 23:15:00	67.26	33.30	0.19	67.11	82.84	82.98	299.02	
Purvis Well	9/26/2010 23:30:00	67.31	33.31	0.19	67.16	82.78	82.93	299.07	
Purvis Well	9/26/2010 23:45:00	67.35	33.31	0.19	67.20	82.75	82.89	299.11	
Purvis Well	9/27/2010 0:00:00	67.38	33.31	0.19	67.24	82.71	82.86	299.14	
Purvis Well	9/27/2010 0:15:00	67.41	33.31	0.19	67.26	82.68	82.83	299.17	
Purvis Well	9/27/2010 0:30:00	60.71	33.31	0.19	60.56	89.39	89.53	292.47	
Purvis Well	9/27/2010 0:45:00	66.35	33.31	0.19	66.20	83.74	83.89	298.11	
Purvis Well	9/27/2010 1:00:00	66.98	33.31	0.19	66.82	83.12	83.27	298.73	
Purvis Well	9/27/2010 1:15:00	67.18	33.31	0.20	67.03	82.92	83.07	298.93	
Purvis Well	9/27/2010 1:30:00	67.28	33.31	0.20	67.13	82.82	82.97	299.03	
Purvis Well	9/27/2010 1:45:00	67.34	33.31	0.20	67.18	82.76	82.91	299.09	
Purvis Well	9/27/2010 2:00:00	67.38	33.32	0.20	67.23	82.71	82.87	299.13	
Purvis Well	9/27/2010 2:15:00	67.42	33.32	0.20	67.26	82.68	82.83	299.17	
Purvis Well	9/27/2010 2:30:00	67.45	33.32	0.20	67.29	82.65	82.80	299.20	
Purvis Well	9/27/2010 2:45:00	67.47	33.32	0.20	67.31	82.62	82.78	299.22	
Purvis Well	9/27/2010 3:00:00	67.49	33.32	0.20	67.33	82.61	82.76	299.24	
Purvis Well	9/27/2010 3:15:00	65.84	33.32	0.20	65.68	84.26	84.42	297.58	
Purvis Well	9/27/2010 3:30:00	66.91	33.32	0.20	66.75	83.19	83.35	298.65	
Purvis Well	9/27/2010 3:45:00	67.18	33.32	0.20	67.02	82.91	83.07	298.93	
Purvis Well	9/27/2010 4:00:00	67.31	33.32	0.20	67.15	82.79	82.95	299.05	
Purvis Well	9/27/2010 4:15:00	67.37	33.32	0.20	67.21	82.72	82.88	299.12	
Purvis Well	9/27/2010 4:30:00	65.79	33.32	0.21	65.63	84.31	84.47	297.53	
Purvis Well	9/27/2010 4:45:00	66.80	33.32	0.21	66.64	83.29	83.45	298.55	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/27/2010 5:00:00	63.29	33.32	0.21	63.12	86.81	86.97	295.03	
Purvis Well	9/27/2010 5:15:00	66.27	33.33	0.21	66.11	83.82	83.98	298.02	
Purvis Well	9/27/2010 5:30:00	66.85	33.33	0.21	66.69	83.24	83.41	298.59	
Purvis Well	9/27/2010 5:45:00	67.07	33.33	0.21	66.91	83.02	83.18	298.82	
Purvis Well	9/27/2010 6:00:00	67.19	33.33	0.21	67.03	82.90	83.06	298.94	
Purvis Well	9/27/2010 6:15:00	67.28	33.33	0.21	67.11	82.82	82.98	299.02	
Purvis Well	9/27/2010 6:30:00	67.34	33.33	0.21	67.18	82.75	82.91	299.09	
Purvis Well	9/27/2010 6:45:00	65.66	33.32	0.21	65.50	84.43	84.59	297.41	
Purvis Well	9/27/2010 7:00:00	66.79	33.32	0.21	66.63	83.30	83.46	298.54	
Purvis Well	9/27/2010 7:15:00	67.09	33.32	0.21	66.93	83.00	83.16	298.84	
Purvis Well	9/27/2010 7:30:00	67.23	33.32	0.21	67.07	82.87	83.03	298.97	
Purvis Well	9/27/2010 7:45:00	67.31	33.32	0.21	67.15	82.78	82.94	299.06	
Purvis Well	9/27/2010 8:00:00	67.37	33.32	0.21	67.21	82.73	82.89	299.11	
Purvis Well	9/27/2010 8:15:00	67.42	33.32	0.21	67.25	82.68	82.84	299.16	
Purvis Well	9/27/2010 8:30:00	67.45	33.32	0.21	67.29	82.64	82.80	299.20	
Purvis Well	9/27/2010 8:45:00	67.48	33.32	0.21	67.32	82.61	82.77	299.23	
Purvis Well	9/27/2010 9:00:00	67.51	33.32	0.20	67.35	82.59	82.74	299.26	
Purvis Well	9/27/2010 9:15:00	57.65	33.32	0.20	57.49	92.45	92.61	289.39	
Purvis Well	9/27/2010 9:30:00	66.19	33.32	0.20	66.03	83.91	84.07	297.93	
Purvis Well	9/27/2010 9:45:00	66.96	33.32	0.20	66.80	83.13	83.29	298.71	
Purvis Well	9/27/2010 10:00:00	67.21	33.32	0.20	67.05	82.89	83.05	298.95	
Purvis Well	9/27/2010 10:15:00	67.32	33.32	0.20	67.16	82.77	82.93	299.07	
Purvis Well	9/27/2010 10:30:00	67.39	33.32	0.20	67.23	82.70	82.86	299.14	
Purvis Well	9/27/2010 10:45:00	67.45	33.32	0.20	67.29	82.65	82.81	299.19	
Purvis Well	9/27/2010 11:00:00	67.49	33.32	0.20	67.33	82.61	82.77	299.23	
Purvis Well	9/27/2010 11:15:00	67.51	33.32	0.20	67.35	82.58	82.74	299.26	
Purvis Well	9/27/2010 11:30:00	67.54	33.32	0.20	67.38	82.55	82.71	299.29	
Purvis Well	9/27/2010 11:45:00	67.56	33.32	0.20	67.40	82.54	82.70	299.30	
Purvis Well	9/27/2010 12:00:00	65.52	33.32	0.20	65.36	84.58	84.74	297.26	
Purvis Well	9/27/2010 12:15:00	66.83	33.32	0.20	66.67	83.26	83.42	298.58	
Purvis Well	9/27/2010 12:30:00	67.17	33.32	0.20	67.01	82.93	83.09	298.91	
Purvis Well	9/27/2010 12:45:00	67.31	33.32	0.20	67.15	82.79	82.95	299.05	
Purvis Well	9/27/2010 13:00:00	67.39	33.32	0.20	67.23	82.71	82.86	299.14	
Purvis Well	9/27/2010 13:15:00	67.44	33.32	0.20	67.28	82.66	82.81	299.19	
Purvis Well	9/27/2010 13:30:00	65.78	33.32	0.20	65.62	84.31	84.47	297.53	
Purvis Well	9/27/2010 13:45:00	66.83	33.32	0.20	66.68	83.26	83.42	298.58	
Purvis Well	9/27/2010 14:00:00	67.11	33.31	0.19	66.96	82.98	83.13	298.87	
Purvis Well	9/27/2010 14:15:00	67.23	33.31	0.19	67.08	82.87	83.01	298.99	
Purvis Well	9/27/2010 14:30:00	67.30	33.30	0.19	67.15	82.80	82.94	299.06	
Purvis Well	9/27/2010 14:45:00	67.34	33.30	0.18	67.20	82.76	82.90	299.10	
Purvis Well	9/27/2010 15:00:00	67.37	33.29	0.18	67.23	82.73	82.86	299.14	
Purvis Well	9/27/2010 15:15:00	63.06	33.29	0.17	62.92	87.04	87.17	294.83	
Purvis Well	9/27/2010 15:30:00	65.88	33.29	0.17	65.74	84.22	84.35	297.65	
Purvis Well	9/27/2010 15:45:00	66.80	33.28	0.16	66.68	83.29	83.42	298.58	
Purvis Well	9/27/2010 16:00:00	67.08	33.28	0.16	66.95	83.02	83.14	298.86	
Purvis Well	9/27/2010 16:15:00	67.21	33.27	0.16	67.08	82.89	83.01	298.99	
Purvis Well	9/27/2010 16:30:00	67.28	33.27	0.15	67.16	82.81	82.93	299.07	
Purvis Well	9/27/2010 16:45:00	67.34	33.26	0.15	67.22	82.76	82.87	299.13	
Purvis Well	9/27/2010 17:00:00	67.38	33.26	0.14	67.27	82.71	82.83	299.17	
Purvis Well	9/27/2010 17:15:00	65.14	33.26	0.14	65.03	84.96	85.06	296.94	
Purvis Well	9/27/2010 17:30:00	66.69	33.25	0.13	66.58	83.41	83.51	298.49	
Purvis Well	9/27/2010 17:45:00	60.69	33.26	0.14	60.58	89.40	89.51	292.49	
Purvis Well	9/27/2010 18:00:00	65.93	33.26	0.14	65.82	84.16	84.27	297.73	
Purvis Well	9/27/2010 18:15:00	61.59	33.26	0.14	61.47	88.51	88.62	293.38	
Purvis Well	9/27/2010 18:30:00	65.81	33.26	0.15	65.69	84.29	84.40	297.60	
Purvis Well	9/27/2010 18:45:00	66.57	33.27	0.15	66.46	83.52	83.64	298.36	
Purvis Well	9/27/2010 19:00:00	66.87	33.27	0.15	66.75	83.22	83.34	298.66	
Purvis Well	9/27/2010 19:15:00	60.31	33.27	0.16	60.19	89.78	89.90	292.10	
Purvis Well	9/27/2010 19:30:00	65.85	33.28	0.16	65.73	84.24	84.37	297.63	
Purvis Well	9/27/2010 19:45:00	66.68	33.28	0.16	66.55	83.42	83.54	298.46	
Purvis Well	9/27/2010 20:00:00	66.96	33.28	0.17	66.83	83.14	83.26	298.74	
Purvis Well	9/27/2010 20:15:00	67.11	33.29	0.17	66.98	82.98	83.11	298.89	
Purvis Well	9/27/2010 20:30:00	67.21	33.29	0.17	67.07	82.89	83.02	298.98	
Purvis Well	9/27/2010 20:45:00	67.28	33.29	0.17	67.15	82.81	82.95	299.05	
Purvis Well	9/27/2010 21:00:00	62.12	33.30	0.18	61.98	87.97	88.11	293.89	
Purvis Well	9/27/2010 21:15:00	66.33	33.30	0.18	66.19	83.77	83.91	298.09	
Purvis Well	9/27/2010 21:30:00	66.93	33.30	0.18	66.79	83.16	83.31	298.69	
Purvis Well	9/27/2010 21:45:00	67.14	33.30	0.18	67.00	82.95	83.09	298.91	
Purvis Well	9/27/2010 22:00:00	67.26	33.30	0.18	67.11	82.84	82.98	299.02	
Purvis Well	9/27/2010 22:15:00	67.32	33.30	0.18	67.18	82.77	82.91	299.09	
Purvis Well	9/27/2010 22:30:00	63.42	33.30	0.18	63.28	86.68	86.82	295.18	
Purvis Well	9/27/2010 22:45:00	66.45	33.30	0.18	66.31	83.64	83.78	298.22	
Purvis Well	9/27/2010 23:00:00	66.98	33.30	0.18	66.84	83.12	83.25	298.75	
Purvis Well	9/27/2010 23:15:00	67.16	33.30	0.18	67.02	82.93	83.07	298.93	
Purvis Well	9/27/2010 23:30:00	67.26	33.30	0.18	67.12	82.83	82.97	299.03	
Purvis Well	9/27/2010 23:45:00	67.33	33.29	0.18	67.19	82.76	82.90	299.10	
Purvis Well	9/28/2010 0:00:00	67.37	33.29	0.18	67.24	82.72	82.86	299.14	
Purvis Well	9/28/2010 0:15:00	67.41	33.29	0.18	67.27	82.69	82.82	299.18	
Purvis Well	9/28/2010 0:30:00	67.44	33.29	0.17	67.30	82.66	82.80	299.20	
Purvis Well	9/28/2010 0:45:00	63.57	33.29	0.17	63.43	86.53	86.66	295.34	
Purvis Well	9/28/2010 1:00:00	66.52	33.29	0.17	66.38	83.58	83.71	298.29	
Purvis Well	9/28/2010 1:15:00	67.03	33.29	0.17	66.90	83.06	83.20	298.80	
Purvis Well	9/28/2010 1:30:00	67.21	33.29	0.17	67.08	82.89	83.02	298.98	
Purvis Well	9/28/2010 1:45:00	67.30	33.29	0.17	67.16	82.80	82.93	299.07	
Purvis Well	9/28/2010 2:00:00	67.36	33.29	0.17	67.22	82.74	82.87	299.13	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/28/2010 2:15:00	67.40	33.29	0.17	67.26	82.69	82.83	299.17	
Purvis Well	9/28/2010 2:30:00	67.43	33.29	0.17	67.29	82.67	82.80	299.20	
Purvis Well	9/28/2010 2:45:00	67.46	33.29	0.17	67.32	82.64	82.78	299.22	
Purvis Well	9/28/2010 3:00:00	67.47	33.29	0.18	67.34	82.62	82.76	299.24	
Purvis Well	9/28/2010 3:15:00	67.49	33.29	0.18	67.35	82.61	82.74	299.26	
Purvis Well	9/28/2010 3:30:00	67.51	33.29	0.18	67.37	82.59	82.73	299.27	
Purvis Well	9/28/2010 3:45:00	64.66	33.30	0.18	64.52	85.44	85.57	296.43	
Purvis Well	9/28/2010 4:00:00	66.70	33.30	0.18	66.56	83.39	83.53	298.47	
Purvis Well	9/28/2010 4:15:00	67.12	33.30	0.18	66.98	82.98	83.11	298.89	
Purvis Well	9/28/2010 4:30:00	65.61	33.30	0.18	65.47	84.48	84.62	297.38	
Purvis Well	9/28/2010 4:45:00	66.71	33.30	0.18	66.57	83.39	83.53	298.47	
Purvis Well	9/28/2010 5:00:00	67.03	33.30	0.18	66.88	83.07	83.21	298.79	
Purvis Well	9/28/2010 5:15:00	67.18	33.30	0.18	67.04	82.92	83.06	298.94	
Purvis Well	9/28/2010 5:30:00	63.66	33.30	0.18	63.52	86.43	86.57	295.43	
Purvis Well	9/28/2010 5:45:00	65.90	33.30	0.19	65.76	84.19	84.34	297.66	
Purvis Well	9/28/2010 6:00:00	66.78	33.31	0.19	66.64	83.31	83.46	298.54	
Purvis Well	9/28/2010 6:15:00	67.06	33.31	0.19	66.91	83.04	83.19	298.81	
Purvis Well	9/28/2010 6:30:00	67.19	33.31	0.20	67.04	82.90	83.05	298.95	
Purvis Well	9/28/2010 6:45:00	67.28	33.32	0.20	67.12	82.82	82.97	299.03	
Purvis Well	9/28/2010 7:00:00	67.34	33.32	0.20	67.18	82.75	82.91	299.09	
Purvis Well	9/28/2010 7:15:00	67.40	33.32	0.21	67.24	82.70	82.86	299.14	
Purvis Well	9/28/2010 7:30:00	67.44	33.33	0.21	67.27	82.66	82.82	299.18	
Purvis Well	9/28/2010 7:45:00	67.47	33.33	0.21	67.30	82.62	82.79	299.21	
Purvis Well	9/28/2010 8:00:00	67.50	33.33	0.22	67.33	82.60	82.77	299.23	
Purvis Well	9/28/2010 8:15:00	67.51	33.34	0.22	67.34	82.58	82.75	299.25	
Purvis Well	9/28/2010 8:30:00	67.53	33.34	0.22	67.36	82.56	82.74	299.26	
Purvis Well	9/28/2010 8:45:00	67.55	33.34	0.23	67.37	82.55	82.72	299.28	
Purvis Well	9/28/2010 9:00:00	65.81	33.35	0.23	65.63	84.28	84.46	297.54	
Purvis Well	9/28/2010 9:15:00	66.95	33.35	0.23	66.77	83.15	83.33	298.67	
Purvis Well	9/28/2010 9:30:00	67.24	33.36	0.24	67.05	82.86	83.04	298.96	
Purvis Well	9/28/2010 9:45:00	67.36	33.36	0.24	67.17	82.74	82.92	299.08	
Purvis Well	9/28/2010 10:00:00	67.42	33.36	0.24	67.24	82.67	82.86	299.14	
Purvis Well	9/28/2010 10:15:00	67.47	33.36	0.24	67.29	82.62	82.81	299.19	
Purvis Well	9/28/2010 10:30:00	67.51	33.36	0.24	67.32	82.58	82.77	299.23	
Purvis Well	9/28/2010 10:45:00	67.54	33.36	0.24	67.35	82.55	82.74	299.26	
Purvis Well	9/28/2010 11:00:00	64.63	33.36	0.24	64.44	85.46	85.65	296.35	
Purvis Well	9/28/2010 11:15:00	66.67	33.36	0.25	66.48	83.43	83.62	298.38	
Purvis Well	9/28/2010 11:30:00	67.12	33.36	0.25	66.93	82.98	83.17	298.83	
Purvis Well	9/28/2010 11:45:00	67.29	33.37	0.25	67.10	82.80	82.99	299.01	
Purvis Well	9/28/2010 12:00:00	67.38	33.37	0.25	67.19	82.71	82.90	299.10	
Purvis Well	9/28/2010 12:15:00	67.44	33.37	0.25	67.25	82.65	82.85	299.15	
Purvis Well	9/28/2010 12:30:00	67.49	33.37	0.25	67.29	82.61	82.80	299.20	
Purvis Well	9/28/2010 12:45:00	67.52	33.37	0.25	67.32	82.58	82.77	299.23	
Purvis Well	9/28/2010 13:00:00	65.71	33.37	0.25	65.51	84.38	84.58	297.42	
Purvis Well	9/28/2010 13:15:00	66.82	33.37	0.26	66.62	83.27	83.47	298.53	
Purvis Well	9/28/2010 13:30:00	67.13	33.37	0.26	66.93	82.96	83.16	298.84	
Purvis Well	9/28/2010 13:45:00	67.27	33.38	0.26	67.07	82.83	83.03	298.97	
Purvis Well	9/28/2010 14:00:00	67.35	33.38	0.26	67.15	82.75	82.95	299.05	
Purvis Well	9/28/2010 14:15:00	67.40	33.38	0.26	67.20	82.69	82.90	299.10	
Purvis Well	9/28/2010 14:30:00	67.44	33.38	0.26	67.24	82.65	82.86	299.14	
Purvis Well	9/28/2010 14:45:00	67.47	33.38	0.26	67.27	82.62	82.83	299.17	
Purvis Well	9/28/2010 15:00:00	67.49	33.38	0.26	67.29	82.60	82.81	299.19	
Purvis Well	9/28/2010 15:15:00	63.57	33.38	0.27	63.36	86.53	86.73	295.27	
Purvis Well	9/28/2010 15:30:00	66.57	33.38	0.27	66.36	83.53	83.73	298.27	
Purvis Well	9/28/2010 15:45:00	67.08	33.39	0.27	66.87	83.01	83.22	298.78	
Purvis Well	9/28/2010 16:00:00	67.26	33.39	0.27	67.05	82.83	83.04	298.96	
Purvis Well	9/28/2010 16:15:00	67.36	33.39	0.27	67.15	82.73	82.94	299.06	
Purvis Well	9/28/2010 16:30:00	67.42	33.39	0.27	67.20	82.68	82.89	299.11	
Purvis Well	9/28/2010 16:45:00	67.46	33.39	0.27	67.24	82.64	82.85	299.15	
Purvis Well	9/28/2010 17:00:00	65.32	33.39	0.27	65.11	84.77	84.99	297.01	
Purvis Well	9/28/2010 17:15:00	66.80	33.39	0.28	66.58	83.30	83.51	298.49	
Purvis Well	9/28/2010 17:30:00	67.14	33.40	0.28	66.93	82.95	83.17	298.83	
Purvis Well	9/28/2010 17:45:00	67.29	33.40	0.28	67.07	82.81	83.02	298.98	
Purvis Well	9/28/2010 18:00:00	67.37	33.40	0.28	67.15	82.73	82.94	299.06	
Purvis Well	9/28/2010 18:15:00	67.42	33.40	0.28	67.20	82.68	82.90	299.10	
Purvis Well	9/28/2010 18:30:00	66.05	33.40	0.28	65.83	84.05	84.27	297.73	
Purvis Well	9/28/2010 18:45:00	66.92	33.40	0.29	66.70	83.17	83.40	298.60	
Purvis Well	9/28/2010 19:00:00	60.01	33.41	0.29	59.79	90.08	90.31	291.69	
Purvis Well	9/28/2010 19:15:00	66.01	33.41	0.29	65.78	84.09	84.31	297.69	
Purvis Well	9/28/2010 19:30:00	64.06	33.41	0.29	63.84	86.03	86.26	295.74	
Purvis Well	9/28/2010 19:45:00	63.63	33.41	0.29	63.40	86.47	86.70	295.30	
Purvis Well	9/28/2010 20:00:00	65.91	33.41	0.29	65.68	84.18	84.41	297.59	
Purvis Well	9/28/2010 20:15:00	66.52	33.41	0.30	66.28	83.58	83.81	298.19	
Purvis Well	9/28/2010 20:30:00	66.79	33.42	0.30	66.56	83.31	83.54	298.46	
Purvis Well	9/28/2010 20:45:00	66.96	33.42	0.30	66.72	83.14	83.37	298.63	
Purvis Well	9/28/2010 21:00:00	67.07	33.42	0.30	66.83	83.03	83.26	298.74	
Purvis Well	9/28/2010 21:15:00	67.16	33.42	0.30	66.92	82.94	83.17	298.83	
Purvis Well	9/28/2010 21:30:00	67.23	33.42	0.30	66.99	82.87	83.11	298.89	
Purvis Well	9/28/2010 21:45:00	67.28	33.42	0.30	67.04	82.82	83.06	298.94	
Purvis Well	9/28/2010 22:00:00	65.51	33.42	0.31	65.27	84.59	84.82	297.18	
Purvis Well	9/28/2010 22:15:00	66.64	33.42	0.31	66.40	83.45	83.69	298.31	
Purvis Well	9/28/2010 22:30:00	66.96	33.42	0.31	66.72	83.13	83.37	298.63	
Purvis Well	9/28/2010 22:45:00	67.11	33.42	0.31	66.87	82.98	83.22	298.78	
Purvis Well	9/28/2010 23:00:00	67.20	33.43	0.31	66.96	82.90	83.14	298.86	
Purvis Well	9/28/2010 23:15:00	67.26	33.43	0.31	67.02	82.83	83.07	298.93	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/28/2010 23:30:00	67.31	33.43	0.31	67.07	82.79	83.03	298.97	
Purvis Well	9/28/2010 23:45:00	65.34	33.43	0.31	65.10	84.76	85.00	297.00	
Purvis Well	9/29/2010 0:00:00	66.68	33.43	0.31	66.44	83.41	83.65	298.35	
Purvis Well	9/29/2010 0:15:00	67.01	33.43	0.31	66.76	83.09	83.33	298.67	
Purvis Well	9/29/2010 0:30:00	67.14	33.43	0.31	66.90	82.95	83.19	298.81	
Purvis Well	9/29/2010 0:45:00	67.22	33.43	0.31	66.98	82.87	83.12	298.88	
Purvis Well	9/29/2010 1:00:00	67.28	33.43	0.31	67.03	82.82	83.06	298.94	
Purvis Well	9/29/2010 1:15:00	67.31	33.43	0.31	67.07	82.78	83.02	298.98	
Purvis Well	9/29/2010 1:30:00	67.34	33.43	0.31	67.09	82.76	83.00	299.00	
Purvis Well	9/29/2010 1:45:00	67.37	33.43	0.32	67.12	82.73	82.97	299.03	
Purvis Well	9/29/2010 2:00:00	67.38	33.43	0.32	67.14	82.71	82.96	299.04	
Purvis Well	9/29/2010 2:15:00	65.37	33.44	0.32	65.12	84.73	84.98	297.02	
Purvis Well	9/29/2010 2:30:00	66.73	33.44	0.32	66.48	83.37	83.61	298.39	
Purvis Well	9/29/2010 2:45:00	67.05	33.44	0.32	66.80	83.04	83.29	298.71	
Purvis Well	9/29/2010 3:00:00	67.18	33.44	0.32	66.92	82.92	83.17	298.83	
Purvis Well	9/29/2010 3:15:00	67.25	33.44	0.33	67.00	82.84	83.10	298.90	
Purvis Well	9/29/2010 3:30:00	67.30	33.45	0.33	67.05	82.79	83.05	298.95	
Purvis Well	9/29/2010 3:45:00	67.34	33.45	0.33	67.08	82.76	83.01	298.99	
Purvis Well	9/29/2010 4:00:00	67.37	33.45	0.33	67.11	82.73	82.99	299.01	
Purvis Well	9/29/2010 4:15:00	64.98	33.45	0.33	64.72	85.12	85.37	296.63	
Purvis Well	9/29/2010 4:30:00	66.63	33.45	0.33	66.37	83.46	83.72	298.28	
Purvis Well	9/29/2010 4:45:00	64.70	33.45	0.34	64.44	85.40	85.66	296.34	
Purvis Well	9/29/2010 5:00:00	66.38	33.46	0.34	66.11	83.72	83.98	298.02	
Purvis Well	9/29/2010 5:15:00	66.80	33.46	0.34	66.54	83.29	83.56	298.44	
Purvis Well	9/29/2010 5:30:00	66.99	33.46	0.34	66.72	83.10	83.37	298.63	
Purvis Well	9/29/2010 5:45:00	67.10	33.46	0.34	66.83	82.99	83.26	298.74	
Purvis Well	9/29/2010 6:00:00	67.17	33.46	0.34	66.91	82.92	83.19	298.81	
Purvis Well	9/29/2010 6:15:00	67.23	33.46	0.34	66.96	82.87	83.14	298.86	
Purvis Well	9/29/2010 6:30:00	65.46	33.46	0.35	65.19	84.64	84.91	297.09	
Purvis Well	9/29/2010 6:45:00	66.60	33.46	0.35	66.33	83.49	83.76	298.24	
Purvis Well	9/29/2010 7:00:00	66.92	33.47	0.35	66.65	83.17	83.44	298.56	
Purvis Well	9/29/2010 7:15:00	67.07	33.47	0.35	66.80	83.03	83.30	298.70	
Purvis Well	9/29/2010 7:30:00	67.16	33.47	0.35	66.88	82.94	83.21	298.79	
Purvis Well	9/29/2010 7:45:00	67.23	33.47	0.35	66.95	82.87	83.14	298.86	
Purvis Well	9/29/2010 8:00:00	67.27	33.47	0.35	66.99	82.83	83.10	298.90	
Purvis Well	9/29/2010 8:15:00	67.31	33.47	0.35	67.03	82.79	83.06	298.94	
Purvis Well	9/29/2010 8:30:00	67.34	33.47	0.36	67.06	82.75	83.03	298.97	
Purvis Well	9/29/2010 8:45:00	65.83	33.47	0.36	65.55	84.26	84.54	297.46	
Purvis Well	9/29/2010 9:00:00	66.80	33.48	0.36	66.52	83.29	83.57	298.43	
Purvis Well	9/29/2010 9:15:00	67.07	33.48	0.36	66.79	83.03	83.31	298.69	
Purvis Well	9/29/2010 9:30:00	67.19	33.48	0.36	66.90	82.91	83.19	298.81	
Purvis Well	9/29/2010 9:45:00	67.26	33.47	0.36	66.98	82.84	83.12	298.88	
Purvis Well	9/29/2010 10:00:00	67.30	33.47	0.35	67.03	82.79	83.07	298.93	
Purvis Well	9/29/2010 10:15:00	67.34	33.46	0.35	67.07	82.75	83.02	298.98	
Purvis Well	9/29/2010 10:30:00	67.37	33.46	0.34	67.10	82.73	82.99	299.01	
Purvis Well	9/29/2010 10:45:00	67.39	33.46	0.34	67.13	82.70	82.97	299.03	
Purvis Well	9/29/2010 11:00:00	64.40	33.45	0.33	64.14	85.70	85.96	296.04	
Purvis Well	9/29/2010 11:15:00	66.59	33.45	0.33	66.33	83.51	83.76	298.24	
Purvis Well	9/29/2010 11:30:00	67.01	33.44	0.32	66.76	83.08	83.34	298.66	
Purvis Well	9/29/2010 11:45:00	67.16	33.44	0.32	66.91	82.93	83.18	298.82	
Purvis Well	9/29/2010 12:00:00	67.24	33.43	0.32	67.00	82.85	83.10	298.90	
Purvis Well	9/29/2010 12:15:00	67.29	33.43	0.31	67.05	82.80	83.05	298.95	
Purvis Well	9/29/2010 12:30:00	67.33	33.42	0.31	67.09	82.77	83.01	298.99	
Purvis Well	9/29/2010 12:45:00	67.36	33.42	0.30	67.12	82.74	82.97	299.03	
Purvis Well	9/29/2010 13:00:00	65.94	33.42	0.30	65.71	84.16	84.39	297.61	
Purvis Well	9/29/2010 13:15:00	66.82	33.41	0.29	66.59	83.28	83.50	298.50	
Purvis Well	9/29/2010 13:30:00	67.06	33.41	0.29	66.84	83.03	83.26	298.74	
Purvis Well	9/29/2010 13:45:00	67.17	33.40	0.28	66.95	82.93	83.15	298.85	
Purvis Well	9/29/2010 14:00:00	67.23	33.39	0.27	67.02	82.86	83.08	298.92	
Purvis Well	9/29/2010 14:15:00	67.27	33.38	0.27	67.06	82.82	83.03	298.97	
Purvis Well	9/29/2010 14:30:00	67.30	33.38	0.26	67.10	82.79	82.99	299.01	
Purvis Well	9/29/2010 14:45:00	67.32	33.37	0.25	67.13	82.77	82.97	299.03	
Purvis Well	9/29/2010 15:00:00	67.34	33.36	0.24	67.15	82.76	82.95	299.05	
Purvis Well	9/29/2010 15:15:00	67.35	33.35	0.24	67.16	82.75	82.93	299.07	
Purvis Well	9/29/2010 15:30:00	64.78	33.35	0.23	64.60	85.32	85.50	296.50	
Purvis Well	9/29/2010 15:45:00	66.59	33.34	0.22	66.42	83.51	83.68	298.32	
Purvis Well	9/29/2010 16:00:00	66.96	33.33	0.21	66.80	83.13	83.30	298.70	
Purvis Well	9/29/2010 16:15:00	67.10	33.32	0.21	66.94	82.99	83.15	298.85	
Purvis Well	9/29/2010 16:30:00	67.18	33.32	0.20	67.02	82.92	83.07	298.93	
Purvis Well	9/29/2010 16:45:00	67.23	33.31	0.19	67.07	82.87	83.02	298.98	
Purvis Well	9/29/2010 17:00:00	67.26	33.30	0.19	67.11	82.84	82.98	299.02	
Purvis Well	9/29/2010 17:15:00	67.28	33.30	0.18	67.14	82.81	82.95	299.05	
Purvis Well	9/29/2010 17:30:00	67.30	33.29	0.17	67.17	82.79	82.92	299.08	
Purvis Well	9/29/2010 17:45:00	65.90	33.29	0.17	65.77	84.19	84.32	297.68	
Purvis Well	9/29/2010 18:00:00	66.76	33.29	0.17	66.63	83.33	83.46	298.54	
Purvis Well	9/29/2010 18:15:00	67.01	33.29	0.17	66.87	83.09	83.22	298.78	
Purvis Well	9/29/2010 18:30:00	67.11	33.29	0.17	66.98	82.98	83.12	298.88	
Purvis Well	9/29/2010 18:45:00	65.31	33.29	0.17	65.17	84.79	84.92	297.08	
Purvis Well	9/29/2010 19:00:00	66.52	33.29	0.17	66.39	83.58	83.71	298.29	
Purvis Well	9/29/2010 19:15:00	66.85	33.29	0.17	66.71	83.25	83.38	298.62	
Purvis Well	9/29/2010 19:30:00	66.99	33.29	0.17	66.86	83.10	83.23	298.77	
Purvis Well	9/29/2010 19:45:00	67.08	33.29	0.17	66.95	83.01	83.14	298.86	
Purvis Well	9/29/2010 20:00:00	67.14	33.29	0.17	67.01	82.95	83.09	298.91	
Purvis Well	9/29/2010 20:15:00	67.19	33.29	0.17	67.05	82.91	83.04	298.96	
Purvis Well	9/29/2010 20:30:00	67.22	33.29	0.17	67.09	82.87	83.00	299.00	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/29/2010 20:45:00	62.94	33.29	0.17	62.81	87.16	87.29	294.71	
Purvis Well	9/29/2010 21:00:00	66.02	33.29	0.17	65.89	84.07	84.21	297.79	
Purvis Well	9/29/2010 21:15:00	66.76	33.29	0.17	66.63	83.33	83.46	298.54	
Purvis Well	9/29/2010 21:30:00	63.49	33.29	0.17	63.36	86.61	86.74	295.26	
Purvis Well	9/29/2010 21:45:00	66.20	33.29	0.17	66.07	83.90	84.03	297.97	
Purvis Well	9/29/2010 22:00:00	66.71	33.29	0.17	66.58	83.38	83.51	298.49	
Purvis Well	9/29/2010 22:15:00	66.91	33.29	0.17	66.78	83.18	83.31	298.69	
Purvis Well	9/29/2010 22:30:00	67.02	33.29	0.17	66.89	83.08	83.21	298.79	
Purvis Well	9/29/2010 22:45:00	67.08	33.29	0.17	66.95	83.01	83.14	298.86	
Purvis Well	9/29/2010 23:00:00	67.13	33.29	0.17	66.99	82.97	83.10	298.90	
Purvis Well	9/29/2010 23:15:00	67.17	33.29	0.17	67.03	82.93	83.06	298.94	
Purvis Well	9/29/2010 23:30:00	67.20	33.29	0.17	67.06	82.90	83.03	298.97	
Purvis Well	9/29/2010 23:45:00	67.23	33.29	0.17	67.09	82.87	83.00	299.00	
Purvis Well	9/30/2010 0:00:00	67.24	33.29	0.17	67.11	82.85	82.98	299.02	
Purvis Well	9/30/2010 0:15:00	65.56	33.29	0.17	65.43	84.53	84.66	297.34	
Purvis Well	9/30/2010 0:30:00	66.65	33.29	0.17	66.52	83.45	83.58	298.42	
Purvis Well	9/30/2010 0:45:00	66.92	33.29	0.17	66.79	83.17	83.31	298.69	
Purvis Well	9/30/2010 1:00:00	67.03	33.29	0.17	66.90	83.06	83.19	298.81	
Purvis Well	9/30/2010 1:15:00	67.10	33.29	0.17	66.97	82.99	83.12	298.88	
Purvis Well	9/30/2010 1:30:00	67.15	33.29	0.17	67.02	82.95	83.08	298.92	
Purvis Well	9/30/2010 1:45:00	67.17	33.28	0.16	67.05	82.92	83.05	298.95	
Purvis Well	9/30/2010 2:00:00	67.20	33.28	0.16	67.08	82.89	83.02	298.98	
Purvis Well	9/30/2010 2:15:00	67.22	33.28	0.16	67.09	82.88	83.00	299.00	
Purvis Well	9/30/2010 2:30:00	67.23	33.27	0.16	67.11	82.86	82.98	299.02	
Purvis Well	9/30/2010 2:45:00	64.27	33.27	0.15	64.15	85.83	85.94	296.06	
Purvis Well	9/30/2010 3:00:00	66.42	33.27	0.15	66.30	83.67	83.79	298.21	
Purvis Well	9/30/2010 3:15:00	66.84	33.26	0.15	66.72	83.26	83.37	298.63	
Purvis Well	9/30/2010 3:30:00	66.98	33.26	0.14	66.87	83.11	83.22	298.78	
Purvis Well	9/30/2010 3:45:00	67.06	33.26	0.14	66.95	83.03	83.14	298.86	
Purvis Well	9/30/2010 4:00:00	67.11	33.25	0.14	67.00	82.99	83.09	298.91	
Purvis Well	9/30/2010 4:15:00	63.54	33.25	0.13	63.44	86.55	86.65	295.35	
Purvis Well	9/30/2010 4:30:00	66.24	33.25	0.13	66.14	83.86	83.96	298.04	
Purvis Well	9/30/2010 4:45:00	63.58	33.25	0.13	63.48	86.51	86.61	295.39	
Purvis Well	9/30/2010 5:00:00	66.02	33.24	0.12	65.92	84.08	84.18	297.82	
Purvis Well	9/30/2010 5:15:00	66.54	33.24	0.12	66.45	83.55	83.65	298.35	
Purvis Well	9/30/2010 5:30:00	66.75	33.24	0.12	66.66	83.34	83.43	298.57	
Purvis Well	9/30/2010 5:45:00	66.87	33.24	0.12	66.77	83.23	83.32	298.68	
Purvis Well	9/30/2010 6:00:00	59.59	33.23	0.12	59.50	90.50	90.60	291.40	
Purvis Well	9/30/2010 6:15:00	65.88	33.23	0.12	65.79	84.21	84.30	297.70	
Purvis Well	9/30/2010 6:30:00	66.54	33.23	0.12	66.45	83.55	83.64	298.36	
Purvis Well	9/30/2010 6:45:00	66.76	33.23	0.12	66.67	83.33	83.42	298.58	
Purvis Well	9/30/2010 7:00:00	66.87	33.23	0.11	66.78	83.22	83.31	298.69	
Purvis Well	9/30/2010 7:15:00	66.95	33.23	0.11	66.86	83.15	83.23	298.77	
Purvis Well	9/30/2010 7:30:00	67.01	33.23	0.11	66.92	83.09	83.18	298.82	
Purvis Well	9/30/2010 7:45:00	67.04	33.23	0.11	66.95	83.05	83.14	298.86	
Purvis Well	9/30/2010 8:00:00	67.08	33.23	0.11	66.99	83.01	83.10	298.90	
Purvis Well	9/30/2010 8:15:00	67.11	33.23	0.11	67.02	82.99	83.07	298.93	
Purvis Well	9/30/2010 8:30:00	67.13	33.23	0.11	67.04	82.96	83.05	298.95	
Purvis Well	9/30/2010 8:45:00	64.73	33.23	0.11	64.65	85.36	85.45	296.55	
Purvis Well	9/30/2010 9:00:00	66.42	33.23	0.11	66.33	83.68	83.76	298.24	
Purvis Well	9/30/2010 9:15:00	66.79	33.23	0.11	66.70	83.31	83.39	298.61	
Purvis Well	9/30/2010 9:30:00	66.93	33.23	0.11	66.84	83.17	83.25	298.75	
Purvis Well	9/30/2010 9:45:00	67.01	33.22	0.10	66.93	83.08	83.16	298.84	
Purvis Well	9/30/2010 10:00:00	67.06	33.22	0.10	66.98	83.04	83.11	298.89	
Purvis Well	9/30/2010 10:15:00	67.10	33.21	0.09	67.02	83.00	83.07	298.93	
Purvis Well	9/30/2010 10:30:00	64.75	33.21	0.09	64.68	85.34	85.41	296.59	
Purvis Well	9/30/2010 10:45:00	66.31	33.20	0.08	66.25	83.78	83.85	298.15	
Purvis Well	9/30/2010 11:00:00	66.69	33.20	0.08	66.63	83.40	83.46	298.54	
Purvis Well	9/30/2010 11:15:00	66.86	33.19	0.07	66.80	83.24	83.29	298.71	
Purvis Well	9/30/2010 11:30:00	66.95	33.19	0.07	66.90	83.15	83.20	298.80	
Purvis Well	9/30/2010 11:45:00	64.43	33.18	0.06	64.38	85.66	85.71	296.29	
Purvis Well	9/30/2010 12:00:00	66.25	33.17	0.06	66.21	83.84	83.89	298.11	
Purvis Well	9/30/2010 12:15:00	66.66	33.17	0.05	66.61	83.44	83.48	298.52	
Purvis Well	9/30/2010 12:30:00	66.82	33.16	0.05	66.78	83.28	83.31	298.69	
Purvis Well	9/30/2010 12:45:00	66.91	33.16	0.04	66.87	83.19	83.22	298.78	
Purvis Well	9/30/2010 13:00:00	66.97	33.15	0.04	66.94	83.13	83.16	298.84	
Purvis Well	9/30/2010 13:15:00	67.01	33.15	0.03	66.98	83.09	83.11	298.89	
Purvis Well	9/30/2010 13:30:00	65.28	33.14	0.03	65.25	84.82	84.84	297.16	
Purvis Well	9/30/2010 13:45:00	66.38	33.14	0.02	66.36	83.72	83.73	298.27	
Purvis Well	9/30/2010 14:00:00	66.68	33.13	0.01	66.66	83.42	83.43	298.57	
Purvis Well	9/30/2010 14:15:00	66.81	33.13	0.01	66.80	83.29	83.29	298.71	
Purvis Well	9/30/2010 14:30:00	66.89	33.12	0.00	66.88	83.21	83.21	298.79	
Purvis Well	9/30/2010 14:45:00	66.94	33.11	0.00	66.94	83.16	83.16	298.84	
Purvis Well	9/30/2010 15:00:00	66.98	33.11	-0.01	66.98	83.12	83.11	298.89	
Purvis Well	9/30/2010 15:15:00	67.01	33.10	-0.01	67.02	83.09	83.08	298.92	
Purvis Well	9/30/2010 15:30:00	67.03	33.10	-0.02	67.05	83.06	83.05	298.95	
Purvis Well	9/30/2010 15:45:00	67.05	33.09	-0.03	67.07	83.05	83.02	298.98	
Purvis Well	9/30/2010 16:00:00	65.38	33.09	-0.03	65.41	84.71	84.68	297.32	
Purvis Well	9/30/2010 16:15:00	66.45	33.08	-0.04	66.48	83.65	83.62	298.38	
Purvis Well	9/30/2010 16:30:00	66.73	33.07	-0.04	66.76	83.37	83.33	298.67	
Purvis Well	9/30/2010 16:45:00	66.85	33.07	-0.05	66.89	83.25	83.21	298.79	
Purvis Well	9/30/2010 17:00:00	66.92	33.06	-0.06	66.96	83.18	83.13	298.87	
Purvis Well	9/30/2010 17:15:00	66.96	33.06	-0.06	67.01	83.13	83.08	298.92	
Purvis Well	9/30/2010 17:30:00	67.00	33.05	-0.07	67.05	83.10	83.04	298.96	
Purvis Well	9/30/2010 17:45:00	63.65	33.05	-0.07	63.70	86.45	86.40	295.60	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	9/30/2010 18:00:00	66.08	33.05	-0.06	66.13	84.02	83.97	298.03	
Purvis Well	9/30/2010 18:15:00	66.57	33.06	-0.06	66.62	83.53	83.48	298.52	
Purvis Well	9/30/2010 18:30:00	66.75	33.06	-0.06	66.80	83.35	83.30	298.70	
Purvis Well	9/30/2010 18:45:00	66.85	33.06	-0.06	66.89	83.25	83.20	298.80	
Purvis Well	9/30/2010 19:00:00	66.91	33.06	-0.06	66.96	83.18	83.14	298.86	
Purvis Well	9/30/2010 19:15:00	64.98	33.06	-0.06	65.03	85.11	85.07	296.93	
Purvis Well	9/30/2010 19:30:00	66.22	33.06	-0.05	66.26	83.88	83.83	298.17	
Purvis Well	9/30/2010 19:45:00	66.57	33.07	-0.05	66.61	83.53	83.49	298.51	
Purvis Well	9/30/2010 20:00:00	66.73	33.07	-0.05	66.77	83.37	83.33	298.67	
Purvis Well	9/30/2010 20:15:00	66.82	33.07	-0.05	66.86	83.28	83.24	298.76	
Purvis Well	9/30/2010 20:30:00	60.90	33.07	-0.05	60.94	89.19	89.15	292.85	
Purvis Well	9/30/2010 20:45:00	65.86	33.07	-0.04	65.90	84.23	84.20	297.80	
Purvis Well	9/30/2010 21:00:00	66.48	33.07	-0.04	66.52	83.61	83.58	298.42	
Purvis Well	9/30/2010 21:15:00	66.70	33.08	-0.04	66.73	83.40	83.36	298.64	
Purvis Well	9/30/2010 21:30:00	66.81	33.08	-0.04	66.84	83.28	83.25	298.75	
Purvis Well	9/30/2010 21:45:00	66.88	33.08	-0.04	66.91	83.22	83.19	298.81	
Purvis Well	9/30/2010 22:00:00	66.93	33.08	-0.03	66.96	83.16	83.14	298.86	
Purvis Well	9/30/2010 22:15:00	66.97	33.09	-0.03	66.99	83.12	83.10	298.90	
Purvis Well	9/30/2010 22:30:00	65.63	33.09	-0.03	65.65	84.46	84.44	297.56	
Purvis Well	9/30/2010 22:45:00	66.47	33.09	-0.02	66.49	83.63	83.61	298.39	
Purvis Well	9/30/2010 23:00:00	66.72	33.10	-0.02	66.73	83.38	83.36	298.64	
Purvis Well	9/30/2010 23:15:00	66.83	33.10	-0.02	66.84	83.26	83.25	298.75	
Purvis Well	9/30/2010 23:30:00	66.90	33.10	-0.01	66.91	83.19	83.18	298.82	
Purvis Well	9/30/2010 23:45:00	66.95	33.11	-0.01	66.96	83.14	83.13	298.87	
Purvis Well	10/1/2010 0:00:00	66.99	33.11	-0.01	67.00	83.10	83.10	298.90	
Purvis Well	10/1/2010 0:15:00	67.02	33.11	0.00	67.03	83.07	83.07	298.93	
Purvis Well	10/1/2010 0:30:00	67.05	33.12	0.00	67.05	83.05	83.05	298.95	
Purvis Well	10/1/2010 0:45:00	61.82	33.12	0.00	61.82	88.28	88.28	293.72	
Purvis Well	10/1/2010 1:00:00	66.05	33.12	0.00	66.05	84.04	84.05	297.95	
Purvis Well	10/1/2010 1:15:00	66.61	33.13	0.01	66.61	83.48	83.49	298.51	
Purvis Well	10/1/2010 1:30:00	66.80	33.13	0.01	66.79	83.29	83.30	298.70	
Purvis Well	10/1/2010 1:45:00	66.89	33.13	0.02	66.88	83.20	83.21	298.79	
Purvis Well	10/1/2010 2:00:00	66.95	33.14	0.02	66.93	83.14	83.16	298.84	
Purvis Well	10/1/2010 2:15:00	66.99	33.15	0.03	66.97	83.10	83.13	298.87	
Purvis Well	10/1/2010 2:30:00	67.03	33.15	0.04	67.00	83.07	83.10	298.90	
Purvis Well	10/1/2010 2:45:00	67.05	33.16	0.04	67.02	83.05	83.08	298.92	
Purvis Well	10/1/2010 3:00:00	67.07	33.16	0.05	67.04	83.02	83.06	298.94	
Purvis Well	10/1/2010 3:15:00	63.85	33.17	0.05	63.81	86.24	86.28	295.72	
Purvis Well	10/1/2010 3:30:00	66.24	33.18	0.06	66.20	83.85	83.90	298.10	
Purvis Well	10/1/2010 3:45:00	66.69	33.18	0.06	66.64	83.41	83.46	298.54	
Purvis Well	10/1/2010 4:00:00	66.85	33.19	0.07	66.79	83.24	83.30	298.70	
Purvis Well	10/1/2010 4:15:00	61.52	33.19	0.08	61.46	88.57	88.63	293.37	
Purvis Well	10/1/2010 4:30:00	65.87	33.20	0.08	65.81	84.22	84.29	297.71	
Purvis Well	10/1/2010 4:45:00	63.95	33.21	0.09	63.88	86.15	86.22	295.78	
Purvis Well	10/1/2010 5:00:00	65.96	33.21	0.09	65.88	84.14	84.21	297.79	
Purvis Well	10/1/2010 5:15:00	66.44	33.22	0.10	66.36	83.66	83.74	298.26	
Purvis Well	10/1/2010 5:30:00	66.64	33.22	0.11	66.56	83.45	83.53	298.47	
Purvis Well	10/1/2010 5:45:00	66.76	33.23	0.11	66.67	83.33	83.42	298.58	
Purvis Well	10/1/2010 6:00:00	66.85	33.24	0.12	66.76	83.24	83.34	298.66	
Purvis Well	10/1/2010 6:15:00	66.91	33.25	0.13	66.80	83.19	83.29	298.71	
Purvis Well	10/1/2010 6:30:00	66.96	33.25	0.14	66.86	83.13	83.24	298.76	
Purvis Well	10/1/2010 6:45:00	66.99	33.26	0.14	66.88	83.10	83.21	298.79	
Purvis Well	10/1/2010 7:00:00	64.06	33.27	0.15	63.94	86.04	86.16	295.84	
Purvis Well	10/1/2010 7:15:00	66.23	33.28	0.16	66.11	83.86	83.98	298.02	
Purvis Well	10/1/2010 7:30:00	66.67	33.28	0.17	66.54	83.43	83.56	298.44	
Purvis Well	10/1/2010 7:45:00	66.84	33.29	0.17	66.70	83.26	83.39	298.61	
Purvis Well	10/1/2010 8:00:00	66.92	33.30	0.18	66.78	83.17	83.32	298.68	
Purvis Well	10/1/2010 8:15:00	66.98	33.31	0.19	66.84	83.11	83.26	298.74	
Purvis Well	10/1/2010 8:30:00	67.03	33.31	0.20	66.88	83.06	83.22	298.78	
Purvis Well	10/1/2010 8:45:00	67.07	33.32	0.20	66.91	83.03	83.18	298.82	
Purvis Well	10/1/2010 9:00:00	67.10	33.33	0.21	66.94	82.99	83.16	298.84	
Purvis Well	10/1/2010 9:15:00	67.12	33.34	0.22	66.95	82.97	83.14	298.86	
Purvis Well	10/1/2010 9:30:00	67.15	33.34	0.23	66.97	82.94	83.12	298.88	
Purvis Well	10/1/2010 9:45:00	65.77	33.35	0.23	65.59	84.32	84.50	297.50	
Purvis Well	10/1/2010 10:00:00	66.63	33.35	0.23	66.45	83.46	83.64	298.36	
Purvis Well	10/1/2010 10:15:00	66.88	33.35	0.23	66.69	83.22	83.40	298.60	
Purvis Well	10/1/2010 10:30:00	66.99	33.36	0.24	66.81	83.10	83.29	298.71	
Purvis Well	10/1/2010 10:45:00	67.07	33.36	0.24	66.88	83.03	83.22	298.78	
Purvis Well	10/1/2010 11:00:00	67.12	33.36	0.24	66.93	82.98	83.17	298.83	
Purvis Well	10/1/2010 11:15:00	65.56	33.36	0.25	65.36	84.54	84.73	297.27	
Purvis Well	10/1/2010 11:30:00	66.58	33.37	0.25	66.38	83.52	83.71	298.29	
Purvis Well	10/1/2010 11:45:00	66.85	33.37	0.25	66.66	83.24	83.44	298.56	
Purvis Well	10/1/2010 12:00:00	66.98	33.37	0.26	66.78	83.12	83.31	298.69	
Purvis Well	10/1/2010 12:15:00	67.05	33.38	0.26	66.85	83.05	83.25	298.75	
Purvis Well	10/1/2010 12:30:00	67.10	33.38	0.26	66.90	82.99	83.19	298.81	
Purvis Well	10/1/2010 12:45:00	67.14	33.38	0.26	66.94	82.95	83.16	298.84	
Purvis Well	10/1/2010 13:00:00	67.18	33.38	0.27	66.97	82.91	83.12	298.88	
Purvis Well	10/1/2010 13:15:00	67.21	33.39	0.27	66.99	82.89	83.10	298.90	
Purvis Well	10/1/2010 13:30:00	62.30	33.39	0.27	62.08	87.80	88.01	293.99	
Purvis Well	10/1/2010 13:45:00	66.07	33.39	0.27	65.86	84.02	84.23	297.77	
Purvis Well	10/1/2010 14:00:00	66.69	33.39	0.27	66.48	83.40	83.61	298.39	
Purvis Well	10/1/2010 14:15:00	66.91	33.39	0.27	66.70	83.19	83.40	298.60	
Purvis Well	10/1/2010 14:30:00	67.02	33.39	0.27	66.81	83.08	83.29	298.71	
Purvis Well	10/1/2010 14:45:00	67.08	33.39	0.27	66.87	83.01	83.22	298.78	
Purvis Well	10/1/2010 15:00:00	67.13	33.39	0.27	66.92	82.97	83.18	298.82	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	10/1/2010 15:15:00	67.16	33.39	0.27	66.95	82.93	83.14	298.86	
Purvis Well	10/1/2010 15:30:00	67.19	33.39	0.27	66.98	82.91	83.11	298.89	
Purvis Well	10/1/2010 15:45:00	67.21	33.38	0.27	67.00	82.89	83.09	298.91	
Purvis Well	10/1/2010 16:00:00	64.97	33.38	0.27	64.76	85.13	85.34	296.66	
Purvis Well	10/1/2010 16:15:00	66.52	33.38	0.27	66.31	83.58	83.79	298.21	
Purvis Well	10/1/2010 16:30:00	66.86	33.38	0.27	66.65	83.23	83.44	298.56	
Purvis Well	10/1/2010 16:45:00	67.00	33.38	0.26	66.79	83.10	83.30	298.70	
Purvis Well	10/1/2010 17:00:00	67.08	33.38	0.26	66.87	83.02	83.22	298.78	
Purvis Well	10/1/2010 17:15:00	67.13	33.38	0.26	66.92	82.97	83.17	298.83	
Purvis Well	10/1/2010 17:30:00	67.16	33.38	0.26	66.96	82.93	83.14	298.86	
Purvis Well	10/1/2010 17:45:00	67.19	33.38	0.27	66.98	82.91	83.11	298.89	
Purvis Well	10/1/2010 18:00:00	67.21	33.38	0.27	67.00	82.89	83.09	298.91	
Purvis Well	10/1/2010 18:15:00	63.08	33.39	0.27	62.87	87.01	87.22	294.78	
Purvis Well	10/1/2010 18:30:00	66.13	33.39	0.27	65.92	83.97	84.18	297.82	
Purvis Well	10/1/2010 18:45:00	66.70	33.39	0.27	66.49	83.40	83.61	298.39	
Purvis Well	10/1/2010 19:00:00	66.90	33.39	0.27	66.69	83.19	83.41	298.59	
Purvis Well	10/1/2010 19:15:00	67.01	33.39	0.28	66.80	83.08	83.30	298.70	
Purvis Well	10/1/2010 19:30:00	67.08	33.39	0.28	66.86	83.02	83.23	298.77	
Purvis Well	10/1/2010 19:45:00	61.96	33.40	0.28	61.74	88.14	88.35	293.65	
Purvis Well	10/1/2010 20:00:00	66.13	33.40	0.28	65.91	83.97	84.19	297.81	
Purvis Well	10/1/2010 20:15:00	66.71	33.40	0.28	66.49	83.39	83.61	298.39	
Purvis Well	10/1/2010 20:30:00	66.91	33.40	0.28	66.68	83.19	83.41	298.59	
Purvis Well	10/1/2010 20:45:00	67.01	33.40	0.29	66.79	83.08	83.31	298.69	
Purvis Well	10/1/2010 21:00:00	67.07	33.40	0.29	66.84	83.03	83.25	298.75	
Purvis Well	10/1/2010 21:15:00	67.12	33.41	0.29	66.89	82.98	83.20	298.80	
Purvis Well	10/1/2010 21:30:00	67.15	33.41	0.29	66.92	82.94	83.17	298.83	
Purvis Well	10/1/2010 21:45:00	67.18	33.41	0.29	66.96	82.91	83.14	298.86	
Purvis Well	10/1/2010 22:00:00	64.93	33.41	0.29	64.70	85.17	85.39	296.61	
Purvis Well	10/1/2010 22:15:00	66.45	33.41	0.29	66.23	83.64	83.87	298.13	
Purvis Well	10/1/2010 22:30:00	66.82	33.41	0.29	66.59	83.28	83.51	298.49	
Purvis Well	10/1/2010 22:45:00	66.96	33.41	0.29	66.73	83.13	83.36	298.64	
Purvis Well	10/1/2010 23:00:00	67.05	33.41	0.29	66.82	83.05	83.28	298.72	
Purvis Well	10/1/2010 23:15:00	67.10	33.41	0.29	66.87	83.00	83.22	298.78	
Purvis Well	10/1/2010 23:30:00	67.14	33.41	0.30	66.91	82.96	83.19	298.81	
Purvis Well	10/1/2010 23:45:00	65.53	33.41	0.30	65.30	84.57	84.80	297.20	
Purvis Well	10/2/2010 0:00:00	66.53	33.41	0.30	66.30	83.57	83.80	298.20	
Purvis Well	10/2/2010 0:15:00	66.81	33.41	0.30	66.58	83.28	83.51	298.49	
Purvis Well	10/2/2010 0:30:00	66.94	33.42	0.30	66.71	83.15	83.39	298.61	
Purvis Well	10/2/2010 0:45:00	67.02	33.42	0.30	66.79	83.07	83.30	298.70	
Purvis Well	10/2/2010 1:00:00	67.08	33.42	0.30	66.84	83.02	83.25	298.75	
Purvis Well	10/2/2010 1:15:00	67.12	33.42	0.30	66.89	82.98	83.21	298.79	
Purvis Well	10/2/2010 1:30:00	67.15	33.42	0.30	66.92	82.94	83.18	298.82	
Purvis Well	10/2/2010 1:45:00	59.20	33.42	0.30	58.97	90.89	91.12	290.88	
Purvis Well	10/2/2010 2:00:00	66.03	33.42	0.30	65.79	84.07	84.30	297.70	
Purvis Well	10/2/2010 2:15:00	66.70	33.42	0.30	66.47	83.39	83.63	298.37	
Purvis Well	10/2/2010 2:30:00	66.91	33.42	0.30	66.67	83.19	83.42	298.58	
Purvis Well	10/2/2010 2:45:00	67.01	33.42	0.30	66.77	83.09	83.32	298.68	
Purvis Well	10/2/2010 3:00:00	67.07	33.42	0.30	66.83	83.03	83.26	298.74	
Purvis Well	10/2/2010 3:15:00	67.11	33.42	0.30	66.88	82.98	83.22	298.78	
Purvis Well	10/2/2010 3:30:00	67.14	33.42	0.30	66.91	82.95	83.19	298.81	
Purvis Well	10/2/2010 3:45:00	67.16	33.42	0.30	66.93	82.93	83.17	298.83	
Purvis Well	10/2/2010 4:00:00	67.19	33.42	0.30	66.95	82.91	83.14	298.86	
Purvis Well	10/2/2010 4:15:00	64.56	33.42	0.30	64.32	85.54	85.77	296.23	
Purvis Well	10/2/2010 4:30:00	66.43	33.42	0.30	66.19	83.67	83.90	298.10	
Purvis Well	10/2/2010 4:45:00	66.82	33.42	0.30	66.58	83.28	83.51	298.49	
Purvis Well	10/2/2010 5:00:00	66.96	33.42	0.30	66.72	83.14	83.37	298.63	
Purvis Well	10/2/2010 5:15:00	67.04	33.42	0.30	66.80	83.06	83.29	298.71	
Purvis Well	10/2/2010 5:30:00	64.55	33.42	0.30	64.32	85.54	85.77	296.23	
Purvis Well	10/2/2010 5:45:00	66.36	33.42	0.30	66.12	83.74	83.97	298.03	
Purvis Well	10/2/2010 6:00:00	64.47	33.42	0.30	64.24	85.62	85.86	296.14	
Purvis Well	10/2/2010 6:15:00	66.14	33.42	0.30	65.90	83.96	84.19	297.81	
Purvis Well	10/2/2010 6:30:00	66.57	33.42	0.30	66.33	83.53	83.76	298.24	
Purvis Well	10/2/2010 6:45:00	66.75	33.42	0.30	66.52	83.34	83.58	298.42	
Purvis Well	10/2/2010 7:00:00	65.20	33.42	0.30	64.96	84.90	85.13	296.87	
Purvis Well	10/2/2010 7:15:00	66.29	33.42	0.30	66.06	83.80	84.04	297.96	
Purvis Well	10/2/2010 7:30:00	66.61	33.42	0.30	66.38	83.48	83.72	298.28	
Purvis Well	10/2/2010 7:45:00	66.76	33.42	0.30	66.53	83.33	83.57	298.43	
Purvis Well	10/2/2010 8:00:00	66.86	33.42	0.30	66.62	83.24	83.47	298.53	
Purvis Well	10/2/2010 8:15:00	66.92	33.42	0.31	66.69	83.17	83.41	298.59	
Purvis Well	10/2/2010 8:30:00	66.98	33.42	0.31	66.74	83.12	83.36	298.64	
Purvis Well	10/2/2010 8:45:00	67.02	33.42	0.31	66.78	83.08	83.31	298.69	
Purvis Well	10/2/2010 9:00:00	67.05	33.42	0.31	66.81	83.05	83.28	298.72	
Purvis Well	10/2/2010 9:15:00	67.08	33.42	0.31	66.84	83.02	83.26	298.74	
Purvis Well	10/2/2010 9:30:00	65.15	33.43	0.31	64.91	84.95	85.19	296.81	
Purvis Well	10/2/2010 9:45:00	66.45	33.42	0.30	66.22	83.64	83.88	298.12	
Purvis Well	10/2/2010 10:00:00	66.76	33.42	0.30	66.53	83.33	83.57	298.43	
Purvis Well	10/2/2010 10:15:00	66.89	33.41	0.29	66.66	83.20	83.43	298.57	
Purvis Well	10/2/2010 10:30:00	66.96	33.41	0.29	66.74	83.13	83.36	298.64	
Purvis Well	10/2/2010 10:45:00	67.01	33.40	0.28	66.79	83.08	83.30	298.70	
Purvis Well	10/2/2010 11:00:00	67.05	33.40	0.28	66.83	83.04	83.26	298.74	
Purvis Well	10/2/2010 11:15:00	67.08	33.39	0.28	66.87	83.01	83.23	298.77	
Purvis Well	10/2/2010 11:30:00	65.67	33.39	0.27	65.45	84.43	84.64	297.36	
Purvis Well	10/2/2010 11:45:00	66.55	33.38	0.27	66.34	83.55	83.76	298.24	
Purvis Well	10/2/2010 12:00:00	66.80	33.38	0.26	66.59	83.30	83.50	298.50	
Purvis Well	10/2/2010 12:15:00	66.91	33.37	0.26	66.71	83.19	83.39	298.61	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	10/2/2010 12:30:00	66.98	33.37	0.25	66.78	83.12	83.32	298.68	
Purvis Well	10/2/2010 12:45:00	67.02	33.37	0.25	66.82	83.08	83.27	298.73	
Purvis Well	10/2/2010 13:00:00	67.05	33.36	0.24	66.86	83.04	83.23	298.77	
Purvis Well	10/2/2010 13:15:00	65.76	33.36	0.24	65.57	84.34	84.53	297.47	
Purvis Well	10/2/2010 13:30:00	66.55	33.35	0.23	66.37	83.54	83.73	298.27	
Purvis Well	10/2/2010 13:45:00	66.78	33.35	0.23	66.61	83.31	83.49	298.51	
Purvis Well	10/2/2010 14:00:00	66.89	33.34	0.22	66.72	83.21	83.38	298.62	
Purvis Well	10/2/2010 14:15:00	66.96	33.33	0.22	66.79	83.14	83.31	298.69	
Purvis Well	10/2/2010 14:30:00	67.00	33.33	0.21	66.83	83.10	83.26	298.74	
Purvis Well	10/2/2010 14:45:00	67.03	33.32	0.20	66.87	83.07	83.22	298.78	
Purvis Well	10/2/2010 15:00:00	67.05	33.32	0.20	66.90	83.04	83.20	298.80	
Purvis Well	10/2/2010 15:15:00	67.08	33.31	0.19	66.93	83.02	83.17	298.83	
Purvis Well	10/2/2010 15:30:00	64.74	33.30	0.19	64.60	85.35	85.50	296.50	
Purvis Well	10/2/2010 15:45:00	66.36	33.30	0.18	66.22	83.74	83.88	298.12	
Purvis Well	10/2/2010 16:00:00	66.71	33.29	0.17	66.58	83.38	83.52	298.48	
Purvis Well	10/2/2010 16:15:00	66.85	33.29	0.17	66.72	83.24	83.37	298.63	
Purvis Well	10/2/2010 16:30:00	66.92	33.28	0.16	66.80	83.17	83.30	298.70	
Purvis Well	10/2/2010 16:45:00	66.97	33.27	0.16	66.85	83.13	83.25	298.75	
Purvis Well	10/2/2010 17:00:00	67.00	33.27	0.15	66.89	83.09	83.21	298.79	
Purvis Well	10/2/2010 17:15:00	67.03	33.26	0.14	66.91	83.07	83.18	298.82	
Purvis Well	10/2/2010 17:30:00	67.04	33.26	0.14	66.93	83.05	83.16	298.84	
Purvis Well	10/2/2010 17:45:00	67.06	33.25	0.14	66.95	83.04	83.14	298.86	
Purvis Well	10/2/2010 18:00:00	61.13	33.25	0.14	61.02	88.96	89.07	292.93	
Purvis Well	10/2/2010 18:15:00	65.75	33.25	0.13	65.64	84.35	84.45	297.55	
Purvis Well	10/2/2010 18:30:00	66.51	33.25	0.13	66.41	83.58	83.69	298.31	
Purvis Well	10/2/2010 18:45:00	66.75	33.25	0.13	66.64	83.35	83.45	298.55	
Purvis Well	10/2/2010 19:00:00	66.85	33.25	0.13	66.75	83.24	83.35	298.65	
Purvis Well	10/2/2010 19:15:00	66.91	33.25	0.13	66.81	83.18	83.28	298.72	
Purvis Well	10/2/2010 19:30:00	66.96	33.25	0.13	66.85	83.14	83.24	298.76	
Purvis Well	10/2/2010 19:45:00	66.99	33.24	0.13	66.89	83.10	83.20	298.80	
Purvis Well	10/2/2010 20:00:00	66.52	33.24	0.13	66.42	83.57	83.67	298.33	
Purvis Well	10/2/2010 20:15:00	65.72	33.24	0.12	65.62	84.38	84.48	297.52	
Purvis Well	10/2/2010 20:30:00	66.50	33.24	0.12	66.40	83.60	83.69	298.31	
Purvis Well	10/2/2010 20:45:00	66.73	33.24	0.12	66.63	83.37	83.46	298.54	
Purvis Well	10/2/2010 21:00:00	66.84	33.24	0.12	66.74	83.26	83.35	298.65	
Purvis Well	10/2/2010 21:15:00	66.90	33.24	0.12	66.80	83.20	83.29	298.71	
Purvis Well	10/2/2010 21:30:00	66.94	33.24	0.12	66.84	83.16	83.25	298.75	
Purvis Well	10/2/2010 21:45:00	66.97	33.24	0.12	66.87	83.13	83.22	298.78	
Purvis Well	10/2/2010 22:00:00	66.99	33.24	0.12	66.90	83.10	83.20	298.80	
Purvis Well	10/2/2010 22:15:00	67.01	33.24	0.12	66.92	83.08	83.17	298.83	
Purvis Well	10/2/2010 22:30:00	67.03	33.24	0.12	66.94	83.06	83.16	298.84	
Purvis Well	10/2/2010 22:45:00	65.55	33.24	0.12	65.45	84.55	84.64	297.36	
Purvis Well	10/2/2010 23:00:00	66.45	33.24	0.12	66.35	83.65	83.74	298.26	
Purvis Well	10/2/2010 23:15:00	66.70	33.24	0.12	66.60	83.40	83.49	298.51	
Purvis Well	10/2/2010 23:30:00	66.81	33.24	0.12	66.71	83.28	83.38	298.62	
Purvis Well	10/2/2010 23:45:00	66.88	33.24	0.12	66.78	83.21	83.31	298.69	
Purvis Well	10/3/2010 0:00:00	66.93	33.24	0.13	66.83	83.16	83.26	298.74	
Purvis Well	10/3/2010 0:15:00	66.96	33.24	0.13	66.86	83.13	83.23	298.77	
Purvis Well	10/3/2010 0:30:00	64.59	33.24	0.13	64.49	85.51	85.61	296.39	
Purvis Well	10/3/2010 0:45:00	65.72	33.25	0.13	65.62	84.37	84.47	297.53	
Purvis Well	10/3/2010 1:00:00	66.49	33.25	0.13	66.39	83.61	83.71	298.29	
Purvis Well	10/3/2010 1:15:00	66.71	33.25	0.13	66.61	83.38	83.48	298.52	
Purvis Well	10/3/2010 1:30:00	66.82	33.25	0.13	66.72	83.27	83.37	298.63	
Purvis Well	10/3/2010 1:45:00	66.88	33.25	0.13	66.78	83.21	83.31	298.69	
Purvis Well	10/3/2010 2:00:00	66.93	33.25	0.13	66.83	83.16	83.26	298.74	
Purvis Well	10/3/2010 2:15:00	66.96	33.25	0.13	66.86	83.13	83.23	298.77	
Purvis Well	10/3/2010 2:30:00	66.99	33.25	0.13	66.88	83.11	83.21	298.79	
Purvis Well	10/3/2010 2:45:00	67.00	33.25	0.13	66.90	83.09	83.19	298.81	
Purvis Well	10/3/2010 3:00:00	67.02	33.25	0.13	66.92	83.08	83.18	298.82	
Purvis Well	10/3/2010 3:15:00	66.14	33.25	0.13	66.04	83.95	84.05	297.95	
Purvis Well	10/3/2010 3:30:00	65.75	33.25	0.13	65.64	84.35	84.45	297.55	
Purvis Well	10/3/2010 3:45:00	66.52	33.25	0.13	66.41	83.58	83.68	298.32	
Purvis Well	10/3/2010 4:00:00	66.73	33.25	0.13	66.63	83.36	83.46	298.54	
Purvis Well	10/3/2010 4:15:00	66.83	33.25	0.13	66.73	83.26	83.36	298.64	
Purvis Well	10/3/2010 4:30:00	66.89	33.25	0.13	66.79	83.20	83.30	298.70	
Purvis Well	10/3/2010 4:45:00	66.93	33.25	0.13	66.83	83.17	83.27	298.73	
Purvis Well	10/3/2010 5:00:00	66.96	33.25	0.13	66.86	83.14	83.24	298.76	
Purvis Well	10/3/2010 5:15:00	66.98	33.25	0.13	66.88	83.11	83.22	298.78	
Purvis Well	10/3/2010 5:30:00	67.00	33.25	0.13	66.90	83.09	83.20	298.80	
Purvis Well	10/3/2010 5:45:00	67.02	33.25	0.13	66.91	83.08	83.18	298.82	
Purvis Well	10/3/2010 6:00:00	63.54	33.25	0.14	63.43	86.55	86.66	295.34	
Purvis Well	10/3/2010 6:15:00	66.14	33.26	0.14	66.04	83.95	84.06	297.94	
Purvis Well	10/3/2010 6:30:00	66.61	33.26	0.14	66.50	83.49	83.60	298.40	
Purvis Well	10/3/2010 6:45:00	66.77	33.26	0.14	66.66	83.33	83.44	298.56	
Purvis Well	10/3/2010 7:00:00	61.38	33.26	0.15	61.26	88.72	88.83	293.17	
Purvis Well	10/3/2010 7:15:00	65.36	33.26	0.15	65.25	84.73	84.85	297.15	
Purvis Well	10/3/2010 7:30:00	66.29	33.27	0.15	66.17	83.81	83.93	298.07	
Purvis Well	10/3/2010 7:45:00	66.57	33.27	0.15	66.45	83.53	83.65	298.35	
Purvis Well	10/3/2010 8:00:00	66.70	33.27	0.15	66.58	83.40	83.52	298.48	
Purvis Well	10/3/2010 8:15:00	66.78	33.27	0.16	66.65	83.32	83.44	298.56	
Purvis Well	10/3/2010 8:30:00	66.83	33.28	0.16	66.71	83.26	83.39	298.61	
Purvis Well	10/3/2010 8:45:00	66.88	33.28	0.16	66.75	83.22	83.34	298.66	
Purvis Well	10/3/2010 9:00:00	62.52	33.28	0.16	62.40	87.57	87.70	294.30	
Purvis Well	10/3/2010 9:15:00	65.96	33.28	0.16	65.83	84.14	84.27	297.73	
Purvis Well	10/3/2010 9:30:00	66.49	33.28	0.17	66.36	83.60	83.73	298.27	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	10/3/2010 9:45:00	66.68	33.28	0.17	66.55	83.42	83.55	298.45	
Purvis Well	10/3/2010 10:00:00	66.77	33.28	0.17	66.64	83.32	83.45	298.55	
Purvis Well	10/3/2010 10:15:00	66.83	33.28	0.17	66.70	83.26	83.39	298.61	
Purvis Well	10/3/2010 10:30:00	66.88	33.28	0.17	66.75	83.22	83.35	298.65	
Purvis Well	10/3/2010 10:45:00	66.91	33.28	0.17	66.78	83.19	83.32	298.68	
Purvis Well	10/3/2010 11:00:00	66.94	33.29	0.17	66.81	83.15	83.28	298.72	
Purvis Well	10/3/2010 11:15:00	62.41	33.29	0.17	62.28	87.69	87.82	294.18	
Purvis Well	10/3/2010 11:30:00	65.99	33.29	0.17	65.86	84.11	84.24	297.76	
Purvis Well	10/3/2010 11:45:00	66.53	33.29	0.17	66.40	83.56	83.70	298.30	
Purvis Well	10/3/2010 12:00:00	66.71	33.29	0.17	66.58	83.38	83.51	298.49	
Purvis Well	10/3/2010 12:15:00	66.80	33.29	0.17	66.67	83.29	83.42	298.58	
Purvis Well	10/3/2010 12:30:00	66.87	33.29	0.17	66.73	83.23	83.36	298.64	
Purvis Well	10/3/2010 12:45:00	66.91	33.29	0.17	66.78	83.19	83.32	298.68	
Purvis Well	10/3/2010 13:00:00	66.94	33.29	0.17	66.81	83.15	83.28	298.72	
Purvis Well	10/3/2010 13:15:00	66.97	33.29	0.17	66.84	83.13	83.26	298.74	
Purvis Well	10/3/2010 13:30:00	57.29	33.29	0.17	57.15	92.81	92.94	289.06	
Purvis Well	10/3/2010 13:45:00	65.61	33.29	0.17	65.47	84.49	84.62	297.38	
Purvis Well	10/3/2010 14:00:00	66.40	33.28	0.17	66.27	83.69	83.82	298.18	
Purvis Well	10/3/2010 14:15:00	66.65	33.28	0.17	66.52	83.45	83.58	298.42	
Purvis Well	10/3/2010 14:30:00	66.77	33.28	0.16	66.64	83.33	83.45	298.55	
Purvis Well	10/3/2010 14:45:00	66.84	33.28	0.16	66.71	83.25	83.38	298.62	
Purvis Well	10/3/2010 15:00:00	66.89	33.28	0.16	66.76	83.21	83.33	298.67	
Purvis Well	10/3/2010 15:15:00	66.93	33.28	0.16	66.80	83.17	83.29	298.71	
Purvis Well	10/3/2010 15:30:00	66.96	33.28	0.16	66.83	83.14	83.26	298.74	
Purvis Well	10/3/2010 15:45:00	66.98	33.28	0.16	66.85	83.12	83.24	298.76	
Purvis Well	10/3/2010 16:00:00	65.19	33.28	0.16	65.06	84.91	85.03	296.97	
Purvis Well	10/3/2010 16:15:00	66.36	33.27	0.16	66.24	83.73	83.85	298.15	
Purvis Well	10/3/2010 16:30:00	66.66	33.27	0.16	66.53	83.44	83.56	298.44	
Purvis Well	10/3/2010 16:45:00	66.78	33.27	0.15	66.66	83.31	83.43	298.57	
Purvis Well	10/3/2010 17:00:00	66.85	33.27	0.15	66.73	83.25	83.37	298.63	
Purvis Well	10/3/2010 17:15:00	66.90	33.27	0.15	66.78	83.20	83.32	298.68	
Purvis Well	10/3/2010 17:30:00	66.93	33.27	0.15	66.81	83.17	83.28	298.72	
Purvis Well	10/3/2010 17:45:00	66.95	33.27	0.15	66.83	83.14	83.26	298.74	
Purvis Well	10/3/2010 18:00:00	66.97	33.27	0.16	66.85	83.12	83.25	298.75	
Purvis Well	10/3/2010 18:15:00	63.98	33.28	0.16	63.86	86.11	86.23	295.77	
Purvis Well	10/3/2010 18:30:00	65.82	33.28	0.16	65.69	84.27	84.40	297.60	
Purvis Well	10/3/2010 18:45:00	66.31	33.28	0.17	66.18	83.78	83.91	298.09	
Purvis Well	10/3/2010 19:00:00	66.53	33.29	0.17	66.40	83.57	83.70	298.30	
Purvis Well	10/3/2010 19:15:00	66.65	33.29	0.17	66.52	83.44	83.58	298.42	
Purvis Well	10/3/2010 19:30:00	64.02	33.29	0.17	63.88	86.08	86.21	295.79	
Purvis Well	10/3/2010 19:45:00	65.93	33.29	0.18	65.79	84.16	84.30	297.70	
Purvis Well	10/3/2010 20:00:00	63.04	33.30	0.18	62.90	87.05	87.19	294.81	
Purvis Well	10/3/2010 20:15:00	64.68	33.30	0.18	64.53	85.42	85.56	296.44	
Purvis Well	10/3/2010 20:30:00	65.78	33.30	0.19	65.64	84.31	84.46	297.54	
Purvis Well	10/3/2010 20:45:00	66.16	33.31	0.19	66.02	83.93	84.08	297.92	
Purvis Well	10/3/2010 21:00:00	66.37	33.31	0.19	66.22	83.72	83.87	298.13	
Purvis Well	10/3/2010 21:15:00	66.50	33.31	0.19	66.35	83.60	83.75	298.25	
Purvis Well	10/3/2010 21:30:00	66.59	33.31	0.20	66.44	83.50	83.65	298.35	
Purvis Well	10/3/2010 21:45:00	66.66	33.32	0.20	66.51	83.43	83.59	298.41	
Purvis Well	10/3/2010 22:00:00	66.72	33.32	0.20	66.56	83.37	83.53	298.47	
Purvis Well	10/3/2010 22:15:00	66.76	33.33	0.21	66.60	83.33	83.50	298.50	
Purvis Well	10/3/2010 22:30:00	63.75	33.33	0.21	63.59	86.34	86.51	295.49	
Purvis Well	10/3/2010 22:45:00	66.00	33.33	0.21	65.83	84.10	84.27	297.73	
Purvis Well	10/3/2010 23:00:00	66.44	33.34	0.22	66.27	83.66	83.83	298.17	
Purvis Well	10/3/2010 23:15:00	66.61	33.34	0.22	66.43	83.49	83.66	298.34	
Purvis Well	10/3/2010 23:30:00	66.70	33.34	0.23	66.53	83.39	83.57	298.43	
Purvis Well	10/3/2010 23:45:00	66.76	33.35	0.23	66.58	83.33	83.51	298.49	
Purvis Well	10/4/2010 0:00:00	66.81	33.35	0.23	66.63	83.28	83.46	298.54	
Purvis Well	10/4/2010 0:15:00	66.85	33.35	0.24	66.66	83.25	83.43	298.57	
Purvis Well	10/4/2010 0:30:00	66.88	33.36	0.24	66.69	83.22	83.40	298.60	
Purvis Well	10/4/2010 0:45:00	66.91	33.36	0.24	66.71	83.19	83.38	298.62	
Purvis Well	10/4/2010 1:00:00	62.53	33.37	0.25	62.34	87.56	87.76	294.24	
Purvis Well	10/4/2010 1:15:00	65.72	33.37	0.25	65.52	84.38	84.57	297.43	
Purvis Well	10/4/2010 1:30:00	66.44	33.37	0.26	66.24	83.65	83.85	298.15	
Purvis Well	10/4/2010 1:45:00	66.66	33.38	0.26	66.46	83.44	83.64	298.36	
Purvis Well	10/4/2010 2:00:00	66.76	33.38	0.26	66.56	83.33	83.53	298.47	
Purvis Well	10/4/2010 2:15:00	66.83	33.38	0.27	66.62	83.26	83.47	298.53	
Purvis Well	10/4/2010 2:30:00	66.87	33.39	0.27	66.66	83.22	83.43	298.57	
Purvis Well	10/4/2010 2:45:00	66.91	33.39	0.27	66.70	83.18	83.39	298.61	
Purvis Well	10/4/2010 3:00:00	66.94	33.39	0.28	66.73	83.15	83.37	298.63	
Purvis Well	10/4/2010 3:15:00	66.96	33.40	0.28	66.75	83.13	83.35	298.65	
Purvis Well	10/4/2010 3:30:00	66.98	33.40	0.28	66.76	83.11	83.33	298.67	
Purvis Well	10/4/2010 3:45:00	64.70	33.40	0.29	64.48	85.39	85.61	296.39	
Purvis Well	10/4/2010 4:00:00	66.28	33.41	0.29	66.06	83.81	84.04	297.96	
Purvis Well	10/4/2010 4:15:00	64.29	33.41	0.29	64.06	85.81	86.03	295.97	
Purvis Well	10/4/2010 4:30:00	65.38	33.41	0.30	65.15	84.71	84.94	297.06	
Purvis Well	10/4/2010 4:45:00	66.27	33.42	0.30	66.04	83.83	84.06	297.94	
Purvis Well	10/4/2010 5:00:00	66.55	33.42	0.30	66.31	83.54	83.78	298.22	
Purvis Well	10/4/2010 5:15:00	64.59	33.42	0.31	64.35	85.51	85.74	296.26	
Purvis Well	10/4/2010 5:30:00	66.05	33.43	0.31	65.81	84.04	84.28	297.72	
Purvis Well	10/4/2010 5:45:00	66.43	33.43	0.31	66.19	83.67	83.91	298.09	
Purvis Well	10/4/2010 6:00:00	66.60	33.43	0.32	66.35	83.50	83.75	298.25	
Purvis Well	10/4/2010 6:15:00	66.69	33.44	0.32	66.44	83.41	83.66	298.34	
Purvis Well	10/4/2010 6:30:00	66.76	33.44	0.33	66.51	83.33	83.59	298.41	
Purvis Well	10/4/2010 6:45:00	66.81	33.45	0.33	66.55	83.28	83.54	298.46	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	10/4/2010 7:00:00	59.24	33.45	0.33	58.97	90.86	91.12	290.88	
Purvis Well	10/4/2010 7:15:00	65.74	33.46	0.34	65.48	84.36	84.62	297.38	
Purvis Well	10/4/2010 7:30:00	66.41	33.46	0.34	66.15	83.68	83.95	298.05	
Purvis Well	10/4/2010 7:45:00	66.63	33.46	0.35	66.36	83.46	83.73	298.27	
Purvis Well	10/4/2010 8:00:00	66.73	33.47	0.35	66.46	83.36	83.63	298.37	
Purvis Well	10/4/2010 8:15:00	66.80	33.47	0.36	66.53	83.29	83.57	298.43	
Purvis Well	10/4/2010 8:30:00	66.85	33.48	0.36	66.57	83.24	83.52	298.48	
Purvis Well	10/4/2010 8:45:00	66.89	33.48	0.36	66.60	83.21	83.49	298.51	
Purvis Well	10/4/2010 9:00:00	66.92	33.49	0.37	66.63	83.18	83.46	298.54	
Purvis Well	10/4/2010 9:15:00	64.97	33.49	0.37	64.68	85.12	85.41	296.59	
Purvis Well	10/4/2010 9:30:00	66.26	33.49	0.38	65.96	83.84	84.13	297.87	
Purvis Well	10/4/2010 9:45:00	66.59	33.49	0.38	66.29	83.51	83.80	298.20	
Purvis Well	10/4/2010 10:00:00	66.72	33.49	0.38	66.43	83.38	83.67	298.33	
Purvis Well	10/4/2010 10:15:00	66.80	33.49	0.37	66.50	83.30	83.59	298.41	
Purvis Well	10/4/2010 10:30:00	66.85	33.49	0.37	66.56	83.24	83.54	298.46	
Purvis Well	10/4/2010 10:45:00	66.89	33.49	0.37	66.60	83.20	83.49	298.51	
Purvis Well	10/4/2010 11:00:00	65.35	33.49	0.37	65.05	84.75	85.04	296.96	
Purvis Well	10/4/2010 11:15:00	66.35	33.49	0.37	66.06	83.74	84.03	297.97	
Purvis Well	10/4/2010 11:30:00	66.63	33.49	0.37	66.34	83.47	83.76	298.24	
Purvis Well	10/4/2010 11:45:00	66.75	33.49	0.37	66.46	83.35	83.64	298.36	
Purvis Well	10/4/2010 12:00:00	66.82	33.49	0.37	66.53	83.27	83.56	298.44	
Purvis Well	10/4/2010 12:15:00	66.87	33.49	0.37	66.58	83.22	83.51	298.49	
Purvis Well	10/4/2010 12:30:00	66.92	33.49	0.37	66.63	83.18	83.47	298.53	
Purvis Well	10/4/2010 12:45:00	64.18	33.49	0.37	63.89	85.92	86.21	295.79	
Purvis Well	10/4/2010 13:00:00	66.17	33.49	0.37	65.88	83.93	84.21	297.79	
Purvis Well	10/4/2010 13:15:00	66.58	33.49	0.37	66.29	83.52	83.80	298.20	
Purvis Well	10/4/2010 13:30:00	66.73	33.49	0.37	66.45	83.36	83.65	298.35	
Purvis Well	10/4/2010 13:45:00	66.82	33.49	0.37	66.53	83.28	83.56	298.44	
Purvis Well	10/4/2010 14:00:00	66.88	33.49	0.37	66.59	83.22	83.51	298.49	
Purvis Well	10/4/2010 14:15:00	66.92	33.49	0.37	66.63	83.17	83.46	298.54	
Purvis Well	10/4/2010 14:30:00	66.96	33.49	0.37	66.67	83.14	83.43	298.57	
Purvis Well	10/4/2010 14:45:00	61.90	33.49	0.37	61.61	88.20	88.49	293.51	
Purvis Well	10/4/2010 15:00:00	65.98	33.49	0.37	65.69	84.11	84.40	297.60	
Purvis Well	10/4/2010 15:15:00	66.55	33.49	0.37	66.26	83.54	83.83	298.17	
Purvis Well	10/4/2010 15:30:00	66.75	33.49	0.37	66.45	83.35	83.64	298.36	
Purvis Well	10/4/2010 15:45:00	66.84	33.49	0.37	66.55	83.25	83.54	298.46	
Purvis Well	10/4/2010 16:00:00	66.90	33.49	0.37	66.61	83.19	83.48	298.52	
Purvis Well	10/4/2010 16:15:00	64.42	33.49	0.37	64.12	85.68	85.97	296.03	
Purvis Well	10/4/2010 16:30:00	57.34	33.49	0.38	57.05	92.75	93.05	288.95	
Purvis Well	10/4/2010 16:45:00	60.99	33.49	0.38	60.69	89.11	89.40	292.60	
Purvis Well	10/4/2010 17:00:00	62.32	33.49	0.38	62.03	87.77	88.07	293.93	
Purvis Well	10/4/2010 17:15:00	64.83	33.49	0.38	64.53	85.27	85.56	296.44	
Purvis Well	10/4/2010 17:30:00	65.59	33.50	0.38	65.30	84.50	84.80	297.20	
Purvis Well	10/4/2010 17:45:00	65.96	33.50	0.38	65.66	84.13	84.43	297.57	
Purvis Well	10/4/2010 18:00:00	66.20	33.51	0.39	65.89	83.90	84.20	297.80	
Purvis Well	10/4/2010 18:15:00	64.23	33.51	0.39	63.92	85.86	86.17	295.83	
Purvis Well	10/4/2010 18:30:00	65.78	33.52	0.40	65.47	84.32	84.63	297.37	
Purvis Well	10/4/2010 18:45:00	64.40	33.52	0.40	64.08	85.70	86.01	295.99	
Purvis Well	10/4/2010 19:00:00	65.71	33.53	0.41	65.39	84.38	84.70	297.30	
Purvis Well	10/4/2010 19:15:00	62.19	33.53	0.42	61.86	87.91	88.23	293.77	
Purvis Well	10/4/2010 19:30:00	65.07	33.54	0.42	64.74	85.02	85.35	296.65	
Purvis Well	10/4/2010 19:45:00	65.94	33.54	0.43	65.61	84.16	84.49	297.51	
Purvis Well	10/4/2010 20:00:00	66.26	33.55	0.43	65.92	83.84	84.17	297.83	
Purvis Well	10/4/2010 20:15:00	66.43	33.56	0.44	66.09	83.67	84.01	297.99	
Purvis Well	10/4/2010 20:30:00	66.55	33.56	0.44	66.20	83.54	83.89	298.11	
Purvis Well	10/4/2010 20:45:00	64.04	33.57	0.45	63.68	86.06	86.41	295.59	
Purvis Well	10/4/2010 21:00:00	65.85	33.57	0.45	65.49	84.25	84.60	297.40	
Purvis Well	10/4/2010 21:15:00	66.30	33.58	0.46	65.95	83.79	84.15	297.85	
Purvis Well	10/4/2010 21:30:00	66.51	33.58	0.47	66.14	83.59	83.95	298.05	
Purvis Well	10/4/2010 21:45:00	66.64	33.59	0.47	66.27	83.45	83.82	298.18	
Purvis Well	10/4/2010 22:00:00	66.74	33.59	0.48	66.37	83.36	83.73	298.27	
Purvis Well	10/4/2010 22:15:00	66.82	33.60	0.48	66.44	83.28	83.65	298.35	
Purvis Well	10/4/2010 22:30:00	66.88	33.61	0.49	66.50	83.21	83.59	298.41	
Purvis Well	10/4/2010 22:45:00	66.94	33.61	0.49	66.56	83.15	83.53	298.47	
Purvis Well	10/4/2010 23:00:00	63.84	33.62	0.50	63.45	86.25	86.64	295.36	
Purvis Well	10/4/2010 23:15:00	66.20	33.62	0.50	65.81	83.89	84.28	297.72	
Purvis Well	10/4/2010 23:30:00	66.66	33.63	0.51	66.26	83.44	83.83	298.17	
Purvis Well	10/4/2010 23:45:00	66.84	33.63	0.52	66.44	83.25	83.65	298.35	
Purvis Well	10/5/2010 0:00:00	66.95	33.64	0.52	66.55	83.14	83.55	298.45	
Purvis Well	10/5/2010 0:15:00	67.03	33.64	0.53	66.62	83.06	83.47	298.53	
Purvis Well	10/5/2010 0:30:00	67.09	33.65	0.53	66.68	83.00	83.42	298.58	
Purvis Well	10/5/2010 0:45:00	67.15	33.66	0.54	66.73	82.95	83.37	298.63	
Purvis Well	10/5/2010 1:00:00	67.19	33.66	0.54	66.77	82.90	83.32	298.68	
Purvis Well	10/5/2010 1:15:00	67.24	33.67	0.55	66.81	82.86	83.29	298.71	
Purvis Well	10/5/2010 1:30:00	64.20	33.67	0.55	63.77	85.90	86.33	295.67	
Purvis Well	10/5/2010 1:45:00	66.50	33.68	0.56	66.06	83.60	84.04	297.96	
Purvis Well	10/5/2010 2:00:00	66.94	33.69	0.57	66.49	83.16	83.60	298.40	
Purvis Well	10/5/2010 2:15:00	67.11	33.69	0.57	66.66	82.99	83.43	298.57	
Purvis Well	10/5/2010 2:30:00	67.21	33.70	0.58	66.76	82.89	83.34	298.66	
Purvis Well	10/5/2010 2:45:00	67.28	33.71	0.59	66.82	82.81	83.27	298.73	
Purvis Well	10/5/2010 3:00:00	67.34	33.71	0.59	66.87	82.76	83.22	298.78	
Purvis Well	10/5/2010 3:15:00	67.39	33.72	0.60	66.92	82.71	83.18	298.82	
Purvis Well	10/5/2010 3:30:00	67.43	33.73	0.61	66.96	82.66	83.14	298.86	
Purvis Well	10/5/2010 3:45:00	67.47	33.73	0.62	66.99	82.62	83.10	298.90	
Purvis Well	10/5/2010 4:00:00	63.79	33.74	0.62	63.30	86.31	86.79	295.21	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	10/5/2010 4:15:00	66.66	33.75	0.63	66.17	83.44	83.93	298.07	
Purvis Well	10/5/2010 4:30:00	65.82	33.75	0.64	65.32	84.28	84.77	297.23	
Purvis Well	10/5/2010 4:45:00	66.80	33.76	0.64	66.30	83.30	83.80	298.20	
Purvis Well	10/5/2010 5:00:00	67.11	33.77	0.65	66.60	82.98	83.49	298.51	
Purvis Well	10/5/2010 5:15:00	63.18	33.77	0.66	62.67	86.91	87.42	294.58	
Purvis Well	10/5/2010 5:30:00	66.42	33.78	0.66	65.90	83.68	84.19	297.81	
Purvis Well	10/5/2010 5:45:00	66.99	33.79	0.67	66.47	83.11	83.63	298.37	
Purvis Well	10/5/2010 6:00:00	67.21	33.79	0.67	66.68	82.89	83.41	298.59	
Purvis Well	10/5/2010 6:15:00	67.33	33.80	0.68	66.80	82.76	83.29	298.71	
Purvis Well	10/5/2010 6:30:00	67.42	33.80	0.68	66.88	82.68	83.21	298.79	
Purvis Well	10/5/2010 6:45:00	67.49	33.81	0.69	66.95	82.61	83.14	298.86	
Purvis Well	10/5/2010 7:00:00	67.54	33.81	0.69	67.00	82.56	83.10	298.90	
Purvis Well	10/5/2010 7:15:00	67.58	33.82	0.70	67.04	82.51	83.06	298.94	
Purvis Well	10/5/2010 7:30:00	66.20	33.82	0.70	65.65	83.90	84.44	297.56	
Purvis Well	10/5/2010 7:45:00	67.11	33.83	0.71	66.56	82.99	83.54	298.46	
Purvis Well	10/5/2010 8:00:00	67.37	33.83	0.71	66.81	82.73	83.29	298.71	
Purvis Well	10/5/2010 8:15:00	67.49	33.84	0.72	66.93	82.61	83.17	298.83	
Purvis Well	10/5/2010 8:30:00	67.56	33.84	0.72	67.00	82.53	83.09	298.91	
Purvis Well	10/5/2010 8:45:00	67.62	33.85	0.73	67.05	82.47	83.04	298.96	
Purvis Well	10/5/2010 9:00:00	67.67	33.85	0.73	67.10	82.43	83.00	299.00	
Purvis Well	10/5/2010 9:15:00	60.62	33.86	0.74	60.04	89.47	90.05	291.95	
Purvis Well	10/5/2010 9:30:00	65.45	33.86	0.74	64.87	84.64	85.22	296.78	
Purvis Well	10/5/2010 9:45:00	66.70	33.86	0.74	66.12	83.40	83.97	298.03	
Purvis Well	10/5/2010 10:00:00	67.10	33.85	0.74	66.53	82.99	83.56	298.44	
Purvis Well	10/5/2010 10:15:00	67.31	33.85	0.73	66.74	82.79	83.36	298.64	
Purvis Well	10/5/2010 10:30:00	65.75	33.84	0.73	65.18	84.34	84.91	297.09	
Purvis Well	10/5/2010 10:45:00	66.92	33.84	0.72	66.35	83.18	83.74	298.26	
Purvis Well	10/5/2010 11:00:00	67.24	33.84	0.72	66.68	82.85	83.41	298.59	
Purvis Well	10/5/2010 11:15:00	67.40	33.83	0.71	66.84	82.69	83.25	298.75	
Purvis Well	10/5/2010 11:30:00	67.51	33.83	0.71	66.95	82.59	83.14	298.86	
Purvis Well	10/5/2010 11:45:00	67.58	33.82	0.71	67.03	82.52	83.07	298.93	
Purvis Well	10/5/2010 12:00:00	64.20	33.82	0.70	63.66	85.89	86.44	295.56	
Purvis Well	10/5/2010 12:15:00	66.47	33.81	0.70	65.92	83.63	84.17	297.83	
Purvis Well	10/5/2010 12:30:00	67.21	33.81	0.69	66.67	82.89	83.43	298.57	
Purvis Well	10/5/2010 12:45:00	67.44	33.81	0.69	66.90	82.66	83.19	298.81	
Purvis Well	10/5/2010 13:00:00	67.55	33.80	0.68	67.02	82.54	83.08	298.92	
Purvis Well	10/5/2010 13:15:00	67.63	33.80	0.68	67.10	82.46	82.99	299.01	
Purvis Well	10/5/2010 13:30:00	67.69	33.79	0.68	67.16	82.41	82.94	299.06	
Purvis Well	10/5/2010 13:45:00	67.73	33.79	0.67	67.21	82.37	82.89	299.11	
Purvis Well	10/5/2010 14:00:00	65.04	33.78	0.66	64.52	85.05	85.57	296.43	
Purvis Well	10/5/2010 14:15:00	67.00	33.77	0.66	66.49	83.09	83.60	298.40	
Purvis Well	10/5/2010 14:30:00	67.41	33.77	0.65	66.90	82.69	83.19	298.81	
Purvis Well	10/5/2010 14:45:00	67.57	33.76	0.64	67.07	82.53	83.03	298.97	
Purvis Well	10/5/2010 15:00:00	67.66	33.76	0.64	67.16	82.44	82.93	299.07	
Purvis Well	10/5/2010 15:15:00	67.72	33.75	0.63	67.23	82.37	82.87	299.13	
Purvis Well	10/5/2010 15:30:00	67.77	33.74	0.62	67.28	82.33	82.82	299.18	
Purvis Well	10/5/2010 15:45:00	67.81	33.74	0.62	67.32	82.29	82.77	299.23	
Purvis Well	10/5/2010 16:00:00	67.84	33.73	0.61	67.36	82.26	82.74	299.26	
Purvis Well	10/5/2010 16:15:00	67.86	33.72	0.61	67.39	82.23	82.70	299.30	
Purvis Well	10/5/2010 16:30:00	67.89	33.72	0.60	67.42	82.21	82.67	299.33	
Purvis Well	10/5/2010 16:45:00	65.44	33.71	0.59	64.98	84.66	85.12	296.88	
Purvis Well	10/5/2010 17:00:00	67.19	33.70	0.59	66.73	82.91	83.37	298.63	
Purvis Well	10/5/2010 17:15:00	67.55	33.70	0.58	67.10	82.54	82.99	299.01	
Purvis Well	10/5/2010 17:30:00	67.69	33.69	0.57	67.24	82.40	82.85	299.15	
Purvis Well	10/5/2010 17:45:00	67.77	33.69	0.57	67.32	82.33	82.78	299.22	
Purvis Well	10/5/2010 18:00:00	67.82	33.69	0.57	67.37	82.27	82.72	299.28	
Purvis Well	10/5/2010 18:15:00	67.86	33.69	0.57	67.41	82.23	82.68	299.32	
Purvis Well	10/5/2010 18:30:00	67.89	33.69	0.57	67.45	82.20	82.65	299.35	
Purvis Well	10/5/2010 18:45:00	66.41	33.69	0.57	65.97	83.68	84.13	297.87	
Purvis Well	10/5/2010 19:00:00	67.36	33.69	0.57	66.91	82.74	83.18	298.82	
Purvis Well	10/5/2010 19:15:00	67.61	33.69	0.57	67.17	82.48	82.93	299.07	
Purvis Well	10/5/2010 19:30:00	67.72	33.68	0.57	67.28	82.37	82.81	299.19	
Purvis Well	10/5/2010 19:45:00	67.79	33.68	0.57	67.35	82.30	82.74	299.26	
Purvis Well	10/5/2010 20:00:00	67.84	33.68	0.56	67.40	82.26	82.70	299.30	
Purvis Well	10/5/2010 20:15:00	65.90	33.68	0.56	65.46	84.20	84.63	297.37	
Purvis Well	10/5/2010 20:30:00	67.24	33.68	0.56	66.80	82.85	83.29	298.71	
Purvis Well	10/5/2010 20:45:00	67.56	33.68	0.56	67.13	82.53	82.97	299.03	
Purvis Well	10/5/2010 21:00:00	67.70	33.68	0.56	67.26	82.40	82.84	299.16	
Purvis Well	10/5/2010 21:15:00	67.77	33.68	0.56	67.33	82.32	82.76	299.24	
Purvis Well	10/5/2010 21:30:00	60.20	33.68	0.56	59.77	89.89	90.33	291.67	
Purvis Well	10/5/2010 21:45:00	66.71	33.67	0.56	66.28	83.38	83.82	298.18	
Purvis Well	10/5/2010 22:00:00	67.38	33.67	0.55	66.95	82.71	83.15	298.85	
Purvis Well	10/5/2010 22:15:00	67.58	33.67	0.55	67.15	82.51	82.94	299.06	
Purvis Well	10/5/2010 22:30:00	67.69	33.67	0.55	67.26	82.41	82.83	299.17	
Purvis Well	10/5/2010 22:45:00	67.75	33.66	0.55	67.32	82.34	82.77	299.23	
Purvis Well	10/5/2010 23:00:00	67.80	33.66	0.54	67.38	82.29	82.72	299.28	
Purvis Well	10/5/2010 23:15:00	67.83	33.66	0.54	67.41	82.26	82.69	299.31	
Purvis Well	10/5/2010 23:30:00	67.86	33.66	0.54	67.44	82.23	82.66	299.34	
Purvis Well	10/5/2010 23:45:00	67.88	33.66	0.54	67.46	82.21	82.63	299.37	
Purvis Well	10/6/2010 0:00:00	66.27	33.65	0.54	65.85	83.83	84.25	297.75	
Purvis Well	10/6/2010 0:15:00	67.32	33.65	0.53	66.90	82.78	83.19	298.81	
Purvis Well	10/6/2010 0:30:00	67.59	33.65	0.53	67.17	82.51	82.92	299.08	
Purvis Well	10/6/2010 0:45:00	67.70	33.65	0.53	67.29	82.39	82.80	299.20	
Purvis Well	10/6/2010 1:00:00	67.77	33.64	0.53	67.36	82.32	82.73	299.27	
Purvis Well	10/6/2010 1:15:00	67.82	33.64	0.52	67.41	82.28	82.69	299.31	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	10/6/2010 1:30:00	67.85	33.64	0.52	67.44	82.25	82.65	299.35	
Purvis Well	10/6/2010 1:45:00	67.88	33.64	0.52	67.47	82.22	82.62	299.38	
Purvis Well	10/6/2010 2:00:00	67.90	33.64	0.52	67.50	82.20	82.60	299.40	
Purvis Well	10/6/2010 2:15:00	67.92	33.63	0.52	67.51	82.18	82.58	299.42	
Purvis Well	10/6/2010 2:30:00	65.90	33.63	0.51	65.49	84.20	84.60	297.40	
Purvis Well	10/6/2010 2:45:00	67.28	33.63	0.51	66.88	82.81	83.21	298.79	
Purvis Well	10/6/2010 3:00:00	67.60	33.63	0.51	67.21	82.49	82.89	299.11	
Purvis Well	10/6/2010 3:15:00	67.73	33.62	0.51	67.33	82.37	82.76	299.24	
Purvis Well	10/6/2010 3:30:00	67.79	33.62	0.50	67.40	82.30	82.70	299.30	
Purvis Well	10/6/2010 3:45:00	67.84	33.62	0.50	67.45	82.25	82.65	299.35	
Purvis Well	10/6/2010 4:00:00	67.88	33.62	0.50	67.49	82.22	82.61	299.39	
Purvis Well	10/6/2010 4:15:00	64.52	33.62	0.50	64.13	85.57	85.96	296.04	
Purvis Well	10/6/2010 4:30:00	67.04	33.61	0.50	66.65	83.06	83.44	298.56	
Purvis Well	10/6/2010 4:45:00	64.58	33.61	0.49	64.19	85.52	85.90	296.10	
Purvis Well	10/6/2010 5:00:00	66.82	33.61	0.49	66.44	83.28	83.66	298.34	
Purvis Well	10/6/2010 5:15:00	67.32	33.61	0.49	66.94	82.77	83.15	298.85	
Purvis Well	10/6/2010 5:30:00	67.53	33.60	0.49	67.15	82.57	82.95	299.05	
Purvis Well	10/6/2010 5:45:00	62.17	33.60	0.48	61.79	87.93	88.30	293.70	
Purvis Well	10/6/2010 6:00:00	66.62	33.59	0.48	66.25	83.47	83.85	298.15	
Purvis Well	10/6/2010 6:15:00	67.27	33.59	0.47	66.90	82.83	83.19	298.81	
Purvis Well	10/6/2010 6:30:00	67.49	33.58	0.47	67.12	82.61	82.97	299.03	
Purvis Well	10/6/2010 6:45:00	67.60	33.58	0.46	67.24	82.49	82.85	299.15	
Purvis Well	10/6/2010 7:00:00	67.68	33.57	0.46	67.32	82.41	82.77	299.23	
Purvis Well	10/6/2010 7:15:00	67.73	33.57	0.45	67.38	82.36	82.72	299.28	
Purvis Well	10/6/2010 7:30:00	67.77	33.56	0.45	67.42	82.32	82.67	299.33	
Purvis Well	10/6/2010 7:45:00	64.65	33.56	0.44	64.31	85.44	85.79	296.21	
Purvis Well	10/6/2010 8:00:00	67.01	33.55	0.44	66.67	83.09	83.43	298.57	
Purvis Well	10/6/2010 8:15:00	67.44	33.55	0.43	67.10	82.66	82.99	299.01	
Purvis Well	10/6/2010 8:30:00	67.60	33.54	0.43	67.26	82.50	82.83	299.17	
Purvis Well	10/6/2010 8:45:00	67.68	33.54	0.42	67.35	82.41	82.74	299.26	
Purvis Well	10/6/2010 9:00:00	67.74	33.53	0.42	67.41	82.36	82.68	299.32	
Purvis Well	10/6/2010 9:15:00	67.77	33.53	0.41	67.45	82.32	82.64	299.36	
Purvis Well	10/6/2010 9:30:00	67.80	33.52	0.41	67.48	82.29	82.61	299.39	
Purvis Well	10/6/2010 9:45:00	67.83	33.51	0.40	67.52	82.27	82.58	299.42	
Purvis Well	10/6/2010 10:00:00	67.84	33.50	0.38	67.54	82.25	82.55	299.45	
Purvis Well	10/6/2010 10:15:00	67.86	33.49	0.37	67.56	82.24	82.53	299.47	
Purvis Well	10/6/2010 10:30:00	66.22	33.48	0.36	65.94	83.87	84.15	297.85	
Purvis Well	10/6/2010 10:45:00	67.28	33.47	0.35	67.00	82.82	83.09	298.91	
Purvis Well	10/6/2010 11:00:00		33.46	0.34					
Purvis Well	10/6/2010 11:15		33.45	0.33					
Purvis Well	10/6/2010 11:30	67.72	33.44	0.32	67.47	82.37	82.62	299.38	
Purvis Well	10/6/2010 11:45	67.77	33.43	0.31	67.53	82.33	82.57	299.43	
Purvis Well	10/6/2010 12:00	67.79	33.42	0.30	67.56	82.30	82.53	299.47	
Purvis Well	10/6/2010 12:15	66.54	33.40	0.29	66.31	83.56	83.78	298.22	
Purvis Well	10/6/2010 12:30	67.30	33.39	0.28	67.09	82.79	83.01	298.99	
Purvis Well	10/6/2010 12:45	67.52	33.38	0.26	67.31	82.58	82.78	299.22	
Purvis Well	10/6/2010 13:00	67.62	33.37	0.25	67.42	82.47	82.67	299.33	
Purvis Well	10/6/2010 13:15	67.68	33.36	0.24	67.49	82.41	82.60	299.40	
Purvis Well	10/6/2010 13:30	62.66	33.35	0.23	62.48	87.43	87.61	294.39	
Purvis Well	10/6/2010 13:45	66.69	33.34	0.22	66.51	83.41	83.58	298.42	
Purvis Well	10/6/2010 14:00	67.27	33.33	0.21	67.11	82.82	82.99	299.01	
Purvis Well	10/6/2010 14:15	67.47	33.32	0.20	67.31	82.63	82.78	299.22	
Purvis Well	10/6/2010 14:30	67.56	33.31	0.19	67.42	82.53	82.68	299.32	
Purvis Well	10/6/2010 14:45	67.62	33.30	0.18	67.48	82.48	82.62	299.38	
Purvis Well	10/6/2010 15:00	67.65	33.29	0.17	67.52	82.44	82.58	299.42	
Purvis Well	10/6/2010 15:15	67.67	33.28	0.16	67.55	82.43	82.55	299.45	
Purvis Well	10/6/2010 15:30	67.69	33.27	0.15	67.57	82.41	82.52	299.48	
Purvis Well	10/6/2010 15:45	67.70	33.25	0.14	67.59	82.39	82.50	299.50	
Purvis Well	10/6/2010 16:00	64.80	33.24	0.13	64.70	85.30	85.40	296.60	
Purvis Well	10/6/2010 16:15	66.90	33.23	0.12	66.81	83.20	83.29	298.71	
Purvis Well	10/6/2010 16:30	67.30	33.22	0.10	67.21	82.80	82.88	299.12	
Purvis Well	10/6/2010 16:45	67.44	33.21	0.09	67.37	82.65	82.72	299.28	
Purvis Well	10/6/2010 17:00	67.51	33.20	0.08	67.44	82.59	82.65	299.35	
Purvis Well	10/6/2010 17:15	67.55	33.19	0.07	67.50	82.54	82.60	299.40	
Purvis Well	10/6/2010 17:30	67.58	33.18	0.06	67.53	82.51	82.56	299.44	
Purvis Well	10/6/2010 17:45	67.61	33.18	0.06	67.56	82.48	82.53	299.47	
Purvis Well	10/6/2010 18:00	65.43	33.18	0.06	65.38	84.66	84.71	297.29	
Purvis Well	10/6/2010 18:15	66.93	33.18	0.07	66.88	83.16	83.21	298.79	
Purvis Well	10/6/2010 18:30	67.27	33.19	0.07	67.21	82.83	82.88	299.12	
Purvis Well	10/6/2010 18:45	67.40	33.19	0.07	67.34	82.70	82.75	299.25	
Purvis Well	10/6/2010 19:00	67.47	33.19	0.07	67.41	82.63	82.68	299.32	
Purvis Well	10/6/2010 19:15	67.52	33.19	0.07	67.46	82.58	82.63	299.37	
Purvis Well	10/6/2010 19:30	67.56	33.19	0.07	67.50	82.54	82.59	299.41	
Purvis Well	10/6/2010 19:45	66.16	33.19	0.07	66.10	83.93	83.99	298.01	
Purvis Well	10/6/2010 20:00	67.03	33.19	0.08	66.97	83.07	83.13	298.87	
Purvis Well	10/6/2010 20:15	67.26	33.19	0.08	67.20	82.83	82.89	299.11	
Purvis Well	10/6/2010 20:30	67.37	33.20	0.08	67.30	82.73	82.79	299.21	
Purvis Well	10/6/2010 20:45	67.43	33.20	0.08	67.37	82.66	82.72	299.28	
Purvis Well	10/6/2010 21:00	67.47	33.20	0.08	67.41	82.62	82.68	299.32	
Purvis Well	10/6/2010 21:15	65.17	33.20	0.08	65.11	84.92	84.99	297.01	
Purvis Well	10/6/2010 21:30	66.81	33.20	0.08	66.75	83.28	83.35	298.65	
Purvis Well	10/6/2010 21:45	67.17	33.20	0.08	67.10	82.92	82.99	299.01	
Purvis Well	10/6/2010 22:00	67.31	33.20	0.09	67.24	82.78	82.85	299.15	
Purvis Well	10/6/2010 22:15	67.38	33.20	0.09	67.32	82.71	82.78	299.22	
Purvis Well	10/6/2010 22:30	67.44	33.21	0.09	67.37	82.66	82.72	299.28	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	10/6/2010 22:45	67.47	33.21	0.09	67.40	82.62	82.69	299.31	
Purvis Well	10/6/2010 23:00	67.51	33.21	0.09	67.43	82.59	82.66	299.34	
Purvis Well	10/6/2010 23:15	67.53	33.21	0.09	67.46	82.57	82.64	299.36	
Purvis Well	10/6/2010 23:30	67.55	33.21	0.09	67.48	82.55	82.62	299.38	
Purvis Well	10/6/2010 23:45	67.57	33.21	0.09	67.50	82.53	82.60	299.40	
Purvis Well	10/7/2010 0:00	64.71	33.21	0.09	64.64	85.38	85.45	296.55	
Purvis Well	10/7/2010 0:15	66.82	33.21	0.10	66.74	83.28	83.35	298.65	
Purvis Well	10/7/2010 0:30	67.22	33.21	0.10	67.15	82.87	82.95	299.05	
Purvis Well	10/7/2010 0:45	67.38	33.22	0.10	67.30	82.72	82.79	299.21	
Purvis Well	10/7/2010 1:00	67.45	33.22	0.10	67.38	82.64	82.72	299.28	
Purvis Well	10/7/2010 1:15	67.51	33.22	0.10	67.43	82.58	82.66	299.34	
Purvis Well	10/7/2010 1:30	67.56	33.22	0.10	67.48	82.54	82.62	299.38	
Purvis Well	10/7/2010 1:45	67.59	33.22	0.10	67.51	82.50	82.58	299.42	
Purvis Well	10/7/2010 2:00	67.62	33.22	0.11	67.54	82.48	82.56	299.44	
Purvis Well	10/7/2010 2:15	67.64	33.23	0.11	67.56	82.45	82.54	299.46	
Purvis Well	10/7/2010 2:30	67.67	33.23	0.11	67.58	82.43	82.52	299.48	
Purvis Well	10/7/2010 2:45	65.67	33.23	0.11	65.58	84.43	84.51	297.49	
Purvis Well	10/7/2010 3:00	67.03	33.23	0.11	66.94	83.06	83.15	298.85	
Purvis Well	10/7/2010 3:15	67.35	33.23	0.12	67.26	82.75	82.84	299.16	
Purvis Well	10/7/2010 3:30	67.47	33.24	0.12	67.38	82.62	82.71	299.29	
Purvis Well	10/7/2010 3:45	67.55	33.24	0.12	67.46	82.54	82.64	299.36	
Purvis Well	10/7/2010 4:00	67.60	33.24	0.12	67.51	82.49	82.59	299.41	
Purvis Well	10/7/2010 4:15	61.66	33.24	0.13	61.57	88.43	88.53	293.47	
Purvis Well	10/7/2010 4:30	58.88	33.25	0.13	58.78	91.22	91.32	290.68	
Purvis Well	10/7/2010 4:45	66.08	33.25	0.13	65.98	84.01	84.11	297.89	
Purvis Well	10/7/2010 5:00	66.94	33.25	0.13	66.84	83.15	83.25	298.75	
Purvis Well	10/7/2010 5:15	67.24	33.25	0.14	67.13	82.86	82.96	299.04	
Purvis Well	10/7/2010 5:30	65.58	33.26	0.14	65.47	84.52	84.63	297.37	
Purvis Well	10/7/2010 5:45	66.85	33.26	0.14	66.74	83.24	83.35	298.65	
Purvis Well	10/7/2010 6:00	67.21	33.26	0.14	67.09	82.89	83.00	299.00	
Purvis Well	10/7/2010 6:15	67.37	33.26	0.14	67.26	82.73	82.84	299.16	
Purvis Well	10/7/2010 6:30	67.47	33.26	0.15	67.35	82.63	82.74	299.26	
Purvis Well	10/7/2010 6:45	67.55	33.27	0.15	67.43	82.55	82.66	299.34	
Purvis Well	10/7/2010 7:00	67.61	33.27	0.15	67.49	82.49	82.60	299.40	
Purvis Well	10/7/2010 7:15	67.65	33.27	0.15	67.53	82.44	82.56	299.44	
Purvis Well	10/7/2010 7:30	67.69	33.27	0.15	67.57	82.40	82.52	299.48	
Purvis Well	10/7/2010 7:45	67.72	33.27	0.16	67.60	82.37	82.49	299.51	
Purvis Well	10/7/2010 8:00	64.84	33.28	0.16	64.72	85.25	85.38	296.62	
Purvis Well	10/7/2010 8:15	66.98	33.28	0.16	66.85	83.12	83.24	298.76	
Purvis Well	10/7/2010 8:30	67.39	33.28	0.16	67.26	82.71	82.83	299.17	
Purvis Well	10/7/2010 8:45	67.54	33.28	0.16	67.42	82.55	82.68	299.32	
Purvis Well	10/7/2010 9:00	67.63	33.28	0.17	67.50	82.47	82.60	299.40	
Purvis Well	10/7/2010 9:15	67.69	33.29	0.17	67.56	82.41	82.54	299.46	
Purvis Well	10/7/2010 9:30	62.98	33.29	0.17	62.85	87.12	87.25	294.75	
Purvis Well	10/7/2010 9:45	66.78	33.29	0.17	66.65	83.31	83.45	298.55	
Purvis Well	10/7/2010 10:00	67.34	33.29	0.17	67.20	82.76	82.89	299.11	
Purvis Well	10/7/2010 10:15	67.52	33.29	0.17	67.38	82.57	82.71	299.29	
Purvis Well	10/7/2010 10:30	67.61	33.29	0.18	67.48	82.48	82.62	299.38	
Purvis Well	10/7/2010 10:45	67.68	33.29	0.18	67.54	82.42	82.56	299.44	
Purvis Well	10/7/2010 11:00	67.72	33.30	0.18	67.58	82.37	82.51	299.49	
Purvis Well	10/7/2010 11:15	67.75	33.30	0.18	67.61	82.34	82.48	299.52	
Purvis Well	10/7/2010 11:30	67.78	33.30	0.18	67.64	82.32	82.46	299.54	
Purvis Well	10/7/2010 11:45	67.81	33.30	0.18	67.66	82.29	82.43	299.57	
Purvis Well	10/7/2010 12:00	64.83	33.30	0.18	64.69	85.26	85.40	296.60	
Purvis Well	10/7/2010 12:15	67.03	33.30	0.19	66.88	83.07	83.21	298.79	
Purvis Well	10/7/2010 12:30	67.44	33.30	0.19	67.30	82.65	82.80	299.20	
Purvis Well	10/7/2010 12:45	57.89	33.31	0.19	57.75	92.20	92.35	289.65	
Purvis Well	10/7/2010 13:00	66.36	33.31	0.19	66.22	83.73	83.88	298.12	
Purvis Well	10/7/2010 13:15	65.08	33.31	0.19	64.93	85.02	85.17	296.83	
Purvis Well	10/7/2010 13:30	66.71	33.31	0.19	66.56	83.39	83.54	298.46	
Purvis Well	10/7/2010 13:45	67.15	33.32	0.20	66.99	82.95	83.10	298.90	
Purvis Well	10/7/2010 14:00	67.35	33.32	0.20	67.19	82.75	82.90	299.10	
Purvis Well	10/7/2010 14:15	67.47	33.33	0.21	67.31	82.62	82.78	299.22	
Purvis Well	10/7/2010 14:30	67.56	33.33	0.21	67.39	82.53	82.70	299.30	
Purvis Well	10/7/2010 14:45	67.63	33.33	0.22	67.46	82.47	82.64	299.36	
Purvis Well	10/7/2010 15:00	63.08	33.34	0.22	62.91	87.02	87.19	294.81	
Purvis Well	10/7/2010 15:15	66.74	33.34	0.22	66.57	83.36	83.53	298.47	
Purvis Well	10/7/2010 15:30	67.30	33.34	0.22	67.12	82.80	82.97	299.03	
Purvis Well	10/7/2010 15:45	67.49	33.35	0.23	67.31	82.61	82.78	299.22	
Purvis Well	10/7/2010 16:00	67.59	33.35	0.23	67.41	82.50	82.68	299.32	
Purvis Well	10/7/2010 16:15	67.66	33.35	0.23	67.48	82.43	82.61	299.39	
Purvis Well	10/7/2010 16:30	67.71	33.35	0.23	67.53	82.38	82.56	299.44	
Purvis Well	10/7/2010 16:45	67.75	33.35	0.23	67.57	82.34	82.52	299.48	
Purvis Well	10/7/2010 17:00	67.78	33.35	0.23	67.60	82.32	82.50	299.50	
Purvis Well	10/7/2010 17:15	66.11	33.36	0.24	65.92	83.99	84.17	297.83	
Purvis Well	10/7/2010 17:30	67.18	33.35	0.23	67.00	82.91	83.09	298.91	
Purvis Well	10/7/2010 17:45	67.47	33.35	0.24	67.29	82.62	82.81	299.19	
Purvis Well	10/7/2010 18:00	67.60	33.36	0.24	67.41	82.50	82.68	299.32	
Purvis Well	10/7/2010 18:15	67.67	33.36	0.24	67.49	82.42	82.61	299.39	
Purvis Well	10/7/2010 18:30	67.72	33.36	0.25	67.53	82.37	82.56	299.44	
Purvis Well	10/7/2010 18:45	67.76	33.37	0.25	67.57	82.33	82.53	299.47	
Purvis Well	10/7/2010 19:00	66.40	33.37	0.25	66.20	83.70	83.89	298.11	
Purvis Well	10/7/2010 19:15	67.25	33.38	0.26	67.05	82.84	83.04	298.96	
Purvis Well	10/7/2010 19:30	67.50	33.38	0.26	67.29	82.60	82.80	299.20	
Purvis Well	10/7/2010 19:45	67.61	33.38	0.26	67.40	82.49	82.69	299.31	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	10/7/2010 20:00	67.67	33.39	0.27	67.46	82.42	82.63	299.37	
Purvis Well	10/7/2010 20:15	67.72	33.39	0.27	67.51	82.37	82.58	299.42	
Purvis Well	10/7/2010 20:30	67.75	33.39	0.27	67.54	82.34	82.55	299.45	
Purvis Well	10/7/2010 20:45	65.43	33.39	0.28	65.21	84.67	84.88	297.12	
Purvis Well	10/7/2010 21:00	60.16	33.39	0.28	59.95	89.93	90.15	291.85	
Purvis Well	10/7/2010 21:15	62.60	33.40	0.28	62.38	87.49	87.71	294.29	
Purvis Well	10/7/2010 21:30	58.60	33.40	0.28	58.38	91.49	91.71	290.29	
Purvis Well	10/7/2010 21:45	61.54	33.40	0.28	61.32	88.55	88.78	293.22	
Purvis Well	10/7/2010 22:00	53.63	33.41	0.29	53.41	96.46	96.69	285.31	
Purvis Well	10/7/2010 22:15	59.54	33.41	0.29	59.31	90.56	90.78	291.22	
Purvis Well	10/7/2010 22:30	61.72	33.40	0.28	61.50	88.37	88.59	293.41	
Purvis Well	10/7/2010 22:45	55.96	33.41	0.29	55.73	94.14	94.36	287.64	
Purvis Well	10/7/2010 23:00	59.97	33.40	0.29	59.75	90.12	90.34	291.66	
Purvis Well	10/7/2010 23:15	60.32	33.40	0.29	60.10	89.78	90.00	292.00	
Purvis Well	10/7/2010 23:30	57.22	33.40	0.29	57.00	92.87	93.10	288.90	
Purvis Well	10/7/2010 23:45	60.25	33.40	0.28	60.02	89.85	90.07	291.93	
Purvis Well	10/8/2010 0:00	53.90	33.40	0.29	53.68	96.19	96.42	285.58	
Purvis Well	10/8/2010 0:15	58.26	33.40	0.29	58.04	91.83	92.06	289.94	
Purvis Well	10/8/2010 0:30	60.60	33.40	0.29	60.38	89.49	89.71	292.29	
Purvis Well	10/8/2010 0:45	53.79	33.40	0.29	53.56	96.31	96.53	285.47	
Purvis Well	10/8/2010 1:00	59.00	33.40	0.29	58.78	91.09	91.32	290.68	
Purvis Well	10/8/2010 1:15	60.80	33.40	0.28	60.58	89.30	89.52	292.48	
Purvis Well	10/8/2010 1:30	56.36	33.40	0.28	56.14	93.74	93.96	288.04	
Purvis Well	10/8/2010 1:45	59.60	33.40	0.29	59.38	90.50	90.72	291.28	
Purvis Well	10/8/2010 2:00	53.59	33.41	0.29	53.37	96.50	96.73	285.27	
Purvis Well	10/8/2010 2:15	57.72	33.40	0.29	57.50	92.38	92.60	289.40	
Purvis Well	10/8/2010 2:30	60.14	33.41	0.29	59.92	89.95	90.18	291.82	
Purvis Well	10/8/2010 2:45	53.56	33.41	0.29	53.33	96.54	96.76	285.24	
Purvis Well	10/8/2010 3:00	58.65	33.41	0.29	58.42	91.45	91.68	290.32	
Purvis Well	10/8/2010 3:15	59.95	33.41	0.29	59.72	90.15	90.37	291.63	
Purvis Well	10/8/2010 3:30	56.16	33.41	0.29	55.93	93.94	94.17	287.83	
Purvis Well	10/8/2010 3:45	59.34	33.41	0.29	59.11	90.76	90.99	291.01	
Purvis Well	10/8/2010 4:00	53.30	33.41	0.29	53.07	96.79	97.02	284.98	
Purvis Well	10/8/2010 4:15	57.46	33.40	0.29	57.23	92.64	92.86	289.14	
Purvis Well	10/8/2010 4:30	59.88	33.40	0.28	59.65	90.22	90.44	291.56	
Purvis Well	10/8/2010 4:45	53.20	33.40	0.29	52.98	96.89	97.11	284.89	
Purvis Well	10/8/2010 5:00	58.39	33.41	0.29	58.16	91.71	91.93	290.07	
Purvis Well	10/8/2010 5:15	48.37	33.41	0.29	48.14	101.73	101.95	280.05	
Purvis Well	10/8/2010 5:30	58.00	33.41	0.29	57.78	92.09	92.32	289.68	
Purvis Well	10/8/2010 5:45	62.39	33.41	0.29	62.17	87.70	87.93	294.07	
Purvis Well	10/8/2010 6:00	60.67	33.41	0.29	60.44	89.43	89.65	292.35	
Purvis Well	10/8/2010 6:15	63.58	33.41	0.29	63.35	86.52	86.74	295.26	
Purvis Well	10/8/2010 6:30	64.46	33.40	0.28	64.24	85.63	85.86	296.14	
Purvis Well	10/8/2010 6:45	64.94	33.40	0.28	64.71	85.16	85.38	296.62	
Purvis Well	10/8/2010 7:00	65.28	33.40	0.28	65.05	84.82	85.04	296.96	
Purvis Well	10/8/2010 7:15	65.54	33.41	0.29	65.31	84.56	84.78	297.22	
Purvis Well	10/8/2010 7:30	65.74	33.41	0.29	65.52	84.35	84.58	297.42	
Purvis Well	10/8/2010 7:45	65.91	33.41	0.29	65.69	84.18	84.41	297.59	
Purvis Well	10/8/2010 8:00	66.06	33.41	0.30	65.83	84.04	84.27	297.73	
Purvis Well	10/8/2010 8:15	66.19	33.41	0.30	65.96	83.91	84.14	297.86	
Purvis Well	10/8/2010 8:30	64.48	33.42	0.30	64.25	85.61	85.85	296.15	
Purvis Well	10/8/2010 8:45	65.76	33.42	0.30	65.52	84.34	84.57	297.43	
Purvis Well	10/8/2010 9:00	66.12	33.43	0.31	65.88	83.97	84.21	297.79	
Purvis Well	10/8/2010 9:15	66.30	33.43	0.31	66.06	83.79	84.03	297.97	
Purvis Well	10/8/2010 9:30	66.43	33.43	0.31	66.18	83.67	83.91	298.09	
Purvis Well	10/8/2010 9:45	66.52	33.43	0.31	66.28	83.58	83.82	298.18	
Purvis Well	10/8/2010 10:00	66.59	33.43	0.31	66.35	83.50	83.74	298.26	
Purvis Well	10/8/2010 10:15	60.97	33.43	0.31	60.73	89.12	89.36	292.64	
Purvis Well	10/8/2010 10:30	65.69	33.43	0.32	65.45	84.40	84.65	297.35	
Purvis Well	10/8/2010 10:45	66.30	33.44	0.32	66.05	83.79	84.04	297.96	
Purvis Well	10/8/2010 11:00	66.51	33.44	0.32	66.26	83.58	83.83	298.17	
Purvis Well	10/8/2010 11:15		33.44	0.32					
Purvis Well	10/8/2010 11:30	66.72	33.43	0.31	66.48	83.38	83.62	298.38	
Purvis Well	10/8/2010 11:45	66.78	33.43	0.31	66.54	83.31	83.55	298.45	
Purvis Well	10/8/2010 12:00	66.84	33.43	0.31	66.59	83.26	83.50	298.50	
Purvis Well	10/8/2010 12:15	65.32	33.42	0.30	65.09	84.77	85.01	296.99	
Purvis Well	10/8/2010 12:30	66.30	33.41	0.29	66.07	83.79	84.02	297.98	
Purvis Well	10/8/2010 12:45	66.58	33.41	0.29	66.35	83.51	83.74	298.26	
Purvis Well	10/8/2010 13:00	66.71	33.41	0.29	66.48	83.39	83.62	298.38	
Purvis Well	10/8/2010 13:15	66.78	33.40	0.28	66.56	83.31	83.53	298.47	
Purvis Well	10/8/2010 13:30	66.84	33.40	0.28	66.62	83.26	83.47	298.53	
Purvis Well	10/8/2010 13:45	66.88	33.39	0.27	66.66	83.22	83.43	298.57	
Purvis Well	10/8/2010 14:00	66.91	33.38	0.26	66.70	83.19	83.39	298.61	
Purvis Well	10/8/2010 14:15	65.27	33.37	0.25	65.07	84.83	85.03	296.97	
Purvis Well	10/8/2010 14:30	66.35	33.37	0.25	66.15	83.74	83.94	298.06	
Purvis Well	10/8/2010 14:45	66.62	33.36	0.24	66.43	83.47	83.66	298.34	
Purvis Well	10/8/2010 15:00	66.75	33.36	0.24	66.56	83.35	83.53	298.47	
Purvis Well	10/8/2010 15:15	66.83	33.36	0.24	66.64	83.27	83.46	298.54	
Purvis Well	10/8/2010 15:30	66.88	33.36	0.24	66.69	83.22	83.41	298.59	
Purvis Well	10/8/2010 15:45	66.92	33.36	0.24	66.73	83.17	83.36	298.64	
Purvis Well	10/8/2010 16:00	66.95	33.36	0.24	66.76	83.15	83.34	298.66	
Purvis Well	10/8/2010 16:15	66.97	33.35	0.23	66.79	83.12	83.30	298.70	
Purvis Well	10/8/2010 16:30	67.00	33.35	0.24	66.81	83.10	83.28	298.72	
Purvis Well	10/8/2010 16:45	64.03	33.35	0.23	63.85	86.07	86.25	295.75	
Purvis Well	10/8/2010 17:00	66.22	33.35	0.24	66.03	83.88	84.06	297.94	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	10/8/2010 17:15	61.02	33.34	0.23	60.84	89.07	89.25	292.75	
Purvis Well	10/8/2010 17:30	65.66	33.34	0.23	65.48	84.44	84.61	297.39	
Purvis Well	10/8/2010 17:45	66.34	33.33	0.21	66.17	83.76	83.93	298.07	
Purvis Well	10/8/2010 18:00	64.85	33.34	0.22	64.68	85.24	85.41	296.59	
Purvis Well	10/8/2010 18:15	63.81	33.34	0.22	63.63	86.29	86.46	295.54	
Purvis Well	10/8/2010 18:30	65.62	33.34	0.22	65.45	84.47	84.65	297.35	
Purvis Well	10/8/2010 18:45	66.13	33.34	0.22	65.95	83.97	84.14	297.86	
Purvis Well	10/8/2010 19:00	58.48	33.33	0.22	58.31	91.61	91.78	290.22	
Purvis Well	10/8/2010 19:15	65.05	33.33	0.22	64.88	85.04	85.21	296.79	
Purvis Well	10/8/2010 19:30	62.39	33.33	0.22	62.23	87.70	87.87	294.13	
Purvis Well	10/8/2010 19:45	65.23	33.33	0.21	65.07	84.86	85.03	296.97	
Purvis Well	10/8/2010 20:00	65.90	33.33	0.21	65.73	84.20	84.36	297.64	
Purvis Well	10/8/2010 20:15	66.18	33.32	0.21	66.02	83.92	84.08	297.92	
Purvis Well	10/8/2010 20:30	66.34	33.32	0.20	66.18	83.76	83.91	298.09	
Purvis Well	10/8/2010 20:45	66.45	33.31	0.20	66.29	83.65	83.80	298.20	
Purvis Well	10/8/2010 21:00	66.52	33.31	0.20	66.37	83.57	83.72	298.28	
Purvis Well	10/8/2010 21:15	65.12	33.31	0.19	64.96	84.98	85.13	296.87	
Purvis Well	10/8/2010 21:30	66.06	33.30	0.18	65.92	84.03	84.17	297.83	
Purvis Well	10/8/2010 21:45	66.34	33.32	0.20	66.19	83.75	83.91	298.09	
Purvis Well	10/8/2010 22:00	66.47	33.32	0.20	66.31	83.63	83.78	298.22	
Purvis Well	10/8/2010 22:15	66.55	33.32	0.20	66.39	83.54	83.70	298.30	
Purvis Well	10/8/2010 22:30	66.61	33.33	0.21	66.44	83.49	83.65	298.35	
Purvis Well	10/8/2010 22:45	66.66	33.33	0.21	66.49	83.44	83.61	298.39	
Purvis Well	10/8/2010 23:00	64.45	33.33	0.21	64.28	85.65	85.81	296.19	
Purvis Well	10/8/2010 23:15	66.01	33.33	0.21	65.85	84.08	84.25	297.75	
Purvis Well	10/8/2010 23:30	66.36	33.33	0.22	66.19	83.74	83.90	298.10	
Purvis Well	10/8/2010 23:45	66.50	33.33	0.21	66.33	83.60	83.76	298.24	
Purvis Well	10/9/2010 0:00	66.58	33.33	0.22	66.41	83.52	83.69	298.31	
Purvis Well	10/9/2010 0:15	66.63	33.34	0.22	66.46	83.46	83.63	298.37	
Purvis Well	10/9/2010 0:30	66.67	33.34	0.22	66.49	83.43	83.60	298.40	
Purvis Well	10/9/2010 0:45	66.70	33.34	0.22	66.52	83.40	83.57	298.43	
Purvis Well	10/9/2010 1:00	66.72	33.35	0.23	66.54	83.38	83.55	298.45	
Purvis Well	10/9/2010 1:15	66.73	33.34	0.22	66.56	83.36	83.53	298.47	
Purvis Well	10/9/2010 1:30	66.76	33.35	0.23	66.57	83.34	83.52	298.48	
Purvis Well	10/9/2010 1:45	66.77	33.35	0.24	66.59	83.32	83.51	298.49	
Purvis Well	10/9/2010 2:00	65.33	33.36	0.24	65.14	84.76	84.95	297.05	
Purvis Well	10/9/2010 2:15	66.24	33.36	0.24	66.05	83.86	84.04	297.96	
Purvis Well	10/9/2010 2:30	66.48	33.37	0.25	66.29	83.61	83.81	298.19	
Purvis Well	10/9/2010 2:45	66.59	33.37	0.25	66.39	83.51	83.70	298.30	
Purvis Well	10/9/2010 3:00	66.64	33.37	0.25	66.45	83.45	83.64	298.36	
Purvis Well	10/9/2010 3:15	66.68	33.36	0.25	66.49	83.42	83.61	298.39	
Purvis Well	10/9/2010 3:30	66.71	33.37	0.25	66.52	83.38	83.58	298.42	
Purvis Well	10/9/2010 3:45	66.74	33.38	0.26	66.54	83.35	83.55	298.45	
Purvis Well	10/9/2010 4:00	66.76	33.38	0.26	66.56	83.33	83.54	298.46	
Purvis Well	10/9/2010 4:15	66.78	33.39	0.27	66.57	83.31	83.52	298.48	
Purvis Well	10/9/2010 4:30	66.80	33.39	0.27	66.59	83.30	83.51	298.49	
Purvis Well	10/9/2010 4:45	58.75	33.38	0.27	58.54	91.35	91.55	290.45	
Purvis Well	10/9/2010 5:00	65.72	33.39	0.27	65.51	84.38	84.58	297.42	
Purvis Well	10/9/2010 5:15	66.34	33.39	0.27	66.13	83.75	83.96	298.04	
Purvis Well	10/9/2010 5:30	66.53	33.39	0.27	66.32	83.56	83.77	298.23	
Purvis Well	10/9/2010 5:45	66.62	33.39	0.28	66.41	83.47	83.69	298.31	
Purvis Well	10/9/2010 6:00	66.68	33.40	0.28	66.46	83.42	83.64	298.36	
Purvis Well	10/9/2010 6:15	58.06	33.40	0.28	57.84	92.03	92.25	289.75	
Purvis Well	10/9/2010 6:30	65.59	33.39	0.27	65.37	84.51	84.72	297.28	
Purvis Well	10/9/2010 6:45	66.26	33.39	0.27	66.05	83.83	84.05	297.95	
Purvis Well	10/9/2010 7:00	63.61	33.39	0.27	63.40	86.48	86.69	295.31	
Purvis Well	10/9/2010 7:15	65.76	33.39	0.28	65.55	84.33	84.55	297.45	
Purvis Well	10/9/2010 7:30	66.21	33.39	0.27	66.00	83.88	84.10	297.90	
Purvis Well	10/9/2010 7:45	66.39	33.39	0.28	66.17	83.70	83.92	298.08	
Purvis Well	10/9/2010 8:00	66.49	33.40	0.28	66.27	83.61	83.82	298.18	
Purvis Well	10/9/2010 8:15	66.55	33.40	0.28	66.33	83.54	83.76	298.24	
Purvis Well	10/9/2010 8:30	66.59	33.40	0.28	66.37	83.50	83.72	298.28	
Purvis Well	10/9/2010 8:45	66.63	33.41	0.29	66.41	83.46	83.69	298.31	
Purvis Well	10/9/2010 9:00	65.32	33.41	0.29	65.09	84.78	85.01	296.99	
Purvis Well	10/9/2010 9:15	66.14	33.42	0.30	65.91	83.95	84.19	297.81	
Purvis Well	10/9/2010 9:30	66.38	33.43	0.31	66.13	83.72	83.96	298.04	
Purvis Well	10/9/2010 9:45	66.48	33.43	0.31	66.24	83.61	83.85	298.15	
Purvis Well	10/9/2010 10:00	66.55	33.43	0.31	66.30	83.55	83.79	298.21	
Purvis Well	10/9/2010 10:15	64.85	33.43	0.31	64.61	85.24	85.48	296.52	
Purvis Well	10/9/2010 10:30	65.98	33.43	0.31	65.74	84.11	84.36	297.64	
Purvis Well	10/9/2010 10:45	66.27	33.43	0.31	66.03	83.83	84.07	297.93	
Purvis Well	10/9/2010 11:00	54.96	33.43	0.31	54.72	95.13	95.37	286.63	
Purvis Well	10/9/2010 11:15	64.46	33.42	0.31	64.23	85.63	85.87	296.13	
Purvis Well	10/9/2010 11:30	65.54	33.42	0.30	65.30	84.56	84.80	297.20	
Purvis Well	10/9/2010 11:45	65.90	33.42	0.30	65.66	84.20	84.44	297.56	
Purvis Well	10/9/2010 12:00	66.08	33.42	0.30	65.84	84.02	84.25	297.75	
Purvis Well	10/9/2010 12:15	62.01	33.42	0.30	61.78	88.08	88.32	293.68	
Purvis Well	10/9/2010 12:30	65.21	33.41	0.29	64.98	84.89	85.12	296.88	
Purvis Well	10/9/2010 12:45	65.81	33.41	0.29	65.58	84.29	84.51	297.49	
Purvis Well	10/9/2010 13:00	66.02	33.40	0.28	65.80	84.08	84.29	297.71	
Purvis Well	10/9/2010 13:15	61.97	33.40	0.28	61.75	88.13	88.34	293.66	
Purvis Well	10/9/2010 13:30	65.28	33.39	0.27	65.07	84.82	85.03	296.97	
Purvis Well	10/9/2010 13:45	65.83	33.38	0.26	65.62	84.27	84.47	297.53	
Purvis Well	10/9/2010 14:00	66.02	33.37	0.26	65.82	84.07	84.27	297.73	
Purvis Well	10/9/2010 14:15	66.13	33.37	0.25	65.94	83.96	84.16	297.84	

Well Name	Date Time	Pressure (ft of H2O)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	DTW (ft bgs)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD)	Notes/Comments
Purvis Well	10/9/2010 14:30	66.20	33.36	0.24	66.01	83.90	84.09	297.91	

Well Name	Test Type	Date Time	Time Since Pump Started, t (min)	DTW (ft bmp)	DTW (ft bgs)	Drawdown (ft)	Rate, Q (gpm)	Totalizer (gal x 1,000)	Specific Capacity, Q/s (gpm/ft)	Notes/Comments
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:05:37	0.00	91.04	88.46			0		
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:07:57	2.33	113.44	110.86	22.4	825		36.8	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:09:07	3.50				800			
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:10:37	5.00	113.44	110.86	22.4	800		35.7	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:11:47	6.17	113.55	110.97	22.5	800		35.5	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:12:17	6.67	113.65	111.07	22.6	750		33.2	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:12:37	7.00	113.81	111.23	22.8	775		34.0	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:13:37	8.00	113.94	111.36	22.9	775		33.8	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:14:22	8.75	114.00	111.42	23.0	775		33.8	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:14:53	9.27	114.04	111.46	23.0	775		33.7	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:15:07	9.50	114.24	111.66	23.2	775		33.4	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:16:07	10.50	114.34	111.76	23.3	775		33.3	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:16:37	11.00	114.72	112.14	23.7	775		32.7	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:17:37	12.00	114.78	112.20	23.7	775		32.6	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:18:37	13.00	114.99	112.41	24.0	775		32.4	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:19:37	14.00	115.05	112.47	24.0	775		32.3	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:20:37	15.00	115.14	112.56	24.1	775		32.2	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:21:37	16.00	115.23	112.65	24.2	775		32.0	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:23:37	18.00	115.12	112.54	24.1	775		32.2	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:25:37	20.00	115.15	112.57	24.1	750		31.1	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:26:37	21.00				775			Rate increase
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:27:37	22.00	116.41	113.83	25.4	775		30.5	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:29:37	24.00	116.13	113.55	25.1	775		30.9	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:31:37	26.00	115.50	112.92	24.5	750		30.7	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:32:37	27.00				775			Rate increase
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:33:37	28.00	116.16	113.58	25.1	750		29.9	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:35:37	30.00				775			Rate increase; water moving uphill to discharge sit
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:36:37	31.00	116.85	114.27	25.8	775		30.0	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:39:37	34.00	116.94	114.36	25.9	775		29.9	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:40:37	35.00	116.90	114.32	25.9	750		29.0	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:43:37	38.00				750	24		
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:44:37	39.00	116.88	114.30	25.8	750		29.0	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:50:37	45.00				775			
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 16:51:37	46.00	117.17	114.59	26.1	775		29.7	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 17:02:37	57.00	117.65	115.07	26.6	750	35	28.2	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 17:06:37	61.00	117.77	115.19	26.7	750		28.1	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 17:12:37	67.00	117.91	115.33	26.9	750	41.5	27.9	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 17:19:37	74.00	118.20	115.62	27.2	750	45	27.6	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 17:25:37	80.00	118.28	115.70	27.2	750	48	27.5	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 17:30:37	85.00	118.37	115.79	27.3	750	51.5	27.4	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 17:35:37	90.00	118.50	115.92	27.5	750	53.5	27.3	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 17:40:37	95.00	118.58	116.00	27.5	750	57.5	27.2	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 17:47:37	102.00	118.73	116.15	27.7	750	61.5	27.1	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 17:56:37	111.00	118.94	116.36	27.9	750	67	26.9	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 18:03:37	118.00	119.02	116.44	28.0	750	71	26.8	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 18:10:37	125.00	119.15	116.57	28.1	750	75	26.7	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 18:15:37	130.00	119.25	116.67	28.2	750		26.6	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 18:20:37	135.00	119.35	116.77	28.3	750	80.5	26.5	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 18:30:37	145.00	119.47	116.89	28.4	750		26.4	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 18:40:37	155.00	119.53	116.95	28.5	750	91	26.3	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 18:50:37	165.00	119.65	117.07	28.6	750	96.5	26.2	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 18:55:37	170.00	119.72	117.14	28.7	750		26.2	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 19:00:37	175.00	119.79	117.21	28.8	750	102	26.1	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 19:07:37	182.00	119.84	117.26	28.8	750	106	26.0	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 19:15:37	190.00	119.90	117.32	28.9	750		26.0	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 19:22:37	197.00	119.98	117.40	28.9	750	113	25.9	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 19:25:37	200.00	120.01	117.43	29.0	750	116	25.9	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 19:30:37	205.00	120.06	117.48	29.0	750		25.8	
SW Well 1A	Step-Rate Test - Step #1	9/23/2010 19:34:37	209.00	120.08	117.50	29.0	750	122	25.8	Increased rate to 1300 gpm
SW Well 1A	Step-Rate Test - Step #2	9/23/2010 19:35:37	210.00				1300			
SW Well 1A	Step-Rate Test - Step #2	9/23/2010 19:37:37	212.00	136.43	133.85	45.4	1300		28.6	
SW Well 1A	Step-Rate Test - Step #2	9/23/2010 19:39:37	214.00	136.93	134.35	45.9	1300		28.3	
SW Well 1A	Step-Rate Test - Step #2	9/23/2010 19:40:37	215.00	137.13	134.55	46.1	1300		28.2	
SW Well 1A	Step-Rate Test - Step #2	9/23/2010 19:41:37	216.00	137.23	134.65	46.2	1300		28.1	
SW Well 1A	Step-Rate Test - Step #2	9/23/2010 19:42:37	217.00	137.38	134.80	46.3	1300		28.1	
SW Well 1A	Step-Rate Test - Step #2	9/23/2010 19:44:37	219.00	137.62	135.04	46.6	1300		27.9	
SW Well 1A	Step-Rate Test - Step #2	9/23/2010 19:49:37	224.00	138.06	135.48	47.0	1300		27.6	
SW Well 1A	Step-Rate Test - Step #2	9/23/2010 19:52:37	227.00	138.19	135.61	47.2	1300		27.6	
SW Well 1A	Step-Rate Test - Step #2	9/23/2010 19:58:37	233.00	138.70	136.12	47.7	1300	151	27.3	
SW Well 1A	Step-Rate Test - Step #2	9/23/2010 20:01:37	236.00	138.78	136.20	47.7	1300	155	27.2	
SW Well 1A	Step-Rate Test - Step #2	9/23/2010 20:05:37	240.00	138.98	136.40	47.9	1300		27.1	
SW Well 1A	Step-Rate Test - Step #2	9/23/2010 20:09:37	244.00	139.08	136.50	48.0	1300	165	27.1	
SW Well 1A	Step-Rate Test - Step #2	9/23/2010 20:15:37	250.00	139.30	136.72	48.3	1300	173	26.9	
SW Well 1A	Step-Rate Test - Step #2	9/23/2010 20:21:37	256.00	139.51	136.93	48.5	1300		26.8	
SW Well 1A	Step-Rate Test - Step #2	9/23/2010 20:27:37	262.00	139.67	137.09	48.6	1300	187	26.7	
SW Well 1A	Step-Rate Test - Step #2	9/23/2010 20:34:37	269.00	139.83	137.25	48.8	1300	195.5	26.6	
SW Well 1A	Step-Rate Test - Step #2	9/23/2010 20:39:37	274.00	139.93	137.35	48.9	1300	202	26.6	
SW Well 1A	Step-Rate Test - Step #2	9/23/2010 20:43:37	278.00	140.04	137.46	49.0	1300	207.5	26.5	

Well Name	Test Type	Date Time	Time Since Pump Started, t (min)	DTW (ft bmp)	DTW (ft bgs)	Drawdown (ft)	Rate, Q (gpm)	Totalizer (gal x 1,000)	Specific Capacity, Q/s (gpm/ft)	Notes/Comments
SW Well 1A	Step-Rate Test - Step #2	9/23/2010 20:48:37	283.00	140.13	137.55	49.1	1300	212.5	26.5	
SW Well 1A	Step-Rate Test - Step #2	9/23/2010 20:53:37	288.00	140.22	137.64	49.2	1300	218	26.4	
SW Well 1A	Step-Rate Test - Step #2	9/23/2010 20:58:37	293.00	140.38	137.80	49.3	1300	225	26.3	
SW Well 1A	Step-Rate Test - Step #2	9/23/2010 21:01:37	296.00	140.41	137.83	49.4	1300		26.3	
SW Well 1A	Step-Rate Test - Step #2	9/23/2010 21:03:37	298.00	140.45	137.87	49.4	1300		26.3	
SW Well 1A	Step-Rate Test - Step #3	9/23/2010 21:05:37	300.00				1800			Increased rate to 1800 gpm
SW Well 1A	Step-Rate Test - Step #3	9/23/2010 21:07:37	302.00	155.30	152.72	64.3	1800		28.0	
SW Well 1A	Step-Rate Test - Step #3	9/23/2010 21:08:37	303.00	155.56	152.98	64.5	1800		27.9	
SW Well 1A	Step-Rate Test - Step #3	9/23/2010 21:09:37	304.00	155.69	153.11	64.7	1800		27.8	
SW Well 1A	Step-Rate Test - Step #3	9/23/2010 21:10:37	305.00	155.85	153.27	64.8	1800		27.8	
SW Well 1A	Step-Rate Test - Step #3	9/23/2010 21:11:37	306.00	155.93	153.35	64.9	1800	244	27.7	
SW Well 1A	Step-Rate Test - Step #3	9/23/2010 21:12:37	307.00	156.06	153.48	65.0	1800		27.7	
SW Well 1A	Step-Rate Test - Step #3	9/23/2010 21:13:37	308.00	156.13	153.55	65.1	1800	248	27.7	
SW Well 1A	Step-Rate Test - Step #3	9/23/2010 21:21:37	316.00	156.73	154.15	65.7	1800	264	27.4	
SW Well 1A	Step-Rate Test - Step #3	9/23/2010 21:25:37	320.00	157.01	154.43	66.0	1800		27.3	
SW Well 1A	Step-Rate Test - Step #3	9/23/2010 21:31:37	326.00	157.24	154.66	66.2	1800		27.2	
SW Well 1A	Step-Rate Test - Step #3	9/23/2010 21:52:37	347.00	158.03	155.45	67.0	1800		26.9	
SW Well 1A	Step-Rate Test - Step #3	9/23/2010 21:57:37	352.00				1800	325.5		
SW Well 1A	Step-Rate Test - Step #3	9/23/2010 22:05:37	360.00	158.34	155.76	67.3	1800	345	26.7	
SW Well 1A	Step-Rate Test - Step #3	9/23/2010 22:23:37	378.00	158.85	156.27	67.8	1800	375	26.5	
SW Well 1A	Step-Rate Test - Step #3	9/23/2010 22:36:37	391.00				1800			1415 rpm; 47 psi; 1800 gpm
SW Well 1A	Step-Rate Test - Step #3	9/23/2010 22:42:37	397.00	159.30	156.72	68.3	1800		26.4	End step-rate test
SW Well 1A	End Step-Rate Testing	9/23/2010 22:47:37					2900			testing right angle drive for constant-rate test; increased drive to 1,900 rpı
SW Well 1A	End Step-Rate Testing	9/23/2010 22:49:37					2250			testing right angle drive for constant-rate test; decreased drive rate to 1,620 rpm; 60 ps
SW Well 1A	End Step-Rate Testing	9/23/2010 22:50:37		171.40	168.82	80.4	2300		28.6	testing right angle drive for constant-rate test
SW Well 1A	End Step-Rate Testing	9/23/2010 22:50:37						410		Pump off - end step rate tesl
SW Well 1A	Constant-Rate Test - Static	10/6/2010 8:20:00		105.50	102.92					
SW Well 1A	Constant-Rate Test - Static	10/6/2010 13:10:00		105.52	102.94					
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 14:34:55	0.0	105.52	102.94	0.0	2100	410		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 14:35:54	1.0	141.67	139.09	36.2	2100			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 14:36:51	1.9	146.65	144.07	41.1	2100			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 14:37:37	2.7	147.54	144.96	42.0	2100			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 14:38:10	3.3	147.61	145.03	42.1	2100	600		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 14:38:55	4.0	148.03	145.45	42.5	2100			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 14:39:23	4.5	148.17	145.59	42.7	2100			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 14:40:01	5.1	148.38	145.80	42.9	2100			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 14:40:32	5.6	148.64	146.06	43.1	2100			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 14:41:08	6.2	148.82	146.24	43.3	2100			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 14:41:43	6.8	149.10	146.52	43.6	2100			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 14:42:25	7.5	149.40	146.82	43.9	1900	607		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 14:43:29	8.6	149.55	146.97	44.0	1900			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 14:43:55	9.0	149.74	147.16	44.2	1900			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 14:45:06	10.2	153.17	150.59	47.7	1900			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 14:46:18	11.4	155.98	153.40	50.5	1900			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 14:47:55	13.0	156.53	153.95	51.0	2100			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 14:49:54	15.0	157.17	154.59	51.7	2100			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 14:49:55	15.0	157.42	154.84	51.9	2100			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 14:51:37	16.7	157.58	155.00	52.1	2100			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 14:52:35	17.7	157.93	155.35	52.4	2100			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 14:52:55	18.0				2150	629		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 14:53:55	19.0	158.08	155.50	52.6	2150			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 14:54:55	20.0	158.20	155.62	52.7	2150			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 14:55:55	21.0	158.53	155.95	53.0	2150			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 14:56:55	22.0	158.65	156.07	53.1	2150			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 14:58:45	23.8	158.89	156.31	53.4	2150			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 15:02:15	27.3	159.45	156.87	53.9	2150			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 15:03:25	28.5	159.66	157.08	54.1	2150			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 15:04:55	30.0	159.96	157.38	54.4	2200			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 15:07:22	32.4				2250	659		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 15:08:25	33.5	162.26	159.68	56.7	2250			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 15:10:55	36.0	162.71	160.13	57.2	2250			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 15:12:55	38.0	163.19	160.61	57.7	2200	674		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 15:15:55	41.0	163.19	160.61	57.7	2200			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 15:17:55	43.0	163.40	160.82	57.9	2200	684		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 15:20:05	45.2	163.57	160.99	58.1	2200			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 15:22:55	48.0	163.87	161.29	58.4	2200	695		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 15:29:55	55.0	164.46	161.88	58.9	2200			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 15:33:55	59.0	164.75	162.17	59.2	2200			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 15:38:55	64.0	165.18	162.60	59.7	2200	729		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 15:44:55	70.0	165.58	163.00	60.1	2200			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 15:50:55	76.0	165.91	163.33	60.4	2200	752		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 15:59:55	85.0	166.44	163.86	60.9	2200	773		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 16:06:55	92.0	166.80	164.22	61.3	2200	789		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 16:13:55	99.0	167.17	164.59	61.7	2200			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 16:19:55	105.0	167.40	164.82	61.9	2200	814		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 16:25:55	111.0	167.72	165.14	62.2	2200			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 16:36:55	122.0	169.21	166.63	63.7	2250	851.5		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 16:38:55	124.0				2300			

Well Name	Test Type	Date Time	Time Since Pump Started, t (min)	DTW (ft bmp)	DTW (ft bgs)	Drawdown (ft)	Rate, Q (gpm)	Totalizer (gal x 1,000)	Specific Capacity, Q/s (gpm/ft)	Notes/Comments
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 16:50:55	136.0	170.76	168.18	65.2	2300			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 17:01:55	147.0	171.17	168.59	65.7	2300	908		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 17:11:55	157.0	171.44	168.86	65.9	2000	930		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 17:24:55	170.0	169.48	166.90	64.0	2200	958.5		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 17:30:55	176.0	165.37	162.79	59.9	2000	971		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 17:42:55	188.0	168.61	166.03	63.1	2100	994		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 17:54:55	200.0	168.97	166.39	63.5	2100	1021		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 18:07:55	213.0	168.80	166.22	63.3	2050	1052		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 18:17:55	223.0	169.08	166.50	63.6	2100			
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 18:35:55	241.0	169.93	167.35	64.4	2100	1100		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 18:45:55	251.0	170.15	167.57	64.6	2100	994		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 18:45:55	251.0	170.15	167.57	64.6	2100	1127		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 18:57:55	263.0	170.45	167.87	64.9	2100	1148		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 19:27:55	293.0	170.95	168.37	65.4	2100	1216		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 19:57:55	323.0	171.50	168.92	66.0	2100	1278		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 20:27:55	353.0	172.05	169.47	66.5	2100	1342		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 20:57:55	383.0	172.60	170.02	67.1	2100	1403		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 21:27:55	413.0	173.05	170.47	67.5	2100	1466		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 21:57:55	443.0	173.50	170.92	68.0	2100	1527		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 22:27:55	473.0	173.90	171.32	68.4	2100	1590		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 22:57:55	503.0	174.40	171.82	68.9	2100	1652		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 23:27:55	533.0	174.80	172.22	69.3	2100	1714		
SW Well 1A	Constant-Rate Test - Pumping	10/6/2010 23:57:55	563.0	175.00	172.42	69.5	2100	1776		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 0:27:55	593.0	175.51	172.93	70.0	2100	1838		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 0:57:55	623.0	175.92	173.34	70.4	2100	1899		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 1:27:55	653.0	176.04	173.46	70.5	2100	1961		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 1:57:55	683.0	176.47	173.89	71.0	2100	2023		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 2:27:55	713.0	176.68	174.10	71.2	2100	2084		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 2:57:55	743.0	176.96	174.38	71.4	2100	2146		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 3:27:55	773.0	177.20	174.62	71.7	2100	2208		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 3:57:55	803.0	177.51	174.93	72.0	2100	2269		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 4:27:55	833.0	177.76	175.18	72.2	2100	2331		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 4:57:55	863.0	178.00	175.42	72.5	2100	2393		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 5:27:55	893.0	178.12	175.54	72.6	2100	2454		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 5:57:55	923.0	178.39	175.81	72.9	2100	2515		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 6:27:55	953.0	178.59	176.01	73.1	2100	2576		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 6:57:55	983.0	178.79	176.21	73.3	2100	2638		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 7:27:55	1013.0	179.04	176.46	73.5	2100	2700		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 7:57:55	1043.0	179.16	176.58	73.6	2100	2760		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 8:27:55	1073.0	179.35	176.77	73.8	2100	2822		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 8:57:55	1103.0	179.46	176.88	73.9	2100	2883		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 9:27:55	1133.0	179.73	177.15	74.2	2100	2944		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 9:57:55	1163.0	179.90	177.32	74.4	2100	3006		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 10:27:55	1193.0	180.07	177.49	74.6	2100	3067		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 10:57:55	1223.0	180.24	177.66	74.7	2100	3128		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 11:27:55	1253.0	180.38	177.80	74.9	2100	3189		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 11:57:55	1283.0	180.55	177.97	75.0	2100	3251		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 12:27:55	1313.0	180.75	178.17	75.2	2100	3313		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 12:57:55	1343.0	180.90	178.32	75.4	2100	3376		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 13:27:55	1373.0	180.91	178.33	75.4	2100	3439		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 13:57:55	1403.0	181.00	178.42	75.5	2100	3497		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 14:57:55	1463.0	181.30	178.72	75.8	2100	3617		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 15:57:55	1523.0	181.55	178.97	76.0	2100	3739		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 16:57:55	1583.0	181.80	179.22	76.3	2100	3861		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 17:57:55	1643.0	182.00	179.42	76.5	2100	3983		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 18:57:55	1703.0	182.30	179.72	76.8	2100	4105		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 19:57:55	1763.0	182.45	179.87	76.9	2100	4227		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 20:57:55	1823.0	182.65	180.07	77.1	2100	4349		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 21:57:55	1883.0	182.85	180.27	77.3	2100	4470		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 22:57:56	1943.0	183.10	180.52	77.6	2100	4595		
SW Well 1A	Constant-Rate Test - Pumping	10/7/2010 23:57:56	2003.0	183.30	180.72	77.8	2100	4713		
SW Well 1A	Constant-Rate Test - Pumping	10/8/2010 0:57:56	2063.0	183.37	180.79	77.9	2100	4835		
SW Well 1A	Constant-Rate Test - Pumping	10/8/2010 1:57:56	2123.0	183.55	180.97	78.0	2100	4957		
SW Well 1A	Constant-Rate Test - Pumping	10/8/2010 2:57:56	2183.0	183.72	181.14	78.2	2100	5078		
SW Well 1A	Constant-Rate Test - Pumping	10/8/2010 3:57:56	2243.0	183.81	181.23	78.3	2100	5200		
SW Well 1A	Constant-Rate Test - Pumping	10/8/2010 4:57:56	2303.0	184.01	181.43	78.5	2100	5322		
SW Well 1A	Constant-Rate Test - Pumping	10/8/2010 5:57:56	2363.0	184.18	181.60	78.7	2100	5442		
SW Well 1A	Constant-Rate Test - Pumping	10/8/2010 6:57:56	2423.0	184.31	181.73	78.8	2100	5563		
SW Well 1A	Constant-Rate Test - Pumping	10/8/2010 7:57:56	2483.0	184.45	181.87	78.9	2100	5685		
SW Well 1A	Constant-Rate Test - Pumping	10/8/2010 8:57:56	2543.0	184.60	182.02	79.1	2100	5806		
SW Well 1A	Constant-Rate Test - Pumping	10/8/2010 9:57:56	2603.0	184.80	182.22	79.3	2100	5929		
SW Well 1A	Constant-Rate Test - Pumping	10/8/2010 10:57:56	2663.0	184.95	182.37	79.4	2100	6048		
SW Well 1A	Constant-Rate Test - Pumping	10/8/2010 11:57:56	2723.0	185.40	182.82	79.9	2100	6169		
SW Well 1A	Constant-Rate Test - Pumping	10/8/2010 12:57:56	2783.0	185.15	182.57	79.6	2100	6390		
SW Well 1A	Constant-Rate Test - Pumping	10/8/2010 13:57:56	2843.0	185.25	182.67	79.7	2100	6411		
SW Well 1A	Constant-Rate Test - Pumping	10/8/2010 14:57:56	2903.0	185.35	182.77	79.8	2100	6532		
SW Well 1A	Constant-Rate Test - Pumping	10/8/2010 15:57:56	2963.0	185.52	182.94	80.0	2100	6653		
SW Well 1A	Constant-Rate Test - Pumping	10/8/2010 16:57:56	3023.0	185.60	183.02	80.1	2100	6774		

Well Name	Test Type	Date Time	Time Since Pump Started, t (min)	DTW (ft bmp)	DTW (ft bgs)	Drawdown (ft)	Rate, Q (gpm)	Totalizer (gal x 1,000)	Specific Capacity, Q/s (gpm/ft)	Notes/Comments
SW Well 1A	Constant-Rate Test - Pumping	10/8/2010 17:57:56	3083.0	185.75	183.17	80.2	2100	6895		
SW Well 1A	Constant-Rate Test - Pumping	10/8/2010 18:57:56	3143.0	185.75	183.17	80.2	2100	7017		
SW Well 1A	Constant-Rate Test - Pumping	10/8/2010 19:57:56	3203.0	185.90	183.32	80.4	2100	7137		
SW Well 1A	Constant-Rate Test - Pumping	10/8/2010 20:57:56	3263.0	186.00	183.42	80.5	2100	7258		
SW Well 1A	Constant-Rate Test - Pumping	10/8/2010 21:57:56	3323.0	186.15	183.57	80.6	2100	7380		
SW Well 1A	Constant-Rate Test - Pumping	10/8/2010 22:57:56	3383.0	186.25	183.67	80.7	2100	7499		
SW Well 1A	Constant-Rate Test - Pumping	10/8/2010 23:57:56	3443.0	186.30	183.72	80.8	2100	7620		
SW Well 1A	Constant-Rate Test - Pumping	10/9/2010 0:57:56	3503.0	186.54	183.96	81.0	2100	7740		
SW Well 1A	Constant-Rate Test - Pumping	10/9/2010 1:57:56	3563.0	186.57	183.99	81.1	2100	7860		
SW Well 1A	Constant-Rate Test - Pumping	10/9/2010 2:57:56	3623.0	186.70	184.12	81.2	2100	7981		
SW Well 1A	Constant-Rate Test - Pumping	10/9/2010 3:57:56	3683.0	186.79	184.21	81.3	2100	8102		
SW Well 1A	Constant-Rate Test - Pumping	10/9/2010 4:57:56	3743.0	186.81	184.23	81.3	2100	8223		
SW Well 1A	Constant-Rate Test - Pumping	10/9/2010 5:57:56	3803.0	186.95	184.37	81.4	2100	2343		
SW Well 1A	Constant-Rate Test - Pumping	10/9/2010 6:57:56	3863.0	187.02	184.44	81.5	2100	8463		
SW Well 1A	Constant-Rate Test - Pumping	10/9/2010 7:57:56	3923.0	187.11	184.53	81.6	2100	8584		
SW Well 1A	Constant-Rate Test - Pumping	10/9/2010 8:57:56	3983.0	187.23	184.65	81.7	2100	8704		
SW Well 1A	Constant-Rate Test - Pumping	10/9/2010 9:57:56	4043.0	187.30	184.72	81.8	2100	8825		
SW Well 1A	Constant-Rate Test - Pumping	10/9/2010 10:57:56	4103.0	187.40	184.82	81.9	2100	8946		
SW Well 1A	Constant-Rate Test - Pumping	10/9/2010 11:57:56	4163.0	187.45	184.87	81.9	2100	9067		
SW Well 1A	Constant-Rate Test - Pumping	10/9/2010 12:57:56	4223.0	187.45	184.87	81.9	2100	9187		
SW Well 1A	Constant-Rate Test - Pumping	10/9/2010 13:57:56	4283.0	187.60	185.02	82.1	2100	9307		
SW Well 1A	Constant-Rate Test - Pumping	10/9/2010 14:57:56	4343.0	187.70	185.12	82.2	2100	9416		
SW Well 1A	Constant-Rate Test - Recovery	10/9/2010 15:20:43		162.77	160.19	57.3				
SW Well 1A	Constant-Rate Test - Recovery	10/9/2010 15:21:01		148.48	145.90	43.0				
SW Well 1A	Constant-Rate Test - Recovery	10/9/2010 15:21:32		142.41	139.83	36.9				
SW Well 1A	Constant-Rate Test - Recovery	10/9/2010 15:24:00		138.26	135.68	32.7				
SW Well 1A	Constant-Rate Test - Recovery	10/9/2010 15:25:00		137.72	135.14	32.2				
SW Well 1A	Constant-Rate Test - Recovery	10/9/2010 15:25:50		137.29	134.71	31.8				
SW Well 1A	Constant-Rate Test - Recovery	10/9/2010 15:27:00		136.78	134.20	31.3				
SW Well 1A	Constant-Rate Test - Recovery	10/9/2010 15:28:15		136.43	133.85	30.9				
SW Well 1A	Constant-Rate Test - Recovery	10/9/2010 15:30:00		135.82	133.24	30.3				
SW Well 1A	Constant-Rate Test - Recovery	10/9/2010 15:32:00		135.49	132.91	30.0				
SW Well 1A	Constant-Rate Test - Recovery	10/9/2010 15:33:00		135.13	132.55	29.6				
SW Well 1A	Constant-Rate Test - Recovery	10/9/2010 15:36:00		134.60	132.02	29.1				
SW Well 1A	Constant-Rate Test - Recovery	10/9/2010 15:37:00		134.28	131.70	28.8				
SW Well 1A	Constant-Rate Test - Recovery	10/9/2010 15:38:00		134.10	131.52	28.6				
SW Well 1A	Constant-Rate Test - Recovery	10/9/2010 15:40:00		133.90	131.32	28.4				
SW Well 1A	Constant-Rate Test - Recovery	10/9/2010 15:43:00		133.43	130.85	27.9				
SW Well 1A	Constant-Rate Test - Recovery	10/9/2010 15:46:00		133.12	130.54	27.6				
SW Well 1A	Constant-Rate Test - Recovery	10/9/2010 15:52:00		132.43	129.85	26.9				
SW Well 1A	Constant-Rate Test - Recovery	10/9/2010 16:00:00		131.78	129.20	26.3				
SW Well 1A	Constant-Rate Test - Recovery	10/9/2010 16:05:00		131.40	128.82	25.9				
SW Well 1A	Constant-Rate Test - Recovery	10/9/2010 16:10:00		131.06	128.48	25.5				
SW Well 1A	Constant-Rate Test - Recovery	10/9/2010 16:15:00		130.77	128.19	25.3				
SW Well 1A	Constant-Rate Test - Recovery	10/9/2010 16:19:00		130.54	127.96	25.0				
SW Well 1A	Constant-Rate Test - Recovery	10/9/2010 16:42:00		129.43	126.85	23.9				

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A		9/23/2010 15:37:03			230.47			33.29	0.00	230.47				
SW Well 1A		9/23/2010 15:37:05			230.47			33.29	0.00	230.47				
SW Well 1A		9/23/2010 15:37:07			230.46			33.29	0.00	230.46				
SW Well 1A		9/23/2010 15:37:09			230.47			33.29	0.00	230.47				
SW Well 1A		9/23/2010 15:37:11			230.47			33.29	0.00	230.47				
SW Well 1A		9/23/2010 15:37:13			230.46			33.29	0.00	230.46				
SW Well 1A		9/23/2010 15:37:15			230.47			33.29	0.00	230.47				
SW Well 1A		9/23/2010 15:37:17			230.46			33.29	0.00	230.46				
SW Well 1A		9/23/2010 15:37:19			230.47			33.29	0.00	230.47				
SW Well 1A		9/23/2010 15:37:21			230.47			33.29	0.00	230.47				
SW Well 1A		9/23/2010 15:37:23			230.47			33.29	0.00	230.47				
SW Well 1A		9/23/2010 15:37:25			230.46			33.29	0.00	230.46				
SW Well 1A		9/23/2010 15:37:27			230.46			33.29	0.00	230.46				
SW Well 1A		9/23/2010 15:37:29			230.47			33.29	0.00	230.47				
SW Well 1A		9/23/2010 15:37:31			230.47			33.29	0.00	230.47				
SW Well 1A		9/23/2010 15:37:33			230.48			33.29	0.00	230.48				
SW Well 1A		9/23/2010 15:37:35			230.47			33.29	0.00	230.47				
SW Well 1A		9/23/2010 15:37:37			230.47			33.29	0.00	230.47				
SW Well 1A		9/23/2010 15:37:39			230.47			33.29	0.00	230.47				
SW Well 1A		9/23/2010 15:37:41			230.48			33.29	0.00	230.48				
SW Well 1A		9/23/2010 15:37:43			230.47			33.29	0.00	230.47				
SW Well 1A		9/23/2010 15:37:45			230.47			33.29	0.00	230.47				
SW Well 1A		9/23/2010 15:37:47			230.47			33.29	0.00	230.47				
SW Well 1A		9/23/2010 15:37:49			230.47			33.29	0.00	230.47				
SW Well 1A		9/23/2010 15:37:51			230.47			33.29	0.00	230.47				
SW Well 1A		9/23/2010 15:37:53			230.48			33.29	0.00	230.48				
SW Well 1A		9/23/2010 15:37:55			230.47			33.29	0.00	230.47				
SW Well 1A		9/23/2010 15:37:57			230.48			33.29	0.00	230.48				
SW Well 1A		9/23/2010 15:37:59			230.47			33.29	0.00	230.47				
SW Well 1A		9/23/2010 15:38:01			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:38:03			230.47			33.29	0.00	230.47				
SW Well 1A		9/23/2010 15:38:05			230.47			33.29	0.00	230.47				
SW Well 1A		9/23/2010 15:38:07			230.47			33.29	0.00	230.47				
SW Well 1A		9/23/2010 15:38:09			230.48			33.29	0.00	230.48				
SW Well 1A		9/23/2010 15:38:11			230.48			33.29	0.00	230.48				
SW Well 1A		9/23/2010 15:38:13			230.48			33.29	0.00	230.48				
SW Well 1A		9/23/2010 15:38:15			230.48			33.29	0.00	230.48				
SW Well 1A		9/23/2010 15:38:17			230.47			33.29	0.00	230.47				
SW Well 1A		9/23/2010 15:38:19			230.48			33.29	0.00	230.48				
SW Well 1A		9/23/2010 15:38:21			230.48			33.29	0.00	230.48				
SW Well 1A		9/23/2010 15:38:23			230.48			33.29	0.00	230.48				
SW Well 1A		9/23/2010 15:38:25			230.48			33.29	0.00	230.48				
SW Well 1A		9/23/2010 15:38:27			230.48			33.29	0.00	230.48				
SW Well 1A		9/23/2010 15:38:29			230.47			33.29	0.00	230.47				
SW Well 1A		9/23/2010 15:38:31			230.48			33.29	0.00	230.48				
SW Well 1A		9/23/2010 15:38:33			230.48			33.29	0.00	230.48				
SW Well 1A		9/23/2010 15:38:35			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:38:37			230.48			33.29	0.00	230.48				
SW Well 1A		9/23/2010 15:38:39			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:38:41			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:38:43			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:38:45			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:38:47			230.48			33.29	0.00	230.48				
SW Well 1A		9/23/2010 15:38:49			230.48			33.29	0.00	230.48				
SW Well 1A		9/23/2010 15:38:51			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:38:53			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:38:55			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:38:57			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:38:59			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:39:01			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:39:03			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:39:05			230.48			33.29	0.00	230.48				
SW Well 1A		9/23/2010 15:39:07			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:39:09			230.48			33.29	0.00	230.48				
SW Well 1A		9/23/2010 15:39:11			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:39:13			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:39:15			230.48			33.29	0.00	230.48				
SW Well 1A		9/23/2010 15:39:17			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:39:19			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:39:21			230.48			33.29	0.00	230.48				
SW Well 1A		9/23/2010 15:39:23			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:39:25			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:39:27			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:39:29			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:39:31			230.48			33.29	0.00	230.48				
SW Well 1A		9/23/2010 15:39:33			230.48			33.29	0.00	230.48				
SW Well 1A		9/23/2010 15:39:35			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:39:37			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:39:39			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:39:41			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:39:43			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:39:45			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:39:47			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:39:49			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:39:51			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:39:53			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:39:55			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:39:57			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:39:59			230.48			33.29	0.00	230.48				
SW Well 1A		9/23/2010 15:40:01			230.49			33.29	0.00	230.48				
SW Well 1A		9/23/2010 15:40:03			230.49			33.29	0.00	230.48				
SW Well 1A		9/23/2010 15:40:05			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:40:07			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:40:09			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:40:11			230.49			33.29	0.00	230.48				
SW Well 1A		9/23/2010 15:40:13			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:40:15			230.49			33.29	0.00	230.48				

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A		9/23/2010 15:40:17			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:40:19			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:40:21			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:40:23			230.49			33.29	0.00	230.48				
SW Well 1A		9/23/2010 15:40:25			230.49			33.29	0.00	230.48				
SW Well 1A		9/23/2010 15:40:27			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:40:29			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:40:31			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:40:33			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:40:35			230.48			33.29	0.00	230.48				
SW Well 1A		9/23/2010 15:40:37			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:40:39			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:40:41			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:40:43			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:40:45			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:40:47			230.49			33.29	0.00	230.48				
SW Well 1A		9/23/2010 15:40:49			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:40:51			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:40:53			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:40:55			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:40:57			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:40:59			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:41:01			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:41:03			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:41:05			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:41:07			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:41:09			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:41:11			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:41:13			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:41:15			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:41:17			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:41:19			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:41:21			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:41:23			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:41:25			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:41:27			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:41:29			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:41:31			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:41:33			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:41:35			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:41:37			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:41:39			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:41:41			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:41:43			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:41:45			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:41:47			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:41:49			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:41:51			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:41:53			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:41:55			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:41:57			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:41:59			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:42:01			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:42:03			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:42:05			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:42:07			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:42:09			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:42:11			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:42:13			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:42:15			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:42:17			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:42:19			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:42:21			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:42:23			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:42:25			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:42:27			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:42:29			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:42:31			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:42:33			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:42:35			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:42:37			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:42:39			230.52			33.29	0.00	230.52				
SW Well 1A		9/23/2010 15:42:41			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:42:43			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:42:45			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:42:47			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:42:49			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:42:51			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:42:53			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:42:55			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:42:57			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:42:59			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:43:01			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:43:03			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:43:05			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:43:07			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:43:09			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:43:11			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:43:13			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:43:15			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:43:17			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:43:19			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:43:21			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:43:23			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:43:25			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:43:27			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:43:29			230.51			33.29	0.00	230.51				

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A		9/23/2010 15:43:31			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:43:33			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:43:35			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:43:37			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:43:39			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:43:41			230.49			33.29	0.00	230.49				
SW Well 1A		9/23/2010 15:43:43			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:43:45			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:43:47			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:43:49			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:43:51			230.52			33.29	0.00	230.52				
SW Well 1A		9/23/2010 15:43:53			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:43:55			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:43:57			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:43:59			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:44:01			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:44:03			230.52			33.29	0.00	230.52				
SW Well 1A		9/23/2010 15:44:05			230.52			33.29	0.00	230.52				
SW Well 1A		9/23/2010 15:44:07			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:44:09			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:44:11			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:44:13			230.52			33.29	0.00	230.52				
SW Well 1A		9/23/2010 15:44:15			230.52			33.29	0.00	230.52				
SW Well 1A		9/23/2010 15:44:17			230.52			33.29	0.00	230.52				
SW Well 1A		9/23/2010 15:44:19			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:44:21			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:44:23			230.52			33.29	0.00	230.52				
SW Well 1A		9/23/2010 15:44:25			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:44:27			230.52			33.29	0.00	230.52				
SW Well 1A		9/23/2010 15:44:29			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:44:31			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:44:33			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:44:35			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:44:37			230.50			33.29	0.00	230.50				
SW Well 1A		9/23/2010 15:44:39			230.52			33.29	0.00	230.52				
SW Well 1A		9/23/2010 15:44:41			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:44:43			230.52			33.29	0.00	230.52				
SW Well 1A		9/23/2010 15:44:45			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:44:47			230.52			33.29	0.00	230.52				
SW Well 1A		9/23/2010 15:44:49			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:44:51			230.52			33.29	0.00	230.52				
SW Well 1A		9/23/2010 15:44:53			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:44:55			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:44:57			230.52			33.29	0.00	230.52				
SW Well 1A		9/23/2010 15:44:59			230.51			33.29	0.00	230.51				
SW Well 1A		9/23/2010 15:45:01			230.51			33.30	0.00	230.51				
SW Well 1A		9/23/2010 15:45:03			230.51			33.30	0.00	230.51				
SW Well 1A		9/23/2010 15:45:05			230.51			33.30	0.00	230.51				
SW Well 1A		9/23/2010 15:45:07			230.51			33.30	0.00	230.51				
SW Well 1A		9/23/2010 15:45:09			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:45:11			230.51			33.30	0.00	230.51				
SW Well 1A		9/23/2010 15:45:13			230.51			33.30	0.00	230.51				
SW Well 1A		9/23/2010 15:45:15			230.51			33.30	0.00	230.51				
SW Well 1A		9/23/2010 15:45:17			230.51			33.30	0.00	230.51				
SW Well 1A		9/23/2010 15:45:19			230.51			33.30	0.00	230.51				
SW Well 1A		9/23/2010 15:45:21			230.50			33.30	0.00	230.50				
SW Well 1A		9/23/2010 15:45:23			230.51			33.30	0.00	230.51				
SW Well 1A		9/23/2010 15:45:25			230.51			33.30	0.00	230.51				
SW Well 1A		9/23/2010 15:45:27			230.51			33.30	0.00	230.51				
SW Well 1A		9/23/2010 15:45:29			230.51			33.30	0.00	230.51				
SW Well 1A		9/23/2010 15:45:31			230.51			33.30	0.00	230.51				
SW Well 1A		9/23/2010 15:45:33			230.51			33.30	0.00	230.51				
SW Well 1A		9/23/2010 15:45:35			230.51			33.30	0.00	230.51				
SW Well 1A		9/23/2010 15:45:37			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:45:39			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:45:41			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:45:43			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:45:45			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:45:47			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:45:49			230.51			33.30	0.00	230.51				
SW Well 1A		9/23/2010 15:45:51			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:45:53			230.51			33.30	0.00	230.51				
SW Well 1A		9/23/2010 15:45:55			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:45:57			230.51			33.30	0.00	230.51				
SW Well 1A		9/23/2010 15:45:59			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:46:01			230.51			33.30	0.00	230.51				
SW Well 1A		9/23/2010 15:46:03			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:46:05			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:46:07			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:46:09			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:46:11			230.51			33.30	0.00	230.51				
SW Well 1A		9/23/2010 15:46:13			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:46:15			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:46:17			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:46:19			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:46:21			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:46:23			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:46:25			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:46:27			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:46:29			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:46:31			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:46:33			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:46:35			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:46:37			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:46:39			230.51			33.30	0.00	230.51				
SW Well 1A		9/23/2010 15:46:41			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:46:43			230.51			33.30	0.00	230.51				

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A		9/23/2010 15:46:45			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:46:47			230.51			33.30	0.00	230.51				
SW Well 1A		9/23/2010 15:46:49			230.51			33.30	0.00	230.51				
SW Well 1A		9/23/2010 15:46:51			230.51			33.30	0.00	230.51				
SW Well 1A		9/23/2010 15:46:53			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:46:55			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:46:57			230.51			33.30	0.00	230.51				
SW Well 1A		9/23/2010 15:46:59			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:47:01			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:47:03			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:47:05			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:47:07			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:47:09			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:47:11			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:47:13			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:47:15			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:47:17			230.51			33.30	0.00	230.51				
SW Well 1A		9/23/2010 15:47:19			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:47:21			230.51			33.30	0.00	230.51				
SW Well 1A		9/23/2010 15:47:23			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:47:25			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:47:27			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:47:29			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:47:31			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:47:33			230.53			33.30	0.00	230.53				
SW Well 1A		9/23/2010 15:47:35			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:47:37			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:47:39			230.53			33.30	0.00	230.53				
SW Well 1A		9/23/2010 15:47:41			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:47:43			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:47:45			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:47:47			230.51			33.30	0.00	230.51				
SW Well 1A		9/23/2010 15:47:49			230.51			33.30	0.00	230.51				
SW Well 1A		9/23/2010 15:47:51			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:47:53			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:47:55			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:47:57			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:47:59			230.53			33.30	0.00	230.53				
SW Well 1A		9/23/2010 15:48:01			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:48:03			230.53			33.30	0.00	230.53				
SW Well 1A		9/23/2010 15:48:05			230.53			33.30	0.00	230.53				
SW Well 1A		9/23/2010 15:48:07			230.53			33.30	0.00	230.53				
SW Well 1A		9/23/2010 15:48:09			230.53			33.30	0.00	230.53				
SW Well 1A		9/23/2010 15:48:11			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:48:13			230.53			33.30	0.00	230.53				
SW Well 1A		9/23/2010 15:48:15			230.53			33.30	0.00	230.53				
SW Well 1A		9/23/2010 15:48:17			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:48:19			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:48:21			230.55			33.30	0.00	230.55				
SW Well 1A		9/23/2010 15:48:23			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:48:25			230.53			33.30	0.00	230.53				
SW Well 1A		9/23/2010 15:48:27			230.53			33.30	0.00	230.53				
SW Well 1A		9/23/2010 15:48:29			230.52			33.30	0.00	230.52				
SW Well 1A		9/23/2010 15:48:31			230.53			33.30	0.00	230.53				
SW Well 1A		9/23/2010 15:48:33			230.53			33.30	0.00	230.53				
SW Well 1A		9/23/2010 15:48:35			230.53			33.30	0.00	230.53				
SW Well 1A		9/23/2010 15:48:37			230.53			33.30	0.00	230.53				
SW Well 1A		9/23/2010 15:48:39			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:48:41			230.53			33.30	0.00	230.53				
SW Well 1A		9/23/2010 15:48:43			230.53			33.30	0.00	230.53				
SW Well 1A		9/23/2010 15:48:45			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:48:47			230.53			33.30	0.00	230.53				
SW Well 1A		9/23/2010 15:48:49			230.53			33.30	0.00	230.53				
SW Well 1A		9/23/2010 15:48:51			230.53			33.30	0.00	230.53				
SW Well 1A		9/23/2010 15:48:53			230.53			33.30	0.00	230.53				
SW Well 1A		9/23/2010 15:48:55			230.53			33.30	0.00	230.53				
SW Well 1A		9/23/2010 15:48:57			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:48:59			230.55			33.30	0.00	230.55				
SW Well 1A		9/23/2010 15:49:01			230.53			33.30	0.00	230.53				
SW Well 1A		9/23/2010 15:49:03			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:49:05			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:49:07			230.53			33.30	0.00	230.53				
SW Well 1A		9/23/2010 15:49:09			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:49:11			230.53			33.30	0.00	230.53				
SW Well 1A		9/23/2010 15:49:13			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:49:15			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:49:17			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:49:19			230.53			33.30	0.00	230.53				
SW Well 1A		9/23/2010 15:49:21			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:49:23			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:49:25			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:49:27			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:49:29			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:49:31			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:49:33			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:49:35			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:49:37			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:49:39			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:49:41			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:49:43			230.55			33.30	0.00	230.55				
SW Well 1A		9/23/2010 15:49:45			230.55			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:49:47			230.55			33.30	0.00	230.55				
SW Well 1A		9/23/2010 15:49:49			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:49:51			230.53			33.30	0.00	230.53				
SW Well 1A		9/23/2010 15:49:53			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:49:55			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:49:57			230.54			33.30	0.00	230.54				

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A		9/23/2010 15:49:59			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:50:01			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:50:03			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:50:05			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:50:07			230.55			33.30	0.00	230.55				
SW Well 1A		9/23/2010 15:50:09			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:50:11			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:50:13			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:50:15			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:50:17			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:50:19			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:50:21			230.53			33.30	0.00	230.53				
SW Well 1A		9/23/2010 15:50:23			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:50:25			230.55			33.30	0.00	230.55				
SW Well 1A		9/23/2010 15:50:27			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:50:29			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:50:31			230.53			33.30	0.00	230.53				
SW Well 1A		9/23/2010 15:50:33			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:50:35			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:50:37			230.53			33.30	0.00	230.53				
SW Well 1A		9/23/2010 15:50:39			230.53			33.30	0.00	230.53				
SW Well 1A		9/23/2010 15:50:41			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:50:43			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:50:45			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:50:47			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:50:49			230.55			33.30	0.00	230.55				
SW Well 1A		9/23/2010 15:50:51			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:50:53			230.55			33.30	0.00	230.55				
SW Well 1A		9/23/2010 15:50:55			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:50:57			230.55			33.30	0.00	230.55				
SW Well 1A		9/23/2010 15:50:59			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:51:01			230.55			33.30	0.00	230.55				
SW Well 1A		9/23/2010 15:51:03			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:51:05			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:51:07			230.55			33.30	0.00	230.55				
SW Well 1A		9/23/2010 15:51:09			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:51:11			230.55			33.30	0.00	230.55				
SW Well 1A		9/23/2010 15:51:13			230.55			33.30	0.00	230.55				
SW Well 1A		9/23/2010 15:51:15			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:51:17			230.55			33.30	0.00	230.55				
SW Well 1A		9/23/2010 15:51:19			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:51:21			230.55			33.30	0.00	230.55				
SW Well 1A		9/23/2010 15:51:23			230.55			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:51:25			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:51:27			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:51:29			230.55			33.30	0.00	230.55				
SW Well 1A		9/23/2010 15:51:31			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:51:33			230.56			33.30	0.00	230.55				
SW Well 1A		9/23/2010 15:51:35			230.55			33.30	0.00	230.55				
SW Well 1A		9/23/2010 15:51:37			230.55			33.30	0.00	230.55				
SW Well 1A		9/23/2010 15:51:39			230.55			33.30	0.00	230.55				
SW Well 1A		9/23/2010 15:51:41			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:51:43			230.56			33.30	0.00	230.55				
SW Well 1A		9/23/2010 15:51:45			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:51:47			230.55			33.30	0.00	230.55				
SW Well 1A		9/23/2010 15:51:49			230.56			33.30	0.00	230.55				
SW Well 1A		9/23/2010 15:51:51			230.55			33.30	0.00	230.55				
SW Well 1A		9/23/2010 15:51:53			230.55			33.30	0.00	230.55				
SW Well 1A		9/23/2010 15:51:55			230.55			33.30	0.00	230.55				
SW Well 1A		9/23/2010 15:51:57			230.55			33.30	0.00	230.55				
SW Well 1A		9/23/2010 15:51:59			230.56			33.30	0.00	230.55				
SW Well 1A		9/23/2010 15:52:01			230.55			33.30	0.00	230.55				
SW Well 1A		9/23/2010 15:52:03			230.55			33.30	0.00	230.55				
SW Well 1A		9/23/2010 15:52:05			230.55			33.30	0.00	230.55				
SW Well 1A		9/23/2010 15:52:07			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:52:09			230.54			33.30	0.00	230.54				
SW Well 1A		9/23/2010 15:52:11			230.55			33.30	0.00	230.55				
SW Well 1A		9/23/2010 15:52:13			230.56			33.30	0.00	230.55				
SW Well 1A		9/23/2010 15:52:15			226.57			33.30	0.00	226.57				
SW Well 1A		9/23/2010 15:52:17			220.46			33.30	0.00	220.46				
SW Well 1A		9/23/2010 15:52:19			219.59			33.30	0.00	219.59				
SW Well 1A		9/23/2010 15:52:21			221.82			33.30	0.00	221.82				
SW Well 1A		9/23/2010 15:52:23			223.91			33.30	0.00	223.91				
SW Well 1A		9/23/2010 15:52:25			221.56			33.30	0.00	221.56				
SW Well 1A		9/23/2010 15:52:27			223.46			33.30	0.00	223.46				
SW Well 1A		9/23/2010 15:52:29			225.85			33.30	0.00	225.84				
SW Well 1A		9/23/2010 15:52:31			228.28			33.30	0.00	228.28				
SW Well 1A		9/23/2010 15:52:33			230.49			33.30	0.00	230.49				
SW Well 1A		9/23/2010 15:52:35			232.33			33.30	0.00	232.32				
SW Well 1A		9/23/2010 15:52:37			233.53			33.30	0.00	233.53				
SW Well 1A		9/23/2010 15:52:39			234.12			33.30	0.00	234.12				
SW Well 1A		9/23/2010 15:52:41			234.38			33.30	0.00	234.38				
SW Well 1A		9/23/2010 15:52:43			234.52			33.30	0.00	234.52				
SW Well 1A		9/23/2010 15:52:45			234.22			33.30	0.00	234.22				
SW Well 1A		9/23/2010 15:52:47			233.52			33.30	0.00	233.52				
SW Well 1A		9/23/2010 15:52:49			232.70			33.30	0.00	232.69				
SW Well 1A		9/23/2010 15:52:51			231.97			33.30	0.00	231.97				
SW Well 1A		9/23/2010 15:52:53			231.34			33.30	0.00	231.34				
SW Well 1A		9/23/2010 15:52:55			230.94			33.30	0.00	230.93				
SW Well 1A		9/23/2010 15:52:57			230.65			33.30	0.00	230.65				
SW Well 1A		9/23/2010 15:52:59			230.49			33.30	0.00	230.49				
SW Well 1A		9/23/2010 15:53:01			230.37			33.30	0.00	230.36				
SW Well 1A		9/23/2010 15:53:03			230.28			33.30	0.00	230.28				
SW Well 1A		9/23/2010 15:53:05			230.21			33.30	0.00	230.21				
SW Well 1A		9/23/2010 15:53:07			230.14			33.30	0.00	230.14				
SW Well 1A		9/23/2010 15:53:09			230.09			33.30	0.00	230.08				
SW Well 1A		9/23/2010 15:53:11			230.03			33.30	0.00	230.02				

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A		9/23/2010 15:53:13			229.95			33.30	0.00	229.95				
SW Well 1A		9/23/2010 15:53:15			229.92			33.30	0.00	229.92				
SW Well 1A		9/23/2010 15:53:17			229.86			33.30	0.00	229.86				
SW Well 1A		9/23/2010 15:53:19			229.84			33.30	0.00	229.84				
SW Well 1A		9/23/2010 15:53:21			229.84			33.30	0.00	229.83				
SW Well 1A		9/23/2010 15:53:23			229.80			33.30	0.00	229.80				
SW Well 1A		9/23/2010 15:53:25			229.80			33.30	0.00	229.80				
SW Well 1A		9/23/2010 15:53:27			229.78			33.30	0.00	229.78				
SW Well 1A		9/23/2010 15:53:29			229.75			33.30	0.00	229.75				
SW Well 1A		9/23/2010 15:53:31			229.73			33.30	0.00	229.73				
SW Well 1A		9/23/2010 15:53:33			229.71			33.30	0.00	229.71				
SW Well 1A		9/23/2010 15:53:35			229.71			33.30	0.00	229.71				
SW Well 1A		9/23/2010 15:53:37			229.70			33.30	0.00	229.70				
SW Well 1A		9/23/2010 15:53:39			229.69			33.30	0.00	229.69				
SW Well 1A		9/23/2010 15:53:41			229.70			33.30	0.00	229.70				
SW Well 1A		9/23/2010 15:53:43			229.70			33.30	0.00	229.70				
SW Well 1A		9/23/2010 15:53:45			229.68			33.30	0.00	229.68				
SW Well 1A		9/23/2010 15:53:47			229.67			33.30	0.00	229.67				
SW Well 1A		9/23/2010 15:53:49			229.65			33.30	0.00	229.65				
SW Well 1A		9/23/2010 15:53:51			229.64			33.30	0.00	229.64				
SW Well 1A		9/23/2010 15:53:53			229.64			33.30	0.00	229.64				
SW Well 1A		9/23/2010 15:53:55			229.63			33.30	0.00	229.63				
SW Well 1A		9/23/2010 15:53:57			229.63			33.30	0.00	229.62				
SW Well 1A		9/23/2010 15:53:59			229.63			33.30	0.00	229.63				
SW Well 1A		9/23/2010 15:54:01			229.63			33.30	0.00	229.62				
SW Well 1A		9/23/2010 15:54:03			229.62			33.30	0.00	229.62				
SW Well 1A		9/23/2010 15:54:05			229.62			33.30	0.00	229.62				
SW Well 1A		9/23/2010 15:54:07			229.61			33.30	0.00	229.61				
SW Well 1A		9/23/2010 15:54:09			229.60			33.30	0.00	229.60				
SW Well 1A		9/23/2010 15:54:11			229.61			33.30	0.00	229.61				
SW Well 1A		9/23/2010 15:54:13			229.60			33.30	0.00	229.60				
SW Well 1A		9/23/2010 15:54:15			229.59			33.30	0.00	229.59				
SW Well 1A		9/23/2010 15:54:17			229.59			33.30	0.00	229.59				
SW Well 1A		9/23/2010 15:54:19			229.59			33.30	0.00	229.58				
SW Well 1A		9/23/2010 15:54:21			229.59			33.30	0.00	229.59				
SW Well 1A		9/23/2010 15:54:23			229.59			33.30	0.00	229.58				
SW Well 1A		9/23/2010 15:54:25			229.59			33.30	0.00	229.58				
SW Well 1A		9/23/2010 15:54:27			229.58			33.30	0.00	229.58				
SW Well 1A		9/23/2010 15:54:29			229.57			33.30	0.00	229.57				
SW Well 1A		9/23/2010 15:54:31			229.58			33.30	0.00	229.58				
SW Well 1A		9/23/2010 15:54:33			229.58			33.30	0.00	229.58				
SW Well 1A		9/23/2010 15:54:35			229.58			33.30	0.00	229.58				
SW Well 1A		9/23/2010 15:54:37			229.57			33.30	0.00	229.57				
SW Well 1A		9/23/2010 15:54:39			229.56			33.30	0.00	229.55				
SW Well 1A		9/23/2010 15:54:41			229.56			33.30	0.00	229.55				
SW Well 1A		9/23/2010 15:54:43			229.56			33.30	0.00	229.55				
SW Well 1A		9/23/2010 15:54:45			229.56			33.30	0.00	229.56				
SW Well 1A		9/23/2010 15:54:47			229.55			33.30	0.00	229.55				
SW Well 1A		9/23/2010 15:54:49			229.55			33.30	0.00	229.55				
SW Well 1A		9/23/2010 15:54:51			229.55			33.30	0.00	229.55				
SW Well 1A		9/23/2010 15:54:53			229.55			33.30	0.00	229.55				
SW Well 1A		9/23/2010 15:54:55			229.55			33.30	0.00	229.55				
SW Well 1A		9/23/2010 15:54:57			229.55			33.30	0.00	229.55				
SW Well 1A		9/23/2010 15:54:59			229.55			33.30	0.00	229.55				
SW Well 1A		9/23/2010 15:55:01			229.54			33.30	0.00	229.54				
SW Well 1A		9/23/2010 15:55:03			229.54			33.30	0.00	229.54				
SW Well 1A		9/23/2010 15:55:05			229.53			33.30	0.00	229.53				
SW Well 1A		9/23/2010 15:55:07			229.54			33.30	0.00	229.54				
SW Well 1A		9/23/2010 15:55:09			229.53			33.30	0.00	229.53				
SW Well 1A		9/23/2010 15:55:11			229.53			33.30	0.00	229.53				
SW Well 1A		9/23/2010 15:55:13			229.53			33.30	0.00	229.53				
SW Well 1A		9/23/2010 15:55:15			229.53			33.30	0.00	229.53				
SW Well 1A		9/23/2010 15:55:17			229.53			33.30	0.00	229.53				
SW Well 1A		9/23/2010 15:55:19			229.52			33.30	0.00	229.52				
SW Well 1A		9/23/2010 15:55:21			229.52			33.30	0.00	229.52				
SW Well 1A		9/23/2010 15:55:23			229.53			33.30	0.00	229.53				
SW Well 1A		9/23/2010 15:55:25			229.53			33.30	0.00	229.53				
SW Well 1A		9/23/2010 15:55:27			229.52			33.30	0.00	229.52				
SW Well 1A		9/23/2010 15:55:29			229.52			33.30	0.00	229.52				
SW Well 1A		9/23/2010 15:55:31			229.52			33.30	0.00	229.52				
SW Well 1A		9/23/2010 15:55:33			229.52			33.30	0.00	229.51				
SW Well 1A		9/23/2010 15:55:35			229.52			33.30	0.00	229.51				
SW Well 1A		9/23/2010 15:55:37			229.52			33.30	0.00	229.52				
SW Well 1A		9/23/2010 15:55:39			229.52			33.30	0.00	229.51				
SW Well 1A		9/23/2010 15:55:41			229.52			33.30	0.00	229.52				
SW Well 1A		9/23/2010 15:55:43			229.53			33.30	0.00	229.53				
SW Well 1A		9/23/2010 15:55:45			229.52			33.30	0.00	229.52				
SW Well 1A		9/23/2010 15:55:47			229.52			33.30	0.00	229.52				
SW Well 1A		9/23/2010 15:55:49			229.51			33.30	0.00	229.51				
SW Well 1A		9/23/2010 15:55:51			229.51			33.30	0.00	229.51				
SW Well 1A		9/23/2010 15:55:53			229.51			33.30	0.00	229.51				
SW Well 1A		9/23/2010 15:55:55			229.50			33.30	0.00	229.50				
SW Well 1A		9/23/2010 15:55:57			229.51			33.30	0.00	229.51				
SW Well 1A		9/23/2010 15:55:59			229.50			33.30	0.00	229.50				
SW Well 1A		9/23/2010 15:56:01			229.50			33.30	0.00	229.50				
SW Well 1A		9/23/2010 15:56:03			229.50			33.30	0.00	229.50				
SW Well 1A		9/23/2010 15:56:05			229.50			33.30	0.00	229.50				
SW Well 1A		9/23/2010 15:56:07			229.50			33.30	0.00	229.50				
SW Well 1A		9/23/2010 15:56:09			229.51			33.30	0.00	229.51				
SW Well 1A		9/23/2010 15:56:11			229.50			33.30	0.00	229.50				
SW Well 1A		9/23/2010 15:56:13			229.50			33.30	0.00	229.50				
SW Well 1A		9/23/2010 15:56:15			229.50			33.30	0.00	229.49				
SW Well 1A		9/23/2010 15:56:17			229.50			33.30	0.00	229.49				
SW Well 1A		9/23/2010 15:56:19			229.49			33.30	0.00	229.49				
SW Well 1A		9/23/2010 15:56:21			229.50			33.30	0.00	229.49				
SW Well 1A		9/23/2010 15:56:23			229.50			33.30	0.00	229.50				
SW Well 1A		9/23/2010 15:56:25			229.50			33.30	0.00	229.49				

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A		9/23/2010 15:56:27			229.49			33.30	0.00	229.49				
SW Well 1A		9/23/2010 15:56:29			229.49			33.30	0.00	229.49				
SW Well 1A		9/23/2010 15:56:31			229.49			33.30	0.00	229.49				
SW Well 1A		9/23/2010 15:56:33			229.49			33.30	0.00	229.49				
SW Well 1A		9/23/2010 15:56:35			229.49			33.30	0.00	229.49				
SW Well 1A		9/23/2010 15:56:37			229.48			33.30	0.00	229.48				
SW Well 1A		9/23/2010 15:56:39			229.48			33.30	0.00	229.48				
SW Well 1A		9/23/2010 15:56:41			229.48			33.30	0.00	229.48				
SW Well 1A		9/23/2010 15:56:43			229.48			33.30	0.00	229.48				
SW Well 1A		9/23/2010 15:56:45			229.48			33.30	0.00	229.48				
SW Well 1A		9/23/2010 15:56:47			229.47			33.30	0.00	229.47				
SW Well 1A		9/23/2010 15:56:49			229.47			33.30	0.00	229.47				
SW Well 1A		9/23/2010 15:56:51			229.48			33.30	0.00	229.48				
SW Well 1A		9/23/2010 15:56:53			229.47			33.30	0.00	229.47				
SW Well 1A		9/23/2010 15:56:55			229.47			33.30	0.00	229.47				
SW Well 1A		9/23/2010 15:56:57			229.47			33.30	0.00	229.47				
SW Well 1A		9/23/2010 15:56:59			229.47			33.30	0.00	229.47				
SW Well 1A		9/23/2010 15:57:01			229.48			33.30	0.00	229.48				
SW Well 1A		9/23/2010 15:57:03			229.46			33.30	0.00	229.46				
SW Well 1A		9/23/2010 15:57:05			229.47			33.30	0.00	229.47				
SW Well 1A		9/23/2010 15:57:07			229.47			33.30	0.00	229.47				
SW Well 1A		9/23/2010 15:57:09			229.46			33.30	0.00	229.46				
SW Well 1A		9/23/2010 15:57:11			229.46			33.30	0.00	229.46				
SW Well 1A		9/23/2010 15:57:13			229.47			33.30	0.00	229.47				
SW Well 1A		9/23/2010 15:57:15			229.48			33.30	0.00	229.48				
SW Well 1A		9/23/2010 15:57:17			229.47			33.30	0.00	229.47				
SW Well 1A		9/23/2010 15:57:19			229.46			33.30	0.00	229.46				
SW Well 1A		9/23/2010 15:57:21			229.47			33.30	0.00	229.47				
SW Well 1A		9/23/2010 15:57:23			229.46			33.30	0.00	229.46				
SW Well 1A		9/23/2010 15:57:25			229.45			33.30	0.00	229.45				
SW Well 1A		9/23/2010 15:57:27			229.46			33.30	0.00	229.46				
SW Well 1A		9/23/2010 15:57:29			229.46			33.30	0.00	229.46				
SW Well 1A		9/23/2010 15:57:31			229.46			33.30	0.00	229.46				
SW Well 1A		9/23/2010 15:57:33			229.46			33.30	0.00	229.46				
SW Well 1A		9/23/2010 15:57:35			229.46			33.30	0.00	229.46				
SW Well 1A		9/23/2010 15:57:37			229.46			33.30	0.00	229.46				
SW Well 1A		9/23/2010 15:57:39			229.46			33.30	0.00	229.46				
SW Well 1A		9/23/2010 15:57:41			229.46			33.30	0.00	229.46				
SW Well 1A		9/23/2010 15:57:43			229.46			33.30	0.00	229.46				
SW Well 1A		9/23/2010 15:57:45			229.46			33.30	0.00	229.46				
SW Well 1A		9/23/2010 15:57:47			229.46			33.30	0.00	229.46				
SW Well 1A		9/23/2010 15:57:49			229.46			33.30	0.00	229.46				
SW Well 1A		9/23/2010 15:57:51			229.46			33.30	0.00	229.46				
SW Well 1A		9/23/2010 15:57:53			229.46			33.30	0.00	229.46				
SW Well 1A		9/23/2010 15:57:55			229.46			33.30	0.00	229.46				
SW Well 1A		9/23/2010 15:57:57			229.45			33.30	0.00	229.45				
SW Well 1A		9/23/2010 15:57:59			229.46			33.30	0.00	229.46				
SW Well 1A		9/23/2010 15:58:01			229.46			33.30	0.00	229.46				
SW Well 1A		9/23/2010 15:58:03			229.44			33.30	0.00	229.44				
SW Well 1A		9/23/2010 15:58:05			229.45			33.30	0.00	229.45				
SW Well 1A		9/23/2010 15:58:07			229.45			33.30	0.00	229.45				
SW Well 1A		9/23/2010 15:58:09			229.45			33.30	0.00	229.45				
SW Well 1A		9/23/2010 15:58:11			229.44			33.30	0.00	229.44				
SW Well 1A		9/23/2010 15:58:13			229.45			33.30	0.00	229.45				
SW Well 1A		9/23/2010 15:58:15			229.44			33.30	0.00	229.44				
SW Well 1A		9/23/2010 15:58:17			229.44			33.30	0.00	229.44				
SW Well 1A		9/23/2010 15:58:19			229.43			33.30	0.00	229.43				
SW Well 1A		9/23/2010 15:58:21			229.44			33.30	0.00	229.44				
SW Well 1A		9/23/2010 15:58:23			229.45			33.30	0.00	229.45				
SW Well 1A		9/23/2010 15:58:25			229.44			33.30	0.00	229.44				
SW Well 1A		9/23/2010 15:58:27			229.43			33.30	0.00	229.43				
SW Well 1A		9/23/2010 15:58:29			229.43			33.30	0.00	229.43				
SW Well 1A		9/23/2010 15:58:31			229.43			33.30	0.00	229.43				
SW Well 1A		9/23/2010 15:58:33			229.44			33.30	0.00	229.44				
SW Well 1A		9/23/2010 15:58:35			229.44			33.30	0.00	229.44				
SW Well 1A		9/23/2010 15:58:37			229.43			33.30	0.00	229.43				
SW Well 1A		9/23/2010 15:58:39			229.44			33.30	0.00	229.44				
SW Well 1A		9/23/2010 15:58:41			229.43			33.30	0.00	229.43				
SW Well 1A		9/23/2010 15:58:43			229.43			33.30	0.00	229.43				
SW Well 1A		9/23/2010 15:58:45			229.43			33.30	0.00	229.43				
SW Well 1A		9/23/2010 15:58:47			229.44			33.30	0.00	229.44				
SW Well 1A		9/23/2010 15:58:49			229.43			33.30	0.00	229.43				
SW Well 1A		9/23/2010 15:58:51			229.43			33.30	0.00	229.42				
SW Well 1A		9/23/2010 15:58:53			229.43			33.30	0.00	229.43				
SW Well 1A		9/23/2010 15:58:55			229.43			33.30	0.00	229.42				
SW Well 1A		9/23/2010 15:58:57			229.43			33.30	0.00	229.43				
SW Well 1A		9/23/2010 15:58:59			229.43			33.30	0.00	229.43				
SW Well 1A		9/23/2010 15:59:01			229.43			33.30	0.00	229.42				
SW Well 1A		9/23/2010 15:59:03			229.43			33.30	0.00	229.42				
SW Well 1A		9/23/2010 15:59:05			229.43			33.30	0.00	229.42				
SW Well 1A		9/23/2010 15:59:07			229.43			33.30	0.00	229.42				
SW Well 1A		9/23/2010 15:59:09			229.42			33.30	0.00	229.42				
SW Well 1A		9/23/2010 15:59:11			229.43			33.30	0.00	229.42				
SW Well 1A		9/23/2010 15:59:13			229.42			33.30	0.00	229.42				
SW Well 1A		9/23/2010 15:59:15			229.42			33.30	0.00	229.42				
SW Well 1A		9/23/2010 15:59:17			229.43			33.30	0.00	229.42				
SW Well 1A		9/23/2010 15:59:19			229.42			33.30	0.00	229.42				
SW Well 1A		9/23/2010 15:59:21			229.42			33.30	0.00	229.42				
SW Well 1A		9/23/2010 15:59:23			229.43			33.30	0.00	229.43				
SW Well 1A		9/23/2010 15:59:25			229.42			33.30	0.00	229.42				
SW Well 1A		9/23/2010 15:59:27			229.43			33.30	0.00	229.43				
SW Well 1A		9/23/2010 15:59:29			229.43			33.30	0.00	229.43				
SW Well 1A		9/23/2010 15:59:31			229.42			33.30	0.00	229.42				
SW Well 1A		9/23/2010 15:59:33			229.42			33.30	0.00	229.42				
SW Well 1A		9/23/2010 15:59:35			229.43			33.30	0.00	229.43				
SW Well 1A		9/23/2010 15:59:37			229.43			33.30	0.00	229.42				
SW Well 1A		9/23/2010 15:59:39			229.43			33.30	0.00	229.43				

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A		9/23/2010 15:59:41			229.43			33.30	0.00	229.43				
SW Well 1A		9/23/2010 15:59:43			229.44			33.30	0.00	229.43				
SW Well 1A		9/23/2010 15:59:45			229.42			33.30	0.00	229.42				
SW Well 1A		9/23/2010 15:59:47			229.43			33.30	0.00	229.43				
SW Well 1A		9/23/2010 15:59:49			229.43			33.30	0.00	229.43				
SW Well 1A		9/23/2010 15:59:51			229.43			33.30	0.00	229.43				
SW Well 1A		9/23/2010 15:59:53			229.42			33.30	0.00	229.42				
SW Well 1A		9/23/2010 15:59:55			229.41			33.30	0.00	229.41				
SW Well 1A		9/23/2010 15:59:57			229.42			33.30	0.00	229.42				
SW Well 1A		9/23/2010 15:59:59			229.41			33.30	0.00	229.41				
SW Well 1A		9/23/2010 16:00:01			229.42			33.30	0.00	229.42				
SW Well 1A		9/23/2010 16:00:03			229.41			33.30	0.00	229.41				
SW Well 1A		9/23/2010 16:00:05			229.41			33.30	0.00	229.41				
SW Well 1A		9/23/2010 16:00:07			229.42			33.30	0.00	229.42				
SW Well 1A		9/23/2010 16:00:09			229.42			33.30	0.00	229.42				
SW Well 1A		9/23/2010 16:00:11			229.42			33.30	0.00	229.42				
SW Well 1A		9/23/2010 16:00:13			229.42			33.30	0.00	229.42				
SW Well 1A		9/23/2010 16:00:15			229.41			33.30	0.00	229.41				
SW Well 1A		9/23/2010 16:00:17			229.42			33.30	0.00	229.42				
SW Well 1A		9/23/2010 16:00:19			229.42			33.30	0.00	229.42				
SW Well 1A		9/23/2010 16:00:21			229.41			33.30	0.00	229.41				
SW Well 1A		9/23/2010 16:00:23			229.41			33.30	0.00	229.41				
SW Well 1A		9/23/2010 16:00:25			229.41			33.30	0.00	229.41				
SW Well 1A		9/23/2010 16:00:27			229.42			33.30	0.00	229.42				
SW Well 1A		9/23/2010 16:00:29			229.41			33.30	0.00	229.41				
SW Well 1A		9/23/2010 16:00:31			229.41			33.30	0.00	229.41				
SW Well 1A		9/23/2010 16:00:33			229.41			33.30	0.00	229.41				
SW Well 1A		9/23/2010 16:00:35			229.41			33.30	0.00	229.41				
SW Well 1A		9/23/2010 16:00:37			229.41			33.30	0.00	229.41				
SW Well 1A		9/23/2010 16:00:39			229.41			33.30	0.00	229.41				
SW Well 1A		9/23/2010 16:00:41			229.41			33.30	0.00	229.41				
SW Well 1A		9/23/2010 16:00:43			229.41			33.30	0.00	229.40				
SW Well 1A		9/23/2010 16:00:45			229.41			33.30	0.00	229.41				
SW Well 1A		9/23/2010 16:00:47			229.41			33.30	0.00	229.41				
SW Well 1A		9/23/2010 16:00:49			229.41			33.30	0.00	229.40				
SW Well 1A		9/23/2010 16:00:51			229.41			33.30	0.00	229.40				
SW Well 1A		9/23/2010 16:00:53			229.41			33.30	0.00	229.40				
SW Well 1A		9/23/2010 16:00:55			229.41			33.30	0.00	229.41				
SW Well 1A		9/23/2010 16:00:57			229.41			33.30	0.00	229.40				
SW Well 1A		9/23/2010 16:00:59			229.41			33.30	0.00	229.40				
SW Well 1A		9/23/2010 16:01:01			229.40			33.30	0.00	229.40				
SW Well 1A		9/23/2010 16:01:03			229.40			33.30	0.00	229.40				
SW Well 1A		9/23/2010 16:01:05			229.41			33.30	0.00	229.40				
SW Well 1A		9/23/2010 16:01:07			229.39			33.30	0.00	229.39				
SW Well 1A		9/23/2010 16:01:09			229.41			33.30	0.00	229.40				
SW Well 1A		9/23/2010 16:01:11			229.41			33.30	0.00	229.40				
SW Well 1A		9/23/2010 16:01:13			229.40			33.30	0.00	229.40				
SW Well 1A		9/23/2010 16:01:15			229.39			33.30	0.00	229.39				
SW Well 1A		9/23/2010 16:01:17			229.40			33.30	0.00	229.40				
SW Well 1A		9/23/2010 16:01:19			229.39			33.30	0.00	229.39				
SW Well 1A		9/23/2010 16:01:21			229.39			33.30	0.00	229.39				
SW Well 1A		9/23/2010 16:01:23			229.39			33.30	0.00	229.39				
SW Well 1A		9/23/2010 16:01:25			229.39			33.30	0.00	229.39				
SW Well 1A		9/23/2010 16:01:27			229.39			33.30	0.00	229.39				
SW Well 1A		9/23/2010 16:01:29			229.39			33.30	0.00	229.39				
SW Well 1A		9/23/2010 16:01:31			229.39			33.30	0.00	229.39				
SW Well 1A		9/23/2010 16:01:33			229.40			33.30	0.00	229.40				
SW Well 1A		9/23/2010 16:01:35			229.40			33.30	0.00	229.40				
SW Well 1A		9/23/2010 16:01:37			229.40			33.30	0.00	229.40				
SW Well 1A		9/23/2010 16:01:39			229.39			33.30	0.00	229.39				
SW Well 1A		9/23/2010 16:01:41			229.39			33.30	0.00	229.38				
SW Well 1A		9/23/2010 16:01:43			229.39			33.30	0.00	229.39				
SW Well 1A		9/23/2010 16:01:45			229.39			33.30	0.00	229.39				
SW Well 1A		9/23/2010 16:01:47			229.39			33.30	0.00	229.39				
SW Well 1A		9/23/2010 16:01:49			229.39			33.30	0.00	229.39				
SW Well 1A		9/23/2010 16:01:51			229.39			33.30	0.00	229.39				
SW Well 1A		9/23/2010 16:01:53			229.39			33.30	0.00	229.39				
SW Well 1A		9/23/2010 16:01:55			229.39			33.30	0.00	229.39				
SW Well 1A		9/23/2010 16:01:57			229.39			33.30	0.00	229.38				
SW Well 1A		9/23/2010 16:01:59			229.39			33.30	0.00	229.39				
SW Well 1A		9/23/2010 16:02:01			229.38			33.30	0.00	229.38				
SW Well 1A		9/23/2010 16:02:03			229.39			33.30	0.00	229.39				
SW Well 1A		9/23/2010 16:02:05			229.38			33.30	0.00	229.38				
SW Well 1A		9/23/2010 16:02:07			229.39			33.30	0.00	229.39				
SW Well 1A		9/23/2010 16:02:09			229.38			33.30	0.00	229.38				
SW Well 1A		9/23/2010 16:02:11			229.38			33.30	0.00	229.38				
SW Well 1A		9/23/2010 16:02:13			229.38			33.30	0.00	229.38				
SW Well 1A		9/23/2010 16:02:15			229.38			33.30	0.00	229.38				
SW Well 1A		9/23/2010 16:02:17			229.38			33.30	0.00	229.38				
SW Well 1A		9/23/2010 16:02:19			229.38			33.30	0.00	229.38				
SW Well 1A		9/23/2010 16:02:21			229.37			33.30	0.00	229.37				
SW Well 1A		9/23/2010 16:02:23			229.38			33.30	0.00	229.38				
SW Well 1A		9/23/2010 16:02:25			229.38			33.30	0.00	229.38				
SW Well 1A		9/23/2010 16:02:27			229.37			33.30	0.00	229.37				
SW Well 1A		9/23/2010 16:02:29			229.37			33.30	0.00	229.37				
SW Well 1A		9/23/2010 16:02:31			229.37			33.30	0.00	229.37				
SW Well 1A		9/23/2010 16:02:33			229.38			33.30	0.00	229.38				
SW Well 1A		9/23/2010 16:02:35			229.37			33.30	0.00	229.37				
SW Well 1A		9/23/2010 16:02:37			229.37			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:02:39			229.37			33.30	0.00	229.37				
SW Well 1A		9/23/2010 16:02:41			229.37			33.30	0.00	229.37				
SW Well 1A		9/23/2010 16:02:43			229.38			33.30	0.00	229.38				
SW Well 1A		9/23/2010 16:02:45			229.37			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:02:47			229.37			33.30	0.00	229.37				
SW Well 1A		9/23/2010 16:02:49			229.37			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:02:51			229.37			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:02:53			229.37			33.30	0.00	229.36				

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A		9/23/2010 16:02:55			229.37			33.30	0.00	229.37				
SW Well 1A		9/23/2010 16:02:57			229.37			33.30	0.00	229.37				
SW Well 1A		9/23/2010 16:02:59			229.37			33.30	0.00	229.37				
SW Well 1A		9/23/2010 16:03:01			229.37			33.30	0.00	229.37				
SW Well 1A		9/23/2010 16:03:03			229.37			33.30	0.00	229.37				
SW Well 1A		9/23/2010 16:03:05			229.37			33.30	0.00	229.37				
SW Well 1A		9/23/2010 16:03:07			229.36			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:03:09			229.37			33.30	0.00	229.37				
SW Well 1A		9/23/2010 16:03:11			229.37			33.30	0.00	229.37				
SW Well 1A		9/23/2010 16:03:13			229.37			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:03:15			229.37			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:03:17			229.37			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:03:19			229.37			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:03:21			229.37			33.30	0.00	229.37				
SW Well 1A		9/23/2010 16:03:23			229.37			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:03:25			229.37			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:03:27			229.37			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:03:29			229.36			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:03:31			229.37			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:03:33			229.37			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:03:35			229.37			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:03:37			229.36			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:03:39			229.36			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:03:41			229.36			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:03:43			229.36			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:03:45			229.37			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:03:47			229.37			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:03:49			229.37			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:03:51			229.37			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:03:53			229.35			33.30	0.00	229.35				
SW Well 1A		9/23/2010 16:03:55			229.37			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:03:57			229.35			33.30	0.00	229.35				
SW Well 1A		9/23/2010 16:03:59			229.36			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:04:01			229.36			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:04:03			229.36			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:04:05			229.36			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:04:07			229.36			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:04:09			229.36			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:04:11			229.35			33.30	0.00	229.35				
SW Well 1A		9/23/2010 16:04:13			229.37			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:04:15			229.37			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:04:17			229.36			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:04:19			229.36			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:04:21			229.36			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:04:23			229.36			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:04:25			229.36			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:04:27			229.36			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:04:29			229.35			33.30	0.00	229.35				
SW Well 1A		9/23/2010 16:04:31			229.36			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:04:33			229.35			33.30	0.00	229.35				
SW Well 1A		9/23/2010 16:04:35			229.36			33.30	0.00	229.36				
SW Well 1A		9/23/2010 16:04:37			229.35			33.30	0.00	229.35				
SW Well 1A		9/23/2010 16:04:39			229.35			33.30	0.00	229.35				
SW Well 1A		9/23/2010 16:04:41			229.35			33.30	0.00	229.35				
SW Well 1A		9/23/2010 16:04:43			229.35			33.30	0.00	229.35				
SW Well 1A		9/23/2010 16:04:45			229.35			33.30	0.00	229.35				
SW Well 1A		9/23/2010 16:04:47			229.35			33.30	0.00	229.35				
SW Well 1A		9/23/2010 16:04:49			229.34			33.30	0.00	229.34				
SW Well 1A		9/23/2010 16:04:51			229.35			33.30	0.00	229.35				
SW Well 1A		9/23/2010 16:04:53			229.35			33.30	0.00	229.35				
SW Well 1A		9/23/2010 16:04:55			229.35			33.30	0.00	229.35				
SW Well 1A		9/23/2010 16:04:57			229.35			33.30	0.00	229.35				
SW Well 1A		9/23/2010 16:04:59			229.35			33.30	0.00	229.35				
SW Well 1A		9/23/2010 16:05:01			229.35			33.30	0.00	229.35				
SW Well 1A		9/23/2010 16:05:03			229.35			33.30	0.00	229.35				
SW Well 1A		9/23/2010 16:05:05			229.35			33.30	0.00	229.35				
SW Well 1A		9/23/2010 16:05:07			229.35			33.30	0.00	229.35				
SW Well 1A		9/23/2010 16:05:09			229.35			33.30	0.00	229.35				
SW Well 1A		9/23/2010 16:05:11			229.35			33.30	0.00	229.35				
SW Well 1A		9/23/2010 16:05:13			229.35			33.30	0.00	229.35				
SW Well 1A		9/23/2010 16:05:15			229.34			33.30	0.00	229.34				
SW Well 1A		9/23/2010 16:05:17			229.35			33.30	0.00	229.35				
SW Well 1A		9/23/2010 16:05:19			229.35			33.30	0.00	229.35				
SW Well 1A		9/23/2010 16:05:21			229.35			33.30	0.00	229.35				
SW Well 1A		9/23/2010 16:05:23			229.34			33.30	0.00	229.33				
SW Well 1A		9/23/2010 16:05:25			229.35			33.30	0.00	229.35				
SW Well 1A		9/23/2010 16:05:27			229.35			33.30	0.00	229.35				
SW Well 1A		9/23/2010 16:05:29			229.35			33.30	0.00	229.35				
SW Well 1A		9/23/2010 16:05:31			229.35			33.30	0.00	229.35				
SW Well 1A		9/23/2010 16:05:33			229.34			33.30	0.00	229.34				
SW Well 1A		9/23/2010 16:05:35			229.35			33.30	0.00	229.35				
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:05:37	0.00		229.34	0.00	88.46	33.30	0.00	229.33	0.00		88.46	292.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:05:39	0.03		216.64	12.69	101.15	33.30	0.00	216.64	12.69		101.15	279.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:05:41	0.07		221.03	8.31	96.77	33.30	0.00	221.02	8.31		96.77	284.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:05:43	0.10		217.03	12.30	100.76	33.30	0.00	217.03	12.30		100.76	280.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:05:45	0.13		212.62	16.71	105.17	33.30	0.00	212.62	16.71		105.17	275.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:05:47	0.17		208.26	21.08	109.54	33.30	0.00	208.25	21.08		109.54	271.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:05:49	0.20		204.17	25.17	113.63	33.30	0.00	204.16	25.17		113.63	267.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:05:51	0.23		200.99	28.34	116.80	33.30	0.00	200.99	28.34		116.80	264.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:05:53	0.27		197.78	31.56	120.02	33.30	0.00	197.78	31.56		120.02	260.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:05:55	0.30		194.50	34.83	123.29	33.30	0.00	194.50	34.83		123.29	257.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:05:57	0.33		192.96	36.38	124.84	33.30	0.00	192.95	36.38		124.84	256.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:05:59	0.37		190.72	38.62	127.08	33.30	0.00	190.72	38.62		127.08	253.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:06:01	0.40		189.17	40.16	128.62	33.30	0.00	189.17	40.16		128.62	252.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:06:03	0.43		188.71	40.63	129.09	33.30	0.00	188.70	40.63		129.09	251.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:06:05	0.47		189.37	39.97	128.43	33.30	0.00	189.36	39.97		128.43	252.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:06:07	0.50		189.45	39.89	128.35	33.30	0.00	189.44	39.89		128.35	252.65

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:06:09	0.53		190.12	39.22	127.68	33.30	0.00	190.11	39.22		127.68	253.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:06:11	0.57		191.38	37.96	126.42	33.30	0.00	191.38	37.96		126.42	254.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:06:13	0.60		192.94	36.40	124.86	33.30	0.00	192.93	36.40		124.86	256.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:06:15	0.63		194.79	34.54	123.00	33.30	0.00	194.79	34.54		123.00	258.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:06:17	0.67		196.85	32.49	120.95	33.30	0.00	196.85	32.49		120.95	260.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:06:19	0.70		198.72	30.61	119.07	33.30	0.00	198.72	30.61		119.07	261.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:06:21	0.73		200.12	29.21	117.67	33.30	0.00	200.12	29.21		117.67	263.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:06:23	0.77		201.53	27.81	116.27	33.30	0.00	201.52	27.81		116.27	264.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:06:25	0.80		202.95	26.38	114.84	33.30	0.00	202.95	26.38		114.84	266.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:06:27	0.83		204.25	25.09	113.55	33.30	0.00	204.25	25.09		113.55	267.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:06:29	0.87		205.15	24.18	112.64	33.30	0.00	205.15	24.18		112.64	268.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:06:31	0.90		205.32	24.02	112.48	33.30	0.00	205.31	24.02		112.48	268.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:06:33	0.93		206.35	22.98	111.44	33.30	0.00	206.35	22.98		111.44	269.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:06:35	0.97		206.56	22.78	111.24	33.30	0.00	206.55	22.78		111.24	269.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:06:37	1.00		206.84	22.50	110.96	33.30	0.00	206.83	22.50		110.96	270.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:06:39	1.03		206.46	22.87	111.33	33.30	0.00	206.46	22.87		111.33	269.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:06:41	1.07		206.64	22.70	111.16	33.30	0.00	206.64	22.70		111.16	269.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:06:43	1.10		206.87	22.47	110.93	33.30	0.00	206.86	22.47		110.93	270.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:06:45	1.13		206.63	22.71	111.17	33.30	0.00	206.62	22.71		111.17	269.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:06:47	1.17		206.65	22.69	111.15	33.30	0.00	206.65	22.69		111.15	269.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:06:49	1.20		206.91	22.42	110.88	33.30	0.00	206.91	22.42		110.88	270.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:06:51	1.23		206.82	22.52	110.98	33.30	0.00	206.82	22.52		110.98	270.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:06:53	1.27		206.71	22.62	111.08	33.30	0.00	206.71	22.62		111.08	269.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:06:55	1.30		205.93	23.40	111.86	33.30	0.00	205.93	23.40		111.86	269.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:06:57	1.33		206.73	22.61	111.07	33.30	0.00	206.72	22.61		111.07	269.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:06:59	1.37		206.45	22.88	111.34	33.30	0.00	206.45	22.88		111.34	269.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:07:01	1.40		206.77	22.57	111.03	33.30	0.00	206.76	22.57		111.03	269.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:07:03	1.43		206.85	22.48	110.94	33.30	0.00	206.85	22.48		110.94	270.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:07:05	1.47		207.21	22.13	110.59	33.30	0.00	207.21	22.13		110.59	270.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:07:07	1.50		207.05	22.29	110.75	33.30	0.00	207.04	22.29		110.75	270.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:07:09	1.53		206.46	22.88	111.34	33.30	0.00	206.46	22.88		111.34	269.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:07:11	1.57		207.04	22.30	110.76	33.30	0.00	207.03	22.30		110.76	270.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:07:13	1.60		207.12	22.21	110.67	33.30	0.00	207.12	22.21		110.67	270.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:07:15	1.63		207.08	22.26	110.72	33.30	0.00	207.07	22.26		110.72	270.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:07:17	1.67		206.82	22.52	110.98	33.30	0.00	206.81	22.52		110.98	270.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:07:19	1.70		207.01	22.33	110.79	33.30	0.00	207.00	22.33		110.79	270.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:07:21	1.73		207.22	22.11	110.57	33.30	0.00	207.22	22.11		110.57	270.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:07:23	1.77		207.19	22.14	110.60	33.30	0.00	207.19	22.14		110.60	270.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:07:25	1.80		206.80	22.53	110.99	33.30	0.00	206.80	22.53		110.99	270.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:07:27	1.83		207.03	22.31	110.77	33.30	0.00	207.03	22.31		110.77	270.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:07:29	1.87		206.98	22.35	110.81	33.30	0.00	206.98	22.35		110.81	270.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:07:31	1.90		207.26	22.07	110.53	33.30	0.00	207.26	22.07		110.53	270.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:07:33	1.93		207.12	22.21	110.67	33.30	0.00	207.12	22.21		110.67	270.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:07:35	1.97		206.97	22.37	110.83	33.30	0.00	206.96	22.37		110.83	270.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:07:37	2.00		206.85	22.49	110.95	33.30	0.00	206.85	22.49		110.95	270.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:07:39	2.03		207.22	22.12	110.58	33.30	0.00	207.21	22.12		110.58	270.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:07:41	2.07		207.12	22.21	110.67	33.30	0.00	207.12	22.21		110.67	270.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:07:43	2.10		206.68	22.66	111.12	33.30	0.00	206.67	22.66		111.12	269.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:07:45	2.13		207.08	22.25	110.71	33.30	0.00	207.08	22.25		110.71	270.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:07:47	2.17		207.08	22.25	110.71	33.30	0.00	207.08	22.25		110.71	270.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:07:49	2.20		207.28	22.06	110.52	33.30	0.00	207.27	22.06		110.52	270.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:07:51	2.23		206.75	22.59	111.05	33.30	0.00	206.74	22.59		111.05	269.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:07:53	2.27		207.06	22.28	110.74	33.30	0.00	207.06	22.28		110.74	270.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:07:55	2.30		207.18	22.16	110.62	33.30	0.00	207.17	22.16		110.62	270.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:07:57	2.33		207.32	22.02	110.48	33.30	0.00	207.31	22.02		110.48	270.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:07:59	2.37		206.93	22.40	110.86	33.30	0.00	206.93	22.40		110.86	270.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:08:01	2.40		206.68	22.66	111.12	33.30	0.00	206.67	22.66		111.12	269.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:08:03	2.43		207.07	22.27	110.73	33.30	0.00	207.06	22.27		110.73	270.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:08:05	2.47		207.04	22.30	110.76	33.30	0.00	207.03	22.30		110.76	270.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:08:07	2.50		207.12	22.21	110.67	33.30	0.00	207.12	22.21		110.67	270.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:08:09	2.53		206.73	22.60	111.06	33.30	0.00	206.73	22.60		111.06	269.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:08:11	2.57		207.19	22.14	110.60	33.30	0.00	207.19	22.14		110.60	270.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:08:13	2.60		206.95	22.39	110.85	33.30	0.00	206.95	22.39		110.85	270.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:08:15	2.63		206.92	22.42	110.88	33.30	0.00	206.92	22.42		110.88	270.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:08:17	2.67		206.72	22.61	111.07	33.30	0.00	206.72	22.61		111.07	269.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:08:19	2.70		206.93	22.41	110.87	33.30	0.00	206.92	22.41		110.87	270.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:08:21	2.73		207.08	22.25	110.71	33.30	0.00	207.08	22.25		110.71	270.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:08:23	2.77		207.03	22.31	110.77	33.30	0.00	207.03	22.31		110.77	270.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:08:25	2.80		207.01	22.33	110.79	33.30	0.00	207.00	22.33		110.79	270.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:08:27	2.83		206.62	22.71	111.17	33.30	0.00	206.62	22.71		111.17	269.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:08:29	2.87		206.92	22.42	110.88	33.30	0.00	206.92	22.42		110.88	270.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:08:31	2.90		206.93	22.41	110.87	33.30	0.00	206.92	22.41		110.87	270.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:08:33	2.93		206.76	22.58	111.04	33.30	0.00	206.75	22.58		111.04	269.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:08:35	2.97		206.86	22.47	110.93	33.30	0.00	206.86	22.47		110.93	270.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:08:37	3.00		207.19	22.15	110.61	33.30	0.00	207.19	22.15		110.61	270.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:08:39	3.03		206.93	22.41	110.87	33.30	0.00	206.92	22.41		110.87	270.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:08:41	3.07		207.07	22.27	110.73	33.30	0.00	207.06	22.27		110.73	270.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:08:43	3.10		206.93	22.40	110.86	33.30	0.00	206.93	22.40		110.86	270.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:08:45	3.13		206.82	22.51	110.97	33.30	0.00	206.82	22.51		110.97	270.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:08:47	3.17		207.14	22.20	110.66	33.30	0.00	207.13	22.20		110.66	270.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:08:49	3.20		206.85	22.49	110.95	33.30	0.00	206.84	22.49		110.95	270.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:08:51	3.23		206.89	22.45	110.91	33.30	0.00	206.89	22.45		110.91	270.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:08:53	3.27		206.98	22.36	110.82	33.30	0.00	206.98	22.36		110.82	270.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:08:55	3.30		207.03	22.30	110.76	33.30	0.00	207.03	22.30		110.76	270.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:08:57	3.33		206.89	22.45	110.91	33.30	0.00	206.88	22.45		110.91	270.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:08:59	3.37		207.10	22.23	110.69	33.30	0.00	207.10	22.23		110.69	270.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:09:01	3.40		206.83	22.51	110.97	33.30	0.00	206.83	22.51		110.97	270.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:09:03	3.43		207.29	22.04	110.50	33.30	0.00	207.29	22.04		110.50	270.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:09:05	3.47		207.13	22.21	110.67	33.30	0.00	207.12	22.21		110.67	270.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:09:07	3.50		206.65	22.68	111.14	33.30	0.00	206.65	22.68		111.14	269.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:09:09	3.53		207.05	22.29	110.75	33.30	0.00	207.05	22.29		110.75	270.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:09:11	3.57		206.84	22.50	110.96	33.30	0.00	206.84	22.50		110.96	270.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:09:13	3.60		207.35	21.98	110.44	33.30	0.00	207.35	21.98		110.44	270.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:09:15	3.63		206.91	22.43	110.89	33.30	0.00	206.91	22.43		110.89	270.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:09:17	3.67		207.06	22.27	110.73	33.30	0.00	207.06	22.27		110.73	270.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:09:19	3.70		207.11	22.22	110.68	33.30	0.00	207.11	22.22		110.68	270.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:09:21	3.73		207.42	21.91	110.37	33.30	0.00	207.42	21.91		110.37	270.63

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:09:23	3.77		207.16	22.18	110.64	33.30	0.00	207.16	22.18		110.64	270.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:09:25	3.80		206.93	22.40	110.86	33.30	0.00	206.93	22.40		110.86	270.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:09:27	3.83		207.10	22.24	110.70	33.30	0.00	207.09	22.24		110.70	270.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:09:29	3.87		207.07	22.26	110.72	33.30	0.00	207.07	22.26		110.72	270.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:09:31	3.90		207.45	21.88	110.34	33.30	0.00	207.45	21.88		110.34	270.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:09:33	3.93		206.96	22.38	110.84	33.30	0.00	206.95	22.38		110.84	270.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:09:35	3.97		207.28	22.06	110.52	33.30	0.00	207.27	22.06		110.52	270.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:09:37	4.00		207.24	22.10	110.56	33.30	0.00	207.23	22.10		110.56	270.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:09:39	4.03		207.45	21.89	110.35	33.30	0.00	207.44	21.89		110.35	270.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:09:41	4.07		206.95	22.39	110.85	33.30	0.00	206.94	22.39		110.85	270.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:09:43	4.10		207.09	22.25	110.71	33.30	0.00	207.09	22.25		110.71	270.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:09:45	4.13		207.00	22.33	110.79	33.30	0.00	207.00	22.33		110.79	270.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:09:47	4.17		207.28	22.05	110.51	33.30	0.00	207.28	22.05		110.51	270.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:09:49	4.20		207.05	22.29	110.75	33.30	0.00	207.05	22.29		110.75	270.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:09:51	4.23		206.99	22.35	110.81	33.30	0.00	206.98	22.35		110.81	270.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:09:53	4.27		206.88	22.46	110.92	33.30	0.00	206.87	22.46		110.92	270.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:09:55	4.30		207.46	21.87	110.33	33.30	0.00	207.46	21.87		110.33	270.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:09:57	4.33		207.00	22.33	110.79	33.30	0.00	207.00	22.33		110.79	270.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:09:59	4.37		206.85	22.49	110.95	33.30	0.00	206.84	22.49		110.95	270.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:10:01	4.40		207.35	21.99	110.45	33.30	0.00	207.34	21.99		110.45	270.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:10:03	4.43		207.06	22.28	110.74	33.30	0.00	207.05	22.28		110.74	270.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:10:05	4.47		207.41	21.93	110.39	33.30	0.00	207.40	21.93		110.39	270.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:10:07	4.50		206.77	22.57	111.03	33.30	0.00	206.77	22.57		111.03	269.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:10:09	4.53		207.11	22.22	110.68	33.30	0.00	207.11	22.22		110.68	270.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:10:11	4.57		207.07	22.27	110.73	33.30	0.00	207.07	22.27		110.73	270.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:10:13	4.60		206.90	22.43	110.89	33.30	0.00	206.90	22.43		110.89	270.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:10:15	4.63		206.86	22.48	110.94	33.30	0.00	206.86	22.48		110.94	270.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:10:17	4.67		206.59	22.75	111.21	33.30	0.00	206.58	22.75		111.21	269.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:10:19	4.70		207.10	22.24	110.70	33.30	0.00	207.09	22.24		110.70	270.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:10:21	4.73		206.93	22.40	110.86	33.30	0.00	206.93	22.40		110.86	270.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:10:23	4.77		207.19	22.15	110.61	33.30	0.00	207.19	22.15		110.61	270.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:10:25	4.80		206.64	22.69	111.15	33.30	0.00	206.64	22.69		111.15	269.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:10:27	4.83		207.19	22.15	110.61	33.30	0.00	207.18	22.15		110.61	270.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:10:29	4.87		206.95	22.38	110.84	33.30	0.00	206.95	22.38		110.84	270.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:10:31	4.90		207.13	22.20	110.66	33.30	0.00	207.13	22.20		110.66	270.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:10:33	4.93		206.71	22.62	111.08	33.30	0.00	206.71	22.62		111.08	269.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:10:35	4.97		206.88	22.45	110.91	33.30	0.00	206.88	22.45		110.91	270.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:10:37	5.00		207.41	21.92	110.38	33.30	0.00	207.41	21.92		110.38	270.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:10:39	5.03		206.96	22.38	110.84	33.30	0.00	206.96	22.38		110.84	270.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:10:41	5.07		206.84	22.49	110.95	33.30	0.00	206.84	22.49		110.95	270.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:10:43	5.10		206.93	22.41	110.87	33.30	0.00	206.93	22.41		110.87	270.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:10:45	5.13		207.09	22.24	110.70	33.30	0.00	207.09	22.24		110.70	270.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:10:47	5.17		206.81	22.52	110.98	33.30	0.00	206.81	22.52		110.98	270.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:10:49	5.20		206.80	22.53	110.99	33.30	0.00	206.80	22.53		110.99	270.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:10:51	5.23		206.80	22.53	110.99	33.30	0.00	206.80	22.53		110.99	270.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:10:53	5.27		207.26	22.08	110.54	33.30	0.00	207.25	22.08		110.54	270.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:10:55	5.30		206.87	22.47	110.93	33.30	0.00	206.86	22.47		110.93	270.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:10:57	5.33		206.77	22.57	111.03	33.30	0.00	206.76	22.57		111.03	269.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:10:59	5.37		206.62	22.72	111.18	33.30	0.00	206.61	22.72		111.18	269.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:11:01	5.40		207.16	22.17	110.63	33.30	0.00	207.16	22.17		110.63	270.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:11:03	5.43		207.07	22.27	110.73	33.30	0.00	207.07	22.27		110.73	270.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:11:05	5.47		206.69	22.65	111.11	33.30	0.00	206.68	22.65		111.11	269.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:11:07	5.50		206.86	22.48	110.94	33.30	0.00	206.86	22.48		110.94	270.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:11:09	5.53		206.95	22.39	110.85	33.30	0.00	206.94	22.39		110.85	270.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:11:11	5.57		207.16	22.17	110.63	33.30	0.00	207.16	22.17		110.63	270.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:11:13	5.60		206.73	22.60	111.06	33.30	0.00	206.73	22.60		111.06	269.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:11:15	5.63		206.64	22.69	111.15	33.30	0.00	206.64	22.69		111.15	269.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:11:17	5.67		206.67	22.66	111.12	33.30	0.00	206.67	22.66		111.12	269.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:11:19	5.70		207.06	22.28	110.74	33.30	0.00	207.06	22.28		110.74	270.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:11:21	5.73		207.09	22.24	110.70	33.30	0.00	207.09	22.24		110.70	270.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:11:23	5.77		206.57	22.76	111.22	33.30	0.00	206.57	22.76		111.22	269.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:11:25	5.80		206.77	22.56	111.02	33.30	0.00	206.77	22.56		111.02	269.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:11:27	5.83		206.95	22.39	110.85	33.30	0.00	206.94	22.39		110.85	270.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:11:29	5.87		207.12	22.21	110.67	33.30	0.00	207.12	22.21		110.67	270.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:11:31	5.90		206.44	22.90	111.36	33.30	0.00	206.44	22.90		111.36	269.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:11:33	5.93		206.96	22.38	110.84	33.30	0.00	206.96	22.38		110.84	270.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:11:35	5.97		206.85	22.49	110.95	33.30	0.00	206.85	22.49		110.95	270.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:11:37	6.00		207.14	22.20	110.66	33.30	0.00	207.13	22.20		110.66	270.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:11:39	6.03		206.69	22.65	111.11	33.30	0.00	206.68	22.65		111.11	269.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:11:41	6.07		206.47	22.86	111.32	33.30	0.00	206.47	22.86		111.32	269.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:11:43	6.10		206.79	22.55	111.01	33.30	0.00	206.78	22.55		111.01	269.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:11:45	6.13		207.00	22.33	110.79	33.30	0.00	207.00	22.33		110.79	270.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:11:47	6.17		206.69	22.64	111.10	33.30	0.00	206.69	22.64		111.10	269.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:11:49	6.20		206.80	22.53	110.99	33.30	0.00	206.80	22.53		110.99	270.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:11:51	6.23		206.63	22.71	111.17	33.30	0.00	206.63	22.71		111.17	269.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:11:53	6.27		206.90	22.43	110.89	33.30	0.00	206.90	22.43		110.89	270.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:11:55	6.30		207.00	22.33	110.79	33.30	0.00	207.00	22.33		110.79	270.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:11:57	6.33		206.54	22.80	111.26	33.30	0.00	206.53	22.80		111.26	269.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:11:59	6.37		206.81	22.53	110.99	33.30	0.00	206.81	22.53		110.99	270.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:12:01	6.40		206.87	22.46	110.92	33.30	0.00	206.87	22.46		110.92	270.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:12:03	6.43		207.07	22.27	110.73	33.30	0.00	207.06	22.27		110.73	270.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:12:05	6.47		206.62	22.72	111.18	33.30	0.00	206.61	22.72		111.18	269.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:12:07	6.50		206.62	22.71	111.17	33.30	0.00	206.62	22.71		111.17	269.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:12:09	6.53		206.91	22.42	110.88	33.30	0.00	206.91	22.42		110.88	270.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:12:11	6.57		206.81	22.53	110.99	33.30	0.00	206.81	22.53		110.99	270.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:12:13	6.60		206.67	22.67	111.13	33.30	0.00	206.67	22.67		111.13	269.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:12:15	6.63		206.36	22.98	111.44	33.30	0.00	206.35	22.98		111.44	269.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:12:17	6.67		206.70	22.64	111.10	33.30	0.00	206.70	22.64		111.10	269.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:12:19	6.70		206.75	22.59	111.05	33.30	0.00	206.74	22.59		111.05	269.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:12:21	6.73		206.70	22.64	111.10	33.30	0.00	206.70	22.64		111.10	269.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:12:23	6.77		206.55	22.79	111.25	33.30	0.00	206.54	22.79		111.25	269.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:12:25	6.80		206.81	22.53	110.99	33.30	0.00	206.81	22.53		110.99	270.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:12:27	6.83		206.69	22.64	111.10	33.30	0.00	206.69	22.64		111.10	269.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:12:29	6.87		206.73	22.60	111.06	33.30	0.00	206.73	22.60		111.06	269.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:12:31	6.90		206.57	22.77	111.23	33.30	0.00	206.57	22.77		111.23	269.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:12:33	6.93		206.62	22.72	111.18	33.30	0.00	206.61	22.72		111.18	269.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:12:35	6.97		206.86	22.48	110.94	33.30	0.00	206.85	22.48		110.94	270.06

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:12:37	7.00		206.72	22.62	111.08	33.30	0.00	206.71	22.62		111.08	269.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:12:39	7.03		206.61	22.73	111.19	33.30	0.00	206.60	22.73		111.19	269.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:12:41	7.07		206.47	22.86	111.32	33.30	0.00	206.47	22.86		111.32	269.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:12:43	7.10		206.89	22.45	110.91	33.30	0.00	206.88	22.45		110.91	270.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:12:45	7.13		206.43	22.91	111.37	33.30	0.00	206.42	22.91		111.37	269.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:12:47	7.17		206.58	22.75	111.21	33.30	0.00	206.58	22.75		111.21	269.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:12:49	7.20		206.32	23.01	111.47	33.30	0.00	206.32	23.01		111.47	269.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:12:51	7.23		206.88	22.46	110.92	33.30	0.00	206.87	22.46		110.92	270.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:12:53	7.27		206.86	22.47	110.93	33.30	0.00	206.86	22.47		110.93	270.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:12:55	7.30		206.53	22.80	111.26	33.30	0.00	206.53	22.80		111.26	269.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:12:57	7.33		206.24	23.10	111.56	33.30	0.00	206.24	23.10		111.56	269.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:12:59	7.37		206.42	22.92	111.38	33.30	0.00	206.41	22.92		111.38	269.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:13:01	7.40		206.64	22.70	111.16	33.30	0.00	206.63	22.70		111.16	269.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:13:03	7.43		206.43	22.90	111.36	33.30	0.00	206.43	22.90		111.36	269.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:13:05	7.47		206.60	22.74	111.20	33.30	0.00	206.59	22.74		111.20	269.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:13:07	7.50		206.65	22.68	111.14	33.30	0.00	206.65	22.68		111.14	269.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:13:09	7.53		206.82	22.51	110.97	33.30	0.00	206.82	22.51		110.97	270.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:13:11	7.57		206.39	22.95	111.41	33.30	0.00	206.38	22.95		111.41	269.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:13:13	7.60		206.51	22.82	111.28	33.30	0.00	206.51	22.82		111.28	269.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:13:15	7.63		206.27	23.07	111.53	33.30	0.00	206.27	23.07		111.53	269.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:13:17	7.67		206.85	22.48	110.94	33.30	0.00	206.85	22.48		110.94	270.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:13:19	7.70		206.78	22.56	111.02	33.30	0.00	206.77	22.56		111.02	269.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:13:21	7.73		206.25	23.08	111.54	33.30	0.00	206.25	23.08		111.54	269.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:13:23	7.77		206.33	23.00	111.46	33.30	0.00	206.33	23.00		111.46	269.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:13:25	7.80		206.67	22.67	111.13	33.30	0.00	206.66	22.67		111.13	269.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:13:27	7.83		206.77	22.57	111.03	33.30	0.00	206.77	22.57		111.03	269.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:13:29	7.87		206.27	23.07	111.53	33.30	0.00	206.27	23.07		111.53	269.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:13:31	7.90		206.22	23.12	111.58	33.30	0.00	206.21	23.12		111.58	269.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:13:33	7.93		206.46	22.87	111.33	33.30	0.00	206.46	22.87		111.33	269.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:13:35	7.97		206.66	22.68	111.14	33.30	0.00	206.66	22.68		111.14	269.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:13:37	8.00		206.46	22.87	111.33	33.30	0.00	206.46	22.87		111.33	269.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:13:39	8.03		206.30	23.04	111.50	33.30	0.00	206.30	23.04		111.50	269.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:13:41	8.07		206.49	22.85	111.31	33.30	0.00	206.48	22.85		111.31	269.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:13:43	8.10		206.66	22.68	111.14	33.30	0.00	206.66	22.68		111.14	269.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:13:45	8.13		206.59	22.75	111.21	33.30	0.00	206.59	22.75		111.21	269.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:13:47	8.17		206.11	23.23	111.69	33.30	0.00	206.10	23.23		111.69	269.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:13:49	8.20		206.29	23.04	111.50	33.30	0.00	206.29	23.04		111.50	269.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:13:51	8.23		206.59	22.75	111.21	33.30	0.00	206.59	22.75		111.21	269.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:13:53	8.27		206.74	22.59	111.05	33.30	0.00	206.74	22.59		111.05	269.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:13:55	8.30		206.29	23.04	111.50	33.30	0.00	206.29	23.04		111.50	269.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:13:57	8.33		206.42	22.91	111.37	33.30	0.00	206.42	22.91		111.37	269.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:13:59	8.37		206.54	22.80	111.26	33.30	0.00	206.54	22.80		111.26	269.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:14:01	8.40		206.67	22.66	111.12	33.30	0.00	206.67	22.66		111.12	269.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:14:03	8.43		206.34	22.99	111.45	33.30	0.00	206.34	22.99		111.45	269.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:14:05	8.47		206.09	23.25	111.71	33.30	0.00	206.08	23.25		111.71	269.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:14:07	8.50		206.49	22.84	111.30	33.30	0.00	206.49	22.84		111.30	269.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:14:09	8.53		206.62	22.72	111.18	33.30	0.00	206.61	22.72		111.18	269.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:14:11	8.57		206.53	22.80	111.26	33.30	0.00	206.53	22.80		111.26	269.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:14:13	8.60		206.09	23.25	111.71	33.30	0.00	206.08	23.25		111.71	269.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:14:15	8.63		206.52	22.81	111.27	33.30	0.00	206.52	22.81		111.27	269.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:14:17	8.67		206.33	23.01	111.47	33.30	0.00	206.33	23.01		111.47	269.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:14:19	8.70		206.49	22.85	111.31	33.30	0.00	206.48	22.85		111.31	269.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:14:21	8.73		206.00	23.33	111.79	33.30	0.00	206.00	23.33		111.79	269.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:14:23	8.77		206.54	22.80	111.26	33.30	0.00	206.54	22.80		111.26	269.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:14:25	8.80		206.56	22.78	111.24	33.30	0.00	206.55	22.78		111.24	269.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:14:27	8.83		206.54	22.80	111.26	33.30	0.00	206.54	22.80		111.26	269.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:14:29	8.87		206.27	23.07	111.53	33.30	0.00	206.26	23.07		111.53	269.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:14:31	8.90		206.12	23.22	111.68	33.30	0.00	206.12	23.22		111.68	269.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:14:33	8.93		206.56	22.77	111.23	33.30	0.00	206.56	22.77		111.23	269.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:14:35	8.97		206.52	22.81	111.27	33.30	0.00	206.52	22.81		111.27	269.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:14:37	9.00		206.32	23.01	111.47	33.30	0.00	206.32	23.01		111.47	269.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:14:39	9.03		205.95	23.39	111.85	33.30	0.00	205.94	23.39		111.85	269.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:14:41	9.07		206.65	22.68	111.14	33.30	0.00	206.65	22.68		111.14	269.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:14:43	9.10		206.64	22.69	111.15	33.30	0.00	206.64	22.69		111.15	269.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:14:45	9.13		206.33	23.00	111.46	33.30	0.00	206.33	23.00		111.46	269.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:14:47	9.17		205.94	23.40	111.86	33.30	0.00	205.94	23.40		111.86	269.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:14:49	9.20		206.67	22.66	111.12	33.30	0.00	206.67	22.66		111.12	269.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:14:51	9.23		206.63	22.71	111.17	33.30	0.00	206.62	22.71		111.17	269.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:14:53	9.27		206.10	23.24	111.70	33.30	0.00	206.09	23.24		111.70	269.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:14:55	9.30		205.92	23.42	111.88	33.30	0.00	205.91	23.42		111.88	269.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:14:57	9.33		206.34	23.00	111.46	33.30	0.00	206.33	23.00		111.46	269.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:14:59	9.37		206.66	22.68	111.14	33.30	0.00	206.65	22.68		111.14	269.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:15:01	9.40		206.23	23.11	111.57	33.30	0.01	206.22	23.11		111.57	269.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:15:03	9.43		206.12	23.22	111.68	33.30	0.01	206.12	23.22		111.68	269.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:15:05	9.47		206.16	23.17	111.63	33.30	0.01	206.16	23.17		111.63	269.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:15:07	9.50		206.82	22.52	110.98	33.30	0.01	206.82	22.52		110.98	270.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:15:09	9.53		206.49	22.85	111.31	33.30	0.01	206.49	22.85		111.31	269.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:15:11	9.57		206.09	23.25	111.71	33.30	0.01	206.08	23.25		111.71	269.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:15:13	9.60		205.96	23.38	111.84	33.30	0.01	205.96	23.38		111.84	269.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:15:15	9.63		206.24	23.10	111.56	33.30	0.01	206.23	23.10		111.56	269.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:15:17	9.67		206.40	22.93	111.39	33.30	0.01	206.40	22.93		111.39	269.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:15:19	9.70		205.98	23.35	111.81	33.30	0.01	205.98	23.35		111.81	269.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:15:21	9.73		206.13	23.20	111.66	33.30	0.01	206.13	23.20		111.66	269.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:15:23	9.77		206.13	23.20	111.66	33.30	0.01	206.13	23.20		111.66	269.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:15:25	9.80		206.57	22.77	111.23	33.30	0.01	206.57	22.77		111.23	269.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:15:27	9.83		205.85	23.48	111.94	33.30	0.01	205.85	23.48		111.94	269.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:15:29	9.87		206.10	23.24	111.70	33.30	0.01	206.10	23.24		111.70	269.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:15:31	9.90		206.06	23.27	111.73	33.30	0.01	206.06	23.27		111.73	269.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:15:33	9.93		206.72	22.61	111.07	33.30	0.01	206.72	22.61		111.07	269.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:15:35	9.97		206.08	23.26	111.72	33.30	0.01	206.07	23.26		111.72	269.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:15:37	10.00		205.95	23.38	111.84	33.30	0.01	205.95	23.38		111.84	269.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:15:39	10.03		206.06	23.27	111.73	33.30	0.01	206.06	23.27		111.73	269.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:15:41	10.07		206.23	23.10	111.56	33.30	0.01	206.23	23.10		111.56	269.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:15:43	10.10		206.12	23.21	111.67	33.30	0.01	206.12	23.21		111.67	269.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:15:45	10.13		205.79	23.55	112.01	33.30	0.01	205.79	23.55		112.01	268.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:15:47	10.17		206.05	23.28	111.74	33.30	0.01	206.05	23.28		111.74	269.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:15:49	10.20		206.16	23.18	111.64	33.30	0.01	206.15	23.18		111.64	269.36

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:15:51	10.23		206.37	22.96	111.42	33.30	0.01	206.37	22.96		111.42	269.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:15:53	10.27		205.73	23.61	112.07	33.30	0.01	205.72	23.61		112.07	268.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:15:55	10.30		205.90	23.44	111.90	33.30	0.01	205.89	23.44		111.90	269.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:15:57	10.33		206.41	22.92	111.38	33.30	0.01	206.41	22.92		111.38	269.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:15:59	10.37		206.26	23.07	111.53	33.30	0.01	206.26	23.07		111.53	269.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:16:01	10.40		205.80	23.53	111.99	33.30	0.01	205.80	23.53		111.99	269.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:16:03	10.43		205.85	23.48	111.94	33.30	0.01	205.85	23.48		111.94	269.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:16:05	10.47		205.86	23.48	111.94	33.30	0.01	205.86	23.48		111.94	269.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:16:07	10.50		206.37	22.97	111.43	33.30	0.01	206.36	22.97		111.43	269.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:16:09	10.53		205.96	23.38	111.84	33.30	0.01	205.96	23.38		111.84	269.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:16:11	10.57		205.59	23.75	112.21	33.30	0.01	205.58	23.75		112.21	268.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:16:13	10.60		206.22	23.11	111.57	33.30	0.01	206.22	23.11		111.57	269.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:16:15	10.63		205.94	23.39	111.85	33.30	0.01	205.94	23.39		111.85	269.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:16:17	10.67		206.08	23.26	111.72	33.30	0.01	206.07	23.26		111.72	269.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:16:19	10.70		205.57	23.77	112.23	33.30	0.01	205.57	23.77		112.23	268.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:16:21	10.73		206.07	23.27	111.73	33.30	0.01	206.07	23.27		111.73	269.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:16:23	10.77		206.16	23.17	111.63	33.30	0.01	206.16	23.17		111.63	269.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:16:25	10.80		206.27	23.07	111.53	33.30	0.01	206.27	23.07		111.53	269.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:16:27	10.83		205.64	23.70	112.16	33.30	0.01	205.64	23.70		112.16	268.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:16:29	10.87		205.70	23.64	112.10	33.30	0.01	205.69	23.64		112.10	268.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:16:31	10.90		206.14	23.19	111.65	33.30	0.01	206.14	23.19		111.65	269.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:16:33	10.93		205.82	23.52	111.98	33.30	0.01	205.81	23.52		111.98	269.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:16:35	10.97		206.01	23.33	111.79	33.30	0.01	206.00	23.33		111.79	269.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:16:37	11.00		205.51	23.83	112.29	33.30	0.01	205.51	23.83		112.29	268.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:16:39	11.03		206.28	23.05	111.51	33.30	0.01	206.28	23.05		111.51	269.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:16:41	11.07		205.90	23.44	111.90	33.30	0.01	205.89	23.44		111.90	269.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:16:43	11.10		205.79	23.54	112.00	33.30	0.01	205.79	23.54		112.00	269.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:16:45	11.13		205.58	23.76	112.22	33.30	0.01	205.57	23.76		112.22	268.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:16:47	11.17		205.99	23.35	111.81	33.30	0.01	205.99	23.35		111.81	269.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:16:49	11.20		206.17	23.17	111.63	33.30	0.01	206.17	23.17		111.63	269.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:16:51	11.23		205.72	23.62	112.08	33.30	0.01	205.71	23.62		112.08	268.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:16:53	11.27		205.68	23.65	112.11	33.30	0.01	205.68	23.65		112.11	268.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:16:55	11.30		205.79	23.54	112.00	33.30	0.01	205.79	23.54		112.00	269.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:16:57	11.33		206.13	23.20	111.66	33.30	0.01	206.13	23.20		111.66	269.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:16:59	11.37		205.65	23.69	112.15	33.30	0.01	205.64	23.69		112.15	268.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:17:01	11.40		205.68	23.66	112.12	33.30	0.01	205.67	23.66		112.12	268.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:17:03	11.43		205.64	23.70	112.16	33.30	0.01	205.64	23.70		112.16	268.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:17:05	11.47		206.11	23.22	111.68	33.30	0.01	206.11	23.22		111.68	269.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:17:07	11.50		205.81	23.53	111.99	33.30	0.01	205.81	23.53		111.99	269.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:17:09	11.53		205.70	23.64	112.10	33.30	0.01	205.70	23.64		112.10	268.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:17:11	11.57		205.54	23.80	112.26	33.30	0.01	205.53	23.80		112.26	268.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:17:13	11.60		206.14	23.20	111.66	33.30	0.01	206.13	23.20		111.66	269.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:17:15	11.63		206.04	23.29	111.75	33.30	0.01	206.04	23.29		111.75	269.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:17:17	11.67		205.63	23.71	112.17	33.30	0.01	205.63	23.71		112.17	268.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:17:19	11.70		205.63	23.71	112.17	33.30	0.01	205.63	23.71		112.17	268.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:17:21	11.73		205.95	23.39	111.85	33.30	0.01	205.95	23.39		111.85	269.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:17:23	11.77		205.97	23.36	111.82	33.30	0.01	205.97	23.36		111.82	269.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:17:25	11.80		205.61	23.73	112.19	33.30	0.01	205.60	23.73		112.19	268.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:17:27	11.83		205.80	23.53	111.99	33.30	0.01	205.80	23.53		111.99	269.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:17:29	11.87		205.64	23.70	112.16	33.30	0.01	205.64	23.70		112.16	268.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:17:31	11.90		206.00	23.33	111.79	33.30	0.01	206.00	23.33		111.79	269.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:17:33	11.93		205.49	23.85	112.31	33.30	0.01	205.49	23.85		112.31	268.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:17:35	11.97		205.56	23.78	112.24	33.30	0.01	205.56	23.78		112.24	268.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:17:37	12.00		205.72	23.62	112.08	33.30	0.01	205.71	23.62		112.08	268.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:17:39	12.03		205.90	23.44	111.90	33.30	0.01	205.89	23.44		111.90	269.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:17:41	12.07		205.94	23.39	111.85	33.30	0.01	205.94	23.39		111.85	269.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:17:43	12.10		205.03	24.31	112.77	33.30	0.01	205.03	24.31		112.77	268.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:17:45	12.13		205.96	23.37	111.83	33.30	0.01	205.96	23.37		111.83	269.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:17:47	12.17		206.00	23.33	111.79	33.30	0.01	206.00	23.33		111.79	269.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:17:49	12.20		206.00	23.33	111.79	33.30	0.01	206.00	23.33		111.79	269.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:17:51	12.23		205.25	24.09	112.55	33.30	0.01	205.25	24.09		112.55	268.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:17:53	12.27		205.61	23.73	112.19	33.30	0.01	205.60	23.73		112.19	268.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:17:55	12.30		205.94	23.40	111.86	33.30	0.01	205.94	23.40		111.86	269.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:17:57	12.33		205.93	23.41	111.87	33.30	0.01	205.92	23.41		111.87	269.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:17:59	12.37		205.56	23.78	112.24	33.30	0.01	205.56	23.78		112.24	268.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:18:01	12.40		205.30	24.03	112.49	33.30	0.01	205.30	24.03		112.49	268.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:18:03	12.43		205.48	23.85	112.31	33.30	0.01	205.48	23.85		112.31	268.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:18:05	12.47		205.81	23.53	111.99	33.30	0.01	205.80	23.53		111.99	269.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:18:07	12.50		205.89	23.44	111.90	33.30	0.01	205.89	23.44		111.90	269.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:18:09	12.53		205.32	24.02	112.48	33.30	0.01	205.32	24.02		112.48	268.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:18:11	12.57		205.90	23.43	111.89	33.30	0.01	205.90	23.43		111.89	269.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:18:13	12.60		205.49	23.85	112.31	33.30	0.01	205.48	23.85		112.31	268.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:18:15	12.63		205.88	23.45	111.91	33.30	0.01	205.88	23.45		111.91	269.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:18:17	12.67		205.38	23.96	112.42	33.30	0.01	205.38	23.96		112.42	268.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:18:19	12.70		205.73	23.61	112.07	33.30	0.01	205.73	23.61		112.07	268.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:18:21	12.73		205.68	23.65	112.11	33.30	0.01	205.68	23.65		112.11	268.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:18:23	12.77		205.60	23.74	112.20	33.30	0.01	205.60	23.74		112.20	268.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:18:25	12.80		205.39	23.95	112.41	33.30	0.01	205.38	23.95		112.41	268.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:18:27	12.83		205.18	24.16	112.62	33.30	0.01	205.17	24.16		112.62	268.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:18:29	12.87		205.90	23.44	111.90	33.30	0.01	205.90	23.44		111.90	269.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:18:31	12.90		205.35	23.98	112.44	33.30	0.01	205.35	23.98		112.44	268.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:18:33	12.93		205.60	23.73	112.19	33.30	0.01	205.60	23.73		112.19	268.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:18:35	12.97		205.00	24.34	112.80	33.30	0.01	204.99	24.34		112.80	268.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:18:37	13.00		205.75	23.58	112.04	33.30	0.01	205.75	23.58		112.04	268.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:18:39	13.03		205.47	23.86	112.32	33.30	0.01	205.47	23.86		112.32	268.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:18:41	13.07		205.33	24.00	112.46	33.30	0.01	205.33	24.00		112.46	268.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:18:43	13.10		205.42	23.91	112.37	33.30	0.01	205.42	23.91		112.37	268.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:18:45	13.13		205.59	23.75	112.21	33.30	0.01	205.59	23.75		112.21	268.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:18:47	13.17		205.60	23.74	112.20	33.30	0.01	205.59	23.74		112.20	268.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:18:49	13.20		205.28	24.06	112.52	33.30	0.01	205.27	24.06		112.52	268.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:18:51	13.23		205.32	24.02	112.48	33.30	0.01	205.31	24.02		112.48	268.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:18:53	13.27		205.39	23.95	112.41	33.30	0.01	205.38	23.95		112.41	268.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:18:55	13.30		205.83	23.51	111.97	33.30	0.01	205.83	23.51		111.97	269.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:18:57	13.33		205.07	24.26	112.72	33.30	0.01	205.07	24.26		112.72	268.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:18:59	13.37		205.42	23.92	112.38	33.30	0.01	205.41	23.92		112.38	268.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:19:01	13.40		205.33	24.00	112.46	33.30	0.01	205.33	24.00		112.46	268.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:19:03	13.43		205.86	23.47	111.93	33.30	0.01	205.86	23.47		111.93	269.07

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:19:05	13.47		205.53	23.81	112.27	33.30	0.01	205.52	23.81		112.27	268.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:19:07	13.50		205.35	23.98	112.44	33.30	0.01	205.35	23.98		112.44	268.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:19:09	13.53		205.28	24.05	112.51	33.30	0.01	205.28	24.05		112.51	268.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:19:11	13.57		205.76	23.58	112.04	33.30	0.01	205.76	23.58		112.04	268.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:19:13	13.60		205.53	23.80	112.26	33.30	0.01	205.53	23.80		112.26	268.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:19:15	13.63		205.56	23.78	112.24	33.30	0.01	205.55	23.78		112.24	268.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:19:17	13.67		205.00	24.34	112.80	33.30	0.01	204.99	24.34		112.80	268.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:19:19	13.70		205.71	23.63	112.09	33.30	0.01	205.70	23.63		112.09	268.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:19:21	13.73		205.60	23.73	112.19	33.30	0.01	205.60	23.73		112.19	268.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:19:23	13.77		205.37	23.97	112.43	33.30	0.01	205.37	23.97		112.43	268.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:19:25	13.80		205.42	23.92	112.38	33.30	0.01	205.41	23.92		112.38	268.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:19:27	13.83		205.63	23.71	112.17	33.30	0.01	205.62	23.71		112.17	268.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:19:29	13.87		205.55	23.79	112.25	33.30	0.01	205.55	23.79		112.25	268.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:19:31	13.90		205.43	23.90	112.36	33.30	0.01	205.43	23.90		112.36	268.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:19:33	13.93		205.24	24.10	112.56	33.30	0.01	205.23	24.10		112.56	268.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:19:35	13.97		205.51	23.82	112.28	33.30	0.01	205.51	23.82		112.28	268.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:19:37	14.00		205.31	24.03	112.49	33.30	0.01	205.31	24.03		112.49	268.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:19:39	14.03		205.44	23.90	112.36	33.30	0.01	205.44	23.90		112.36	268.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:19:41	14.07		205.22	24.11	112.57	33.30	0.01	205.22	24.11		112.57	268.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:19:43	14.10		205.30	24.04	112.50	33.30	0.01	205.30	24.04		112.50	268.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:19:45	14.13		205.40	23.93	112.39	33.30	0.01	205.40	23.93		112.39	268.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:19:47	14.17		205.42	23.91	112.37	33.30	0.01	205.42	23.91		112.37	268.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:19:49	14.20		205.42	23.92	112.38	33.30	0.01	205.41	23.92		112.38	268.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:19:51	14.23		205.24	24.10	112.56	33.30	0.01	205.23	24.10		112.56	268.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:19:53	14.27		205.50	23.84	112.30	33.30	0.01	205.49	23.84		112.30	268.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:19:55	14.30		205.55	23.79	112.25	33.30	0.01	205.55	23.79		112.25	268.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:19:57	14.33		205.38	23.96	112.42	33.30	0.01	205.38	23.96		112.42	268.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:19:59	14.37		205.01	24.32	112.78	33.30	0.01	205.01	24.32		112.78	268.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:20:01	14.40		205.52	23.82	112.28	33.30	0.01	205.51	23.82		112.28	268.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:20:03	14.43		205.62	23.72	112.18	33.30	0.01	205.62	23.72		112.18	268.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:20:05	14.47		205.02	24.32	112.78	33.30	0.01	205.02	24.32		112.78	268.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:20:07	14.50		205.15	24.18	112.64	33.30	0.01	205.15	24.18		112.64	268.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:20:09	14.53		205.39	23.95	112.41	33.30	0.01	205.38	23.95		112.41	268.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:20:11	14.57		205.63	23.71	112.17	33.30	0.01	205.62	23.71		112.17	268.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:20:13	14.60		205.35	23.98	112.44	33.30	0.01	205.35	23.98		112.44	268.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:20:15	14.63		205.21	24.13	112.59	33.30	0.01	205.20	24.13		112.59	268.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:20:17	14.67		204.99	24.35	112.81	33.30	0.01	204.98	24.35		112.81	268.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:20:19	14.70		205.77	23.57	112.03	33.30	0.01	205.76	23.57		112.03	268.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:20:21	14.73		205.39	23.95	112.41	33.30	0.01	205.38	23.95		112.41	268.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:20:23	14.77		204.98	24.36	112.82	33.30	0.01	204.98	24.36		112.82	268.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:20:25	14.80		205.27	24.06	112.52	33.30	0.01	205.27	24.06		112.52	268.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:20:27	14.83		205.74	23.59	112.05	33.30	0.01	205.74	23.60		112.06	268.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:20:29	14.87		205.41	23.92	112.38	33.30	0.01	205.41	23.92		112.38	268.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:20:31	14.90		204.89	24.44	112.90	33.30	0.01	204.89	24.44		112.90	268.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:20:33	14.93		205.22	24.12	112.58	33.30	0.01	205.22	24.12		112.58	268.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:20:35	14.97		205.31	24.03	112.49	33.30	0.01	205.30	24.03		112.49	268.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:20:37	15.00		205.60	23.73	112.19	33.30	0.01	205.60	23.74		112.20	268.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:20:39	15.03		205.06	24.27	112.73	33.30	0.01	205.06	24.27		112.73	268.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:20:41	15.07		205.05	24.29	112.75	33.30	0.01	205.04	24.29		112.75	268.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:20:43	15.10		205.26	24.08	112.54	33.30	0.01	205.25	24.08		112.54	268.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:20:45	15.13		205.74	23.59	112.05	33.30	0.01	205.74	23.60		112.06	268.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:20:47	15.17		205.34	24.00	112.46	33.30	0.01	205.33	24.00		112.46	268.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:20:49	15.20		205.16	24.18	112.64	33.30	0.01	205.15	24.18		112.64	268.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:20:51	15.23		205.09	24.25	112.71	33.30	0.01	205.08	24.25		112.71	268.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:20:53	15.27		205.64	23.70	112.16	33.30	0.01	205.64	23.70		112.16	268.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:20:55	15.30		205.34	23.99	112.45	33.30	0.01	205.34	23.99		112.45	268.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:20:57	15.33		204.87	24.47	112.93	33.30	0.01	204.86	24.47		112.93	268.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:20:59	15.37		205.30	24.04	112.50	33.30	0.01	205.29	24.04		112.50	268.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:21:01	15.40		205.56	23.78	112.24	33.30	0.01	205.56	23.78		112.24	268.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:21:03	15.43		205.49	23.84	112.30	33.30	0.01	205.49	23.84		112.30	268.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:21:05	15.47		204.64	24.69	113.15	33.30	0.01	204.64	24.69		113.15	267.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:21:07	15.50		205.34	23.99	112.45	33.30	0.01	205.34	23.99		112.45	268.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:21:09	15.53		205.19	24.15	112.61	33.30	0.01	205.18	24.15		112.61	268.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:21:11	15.57		205.50	23.84	112.30	33.30	0.01	205.50	23.84		112.30	268.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:21:13	15.60		205.13	24.20	112.66	33.30	0.01	205.13	24.20		112.66	268.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:21:15	15.63		204.98	24.36	112.82	33.30	0.01	204.97	24.36		112.82	268.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:21:17	15.67		205.19	24.14	112.60	33.30	0.01	205.19	24.14		112.60	268.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:21:19	15.70		205.34	23.99	112.45	33.30	0.01	205.34	24.00		112.46	268.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:21:21	15.73		205.41	23.92	112.38	33.30	0.01	205.41	23.93		112.39	268.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:21:23	15.77		205.15	24.19	112.65	33.30	0.01	205.14	24.19		112.65	268.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:21:25	15.80		205.34	23.99	112.45	33.30	0.01	205.34	24.00		112.46	268.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:21:27	15.83		205.40	23.93	112.39	33.30	0.01	205.40	23.93		112.39	268.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:21:29	15.87		205.32	24.02	112.48	33.30	0.01	205.31	24.02		112.48	268.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:21:31	15.90		205.03	24.31	112.77	33.30	0.01	205.03	24.31		112.77	268.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:21:33	15.93		205.19	24.15	112.61	33.30	0.01	205.18	24.15		112.61	268.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:21:35	15.97		205.33	24.00	112.46	33.30	0.01	205.33	24.00		112.46	268.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:21:37	16.00		205.49	23.85	112.31	33.30	0.01	205.49	23.85		112.31	268.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:21:39	16.03		204.86	24.48	112.94	33.30	0.01	204.85	24.48		112.94	268.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:21:41	16.07		205.11	24.23	112.69	33.30	0.01	205.10	24.23		112.69	268.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:21:43	16.10		205.33	24.00	112.46	33.30	0.01	205.33	24.00		112.46	268.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:21:45	16.13		205.13	24.20	112.66	33.30	0.01	205.13	24.21		112.67	268.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:21:47	16.17		205.21	24.13	112.59	33.30	0.01	205.21	24.13		112.59	268.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:21:49	16.20		205.05	24.29	112.75	33.30	0.01	205.04	24.29		112.75	268.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:21:51	16.23		205.57	23.77	112.23	33.30	0.01	205.56	23.77		112.23	268.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:21:53	16.27		205.29	24.04	112.50	33.30	0.01	205.29	24.04		112.50	268.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:21:55	16.30		205.48	23.85	112.31	33.30	0.01	205.48	23.86		112.32	268.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:21:57	16.33		204.94	24.39	112.85	33.30	0.01	204.94	24.39		112.85	268.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:21:59	16.37		205.26	24.08	112.54	33.30	0.01	205.25	24.08		112.54	268.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:22:01	16.40		205.28	24.06	112.52	33.30	0.01	205.28	24.06		112.52	268.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:22:03	16.43		205.29	24.05	112.51	33.30	0.01	205.28	24.05		112.51	268.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:22:05	16.47		205.13	24.20	112.66	33.30	0.01	205.13	24.21		112.67	268.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:22:07	16.50		205.13	24.20	112.66	33.30	0.01	205.13	24.21		112.67	268.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:22:09	16.53		205.47	23.86	112.32	33.30	0.01	205.47	23.86		112.32	268.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:22:11	16.57		205.12	24.22	112.68	33.30	0.01	205.11	24.22		112.68	268.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:22:13	16.60		205.19	24.15	112.61	33.30	0.01	205.18	24.15		112.61	268.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:22:15	16.63		205.12	24.21	112.67	33.30	0.01	205.12	24.21		112.67	268.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:22:17	16.67		205.28	24.06	112.52	33.30	0.01	205.27	24.06		112.52	268.48

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:22:19	16.70		205.33	24.00	112.46	33.30	0.01	205.33	24.00		112.46	268.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:22:21	16.73		205.14	24.19	112.65	33.30	0.01	205.14	24.19		112.65	268.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:22:23	16.77		205.09	24.24	112.70	33.30	0.01	205.09	24.24		112.70	268.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:22:25	16.80		205.39	23.94	112.40	33.30	0.01	205.39	23.94		112.40	268.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:22:27	16.83		205.47	23.86	112.32	33.30	0.01	205.47	23.86		112.32	268.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:22:29	16.87		204.96	24.37	112.83	33.30	0.01	204.96	24.37		112.83	268.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:22:31	16.90		205.13	24.20	112.66	33.30	0.01	205.13	24.21		112.67	268.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:22:33	16.93		205.27	24.07	112.53	33.30	0.01	205.26	24.07		112.53	268.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:22:35	16.97		205.64	23.69	112.15	33.30	0.01	205.64	23.69		112.15	268.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:22:37	17.00		205.14	24.19	112.65	33.30	0.01	205.14	24.19		112.65	268.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:22:39	17.03		205.28	24.06	112.52	33.30	0.01	205.27	24.06		112.52	268.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:22:41	17.07		205.28	24.06	112.52	33.30	0.01	205.27	24.06		112.52	268.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:22:43	17.10		205.47	23.86	112.32	33.30	0.01	205.47	23.87		112.33	268.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:22:45	17.13		205.30	24.04	112.50	33.30	0.01	205.30	24.04		112.50	268.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:22:47	17.17		205.29	24.04	112.50	33.30	0.01	205.29	24.04		112.50	268.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:22:49	17.20		204.96	24.38	112.84	33.30	0.01	204.95	24.38		112.84	268.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:22:51	17.23		205.30	24.04	112.50	33.30	0.01	205.30	24.04		112.50	268.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:22:53	17.27		205.49	23.84	112.30	33.30	0.01	205.49	23.84		112.30	268.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:22:55	17.30		205.22	24.11	112.57	33.30	0.01	205.22	24.11		112.57	268.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:22:57	17.33		205.23	24.11	112.57	33.30	0.01	205.23	24.11		112.57	268.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:22:59	17.37		205.43	23.90	112.36	33.30	0.01	205.43	23.90		112.36	268.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:23:01	17.40		205.64	23.69	112.15	33.30	0.01	205.64	23.69		112.15	268.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:23:03	17.43		205.44	23.90	112.36	33.30	0.01	205.44	23.90		112.36	268.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:23:05	17.47		205.46	23.88	112.34	33.30	0.01	205.45	23.88		112.34	268.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:23:07	17.50		205.26	24.07	112.53	33.30	0.01	205.26	24.08		112.54	268.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:23:09	17.53		205.43	23.90	112.36	33.30	0.01	205.43	23.90		112.36	268.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:23:11	17.57		205.50	23.83	112.29	33.30	0.01	205.50	23.83		112.29	268.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:23:13	17.60		205.24	24.10	112.56	33.30	0.01	205.23	24.10		112.56	268.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:23:15	17.63		205.26	24.07	112.53	33.30	0.01	205.26	24.08		112.54	268.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:23:17	17.67		205.08	24.25	112.71	33.30	0.01	205.08	24.26		112.72	268.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:23:19	17.70		205.61	23.72	112.18	33.30	0.01	205.61	23.73		112.19	268.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:23:21	17.73		205.07	24.26	112.72	33.30	0.01	205.07	24.26		112.72	268.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:23:23	17.77		205.56	23.78	112.24	33.30	0.01	205.55	23.78		112.24	268.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:23:25	17.80		205.29	24.04	112.50	33.30	0.01	205.29	24.04		112.50	268.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:23:27	17.83		205.46	23.88	112.34	33.30	0.01	205.45	23.88		112.34	268.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:23:29	17.87		205.28	24.06	112.52	33.30	0.01	205.27	24.06		112.52	268.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:23:31	17.90		205.30	24.04	112.50	33.30	0.01	205.30	24.04		112.50	268.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:23:33	17.93		205.28	24.05	112.51	33.30	0.01	205.28	24.06		112.52	268.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:23:35	17.97		205.78	23.56	112.02	33.30	0.01	205.78	23.56		112.02	268.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:23:37	18.00		205.42	23.91	112.37	33.30	0.01	205.42	23.91		112.37	268.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:23:39	18.03		205.11	24.23	112.69	33.30	0.01	205.11	24.23		112.69	268.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:23:41	18.07		205.25	24.09	112.55	33.30	0.01	205.25	24.09		112.55	268.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:23:43	18.10		205.39	23.94	112.40	33.30	0.01	205.39	23.94		112.40	268.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:23:45	18.13		205.47	23.87	112.33	33.30	0.01	205.46	23.87		112.33	268.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:23:47	18.17		205.13	24.21	112.67	33.30	0.01	205.12	24.21		112.67	268.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:23:49	18.20		205.45	23.89	112.35	33.30	0.01	205.44	23.89		112.35	268.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:23:51	18.23		205.16	24.17	112.63	33.30	0.01	205.16	24.17		112.63	268.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:23:53	18.27		205.59	23.74	112.20	33.30	0.01	205.59	23.74		112.20	268.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:23:55	18.30		205.31	24.03	112.49	33.30	0.01	205.30	24.03		112.49	268.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:23:57	18.33		205.55	23.78	112.24	33.30	0.01	205.55	23.78		112.24	268.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:23:59	18.37		205.48	23.86	112.32	33.30	0.01	205.47	23.86		112.32	268.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:24:01	18.40		205.39	23.95	112.41	33.30	0.01	205.39	23.95		112.41	268.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:24:03	18.43		205.45	23.88	112.34	33.30	0.01	205.45	23.88		112.34	268.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:24:05	18.47		205.32	24.02	112.48	33.30	0.01	205.32	24.02		112.48	268.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:24:07	18.50		205.63	23.70	112.16	33.30	0.01	205.63	23.70		112.16	268.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:24:09	18.53		205.48	23.85	112.31	33.30	0.01	205.48	23.85		112.31	268.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:24:11	18.57		205.56	23.77	112.23	33.30	0.01	205.56	23.77		112.23	268.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:24:13	18.60		205.09	24.25	112.71	33.30	0.01	205.08	24.25		112.71	268.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:24:15	18.63		205.43	23.91	112.37	33.30	0.01	205.43	23.91		112.37	268.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:24:17	18.67		205.68	23.66	112.12	33.30	0.01	205.68	23.66		112.12	268.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:24:19	18.70		205.35	23.98	112.44	33.30	0.01	205.35	23.99		112.45	268.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:24:21	18.73		205.49	23.84	112.30	33.30	0.01	205.49	23.84		112.30	268.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:24:23	18.77		205.33	24.01	112.47	33.30	0.01	205.32	24.01		112.47	268.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:24:25	18.80		205.58	23.76	112.22	33.30	0.01	205.57	23.76		112.22	268.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:24:27	18.83		205.38	23.95	112.41	33.30	0.01	205.38	23.95		112.41	268.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:24:29	18.87		205.46	23.87	112.33	33.30	0.01	205.46	23.88		112.34	268.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:24:31	18.90		205.20	24.13	112.59	33.30	0.01	205.20	24.13		112.59	268.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:24:33	18.93		205.48	23.86	112.32	33.30	0.01	205.47	23.86		112.32	268.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:24:35	18.97		205.14	24.19	112.65	33.30	0.01	205.14	24.20		112.66	268.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:24:37	19.00		205.15	24.19	112.65	33.30	0.01	205.15	24.19		112.65	268.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:24:39	19.03		205.24	24.09	112.55	33.30	0.01	205.24	24.09		112.55	268.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:24:41	19.07		205.34	23.99	112.45	33.30	0.01	205.34	23.99		112.45	268.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:24:43	19.10		205.36	23.98	112.44	33.30	0.01	205.36	23.98		112.44	268.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:24:45	19.13		205.14	24.20	112.66	33.30	0.01	205.13	24.20		112.66	268.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:24:47	19.17		205.19	24.15	112.61	33.30	0.01	205.18	24.15		112.61	268.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:24:49	19.20		205.38	23.95	112.41	33.30	0.01	205.38	23.95		112.41	268.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:24:51	19.23		205.39	23.95	112.41	33.30	0.01	205.39	23.95		112.41	268.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:24:53	19.27		205.24	24.09	112.55	33.30	0.01	205.24	24.09		112.55	268.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:24:55	19.30		205.24	24.09	112.55	33.30	0.01	205.24	24.09		112.55	268.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:24:57	19.33		205.23	24.11	112.57	33.30	0.01	205.22	24.11		112.57	268.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:24:59	19.37		205.59	23.74	112.20	33.30	0.01	205.59	23.74		112.20	268.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:25:01	19.40		205.29	24.04	112.50	33.30	0.01	205.29	24.04		112.50	268.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:25:03	19.43		205.43	23.91	112.37	33.30	0.01	205.42	23.91		112.37	268.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:25:05	19.47		205.12	24.21	112.67	33.30	0.01	205.12	24.21		112.67	268.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:25:07	19.50		205.60	23.73	112.19	33.30	0.01	205.60	23.74		112.20	268.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:25:09	19.53		205.42	23.92	112.38	33.30	0.01	205.42	23.92		112.38	268.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:25:11	19.57		205.15	24.19	112.65	33.30	0.01	205.15	24.19		112.65	268.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:25:13	19.60		205.45	23.89	112.35	33.30	0.01	205.45	23.89		112.35	268.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:25:15	19.63		205.40	23.94	112.40	33.30	0.01	205.39	23.94		112.40	268.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:25:17	19.67		205.42	23.91	112.37	33.30	0.01	205.42	23.91		112.37	268.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:25:19	19.70		205.24	24.10	112.56	33.30	0.01	205.24	24.10		112.56	268.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:25:21	19.73		205.62	23.71	112.17	33.30	0.01	205.62	23.71		112.17	268.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:25:23	19.77		205.41	23.92	112.38	33.30	0.01	205.41	23.93		112.39	268.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:25:25	19.80		205.65	23.68	112.14	33.30	0.01	205.65	23.68		112.14	268.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:25:27	19.83		205.25	24.09	112.55	33.30	0.01	205.24	24.09		112.55	268.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:25:29	19.87		205.26	24.07	112.53	33.30	0.01	205.26	24.07		112.53	268.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:25:31	19.90		205.41	23.92	112.38	33.30	0.01	205.41	23.93		112.39	268.61

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:25:33	19.93		205.27	24.06	112.52	33.30	0.01	205.27	24.07		112.53	268.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:25:35	19.97		205.36	23.98	112.44	33.30	0.01	205.35	23.98		112.44	268.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:25:37	20.00		205.16	24.17	112.63	33.30	0.01	205.16	24.17		112.63	268.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:25:39	20.03		205.43	23.90	112.36	33.30	0.01	205.43	23.90		112.36	268.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:25:41	20.07		205.29	24.05	112.51	33.30	0.01	205.28	24.05		112.51	268.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:25:43	20.10		205.59	23.75	112.21	33.30	0.01	205.59	23.75		112.21	268.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:25:45	20.13		205.17	24.17	112.63	33.30	0.01	205.17	24.17		112.63	268.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:25:47	20.17		205.43	23.91	112.37	33.30	0.01	205.42	23.91		112.37	268.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:25:49	20.20		205.36	23.98	112.44	33.30	0.01	205.35	23.98		112.44	268.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:25:51	20.23		205.29	24.04	112.50	33.30	0.01	205.29	24.04		112.50	268.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:25:53	20.27		205.33	24.00	112.46	33.30	0.01	205.33	24.00		112.46	268.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:25:55	20.30		205.58	23.75	112.21	33.30	0.01	205.58	23.75		112.21	268.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:25:57	20.33		205.37	23.96	112.42	33.30	0.01	205.37	23.96		112.42	268.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:25:59	20.37		205.48	23.85	112.31	33.30	0.01	205.48	23.86		112.32	268.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:26:01	20.40		205.51	23.83	112.29	33.30	0.01	205.50	23.83		112.29	268.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:26:03	20.43		205.50	23.84	112.30	33.30	0.01	205.49	23.84		112.30	268.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:26:05	20.47		205.68	23.65	112.11	33.30	0.01	205.68	23.65		112.11	268.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:26:07	20.50		205.36	23.98	112.44	33.30	0.01	205.35	23.98		112.44	268.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:26:09	20.53		205.58	23.75	112.21	33.30	0.01	205.58	23.75		112.21	268.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:26:11	20.57		205.42	23.92	112.38	33.30	0.01	205.42	23.92		112.38	268.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:26:13	20.60		205.68	23.66	112.12	33.30	0.01	205.67	23.66		112.12	268.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:26:15	20.63		205.27	24.06	112.52	33.30	0.01	205.27	24.07		112.53	268.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:26:17	20.67		205.42	23.92	112.38	33.30	0.01	205.42	23.92		112.38	268.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:26:19	20.70		205.31	24.03	112.49	33.30	0.01	205.31	24.03		112.49	268.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:26:21	20.73		205.48	23.85	112.31	33.30	0.01	205.48	23.86		112.32	268.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:26:23	20.77		205.65	23.69	112.15	33.30	0.01	205.64	23.69		112.15	268.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:26:25	20.80		205.08	24.25	112.71	33.30	0.01	205.08	24.25		112.71	268.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:26:27	20.83		205.59	23.75	112.21	33.30	0.01	205.59	23.75		112.21	268.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:26:29	20.87		205.33	24.01	112.47	33.30	0.01	205.32	24.01		112.47	268.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:26:31	20.90		205.75	23.58	112.04	33.30	0.01	205.75	23.58		112.04	268.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:26:33	20.93		205.14	24.20	112.66	33.30	0.01	205.13	24.20		112.66	268.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:26:35	20.97		205.51	23.83	112.29	33.30	0.01	205.50	23.83		112.29	268.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:26:37	21.00		205.41	23.92	112.38	33.30	0.01	205.41	23.93		112.39	268.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:26:39	21.03		205.69	23.64	112.10	33.30	0.01	205.69	23.64		112.10	268.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:26:41	21.07		205.45	23.89	112.35	33.30	0.01	205.45	23.89		112.35	268.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:26:43	21.10		205.13	24.21	112.67	33.30	0.01	205.13	24.21		112.67	268.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:26:45	21.13		205.59	23.75	112.21	33.30	0.01	205.59	23.75		112.21	268.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:26:47	21.17		205.49	23.85	112.31	33.30	0.01	205.49	23.85		112.31	268.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:26:49	21.20		205.57	23.77	112.23	33.30	0.01	205.56	23.77		112.23	268.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:26:51	21.23		205.33	24.01	112.47	33.30	0.01	205.32	24.01		112.47	268.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:26:53	21.27		205.71	23.63	112.09	33.30	0.01	205.70	23.63		112.09	268.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:26:55	21.30		205.39	23.95	112.41	33.30	0.01	205.38	23.95		112.41	268.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:26:57	21.33		205.61	23.73	112.19	33.30	0.01	205.60	23.73		112.19	268.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:26:59	21.37		205.35	23.99	112.45	33.30	0.01	205.35	23.99		112.45	268.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:27:01	21.40		204.88	24.45	112.91	33.30	0.01	204.88	24.46		112.92	268.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:27:03	21.43		205.28	24.06	112.52	33.30	0.01	205.28	24.06		112.52	268.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:27:05	21.47		204.95	24.38	112.84	33.30	0.01	204.95	24.39		112.85	268.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:27:07	21.50		204.72	24.62	113.08	33.30	0.01	204.71	24.62		113.08	267.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:27:09	21.53		204.48	24.85	113.31	33.30	0.01	204.48	24.85		113.31	267.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:27:11	21.57		204.42	24.91	113.37	33.30	0.01	204.42	24.92		113.38	267.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:27:13	21.60		204.26	25.07	113.53	33.30	0.01	204.26	25.07		113.53	267.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:27:15	21.63		204.19	25.15	113.61	33.30	0.01	204.18	25.15		113.61	267.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:27:17	21.67		204.03	25.30	113.76	33.30	0.01	204.03	25.30		113.76	267.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:27:19	21.70		204.44	24.90	113.36	33.30	0.01	204.43	24.90		113.36	267.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:27:21	21.73		204.42	24.91	113.37	33.30	0.01	204.42	24.92		113.38	267.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:27:23	21.77		204.29	25.05	113.51	33.30	0.01	204.29	25.05		113.51	267.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:27:25	21.80		204.48	24.85	113.31	33.30	0.01	204.48	24.85		113.31	267.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:27:27	21.83		204.13	25.21	113.67	33.30	0.01	204.12	25.21		113.67	267.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:27:29	21.87		204.38	24.96	113.42	33.30	0.01	204.37	24.96		113.42	267.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:27:31	21.90		204.20	25.14	113.60	33.30	0.01	204.19	25.14		113.60	267.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:27:33	21.93		204.14	25.19	113.65	33.30	0.01	204.14	25.20		113.66	267.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:27:35	21.97		204.13	25.21	113.67	33.30	0.01	204.12	25.21		113.67	267.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:27:37	22.00		204.09	25.24	113.70	33.30	0.01	204.09	25.25		113.71	267.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:27:39	22.03		204.24	25.09	113.55	33.30	0.01	204.24	25.09		113.55	267.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:27:41	22.07		204.35	24.98	113.44	33.30	0.01	204.35	24.99		113.45	267.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:27:43	22.10		203.94	25.39	113.85	33.30	0.01	203.94	25.39		113.85	267.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:27:45	22.13		204.23	25.10	113.56	33.30	0.01	204.23	25.10		113.56	267.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:27:47	22.17		204.17	25.16	113.62	33.30	0.01	204.17	25.16		113.62	267.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:27:49	22.20		204.09	25.25	113.71	33.30	0.01	204.08	25.25		113.71	267.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:27:51	22.23		204.20	25.14	113.60	33.30	0.01	204.20	25.14		113.60	267.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:27:53	22.27		204.05	25.28	113.74	33.30	0.01	204.05	25.28		113.74	267.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:27:55	22.30		204.23	25.11	113.57	33.30	0.01	204.22	25.11		113.57	267.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:27:57	22.33		204.32	25.02	113.48	33.30	0.01	204.31	25.02		113.48	267.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:27:59	22.37		204.03	25.31	113.77	33.30	0.01	204.03	25.31		113.77	267.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:28:01	22.40		204.23	25.10	113.56	33.30	0.01	204.23	25.10		113.56	267.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:28:03	22.43		204.12	25.21	113.67	33.30	0.01	204.12	25.21		113.67	267.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:28:05	22.47		204.17	25.17	113.63	33.30	0.01	204.17	25.17		113.63	267.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:28:07	22.50		204.39	24.95	113.41	33.30	0.01	204.38	24.95		113.41	267.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:28:09	22.53		204.18	25.16	113.62	33.30	0.01	204.17	25.16		113.62	267.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:28:11	22.57		204.19	25.14	113.60	33.30	0.01	204.19	25.14		113.60	267.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:28:13	22.60		204.48	24.85	113.31	33.30	0.01	204.48	24.86		113.32	267.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:28:15	22.63		204.27	25.07	113.53	33.30	0.01	204.26	25.07		113.53	267.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:28:17	22.67		204.38	24.96	113.42	33.30	0.01	204.38	24.96		113.42	267.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:28:19	22.70		204.19	25.14	113.60	33.30	0.01	204.19	25.14		113.60	267.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:28:21	22.73		204.08	25.26	113.72	33.30	0.01	204.07	25.26		113.72	267.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:28:23	22.77		204.38	24.95	113.41	33.30	0.01	204.38	24.95		113.41	267.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:28:25	22.80		204.11	25.23	113.69	33.30	0.01	204.10	25.23		113.69	267.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:28:27	22.83		204.37	24.96	113.42	33.30	0.01	204.37	24.96		113.42	267.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:28:29	22.87		204.40	24.93	113.39	33.30	0.01	204.40	24.93		113.39	267.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:28:31	22.90		204.08	25.26	113.72	33.30	0.01	204.07	25.26		113.72	267.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:28:33	22.93		204.43	24.91	113.37	33.30	0.01	204.42	24.91		113.37	267.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:28:35	22.97		204.12	25.21	113.67	33.30	0.01	204.12	25.21		113.67	267.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:28:37	23.00		204.32	25.02	113.48	33.30	0.01	204.31	25.02		113.48	267.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:28:39	23.03		204.24	25.10	113.56	33.30	0.01	204.24	25.10		113.56	267.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:28:41	23.07		204.03	25.31	113.77	33.30	0.01	204.03	25.31		113.77	267.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:28:43	23.10		204.31	25.03	113.49	33.30	0.01	204.31	25.03		113.49	267.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:28:45	23.13		204.25	25.09	113.55	33.30	0.01	204.24	25.09		113.55	267.45

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:28:47	23.17		204.21	25.13	113.59	33.30	0.01	204.20	25.13		113.59	267.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:28:49	23.20		204.44	24.89	113.35	33.30	0.01	204.44	24.89		113.35	267.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:28:51	23.23		204.14	25.20	113.66	33.30	0.01	204.13	25.20		113.66	267.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:28:53	23.27		204.30	25.03	113.49	33.30	0.01	204.30	25.03		113.49	267.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:28:55	23.30		204.45	24.89	113.35	33.30	0.01	204.45	24.89		113.35	267.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:28:57	23.33		204.12	25.22	113.68	33.30	0.01	204.11	25.22		113.68	267.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:28:59	23.37		204.21	25.13	113.59	33.30	0.01	204.20	25.13		113.59	267.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:29:01	23.40		204.31	25.03	113.49	33.30	0.01	204.31	25.03		113.49	267.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:29:03	23.43		204.16	25.17	113.63	33.30	0.01	204.16	25.18		113.64	267.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:29:05	23.47		204.47	24.87	113.33	33.30	0.01	204.46	24.87		113.33	267.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:29:07	23.50		204.33	25.01	113.47	33.30	0.01	204.32	25.01		113.47	267.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:29:09	23.53		204.40	24.94	113.40	33.30	0.01	204.39	24.94		113.40	267.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:29:11	23.57		204.42	24.92	113.38	33.30	0.01	204.42	24.92		113.38	267.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:29:13	23.60		204.15	25.18	113.64	33.30	0.01	204.15	25.18		113.64	267.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:29:15	23.63		204.48	24.85	113.31	33.30	0.01	204.48	24.86		113.32	267.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:29:17	23.67		204.43	24.90	113.36	33.30	0.01	204.43	24.90		113.36	267.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:29:19	23.70		204.50	24.83	113.29	33.30	0.01	204.50	24.83		113.29	267.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:29:21	23.73		204.39	24.95	113.41	33.30	0.01	204.38	24.95		113.41	267.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:29:23	23.77		204.42	24.92	113.38	33.30	0.01	204.42	24.92		113.38	267.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:29:25	23.80		204.65	24.68	113.14	33.30	0.01	204.65	24.68		113.14	267.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:29:27	23.83		204.47	24.87	113.33	33.30	0.01	204.46	24.87		113.33	267.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:29:29	23.87		204.17	25.17	113.63	33.30	0.01	204.17	25.17		113.63	267.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:29:31	23.90		204.39	24.95	113.41	33.30	0.01	204.38	24.95		113.41	267.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:29:33	23.93		204.39	24.95	113.41	33.30	0.01	204.38	24.95		113.41	267.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:29:35	23.97		204.19	25.14	113.60	33.30	0.01	204.19	25.14		113.60	267.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:29:37	24.00		204.59	24.75	113.21	33.30	0.01	204.59	24.75		113.21	267.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:29:39	24.03		204.59	24.75	113.21	33.30	0.01	204.59	24.75		113.21	267.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:29:41	24.07		204.45	24.89	113.35	33.30	0.01	204.45	24.89		113.35	267.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:29:43	24.10		204.51	24.82	113.28	33.30	0.01	204.51	24.82		113.28	267.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:29:45	24.13		204.39	24.95	113.41	33.30	0.01	204.38	24.95		113.41	267.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:29:47	24.17		204.33	25.00	113.46	33.30	0.01	204.33	25.00		113.46	267.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:29:49	24.20		204.42	24.92	113.38	33.30	0.01	204.42	24.92		113.38	267.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:29:51	24.23		204.35	24.99	113.45	33.30	0.01	204.34	24.99		113.45	267.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:29:53	24.27		204.52	24.82	113.28	33.30	0.01	204.52	24.82		113.28	267.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:29:55	24.30		204.26	25.07	113.53	33.30	0.01	204.26	25.07		113.53	267.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:29:57	24.33		204.57	24.76	113.22	33.30	0.01	204.57	24.76		113.22	267.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:29:59	24.37		204.56	24.78	113.24	33.30	0.01	204.56	24.78		113.24	267.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:30:01	24.40		204.36	24.98	113.44	33.30	0.01	204.35	24.98		113.44	267.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:30:03	24.43		204.57	24.76	113.22	33.30	0.01	204.57	24.76		113.22	267.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:30:05	24.47		204.40	24.93	113.39	33.30	0.01	204.40	24.93		113.39	267.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:30:07	24.50		204.47	24.87	113.33	33.30	0.01	204.46	24.87		113.33	267.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:30:09	24.53		204.49	24.85	113.31	33.30	0.01	204.48	24.85		113.31	267.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:30:11	24.57		204.52	24.82	113.28	33.30	0.01	204.52	24.82		113.28	267.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:30:13	24.60		204.43	24.91	113.37	33.30	0.01	204.42	24.91		113.37	267.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:30:15	24.63		204.69	24.64	113.10	33.30	0.01	204.69	24.65		113.11	267.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:30:17	24.67		204.49	24.85	113.31	33.30	0.01	204.49	24.85		113.31	267.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:30:19	24.70		204.62	24.71	113.17	33.30	0.01	204.62	24.72		113.18	267.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:30:21	24.73		204.40	24.94	113.40	33.30	0.01	204.40	24.94		113.40	267.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:30:23	24.77		204.65	24.69	113.15	33.30	0.01	204.64	24.69		113.15	267.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:30:25	24.80		204.58	24.75	113.21	33.30	0.01	204.58	24.75		113.21	267.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:30:27	24.83		204.49	24.85	113.31	33.30	0.01	204.49	24.85		113.31	267.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:30:29	24.87		204.50	24.83	113.29	33.30	0.01	204.50	24.83		113.29	267.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:30:31	24.90		204.78	24.56	113.02	33.30	0.01	204.77	24.56		113.02	267.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:30:33	24.93		204.63	24.71	113.17	33.30	0.01	204.63	24.71		113.17	267.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:30:35	24.97		204.89	24.44	112.90	33.30	0.01	204.89	24.44		112.90	268.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:30:37	25.00		204.62	24.72	113.18	33.30	0.01	204.62	24.72		113.18	267.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:30:39	25.03		204.72	24.62	113.08	33.30	0.01	204.72	24.62		113.08	267.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:30:41	25.07		204.70	24.63	113.09	33.30	0.01	204.70	24.63		113.09	267.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:30:43	25.10		204.67	24.67	113.13	33.30	0.01	204.66	24.67		113.13	267.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:30:45	25.13		204.77	24.56	113.02	33.30	0.01	204.77	24.56		113.02	267.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:30:47	25.17		204.68	24.66	113.12	33.30	0.01	204.67	24.66		113.12	267.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:30:49	25.20		204.92	24.41	112.87	33.30	0.01	204.92	24.41		112.87	268.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:30:51	25.23		204.66	24.68	113.14	33.30	0.01	204.66	24.68		113.14	267.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:30:53	25.27		204.77	24.57	113.03	33.30	0.01	204.76	24.57		113.03	267.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:30:55	25.30		204.56	24.77	113.23	33.30	0.01	204.56	24.77		113.23	267.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:30:57	25.33		204.96	24.37	112.83	33.30	0.01	204.96	24.38		112.84	268.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:30:59	25.37		204.67	24.66	113.12	33.30	0.01	204.67	24.66		113.12	267.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:31:01	25.40		204.65	24.69	113.15	33.30	0.01	204.65	24.69		113.15	267.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:31:03	25.43		204.83	24.51	112.97	33.30	0.01	204.83	24.51		112.97	268.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:31:05	25.47		204.61	24.72	113.18	33.30	0.01	204.61	24.73		113.19	267.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:31:07	25.50		204.78	24.55	113.01	33.30	0.01	204.78	24.55		113.01	267.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:31:09	25.53		204.82	24.51	112.97	33.30	0.01	204.82	24.52		112.98	268.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:31:11	25.57		204.84	24.50	112.96	33.30	0.01	204.83	24.50		112.96	268.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:31:13	25.60		204.88	24.46	112.92	33.30	0.01	204.87	24.46		112.92	268.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:31:15	25.63		204.57	24.76	113.22	33.30	0.01	204.57	24.76		113.22	267.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:31:17	25.67		204.88	24.46	112.92	33.30	0.01	204.87	24.46		112.92	268.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:31:19	25.70		204.85	24.49	112.95	33.30	0.01	204.84	24.49		112.95	268.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:31:21	25.73		204.70	24.63	113.09	33.30	0.01	204.70	24.63		113.09	267.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:31:23	25.77		204.92	24.41	112.87	33.30	0.01	204.92	24.41		112.87	268.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:31:25	25.80		204.88	24.45	112.91	33.30	0.01	204.88	24.45		112.91	268.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:31:27	25.83		204.74	24.60	113.06	33.30	0.01	204.73	24.60		113.06	267.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:31:29	25.87		205.10	24.23	112.69	33.30	0.01	205.10	24.23		112.69	268.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:31:31	25.90		204.67	24.66	113.12	33.30	0.01	204.67	24.66		113.12	267.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:31:33	25.93		205.12	24.22	112.68	33.30	0.01	205.11	24.22		112.68	268.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:31:35	25.97		205.02	24.31	112.77	33.30	0.01	205.02	24.31		112.77	268.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:31:37	26.00		204.82	24.51	112.97	33.30	0.01	204.82	24.52		112.98	268.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:31:39	26.03		205.02	24.32	112.78	33.30	0.01	205.01	24.32		112.78	268.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:31:41	26.07		204.76	24.58	113.04	33.30	0.01	204.76	24.58		113.04	267.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:31:43	26.10		204.95	24.39	112.85	33.30	0.01	204.94	24.39		112.85	268.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:31:45	26.13		205.31	24.02	112.48	33.30	0.01	205.31	24.02		112.48	268.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:31:47	26.17		204.94	24.40	112.86	33.30	0.01	204.93	24.40		112.86	268.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:31:49	26.20		205.13	24.20	112.66	33.30	0.01	205.13	24.20		112.66	268.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:31:51	26.23		204.92	24.42	112.88	33.30	0.01	204.91	24.42		112.88	268.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:31:53	26.27		204.85	24.48	112.94	33.30	0.01	204.85	24.48		112.94	268.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:31:55	26.30		205.31	24.02	112.48	33.30	0.01	205.31	24.02		112.48	268.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:31:57	26.33		205.09	24.25	112.71	33.30	0.01	205.08	24.25		112.71	268.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:31:59	26.37		205.13	24.20	112.66	33.30	0.01	205.13	24.20		112.66	268.34

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:32:01	26.40		205.10	24.23	112.69	33.30	0.01	205.10	24.23		112.69	268.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:32:03	26.43		205.04	24.30	112.76	33.30	0.01	205.04	24.30		112.76	268.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:32:05	26.47		205.26	24.08	112.54	33.30	0.01	205.25	24.08		112.54	268.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:32:07	26.50		205.43	23.91	112.37	33.30	0.01	205.43	23.91		112.37	268.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:32:09	26.53		204.99	24.34	112.80	33.30	0.01	204.99	24.34		112.80	268.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:32:11	26.57		205.33	24.01	112.47	33.30	0.01	205.32	24.01		112.47	268.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:32:13	26.60		204.98	24.36	112.82	33.30	0.01	204.97	24.36		112.82	268.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:32:15	26.63		205.10	24.23	112.69	33.30	0.01	205.10	24.23		112.69	268.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:32:17	26.67		204.74	24.60	113.06	33.30	0.01	204.73	24.60		113.06	267.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:32:19	26.70		204.60	24.74	113.20	33.30	0.01	204.59	24.74		113.20	267.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:32:21	26.73		204.59	24.75	113.21	33.30	0.01	204.58	24.75		113.21	267.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:32:23	26.77		204.49	24.85	113.31	33.30	0.01	204.48	24.85		113.31	267.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:32:25	26.80		204.38	24.96	113.42	33.30	0.01	204.37	24.96		113.42	267.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:32:27	26.83		204.03	25.30	113.76	33.30	0.01	204.03	25.30		113.76	267.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:32:29	26.87		204.03	25.30	113.76	33.30	0.01	204.03	25.30		113.76	267.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:32:31	26.90		204.21	25.12	113.58	33.30	0.01	204.21	25.12		113.58	267.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:32:33	26.93		204.19	25.15	113.61	33.30	0.01	204.18	25.15		113.61	267.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:32:35	26.97		204.03	25.30	113.76	33.30	0.01	204.03	25.30		113.76	267.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:32:37	27.00		204.17	25.17	113.63	33.30	0.01	204.16	25.17		113.63	267.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:32:39	27.03		204.35	24.99	113.45	33.30	0.01	204.34	24.99		113.45	267.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:32:41	27.07		204.39	24.95	113.41	33.30	0.01	204.39	24.95		113.41	267.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:32:43	27.10		204.40	24.94	113.40	33.30	0.01	204.40	24.94		113.40	267.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:32:45	27.13		204.18	25.16	113.62	33.30	0.01	204.18	25.16		113.62	267.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:32:47	27.17		203.99	25.34	113.80	33.30	0.01	203.99	25.34		113.80	267.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:32:49	27.20		204.20	25.14	113.60	33.30	0.01	204.19	25.14		113.60	267.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:32:51	27.23		204.14	25.19	113.65	33.30	0.01	204.14	25.19		113.65	267.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:32:53	27.27		204.27	25.07	113.53	33.30	0.01	204.26	25.07		113.53	267.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:32:55	27.30		204.21	25.12	113.58	33.30	0.01	204.21	25.12		113.58	267.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:32:57	27.33		204.16	25.17	113.63	33.30	0.01	204.16	25.17		113.63	267.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:32:59	27.37		203.98	25.36	113.82	33.30	0.01	203.97	25.36		113.82	267.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:33:01	27.40		204.33	25.01	113.47	33.30	0.01	204.32	25.01		113.47	267.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:33:03	27.43		204.24	25.09	113.55	33.30	0.01	204.24	25.09		113.55	267.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:33:05	27.47		204.33	25.01	113.47	33.30	0.01	204.32	25.01		113.47	267.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:33:07	27.50		203.91	25.43	113.89	33.30	0.01	203.90	25.43		113.89	267.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:33:09	27.53		204.11	25.23	113.69	33.30	0.01	204.11	25.23		113.69	267.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:33:11	27.57		204.43	24.91	113.37	33.30	0.01	204.43	24.91		113.37	267.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:33:13	27.60		204.29	25.05	113.51	33.30	0.01	204.29	25.05		113.51	267.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:33:15	27.63		204.31	25.02	113.48	33.30	0.01	204.31	25.02		113.48	267.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:33:17	27.67		204.09	25.24	113.70	33.30	0.01	204.09	25.24		113.70	267.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:33:19	27.70		204.28	25.05	113.51	33.30	0.01	204.28	25.06		113.52	267.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:33:21	27.73		204.42	24.91	113.37	33.30	0.01	204.42	24.92		113.38	267.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:33:23	27.77		204.50	24.84	113.30	33.30	0.01	204.50	24.84		113.30	267.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:33:25	27.80		204.37	24.96	113.42	33.30	0.01	204.37	24.96		113.42	267.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:33:27	27.83		204.24	25.09	113.55	33.30	0.01	204.24	25.09		113.55	267.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:33:29	27.87		204.43	24.91	113.37	33.30	0.01	204.43	24.91		113.37	267.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:33:31	27.90		204.36	24.98	113.44	33.30	0.01	204.36	24.98		113.44	267.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:33:33	27.93		204.40	24.94	113.40	33.30	0.01	204.39	24.94		113.40	267.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:33:35	27.97		204.22	25.12	113.58	33.30	0.01	204.21	25.12		113.58	267.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:33:37	28.00		204.52	24.82	113.28	33.30	0.01	204.51	24.82		113.28	267.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:33:39	28.03		204.48	24.85	113.31	33.30	0.01	204.48	24.85		113.31	267.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:33:41	28.07		204.47	24.87	113.33	33.30	0.01	204.46	24.87		113.33	267.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:33:43	28.10		204.53	24.81	113.27	33.30	0.01	204.53	24.81		113.27	267.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:33:45	28.13		204.35	24.98	113.44	33.30	0.01	204.35	24.99		113.45	267.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:33:47	28.17		204.37	24.96	113.42	33.30	0.01	204.37	24.96		113.42	267.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:33:49	28.20		204.54	24.80	113.26	33.30	0.01	204.53	24.80		113.26	267.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:33:51	28.23		204.76	24.58	113.04	33.30	0.01	204.75	24.58		113.04	267.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:33:53	28.27		204.32	25.02	113.48	33.30	0.01	204.32	25.02		113.48	267.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:33:55	28.30		204.29	25.05	113.51	33.30	0.01	204.29	25.05		113.51	267.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:33:57	28.33		204.47	24.87	113.33	33.30	0.01	204.46	24.87		113.33	267.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:33:59	28.37		204.58	24.76	113.22	33.30	0.01	204.57	24.76		113.22	267.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:34:01	28.40		204.76	24.57	113.03	33.30	0.01	204.76	24.57		113.03	267.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:34:03	28.43		204.57	24.77	113.23	33.30	0.01	204.57	24.77		113.23	267.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:34:05	28.47		204.55	24.79	113.25	33.30	0.01	204.54	24.79		113.25	267.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:34:07	28.50		204.61	24.73	113.19	33.30	0.01	204.60	24.73		113.19	267.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:34:09	28.53		204.44	24.90	113.36	33.30	0.01	204.43	24.90		113.36	267.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:34:11	28.57		204.42	24.91	113.37	33.30	0.01	204.42	24.92		113.38	267.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:34:13	28.60		204.61	24.73	113.19	33.30	0.01	204.60	24.73		113.19	267.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:34:15	28.63		204.54	24.80	113.26	33.30	0.01	204.53	24.80		113.26	267.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:34:17	28.67		204.69	24.65	113.11	33.30	0.01	204.68	24.65		113.11	267.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:34:19	28.70		204.71	24.63	113.09	33.30	0.01	204.71	24.63		113.09	267.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:34:21	28.73		204.59	24.75	113.21	33.30	0.01	204.58	24.75		113.21	267.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:34:23	28.77		204.45	24.88	113.34	33.30	0.01	204.45	24.88		113.34	267.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:34:25	28.80		204.59	24.75	113.21	33.30	0.01	204.58	24.75		113.21	267.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:34:27	28.83		204.56	24.77	113.23	33.30	0.01	204.56	24.78		113.24	267.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:34:29	28.87		204.55	24.79	113.25	33.30	0.01	204.54	24.79		113.25	267.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:34:31	28.90		204.45	24.88	113.34	33.30	0.01	204.45	24.88		113.34	267.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:34:33	28.93		204.60	24.74	113.20	33.30	0.01	204.59	24.74		113.20	267.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:34:35	28.97		204.61	24.72	113.18	33.30	0.01	204.61	24.72		113.18	267.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:34:37	29.00		204.78	24.56	113.02	33.30	0.01	204.78	24.56		113.02	267.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:34:39	29.03		204.50	24.83	113.29	33.30	0.01	204.50	24.83		113.29	267.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:34:41	29.07		204.59	24.75	113.21	33.30	0.01	204.59	24.75		113.21	267.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:34:43	29.10		204.82	24.52	112.98	33.30	0.01	204.81	24.52		112.98	268.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:34:45	29.13		204.88	24.45	112.91	33.30	0.01	204.88	24.46		112.92	268.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:34:47	29.17		204.87	24.46	112.92	33.30	0.01	204.87	24.46		112.92	268.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:34:49	29.20		204.76	24.57	113.03	33.30	0.01	204.76	24.58		113.04	267.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:34:51	29.23		204.57	24.77	113.23	33.30	0.01	204.56	24.77		113.23	267.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:34:53	29.27		204.75	24.59	113.05	33.30	0.01	204.74	24.59		113.05	267.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:34:55	29.30		204.89	24.45	112.91	33.30	0.01	204.88	24.45		112.91	268.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:34:57	29.33		204.79	24.55	113.01	33.30	0.01	204.78	24.55		113.01	267.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:34:59	29.37		204.79	24.55	113.01	33.30	0.01	204.78	24.55		113.01	267.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:35:01	29.40		204.89	24.45	112.91	33.30	0.01	204.88	24.45		112.91	268.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:35:03	29.43		204.80	24.54	113.00	33.30	0.01	204.80	24.54		113.00	268.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:35:05	29.47		204.85	24.49	112.95	33.30	0.01	204.85	24.49		112.95	268.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:35:07	29.50		204.66	24.68	113.14	33.30	0.01	204.65	24.68		113.14	267.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:35:09	29.53		204.53	24.81	113.27	33.30	0.01	204.52	24.81		113.27	267.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:35:11	29.57		204.89	24.45	112.91	33.30	0.01	204.88	24.45		112.91	268.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:35:13	29.60		205.21	24.12	112.58	33.30	0.01	205.21	24.12		112.58	268.42

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:35:15	29.63		205.01	24.32	112.78	33.30	0.01	205.01	24.33		112.79	268.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:35:17	29.67		204.89	24.44	112.90	33.30	0.01	204.89	24.44		112.90	268.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:35:19	29.70		204.83	24.50	112.96	33.30	0.01	204.83	24.51		112.97	268.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:35:21	29.73		204.98	24.36	112.82	33.30	0.01	204.97	24.36		112.82	268.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:35:23	29.77		204.94	24.40	112.86	33.30	0.01	204.94	24.40		112.86	268.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:35:25	29.80		204.97	24.36	112.82	33.30	0.01	204.97	24.37		112.83	268.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:35:27	29.83		204.88	24.46	112.92	33.30	0.01	204.87	24.46		112.92	268.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:35:29	29.87		205.03	24.31	112.77	33.30	0.01	205.02	24.31		112.77	268.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:35:31	29.90		205.15	24.18	112.64	33.30	0.01	205.15	24.19		112.65	268.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:35:33	29.93		205.28	24.06	112.52	33.30	0.01	205.27	24.06		112.52	268.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:35:35	29.97		205.00	24.33	112.79	33.30	0.01	205.00	24.33		112.79	268.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:35:37	30.00		205.07	24.27	112.73	33.30	0.01	205.06	24.27		112.73	268.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:35:39	30.03		205.11	24.22	112.68	33.30	0.01	205.11	24.23		112.69	268.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:35:41	30.07		205.37	23.97	112.43	33.30	0.01	205.36	23.97		112.43	268.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:35:43	30.10		205.23	24.11	112.57	33.30	0.01	205.22	24.11		112.57	268.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:35:45	30.13		205.08	24.25	112.71	33.30	0.01	205.08	24.26		112.72	268.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:35:47	30.17		205.19	24.15	112.61	33.30	0.01	205.19	24.15		112.61	268.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:35:49	30.20		205.13	24.21	112.67	33.30	0.01	205.12	24.21		112.67	268.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:35:51	30.23		205.38	23.96	112.42	33.30	0.01	205.37	23.96		112.42	268.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:35:53	30.27		205.33	24.01	112.47	33.30	0.01	205.33	24.01		112.47	268.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:35:55	30.30		205.34	24.00	112.46	33.30	0.01	205.33	24.00		112.46	268.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:35:57	30.33		204.94	24.40	112.86	33.30	0.01	204.94	24.40		112.86	268.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:35:59	30.37		204.94	24.40	112.86	33.30	0.01	204.94	24.40		112.86	268.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:36:01	30.40		204.90	24.43	112.89	33.30	0.01	204.90	24.44		112.90	268.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:36:03	30.43		204.86	24.48	112.94	33.30	0.01	204.85	24.48		112.94	268.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:36:05	30.47		204.50	24.84	113.30	33.30	0.01	204.49	24.84		113.30	267.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:36:07	30.50		204.22	25.12	113.58	33.30	0.01	204.21	25.12		113.58	267.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:36:09	30.53		204.26	25.07	113.53	33.30	0.01	204.26	25.08		113.54	267.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:36:11	30.57		203.99	25.35	113.81	33.30	0.01	203.99	25.35		113.81	267.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:36:13	30.60		203.99	25.35	113.81	33.30	0.01	203.99	25.35		113.81	267.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:36:15	30.63		204.03	25.31	113.77	33.30	0.01	204.02	25.31		113.77	267.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:36:17	30.67		204.06	25.28	113.74	33.30	0.01	204.06	25.28		113.74	267.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:36:19	30.70		204.07	25.27	113.73	33.30	0.01	204.06	25.27		113.73	267.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:36:21	30.73		203.69	25.64	114.10	33.30	0.01	203.69	25.64		114.10	266.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:36:23	30.77		203.77	25.56	114.02	33.30	0.01	203.77	25.57		114.03	266.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:36:25	30.80		203.59	25.74	114.20	33.30	0.01	203.59	25.75		114.21	266.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:36:27	30.83		203.66	25.68	114.14	33.30	0.01	203.65	25.68		114.14	266.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:36:29	30.87		203.80	25.54	114.00	33.30	0.01	203.79	25.54		114.00	267.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:36:31	30.90		203.72	25.62	114.08	33.30	0.01	203.71	25.62		114.08	266.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:36:33	30.93		203.75	25.59	114.05	33.30	0.01	203.74	25.59		114.05	266.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:36:35	30.97		203.73	25.61	114.07	33.30	0.01	203.72	25.61		114.07	266.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:36:37	31.00		203.57	25.77	114.23	33.30	0.01	203.56	25.77		114.23	266.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:36:39	31.03		203.48	25.86	114.32	33.30	0.01	203.47	25.86		114.32	266.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:36:41	31.07		203.73	25.60	114.06	33.30	0.01	203.73	25.61		114.07	266.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:36:43	31.10		203.48	25.85	114.31	33.30	0.01	203.48	25.85		114.31	266.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:36:45	31.13		203.44	25.89	114.35	33.30	0.01	203.44	25.89		114.35	266.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:36:47	31.17		203.66	25.67	114.13	33.30	0.01	203.66	25.68		114.14	266.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:36:49	31.20		203.66	25.67	114.13	33.30	0.01	203.66	25.68		114.14	266.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:36:51	31.23		203.66	25.68	114.14	33.30	0.01	203.65	25.68		114.14	266.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:36:53	31.27		203.57	25.77	114.23	33.30	0.01	203.56	25.77		114.23	266.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:36:55	31.30		203.63	25.70	114.16	33.30	0.01	203.63	25.71		114.17	266.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:36:57	31.33		203.66	25.67	114.13	33.30	0.01	203.66	25.68		114.14	266.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:36:59	31.37		203.76	25.57	114.03	33.30	0.01	203.76	25.57		114.03	266.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:37:01	31.40		203.69	25.65	114.11	33.30	0.01	203.68	25.65		114.11	266.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:37:03	31.43		203.93	25.41	113.87	33.30	0.01	203.92	25.41		113.87	267.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:37:05	31.47		203.80	25.54	114.00	33.30	0.01	203.79	25.54		114.00	267.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:37:07	31.50		203.90	25.44	113.90	33.30	0.01	203.89	25.44		113.90	267.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:37:09	31.53		203.81	25.53	113.99	33.30	0.01	203.80	25.53		113.99	267.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:37:11	31.57		203.93	25.41	113.87	33.30	0.01	203.92	25.41		113.87	267.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:37:13	31.60		203.73	25.60	114.06	33.30	0.01	203.73	25.61		114.07	266.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:37:15	31.63		203.81	25.53	113.99	33.30	0.01	203.81	25.53		113.99	267.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:37:17	31.67		203.82	25.51	113.97	33.30	0.01	203.82	25.51		113.97	267.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:37:19	31.70		203.92	25.42	113.88	33.30	0.01	203.92	25.42		113.88	267.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:37:21	31.73		203.83	25.51	113.97	33.30	0.01	203.82	25.51		113.97	267.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:37:23	31.77		203.90	25.44	113.90	33.30	0.01	203.89	25.44		113.90	267.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:37:25	31.80		203.62	25.71	114.17	33.30	0.01	203.62	25.72		114.18	266.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:37:27	31.83		203.90	25.43	113.89	33.30	0.01	203.90	25.43		113.89	267.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:37:29	31.87		203.65	25.68	114.14	33.30	0.01	203.65	25.69		114.15	266.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:37:31	31.90		203.83	25.51	113.97	33.30	0.01	203.82	25.51		113.97	267.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:37:33	31.93		203.73	25.61	114.07	33.30	0.01	203.73	25.61		114.07	266.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:37:35	31.97		203.73	25.61	114.07	33.30	0.01	203.73	25.61		114.07	266.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:37:37	32.00		203.78	25.55	114.01	33.30	0.01	203.78	25.55		114.01	266.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:37:39	32.03		203.71	25.62	114.08	33.30	0.01	203.71	25.62		114.08	266.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:37:41	32.07		203.67	25.67	114.13	33.30	0.01	203.66	25.67		114.13	266.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:37:43	32.10		203.49	25.84	114.30	33.30	0.01	203.49	25.85		114.31	266.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:37:45	32.13		203.64	25.69	114.15	33.30	0.01	203.64	25.69		114.15	266.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:37:47	32.17		203.77	25.57	114.03	33.30	0.01	203.76	25.57		114.03	266.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:37:49	32.20		203.91	25.43	113.89	33.30	0.01	203.90	25.43		113.89	267.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:37:51	32.23		203.73	25.61	114.07	33.30	0.01	203.73	25.61		114.07	266.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:37:53	32.27		203.84	25.50	113.96	33.30	0.01	203.83	25.50		113.96	267.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:37:55	32.30		203.71	25.62	114.08	33.30	0.01	203.71	25.62		114.08	266.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:37:57	32.33		203.91	25.43	113.89	33.30	0.01	203.90	25.43		113.89	267.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:37:59	32.37		204.02	25.32	113.78	33.30	0.01	204.01	25.32		113.78	267.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:38:01	32.40		203.84	25.50	113.96	33.30	0.01	203.83	25.50		113.96	267.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:38:03	32.43		203.73	25.61	114.07	33.30	0.01	203.73	25.61		114.07	266.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:38:05	32.47		203.86	25.47	113.93	33.30	0.01	203.86	25.48		113.94	267.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:38:07	32.50		204.00	25.33	113.79	33.30	0.01	204.00	25.33		113.79	267.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:38:09	32.53		203.81	25.53	113.99	33.30	0.01	203.80	25.53		113.99	267.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:38:11	32.57		203.77	25.57	114.03	33.30	0.01	203.76	25.57		114.03	266.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:38:13	32.60		203.67	25.67	114.13	33.30	0.01	203.66	25.67		114.13	266.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:38:15	32.63		203.79	25.54	114.00	33.30	0.01	203.79	25.55		114.01	266.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:38:17	32.67		203.61	25.73	114.19	33.30	0.01	203.60	25.73		114.19	266.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:38:19	32.70		203.77	25.57	114.03	33.30	0.01	203.76	25.57		114.03	266.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:38:21	32.73		203.85	25.49	113.95	33.30	0.01	203.84	25.49		113.95	267.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:38:23	32.77		203.53	25.81	114.27	33.30	0.01	203.52	25.81		114.27	266.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:38:25	32.80		203.61	25.73	114.19	33.30	0.01	203.60	25.73		114.19	266.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:38:27	32.83		203.88	25.46	113.92	33.30	0.01	203.87	25.46		113.92	267.08

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:38:29	32.87		203.57	25.76	114.22	33.30	0.01	203.57	25.76		114.22	266.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:38:31	32.90		203.76	25.57	114.03	33.30	0.01	203.76	25.58		114.04	266.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:38:33	32.93		203.90	25.43	113.89	33.30	0.01	203.90	25.44		113.90	267.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:38:35	32.97		203.77	25.57	114.03	33.30	0.01	203.76	25.57		114.03	266.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:38:37	33.00		203.71	25.63	114.09	33.30	0.01	203.70	25.63		114.09	266.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:38:39	33.03		203.93	25.40	113.86	33.30	0.01	203.93	25.41		113.87	267.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:38:41	33.07		203.97	25.36	113.82	33.30	0.01	203.97	25.37		113.83	267.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:38:43	33.10		203.78	25.55	114.01	33.30	0.01	203.78	25.55		114.01	266.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:38:45	33.13		203.96	25.38	113.84	33.30	0.01	203.95	25.38		113.84	267.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:38:47	33.17		203.91	25.43	113.89	33.30	0.01	203.90	25.43		113.89	267.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:38:49	33.20		203.85	25.49	113.95	33.30	0.01	203.84	25.49		113.95	267.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:38:51	33.23		203.84	25.50	113.96	33.30	0.01	203.83	25.50		113.96	267.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:38:53	33.27		203.78	25.55	114.01	33.30	0.01	203.78	25.55		114.01	266.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:38:55	33.30		203.90	25.43	113.89	33.30	0.01	203.90	25.44		113.90	267.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:38:57	33.33		203.68	25.66	114.12	33.30	0.01	203.67	25.66		114.12	266.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:38:59	33.37		203.56	25.78	114.24	33.30	0.01	203.55	25.78		114.24	266.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:39:01	33.40		203.80	25.54	114.00	33.30	0.01	203.80	25.54		114.00	267.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:39:03	33.43		203.68	25.65	114.11	33.30	0.01	203.68	25.65		114.11	266.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:39:05	33.47		203.57	25.76	114.22	33.30	0.01	203.57	25.77		114.23	266.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:39:07	33.50		203.73	25.61	114.07	33.30	0.01	203.73	25.61		114.07	266.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:39:09	33.53		203.58	25.76	114.22	33.30	0.01	203.57	25.76		114.22	266.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:39:11	33.57		203.50	25.83	114.29	33.30	0.01	203.50	25.83		114.29	266.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:39:13	33.60		203.54	25.79	114.25	33.30	0.01	203.54	25.79		114.25	266.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:39:15	33.63		203.73	25.61	114.07	33.30	0.01	203.73	25.61		114.07	266.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:39:17	33.67		203.74	25.60	114.06	33.30	0.01	203.73	25.60		114.06	266.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:39:19	33.70		203.82	25.51	113.97	33.30	0.01	203.82	25.51		113.97	267.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:39:21	33.73		203.70	25.64	114.10	33.30	0.01	203.69	25.64		114.10	266.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:39:23	33.77		203.81	25.52	113.98	33.30	0.01	203.81	25.52		113.98	267.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:39:25	33.80		203.75	25.58	114.04	33.30	0.01	203.75	25.58		114.04	266.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:39:27	33.83		203.57	25.76	114.22	33.30	0.01	203.57	25.76		114.22	266.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:39:29	33.87		203.88	25.46	113.92	33.30	0.01	203.87	25.46		113.92	267.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:39:31	33.90		203.78	25.55	114.01	33.30	0.01	203.78	25.55		114.01	266.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:39:33	33.93		203.75	25.59	114.05	33.30	0.01	203.75	25.59		114.05	266.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:39:35	33.97		203.93	25.40	113.86	33.30	0.01	203.93	25.41		113.87	267.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:39:37	34.00		203.76	25.57	114.03	33.30	0.01	203.76	25.58		114.04	266.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:39:39	34.03		203.71	25.63	114.09	33.30	0.01	203.70	25.63		114.09	266.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:39:41	34.07		203.71	25.63	114.09	33.30	0.01	203.70	25.63		114.09	266.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:39:43	34.10		203.66	25.68	114.14	33.30	0.01	203.65	25.68		114.14	266.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:39:45	34.13		203.68	25.66	114.12	33.30	0.01	203.68	25.66		114.12	266.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:39:47	34.17		203.55	25.79	114.25	33.30	0.01	203.54	25.79		114.25	266.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:39:49	34.20		203.56	25.78	114.24	33.30	0.01	203.55	25.78		114.24	266.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:39:51	34.23		203.36	25.97	114.43	33.30	0.01	203.36	25.98		114.44	266.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:39:53	34.27		203.60	25.74	114.20	33.30	0.01	203.59	25.74		114.20	266.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:39:55	34.30		203.49	25.85	114.31	33.30	0.01	203.48	25.85		114.31	266.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:39:57	34.33		203.61	25.73	114.19	33.30	0.01	203.61	25.73		114.19	266.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:39:59	34.37		203.58	25.76	114.22	33.30	0.01	203.57	25.76		114.22	266.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:40:01	34.40		203.56	25.78	114.24	33.30	0.01	203.55	25.78		114.24	266.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:40:03	34.43		203.72	25.62	114.08	33.30	0.01	203.71	25.62		114.08	266.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:40:05	34.47		203.72	25.62	114.08	33.30	0.01	203.71	25.62		114.08	266.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:40:07	34.50		203.70	25.63	114.09	33.30	0.01	203.70	25.63		114.09	266.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:40:09	34.53		203.86	25.48	113.94	33.30	0.01	203.86	25.48		113.94	267.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:40:11	34.57		203.95	25.39	113.85	33.30	0.01	203.94	25.39		113.85	267.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:40:13	34.60		203.84	25.49	113.95	33.30	0.01	203.84	25.49		113.95	267.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:40:15	34.63		203.77	25.57	114.03	33.30	0.01	203.76	25.57		114.03	266.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:40:17	34.67		203.86	25.48	113.94	33.30	0.01	203.86	25.48		113.94	267.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:40:19	34.70		203.66	25.68	114.14	33.30	0.01	203.65	25.68		114.14	266.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:40:21	34.73		203.57	25.76	114.22	33.30	0.01	203.57	25.77		114.23	266.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:40:23	34.77		203.68	25.65	114.11	33.30	0.01	203.68	25.65		114.11	266.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:40:25	34.80		203.57	25.76	114.22	33.30	0.01	203.57	25.76		114.22	266.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:40:27	34.83		203.57	25.76	114.22	33.30	0.01	203.57	25.76		114.22	266.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:40:29	34.87		203.67	25.67	114.13	33.30	0.01	203.66	25.67		114.13	266.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:40:31	34.90		203.89	25.45	113.91	33.30	0.01	203.88	25.45		113.91	267.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:40:33	34.93		203.67	25.67	114.13	33.30	0.01	203.66	25.67		114.13	266.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:40:35	34.97		203.57	25.76	114.22	33.30	0.01	203.57	25.76		114.22	266.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:40:37	35.00		203.68	25.66	114.12	33.30	0.01	203.67	25.66		114.12	266.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:40:39	35.03		203.75	25.59	114.05	33.30	0.01	203.74	25.59		114.05	266.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:40:41	35.07		203.68	25.65	114.11	33.30	0.01	203.68	25.65		114.11	266.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:40:43	35.10		203.47	25.86	114.32	33.30	0.01	203.47	25.86		114.32	266.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:40:45	35.13		203.56	25.78	114.24	33.30	0.01	203.55	25.78		114.24	266.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:40:47	35.17		203.48	25.86	114.32	33.30	0.01	203.48	25.86		114.32	266.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:40:49	35.20		203.48	25.86	114.32	33.30	0.01	203.48	25.86		114.32	266.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:40:51	35.23		203.71	25.62	114.08	33.30	0.01	203.71	25.62		114.08	266.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:40:53	35.27		203.76	25.57	114.03	33.30	0.01	203.76	25.58		114.04	266.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:40:55	35.30		203.66	25.68	114.14	33.30	0.01	203.66	25.68		114.14	266.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:40:57	35.33		203.38	25.96	114.42	33.30	0.01	203.37	25.96		114.42	266.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:40:59	35.37		203.67	25.67	114.13	33.30	0.01	203.66	25.67		114.13	266.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:41:01	35.40		203.57	25.77	114.23	33.30	0.01	203.56	25.77		114.23	266.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:41:03	35.43		203.55	25.78	114.24	33.30	0.01	203.55	25.79		114.25	266.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:41:05	35.47		203.75	25.58	114.04	33.30	0.01	203.75	25.58		114.04	266.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:41:07	35.50		203.53	25.81	114.27	33.30	0.01	203.52	25.81		114.27	266.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:41:09	35.53		203.50	25.83	114.29	33.30	0.01	203.50	25.83		114.29	266.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:41:11	35.57		203.57	25.76	114.22	33.30	0.01	203.57	25.76		114.22	266.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:41:13	35.60		203.57	25.76	114.22	33.30	0.01	203.57	25.76		114.22	266.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:41:15	35.63		203.55	25.78	114.24	33.30	0.01	203.55	25.79		114.25	266.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:41:17	35.67		203.43	25.90	114.36	33.30	0.01	203.43	25.90		114.36	266.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:41:19	35.70		203.64	25.70	114.16	33.30	0.01	203.63	25.70		114.16	266.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:41:21	35.73		203.51	25.83	114.29	33.30	0.01	203.50	25.83		114.29	266.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:41:23	35.77		203.59	25.75	114.21	33.30	0.01	203.58	25.75		114.21	266.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:41:25	35.80		203.36	25.98	114.44	33.30	0.01	203.35	25.98		114.44	266.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:41:27	35.83		203.85	25.48	113.94	33.30	0.01	203.85	25.48		113.94	267.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:41:29	35.87		203.92	25.41	113.87	33.30	0.01	203.92	25.42		113.88	267.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:41:31	35.90		204.14	25.20	113.66	33.30	0.01	204.14	25.20		113.66	267.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:41:33	35.93		203.96	25.37	113.83	33.30	0.01	203.96	25.38		113.84	267.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:41:35	35.97		203.95	25.39	113.85	33.30	0.01	203.94	25.39		113.85	267.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:41:37	36.00		203.98	25.36	113.82	33.30	0.01	203.97	25.36		113.82	267.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:41:39	36.03		204.06	25.27	113.73	33.30	0.01	204.06	25.28		113.74	267.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:41:41	36.07		204.09	25.25	113.71	33.30	0.01	204.08	25.25		113.71	267.29

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:41:43	36.10		204.04	25.30	113.76	33.30	0.01	204.03	25.30		113.76	267.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:41:45	36.13		204.00	25.34	113.80	33.30	0.01	204.00	25.34		113.80	267.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:41:47	36.17		203.77	25.57	114.03	33.30	0.01	203.76	25.57		114.03	266.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:41:49	36.20		203.79	25.55	114.01	33.30	0.01	203.78	25.55		114.01	266.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:41:51	36.23		203.75	25.59	114.05	33.30	0.01	203.75	25.59		114.05	266.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:41:53	36.27		203.52	25.81	114.27	33.30	0.01	203.52	25.81		114.27	266.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:41:55	36.30		203.53	25.80	114.26	33.30	0.01	203.53	25.81		114.27	266.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:41:57	36.33		203.60	25.74	114.20	33.30	0.01	203.59	25.74		114.20	266.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:41:59	36.37		203.67	25.67	114.13	33.30	0.01	203.66	25.67		114.13	266.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:42:01	36.40		203.77	25.57	114.03	33.30	0.01	203.76	25.57		114.03	266.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:42:03	36.43		203.73	25.61	114.07	33.30	0.01	203.72	25.61		114.07	266.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:42:05	36.47		203.84	25.49	113.95	33.30	0.01	203.84	25.49		113.95	267.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:42:07	36.50		203.81	25.53	113.99	33.30	0.01	203.80	25.53		113.99	267.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:42:09	36.53		203.95	25.38	113.84	33.30	0.01	203.95	25.38		113.84	267.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:42:11	36.57		203.99	25.34	113.80	33.30	0.01	203.99	25.35		113.81	267.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:42:13	36.60		203.92	25.41	113.87	33.30	0.01	203.92	25.42		113.88	267.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:42:15	36.63		203.97	25.37	113.83	33.30	0.01	203.96	25.37		113.83	267.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:42:17	36.67		203.89	25.44	113.90	33.30	0.01	203.89	25.45		113.91	267.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:42:19	36.70		203.77	25.56	114.02	33.30	0.01	203.77	25.56		114.02	266.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:42:21	36.73		203.82	25.51	113.97	33.30	0.01	203.82	25.52		113.98	267.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:42:23	36.77		203.91	25.42	113.88	33.30	0.01	203.91	25.42		113.88	267.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:42:25	36.80		203.90	25.44	113.90	33.30	0.01	203.89	25.44		113.90	267.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:42:27	36.83		203.68	25.66	114.12	33.30	0.01	203.68	25.66		114.12	266.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:42:29	36.87		203.72	25.62	114.08	33.30	0.01	203.71	25.62		114.08	266.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:42:31	36.90		203.71	25.62	114.08	33.30	0.01	203.71	25.63		114.09	266.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:42:33	36.93		203.74	25.59	114.05	33.30	0.01	203.74	25.59		114.05	266.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:42:35	36.97		203.63	25.71	114.17	33.30	0.01	203.62	25.71		114.17	266.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:42:37	37.00		203.73	25.61	114.07	33.30	0.01	203.72	25.61		114.07	266.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:42:39	37.03		203.67	25.66	114.12	33.30	0.01	203.67	25.66		114.12	266.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:42:41	37.07		203.77	25.57	114.03	33.30	0.01	203.76	25.57		114.03	266.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:42:43	37.10		203.62	25.72	114.18	33.30	0.01	203.61	25.72		114.18	266.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:42:45	37.13		203.77	25.57	114.03	33.30	0.01	203.76	25.57		114.03	266.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:42:47	37.17		203.47	25.87	114.33	33.30	0.01	203.47	25.87		114.33	266.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:42:49	37.20		203.80	25.54	114.00	33.30	0.01	203.79	25.54		114.00	267.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:42:51	37.23		203.92	25.41	113.87	33.30	0.01	203.92	25.42		113.88	267.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:42:53	37.27		203.78	25.55	114.01	33.30	0.01	203.78	25.56		114.02	266.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:42:55	37.30		203.81	25.52	113.98	33.30	0.01	203.81	25.52		113.98	267.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:42:57	37.33		203.74	25.59	114.05	33.30	0.01	203.74	25.59		114.05	266.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:42:59	37.37		204.11	25.23	113.69	33.30	0.01	204.10	25.23		113.69	267.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:43:01	37.40		203.87	25.47	113.93	33.30	0.01	203.86	25.47		113.93	267.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:43:03	37.43		203.90	25.44	113.90	33.30	0.01	203.89	25.44		113.90	267.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:43:05	37.47		204.02	25.31	113.77	33.30	0.01	204.02	25.32		113.78	267.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:43:07	37.50		203.97	25.37	113.83	33.30	0.01	203.96	25.37		113.83	267.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:43:09	37.53		203.76	25.58	114.04	33.30	0.01	203.75	25.58		114.04	266.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:43:11	37.57		203.77	25.56	114.02	33.30	0.01	203.77	25.57		114.03	266.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:43:13	37.60		203.79	25.55	114.01	33.30	0.01	203.78	25.55		114.01	266.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:43:15	37.63		203.61	25.73	114.19	33.30	0.01	203.61	25.73		114.19	266.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:43:17	37.67		203.66	25.67	114.13	33.30	0.01	203.66	25.68		114.14	266.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:43:19	37.70		203.71	25.63	114.09	33.30	0.01	203.70	25.63		114.09	266.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:43:21	37.73		203.69	25.65	114.11	33.30	0.01	203.68	25.65		114.11	266.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:43:23	37.77		203.47	25.87	114.33	33.30	0.01	203.46	25.87		114.33	266.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:43:25	37.80		203.48	25.85	114.31	33.30	0.01	203.48	25.85		114.31	266.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:43:27	37.83		203.65	25.69	114.15	33.30	0.01	203.64	25.69		114.15	266.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:43:29	37.87		203.68	25.66	114.12	33.30	0.01	203.67	25.66		114.12	266.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:43:31	37.90		203.58	25.76	114.22	33.30	0.01	203.57	25.76		114.22	266.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:43:33	37.93		203.65	25.68	114.14	33.30	0.01	203.65	25.68		114.14	266.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:43:35	37.97		203.69	25.65	114.11	33.30	0.01	203.68	25.65		114.11	266.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:43:37	38.00		203.76	25.57	114.03	33.30	0.01	203.76	25.57		114.03	266.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:43:39	38.03		203.90	25.44	113.90	33.30	0.01	203.89	25.44		113.90	267.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:43:41	38.07		203.89	25.45	113.91	33.30	0.01	203.88	25.45		113.91	267.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:43:43	38.10		203.86	25.48	113.94	33.30	0.01	203.86	25.48		113.94	267.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:43:45	38.13		204.02	25.31	113.77	33.30	0.01	204.02	25.32		113.78	267.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:43:47	38.17		204.08	25.25	113.71	33.30	0.01	204.08	25.25		113.71	267.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:43:49	38.20		203.89	25.45	113.91	33.30	0.01	203.88	25.45		113.91	267.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:43:51	38.23		203.71	25.63	114.09	33.30	0.01	203.70	25.63		114.09	266.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:43:53	38.27		203.86	25.48	113.94	33.30	0.01	203.85	25.48		113.94	267.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:43:55	38.30		203.78	25.56	114.02	33.30	0.01	203.77	25.56		114.02	266.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:43:57	38.33		203.83	25.51	113.97	33.30	0.01	203.82	25.51		113.97	267.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:43:59	38.37		203.86	25.48	113.94	33.30	0.01	203.85	25.48		113.94	267.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:44:01	38.40		203.71	25.63	114.09	33.30	0.01	203.70	25.63		114.09	266.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:44:03	38.43		203.61	25.73	114.19	33.30	0.01	203.60	25.73		114.19	266.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:44:05	38.47		203.63	25.70	114.16	33.30	0.01	203.63	25.71		114.17	266.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:44:07	38.50		203.65	25.68	114.14	33.30	0.01	203.65	25.68		114.14	266.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:44:09	38.53		203.65	25.69	114.15	33.30	0.01	203.64	25.69		114.15	266.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:44:11	38.57		203.48	25.85	114.31	33.30	0.01	203.48	25.85		114.31	266.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:44:13	38.60		203.62	25.71	114.17	33.30	0.01	203.62	25.71		114.17	266.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:44:15	38.63		203.59	25.74	114.20	33.30	0.01	203.59	25.75		114.21	266.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:44:17	38.67		203.68	25.66	114.12	33.30	0.01	203.67	25.66		114.12	266.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:44:19	38.70		203.65	25.69	114.15	33.30	0.01	203.64	25.69		114.15	266.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:44:21	38.73		203.83	25.51	113.97	33.30	0.01	203.82	25.51		113.97	267.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:44:23	38.77		203.90	25.43	113.89	33.30	0.01	203.90	25.43		113.89	267.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:44:25	38.80		203.76	25.57	114.03	33.30	0.01	203.76	25.57		114.03	266.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:44:27	38.83		203.74	25.60	114.06	33.30	0.01	203.74	25.60		114.06	266.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:44:29	38.87		203.89	25.45	113.91	33.30	0.01	203.88	25.45		113.91	267.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:44:31	38.90		204.04	25.30	113.76	33.30	0.01	204.03	25.30		113.76	267.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:44:33	38.93		203.80	25.53	113.99	33.30	0.01	203.80	25.54		114.00	267.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:44:35	38.97		203.79	25.55	114.01	33.30	0.01	203.78	25.55		114.01	266.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:44:37	39.00		203.94	25.39	113.85	33.30	0.01	203.94	25.39		113.85	267.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:44:39	39.03		203.82	25.52	113.98	33.30	0.01	203.81	25.52		113.98	267.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:44:41	39.07		203.76	25.57	114.03	33.30	0.01	203.76	25.57		114.03	266.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:44:43	39.10		203.73	25.60	114.06	33.30	0.01	203.73	25.61		114.07	266.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:44:45	39.13		203.64	25.70	114.16	33.30	0.01	203.63	25.70		114.16	266.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:44:47	39.17		203.62	25.71	114.17	33.30	0.01	203.62	25.71		114.17	266.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:44:49	39.20		203.68	25.66	114.12	33.30	0.01	203.67	25.66		114.12	266.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:44:51	39.23		203.52	25.81	114.27	33.30	0.01	203.52	25.82		114.28	266.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:44:53	39.27		203.67	25.67	114.13	33.30	0.01	203.67	25.67		114.13	266.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:44:55	39.30		203.70	25.63	114.09	33.30	0.01	203.70	25.64		114.10	266.90

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:44:57	39.33		203.54	25.80	114.26	33.30	0.01	203.53	25.80		114.26	266.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:44:59	39.37		203.66	25.67	114.13	33.30	0.01	203.66	25.68		114.14	266.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:45:01	39.40		203.60	25.74	114.20	33.30	0.01	203.60	25.74		114.20	266.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:45:03	39.43		203.69	25.64	114.10	33.30	0.01	203.69	25.64		114.10	266.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:45:05	39.47		203.62	25.71	114.17	33.30	0.01	203.62	25.71		114.17	266.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:45:07	39.50		203.81	25.53	113.99	33.30	0.01	203.81	25.53		113.99	267.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:45:09	39.53		203.80	25.53	113.99	33.30	0.01	203.80	25.54		114.00	267.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:45:11	39.57		203.71	25.63	114.09	33.30	0.01	203.70	25.63		114.09	266.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:45:13	39.60		203.83	25.51	113.97	33.30	0.01	203.82	25.51		113.97	267.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:45:15	39.63		203.94	25.40	113.86	33.30	0.01	203.93	25.40		113.86	267.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:45:17	39.67		204.05	25.28	113.74	33.30	0.01	204.05	25.29		113.75	267.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:45:19	39.70		203.77	25.56	114.02	33.30	0.01	203.77	25.57		114.03	266.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:45:21	39.73		203.80	25.53	113.99	33.30	0.01	203.80	25.54		114.00	267.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:45:23	39.77		203.79	25.55	114.01	33.30	0.01	203.78	25.55		114.01	266.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:45:25	39.80		204.08	25.26	113.72	33.30	0.01	204.07	25.26		113.72	267.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:45:27	39.83		203.65	25.68	114.14	33.30	0.01	203.65	25.68		114.14	266.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:45:29	39.87		203.65	25.69	114.15	33.30	0.01	203.64	25.69		114.15	266.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:45:31	39.90		203.51	25.82	114.28	33.30	0.01	203.51	25.82		114.28	266.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:45:33	39.93		203.77	25.56	114.02	33.30	0.01	203.77	25.57		114.03	266.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:45:35	39.97		203.32	26.02	114.48	33.30	0.01	203.31	26.02		114.48	266.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:45:37	40.00		203.57	25.77	114.23	33.30	0.01	203.56	25.77		114.23	266.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:45:39	40.03		203.65	25.68	114.14	33.30	0.01	203.65	25.68		114.14	266.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:45:41	40.07		203.59	25.74	114.20	33.30	0.01	203.59	25.75		114.21	266.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:45:43	40.10		203.55	25.78	114.24	33.30	0.01	203.55	25.78		114.24	266.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:45:45	40.13		203.54	25.80	114.26	33.30	0.01	203.53	25.80		114.26	266.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:45:47	40.17		203.69	25.65	114.11	33.30	0.01	203.69	25.65		114.11	266.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:45:49	40.20		203.71	25.63	114.09	33.30	0.01	203.70	25.63		114.09	266.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:45:51	40.23		203.70	25.63	114.09	33.30	0.01	203.70	25.64		114.10	266.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:45:53	40.27		204.01	25.33	113.79	33.30	0.01	204.00	25.33		113.79	267.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:45:55	40.30		203.61	25.73	114.19	33.30	0.01	203.60	25.73		114.19	266.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:45:57	40.33		203.85	25.49	113.95	33.30	0.01	203.84	25.49		113.95	267.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:45:59	40.37		203.88	25.46	113.92	33.30	0.01	203.88	25.46		113.92	267.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:46:01	40.40		203.69	25.65	114.11	33.30	0.01	203.69	25.65		114.11	266.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:46:03	40.43		203.80	25.53	113.99	33.30	0.01	203.80	25.54		114.00	267.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:46:05	40.47		203.78	25.56	114.02	33.30	0.01	203.77	25.56		114.02	266.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:46:07	40.50		203.89	25.45	113.91	33.30	0.01	203.88	25.45		113.91	267.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:46:09	40.53		203.70	25.64	114.10	33.30	0.01	203.69	25.64		114.10	266.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:46:11	40.57		203.82	25.52	113.98	33.30	0.01	203.81	25.52		113.98	267.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:46:13	40.60		203.82	25.52	113.98	33.30	0.01	203.81	25.52		113.98	267.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:46:15	40.63		203.56	25.78	114.24	33.30	0.01	203.55	25.78		114.24	266.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:46:17	40.67		203.43	25.91	114.37	33.30	0.01	203.42	25.91		114.37	266.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:46:19	40.70		203.62	25.71	114.17	33.30	0.01	203.62	25.71		114.17	266.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:46:21	40.73		203.51	25.82	114.28	33.30	0.01	203.51	25.83		114.29	266.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:46:23	40.77		203.60	25.74	114.20	33.30	0.01	203.59	25.74		114.20	266.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:46:25	40.80		203.56	25.78	114.24	33.30	0.01	203.55	25.78		114.24	266.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:46:27	40.83		203.30	26.03	114.49	33.30	0.01	203.30	26.03		114.49	266.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:46:29	40.87		203.54	25.80	114.26	33.30	0.01	203.53	25.80		114.26	266.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:46:31	40.90		203.60	25.74	114.20	33.30	0.01	203.59	25.74		114.20	266.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:46:33	40.93		203.75	25.59	114.05	33.30	0.01	203.74	25.59		114.05	266.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:46:35	40.97		203.58	25.75	114.21	33.30	0.01	203.58	25.75		114.21	266.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:46:37	41.00		203.75	25.58	114.04	33.30	0.01	203.75	25.58		114.04	266.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:46:39	41.03		203.74	25.60	114.06	33.30	0.01	203.73	25.60		114.06	266.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:46:41	41.07		203.78	25.55	114.01	33.30	0.01	203.78	25.55		114.01	266.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:46:43	41.10		203.89	25.44	113.90	33.30	0.01	203.89	25.44		113.90	267.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:46:45	41.13		203.85	25.49	113.95	33.30	0.01	203.84	25.49		113.95	267.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:46:47	41.17		203.82	25.52	113.98	33.30	0.01	203.81	25.52		113.98	267.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:46:49	41.20		203.88	25.46	113.92	33.30	0.01	203.87	25.46		113.92	267.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:46:51	41.23		203.74	25.60	114.06	33.30	0.01	203.74	25.60		114.06	266.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:46:53	41.27		203.56	25.78	114.24	33.30	0.01	203.55	25.78		114.24	266.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:46:55	41.30		203.67	25.67	114.13	33.30	0.01	203.66	25.67		114.13	266.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:46:57	41.33		203.61	25.72	114.18	33.30	0.01	203.61	25.72		114.18	266.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:46:59	41.37		203.61	25.72	114.18	33.30	0.01	203.61	25.72		114.18	266.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:47:01	41.40		203.61	25.72	114.18	33.30	0.01	203.61	25.72		114.18	266.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:47:03	41.43		203.58	25.75	114.21	33.30	0.01	203.58	25.76		114.22	266.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:47:05	41.47		203.82	25.51	113.97	33.30	0.01	203.82	25.51		113.97	267.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:47:07	41.50		203.54	25.79	114.25	33.30	0.01	203.54	25.80		114.26	266.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:47:09	41.53		203.53	25.81	114.27	33.30	0.01	203.52	25.81		114.27	266.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:47:11	41.57		203.38	25.96	114.42	33.30	0.01	203.37	25.96		114.42	266.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:47:13	41.60		203.45	25.89	114.35	33.30	0.01	203.44	25.89		114.35	266.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:47:15	41.63		203.48	25.86	114.32	33.30	0.01	203.48	25.86		114.32	266.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:47:17	41.67		203.60	25.74	114.20	33.30	0.01	203.59	25.74		114.20	266.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:47:19	41.70		203.64	25.70	114.16	33.30	0.01	203.63	25.70		114.16	266.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:47:21	41.73		203.59	25.75	114.21	33.30	0.01	203.58	25.75		114.21	266.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:47:23	41.77		203.67	25.67	114.13	33.30	0.01	203.66	25.67		114.13	266.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:47:25	41.80		203.55	25.79	114.25	33.30	0.01	203.55	25.79		114.25	266.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:47:27	41.83		203.57	25.77	114.23	33.30	0.01	203.56	25.77		114.23	266.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:47:29	41.87		203.79	25.54	114.00	33.30	0.01	203.79	25.55		114.01	266.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:47:31	41.90		203.71	25.62	114.08	33.30	0.01	203.71	25.62		114.08	266.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:47:33	41.93		203.92	25.41	113.87	33.30	0.01	203.92	25.41		113.87	267.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:47:35	41.97		203.76	25.57	114.03	33.30	0.01	203.76	25.58		114.04	266.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:47:37	42.00		203.87	25.47	113.93	33.30	0.01	203.87	25.47		113.93	267.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:47:39	42.03		203.54	25.79	114.25	33.30	0.01	203.54	25.80		114.26	266.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:47:41	42.07		203.79	25.54	114.00	33.30	0.01	203.79	25.55		114.01	266.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:47:43	42.10		203.85	25.48	113.94	33.30	0.01	203.85	25.48		113.94	267.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:47:45	42.13		203.76	25.57	114.03	33.30	0.01	203.76	25.58		114.04	266.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:47:47	42.17		203.65	25.68	114.14	33.30	0.01	203.65	25.69		114.15	266.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:47:49	42.20		203.43	25.90	114.36	33.30	0.01	203.43	25.90		114.36	266.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:47:51	42.23		203.54	25.79	114.25	33.30	0.01	203.54	25.80		114.26	266.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:47:53	42.27		203.61	25.73	114.19	33.30	0.01	203.60	25.73		114.19	266.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:47:55	42.30		203.36	25.97	114.43	33.30	0.01	203.36	25.97		114.43	266.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:47:57	42.33		203.54	25.79	114.25	33.30	0.01	203.54	25.80		114.26	266.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:47:59	42.37		203.57	25.76	114.22	33.30	0.01	203.57	25.76		114.22	266.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:48:01	42.40		203.50	25.84	114.30	33.30	0.01	203.49	25.84		114.30	266.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:48:03	42.43		203.51	25.82	114.28	33.30	0.01	203.51	25.83		114.29	266.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:48:05	42.47		203.56	25.78	114.24	33.30	0.01	203.55	25.78		114.24	266.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:48:07	42.50		203.40	25.93	114.39	33.30	0.01	203.40	25.94		114.40	266.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:48:09	42.53		203.62	25.72	114.18	33.30	0.01	203.62	25.72		114.18	266.82

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:48:11	42.57		203.68	25.65	114.11	33.30	0.01	203.68	25.65		114.11	266.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:48:13	42.60		203.57	25.77	114.23	33.30	0.01	203.56	25.77		114.23	266.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:48:15	42.63		203.78	25.56	114.02	33.30	0.01	203.77	25.56		114.02	266.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:48:17	42.67		203.85	25.48	113.94	33.30	0.01	203.85	25.48		113.94	267.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:48:19	42.70		203.67	25.67	114.13	33.30	0.01	203.66	25.67		114.13	266.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:48:21	42.73		203.52	25.82	114.28	33.30	0.01	203.51	25.82		114.28	266.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:48:23	42.77		203.78	25.56	114.02	33.30	0.01	203.77	25.56		114.02	266.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:48:25	42.80		203.70	25.64	114.10	33.30	0.01	203.69	25.64		114.10	266.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:48:27	42.83		203.46	25.88	114.34	33.30	0.01	203.45	25.88		114.34	266.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:48:29	42.87		203.67	25.67	114.13	33.30	0.01	203.66	25.67		114.13	266.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:48:31	42.90		203.64	25.69	114.15	33.30	0.01	203.64	25.69		114.15	266.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:48:33	42.93		203.34	26.00	114.46	33.30	0.01	203.34	26.00		114.46	266.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:48:35	42.97		203.57	25.77	114.23	33.30	0.01	203.56	25.77		114.23	266.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:48:37	43.00		203.57	25.76	114.22	33.30	0.01	203.57	25.76		114.22	266.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:48:39	43.03		203.50	25.83	114.29	33.30	0.01	203.50	25.83		114.29	266.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:48:41	43.07		203.56	25.78	114.24	33.30	0.01	203.55	25.78		114.24	266.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:48:43	43.10		203.42	25.92	114.38	33.30	0.01	203.41	25.92		114.38	266.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:48:45	43.13		203.44	25.89	114.35	33.30	0.01	203.44	25.90		114.36	266.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:48:47	43.17		203.36	25.97	114.43	33.30	0.01	203.36	25.97		114.43	266.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:48:49	43.20		203.56	25.78	114.24	33.30	0.01	203.55	25.78		114.24	266.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:48:51	43.23		203.40	25.93	114.39	33.30	0.01	203.40	25.94		114.40	266.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:48:53	43.27		203.46	25.88	114.34	33.30	0.01	203.45	25.88		114.34	266.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:48:55	43.30		203.57	25.77	114.23	33.30	0.01	203.56	25.77		114.23	266.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:48:57	43.33		203.79	25.54	114.00	33.30	0.01	203.79	25.55		114.01	266.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:48:59	43.37		203.84	25.50	113.96	33.30	0.01	203.83	25.50		113.96	267.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:49:01	43.40		203.76	25.57	114.03	33.30	0.01	203.76	25.58		114.04	266.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:49:03	43.43		203.55	25.79	114.25	33.30	0.01	203.55	25.79		114.25	266.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:49:05	43.47		203.75	25.58	114.04	33.30	0.01	203.75	25.58		114.04	266.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:49:07	43.50		203.71	25.62	114.08	33.30	0.01	203.71	25.62		114.08	266.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:49:09	43.53		203.62	25.72	114.18	33.30	0.01	203.62	25.72		114.18	266.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:49:11	43.57		203.57	25.76	114.22	33.30	0.01	203.57	25.76		114.22	266.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:49:13	43.60		203.65	25.68	114.14	33.30	0.01	203.65	25.69		114.15	266.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:49:15	43.63		203.37	25.96	114.42	33.30	0.01	203.37	25.97		114.43	266.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:49:17	43.67		203.43	25.90	114.36	33.30	0.01	203.43	25.90		114.36	266.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:49:19	43.70		203.73	25.61	114.07	33.30	0.01	203.72	25.61		114.07	266.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:49:21	43.73		203.37	25.96	114.42	33.30	0.01	203.37	25.97		114.43	266.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:49:23	43.77		203.39	25.95	114.41	33.30	0.01	203.38	25.95		114.41	266.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:49:25	43.80		203.22	26.12	114.58	33.30	0.01	203.21	26.12		114.58	266.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:49:27	43.83		203.32	26.01	114.47	33.30	0.01	203.32	26.01		114.47	266.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:49:29	43.87		203.29	26.05	114.51	33.30	0.01	203.28	26.05		114.51	266.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:49:31	43.90		203.44	25.89	114.35	33.30	0.01	203.44	25.90		114.36	266.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:49:33	43.93		203.52	25.82	114.28	33.30	0.01	203.51	25.82		114.28	266.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:49:35	43.97		203.53	25.81	114.27	33.30	0.01	203.52	25.81		114.27	266.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:49:37	44.00		203.44	25.89	114.35	33.30	0.01	203.44	25.90		114.36	266.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:49:39	44.03		203.59	25.75	114.21	33.30	0.01	203.58	25.75		114.21	266.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:49:41	44.07		203.56	25.78	114.24	33.30	0.01	203.55	25.78		114.24	266.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:49:43	44.10		203.49	25.85	114.31	33.30	0.01	203.48	25.85		114.31	266.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:49:45	44.13		203.48	25.86	114.32	33.30	0.01	203.48	25.86		114.32	266.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:49:47	44.17		203.54	25.79	114.25	33.30	0.01	203.54	25.80		114.26	266.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:49:49	44.20		203.65	25.68	114.14	33.30	0.01	203.65	25.69		114.15	266.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:49:51	44.23		203.60	25.74	114.20	33.30	0.01	203.59	25.74		114.20	266.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:49:53	44.27		203.75	25.58	114.04	33.30	0.01	203.75	25.58		114.04	266.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:49:55	44.30		203.50	25.83	114.29	33.30	0.01	203.50	25.83		114.29	266.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:49:57	44.33		203.71	25.62	114.08	33.30	0.01	203.71	25.62		114.08	266.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:49:59	44.37		203.76	25.57	114.03	33.30	0.01	203.76	25.58		114.04	266.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:50:01	44.40		203.49	25.85	114.31	33.30	0.01	203.48	25.85		114.31	266.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:50:03	44.43		203.37	25.96	114.42	33.30	0.01	203.37	25.97		114.43	266.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:50:05	44.47		203.50	25.83	114.29	33.30	0.01	203.50	25.84		114.30	266.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:50:07	44.50		203.31	26.03	114.49	33.30	0.01	203.30	26.03		114.49	266.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:50:09	44.53		203.47	25.86	114.32	33.30	0.01	203.47	25.87		114.33	266.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:50:11	44.57		203.29	26.04	114.50	33.30	0.01	203.29	26.05		114.51	266.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:50:13	44.60		203.36	25.98	114.44	33.30	0.01	203.35	25.98		114.44	266.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:50:15	44.63		203.46	25.88	114.34	33.30	0.01	203.45	25.88		114.34	266.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:50:17	44.67		203.43	25.90	114.36	33.30	0.01	203.43	25.91		114.37	266.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:50:19	44.70		203.37	25.96	114.42	33.30	0.01	203.37	25.97		114.43	266.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:50:21	44.73		203.39	25.95	114.41	33.30	0.01	203.38	25.95		114.41	266.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:50:23	44.77		203.54	25.80	114.26	33.30	0.01	203.53	25.80		114.26	266.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:50:25	44.80		203.45	25.89	114.35	33.30	0.01	203.44	25.89		114.35	266.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:50:27	44.83		203.46	25.87	114.33	33.30	0.01	203.46	25.87		114.33	266.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:50:29	44.87		203.47	25.87	114.33	33.30	0.01	203.46	25.87		114.33	266.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:50:31	44.90		203.68	25.65	114.11	33.30	0.01	203.68	25.66		114.12	266.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:50:33	44.93		203.62	25.72	114.18	33.30	0.01	203.61	25.72		114.18	266.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:50:35	44.97		203.64	25.69	114.15	33.30	0.01	203.64	25.69		114.15	266.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:50:37	45.00		203.72	25.62	114.08	33.30	0.01	203.71	25.62		114.08	266.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:50:39	45.03		203.37	25.96	114.42	33.30	0.01	203.37	25.97		114.43	266.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:50:41	45.07		203.51	25.82	114.28	33.30	0.01	203.51	25.83		114.29	266.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:50:43	45.10		203.54	25.79	114.25	33.30	0.01	203.54	25.80		114.26	266.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:50:45	45.13		203.38	25.96	114.42	33.30	0.01	203.37	25.96		114.42	266.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:50:47	45.17		203.42	25.92	114.38	33.30	0.01	203.41	25.92		114.38	266.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:50:49	45.20		203.39	25.94	114.40	33.30	0.01	203.39	25.94		114.40	266.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:50:51	45.23		203.30	26.03	114.49	33.30	0.01	203.30	26.04		114.50	266.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:50:53	45.27		203.37	25.97	114.43	33.30	0.01	203.36	25.97		114.43	266.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:50:55	45.30		203.35	25.98	114.44	33.30	0.01	203.35	25.99		114.45	266.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:50:57	45.33		203.40	25.94	114.40	33.30	0.01	203.39	25.94		114.40	266.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:50:59	45.37		203.20	26.14	114.60	33.30	0.01	203.19	26.14		114.60	266.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:51:01	45.40		203.23	26.11	114.57	33.30	0.01	203.22	26.11		114.57	266.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:51:03	45.43		203.33	26.00	114.46	33.30	0.01	203.33	26.01		114.47	266.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:51:05	45.47		203.41	25.93	114.39	33.30	0.01	203.40	25.93		114.39	266.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:51:07	45.50		203.29	26.05	114.51	33.30	0.01	203.28	26.05		114.51	266.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:51:09	45.53		203.26	26.07	114.53	33.30	0.01	203.26	26.08		114.54	266.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:51:11	45.57		203.50	25.84	114.30	33.30	0.01	203.49	25.84		114.30	266.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:51:13	45.60		203.45	25.89	114.35	33.30	0.01	203.44	25.89		114.35	266.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:51:15	45.63		203.56	25.78	114.24	33.30	0.01	203.55	25.78		114.24	266.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:51:17	45.67		203.71	25.62	114.08	33.30	0.01	203.71	25.62		114.08	266.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:51:19	45.70		203.59	25.75	114.21	33.30	0.01	203.58	25.75		114.21	266.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:51:21	45.73		203.50	25.83	114.29	33.30	0.01	203.50	25.84		114.30	266.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:51:23	45.77		203.38	25.95	114.41	33.30	0.01	203.38	25.95		114.41	266.59

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:51:25	45.80		203.56	25.78	114.24	33.30	0.01	203.55	25.78		114.24	266.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:51:27	45.83		203.49	25.84	114.30	33.30	0.01	203.49	25.85		114.31	266.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:51:29	45.87		203.44	25.90	114.36	33.30	0.01	203.43	25.90		114.36	266.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:51:31	45.90		203.52	25.82	114.28	33.30	0.01	203.51	25.82		114.28	266.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:51:33	45.93		203.36	25.98	114.44	33.30	0.01	203.35	25.98		114.44	266.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:51:35	45.97		203.47	25.86	114.32	33.30	0.01	203.47	25.87		114.33	266.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:51:37	46.00		203.34	26.00	114.46	33.30	0.01	203.33	26.00		114.46	266.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:51:39	46.03		203.39	25.94	114.40	33.30	0.01	203.39	25.94		114.40	266.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:51:41	46.07		203.35	25.99	114.45	33.30	0.01	203.34	25.99		114.45	266.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:51:43	46.10		203.17	26.17	114.63	33.30	0.01	203.16	26.17		114.63	266.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:51:45	46.13		203.10	26.23	114.69	33.30	0.01	203.10	26.24		114.70	266.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:51:47	46.17		203.56	25.77	114.23	33.30	0.01	203.56	25.78		114.24	266.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:51:49	46.20		203.30	26.04	114.50	33.30	0.01	203.29	26.04		114.50	266.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:51:51	46.23		203.49	25.84	114.30	33.30	0.01	203.49	25.85		114.31	266.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:51:53	46.27		203.51	25.83	114.29	33.30	0.01	203.50	25.83		114.29	266.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:51:55	46.30		203.53	25.81	114.27	33.30	0.01	203.52	25.81		114.27	266.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:51:57	46.33		203.41	25.93	114.39	33.30	0.01	203.40	25.93		114.39	266.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:51:59	46.37		203.48	25.86	114.32	33.30	0.01	203.47	25.86		114.32	266.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:52:01	46.40		203.66	25.68	114.14	33.30	0.01	203.65	25.68		114.14	266.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:52:03	46.43		203.57	25.76	114.22	33.30	0.01	203.57	25.77		114.23	266.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:52:05	46.47		203.69	25.65	114.11	33.30	0.01	203.68	25.65		114.11	266.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:52:07	46.50		203.63	25.71	114.17	33.30	0.01	203.62	25.71		114.17	266.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:52:09	46.53		203.63	25.71	114.17	33.30	0.01	203.62	25.71		114.17	266.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:52:11	46.57		203.43	25.90	114.36	33.30	0.01	203.43	25.91		114.37	266.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:52:13	46.60		203.35	25.98	114.44	33.30	0.01	203.35	25.99		114.45	266.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:52:15	46.63		203.54	25.80	114.26	33.30	0.01	203.53	25.80		114.26	266.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:52:17	46.67		203.24	26.10	114.56	33.30	0.01	203.23	26.10		114.56	266.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:52:19	46.70		203.34	26.00	114.46	33.30	0.01	203.33	26.00		114.46	266.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:52:21	46.73		203.22	26.12	114.58	33.30	0.01	203.21	26.12		114.58	266.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:52:23	46.77		203.33	26.01	114.47	33.30	0.01	203.32	26.01		114.47	266.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:52:25	46.80		203.31	26.02	114.48	33.30	0.01	203.31	26.02		114.48	266.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:52:27	46.83		203.22	26.12	114.58	33.30	0.01	203.21	26.12		114.58	266.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:52:29	46.87		203.37	25.97	114.43	33.30	0.01	203.36	25.97		114.43	266.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:52:31	46.90		203.19	26.15	114.61	33.30	0.01	203.18	26.15		114.61	266.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:52:33	46.93		203.40	25.94	114.40	33.30	0.01	203.39	25.94		114.40	266.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:52:35	46.97		203.43	25.90	114.36	33.30	0.01	203.43	25.91		114.37	266.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:52:37	47.00		203.28	26.05	114.51	33.30	0.01	203.28	26.06		114.52	266.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:52:39	47.03		203.37	25.97	114.43	33.30	0.01	203.36	25.97		114.43	266.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:52:41	47.07		203.39	25.94	114.40	33.30	0.01	203.39	25.95		114.41	266.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:52:43	47.10		203.60	25.73	114.19	33.30	0.01	203.60	25.74		114.20	266.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:52:45	47.13		203.47	25.87	114.33	33.30	0.01	203.46	25.87		114.33	266.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:52:47	47.17		203.36	25.98	114.44	33.30	0.01	203.35	25.98		114.44	266.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:52:49	47.20		203.42	25.91	114.37	33.30	0.01	203.42	25.92		114.38	266.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:52:51	47.23		203.31	26.03	114.49	33.30	0.01	203.30	26.03		114.49	266.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:52:53	47.27		203.55	25.79	114.25	33.30	0.01	203.54	25.79		114.25	266.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:52:55	47.30		203.31	26.03	114.49	33.30	0.01	203.30	26.03		114.49	266.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:52:57	47.33		203.40	25.94	114.40	33.30	0.01	203.39	25.94		114.40	266.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:52:59	47.37		203.45	25.88	114.34	33.30	0.01	203.45	25.88		114.34	266.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:53:01	47.40		203.44	25.90	114.36	33.30	0.01	203.43	25.90		114.36	266.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:53:03	47.43		203.42	25.91	114.37	33.30	0.01	203.42	25.92		114.38	266.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:53:05	47.47		203.32	26.01	114.47	33.30	0.01	203.32	26.02		114.48	266.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:53:07	47.50		203.15	26.19	114.65	33.30	0.01	203.14	26.19		114.65	266.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:53:09	47.53		203.32	26.01	114.47	33.30	0.01	203.32	26.02		114.48	266.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:53:11	47.57		203.20	26.14	114.60	33.30	0.01	203.19	26.14		114.60	266.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:53:13	47.60		203.26	26.08	114.54	33.30	0.01	203.25	26.08		114.54	266.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:53:15	47.63		203.31	26.03	114.49	33.30	0.01	203.30	26.03		114.49	266.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:53:17	47.67		203.24	26.09	114.55	33.30	0.01	203.24	26.09		114.55	266.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:53:19	47.70		203.28	26.05	114.51	33.30	0.01	203.28	26.06		114.52	266.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:53:21	47.73		203.23	26.11	114.57	33.30	0.01	203.22	26.11		114.57	266.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:53:23	47.77		203.21	26.12	114.58	33.30	0.01	203.21	26.13		114.59	266.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:53:25	47.80		203.53	25.80	114.26	33.30	0.01	203.53	25.81		114.27	266.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:53:27	47.83		203.35	25.98	114.44	33.30	0.01	203.35	25.99		114.45	266.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:53:29	47.87		203.43	25.90	114.36	33.30	0.01	203.43	25.91		114.37	266.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:53:31	47.90		203.46	25.87	114.33	33.30	0.01	203.46	25.88		114.34	266.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:53:33	47.93		203.52	25.82	114.28	33.30	0.01	203.51	25.82		114.28	266.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:53:35	47.97		203.44	25.90	114.36	33.30	0.01	203.43	25.90		114.36	266.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:53:37	48.00		203.41	25.93	114.39	33.30	0.01	203.40	25.93		114.39	266.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:53:39	48.03		203.56	25.77	114.23	33.30	0.01	203.56	25.78		114.24	266.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:53:41	48.07		203.56	25.78	114.24	33.30	0.01	203.55	25.78		114.24	266.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:53:43	48.10		203.35	25.99	114.45	33.30	0.01	203.34	25.99		114.45	266.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:53:45	48.13		203.45	25.89	114.35	33.30	0.01	203.44	25.89		114.35	266.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:53:47	48.17		203.38	25.96	114.42	33.30	0.01	203.37	25.96		114.42	266.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:53:49	48.20		203.46	25.87	114.33	33.30	0.01	203.46	25.88		114.34	266.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:53:51	48.23		203.18	26.15	114.61	33.30	0.01	203.18	26.16		114.62	266.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:53:53	48.27		203.17	26.17	114.63	33.30	0.01	203.16	26.17		114.63	266.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:53:55	48.30		203.21	26.12	114.58	33.30	0.01	203.21	26.13		114.59	266.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:53:57	48.33		203.04	26.29	114.75	33.30	0.01	203.04	26.30		114.76	266.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:53:59	48.37		202.95	26.39	114.85	33.30	0.01	202.94	26.39		114.85	266.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:54:01	48.40		203.24	26.09	114.55	33.30	0.01	203.24	26.09		114.55	266.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:54:03	48.43		203.12	26.22	114.68	33.30	0.01	203.11	26.22		114.68	266.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:54:05	48.47		203.31	26.03	114.49	33.30	0.01	203.30	26.03		114.49	266.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:54:07	48.50		203.19	26.15	114.61	33.30	0.01	203.18	26.15		114.61	266.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:54:09	48.53		203.29	26.05	114.51	33.30	0.01	203.28	26.05		114.51	266.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:54:11	48.57		203.38	25.96	114.42	33.30	0.01	203.37	25.96		114.42	266.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:54:13	48.60		203.31	26.02	114.48	33.30	0.01	203.31	26.02		114.48	266.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:54:15	48.63		203.35	25.98	114.44	33.30	0.01	203.35	25.99		114.45	266.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:54:17	48.67		203.63	25.71	114.17	33.30	0.01	203.62	25.71		114.17	266.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:54:19	48.70		203.37	25.97	114.43	33.30	0.01	203.36	25.97		114.43	266.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:54:21	48.73		203.52	25.82	114.28	33.30	0.01	203.51	25.82		114.28	266.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:54:23	48.77		203.26	26.08	114.54	33.30	0.01	203.25	26.08		114.54	266.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:54:25	48.80		203.54	25.80	114.26	33.30	0.01	203.53	25.80		114.26	266.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:54:27	48.83		203.40	25.94	114.40	33.30	0.01	203.39	25.94		114.40	266.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:54:29	48.87		203.31	26.03	114.49	33.30	0.01	203.30	26.03		114.49	266.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:54:31	48.90		203.22	26.12	114.58	33.30	0.01	203.21	26.12		114.58	266.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:54:33	48.93		203.53	25.80	114.26	33.30	0.01	203.53	25.81		114.27	266.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:54:35	48.97		203.24	26.10	114.56	33.30	0.01	203.23	26.10		114.56	266.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:54:37	49.00		203.21	26.12	114.58	33.30	0.01	203.21	26.13		114.59	266.41

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:54:39	49.03		203.23	26.11	114.57	33.30	0.01	203.22	26.11		114.57	266.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:54:41	49.07		203.21	26.13	114.59	33.30	0.01	203.20	26.13		114.59	266.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:54:43	49.10		203.02	26.32	114.78	33.30	0.01	203.01	26.32		114.78	266.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:54:45	49.13		203.50	25.83	114.29	33.30	0.01	203.50	25.84		114.30	266.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:54:47	49.17		203.20	26.14	114.60	33.30	0.01	203.19	26.14		114.60	266.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:54:49	49.20		203.24	26.10	114.56	33.30	0.01	203.23	26.10		114.56	266.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:54:51	49.23		203.16	26.18	114.64	33.30	0.01	203.15	26.18		114.64	266.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:54:53	49.27		203.43	25.91	114.37	33.30	0.01	203.42	25.91		114.37	266.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:54:55	49.30		203.16	26.18	114.64	33.30	0.01	203.15	26.18		114.64	266.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:54:57	49.33		203.35	25.99	114.45	33.30	0.01	203.34	25.99		114.45	266.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:54:59	49.37		203.31	26.03	114.49	33.30	0.01	203.30	26.03		114.49	266.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:55:01	49.40		203.52	25.82	114.28	33.31	0.01	203.51	25.82		114.28	266.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:55:03	49.43		203.42	25.92	114.38	33.31	0.01	203.41	25.92		114.38	266.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:55:05	49.47		203.46	25.87	114.33	33.31	0.01	203.46	25.88		114.34	266.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:55:07	49.50		203.56	25.77	114.23	33.31	0.01	203.56	25.78		114.24	266.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:55:09	49.53		203.30	26.04	114.50	33.31	0.01	203.29	26.04		114.50	266.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:55:11	49.57		203.30	26.04	114.50	33.31	0.01	203.29	26.04		114.50	266.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:55:13	49.60		203.44	25.90	114.36	33.31	0.01	203.43	25.90		114.36	266.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:55:15	49.63		203.35	25.98	114.44	33.31	0.01	203.35	25.99		114.45	266.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:55:17	49.67		203.09	26.25	114.71	33.31	0.01	203.08	26.25		114.71	266.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:55:19	49.70		203.34	26.00	114.46	33.31	0.01	203.33	26.00		114.46	266.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:55:21	49.73		203.23	26.11	114.57	33.31	0.01	203.22	26.11		114.57	266.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:55:23	49.77		203.21	26.12	114.58	33.31	0.01	203.21	26.13		114.59	266.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:55:25	49.80		203.05	26.29	114.75	33.31	0.01	203.04	26.29		114.75	266.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:55:27	49.83		203.10	26.24	114.70	33.31	0.01	203.09	26.24		114.70	266.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:55:29	49.87		203.35	25.99	114.45	33.31	0.01	203.34	25.99		114.45	266.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:55:31	49.90		203.18	26.15	114.61	33.31	0.01	203.18	26.16		114.62	266.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:55:33	49.93		203.05	26.29	114.75	33.31	0.01	203.04	26.29		114.75	266.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:55:35	49.97		203.17	26.16	114.62	33.31	0.01	203.17	26.17		114.63	266.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:55:37	50.00		203.20	26.14	114.60	33.31	0.01	203.19	26.14		114.60	266.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:55:39	50.03		203.31	26.02	114.48	33.31	0.01	203.31	26.02		114.48	266.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:55:41	50.07		203.32	26.01	114.47	33.31	0.01	203.32	26.02		114.48	266.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:55:43	50.10		203.37	25.97	114.43	33.31	0.01	203.36	25.97		114.43	266.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:55:45	50.13		203.56	25.78	114.24	33.31	0.01	203.55	25.78		114.24	266.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:55:47	50.17		203.40	25.94	114.40	33.31	0.01	203.39	25.94		114.40	266.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:55:49	50.20		203.52	25.81	114.27	33.31	0.01	203.52	25.81		114.27	266.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:55:51	50.23		203.34	26.00	114.46	33.31	0.01	203.33	26.00		114.46	266.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:55:53	50.27		203.49	25.84	114.30	33.31	0.01	203.49	25.85		114.31	266.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:55:55	50.30		203.38	25.95	114.41	33.31	0.01	203.38	25.95		114.41	266.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:55:57	50.33		203.44	25.90	114.36	33.31	0.01	203.43	25.90		114.36	266.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:55:59	50.37		203.43	25.90	114.36	33.31	0.01	203.43	25.91		114.37	266.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:56:01	50.40		203.22	26.12	114.58	33.31	0.01	203.21	26.12		114.58	266.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:56:03	50.43		203.10	26.24	114.70	33.31	0.01	203.09	26.24		114.70	266.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:56:05	50.47		203.28	26.06	114.52	33.31	0.01	203.27	26.06		114.52	266.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:56:07	50.50		203.27	26.07	114.53	33.31	0.01	203.26	26.07		114.53	266.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:56:09	50.53		203.34	25.99	114.45	33.31	0.01	203.34	26.00		114.46	266.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:56:11	50.57		203.06	26.28	114.74	33.31	0.01	203.05	26.28		114.74	266.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:56:13	50.60		203.25	26.09	114.55	33.31	0.01	203.24	26.09		114.55	266.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:56:15	50.63		203.05	26.29	114.75	33.31	0.01	203.04	26.29		114.75	266.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:56:17	50.67		203.23	26.11	114.57	33.31	0.01	203.22	26.11		114.57	266.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:56:19	50.70		203.06	26.28	114.74	33.31	0.01	203.05	26.28		114.74	266.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:56:21	50.73		203.07	26.26	114.72	33.31	0.01	203.07	26.27		114.73	266.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:56:23	50.77		203.08	26.26	114.72	33.31	0.01	203.07	26.26		114.72	266.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:56:25	50.80		203.16	26.17	114.63	33.31	0.01	203.16	26.18		114.64	266.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:56:27	50.83		203.24	26.09	114.55	33.31	0.01	203.24	26.09		114.55	266.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:56:29	50.87		203.35	25.98	114.44	33.31	0.01	203.35	25.99		114.45	266.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:56:31	50.90		203.35	25.99	114.45	33.31	0.01	203.34	25.99		114.45	266.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:56:33	50.93		203.28	26.06	114.52	33.31	0.01	203.27	26.06		114.52	266.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:56:35	50.97		203.48	25.86	114.32	33.31	0.01	203.47	25.86		114.32	266.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:56:37	51.00		203.30	26.04	114.50	33.31	0.01	203.29	26.04		114.50	266.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:56:39	51.03		203.45	25.89	114.35	33.31	0.01	203.44	25.89		114.35	266.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:56:41	51.07		203.38	25.95	114.41	33.31	0.01	203.38	25.96		114.42	266.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:56:43	51.10		203.12	26.21	114.67	33.31	0.01	203.12	26.21		114.67	266.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:56:45	51.13		203.31	26.02	114.48	33.31	0.01	203.31	26.02		114.48	266.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:56:47	51.17		203.35	25.98	114.44	33.31	0.01	203.35	25.99		114.45	266.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:56:49	51.20		203.22	26.12	114.58	33.31	0.01	203.21	26.12		114.58	266.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:56:51	51.23		203.14	26.20	114.66	33.31	0.01	203.13	26.20		114.66	266.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:56:53	51.27		203.10	26.23	114.69	33.31	0.01	203.10	26.24		114.70	266.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:56:55	51.30		203.10	26.24	114.70	33.31	0.01	203.09	26.24		114.70	266.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:56:57	51.33		203.13	26.20	114.66	33.31	0.01	203.13	26.21		114.67	266.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:56:59	51.37		203.05	26.29	114.75	33.31	0.01	203.04	26.29		114.75	266.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:57:01	51.40		203.12	26.21	114.67	33.31	0.01	203.12	26.21		114.67	266.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:57:03	51.43		202.89	26.45	114.91	33.31	0.01	202.88	26.45		114.91	266.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:57:05	51.47		203.02	26.31	114.77	33.31	0.01	203.02	26.32		114.78	266.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:57:07	51.50		203.10	26.23	114.69	33.31	0.01	203.10	26.24		114.70	266.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:57:09	51.53		203.16	26.18	114.64	33.31	0.01	203.15	26.18		114.64	266.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:57:11	51.57		203.13	26.20	114.66	33.31	0.01	203.13	26.20		114.66	266.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:57:13	51.60		203.19	26.15	114.61	33.31	0.01	203.18	26.15		114.61	266.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:57:15	51.63		203.11	26.22	114.68	33.31	0.01	203.11	26.23		114.69	266.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:57:17	51.67		203.36	25.98	114.44	33.31	0.01	203.35	25.98		114.44	266.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:57:19	51.70		203.25	26.09	114.55	33.31	0.01	203.24	26.09		114.55	266.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:57:21	51.73		203.44	25.90	114.36	33.31	0.01	203.43	25.90		114.36	266.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:57:23	51.77		203.33	26.01	114.47	33.31	0.01	203.32	26.01		114.47	266.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:57:25	51.80		203.14	26.19	114.65	33.31	0.01	203.14	26.20		114.66	266.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:57:27	51.83		203.17	26.16	114.62	33.31	0.01	203.17	26.17		114.63	266.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:57:29	51.87		203.04	26.29	114.75	33.31	0.01	203.04	26.30		114.76	266.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:57:31	51.90		203.14	26.19	114.65	33.31	0.01	203.14	26.20		114.66	266.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:57:33	51.93		203.21	26.13	114.59	33.31	0.01	203.20	26.13		114.59	266.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:57:35	51.97		203.18	26.15	114.61	33.31	0.01	203.18	26.16		114.62	266.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:57:37	52.00		203.02	26.32	114.78	33.31	0.01	203.01	26.32		114.78	266.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:57:39	52.03		203.17	26.16	114.62	33.31	0.01	203.17	26.17		114.63	266.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:57:41	52.07		203.24	26.10	114.56	33.31	0.01	203.23	26.10		114.56	266.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:57:43	52.10		203.24	26.10	114.56	33.31	0.01	203.23	26.10		114.56	266.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:57:45	52.13		203.09	26.25	114.71	33.31	0.01	203.08	26.25		114.71	266.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:57:47	52.17		203.20	26.14	114.60	33.31	0.01	203.19	26.14		114.60	266.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:57:49	52.20		202.99	26.34	114.80	33.31	0.01	202.99	26.34		114.80	266.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:57:51	52.23		203.10	26.24	114.70	33.31	0.01	203.09	26.24		114.70	266.30

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:57:53	52.27		203.22	26.12	114.58	33.31	0.01	203.21	26.12		114.58	266.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:57:55	52.30		203.03	26.31	114.77	33.31	0.01	203.02	26.31		114.77	266.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:57:57	52.33		203.04	26.29	114.75	33.31	0.01	203.04	26.30		114.76	266.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:57:59	52.37		203.17	26.17	114.63	33.31	0.01	203.16	26.17		114.63	266.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:58:01	52.40		203.42	25.92	114.38	33.31	0.01	203.41	25.92		114.38	266.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:58:03	52.43		203.27	26.07	114.53	33.31	0.01	203.26	26.07		114.53	266.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:58:05	52.47		203.30	26.04	114.50	33.31	0.01	203.29	26.04		114.50	266.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:58:07	52.50		203.51	25.83	114.29	33.31	0.01	203.50	25.83		114.29	266.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:58:09	52.53		203.26	26.08	114.54	33.31	0.01	203.25	26.08		114.54	266.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:58:11	52.57		203.22	26.12	114.58	33.31	0.01	203.21	26.12		114.58	266.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:58:13	52.60		203.21	26.12	114.58	33.31	0.01	203.21	26.13		114.59	266.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:58:15	52.63		203.03	26.31	114.77	33.31	0.01	203.02	26.31		114.77	266.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:58:17	52.67		203.10	26.23	114.69	33.31	0.01	203.10	26.24		114.70	266.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:58:19	52.70		203.00	26.33	114.79	33.31	0.01	203.00	26.34		114.80	266.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:58:21	52.73		203.19	26.15	114.61	33.31	0.01	203.18	26.15		114.61	266.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:58:23	52.77		203.03	26.30	114.76	33.31	0.01	203.03	26.31		114.77	266.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:58:25	52.80		202.90	26.43	114.89	33.31	0.01	202.90	26.44		114.90	266.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:58:27	52.83		202.92	26.41	114.87	33.31	0.01	202.92	26.41		114.87	266.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:58:29	52.87		203.28	26.05	114.51	33.31	0.01	203.28	26.06		114.52	266.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:58:31	52.90		203.15	26.19	114.65	33.31	0.01	203.14	26.19		114.65	266.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:58:33	52.93		203.06	26.28	114.74	33.31	0.01	203.05	26.28		114.74	266.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:58:35	52.97		203.10	26.24	114.70	33.31	0.01	203.09	26.24		114.70	266.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:58:37	53.00		203.04	26.29	114.75	33.31	0.01	203.04	26.30		114.76	266.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:58:39	53.03		202.95	26.39	114.85	33.31	0.01	202.94	26.39		114.85	266.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:58:41	53.07		203.28	26.05	114.51	33.31	0.01	203.28	26.06		114.52	266.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:58:43	53.10		203.25	26.08	114.54	33.31	0.01	203.25	26.09		114.55	266.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:58:45	53.13		203.40	25.94	114.40	33.31	0.01	203.39	25.94		114.40	266.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:58:47	53.17		203.19	26.15	114.61	33.31	0.01	203.18	26.15		114.61	266.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:58:49	53.20		203.38	25.95	114.41	33.31	0.01	203.38	25.95		114.41	266.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:58:51	53.23		203.30	26.03	114.49	33.31	0.01	203.30	26.04		114.50	266.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:58:53	53.27		203.20	26.13	114.59	33.31	0.01	203.20	26.14		114.60	266.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:58:55	53.30		203.22	26.12	114.58	33.31	0.01	203.21	26.12		114.58	266.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:58:57	53.33		203.47	25.87	114.33	33.31	0.01	203.46	25.87		114.33	266.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:58:59	53.37		203.18	26.16	114.62	33.31	0.01	203.17	26.16		114.62	266.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:59:01	53.40		203.23	26.11	114.57	33.31	0.01	203.22	26.11		114.57	266.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:59:03	53.43		203.16	26.18	114.64	33.31	0.01	203.15	26.18		114.64	266.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:59:05	53.47		203.14	26.19	114.65	33.31	0.01	203.14	26.20		114.66	266.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:59:07	53.50		202.95	26.38	114.84	33.31	0.01	202.95	26.39		114.85	266.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:59:09	53.53		203.07	26.27	114.73	33.31	0.01	203.06	26.27		114.73	266.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:59:11	53.57		202.92	26.41	114.87	33.31	0.01	202.92	26.42		114.88	266.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:59:13	53.60		202.97	26.37	114.83	33.31	0.01	202.96	26.37		114.83	266.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:59:15	53.63		203.05	26.29	114.75	33.31	0.01	203.04	26.29		114.75	266.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:59:17	53.67		203.22	26.12	114.58	33.31	0.01	203.21	26.12		114.58	266.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:59:19	53.70		203.27	26.06	114.52	33.31	0.01	203.27	26.07		114.53	266.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:59:21	53.73		203.13	26.20	114.66	33.31	0.01	203.13	26.21		114.67	266.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:59:23	53.77		202.85	26.48	114.94	33.31	0.01	202.85	26.49		114.95	266.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:59:25	53.80		203.29	26.05	114.51	33.31	0.01	203.28	26.05		114.51	266.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:59:27	53.83		203.01	26.33	114.79	33.31	0.01	203.00	26.33		114.79	266.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:59:29	53.87		203.11	26.23	114.69	33.31	0.01	203.10	26.23		114.69	266.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:59:31	53.90		203.30	26.03	114.49	33.31	0.01	203.30	26.04		114.50	266.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:59:33	53.93		203.24	26.09	114.55	33.31	0.01	203.24	26.10		114.56	266.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:59:35	53.97		203.19	26.15	114.61	33.31	0.01	203.18	26.15		114.61	266.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:59:37	54.00		203.12	26.22	114.68	33.31	0.01	203.11	26.22		114.68	266.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:59:39	54.03		203.42	25.92	114.38	33.31	0.01	203.41	25.92		114.38	266.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:59:41	54.07		203.16	26.18	114.64	33.31	0.01	203.15	26.18		114.64	266.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:59:43	54.10		203.07	26.27	114.73	33.31	0.01	203.06	26.27		114.73	266.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:59:45	54.13		203.18	26.16	114.62	33.31	0.01	203.17	26.16		114.62	266.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:59:47	54.17		202.99	26.34	114.80	33.31	0.01	202.99	26.35		114.81	266.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:59:49	54.20		202.85	26.48	114.94	33.31	0.01	202.85	26.49		114.95	266.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:59:51	54.23		203.01	26.33	114.79	33.31	0.01	203.00	26.33		114.79	266.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:59:53	54.27		203.06	26.27	114.73	33.31	0.01	203.06	26.28		114.74	266.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:59:55	54.30		203.02	26.32	114.78	33.31	0.01	203.01	26.32		114.78	266.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:59:57	54.33		202.97	26.37	114.83	33.31	0.01	202.96	26.37		114.83	266.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 16:59:59	54.37		202.82	26.52	114.98	33.31	0.01	202.81	26.52		114.98	266.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:00:01	54.40		203.03	26.31	114.77	33.31	0.01	203.02	26.31		114.77	266.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:00:03	54.43		203.10	26.23	114.69	33.31	0.01	203.10	26.24		114.70	266.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:00:05	54.47		203.05	26.29	114.75	33.31	0.01	203.04	26.29		114.75	266.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:00:07	54.50		202.98	26.36	114.82	33.31	0.01	202.97	26.36		114.82	266.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:00:09	54.53		203.13	26.20	114.66	33.31	0.01	203.13	26.21		114.67	266.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:00:11	54.57		203.21	26.13	114.59	33.31	0.01	203.20	26.13		114.59	266.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:00:13	54.60		203.30	26.03	114.49	33.31	0.01	203.30	26.04		114.50	266.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:00:15	54.63		203.28	26.06	114.52	33.31	0.01	203.27	26.06		114.52	266.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:00:17	54.67		203.21	26.13	114.59	33.31	0.01	203.20	26.13		114.59	266.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:00:19	54.70		203.05	26.29	114.75	33.31	0.01	203.04	26.29		114.75	266.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:00:21	54.73		203.20	26.13	114.59	33.31	0.01	203.20	26.14		114.60	266.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:00:23	54.77		203.30	26.03	114.49	33.31	0.01	203.30	26.04		114.50	266.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:00:25	54.80		203.00	26.34	114.80	33.31	0.01	202.99	26.34		114.80	266.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:00:27	54.83		203.23	26.11	114.57	33.31	0.01	203.22	26.11		114.57	266.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:00:29	54.87		203.25	26.09	114.55	33.31	0.01	203.24	26.09		114.55	266.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:00:31	54.90		203.09	26.25	114.71	33.31	0.01	203.08	26.25		114.71	266.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:00:33	54.93		203.30	26.04	114.50	33.31	0.01	203.29	26.04		114.50	266.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:00:35	54.97		203.09	26.24	114.70	33.31	0.01	203.09	26.25		114.71	266.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:00:37	55.00		202.99	26.34	114.80	33.31	0.01	202.99	26.35		114.81	266.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:00:39	55.03		202.93	26.41	114.87	33.31	0.01	202.92	26.41		114.87	266.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:00:41	55.07		202.96	26.38	114.84	33.31	0.01	202.95	26.38		114.84	266.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:00:43	55.10		202.95	26.38	114.84	33.31	0.01	202.95	26.39		114.85	266.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:00:45	55.13		202.81	26.52	114.98	33.31	0.01	202.81	26.53		114.99	266.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:00:47	55.17		203.01	26.33	114.79	33.31	0.01	203.00	26.33		114.79	266.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:00:49	55.20		203.05	26.28	114.74	33.31	0.01	203.05	26.28		114.74	266.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:00:51	55.23		202.95	26.39	114.85	33.31	0.01	202.94	26.39		114.85	266.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:00:53	55.27		203.21	26.13	114.59	33.31	0.01	203.20	26.13		114.59	266.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:00:55	55.30		203.25	26.09	114.55	33.31	0.01	203.24	26.09		114.55	266.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:00:57	55.33		203.27	26.06	114.52	33.31	0.01	203.27	26.07		114.53	266.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:00:59	55.37		202.95	26.38	114.84	33.31	0.01	202.95	26.39		114.85	266.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:01:01	55.40		203.19	26.15	114.61	33.31	0.01	203.18	26.15		114.61	266.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:01:03	55.43		203.12	26.22	114.68	33.31	0.01	203.11	26.22		114.68	266.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:01:05	55.47		203.04	26.30	114.76	33.31	0.01	203.03	26.30		114.76	266.24

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:01:07	55.50		203.19	26.14	114.60	33.31	0.01	203.19	26.14		114.60	266.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:01:09	55.53		203.33	26.00	114.46	33.31	0.01	203.33	26.00		114.46	266.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:01:11	55.57		203.02	26.32	114.78	33.31	0.01	203.01	26.32		114.78	266.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:01:13	55.60		203.25	26.09	114.55	33.31	0.01	203.24	26.09		114.55	266.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:01:15	55.63		203.10	26.23	114.69	33.31	0.01	203.10	26.24		114.70	266.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:01:17	55.67		202.91	26.42	114.88	33.31	0.01	202.91	26.42		114.88	266.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:01:19	55.70		202.95	26.38	114.84	33.31	0.01	202.95	26.39		114.85	266.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:01:21	55.73		203.00	26.34	114.80	33.31	0.01	202.99	26.34		114.80	266.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:01:23	55.77		202.95	26.39	114.85	33.31	0.01	202.94	26.39		114.85	266.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:01:25	55.80		202.95	26.38	114.84	33.31	0.01	202.95	26.39		114.85	266.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:01:27	55.83		202.88	26.45	114.91	33.31	0.01	202.88	26.46		114.92	266.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:01:29	55.87		202.95	26.39	114.85	33.31	0.01	202.94	26.39		114.85	266.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:01:31	55.90		202.90	26.44	114.90	33.31	0.01	202.89	26.44		114.90	266.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:01:33	55.93		202.75	26.59	115.05	33.31	0.01	202.74	26.59		115.05	265.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:01:35	55.97		202.80	26.54	115.00	33.31	0.01	202.79	26.54		115.00	266.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:01:37	56.00		203.05	26.28	114.74	33.31	0.01	203.05	26.28		114.74	266.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:01:39	56.03		202.84	26.50	114.96	33.31	0.01	202.83	26.50		114.96	266.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:01:41	56.07		203.05	26.29	114.75	33.31	0.01	203.04	26.29		114.75	266.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:01:43	56.10		203.23	26.11	114.57	33.31	0.01	203.22	26.11		114.57	266.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:01:45	56.13		203.12	26.21	114.67	33.31	0.01	203.12	26.21		114.67	266.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:01:47	56.17		203.03	26.31	114.77	33.31	0.01	203.02	26.31		114.77	266.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:01:49	56.20		203.35	25.99	114.45	33.31	0.01	203.34	25.99		114.45	266.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:01:51	56.23		203.30	26.03	114.49	33.31	0.01	203.30	26.04		114.50	266.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:01:53	56.27		203.03	26.31	114.77	33.31	0.01	203.02	26.31		114.77	266.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:01:55	56.30		203.43	25.91	114.37	33.31	0.01	203.42	25.91		114.37	266.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:01:57	56.33		203.05	26.29	114.75	33.31	0.01	203.04	26.29		114.75	266.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:01:59	56.37		202.93	26.41	114.87	33.31	0.01	202.92	26.41		114.87	266.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:02:01	56.40		202.94	26.40	114.86	33.31	0.01	202.93	26.40		114.86	266.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:02:03	56.43		202.83	26.51	114.97	33.31	0.01	202.82	26.51		114.97	266.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:02:05	56.47		202.85	26.48	114.94	33.31	0.01	202.85	26.49		114.95	266.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:02:07	56.50		202.99	26.34	114.80	33.31	0.01	202.99	26.35		114.81	266.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:02:09	56.53		203.12	26.22	114.68	33.31	0.01	203.11	26.22		114.68	266.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:02:11	56.57		203.00	26.34	114.80	33.31	0.01	202.99	26.34		114.80	266.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:02:13	56.60		202.92	26.41	114.87	33.31	0.01	202.92	26.42		114.88	266.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:02:15	56.63		202.84	26.49	114.95	33.31	0.01	202.84	26.50		114.96	266.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:02:17	56.67		202.96	26.38	114.84	33.31	0.01	202.95	26.38		114.84	266.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:02:19	56.70		202.90	26.43	114.89	33.31	0.01	202.90	26.44		114.90	266.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:02:21	56.73		202.87	26.47	114.93	33.31	0.01	202.86	26.47		114.93	266.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:02:23	56.77		202.94	26.40	114.86	33.31	0.01	202.93	26.40		114.86	266.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:02:25	56.80		203.26	26.08	114.54	33.31	0.01	203.25	26.08		114.54	266.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:02:27	56.83		203.00	26.34	114.80	33.31	0.01	202.99	26.34		114.80	266.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:02:29	56.87		203.05	26.29	114.75	33.31	0.01	203.04	26.29		114.75	266.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:02:31	56.90		203.10	26.23	114.69	33.31	0.01	203.10	26.24		114.70	266.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:02:33	56.93		203.22	26.12	114.58	33.31	0.01	203.21	26.12		114.58	266.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:02:35	56.97		203.20	26.13	114.59	33.31	0.01	203.20	26.14		114.60	266.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:02:37	57.00		203.09	26.24	114.70	33.31	0.01	203.09	26.25		114.71	266.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:02:39	57.03		202.98	26.35	114.81	33.31	0.01	202.98	26.35		114.81	266.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:02:41	57.07		203.05	26.29	114.75	33.31	0.01	203.04	26.29		114.75	266.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:02:43	57.10		203.20	26.13	114.59	33.31	0.01	203.20	26.14		114.60	266.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:02:45	57.13		203.00	26.34	114.80	33.31	0.01	202.99	26.34		114.80	266.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:02:47	57.17		203.05	26.29	114.75	33.31	0.01	203.04	26.29		114.75	266.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:02:49	57.20		202.89	26.45	114.91	33.31	0.01	202.88	26.45		114.91	266.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:02:51	57.23		202.86	26.48	114.94	33.31	0.01	202.85	26.48		114.94	266.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:02:53	57.27		203.02	26.31	114.77	33.31	0.01	203.02	26.32		114.78	266.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:02:55	57.30		202.80	26.54	115.00	33.31	0.01	202.79	26.54		115.00	266.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:02:57	57.33		202.77	26.57	115.03	33.31	0.01	202.76	26.57		115.03	265.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:02:59	57.37		202.82	26.52	114.98	33.31	0.01	202.81	26.52		114.98	266.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:03:01	57.40		202.94	26.40	114.86	33.31	0.01	202.93	26.40		114.86	266.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:03:03	57.43		202.94	26.40	114.86	33.31	0.01	202.93	26.40		114.86	266.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:03:05	57.47		203.08	26.26	114.72	33.31	0.01	203.07	26.26		114.72	266.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:03:07	57.50		203.08	26.26	114.72	33.31	0.01	203.07	26.26		114.72	266.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:03:09	57.53		202.95	26.39	114.85	33.31	0.01	202.94	26.39		114.85	266.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:03:11	57.57		203.05	26.28	114.74	33.31	0.01	203.05	26.28		114.74	266.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:03:13	57.60		203.05	26.28	114.74	33.31	0.01	203.05	26.28		114.74	266.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:03:15	57.63		203.05	26.28	114.74	33.31	0.01	203.05	26.29		114.75	266.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:03:17	57.67		202.97	26.37	114.83	33.31	0.01	202.96	26.37		114.83	266.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:03:19	57.70		203.02	26.31	114.77	33.31	0.01	203.02	26.32		114.78	266.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:03:21	57.73		203.25	26.09	114.55	33.31	0.01	203.24	26.09		114.55	266.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:03:23	57.77		202.99	26.35	114.81	33.31	0.01	202.98	26.35		114.81	266.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:03:25	57.80		203.02	26.31	114.77	33.31	0.01	203.02	26.32		114.78	266.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:03:27	57.83		202.88	26.46	114.92	33.31	0.01	202.87	26.46		114.92	266.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:03:29	57.87		203.04	26.30	114.76	33.31	0.01	203.03	26.30		114.76	266.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:03:31	57.90		202.99	26.34	114.80	33.31	0.01	202.99	26.35		114.81	266.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:03:33	57.93		202.80	26.54	115.00	33.31	0.01	202.79	26.54		115.00	266.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:03:35	57.97		202.90	26.43	114.89	33.31	0.01	202.90	26.44		114.90	266.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:03:37	58.00		202.63	26.71	115.17	33.31	0.01	202.62	26.71		115.17	265.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:03:39	58.03		202.66	26.67	115.13	33.31	0.01	202.66	26.67		115.13	265.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:03:41	58.07		202.91	26.42	114.88	33.31	0.01	202.91	26.42		114.88	266.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:03:43	58.10		202.79	26.55	115.01	33.31	0.01	202.78	26.55		115.01	265.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:03:45	58.13		202.59	26.74	115.20	33.31	0.01	202.59	26.75		115.21	265.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:03:47	58.17		202.95	26.39	114.85	33.31	0.01	202.94	26.39		114.85	266.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:03:49	58.20		202.94	26.40	114.86	33.31	0.01	202.93	26.40		114.86	266.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:03:51	58.23		202.86	26.48	114.94	33.31	0.01	202.85	26.48		114.94	266.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:03:53	58.27		203.03	26.31	114.77	33.31	0.01	203.02	26.31		114.77	266.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:03:55	58.30		203.05	26.28	114.74	33.31	0.01	203.05	26.28		114.74	266.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:03:57	58.33		202.98	26.36	114.82	33.31	0.01	202.97	26.36		114.82	266.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:03:59	58.37		202.97	26.37	114.83	33.31	0.01	202.96	26.37		114.83	266.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:04:01	58.40		203.09	26.25	114.71	33.31	0.01	203.08	26.25		114.71	266.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:04:03	58.43		203.02	26.32	114.78	33.31	0.01	203.01	26.32		114.78	266.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:04:05	58.47		202.98	26.35	114.81	33.31	0.01	202.98	26.36		114.82	266.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:04:07	58.50		203.13	26.21	114.67	33.31	0.01	203.12	26.21		114.67	266.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:04:09	58.53		203.05	26.28	114.74	33.31	0.01	203.05	26.28		114.74	266.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:04:11	58.57		203.06	26.28	114.74	33.31	0.01	203.05	26.28		114.74	266.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:04:13	58.60		203.13	26.20	114.66	33.31	0.01	203.13	26.21		114.67	266.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:04:15	58.63		203.03	26.31	114.77	33.31	0.01	203.02	26.31		114.77	266.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:04:17	58.67		202.98	26.35	114.81	33.31	0.01	202.98	26.35		114.81	266.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:04:19	58.70		203.16	26.18	114.64	33.31	0.01	203.15	26.18		114.64	266.36

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:04:21	58.73		202.91	26.42	114.88	33.31	0.01	202.91	26.42		114.88	266.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:04:23	58.77		202.96	26.38	114.84	33.31	0.01	202.95	26.38		114.84	266.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:04:25	58.80		202.99	26.35	114.81	33.31	0.01	202.98	26.35		114.81	266.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:04:27	58.83		202.81	26.53	114.99	33.31	0.01	202.80	26.53		114.99	266.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:04:29	58.87		202.89	26.45	114.91	33.31	0.01	202.88	26.45		114.91	266.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:04:31	58.90		202.89	26.45	114.91	33.31	0.01	202.88	26.45		114.91	266.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:04:33	58.93		202.90	26.44	114.90	33.31	0.01	202.89	26.44		114.90	266.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:04:35	58.97		202.86	26.48	114.94	33.31	0.01	202.85	26.48		114.94	266.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:04:37	59.00		202.91	26.42	114.88	33.31	0.01	202.91	26.42		114.88	266.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:04:39	59.03		202.95	26.39	114.85	33.31	0.01	202.94	26.39		114.85	266.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:04:41	59.07		203.11	26.23	114.69	33.31	0.01	203.10	26.23		114.69	266.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:04:43	59.10		202.93	26.41	114.87	33.31	0.01	202.92	26.41		114.87	266.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:04:45	59.13		203.03	26.31	114.77	33.31	0.01	203.02	26.31		114.77	266.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:04:47	59.17		203.12	26.21	114.67	33.31	0.01	203.12	26.22		114.68	266.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:04:49	59.20		203.24	26.10	114.56	33.31	0.01	203.23	26.10		114.56	266.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:04:51	59.23		203.04	26.30	114.76	33.31	0.01	203.03	26.30		114.76	266.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:04:53	59.27		203.08	26.25	114.71	33.31	0.01	203.08	26.26		114.72	266.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:04:55	59.30		203.19	26.14	114.60	33.31	0.01	203.19	26.15		114.61	266.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:04:57	59.33		203.13	26.21	114.67	33.31	0.01	203.12	26.21		114.67	266.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:04:59	59.37		202.95	26.39	114.85	33.31	0.01	202.94	26.39		114.85	266.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:05:01	59.40		202.95	26.38	114.84	33.31	0.01	202.95	26.39		114.85	266.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:05:03	59.43		202.80	26.53	114.99	33.31	0.01	202.80	26.54		115.00	266.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:05:05	59.47		202.91	26.42	114.88	33.31	0.01	202.90	26.43		114.89	266.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:05:07	59.50		202.72	26.62	115.08	33.31	0.01	202.71	26.62		115.08	265.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:05:09	59.53		202.80	26.53	114.99	33.31	0.01	202.80	26.54		115.00	266.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:05:11	59.57		202.93	26.41	114.87	33.31	0.01	202.92	26.41		114.87	266.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:05:13	59.60		202.70	26.64	115.10	33.31	0.01	202.69	26.64		115.10	265.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:05:15	59.63		202.72	26.62	115.08	33.31	0.01	202.71	26.62		115.08	265.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:05:17	59.67		202.92	26.41	114.87	33.31	0.01	202.91	26.42		114.88	266.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:05:19	59.70		202.81	26.52	114.98	33.31	0.01	202.81	26.53		114.99	266.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:05:21	59.73		202.83	26.51	114.97	33.31	0.01	202.82	26.51		114.97	266.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:05:23	59.77		203.03	26.31	114.77	33.31	0.01	203.02	26.31		114.77	266.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:05:25	59.80		203.05	26.28	114.74	33.31	0.01	203.04	26.29		114.75	266.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:05:27	59.83		203.09	26.25	114.71	33.31	0.01	203.08	26.25		114.71	266.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:05:29	59.87		202.92	26.42	114.88	33.31	0.01	202.91	26.42		114.88	266.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:05:31	59.90		203.08	26.25	114.71	33.31	0.01	203.08	26.26		114.72	266.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:05:33	59.93		203.11	26.22	114.68	33.31	0.01	203.11	26.23		114.69	266.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:05:35	59.97		202.98	26.35	114.81	33.31	0.01	202.97	26.36		114.82	266.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:05:37	60.00		203.26	26.07	114.53	33.31	0.01	203.26	26.08		114.54	266.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:05:39	60.03		203.02	26.32	114.78	33.31	0.01	203.01	26.32		114.78	266.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:05:41	60.07		203.00	26.34	114.80	33.31	0.01	202.99	26.34		114.80	266.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:05:43	60.10		202.87	26.46	114.92	33.31	0.01	202.87	26.47		114.93	266.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:05:45	60.13		202.85	26.49	114.95	33.31	0.01	202.84	26.49		114.95	266.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:05:47	60.17		202.88	26.46	114.92	33.31	0.01	202.87	26.46		114.92	266.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:05:49	60.20		202.81	26.53	114.99	33.31	0.01	202.80	26.53		114.99	266.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:05:51	60.23		202.90	26.44	114.90	33.31	0.01	202.89	26.44		114.90	266.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:05:53	60.27		202.86	26.48	114.94	33.31	0.01	202.85	26.48		114.94	266.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:05:55	60.30		202.84	26.49	114.95	33.31	0.01	202.83	26.50		114.96	266.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:05:57	60.33		203.01	26.32	114.78	33.31	0.01	203.01	26.33		114.79	266.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:05:59	60.37		202.67	26.67	115.13	33.31	0.01	202.66	26.67		115.13	265.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:06:01	60.40		202.71	26.63	115.09	33.31	0.01	202.70	26.63		115.09	265.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:06:03	60.43		202.79	26.54	115.00	33.31	0.01	202.79	26.55		115.01	265.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:06:05	60.47		202.81	26.53	114.99	33.31	0.01	202.80	26.53		114.99	266.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:06:07	60.50		202.97	26.37	114.83	33.31	0.01	202.96	26.37		114.83	266.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:06:09	60.53		202.93	26.40	114.86	33.31	0.01	202.93	26.41		114.87	266.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:06:11	60.57		202.87	26.46	114.92	33.31	0.01	202.87	26.47		114.93	266.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:06:13	60.60		202.91	26.42	114.88	33.31	0.01	202.90	26.43		114.89	266.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:06:15	60.63		203.13	26.21	114.67	33.31	0.01	203.12	26.21		114.67	266.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:06:17	60.67		202.99	26.34	114.80	33.31	0.01	202.98	26.35		114.81	266.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:06:19	60.70		202.85	26.49	114.95	33.31	0.01	202.84	26.49		114.95	266.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:06:21	60.73		203.03	26.31	114.77	33.31	0.01	203.02	26.31		114.77	266.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:06:23	60.77		202.98	26.35	114.81	33.31	0.01	202.97	26.36		114.82	266.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:06:25	60.80		202.99	26.35	114.81	33.31	0.01	202.98	26.35		114.81	266.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:06:27	60.83		202.83	26.50	114.96	33.31	0.01	202.83	26.51		114.97	266.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:06:29	60.87		202.99	26.35	114.81	33.31	0.01	202.98	26.35		114.81	266.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:06:31	60.90		202.88	26.46	114.92	33.31	0.01	202.87	26.46		114.92	266.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:06:33	60.93		202.84	26.50	114.96	33.31	0.01	202.83	26.50		114.96	266.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:06:35	60.97		202.92	26.42	114.88	33.31	0.01	202.91	26.42		114.88	266.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:06:37	61.00		202.83	26.50	114.96	33.31	0.01	202.83	26.51		114.97	266.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:06:39	61.03		202.51	26.82	115.28	33.31	0.01	202.51	26.83		115.29	265.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:06:41	61.07		202.77	26.56	115.02	33.31	0.01	202.76	26.57		115.03	265.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:06:43	61.10		202.66	26.67	115.13	33.31	0.01	202.65	26.68		115.14	265.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:06:45	61.13		202.63	26.71	115.17	33.31	0.01	202.62	26.71		115.17	265.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:06:47	61.17		202.71	26.63	115.09	33.31	0.01	202.70	26.63		115.09	265.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:06:49	61.20		202.85	26.49	114.95	33.31	0.01	202.84	26.49		114.95	266.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:06:51	61.23		202.70	26.64	115.10	33.31	0.01	202.69	26.64		115.10	265.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:06:53	61.27		202.89	26.45	114.91	33.31	0.01	202.88	26.45		114.91	266.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:06:55	61.30		202.75	26.59	115.05	33.31	0.01	202.74	26.59		115.05	265.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:06:57	61.33		202.99	26.35	114.81	33.31	0.01	202.98	26.35		114.81	266.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:06:59	61.37		202.89	26.45	114.91	33.31	0.01	202.88	26.45		114.91	266.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:07:01	61.40		202.97	26.37	114.83	33.31	0.01	202.96	26.37		114.83	266.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:07:03	61.43		203.07	26.27	114.73	33.31	0.01	203.06	26.27		114.73	266.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:07:05	61.47		202.92	26.42	114.88	33.31	0.01	202.91	26.42		114.88	266.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:07:07	61.50		202.74	26.60	115.06	33.31	0.01	202.73	26.60		115.06	265.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:07:09	61.53		202.89	26.45	114.91	33.31	0.01	202.88	26.45		114.91	266.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:07:11	61.57		202.94	26.39	114.85	33.31	0.01	202.94	26.40		114.86	266.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:07:13	61.60		202.72	26.62	115.08	33.31	0.01	202.71	26.62		115.08	265.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:07:15	61.63		203.04	26.29	114.75	33.31	0.01	203.04	26.30		114.76	266.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:07:17	61.67		202.97	26.36	114.82	33.31	0.01	202.97	26.37		114.83	266.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:07:19	61.70		202.81	26.53	114.99	33.31	0.01	202.80	26.53		114.99	266.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:07:21	61.73		202.82	26.52	114.98	33.31	0.01	202.81	26.52		114.98	266.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:07:23	61.77		202.75	26.59	115.05	33.31	0.01	202.74	26.59		115.05	265.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:07:25	61.80		202.72	26.62	115.08	33.31	0.01	202.71	26.62		115.08	265.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:07:27	61.83		202.51	26.83	115.29	33.31	0.01	202.50	26.83		115.29	265.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:07:29	61.87		202.72	26.61	115.07	33.31	0.01	202.72	26.62		115.08	265.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:07:31	61.90		202.66	26.67	115.13	33.31	0.01	202.65	26.68		115.14	265.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:07:33	61.93		202.69	26.65	115.11	33.31	0.01	202.68	26.65		115.11	265.89

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:07:35	61.97		202.56	26.78	115.24	33.31	0.01	202.55	26.78		115.24	265.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:07:37	62.00		203.09	26.25	114.71	33.31	0.01	203.08	26.25		114.71	266.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:07:39	62.03		202.72	26.61	115.07	33.31	0.01	202.72	26.62		115.08	265.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:07:41	62.07		202.60	26.74	115.20	33.31	0.01	202.59	26.74		115.20	265.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:07:43	62.10		202.93	26.40	114.86	33.31	0.01	202.93	26.41		114.87	266.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:07:45	62.13		202.90	26.43	114.89	33.31	0.01	202.90	26.44		114.90	266.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:07:47	62.17		202.79	26.54	115.00	33.31	0.01	202.79	26.55		115.01	265.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:07:49	62.20		202.75	26.59	115.05	33.31	0.01	202.74	26.59		115.05	265.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:07:51	62.23		203.10	26.24	114.70	33.31	0.01	203.09	26.24		114.70	266.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:07:53	62.27		202.93	26.40	114.86	33.31	0.01	202.93	26.41		114.87	266.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:07:55	62.30		202.89	26.45	114.91	33.31	0.01	202.88	26.45		114.91	266.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:07:57	62.33		202.92	26.42	114.88	33.31	0.01	202.91	26.42		114.88	266.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:07:59	62.37		202.83	26.50	114.96	33.31	0.01	202.83	26.51		114.97	266.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:08:01	62.40		202.90	26.44	114.90	33.31	0.01	202.89	26.44		114.90	266.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:08:03	62.43		202.83	26.51	114.97	33.31	0.01	202.82	26.51		114.97	266.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:08:05	62.47		202.77	26.56	115.02	33.31	0.01	202.76	26.57		115.03	265.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:08:07	62.50		202.90	26.44	114.90	33.31	0.01	202.89	26.44		114.90	266.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:08:09	62.53		202.71	26.63	115.09	33.31	0.01	202.70	26.63		115.09	265.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:08:11	62.57		202.48	26.85	115.31	33.31	0.01	202.48	26.86		115.32	265.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:08:13	62.60		202.72	26.61	115.07	33.31	0.01	202.72	26.62		115.08	265.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:08:15	62.63		202.67	26.67	115.13	33.31	0.01	202.66	26.67		115.13	265.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:08:17	62.67		202.72	26.62	115.08	33.31	0.01	202.71	26.62		115.08	265.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:08:19	62.70		202.80	26.53	114.99	33.31	0.01	202.80	26.54		115.00	266.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:08:21	62.73		202.60	26.74	115.20	33.31	0.01	202.59	26.74		115.20	265.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:08:23	62.77		202.90	26.43	114.89	33.31	0.01	202.90	26.44		114.90	266.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:08:25	62.80		202.86	26.47	114.93	33.31	0.01	202.86	26.48		114.94	266.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:08:27	62.83		202.80	26.53	114.99	33.31	0.01	202.80	26.54		115.00	266.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:08:29	62.87		203.00	26.34	114.80	33.31	0.01	202.99	26.34		114.80	266.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:08:31	62.90		202.79	26.55	115.01	33.31	0.01	202.78	26.55		115.01	265.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:08:33	62.93		202.97	26.37	114.83	33.31	0.01	202.96	26.37		114.83	266.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:08:35	62.97		202.82	26.52	114.98	33.31	0.01	202.81	26.52		114.98	266.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:08:37	63.00		203.07	26.26	114.72	33.31	0.01	203.07	26.27		114.73	266.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:08:39	63.03		203.22	26.12	114.58	33.31	0.01	203.21	26.12		114.58	266.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:08:41	63.07		202.90	26.44	114.90	33.31	0.01	202.89	26.44		114.90	266.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:08:43	63.10		202.76	26.58	115.04	33.31	0.01	202.75	26.58		115.04	265.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:08:45	63.13		202.84	26.49	114.95	33.31	0.01	202.83	26.50		114.96	266.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:08:47	63.17		202.86	26.48	114.94	33.31	0.01	202.85	26.48		114.94	266.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:08:49	63.20		202.71	26.63	115.09	33.31	0.01	202.70	26.63		115.09	265.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:08:51	63.23		202.88	26.46	114.92	33.31	0.01	202.87	26.46		114.92	266.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:08:53	63.27		202.75	26.59	115.05	33.31	0.01	202.74	26.59		115.05	265.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:08:55	63.30		202.80	26.53	114.99	33.31	0.01	202.80	26.54		115.00	266.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:08:57	63.33		202.51	26.83	115.29	33.31	0.01	202.50	26.83		115.29	265.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:08:59	63.37		202.60	26.74	115.20	33.31	0.01	202.59	26.74		115.20	265.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:09:01	63.40		202.85	26.49	114.95	33.31	0.01	202.84	26.49		114.95	266.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:09:03	63.43		202.57	26.77	115.23	33.31	0.01	202.56	26.77		115.23	265.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:09:05	63.47		202.62	26.72	115.18	33.31	0.01	202.61	26.72		115.18	265.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:09:07	63.50		202.62	26.71	115.17	33.31	0.01	202.62	26.72		115.18	265.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:09:09	63.53		202.84	26.49	114.95	33.31	0.01	202.83	26.50		114.96	266.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:09:11	63.57		202.76	26.57	115.03	33.31	0.01	202.76	26.58		115.04	265.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:09:13	63.60		202.89	26.45	114.91	33.31	0.01	202.88	26.45		114.91	266.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:09:15	63.63		203.00	26.33	114.79	33.31	0.01	203.00	26.34		114.80	266.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:09:17	63.67		202.93	26.40	114.86	33.31	0.01	202.93	26.41		114.87	266.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:09:19	63.70		202.93	26.41	114.87	33.31	0.01	202.92	26.41		114.87	266.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:09:21	63.73		202.97	26.37	114.83	33.31	0.01	202.96	26.37		114.83	266.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:09:23	63.77		202.92	26.42	114.88	33.31	0.01	202.91	26.42		114.88	266.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:09:25	63.80		202.88	26.46	114.92	33.31	0.01	202.87	26.46		114.92	266.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:09:27	63.83		202.93	26.40	114.86	33.31	0.01	202.93	26.41		114.87	266.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:09:29	63.87		202.96	26.38	114.84	33.31	0.01	202.95	26.38		114.84	266.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:09:31	63.90		202.72	26.62	115.08	33.31	0.01	202.71	26.62		115.08	265.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:09:33	63.93		202.78	26.56	115.02	33.31	0.01	202.77	26.56		115.02	265.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:09:35	63.97		202.72	26.61	115.07	33.31	0.01	202.72	26.62		115.08	265.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:09:37	64.00		202.77	26.56	115.02	33.31	0.01	202.76	26.57		115.03	265.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:09:39	64.03		202.62	26.72	115.18	33.31	0.01	202.61	26.72		115.18	265.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:09:41	64.07		202.72	26.61	115.07	33.31	0.01	202.72	26.62		115.08	265.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:09:43	64.10		202.69	26.64	115.10	33.31	0.01	202.69	26.65		115.11	265.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:09:45	64.13		202.73	26.60	115.06	33.31	0.01	202.73	26.61		115.07	265.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:09:47	64.17		202.62	26.72	115.18	33.31	0.01	202.61	26.72		115.18	265.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:09:49	64.20		202.81	26.53	114.99	33.31	0.01	202.80	26.53		114.99	266.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:09:51	64.23		202.56	26.78	115.24	33.31	0.01	202.55	26.78		115.24	265.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:09:53	64.27		202.62	26.72	115.18	33.31	0.01	202.61	26.72		115.18	265.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:09:55	64.30		202.90	26.44	114.90	33.31	0.01	202.89	26.44		114.90	266.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:09:57	64.33		202.55	26.79	115.25	33.31	0.01	202.54	26.79		115.25	265.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:09:59	64.37		202.83	26.50	114.96	33.31	0.01	202.83	26.51		114.97	266.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:10:01	64.40		202.92	26.42	114.88	33.31	0.01	202.91	26.42		114.88	266.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:10:03	64.43		202.92	26.42	114.88	33.31	0.01	202.91	26.42		114.88	266.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:10:05	64.47		202.72	26.61	115.07	33.31	0.01	202.72	26.62		115.08	265.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:10:07	64.50		202.89	26.45	114.91	33.31	0.01	202.88	26.45		114.91	266.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:10:09	64.53		202.93	26.40	114.86	33.31	0.01	202.93	26.41		114.87	266.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:10:11	64.57		203.07	26.27	114.73	33.31	0.01	203.06	26.27		114.73	266.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:10:13	64.60		203.14	26.20	114.66	33.31	0.01	203.13	26.20		114.66	266.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:10:15	64.63		202.78	26.56	115.02	33.31	0.01	202.77	26.56		115.02	265.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:10:17	64.67		202.83	26.51	114.97	33.31	0.01	202.82	26.51		114.97	266.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:10:19	64.70		202.76	26.58	115.04	33.31	0.01	202.75	26.58		115.04	265.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:10:21	64.73		202.75	26.59	115.05	33.31	0.01	202.74	26.59		115.05	265.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:10:23	64.77		202.56	26.78	115.24	33.31	0.01	202.55	26.78		115.24	265.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:10:25	64.80		202.65	26.68	115.14	33.31	0.01	202.65	26.69		115.15	265.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:10:27	64.83		202.68	26.66	115.12	33.31	0.01	202.67	26.66		115.12	265.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:10:29	64.87		202.50	26.84	115.30	33.31	0.01	202.49	26.84		115.30	265.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:10:31	64.90		202.48	26.85	115.31	33.31	0.01	202.48	26.86		115.32	265.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:10:33	64.93		202.64	26.70	115.16	33.31	0.01	202.63	26.70		115.16	265.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:10:35	64.97		202.62	26.71	115.17	33.31	0.01	202.62	26.72		115.18	265.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:10:37	65.00		202.79	26.54	115.00	33.31	0.01	202.79	26.55		115.01	265.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:10:39	65.03		202.84	26.49	114.95	33.31	0.01	202.83	26.50		114.96	266.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:10:41	65.07		202.87	26.46	114.92	33.31	0.01	202.87	26.47		114.93	266.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:10:43	65.10		202.68	26.66	115.12	33.31	0.01	202.67	26.66		115.12	265.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:10:45	65.13		202.76	26.58	115.04	33.31	0.01	202.75	26.58		115.04	265.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:10:47	65.17		202.93	26.40	114.86	33.31	0.01	202.93	26.41		114.87	266.13

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:10:49	65.20		202.91	26.42	114.88	33.31	0.01	202.90	26.43		114.89	266.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:10:51	65.23		202.96	26.38	114.84	33.31	0.01	202.95	26.38		114.84	266.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:10:53	65.27		203.03	26.31	114.77	33.31	0.01	203.02	26.31		114.77	266.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:10:55	65.30		202.70	26.64	115.10	33.31	0.01	202.69	26.64		115.10	265.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:10:57	65.33		202.87	26.46	114.92	33.31	0.01	202.87	26.47		114.93	266.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:10:59	65.37		202.86	26.48	114.94	33.31	0.01	202.85	26.48		114.94	266.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:11:01	65.40		202.80	26.53	114.99	33.31	0.01	202.80	26.54		115.00	266.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:11:03	65.43		202.81	26.53	114.99	33.31	0.01	202.80	26.53		114.99	266.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:11:05	65.47		202.72	26.62	115.08	33.31	0.01	202.71	26.62		115.08	265.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:11:07	65.50		202.80	26.53	114.99	33.31	0.01	202.80	26.54		115.00	266.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:11:09	65.53		202.49	26.85	115.31	33.31	0.01	202.48	26.85		115.31	265.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:11:11	65.57		202.56	26.78	115.24	33.31	0.01	202.55	26.78		115.24	265.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:11:13	65.60		202.50	26.84	115.30	33.31	0.01	202.49	26.84		115.30	265.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:11:15	65.63		202.62	26.71	115.17	33.31	0.01	202.62	26.72		115.18	265.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:11:17	65.67		202.48	26.85	115.31	33.31	0.01	202.48	26.86		115.32	265.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:11:19	65.70		202.60	26.74	115.20	33.31	0.01	202.59	26.74		115.20	265.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:11:21	65.73		202.39	26.95	115.41	33.31	0.01	202.38	26.95		115.41	265.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:11:23	65.77		202.61	26.73	115.19	33.31	0.01	202.60	26.73		115.19	265.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:11:25	65.80		202.64	26.70	115.16	33.31	0.01	202.63	26.70		115.16	265.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:11:27	65.83		202.91	26.42	114.88	33.31	0.01	202.90	26.43		114.89	266.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:11:29	65.87		202.62	26.71	115.17	33.31	0.01	202.62	26.72		115.18	265.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:11:31	65.90		202.82	26.52	114.98	33.31	0.01	202.81	26.52		114.98	266.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:11:33	65.93		202.86	26.47	114.93	33.31	0.01	202.86	26.48		114.94	266.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:11:35	65.97		202.79	26.54	115.00	33.31	0.01	202.79	26.55		115.01	265.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:11:37	66.00		202.73	26.60	115.06	33.31	0.01	202.73	26.61		115.07	265.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:11:39	66.03		202.85	26.49	114.95	33.31	0.01	202.84	26.49		114.95	266.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:11:41	66.07		202.86	26.47	114.93	33.31	0.01	202.86	26.48		114.94	266.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:11:43	66.10		202.79	26.55	115.01	33.31	0.01	202.78	26.55		115.01	265.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:11:45	66.13		202.71	26.63	115.09	33.31	0.01	202.70	26.63		115.09	265.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:11:47	66.17		202.91	26.42	114.88	33.31	0.01	202.90	26.43		114.89	266.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:11:49	66.20		202.85	26.49	114.95	33.31	0.01	202.84	26.49		114.95	266.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:11:51	66.23		202.67	26.67	115.13	33.31	0.01	202.66	26.67		115.13	265.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:11:53	66.27		202.64	26.70	115.16	33.31	0.01	202.63	26.70		115.16	265.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:11:55	66.30		202.58	26.75	115.21	33.31	0.01	202.58	26.76		115.22	265.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:11:57	66.33		202.60	26.74	115.20	33.31	0.01	202.59	26.74		115.20	265.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:11:59	66.37		202.39	26.95	115.41	33.31	0.01	202.38	26.95		115.41	265.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:12:01	66.40		202.63	26.71	115.17	33.31	0.01	202.62	26.71		115.17	265.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:12:03	66.43		202.51	26.82	115.28	33.31	0.01	202.51	26.83		115.29	265.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:12:05	66.47		202.52	26.81	115.27	33.31	0.01	202.51	26.82		115.28	265.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:12:07	66.50		202.62	26.72	115.18	33.31	0.01	202.61	26.72		115.18	265.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:12:09	66.53		202.69	26.65	115.11	33.31	0.01	202.68	26.65		115.11	265.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:12:11	66.57		202.74	26.59	115.05	33.31	0.01	202.74	26.60		115.06	265.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:12:13	66.60		202.86	26.47	114.93	33.31	0.01	202.85	26.48		114.94	266.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:12:15	66.63		202.82	26.51	114.97	33.31	0.01	202.82	26.52		114.98	266.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:12:17	66.67		202.84	26.49	114.95	33.31	0.01	202.83	26.50		114.96	266.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:12:19	66.70		202.74	26.60	115.06	33.31	0.01	202.73	26.60		115.06	265.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:12:21	66.73		202.86	26.47	114.93	33.31	0.01	202.86	26.48		114.94	266.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:12:23	66.77		202.78	26.56	115.02	33.31	0.01	202.77	26.56		115.02	265.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:12:25	66.80		202.77	26.57	115.03	33.31	0.01	202.76	26.57		115.03	265.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:12:27	66.83		202.88	26.46	114.92	33.31	0.01	202.87	26.46		114.92	266.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:12:29	66.87		202.69	26.64	115.10	33.31	0.01	202.69	26.65		115.11	265.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:12:31	66.90		202.87	26.47	114.93	33.31	0.01	202.86	26.47		114.93	266.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:12:33	66.93		202.61	26.73	115.19	33.31	0.01	202.60	26.73		115.19	265.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:12:35	66.97		202.56	26.78	115.24	33.31	0.01	202.55	26.78		115.24	265.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:12:37	67.00		202.59	26.74	115.20	33.31	0.01	202.58	26.75		115.21	265.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:12:39	67.03		202.67	26.67	115.13	33.31	0.01	202.66	26.67		115.13	265.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:12:41	67.07		202.38	26.95	115.41	33.31	0.01	202.37	26.96		115.42	265.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:12:43	67.10		202.67	26.66	115.12	33.31	0.01	202.67	26.67		115.13	265.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:12:45	67.13		202.62	26.71	115.17	33.31	0.01	202.62	26.72		115.18	265.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:12:47	67.17		202.46	26.88	115.34	33.31	0.01	202.45	26.88		115.34	265.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:12:49	67.20		202.44	26.89	115.35	33.31	0.01	202.44	26.90		115.36	265.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:12:51	67.23		202.56	26.78	115.24	33.31	0.01	202.55	26.78		115.24	265.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:12:53	67.27		202.58	26.75	115.21	33.31	0.01	202.57	26.76		115.22	265.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:12:55	67.30		202.64	26.70	115.16	33.31	0.01	202.63	26.70		115.16	265.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:12:57	67.33		202.72	26.61	115.07	33.31	0.01	202.72	26.62		115.08	265.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:12:59	67.37		202.78	26.56	115.02	33.31	0.01	202.77	26.56		115.02	265.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:13:01	67.40		202.89	26.45	114.91	33.31	0.01	202.88	26.45		114.91	266.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:13:03	67.43		202.75	26.58	115.04	33.31	0.01	202.75	26.59		115.05	265.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:13:05	67.47		202.94	26.40	114.86	33.31	0.01	202.93	26.40		114.86	266.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:13:07	67.50		202.91	26.43	114.89	33.31	0.01	202.90	26.43		114.89	266.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:13:09	67.53		202.62	26.72	115.18	33.31	0.01	202.61	26.72		115.18	265.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:13:11	67.57		202.80	26.53	114.99	33.31	0.01	202.80	26.54		115.00	266.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:13:13	67.60		202.93	26.40	114.86	33.31	0.01	202.93	26.41		114.87	266.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:13:15	67.63		202.71	26.63	115.09	33.31	0.01	202.70	26.63		115.09	265.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:13:17	67.67		202.75	26.59	115.05	33.31	0.01	202.74	26.59		115.05	265.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:13:19	67.70		202.73	26.60	115.06	33.31	0.01	202.73	26.61		115.07	265.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:13:21	67.73		202.61	26.73	115.19	33.31	0.01	202.60	26.73		115.19	265.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:13:23	67.77		202.69	26.65	115.11	33.31	0.01	202.68	26.65		115.11	265.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:13:25	67.80		202.64	26.70	115.16	33.31	0.01	202.63	26.70		115.16	265.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:13:27	67.83		202.69	26.65	115.11	33.31	0.01	202.68	26.65		115.11	265.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:13:29	67.87		202.37	26.96	115.42	33.31	0.01	202.37	26.97		115.43	265.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:13:31	67.90		202.57	26.76	115.22	33.31	0.01	202.57	26.77		115.23	265.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:13:33	67.93		202.44	26.89	115.35	33.31	0.01	202.44	26.90		115.36	265.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:13:35	67.97		202.52	26.81	115.27	33.31	0.01	202.51	26.82		115.28	265.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:13:37	68.00		202.39	26.95	115.41	33.31	0.01	202.38	26.95		115.41	265.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:13:39	68.03		202.61	26.72	115.18	33.31	0.01	202.61	26.73		115.19	265.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:13:41	68.07		202.49	26.85	115.31	33.31	0.01	202.48	26.85		115.31	265.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:13:43	68.10		202.50	26.83	115.29	33.31	0.01	202.50	26.84		115.30	265.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:13:45	68.13		202.76	26.58	115.04	33.31	0.01	202.75	26.58		115.04	265.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:13:47	68.17		202.65	26.68	115.14	33.31	0.01	202.64	26.69		115.15	265.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:13:49	68.20		202.82	26.52	114.98	33.31	0.01	202.81	26.52		114.98	266.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:13:51	68.23		202.63	26.71	115.17	33.31	0.01	202.62	26.71		115.17	265.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:13:53	68.27		202.86	26.47	114.93	33.31	0.01	202.86	26.48		114.94	266.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:13:55	68.30		202.70	26.64	115.10	33.31	0.01	202.69	26.64		115.10	265.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:13:57	68.33		202.77	26.56	115.02	33.31	0.01	202.76	26.57		115.03	265.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:13:59	68.37		202.82	26.52	114.98	33.31	0.01	202.81	26.52		114.98	266.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:14:01	68.40		202.94	26.40	114.86	33.31	0.01	202.93	26.40		114.86	266.14

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:14:03	68.43		202.57	26.77	115.23	33.31	0.01	202.56	26.77		115.23	265.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:14:05	68.47		202.61	26.73	115.19	33.31	0.01	202.60	26.73		115.19	265.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:14:07	68.50		202.75	26.58	115.04	33.31	0.01	202.75	26.59		115.05	265.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:14:09	68.53		202.59	26.75	115.21	33.31	0.01	202.58	26.75		115.21	265.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:14:11	68.57		202.48	26.86	115.32	33.31	0.01	202.47	26.86		115.32	265.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:14:13	68.60		202.65	26.69	115.15	33.31	0.01	202.64	26.69		115.15	265.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:14:15	68.63		202.39	26.94	115.40	33.31	0.01	202.39	26.95		115.41	265.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:14:17	68.67		202.74	26.60	115.06	33.31	0.01	202.73	26.60		115.06	265.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:14:19	68.70		202.54	26.79	115.25	33.31	0.01	202.54	26.80		115.26	265.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:14:21	68.73		202.64	26.69	115.15	33.31	0.01	202.64	26.70		115.16	265.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:14:23	68.77		202.38	26.96	115.42	33.31	0.01	202.37	26.96		115.42	265.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:14:25	68.80		202.52	26.82	115.28	33.31	0.01	202.51	26.82		115.28	265.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:14:27	68.83		202.71	26.63	115.09	33.31	0.01	202.70	26.63		115.09	265.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:14:29	68.87		202.47	26.86	115.32	33.31	0.01	202.47	26.87		115.33	265.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:14:31	68.90		202.53	26.80	115.26	33.31	0.01	202.53	26.81		115.27	265.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:14:33	68.93		202.73	26.60	115.06	33.31	0.01	202.73	26.61		115.07	265.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:14:35	68.97		202.76	26.58	115.04	33.31	0.01	202.75	26.58		115.04	265.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:14:37	69.00		202.65	26.68	115.14	33.31	0.01	202.64	26.69		115.15	265.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:14:39	69.03		202.83	26.51	114.97	33.31	0.01	202.82	26.51		114.97	266.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:14:41	69.07		202.79	26.54	115.00	33.31	0.01	202.79	26.55		115.01	265.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:14:43	69.10		202.60	26.73	115.19	33.31	0.01	202.60	26.74		115.20	265.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:14:45	69.13		202.79	26.55	115.01	33.31	0.01	202.78	26.55		115.01	265.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:14:47	69.17		202.67	26.66	115.12	33.31	0.01	202.67	26.67		115.13	265.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:14:49	69.20		202.38	26.96	115.42	33.31	0.01	202.37	26.96		115.42	265.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:14:51	69.23		202.53	26.81	115.27	33.31	0.01	202.52	26.81		115.27	265.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:14:53	69.27		202.79	26.55	115.01	33.31	0.01	202.78	26.55		115.01	265.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:14:55	69.30		202.64	26.70	115.16	33.31	0.01	202.63	26.70		115.16	265.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:14:57	69.33		202.47	26.86	115.32	33.31	0.01	202.47	26.87		115.33	265.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:14:59	69.37		202.49	26.85	115.31	33.31	0.01	202.48	26.85		115.31	265.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:15:01	69.40		202.37	26.97	115.43	33.31	0.01	202.36	26.97		115.43	265.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:15:03	69.43		202.58	26.76	115.22	33.31	0.01	202.57	26.76		115.22	265.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:15:05	69.47		202.44	26.89	115.35	33.31	0.01	202.43	26.90		115.36	265.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:15:07	69.50		202.52	26.82	115.28	33.31	0.01	202.51	26.82		115.28	265.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:15:09	69.53		202.67	26.67	115.13	33.31	0.01	202.66	26.67		115.13	265.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:15:11	69.57		202.61	26.72	115.18	33.31	0.01	202.61	26.73		115.19	265.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:15:13	69.60		202.68	26.66	115.12	33.31	0.01	202.67	26.66		115.12	265.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:15:15	69.63		202.62	26.72	115.18	33.31	0.01	202.61	26.72		115.18	265.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:15:17	69.67		202.82	26.52	114.98	33.31	0.01	202.81	26.52		114.98	266.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:15:19	69.70		202.80	26.54	115.00	33.31	0.01	202.79	26.54		115.00	266.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:15:21	69.73		202.64	26.70	115.16	33.31	0.01	202.63	26.70		115.16	265.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:15:23	69.77		202.87	26.47	114.93	33.31	0.01	202.86	26.47		114.93	266.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:15:25	69.80		202.60	26.73	115.19	33.31	0.01	202.60	26.74		115.20	265.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:15:27	69.83		202.79	26.54	115.00	33.31	0.01	202.78	26.55		115.01	265.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:15:29	69.87		202.79	26.54	115.00	33.31	0.01	202.78	26.55		115.01	265.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:15:31	69.90		202.54	26.79	115.25	33.31	0.01	202.54	26.80		115.26	265.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:15:33	69.93		202.78	26.56	115.02	33.31	0.01	202.77	26.56		115.02	265.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:15:35	69.97		202.74	26.60	115.06	33.31	0.01	202.73	26.60		115.06	265.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:15:37	70.00		202.47	26.86	115.32	33.31	0.01	202.47	26.87		115.33	265.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:15:39	70.03		202.38	26.96	115.42	33.31	0.01	202.37	26.96		115.42	265.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:15:41	70.07		202.41	26.93	115.39	33.31	0.01	202.40	26.93		115.39	265.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:15:43	70.10		202.55	26.78	115.24	33.31	0.01	202.55	26.79		115.25	265.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:15:45	70.13		202.40	26.93	115.39	33.31	0.01	202.40	26.94		115.40	265.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:15:47	70.17		202.45	26.89	115.35	33.31	0.01	202.44	26.89		115.35	265.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:15:49	70.20		202.53	26.81	115.27	33.31	0.01	202.52	26.81		115.27	265.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:15:51	70.23		202.61	26.72	115.18	33.31	0.01	202.61	26.73		115.19	265.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:15:53	70.27		202.29	27.04	115.50	33.31	0.01	202.29	27.05		115.51	265.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:15:55	70.30		202.50	26.83	115.29	33.31	0.01	202.50	26.84		115.30	265.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:15:57	70.33		202.47	26.86	115.32	33.31	0.01	202.47	26.87		115.33	265.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:15:59	70.37		202.65	26.68	115.14	33.31	0.01	202.64	26.69		115.15	265.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:16:01	70.40		202.66	26.68	115.14	33.31	0.01	202.65	26.68		115.14	265.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:16:03	70.43		202.61	26.72	115.18	33.31	0.01	202.61	26.73		115.19	265.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:16:05	70.47		202.67	26.67	115.13	33.31	0.01	202.66	26.67		115.13	265.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:16:07	70.50		202.70	26.64	115.10	33.31	0.01	202.69	26.64		115.10	265.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:16:09	70.53		202.94	26.40	114.86	33.31	0.01	202.93	26.40		114.86	266.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:16:11	70.57		202.79	26.54	115.00	33.31	0.01	202.78	26.55		115.01	265.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:16:13	70.60		202.57	26.77	115.23	33.31	0.01	202.56	26.77		115.23	265.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:16:15	70.63		202.67	26.66	115.12	33.31	0.01	202.67	26.67		115.13	265.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:16:17	70.67		202.60	26.74	115.20	33.31	0.01	202.59	26.74		115.20	265.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:16:19	70.70		202.71	26.63	115.09	33.31	0.01	202.70	26.63		115.09	265.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:16:21	70.73		202.45	26.89	115.35	33.31	0.01	202.44	26.89		115.35	265.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:16:23	70.77		202.41	26.93	115.39	33.31	0.01	202.40	26.93		115.39	265.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:16:25	70.80		202.38	26.96	115.42	33.31	0.01	202.37	26.96		115.42	265.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:16:27	70.83		202.48	26.86	115.32	33.31	0.01	202.47	26.86		115.32	265.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:16:29	70.87		202.50	26.83	115.29	33.31	0.01	202.50	26.84		115.30	265.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:16:31	70.90		202.38	26.96	115.42	33.31	0.01	202.37	26.96		115.42	265.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:16:33	70.93		202.46	26.88	115.34	33.31	0.01	202.45	26.88		115.34	265.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:16:35	70.97		202.37	26.97	115.43	33.31	0.01	202.36	26.97		115.43	265.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:16:37	71.00		202.57	26.76	115.22	33.31	0.01	202.57	26.77		115.23	265.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:16:39	71.03		202.54	26.79	115.25	33.31	0.01	202.54	26.80		115.26	265.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:16:41	71.07		202.56	26.78	115.24	33.31	0.01	202.55	26.78		115.24	265.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:16:43	71.10		202.63	26.71	115.17	33.31	0.01	202.62	26.71		115.17	265.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:16:45	71.13		202.60	26.74	115.20	33.31	0.01	202.59	26.74		115.20	265.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:16:47	71.17		202.69	26.65	115.11	33.31	0.01	202.68	26.65		115.11	265.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:16:49	71.20		202.60	26.74	115.20	33.31	0.01	202.59	26.74		115.20	265.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:16:51	71.23		202.80	26.54	115.00	33.31	0.01	202.79	26.54		115.00	266.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:16:53	71.27		202.85	26.49	114.95	33.31	0.01	202.84	26.49		114.95	266.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:16:55	71.30		202.75	26.58	115.04	33.31	0.01	202.75	26.59		115.05	265.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:16:57	71.33		202.57	26.77	115.23	33.31	0.01	202.56	26.77		115.23	265.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:16:59	71.37		202.74	26.60	115.06	33.31	0.01	202.73	26.60		115.06	265.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:17:01	71.40		202.69	26.65	115.11	33.31	0.01	202.68	26.65		115.11	265.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:17:03	71.43		202.55	26.79	115.25	33.31	0.01	202.54	26.79		115.25	265.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:17:05	71.47		202.68	26.65	115.11	33.31	0.01	202.68	26.66		115.12	265.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:17:07	71.50		202.65	26.68	115.14	33.31	0.01	202.64	26.69		115.15	265.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:17:09	71.53		202.51	26.82	115.28	33.31	0.01	202.50	26.83		115.29	265.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:17:11	71.57		202.48	26.86	115.32	33.31	0.01	202.47	26.86		115.32	265.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:17:13	71.60		202.46	26.88	115.34	33.31	0.01	202.45	26.88		115.34	265.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:17:15	71.63		202.44	26.89	115.35	33.31	0.01	202.43	26.90		115.36	265.64

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:17:17	71.67		202.35	26.99	115.45	33.31	0.01	202.34	26.99		115.45	265.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:17:19	71.70		202.42	26.92	115.38	33.31	0.01	202.41	26.92		115.38	265.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:17:21	71.73		202.48	26.86	115.32	33.31	0.01	202.47	26.86		115.32	265.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:17:23	71.77		202.43	26.90	115.36	33.31	0.01	202.43	26.91		115.37	265.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:17:25	71.80		202.55	26.79	115.25	33.31	0.01	202.54	26.79		115.25	265.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:17:27	71.83		202.60	26.74	115.20	33.31	0.01	202.59	26.74		115.20	265.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:17:29	71.87		202.69	26.65	115.11	33.31	0.01	202.68	26.65		115.11	265.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:17:31	71.90		202.64	26.69	115.15	33.31	0.01	202.64	26.70		115.16	265.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:17:33	71.93		202.67	26.67	115.13	33.31	0.01	202.66	26.67		115.13	265.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:17:35	71.97		202.84	26.50	114.96	33.31	0.01	202.83	26.50		114.96	266.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:17:37	72.00		202.63	26.71	115.17	33.31	0.01	202.62	26.71		115.17	265.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:17:39	72.03		202.64	26.70	115.16	33.31	0.01	202.63	26.70		115.16	265.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:17:41	72.07		202.79	26.54	115.00	33.31	0.01	202.78	26.55		115.01	265.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:17:43	72.10		202.65	26.68	115.14	33.31	0.01	202.64	26.69		115.15	265.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:17:45	72.13		202.60	26.74	115.20	33.31	0.01	202.59	26.74		115.20	265.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:17:47	72.17		202.81	26.53	114.99	33.31	0.01	202.80	26.53		114.99	266.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:17:49	72.20		202.64	26.70	115.16	33.31	0.01	202.63	26.70		115.16	265.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:17:51	72.23		202.25	27.09	115.55	33.31	0.01	202.24	27.09		115.55	265.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:17:53	72.27		202.64	26.70	115.16	33.31	0.01	202.63	26.70		115.16	265.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:17:55	72.30		202.56	26.78	115.24	33.31	0.01	202.55	26.78		115.24	265.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:17:57	72.33		202.39	26.95	115.41	33.31	0.01	202.38	26.95		115.41	265.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:17:59	72.37		202.30	27.04	115.50	33.31	0.01	202.29	27.04		115.50	265.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:18:01	72.40		202.25	27.08	115.54	33.31	0.01	202.25	27.09		115.55	265.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:18:03	72.43		202.46	26.88	115.34	33.31	0.01	202.45	26.88		115.34	265.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:18:05	72.47		202.43	26.90	115.36	33.31	0.01	202.43	26.91		115.37	265.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:18:07	72.50		202.51	26.82	115.28	33.31	0.01	202.50	26.83		115.29	265.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:18:09	72.53		202.56	26.78	115.24	33.31	0.01	202.55	26.78		115.24	265.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:18:11	72.57		202.46	26.87	115.33	33.31	0.01	202.46	26.88		115.34	265.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:18:13	72.60		202.57	26.76	115.22	33.31	0.01	202.57	26.77		115.23	265.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:18:15	72.63		202.36	26.98	115.44	33.31	0.01	202.35	26.98		115.44	265.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:18:17	72.67		202.69	26.65	115.11	33.31	0.01	202.68	26.65		115.11	265.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:18:19	72.70		202.50	26.84	115.30	33.31	0.01	202.49	26.84		115.30	265.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:18:21	72.73		202.43	26.90	115.36	33.31	0.01	202.43	26.91		115.37	265.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:18:23	72.77		202.57	26.77	115.23	33.31	0.01	202.56	26.77		115.23	265.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:18:25	72.80		202.51	26.82	115.28	33.31	0.01	202.50	26.83		115.29	265.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:18:27	72.83		202.76	26.58	115.04	33.31	0.01	202.75	26.58		115.04	265.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:18:29	72.87		202.45	26.89	115.35	33.31	0.01	202.44	26.89		115.35	265.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:18:31	72.90		202.52	26.81	115.27	33.31	0.01	202.51	26.82		115.28	265.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:18:33	72.93		202.59	26.74	115.20	33.31	0.01	202.58	26.75		115.21	265.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:18:35	72.97		202.51	26.82	115.28	33.31	0.01	202.51	26.83		115.29	265.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:18:37	73.00		202.37	26.96	115.42	33.31	0.01	202.37	26.97		115.43	265.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:18:39	73.03		202.38	26.95	115.41	33.31	0.01	202.37	26.96		115.42	265.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:18:41	73.07		202.65	26.69	115.15	33.31	0.01	202.64	26.69		115.15	265.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:18:43	73.10		202.67	26.67	115.13	33.31	0.01	202.66	26.67		115.13	265.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:18:45	73.13		202.83	26.50	114.96	33.31	0.01	202.83	26.51		114.97	266.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:18:47	73.17		202.83	26.50	114.96	33.31	0.01	202.83	26.51		114.97	266.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:18:49	73.20		202.70	26.64	115.10	33.31	0.01	202.69	26.64		115.10	265.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:18:51	73.23		202.60	26.73	115.19	33.31	0.01	202.60	26.74		115.20	265.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:18:53	73.27		202.55	26.79	115.25	33.31	0.01	202.54	26.79		115.25	265.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:18:55	73.30		202.47	26.86	115.32	33.31	0.01	202.47	26.87		115.33	265.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:18:57	73.33		202.54	26.80	115.26	33.31	0.01	202.53	26.80		115.26	265.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:18:59	73.37		202.34	27.00	115.46	33.31	0.01	202.33	27.00		115.46	265.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:19:01	73.40		202.61	26.73	115.19	33.31	0.01	202.60	26.73		115.19	265.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:19:03	73.43		202.39	26.94	115.40	33.31	0.01	202.39	26.95		115.41	265.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:19:05	73.47		202.43	26.91	115.37	33.31	0.01	202.42	26.91		115.37	265.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:19:07	73.50		202.20	27.14	115.60	33.31	0.01	202.19	27.14		115.60	265.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:19:09	73.53		202.33	27.00	115.46	33.31	0.01	202.32	27.01		115.47	265.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:19:11	73.57		202.29	27.05	115.51	33.31	0.01	202.28	27.05		115.51	265.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:19:13	73.60		202.39	26.94	115.40	33.31	0.01	202.39	26.95		115.41	265.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:19:15	73.63		202.59	26.75	115.21	33.31	0.01	202.58	26.75		115.21	265.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:19:17	73.67		202.33	27.00	115.46	33.31	0.01	202.32	27.01		115.47	265.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:19:19	73.70		202.39	26.95	115.41	33.31	0.01	202.38	26.95		115.41	265.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:19:21	73.73		202.54	26.79	115.25	33.31	0.01	202.54	26.80		115.26	265.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:19:23	73.77		202.46	26.88	115.34	33.31	0.01	202.45	26.88		115.34	265.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:19:25	73.80		202.67	26.67	115.13	33.31	0.01	202.66	26.67		115.13	265.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:19:27	73.83		202.68	26.65	115.11	33.31	0.01	202.68	26.66		115.12	265.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:19:29	73.87		202.71	26.63	115.09	33.31	0.01	202.70	26.63		115.09	265.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:19:31	73.90		202.75	26.58	115.04	33.31	0.01	202.75	26.59		115.05	265.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:19:33	73.93		202.68	26.65	115.11	33.31	0.01	202.68	26.66		115.12	265.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:19:35	73.97		202.58	26.75	115.21	33.31	0.01	202.57	26.76		115.22	265.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:19:37	74.00		202.52	26.82	115.28	33.31	0.01	202.51	26.82		115.28	265.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:19:39	74.03		202.62	26.72	115.18	33.31	0.01	202.61	26.72		115.18	265.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:19:41	74.07		202.65	26.68	115.14	33.31	0.01	202.64	26.69		115.15	265.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:19:43	74.10		202.60	26.73	115.19	33.31	0.01	202.60	26.74		115.20	265.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:19:45	74.13		202.46	26.88	115.34	33.31	0.01	202.45	26.88		115.34	265.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:19:47	74.17		202.23	27.11	115.57	33.31	0.01	202.22	27.11		115.57	265.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:19:49	74.20		202.39	26.95	115.41	33.31	0.01	202.38	26.95		115.41	265.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:19:51	74.23		202.34	27.00	115.46	33.31	0.01	202.33	27.00		115.46	265.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:19:53	74.27		202.24	27.10	115.56	33.31	0.01	202.23	27.10		115.56	265.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:19:55	74.30		202.36	26.97	115.43	33.31	0.01	202.36	26.98		115.44	265.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:19:57	74.33		202.36	26.98	115.44	33.31	0.01	202.35	26.98		115.44	265.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:19:59	74.37		202.49	26.85	115.31	33.31	0.01	202.48	26.85		115.31	265.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:20:01	74.40		202.39	26.94	115.40	33.31	0.01	202.39	26.95		115.41	265.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:20:03	74.43		202.53	26.81	115.27	33.31	0.01	202.52	26.81		115.27	265.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:20:05	74.47		202.43	26.91	115.37	33.31	0.01	202.42	26.92		115.38	265.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:20:07	74.50		202.44	26.89	115.35	33.31	0.01	202.43	26.90		115.36	265.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:20:09	74.53		202.41	26.93	115.39	33.31	0.01	202.40	26.93		115.39	265.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:20:11	74.57		202.67	26.67	115.13	33.31	0.01	202.66	26.67		115.13	265.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:20:13	74.60		202.60	26.73	115.19	33.31	0.01	202.60	26.74		115.20	265.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:20:15	74.63		202.53	26.80	115.26	33.31	0.01	202.53	26.81		115.27	265.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:20:17	74.67		202.77	26.57	115.03	33.31	0.01	202.76	26.57		115.03	265.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:20:19	74.70		202.64	26.69	115.15	33.31	0.01	202.64	26.70		115.16	265.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:20:21	74.73		202.75	26.58	115.04	33.31	0.01	202.74	26.59		115.05	265.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:20:23	74.77		202.57	26.76	115.22	33.31	0.01	202.57	26.77		115.23	265.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:20:25	74.80		202.42	26.92	115.38	33.31	0.01	202.41	26.92		115.38	265.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:20:27	74.83		202.63	26.71	115.17	33.31	0.01	202.62	26.71		115.17	265.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:20:29	74.87		202.49	26.85	115.31	33.31	0.01	202.48	26.85		115.31	265.69

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:20:31	74.90		202.46	26.88	115.34	33.31	0.01	202.45	26.88		115.34	265.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:20:33	74.93		202.21	27.13	115.59	33.31	0.01	202.20	27.13		115.59	265.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:20:35	74.97		202.36	26.97	115.43	33.31	0.01	202.36	26.98		115.44	265.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:20:37	75.00		202.16	27.18	115.64	33.31	0.01	202.15	27.18		115.64	265.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:20:39	75.03		202.28	27.06	115.52	33.31	0.01	202.27	27.06		115.52	265.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:20:41	75.07		202.62	26.72	115.18	33.31	0.01	202.61	26.73		115.19	265.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:20:43	75.10		202.62	26.71	115.17	33.31	0.01	202.62	26.72		115.18	265.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:20:45	75.13		202.30	27.03	115.49	33.31	0.01	202.30	27.04		115.50	265.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:20:47	75.17		202.30	27.04	115.50	33.31	0.01	202.29	27.05		115.51	265.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:20:49	75.20		202.58	26.76	115.22	33.31	0.01	202.57	26.76		115.22	265.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:20:51	75.23		202.48	26.85	115.31	33.31	0.01	202.47	26.86		115.32	265.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:20:53	75.27		202.53	26.81	115.27	33.31	0.01	202.52	26.81		115.27	265.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:20:55	75.30		202.39	26.95	115.41	33.31	0.01	202.38	26.95		115.41	265.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:20:57	75.33		202.24	27.09	115.55	33.31	0.01	202.23	27.10		115.56	265.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:20:59	75.37		202.41	26.92	115.38	33.31	0.01	202.40	26.93		115.39	265.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:21:01	75.40		202.46	26.88	115.34	33.31	0.01	202.45	26.88		115.34	265.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:21:03	75.43		202.48	26.85	115.31	33.31	0.01	202.47	26.86		115.32	265.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:21:05	75.47		202.35	26.99	115.45	33.31	0.01	202.34	26.99		115.45	265.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:21:07	75.50		202.51	26.82	115.28	33.31	0.01	202.50	26.83		115.29	265.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:21:09	75.53		202.44	26.90	115.36	33.31	0.01	202.43	26.91		115.37	265.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:21:11	75.57		202.56	26.78	115.24	33.31	0.01	202.55	26.78		115.24	265.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:21:13	75.60		202.57	26.77	115.23	33.31	0.01	202.56	26.77		115.23	265.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:21:15	75.63		202.69	26.65	115.11	33.31	0.01	202.68	26.66		115.12	265.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:21:17	75.67		202.58	26.76	115.22	33.31	0.01	202.57	26.76		115.22	265.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:21:19	75.70		202.60	26.73	115.19	33.31	0.01	202.60	26.74		115.20	265.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:21:21	75.73		202.68	26.66	115.12	33.31	0.01	202.67	26.66		115.12	265.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:21:23	75.77		202.51	26.82	115.28	33.31	0.01	202.50	26.83		115.29	265.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:21:25	75.80		202.36	26.98	115.44	33.31	0.01	202.35	26.99		115.45	265.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:21:27	75.83		202.34	26.99	115.45	33.31	0.01	202.33	27.00		115.46	265.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:21:29	75.87		202.32	27.01	115.47	33.31	0.01	202.32	27.02		115.48	265.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:21:31	75.90		202.48	26.86	115.32	33.31	0.01	202.47	26.86		115.32	265.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:21:33	75.93		202.32	27.02	115.48	33.31	0.01	202.31	27.02		115.48	265.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:21:35	75.97		202.50	26.84	115.30	33.31	0.01	202.49	26.85		115.31	265.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:21:37	76.00		202.57	26.77	115.23	33.31	0.01	202.56	26.78		115.24	265.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:21:39	76.03		202.25	27.08	115.54	33.31	0.01	202.25	27.09		115.55	265.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:21:41	76.07		202.42	26.92	115.38	33.31	0.01	202.41	26.92		115.38	265.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:21:43	76.10		202.25	27.09	115.55	33.31	0.01	202.24	27.09		115.55	265.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:21:45	76.13		202.32	27.01	115.47	33.31	0.01	202.32	27.02		115.48	265.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:21:47	76.17		202.54	26.79	115.25	33.31	0.01	202.53	26.80		115.26	265.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:21:49	76.20		202.39	26.94	115.40	33.31	0.01	202.39	26.95		115.41	265.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:21:51	76.23		202.52	26.82	115.28	33.31	0.01	202.51	26.82		115.28	265.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:21:53	76.27		202.60	26.74	115.20	33.31	0.01	202.59	26.74		115.20	265.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:21:55	76.30		202.53	26.81	115.27	33.31	0.01	202.52	26.81		115.27	265.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:21:57	76.33		202.58	26.75	115.21	33.31	0.01	202.57	26.76		115.22	265.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:21:59	76.37		202.61	26.72	115.18	33.31	0.01	202.60	26.73		115.19	265.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:22:01	76.40		202.48	26.86	115.32	33.31	0.01	202.47	26.86		115.32	265.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:22:03	76.43		202.73	26.61	115.07	33.31	0.01	202.72	26.61		115.07	265.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:22:05	76.47		202.28	27.06	115.52	33.31	0.01	202.27	27.06		115.52	265.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:22:07	76.50		202.54	26.79	115.25	33.31	0.01	202.53	26.80		115.26	265.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:22:09	76.53		202.46	26.88	115.34	33.31	0.01	202.45	26.88		115.34	265.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:22:11	76.57		202.58	26.75	115.21	33.31	0.01	202.57	26.76		115.22	265.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:22:13	76.60		202.52	26.82	115.28	33.31	0.01	202.51	26.82		115.28	265.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:22:15	76.63		202.39	26.94	115.40	33.31	0.01	202.39	26.95		115.41	265.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:22:17	76.67		202.33	27.00	115.46	33.31	0.01	202.32	27.01		115.47	265.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:22:19	76.70		202.23	27.11	115.57	33.31	0.01	202.22	27.11		115.57	265.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:22:21	76.73		202.32	27.02	115.48	33.31	0.01	202.31	27.02		115.48	265.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:22:23	76.77		202.32	27.01	115.47	33.31	0.01	202.32	27.02		115.48	265.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:22:25	76.80		202.23	27.11	115.57	33.31	0.01	202.22	27.11		115.57	265.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:22:27	76.83		202.36	26.98	115.44	33.31	0.01	202.35	26.99		115.45	265.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:22:29	76.87		202.34	27.00	115.46	33.31	0.01	202.33	27.00		115.46	265.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:22:31	76.90		202.17	27.17	115.63	33.31	0.01	202.16	27.17		115.63	265.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:22:33	76.93		202.30	27.04	115.50	33.31	0.01	202.29	27.04		115.50	265.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:22:35	76.97		202.51	26.82	115.28	33.31	0.01	202.50	26.83		115.29	265.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:22:37	77.00		202.53	26.81	115.27	33.31	0.01	202.52	26.81		115.27	265.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:22:39	77.03		202.47	26.86	115.32	33.31	0.01	202.46	26.87		115.33	265.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:22:41	77.07		202.50	26.83	115.29	33.31	0.01	202.50	26.84		115.30	265.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:22:43	77.10		202.72	26.61	115.07	33.31	0.01	202.71	26.62		115.08	265.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:22:45	77.13		202.48	26.86	115.32	33.31	0.01	202.47	26.86		115.32	265.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:22:47	77.17		202.45	26.89	115.35	33.31	0.01	202.44	26.89		115.35	265.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:22:49	77.20		202.56	26.78	115.24	33.31	0.01	202.55	26.78		115.24	265.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:22:51	77.23		202.51	26.82	115.28	33.31	0.01	202.50	26.83		115.29	265.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:22:53	77.27		202.61	26.72	115.18	33.31	0.01	202.60	26.73		115.19	265.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:22:55	77.30		202.44	26.89	115.35	33.31	0.01	202.43	26.90		115.36	265.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:22:57	77.33		202.53	26.80	115.26	33.31	0.01	202.53	26.81		115.27	265.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:22:59	77.37		202.25	27.09	115.55	33.31	0.01	202.24	27.09		115.55	265.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:23:01	77.40		202.38	26.96	115.42	33.31	0.01	202.37	26.96		115.42	265.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:23:03	77.43		202.18	27.15	115.61	33.31	0.01	202.18	27.16		115.62	265.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:23:05	77.47		202.25	27.08	115.54	33.31	0.01	202.25	27.09		115.55	265.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:23:07	77.50		202.34	27.00	115.46	33.31	0.01	202.33	27.00		115.46	265.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:23:09	77.53		202.38	26.96	115.42	33.31	0.01	202.37	26.96		115.42	265.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:23:11	77.57		202.09	27.25	115.71	33.31	0.01	202.08	27.25		115.71	265.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:23:13	77.60		202.24	27.10	115.56	33.31	0.01	202.23	27.10		115.56	265.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:23:15	77.63		202.29	27.05	115.51	33.31	0.01	202.28	27.06		115.52	265.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:23:17	77.67		202.25	27.08	115.54	33.31	0.01	202.25	27.09		115.55	265.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:23:19	77.70		202.36	26.98	115.44	33.31	0.01	202.35	26.99		115.45	265.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:23:21	77.73		202.32	27.02	115.48	33.31	0.01	202.31	27.02		115.48	265.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:23:23	77.77		202.42	26.92	115.38	33.31	0.01	202.41	26.92		115.38	265.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:23:25	77.80		202.43	26.90	115.36	33.31	0.01	202.43	26.91		115.37	265.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:23:27	77.83		202.57	26.76	115.22	33.31	0.01	202.57	26.77		115.23	265.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:23:29	77.87		202.62	26.72	115.18	33.31	0.01	202.61	26.72		115.18	265.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:23:31	77.90		202.67	26.66	115.12	33.31	0.01	202.67	26.67		115.13	265.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:23:33	77.93		202.62	26.72	115.18	33.31	0.01	202.61	26.72		115.18	265.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:23:35	77.97		202.43	26.90	115.36	33.31	0.01	202.43	26.91		115.37	265.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:23:37	78.00		202.56	26.78	115.24	33.31	0.01	202.55	26.78		115.24	265.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:23:39	78.03		202.37	26.97	115.43	33.31	0.01	202.36	26.97		115.43	265.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:23:41	78.07		202.60	26.73	115.19	33.31	0.01	202.60	26.74		115.20	265.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:23:43	78.10		202.38	26.96	115.42	33.31	0.01	202.37	26.96		115.42	265.58

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:23:45	78.13		202.24	27.10	115.56	33.31	0.01	202.23	27.10		115.56	265.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:23:47	78.17		202.37	26.97	115.43	33.31	0.01	202.36	26.97		115.43	265.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:23:49	78.20		202.30	27.04	115.50	33.31	0.01	202.29	27.04		115.50	265.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:23:51	78.23		202.22	27.12	115.58	33.31	0.01	202.21	27.13		115.59	265.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:23:53	78.27		202.30	27.04	115.50	33.31	0.01	202.29	27.04		115.50	265.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:23:55	78.30		202.29	27.04	115.50	33.31	0.01	202.28	27.05		115.51	265.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:23:57	78.33		202.01	27.32	115.78	33.31	0.01	202.00	27.33		115.79	265.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:23:59	78.37		202.12	27.21	115.67	33.31	0.01	202.11	27.22		115.68	265.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:24:01	78.40		202.26	27.07	115.53	33.31	0.01	202.25	27.08		115.54	265.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:24:03	78.43		202.29	27.04	115.50	33.31	0.01	202.28	27.05		115.51	265.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:24:05	78.47		202.32	27.02	115.48	33.31	0.01	202.31	27.02		115.48	265.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:24:07	78.50		202.21	27.13	115.59	33.31	0.01	202.20	27.13		115.59	265.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:24:09	78.53		202.56	26.78	115.24	33.31	0.01	202.55	26.78		115.24	265.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:24:11	78.57		202.67	26.66	115.12	33.31	0.01	202.67	26.67		115.13	265.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:24:13	78.60		202.46	26.87	115.33	33.31	0.01	202.46	26.88		115.34	265.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:24:15	78.63		202.54	26.79	115.25	33.31	0.01	202.53	26.80		115.26	265.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:24:17	78.67		202.67	26.66	115.12	33.31	0.01	202.67	26.67		115.13	265.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:24:19	78.70		202.39	26.94	115.40	33.31	0.01	202.39	26.95		115.41	265.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:24:21	78.73		202.36	26.97	115.43	33.31	0.01	202.36	26.98		115.44	265.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:24:23	78.77		202.36	26.97	115.43	33.31	0.01	202.36	26.98		115.44	265.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:24:25	78.80		202.27	27.07	115.53	33.31	0.01	202.26	27.07		115.53	265.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:24:27	78.83		202.39	26.94	115.40	33.31	0.01	202.39	26.95		115.41	265.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:24:29	78.87		202.33	27.00	115.46	33.31	0.01	202.32	27.01		115.47	265.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:24:31	78.90		202.39	26.95	115.41	33.31	0.01	202.38	26.95		115.41	265.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:24:33	78.93		202.07	27.27	115.73	33.31	0.01	202.06	27.27		115.73	265.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:24:35	78.97		202.20	27.13	115.59	33.31	0.01	202.20	27.14		115.60	265.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:24:37	79.00		202.31	27.03	115.49	33.31	0.01	202.30	27.03		115.49	265.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:24:39	79.03		202.11	27.23	115.69	33.31	0.01	202.10	27.24		115.70	265.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:24:41	79.07		202.30	27.04	115.50	33.31	0.01	202.29	27.04		115.50	265.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:24:43	79.10		202.20	27.14	115.60	33.31	0.01	202.19	27.14		115.60	265.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:24:45	79.13		202.29	27.05	115.51	33.31	0.01	202.28	27.06		115.52	265.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:24:47	79.17		202.16	27.18	115.64	33.31	0.01	202.15	27.18		115.64	265.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:24:49	79.20		202.34	27.00	115.46	33.31	0.01	202.33	27.00		115.46	265.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:24:51	79.23		202.25	27.08	115.54	33.31	0.01	202.25	27.09		115.55	265.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:24:53	79.27		202.41	26.93	115.39	33.31	0.01	202.40	26.93		115.39	265.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:24:55	79.30		202.51	26.82	115.28	33.31	0.01	202.50	26.83		115.29	265.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:24:57	79.33		202.36	26.97	115.43	33.31	0.01	202.36	26.98		115.44	265.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:24:59	79.37		202.33	27.00	115.46	33.31	0.01	202.32	27.01		115.47	265.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:25:01	79.40		202.49	26.85	115.31	33.31	0.02	202.48	26.85		115.31	265.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:25:03	79.43		202.55	26.79	115.25	33.31	0.02	202.54	26.79		115.25	265.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:25:05	79.47		202.32	27.01	115.47	33.31	0.02	202.32	27.02		115.48	265.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:25:07	79.50		202.50	26.84	115.30	33.31	0.02	202.49	26.84		115.30	265.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:25:09	79.53		202.39	26.94	115.40	33.31	0.02	202.39	26.95		115.41	265.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:25:11	79.57		202.11	27.22	115.68	33.31	0.02	202.11	27.23		115.69	265.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:25:13	79.60		202.25	27.08	115.54	33.31	0.02	202.25	27.09		115.55	265.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:25:15	79.63		202.27	27.07	115.53	33.31	0.02	202.26	27.07		115.53	265.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:25:17	79.67		201.86	27.48	115.94	33.31	0.02	201.85	27.48		115.94	265.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:25:19	79.70		202.29	27.04	115.50	33.31	0.02	202.28	27.05		115.51	265.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:25:21	79.73		202.29	27.04	115.50	33.31	0.02	202.28	27.05		115.51	265.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:25:23	79.77		202.27	27.07	115.53	33.31	0.02	202.26	27.07		115.53	265.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:25:25	79.80		202.19	27.14	115.60	33.31	0.02	202.18	27.15		115.61	265.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:25:27	79.83		202.36	26.98	115.44	33.31	0.02	202.35	26.98		115.44	265.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:25:29	79.87		202.06	27.27	115.73	33.31	0.02	202.06	27.28		115.74	265.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:25:31	79.90		202.14	27.19	115.65	33.31	0.02	202.14	27.20		115.66	265.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:25:33	79.93		202.22	27.11	115.57	33.31	0.02	202.21	27.12		115.58	265.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:25:35	79.97		202.13	27.20	115.66	33.31	0.02	202.13	27.21		115.67	265.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:25:37	80.00		202.45	26.89	115.35	33.31	0.02	202.44	26.89		115.35	265.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:25:39	80.03		202.47	26.86	115.32	33.31	0.02	202.46	26.87		115.33	265.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:25:41	80.07		202.23	27.11	115.57	33.31	0.02	202.22	27.11		115.57	265.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:25:43	80.10		202.35	26.99	115.45	33.31	0.02	202.34	26.99		115.45	265.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:25:45	80.13		202.42	26.92	115.38	33.31	0.02	202.41	26.92		115.38	265.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:25:47	80.17		202.52	26.81	115.27	33.31	0.02	202.52	26.82		115.28	265.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:25:49	80.20		202.43	26.90	115.36	33.31	0.02	202.43	26.91		115.37	265.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:25:51	80.23		202.48	26.86	115.32	33.31	0.02	202.47	26.86		115.32	265.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:25:53	80.27		202.36	26.97	115.43	33.31	0.02	202.36	26.98		115.44	265.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:25:55	80.30		202.39	26.95	115.41	33.31	0.02	202.38	26.95		115.41	265.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:25:57	80.33		202.34	27.00	115.46	33.31	0.02	202.33	27.00		115.46	265.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:25:59	80.37		202.48	26.86	115.32	33.31	0.02	202.47	26.86		115.32	265.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:26:01	80.40		202.12	27.21	115.67	33.31	0.02	202.11	27.22		115.68	265.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:26:03	80.43		202.13	27.21	115.67	33.31	0.02	202.12	27.21		115.67	265.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:26:05	80.47		202.23	27.11	115.57	33.31	0.02	202.22	27.11		115.57	265.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:26:07	80.50		202.21	27.13	115.59	33.31	0.02	202.20	27.13		115.59	265.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:26:09	80.53		202.19	27.14	115.60	33.31	0.02	202.18	27.15		115.61	265.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:26:11	80.57		202.14	27.20	115.66	33.31	0.02	202.13	27.20		115.66	265.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:26:13	80.60		202.15	27.18	115.64	33.31	0.02	202.14	27.19		115.65	265.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:26:15	80.63		202.35	26.98	115.44	33.31	0.02	202.34	26.99		115.45	265.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:26:17	80.67		202.32	27.02	115.48	33.31	0.02	202.31	27.02		115.48	265.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:26:19	80.70		202.23	27.11	115.57	33.31	0.02	202.22	27.11		115.57	265.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:26:21	80.73		202.38	26.96	115.42	33.31	0.02	202.37	26.96		115.42	265.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:26:23	80.77		202.39	26.94	115.40	33.31	0.02	202.39	26.95		115.41	265.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:26:25	80.80		202.29	27.04	115.50	33.31	0.02	202.28	27.05		115.51	265.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:26:27	80.83		202.49	26.85	115.31	33.31	0.02	202.48	26.86		115.32	265.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:26:29	80.87		202.51	26.82	115.28	33.31	0.02	202.50	26.83		115.29	265.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:26:31	80.90		202.59	26.75	115.21	33.31	0.02	202.58	26.75		115.21	265.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:26:33	80.93		202.27	27.07	115.53	33.31	0.02	202.26	27.07		115.53	265.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:26:35	80.97		202.54	26.79	115.25	33.31	0.02	202.53	26.80		115.26	265.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:26:37	81.00		202.42	26.92	115.38	33.31	0.02	202.41	26.92		115.38	265.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:26:39	81.03		202.37	26.97	115.43	33.31	0.02	202.36	26.97		115.43	265.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:26:41	81.07		202.44	26.89	115.35	33.31	0.02	202.43	26.90		115.36	265.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:26:43	81.10		202.54	26.79	115.25	33.31	0.02	202.53	26.80		115.26	265.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:26:45	81.13		202.34	26.99	115.45	33.31	0.02	202.34	27.00		115.46	265.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:26:47	81.17		202.28	27.05	115.51	33.31	0.02	202.27	27.06		115.52	265.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:26:49	81.20		202.15	27.18	115.64	33.31	0.02	202.14	27.19		115.65	265.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:26:51	81.23		202.16	27.18	115.64	33.31	0.02	202.15	27.18		115.64	265.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:26:53	81.27		202.07	27.27	115.73	33.31	0.02	202.06	27.27		115.73	265.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:26:55	81.30		202.13	27.21	115.67	33.31	0.02	202.12	27.21		115.67	265.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:26:57	81.33		202.06	27.28	115.74	33.31	0.02	202.05	27.28		115.74	265.26

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:26:59	81.37		202.12	27.22	115.68	33.31	0.02	202.11	27.22		115.68	265.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:27:01	81.40		202.22	27.12	115.58	33.31	0.02	202.21	27.13		115.59	265.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:27:03	81.43		202.34	27.00	115.46	33.31	0.02	202.33	27.00		115.46	265.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:27:05	81.47		202.43	26.91	115.37	33.31	0.02	202.42	26.92		115.38	265.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:27:07	81.50		202.23	27.11	115.57	33.31	0.02	202.22	27.11		115.57	265.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:27:09	81.53		202.45	26.89	115.35	33.31	0.02	202.44	26.89		115.35	265.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:27:11	81.57		202.43	26.90	115.36	33.31	0.02	202.43	26.91		115.37	265.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:27:13	81.60		202.46	26.87	115.33	33.31	0.02	202.45	26.88		115.34	265.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:27:15	81.63		202.41	26.93	115.39	33.31	0.02	202.40	26.93		115.39	265.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:27:17	81.67		202.40	26.93	115.39	33.31	0.02	202.39	26.94		115.40	265.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:27:19	81.70		202.43	26.90	115.36	33.31	0.02	202.43	26.91		115.37	265.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:27:21	81.73		202.25	27.09	115.55	33.31	0.02	202.24	27.09		115.55	265.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:27:23	81.77		202.53	26.80	115.26	33.31	0.02	202.53	26.81		115.27	265.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:27:25	81.80		202.48	26.86	115.32	33.31	0.02	202.47	26.86		115.32	265.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:27:27	81.83		202.11	27.22	115.68	33.31	0.02	202.10	27.23		115.69	265.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:27:29	81.87		202.20	27.13	115.59	33.31	0.02	202.20	27.14		115.60	265.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:27:31	81.90		202.34	27.00	115.46	33.31	0.02	202.33	27.00		115.46	265.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:27:33	81.93		202.30	27.04	115.50	33.31	0.02	202.29	27.04		115.50	265.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:27:35	81.97		202.24	27.09	115.55	33.31	0.02	202.24	27.10		115.56	265.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:27:37	82.00		202.11	27.23	115.69	33.31	0.02	202.10	27.24		115.70	265.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:27:39	82.03		202.03	27.30	115.76	33.31	0.02	202.03	27.31		115.77	265.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:27:41	82.07		202.12	27.21	115.67	33.31	0.02	202.11	27.22		115.68	265.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:27:43	82.10		202.04	27.30	115.76	33.31	0.02	202.03	27.30		115.76	265.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:27:45	82.13		202.22	27.12	115.58	33.31	0.02	202.21	27.12		115.58	265.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:27:47	82.17		202.19	27.15	115.61	33.31	0.02	202.18	27.15		115.61	265.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:27:49	82.20		202.18	27.15	115.61	33.31	0.02	202.18	27.16		115.62	265.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:27:51	82.23		202.18	27.15	115.61	33.31	0.02	202.18	27.16		115.62	265.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:27:53	82.27		202.35	26.99	115.45	33.31	0.02	202.34	26.99		115.45	265.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:27:55	82.30		202.39	26.94	115.40	33.31	0.02	202.38	26.95		115.41	265.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:27:57	82.33		202.32	27.02	115.48	33.31	0.02	202.31	27.02		115.48	265.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:27:59	82.37		202.50	26.84	115.30	33.31	0.02	202.49	26.85		115.31	265.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:28:01	82.40		202.10	27.23	115.69	33.31	0.02	202.10	27.24		115.70	265.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:28:03	82.43		202.59	26.75	115.21	33.31	0.02	202.58	26.75		115.21	265.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:28:05	82.47		202.43	26.91	115.37	33.31	0.02	202.42	26.91		115.37	265.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:28:07	82.50		202.56	26.77	115.23	33.31	0.02	202.56	26.78		115.24	265.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:28:09	82.53		202.39	26.94	115.40	33.31	0.02	202.38	26.95		115.41	265.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:28:11	82.57		202.27	27.06	115.52	33.31	0.02	202.27	27.07		115.53	265.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:28:13	82.60		202.38	26.96	115.42	33.31	0.02	202.37	26.96		115.42	265.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:28:15	82.63		202.09	27.25	115.71	33.31	0.02	202.08	27.25		115.71	265.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:28:17	82.67		202.24	27.10	115.56	33.31	0.02	202.23	27.10		115.56	265.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:28:19	82.70		202.27	27.06	115.52	33.31	0.02	202.27	27.07		115.53	265.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:28:21	82.73		202.09	27.25	115.71	33.31	0.02	202.08	27.25		115.71	265.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:28:23	82.77		202.12	27.22	115.68	33.31	0.02	202.11	27.22		115.68	265.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:28:25	82.80		202.10	27.24	115.70	33.31	0.02	202.09	27.25		115.71	265.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:28:27	82.83		202.00	27.34	115.80	33.31	0.02	201.99	27.34		115.80	265.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:28:29	82.87		202.21	27.13	115.59	33.31	0.02	202.20	27.13		115.59	265.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:28:31	82.90		202.28	27.05	115.51	33.31	0.02	202.27	27.06		115.52	265.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:28:33	82.93		202.32	27.01	115.47	33.31	0.02	202.32	27.02		115.48	265.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:28:35	82.97		202.39	26.94	115.40	33.31	0.02	202.38	26.95		115.41	265.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:28:37	83.00		202.08	27.26	115.72	33.31	0.02	202.07	27.26		115.72	265.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:28:39	83.03		202.33	27.00	115.46	33.31	0.02	202.32	27.01		115.47	265.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:28:41	83.07		202.40	26.93	115.39	33.31	0.02	202.39	26.94		115.40	265.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:28:43	83.10		202.53	26.80	115.26	33.31	0.02	202.52	26.81		115.27	265.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:28:45	83.13		202.23	27.11	115.57	33.31	0.02	202.22	27.11		115.57	265.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:28:47	83.17		202.40	26.94	115.40	33.31	0.02	202.39	26.94		115.40	265.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:28:49	83.20		202.43	26.91	115.37	33.31	0.02	202.42	26.91		115.37	265.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:28:51	83.23		202.45	26.89	115.35	33.31	0.02	202.44	26.89		115.35	265.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:28:53	83.27		202.26	27.07	115.53	33.31	0.02	202.25	27.08		115.54	265.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:28:55	83.30		202.45	26.89	115.35	33.31	0.02	202.44	26.89		115.35	265.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:28:57	83.33		202.13	27.21	115.67	33.31	0.02	202.12	27.21		115.67	265.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:28:59	83.37		202.26	27.08	115.54	33.31	0.02	202.25	27.08		115.54	265.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:29:01	83.40		202.41	26.92	115.38	33.31	0.02	202.41	26.93		115.39	265.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:29:03	83.43		202.17	27.16	115.62	33.31	0.02	202.17	27.17		115.63	265.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:29:05	83.47		202.12	27.21	115.67	33.31	0.02	202.11	27.22		115.68	265.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:29:07	83.50		202.13	27.21	115.67	33.31	0.02	202.12	27.21		115.67	265.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:29:09	83.53		202.18	27.15	115.61	33.31	0.02	202.17	27.16		115.62	265.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:29:11	83.57		202.01	27.33	115.79	33.31	0.02	202.00	27.33		115.79	265.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:29:13	83.60		202.17	27.16	115.62	33.31	0.02	202.17	27.17		115.63	265.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:29:15	83.63		202.10	27.23	115.69	33.31	0.02	202.10	27.24		115.70	265.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:29:17	83.67		202.20	27.13	115.59	33.31	0.02	202.20	27.14		115.60	265.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:29:19	83.70		202.08	27.26	115.72	33.31	0.02	202.07	27.26		115.72	265.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:29:21	83.73		202.18	27.15	115.61	33.31	0.02	202.17	27.16		115.62	265.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:29:23	83.77		202.33	27.01	115.47	33.31	0.02	202.32	27.01		115.47	265.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:29:25	83.80		202.09	27.25	115.71	33.31	0.02	202.08	27.25		115.71	265.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:29:27	83.83		202.43	26.91	115.37	33.31	0.02	202.42	26.91		115.37	265.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:29:29	83.87		202.29	27.05	115.51	33.31	0.02	202.28	27.06		115.52	265.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:29:31	83.90		202.41	26.92	115.38	33.31	0.02	202.41	26.93		115.39	265.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:29:33	83.93		202.33	27.00	115.46	33.31	0.02	202.32	27.01		115.47	265.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:29:35	83.97		202.49	26.85	115.31	33.31	0.02	202.48	26.86		115.32	265.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:29:37	84.00		202.51	26.82	115.28	33.31	0.02	202.50	26.83		115.29	265.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:29:39	84.03		202.35	26.98	115.44	33.31	0.02	202.34	26.99		115.45	265.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:29:41	84.07		202.45	26.89	115.35	33.31	0.02	202.44	26.89		115.35	265.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:29:43	84.10		202.28	27.05	115.51	33.31	0.02	202.27	27.06		115.52	265.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:29:45	84.13		202.13	27.20	115.66	33.31	0.02	202.13	27.21		115.67	265.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:29:47	84.17		202.32	27.01	115.47	33.31	0.02	202.32	27.02		115.48	265.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:29:49	84.20		202.17	27.17	115.63	33.31	0.02	202.16	27.17		115.63	265.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:29:51	84.23		201.98	27.36	115.82	33.31	0.02	201.97	27.36		115.82	265.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:29:53	84.27		202.22	27.12	115.58	33.31	0.02	202.21	27.13		115.59	265.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:29:55	84.30		202.07	27.26	115.72	33.31	0.02	202.06	27.27		115.73	265.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:29:57	84.33		202.11	27.22	115.68	33.31	0.02	202.11	27.23		115.69	265.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:29:59	84.37		202.06	27.28	115.74	33.31	0.02	202.05	27.28		115.74	265.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:30:01	84.40		202.17	27.17	115.63	33.31	0.02	202.16	27.17		115.63	265.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:30:03	84.43		201.99	27.34	115.80	33.31	0.02	201.99	27.35		115.81	265.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:30:05	84.47		202.24	27.10	115.56	33.31	0.02	202.23	27.10		115.56	265.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:30:07	84.50		202.18	27.15	115.61	33.31	0.02	202.17	27.16		115.62	265.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:30:09	84.53		202.24	27.09	115.55	33.31	0.02	202.24	27.10		115.56	265.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:30:11	84.57		202.26	27.07	115.53	33.31	0.02	202.25	27.08		115.54	265.46

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:30:13	84.60		202.20	27.13	115.59	33.31	0.02	202.20	27.14		115.60	265.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:30:15	84.63		202.17	27.17	115.63	33.31	0.02	202.16	27.17		115.63	265.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:30:17	84.67		202.50	26.84	115.30	33.31	0.02	202.49	26.85		115.31	265.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:30:19	84.70		202.45	26.88	115.34	33.31	0.02	202.45	26.89		115.35	265.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:30:21	84.73		202.34	26.99	115.45	33.31	0.02	202.34	27.00		115.46	265.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:30:23	84.77		202.42	26.92	115.38	33.31	0.02	202.41	26.92		115.38	265.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:30:25	84.80		202.27	27.07	115.53	33.31	0.02	202.26	27.07		115.53	265.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:30:27	84.83		202.14	27.19	115.65	33.31	0.02	202.13	27.20		115.66	265.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:30:29	84.87		202.17	27.16	115.62	33.31	0.02	202.17	27.17		115.63	265.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:30:31	84.90		202.11	27.22	115.68	33.31	0.02	202.10	27.23		115.69	265.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:30:33	84.93		202.18	27.15	115.61	33.31	0.02	202.18	27.16		115.62	265.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:30:35	84.97		202.11	27.22	115.68	33.31	0.02	202.10	27.23		115.69	265.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:30:37	85.00		202.10	27.24	115.70	33.31	0.02	202.09	27.24		115.70	265.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:30:39	85.03		202.07	27.27	115.73	33.31	0.02	202.06	27.27		115.73	265.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:30:41	85.07		201.95	27.39	115.85	33.31	0.02	201.94	27.39		115.85	265.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:30:43	85.10		202.04	27.30	115.76	33.31	0.02	202.03	27.30		115.76	265.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:30:45	85.13		202.23	27.11	115.57	33.31	0.02	202.22	27.11		115.57	265.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:30:47	85.17		202.20	27.14	115.60	33.31	0.02	202.19	27.14		115.60	265.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:30:49	85.20		201.96	27.38	115.84	33.31	0.02	201.95	27.38		115.84	265.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:30:51	85.23		202.26	27.08	115.54	33.31	0.02	202.25	27.08		115.54	265.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:30:53	85.27		202.07	27.26	115.72	33.31	0.02	202.07	27.27		115.73	265.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:30:55	85.30		202.11	27.22	115.68	33.31	0.02	202.10	27.23		115.69	265.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:30:57	85.33		202.40	26.94	115.40	33.31	0.02	202.39	26.94		115.40	265.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:30:59	85.37		202.27	27.07	115.53	33.31	0.02	202.26	27.07		115.53	265.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:31:01	85.40		202.57	26.76	115.22	33.31	0.02	202.57	26.77		115.23	265.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:31:03	85.43		202.23	27.11	115.57	33.31	0.02	202.22	27.11		115.57	265.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:31:05	85.47		202.35	26.98	115.44	33.31	0.02	202.34	26.99		115.45	265.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:31:07	85.50		202.13	27.20	115.66	33.31	0.02	202.13	27.21		115.67	265.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:31:09	85.53		202.31	27.02	115.48	33.31	0.02	202.31	27.03		115.49	265.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:31:11	85.57		202.31	27.02	115.48	33.31	0.02	202.31	27.03		115.49	265.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:31:13	85.60		202.25	27.08	115.54	33.31	0.02	202.25	27.09		115.55	265.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:31:15	85.63		202.03	27.31	115.77	33.31	0.02	202.02	27.32		115.78	265.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:31:17	85.67		202.13	27.21	115.67	33.31	0.02	202.12	27.21		115.67	265.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:31:19	85.70		202.28	27.05	115.51	33.31	0.02	202.27	27.06		115.52	265.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:31:21	85.73		202.17	27.17	115.63	33.31	0.02	202.16	27.18		115.64	265.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:31:23	85.77		201.75	27.58	116.04	33.31	0.02	201.74	27.59		116.05	264.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:31:25	85.80		202.06	27.27	115.73	33.31	0.02	202.06	27.28		115.74	265.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:31:27	85.83		201.90	27.44	115.90	33.31	0.02	201.89	27.45		115.91	265.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:31:29	85.87		202.07	27.26	115.72	33.31	0.02	202.06	27.27		115.73	265.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:31:31	85.90		201.98	27.35	115.81	33.31	0.02	201.97	27.36		115.82	265.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:31:33	85.93		202.23	27.11	115.57	33.31	0.02	202.22	27.11		115.57	265.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:31:35	85.97		202.11	27.22	115.68	33.31	0.02	202.10	27.23		115.69	265.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:31:37	86.00		202.17	27.16	115.62	33.31	0.02	202.17	27.17		115.63	265.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:31:39	86.03		202.12	27.22	115.68	33.31	0.02	202.11	27.22		115.68	265.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:31:41	86.07		202.24	27.09	115.55	33.31	0.02	202.24	27.10		115.56	265.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:31:43	86.10		202.20	27.13	115.59	33.31	0.02	202.20	27.14		115.60	265.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:31:45	86.13		202.29	27.05	115.51	33.31	0.02	202.28	27.05		115.51	265.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:31:47	86.17		202.34	27.00	115.46	33.31	0.02	202.33	27.00		115.46	265.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:31:49	86.20		202.16	27.18	115.64	33.31	0.02	202.15	27.18		115.64	265.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:31:51	86.23		202.23	27.11	115.57	33.31	0.02	202.22	27.11		115.57	265.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:31:53	86.27		202.23	27.11	115.57	33.31	0.02	202.22	27.11		115.57	265.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:31:55	86.30		202.54	26.80	115.26	33.31	0.02	202.53	26.80		115.26	265.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:31:57	86.33		202.24	27.10	115.56	33.31	0.02	202.23	27.11		115.57	265.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:31:59	86.37		202.07	27.26	115.72	33.31	0.02	202.06	27.27		115.73	265.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:32:01	86.40		202.09	27.25	115.71	33.31	0.02	202.08	27.25		115.71	265.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:32:03	86.43		202.17	27.17	115.63	33.31	0.02	202.16	27.18		115.64	265.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:32:05	86.47		201.84	27.49	115.95	33.31	0.02	201.83	27.50		115.96	265.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:32:07	86.50		202.08	27.26	115.72	33.31	0.02	202.07	27.26		115.72	265.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:32:09	86.53		201.93	27.40	115.86	33.31	0.02	201.92	27.41		115.87	265.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:32:11	86.57		201.97	27.37	115.83	33.31	0.02	201.96	27.37		115.83	265.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:32:13	86.60		201.91	27.42	115.88	33.31	0.02	201.90	27.43		115.89	265.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:32:15	86.63		202.21	27.12	115.58	33.31	0.02	202.20	27.13		115.59	265.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:32:17	86.67		201.98	27.36	115.82	33.31	0.02	201.97	27.36		115.82	265.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:32:19	86.70		201.82	27.51	115.97	33.31	0.02	201.81	27.52		115.98	265.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:32:21	86.73		202.06	27.28	115.74	33.31	0.02	202.05	27.28		115.74	265.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:32:23	86.77		202.06	27.28	115.74	33.31	0.02	202.05	27.28		115.74	265.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:32:25	86.80		202.02	27.32	115.78	33.31	0.02	202.01	27.32		115.78	265.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:32:27	86.83		202.40	26.94	115.40	33.31	0.02	202.39	26.94		115.40	265.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:32:29	86.87		202.42	26.92	115.38	33.31	0.02	202.41	26.92		115.38	265.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:32:31	86.90		202.16	27.18	115.64	33.31	0.02	202.15	27.18		115.64	265.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:32:33	86.93		202.29	27.05	115.51	33.31	0.02	202.28	27.05		115.51	265.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:32:35	86.97		202.25	27.08	115.54	33.31	0.02	202.24	27.09		115.55	265.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:32:37	87.00		202.24	27.09	115.55	33.31	0.02	202.24	27.10		115.56	265.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:32:39	87.03		202.34	27.00	115.46	33.31	0.02	202.33	27.00		115.46	265.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:32:41	87.07		202.23	27.11	115.57	33.31	0.02	202.22	27.11		115.57	265.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:32:43	87.10		202.31	27.03	115.49	33.31	0.02	202.30	27.04		115.50	265.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:32:45	87.13		202.23	27.11	115.57	33.31	0.02	202.22	27.11		115.57	265.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:32:47	87.17		202.17	27.17	115.63	33.31	0.02	202.16	27.18		115.64	265.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:32:49	87.20		202.25	27.08	115.54	33.31	0.02	202.24	27.09		115.55	265.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:32:51	87.23		202.06	27.27	115.73	33.31	0.02	202.06	27.28		115.74	265.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:32:53	87.27		201.97	27.36	115.82	33.31	0.02	201.97	27.37		115.83	265.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:32:55	87.30		201.94	27.40	115.86	33.31	0.02	201.93	27.40		115.86	265.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:32:57	87.33		202.06	27.27	115.73	33.31	0.02	202.06	27.28		115.74	265.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:32:59	87.37		201.99	27.35	115.81	33.31	0.02	201.98	27.35		115.81	265.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:33:01	87.40		201.93	27.40	115.86	33.31	0.02	201.92	27.41		115.87	265.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:33:03	87.43		201.86	27.47	115.93	33.31	0.02	201.85	27.48		115.94	265.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:33:05	87.47		201.86	27.47	115.93	33.31	0.02	201.85	27.48		115.94	265.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:33:07	87.50		202.20	27.13	115.59	33.31	0.02	202.20	27.14		115.60	265.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:33:09	87.53		202.04	27.30	115.76	33.31	0.02	202.03	27.30		115.76	265.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:33:11	87.57		202.23	27.11	115.57	33.31	0.02	202.22	27.11		115.57	265.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:33:13	87.60		202.17	27.16	115.62	33.31	0.02	202.17	27.17		115.63	265.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:33:15	87.63		202.35	26.98	115.44	33.31	0.02	202.34	26.99		115.45	265.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:33:17	87.67		202.39	26.94	115.40	33.31	0.02	202.38	26.95		115.41	265.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:33:19	87.70		202.49	26.84	115.30	33.31	0.02	202.48	26.85		115.31	265.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:33:21	87.73		202.29	27.05	115.51	33.31	0.02	202.28	27.05		115.51	265.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:33:23	87.77		202.31	27.02	115.48	33.31	0.02	202.31	27.03		115.49	265.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:33:25	87.80		202.28	27.05	115.51	33.31	0.02	202.27	27.06		115.52	265.48

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:33:27	87.83		202.32	27.01	115.47	33.31	0.02	202.31	27.02		115.48	265.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:33:29	87.87		202.10	27.23	115.69	33.31	0.02	202.10	27.24		115.70	265.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:33:31	87.90		202.10	27.24	115.70	33.31	0.02	202.09	27.25		115.71	265.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:33:33	87.93		202.11	27.22	115.68	33.31	0.02	202.10	27.23		115.69	265.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:33:35	87.97		202.07	27.26	115.72	33.31	0.02	202.06	27.27		115.73	265.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:33:37	88.00		202.09	27.25	115.71	33.31	0.02	202.08	27.25		115.71	265.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:33:39	88.03		202.07	27.26	115.72	33.31	0.02	202.06	27.27		115.73	265.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:33:41	88.07		201.98	27.36	115.82	33.31	0.02	201.97	27.36		115.82	265.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:33:43	88.10		201.96	27.37	115.83	33.31	0.02	201.95	27.38		115.84	265.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:33:45	88.13		202.13	27.21	115.67	33.31	0.02	202.12	27.21		115.67	265.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:33:47	88.17		201.99	27.35	115.81	33.31	0.02	201.98	27.35		115.81	265.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:33:49	88.20		201.96	27.38	115.84	33.31	0.02	201.95	27.39		115.85	265.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:33:51	88.23		201.96	27.37	115.83	33.31	0.02	201.95	27.38		115.84	265.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:33:53	88.27		202.17	27.17	115.63	33.31	0.02	202.16	27.17		115.63	265.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:33:55	88.30		202.12	27.22	115.68	33.31	0.02	202.11	27.22		115.68	265.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:33:57	88.33		202.13	27.21	115.67	33.31	0.02	202.12	27.21		115.67	265.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:33:59	88.37		202.16	27.18	115.64	33.31	0.02	202.15	27.18		115.64	265.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:34:01	88.40		202.19	27.15	115.61	33.31	0.02	202.18	27.15		115.61	265.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:34:03	88.43		202.38	26.95	115.41	33.31	0.02	202.38	26.96		115.42	265.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:34:05	88.47		202.41	26.92	115.38	33.31	0.02	202.41	26.93		115.39	265.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:34:07	88.50		202.46	26.87	115.33	33.31	0.02	202.45	26.88		115.34	265.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:34:09	88.53		202.27	27.07	115.53	33.31	0.02	202.26	27.07		115.53	265.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:34:11	88.57		202.31	27.03	115.49	33.31	0.02	202.30	27.04		115.50	265.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:34:13	88.60		202.09	27.25	115.71	33.31	0.02	202.08	27.25		115.71	265.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:34:15	88.63		202.15	27.19	115.65	33.31	0.02	202.14	27.19		115.65	265.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:34:17	88.67		202.05	27.29	115.75	33.31	0.02	202.04	27.29		115.75	265.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:34:19	88.70		201.99	27.34	115.80	33.31	0.02	201.99	27.35		115.81	265.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:34:21	88.73		201.97	27.37	115.83	33.31	0.02	201.96	27.37		115.83	265.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:34:23	88.77		201.87	27.47	115.93	33.31	0.02	201.86	27.47		115.93	265.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:34:25	88.80		201.99	27.34	115.80	33.31	0.02	201.99	27.35		115.81	265.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:34:27	88.83		202.11	27.22	115.68	33.31	0.02	202.10	27.23		115.69	265.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:34:29	88.87		201.98	27.36	115.82	33.31	0.02	201.97	27.36		115.82	265.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:34:31	88.90		202.05	27.29	115.75	33.31	0.02	202.04	27.29		115.75	265.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:34:33	88.93		201.85	27.49	115.95	33.31	0.02	201.84	27.49		115.95	265.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:34:35	88.97		201.92	27.42	115.88	33.31	0.02	201.91	27.42		115.88	265.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:34:37	89.00		202.10	27.24	115.70	33.31	0.02	202.09	27.25		115.71	265.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:34:39	89.03		202.06	27.27	115.73	33.31	0.02	202.06	27.28		115.74	265.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:34:41	89.07		201.89	27.45	115.91	33.31	0.02	201.88	27.46		115.92	265.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:34:43	89.10		202.13	27.20	115.66	33.31	0.02	202.13	27.21		115.67	265.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:34:45	89.13		202.17	27.17	115.63	33.31	0.02	202.16	27.18		115.64	265.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:34:47	89.17		202.09	27.25	115.71	33.31	0.02	202.08	27.25		115.71	265.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:34:49	89.20		202.38	26.96	115.42	33.31	0.02	202.37	26.97		115.43	265.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:34:51	89.23		202.14	27.19	115.65	33.31	0.02	202.13	27.20		115.66	265.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:34:53	89.27		202.21	27.12	115.58	33.31	0.02	202.20	27.13		115.59	265.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:34:55	89.30		202.22	27.12	115.58	33.31	0.02	202.21	27.12		115.58	265.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:34:57	89.33		202.24	27.10	115.56	33.31	0.02	202.23	27.10		115.56	265.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:34:59	89.37		202.20	27.14	115.60	33.31	0.02	202.19	27.14		115.60	265.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:35:01	89.40		202.05	27.29	115.75	33.31	0.02	202.04	27.29		115.75	265.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:35:03	89.43		202.13	27.21	115.67	33.31	0.02	202.12	27.22		115.68	265.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:35:05	89.47		201.90	27.44	115.90	33.31	0.02	201.89	27.45		115.91	265.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:35:07	89.50		201.89	27.44	115.90	33.31	0.02	201.88	27.45		115.91	265.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:35:09	89.53		202.02	27.32	115.78	33.31	0.02	202.01	27.32		115.78	265.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:35:11	89.57		201.98	27.36	115.82	33.31	0.02	201.97	27.36		115.82	265.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:35:13	89.60		201.84	27.50	115.96	33.31	0.02	201.83	27.50		115.96	265.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:35:15	89.63		201.82	27.51	115.97	33.31	0.02	201.81	27.52		115.98	265.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:35:17	89.67		201.99	27.34	115.80	33.31	0.02	201.99	27.35		115.81	265.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:35:19	89.70		202.09	27.25	115.71	33.31	0.02	202.08	27.25		115.71	265.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:35:21	89.73		202.07	27.26	115.72	33.31	0.02	202.06	27.27		115.73	265.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:35:23	89.77		202.17	27.17	115.63	33.31	0.02	202.16	27.18		115.64	265.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:35:25	89.80		202.21	27.12	115.58	33.31	0.02	202.20	27.13		115.59	265.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:35:27	89.83		202.09	27.25	115.71	33.31	0.02	202.08	27.25		115.71	265.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:35:29	89.87		202.23	27.11	115.57	33.31	0.02	202.22	27.11		115.57	265.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:35:31	89.90		202.08	27.26	115.72	33.31	0.02	202.07	27.26		115.72	265.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:35:33	89.93		202.01	27.33	115.79	33.31	0.02	202.00	27.33		115.79	265.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:35:35	89.97		202.41	26.92	115.38	33.31	0.02	202.41	26.93		115.39	265.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:35:37	90.00		202.18	27.15	115.61	33.31	0.02	202.17	27.16		115.62	265.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:35:39	90.03		202.09	27.25	115.71	33.31	0.02	202.08	27.25		115.71	265.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:35:41	90.07		202.24	27.10	115.56	33.31	0.02	202.23	27.11		115.57	265.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:35:43	90.10		202.20	27.14	115.60	33.31	0.02	202.19	27.15		115.61	265.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:35:45	90.13		202.17	27.17	115.63	33.31	0.02	202.16	27.18		115.64	265.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:35:47	90.17		201.92	27.42	115.88	33.31	0.02	201.91	27.43		115.89	265.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:35:49	90.20		201.98	27.36	115.82	33.31	0.02	201.97	27.36		115.82	265.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:35:51	90.23		202.08	27.26	115.72	33.31	0.02	202.07	27.26		115.72	265.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:35:53	90.27		201.79	27.54	116.00	33.31	0.02	201.78	27.55		116.01	264.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:35:55	90.30		202.01	27.33	115.79	33.31	0.02	202.00	27.33		115.79	265.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:35:57	90.33		201.73	27.61	116.07	33.31	0.02	201.72	27.61		116.07	264.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:35:59	90.37		202.03	27.30	115.76	33.31	0.02	202.02	27.31		115.77	265.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:36:01	90.40		201.98	27.35	115.81	33.31	0.02	201.97	27.36		115.82	265.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:36:03	90.43		201.99	27.34	115.80	33.31	0.02	201.99	27.35		115.81	265.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:36:05	90.47		202.03	27.30	115.76	33.31	0.02	202.02	27.31		115.77	265.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:36:07	90.50		202.15	27.19	115.65	33.31	0.02	202.14	27.19		115.65	265.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:36:09	90.53		202.08	27.26	115.72	33.31	0.02	202.07	27.26		115.72	265.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:36:11	90.57		202.11	27.22	115.68	33.31	0.02	202.10	27.23		115.69	265.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:36:13	90.60		202.13	27.20	115.66	33.31	0.02	202.13	27.21		115.67	265.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:36:15	90.63		202.13	27.20	115.66	33.31	0.02	202.13	27.21		115.67	265.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:36:17	90.67		202.31	27.03	115.49	33.31	0.02	202.30	27.04		115.50	265.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:36:19	90.70		202.45	26.88	115.34	33.31	0.02	202.44	26.89		115.35	265.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:36:21	90.73		202.20	27.14	115.60	33.31	0.02	202.19	27.15		115.61	265.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:36:23	90.77		202.24	27.09	115.55	33.31	0.02	202.23	27.10		115.56	265.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:36:25	90.80		202.22	27.12	115.58	33.31	0.02	202.21	27.12		115.58	265.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:36:27	90.83		202.30	27.04	115.50	33.31	0.02	202.29	27.04		115.50	265.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:36:29	90.87		202.13	27.21	115.67	33.31	0.02	202.12	27.22		115.68	265.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:36:31	90.90		202.13	27.21	115.67	33.31	0.02	202.12	27.22		115.68	265.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:36:33	90.93		202.27	27.07	115.53	33.31	0.02	202.26	27.08		115.54	265.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:36:35	90.97		202.15	27.19	115.65	33.31	0.02	202.14	27.19		115.65	265.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:36:37	91.00		201.92	27.42	115.88	33.31	0.02	201.91	27.43		115.89	265.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:36:39	91.03		201.95	27.39	115.85	33.31	0.02	201.94	27.39		115.85	265.15

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:36:41	91.07		201.82	27.51	115.97	33.31	0.02	201.81	27.52		115.98	265.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:36:43	91.10		201.78	27.56	116.02	33.31	0.02	201.77	27.57		116.03	264.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:36:45	91.13		201.89	27.45	115.91	33.31	0.02	201.88	27.46		115.92	265.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:36:47	91.17		201.90	27.44	115.90	33.31	0.02	201.89	27.44		115.90	265.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:36:49	91.20		201.88	27.46	115.92	33.31	0.02	201.87	27.46		115.92	265.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:36:51	91.23		202.05	27.29	115.75	33.31	0.02	202.04	27.29		115.75	265.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:36:53	91.27		202.11	27.22	115.68	33.31	0.02	202.10	27.23		115.69	265.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:36:55	91.30		202.18	27.15	115.61	33.31	0.02	202.17	27.16		115.62	265.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:36:57	91.33		202.09	27.25	115.71	33.31	0.02	202.08	27.25		115.71	265.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:36:59	91.37		202.01	27.33	115.79	33.31	0.02	202.00	27.33		115.79	265.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:37:01	91.40		202.18	27.15	115.61	33.31	0.02	202.17	27.16		115.62	265.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:37:03	91.43		202.32	27.01	115.47	33.31	0.02	202.31	27.02		115.48	265.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:37:05	91.47		202.13	27.21	115.67	33.31	0.02	202.12	27.22		115.68	265.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:37:07	91.50		202.38	26.95	115.41	33.31	0.02	202.37	26.96		115.42	265.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:37:09	91.53		202.14	27.19	115.65	33.31	0.02	202.13	27.20		115.66	265.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:37:11	91.57		202.18	27.15	115.61	33.31	0.02	202.17	27.16		115.62	265.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:37:13	91.60		202.41	26.93	115.39	33.31	0.02	202.40	26.93		115.39	265.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:37:15	91.63		202.15	27.19	115.65	33.31	0.02	202.14	27.19		115.65	265.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:37:17	91.67		202.08	27.26	115.72	33.31	0.02	202.07	27.26		115.72	265.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:37:19	91.70		202.03	27.30	115.76	33.31	0.02	202.02	27.31		115.77	265.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:37:21	91.73		201.93	27.40	115.86	33.31	0.02	201.92	27.41		115.87	265.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:37:23	91.77		201.95	27.39	115.85	33.31	0.02	201.94	27.39		115.85	265.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:37:25	91.80		201.86	27.47	115.93	33.31	0.02	201.85	27.48		115.94	265.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:37:27	91.83		201.68	27.65	116.11	33.31	0.02	201.67	27.66		116.12	264.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:37:29	91.87		201.82	27.51	115.97	33.31	0.02	201.81	27.52		115.98	265.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:37:31	91.90		201.67	27.66	116.12	33.31	0.02	201.67	27.67		116.13	264.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:37:33	91.93		201.90	27.44	115.90	33.31	0.02	201.89	27.44		115.90	265.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:37:35	91.97		201.96	27.37	115.83	33.31	0.02	201.95	27.38		115.84	265.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:37:37	92.00		201.99	27.34	115.80	33.31	0.02	201.99	27.35		115.81	265.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:37:39	92.03		201.99	27.34	115.80	33.31	0.02	201.99	27.35		115.81	265.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:37:41	92.07		202.17	27.17	115.63	33.31	0.02	202.16	27.18		115.64	265.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:37:43	92.10		202.11	27.22	115.68	33.31	0.02	202.10	27.23		115.69	265.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:37:45	92.13		201.94	27.40	115.86	33.31	0.02	201.93	27.40		115.86	265.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:37:47	92.17		202.06	27.27	115.73	33.31	0.02	202.06	27.28		115.74	265.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:37:49	92.20		202.30	27.04	115.50	33.31	0.02	202.29	27.04		115.50	265.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:37:51	92.23		202.24	27.10	115.56	33.31	0.02	202.23	27.11		115.57	265.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:37:53	92.27		202.26	27.08	115.54	33.31	0.02	202.25	27.08		115.54	265.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:37:55	92.30		202.17	27.16	115.62	33.31	0.02	202.16	27.17		115.63	265.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:37:57	92.33		202.23	27.11	115.57	33.31	0.02	202.22	27.11		115.57	265.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:37:59	92.37		202.06	27.28	115.74	33.31	0.02	202.05	27.29		115.75	265.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:38:01	92.40		201.89	27.44	115.90	33.31	0.02	201.88	27.45		115.91	265.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:38:03	92.43		202.05	27.29	115.75	33.31	0.02	202.04	27.29		115.75	265.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:38:05	92.47		201.86	27.47	115.93	33.31	0.02	201.85	27.48		115.94	265.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:38:07	92.50		201.82	27.51	115.97	33.31	0.02	201.81	27.52		115.98	265.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:38:09	92.53		202.13	27.20	115.66	33.31	0.02	202.13	27.21		115.67	265.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:38:11	92.57		201.95	27.39	115.85	33.31	0.02	201.94	27.39		115.85	265.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:38:13	92.60		201.75	27.58	116.04	33.31	0.02	201.74	27.59		116.05	264.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:38:15	92.63		201.99	27.35	115.81	33.31	0.02	201.98	27.36		115.82	265.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:38:17	92.67		202.12	27.22	115.68	33.31	0.02	202.11	27.22		115.68	265.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:38:19	92.70		201.90	27.44	115.90	33.31	0.02	201.89	27.44		115.90	265.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:38:21	92.73		201.98	27.36	115.82	33.31	0.02	201.97	27.36		115.82	265.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:38:23	92.77		202.02	27.32	115.78	33.31	0.02	202.01	27.32		115.78	265.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:38:25	92.80		201.93	27.40	115.86	33.31	0.02	201.92	27.41		115.87	265.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:38:27	92.83		201.96	27.38	115.84	33.31	0.02	201.95	27.39		115.85	265.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:38:29	92.87		202.19	27.15	115.61	33.31	0.02	202.18	27.15		115.61	265.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:38:31	92.90		202.10	27.23	115.69	33.31	0.02	202.09	27.24		115.70	265.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:38:33	92.93		202.13	27.20	115.66	33.31	0.02	202.13	27.21		115.67	265.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:38:35	92.97		202.23	27.11	115.57	33.31	0.02	202.22	27.11		115.57	265.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:38:37	93.00		202.27	27.06	115.52	33.31	0.02	202.27	27.07		115.53	265.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:38:39	93.03		202.23	27.11	115.57	33.31	0.02	202.22	27.11		115.57	265.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:38:41	93.07		202.06	27.28	115.74	33.31	0.02	202.05	27.29		115.75	265.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:38:43	93.10		202.23	27.11	115.57	33.31	0.02	202.22	27.11		115.57	265.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:38:45	93.13		202.26	27.08	115.54	33.31	0.02	202.25	27.08		115.54	265.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:38:47	93.17		202.05	27.29	115.75	33.31	0.02	202.04	27.29		115.75	265.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:38:49	93.20		201.79	27.54	116.00	33.31	0.02	201.78	27.55		116.01	264.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:38:51	93.23		201.82	27.51	115.97	33.31	0.02	201.81	27.52		115.98	265.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:38:53	93.27		201.90	27.44	115.90	33.31	0.02	201.89	27.44		115.90	265.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:38:55	93.30		201.77	27.57	116.03	33.31	0.02	201.76	27.57		116.03	264.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:38:57	93.33		201.79	27.54	116.00	33.31	0.02	201.78	27.55		116.01	264.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:38:59	93.37		201.96	27.37	115.83	33.31	0.02	201.95	27.38		115.84	265.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:39:01	93.40		201.76	27.58	116.04	33.31	0.02	201.75	27.58		116.04	264.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:39:03	93.43		201.81	27.52	115.98	33.31	0.02	201.81	27.53		115.99	265.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:39:05	93.47		201.91	27.43	115.89	33.31	0.02	201.90	27.43		115.89	265.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:39:07	93.50		201.91	27.43	115.89	33.31	0.02	201.90	27.43		115.89	265.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:39:09	93.53		202.14	27.19	115.65	33.31	0.02	202.13	27.20		115.66	265.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:39:11	93.57		201.93	27.40	115.86	33.31	0.02	201.92	27.41		115.87	265.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:39:13	93.60		202.10	27.24	115.70	33.31	0.02	202.09	27.25		115.71	265.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:39:15	93.63		202.05	27.29	115.75	33.31	0.02	202.04	27.29		115.75	265.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:39:17	93.67		201.99	27.34	115.80	33.31	0.02	201.99	27.35		115.81	265.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:39:19	93.70		202.03	27.30	115.76	33.31	0.02	202.02	27.31		115.77	265.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:39:21	93.73		202.36	26.98	115.44	33.31	0.02	202.35	26.98		115.44	265.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:39:23	93.77		202.20	27.13	115.59	33.31	0.02	202.20	27.14		115.60	265.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:39:25	93.80		202.07	27.26	115.72	33.31	0.02	202.06	27.27		115.73	265.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:39:27	93.83		202.13	27.21	115.67	33.31	0.02	202.12	27.22		115.68	265.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:39:29	93.87		202.09	27.25	115.71	33.31	0.02	202.08	27.25		115.71	265.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:39:31	93.90		202.01	27.33	115.79	33.31	0.02	202.00	27.33		115.79	265.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:39:33	93.93		202.01	27.33	115.79	33.31	0.02	202.00	27.33		115.79	265.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:39:35	93.97		201.90	27.44	115.90	33.31	0.02	201.89	27.44		115.90	265.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:39:37	94.00		201.67	27.66	116.12	33.31	0.02	201.67	27.67		116.13	264.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:39:39	94.03		201.89	27.45	115.91	33.31	0.02	201.88	27.46		115.92	265.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:39:41	94.07		201.93	27.40	115.86	33.31	0.02	201.92	27.41		115.87	265.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:39:43	94.10		201.78	27.55	116.01	33.31	0.02	201.77	27.56		116.02	264.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:39:45	94.13		201.89	27.44	115.90	33.31	0.02	201.88	27.45		115.91	265.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:39:47	94.17		201.72	27.61	116.07	33.31	0.02	201.71	27.62		116.08	264.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:39:49	94.20		202.04	27.30	115.76	33.31	0.02	202.03	27.30		115.76	265.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:39:51	94.23		201.74	27.59	116.05	33.31	0.02	201.74	27.60		116.06	264.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:39:53	94.27		201.92	27.41	115.87	33.31	0.02	201.92	27.42		115.88	265.12

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:39:55	94.30		202.16	27.18	115.64	33.31	0.02	202.15	27.18		115.64	265.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:39:57	94.33		202.22	27.12	115.58	33.31	0.02	202.21	27.12		115.58	265.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:39:59	94.37		202.08	27.26	115.72	33.31	0.02	202.07	27.26		115.72	265.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:40:01	94.40		202.16	27.18	115.64	33.31	0.02	202.15	27.18		115.64	265.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:40:03	94.43		202.09	27.25	115.71	33.31	0.02	202.08	27.25		115.71	265.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:40:05	94.47		202.20	27.13	115.59	33.31	0.02	202.19	27.14		115.60	265.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:40:07	94.50		202.18	27.15	115.61	33.31	0.02	202.17	27.16		115.62	265.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:40:09	94.53		202.06	27.27	115.73	33.31	0.02	202.05	27.28		115.74	265.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:40:11	94.57		202.13	27.21	115.67	33.31	0.02	202.12	27.22		115.68	265.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:40:13	94.60		202.35	26.98	115.44	33.31	0.02	202.34	26.99		115.45	265.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:40:15	94.63		202.03	27.30	115.76	33.31	0.02	202.02	27.31		115.77	265.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:40:17	94.67		202.10	27.23	115.69	33.31	0.02	202.09	27.24		115.70	265.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:40:19	94.70		202.05	27.29	115.75	33.31	0.02	202.04	27.29		115.75	265.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:40:21	94.73		201.65	27.68	116.14	33.31	0.02	201.64	27.69		116.15	264.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:40:23	94.77		201.89	27.44	115.90	33.31	0.02	201.88	27.45		115.91	265.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:40:25	94.80		201.98	27.36	115.82	33.31	0.02	201.97	27.36		115.82	265.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:40:27	94.83		201.82	27.51	115.97	33.31	0.02	201.81	27.52		115.98	265.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:40:29	94.87		201.87	27.47	115.93	33.31	0.02	201.86	27.47		115.93	265.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:40:31	94.90		201.68	27.65	116.11	33.31	0.02	201.67	27.66		116.12	264.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:40:33	94.93		201.82	27.51	115.97	33.31	0.02	201.81	27.52		115.98	265.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:40:35	94.97		201.94	27.40	115.86	33.31	0.02	201.93	27.40		115.86	265.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:40:37	95.00		201.79	27.54	116.00	33.31	0.02	201.78	27.55		116.01	264.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:40:39	95.03		201.91	27.43	115.89	33.31	0.02	201.90	27.43		115.89	265.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:40:41	95.07		202.11	27.22	115.68	33.31	0.02	202.10	27.23		115.69	265.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:40:43	95.10		201.95	27.39	115.85	33.31	0.02	201.94	27.39		115.85	265.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:40:45	95.13		202.20	27.13	115.59	33.31	0.02	202.19	27.14		115.60	265.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:40:47	95.17		201.93	27.40	115.86	33.31	0.02	201.92	27.41		115.87	265.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:40:49	95.20		202.17	27.16	115.62	33.31	0.02	202.16	27.17		115.63	265.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:40:51	95.23		202.17	27.16	115.62	33.31	0.02	202.16	27.17		115.63	265.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:40:53	95.27		202.11	27.22	115.68	33.31	0.02	202.10	27.23		115.69	265.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:40:55	95.30		202.31	27.03	115.49	33.31	0.02	202.30	27.04		115.50	265.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:40:57	95.33		201.99	27.35	115.81	33.31	0.02	201.98	27.36		115.82	265.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:40:59	95.37		202.06	27.28	115.74	33.31	0.02	202.05	27.29		115.75	265.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:41:01	95.40		202.06	27.27	115.73	33.31	0.02	202.05	27.28		115.74	265.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:41:03	95.43		202.06	27.28	115.74	33.31	0.02	202.05	27.29		115.75	265.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:41:05	95.47		201.94	27.40	115.86	33.31	0.02	201.93	27.40		115.86	265.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:41:07	95.50		202.00	27.33	115.79	33.31	0.02	201.99	27.34		115.80	265.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:41:09	95.53		201.86	27.47	115.93	33.31	0.02	201.85	27.48		115.94	265.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:41:11	95.57		201.87	27.47	115.93	33.31	0.02	201.86	27.47		115.93	265.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:41:13	95.60		201.76	27.58	116.04	33.31	0.02	201.75	27.58		116.04	264.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:41:15	95.63		201.89	27.45	115.91	33.31	0.02	201.88	27.46		115.92	265.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:41:17	95.67		201.76	27.58	116.04	33.31	0.02	201.75	27.58		116.04	264.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:41:19	95.70		201.81	27.52	115.98	33.31	0.02	201.80	27.53		115.99	265.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:41:21	95.73		201.70	27.64	116.10	33.31	0.02	201.69	27.64		116.10	264.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:41:23	95.77		201.77	27.57	116.03	33.31	0.02	201.76	27.57		116.03	264.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:41:25	95.80		201.81	27.53	115.99	33.31	0.02	201.80	27.53		115.99	265.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:41:27	95.83		201.81	27.52	115.98	33.31	0.02	201.80	27.53		115.99	265.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:41:29	95.87		202.06	27.27	115.73	33.31	0.02	202.05	27.28		115.74	265.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:41:31	95.90		202.12	27.22	115.68	33.31	0.02	202.11	27.22		115.68	265.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:41:33	95.93		201.98	27.36	115.82	33.31	0.02	201.97	27.36		115.82	265.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:41:35	95.97		202.20	27.14	115.60	33.31	0.02	202.19	27.15		115.61	265.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:41:37	96.00		202.18	27.15	115.61	33.31	0.02	202.17	27.16		115.62	265.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:41:39	96.03		202.12	27.22	115.68	33.31	0.02	202.11	27.22		115.68	265.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:41:41	96.07		201.85	27.49	115.95	33.31	0.02	201.84	27.50		115.96	265.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:41:43	96.10		202.10	27.24	115.70	33.31	0.02	202.09	27.25		115.71	265.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:41:45	96.13		201.93	27.40	115.86	33.31	0.02	201.92	27.41		115.87	265.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:41:47	96.17		201.94	27.40	115.86	33.31	0.02	201.93	27.40		115.86	265.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:41:49	96.20		201.99	27.34	115.80	33.31	0.02	201.98	27.35		115.81	265.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:41:51	96.23		201.97	27.37	115.83	33.31	0.02	201.96	27.37		115.83	265.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:41:53	96.27		202.01	27.33	115.79	33.31	0.02	202.00	27.33		115.79	265.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:41:55	96.30		201.92	27.42	115.88	33.31	0.02	201.91	27.43		115.89	265.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:41:57	96.33		201.89	27.45	115.91	33.31	0.02	201.88	27.46		115.92	265.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:41:59	96.37		201.89	27.45	115.91	33.31	0.02	201.88	27.46		115.92	265.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:42:01	96.40		201.92	27.41	115.87	33.31	0.02	201.91	27.42		115.88	265.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:42:03	96.43		201.94	27.40	115.86	33.31	0.02	201.93	27.40		115.86	265.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:42:05	96.47		201.75	27.58	116.04	33.31	0.02	201.74	27.59		116.05	264.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:42:07	96.50		201.95	27.39	115.85	33.31	0.02	201.94	27.39		115.85	265.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:42:09	96.53		201.89	27.44	115.90	33.31	0.02	201.88	27.45		115.91	265.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:42:11	96.57		201.75	27.58	116.04	33.31	0.02	201.74	27.59		116.05	264.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:42:13	96.60		201.89	27.44	115.90	33.31	0.02	201.88	27.45		115.91	265.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:42:15	96.63		202.05	27.29	115.75	33.31	0.02	202.04	27.29		115.75	265.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:42:17	96.67		201.97	27.37	115.83	33.31	0.02	201.96	27.37		115.83	265.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:42:19	96.70		202.03	27.30	115.76	33.31	0.02	202.02	27.31		115.77	265.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:42:21	96.73		202.15	27.19	115.65	33.31	0.02	202.14	27.19		115.65	265.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:42:23	96.77		202.03	27.30	115.76	33.31	0.02	202.02	27.31		115.77	265.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:42:25	96.80		202.25	27.08	115.54	33.31	0.02	202.24	27.09		115.55	265.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:42:27	96.83		202.16	27.18	115.64	33.31	0.02	202.15	27.18		115.64	265.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:42:29	96.87		202.08	27.26	115.72	33.31	0.02	202.07	27.26		115.72	265.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:42:31	96.90		201.99	27.34	115.80	33.31	0.02	201.98	27.35		115.81	265.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:42:33	96.93		202.08	27.26	115.72	33.31	0.02	202.07	27.26		115.72	265.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:42:35	96.97		202.03	27.30	115.76	33.31	0.02	202.02	27.31		115.77	265.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:42:37	97.00		201.92	27.42	115.88	33.31	0.02	201.91	27.43		115.89	265.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:42:39	97.03		201.83	27.51	115.97	33.31	0.02	201.82	27.51		115.97	265.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:42:41	97.07		201.99	27.34	115.80	33.31	0.02	201.98	27.35		115.81	265.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:42:43	97.10		201.79	27.54	116.00	33.31	0.02	201.78	27.55		116.01	264.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:42:45	97.13		201.63	27.71	116.17	33.31	0.02	201.62	27.71		116.17	264.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:42:47	97.17		201.61	27.72	116.18	33.31	0.02	201.60	27.73		116.19	264.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:42:49	97.20		201.74	27.60	116.06	33.31	0.02	201.73	27.60		116.06	264.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:42:51	97.23		201.81	27.52	115.98	33.31	0.02	201.80	27.53		115.99	265.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:42:53	97.27		201.88	27.46	115.92	33.31	0.02	201.87	27.46		115.92	265.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:42:55	97.30		201.81	27.53	115.99	33.31	0.02	201.80	27.53		115.99	265.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:42:57	97.33		201.86	27.47	115.93	33.31	0.02	201.85	27.48		115.94	265.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:42:59	97.37		201.79	27.54	116.00	33.31	0.02	201.78	27.55		116.01	264.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:43:01	97.40		201.92	27.42	115.88	33.31	0.02	201.91	27.43		115.89	265.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:43:03	97.43		202.07	27.26	115.72	33.31	0.02	202.06	27.27		115.73	265.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:43:05	97.47		201.91	27.43	115.89	33.31	0.02	201.90	27.43		115.89	265.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:43:07	97.50		202.02	27.32	115.78	33.31	0.02	202.01	27.32		115.78	265.22

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:43:09	97.53		202.34	27.00	115.46	33.31	0.02	202.33	27.00		115.46	265.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:43:11	97.57		202.08	27.26	115.72	33.31	0.02	202.07	27.26		115.72	265.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:43:13	97.60		202.03	27.30	115.76	33.31	0.02	202.02	27.31		115.77	265.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:43:15	97.63		202.06	27.27	115.73	33.31	0.02	202.05	27.28		115.74	265.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:43:17	97.67		202.09	27.25	115.71	33.31	0.02	202.08	27.25		115.71	265.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:43:19	97.70		202.08	27.26	115.72	33.31	0.02	202.07	27.26		115.72	265.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:43:21	97.73		202.06	27.28	115.74	33.31	0.02	202.05	27.29		115.75	265.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:43:23	97.77		202.00	27.33	115.79	33.31	0.02	201.99	27.34		115.80	265.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:43:25	97.80		201.96	27.37	115.83	33.31	0.02	201.95	27.38		115.84	265.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:43:27	97.83		201.77	27.57	116.03	33.31	0.02	201.76	27.57		116.03	264.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:43:29	97.87		201.82	27.51	115.97	33.31	0.02	201.81	27.52		115.98	265.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:43:31	97.90		201.80	27.53	115.99	33.31	0.02	201.79	27.54		116.00	265.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:43:33	97.93		201.47	27.86	116.32	33.31	0.02	201.46	27.87		116.33	264.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:43:35	97.97		201.72	27.61	116.07	33.31	0.02	201.71	27.62		116.08	264.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:43:37	98.00		201.90	27.44	115.90	33.31	0.02	201.89	27.44		115.90	265.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:43:39	98.03		201.78	27.56	116.02	33.31	0.02	201.77	27.57		116.03	264.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:43:41	98.07		201.78	27.55	116.01	33.31	0.02	201.77	27.56		116.02	264.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:43:43	98.10		201.80	27.54	116.00	33.31	0.02	201.79	27.54		116.00	265.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:43:45	98.13		201.87	27.47	115.93	33.31	0.02	201.86	27.47		115.93	265.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:43:47	98.17		201.95	27.39	115.85	33.31	0.02	201.94	27.39		115.85	265.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:43:49	98.20		201.87	27.47	115.93	33.31	0.02	201.86	27.47		115.93	265.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:43:51	98.23		202.10	27.23	115.69	33.31	0.02	202.09	27.24		115.70	265.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:43:53	98.27		201.91	27.43	115.89	33.31	0.02	201.90	27.44		115.90	265.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:43:55	98.30		201.91	27.43	115.89	33.31	0.02	201.90	27.43		115.89	265.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:43:57	98.33		202.05	27.29	115.75	33.31	0.02	202.04	27.29		115.75	265.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:43:59	98.37		201.89	27.45	115.91	33.31	0.02	201.88	27.46		115.92	265.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:44:01	98.40		202.00	27.33	115.79	33.31	0.02	201.99	27.34		115.80	265.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:44:03	98.43		201.91	27.43	115.89	33.31	0.02	201.90	27.43		115.89	265.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:44:05	98.47		201.96	27.37	115.83	33.31	0.02	201.95	27.38		115.84	265.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:44:07	98.50		201.78	27.56	116.02	33.31	0.02	201.77	27.57		116.03	264.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:44:09	98.53		201.76	27.58	116.04	33.31	0.02	201.75	27.58		116.04	264.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:44:11	98.57		201.93	27.40	115.86	33.31	0.02	201.92	27.41		115.87	265.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:44:13	98.60		201.81	27.52	115.98	33.31	0.02	201.80	27.53		115.99	265.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:44:15	98.63		201.87	27.47	115.93	33.31	0.02	201.86	27.47		115.93	265.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:44:17	98.67		201.63	27.71	116.17	33.31	0.02	201.62	27.71		116.17	264.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:44:19	98.70		201.64	27.70	116.16	33.31	0.02	201.63	27.70		116.16	264.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:44:21	98.73		201.84	27.50	115.96	33.31	0.02	201.83	27.50		115.96	265.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:44:23	98.77		201.64	27.70	116.16	33.31	0.02	201.63	27.71		116.17	264.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:44:25	98.80		201.89	27.45	115.91	33.31	0.02	201.88	27.46		115.92	265.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:44:27	98.83		201.77	27.57	116.03	33.31	0.02	201.76	27.57		116.03	264.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:44:29	98.87		201.81	27.52	115.98	33.31	0.02	201.80	27.53		115.99	265.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:44:31	98.90		201.91	27.43	115.89	33.31	0.02	201.90	27.43		115.89	265.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:44:33	98.93		202.03	27.30	115.76	33.31	0.02	202.02	27.31		115.77	265.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:44:35	98.97		201.79	27.54	116.00	33.31	0.02	201.78	27.55		116.01	264.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:44:37	99.00		202.10	27.24	115.70	33.31	0.02	202.09	27.25		115.71	265.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:44:39	99.03		202.24	27.10	115.56	33.31	0.02	202.23	27.11		115.57	265.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:44:41	99.07		202.19	27.15	115.61	33.31	0.02	202.18	27.15		115.61	265.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:44:43	99.10		201.99	27.34	115.80	33.31	0.02	201.98	27.35		115.81	265.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:44:45	99.13		201.98	27.36	115.82	33.31	0.02	201.97	27.36		115.82	265.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:44:47	99.17		201.97	27.37	115.83	33.31	0.02	201.96	27.37		115.83	265.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:44:49	99.20		202.01	27.33	115.79	33.31	0.02	202.00	27.33		115.79	265.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:44:51	99.23		201.86	27.47	115.93	33.31	0.02	201.85	27.48		115.94	265.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:44:53	99.27		201.87	27.47	115.93	33.31	0.02	201.86	27.47		115.93	265.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:44:55	99.30		201.81	27.52	115.98	33.31	0.02	201.80	27.53		115.99	265.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:44:57	99.33		201.66	27.68	116.14	33.31	0.02	201.65	27.68		116.14	264.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:44:59	99.37		201.64	27.69	116.15	33.31	0.02	201.63	27.70		116.16	264.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:45:01	99.40		201.81	27.52	115.98	33.31	0.02	201.80	27.53		115.99	265.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:45:03	99.43		201.57	27.77	116.23	33.31	0.02	201.56	27.78		116.24	264.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:45:05	99.47		201.91	27.43	115.89	33.31	0.02	201.90	27.43		115.89	265.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:45:07	99.50		201.71	27.63	116.09	33.31	0.02	201.70	27.63		116.09	264.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:45:09	99.53		201.89	27.44	115.90	33.31	0.02	201.88	27.45		115.91	265.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:45:11	99.57		201.81	27.53	115.99	33.31	0.02	201.80	27.54		116.00	265.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:45:13	99.60		201.88	27.46	115.92	33.31	0.02	201.87	27.47		115.93	265.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:45:15	99.63		201.89	27.44	115.90	33.31	0.02	201.88	27.45		115.91	265.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:45:17	99.67		202.16	27.18	115.64	33.31	0.02	202.15	27.19		115.65	265.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:45:19	99.70		202.12	27.21	115.67	33.31	0.02	202.11	27.22		115.68	265.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:45:21	99.73		202.10	27.23	115.69	33.31	0.02	202.09	27.24		115.70	265.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:45:23	99.77		202.12	27.22	115.68	33.31	0.02	202.11	27.22		115.68	265.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:45:25	99.80		201.90	27.44	115.90	33.31	0.02	201.89	27.44		115.90	265.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:45:27	99.83		202.13	27.20	115.66	33.31	0.02	202.12	27.21		115.67	265.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:45:29	99.87		202.01	27.33	115.79	33.31	0.02	202.00	27.34		115.80	265.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:45:31	99.90		202.06	27.28	115.74	33.31	0.02	202.05	27.29		115.75	265.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:45:33	99.93		202.19	27.15	115.61	33.31	0.02	202.18	27.15		115.61	265.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:45:35	99.97		201.91	27.43	115.89	33.31	0.02	201.90	27.43		115.89	265.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:45:37	100.00		201.96	27.38	115.84	33.31	0.02	201.95	27.39		115.85	265.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:45:39	100.03		201.77	27.57	116.03	33.31	0.02	201.76	27.57		116.03	264.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:45:41	100.07		201.74	27.60	116.06	33.31	0.02	201.73	27.61		116.07	264.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:45:43	100.10		201.79	27.55	116.01	33.31	0.02	201.78	27.55		116.01	264.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:45:45	100.13		201.68	27.65	116.11	33.31	0.02	201.67	27.66		116.12	264.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:45:47	100.17		202.01	27.33	115.79	33.31	0.02	202.00	27.34		115.80	265.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:45:49	100.20		201.62	27.72	116.18	33.31	0.02	201.61	27.72		116.18	264.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:45:51	100.23		201.92	27.41	115.87	33.31	0.02	201.91	27.42		115.88	265.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:45:53	100.27		201.78	27.55	116.01	33.31	0.02	201.77	27.56		116.02	264.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:45:55	100.30		201.85	27.48	115.94	33.31	0.02	201.84	27.49		115.95	265.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:45:57	100.33		201.74	27.59	116.05	33.31	0.02	201.73	27.60		116.06	264.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:45:59	100.37		201.62	27.72	116.18	33.31	0.02	201.61	27.73		116.19	264.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:46:01	100.40		201.85	27.48	115.94	33.31	0.02	201.84	27.49		115.95	265.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:46:03	100.43		201.95	27.39	115.85	33.31	0.02	201.94	27.40		115.86	265.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:46:05	100.47		202.05	27.29	115.75	33.31	0.02	202.04	27.29		115.75	265.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:46:07	100.50		201.95	27.39	115.85	33.31	0.02	201.94	27.40		115.86	265.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:46:09	100.53		202.05	27.29	115.75	33.31	0.02	202.04	27.30		115.76	265.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:46:11	100.57		201.98	27.36	115.82	33.31	0.02	201.97	27.36		115.82	265.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:46:13	100.60		202.12	27.22	115.68	33.31	0.02	202.11	27.23		115.69	265.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:46:15	100.63		202.09	27.24	115.70	33.31	0.02	202.08	27.25		115.71	265.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:46:17	100.67		202.01	27.33	115.79	33.31	0.02	202.00	27.33		115.79	265.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:46:19	100.70		201.96	27.38	115.84	33.31	0.02	201.95	27.38		115.84	265.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:46:21	100.73		201.72	27.61	116.07	33.31	0.02	201.71	27.62		116.08	264.92

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:46:23	100.77		202.08	27.25	115.71	33.31	0.02	202.07	27.26		115.72	265.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:46:25	100.80		201.91	27.43	115.89	33.31	0.02	201.90	27.44		115.90	265.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:46:27	100.83		201.87	27.47	115.93	33.31	0.02	201.86	27.48		115.94	265.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:46:29	100.87		201.65	27.68	116.14	33.31	0.02	201.64	27.69		116.15	264.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:46:31	100.90		201.84	27.50	115.96	33.31	0.02	201.83	27.50		115.96	265.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:46:33	100.93		201.43	27.91	116.37	33.31	0.02	201.42	27.92		116.38	264.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:46:35	100.97		201.74	27.59	116.05	33.31	0.02	201.73	27.60		116.06	264.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:46:37	101.00		201.66	27.68	116.14	33.31	0.02	201.65	27.68		116.14	264.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:46:39	101.03		201.80	27.54	116.00	33.31	0.02	201.79	27.54		116.00	265.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:46:41	101.07		201.76	27.58	116.04	33.31	0.02	201.75	27.58		116.04	264.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:46:43	101.10		201.92	27.42	115.88	33.31	0.02	201.91	27.43		115.89	265.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:46:45	101.13		201.89	27.45	115.91	33.31	0.02	201.88	27.46		115.92	265.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:46:47	101.17		201.92	27.42	115.88	33.31	0.02	201.91	27.43		115.89	265.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:46:49	101.20		202.06	27.27	115.73	33.31	0.02	202.05	27.28		115.74	265.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:46:51	101.23		202.09	27.25	115.71	33.31	0.02	202.08	27.26		115.72	265.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:46:53	101.27		201.99	27.35	115.81	33.31	0.02	201.98	27.36		115.82	265.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:46:55	101.30		201.94	27.39	115.85	33.31	0.02	201.93	27.40		115.86	265.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:46:57	101.33		202.06	27.27	115.73	33.31	0.02	202.05	27.28		115.74	265.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:46:59	101.37		202.07	27.26	115.72	33.31	0.02	202.06	27.27		115.73	265.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:47:01	101.40		202.06	27.27	115.73	33.31	0.02	202.05	27.28		115.74	265.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:47:03	101.43		201.87	27.47	115.93	33.31	0.02	201.86	27.47		115.93	265.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:47:05	101.47		201.84	27.50	115.96	33.31	0.02	201.83	27.50		115.96	265.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:47:07	101.50		201.78	27.55	116.01	33.31	0.02	201.77	27.56		116.02	264.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:47:09	101.53		201.85	27.49	115.95	33.31	0.02	201.84	27.50		115.96	265.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:47:11	101.57		201.89	27.45	115.91	33.31	0.02	201.88	27.46		115.92	265.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:47:13	101.60		201.85	27.48	115.94	33.31	0.02	201.84	27.49		115.95	265.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:47:15	101.63		201.70	27.64	116.10	33.31	0.02	201.69	27.65		116.11	264.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:47:17	101.67		201.74	27.59	116.05	33.31	0.02	201.73	27.60		116.06	264.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:47:19	101.70		201.76	27.58	116.04	33.31	0.02	201.75	27.59		116.05	264.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:47:21	101.73		201.75	27.58	116.04	33.31	0.02	201.74	27.59		116.05	264.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:47:23	101.77		201.81	27.53	115.99	33.31	0.02	201.80	27.54		116.00	265.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:47:25	101.80		201.83	27.51	115.97	33.31	0.02	201.82	27.51		115.97	265.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:47:27	101.83		201.73	27.61	116.07	33.31	0.02	201.72	27.62		116.08	264.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:47:29	101.87		201.84	27.50	115.96	33.31	0.02	201.83	27.50		115.96	265.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:47:31	101.90		201.96	27.37	115.83	33.31	0.02	201.95	27.38		115.84	265.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:47:33	101.93		202.10	27.23	115.69	33.31	0.02	202.09	27.24		115.70	265.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:47:35	101.97		201.85	27.48	115.94	33.31	0.02	201.84	27.49		115.95	265.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:47:37	102.00		201.94	27.40	115.86	33.31	0.02	201.93	27.40		115.86	265.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:47:39	102.03		202.09	27.24	115.70	33.31	0.02	202.08	27.25		115.71	265.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:47:41	102.07		201.96	27.37	115.83	33.31	0.02	201.95	27.38		115.84	265.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:47:43	102.10		202.05	27.29	115.75	33.31	0.02	202.04	27.29		115.75	265.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:47:45	102.13		202.10	27.23	115.69	33.31	0.02	202.09	27.24		115.70	265.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:47:47	102.17		201.96	27.38	115.84	33.31	0.02	201.95	27.39		115.85	265.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:47:49	102.20		202.03	27.30	115.76	33.31	0.02	202.02	27.31		115.77	265.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:47:51	102.23		201.92	27.41	115.87	33.31	0.02	201.91	27.42		115.88	265.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:47:53	102.27		201.86	27.48	115.94	33.31	0.02	201.85	27.48		115.94	265.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:47:55	102.30		201.96	27.38	115.84	33.31	0.02	201.95	27.38		115.84	265.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:47:57	102.33		201.68	27.65	116.11	33.31	0.02	201.67	27.66		116.12	264.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:47:59	102.37		201.45	27.88	116.34	33.31	0.02	201.44	27.89		116.35	264.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:48:01	102.40		201.79	27.54	116.00	33.31	0.02	201.78	27.55		116.01	264.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:48:03	102.43		201.74	27.60	116.06	33.31	0.02	201.73	27.61		116.07	264.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:48:05	102.47		201.64	27.69	116.15	33.31	0.02	201.63	27.70		116.16	264.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:48:07	102.50		201.78	27.56	116.02	33.31	0.02	201.77	27.57		116.03	264.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:48:09	102.53		201.80	27.54	116.00	33.31	0.02	201.79	27.54		116.00	265.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:48:11	102.57		201.73	27.61	116.07	33.31	0.02	201.72	27.61		116.07	264.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:48:13	102.60		201.92	27.42	115.88	33.31	0.02	201.91	27.43		115.89	265.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:48:15	102.63		201.66	27.68	116.14	33.31	0.02	201.65	27.68		116.14	264.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:48:17	102.67		202.07	27.27	115.73	33.31	0.02	202.06	27.27		115.73	265.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:48:19	102.70		201.74	27.59	116.05	33.31	0.02	201.73	27.60		116.06	264.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:48:21	102.73		202.02	27.32	115.78	33.31	0.02	202.01	27.33		115.79	265.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:48:23	102.77		201.80	27.54	116.00	33.31	0.02	201.79	27.54		116.00	265.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:48:25	102.80		201.99	27.34	115.80	33.31	0.02	201.98	27.35		115.81	265.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:48:27	102.83		201.93	27.41	115.87	33.31	0.02	201.92	27.41		115.87	265.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:48:29	102.87		202.08	27.26	115.72	33.31	0.02	202.07	27.26		115.72	265.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:48:31	102.90		202.12	27.22	115.68	33.31	0.02	202.11	27.22		115.68	265.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:48:33	102.93		201.78	27.55	116.01	33.31	0.02	201.77	27.56		116.02	264.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:48:35	102.97		201.68	27.65	116.11	33.31	0.02	201.67	27.66		116.12	264.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:48:37	103.00		201.90	27.44	115.90	33.31	0.02	201.89	27.44		115.90	265.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:48:39	103.03		201.81	27.52	115.98	33.31	0.02	201.80	27.53		115.99	265.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:48:41	103.07		201.80	27.54	116.00	33.31	0.02	201.79	27.54		116.00	265.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:48:43	103.10		201.67	27.66	116.12	33.31	0.02	201.66	27.67		116.13	264.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:48:45	103.13		201.80	27.54	116.00	33.31	0.02	201.79	27.54		116.00	265.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:48:47	103.17		201.49	27.84	116.30	33.31	0.02	201.48	27.85		116.31	264.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:48:49	103.20		201.50	27.83	116.29	33.31	0.02	201.49	27.84		116.30	264.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:48:51	103.23		201.84	27.50	115.96	33.31	0.02	201.83	27.51		115.97	265.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:48:53	103.27		201.64	27.70	116.16	33.31	0.02	201.63	27.71		116.17	264.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:48:55	103.30		201.86	27.47	115.93	33.31	0.02	201.85	27.48		115.94	265.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:48:57	103.33		201.82	27.51	115.97	33.31	0.02	201.81	27.52		115.98	265.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:48:59	103.37		201.66	27.67	116.13	33.31	0.02	201.65	27.68		116.14	264.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:49:01	103.40		201.85	27.48	115.94	33.31	0.02	201.84	27.49		115.95	265.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:49:03	103.43		201.89	27.44	115.90	33.31	0.02	201.88	27.45		115.91	265.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:49:05	103.47		201.78	27.55	116.01	33.31	0.02	201.77	27.56		116.02	264.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:49:07	103.50		201.88	27.45	115.91	33.31	0.02	201.87	27.46		115.92	265.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:49:09	103.53		201.94	27.39	115.85	33.31	0.02	201.93	27.40		115.86	265.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:49:11	103.57		201.94	27.40	115.86	33.31	0.02	201.93	27.40		115.86	265.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:49:13	103.60		201.97	27.37	115.83	33.31	0.02	201.96	27.37		115.83	265.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:49:15	103.63		202.02	27.31	115.77	33.31	0.02	202.01	27.32		115.78	265.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:49:17	103.67		201.96	27.38	115.84	33.31	0.02	201.95	27.39		115.85	265.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:49:19	103.70		201.80	27.54	116.00	33.31	0.02	201.79	27.54		116.00	265.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:49:21	103.73		201.83	27.51	115.97	33.31	0.02	201.82	27.51		115.97	265.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:49:23	103.77		201.66	27.67	116.13	33.31	0.02	201.65	27.68		116.14	264.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:49:25	103.80		201.64	27.69	116.15	33.31	0.02	201.63	27.70		116.16	264.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:49:27	103.83		201.85	27.48	115.94	33.31	0.02	201.84	27.49		115.95	265.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:49:29	103.87		201.80	27.54	116.00	33.31	0.02	201.79	27.54		116.00	265.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:49:31	103.90		201.87	27.46	115.92	33.31	0.02	201.86	27.47		115.93	265.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:49:33	103.93		201.73	27.61	116.07	33.31	0.02	201.72	27.61		116.07	264.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:49:35	103.97		201.63	27.70	116.16	33.31	0.02	201.62	27.71		116.17	264.83

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:49:37	104.00		201.50	27.83	116.29	33.31	0.02	201.49	27.84		116.30	264.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:49:39	104.03		201.70	27.63	116.09	33.31	0.02	201.69	27.64		116.10	264.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:49:41	104.07		201.71	27.62	116.08	33.31	0.02	201.70	27.63		116.09	264.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:49:43	104.10		201.63	27.71	116.17	33.31	0.02	201.62	27.72		116.18	264.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:49:45	104.13		201.91	27.42	115.88	33.31	0.02	201.90	27.43		115.89	265.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:49:47	104.17		201.85	27.48	115.94	33.31	0.02	201.84	27.49		115.95	265.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:49:49	104.20		201.80	27.53	115.99	33.31	0.02	201.79	27.54		116.00	265.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:49:51	104.23		202.01	27.33	115.79	33.31	0.02	202.00	27.34		115.80	265.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:49:53	104.27		201.87	27.47	115.93	33.31	0.02	201.86	27.48		115.94	265.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:49:55	104.30		201.73	27.61	116.07	33.31	0.02	201.72	27.61		116.07	264.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:49:57	104.33		202.01	27.33	115.79	33.31	0.02	202.00	27.33		115.79	265.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:49:59	104.37		201.99	27.34	115.80	33.31	0.02	201.98	27.35		115.81	265.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:50:01	104.40		201.92	27.41	115.87	33.31	0.02	201.91	27.42		115.88	265.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:50:03	104.43		202.01	27.33	115.79	33.31	0.02	202.00	27.34		115.80	265.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:50:05	104.47		201.97	27.37	115.83	33.31	0.02	201.96	27.38		115.84	265.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:50:07	104.50		201.76	27.58	116.04	33.31	0.02	201.75	27.59		116.05	264.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:50:09	104.53		201.60	27.73	116.19	33.31	0.02	201.59	27.74		116.20	264.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:50:11	104.57		201.81	27.52	115.98	33.31	0.02	201.80	27.53		115.99	265.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:50:13	104.60		201.43	27.90	116.36	33.31	0.02	201.42	27.91		116.37	264.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:50:15	104.63		201.60	27.73	116.19	33.31	0.02	201.59	27.74		116.20	264.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:50:17	104.67		201.72	27.61	116.07	33.31	0.02	201.71	27.62		116.08	264.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:50:19	104.70		201.58	27.75	116.21	33.31	0.02	201.57	27.76		116.22	264.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:50:21	104.73		201.48	27.86	116.32	33.31	0.02	201.47	27.86		116.32	264.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:50:23	104.77		201.76	27.58	116.04	33.31	0.02	201.75	27.58		116.04	264.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:50:25	104.80		201.68	27.65	116.11	33.31	0.02	201.67	27.66		116.12	264.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:50:27	104.83		201.82	27.52	115.98	33.31	0.02	201.81	27.52		115.98	265.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:50:29	104.87		201.76	27.58	116.04	33.31	0.02	201.75	27.58		116.04	264.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:50:31	104.90		201.79	27.54	116.00	33.31	0.02	201.78	27.55		116.01	264.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:50:33	104.93		201.76	27.58	116.04	33.31	0.02	201.75	27.58		116.04	264.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:50:35	104.97		201.74	27.59	116.05	33.31	0.02	201.73	27.60		116.06	264.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:50:37	105.00		202.09	27.25	115.71	33.31	0.02	202.08	27.26		115.72	265.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:50:39	105.03		202.06	27.27	115.73	33.31	0.02	202.05	27.28		115.74	265.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:50:41	105.07		201.90	27.44	115.90	33.31	0.02	201.89	27.44		115.90	265.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:50:43	105.10		201.85	27.49	115.95	33.31	0.02	201.84	27.50		115.96	265.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:50:45	105.13		201.85	27.48	115.94	33.31	0.02	201.84	27.49		115.95	265.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:50:47	105.17		202.03	27.31	115.77	33.31	0.02	202.02	27.31		115.77	265.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:50:49	105.20		201.99	27.35	115.81	33.31	0.02	201.98	27.36		115.82	265.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:50:51	105.23		201.64	27.70	116.16	33.31	0.02	201.63	27.70		116.16	264.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:50:53	105.27		201.85	27.48	115.94	33.31	0.02	201.84	27.49		115.95	265.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:50:55	105.30		201.64	27.69	116.15	33.31	0.02	201.63	27.70		116.16	264.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:50:57	105.33		201.67	27.66	116.12	33.31	0.02	201.66	27.67		116.13	264.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:50:59	105.37		201.57	27.76	116.22	33.31	0.02	201.56	27.77		116.23	264.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:51:01	105.40		201.69	27.65	116.11	33.31	0.02	201.68	27.65		116.11	264.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:51:03	105.43		201.81	27.52	115.98	33.31	0.02	201.80	27.53		115.99	265.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:51:05	105.47		201.59	27.74	116.20	33.31	0.02	201.58	27.75		116.21	264.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:51:07	105.50		201.54	27.79	116.25	33.31	0.02	201.53	27.80		116.26	264.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:51:09	105.53		201.64	27.70	116.16	33.31	0.02	201.62	27.71		116.17	264.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:51:11	105.57		201.69	27.65	116.11	33.31	0.02	201.68	27.65		116.11	264.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:51:13	105.60		201.62	27.72	116.18	33.31	0.02	201.61	27.72		116.18	264.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:51:15	105.63		201.84	27.50	115.96	33.31	0.02	201.83	27.51		115.97	265.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:51:17	105.67		201.95	27.39	115.85	33.31	0.02	201.94	27.40		115.86	265.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:51:19	105.70		201.73	27.60	116.06	33.31	0.02	201.72	27.61		116.07	264.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:51:21	105.73		202.10	27.24	115.70	33.31	0.02	202.08	27.25		115.71	265.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:51:23	105.77		202.05	27.29	115.75	33.31	0.02	202.03	27.30		115.76	265.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:51:25	105.80		201.96	27.37	115.83	33.31	0.02	201.95	27.38		115.84	265.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:51:27	105.83		201.92	27.41	115.87	33.31	0.02	201.91	27.42		115.88	265.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:51:29	105.87		201.80	27.54	116.00	33.31	0.02	201.79	27.55		116.01	264.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:51:31	105.90		202.04	27.30	115.76	33.31	0.02	202.03	27.31		115.77	265.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:51:33	105.93		201.80	27.54	116.00	33.31	0.02	201.79	27.54		116.00	265.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:51:35	105.97		201.89	27.45	115.91	33.31	0.02	201.87	27.46		115.92	265.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:51:37	106.00		201.59	27.75	116.21	33.31	0.02	201.58	27.76		116.22	264.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:51:39	106.03		201.59	27.75	116.21	33.31	0.02	201.58	27.76		116.22	264.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:51:41	106.07		201.52	27.81	116.27	33.31	0.02	201.51	27.82		116.28	264.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:51:43	106.10		201.78	27.55	116.01	33.31	0.02	201.77	27.56		116.02	264.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:51:45	106.13		201.74	27.59	116.05	33.31	0.02	201.73	27.60		116.06	264.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:51:47	106.17		201.50	27.83	116.29	33.31	0.02	201.49	27.84		116.30	264.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:51:49	106.20		201.53	27.80	116.26	33.31	0.02	201.52	27.81		116.27	264.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:51:51	106.23		201.63	27.71	116.17	33.31	0.02	201.62	27.72		116.18	264.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:51:53	106.27		201.44	27.90	116.36	33.31	0.02	201.43	27.90		116.36	264.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:51:55	106.30		201.78	27.55	116.01	33.31	0.02	201.77	27.56		116.02	264.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:51:57	106.33		201.71	27.63	116.09	33.31	0.02	201.70	27.63		116.09	264.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:51:59	106.37		201.62	27.72	116.18	33.31	0.02	201.61	27.73		116.19	264.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:52:01	106.40		201.68	27.65	116.11	33.31	0.02	201.67	27.66		116.12	264.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:52:03	106.43		201.70	27.64	116.10	33.31	0.02	201.68	27.65		116.11	264.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:52:05	106.47		201.88	27.46	115.92	33.31	0.02	201.87	27.47		115.93	265.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:52:07	106.50		202.02	27.31	115.77	33.31	0.02	202.01	27.32		115.78	265.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:52:09	106.53		201.78	27.55	116.01	33.31	0.02	201.77	27.56		116.02	264.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:52:11	106.57		202.01	27.32	115.78	33.31	0.02	202.00	27.33		115.79	265.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:52:13	106.60		202.14	27.19	115.65	33.31	0.02	202.13	27.20		115.66	265.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:52:15	106.63		201.78	27.55	116.01	33.31	0.02	201.77	27.56		116.02	264.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:52:17	106.67		201.78	27.56	116.02	33.31	0.02	201.76	27.57		116.03	264.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:52:19	106.70		202.01	27.33	115.79	33.31	0.02	202.00	27.34		115.80	265.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:52:21	106.73		201.69	27.65	116.11	33.31	0.02	201.68	27.66		116.12	264.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:52:23	106.77		201.81	27.53	115.99	33.31	0.02	201.80	27.54		116.00	265.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:52:25	106.80		201.88	27.45	115.91	33.31	0.02	201.87	27.46		115.92	265.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:52:27	106.83		201.52	27.82	116.28	33.31	0.02	201.51	27.83		116.29	264.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:52:29	106.87		201.51	27.82	116.28	33.31	0.02	201.50	27.83		116.29	264.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:52:31	106.90		201.76	27.58	116.04	33.31	0.02	201.75	27.59		116.05	264.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:52:33	106.93		201.54	27.79	116.25	33.31	0.02	201.53	27.80		116.26	264.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:52:35	106.97		201.42	27.91	116.37	33.31	0.02	201.41	27.92		116.38	264.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:52:37	107.00		201.77	27.57	116.03	33.31	0.02	201.75	27.58		116.04	264.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:52:39	107.03		201.64	27.69	116.15	33.31	0.02	201.63	27.70		116.16	264.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:52:41	107.07		201.56	27.77	116.23	33.31	0.02	201.55	27.78		116.24	264.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:52:43	107.10		201.66	27.68	116.14	33.31	0.02	201.65	27.68		116.14	264.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:52:45	107.13		201.94	27.40	115.86	33.31	0.02	201.93	27.41		115.87	265.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:52:47	107.17		201.63	27.70	116.16	33.31	0.02	201.62	27.71		116.17	264.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:52:49	107.20		201.73	27.60	116.06	33.31	0.02	201.72	27.61		116.07	264.93

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:52:51	107.23		202.00	27.34	115.80	33.31	0.02	201.99	27.34		115.80	265.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:52:53	107.27		201.80	27.54	116.00	33.31	0.02	201.79	27.55		116.01	264.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:52:55	107.30		202.06	27.27	115.73	33.31	0.02	202.05	27.28		115.74	265.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:52:57	107.33		201.77	27.57	116.03	33.31	0.02	201.75	27.58		116.04	264.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:52:59	107.37		202.05	27.29	115.75	33.31	0.02	202.03	27.30		115.76	265.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:53:01	107.40		201.80	27.53	115.99	33.31	0.02	201.79	27.54		116.00	265.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:53:03	107.43		201.80	27.54	116.00	33.31	0.02	201.79	27.55		116.01	264.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:53:05	107.47		201.83	27.51	115.97	33.31	0.02	201.82	27.52		115.98	265.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:53:07	107.50		201.68	27.66	116.12	33.31	0.02	201.67	27.66		116.12	264.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:53:09	107.53		201.84	27.49	115.95	33.31	0.02	201.83	27.50		115.96	265.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:53:11	107.57		201.54	27.80	116.26	33.31	0.02	201.53	27.80		116.26	264.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:53:13	107.60		201.61	27.73	116.19	33.31	0.02	201.60	27.73		116.19	264.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:53:15	107.63		201.66	27.68	116.14	33.31	0.02	201.65	27.68		116.14	264.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:53:17	107.67		201.45	27.89	116.35	33.31	0.02	201.44	27.90		116.36	264.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:53:19	107.70		201.52	27.81	116.27	33.31	0.02	201.51	27.82		116.28	264.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:53:21	107.73		201.81	27.52	115.98	33.31	0.02	201.80	27.53		115.99	265.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:53:23	107.77		201.57	27.77	116.23	33.31	0.02	201.56	27.77		116.23	264.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:53:25	107.80		201.44	27.90	116.36	33.31	0.02	201.43	27.90		116.36	264.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:53:27	107.83		201.48	27.86	116.32	33.31	0.02	201.47	27.87		116.33	264.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:53:29	107.87		201.60	27.74	116.20	33.31	0.02	201.59	27.75		116.21	264.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:53:31	107.90		201.68	27.66	116.12	33.31	0.02	201.67	27.66		116.12	264.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:53:33	107.93		201.78	27.55	116.01	33.31	0.02	201.77	27.56		116.02	264.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:53:35	107.97		201.89	27.45	115.91	33.31	0.02	201.88	27.45		115.91	265.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:53:37	108.00		201.73	27.60	116.06	33.31	0.02	201.72	27.61		116.07	264.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:53:39	108.03		201.70	27.64	116.10	33.31	0.02	201.68	27.65		116.11	264.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:53:41	108.07		202.02	27.31	115.77	33.31	0.02	202.01	27.32		115.78	265.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:53:43	108.10		201.94	27.40	115.86	33.31	0.02	201.93	27.40		115.86	265.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:53:45	108.13		201.74	27.59	116.05	33.31	0.02	201.73	27.60		116.06	264.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:53:47	108.17		202.00	27.34	115.80	33.31	0.02	201.99	27.34		115.80	265.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:53:49	108.20		201.88	27.45	115.91	33.31	0.02	201.87	27.46		115.92	265.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:53:51	108.23		201.87	27.46	115.92	33.31	0.02	201.86	27.47		115.93	265.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:53:53	108.27		201.68	27.66	116.12	33.31	0.02	201.67	27.66		116.12	264.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:53:55	108.30		201.80	27.53	115.99	33.31	0.02	201.79	27.54		116.00	265.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:53:57	108.33		201.57	27.76	116.22	33.31	0.02	201.56	27.77		116.23	264.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:53:59	108.37		201.53	27.80	116.26	33.31	0.02	201.52	27.81		116.27	264.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:54:01	108.40		201.56	27.78	116.24	33.31	0.02	201.54	27.79		116.25	264.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:54:03	108.43		201.52	27.81	116.27	33.31	0.02	201.51	27.82		116.28	264.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:54:05	108.47		201.43	27.91	116.37	33.31	0.02	201.41	27.92		116.38	264.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:54:07	108.50		201.44	27.90	116.36	33.31	0.02	201.43	27.91		116.37	264.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:54:09	108.53		201.57	27.76	116.22	33.31	0.02	201.56	27.77		116.23	264.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:54:11	108.57		201.42	27.91	116.37	33.31	0.02	201.41	27.92		116.38	264.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:54:13	108.60		201.63	27.70	116.16	33.31	0.02	201.62	27.71		116.17	264.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:54:15	108.63		201.67	27.66	116.12	33.31	0.02	201.66	27.67		116.13	264.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:54:17	108.67		201.66	27.67	116.13	33.31	0.02	201.65	27.68		116.14	264.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:54:19	108.70		201.73	27.60	116.06	33.31	0.02	201.72	27.61		116.07	264.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:54:21	108.73		201.92	27.41	115.87	33.31	0.02	201.91	27.42		115.88	265.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:54:23	108.77		201.65	27.69	116.15	33.31	0.02	201.64	27.70		116.16	264.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:54:25	108.80		201.82	27.52	115.98	33.31	0.02	201.81	27.52		115.98	265.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:54:27	108.83		201.84	27.49	115.95	33.31	0.02	201.83	27.50		115.96	265.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:54:29	108.87		201.79	27.55	116.01	33.31	0.02	201.78	27.56		116.02	264.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:54:31	108.90		201.89	27.45	115.91	33.31	0.02	201.88	27.45		115.91	265.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:54:33	108.93		201.79	27.55	116.01	33.31	0.02	201.78	27.56		116.02	264.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:54:35	108.97		201.77	27.57	116.03	33.31	0.02	201.75	27.58		116.04	264.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:54:37	109.00		201.75	27.59	116.05	33.31	0.02	201.74	27.59		116.05	264.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:54:39	109.03		201.61	27.73	116.19	33.31	0.02	201.60	27.73		116.19	264.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:54:41	109.07		201.58	27.75	116.21	33.31	0.02	201.57	27.76		116.22	264.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:54:43	109.10		201.63	27.71	116.17	33.31	0.02	201.61	27.72		116.18	264.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:54:45	109.13		201.59	27.74	116.20	33.31	0.02	201.58	27.75		116.21	264.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:54:47	109.17		201.44	27.90	116.36	33.31	0.02	201.43	27.91		116.37	264.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:54:49	109.20		201.59	27.75	116.21	33.31	0.02	201.58	27.76		116.22	264.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:54:51	109.23		201.62	27.72	116.18	33.31	0.02	201.61	27.73		116.19	264.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:54:53	109.27		201.50	27.84	116.30	33.31	0.02	201.49	27.84		116.30	264.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:54:55	109.30		201.56	27.77	116.23	33.31	0.02	201.55	27.78		116.24	264.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:54:57	109.33		201.53	27.80	116.26	33.31	0.02	201.52	27.81		116.27	264.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:54:59	109.37		201.58	27.76	116.22	33.31	0.02	201.57	27.77		116.23	264.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:55:01	109.40		201.68	27.66	116.12	33.32	0.02	201.67	27.66		116.12	264.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:55:03	109.43		201.82	27.52	115.98	33.32	0.02	201.81	27.52		115.98	265.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:55:05	109.47		202.08	27.25	115.71	33.32	0.02	202.07	27.26		115.72	265.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:55:07	109.50		201.68	27.66	116.12	33.32	0.02	201.67	27.66		116.12	264.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:55:09	109.53		201.78	27.55	116.01	33.32	0.02	201.77	27.56		116.02	264.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:55:11	109.57		201.99	27.34	115.80	33.32	0.02	201.98	27.35		115.81	265.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:55:13	109.60		201.78	27.55	116.01	33.32	0.02	201.77	27.56		116.02	264.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:55:15	109.63		201.85	27.48	115.94	33.32	0.02	201.84	27.49		115.95	265.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:55:17	109.67		201.76	27.58	116.04	33.32	0.02	201.75	27.59		116.05	264.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:55:19	109.70		201.86	27.48	115.94	33.32	0.02	201.85	27.49		115.95	265.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:55:21	109.73		201.83	27.51	115.97	33.32	0.02	201.82	27.51		115.97	265.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:55:23	109.77		201.80	27.53	115.99	33.32	0.02	201.79	27.54		116.00	265.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:55:25	109.80		201.77	27.56	116.02	33.32	0.02	201.76	27.57		116.03	264.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:55:27	109.83		201.56	27.78	116.24	33.32	0.02	201.54	27.79		116.25	264.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:55:29	109.87		201.50	27.84	116.30	33.32	0.02	201.49	27.84		116.30	264.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:55:31	109.90		201.52	27.81	116.27	33.32	0.02	201.51	27.82		116.28	264.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:55:33	109.93		201.66	27.68	116.14	33.32	0.02	201.65	27.69		116.15	264.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:55:35	109.97		201.67	27.67	116.13	33.32	0.02	201.66	27.68		116.14	264.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:55:37	110.00		201.33	28.01	116.47	33.32	0.02	201.32	28.01		116.47	264.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:55:39	110.03		201.59	27.74	116.20	33.32	0.02	201.58	27.75		116.21	264.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:55:41	110.07		201.29	28.05	116.51	33.32	0.02	201.28	28.05		116.51	264.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:55:43	110.10		201.54	27.80	116.26	33.32	0.02	201.53	27.80		116.26	264.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:55:45	110.13		201.61	27.73	116.19	33.32	0.02	201.60	27.73		116.19	264.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:55:47	110.17		201.64	27.70	116.16	33.32	0.02	201.63	27.70		116.16	264.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:55:49	110.20		201.89	27.45	115.91	33.32	0.02	201.88	27.45		115.91	265.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:55:51	110.23		201.69	27.65	116.11	33.32	0.02	201.68	27.66		116.12	264.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:55:53	110.27		201.88	27.45	115.91	33.32	0.02	201.87	27.46		115.92	265.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:55:55	110.30		201.80	27.54	116.00	33.32	0.02	201.79	27.55		116.01	264.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:55:57	110.33		201.84	27.50	115.96	33.32	0.02	201.82	27.51		115.97	265.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:55:59	110.37		201.88	27.45	115.91	33.32	0.02	201.87	27.46		115.92	265.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:56:01	110.40		201.75	27.58	116.04	33.32	0.02	201.74	27.59		116.05	264.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:56:03	110.43		201.80	27.53	115.99	33.32	0.02	201.79	27.54		116.00	265.00

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:56:05	110.47		201.75	27.59	116.05	33.32	0.02	201.74	27.59		116.05	264.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:56:07	110.50		201.85	27.48	115.94	33.32	0.02	201.84	27.49		115.95	265.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:56:09	110.53		201.74	27.60	116.06	33.32	0.02	201.73	27.61		116.07	264.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:56:11	110.57		201.52	27.81	116.27	33.32	0.02	201.51	27.82		116.28	264.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:56:13	110.60		201.60	27.73	116.19	33.32	0.02	201.59	27.74		116.20	264.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:56:15	110.63		201.50	27.84	116.30	33.32	0.02	201.49	27.84		116.30	264.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:56:17	110.67		201.53	27.80	116.26	33.32	0.02	201.52	27.81		116.27	264.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:56:19	110.70		201.71	27.63	116.09	33.32	0.02	201.70	27.63		116.09	264.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:56:21	110.73		201.64	27.70	116.16	33.32	0.02	201.63	27.70		116.16	264.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:56:23	110.77		201.43	27.91	116.37	33.32	0.02	201.42	27.91		116.37	264.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:56:25	110.80		201.59	27.75	116.21	33.32	0.02	201.58	27.76		116.22	264.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:56:27	110.83		201.45	27.89	116.35	33.32	0.02	201.43	27.90		116.36	264.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:56:29	110.87		201.42	27.92	116.38	33.32	0.02	201.41	27.93		116.39	264.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:56:31	110.90		201.70	27.64	116.10	33.32	0.02	201.69	27.65		116.11	264.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:56:33	110.93		201.70	27.64	116.10	33.32	0.02	201.69	27.65		116.11	264.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:56:35	110.97		201.75	27.59	116.05	33.32	0.02	201.74	27.59		116.05	264.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:56:37	111.00		201.73	27.60	116.06	33.32	0.02	201.72	27.61		116.07	264.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:56:39	111.03		201.80	27.53	115.99	33.32	0.02	201.79	27.54		116.00	265.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:56:41	111.07		202.00	27.33	115.79	33.32	0.02	201.99	27.34		115.80	265.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:56:43	111.10		201.90	27.44	115.90	33.32	0.02	201.89	27.45		115.91	265.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:56:45	111.13		201.84	27.49	115.95	33.32	0.02	201.83	27.50		115.96	265.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:56:47	111.17		201.76	27.58	116.04	33.32	0.02	201.75	27.59		116.05	264.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:56:49	111.20		201.90	27.44	115.90	33.32	0.02	201.89	27.44		115.90	265.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:56:51	111.23		201.65	27.69	116.15	33.32	0.02	201.64	27.70		116.16	264.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:56:53	111.27		201.74	27.59	116.05	33.32	0.02	201.73	27.60		116.06	264.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:56:55	111.30		201.66	27.68	116.14	33.32	0.02	201.65	27.69		116.15	264.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:56:57	111.33		201.66	27.68	116.14	33.32	0.02	201.65	27.69		116.15	264.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:56:59	111.37		201.66	27.68	116.14	33.32	0.02	201.65	27.69		116.15	264.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:57:01	111.40		201.73	27.60	116.06	33.32	0.02	201.72	27.61		116.07	264.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:57:03	111.43		201.59	27.74	116.20	33.32	0.02	201.58	27.75		116.21	264.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:57:05	111.47		201.41	27.93	116.39	33.32	0.02	201.40	27.94		116.40	264.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:57:07	111.50		201.52	27.81	116.27	33.32	0.02	201.51	27.82		116.28	264.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:57:09	111.53		201.70	27.64	116.10	33.32	0.02	201.68	27.65		116.11	264.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:57:11	111.57		201.58	27.76	116.22	33.32	0.02	201.57	27.77		116.23	264.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:57:13	111.60		201.20	28.13	116.59	33.32	0.02	201.19	28.14		116.60	264.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:57:15	111.63		201.63	27.71	116.17	33.32	0.02	201.61	27.72		116.18	264.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:57:17	111.67		201.65	27.69	116.15	33.32	0.02	201.64	27.70		116.16	264.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:57:19	111.70		201.52	27.82	116.28	33.32	0.02	201.51	27.83		116.29	264.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:57:21	111.73		201.81	27.52	115.98	33.32	0.02	201.80	27.53		115.99	265.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:57:23	111.77		201.76	27.58	116.04	33.32	0.02	201.75	27.59		116.05	264.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:57:25	111.80		201.78	27.55	116.01	33.32	0.02	201.77	27.56		116.02	264.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:57:27	111.83		201.71	27.63	116.09	33.32	0.02	201.70	27.63		116.09	264.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:57:29	111.87		201.98	27.36	115.82	33.32	0.02	201.96	27.37		115.83	265.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:57:31	111.90		201.70	27.63	116.09	33.32	0.02	201.69	27.64		116.10	264.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:57:33	111.93		201.69	27.65	116.11	33.32	0.02	201.68	27.66		116.12	264.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:57:35	111.97		201.81	27.52	115.98	33.32	0.02	201.80	27.53		115.99	265.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:57:37	112.00		201.77	27.57	116.03	33.32	0.02	201.75	27.58		116.04	264.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:57:39	112.03		201.84	27.49	115.95	33.32	0.02	201.83	27.50		115.96	265.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:57:41	112.07		201.64	27.70	116.16	33.32	0.02	201.63	27.70		116.16	264.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:57:43	112.10		201.63	27.70	116.16	33.32	0.02	201.62	27.71		116.17	264.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:57:45	112.13		201.43	27.91	116.37	33.32	0.02	201.42	27.91		116.37	264.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:57:47	112.17		201.34	28.00	116.46	33.32	0.02	201.33	28.01		116.47	264.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:57:49	112.20		201.45	27.88	116.34	33.32	0.02	201.44	27.89		116.35	264.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:57:51	112.23		201.56	27.77	116.23	33.32	0.02	201.55	27.78		116.24	264.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:57:53	112.27		201.43	27.91	116.37	33.32	0.02	201.41	27.92		116.38	264.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:57:55	112.30		201.66	27.68	116.14	33.32	0.02	201.65	27.69		116.15	264.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:57:57	112.33		201.59	27.74	116.20	33.32	0.02	201.58	27.75		116.21	264.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:57:59	112.37		201.52	27.82	116.28	33.32	0.02	201.51	27.83		116.29	264.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:58:01	112.40		201.48	27.85	116.31	33.32	0.02	201.47	27.86		116.32	264.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:58:03	112.43		201.60	27.73	116.19	33.32	0.02	201.59	27.74		116.20	264.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:58:05	112.47		201.63	27.71	116.17	33.32	0.02	201.61	27.72		116.18	264.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:58:07	112.50		201.62	27.72	116.18	33.32	0.02	201.61	27.73		116.19	264.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:58:09	112.53		201.52	27.81	116.27	33.32	0.02	201.51	27.82		116.28	264.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:58:11	112.57		201.88	27.45	115.91	33.32	0.02	201.87	27.46		115.92	265.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:58:13	112.60		201.66	27.68	116.14	33.32	0.02	201.65	27.68		116.14	264.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:58:15	112.63		201.88	27.45	115.91	33.32	0.02	201.87	27.46		115.92	265.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:58:17	112.67		201.84	27.50	115.96	33.32	0.02	201.82	27.51		115.97	265.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:58:19	112.70		201.95	27.38	115.84	33.32	0.02	201.94	27.39		115.85	265.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:58:21	112.73		201.66	27.68	116.14	33.32	0.02	201.65	27.69		116.15	264.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:58:23	112.77		201.72	27.62	116.08	33.32	0.02	201.71	27.63		116.09	264.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:58:25	112.80		201.71	27.63	116.09	33.32	0.02	201.70	27.63		116.09	264.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:58:27	112.83		201.61	27.73	116.19	33.32	0.02	201.60	27.73		116.19	264.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:58:29	112.87		201.48	27.86	116.32	33.32	0.02	201.47	27.87		116.33	264.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:58:31	112.90		201.52	27.81	116.27	33.32	0.02	201.51	27.82		116.28	264.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:58:33	112.93		201.54	27.80	116.26	33.32	0.02	201.53	27.80		116.26	264.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:58:35	112.97		201.45	27.89	116.35	33.32	0.02	201.43	27.90		116.36	264.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:58:37	113.00		201.64	27.70	116.16	33.32	0.02	201.63	27.70		116.16	264.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:58:39	113.03		201.60	27.73	116.19	33.32	0.02	201.59	27.74		116.20	264.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:58:41	113.07		201.74	27.59	116.05	33.32	0.02	201.73	27.60		116.06	264.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:58:43	113.10		201.47	27.87	116.33	33.32	0.02	201.46	27.87		116.33	264.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:58:45	113.13		201.48	27.86	116.32	33.32	0.02	201.47	27.87		116.33	264.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:58:47	113.17		201.48	27.86	116.32	33.32	0.02	201.47	27.87		116.33	264.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:58:49	113.20		201.54	27.79	116.25	33.32	0.02	201.53	27.80		116.26	264.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:58:51	113.23		201.65	27.69	116.15	33.32	0.02	201.64	27.70		116.16	264.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:58:53	113.27		201.72	27.62	116.08	33.32	0.02	201.71	27.63		116.09	264.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:58:55	113.30		201.81	27.52	115.98	33.32	0.02	201.80	27.53		115.99	265.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:58:57	113.33		201.63	27.71	116.17	33.32	0.02	201.61	27.72		116.18	264.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:58:59	113.37		201.80	27.53	115.99	33.32	0.02	201.79	27.54		116.00	265.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:59:01	113.40		201.73	27.60	116.06	33.32	0.02	201.72	27.61		116.07	264.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:59:03	113.43		201.66	27.68	116.14	33.32	0.02	201.65	27.69		116.15	264.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:59:05	113.47		201.68	27.66	116.12	33.32	0.02	201.67	27.66		116.12	264.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:59:07	113.50		201.80	27.54	116.00	33.32	0.02	201.79	27.55		116.01	264.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:59:09	113.53		201.66	27.68	116.14	33.32	0.02	201.65	27.69		116.15	264.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:59:11	113.57		201.60	27.73	116.19	33.32	0.02	201.59	27.74		116.20	264.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:59:13	113.60		201.56	27.77	116.23	33.32	0.02	201.55	27.78		116.24	264.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:59:15	113.63		201.51	27.83	116.29	33.32	0.02	201.50	27.84		116.30	264.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:59:17	113.67		201.39	27.94	116.40	33.32	0.02	201.38	27.95		116.41	264.59

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:59:19	113.70		201.46	27.87	116.33	33.32	0.02	201.45	27.88		116.34	264.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:59:21	113.73		201.49	27.85	116.31	33.32	0.02	201.48	27.86		116.32	264.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:59:23	113.77		201.52	27.82	116.28	33.32	0.02	201.51	27.83		116.29	264.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:59:25	113.80		201.43	27.91	116.37	33.32	0.02	201.42	27.91		116.37	264.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:59:27	113.83		201.56	27.78	116.24	33.32	0.02	201.54	27.79		116.25	264.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:59:29	113.87		201.48	27.86	116.32	33.32	0.02	201.47	27.87		116.33	264.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:59:31	113.90		201.35	27.98	116.44	33.32	0.02	201.34	27.99		116.45	264.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:59:33	113.93		201.76	27.58	116.04	33.32	0.02	201.75	27.59		116.05	264.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:59:35	113.97		201.63	27.70	116.16	33.32	0.02	201.62	27.71		116.17	264.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:59:37	114.00		201.74	27.59	116.05	33.32	0.02	201.73	27.60		116.06	264.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:59:39	114.03		201.65	27.69	116.15	33.32	0.02	201.64	27.70		116.16	264.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:59:41	114.07		201.80	27.53	115.99	33.32	0.02	201.79	27.54		116.00	265.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:59:43	114.10		201.76	27.58	116.04	33.32	0.02	201.75	27.59		116.05	264.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:59:45	114.13		201.72	27.62	116.08	33.32	0.02	201.71	27.63		116.09	264.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:59:47	114.17		201.66	27.67	116.13	33.32	0.02	201.65	27.68		116.14	264.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:59:49	114.20		201.70	27.63	116.09	33.32	0.02	201.69	27.64		116.10	264.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:59:51	114.23		201.63	27.71	116.17	33.32	0.02	201.61	27.72		116.18	264.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:59:53	114.27		201.67	27.66	116.12	33.32	0.02	201.66	27.67		116.13	264.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:59:55	114.30		201.68	27.66	116.12	33.32	0.02	201.67	27.66		116.12	264.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:59:57	114.33		201.56	27.77	116.23	33.32	0.02	201.55	27.78		116.24	264.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 17:59:59	114.37		201.59	27.74	116.20	33.32	0.02	201.58	27.75		116.21	264.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:00:01	114.40		201.50	27.84	116.30	33.32	0.02	201.49	27.84		116.30	264.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:00:03	114.43		201.63	27.71	116.17	33.32	0.02	201.61	27.72		116.18	264.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:00:05	114.47		201.47	27.87	116.33	33.32	0.02	201.46	27.88		116.34	264.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:00:07	114.50		201.39	27.94	116.40	33.32	0.02	201.38	27.95		116.41	264.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:00:09	114.53		201.53	27.80	116.26	33.32	0.02	201.52	27.81		116.27	264.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:00:11	114.57		201.53	27.80	116.26	33.32	0.02	201.52	27.81		116.27	264.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:00:13	114.60		201.53	27.80	116.26	33.32	0.02	201.52	27.81		116.27	264.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:00:15	114.63		201.51	27.83	116.29	33.32	0.02	201.50	27.84		116.30	264.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:00:17	114.67		201.59	27.74	116.20	33.32	0.02	201.58	27.75		116.21	264.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:00:19	114.70		201.56	27.78	116.24	33.32	0.02	201.54	27.79		116.25	264.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:00:21	114.73		201.80	27.54	116.00	33.32	0.02	201.78	27.55		116.01	264.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:00:23	114.77		201.61	27.73	116.19	33.32	0.02	201.60	27.74		116.20	264.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:00:25	114.80		201.63	27.71	116.17	33.32	0.02	201.61	27.72		116.18	264.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:00:27	114.83		201.53	27.80	116.26	33.32	0.02	201.52	27.81		116.27	264.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:00:29	114.87		201.82	27.51	115.97	33.32	0.02	201.81	27.52		115.98	265.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:00:31	114.90		201.72	27.62	116.08	33.32	0.02	201.71	27.63		116.09	264.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:00:33	114.93		201.82	27.52	115.98	33.32	0.02	201.81	27.53		115.99	265.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:00:35	114.97		201.75	27.59	116.05	33.32	0.02	201.74	27.60		116.06	264.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:00:37	115.00		201.56	27.78	116.24	33.32	0.02	201.54	27.79		116.25	264.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:00:39	115.03		201.61	27.73	116.19	33.32	0.02	201.60	27.74		116.20	264.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:00:41	115.07		201.63	27.70	116.16	33.32	0.02	201.62	27.71		116.17	264.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:00:43	115.10		201.65	27.69	116.15	33.32	0.02	201.64	27.70		116.16	264.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:00:45	115.13		201.56	27.78	116.24	33.32	0.02	201.54	27.79		116.25	264.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:00:47	115.17		201.54	27.80	116.26	33.32	0.02	201.53	27.81		116.27	264.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:00:49	115.20		201.57	27.77	116.23	33.32	0.02	201.56	27.77		116.23	264.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:00:51	115.23		201.42	27.91	116.37	33.32	0.02	201.41	27.92		116.38	264.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:00:53	115.27		201.45	27.89	116.35	33.32	0.02	201.43	27.90		116.36	264.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:00:55	115.30		201.52	27.82	116.28	33.32	0.02	201.50	27.83		116.29	264.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:00:57	115.33		201.49	27.84	116.30	33.32	0.02	201.48	27.85		116.31	264.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:00:59	115.37		201.53	27.80	116.26	33.32	0.02	201.52	27.81		116.27	264.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:01:01	115.40		201.38	27.95	116.41	33.32	0.02	201.37	27.96		116.42	264.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:01:03	115.43		201.57	27.77	116.23	33.32	0.02	201.56	27.77		116.23	264.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:01:05	115.47		201.87	27.46	115.92	33.32	0.02	201.86	27.47		115.93	265.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:01:07	115.50		201.72	27.62	116.08	33.32	0.02	201.71	27.63		116.09	264.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:01:09	115.53		201.60	27.73	116.19	33.32	0.02	201.59	27.74		116.20	264.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:01:11	115.57		201.62	27.72	116.18	33.32	0.02	201.61	27.73		116.19	264.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:01:13	115.60		201.66	27.68	116.14	33.32	0.02	201.64	27.69		116.15	264.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:01:15	115.63		201.84	27.49	115.95	33.32	0.02	201.83	27.50		115.96	265.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:01:17	115.67		201.70	27.64	116.10	33.32	0.02	201.68	27.65		116.11	264.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:01:19	115.70		201.80	27.54	116.00	33.32	0.02	201.78	27.55		116.01	264.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:01:21	115.73		201.51	27.83	116.29	33.32	0.02	201.50	27.84		116.30	264.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:01:23	115.77		201.71	27.63	116.09	33.32	0.02	201.70	27.63		116.09	264.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:01:25	115.80		201.56	27.78	116.24	33.32	0.02	201.54	27.79		116.25	264.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:01:27	115.83		201.63	27.70	116.16	33.32	0.02	201.62	27.71		116.17	264.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:01:29	115.87		201.64	27.70	116.16	33.32	0.02	201.63	27.70		116.16	264.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:01:31	115.90		201.56	27.78	116.24	33.32	0.02	201.54	27.79		116.25	264.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:01:33	115.93		201.55	27.79	116.25	33.32	0.02	201.54	27.80		116.26	264.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:01:35	115.97		201.32	28.01	116.47	33.32	0.02	201.31	28.02		116.48	264.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:01:37	116.00		201.41	27.93	116.39	33.32	0.02	201.39	27.94		116.40	264.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:01:39	116.03		201.39	27.94	116.40	33.32	0.02	201.38	27.95		116.41	264.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:01:41	116.07		201.48	27.85	116.31	33.32	0.02	201.47	27.86		116.32	264.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:01:43	116.10		201.34	28.00	116.46	33.32	0.02	201.32	28.01		116.47	264.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:01:45	116.13		201.45	27.88	116.34	33.32	0.02	201.44	27.89		116.35	264.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:01:47	116.17		201.49	27.84	116.30	33.32	0.02	201.48	27.85		116.31	264.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:01:49	116.20		201.50	27.84	116.30	33.32	0.02	201.49	27.84		116.30	264.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:01:51	116.23		201.76	27.58	116.04	33.32	0.02	201.75	27.59		116.05	264.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:01:53	116.27		201.60	27.73	116.19	33.32	0.02	201.59	27.74		116.20	264.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:01:55	116.30		201.59	27.74	116.20	33.32	0.02	201.58	27.75		116.21	264.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:01:57	116.33		201.72	27.62	116.08	33.32	0.02	201.71	27.63		116.09	264.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:01:59	116.37		201.71	27.63	116.09	33.32	0.02	201.70	27.63		116.09	264.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:02:01	116.40		201.75	27.59	116.05	33.32	0.02	201.74	27.60		116.06	264.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:02:03	116.43		201.60	27.73	116.19	33.32	0.02	201.59	27.74		116.20	264.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:02:05	116.47		201.75	27.59	116.05	33.32	0.02	201.74	27.60		116.06	264.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:02:07	116.50		201.56	27.78	116.24	33.32	0.02	201.54	27.79		116.25	264.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:02:09	116.53		201.77	27.57	116.03	33.32	0.02	201.75	27.58		116.04	264.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:02:11	116.57		201.47	27.87	116.33	33.32	0.02	201.46	27.88		116.34	264.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:02:13	116.60		201.59	27.75	116.21	33.32	0.02	201.57	27.76		116.22	264.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:02:15	116.63		201.39	27.94	116.40	33.32	0.02	201.38	27.95		116.41	264.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:02:17	116.67		201.28	28.05	116.51	33.32	0.02	201.27	28.06		116.52	264.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:02:19	116.70		201.42	27.91	116.37	33.32	0.02	201.41	27.92		116.38	264.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:02:21	116.73		201.53	27.80	116.26	33.32	0.02	201.52	27.81		116.27	264.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:02:23	116.77		201.45	27.88	116.34	33.32	0.02	201.44	27.89		116.35	264.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:02:25	116.80		201.42	27.91	116.37	33.32	0.02	201.41	27.92		116.38	264.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:02:27	116.83		201.24	28.09	116.55	33.32	0.02	201.23	28.10		116.56	264.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:02:29	116.87		201.69	27.65	116.11	33.32	0.02	201.68	27.66		116.12	264.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:02:31	116.90		201.52	27.82	116.28	33.32	0.02	201.50	27.83		116.29	264.71

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:02:33	116.93		201.25	28.08	116.54	33.32	0.02	201.24	28.09		116.55	264.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:02:35	116.97		201.59	27.75	116.21	33.32	0.02	201.57	27.76		116.22	264.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:02:37	117.00		201.71	27.63	116.09	33.32	0.02	201.70	27.63		116.09	264.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:02:39	117.03		201.73	27.60	116.06	33.32	0.02	201.72	27.61		116.07	264.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:02:41	117.07		201.83	27.51	115.97	33.32	0.02	201.82	27.52		115.98	265.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:02:43	117.10		201.87	27.46	115.92	33.32	0.02	201.86	27.47		115.93	265.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:02:45	117.13		201.74	27.59	116.05	33.32	0.02	201.73	27.60		116.06	264.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:02:47	117.17		201.66	27.68	116.14	33.32	0.02	201.64	27.69		116.15	264.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:02:49	117.20		201.87	27.46	115.92	33.32	0.02	201.86	27.47		115.93	265.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:02:51	117.23		201.59	27.74	116.20	33.32	0.02	201.58	27.75		116.21	264.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:02:53	117.27		201.43	27.91	116.37	33.32	0.02	201.42	27.91		116.37	264.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:02:55	117.30		201.63	27.70	116.16	33.32	0.02	201.62	27.71		116.17	264.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:02:57	117.33		201.77	27.57	116.03	33.32	0.02	201.75	27.58		116.04	264.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:02:59	117.37		201.42	27.91	116.37	33.32	0.02	201.41	27.92		116.38	264.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:03:01	117.40		201.42	27.91	116.37	33.32	0.02	201.41	27.92		116.38	264.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:03:03	117.43		201.56	27.77	116.23	33.32	0.02	201.55	27.78		116.24	264.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:03:05	117.47		201.59	27.75	116.21	33.32	0.02	201.57	27.76		116.22	264.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:03:07	117.50		201.38	27.96	116.42	33.32	0.02	201.36	27.97		116.43	264.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:03:09	117.53		201.45	27.89	116.35	33.32	0.02	201.43	27.90		116.36	264.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:03:11	117.57		201.32	28.01	116.47	33.32	0.02	201.31	28.02		116.48	264.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:03:13	117.60		201.48	27.86	116.32	33.32	0.02	201.47	27.87		116.33	264.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:03:15	117.63		201.44	27.90	116.36	33.32	0.02	201.43	27.91		116.37	264.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:03:17	117.67		201.45	27.89	116.35	33.32	0.02	201.43	27.90		116.36	264.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:03:19	117.70		201.32	28.01	116.47	33.32	0.02	201.31	28.02		116.48	264.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:03:21	117.73		201.45	27.89	116.35	33.32	0.02	201.43	27.90		116.36	264.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:03:23	117.77		201.84	27.50	115.96	33.32	0.02	201.82	27.51		115.97	265.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:03:25	117.80		201.76	27.58	116.04	33.32	0.02	201.75	27.59		116.05	264.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:03:27	117.83		201.71	27.63	116.09	33.32	0.02	201.70	27.63		116.09	264.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:03:29	117.87		201.70	27.63	116.09	33.32	0.02	201.69	27.64		116.10	264.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:03:31	117.90		201.80	27.53	115.99	33.32	0.02	201.79	27.54		116.00	265.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:03:33	117.93		201.80	27.53	115.99	33.32	0.02	201.79	27.54		116.00	265.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:03:35	117.97		201.80	27.53	115.99	33.32	0.02	201.79	27.54		116.00	265.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:03:37	118.00		201.68	27.66	116.12	33.32	0.02	201.67	27.67		116.13	264.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:03:39	118.03		201.54	27.80	116.26	33.32	0.02	201.53	27.81		116.27	264.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:03:41	118.07		201.76	27.58	116.04	33.32	0.02	201.75	27.59		116.05	264.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:03:43	118.10		201.55	27.79	116.25	33.32	0.02	201.54	27.80		116.26	264.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:03:45	118.13		201.44	27.90	116.36	33.32	0.02	201.43	27.91		116.37	264.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:03:47	118.17		201.52	27.82	116.28	33.32	0.02	201.50	27.83		116.29	264.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:03:49	118.20		201.47	27.87	116.33	33.32	0.02	201.46	27.88		116.34	264.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:03:51	118.23		201.29	28.05	116.51	33.32	0.02	201.28	28.05		116.51	264.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:03:53	118.27		201.07	28.26	116.72	33.32	0.02	201.06	28.27		116.73	264.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:03:55	118.30		201.54	27.80	116.26	33.32	0.02	201.53	27.81		116.27	264.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:03:57	118.33		201.20	28.13	116.59	33.32	0.02	201.19	28.14		116.60	264.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:03:59	118.37		201.49	27.84	116.30	33.32	0.02	201.48	27.85		116.31	264.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:04:01	118.40		201.27	28.06	116.52	33.32	0.02	201.26	28.07		116.53	264.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:04:03	118.43		201.36	27.98	116.44	33.32	0.02	201.35	27.98		116.44	264.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:04:05	118.47		201.52	27.81	116.27	33.32	0.02	201.51	27.82		116.28	264.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:04:07	118.50		201.53	27.80	116.26	33.32	0.02	201.52	27.81		116.27	264.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:04:09	118.53		201.49	27.84	116.30	33.32	0.02	201.48	27.85		116.31	264.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:04:11	118.57		201.70	27.64	116.10	33.32	0.02	201.68	27.65		116.11	264.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:04:13	118.60		201.69	27.65	116.11	33.32	0.02	201.68	27.66		116.12	264.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:04:15	118.63		201.65	27.69	116.15	33.32	0.02	201.64	27.70		116.16	264.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:04:17	118.67		201.92	27.41	115.87	33.32	0.02	201.91	27.42		115.88	265.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:04:19	118.70		201.91	27.43	115.89	33.32	0.02	201.89	27.44		115.90	265.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:04:21	118.73		201.73	27.60	116.06	33.32	0.02	201.72	27.61		116.07	264.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:04:23	118.77		201.71	27.63	116.09	33.32	0.02	201.70	27.63		116.09	264.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:04:25	118.80		201.58	27.76	116.22	33.32	0.02	201.57	27.77		116.23	264.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:04:27	118.83		201.54	27.80	116.26	33.32	0.02	201.53	27.81		116.27	264.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:04:29	118.87		201.53	27.80	116.26	33.32	0.02	201.52	27.81		116.27	264.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:04:31	118.90		201.41	27.93	116.39	33.32	0.02	201.39	27.94		116.40	264.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:04:33	118.93		201.47	27.87	116.33	33.32	0.02	201.46	27.88		116.34	264.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:04:35	118.97		201.38	27.95	116.41	33.32	0.02	201.37	27.96		116.42	264.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:04:37	119.00		201.41	27.93	116.39	33.32	0.02	201.39	27.94		116.40	264.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:04:39	119.03		201.37	27.97	116.43	33.32	0.02	201.36	27.98		116.44	264.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:04:41	119.07		201.46	27.87	116.33	33.32	0.02	201.45	27.88		116.34	264.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:04:43	119.10		201.27	28.07	116.53	33.32	0.02	201.25	28.08		116.54	264.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:04:45	119.13		201.34	27.99	116.45	33.32	0.02	201.33	28.00		116.46	264.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:04:47	119.17		201.54	27.80	116.26	33.32	0.02	201.53	27.81		116.27	264.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:04:49	119.20		201.52	27.81	116.27	33.32	0.02	201.51	27.82		116.28	264.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:04:51	119.23		201.38	27.96	116.42	33.32	0.02	201.36	27.97		116.43	264.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:04:53	119.27		201.71	27.63	116.09	33.32	0.02	201.70	27.63		116.09	264.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:04:55	119.30		201.67	27.66	116.12	33.32	0.02	201.66	27.67		116.13	264.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:04:57	119.33		201.56	27.77	116.23	33.32	0.02	201.55	27.78		116.24	264.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:04:59	119.37		201.57	27.77	116.23	33.32	0.02	201.56	27.77		116.23	264.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:05:01	119.40		201.71	27.63	116.09	33.32	0.02	201.70	27.63		116.09	264.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:05:03	119.43		201.82	27.52	115.98	33.32	0.02	201.81	27.53		115.99	265.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:05:05	119.47		201.73	27.61	116.07	33.32	0.02	201.71	27.62		116.08	264.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:05:07	119.50		201.64	27.70	116.16	33.32	0.02	201.63	27.70		116.16	264.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:05:09	119.53		201.50	27.84	116.30	33.32	0.02	201.49	27.84		116.30	264.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:05:11	119.57		201.45	27.88	116.34	33.32	0.02	201.44	27.89		116.35	264.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:05:13	119.60		201.59	27.74	116.20	33.32	0.02	201.58	27.75		116.21	264.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:05:15	119.63		201.58	27.76	116.22	33.32	0.02	201.57	27.77		116.23	264.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:05:17	119.67		201.39	27.94	116.40	33.32	0.02	201.38	27.95		116.41	264.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:05:19	119.70		201.48	27.86	116.32	33.32	0.02	201.47	27.87		116.33	264.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:05:21	119.73		201.34	27.99	116.45	33.32	0.02	201.33	28.00		116.46	264.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:05:23	119.77		201.40	27.94	116.40	33.32	0.02	201.39	27.95		116.41	264.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:05:25	119.80		201.36	27.98	116.44	33.32	0.02	201.35	27.98		116.44	264.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:05:27	119.83		201.30	28.04	116.50	33.32	0.02	201.29	28.05		116.51	264.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:05:29	119.87		201.39	27.94	116.40	33.32	0.02	201.38	27.95		116.41	264.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:05:31	119.90		201.39	27.94	116.40	33.32	0.02	201.38	27.95		116.41	264.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:05:33	119.93		201.46	27.87	116.33	33.32	0.02	201.45	27.88		116.34	264.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:05:35	119.97		201.56	27.78	116.24	33.32	0.02	201.54	27.79		116.25	264.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:05:37	120.00		201.48	27.85	116.31	33.32	0.02	201.47	27.86		116.32	264.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:05:39	120.03		201.55	27.79	116.25	33.32	0.02	201.54	27.80		116.26	264.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:05:41	120.07		201.42	27.91	116.37	33.32	0.02	201.41	27.92		116.38	264.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:05:43	120.10		201.66	27.67	116.13	33.32	0.02	201.65	27.68		116.14	264.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:05:45	120.13		201.73	27.60	116.06	33.32	0.02	201.72	27.61		116.07	264.93

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:05:47	120.17		201.56	27.78	116.24	33.32	0.02	201.54	27.79		116.25	264.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:05:49	120.20		201.68	27.66	116.12	33.32	0.02	201.67	27.67		116.13	264.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:05:51	120.23		201.72	27.62	116.08	33.32	0.02	201.71	27.63		116.09	264.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:05:53	120.27		201.80	27.53	115.99	33.32	0.02	201.79	27.54		116.00	265.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:05:55	120.30		201.63	27.70	116.16	33.32	0.02	201.62	27.71		116.17	264.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:05:57	120.33		201.66	27.68	116.14	33.32	0.02	201.64	27.69		116.15	264.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:05:59	120.37		201.48	27.85	116.31	33.32	0.02	201.47	27.86		116.32	264.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:06:01	120.40		201.26	28.08	116.54	33.32	0.02	201.25	28.09		116.55	264.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:06:03	120.43		201.48	27.86	116.32	33.32	0.02	201.47	27.87		116.33	264.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:06:05	120.47		201.35	27.98	116.44	33.32	0.02	201.34	27.99		116.45	264.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:06:07	120.50		201.51	27.83	116.29	33.32	0.02	201.50	27.84		116.30	264.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:06:09	120.53		201.31	28.03	116.49	33.32	0.02	201.29	28.04		116.50	264.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:06:11	120.57		201.41	27.93	116.39	33.32	0.02	201.39	27.94		116.40	264.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:06:13	120.60		201.36	27.98	116.44	33.32	0.02	201.35	27.98		116.44	264.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:06:15	120.63		201.25	28.08	116.54	33.32	0.02	201.24	28.09		116.55	264.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:06:17	120.67		201.17	28.16	116.62	33.32	0.02	201.16	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:06:19	120.70		201.39	27.94	116.40	33.32	0.02	201.38	27.95		116.41	264.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:06:21	120.73		201.34	27.99	116.45	33.32	0.02	201.33	28.00		116.46	264.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:06:23	120.77		201.45	27.89	116.35	33.32	0.02	201.43	27.90		116.36	264.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:06:25	120.80		201.66	27.67	116.13	33.32	0.02	201.65	27.68		116.14	264.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:06:27	120.83		201.61	27.73	116.19	33.32	0.02	201.60	27.74		116.20	264.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:06:29	120.87		201.81	27.52	115.98	33.32	0.02	201.80	27.53		115.99	265.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:06:31	120.90		201.43	27.91	116.37	33.32	0.02	201.42	27.91		116.37	264.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:06:33	120.93		201.60	27.73	116.19	33.32	0.02	201.59	27.74		116.20	264.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:06:35	120.97		201.82	27.52	115.98	33.32	0.02	201.81	27.53		115.99	265.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:06:37	121.00		201.63	27.71	116.17	33.32	0.02	201.61	27.72		116.18	264.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:06:39	121.03		201.43	27.91	116.37	33.32	0.02	201.42	27.91		116.37	264.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:06:41	121.07		201.52	27.82	116.28	33.32	0.02	201.50	27.83		116.29	264.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:06:43	121.10		201.58	27.76	116.22	33.32	0.02	201.57	27.77		116.23	264.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:06:45	121.13		201.62	27.72	116.18	33.32	0.02	201.61	27.73		116.19	264.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:06:47	121.17		201.48	27.86	116.32	33.32	0.02	201.47	27.87		116.33	264.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:06:49	121.20		201.38	27.95	116.41	33.32	0.02	201.37	27.96		116.42	264.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:06:51	121.23		201.50	27.84	116.30	33.32	0.02	201.49	27.84		116.30	264.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:06:53	121.27		201.13	28.20	116.66	33.32	0.02	201.12	28.21		116.67	264.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:06:55	121.30		201.38	27.96	116.42	33.32	0.02	201.36	27.97		116.43	264.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:06:57	121.33		201.20	28.13	116.59	33.32	0.02	201.19	28.14		116.60	264.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:06:59	121.37		201.41	27.93	116.39	33.32	0.02	201.39	27.94		116.40	264.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:07:01	121.40		201.32	28.01	116.47	33.32	0.02	201.31	28.02		116.48	264.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:07:03	121.43		201.48	27.85	116.31	33.32	0.02	201.47	27.86		116.32	264.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:07:05	121.47		201.48	27.85	116.31	33.32	0.02	201.47	27.86		116.32	264.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:07:07	121.50		201.35	27.98	116.44	33.32	0.02	201.34	27.99		116.45	264.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:07:09	121.53		201.53	27.80	116.26	33.32	0.02	201.52	27.81		116.27	264.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:07:11	121.57		201.61	27.73	116.19	33.32	0.02	201.60	27.74		116.20	264.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:07:13	121.60		201.63	27.71	116.17	33.32	0.02	201.61	27.72		116.18	264.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:07:15	121.63		201.66	27.67	116.13	33.32	0.02	201.65	27.68		116.14	264.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:07:17	121.67		201.75	27.59	116.05	33.32	0.02	201.74	27.60		116.06	264.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:07:19	121.70		201.71	27.63	116.09	33.32	0.02	201.70	27.63		116.09	264.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:07:21	121.73		201.56	27.78	116.24	33.32	0.02	201.54	27.79		116.25	264.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:07:23	121.77		201.66	27.68	116.14	33.32	0.02	201.64	27.69		116.15	264.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:07:25	121.80		201.63	27.71	116.17	33.32	0.02	201.61	27.72		116.18	264.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:07:27	121.83		201.63	27.71	116.17	33.32	0.02	201.61	27.72		116.18	264.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:07:29	121.87		201.56	27.78	116.24	33.32	0.02	201.54	27.79		116.25	264.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:07:31	121.90		201.48	27.85	116.31	33.32	0.02	201.47	27.86		116.32	264.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:07:33	121.93		201.43	27.91	116.37	33.32	0.02	201.42	27.91		116.37	264.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:07:35	121.97		201.28	28.05	116.51	33.32	0.02	201.27	28.06		116.52	264.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:07:37	122.00		201.21	28.12	116.58	33.32	0.02	201.20	28.13		116.59	264.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:07:39	122.03		201.34	28.00	116.46	33.32	0.02	201.32	28.01		116.47	264.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:07:41	122.07		201.30	28.04	116.50	33.32	0.02	201.29	28.05		116.51	264.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:07:43	122.10		201.29	28.05	116.51	33.32	0.02	201.28	28.05		116.51	264.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:07:45	122.13		201.38	27.96	116.42	33.32	0.02	201.36	27.97		116.43	264.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:07:47	122.17		201.43	27.91	116.37	33.32	0.02	201.42	27.91		116.37	264.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:07:49	122.20		201.41	27.92	116.38	33.32	0.02	201.40	27.93		116.39	264.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:07:51	122.23		201.34	27.99	116.45	33.32	0.02	201.33	28.00		116.46	264.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:07:53	122.27		201.54	27.80	116.26	33.32	0.02	201.53	27.81		116.27	264.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:07:55	122.30		201.70	27.63	116.09	33.32	0.02	201.69	27.64		116.10	264.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:07:57	122.33		201.48	27.86	116.32	33.32	0.02	201.47	27.87		116.33	264.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:07:59	122.37		201.48	27.85	116.31	33.32	0.02	201.47	27.86		116.32	264.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:08:01	122.40		201.78	27.55	116.01	33.32	0.02	201.77	27.56		116.02	264.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:08:03	122.43		201.77	27.57	116.03	33.32	0.02	201.75	27.58		116.04	264.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:08:05	122.47		201.66	27.68	116.14	33.32	0.02	201.64	27.69		116.15	264.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:08:07	122.50		201.48	27.85	116.31	33.32	0.02	201.47	27.86		116.32	264.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:08:09	122.53		201.68	27.66	116.12	33.32	0.02	201.67	27.67		116.13	264.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:08:11	122.57		201.55	27.79	116.25	33.32	0.02	201.54	27.80		116.26	264.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:08:13	122.60		201.39	27.94	116.40	33.32	0.02	201.38	27.95		116.41	264.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:08:15	122.63		201.45	27.88	116.34	33.32	0.02	201.44	27.89		116.35	264.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:08:17	122.67		201.41	27.92	116.38	33.32	0.02	201.40	27.93		116.39	264.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:08:19	122.70		201.21	28.12	116.58	33.32	0.02	201.20	28.13		116.59	264.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:08:21	122.73		201.40	27.94	116.40	33.32	0.02	201.39	27.95		116.41	264.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:08:23	122.77		201.52	27.82	116.28	33.32	0.02	201.50	27.83		116.29	264.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:08:25	122.80		201.50	27.84	116.30	33.32	0.02	201.49	27.84		116.30	264.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:08:27	122.83		201.21	28.12	116.58	33.32	0.02	201.20	28.13		116.59	264.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:08:29	122.87		201.31	28.03	116.49	33.32	0.02	201.29	28.04		116.50	264.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:08:31	122.90		201.29	28.05	116.51	33.32	0.02	201.28	28.05		116.51	264.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:08:33	122.93		201.55	27.79	116.25	33.32	0.02	201.54	27.80		116.26	264.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:08:35	122.97		201.21	28.12	116.58	33.32	0.02	201.20	28.13		116.59	264.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:08:37	123.00		201.60	27.73	116.19	33.32	0.02	201.59	27.74		116.20	264.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:08:39	123.03		201.45	27.88	116.34	33.32	0.02	201.44	27.89		116.35	264.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:08:41	123.07		201.75	27.59	116.05	33.32	0.02	201.74	27.60		116.06	264.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:08:43	123.10		201.44	27.90	116.36	33.32	0.02	201.43	27.91		116.37	264.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:08:45	123.13		201.58	27.76	116.22	33.32	0.02	201.57	27.77		116.23	264.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:08:47	123.17		201.49	27.84	116.30	33.32	0.02	201.48	27.85		116.31	264.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:08:49	123.20		201.87	27.46	115.92	33.32	0.02	201.86	27.47		115.93	265.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:08:51	123.23		201.56	27.77	116.23	33.32	0.02	201.55	27.78		116.24	264.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:08:53	123.27		201.77	27.57	116.03	33.32	0.02	201.75	27.58		116.04	264.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:08:55	123.30		201.55	27.79	116.25	33.32	0.02	201.54	27.80		116.26	264.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:08:57	123.33		201.38	27.95	116.41	33.32	0.02	201.37	27.96		116.42	264.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:08:59	123.37		201.48	27.86	116.32	33.32	0.02	201.47	27.87		116.33	264.67

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:09:01	123.40		201.48	27.85	116.31	33.32	0.02	201.47	27.86		116.32	264.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:09:03	123.43		201.47	27.87	116.33	33.32	0.02	201.46	27.88		116.34	264.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:09:05	123.47		201.47	27.87	116.33	33.32	0.02	201.46	27.88		116.34	264.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:09:07	123.50		201.48	27.86	116.32	33.32	0.02	201.47	27.87		116.33	264.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:09:09	123.53		201.39	27.94	116.40	33.32	0.02	201.38	27.95		116.41	264.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:09:11	123.57		201.38	27.96	116.42	33.32	0.02	201.36	27.97		116.43	264.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:09:13	123.60		201.29	28.05	116.51	33.32	0.02	201.28	28.05		116.51	264.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:09:15	123.63		201.32	28.01	116.47	33.32	0.02	201.31	28.02		116.48	264.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:09:17	123.67		201.40	27.94	116.40	33.32	0.02	201.39	27.95		116.41	264.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:09:19	123.70		201.35	27.98	116.44	33.32	0.02	201.34	27.99		116.45	264.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:09:21	123.73		201.36	27.98	116.44	33.32	0.02	201.35	27.98		116.44	264.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:09:23	123.77		201.50	27.84	116.30	33.32	0.02	201.49	27.84		116.30	264.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:09:25	123.80		201.59	27.75	116.21	33.32	0.02	201.57	27.76		116.22	264.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:09:27	123.83		201.48	27.85	116.31	33.32	0.02	201.47	27.86		116.32	264.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:09:29	123.87		201.52	27.82	116.28	33.32	0.02	201.50	27.83		116.29	264.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:09:31	123.90		201.61	27.73	116.19	33.32	0.02	201.60	27.74		116.20	264.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:09:33	123.93		201.60	27.73	116.19	33.32	0.02	201.59	27.74		116.20	264.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:09:35	123.97		201.64	27.70	116.16	33.32	0.02	201.63	27.70		116.16	264.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:09:37	124.00		201.56	27.77	116.23	33.32	0.02	201.55	27.78		116.24	264.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:09:39	124.03		201.57	27.77	116.23	33.32	0.02	201.56	27.77		116.23	264.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:09:41	124.07		201.62	27.72	116.18	33.32	0.02	201.61	27.73		116.19	264.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:09:43	124.10		201.38	27.95	116.41	33.32	0.02	201.37	27.96		116.42	264.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:09:45	124.13		201.41	27.93	116.39	33.32	0.02	201.39	27.94		116.40	264.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:09:47	124.17		201.56	27.78	116.24	33.32	0.02	201.54	27.79		116.25	264.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:09:49	124.20		201.38	27.95	116.41	33.32	0.02	201.37	27.96		116.42	264.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:09:51	124.23		201.39	27.94	116.40	33.32	0.02	201.38	27.95		116.41	264.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:09:53	124.27		201.20	28.14	116.60	33.32	0.02	201.18	28.15		116.61	264.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:09:55	124.30		201.54	27.80	116.26	33.32	0.02	201.53	27.81		116.27	264.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:09:57	124.33		201.35	27.98	116.44	33.32	0.02	201.34	27.99		116.45	264.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:09:59	124.37		201.37	27.97	116.43	33.32	0.02	201.36	27.98		116.44	264.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:10:01	124.40		201.39	27.94	116.40	33.32	0.02	201.38	27.95		116.41	264.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:10:03	124.43		201.34	27.99	116.45	33.32	0.02	201.33	28.00		116.46	264.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:10:05	124.47		201.24	28.10	116.56	33.32	0.02	201.22	28.11		116.57	264.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:10:07	124.50		201.44	27.90	116.36	33.32	0.02	201.43	27.91		116.37	264.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:10:09	124.53		201.59	27.74	116.20	33.32	0.02	201.58	27.75		116.21	264.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:10:11	124.57		201.38	27.95	116.41	33.32	0.02	201.37	27.96		116.42	264.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:10:13	124.60		201.61	27.73	116.19	33.32	0.02	201.60	27.74		116.20	264.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:10:15	124.63		201.56	27.77	116.23	33.32	0.02	201.55	27.78		116.24	264.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:10:17	124.67		201.53	27.80	116.26	33.32	0.02	201.52	27.81		116.27	264.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:10:19	124.70		201.57	27.77	116.23	33.32	0.02	201.56	27.78		116.24	264.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:10:21	124.73		201.66	27.67	116.13	33.32	0.02	201.65	27.68		116.14	264.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:10:23	124.77		201.61	27.73	116.19	33.32	0.02	201.60	27.74		116.20	264.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:10:25	124.80		201.51	27.83	116.29	33.32	0.02	201.50	27.84		116.30	264.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:10:27	124.83		201.52	27.81	116.27	33.32	0.02	201.51	27.82		116.28	264.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:10:29	124.87		201.41	27.93	116.39	33.32	0.02	201.39	27.94		116.40	264.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:10:31	124.90		201.49	27.84	116.30	33.32	0.02	201.48	27.85		116.31	264.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:10:33	124.93		201.28	28.05	116.51	33.32	0.02	201.27	28.06		116.52	264.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:10:35	124.97		201.45	27.89	116.35	33.32	0.02	201.43	27.90		116.36	264.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:10:37	125.00		201.13	28.20	116.66	33.32	0.02	201.12	28.21		116.67	264.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:10:39	125.03		201.30	28.04	116.50	33.32	0.02	201.28	28.05		116.51	264.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:10:41	125.07		201.10	28.23	116.69	33.32	0.02	201.09	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:10:43	125.10		201.27	28.07	116.53	33.32	0.02	201.25	28.08		116.54	264.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:10:45	125.13		201.25	28.08	116.54	33.32	0.02	201.24	28.09		116.55	264.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:10:47	125.17		201.20	28.13	116.59	33.32	0.02	201.19	28.14		116.60	264.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:10:49	125.20		201.34	28.00	116.46	33.32	0.02	201.32	28.01		116.47	264.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:10:51	125.23		201.47	27.87	116.33	33.32	0.02	201.46	27.88		116.34	264.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:10:53	125.27		201.51	27.83	116.29	33.32	0.02	201.50	27.84		116.30	264.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:10:55	125.30		201.46	27.87	116.33	33.32	0.02	201.45	27.88		116.34	264.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:10:57	125.33		201.58	27.76	116.22	33.32	0.02	201.57	27.77		116.23	264.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:10:59	125.37		201.49	27.84	116.30	33.32	0.02	201.48	27.85		116.31	264.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:11:01	125.40		201.66	27.67	116.13	33.32	0.02	201.65	27.68		116.14	264.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:11:03	125.43		201.65	27.69	116.15	33.32	0.02	201.64	27.70		116.16	264.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:11:05	125.47		201.66	27.68	116.14	33.32	0.02	201.64	27.69		116.15	264.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:11:07	125.50		201.77	27.56	116.02	33.32	0.02	201.76	27.57		116.03	264.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:11:09	125.53		201.49	27.84	116.30	33.32	0.02	201.48	27.85		116.31	264.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:11:11	125.57		201.41	27.93	116.39	33.32	0.02	201.39	27.94		116.40	264.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:11:13	125.60		201.40	27.94	116.40	33.32	0.02	201.39	27.95		116.41	264.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:11:15	125.63		201.69	27.65	116.11	33.32	0.02	201.67	27.66		116.12	264.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:11:17	125.67		201.43	27.91	116.37	33.32	0.02	201.42	27.92		116.38	264.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:11:19	125.70		201.16	28.18	116.64	33.32	0.02	201.14	28.19		116.65	264.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:11:21	125.73		201.34	27.99	116.45	33.32	0.02	201.33	28.00		116.46	264.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:11:23	125.77		201.18	28.15	116.61	33.32	0.02	201.17	28.16		116.62	264.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:11:25	125.80		201.10	28.23	116.69	33.32	0.02	201.09	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:11:27	125.83		201.45	27.88	116.34	33.32	0.02	201.44	27.89		116.35	264.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:11:29	125.87		201.27	28.06	116.52	33.32	0.02	201.26	28.07		116.53	264.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:11:31	125.90		201.17	28.16	116.62	33.32	0.02	201.16	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:11:33	125.93		201.24	28.09	116.55	33.32	0.02	201.23	28.10		116.56	264.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:11:35	125.97		201.49	27.84	116.30	33.32	0.02	201.48	27.85		116.31	264.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:11:37	126.00		201.60	27.73	116.19	33.32	0.02	201.59	27.74		116.20	264.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:11:39	126.03		201.59	27.75	116.21	33.32	0.02	201.57	27.76		116.22	264.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:11:41	126.07		201.40	27.94	116.40	33.32	0.02	201.39	27.95		116.41	264.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:11:43	126.10		201.59	27.75	116.21	33.32	0.02	201.57	27.76		116.22	264.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:11:45	126.13		201.52	27.81	116.27	33.32	0.02	201.51	27.82		116.28	264.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:11:47	126.17		201.64	27.70	116.16	33.32	0.02	201.63	27.71		116.17	264.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:11:49	126.20		201.52	27.82	116.28	33.32	0.02	201.50	27.83		116.29	264.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:11:51	126.23		201.76	27.58	116.04	33.32	0.02	201.74	27.59		116.05	264.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:11:53	126.27		201.46	27.87	116.33	33.32	0.02	201.45	27.88		116.34	264.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:11:55	126.30		201.46	27.87	116.33	33.32	0.02	201.45	27.88		116.34	264.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:11:57	126.33		201.59	27.74	116.20	33.32	0.02	201.58	27.75		116.21	264.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:11:59	126.37		201.37	27.97	116.43	33.32	0.02	201.36	27.98		116.44	264.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:12:01	126.40		201.42	27.91	116.37	33.32	0.02	201.41	27.92		116.38	264.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:12:03	126.43		201.32	28.01	116.47	33.32	0.02	201.31	28.02		116.48	264.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:12:05	126.47		201.24	28.10	116.56	33.32	0.02	201.22	28.11		116.57	264.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:12:07	126.50		201.04	28.30	116.76	33.32	0.02	201.03	28.31		116.77	264.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:12:09	126.53		201.38	27.95	116.41	33.32	0.02	201.37	27.96		116.42	264.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:12:11	126.57		201.11	28.23	116.69	33.32	0.02	201.10	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:12:13	126.60		201.14	28.19	116.65	33.32	0.02	201.13	28.20		116.66	264.34

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:12:15	126.63		201.09	28.25	116.71	33.32	0.02	201.07	28.26		116.72	264.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:12:17	126.67		201.19	28.15	116.61	33.32	0.02	201.18	28.16		116.62	264.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:12:19	126.70		201.48	27.85	116.31	33.32	0.02	201.47	27.86		116.32	264.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:12:21	126.73		201.26	28.08	116.54	33.32	0.02	201.25	28.09		116.55	264.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:12:23	126.77		201.39	27.94	116.40	33.32	0.02	201.38	27.95		116.41	264.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:12:25	126.80		201.51	27.83	116.29	33.32	0.02	201.50	27.84		116.30	264.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:12:27	126.83		201.51	27.83	116.29	33.32	0.02	201.50	27.84		116.30	264.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:12:29	126.87		201.58	27.76	116.22	33.32	0.02	201.57	27.77		116.23	264.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:12:31	126.90		201.62	27.72	116.18	33.32	0.02	201.60	27.73		116.19	264.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:12:33	126.93		201.53	27.80	116.26	33.32	0.02	201.52	27.81		116.27	264.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:12:35	126.97		201.49	27.84	116.30	33.32	0.02	201.48	27.85		116.31	264.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:12:37	127.00		201.61	27.73	116.19	33.32	0.02	201.60	27.74		116.20	264.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:12:39	127.03		201.52	27.82	116.28	33.32	0.02	201.50	27.83		116.29	264.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:12:41	127.07		201.47	27.87	116.33	33.32	0.02	201.46	27.88		116.34	264.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:12:43	127.10		201.28	28.05	116.51	33.32	0.02	201.27	28.06		116.52	264.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:12:45	127.13		201.47	27.87	116.33	33.32	0.02	201.46	27.88		116.34	264.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:12:47	127.17		201.42	27.91	116.37	33.32	0.02	201.41	27.92		116.38	264.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:12:49	127.20		201.50	27.84	116.30	33.32	0.02	201.49	27.85		116.31	264.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:12:51	127.23		201.29	28.05	116.51	33.32	0.02	201.28	28.06		116.52	264.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:12:53	127.27		201.27	28.07	116.53	33.32	0.02	201.25	28.08		116.54	264.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:12:55	127.30		201.33	28.01	116.47	33.32	0.02	201.32	28.02		116.48	264.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:12:57	127.33		201.05	28.29	116.75	33.32	0.02	201.04	28.30		116.76	264.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:12:59	127.37		201.17	28.17	116.63	33.32	0.02	201.15	28.18		116.64	264.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:13:01	127.40		201.14	28.19	116.65	33.32	0.02	201.13	28.20		116.66	264.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:13:03	127.43		201.15	28.19	116.65	33.32	0.02	201.14	28.20		116.66	264.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:13:05	127.47		201.28	28.05	116.51	33.32	0.02	201.27	28.06		116.52	264.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:13:07	127.50		201.42	27.91	116.37	33.32	0.02	201.41	27.92		116.38	264.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:13:09	127.53		201.44	27.90	116.36	33.32	0.02	201.43	27.91		116.37	264.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:13:11	127.57		201.54	27.80	116.26	33.32	0.02	201.53	27.81		116.27	264.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:13:13	127.60		201.46	27.87	116.33	33.32	0.02	201.45	27.88		116.34	264.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:13:15	127.63		201.51	27.83	116.29	33.32	0.02	201.50	27.84		116.30	264.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:13:17	127.67		201.43	27.91	116.37	33.32	0.02	201.42	27.92		116.38	264.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:13:19	127.70		201.63	27.71	116.17	33.32	0.02	201.61	27.72		116.18	264.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:13:21	127.73		201.59	27.74	116.20	33.32	0.02	201.58	27.75		116.21	264.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:13:23	127.77		201.51	27.83	116.29	33.32	0.02	201.50	27.84		116.30	264.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:13:25	127.80		201.43	27.91	116.37	33.32	0.02	201.42	27.92		116.38	264.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:13:27	127.83		201.54	27.80	116.26	33.32	0.02	201.53	27.81		116.27	264.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:13:29	127.87		201.50	27.84	116.30	33.32	0.02	201.49	27.85		116.31	264.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:13:31	127.90		201.27	28.06	116.52	33.32	0.02	201.26	28.07		116.53	264.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:13:33	127.93		201.39	27.94	116.40	33.32	0.02	201.38	27.95		116.41	264.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:13:35	127.97		201.17	28.16	116.62	33.32	0.02	201.16	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:13:37	128.00		201.32	28.01	116.47	33.32	0.02	201.31	28.02		116.48	264.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:13:39	128.03		201.18	28.15	116.61	33.32	0.02	201.17	28.16		116.62	264.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:13:41	128.07		201.08	28.26	116.72	33.32	0.02	201.07	28.27		116.73	264.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:13:43	128.10		201.43	27.91	116.37	33.32	0.02	201.42	27.92		116.38	264.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:13:45	128.13		201.06	28.27	116.73	33.32	0.02	201.05	28.28		116.74	264.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:13:47	128.17		201.38	27.96	116.42	33.32	0.02	201.36	27.97		116.43	264.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:13:49	128.20		201.20	28.13	116.59	33.32	0.02	201.19	28.14		116.60	264.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:13:51	128.23		201.26	28.08	116.54	33.32	0.02	201.25	28.09		116.55	264.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:13:53	128.27		201.48	27.86	116.32	33.32	0.02	201.46	27.87		116.33	264.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:13:55	128.30		201.52	27.81	116.27	33.32	0.02	201.51	27.82		116.28	264.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:13:57	128.33		201.36	27.98	116.44	33.32	0.02	201.35	27.99		116.45	264.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:13:59	128.37		201.41	27.92	116.38	33.32	0.02	201.40	27.93		116.39	264.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:14:01	128.40		201.54	27.80	116.26	33.32	0.02	201.53	27.81		116.27	264.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:14:03	128.43		201.66	27.67	116.13	33.32	0.02	201.65	27.68		116.14	264.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:14:05	128.47		201.28	28.05	116.51	33.32	0.02	201.27	28.06		116.52	264.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:14:07	128.50		201.63	27.70	116.16	33.32	0.02	201.62	27.71		116.17	264.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:14:09	128.53		201.57	27.77	116.23	33.32	0.02	201.56	27.78		116.24	264.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:14:11	128.57		201.52	27.82	116.28	33.32	0.02	201.50	27.83		116.29	264.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:14:13	128.60		201.50	27.84	116.30	33.32	0.02	201.49	27.85		116.31	264.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:14:15	128.63		201.38	27.96	116.42	33.32	0.02	201.36	27.97		116.43	264.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:14:17	128.67		201.46	27.87	116.33	33.32	0.02	201.45	27.88		116.34	264.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:14:19	128.70		201.18	28.15	116.61	33.32	0.02	201.17	28.16		116.62	264.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:14:21	128.73		201.37	27.97	116.43	33.32	0.02	201.36	27.98		116.44	264.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:14:23	128.77		201.20	28.13	116.59	33.32	0.02	201.19	28.14		116.60	264.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:14:25	128.80		201.23	28.11	116.57	33.32	0.02	201.21	28.12		116.58	264.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:14:27	128.83		201.33	28.01	116.47	33.32	0.02	201.32	28.02		116.48	264.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:14:29	128.87		201.30	28.04	116.50	33.32	0.02	201.28	28.05		116.51	264.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:14:31	128.90		201.26	28.08	116.54	33.32	0.02	201.25	28.09		116.55	264.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:14:33	128.93		201.10	28.23	116.69	33.32	0.02	201.09	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:14:35	128.97		201.25	28.08	116.54	33.32	0.02	201.24	28.09		116.55	264.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:14:37	129.00		201.38	27.96	116.42	33.32	0.02	201.36	27.97		116.43	264.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:14:39	129.03		201.24	28.10	116.56	33.32	0.02	201.22	28.11		116.57	264.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:14:41	129.07		201.34	28.00	116.46	33.32	0.02	201.32	28.01		116.47	264.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:14:43	129.10		201.50	27.84	116.30	33.32	0.02	201.49	27.85		116.31	264.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:14:45	129.13		201.64	27.70	116.16	33.32	0.02	201.63	27.71		116.17	264.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:14:47	129.17		201.29	28.05	116.51	33.32	0.02	201.28	28.06		116.52	264.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:14:49	129.20		201.38	27.95	116.41	33.32	0.02	201.37	27.96		116.42	264.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:14:51	129.23		201.66	27.67	116.13	33.32	0.02	201.65	27.68		116.14	264.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:14:53	129.27		201.52	27.82	116.28	33.32	0.02	201.50	27.83		116.29	264.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:14:55	129.30		201.47	27.87	116.33	33.32	0.02	201.46	27.88		116.34	264.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:14:57	129.33		201.63	27.70	116.16	33.32	0.02	201.62	27.71		116.17	264.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:14:59	129.37		201.31	28.02	116.48	33.32	0.02	201.30	28.03		116.49	264.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:15:01	129.40		201.52	27.82	116.28	33.32	0.03	201.50	27.83		116.29	264.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:15:03	129.43		201.31	28.03	116.49	33.32	0.03	201.29	28.04		116.50	264.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:15:05	129.47		201.24	28.10	116.56	33.32	0.03	201.22	28.11		116.57	264.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:15:07	129.50		201.38	27.95	116.41	33.32	0.03	201.37	27.96		116.42	264.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:15:09	129.53		201.38	27.95	116.41	33.32	0.03	201.37	27.96		116.42	264.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:15:11	129.57		201.29	28.05	116.51	33.32	0.03	201.28	28.06		116.52	264.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:15:13	129.60		201.32	28.01	116.47	33.32	0.03	201.31	28.02		116.48	264.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:15:15	129.63		200.93	28.40	116.86	33.32	0.03	200.92	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:15:17	129.67		201.20	28.14	116.60	33.32	0.03	201.18	28.15		116.61	264.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:15:19	129.70		200.99	28.35	116.81	33.32	0.03	200.97	28.36		116.82	264.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:15:21	129.73		201.31	28.02	116.48	33.32	0.03	201.30	28.03		116.49	264.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:15:23	129.77		201.37	27.97	116.43	33.32	0.03	201.36	27.98		116.44	264.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:15:25	129.80		201.31	28.03	116.49	33.32	0.03	201.29	28.04		116.50	264.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:15:27	129.83		201.39	27.94	116.40	33.32	0.03	201.38	27.95		116.41	264.59

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:15:29	129.87		201.30	28.04	116.50	33.32	0.03	201.28	28.05		116.51	264.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:15:31	129.90		201.48	27.86	116.32	33.32	0.03	201.46	27.87		116.33	264.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:15:33	129.93		201.42	27.91	116.37	33.32	0.03	201.41	27.92		116.38	264.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:15:35	129.97		201.46	27.87	116.33	33.32	0.03	201.45	27.88		116.34	264.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:15:37	130.00		201.52	27.81	116.27	33.32	0.03	201.51	27.82		116.28	264.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:15:39	130.03		201.54	27.80	116.26	33.32	0.03	201.53	27.81		116.27	264.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:15:41	130.07		201.63	27.70	116.16	33.32	0.03	201.62	27.71		116.17	264.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:15:43	130.10		201.38	27.96	116.42	33.32	0.03	201.36	27.97		116.43	264.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:15:45	130.13		201.29	28.05	116.51	33.32	0.03	201.28	28.06		116.52	264.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:15:47	130.17		201.61	27.73	116.19	33.32	0.03	201.60	27.74		116.20	264.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:15:49	130.20		201.20	28.13	116.59	33.32	0.03	201.19	28.14		116.60	264.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:15:51	130.23		201.06	28.27	116.73	33.32	0.03	201.05	28.28		116.74	264.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:15:53	130.27		201.17	28.17	116.63	33.32	0.03	201.15	28.18		116.64	264.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:15:55	130.30		201.13	28.21	116.67	33.32	0.03	201.11	28.22		116.68	264.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:15:57	130.33		201.17	28.17	116.63	33.32	0.03	201.15	28.18		116.64	264.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:15:59	130.37		201.09	28.25	116.71	33.32	0.03	201.07	28.26		116.72	264.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:16:01	130.40		201.17	28.16	116.62	33.32	0.03	201.16	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:16:03	130.43		201.04	28.30	116.76	33.32	0.03	201.03	28.31		116.77	264.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:16:05	130.47		201.56	27.77	116.23	33.32	0.03	201.55	27.78		116.24	264.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:16:07	130.50		201.17	28.17	116.63	33.32	0.03	201.15	28.18		116.64	264.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:16:09	130.53		201.18	28.15	116.61	33.32	0.03	201.17	28.16		116.62	264.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:16:11	130.57		201.55	27.79	116.25	33.32	0.03	201.53	27.80		116.26	264.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:16:13	130.60		201.27	28.07	116.53	33.32	0.03	201.25	28.08		116.54	264.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:16:15	130.63		201.41	27.92	116.38	33.32	0.03	201.40	27.93		116.39	264.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:16:17	130.67		201.72	27.62	116.08	33.32	0.03	201.71	27.63		116.09	264.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:16:19	130.70		201.66	27.67	116.13	33.32	0.03	201.65	27.68		116.14	264.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:16:21	130.73		201.52	27.81	116.27	33.32	0.03	201.51	27.82		116.28	264.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:16:23	130.77		201.56	27.77	116.23	33.32	0.03	201.55	27.78		116.24	264.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:16:25	130.80		201.32	28.01	116.47	33.32	0.03	201.31	28.02		116.48	264.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:16:27	130.83		201.38	27.95	116.41	33.32	0.03	201.37	27.96		116.42	264.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:16:29	130.87		201.38	27.96	116.42	33.32	0.03	201.36	27.97		116.43	264.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:16:31	130.90		201.31	28.02	116.48	33.32	0.03	201.30	28.03		116.49	264.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:16:33	130.93		201.61	27.73	116.19	33.32	0.03	201.60	27.74		116.20	264.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:16:35	130.97		201.47	27.87	116.33	33.32	0.03	201.46	27.88		116.34	264.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:16:37	131.00		201.15	28.19	116.65	33.32	0.03	201.14	28.20		116.66	264.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:16:39	131.03		201.26	28.08	116.54	33.32	0.03	201.25	28.09		116.55	264.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:16:41	131.07		201.14	28.19	116.65	33.32	0.03	201.13	28.20		116.66	264.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:16:43	131.10		201.15	28.19	116.65	33.32	0.03	201.14	28.20		116.66	264.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:16:45	131.13		201.17	28.17	116.63	33.32	0.03	201.15	28.18		116.64	264.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:16:47	131.17		201.20	28.14	116.60	33.32	0.03	201.18	28.15		116.61	264.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:16:49	131.20		201.29	28.05	116.51	33.32	0.03	201.28	28.06		116.52	264.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:16:51	131.23		201.14	28.19	116.65	33.32	0.03	201.13	28.20		116.66	264.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:16:53	131.27		201.35	27.98	116.44	33.32	0.03	201.34	27.99		116.45	264.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:16:55	131.30		201.30	28.04	116.50	33.32	0.03	201.28	28.05		116.51	264.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:16:57	131.33		201.56	27.78	116.24	33.32	0.03	201.54	27.79		116.25	264.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:16:59	131.37		201.33	28.01	116.47	33.32	0.03	201.32	28.02		116.48	264.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:17:01	131.40		201.45	27.89	116.35	33.32	0.03	201.43	27.90		116.36	264.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:17:03	131.43		201.56	27.78	116.24	33.32	0.03	201.54	27.79		116.25	264.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:17:05	131.47		201.54	27.80	116.26	33.32	0.03	201.53	27.81		116.27	264.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:17:07	131.50		201.46	27.87	116.33	33.32	0.03	201.45	27.88		116.34	264.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:17:09	131.53		201.46	27.87	116.33	33.32	0.03	201.45	27.88		116.34	264.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:17:11	131.57		201.34	28.00	116.46	33.32	0.03	201.32	28.01		116.47	264.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:17:13	131.60		201.65	27.69	116.15	33.32	0.03	201.64	27.70		116.16	264.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:17:15	131.63		201.67	27.66	116.12	33.32	0.03	201.66	27.67		116.13	264.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:17:17	131.67		201.12	28.22	116.68	33.32	0.03	201.11	28.23		116.69	264.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:17:19	131.70		201.16	28.18	116.64	33.32	0.03	201.14	28.19		116.65	264.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:17:21	131.73		201.24	28.09	116.55	33.32	0.03	201.23	28.10		116.56	264.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:17:23	131.77		201.26	28.08	116.54	33.32	0.03	201.25	28.09		116.55	264.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:17:25	131.80		201.25	28.08	116.54	33.32	0.03	201.24	28.09		116.55	264.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:17:27	131.83		201.10	28.23	116.69	33.32	0.03	201.09	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:17:29	131.87		201.07	28.26	116.72	33.32	0.03	201.06	28.27		116.73	264.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:17:31	131.90		201.08	28.26	116.72	33.32	0.03	201.07	28.27		116.73	264.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:17:33	131.93		201.26	28.08	116.54	33.32	0.03	201.25	28.09		116.55	264.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:17:35	131.97		201.19	28.15	116.61	33.32	0.03	201.18	28.16		116.62	264.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:17:37	132.00		201.34	28.00	116.46	33.32	0.03	201.32	28.01		116.47	264.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:17:39	132.03		201.27	28.07	116.53	33.32	0.03	201.25	28.08		116.54	264.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:17:41	132.07		201.19	28.15	116.61	33.32	0.03	201.18	28.16		116.62	264.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:17:43	132.10		201.37	27.97	116.43	33.32	0.03	201.36	27.98		116.44	264.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:17:45	132.13		201.52	27.82	116.28	33.32	0.03	201.50	27.83		116.29	264.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:17:47	132.17		201.35	27.98	116.44	33.32	0.03	201.34	27.99		116.45	264.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:17:49	132.20		201.31	28.02	116.48	33.32	0.03	201.30	28.03		116.49	264.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:17:51	132.23		201.59	27.74	116.20	33.32	0.03	201.58	27.75		116.21	264.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:17:53	132.27		201.66	27.67	116.13	33.32	0.03	201.65	27.68		116.14	264.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:17:55	132.30		201.48	27.86	116.32	33.32	0.03	201.46	27.87		116.33	264.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:17:57	132.33		201.38	27.95	116.41	33.32	0.03	201.37	27.96		116.42	264.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:17:59	132.37		201.27	28.06	116.52	33.32	0.03	201.26	28.07		116.53	264.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:18:01	132.40		201.41	27.92	116.38	33.32	0.03	201.40	27.93		116.39	264.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:18:03	132.43		201.17	28.16	116.62	33.32	0.03	201.16	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:18:05	132.47		201.24	28.09	116.55	33.32	0.03	201.23	28.10		116.56	264.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:18:07	132.50		201.43	27.91	116.37	33.32	0.03	201.42	27.92		116.38	264.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:18:09	132.53		200.88	28.46	116.92	33.32	0.03	200.86	28.47		116.93	264.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:18:11	132.57		201.04	28.30	116.76	33.32	0.03	201.03	28.31		116.77	264.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:18:13	132.60		201.27	28.07	116.53	33.32	0.03	201.25	28.08		116.54	264.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:18:15	132.63		201.16	28.18	116.64	33.32	0.03	201.14	28.19		116.65	264.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:18:17	132.67		201.30	28.04	116.50	33.32	0.03	201.28	28.05		116.51	264.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:18:19	132.70		201.15	28.19	116.65	33.32	0.03	201.14	28.20		116.66	264.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:18:21	132.73		201.29	28.05	116.51	33.32	0.03	201.28	28.06		116.52	264.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:18:23	132.77		201.27	28.06	116.52	33.32	0.03	201.26	28.07		116.53	264.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:18:25	132.80		201.30	28.04	116.50	33.32	0.03	201.28	28.05		116.51	264.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:18:27	132.83		201.43	27.91	116.37	33.32	0.03	201.42	27.92		116.38	264.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:18:29	132.87		201.25	28.08	116.54	33.32	0.03	201.24	28.09		116.55	264.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:18:31	132.90		201.64	27.70	116.16	33.32	0.03	201.63	27.71		116.17	264.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:18:33	132.93		201.57	27.77	116.23	33.32	0.03	201.56	27.78		116.24	264.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:18:35	132.97		201.68	27.66	116.12	33.32	0.03	201.67	27.67		116.13	264.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:18:37	133.00		201.45	27.89	116.35	33.32	0.03	201.43	27.90		116.36	264.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:18:39	133.03		201.56	27.77	116.23	33.32	0.03	201.55	27.78		116.24	264.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:18:41	133.07		201.40	27.94	116.40	33.32	0.03	201.39	27.95		116.41	264.59

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:18:43	133.10		201.43	27.91	116.37	33.32	0.03	201.42	27.92		116.38	264.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:18:45	133.13		201.39	27.94	116.40	33.32	0.03	201.38	27.95		116.41	264.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:18:47	133.17		201.23	28.11	116.57	33.32	0.03	201.21	28.12		116.58	264.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:18:49	133.20		201.12	28.22	116.68	33.32	0.03	201.11	28.23		116.69	264.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:18:51	133.23		201.09	28.25	116.71	33.32	0.03	201.07	28.26		116.72	264.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:18:53	133.27		201.20	28.14	116.60	33.32	0.03	201.18	28.15		116.61	264.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:18:55	133.30		201.16	28.18	116.64	33.32	0.03	201.14	28.19		116.65	264.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:18:57	133.33		200.99	28.35	116.81	33.32	0.03	200.97	28.36		116.82	264.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:18:59	133.37		201.17	28.16	116.62	33.32	0.03	201.16	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:19:01	133.40		201.28	28.05	116.51	33.32	0.03	201.27	28.06		116.52	264.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:19:03	133.43		201.14	28.19	116.65	33.32	0.03	201.13	28.20		116.66	264.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:19:05	133.47		201.10	28.23	116.69	33.32	0.03	201.09	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:19:07	133.50		201.16	28.18	116.64	33.32	0.03	201.14	28.19		116.65	264.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:19:09	133.53		201.15	28.19	116.65	33.32	0.03	201.14	28.20		116.66	264.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:19:11	133.57		201.47	27.87	116.33	33.32	0.03	201.46	27.88		116.34	264.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:19:13	133.60		201.48	27.85	116.31	33.32	0.03	201.47	27.86		116.32	264.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:19:15	133.63		201.45	27.88	116.34	33.32	0.03	201.44	27.89		116.35	264.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:19:17	133.67		201.41	27.92	116.38	33.32	0.03	201.40	27.93		116.39	264.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:19:19	133.70		201.63	27.70	116.16	33.32	0.03	201.62	27.71		116.17	264.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:19:21	133.73		201.51	27.83	116.29	33.32	0.03	201.50	27.84		116.30	264.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:19:23	133.77		201.50	27.84	116.30	33.32	0.03	201.49	27.85		116.31	264.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:19:25	133.80		201.55	27.79	116.25	33.32	0.03	201.53	27.80		116.26	264.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:19:27	133.83		201.31	28.03	116.49	33.32	0.03	201.29	28.04		116.50	264.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:19:29	133.87		201.38	27.95	116.41	33.32	0.03	201.37	27.96		116.42	264.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:19:31	133.90		201.44	27.90	116.36	33.32	0.03	201.43	27.91		116.37	264.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:19:33	133.93		201.26	28.08	116.54	33.32	0.03	201.25	28.09		116.55	264.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:19:35	133.97		201.29	28.05	116.51	33.32	0.03	201.28	28.06		116.52	264.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:19:37	134.00		201.32	28.01	116.47	33.32	0.03	201.31	28.02		116.48	264.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:19:39	134.03		201.31	28.02	116.48	33.32	0.03	201.30	28.03		116.49	264.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:19:41	134.07		201.31	28.02	116.48	33.32	0.03	201.30	28.03		116.49	264.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:19:43	134.10		201.41	27.93	116.39	33.32	0.03	201.39	27.94		116.40	264.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:19:45	134.13		201.30	28.04	116.50	33.32	0.03	201.28	28.05		116.51	264.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:19:47	134.17		201.22	28.12	116.58	33.32	0.03	201.21	28.13		116.59	264.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:19:49	134.20		201.15	28.19	116.65	33.32	0.03	201.14	28.20		116.66	264.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:19:51	134.23		201.03	28.30	116.76	33.32	0.03	201.02	28.31		116.77	264.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:19:53	134.27		201.36	27.98	116.44	33.32	0.03	201.35	27.99		116.45	264.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:19:55	134.30		201.47	27.87	116.33	33.32	0.03	201.46	27.88		116.34	264.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:19:57	134.33		201.36	27.98	116.44	33.32	0.03	201.35	27.99		116.45	264.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:19:59	134.37		201.38	27.95	116.41	33.32	0.03	201.37	27.96		116.42	264.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:20:01	134.40		201.44	27.90	116.36	33.32	0.03	201.42	27.91		116.37	264.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:20:03	134.43		201.46	27.87	116.33	33.32	0.03	201.45	27.89		116.35	264.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:20:05	134.47		201.48	27.85	116.31	33.32	0.03	201.47	27.86		116.32	264.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:20:07	134.50		201.32	28.01	116.47	33.32	0.03	201.31	28.03		116.49	264.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:20:09	134.53		201.40	27.94	116.40	33.32	0.03	201.39	27.95		116.41	264.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:20:11	134.57		201.50	27.84	116.30	33.32	0.03	201.49	27.85		116.31	264.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:20:13	134.60		201.38	27.95	116.41	33.32	0.03	201.37	27.96		116.42	264.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:20:15	134.63		201.32	28.01	116.47	33.32	0.03	201.31	28.03		116.49	264.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:20:17	134.67		201.37	27.97	116.43	33.32	0.03	201.35	27.98		116.44	264.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:20:19	134.70		201.18	28.15	116.61	33.32	0.03	201.17	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:20:21	134.73		201.16	28.18	116.64	33.32	0.03	201.14	28.19		116.65	264.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:20:23	134.77		201.18	28.15	116.61	33.32	0.03	201.17	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:20:25	134.80		201.28	28.05	116.51	33.32	0.03	201.27	28.06		116.52	264.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:20:27	134.83		201.20	28.14	116.60	33.32	0.03	201.18	28.15		116.61	264.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:20:29	134.87		201.26	28.08	116.54	33.32	0.03	201.24	28.09		116.55	264.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:20:31	134.90		201.17	28.16	116.62	33.32	0.03	201.16	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:20:33	134.93		201.28	28.05	116.51	33.32	0.03	201.27	28.06		116.52	264.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:20:35	134.97		201.09	28.25	116.71	33.32	0.03	201.07	28.26		116.72	264.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:20:37	135.00		201.36	27.98	116.44	33.32	0.03	201.35	27.99		116.45	264.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:20:39	135.03		201.14	28.19	116.65	33.32	0.03	201.13	28.20		116.66	264.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:20:41	135.07		201.20	28.14	116.60	33.32	0.03	201.18	28.15		116.61	264.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:20:43	135.10		201.44	27.90	116.36	33.32	0.03	201.42	27.91		116.37	264.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:20:45	135.13		201.39	27.94	116.40	33.32	0.03	201.38	27.96		116.42	264.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:20:47	135.17		201.34	27.99	116.45	33.32	0.03	201.33	28.00		116.46	264.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:20:49	135.20		201.38	27.95	116.41	33.32	0.03	201.37	27.96		116.42	264.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:20:51	135.23		201.48	27.86	116.32	33.32	0.03	201.46	27.87		116.33	264.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:20:53	135.27		201.47	27.87	116.33	33.32	0.03	201.46	27.88		116.34	264.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:20:55	135.30		201.37	27.97	116.43	33.32	0.03	201.35	27.98		116.44	264.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:20:57	135.33		201.51	27.83	116.29	33.32	0.03	201.49	27.84		116.30	264.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:20:59	135.37		201.54	27.80	116.26	33.32	0.03	201.53	27.81		116.27	264.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:21:01	135.40		201.52	27.82	116.28	33.32	0.03	201.50	27.83		116.29	264.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:21:03	135.43		201.16	28.18	116.64	33.32	0.03	201.14	28.19		116.65	264.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:21:05	135.47		201.08	28.26	116.72	33.32	0.03	201.07	28.27		116.73	264.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:21:07	135.50		201.31	28.03	116.49	33.32	0.03	201.29	28.04		116.50	264.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:21:09	135.53		201.26	28.08	116.54	33.32	0.03	201.24	28.09		116.55	264.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:21:11	135.57		201.23	28.11	116.57	33.32	0.03	201.21	28.12		116.58	264.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:21:13	135.60		201.21	28.12	116.58	33.32	0.03	201.20	28.13		116.59	264.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:21:15	135.63		201.10	28.23	116.69	33.32	0.03	201.09	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:21:17	135.67		201.09	28.25	116.71	33.32	0.03	201.07	28.26		116.72	264.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:21:19	135.70		201.01	28.33	116.79	33.32	0.03	201.00	28.34		116.80	264.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:21:21	135.73		200.92	28.42	116.88	33.32	0.03	200.90	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:21:23	135.77		201.17	28.16	116.62	33.32	0.03	201.16	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:21:25	135.80		201.27	28.07	116.53	33.32	0.03	201.25	28.08		116.54	264.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:21:27	135.83		201.38	27.96	116.42	33.32	0.03	201.36	27.97		116.43	264.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:21:29	135.87		201.24	28.09	116.55	33.32	0.03	201.23	28.10		116.56	264.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:21:31	135.90		201.37	27.97	116.43	33.32	0.03	201.35	27.98		116.44	264.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:21:33	135.93		201.38	27.96	116.42	33.32	0.03	201.36	27.97		116.43	264.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:21:35	135.97		201.39	27.94	116.40	33.32	0.03	201.38	27.96		116.42	264.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:21:37	136.00		201.56	27.78	116.24	33.32	0.03	201.54	27.79		116.25	264.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:21:39	136.03		201.73	27.61	116.07	33.32	0.03	201.71	27.62		116.08	264.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:21:41	136.07		201.51	27.83	116.29	33.32	0.03	201.49	27.84		116.30	264.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:21:43	136.10		201.51	27.83	116.29	33.32	0.03	201.49	27.84		116.30	264.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:21:45	136.13		201.41	27.92	116.38	33.32	0.03	201.40	27.93		116.39	264.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:21:47	136.17		201.24	28.10	116.56	33.32	0.03	201.22	28.11		116.57	264.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:21:49	136.20		201.18	28.15	116.61	33.32	0.03	201.17	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:21:51	136.23		201.22	28.12	116.58	33.32	0.03	201.21	28.13		116.59	264.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:21:53	136.27		201.10	28.24	116.70	33.32	0.03	201.08	28.25		116.71	264.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:21:55	136.30		201.38	27.96	116.42	33.32	0.03	201.36	27.97		116.43	264.57

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:21:57	136.33		201.27	28.06	116.52	33.32	0.03	201.26	28.07		116.53	264.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:21:59	136.37		201.06	28.27	116.73	33.32	0.03	201.05	28.28		116.74	264.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:22:01	136.40		201.07	28.26	116.72	33.32	0.03	201.06	28.28		116.74	264.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:22:03	136.43		201.31	28.02	116.48	33.32	0.03	201.30	28.03		116.49	264.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:22:05	136.47		201.04	28.30	116.76	33.32	0.03	201.03	28.31		116.77	264.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:22:07	136.50		201.20	28.13	116.59	33.32	0.03	201.19	28.14		116.60	264.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:22:09	136.53		201.16	28.18	116.64	33.32	0.03	201.14	28.19		116.65	264.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:22:11	136.57		201.20	28.14	116.60	33.32	0.03	201.18	28.15		116.61	264.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:22:13	136.60		201.43	27.91	116.37	33.32	0.03	201.42	27.92		116.38	264.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:22:15	136.63		201.37	27.97	116.43	33.32	0.03	201.35	27.98		116.44	264.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:22:17	136.67		201.29	28.05	116.51	33.32	0.03	201.28	28.06		116.52	264.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:22:19	136.70		201.42	27.91	116.37	33.32	0.03	201.41	27.92		116.38	264.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:22:21	136.73		201.27	28.06	116.52	33.32	0.03	201.26	28.07		116.53	264.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:22:23	136.77		201.56	27.78	116.24	33.32	0.03	201.54	27.79		116.25	264.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:22:25	136.80		201.46	27.87	116.33	33.32	0.03	201.45	27.89		116.35	264.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:22:27	136.83		201.41	27.93	116.39	33.32	0.03	201.39	27.94		116.40	264.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:22:29	136.87		201.31	28.02	116.48	33.32	0.03	201.30	28.03		116.49	264.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:22:31	136.90		201.36	27.98	116.44	33.32	0.03	201.35	27.99		116.45	264.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:22:33	136.93		201.15	28.19	116.65	33.32	0.03	201.14	28.20		116.66	264.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:22:35	136.97		201.49	27.84	116.30	33.32	0.03	201.48	27.85		116.31	264.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:22:37	137.00		201.10	28.24	116.70	33.32	0.03	201.08	28.25		116.71	264.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:22:39	137.03		201.19	28.15	116.61	33.32	0.03	201.17	28.16		116.62	264.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:22:41	137.07		201.05	28.29	116.75	33.32	0.03	201.03	28.30		116.76	264.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:22:43	137.10		201.06	28.28	116.74	33.32	0.03	201.04	28.29		116.75	264.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:22:45	137.13		201.16	28.18	116.64	33.32	0.03	201.14	28.19		116.65	264.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:22:47	137.17		200.90	28.44	116.90	33.32	0.03	200.89	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:22:49	137.20		201.21	28.12	116.58	33.32	0.03	201.20	28.13		116.59	264.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:22:51	137.23		201.17	28.17	116.63	33.32	0.03	201.15	28.18		116.64	264.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:22:53	137.27		200.97	28.37	116.83	33.32	0.03	200.96	28.38		116.84	264.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:22:55	137.30		201.17	28.16	116.62	33.32	0.03	201.16	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:22:57	137.33		201.32	28.01	116.47	33.32	0.03	201.31	28.03		116.49	264.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:22:59	137.37		201.16	28.18	116.64	33.32	0.03	201.14	28.19		116.65	264.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:23:01	137.40		201.36	27.98	116.44	33.32	0.03	201.35	27.99		116.45	264.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:23:03	137.43		201.48	27.86	116.32	33.32	0.03	201.46	27.87		116.33	264.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:23:05	137.47		201.31	28.03	116.49	33.32	0.03	201.29	28.04		116.50	264.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:23:07	137.50		201.47	27.87	116.33	33.32	0.03	201.46	27.88		116.34	264.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:23:09	137.53		201.25	28.08	116.54	33.32	0.03	201.24	28.10		116.56	264.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:23:11	137.57		201.42	27.91	116.37	33.32	0.03	201.41	27.92		116.38	264.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:23:13	137.60		201.39	27.94	116.40	33.32	0.03	201.38	27.96		116.42	264.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:23:15	137.63		201.41	27.93	116.39	33.32	0.03	201.39	27.94		116.40	264.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:23:17	137.67		201.18	28.15	116.61	33.32	0.03	201.17	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:23:19	137.70		201.22	28.12	116.58	33.32	0.03	201.21	28.13		116.59	264.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:23:21	137.73		201.13	28.20	116.66	33.32	0.03	201.12	28.21		116.67	264.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:23:23	137.77		201.05	28.29	116.75	33.32	0.03	201.03	28.30		116.76	264.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:23:25	137.80		201.35	27.98	116.44	33.32	0.03	201.34	27.99		116.45	264.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:23:27	137.83		201.03	28.30	116.76	33.32	0.03	201.02	28.31		116.77	264.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:23:29	137.87		201.34	28.00	116.46	33.32	0.03	201.32	28.01		116.47	264.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:23:31	137.90		201.04	28.30	116.76	33.32	0.03	201.03	28.31		116.77	264.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:23:33	137.93		201.23	28.11	116.57	33.32	0.03	201.21	28.12		116.58	264.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:23:35	137.97		201.23	28.11	116.57	33.32	0.03	201.21	28.12		116.58	264.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:23:37	138.00		201.10	28.23	116.69	33.32	0.03	201.09	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:23:39	138.03		201.21	28.12	116.58	33.32	0.03	201.20	28.13		116.59	264.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:23:41	138.07		201.19	28.15	116.61	33.32	0.03	201.17	28.16		116.62	264.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:23:43	138.10		201.21	28.12	116.58	33.32	0.03	201.20	28.13		116.59	264.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:23:45	138.13		201.20	28.14	116.60	33.32	0.03	201.18	28.15		116.61	264.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:23:47	138.17		201.36	27.98	116.44	33.32	0.03	201.35	27.99		116.45	264.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:23:49	138.20		201.41	27.92	116.38	33.32	0.03	201.40	27.93		116.39	264.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:23:51	138.23		201.41	27.93	116.39	33.32	0.03	201.39	27.94		116.40	264.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:23:53	138.27		201.58	27.76	116.22	33.32	0.03	201.56	27.77		116.23	264.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:23:55	138.30		201.34	27.99	116.45	33.32	0.03	201.33	28.00		116.46	264.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:23:57	138.33		201.48	27.86	116.32	33.32	0.03	201.46	27.87		116.33	264.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:23:59	138.37		201.47	27.87	116.33	33.32	0.03	201.46	27.88		116.34	264.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:24:01	138.40		201.20	28.14	116.60	33.32	0.03	201.18	28.15		116.61	264.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:24:03	138.43		201.11	28.23	116.69	33.32	0.03	201.10	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:24:05	138.47		201.44	27.90	116.36	33.32	0.03	201.42	27.91		116.37	264.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:24:07	138.50		201.32	28.01	116.47	33.32	0.03	201.31	28.03		116.49	264.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:24:09	138.53		201.22	28.12	116.58	33.32	0.03	201.21	28.13		116.59	264.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:24:11	138.57		201.18	28.15	116.61	33.32	0.03	201.17	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:24:13	138.60		201.00	28.33	116.79	33.32	0.03	200.99	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:24:15	138.63		201.08	28.26	116.72	33.32	0.03	201.07	28.27		116.73	264.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:24:17	138.67		201.29	28.05	116.51	33.32	0.03	201.28	28.06		116.52	264.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:24:19	138.70		200.97	28.37	116.83	33.32	0.03	200.96	28.38		116.84	264.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:24:21	138.73		201.11	28.23	116.69	33.32	0.03	201.10	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:24:23	138.77		201.08	28.26	116.72	33.32	0.03	201.07	28.27		116.73	264.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:24:25	138.80		201.19	28.15	116.61	33.32	0.03	201.17	28.16		116.62	264.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:24:27	138.83		201.31	28.03	116.49	33.32	0.03	201.29	28.04		116.50	264.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:24:29	138.87		201.21	28.12	116.58	33.32	0.03	201.20	28.13		116.59	264.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:24:31	138.90		201.38	27.96	116.42	33.32	0.03	201.36	27.97		116.43	264.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:24:33	138.93		201.29	28.05	116.51	33.32	0.03	201.28	28.06		116.52	264.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:24:35	138.97		201.48	27.85	116.31	33.32	0.03	201.47	27.86		116.32	264.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:24:37	139.00		201.47	27.87	116.33	33.32	0.03	201.46	27.88		116.34	264.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:24:39	139.03		201.38	27.96	116.42	33.32	0.03	201.36	27.97		116.43	264.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:24:41	139.07		201.44	27.90	116.36	33.32	0.03	201.42	27.91		116.37	264.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:24:43	139.10		201.15	28.19	116.65	33.32	0.03	201.14	28.20		116.66	264.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:24:45	139.13		201.27	28.07	116.53	33.32	0.03	201.25	28.08		116.54	264.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:24:47	139.17		201.27	28.06	116.52	33.32	0.03	201.26	28.07		116.53	264.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:24:49	139.20		201.24	28.09	116.55	33.32	0.03	201.23	28.10		116.56	264.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:24:51	139.23		201.19	28.15	116.61	33.32	0.03	201.17	28.16		116.62	264.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:24:53	139.27		201.19	28.15	116.61	33.32	0.03	201.17	28.16		116.62	264.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:24:55	139.30		201.22	28.12	116.58	33.32	0.03	201.21	28.13		116.59	264.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:24:57	139.33		201.09	28.25	116.71	33.32	0.03	201.07	28.26		116.72	264.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:24:59	139.37		200.88	28.45	116.91	33.32	0.03	200.87	28.46		116.92	264.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:25:01	139.40		201.02	28.32	116.78	33.32	0.03	201.00	28.33		116.79	264.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:25:03	139.43		201.08	28.26	116.72	33.32	0.03	201.06	28.27		116.73	264.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:25:05	139.47		201.13	28.21	116.67	33.32	0.03	201.11	28.22		116.68	264.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:25:07	139.50		201.14	28.19	116.65	33.32	0.03	201.13	28.21		116.67	264.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:25:09	139.53		201.14	28.19	116.65	33.32	0.03	201.13	28.21		116.67	264.33

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:25:11	139.57		201.24	28.10	116.56	33.32	0.03	201.22	28.11		116.57	264.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:25:13	139.60		201.39	27.94	116.40	33.32	0.03	201.38	27.96		116.42	264.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:25:15	139.63		201.28	28.05	116.51	33.32	0.03	201.27	28.07		116.53	264.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:25:17	139.67		201.41	27.92	116.38	33.32	0.03	201.40	27.93		116.39	264.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:25:19	139.70		201.29	28.05	116.51	33.32	0.03	201.28	28.06		116.52	264.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:25:21	139.73		201.42	27.91	116.37	33.32	0.03	201.41	27.93		116.39	264.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:25:23	139.77		201.45	27.88	116.34	33.32	0.03	201.44	27.89		116.35	264.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:25:25	139.80		201.63	27.71	116.17	33.32	0.03	201.61	27.72		116.18	264.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:25:27	139.83		201.31	28.03	116.49	33.32	0.03	201.29	28.04		116.50	264.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:25:29	139.87		201.38	27.95	116.41	33.32	0.03	201.37	27.96		116.42	264.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:25:31	139.90		201.20	28.14	116.60	33.32	0.03	201.18	28.15		116.61	264.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:25:33	139.93		201.20	28.14	116.60	33.32	0.03	201.18	28.15		116.61	264.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:25:35	139.97		201.10	28.24	116.70	33.32	0.03	201.08	28.25		116.71	264.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:25:37	140.00		201.13	28.21	116.67	33.32	0.03	201.11	28.22		116.68	264.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:25:39	140.03		200.97	28.37	116.83	33.32	0.03	200.96	28.38		116.84	264.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:25:41	140.07		201.12	28.22	116.68	33.32	0.03	201.10	28.23		116.69	264.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:25:43	140.10		201.23	28.11	116.57	33.32	0.03	201.21	28.12		116.58	264.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:25:45	140.13		201.07	28.26	116.72	33.32	0.03	201.06	28.28		116.74	264.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:25:47	140.17		200.94	28.40	116.86	33.32	0.03	200.92	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:25:49	140.20		200.95	28.39	116.85	33.32	0.03	200.93	28.40		116.86	264.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:25:51	140.23		201.12	28.22	116.68	33.32	0.03	201.10	28.23		116.69	264.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:25:53	140.27		200.97	28.37	116.83	33.32	0.03	200.96	28.38		116.84	264.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:25:55	140.30		200.92	28.41	116.87	33.32	0.03	200.91	28.42		116.88	264.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:25:57	140.33		201.30	28.04	116.50	33.32	0.03	201.28	28.05		116.51	264.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:25:59	140.37		201.31	28.02	116.48	33.32	0.03	201.30	28.03		116.49	264.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:26:01	140.40		201.19	28.15	116.61	33.32	0.03	201.17	28.16		116.62	264.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:26:03	140.43		201.42	27.91	116.37	33.32	0.03	201.41	27.93		116.39	264.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:26:05	140.47		201.48	27.86	116.32	33.32	0.03	201.46	27.87		116.33	264.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:26:07	140.50		201.47	27.87	116.33	33.32	0.03	201.45	27.88		116.34	264.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:26:09	140.53		201.25	28.08	116.54	33.32	0.03	201.24	28.10		116.56	264.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:26:11	140.57		201.44	27.90	116.36	33.32	0.03	201.42	27.91		116.37	264.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:26:13	140.60		201.53	27.80	116.26	33.32	0.03	201.52	27.82		116.28	264.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:26:15	140.63		201.24	28.10	116.56	33.32	0.03	201.22	28.11		116.57	264.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:26:17	140.67		201.38	27.95	116.41	33.32	0.03	201.37	27.96		116.42	264.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:26:19	140.70		201.12	28.22	116.68	33.32	0.03	201.10	28.23		116.69	264.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:26:21	140.73		201.06	28.28	116.74	33.32	0.03	201.04	28.29		116.75	264.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:26:23	140.77		201.34	27.99	116.45	33.32	0.03	201.33	28.00		116.46	264.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:26:25	140.80		201.04	28.30	116.76	33.32	0.03	201.03	28.31		116.77	264.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:26:27	140.83		201.17	28.16	116.62	33.32	0.03	201.16	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:26:29	140.87		201.04	28.30	116.76	33.32	0.03	201.03	28.31		116.77	264.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:26:31	140.90		200.99	28.34	116.80	33.32	0.03	200.98	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:26:33	140.93		201.06	28.27	116.73	33.32	0.03	201.05	28.28		116.74	264.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:26:35	140.97		201.13	28.20	116.66	33.32	0.03	201.12	28.21		116.67	264.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:26:37	141.00		201.13	28.20	116.66	33.32	0.03	201.12	28.21		116.67	264.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:26:39	141.03		201.26	28.08	116.54	33.32	0.03	201.24	28.09		116.55	264.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:26:41	141.07		201.24	28.09	116.55	33.32	0.03	201.23	28.10		116.56	264.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:26:43	141.10		201.06	28.27	116.73	33.32	0.03	201.05	28.28		116.74	264.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:26:45	141.13		201.24	28.09	116.55	33.32	0.03	201.23	28.10		116.56	264.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:26:47	141.17		201.48	27.85	116.31	33.32	0.03	201.47	27.86		116.32	264.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:26:49	141.20		201.29	28.05	116.51	33.32	0.03	201.28	28.06		116.52	264.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:26:51	141.23		201.53	27.80	116.26	33.32	0.03	201.52	27.82		116.28	264.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:26:53	141.27		201.34	27.99	116.45	33.32	0.03	201.33	28.00		116.46	264.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:26:55	141.30		201.34	28.00	116.46	33.32	0.03	201.32	28.01		116.47	264.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:26:57	141.33		201.45	27.89	116.35	33.32	0.03	201.43	27.90		116.36	264.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:26:59	141.37		201.37	27.97	116.43	33.32	0.03	201.35	27.98		116.44	264.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:27:01	141.40		201.55	27.79	116.25	33.32	0.03	201.53	27.80		116.26	264.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:27:03	141.43		201.16	28.18	116.64	33.32	0.03	201.14	28.19		116.65	264.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:27:05	141.47		201.13	28.20	116.66	33.32	0.03	201.12	28.21		116.67	264.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:27:07	141.50		201.13	28.20	116.66	33.32	0.03	201.12	28.21		116.67	264.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:27:09	141.53		201.18	28.15	116.61	33.32	0.03	201.17	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:27:11	141.57		201.18	28.15	116.61	33.32	0.03	201.17	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:27:13	141.60		201.03	28.31	116.77	33.32	0.03	201.01	28.32		116.78	264.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:27:15	141.63		201.06	28.27	116.73	33.32	0.03	201.05	28.28		116.74	264.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:27:17	141.67		201.09	28.25	116.71	33.32	0.03	201.07	28.26		116.72	264.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:27:19	141.70		200.88	28.46	116.92	33.32	0.03	200.86	28.47		116.93	264.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:27:21	141.73		200.96	28.37	116.83	33.32	0.03	200.95	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:27:23	141.77		201.06	28.28	116.74	33.32	0.03	201.04	28.29		116.75	264.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:27:25	141.80		201.15	28.19	116.65	33.32	0.03	201.13	28.20		116.66	264.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:27:27	141.83		201.17	28.16	116.62	33.32	0.03	201.16	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:27:29	141.87		201.31	28.03	116.49	33.32	0.03	201.29	28.04		116.50	264.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:27:31	141.90		201.24	28.09	116.55	33.32	0.03	201.23	28.10		116.56	264.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:27:33	141.93		201.34	28.00	116.46	33.32	0.03	201.32	28.01		116.47	264.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:27:35	141.97		201.38	27.95	116.41	33.32	0.03	201.37	27.96		116.42	264.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:27:37	142.00		201.20	28.13	116.59	33.32	0.03	201.19	28.14		116.60	264.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:27:39	142.03		201.42	27.91	116.37	33.32	0.03	201.41	27.93		116.39	264.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:27:41	142.07		201.42	27.91	116.37	33.32	0.03	201.41	27.93		116.39	264.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:27:43	142.10		201.37	27.97	116.43	33.32	0.03	201.35	27.98		116.44	264.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:27:45	142.13		201.10	28.23	116.69	33.32	0.03	201.09	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:27:47	142.17		201.29	28.05	116.51	33.32	0.03	201.28	28.06		116.52	264.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:27:49	142.20		201.31	28.03	116.49	33.32	0.03	201.29	28.04		116.50	264.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:27:51	142.23		201.28	28.05	116.51	33.32	0.03	201.27	28.07		116.53	264.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:27:53	142.27		201.13	28.21	116.67	33.32	0.03	201.11	28.22		116.68	264.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:27:55	142.30		201.20	28.13	116.59	33.32	0.03	201.19	28.14		116.60	264.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:27:57	142.33		201.12	28.22	116.68	33.32	0.03	201.10	28.23		116.69	264.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:27:59	142.37		201.06	28.27	116.73	33.32	0.03	201.05	28.28		116.74	264.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:28:01	142.40		200.83	28.51	116.97	33.32	0.03	200.82	28.52		116.98	264.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:28:03	142.43		200.74	28.60	117.06	33.32	0.03	200.72	28.61		117.07	263.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:28:05	142.47		200.99	28.34	116.80	33.32	0.03	200.98	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:28:07	142.50		200.92	28.41	116.87	33.32	0.03	200.91	28.42		116.88	264.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:28:09	142.53		201.00	28.33	116.79	33.32	0.03	200.99	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:28:11	142.57		201.10	28.24	116.70	33.32	0.03	201.08	28.25		116.71	264.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:28:13	142.60		201.29	28.05	116.51	33.32	0.03	201.28	28.06		116.52	264.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:28:15	142.63		201.30	28.04	116.50	33.32	0.03	201.28	28.05		116.51	264.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:28:17	142.67		201.26	28.08	116.54	33.32	0.03	201.24	28.09		116.55	264.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:28:19	142.70		201.45	27.89	116.35	33.32	0.03	201.43	27.90		116.36	264.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:28:21	142.73		201.49	27.84	116.30	33.32	0.03	201.48	27.86		116.32	264.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:28:23	142.77		201.15	28.19	116.65	33.32	0.03	201.13	28.20		116.66	264.34

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:28:25	142.80		201.26	28.08	116.54	33.32	0.03	201.24	28.09		116.55	264.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:28:27	142.83		201.12	28.22	116.68	33.32	0.03	201.10	28.23		116.69	264.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:28:29	142.87		201.16	28.18	116.64	33.32	0.03	201.14	28.19		116.65	264.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:28:31	142.90		201.38	27.96	116.42	33.32	0.03	201.36	27.97		116.43	264.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:28:33	142.93		201.31	28.03	116.49	33.32	0.03	201.29	28.04		116.50	264.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:28:35	142.97		201.20	28.14	116.60	33.32	0.03	201.18	28.15		116.61	264.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:28:37	143.00		201.47	27.87	116.33	33.32	0.03	201.45	27.88		116.34	264.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:28:39	143.03		201.27	28.07	116.53	33.32	0.03	201.25	28.08		116.54	264.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:28:41	143.07		201.12	28.22	116.68	33.32	0.03	201.10	28.23		116.69	264.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:28:43	143.10		201.17	28.16	116.62	33.32	0.03	201.16	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:28:45	143.13		201.08	28.26	116.72	33.32	0.03	201.06	28.27		116.73	264.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:28:47	143.17		201.24	28.09	116.55	33.32	0.03	201.23	28.10		116.56	264.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:28:49	143.20		201.27	28.07	116.53	33.32	0.03	201.25	28.08		116.54	264.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:28:51	143.23		200.98	28.35	116.81	33.32	0.03	200.97	28.37		116.83	264.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:28:53	143.27		200.83	28.50	116.96	33.32	0.03	200.82	28.51		116.97	264.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:28:55	143.30		201.17	28.17	116.63	33.32	0.03	201.15	28.18		116.64	264.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:28:57	143.33		201.24	28.10	116.56	33.32	0.03	201.22	28.11		116.57	264.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:28:59	143.37		201.11	28.23	116.69	33.32	0.03	201.09	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:29:01	143.40		201.11	28.23	116.69	33.32	0.03	201.09	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:29:03	143.43		201.31	28.03	116.49	33.32	0.03	201.29	28.04		116.50	264.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:29:05	143.47		201.22	28.11	116.57	33.32	0.03	201.21	28.13		116.59	264.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:29:07	143.50		201.41	27.93	116.39	33.32	0.03	201.39	27.94		116.40	264.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:29:09	143.53		201.18	28.16	116.62	33.32	0.03	201.16	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:29:11	143.57		201.46	27.88	116.34	33.32	0.03	201.44	27.89		116.35	264.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:29:13	143.60		201.17	28.17	116.63	33.32	0.03	201.15	28.18		116.64	264.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:29:15	143.63		201.11	28.22	116.68	33.32	0.03	201.10	28.23		116.69	264.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:29:17	143.67		201.22	28.11	116.57	33.32	0.03	201.21	28.13		116.59	264.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:29:19	143.70		201.04	28.30	116.76	33.32	0.03	201.02	28.31		116.77	264.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:29:21	143.73		201.05	28.29	116.75	33.32	0.03	201.03	28.30		116.76	264.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:29:23	143.77		200.92	28.42	116.88	33.32	0.03	200.90	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:29:25	143.80		201.03	28.31	116.77	33.32	0.03	201.01	28.32		116.78	264.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:29:27	143.83		201.02	28.32	116.78	33.32	0.03	201.00	28.33		116.79	264.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:29:29	143.87		200.79	28.55	117.01	33.32	0.03	200.77	28.56		117.02	263.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:29:31	143.90		200.98	28.35	116.81	33.32	0.03	200.97	28.37		116.83	264.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:29:33	143.93		200.92	28.42	116.88	33.32	0.03	200.90	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:29:35	143.97		200.99	28.35	116.81	33.32	0.03	200.97	28.36		116.82	264.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:29:37	144.00		201.19	28.14	116.60	33.32	0.03	201.18	28.16		116.62	264.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:29:39	144.03		201.27	28.07	116.53	33.32	0.03	201.25	28.08		116.54	264.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:29:41	144.07		201.21	28.13	116.59	33.32	0.03	201.19	28.14		116.60	264.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:29:43	144.10		201.50	27.83	116.29	33.32	0.03	201.49	27.84		116.30	264.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:29:45	144.13		201.13	28.21	116.67	33.32	0.03	201.11	28.22		116.68	264.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:29:47	144.17		201.38	27.96	116.42	33.32	0.03	201.36	27.97		116.43	264.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:29:49	144.20		201.47	27.87	116.33	33.32	0.03	201.45	27.88		116.34	264.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:29:51	144.23		201.48	27.86	116.32	33.32	0.03	201.46	27.87		116.33	264.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:29:53	144.27		201.28	28.05	116.51	33.32	0.03	201.27	28.07		116.53	264.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:29:55	144.30		201.39	27.94	116.40	33.32	0.03	201.38	27.96		116.42	264.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:29:57	144.33		201.43	27.91	116.37	33.32	0.03	201.42	27.92		116.38	264.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:29:59	144.37		201.15	28.19	116.65	33.32	0.03	201.13	28.20		116.66	264.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:30:01	144.40		200.97	28.37	116.83	33.32	0.03	200.96	28.38		116.84	264.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:30:03	144.43		201.15	28.19	116.65	33.32	0.03	201.13	28.20		116.66	264.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:30:05	144.47		201.17	28.16	116.62	33.32	0.03	201.16	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:30:07	144.50		200.89	28.44	116.90	33.32	0.03	200.88	28.46		116.92	264.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:30:09	144.53		201.04	28.30	116.76	33.32	0.03	201.03	28.31		116.77	264.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:30:11	144.57		200.89	28.44	116.90	33.32	0.03	200.88	28.46		116.92	264.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:30:13	144.60		200.99	28.35	116.81	33.32	0.03	200.97	28.36		116.82	264.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:30:15	144.63		201.03	28.31	116.77	33.32	0.03	201.01	28.32		116.78	264.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:30:17	144.67		200.99	28.34	116.80	33.32	0.03	200.98	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:30:19	144.70		201.21	28.12	116.58	33.32	0.03	201.20	28.14		116.60	264.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:30:21	144.73		200.91	28.43	116.89	33.32	0.03	200.89	28.44		116.90	264.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:30:23	144.77		201.19	28.15	116.61	33.32	0.03	201.17	28.16		116.62	264.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:30:25	144.80		201.35	27.98	116.44	33.32	0.03	201.34	28.00		116.46	264.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:30:27	144.83		201.13	28.21	116.67	33.32	0.03	201.11	28.22		116.68	264.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:30:29	144.87		201.40	27.94	116.40	33.32	0.03	201.38	27.95		116.41	264.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:30:31	144.90		201.35	27.98	116.44	33.32	0.03	201.34	28.00		116.46	264.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:30:33	144.93		201.30	28.04	116.50	33.32	0.03	201.28	28.05		116.51	264.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:30:35	144.97		201.24	28.10	116.56	33.32	0.03	201.22	28.11		116.57	264.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:30:37	145.00		201.48	27.85	116.31	33.32	0.03	201.47	27.86		116.32	264.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:30:39	145.03		201.30	28.04	116.50	33.32	0.03	201.28	28.05		116.51	264.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:30:41	145.07		201.32	28.01	116.47	33.32	0.03	201.31	28.03		116.49	264.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:30:43	145.10		201.12	28.22	116.68	33.32	0.03	201.10	28.23		116.69	264.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:30:45	145.13		201.17	28.16	116.62	33.32	0.03	201.16	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:30:47	145.17		201.16	28.18	116.64	33.32	0.03	201.14	28.19		116.65	264.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:30:49	145.20		201.06	28.27	116.73	33.32	0.03	201.05	28.28		116.74	264.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:30:51	145.23		200.99	28.35	116.81	33.32	0.03	200.97	28.36		116.82	264.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:30:53	145.27		201.13	28.20	116.66	33.32	0.03	201.12	28.21		116.67	264.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:30:55	145.30		201.13	28.20	116.66	33.32	0.03	201.12	28.21		116.67	264.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:30:57	145.33		201.11	28.23	116.69	33.32	0.03	201.10	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:30:59	145.37		200.97	28.37	116.83	33.32	0.03	200.96	28.38		116.84	264.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:31:01	145.40		201.13	28.21	116.67	33.32	0.03	201.11	28.22		116.68	264.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:31:03	145.43		201.14	28.19	116.65	33.32	0.03	201.13	28.21		116.67	264.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:31:05	145.47		200.91	28.43	116.89	33.32	0.03	200.89	28.44		116.90	264.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:31:07	145.50		201.09	28.25	116.71	33.32	0.03	201.07	28.26		116.72	264.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:31:09	145.53		201.31	28.02	116.48	33.32	0.03	201.30	28.03		116.49	264.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:31:11	145.57		201.14	28.19	116.65	33.32	0.03	201.13	28.21		116.67	264.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:31:13	145.60		201.06	28.27	116.73	33.32	0.03	201.05	28.28		116.74	264.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:31:15	145.63		201.31	28.03	116.49	33.32	0.03	201.29	28.04		116.50	264.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:31:17	145.67		201.18	28.15	116.61	33.32	0.03	201.17	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:31:19	145.70		201.58	27.76	116.22	33.32	0.03	201.56	27.77		116.23	264.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:31:21	145.73		201.18	28.15	116.61	33.32	0.03	201.17	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:31:23	145.77		201.17	28.16	116.62	33.32	0.03	201.16	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:31:25	145.80		201.27	28.06	116.52	33.32	0.03	201.26	28.07		116.53	264.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:31:27	145.83		201.20	28.14	116.60	33.32	0.03	201.18	28.15		116.61	264.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:31:29	145.87		201.17	28.16	116.62	33.32	0.03	201.16	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:31:31	145.90		201.10	28.23	116.69	33.32	0.03	201.09	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:31:33	145.93		201.23	28.11	116.57	33.32	0.03	201.21	28.12		116.58	264.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:31:35	145.97		200.80	28.54	117.00	33.32	0.03	200.78	28.55		117.01	263.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:31:37	146.00		201.23	28.11	116.57	33.32	0.03	201.21	28.12		116.58	264.42

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:31:39	146.03		200.99	28.34	116.80	33.32	0.03	200.98	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:31:41	146.07		201.03	28.31	116.77	33.32	0.03	201.01	28.32		116.78	264.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:31:43	146.10		200.91	28.43	116.89	33.32	0.03	200.89	28.44		116.90	264.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:31:45	146.13		201.18	28.15	116.61	33.32	0.03	201.17	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:31:47	146.17		201.05	28.29	116.75	33.32	0.03	201.03	28.30		116.76	264.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:31:49	146.20		201.06	28.27	116.73	33.32	0.03	201.05	28.28		116.74	264.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:31:51	146.23		201.02	28.32	116.78	33.32	0.03	201.00	28.33		116.79	264.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:31:53	146.27		200.92	28.41	116.87	33.32	0.03	200.91	28.42		116.88	264.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:31:55	146.30		201.04	28.30	116.76	33.32	0.03	201.03	28.31		116.77	264.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:31:57	146.33		201.22	28.12	116.58	33.32	0.03	201.20	28.13		116.59	264.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:31:59	146.37		201.48	27.85	116.31	33.32	0.03	201.47	27.86		116.32	264.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:32:01	146.40		201.15	28.19	116.65	33.32	0.03	201.13	28.20		116.66	264.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:32:03	146.43		201.31	28.03	116.49	33.32	0.03	201.29	28.04		116.50	264.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:32:05	146.47		201.41	27.93	116.39	33.32	0.03	201.39	27.94		116.40	264.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:32:07	146.50		201.27	28.06	116.52	33.32	0.03	201.26	28.07		116.53	264.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:32:09	146.53		201.27	28.06	116.52	33.32	0.03	201.26	28.07		116.53	264.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:32:11	146.57		201.20	28.13	116.59	33.32	0.03	201.19	28.14		116.60	264.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:32:13	146.60		201.27	28.07	116.53	33.32	0.03	201.25	28.08		116.54	264.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:32:15	146.63		200.92	28.42	116.88	33.32	0.03	200.90	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:32:17	146.67		201.12	28.22	116.68	33.32	0.03	201.10	28.23		116.69	264.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:32:19	146.70		201.06	28.27	116.73	33.32	0.03	201.05	28.28		116.74	264.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:32:21	146.73		201.02	28.32	116.78	33.32	0.03	201.00	28.33		116.79	264.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:32:23	146.77		200.91	28.43	116.89	33.32	0.03	200.89	28.44		116.90	264.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:32:25	146.80		201.11	28.23	116.69	33.32	0.03	201.10	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:32:27	146.83		201.10	28.23	116.69	33.32	0.03	201.09	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:32:29	146.87		200.74	28.60	117.06	33.32	0.03	200.72	28.61		117.07	263.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:32:31	146.90		200.98	28.36	116.82	33.32	0.03	200.96	28.37		116.83	264.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:32:33	146.93		201.12	28.22	116.68	33.32	0.03	201.10	28.23		116.69	264.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:32:35	146.97		200.99	28.35	116.81	33.32	0.03	200.97	28.36		116.82	264.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:32:37	147.00		201.06	28.28	116.74	33.32	0.03	201.04	28.29		116.75	264.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:32:39	147.03		201.11	28.23	116.69	33.32	0.03	201.10	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:32:41	147.07		201.12	28.22	116.68	33.32	0.03	201.10	28.23		116.69	264.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:32:43	147.10		201.14	28.19	116.65	33.32	0.03	201.13	28.21		116.67	264.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:32:45	147.13		201.24	28.10	116.56	33.32	0.03	201.22	28.11		116.57	264.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:32:47	147.17		201.43	27.91	116.37	33.32	0.03	201.42	27.92		116.38	264.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:32:49	147.20		201.38	27.95	116.41	33.32	0.03	201.37	27.96		116.42	264.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:32:51	147.23		201.34	27.99	116.45	33.32	0.03	201.33	28.00		116.46	264.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:32:53	147.27		201.34	28.00	116.46	33.32	0.03	201.32	28.01		116.47	264.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:32:55	147.30		201.27	28.06	116.52	33.32	0.03	201.26	28.07		116.53	264.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:32:57	147.33		201.07	28.26	116.72	33.32	0.03	201.06	28.28		116.74	264.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:32:59	147.37		201.04	28.30	116.76	33.32	0.03	201.03	28.31		116.77	264.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:33:01	147.40		201.05	28.29	116.75	33.32	0.03	201.03	28.30		116.76	264.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:33:03	147.43		201.32	28.01	116.47	33.32	0.03	201.31	28.03		116.49	264.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:33:05	147.47		200.88	28.45	116.91	33.32	0.03	200.87	28.46		116.92	264.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:33:07	147.50		201.10	28.23	116.69	33.32	0.03	201.09	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:33:09	147.53		201.07	28.26	116.72	33.32	0.03	201.06	28.28		116.74	264.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:33:11	147.57		201.06	28.28	116.74	33.32	0.03	201.04	28.29		116.75	264.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:33:13	147.60		200.99	28.34	116.80	33.32	0.03	200.98	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:33:15	147.63		201.06	28.28	116.74	33.32	0.03	201.04	28.29		116.75	264.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:33:17	147.67		200.92	28.42	116.88	33.32	0.03	200.90	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:33:19	147.70		201.06	28.28	116.74	33.32	0.03	201.04	28.29		116.75	264.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:33:21	147.73		201.15	28.19	116.65	33.32	0.03	201.13	28.20		116.66	264.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:33:23	147.77		201.12	28.22	116.68	33.32	0.03	201.10	28.23		116.69	264.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:33:25	147.80		200.99	28.34	116.80	33.32	0.03	200.98	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:33:27	147.83		201.25	28.08	116.54	33.32	0.03	201.24	28.10		116.56	264.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:33:29	147.87		201.16	28.18	116.64	33.32	0.03	201.14	28.19		116.65	264.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:33:31	147.90		201.39	27.94	116.40	33.32	0.03	201.38	27.96		116.42	264.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:33:33	147.93		201.25	28.08	116.54	33.32	0.03	201.24	28.10		116.56	264.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:33:35	147.97		201.30	28.04	116.50	33.32	0.03	201.28	28.05		116.51	264.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:33:37	148.00		201.41	27.93	116.39	33.32	0.03	201.39	27.94		116.40	264.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:33:39	148.03		201.43	27.91	116.37	33.32	0.03	201.42	27.92		116.38	264.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:33:41	148.07		201.25	28.08	116.54	33.32	0.03	201.24	28.10		116.56	264.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:33:43	148.10		201.11	28.23	116.69	33.32	0.03	201.10	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:33:45	148.13		201.03	28.30	116.76	33.32	0.03	201.02	28.32		116.78	264.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:33:47	148.17		201.35	27.98	116.44	33.32	0.03	201.34	28.00		116.46	264.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:33:49	148.20		201.03	28.30	116.76	33.32	0.03	201.02	28.32		116.78	264.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:33:51	148.23		200.96	28.38	116.84	33.32	0.03	200.94	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:33:53	148.27		200.78	28.56	117.02	33.32	0.03	200.76	28.57		117.03	263.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:33:55	148.30		200.92	28.42	116.88	33.32	0.03	200.90	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:33:57	148.33		201.00	28.33	116.79	33.32	0.03	200.99	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:33:59	148.37		201.01	28.33	116.79	33.32	0.03	200.99	28.34		116.80	264.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:34:01	148.40		201.08	28.26	116.72	33.32	0.03	201.06	28.27		116.73	264.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:34:03	148.43		201.10	28.24	116.70	33.32	0.03	201.08	28.25		116.71	264.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:34:05	148.47		201.01	28.33	116.79	33.32	0.03	200.99	28.34		116.80	264.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:34:07	148.50		201.09	28.25	116.71	33.32	0.03	201.07	28.26		116.72	264.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:34:09	148.53		201.07	28.26	116.72	33.32	0.03	201.06	28.28		116.74	264.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:34:11	148.57		201.34	28.00	116.46	33.32	0.03	201.32	28.01		116.47	264.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:34:13	148.60		201.03	28.31	116.77	33.32	0.03	201.01	28.32		116.78	264.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:34:15	148.63		201.24	28.09	116.55	33.32	0.03	201.23	28.10		116.56	264.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:34:17	148.67		201.17	28.16	116.62	33.32	0.03	201.16	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:34:19	148.70		201.23	28.11	116.57	33.32	0.03	201.21	28.12		116.58	264.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:34:21	148.73		201.43	27.91	116.37	33.32	0.03	201.42	27.92		116.38	264.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:34:23	148.77		201.27	28.07	116.53	33.32	0.03	201.25	28.08		116.54	264.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:34:25	148.80		201.53	27.80	116.26	33.32	0.03	201.52	27.82		116.28	264.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:34:27	148.83		201.33	28.01	116.47	33.32	0.03	201.31	28.02		116.48	264.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:34:29	148.87		201.31	28.03	116.49	33.32	0.03	201.29	28.04		116.50	264.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:34:31	148.90		201.27	28.06	116.52	33.32	0.03	201.26	28.07		116.53	264.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:34:33	148.93		201.05	28.29	116.75	33.32	0.03	201.03	28.30		116.76	264.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:34:35	148.97		201.03	28.31	116.77	33.32	0.03	201.01	28.32		116.78	264.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:34:37	149.00		200.95	28.39	116.85	33.32	0.03	200.93	28.40		116.86	264.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:34:39	149.03		200.99	28.34	116.80	33.32	0.03	200.98	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:34:41	149.07		200.89	28.44	116.90	33.32	0.03	200.88	28.46		116.92	264.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:34:43	149.10		200.99	28.34	116.80	33.32	0.03	200.98	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:34:45	149.13		200.88	28.46	116.92	33.32	0.03	200.86	28.47		116.93	264.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:34:47	149.17		200.89	28.44	116.90	33.32	0.03	200.88	28.46		116.92	264.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:34:49	149.20		200.96	28.38	116.84	33.32	0.03	200.94	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:34:51	149.23		200.92	28.41	116.87	33.32	0.03	200.91	28.42		116.88	264.12

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:34:53	149.27		201.06	28.28	116.74	33.32	0.03	201.04	28.29		116.75	264.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:34:55	149.30		200.98	28.36	116.82	33.32	0.03	200.96	28.37		116.83	264.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:34:57	149.33		201.20	28.14	116.60	33.32	0.03	201.18	28.15		116.61	264.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:34:59	149.37		201.10	28.23	116.69	33.32	0.03	201.09	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:35:01	149.40		201.27	28.07	116.53	33.32	0.03	201.25	28.08		116.54	264.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:35:03	149.43		201.24	28.10	116.56	33.32	0.03	201.22	28.11		116.57	264.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:35:05	149.47		201.28	28.05	116.51	33.32	0.03	201.27	28.07		116.53	264.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:35:07	149.50		201.58	27.76	116.22	33.32	0.03	201.56	27.77		116.23	264.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:35:09	149.53		201.40	27.94	116.40	33.32	0.03	201.38	27.95		116.41	264.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:35:11	149.57		201.24	28.10	116.56	33.32	0.03	201.22	28.11		116.57	264.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:35:13	149.60		201.14	28.19	116.65	33.32	0.03	201.13	28.21		116.67	264.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:35:15	149.63		201.17	28.16	116.62	33.32	0.03	201.16	28.18		116.64	264.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:35:17	149.67		201.05	28.29	116.75	33.32	0.03	201.03	28.30		116.76	264.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:35:19	149.70		201.18	28.15	116.61	33.32	0.03	201.17	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:35:21	149.73		201.31	28.02	116.48	33.32	0.03	201.30	28.04		116.50	264.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:35:23	149.77		200.93	28.40	116.86	33.32	0.03	200.92	28.42		116.88	264.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:35:25	149.80		200.90	28.44	116.90	33.32	0.03	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:35:27	149.83		201.24	28.10	116.56	33.32	0.03	201.22	28.11		116.57	264.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:35:29	149.87		200.88	28.46	116.92	33.32	0.03	200.86	28.47		116.93	264.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:35:31	149.90		200.71	28.63	117.09	33.32	0.03	200.69	28.64		117.10	263.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:35:33	149.93		200.86	28.47	116.93	33.32	0.03	200.85	28.49		116.95	264.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:35:35	149.97		200.85	28.49	116.95	33.32	0.03	200.83	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:35:37	150.00		200.94	28.40	116.86	33.32	0.03	200.92	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:35:39	150.03		201.14	28.19	116.65	33.32	0.03	201.13	28.21		116.67	264.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:35:41	150.07		201.04	28.30	116.76	33.32	0.03	201.02	28.31		116.77	264.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:35:43	150.10		201.16	28.18	116.64	33.32	0.03	201.14	28.19		116.65	264.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:35:45	150.13		201.21	28.12	116.58	33.32	0.03	201.20	28.14		116.60	264.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:35:47	150.17		201.37	27.97	116.43	33.32	0.03	201.35	27.98		116.44	264.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:35:49	150.20		201.28	28.05	116.51	33.32	0.03	201.27	28.07		116.53	264.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:35:51	150.23		201.19	28.15	116.61	33.32	0.03	201.17	28.16		116.62	264.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:35:53	150.27		201.24	28.10	116.56	33.32	0.03	201.22	28.11		116.57	264.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:35:55	150.30		201.09	28.25	116.71	33.32	0.03	201.07	28.26		116.72	264.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:35:57	150.33		201.45	27.88	116.34	33.32	0.03	201.44	27.90		116.36	264.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:35:59	150.37		201.23	28.11	116.57	33.32	0.03	201.21	28.12		116.58	264.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:36:01	150.40		201.24	28.10	116.56	33.32	0.03	201.22	28.11		116.57	264.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:36:03	150.43		201.10	28.24	116.70	33.32	0.03	201.08	28.25		116.71	264.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:36:05	150.47		200.81	28.52	116.98	33.32	0.03	200.80	28.53		116.99	264.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:36:07	150.50		201.12	28.22	116.68	33.32	0.03	201.10	28.23		116.69	264.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:36:09	150.53		200.99	28.34	116.80	33.32	0.03	200.98	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:36:11	150.57		200.85	28.48	116.94	33.32	0.03	200.84	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:36:13	150.60		200.85	28.49	116.95	33.32	0.03	200.83	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:36:15	150.63		200.98	28.36	116.82	33.32	0.03	200.96	28.37		116.83	264.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:36:17	150.67		200.88	28.46	116.92	33.32	0.03	200.86	28.47		116.93	264.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:36:19	150.70		200.78	28.55	117.01	33.32	0.03	200.77	28.57		117.03	263.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:36:21	150.73		201.09	28.25	116.71	33.32	0.03	201.07	28.26		116.72	264.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:36:23	150.77		201.05	28.29	116.75	33.32	0.03	201.03	28.30		116.76	264.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:36:25	150.80		200.92	28.41	116.87	33.32	0.03	200.91	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:36:27	150.83		200.91	28.43	116.89	33.32	0.03	200.89	28.44		116.90	264.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:36:29	150.87		200.96	28.37	116.83	33.32	0.03	200.95	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:36:31	150.90		201.31	28.02	116.48	33.32	0.03	201.30	28.04		116.50	264.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:36:33	150.93		201.17	28.17	116.63	33.32	0.03	201.15	28.18		116.64	264.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:36:35	150.97		201.33	28.01	116.47	33.32	0.03	201.31	28.02		116.48	264.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:36:37	151.00		201.24	28.09	116.55	33.32	0.03	201.23	28.11		116.57	264.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:36:39	151.03		201.18	28.15	116.61	33.32	0.03	201.17	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:36:41	151.07		201.09	28.25	116.71	33.32	0.03	201.07	28.26		116.72	264.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:36:43	151.10		201.07	28.26	116.72	33.32	0.03	201.06	28.28		116.74	264.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:36:45	151.13		201.16	28.18	116.64	33.32	0.03	201.14	28.19		116.65	264.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:36:47	151.17		200.86	28.47	116.93	33.32	0.03	200.85	28.49		116.95	264.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:36:49	151.20		200.95	28.39	116.85	33.32	0.03	200.93	28.40		116.86	264.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:36:51	151.23		201.08	28.26	116.72	33.32	0.03	201.06	28.27		116.73	264.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:36:53	151.27		201.13	28.21	116.67	33.32	0.03	201.11	28.22		116.68	264.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:36:55	151.30		201.17	28.16	116.62	33.32	0.03	201.16	28.18		116.64	264.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:36:57	151.33		201.10	28.23	116.69	33.32	0.03	201.09	28.25		116.71	264.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:36:59	151.37		200.92	28.41	116.87	33.32	0.03	200.91	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:37:01	151.40		200.88	28.46	116.92	33.32	0.03	200.86	28.47		116.93	264.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:37:03	151.43		200.92	28.41	116.87	33.32	0.03	200.91	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:37:05	151.47		200.93	28.40	116.86	33.32	0.03	200.92	28.42		116.88	264.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:37:07	151.50		200.88	28.45	116.91	33.32	0.03	200.87	28.46		116.92	264.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:37:09	151.53		200.81	28.52	116.98	33.32	0.03	200.80	28.53		116.99	264.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:37:11	151.57		200.99	28.34	116.80	33.32	0.03	200.98	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:37:13	151.60		201.20	28.13	116.59	33.32	0.03	201.19	28.14		116.60	264.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:37:15	151.63		201.20	28.13	116.59	33.32	0.03	201.19	28.14		116.60	264.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:37:17	151.67		201.34	27.99	116.45	33.32	0.03	201.33	28.00		116.46	264.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:37:19	151.70		201.21	28.12	116.58	33.32	0.03	201.20	28.14		116.60	264.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:37:21	151.73		201.17	28.16	116.62	33.32	0.03	201.16	28.18		116.64	264.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:37:23	151.77		201.21	28.12	116.58	33.32	0.03	201.20	28.14		116.60	264.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:37:25	151.80		201.10	28.23	116.69	33.32	0.03	201.09	28.25		116.71	264.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:37:27	151.83		200.99	28.35	116.81	33.32	0.03	200.97	28.36		116.82	264.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:37:29	151.87		201.12	28.22	116.68	33.32	0.03	201.10	28.23		116.69	264.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:37:31	151.90		201.17	28.16	116.62	33.32	0.03	201.16	28.18		116.64	264.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:37:33	151.93		201.22	28.12	116.58	33.32	0.03	201.20	28.13		116.59	264.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:37:35	151.97		201.15	28.19	116.65	33.32	0.03	201.13	28.20		116.66	264.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:37:37	152.00		201.24	28.09	116.55	33.32	0.03	201.23	28.11		116.57	264.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:37:39	152.03		201.10	28.24	116.70	33.32	0.03	201.08	28.25		116.71	264.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:37:41	152.07		200.78	28.55	117.01	33.32	0.03	200.77	28.57		117.03	263.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:37:43	152.10		201.18	28.15	116.61	33.32	0.03	201.17	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:37:45	152.13		200.96	28.37	116.83	33.32	0.03	200.95	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:37:47	152.17		200.84	28.50	116.96	33.32	0.03	200.82	28.51		116.97	264.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:37:49	152.20		200.91	28.43	116.89	33.32	0.03	200.89	28.44		116.90	264.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:37:51	152.23		200.93	28.40	116.86	33.32	0.03	200.92	28.42		116.88	264.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:37:53	152.27		200.99	28.34	116.80	33.32	0.03	200.98	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:37:55	152.30		201.01	28.33	116.79	33.32	0.03	200.99	28.34		116.80	264.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:37:57	152.33		200.82	28.51	116.97	33.32	0.03	200.81	28.53		116.99	264.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:37:59	152.37		201.11	28.23	116.69	33.32	0.03	201.09	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:38:01	152.40		201.10	28.23	116.69	33.32	0.03	201.09	28.25		116.71	264.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:38:03	152.43		201.13	28.21	116.67	33.32	0.03	201.11	28.22		116.68	264.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:38:05	152.47		201.32	28.01	116.47	33.32	0.03	201.31	28.03		116.49	264.51

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:38:07	152.50		201.16	28.18	116.64	33.32	0.03	201.14	28.19		116.65	264.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:38:09	152.53		201.17	28.16	116.62	33.32	0.03	201.16	28.18		116.64	264.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:38:11	152.57		201.15	28.19	116.65	33.32	0.03	201.13	28.20		116.66	264.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:38:13	152.60		201.45	27.89	116.35	33.32	0.03	201.43	27.90		116.36	264.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:38:15	152.63		201.28	28.05	116.51	33.32	0.03	201.27	28.07		116.53	264.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:38:17	152.67		201.04	28.30	116.76	33.32	0.03	201.02	28.31		116.77	264.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:38:19	152.70		200.88	28.46	116.92	33.32	0.03	200.86	28.47		116.93	264.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:38:21	152.73		201.06	28.28	116.74	33.32	0.03	201.04	28.29		116.75	264.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:38:23	152.77		200.94	28.40	116.86	33.32	0.03	200.92	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:38:25	152.80		200.96	28.37	116.83	33.32	0.03	200.95	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:38:27	152.83		201.01	28.33	116.79	33.32	0.03	200.99	28.34		116.80	264.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:38:29	152.87		201.25	28.08	116.54	33.32	0.03	201.24	28.10		116.56	264.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:38:31	152.90		201.08	28.26	116.72	33.32	0.03	201.06	28.27		116.73	264.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:38:33	152.93		200.90	28.44	116.90	33.32	0.03	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:38:35	152.97		200.92	28.42	116.88	33.32	0.03	200.90	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:38:37	153.00		200.95	28.39	116.85	33.32	0.03	200.93	28.40		116.86	264.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:38:39	153.03		201.06	28.27	116.73	33.32	0.03	201.05	28.28		116.74	264.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:38:41	153.07		200.91	28.43	116.89	33.32	0.03	200.89	28.44		116.90	264.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:38:43	153.10		201.06	28.27	116.73	33.32	0.03	201.05	28.28		116.74	264.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:38:45	153.13		200.97	28.37	116.83	33.32	0.03	200.95	28.38		116.84	264.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:38:47	153.17		201.05	28.29	116.75	33.32	0.03	201.03	28.30		116.76	264.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:38:49	153.20		201.34	27.99	116.45	33.32	0.03	201.33	28.00		116.46	264.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:38:51	153.23		201.20	28.14	116.60	33.32	0.03	201.18	28.15		116.61	264.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:38:53	153.27		201.34	27.99	116.45	33.32	0.03	201.33	28.00		116.46	264.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:38:55	153.30		201.10	28.23	116.69	33.32	0.03	201.09	28.25		116.71	264.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:38:57	153.33		201.37	27.97	116.43	33.32	0.03	201.35	27.98		116.44	264.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:38:59	153.37		201.22	28.12	116.58	33.32	0.03	201.20	28.13		116.59	264.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:39:01	153.40		201.24	28.09	116.55	33.32	0.03	201.23	28.11		116.57	264.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:39:03	153.43		201.35	27.98	116.44	33.32	0.03	201.34	28.00		116.46	264.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:39:05	153.47		200.99	28.35	116.81	33.32	0.03	200.97	28.36		116.82	264.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:39:07	153.50		201.03	28.30	116.76	33.32	0.03	201.02	28.32		116.78	264.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:39:09	153.53		201.05	28.29	116.75	33.32	0.03	201.03	28.30		116.76	264.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:39:11	153.57		200.96	28.37	116.83	33.32	0.03	200.95	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:39:13	153.60		200.85	28.49	116.95	33.32	0.03	200.83	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:39:15	153.63		200.83	28.51	116.97	33.32	0.03	200.81	28.52		116.98	264.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:39:17	153.67		200.78	28.56	117.02	33.32	0.03	200.76	28.57		117.03	263.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:39:19	153.70		201.11	28.23	116.69	33.32	0.03	201.09	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:39:21	153.73		200.93	28.40	116.86	33.32	0.03	200.92	28.42		116.88	264.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:39:23	153.77		200.91	28.43	116.89	33.32	0.03	200.89	28.44		116.90	264.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:39:25	153.80		201.08	28.26	116.72	33.32	0.03	201.06	28.27		116.73	264.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:39:27	153.83		200.87	28.47	116.93	33.32	0.03	200.85	28.48		116.94	264.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:39:29	153.87		201.09	28.25	116.71	33.32	0.03	201.07	28.26		116.72	264.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:39:31	153.90		201.13	28.20	116.66	33.32	0.03	201.12	28.21		116.67	264.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:39:33	153.93		201.07	28.26	116.72	33.32	0.03	201.06	28.28		116.74	264.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:39:35	153.97		201.34	28.00	116.46	33.32	0.03	201.32	28.01		116.47	264.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:39:37	154.00		201.19	28.15	116.61	33.32	0.03	201.17	28.16		116.62	264.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:39:39	154.03		201.24	28.09	116.55	33.32	0.03	201.23	28.11		116.57	264.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:39:41	154.07		201.20	28.14	116.60	33.32	0.03	201.18	28.15		116.61	264.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:39:43	154.10		201.23	28.11	116.57	33.32	0.03	201.21	28.12		116.58	264.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:39:45	154.13		201.47	27.87	116.33	33.32	0.03	201.45	27.88		116.34	264.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:39:47	154.17		201.36	27.98	116.44	33.32	0.03	201.34	27.99		116.45	264.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:39:49	154.20		200.89	28.44	116.90	33.32	0.03	200.88	28.46		116.92	264.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:39:51	154.23		201.17	28.16	116.62	33.32	0.03	201.16	28.18		116.64	264.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:39:53	154.27		201.08	28.26	116.72	33.32	0.03	201.06	28.27		116.73	264.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:39:55	154.30		200.75	28.58	117.04	33.32	0.03	200.74	28.60		117.06	263.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:39:57	154.33		201.03	28.31	116.77	33.32	0.03	201.01	28.32		116.78	264.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:39:59	154.37		201.06	28.28	116.74	33.32	0.03	201.04	28.29		116.75	264.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:40:01	154.40		200.75	28.58	117.04	33.33	0.03	200.74	28.60		117.06	263.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:40:03	154.43		200.88	28.46	116.92	33.33	0.03	200.86	28.47		116.93	264.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:40:05	154.47		200.97	28.37	116.83	33.33	0.03	200.95	28.38		116.84	264.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:40:07	154.50		200.96	28.37	116.83	33.33	0.03	200.95	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:40:09	154.53		200.92	28.42	116.88	33.33	0.03	200.90	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:40:11	154.57		201.17	28.16	116.62	33.33	0.03	201.16	28.18		116.64	264.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:40:13	154.60		200.91	28.43	116.89	33.33	0.03	200.89	28.44		116.90	264.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:40:15	154.63		200.88	28.45	116.91	33.33	0.03	200.87	28.46		116.92	264.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:40:17	154.67		201.05	28.29	116.75	33.33	0.03	201.03	28.30		116.76	264.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:40:19	154.70		200.97	28.37	116.83	33.33	0.03	200.95	28.38		116.84	264.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:40:21	154.73		201.41	27.93	116.39	33.33	0.03	201.39	27.94		116.40	264.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:40:23	154.77		201.24	28.10	116.56	33.33	0.03	201.22	28.11		116.57	264.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:40:25	154.80		201.27	28.07	116.53	33.33	0.03	201.25	28.08		116.54	264.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:40:27	154.83		201.06	28.27	116.73	33.33	0.03	201.05	28.28		116.74	264.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:40:29	154.87		201.17	28.17	116.63	33.33	0.03	201.15	28.18		116.64	264.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:40:31	154.90		201.27	28.07	116.53	33.33	0.03	201.25	28.08		116.54	264.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:40:33	154.93		201.12	28.22	116.68	33.33	0.03	201.10	28.23		116.69	264.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:40:35	154.97		201.10	28.24	116.70	33.33	0.03	201.08	28.25		116.71	264.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:40:37	155.00		200.91	28.43	116.89	33.33	0.03	200.89	28.44		116.90	264.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:40:39	155.03		200.76	28.58	117.04	33.33	0.03	200.74	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:40:41	155.07		200.99	28.34	116.80	33.33	0.03	200.98	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:40:43	155.10		200.95	28.39	116.85	33.33	0.03	200.93	28.40		116.86	264.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:40:45	155.13		200.82	28.51	116.97	33.33	0.03	200.81	28.53		116.99	264.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:40:47	155.17		200.97	28.37	116.83	33.33	0.03	200.95	28.38		116.84	264.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:40:49	155.20		200.60	28.74	117.20	33.33	0.03	200.58	28.75		117.21	263.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:40:51	155.23		200.82	28.51	116.97	33.33	0.03	200.81	28.53		116.99	264.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:40:53	155.27		200.79	28.54	117.00	33.33	0.03	200.78	28.56		117.02	263.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:40:55	155.30		200.86	28.47	116.93	33.33	0.03	200.85	28.49		116.95	264.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:40:57	155.33		200.99	28.34	116.80	33.33	0.03	200.98	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:40:59	155.37		200.92	28.42	116.88	33.33	0.03	200.90	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:41:01	155.40		201.17	28.16	116.62	33.33	0.03	201.16	28.18		116.64	264.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:41:03	155.43		201.05	28.29	116.75	33.33	0.03	201.03	28.30		116.76	264.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:41:05	155.47		201.10	28.23	116.69	33.33	0.03	201.09	28.25		116.71	264.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:41:07	155.50		201.25	28.08	116.54	33.33	0.03	201.24	28.10		116.56	264.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:41:09	155.53		201.11	28.23	116.69	33.33	0.03	201.09	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:41:11	155.57		201.31	28.02	116.48	33.33	0.03	201.30	28.04		116.50	264.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:41:13	155.60		201.38	27.95	116.41	33.33	0.03	201.37	27.97		116.43	264.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:41:15	155.63		201.36	27.98	116.44	33.33	0.03	201.34	27.99		116.45	264.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:41:17	155.67		201.17	28.17	116.63	33.33	0.03	201.15	28.18		116.64	264.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:41:19	155.70		201.18	28.15	116.61	33.33	0.03	201.17	28.17		116.63	264.37

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:41:21	155.73		201.27	28.07	116.53	33.33	0.03	201.25	28.08		116.54	264.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:41:23	155.77		200.90	28.44	116.90	33.33	0.03	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:41:25	155.80		200.98	28.36	116.82	33.33	0.03	200.96	28.37		116.83	264.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:41:27	155.83		200.80	28.54	117.00	33.33	0.03	200.78	28.55		117.01	263.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:41:29	155.87		200.85	28.49	116.95	33.33	0.03	200.83	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:41:31	155.90		200.79	28.54	117.00	33.33	0.03	200.78	28.56		117.02	263.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:41:33	155.93		200.96	28.38	116.84	33.33	0.03	200.94	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:41:35	155.97		200.91	28.43	116.89	33.33	0.03	200.89	28.44		116.90	264.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:41:37	156.00		200.76	28.58	117.04	33.33	0.03	200.74	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:41:39	156.03		200.68	28.65	117.11	33.33	0.03	200.67	28.67		117.13	263.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:41:41	156.07		200.76	28.58	117.04	33.33	0.03	200.74	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:41:43	156.10		201.13	28.21	116.67	33.33	0.03	201.11	28.22		116.68	264.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:41:45	156.13		200.92	28.42	116.88	33.33	0.03	200.90	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:41:47	156.17		200.96	28.37	116.83	33.33	0.03	200.95	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:41:49	156.20		201.24	28.10	116.56	33.33	0.03	201.22	28.11		116.57	264.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:41:51	156.23		201.07	28.26	116.72	33.33	0.03	201.06	28.28		116.74	264.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:41:53	156.27		201.09	28.25	116.71	33.33	0.03	201.07	28.26		116.72	264.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:41:55	156.30		201.13	28.21	116.67	33.33	0.03	201.11	28.22		116.68	264.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:41:57	156.33		201.10	28.23	116.69	33.33	0.03	201.09	28.25		116.71	264.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:41:59	156.37		201.43	27.91	116.37	33.33	0.03	201.41	27.92		116.38	264.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:42:01	156.40		201.28	28.05	116.51	33.33	0.03	201.27	28.07		116.53	264.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:42:03	156.43		201.15	28.19	116.65	33.33	0.03	201.13	28.20		116.66	264.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:42:05	156.47		201.03	28.31	116.77	33.33	0.03	201.01	28.32		116.78	264.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:42:07	156.50		201.14	28.19	116.65	33.33	0.03	201.13	28.21		116.67	264.33
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:42:09	156.53		201.04	28.30	116.76	33.33	0.03	201.02	28.31		116.77	264.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:42:11	156.57		200.95	28.39	116.85	33.33	0.03	200.93	28.40		116.86	264.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:42:13	156.60		200.74	28.59	117.05	33.33	0.03	200.73	28.60		117.06	263.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:42:15	156.63		200.74	28.60	117.06	33.33	0.03	200.72	28.61		117.07	263.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:42:17	156.67		200.97	28.37	116.83	33.33	0.03	200.95	28.38		116.84	264.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:42:19	156.70		201.00	28.33	116.79	33.33	0.03	200.99	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:42:21	156.73		200.85	28.48	116.94	33.33	0.03	200.84	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:42:23	156.77		200.84	28.50	116.96	33.33	0.03	200.82	28.51		116.97	264.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:42:25	156.80		200.81	28.53	116.99	33.33	0.03	200.79	28.54		117.00	264.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:42:27	156.83		201.01	28.33	116.79	33.33	0.03	200.99	28.34		116.80	264.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:42:29	156.87		200.74	28.59	117.05	33.33	0.03	200.73	28.60		117.06	263.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:42:31	156.90		200.88	28.45	116.91	33.33	0.03	200.87	28.46		116.92	264.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:42:33	156.93		201.18	28.15	116.61	33.33	0.03	201.17	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:42:35	156.97		201.09	28.25	116.71	33.33	0.03	201.07	28.26		116.72	264.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:42:37	157.00		201.38	27.95	116.41	33.33	0.03	201.37	27.97		116.43	264.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:42:39	157.03		201.17	28.16	116.62	33.33	0.03	201.16	28.18		116.64	264.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:42:41	157.07		201.13	28.21	116.67	33.33	0.03	201.11	28.22		116.68	264.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:42:43	157.10		200.94	28.40	116.86	33.33	0.03	200.92	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:42:45	157.13		201.34	27.99	116.45	33.33	0.03	201.33	28.00		116.46	264.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:42:47	157.17		201.08	28.26	116.72	33.33	0.03	201.06	28.27		116.73	264.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:42:49	157.20		201.16	28.18	116.64	33.33	0.03	201.14	28.19		116.65	264.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:42:51	157.23		201.09	28.25	116.71	33.33	0.03	201.07	28.26		116.72	264.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:42:53	157.27		201.15	28.19	116.65	33.33	0.03	201.13	28.20		116.66	264.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:42:55	157.30		200.88	28.46	116.92	33.33	0.03	200.86	28.47		116.93	264.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:42:57	157.33		201.03	28.31	116.77	33.33	0.03	201.01	28.32		116.78	264.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:42:59	157.37		200.82	28.51	116.97	33.33	0.03	200.81	28.53		116.99	264.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:43:01	157.40		200.76	28.58	117.04	33.33	0.03	200.74	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:43:03	157.43		200.65	28.68	117.14	33.33	0.03	200.64	28.70		117.16	263.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:43:05	157.47		200.92	28.42	116.88	33.33	0.03	200.90	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:43:07	157.50		200.94	28.40	116.86	33.33	0.03	200.92	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:43:09	157.53		200.83	28.51	116.97	33.33	0.03	200.81	28.52		116.98	264.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:43:11	157.57		201.10	28.24	116.70	33.33	0.03	201.08	28.25		116.71	264.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:43:13	157.60		201.01	28.33	116.79	33.33	0.03	200.99	28.34		116.80	264.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:43:15	157.63		200.85	28.48	116.94	33.33	0.03	200.84	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:43:17	157.67		200.99	28.35	116.81	33.33	0.03	200.97	28.36		116.82	264.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:43:19	157.70		201.03	28.30	116.76	33.33	0.03	201.02	28.32		116.78	264.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:43:21	157.73		201.00	28.33	116.79	33.33	0.03	200.99	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:43:23	157.77		201.20	28.14	116.60	33.33	0.03	201.18	28.15		116.61	264.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:43:25	157.80		201.35	27.98	116.44	33.33	0.03	201.34	28.00		116.46	264.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:43:27	157.83		201.30	28.04	116.50	33.33	0.03	201.28	28.05		116.51	264.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:43:29	157.87		201.40	27.94	116.40	33.33	0.03	201.38	27.95		116.41	264.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:43:31	157.90		201.18	28.15	116.61	33.33	0.03	201.17	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:43:33	157.93		201.22	28.12	116.58	33.33	0.03	201.20	28.13		116.59	264.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:43:35	157.97		201.11	28.23	116.69	33.33	0.03	201.09	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:43:37	158.00		201.07	28.26	116.72	33.33	0.03	201.06	28.28		116.74	264.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:43:39	158.03		201.04	28.30	116.76	33.33	0.03	201.02	28.31		116.77	264.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:43:41	158.07		200.96	28.38	116.84	33.33	0.03	200.94	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:43:43	158.10		200.89	28.44	116.90	33.33	0.03	200.88	28.46		116.92	264.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:43:45	158.13		200.89	28.44	116.90	33.33	0.03	200.88	28.46		116.92	264.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:43:47	158.17		200.92	28.42	116.88	33.33	0.03	200.90	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:43:49	158.20		200.92	28.42	116.88	33.33	0.03	200.90	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:43:51	158.23		200.90	28.44	116.90	33.33	0.03	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:43:53	158.27		200.84	28.50	116.96	33.33	0.03	200.82	28.51		116.97	264.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:43:55	158.30		200.79	28.54	117.00	33.33	0.03	200.78	28.56		117.02	263.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:43:57	158.33		200.71	28.62	117.08	33.33	0.03	200.70	28.64		117.10	263.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:43:59	158.37		200.96	28.37	116.83	33.33	0.03	200.95	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:44:01	158.40		201.05	28.29	116.75	33.33	0.03	201.03	28.30		116.76	264.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:44:03	158.43		200.91	28.43	116.89	33.33	0.03	200.89	28.44		116.90	264.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:44:05	158.47		201.31	28.03	116.49	33.33	0.03	201.29	28.04		116.50	264.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:44:07	158.50		201.10	28.23	116.69	33.33	0.03	201.09	28.25		116.71	264.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:44:09	158.53		201.25	28.08	116.54	33.33	0.03	201.24	28.10		116.56	264.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:44:11	158.57		201.11	28.23	116.69	33.33	0.03	201.09	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:44:13	158.60		201.16	28.18	116.64	33.33	0.03	201.14	28.19		116.65	264.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:44:15	158.63		201.16	28.18	116.64	33.33	0.03	201.14	28.19		116.65	264.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:44:17	158.67		201.09	28.25	116.71	33.33	0.03	201.07	28.26		116.72	264.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:44:19	158.70		201.24	28.10	116.56	33.33	0.03	201.22	28.11		116.57	264.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:44:21	158.73		200.85	28.48	116.94	33.33	0.03	200.84	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:44:23	158.77		201.01	28.33	116.79	33.33	0.03	200.99	28.34		116.80	264.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:44:25	158.80		200.89	28.44	116.90	33.33	0.03	200.88	28.46		116.92	264.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:44:27	158.83		201.00	28.33	116.79	33.33	0.03	200.99	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:44:29	158.87		200.97	28.37	116.83	33.33	0.03	200.95	28.38		116.84	264.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:44:31	158.90		200.90	28.44	116.90	33.33	0.03	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:44:33	158.93		200.82	28.51	116.97	33.33	0.03	200.81	28.53		116.99	264.01

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:44:35	158.97		201.03	28.30	116.76	33.33	0.03	201.02	28.32		116.78	264.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:44:37	159.00		200.83	28.51	116.97	33.33	0.03	200.81	28.52		116.98	264.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:44:39	159.03		200.82	28.51	116.97	33.33	0.03	200.81	28.53		116.99	264.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:44:41	159.07		200.90	28.44	116.90	33.33	0.03	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:44:43	159.10		200.96	28.37	116.83	33.33	0.03	200.95	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:44:45	159.13		200.69	28.65	117.11	33.33	0.03	200.67	28.66		117.12	263.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:44:47	159.17		200.98	28.36	116.82	33.33	0.03	200.96	28.37		116.83	264.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:44:49	159.20		201.03	28.30	116.76	33.33	0.03	201.02	28.32		116.78	264.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:44:51	159.23		200.99	28.35	116.81	33.33	0.03	200.97	28.36		116.82	264.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:44:53	159.27		201.11	28.23	116.69	33.33	0.03	201.09	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:44:55	159.30		201.11	28.23	116.69	33.33	0.03	201.09	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:44:57	159.33		201.17	28.17	116.63	33.33	0.03	201.15	28.18		116.64	264.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:44:59	159.37		200.97	28.37	116.83	33.33	0.03	200.95	28.38		116.84	264.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:45:01	159.40		201.27	28.06	116.52	33.33	0.03	201.26	28.08		116.54	264.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:45:03	159.43		201.10	28.23	116.69	33.33	0.03	201.09	28.25		116.71	264.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:45:05	159.47		201.03	28.30	116.76	33.33	0.03	201.02	28.32		116.78	264.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:45:07	159.50		201.03	28.30	116.76	33.33	0.03	201.02	28.32		116.78	264.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:45:09	159.53		200.99	28.34	116.80	33.33	0.03	200.98	28.36		116.82	264.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:45:11	159.57		201.10	28.24	116.70	33.33	0.03	201.08	28.25		116.71	264.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:45:13	159.60		200.95	28.39	116.85	33.33	0.03	200.93	28.40		116.86	264.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:45:15	159.63		200.91	28.43	116.89	33.33	0.03	200.89	28.44		116.90	264.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:45:17	159.67		200.92	28.41	116.87	33.33	0.03	200.91	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:45:19	159.70		200.90	28.44	116.90	33.33	0.03	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:45:21	159.73		200.54	28.79	117.25	33.33	0.03	200.53	28.81		117.27	263.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:45:23	159.77		200.86	28.47	116.93	33.33	0.03	200.84	28.49		116.95	264.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:45:25	159.80		200.85	28.48	116.94	33.33	0.03	200.84	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:45:27	159.83		200.76	28.58	117.04	33.33	0.03	200.74	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:45:29	159.87		201.07	28.26	116.72	33.33	0.03	201.05	28.28		116.74	264.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:45:31	159.90		201.08	28.26	116.72	33.33	0.03	201.06	28.27		116.73	264.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:45:33	159.93		200.92	28.41	116.87	33.33	0.03	200.91	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:45:35	159.97		200.89	28.44	116.90	33.33	0.03	200.88	28.46		116.92	264.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:45:37	160.00		200.88	28.45	116.91	33.33	0.03	200.87	28.47		116.93	264.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:45:39	160.03		201.13	28.21	116.67	33.33	0.03	201.11	28.22		116.68	264.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:45:41	160.07		201.18	28.15	116.61	33.33	0.03	201.16	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:45:43	160.10		201.11	28.23	116.69	33.33	0.03	201.09	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:45:45	160.13		201.25	28.08	116.54	33.33	0.03	201.23	28.10		116.56	264.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:45:47	160.17		201.24	28.10	116.56	33.33	0.03	201.22	28.11		116.57	264.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:45:49	160.20		200.90	28.44	116.90	33.33	0.03	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:45:51	160.23		201.15	28.19	116.65	33.33	0.03	201.13	28.20		116.66	264.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:45:53	160.27		201.16	28.18	116.64	33.33	0.03	201.14	28.19		116.65	264.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:45:55	160.30		200.94	28.40	116.86	33.33	0.03	200.92	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:45:57	160.33		201.17	28.17	116.63	33.33	0.03	201.15	28.18		116.64	264.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:45:59	160.37		200.96	28.37	116.83	33.33	0.03	200.95	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:46:01	160.40		200.85	28.49	116.95	33.33	0.03	200.83	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:46:03	160.43		200.81	28.52	116.98	33.33	0.03	200.80	28.54		117.00	264.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:46:05	160.47		200.85	28.49	116.95	33.33	0.03	200.83	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:46:07	160.50		200.76	28.58	117.04	33.33	0.03	200.74	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:46:09	160.53		200.60	28.74	117.20	33.33	0.03	200.58	28.75		117.21	263.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:46:11	160.57		200.53	28.80	117.26	33.33	0.03	200.52	28.82		117.28	263.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:46:13	160.60		201.05	28.29	116.75	33.33	0.03	201.03	28.30		116.76	264.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:46:15	160.63		200.91	28.43	116.89	33.33	0.03	200.89	28.44		116.90	264.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:46:17	160.67		200.90	28.44	116.90	33.33	0.03	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:46:19	160.70		200.82	28.51	116.97	33.33	0.03	200.81	28.53		116.99	264.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:46:21	160.73		201.04	28.30	116.76	33.33	0.03	201.02	28.31		116.77	264.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:46:23	160.77		201.06	28.28	116.74	33.33	0.03	201.04	28.29		116.75	264.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:46:25	160.80		201.13	28.21	116.67	33.33	0.03	201.11	28.22		116.68	264.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:46:27	160.83		201.17	28.16	116.62	33.33	0.03	201.16	28.18		116.64	264.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:46:29	160.87		201.06	28.28	116.74	33.33	0.03	201.04	28.29		116.75	264.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:46:31	160.90		201.20	28.13	116.59	33.33	0.03	201.19	28.15		116.61	264.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:46:33	160.93		201.00	28.33	116.79	33.33	0.03	200.98	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:46:35	160.97		201.18	28.15	116.61	33.33	0.03	201.16	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:46:37	161.00		200.93	28.40	116.86	33.33	0.03	200.91	28.42		116.88	264.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:46:39	161.03		200.92	28.42	116.88	33.33	0.03	200.90	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:46:41	161.07		201.04	28.30	116.76	33.33	0.03	201.02	28.31		116.77	264.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:46:43	161.10		201.03	28.31	116.77	33.33	0.03	201.01	28.32		116.78	264.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:46:45	161.13		200.94	28.40	116.86	33.33	0.03	200.92	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:46:47	161.17		200.74	28.60	117.06	33.33	0.03	200.72	28.61		117.07	263.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:46:49	161.20		200.80	28.54	117.00	33.33	0.03	200.78	28.55		117.01	263.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:46:51	161.23		200.78	28.55	117.01	33.33	0.03	200.77	28.57		117.03	263.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:46:53	161.27		200.90	28.44	116.90	33.33	0.03	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:46:55	161.30		200.79	28.54	117.00	33.33	0.03	200.77	28.56		117.02	263.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:46:57	161.33		200.80	28.54	117.00	33.33	0.03	200.78	28.55		117.01	263.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:46:59	161.37		201.04	28.30	116.76	33.33	0.03	201.02	28.31		116.77	264.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:47:01	161.40		200.94	28.40	116.86	33.33	0.03	200.92	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:47:03	161.43		200.94	28.40	116.86	33.33	0.03	200.92	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:47:05	161.47		200.96	28.37	116.83	33.33	0.03	200.95	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:47:07	161.50		200.96	28.38	116.84	33.33	0.03	200.94	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:47:09	161.53		201.03	28.31	116.77	33.33	0.03	201.01	28.32		116.78	264.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:47:11	161.57		201.21	28.12	116.58	33.33	0.03	201.20	28.14		116.60	264.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:47:13	161.60		200.90	28.44	116.90	33.33	0.03	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:47:15	161.63		201.23	28.11	116.57	33.33	0.03	201.21	28.12		116.58	264.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:47:17	161.67		201.30	28.04	116.50	33.33	0.03	201.28	28.05		116.51	264.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:47:19	161.70		201.06	28.28	116.74	33.33	0.03	201.04	28.29		116.75	264.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:47:21	161.73		201.10	28.23	116.69	33.33	0.03	201.09	28.25		116.71	264.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:47:23	161.77		201.08	28.26	116.72	33.33	0.03	201.06	28.27		116.73	264.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:47:25	161.80		200.96	28.38	116.84	33.33	0.03	200.94	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:47:27	161.83		201.00	28.33	116.79	33.33	0.03	200.98	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:47:29	161.87		200.74	28.60	117.06	33.33	0.03	200.72	28.61		117.07	263.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:47:31	161.90		200.77	28.57	117.03	33.33	0.03	200.75	28.58		117.04	263.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:47:33	161.93		200.88	28.46	116.92	33.33	0.03	200.86	28.47		116.93	264.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:47:35	161.97		200.74	28.59	117.05	33.33	0.03	200.73	28.61		117.07	263.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:47:37	162.00		200.80	28.54	117.00	33.33	0.03	200.78	28.55		117.01	263.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:47:39	162.03		200.95	28.39	116.85	33.33	0.03	200.93	28.40		116.86	264.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:47:41	162.07		200.79	28.54	117.00	33.33	0.03	200.77	28.56		117.02	263.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:47:43	162.10		200.76	28.58	117.04	33.33	0.03	200.74	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:47:45	162.13		200.95	28.39	116.85	33.33	0.03	200.93	28.40		116.86	264.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:47:47	162.17		200.78	28.56	117.02	33.33	0.03	200.76	28.57		117.03	263.97

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:47:49	162.20		200.93	28.40	116.86	33.33	0.03	200.91	28.42		116.88	264.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:47:51	162.23		200.93	28.40	116.86	33.33	0.03	200.91	28.42		116.88	264.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:47:53	162.27		200.94	28.40	116.86	33.33	0.03	200.92	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:47:55	162.30		200.98	28.36	116.82	33.33	0.03	200.96	28.37		116.83	264.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:47:57	162.33		200.97	28.37	116.83	33.33	0.03	200.95	28.38		116.84	264.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:47:59	162.37		201.23	28.11	116.57	33.33	0.03	201.21	28.12		116.58	264.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:48:01	162.40		201.07	28.26	116.72	33.33	0.03	201.05	28.28		116.74	264.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:48:03	162.43		201.06	28.28	116.74	33.33	0.03	201.04	28.29		116.75	264.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:48:05	162.47		200.99	28.34	116.80	33.33	0.03	200.98	28.36		116.82	264.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:48:07	162.50		200.96	28.38	116.84	33.33	0.03	200.94	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:48:09	162.53		200.85	28.48	116.94	33.33	0.03	200.84	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:48:11	162.57		201.25	28.08	116.54	33.33	0.03	201.23	28.10		116.56	264.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:48:13	162.60		200.92	28.42	116.88	33.33	0.03	200.90	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:48:15	162.63		201.03	28.31	116.77	33.33	0.03	201.01	28.32		116.78	264.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:48:17	162.67		201.03	28.30	116.76	33.33	0.03	201.02	28.32		116.78	264.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:48:19	162.70		200.96	28.37	116.83	33.33	0.03	200.95	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:48:21	162.73		200.81	28.52	116.98	33.33	0.03	200.80	28.54		117.00	264.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:48:23	162.77		200.90	28.44	116.90	33.33	0.03	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:48:25	162.80		201.05	28.29	116.75	33.33	0.03	201.03	28.30		116.76	264.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:48:27	162.83		200.81	28.52	116.98	33.33	0.03	200.80	28.54		117.00	264.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:48:29	162.87		200.70	28.64	117.10	33.33	0.03	200.68	28.65		117.11	263.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:48:31	162.90		200.99	28.34	116.80	33.33	0.03	200.98	28.36		116.82	264.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:48:33	162.93		200.82	28.51	116.97	33.33	0.03	200.81	28.53		116.99	264.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:48:35	162.97		200.94	28.40	116.86	33.33	0.03	200.92	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:48:37	163.00		200.90	28.44	116.90	33.33	0.03	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:48:39	163.03		201.11	28.23	116.69	33.33	0.03	201.09	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:48:41	163.07		201.06	28.27	116.73	33.33	0.03	201.05	28.29		116.75	264.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:48:43	163.10		201.25	28.08	116.54	33.33	0.03	201.23	28.10		116.56	264.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:48:45	163.13		201.12	28.22	116.68	33.33	0.03	201.10	28.23		116.69	264.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:48:47	163.17		201.19	28.15	116.61	33.33	0.03	201.17	28.16		116.62	264.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:48:49	163.20		201.17	28.17	116.63	33.33	0.03	201.15	28.18		116.64	264.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:48:51	163.23		201.18	28.15	116.61	33.33	0.03	201.16	28.17		116.63	264.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:48:53	163.27		200.96	28.37	116.83	33.33	0.03	200.95	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:48:55	163.30		200.96	28.37	116.83	33.33	0.03	200.95	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:48:57	163.33		200.71	28.62	117.08	33.33	0.03	200.70	28.64		117.10	263.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:48:59	163.37		200.88	28.45	116.91	33.33	0.03	200.87	28.47		116.93	264.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:49:01	163.40		200.86	28.47	116.93	33.33	0.03	200.84	28.49		116.95	264.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:49:03	163.43		200.87	28.47	116.93	33.33	0.03	200.85	28.48		116.94	264.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:49:05	163.47		200.64	28.70	117.16	33.33	0.03	200.62	28.71		117.17	263.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:49:07	163.50		200.76	28.58	117.04	33.33	0.03	200.74	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:49:09	163.53		200.58	28.75	117.21	33.33	0.03	200.56	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:49:11	163.57		200.77	28.57	117.03	33.33	0.03	200.75	28.58		117.04	263.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:49:13	163.60		200.74	28.59	117.05	33.33	0.03	200.73	28.61		117.07	263.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:49:15	163.63		200.78	28.55	117.01	33.33	0.03	200.77	28.57		117.03	263.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:49:17	163.67		200.89	28.44	116.90	33.33	0.03	200.88	28.46		116.92	264.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:49:19	163.70		200.93	28.40	116.86	33.33	0.03	200.91	28.42		116.88	264.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:49:21	163.73		200.74	28.59	117.05	33.33	0.03	200.73	28.61		117.07	263.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:49:23	163.77		200.85	28.49	116.95	33.33	0.03	200.83	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:49:25	163.80		200.81	28.52	116.98	33.33	0.03	200.80	28.54		117.00	264.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:49:27	163.83		201.20	28.14	116.60	33.33	0.03	201.18	28.15		116.61	264.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:49:29	163.87		201.29	28.05	116.51	33.33	0.03	201.27	28.06		116.52	264.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:49:31	163.90		201.13	28.21	116.67	33.33	0.03	201.11	28.22		116.68	264.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:49:33	163.93		201.24	28.09	116.55	33.33	0.03	201.23	28.11		116.57	264.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:49:35	163.97		200.99	28.34	116.80	33.33	0.03	200.98	28.36		116.82	264.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:49:37	164.00		200.98	28.36	116.82	33.33	0.03	200.96	28.37		116.83	264.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:49:39	164.03		200.95	28.39	116.85	33.33	0.03	200.93	28.40		116.86	264.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:49:41	164.07		200.94	28.40	116.86	33.33	0.03	200.92	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:49:43	164.10		200.95	28.39	116.85	33.33	0.03	200.93	28.40		116.86	264.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:49:45	164.13		200.99	28.35	116.81	33.33	0.03	200.97	28.36		116.82	264.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:49:47	164.17		201.00	28.33	116.79	33.33	0.03	200.98	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:49:49	164.20		200.75	28.58	117.04	33.33	0.03	200.74	28.60		117.06	263.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:49:51	164.23		200.71	28.63	117.09	33.33	0.03	200.69	28.64		117.10	263.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:49:53	164.27		200.82	28.51	116.97	33.33	0.03	200.81	28.53		116.99	264.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:49:55	164.30		200.83	28.51	116.97	33.33	0.03	200.81	28.52		116.98	264.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:49:57	164.33		200.69	28.65	117.11	33.33	0.03	200.67	28.66		117.12	263.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:49:59	164.37		200.73	28.61	117.07	33.33	0.03	200.71	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:50:01	164.40		200.85	28.49	116.95	33.33	0.03	200.83	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:50:03	164.43		200.76	28.58	117.04	33.33	0.03	200.74	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:50:05	164.47		200.89	28.44	116.90	33.33	0.03	200.88	28.46		116.92	264.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:50:07	164.50		200.90	28.44	116.90	33.33	0.03	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:50:09	164.53		200.92	28.42	116.88	33.33	0.03	200.90	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:50:11	164.57		201.06	28.27	116.73	33.33	0.03	201.05	28.29		116.75	264.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:50:13	164.60		200.92	28.42	116.88	33.33	0.03	200.90	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:50:15	164.63		201.10	28.24	116.70	33.33	0.03	201.08	28.25		116.71	264.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:50:17	164.67		201.06	28.28	116.74	33.33	0.03	201.04	28.29		116.75	264.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:50:19	164.70		201.15	28.19	116.65	33.33	0.03	201.13	28.20		116.66	264.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:50:21	164.73		201.03	28.31	116.77	33.33	0.03	201.01	28.32		116.78	264.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:50:23	164.77		201.31	28.02	116.48	33.33	0.03	201.30	28.04		116.50	264.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:50:25	164.80		200.97	28.37	116.83	33.33	0.03	200.95	28.38		116.84	264.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:50:27	164.83		200.93	28.40	116.86	33.33	0.03	200.91	28.42		116.88	264.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:50:29	164.87		200.86	28.47	116.93	33.33	0.03	200.84	28.49		116.95	264.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:50:31	164.90		200.75	28.58	117.04	33.33	0.03	200.74	28.60		117.06	263.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:50:33	164.93		200.90	28.44	116.90	33.33	0.03	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:50:35	164.97		200.78	28.56	117.02	33.33	0.03	200.76	28.57		117.03	263.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:50:37	165.00		200.67	28.67	117.13	33.33	0.03	200.65	28.68		117.14	263.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:50:39	165.03		200.76	28.58	117.04	33.33	0.03	200.74	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:50:41	165.07		200.88	28.45	116.91	33.33	0.03	200.87	28.47		116.93	264.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:50:43	165.10		200.81	28.52	116.98	33.33	0.03	200.80	28.54		117.00	264.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:50:45	165.13		200.73	28.61	117.07	33.33	0.03	200.71	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:50:47	165.17		200.85	28.48	116.94	33.33	0.03	200.84	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:50:49	165.20		201.03	28.30	116.76	33.33	0.03	201.02	28.32		116.78	264.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:50:51	165.23		200.86	28.47	116.93	33.33	0.03	200.84	28.49		116.95	264.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:50:53	165.27		200.99	28.34	116.80	33.33	0.03	200.98	28.36		116.82	264.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:50:55	165.30		200.83	28.51	116.97	33.33	0.03	200.81	28.52		116.98	264.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:50:57	165.33		200.88	28.46	116.92	33.33	0.03	200.86	28.47		116.93	264.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:50:59	165.37		200.96	28.38	116.84	33.33	0.03	200.94	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:51:01	165.40		201.11	28.23	116.69	33.33	0.03	201.09	28.24		116.70	264.30

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:51:03	165.43		201.00	28.33	116.79	33.33	0.03	200.98	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:51:05	165.47		200.92	28.42	116.88	33.33	0.03	200.90	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:51:07	165.50		201.15	28.19	116.65	33.33	0.03	201.13	28.20		116.66	264.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:51:09	165.53		200.88	28.45	116.91	33.33	0.03	200.87	28.47		116.93	264.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:51:11	165.57		200.99	28.35	116.81	33.33	0.03	200.97	28.36		116.82	264.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:51:13	165.60		201.03	28.31	116.77	33.33	0.03	201.01	28.32		116.78	264.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:51:15	165.63		200.99	28.34	116.80	33.33	0.03	200.98	28.36		116.82	264.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:51:17	165.67		200.88	28.46	116.92	33.33	0.03	200.86	28.47		116.93	264.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:51:19	165.70		200.70	28.64	117.10	33.33	0.03	200.68	28.65		117.11	263.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:51:21	165.73		200.56	28.78	117.24	33.33	0.03	200.54	28.79		117.25	263.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:51:23	165.77		200.78	28.55	117.01	33.33	0.03	200.77	28.57		117.03	263.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:51:25	165.80		200.68	28.65	117.11	33.33	0.03	200.67	28.67		117.13	263.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:51:27	165.83		200.83	28.51	116.97	33.33	0.03	200.81	28.52		116.98	264.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:51:29	165.87		200.64	28.69	117.15	33.33	0.03	200.63	28.71		117.17	263.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:51:31	165.90		200.56	28.78	117.24	33.33	0.03	200.54	28.79		117.25	263.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:51:33	165.93		200.87	28.47	116.93	33.33	0.03	200.85	28.48		116.94	264.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:51:35	165.97		200.74	28.59	117.05	33.33	0.03	200.73	28.61		117.07	263.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:51:37	166.00		200.86	28.47	116.93	33.33	0.03	200.84	28.49		116.95	264.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:51:39	166.03		200.90	28.44	116.90	33.33	0.03	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:51:41	166.07		200.82	28.51	116.97	33.33	0.03	200.81	28.53		116.99	264.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:51:43	166.10		200.92	28.41	116.87	33.33	0.03	200.91	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:51:45	166.13		200.94	28.40	116.86	33.33	0.03	200.92	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:51:47	166.17		201.15	28.19	116.65	33.33	0.03	201.13	28.20		116.66	264.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:51:49	166.20		201.16	28.18	116.64	33.33	0.03	201.14	28.19		116.65	264.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:51:51	166.23		201.06	28.28	116.74	33.33	0.03	201.04	28.29		116.75	264.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:51:53	166.27		201.00	28.34	116.80	33.33	0.03	200.98	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:51:55	166.30		201.03	28.30	116.76	33.33	0.03	201.02	28.32		116.78	264.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:51:57	166.33		201.03	28.30	116.76	33.33	0.03	201.02	28.32		116.78	264.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:51:59	166.37		201.12	28.22	116.68	33.33	0.03	201.10	28.23		116.69	264.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:52:01	166.40		200.89	28.44	116.90	33.33	0.03	200.88	28.46		116.92	264.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:52:03	166.43		200.69	28.65	117.11	33.33	0.03	200.67	28.66		117.12	263.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:52:05	166.47		200.77	28.57	117.03	33.33	0.03	200.75	28.58		117.04	263.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:52:07	166.50		200.68	28.65	117.11	33.33	0.03	200.67	28.67		117.13	263.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:52:09	166.53		200.81	28.53	116.99	33.33	0.03	200.79	28.54		117.00	264.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:52:11	166.57		200.67	28.67	117.13	33.33	0.03	200.65	28.68		117.14	263.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:52:13	166.60		200.58	28.75	117.21	33.33	0.03	200.56	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:52:15	166.63		200.78	28.55	117.01	33.33	0.03	200.77	28.57		117.03	263.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:52:17	166.67		200.65	28.69	117.15	33.33	0.03	200.63	28.70		117.16	263.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:52:19	166.70		200.58	28.75	117.21	33.33	0.03	200.56	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:52:21	166.73		200.87	28.47	116.93	33.33	0.03	200.85	28.48		116.94	264.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:52:23	166.77		201.02	28.32	116.78	33.33	0.03	201.00	28.33		116.79	264.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:52:25	166.80		200.85	28.49	116.95	33.33	0.03	200.83	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:52:27	166.83		200.90	28.44	116.90	33.33	0.03	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:52:29	166.87		200.87	28.47	116.93	33.33	0.03	200.85	28.48		116.94	264.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:52:31	166.90		200.91	28.43	116.89	33.33	0.03	200.89	28.44		116.90	264.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:52:33	166.93		201.06	28.28	116.74	33.33	0.03	201.04	28.29		116.75	264.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:52:35	166.97		201.19	28.15	116.61	33.33	0.03	201.17	28.16		116.62	264.38
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:52:37	167.00		200.78	28.55	117.01	33.33	0.03	200.77	28.57		117.03	263.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:52:39	167.03		201.10	28.24	116.70	33.33	0.03	201.08	28.25		116.71	264.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:52:41	167.07		201.02	28.32	116.78	33.33	0.03	201.00	28.33		116.79	264.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:52:43	167.10		201.13	28.20	116.66	33.33	0.03	201.12	28.22		116.68	264.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:52:45	167.13		200.76	28.58	117.04	33.33	0.03	200.74	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:52:47	167.17		201.03	28.30	116.76	33.33	0.03	201.02	28.32		116.78	264.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:52:49	167.20		200.90	28.44	116.90	33.33	0.03	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:52:51	167.23		200.91	28.43	116.89	33.33	0.03	200.89	28.44		116.90	264.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:52:53	167.27		200.64	28.70	117.16	33.33	0.03	200.62	28.71		117.17	263.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:52:55	167.30		200.83	28.51	116.97	33.33	0.03	200.81	28.52		116.98	264.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:52:57	167.33		200.72	28.61	117.07	33.33	0.03	200.70	28.63		117.09	263.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:52:59	167.37		200.70	28.64	117.10	33.33	0.03	200.68	28.65		117.11	263.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:53:01	167.40		200.64	28.70	117.16	33.33	0.03	200.62	28.71		117.17	263.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:53:03	167.43		200.85	28.49	116.95	33.33	0.03	200.83	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:53:05	167.47		200.79	28.54	117.00	33.33	0.03	200.77	28.56		117.02	263.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:53:07	167.50		200.96	28.38	116.84	33.33	0.03	200.94	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:53:09	167.53		201.00	28.33	116.79	33.33	0.03	200.98	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:53:11	167.57		200.85	28.49	116.95	33.33	0.03	200.83	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:53:13	167.60		201.00	28.33	116.79	33.33	0.03	200.98	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:53:15	167.63		201.15	28.19	116.65	33.33	0.03	201.13	28.20		116.66	264.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:53:17	167.67		201.00	28.33	116.79	33.33	0.03	200.98	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:53:19	167.70		201.10	28.24	116.70	33.33	0.03	201.08	28.25		116.71	264.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:53:21	167.73		200.85	28.48	116.94	33.33	0.03	200.84	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:53:23	167.77		201.01	28.33	116.79	33.33	0.03	200.99	28.34		116.80	264.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:53:25	167.80		201.09	28.25	116.71	33.33	0.03	201.07	28.26		116.72	264.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:53:27	167.83		201.06	28.28	116.74	33.33	0.03	201.04	28.29		116.75	264.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:53:29	167.87		200.90	28.44	116.90	33.33	0.03	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:53:31	167.90		201.01	28.33	116.79	33.33	0.03	200.99	28.34		116.80	264.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:53:33	167.93		200.97	28.37	116.83	33.33	0.03	200.95	28.38		116.84	264.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:53:35	167.97		200.69	28.65	117.11	33.33	0.03	200.67	28.66		117.12	263.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:53:37	168.00		200.83	28.51	116.97	33.33	0.03	200.81	28.52		116.98	264.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:53:39	168.03		200.60	28.74	117.20	33.33	0.03	200.58	28.75		117.21	263.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:53:41	168.07		200.67	28.66	117.12	33.33	0.03	200.66	28.68		117.14	263.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:53:43	168.10		200.85	28.49	116.95	33.33	0.03	200.83	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:53:45	168.13		200.73	28.61	117.07	33.33	0.03	200.71	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:53:47	168.17		200.65	28.68	117.14	33.33	0.03	200.63	28.70		117.16	263.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:53:49	168.20		200.71	28.63	117.09	33.33	0.03	200.69	28.64		117.10	263.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:53:51	168.23		200.59	28.75	117.21	33.33	0.03	200.57	28.76		117.22	263.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:53:53	168.27		200.77	28.57	117.03	33.33	0.03	200.75	28.58		117.04	263.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:53:55	168.30		200.72	28.61	117.07	33.33	0.03	200.70	28.63		117.09	263.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:53:57	168.33		201.03	28.31	116.77	33.33	0.03	201.01	28.32		116.78	264.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:53:59	168.37		200.96	28.38	116.84	33.33	0.03	200.94	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:54:01	168.40		200.92	28.41	116.87	33.33	0.03	200.91	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:54:03	168.43		201.06	28.28	116.74	33.33	0.03	201.04	28.29		116.75	264.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:54:05	168.47		201.00	28.33	116.79	33.33	0.03	200.98	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:54:07	168.50		201.20	28.13	116.59	33.33	0.03	201.19	28.15		116.61	264.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:54:09	168.53		200.96	28.38	116.84	33.33	0.03	200.94	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:54:11	168.57		201.05	28.29	116.75	33.33	0.03	201.03	28.30		116.76	264.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:54:13	168.60		201.10	28.24	116.70	33.33	0.03	201.08	28.25		116.71	264.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:54:15	168.63		201.01	28.33	116.79	33.33	0.03	200.99	28.34		116.80	264.20

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:54:17	168.67		200.78	28.56	117.02	33.33	0.03	200.76	28.57		117.03	263.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:54:19	168.70		200.93	28.40	116.86	33.33	0.03	200.91	28.42		116.88	264.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:54:21	168.73		200.63	28.71	117.17	33.33	0.03	200.61	28.72		117.18	263.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:54:23	168.77		200.67	28.66	117.12	33.33	0.03	200.66	28.68		117.14	263.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:54:25	168.80		200.78	28.56	117.02	33.33	0.03	200.76	28.57		117.03	263.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:54:27	168.83		200.70	28.64	117.10	33.33	0.03	200.68	28.65		117.11	263.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:54:29	168.87		200.92	28.42	116.88	33.33	0.03	200.90	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:54:31	168.90		200.42	28.92	117.38	33.33	0.03	200.40	28.93		117.39	263.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:54:33	168.93		200.70	28.64	117.10	33.33	0.03	200.68	28.65		117.11	263.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:54:35	168.97		200.77	28.57	117.03	33.33	0.03	200.75	28.58		117.04	263.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:54:37	169.00		200.96	28.37	116.83	33.33	0.03	200.95	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:54:39	169.03		200.87	28.47	116.93	33.33	0.03	200.85	28.48		116.94	264.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:54:41	169.07		200.94	28.40	116.86	33.33	0.03	200.92	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:54:43	169.10		200.78	28.55	117.01	33.33	0.03	200.77	28.57		117.03	263.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:54:45	169.13		200.83	28.51	116.97	33.33	0.03	200.81	28.52		116.98	264.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:54:47	169.17		200.97	28.37	116.83	33.33	0.03	200.95	28.38		116.84	264.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:54:49	169.20		200.92	28.42	116.88	33.33	0.03	200.90	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:54:51	169.23		200.92	28.42	116.88	33.33	0.03	200.90	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:54:53	169.27		201.29	28.05	116.51	33.33	0.03	201.27	28.06		116.52	264.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:54:55	169.30		201.07	28.26	116.72	33.33	0.03	201.05	28.28		116.74	264.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:54:57	169.33		201.11	28.23	116.69	33.33	0.03	201.09	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:54:59	169.37		200.92	28.41	116.87	33.33	0.03	200.91	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:55:01	169.40		201.01	28.33	116.79	33.33	0.03	200.99	28.34		116.80	264.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:55:03	169.43		200.84	28.50	116.96	33.33	0.03	200.82	28.51		116.97	264.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:55:05	169.47		200.83	28.51	116.97	33.33	0.03	200.81	28.52		116.98	264.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:55:07	169.50		201.03	28.30	116.76	33.33	0.03	201.01	28.32		116.78	264.22
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:55:09	169.53		200.74	28.60	117.06	33.33	0.03	200.72	28.61		117.07	263.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:55:11	169.57		200.78	28.56	117.02	33.33	0.03	200.76	28.58		117.04	263.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:55:13	169.60		200.79	28.54	117.00	33.33	0.03	200.77	28.56		117.02	263.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:55:15	169.63		200.56	28.78	117.24	33.33	0.03	200.54	28.79		117.25	263.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:55:17	169.67		200.76	28.58	117.04	33.33	0.03	200.74	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:55:19	169.70		200.62	28.72	117.18	33.33	0.03	200.60	28.73		117.19	263.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:55:21	169.73		200.69	28.65	117.11	33.33	0.03	200.67	28.66		117.12	263.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:55:23	169.77		200.86	28.47	116.93	33.33	0.03	200.84	28.49		116.95	264.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:55:25	169.80		200.75	28.58	117.04	33.33	0.03	200.73	28.60		117.06	263.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:55:27	169.83		200.85	28.48	116.94	33.33	0.03	200.84	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:55:29	169.87		201.01	28.33	116.79	33.33	0.03	200.99	28.34		116.80	264.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:55:31	169.90		200.98	28.36	116.82	33.33	0.03	200.96	28.37		116.83	264.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:55:33	169.93		201.09	28.25	116.71	33.33	0.03	201.07	28.26		116.72	264.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:55:35	169.97		200.87	28.47	116.93	33.33	0.03	200.85	28.48		116.94	264.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:55:37	170.00		200.85	28.49	116.95	33.33	0.03	200.83	28.51		116.97	264.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:55:39	170.03		200.68	28.65	117.11	33.33	0.03	200.66	28.67		117.13	263.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:55:41	170.07		201.10	28.24	116.70	33.33	0.03	201.08	28.26		116.72	264.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:55:43	170.10		200.99	28.34	116.80	33.33	0.03	200.98	28.36		116.82	264.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:55:45	170.13		201.00	28.33	116.79	33.33	0.03	200.98	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:55:47	170.17		200.88	28.45	116.91	33.33	0.03	200.87	28.47		116.93	264.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:55:49	170.20		200.79	28.54	117.00	33.33	0.03	200.77	28.56		117.02	263.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:55:51	170.23		200.68	28.65	117.11	33.33	0.03	200.66	28.67		117.13	263.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:55:53	170.27		200.75	28.58	117.04	33.33	0.03	200.73	28.60		117.06	263.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:55:55	170.30		200.73	28.61	117.07	33.33	0.03	200.71	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:55:57	170.33		200.85	28.49	116.95	33.33	0.03	200.83	28.51		116.97	264.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:55:59	170.37		200.64	28.69	117.15	33.33	0.03	200.63	28.71		117.17	263.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:56:01	170.40		200.85	28.48	116.94	33.33	0.03	200.84	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:56:03	170.43		200.62	28.72	117.18	33.33	0.03	200.60	28.73		117.19	263.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:56:05	170.47		200.48	28.86	117.32	33.33	0.03	200.46	28.87		117.33	263.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:56:07	170.50		200.80	28.54	117.00	33.33	0.03	200.78	28.55		117.01	263.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:56:09	170.53		200.62	28.72	117.18	33.33	0.03	200.60	28.73		117.19	263.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:56:11	170.57		200.92	28.42	116.88	33.33	0.03	200.90	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:56:13	170.60		200.80	28.53	116.99	33.33	0.03	200.79	28.55		117.01	263.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:56:15	170.63		200.91	28.43	116.89	33.33	0.03	200.89	28.44		116.90	264.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:56:17	170.67		201.03	28.31	116.77	33.33	0.03	201.01	28.33		116.79	264.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:56:19	170.70		201.08	28.26	116.72	33.33	0.03	201.06	28.27		116.73	264.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:56:21	170.73		201.02	28.32	116.78	33.33	0.03	201.00	28.33		116.79	264.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:56:23	170.77		201.08	28.26	116.72	33.33	0.03	201.06	28.27		116.73	264.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:56:25	170.80		201.10	28.23	116.69	33.33	0.03	201.09	28.25		116.71	264.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:56:27	170.83		201.13	28.21	116.67	33.33	0.03	201.11	28.22		116.68	264.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:56:29	170.87		201.16	28.18	116.64	33.33	0.03	201.14	28.19		116.65	264.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:56:31	170.90		201.03	28.31	116.77	33.33	0.03	201.01	28.33		116.79	264.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:56:33	170.93		200.91	28.43	116.89	33.33	0.03	200.89	28.44		116.90	264.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:56:35	170.97		200.92	28.41	116.87	33.33	0.03	200.91	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:56:37	171.00		200.64	28.69	117.15	33.33	0.03	200.63	28.71		117.17	263.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:56:39	171.03		200.93	28.40	116.86	33.33	0.03	200.91	28.42		116.88	264.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:56:41	171.07		200.67	28.66	117.12	33.33	0.03	200.66	28.68		117.14	263.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:56:43	171.10		200.60	28.74	117.20	33.33	0.03	200.58	28.75		117.21	263.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:56:45	171.13		200.81	28.53	116.99	33.33	0.03	200.79	28.54		117.00	264.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:56:47	171.17		200.46	28.88	117.34	33.33	0.03	200.44	28.89		117.35	263.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:56:49	171.20		200.74	28.60	117.06	33.33	0.03	200.72	28.61		117.07	263.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:56:51	171.23		200.78	28.56	117.02	33.33	0.03	200.76	28.58		117.04	263.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:56:53	171.27		200.84	28.50	116.96	33.33	0.03	200.82	28.51		116.97	264.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:56:55	171.30		200.63	28.71	117.17	33.33	0.03	200.61	28.72		117.18	263.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:56:57	171.33		200.71	28.62	117.08	33.33	0.03	200.70	28.64		117.10	263.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:56:59	171.37		200.90	28.44	116.90	33.33	0.03	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:57:01	171.40		200.74	28.60	117.06	33.33	0.03	200.72	28.61		117.07	263.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:57:03	171.43		201.06	28.27	116.73	33.33	0.03	201.05	28.29		116.75	264.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:57:05	171.47		201.11	28.23	116.69	33.33	0.03	201.09	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:57:07	171.50		201.13	28.21	116.67	33.33	0.03	201.11	28.22		116.68	264.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:57:09	171.53		201.13	28.20	116.66	33.33	0.03	201.12	28.22		116.68	264.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:57:11	171.57		201.01	28.33	116.79	33.33	0.03	200.99	28.34		116.80	264.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:57:13	171.60		200.97	28.37	116.83	33.33	0.03	200.95	28.38		116.84	264.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:57:15	171.63		200.98	28.36	116.82	33.33	0.03	200.96	28.37		116.83	264.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:57:17	171.67		200.87	28.47	116.93	33.33	0.03	200.85	28.48		116.94	264.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:57:19	171.70		200.91	28.43	116.89	33.33	0.03	200.89	28.44		116.90	264.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:57:21	171.73		200.99	28.34	116.80	33.33	0.03	200.98	28.36		116.82	264.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:57:23	171.77		200.73	28.61	117.07	33.33	0.03	200.71	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:57:25	171.80		200.58	28.75	117.21	33.33	0.03	200.56	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:57:27	171.83		200.66	28.68	117.14	33.33	0.03	200.64	28.69		117.15	263.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:57:29	171.87		200.68	28.65	117.11	33.33	0.03	200.66	28.67		117.13	263.87

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:57:31	171.90		200.85	28.48	116.94	33.33	0.03	200.84	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:57:33	171.93		200.48	28.85	117.31	33.33	0.03	200.47	28.87		117.33	263.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:57:35	171.97		200.59	28.75	117.21	33.33	0.03	200.57	28.76		117.22	263.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:57:37	172.00		200.62	28.72	117.18	33.33	0.03	200.60	28.73		117.19	263.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:57:39	172.03		200.74	28.60	117.06	33.33	0.03	200.72	28.61		117.07	263.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:57:41	172.07		200.81	28.52	116.98	33.33	0.03	200.80	28.54		117.00	264.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:57:43	172.10		200.97	28.37	116.83	33.33	0.03	200.95	28.38		116.84	264.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:57:45	172.13		200.65	28.68	117.14	33.33	0.03	200.63	28.70		117.16	263.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:57:47	172.17		200.79	28.54	117.00	33.33	0.03	200.77	28.56		117.02	263.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:57:49	172.20		200.90	28.44	116.90	33.33	0.03	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:57:51	172.23		201.11	28.23	116.69	33.33	0.03	201.09	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:57:53	172.27		200.97	28.37	116.83	33.33	0.03	200.95	28.38		116.84	264.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:57:55	172.30		200.82	28.51	116.97	33.33	0.03	200.80	28.53		116.99	264.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:57:57	172.33		201.00	28.33	116.79	33.33	0.03	200.98	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:57:59	172.37		200.70	28.64	117.10	33.33	0.03	200.68	28.65		117.11	263.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:58:01	172.40		201.17	28.17	116.63	33.33	0.03	201.15	28.19		116.65	264.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:58:03	172.43		201.17	28.16	116.62	33.33	0.03	201.16	28.18		116.64	264.36
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:58:05	172.47		200.90	28.44	116.90	33.33	0.03	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:58:07	172.50		200.97	28.37	116.83	33.33	0.03	200.95	28.38		116.84	264.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:58:09	172.53		200.85	28.49	116.95	33.33	0.03	200.83	28.51		116.97	264.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:58:11	172.57		200.69	28.65	117.11	33.33	0.03	200.67	28.66		117.12	263.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:58:13	172.60		200.76	28.58	117.04	33.33	0.03	200.74	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:58:15	172.63		200.73	28.61	117.07	33.33	0.03	200.71	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:58:17	172.67		200.73	28.61	117.07	33.33	0.03	200.71	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:58:19	172.70		200.57	28.76	117.22	33.33	0.03	200.56	28.78		117.24	263.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:58:21	172.73		200.57	28.77	117.23	33.33	0.03	200.55	28.79		117.25	263.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:58:23	172.77		200.57	28.77	117.23	33.33	0.03	200.55	28.79		117.25	263.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:58:25	172.80		200.66	28.68	117.14	33.33	0.03	200.64	28.69		117.15	263.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:58:27	172.83		200.85	28.49	116.95	33.33	0.03	200.83	28.51		116.97	264.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:58:29	172.87		201.11	28.23	116.69	33.33	0.03	201.09	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:58:31	172.90		200.71	28.63	117.09	33.33	0.03	200.69	28.65		117.11	263.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:58:33	172.93		200.67	28.67	117.13	33.33	0.03	200.65	28.68		117.14	263.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:58:35	172.97		200.99	28.35	116.81	33.33	0.03	200.97	28.36		116.82	264.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:58:37	173.00		201.39	27.94	116.40	33.33	0.03	201.37	27.96		116.42	264.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:58:39	173.03		201.09	28.25	116.71	33.33	0.03	201.07	28.26		116.72	264.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:58:41	173.07		201.13	28.20	116.66	33.33	0.03	201.12	28.22		116.68	264.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:58:43	173.10		200.98	28.36	116.82	33.33	0.03	200.96	28.37		116.83	264.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:58:45	173.13		200.77	28.57	117.03	33.33	0.03	200.75	28.58		117.04	263.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:58:47	173.17		200.89	28.44	116.90	33.33	0.03	200.87	28.46		116.92	264.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:58:49	173.20		201.10	28.23	116.69	33.33	0.03	201.09	28.25		116.71	264.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:58:51	173.23		200.86	28.47	116.93	33.33	0.03	200.84	28.49		116.95	264.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:58:53	173.27		200.74	28.60	117.06	33.33	0.03	200.72	28.61		117.07	263.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:58:55	173.30		200.83	28.51	116.97	33.33	0.03	200.81	28.52		116.98	264.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:58:57	173.33		200.74	28.60	117.06	33.33	0.03	200.72	28.61		117.07	263.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:58:59	173.37		200.57	28.76	117.22	33.33	0.03	200.56	28.78		117.24	263.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:59:01	173.40		200.57	28.77	117.23	33.33	0.03	200.55	28.79		117.25	263.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:59:03	173.43		200.67	28.66	117.12	33.33	0.03	200.66	28.68		117.14	263.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:59:05	173.47		200.53	28.81	117.27	33.33	0.03	200.51	28.82		117.28	263.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:59:07	173.50		200.82	28.51	116.97	33.33	0.03	200.80	28.53		116.99	264.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:59:09	173.53		200.56	28.78	117.24	33.33	0.03	200.54	28.79		117.25	263.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:59:11	173.57		200.76	28.58	117.04	33.33	0.03	200.74	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:59:13	173.60		200.81	28.53	116.99	33.33	0.03	200.79	28.54		117.00	264.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:59:15	173.63		200.82	28.51	116.97	33.33	0.03	200.80	28.53		116.99	264.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:59:17	173.67		200.81	28.52	116.98	33.33	0.03	200.80	28.54		117.00	264.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:59:19	173.70		200.85	28.49	116.95	33.33	0.03	200.83	28.51		116.97	264.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:59:21	173.73		200.97	28.37	116.83	33.33	0.03	200.95	28.38		116.84	264.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:59:23	173.77		200.84	28.50	116.96	33.33	0.03	200.82	28.51		116.97	264.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:59:25	173.80		201.01	28.33	116.79	33.33	0.03	200.99	28.34		116.80	264.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:59:27	173.83		200.93	28.40	116.86	33.33	0.03	200.91	28.42		116.88	264.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:59:29	173.87		200.83	28.51	116.97	33.33	0.03	200.81	28.52		116.98	264.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:59:31	173.90		201.04	28.30	116.76	33.33	0.03	201.02	28.31		116.77	264.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:59:33	173.93		200.96	28.37	116.83	33.33	0.03	200.94	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:59:35	173.97		200.95	28.39	116.85	33.33	0.03	200.93	28.40		116.86	264.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:59:37	174.00		200.94	28.40	116.86	33.33	0.03	200.92	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:59:39	174.03		200.94	28.40	116.86	33.33	0.03	200.92	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:59:41	174.07		200.64	28.69	117.15	33.33	0.03	200.63	28.71		117.17	263.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:59:43	174.10		200.64	28.70	117.16	33.33	0.03	200.62	28.72		117.18	263.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:59:45	174.13		200.61	28.73	117.19	33.33	0.03	200.59	28.74		117.20	263.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:59:47	174.17		200.78	28.56	117.02	33.33	0.03	200.76	28.58		117.04	263.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:59:49	174.20		200.53	28.81	117.27	33.33	0.03	200.51	28.82		117.28	263.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:59:51	174.23		200.74	28.59	117.05	33.33	0.03	200.73	28.61		117.07	263.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:59:53	174.27		200.54	28.79	117.25	33.33	0.03	200.52	28.81		117.27	263.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:59:55	174.30		200.58	28.75	117.21	33.33	0.03	200.56	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:59:57	174.33		200.60	28.73	117.19	33.33	0.03	200.59	28.75		117.21	263.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 18:59:59	174.37		200.67	28.67	117.13	33.33	0.03	200.65	28.68		117.14	263.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:00:01	174.40		200.84	28.50	116.96	33.33	0.04	200.82	28.51		116.97	264.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:00:03	174.43		200.98	28.36	116.82	33.33	0.04	200.96	28.37		116.83	264.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:00:05	174.47		200.85	28.49	116.95	33.33	0.04	200.83	28.51		116.97	264.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:00:07	174.50		200.95	28.39	116.85	33.33	0.04	200.93	28.40		116.86	264.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:00:09	174.53		200.89	28.44	116.90	33.33	0.04	200.87	28.46		116.92	264.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:00:11	174.57		201.11	28.23	116.69	33.33	0.04	201.09	28.24		116.70	264.30
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:00:13	174.60		201.06	28.28	116.74	33.33	0.04	201.04	28.29		116.75	264.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:00:15	174.63		200.93	28.40	116.86	33.33	0.04	200.91	28.42		116.88	264.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:00:17	174.67		200.94	28.39	116.85	33.33	0.04	200.93	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:00:19	174.70		200.94	28.40	116.86	33.33	0.04	200.92	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:00:21	174.73		200.98	28.36	116.82	33.33	0.04	200.96	28.37		116.83	264.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:00:23	174.77		200.64	28.70	117.16	33.33	0.04	200.62	28.72		117.18	263.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:00:25	174.80		200.74	28.60	117.06	33.33	0.04	200.72	28.61		117.07	263.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:00:27	174.83		200.76	28.58	117.04	33.33	0.04	200.74	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:00:29	174.87		200.66	28.67	117.13	33.33	0.04	200.65	28.69		117.15	263.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:00:31	174.90		200.61	28.72	117.18	33.33	0.04	200.59	28.74		117.20	263.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:00:33	174.93		200.69	28.65	117.11	33.33	0.04	200.67	28.66		117.12	263.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:00:35	174.97		200.46	28.87	117.33	33.33	0.04	200.45	28.89		117.35	263.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:00:37	175.00		200.29	29.04	117.50	33.33	0.04	200.27	29.06		117.52	263.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:00:39	175.03		200.43	28.91	117.37	33.33	0.04	200.41	28.93		117.39	263.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:00:41	175.07		200.82	28.51	116.97	33.33	0.04	200.80	28.53		116.99	264.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:00:43	175.10		200.66	28.68	117.14	33.33	0.04	200.64	28.69		117.15	263.85

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:00:45	175.13		200.78	28.56	117.02	33.33	0.04	200.76	28.58		117.04	263.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:00:47	175.17		200.68	28.65	117.11	33.33	0.04	200.66	28.67		117.13	263.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:00:49	175.20		200.89	28.44	116.90	33.33	0.04	200.87	28.46		116.92	264.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:00:51	175.23		201.04	28.30	116.76	33.33	0.04	201.02	28.31		116.77	264.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:00:53	175.27		200.88	28.46	116.92	33.33	0.04	200.86	28.47		116.93	264.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:00:55	175.30		201.20	28.14	116.60	33.33	0.04	201.18	28.15		116.61	264.39
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:00:57	175.33		201.06	28.28	116.74	33.33	0.04	201.04	28.29		116.75	264.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:00:59	175.37		200.85	28.48	116.94	33.33	0.04	200.83	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:01:01	175.40		200.93	28.40	116.86	33.33	0.04	200.91	28.42		116.88	264.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:01:03	175.43		200.87	28.47	116.93	33.33	0.04	200.85	28.48		116.94	264.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:01:05	175.47		200.72	28.61	117.07	33.33	0.04	200.70	28.63		117.09	263.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:01:07	175.50		200.81	28.53	116.99	33.33	0.04	200.79	28.54		117.00	264.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:01:09	175.53		200.96	28.37	116.83	33.33	0.04	200.94	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:01:11	175.57		200.88	28.45	116.91	33.33	0.04	200.87	28.47		116.93	264.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:01:13	175.60		200.90	28.44	116.90	33.33	0.04	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:01:15	175.63		200.71	28.62	117.08	33.33	0.04	200.69	28.64		117.10	263.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:01:17	175.67		200.55	28.79	117.25	33.33	0.04	200.53	28.80		117.26	263.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:01:19	175.70		200.63	28.71	117.17	33.33	0.04	200.61	28.72		117.18	263.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:01:21	175.73		200.84	28.50	116.96	33.33	0.04	200.82	28.52		116.98	264.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:01:23	175.77		200.76	28.58	117.04	33.33	0.04	200.74	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:01:25	175.80		200.72	28.61	117.07	33.33	0.04	200.70	28.63		117.09	263.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:01:27	175.83		200.67	28.67	117.13	33.33	0.04	200.65	28.68		117.14	263.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:01:29	175.87		200.78	28.56	117.02	33.33	0.04	200.76	28.58		117.04	263.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:01:31	175.90		200.81	28.53	116.99	33.33	0.04	200.79	28.54		117.00	264.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:01:33	175.93		200.84	28.50	116.96	33.33	0.04	200.82	28.51		116.97	264.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:01:35	175.97		201.00	28.33	116.79	33.33	0.04	200.98	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:01:37	176.00		200.97	28.37	116.83	33.33	0.04	200.95	28.38		116.84	264.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:01:39	176.03		200.97	28.37	116.83	33.33	0.04	200.95	28.38		116.84	264.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:01:41	176.07		200.94	28.40	116.86	33.33	0.04	200.92	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:01:43	176.10		201.07	28.26	116.72	33.33	0.04	201.05	28.28		116.74	264.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:01:45	176.13		201.00	28.33	116.79	33.33	0.04	200.98	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:01:47	176.17		200.96	28.38	116.84	33.33	0.04	200.94	28.40		116.86	264.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:01:49	176.20		200.94	28.40	116.86	33.33	0.04	200.92	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:01:51	176.23		200.88	28.45	116.91	33.33	0.04	200.87	28.47		116.93	264.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:01:53	176.27		200.81	28.53	116.99	33.33	0.04	200.79	28.54		117.00	264.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:01:55	176.30		200.71	28.62	117.08	33.33	0.04	200.69	28.64		117.10	263.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:01:57	176.33		200.89	28.44	116.90	33.33	0.04	200.87	28.46		116.92	264.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:01:59	176.37		200.47	28.86	117.32	33.33	0.04	200.45	28.88		117.34	263.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:02:01	176.40		200.34	29.00	117.46	33.33	0.04	200.32	29.01		117.47	263.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:02:03	176.43		200.64	28.70	117.16	33.33	0.04	200.62	28.72		117.18	263.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:02:05	176.47		200.58	28.75	117.21	33.33	0.04	200.56	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:02:07	176.50		200.59	28.75	117.21	33.33	0.04	200.57	28.76		117.22	263.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:02:09	176.53		200.81	28.52	116.98	33.33	0.04	200.80	28.54		117.00	264.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:02:11	176.57		200.69	28.65	117.11	33.33	0.04	200.67	28.66		117.12	263.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:02:13	176.60		200.58	28.75	117.21	33.33	0.04	200.56	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:02:15	176.63		200.74	28.59	117.05	33.33	0.04	200.73	28.61		117.07	263.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:02:17	176.67		201.03	28.31	116.77	33.33	0.04	201.01	28.33		116.79	264.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:02:19	176.70		200.78	28.56	117.02	33.33	0.04	200.76	28.58		117.04	263.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:02:21	176.73		200.81	28.52	116.98	33.33	0.04	200.80	28.54		117.00	264.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:02:23	176.77		200.64	28.69	117.15	33.33	0.04	200.62	28.71		117.17	263.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:02:25	176.80		200.92	28.42	116.88	33.33	0.04	200.90	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:02:27	176.83		201.04	28.30	116.76	33.33	0.04	201.02	28.31		116.77	264.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:02:29	176.87		200.87	28.47	116.93	33.33	0.04	200.85	28.48		116.94	264.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:02:31	176.90		200.96	28.38	116.84	33.33	0.04	200.94	28.40		116.86	264.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:02:33	176.93		200.99	28.34	116.80	33.33	0.04	200.98	28.36		116.82	264.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:02:35	176.97		200.89	28.44	116.90	33.33	0.04	200.87	28.46		116.92	264.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:02:37	177.00		200.90	28.44	116.90	33.33	0.04	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:02:39	177.03		200.78	28.56	117.02	33.33	0.04	200.76	28.58		117.04	263.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:02:41	177.07		200.99	28.34	116.80	33.33	0.04	200.98	28.36		116.82	264.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:02:43	177.10		200.54	28.79	117.25	33.33	0.04	200.52	28.81		117.27	263.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:02:45	177.13		200.84	28.50	116.96	33.33	0.04	200.82	28.51		116.97	264.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:02:47	177.17		200.42	28.92	117.38	33.33	0.04	200.40	28.93		117.39	263.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:02:49	177.20		200.60	28.73	117.19	33.33	0.04	200.59	28.75		117.21	263.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:02:51	177.23		200.42	28.92	117.38	33.33	0.04	200.40	28.93		117.39	263.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:02:53	177.27		200.65	28.68	117.14	33.33	0.04	200.63	28.70		117.16	263.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:02:55	177.30		200.51	28.83	117.29	33.33	0.04	200.49	28.84		117.30	263.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:02:57	177.33		200.45	28.89	117.35	33.33	0.04	200.43	28.90		117.36	263.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:02:59	177.37		200.73	28.61	117.07	33.33	0.04	200.71	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:03:01	177.40		200.71	28.63	117.09	33.33	0.04	200.69	28.65		117.11	263.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:03:03	177.43		200.61	28.72	117.18	33.33	0.04	200.59	28.74		117.20	263.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:03:05	177.47		200.90	28.44	116.90	33.33	0.04	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:03:07	177.50		200.97	28.37	116.83	33.33	0.04	200.95	28.38		116.84	264.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:03:09	177.53		200.96	28.38	116.84	33.33	0.04	200.94	28.40		116.86	264.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:03:11	177.57		200.91	28.43	116.89	33.33	0.04	200.89	28.44		116.90	264.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:03:13	177.60		201.07	28.26	116.72	33.33	0.04	201.05	28.28		116.74	264.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:03:15	177.63		201.00	28.33	116.79	33.33	0.04	200.98	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:03:17	177.67		200.96	28.37	116.83	33.33	0.04	200.94	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:03:19	177.70		200.83	28.51	116.97	33.33	0.04	200.81	28.52		116.98	264.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:03:21	177.73		201.15	28.19	116.65	33.33	0.04	201.13	28.20		116.66	264.34
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:03:23	177.77		200.71	28.62	117.08	33.33	0.04	200.69	28.64		117.10	263.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:03:25	177.80		200.59	28.75	117.21	33.33	0.04	200.57	28.76		117.22	263.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:03:27	177.83		200.80	28.54	117.00	33.33	0.04	200.78	28.55		117.01	263.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:03:29	177.87		200.64	28.70	117.16	33.33	0.04	200.62	28.72		117.18	263.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:03:31	177.90		200.65	28.68	117.14	33.33	0.04	200.63	28.70		117.16	263.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:03:33	177.93		200.54	28.79	117.25	33.33	0.04	200.52	28.81		117.27	263.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:03:35	177.97		200.80	28.54	117.00	33.33	0.04	200.78	28.55		117.01	263.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:03:37	178.00		200.63	28.71	117.17	33.33	0.04	200.61	28.72		117.18	263.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:03:39	178.03		200.67	28.66	117.12	33.33	0.04	200.66	28.68		117.14	263.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:03:41	178.07		200.66	28.68	117.14	33.33	0.04	200.64	28.69		117.15	263.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:03:43	178.10		200.53	28.80	117.26	33.33	0.04	200.52	28.82		117.28	263.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:03:45	178.13		200.65	28.68	117.14	33.33	0.04	200.63	28.70		117.16	263.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:03:47	178.17		200.92	28.41	116.87	33.33	0.04	200.90	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:03:49	178.20		200.83	28.51	116.97	33.33	0.04	200.81	28.52		116.98	264.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:03:51	178.23		200.73	28.61	117.07	33.33	0.04	200.71	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:03:53	178.27		201.08	28.26	116.72	33.33	0.04	201.06	28.27		116.73	264.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:03:55	178.30		201.06	28.28	116.74	33.33	0.04	201.04	28.29		116.75	264.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:03:57	178.33		201.05	28.29	116.75	33.33	0.04	201.03	28.30		116.76	264.24

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:03:59	178.37		200.99	28.35	116.81	33.33	0.04	200.97	28.36		116.82	264.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:04:01	178.40		200.99	28.34	116.80	33.33	0.04	200.98	28.36		116.82	264.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:04:03	178.43		201.06	28.27	116.73	33.33	0.04	201.05	28.29		116.75	264.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:04:05	178.47		200.82	28.51	116.97	33.33	0.04	200.80	28.53		116.99	264.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:04:07	178.50		200.78	28.55	117.01	33.33	0.04	200.76	28.57		117.03	263.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:04:09	178.53		200.69	28.65	117.11	33.33	0.04	200.67	28.66		117.12	263.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:04:11	178.57		200.81	28.53	116.99	33.33	0.04	200.79	28.54		117.00	264.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:04:13	178.60		200.82	28.51	116.97	33.33	0.04	200.80	28.53		116.99	264.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:04:15	178.63		200.75	28.58	117.04	33.33	0.04	200.73	28.60		117.06	263.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:04:17	178.67		200.67	28.67	117.13	33.33	0.04	200.65	28.68		117.14	263.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:04:19	178.70		200.74	28.59	117.05	33.33	0.04	200.73	28.61		117.07	263.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:04:21	178.73		200.42	28.92	117.38	33.33	0.04	200.40	28.93		117.39	263.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:04:23	178.77		200.58	28.75	117.21	33.33	0.04	200.56	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:04:25	178.80		200.55	28.79	117.25	33.33	0.04	200.53	28.80		117.26	263.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:04:27	178.83		200.64	28.69	117.15	33.33	0.04	200.62	28.71		117.17	263.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:04:29	178.87		200.69	28.65	117.11	33.33	0.04	200.67	28.66		117.12	263.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:04:31	178.90		200.58	28.75	117.21	33.33	0.04	200.56	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:04:33	178.93		200.90	28.44	116.90	33.33	0.04	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:04:35	178.97		200.92	28.41	116.87	33.33	0.04	200.90	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:04:37	179.00		200.90	28.44	116.90	33.33	0.04	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:04:39	179.03		200.97	28.37	116.83	33.33	0.04	200.95	28.38		116.84	264.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:04:41	179.07		201.28	28.05	116.51	33.33	0.04	201.26	28.07		116.53	264.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:04:43	179.10		200.96	28.38	116.84	33.33	0.04	200.94	28.40		116.86	264.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:04:45	179.13		200.94	28.40	116.86	33.33	0.04	200.92	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:04:47	179.17		201.00	28.33	116.79	33.33	0.04	200.98	28.35		116.81	264.19
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:04:49	179.20		200.92	28.41	116.87	33.33	0.04	200.90	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:04:51	179.23		200.88	28.45	116.91	33.33	0.04	200.87	28.47		116.93	264.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:04:53	179.27		200.87	28.47	116.93	33.33	0.04	200.85	28.48		116.94	264.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:04:55	179.30		200.70	28.64	117.10	33.33	0.04	200.68	28.65		117.11	263.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:04:57	179.33		200.67	28.67	117.13	33.33	0.04	200.65	28.68		117.14	263.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:04:59	179.37		200.93	28.40	116.86	33.33	0.04	200.91	28.42		116.88	264.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:05:01	179.40		200.83	28.51	116.97	33.33	0.04	200.81	28.52		116.98	264.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:05:03	179.43		200.64	28.69	117.15	33.33	0.04	200.62	28.71		117.17	263.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:05:05	179.47		200.71	28.63	117.09	33.33	0.04	200.69	28.64		117.10	263.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:05:07	179.50		200.49	28.85	117.31	33.33	0.04	200.47	28.86		117.32	263.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:05:09	179.53		200.47	28.86	117.32	33.33	0.04	200.45	28.88		117.34	263.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:05:11	179.57		200.70	28.64	117.10	33.33	0.04	200.68	28.65		117.11	263.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:05:13	179.60		200.61	28.72	117.18	33.33	0.04	200.59	28.74		117.20	263.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:05:15	179.63		200.57	28.77	117.23	33.33	0.04	200.55	28.79		117.25	263.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:05:17	179.67		200.60	28.74	117.20	33.33	0.04	200.58	28.76		117.22	263.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:05:19	179.70		200.70	28.64	117.10	33.33	0.04	200.68	28.65		117.11	263.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:05:21	179.73		200.92	28.42	116.88	33.33	0.04	200.90	28.44		116.90	264.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:05:23	179.77		200.76	28.58	117.04	33.33	0.04	200.74	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:05:25	179.80		200.93	28.40	116.86	33.33	0.04	200.91	28.42		116.88	264.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:05:27	179.83		200.99	28.35	116.81	33.33	0.04	200.97	28.37		116.83	264.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:05:29	179.87		200.86	28.47	116.93	33.33	0.04	200.84	28.49		116.95	264.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:05:31	179.90		201.13	28.20	116.66	33.33	0.04	201.12	28.22		116.68	264.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:05:33	179.93		200.73	28.61	117.07	33.33	0.04	200.71	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:05:35	179.97		201.04	28.30	116.76	33.33	0.04	201.02	28.31		116.77	264.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:05:37	180.00		200.95	28.39	116.85	33.33	0.04	200.93	28.40		116.86	264.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:05:39	180.03		200.87	28.47	116.93	33.33	0.04	200.85	28.48		116.94	264.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:05:41	180.07		200.99	28.34	116.80	33.33	0.04	200.98	28.36		116.82	264.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:05:43	180.10		200.71	28.62	117.08	33.33	0.04	200.69	28.64		117.10	263.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:05:45	180.13		200.67	28.67	117.13	33.33	0.04	200.65	28.69		117.15	263.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:05:47	180.17		200.58	28.75	117.21	33.33	0.04	200.56	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:05:49	180.20		200.52	28.82	117.28	33.33	0.04	200.50	28.84		117.30	263.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:05:51	180.23		200.53	28.80	117.26	33.33	0.04	200.52	28.82		117.28	263.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:05:53	180.27		200.49	28.85	117.31	33.33	0.04	200.47	28.86		117.32	263.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:05:55	180.30		200.59	28.75	117.21	33.33	0.04	200.57	28.76		117.22	263.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:05:57	180.33		200.57	28.76	117.22	33.33	0.04	200.55	28.78		117.24	263.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:05:59	180.37		200.50	28.83	117.29	33.33	0.04	200.48	28.85		117.31	263.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:06:01	180.40		200.56	28.78	117.24	33.33	0.04	200.54	28.79		117.25	263.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:06:03	180.43		200.86	28.47	116.93	33.33	0.04	200.84	28.49		116.95	264.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:06:05	180.47		200.85	28.48	116.94	33.33	0.04	200.83	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:06:07	180.50		200.79	28.54	117.00	33.33	0.04	200.77	28.56		117.02	263.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:06:09	180.53		200.66	28.68	117.14	33.33	0.04	200.64	28.69		117.15	263.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:06:11	180.57		200.88	28.46	116.92	33.33	0.04	200.86	28.47		116.93	264.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:06:13	180.60		200.81	28.53	116.99	33.33	0.04	200.79	28.55		117.01	263.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:06:15	180.63		200.82	28.51	116.97	33.33	0.04	200.80	28.53		116.99	264.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:06:17	180.67		200.96	28.38	116.84	33.33	0.04	200.94	28.40		116.86	264.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:06:19	180.70		200.90	28.44	116.90	33.33	0.04	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:06:21	180.73		200.98	28.35	116.81	33.33	0.04	200.96	28.37		116.83	264.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:06:23	180.77		200.82	28.51	116.97	33.33	0.04	200.80	28.53		116.99	264.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:06:25	180.80		200.74	28.59	117.05	33.33	0.04	200.73	28.61		117.07	263.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:06:27	180.83		200.71	28.63	117.09	33.33	0.04	200.69	28.65		117.11	263.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:06:29	180.87		200.78	28.55	117.01	33.33	0.04	200.76	28.57		117.03	263.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:06:31	180.90		200.64	28.70	117.16	33.33	0.04	200.62	28.72		117.18	263.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:06:33	180.93		200.62	28.72	117.18	33.33	0.04	200.60	28.73		117.19	263.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:06:35	180.97		200.66	28.68	117.14	33.33	0.04	200.64	28.69		117.15	263.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:06:37	181.00		200.58	28.75	117.21	33.33	0.04	200.56	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:06:39	181.03		200.59	28.75	117.21	33.33	0.04	200.57	28.76		117.22	263.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:06:41	181.07		200.60	28.73	117.19	33.33	0.04	200.59	28.75		117.21	263.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:06:43	181.10		200.61	28.72	117.18	33.33	0.04	200.59	28.74		117.20	263.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:06:45	181.13		200.44	28.90	117.36	33.33	0.04	200.42	28.91		117.37	263.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:06:47	181.17		200.59	28.75	117.21	33.33	0.04	200.57	28.76		117.22	263.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:06:49	181.20		200.85	28.48	116.94	33.33	0.04	200.83	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:06:51	181.23		200.94	28.40	116.86	33.33	0.04	200.92	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:06:53	181.27		200.89	28.44	116.90	33.33	0.04	200.87	28.46		116.92	264.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:06:55	181.30		200.68	28.65	117.11	33.33	0.04	200.66	28.67		117.13	263.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:06:57	181.33		201.02	28.32	116.78	33.33	0.04	201.00	28.33		116.79	264.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:06:59	181.37		200.98	28.36	116.82	33.33	0.04	200.96	28.37		116.83	264.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:07:01	181.40		201.02	28.32	116.78	33.33	0.04	201.00	28.33		116.79	264.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:07:03	181.43		200.61	28.72	117.18	33.33	0.04	200.59	28.74		117.20	263.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:07:05	181.47		200.99	28.35	116.81	33.33	0.04	200.97	28.37		116.83	264.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:07:07	181.50		200.57	28.77	117.23	33.33	0.04	200.55	28.79		117.25	263.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:07:09	181.53		200.94	28.40	116.86	33.33	0.04	200.92	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:07:11	181.57		200.83	28.51	116.97	33.33	0.04	200.81	28.52		116.98	264.02

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:07:13	181.60		200.80	28.54	117.00	33.33	0.04	200.78	28.55		117.01	263.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:07:15	181.63		200.87	28.47	116.93	33.33	0.04	200.85	28.48		116.94	264.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:07:17	181.67		200.71	28.63	117.09	33.33	0.04	200.69	28.65		117.11	263.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:07:19	181.70		200.64	28.70	117.16	33.33	0.04	200.62	28.72		117.18	263.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:07:21	181.73		200.55	28.79	117.25	33.33	0.04	200.53	28.80		117.26	263.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:07:23	181.77		200.53	28.81	117.27	33.33	0.04	200.51	28.83		117.29	263.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:07:25	181.80		200.72	28.62	117.08	33.33	0.04	200.70	28.63		117.09	263.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:07:27	181.83		200.44	28.90	117.36	33.33	0.04	200.42	28.91		117.37	263.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:07:29	181.87		200.53	28.81	117.27	33.33	0.04	200.51	28.83		117.29	263.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:07:31	181.90		200.49	28.85	117.31	33.33	0.04	200.47	28.86		117.32	263.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:07:33	181.93		200.36	28.98	117.44	33.33	0.04	200.34	29.00		117.46	263.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:07:35	181.97		200.77	28.57	117.03	33.33	0.04	200.75	28.58		117.04	263.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:07:37	182.00		200.79	28.55	117.01	33.33	0.04	200.77	28.56		117.02	263.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:07:39	182.03		200.81	28.53	116.99	33.33	0.04	200.79	28.55		117.01	263.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:07:41	182.07		200.76	28.58	117.04	33.33	0.04	200.74	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:07:43	182.10		200.99	28.34	116.80	33.33	0.04	200.98	28.36		116.82	264.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:07:45	182.13		200.96	28.38	116.84	33.33	0.04	200.94	28.40		116.86	264.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:07:47	182.17		200.96	28.37	116.83	33.33	0.04	200.94	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:07:49	182.20		201.09	28.25	116.71	33.33	0.04	201.07	28.26		116.72	264.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:07:51	182.23		201.02	28.32	116.78	33.33	0.04	201.00	28.33		116.79	264.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:07:53	182.27		200.85	28.48	116.94	33.33	0.04	200.83	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:07:55	182.30		201.05	28.29	116.75	33.33	0.04	201.03	28.30		116.76	264.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:07:57	182.33		200.71	28.62	117.08	33.33	0.04	200.69	28.64		117.10	263.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:07:59	182.37		200.75	28.58	117.04	33.33	0.04	200.73	28.60		117.06	263.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:08:01	182.40		200.83	28.51	116.97	33.33	0.04	200.81	28.52		116.98	264.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:08:03	182.43		200.58	28.75	117.21	33.33	0.04	200.56	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:08:05	182.47		200.72	28.61	117.07	33.33	0.04	200.70	28.63		117.09	263.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:08:07	182.50		200.75	28.58	117.04	33.33	0.04	200.73	28.60		117.06	263.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:08:09	182.53		200.58	28.75	117.21	33.33	0.04	200.56	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:08:11	182.57		200.54	28.79	117.25	33.33	0.04	200.52	28.81		117.27	263.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:08:13	182.60		200.56	28.77	117.23	33.33	0.04	200.54	28.79		117.25	263.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:08:15	182.63		200.68	28.65	117.11	33.33	0.04	200.66	28.67		117.13	263.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:08:17	182.67		200.42	28.92	117.38	33.33	0.04	200.40	28.93		117.39	263.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:08:19	182.70		200.69	28.65	117.11	33.33	0.04	200.67	28.66		117.12	263.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:08:21	182.73		200.60	28.73	117.19	33.33	0.04	200.59	28.75		117.21	263.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:08:23	182.77		200.58	28.75	117.21	33.33	0.04	200.56	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:08:25	182.80		200.77	28.57	117.03	33.33	0.04	200.75	28.58		117.04	263.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:08:27	182.83		200.85	28.48	116.94	33.33	0.04	200.83	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:08:29	182.87		200.90	28.44	116.90	33.33	0.04	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:08:31	182.90		201.06	28.27	116.73	33.33	0.04	201.05	28.29		116.75	264.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:08:33	182.93		201.16	28.18	116.64	33.33	0.04	201.14	28.19		116.65	264.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:08:35	182.97		200.97	28.37	116.83	33.33	0.04	200.95	28.38		116.84	264.16
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:08:37	183.00		201.08	28.26	116.72	33.33	0.04	201.06	28.27		116.73	264.27
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:08:39	183.03		200.84	28.50	116.96	33.33	0.04	200.82	28.51		116.97	264.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:08:41	183.07		200.91	28.43	116.89	33.33	0.04	200.89	28.44		116.90	264.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:08:43	183.10		200.64	28.69	117.15	33.33	0.04	200.62	28.71		117.17	263.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:08:45	183.13		200.78	28.56	117.02	33.33	0.04	200.76	28.58		117.04	263.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:08:47	183.17		200.73	28.61	117.07	33.33	0.04	200.71	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:08:49	183.20		200.61	28.72	117.18	33.33	0.04	200.59	28.74		117.20	263.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:08:51	183.23		200.57	28.76	117.22	33.33	0.04	200.55	28.78		117.24	263.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:08:53	183.27		200.52	28.82	117.28	33.33	0.04	200.50	28.83		117.29	263.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:08:55	183.30		200.36	28.98	117.44	33.33	0.04	200.34	29.00		117.46	263.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:08:57	183.33		200.54	28.79	117.25	33.33	0.04	200.52	28.81		117.27	263.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:08:59	183.37		200.67	28.66	117.12	33.33	0.04	200.66	28.68		117.14	263.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:09:01	183.40		200.60	28.73	117.19	33.33	0.04	200.59	28.75		117.21	263.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:09:03	183.43		200.72	28.61	117.07	33.33	0.04	200.70	28.63		117.09	263.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:09:05	183.47		200.62	28.72	117.18	33.33	0.04	200.60	28.73		117.19	263.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:09:07	183.50		200.76	28.58	117.04	33.33	0.04	200.74	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:09:09	183.53		200.74	28.59	117.05	33.33	0.04	200.73	28.61		117.07	263.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:09:11	183.57		200.96	28.38	116.84	33.33	0.04	200.94	28.40		116.86	264.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:09:13	183.60		200.79	28.54	117.00	33.33	0.04	200.77	28.56		117.02	263.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:09:15	183.63		200.86	28.47	116.93	33.33	0.04	200.84	28.49		116.95	264.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:09:17	183.67		201.03	28.31	116.77	33.33	0.04	201.01	28.33		116.79	264.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:09:19	183.70		200.99	28.34	116.80	33.33	0.04	200.98	28.36		116.82	264.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:09:21	183.73		200.93	28.40	116.86	33.33	0.04	200.91	28.42		116.88	264.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:09:23	183.77		200.85	28.49	116.95	33.33	0.04	200.83	28.51		116.97	264.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:09:25	183.80		200.86	28.47	116.93	33.33	0.04	200.84	28.49		116.95	264.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:09:27	183.83		200.85	28.49	116.95	33.33	0.04	200.83	28.51		116.97	264.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:09:29	183.87		200.82	28.51	116.97	33.33	0.04	200.80	28.53		116.99	264.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:09:31	183.90		200.73	28.61	117.07	33.33	0.04	200.71	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:09:33	183.93		200.60	28.73	117.19	33.33	0.04	200.59	28.75		117.21	263.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:09:35	183.97		200.61	28.72	117.18	33.33	0.04	200.59	28.74		117.20	263.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:09:37	184.00		200.57	28.77	117.23	33.33	0.04	200.55	28.79		117.25	263.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:09:39	184.03		200.67	28.66	117.12	33.33	0.04	200.66	28.68		117.14	263.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:09:41	184.07		200.66	28.68	117.14	33.33	0.04	200.64	28.69		117.15	263.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:09:43	184.10		200.69	28.65	117.11	33.33	0.04	200.67	28.66		117.12	263.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:09:45	184.13		200.83	28.51	116.97	33.33	0.04	200.81	28.52		116.98	264.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:09:47	184.17		200.57	28.77	117.23	33.33	0.04	200.55	28.79		117.25	263.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:09:49	184.20		200.76	28.58	117.04	33.33	0.04	200.74	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:09:51	184.23		200.88	28.46	116.92	33.33	0.04	200.86	28.47		116.93	264.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:09:53	184.27		200.80	28.54	117.00	33.33	0.04	200.78	28.55		117.01	263.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:09:55	184.30		200.71	28.63	117.09	33.33	0.04	200.69	28.65		117.11	263.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:09:57	184.33		200.64	28.69	117.15	33.33	0.04	200.62	28.71		117.17	263.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:09:59	184.37		200.92	28.41	116.87	33.33	0.04	200.90	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:10:01	184.40		201.05	28.29	116.75	33.33	0.04	201.03	28.30		116.76	264.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:10:03	184.43		201.03	28.31	116.77	33.33	0.04	201.01	28.33		116.79	264.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:10:05	184.47		201.10	28.24	116.70	33.33	0.04	201.08	28.26		116.72	264.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:10:07	184.50		200.98	28.36	116.82	33.33	0.04	200.96	28.37		116.83	264.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:10:09	184.53		200.85	28.48	116.94	33.33	0.04	200.83	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:10:11	184.57		200.81	28.52	116.98	33.33	0.04	200.79	28.54		117.00	264.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:10:13	184.60		200.85	28.48	116.94	33.33	0.04	200.83	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:10:15	184.63		200.87	28.47	116.93	33.33	0.04	200.85	28.48		116.94	264.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:10:17	184.67		200.59	28.75	117.21	33.33	0.04	200.57	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:10:19	184.70		200.67	28.67	117.13	33.33	0.04	200.65	28.69		117.15	263.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:10:21	184.73		200.60	28.73	117.19	33.33	0.04	200.58	28.75		117.21	263.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:10:23	184.77		200.50	28.84	117.30	33.33	0.04	200.48	28.86		117.32	263.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:10:25	184.80		200.60	28.73	117.19	33.33	0.04	200.58	28.75		117.21	263.79

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:10:27	184.83		200.55	28.79	117.25	33.33	0.04	200.53	28.80		117.26	263.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:10:29	184.87		200.35	28.99	117.45	33.33	0.04	200.33	29.01		117.47	263.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:10:31	184.90		200.56	28.78	117.24	33.33	0.04	200.54	28.80		117.26	263.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:10:33	184.93		200.53	28.81	117.27	33.33	0.04	200.51	28.83		117.29	263.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:10:35	184.97		200.79	28.54	117.00	33.33	0.04	200.77	28.56		117.02	263.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:10:37	185.00		200.88	28.46	116.92	33.33	0.04	200.86	28.48		116.94	264.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:10:39	185.03		200.90	28.44	116.90	33.33	0.04	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:10:41	185.07		200.79	28.54	117.00	33.33	0.04	200.77	28.56		117.02	263.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:10:43	185.10		200.71	28.62	117.08	33.33	0.04	200.69	28.64		117.10	263.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:10:45	185.13		200.92	28.41	116.87	33.33	0.04	200.90	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:10:47	185.17		200.80	28.54	117.00	33.33	0.04	200.78	28.55		117.01	263.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:10:49	185.20		201.05	28.29	116.75	33.33	0.04	201.03	28.30		116.76	264.24
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:10:51	185.23		200.96	28.37	116.83	33.33	0.04	200.94	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:10:53	185.27		201.03	28.31	116.77	33.33	0.04	201.01	28.33		116.79	264.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:10:55	185.30		201.03	28.31	116.77	33.33	0.04	201.01	28.33		116.79	264.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:10:57	185.33		200.82	28.51	116.97	33.33	0.04	200.80	28.53		116.99	264.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:10:59	185.37		200.78	28.55	117.01	33.33	0.04	200.76	28.57		117.03	263.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:11:01	185.40		200.67	28.67	117.13	33.33	0.04	200.65	28.69		117.15	263.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:11:03	185.43		200.71	28.63	117.09	33.33	0.04	200.69	28.65		117.11	263.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:11:05	185.47		200.71	28.63	117.09	33.33	0.04	200.69	28.65		117.11	263.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:11:07	185.50		200.48	28.86	117.32	33.33	0.04	200.46	28.87		117.33	263.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:11:09	185.53		200.50	28.83	117.29	33.33	0.04	200.48	28.85		117.31	263.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:11:11	185.57		200.28	29.05	117.51	33.33	0.04	200.26	29.07		117.53	263.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:11:13	185.60		200.59	28.75	117.21	33.33	0.04	200.57	28.76		117.22	263.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:11:15	185.63		200.50	28.83	117.29	33.33	0.04	200.48	28.85		117.31	263.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:11:17	185.67		200.43	28.90	117.36	33.33	0.04	200.41	28.92		117.38	263.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:11:19	185.70		200.65	28.68	117.14	33.33	0.04	200.63	28.70		117.16	263.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:11:21	185.73		200.71	28.62	117.08	33.33	0.04	200.69	28.64		117.10	263.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:11:23	185.77		200.71	28.63	117.09	33.33	0.04	200.69	28.65		117.11	263.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:11:25	185.80		200.88	28.45	116.91	33.33	0.04	200.86	28.47		116.93	264.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:11:27	185.83		200.88	28.45	116.91	33.33	0.04	200.86	28.47		116.93	264.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:11:29	185.87		200.71	28.62	117.08	33.33	0.04	200.69	28.64		117.10	263.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:11:31	185.90		200.95	28.39	116.85	33.33	0.04	200.93	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:11:33	185.93		200.92	28.42	116.88	33.33	0.04	200.90	28.44		116.90	264.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:11:35	185.97		200.98	28.36	116.82	33.33	0.04	200.96	28.37		116.83	264.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:11:37	186.00		200.91	28.43	116.89	33.33	0.04	200.89	28.44		116.90	264.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:11:39	186.03		200.90	28.44	116.90	33.33	0.04	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:11:41	186.07		201.13	28.21	116.67	33.33	0.04	201.11	28.23		116.69	264.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:11:43	186.10		200.63	28.71	117.17	33.33	0.04	200.61	28.73		117.19	263.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:11:45	186.13		200.74	28.60	117.06	33.33	0.04	200.72	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:11:47	186.17		200.57	28.77	117.23	33.33	0.04	200.55	28.79		117.25	263.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:11:49	186.20		200.54	28.79	117.25	33.33	0.04	200.52	28.81		117.27	263.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:11:51	186.23		200.53	28.81	117.27	33.33	0.04	200.51	28.83		117.29	263.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:11:53	186.27		200.44	28.90	117.36	33.33	0.04	200.42	28.91		117.37	263.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:11:55	186.30		200.53	28.81	117.27	33.33	0.04	200.51	28.83		117.29	263.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:11:57	186.33		200.60	28.73	117.19	33.33	0.04	200.58	28.75		117.21	263.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:11:59	186.37		200.61	28.72	117.18	33.33	0.04	200.59	28.74		117.20	263.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:12:01	186.40		200.66	28.68	117.14	33.33	0.04	200.64	28.69		117.15	263.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:12:03	186.43		200.46	28.87	117.33	33.33	0.04	200.44	28.89		117.35	263.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:12:05	186.47		200.48	28.86	117.32	33.33	0.04	200.46	28.87		117.33	263.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:12:07	186.50		200.63	28.71	117.17	33.33	0.04	200.61	28.73		117.19	263.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:12:09	186.53		200.78	28.55	117.01	33.33	0.04	200.76	28.57		117.03	263.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:12:11	186.57		200.71	28.62	117.08	33.33	0.04	200.69	28.64		117.10	263.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:12:13	186.60		200.71	28.62	117.08	33.33	0.04	200.69	28.64		117.10	263.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:12:15	186.63		200.74	28.60	117.06	33.33	0.04	200.72	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:12:17	186.67		201.10	28.24	116.70	33.33	0.04	201.08	28.26		116.72	264.28
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:12:19	186.70		200.91	28.43	116.89	33.33	0.04	200.89	28.44		116.90	264.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:12:21	186.73		201.04	28.30	116.76	33.33	0.04	201.02	28.31		116.77	264.23
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:12:23	186.77		200.98	28.36	116.82	33.33	0.04	200.96	28.37		116.83	264.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:12:25	186.80		200.84	28.50	116.96	33.33	0.04	200.82	28.51		116.97	264.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:12:27	186.83		200.74	28.60	117.06	33.33	0.04	200.72	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:12:29	186.87		200.70	28.64	117.10	33.33	0.04	200.68	28.66		117.12	263.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:12:31	186.90		200.55	28.79	117.25	33.33	0.04	200.53	28.80		117.26	263.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:12:33	186.93		200.51	28.83	117.29	33.33	0.04	200.49	28.84		117.30	263.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:12:35	186.97		200.71	28.63	117.09	33.33	0.04	200.69	28.65		117.11	263.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:12:37	187.00		200.73	28.61	117.07	33.33	0.04	200.71	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:12:39	187.03		200.63	28.71	117.17	33.33	0.04	200.61	28.73		117.19	263.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:12:41	187.07		200.61	28.72	117.18	33.33	0.04	200.59	28.74		117.20	263.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:12:43	187.10		200.60	28.74	117.20	33.33	0.04	200.58	28.76		117.22	263.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:12:45	187.13		200.73	28.61	117.07	33.33	0.04	200.71	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:12:47	187.17		200.41	28.93	117.39	33.33	0.04	200.39	28.94		117.40	263.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:12:49	187.20		200.70	28.64	117.10	33.33	0.04	200.68	28.66		117.12	263.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:12:51	187.23		200.78	28.56	117.02	33.33	0.04	200.76	28.58		117.04	263.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:12:53	187.27		200.74	28.60	117.06	33.33	0.04	200.72	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:12:55	187.30		200.60	28.73	117.19	33.33	0.04	200.58	28.75		117.21	263.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:12:57	187.33		200.69	28.65	117.11	33.33	0.04	200.67	28.66		117.12	263.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:12:59	187.37		200.68	28.65	117.11	33.33	0.04	200.66	28.67		117.13	263.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:13:01	187.40		200.85	28.48	116.94	33.33	0.04	200.83	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:13:03	187.43		200.91	28.43	116.89	33.33	0.04	200.89	28.44		116.90	264.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:13:05	187.47		200.84	28.50	116.96	33.33	0.04	200.82	28.51		116.97	264.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:13:07	187.50		200.98	28.36	116.82	33.33	0.04	200.96	28.37		116.83	264.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:13:09	187.53		200.99	28.35	116.81	33.33	0.04	200.97	28.37		116.83	264.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:13:11	187.57		200.96	28.38	116.84	33.33	0.04	200.94	28.40		116.86	264.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:13:13	187.60		200.86	28.47	116.93	33.33	0.04	200.84	28.49		116.95	264.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:13:15	187.63		200.62	28.72	117.18	33.33	0.04	200.60	28.73		117.19	263.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:13:17	187.67		200.72	28.61	117.07	33.33	0.04	200.70	28.63		117.09	263.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:13:19	187.70		200.67	28.66	117.12	33.33	0.04	200.65	28.68		117.14	263.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:13:21	187.73		200.46	28.87	117.33	33.33	0.04	200.44	28.89		117.35	263.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:13:23	187.77		200.75	28.58	117.04	33.33	0.04	200.73	28.60		117.06	263.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:13:25	187.80		200.57	28.76	117.22	33.33	0.04	200.55	28.78		117.24	263.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:13:27	187.83		200.36	28.98	117.44	33.33	0.04	200.34	29.00		117.46	263.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:13:29	187.87		200.71	28.62	117.08	33.33	0.04	200.69	28.64		117.10	263.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:13:31	187.90		200.58	28.75	117.21	33.33	0.04	200.56	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:13:33	187.93		200.60	28.73	117.19	33.33	0.04	200.58	28.75		117.21	263.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:13:35	187.97		200.56	28.78	117.24	33.33	0.04	200.54	28.80		117.26	263.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:13:37	188.00		200.67	28.67	117.13	33.33	0.04	200.65	28.69		117.15	263.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:13:39	188.03		200.58	28.75	117.21	33.33	0.04	200.56	28.77		117.23	263.77

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:13:41	188.07		200.78	28.55	117.01	33.33	0.04	200.76	28.57		117.03	263.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:13:43	188.10		200.62	28.72	117.18	33.33	0.04	200.60	28.73		117.19	263.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:13:45	188.13		200.95	28.39	116.85	33.33	0.04	200.93	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:13:47	188.17		200.94	28.40	116.86	33.33	0.04	200.92	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:13:49	188.20		200.90	28.44	116.90	33.33	0.04	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:13:51	188.23		200.78	28.55	117.01	33.33	0.04	200.76	28.57		117.03	263.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:13:53	188.27		200.96	28.37	116.83	33.33	0.04	200.94	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:13:55	188.30		200.64	28.70	117.16	33.33	0.04	200.62	28.72		117.18	263.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:13:57	188.33		200.69	28.65	117.11	33.33	0.04	200.67	28.67		117.13	263.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:13:59	188.37		200.78	28.56	117.02	33.33	0.04	200.76	28.58		117.04	263.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:14:01	188.40		200.73	28.61	117.07	33.33	0.04	200.71	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:14:03	188.43		200.76	28.58	117.04	33.33	0.04	200.74	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:14:05	188.47		200.73	28.61	117.07	33.33	0.04	200.71	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:14:07	188.50		200.57	28.76	117.22	33.33	0.04	200.55	28.78		117.24	263.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:14:09	188.53		200.53	28.81	117.27	33.33	0.04	200.51	28.83		117.29	263.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:14:11	188.57		200.76	28.58	117.04	33.33	0.04	200.74	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:14:13	188.60		200.64	28.69	117.15	33.33	0.04	200.62	28.71		117.17	263.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:14:15	188.63		200.63	28.71	117.17	33.33	0.04	200.61	28.73		117.19	263.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:14:17	188.67		200.62	28.72	117.18	33.33	0.04	200.60	28.73		117.19	263.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:14:19	188.70		200.48	28.86	117.32	33.33	0.04	200.46	28.87		117.33	263.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:14:21	188.73		200.73	28.61	117.07	33.33	0.04	200.71	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:14:23	188.77		200.54	28.79	117.25	33.33	0.04	200.52	28.81		117.27	263.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:14:25	188.80		200.84	28.50	116.96	33.33	0.04	200.82	28.51		116.97	264.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:14:27	188.83		200.92	28.42	116.88	33.33	0.04	200.90	28.44		116.90	264.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:14:29	188.87		200.69	28.65	117.11	33.33	0.04	200.67	28.66		117.12	263.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:14:31	188.90		200.77	28.57	117.03	33.33	0.04	200.75	28.58		117.04	263.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:14:33	188.93		200.91	28.42	116.88	33.33	0.04	200.89	28.44		116.90	264.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:14:35	188.97		200.96	28.38	116.84	33.33	0.04	200.94	28.40		116.86	264.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:14:37	189.00		200.90	28.44	116.90	33.33	0.04	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:14:39	189.03		200.90	28.44	116.90	33.33	0.04	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:14:41	189.07		200.83	28.51	116.97	33.33	0.04	200.81	28.52		116.98	264.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:14:43	189.10		200.86	28.47	116.93	33.33	0.04	200.84	28.49		116.95	264.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:14:45	189.13		200.85	28.49	116.95	33.33	0.04	200.83	28.51		116.97	264.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:14:47	189.17		200.78	28.56	117.02	33.33	0.04	200.76	28.58		117.04	263.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:14:49	189.20		200.61	28.72	117.18	33.33	0.04	200.59	28.74		117.20	263.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:14:51	189.23		200.65	28.68	117.14	33.33	0.04	200.63	28.70		117.16	263.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:14:53	189.27		200.73	28.61	117.07	33.33	0.04	200.71	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:14:55	189.30		200.64	28.70	117.16	33.33	0.04	200.62	28.72		117.18	263.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:14:57	189.33		200.50	28.84	117.30	33.33	0.04	200.48	28.86		117.32	263.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:14:59	189.37		200.56	28.78	117.24	33.33	0.04	200.54	28.80		117.26	263.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:15:01	189.40		200.45	28.89	117.35	33.33	0.04	200.43	28.90		117.36	263.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:15:03	189.43		200.42	28.92	117.38	33.33	0.04	200.40	28.94		117.40	263.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:15:05	189.47		200.22	29.11	117.57	33.33	0.04	200.20	29.13		117.59	263.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:15:07	189.50		200.71	28.63	117.09	33.33	0.04	200.69	28.65		117.11	263.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:15:09	189.53		200.67	28.66	117.12	33.33	0.04	200.65	28.68		117.14	263.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:15:11	189.57		200.78	28.56	117.02	33.33	0.04	200.76	28.58		117.04	263.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:15:13	189.60		200.64	28.70	117.16	33.33	0.04	200.62	28.72		117.18	263.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:15:15	189.63		200.37	28.97	117.43	33.33	0.04	200.35	28.98		117.44	263.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:15:17	189.67		200.76	28.58	117.04	33.33	0.04	200.74	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:15:19	189.70		200.73	28.61	117.07	33.33	0.04	200.71	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:15:21	189.73		200.76	28.58	117.04	33.33	0.04	200.74	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:15:23	189.77		201.01	28.33	116.79	33.33	0.04	200.99	28.34		116.80	264.20
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:15:25	189.80		200.93	28.40	116.86	33.33	0.04	200.91	28.42		116.88	264.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:15:27	189.83		200.71	28.62	117.08	33.33	0.04	200.69	28.64		117.10	263.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:15:29	189.87		200.74	28.59	117.05	33.33	0.04	200.72	28.61		117.07	263.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:15:31	189.90		200.81	28.53	116.99	33.33	0.04	200.79	28.55		117.01	263.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:15:33	189.93		200.65	28.69	117.15	33.33	0.04	200.63	28.70		117.16	263.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:15:35	189.97		200.33	29.01	117.47	33.33	0.04	200.31	29.02		117.48	263.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:15:37	190.00		200.58	28.75	117.21	33.33	0.04	200.56	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:15:39	190.03		200.53	28.80	117.26	33.33	0.04	200.51	28.82		117.28	263.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:15:41	190.07		200.50	28.84	117.30	33.33	0.04	200.48	28.86		117.32	263.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:15:43	190.10		200.41	28.93	117.39	33.33	0.04	200.39	28.94		117.40	263.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:15:45	190.13		200.60	28.74	117.20	33.33	0.04	200.58	28.76		117.22	263.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:15:47	190.17		200.67	28.66	117.12	33.33	0.04	200.65	28.68		117.14	263.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:15:49	190.20		200.40	28.94	117.40	33.33	0.04	200.38	28.95		117.41	263.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:15:51	190.23		200.59	28.75	117.21	33.33	0.04	200.57	28.76		117.22	263.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:15:53	190.27		200.66	28.68	117.14	33.33	0.04	200.64	28.69		117.15	263.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:15:55	190.30		200.69	28.65	117.11	33.33	0.04	200.67	28.66		117.12	263.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:15:57	190.33		200.79	28.54	117.00	33.33	0.04	200.77	28.56		117.02	263.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:15:59	190.37		200.88	28.45	116.91	33.33	0.04	200.86	28.47		116.93	264.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:16:01	190.40		200.96	28.38	116.84	33.33	0.04	200.94	28.40		116.86	264.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:16:03	190.43		201.06	28.27	116.73	33.33	0.04	201.04	28.29		116.75	264.25
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:16:05	190.47		200.88	28.46	116.92	33.33	0.04	200.86	28.48		116.94	264.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:16:07	190.50		201.07	28.26	116.72	33.33	0.04	201.05	28.28		116.74	264.26
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:16:09	190.53		200.99	28.35	116.81	33.33	0.04	200.97	28.37		116.83	264.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:16:11	190.57		200.90	28.44	116.90	33.33	0.04	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:16:13	190.60		200.85	28.48	116.94	33.33	0.04	200.83	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:16:15	190.63		200.77	28.57	117.03	33.33	0.04	200.75	28.58		117.04	263.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:16:17	190.67		200.79	28.54	117.00	33.33	0.04	200.77	28.56		117.02	263.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:16:19	190.70		200.72	28.61	117.07	33.33	0.04	200.70	28.63		117.09	263.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:16:21	190.73		200.82	28.51	116.97	33.33	0.04	200.80	28.53		116.99	264.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:16:23	190.77		200.51	28.83	117.29	33.33	0.04	200.49	28.84		117.30	263.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:16:25	190.80		200.60	28.73	117.19	33.33	0.04	200.58	28.75		117.21	263.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:16:27	190.83		200.48	28.86	117.32	33.33	0.04	200.46	28.87		117.33	263.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:16:29	190.87		200.41	28.93	117.39	33.33	0.04	200.39	28.94		117.40	263.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:16:31	190.90		200.49	28.85	117.31	33.33	0.04	200.47	28.87		117.33	263.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:16:33	190.93		200.53	28.80	117.26	33.33	0.04	200.51	28.82		117.28	263.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:16:35	190.97		200.51	28.83	117.29	33.33	0.04	200.49	28.84		117.30	263.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:16:37	191.00		200.72	28.61	117.07	33.33	0.04	200.70	28.63		117.09	263.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:16:39	191.03		200.81	28.52	116.98	33.33	0.04	200.79	28.54		117.00	264.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:16:41	191.07		200.66	28.68	117.14	33.33	0.04	200.64	28.69		117.15	263.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:16:43	191.10		200.65	28.68	117.14	33.33	0.04	200.63	28.70		117.16	263.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:16:45	191.13		200.94	28.40	116.86	33.33	0.04	200.92	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:16:47	191.17		200.84	28.50	116.96	33.33	0.04	200.82	28.51		116.97	264.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:16:49	191.20		200.67	28.67	117.13	33.33	0.04	200.65	28.69		117.15	263.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:16:51	191.23		200.84	28.50	116.96	33.33	0.04	200.82	28.51		116.97	264.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:16:53	191.27		200.89	28.44	116.90	33.33	0.04	200.87	28.46		116.92	264.08

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:16:55	191.30		201.10	28.23	116.69	33.33	0.04	201.08	28.25		116.71	264.29
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:16:57	191.33		200.83	28.51	116.97	33.33	0.04	200.81	28.52		116.98	264.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:16:59	191.37		200.78	28.55	117.01	33.33	0.04	200.76	28.57		117.03	263.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:17:01	191.40		200.85	28.49	116.95	33.33	0.04	200.83	28.51		116.97	264.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:17:03	191.43		200.58	28.75	117.21	33.33	0.04	200.56	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:17:05	191.47		200.25	29.09	117.55	33.33	0.04	200.23	29.11		117.57	263.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:17:07	191.50		200.56	28.78	117.24	33.33	0.04	200.54	28.80		117.26	263.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:17:09	191.53		200.45	28.89	117.35	33.33	0.04	200.43	28.90		117.36	263.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:17:11	191.57		200.59	28.75	117.21	33.33	0.04	200.57	28.76		117.22	263.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:17:13	191.60		200.50	28.84	117.30	33.33	0.04	200.48	28.86		117.32	263.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:17:15	191.63		200.56	28.78	117.24	33.33	0.04	200.54	28.80		117.26	263.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:17:17	191.67		200.45	28.89	117.35	33.33	0.04	200.43	28.91		117.37	263.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:17:19	191.70		200.33	29.00	117.46	33.33	0.04	200.31	29.02		117.48	263.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:17:21	191.73		200.63	28.71	117.17	33.33	0.04	200.61	28.73		117.19	263.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:17:23	191.77		200.66	28.68	117.14	33.33	0.04	200.64	28.69		117.15	263.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:17:25	191.80		200.36	28.98	117.44	33.33	0.04	200.34	29.00		117.46	263.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:17:27	191.83		200.53	28.80	117.26	33.33	0.04	200.51	28.82		117.28	263.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:17:29	191.87		200.74	28.60	117.06	33.33	0.04	200.72	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:17:31	191.90		200.58	28.75	117.21	33.33	0.04	200.56	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:17:33	191.93		200.80	28.53	116.99	33.33	0.04	200.78	28.55		117.01	263.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:17:35	191.97		200.98	28.36	116.82	33.33	0.04	200.96	28.37		116.83	264.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:17:37	192.00		200.79	28.54	117.00	33.33	0.04	200.77	28.56		117.02	263.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:17:39	192.03		200.90	28.44	116.90	33.33	0.04	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:17:41	192.07		200.99	28.35	116.81	33.33	0.04	200.97	28.37		116.83	264.17
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:17:43	192.10		200.89	28.44	116.90	33.33	0.04	200.87	28.46		116.92	264.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:17:45	192.13		200.58	28.75	117.21	33.33	0.04	200.56	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:17:47	192.17		200.50	28.83	117.29	33.33	0.04	200.48	28.85		117.31	263.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:17:49	192.20		200.50	28.84	117.30	33.33	0.04	200.48	28.85		117.31	263.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:17:51	192.23		200.43	28.90	117.36	33.33	0.04	200.41	28.92		117.38	263.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:17:53	192.27		200.67	28.67	117.13	33.33	0.04	200.65	28.69		117.15	263.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:17:55	192.30		200.27	29.07	117.53	33.33	0.04	200.25	29.08		117.54	263.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:17:57	192.33		200.59	28.75	117.21	33.33	0.04	200.57	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:17:59	192.37		200.67	28.66	117.12	33.33	0.04	200.65	28.68		117.14	263.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:18:01	192.40		200.57	28.77	117.23	33.33	0.04	200.55	28.79		117.25	263.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:18:03	192.43		200.43	28.90	117.36	33.33	0.04	200.41	28.92		117.38	263.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:18:05	192.47		200.30	29.04	117.50	33.33	0.04	200.28	29.05		117.51	263.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:18:07	192.50		200.45	28.89	117.35	33.33	0.04	200.43	28.90		117.36	263.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:18:09	192.53		200.70	28.63	117.09	33.33	0.04	200.68	28.65		117.11	263.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:18:11	192.57		200.53	28.80	117.26	33.33	0.04	200.51	28.82		117.28	263.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:18:13	192.60		200.65	28.68	117.14	33.33	0.04	200.63	28.70		117.16	263.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:18:15	192.63		200.89	28.44	116.90	33.33	0.04	200.87	28.46		116.92	264.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:18:17	192.67		200.72	28.61	117.07	33.33	0.04	200.70	28.63		117.09	263.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:18:19	192.70		200.77	28.57	117.03	33.33	0.04	200.75	28.58		117.04	263.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:18:21	192.73		200.74	28.59	117.05	33.33	0.04	200.72	28.61		117.07	263.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:18:23	192.77		200.95	28.39	116.85	33.33	0.04	200.93	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:18:25	192.80		200.84	28.50	116.96	33.33	0.04	200.82	28.51		116.97	264.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:18:27	192.83		200.99	28.34	116.80	33.33	0.04	200.97	28.36		116.82	264.18
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:18:29	192.87		200.72	28.61	117.07	33.33	0.04	200.70	28.63		117.09	263.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:18:31	192.90		200.78	28.56	117.02	33.33	0.04	200.76	28.58		117.04	263.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:18:33	192.93		200.60	28.73	117.19	33.33	0.04	200.58	28.75		117.21	263.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:18:35	192.97		200.53	28.80	117.26	33.33	0.04	200.51	28.82		117.28	263.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:18:37	193.00		200.53	28.81	117.27	33.33	0.04	200.51	28.83		117.29	263.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:18:39	193.03		200.25	29.08	117.54	33.33	0.04	200.23	29.10		117.56	263.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:18:41	193.07		200.47	28.86	117.32	33.33	0.04	200.45	28.88		117.34	263.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:18:43	193.10		200.69	28.65	117.11	33.33	0.04	200.67	28.66		117.12	263.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:18:45	193.13		200.46	28.88	117.34	33.33	0.04	200.44	28.90		117.36	263.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:18:47	193.17		200.34	29.00	117.46	33.33	0.04	200.32	29.01		117.47	263.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:18:49	193.20		200.50	28.83	117.29	33.33	0.04	200.48	28.85		117.31	263.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:18:51	193.23		200.57	28.76	117.22	33.33	0.04	200.55	28.78		117.24	263.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:18:53	193.27		200.66	28.68	117.14	33.33	0.04	200.64	28.69		117.15	263.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:18:55	193.30		200.44	28.90	117.36	33.33	0.04	200.42	28.91		117.37	263.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:18:57	193.33		200.60	28.73	117.19	33.33	0.04	200.58	28.75		117.21	263.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:18:59	193.37		200.69	28.65	117.11	33.33	0.04	200.67	28.66		117.12	263.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:19:01	193.40		200.77	28.57	117.03	33.33	0.04	200.75	28.58		117.04	263.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:19:03	193.43		200.95	28.39	116.85	33.33	0.04	200.93	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:19:05	193.47		200.82	28.51	116.97	33.33	0.04	200.80	28.53		116.99	264.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:19:07	193.50		200.78	28.56	117.02	33.33	0.04	200.76	28.58		117.04	263.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:19:09	193.53		200.85	28.49	116.95	33.33	0.04	200.83	28.51		116.97	264.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:19:11	193.57		200.86	28.47	116.93	33.33	0.04	200.84	28.49		116.95	264.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:19:13	193.60		200.82	28.51	116.97	33.33	0.04	200.80	28.53		116.99	264.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:19:15	193.63		200.75	28.58	117.04	33.33	0.04	200.73	28.60		117.06	263.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:19:17	193.67		200.78	28.56	117.02	33.33	0.04	200.76	28.58		117.04	263.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:19:19	193.70		200.86	28.47	116.93	33.33	0.04	200.84	28.49		116.95	264.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:19:21	193.73		200.58	28.75	117.21	33.33	0.04	200.56	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:19:23	193.77		200.57	28.77	117.23	33.33	0.04	200.55	28.79		117.25	263.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:19:25	193.80		200.39	28.95	117.41	33.33	0.04	200.37	28.97		117.43	263.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:19:27	193.83		200.42	28.92	117.38	33.33	0.04	200.40	28.94		117.40	263.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:19:29	193.87		200.36	28.97	117.43	33.33	0.04	200.34	28.99		117.45	263.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:19:31	193.90		200.51	28.83	117.29	33.33	0.04	200.49	28.84		117.30	263.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:19:33	193.93		200.50	28.84	117.30	33.33	0.04	200.48	28.85		117.31	263.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:19:35	193.97		200.56	28.78	117.24	33.33	0.04	200.54	28.80		117.26	263.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:19:37	194.00		200.55	28.79	117.25	33.33	0.04	200.53	28.80		117.26	263.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:19:39	194.03		200.72	28.61	117.07	33.33	0.04	200.70	28.63		117.09	263.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:19:41	194.07		200.76	28.58	117.04	33.33	0.04	200.74	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:19:43	194.10		200.59	28.75	117.21	33.33	0.04	200.57	28.76		117.22	263.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:19:45	194.13		200.80	28.53	116.99	33.33	0.04	200.78	28.55		117.01	263.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:19:47	194.17		200.66	28.68	117.14	33.33	0.04	200.64	28.69		117.15	263.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:19:49	194.20		200.83	28.51	116.97	33.33	0.04	200.81	28.52		116.98	264.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:19:51	194.23		200.64	28.69	117.15	33.33	0.04	200.62	28.71		117.17	263.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:19:53	194.27		200.87	28.46	116.92	33.33	0.04	200.85	28.48		116.94	264.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:19:55	194.30		200.81	28.52	116.98	33.33	0.04	200.79	28.54		117.00	264.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:19:57	194.33		200.89	28.44	116.90	33.33	0.04	200.87	28.46		116.92	264.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:19:59	194.37		200.94	28.40	116.86	33.33	0.04	200.92	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:20:01	194.40		200.81	28.52	116.98	33.33	0.04	200.79	28.54		117.00	264.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:20:03	194.43		200.45	28.89	117.35	33.33	0.04	200.43	28.91		117.37	263.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:20:05	194.47		200.50	28.84	117.30	33.33	0.04	200.47	28.86		117.32	263.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:20:07	194.50		200.59	28.75	117.21	33.33	0.04	200.57	28.77		117.23	263.77

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:20:09	194.53		200.56	28.78	117.24	33.33	0.04	200.54	28.80		117.26	263.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:20:11	194.57		200.36	28.98	117.44	33.33	0.04	200.33	29.00		117.46	263.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:20:13	194.60		200.56	28.78	117.24	33.33	0.04	200.54	28.80		117.26	263.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:20:15	194.63		200.49	28.85	117.31	33.33	0.04	200.47	28.87		117.33	263.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:20:17	194.67		200.53	28.80	117.26	33.33	0.04	200.51	28.82		117.28	263.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:20:19	194.70		200.37	28.97	117.43	33.33	0.04	200.35	28.98		117.44	263.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:20:21	194.73		200.47	28.86	117.32	33.33	0.04	200.45	28.88		117.34	263.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:20:23	194.77		200.44	28.90	117.36	33.33	0.04	200.42	28.91		117.37	263.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:20:25	194.80		200.55	28.79	117.25	33.33	0.04	200.53	28.80		117.26	263.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:20:27	194.83		200.64	28.70	117.16	33.33	0.04	200.61	28.72		117.18	263.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:20:29	194.87		200.79	28.54	117.00	33.33	0.04	200.77	28.56		117.02	263.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:20:31	194.90		200.81	28.52	116.98	33.33	0.04	200.79	28.54		117.00	264.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:20:33	194.93		200.73	28.61	117.07	33.33	0.04	200.71	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:20:35	194.97		200.81	28.52	116.98	33.33	0.04	200.79	28.54		117.00	264.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:20:37	195.00		200.74	28.60	117.06	33.33	0.04	200.72	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:20:39	195.03		200.72	28.61	117.07	33.33	0.04	200.70	28.63		117.09	263.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:20:41	195.07		200.92	28.41	116.87	33.33	0.04	200.90	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:20:43	195.10		200.91	28.43	116.89	33.33	0.04	200.89	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:20:45	195.13		200.74	28.60	117.06	33.33	0.04	200.72	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:20:47	195.17		200.62	28.72	117.18	33.33	0.04	200.60	28.73		117.19	263.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:20:49	195.20		200.63	28.71	117.17	33.33	0.04	200.61	28.73		117.19	263.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:20:51	195.23		200.31	29.03	117.49	33.33	0.04	200.29	29.05		117.51	263.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:20:53	195.27		200.50	28.83	117.29	33.33	0.04	200.48	28.85		117.31	263.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:20:55	195.30		200.24	29.09	117.55	33.33	0.04	200.22	29.11		117.57	263.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:20:57	195.33		200.62	28.72	117.18	33.33	0.04	200.60	28.73		117.19	263.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:20:59	195.37		200.54	28.79	117.25	33.33	0.04	200.52	28.81		117.27	263.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:21:01	195.40		200.67	28.67	117.13	33.33	0.04	200.65	28.69		117.15	263.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:21:03	195.43		200.45	28.89	117.35	33.33	0.04	200.43	28.91		117.37	263.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:21:05	195.47		200.52	28.82	117.28	33.33	0.04	200.49	28.84		117.30	263.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:21:07	195.50		200.53	28.80	117.26	33.33	0.04	200.51	28.82		117.28	263.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:21:09	195.53		200.66	28.68	117.14	33.33	0.04	200.64	28.70		117.16	263.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:21:11	195.57		200.64	28.69	117.15	33.33	0.04	200.62	28.71		117.17	263.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:21:13	195.60		200.58	28.75	117.21	33.33	0.04	200.56	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:21:15	195.63		200.78	28.55	117.01	33.33	0.04	200.76	28.57		117.03	263.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:21:17	195.67		200.81	28.53	116.99	33.33	0.04	200.79	28.55		117.01	263.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:21:19	195.70		200.70	28.64	117.10	33.33	0.04	200.68	28.66		117.12	263.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:21:21	195.73		200.70	28.64	117.10	33.33	0.04	200.68	28.66		117.12	263.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:21:23	195.77		200.81	28.53	116.99	33.33	0.04	200.79	28.55		117.01	263.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:21:25	195.80		200.74	28.60	117.06	33.33	0.04	200.72	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:21:27	195.83		200.66	28.68	117.14	33.33	0.04	200.64	28.70		117.16	263.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:21:29	195.87		200.73	28.61	117.07	33.33	0.04	200.71	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:21:31	195.90		200.65	28.68	117.14	33.33	0.04	200.63	28.70		117.16	263.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:21:33	195.93		200.59	28.75	117.21	33.33	0.04	200.57	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:21:35	195.97		200.65	28.68	117.14	33.33	0.04	200.63	28.70		117.16	263.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:21:37	196.00		200.71	28.63	117.09	33.33	0.04	200.68	28.65		117.11	263.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:21:39	196.03		200.61	28.72	117.18	33.33	0.04	200.59	28.74		117.20	263.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:21:41	196.07		200.56	28.78	117.24	33.33	0.04	200.54	28.80		117.26	263.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:21:43	196.10		200.46	28.88	117.34	33.33	0.04	200.44	28.90		117.36	263.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:21:45	196.13		200.81	28.53	116.99	33.33	0.04	200.79	28.55		117.01	263.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:21:47	196.17		200.76	28.58	117.04	33.33	0.04	200.74	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:21:49	196.20		200.51	28.83	117.29	33.33	0.04	200.49	28.84		117.30	263.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:21:51	196.23		200.57	28.77	117.23	33.33	0.04	200.54	28.79		117.25	263.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:21:53	196.27		200.77	28.57	117.03	33.33	0.04	200.75	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:21:55	196.30		200.45	28.89	117.35	33.33	0.04	200.43	28.91		117.37	263.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:21:57	196.33		200.69	28.65	117.11	33.33	0.04	200.67	28.66		117.12	263.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:21:59	196.37		200.71	28.63	117.09	33.33	0.04	200.68	28.65		117.11	263.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:22:01	196.40		200.66	28.67	117.13	33.33	0.04	200.64	28.69		117.15	263.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:22:03	196.43		200.74	28.60	117.06	33.33	0.04	200.72	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:22:05	196.47		200.95	28.39	116.85	33.33	0.04	200.93	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:22:07	196.50		200.76	28.58	117.04	33.33	0.04	200.74	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:22:09	196.53		200.67	28.66	117.12	33.33	0.04	200.65	28.68		117.14	263.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:22:11	196.57		200.76	28.58	117.04	33.33	0.04	200.74	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:22:13	196.60		200.95	28.39	116.85	33.33	0.04	200.93	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:22:15	196.63		200.74	28.60	117.06	33.33	0.04	200.72	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:22:17	196.67		200.70	28.64	117.10	33.33	0.04	200.68	28.66		117.12	263.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:22:19	196.70		200.71	28.62	117.08	33.33	0.04	200.69	28.64		117.10	263.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:22:21	196.73		200.57	28.76	117.22	33.33	0.04	200.55	28.78		117.24	263.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:22:23	196.77		200.27	29.07	117.53	33.33	0.04	200.25	29.08		117.54	263.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:22:25	196.80		200.38	28.95	117.41	33.33	0.04	200.36	28.97		117.43	263.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:22:27	196.83		200.57	28.77	117.23	33.33	0.04	200.54	28.79		117.25	263.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:22:29	196.87		200.50	28.83	117.29	33.33	0.04	200.48	28.85		117.31	263.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:22:31	196.90		200.38	28.96	117.42	33.33	0.04	200.36	28.98		117.44	263.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:22:33	196.93		200.61	28.72	117.18	33.33	0.04	200.59	28.74		117.20	263.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:22:35	196.97		200.60	28.73	117.19	33.33	0.04	200.58	28.75		117.21	263.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:22:37	197.00		200.42	28.92	117.38	33.33	0.04	200.40	28.94		117.40	263.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:22:39	197.03		200.46	28.88	117.34	33.33	0.04	200.44	28.90		117.36	263.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:22:41	197.07		200.65	28.68	117.14	33.33	0.04	200.63	28.70		117.16	263.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:22:43	197.10		200.74	28.59	117.05	33.33	0.04	200.72	28.61		117.07	263.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:22:45	197.13		200.85	28.49	116.95	33.33	0.04	200.82	28.51		116.97	264.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:22:47	197.17		200.77	28.57	117.03	33.33	0.04	200.75	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:22:49	197.20		200.88	28.45	116.91	33.33	0.04	200.86	28.47		116.93	264.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:22:51	197.23		200.75	28.58	117.04	33.33	0.04	200.73	28.60		117.06	263.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:22:53	197.27		200.85	28.48	116.94	33.33	0.04	200.83	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:22:55	197.30		200.82	28.51	116.97	33.33	0.04	200.80	28.53		116.99	264.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:22:57	197.33		200.70	28.64	117.10	33.33	0.04	200.68	28.66		117.12	263.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:22:59	197.37		200.88	28.46	116.92	33.33	0.04	200.86	28.48		116.94	264.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:23:01	197.40		200.87	28.47	116.93	33.33	0.04	200.85	28.48		116.94	264.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:23:03	197.43		200.53	28.81	117.27	33.33	0.04	200.51	28.83		117.29	263.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:23:05	197.47		200.49	28.85	117.31	33.33	0.04	200.47	28.87		117.33	263.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:23:07	197.50		200.57	28.76	117.22	33.33	0.04	200.55	28.78		117.24	263.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:23:09	197.53		200.49	28.85	117.31	33.33	0.04	200.47	28.87		117.33	263.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:23:11	197.57		200.73	28.61	117.07	33.33	0.04	200.71	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:23:13	197.60		200.47	28.86	117.32	33.33	0.04	200.45	28.88		117.34	263.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:23:15	197.63		200.51	28.83	117.29	33.33	0.04	200.49	28.84		117.30	263.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:23:17	197.67		200.37	28.97	117.43	33.33	0.04	200.35	28.98		117.44	263.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:23:19	197.70		200.50	28.84	117.30	33.33	0.04	200.47	28.86		117.32	263.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:23:21	197.73		200.44	28.90	117.36	33.33	0.04	200.42	28.91		117.37	263.63

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:23:23	197.77		200.49	28.85	117.31	33.33	0.04	200.47	28.87		117.33	263.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:23:25	197.80		200.43	28.91	117.37	33.33	0.04	200.40	28.93		117.39	263.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:23:27	197.83		200.42	28.92	117.38	33.33	0.04	200.40	28.94		117.40	263.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:23:29	197.87		200.78	28.56	117.02	33.33	0.04	200.75	28.58		117.04	263.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:23:31	197.90		200.58	28.75	117.21	33.33	0.04	200.56	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:23:33	197.93		200.51	28.83	117.29	33.33	0.04	200.49	28.84		117.30	263.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:23:35	197.97		200.74	28.60	117.06	33.33	0.04	200.72	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:23:37	198.00		200.89	28.44	116.90	33.33	0.04	200.87	28.46		116.92	264.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:23:39	198.03		200.84	28.50	116.96	33.33	0.04	200.82	28.52		116.98	264.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:23:41	198.07		200.96	28.38	116.84	33.33	0.04	200.94	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:23:43	198.10		200.81	28.52	116.98	33.33	0.04	200.79	28.54		117.00	264.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:23:45	198.13		200.85	28.48	116.94	33.33	0.04	200.83	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:23:47	198.17		200.68	28.65	117.11	33.33	0.04	200.66	28.67		117.13	263.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:23:49	198.20		200.62	28.72	117.18	33.33	0.04	200.60	28.73		117.19	263.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:23:51	198.23		200.59	28.75	117.21	33.33	0.04	200.57	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:23:53	198.27		200.46	28.87	117.33	33.33	0.04	200.44	28.89		117.35	263.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:23:55	198.30		200.38	28.96	117.42	33.33	0.04	200.36	28.98		117.44	263.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:23:57	198.33		200.59	28.75	117.21	33.33	0.04	200.57	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:23:59	198.37		200.43	28.91	117.37	33.33	0.04	200.40	28.93		117.39	263.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:24:01	198.40		200.30	29.04	117.50	33.33	0.04	200.28	29.05		117.51	263.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:24:03	198.43		200.55	28.79	117.25	33.33	0.04	200.53	28.80		117.26	263.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:24:05	198.47		200.37	28.97	117.43	33.33	0.04	200.35	28.98		117.44	263.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:24:07	198.50		200.48	28.86	117.32	33.33	0.04	200.46	28.87		117.33	263.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:24:09	198.53		200.56	28.78	117.24	33.33	0.04	200.54	28.80		117.26	263.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:24:11	198.57		200.53	28.80	117.26	33.33	0.04	200.51	28.82		117.28	263.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:24:13	198.60		200.56	28.77	117.23	33.33	0.04	200.54	28.79		117.25	263.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:24:15	198.63		200.60	28.74	117.20	33.33	0.04	200.58	28.76		117.22	263.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:24:17	198.67		200.71	28.62	117.08	33.33	0.04	200.69	28.64		117.10	263.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:24:19	198.70		200.85	28.48	116.94	33.33	0.04	200.83	28.50		116.96	264.04
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:24:21	198.73		200.70	28.64	117.10	33.33	0.04	200.68	28.66		117.12	263.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:24:23	198.77		200.68	28.65	117.11	33.33	0.04	200.66	28.67		117.13	263.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:24:25	198.80		200.89	28.44	116.90	33.33	0.04	200.87	28.46		116.92	264.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:24:27	198.83		200.87	28.47	116.93	33.33	0.04	200.85	28.48		116.94	264.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:24:29	198.87		200.76	28.58	117.04	33.33	0.04	200.74	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:24:31	198.90		200.66	28.68	117.14	33.33	0.04	200.64	28.70		117.16	263.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:24:33	198.93		200.86	28.47	116.93	33.33	0.04	200.84	28.49		116.95	264.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:24:35	198.97		200.64	28.69	117.15	33.33	0.04	200.62	28.71		117.17	263.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:24:37	199.00		200.61	28.72	117.18	33.33	0.04	200.59	28.74		117.20	263.80
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:24:39	199.03		200.46	28.88	117.34	33.33	0.04	200.44	28.90		117.36	263.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:24:41	199.07		200.59	28.75	117.21	33.33	0.04	200.57	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:24:43	199.10		200.37	28.97	117.43	33.33	0.04	200.35	28.98		117.44	263.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:24:45	199.13		200.33	29.00	117.46	33.33	0.04	200.31	29.02		117.48	263.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:24:47	199.17		200.38	28.96	117.42	33.33	0.04	200.36	28.98		117.44	263.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:24:49	199.20		200.26	29.07	117.53	33.33	0.04	200.24	29.09		117.55	263.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:24:51	199.23		200.32	29.01	117.47	33.33	0.04	200.30	29.03		117.49	263.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:24:53	199.27		200.51	28.83	117.29	33.33	0.04	200.49	28.84		117.30	263.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:24:55	199.30		200.67	28.66	117.12	33.33	0.04	200.65	28.68		117.14	263.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:24:57	199.33		200.59	28.75	117.21	33.33	0.04	200.57	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:24:59	199.37		200.58	28.75	117.21	33.33	0.04	200.56	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:25:01	199.40		200.59	28.75	117.21	33.34	0.04	200.57	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:25:03	199.43		200.62	28.72	117.18	33.34	0.04	200.60	28.73		117.19	263.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:25:05	199.47		200.67	28.67	117.13	33.34	0.04	200.65	28.69		117.15	263.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:25:07	199.50		200.73	28.61	117.07	33.34	0.04	200.71	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:25:09	199.53		200.94	28.40	116.86	33.34	0.04	200.92	28.41		116.87	264.13
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:25:11	199.57		200.90	28.44	116.90	33.34	0.04	200.88	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:25:13	199.60		200.73	28.61	117.07	33.34	0.04	200.71	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:25:15	199.63		200.78	28.55	117.01	33.34	0.04	200.76	28.57		117.03	263.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:25:17	199.67		200.75	28.58	117.04	33.34	0.04	200.73	28.60		117.06	263.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:25:19	199.70		200.81	28.52	116.98	33.34	0.04	200.79	28.54		117.00	264.00
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:25:21	199.73		200.59	28.75	117.21	33.34	0.04	200.57	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:25:23	199.77		200.66	28.68	117.14	33.34	0.04	200.64	28.70		117.16	263.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:25:25	199.80		200.47	28.86	117.32	33.34	0.04	200.45	28.88		117.34	263.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:25:27	199.83		200.50	28.83	117.29	33.34	0.04	200.48	28.85		117.31	263.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:25:29	199.87		200.51	28.83	117.29	33.34	0.04	200.49	28.84		117.30	263.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:25:31	199.90		200.55	28.79	117.25	33.34	0.04	200.53	28.80		117.26	263.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:25:33	199.93		200.35	28.99	117.45	33.34	0.04	200.33	29.01		117.47	263.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:25:35	199.97		200.36	28.98	117.44	33.34	0.04	200.33	29.00		117.46	263.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:25:37	200.00		200.33	29.00	117.46	33.34	0.04	200.31	29.02		117.48	263.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:25:39	200.03		200.45	28.89	117.35	33.34	0.04	200.43	28.91		117.37	263.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:25:41	200.07		200.58	28.75	117.21	33.34	0.04	200.56	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:25:43	200.10		200.64	28.69	117.15	33.34	0.04	200.62	28.71		117.17	263.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:25:45	200.13		200.41	28.93	117.39	33.34	0.04	200.39	28.94		117.40	263.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:25:47	200.17		200.73	28.61	117.07	33.34	0.04	200.71	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:25:49	200.20		200.60	28.73	117.19	33.34	0.04	200.58	28.75		117.21	263.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:25:51	200.23		200.64	28.70	117.16	33.34	0.04	200.61	28.72		117.18	263.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:25:53	200.27		200.74	28.60	117.06	33.34	0.04	200.72	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:25:55	200.30		200.78	28.56	117.02	33.34	0.04	200.75	28.58		117.04	263.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:25:57	200.33		200.88	28.46	116.92	33.34	0.04	200.86	28.48		116.94	264.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:25:59	200.37		200.93	28.40	116.86	33.34	0.04	200.91	28.42		116.88	264.12
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:26:01	200.40		200.63	28.70	117.16	33.34	0.04	200.61	28.72		117.18	263.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:26:03	200.43		200.63	28.71	117.17	33.34	0.04	200.61	28.73		117.19	263.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:26:05	200.47		200.58	28.75	117.21	33.34	0.04	200.56	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:26:07	200.50		200.63	28.71	117.17	33.34	0.04	200.61	28.73		117.19	263.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:26:09	200.53		200.53	28.80	117.26	33.34	0.04	200.51	28.82		117.28	263.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:26:11	200.57		200.52	28.82	117.28	33.34	0.04	200.50	28.84		117.30	263.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:26:13	200.60		200.36	28.98	117.44	33.34	0.04	200.34	28.99		117.45	263.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:26:15	200.63		200.44	28.90	117.36	33.34	0.04	200.42	28.91		117.37	263.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:26:17	200.67		200.57	28.77	117.23	33.34	0.04	200.54	28.79		117.25	263.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:26:19	200.70		200.13	29.21	117.67	33.34	0.04	200.11	29.22		117.68	263.32
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:26:21	200.73		200.30	29.04	117.50	33.34	0.04	200.28	29.05		117.51	263.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:26:23	200.77		200.57	28.76	117.22	33.34	0.04	200.55	28.78		117.24	263.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:26:25	200.80		200.96	28.37	116.83	33.34	0.04	200.94	28.39		116.85	264.15
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:26:27	200.83		200.89	28.44	116.90	33.34	0.04	200.87	28.46		116.92	264.08
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:26:29	200.87		200.43	28.90	117.36	33.34	0.04	200.41	28.92		117.38	263.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:26:31	200.90		200.41	28.93	117.39	33.34	0.04	200.39	28.94		117.40	263.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:26:33	200.93		200.81	28.53	116.99	33.34	0.04	200.79	28.55		117.01	263.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:26:35	200.97		200.57	28.77	117.23	33.34	0.04	200.55	28.79		117.25	263.75

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:26:37	201.00		200.38	28.95	117.41	33.34	0.04	200.36	28.97		117.43	263.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:26:39	201.03		200.39	28.94	117.40	33.34	0.04	200.37	28.96		117.42	263.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:26:41	201.07		200.51	28.82	117.28	33.34	0.04	200.49	28.84		117.30	263.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:26:43	201.10		200.69	28.64	117.10	33.34	0.04	200.67	28.66		117.12	263.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:26:45	201.13		200.67	28.66	117.12	33.34	0.04	200.65	28.68		117.14	263.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:26:47	201.17		200.43	28.90	117.36	33.34	0.04	200.41	28.92		117.38	263.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:26:49	201.20		200.75	28.59	117.05	33.34	0.04	200.73	28.61		117.07	263.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:26:51	201.23		200.57	28.77	117.23	33.34	0.04	200.55	28.79		117.25	263.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:26:53	201.27		200.47	28.86	117.32	33.34	0.04	200.45	28.88		117.34	263.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:26:55	201.30		200.41	28.92	117.38	33.34	0.04	200.39	28.94		117.40	263.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:26:57	201.33		200.72	28.61	117.07	33.34	0.04	200.70	28.63		117.09	263.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:26:59	201.37		200.73	28.60	117.06	33.34	0.04	200.71	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:27:01	201.40		200.47	28.87	117.33	33.34	0.04	200.45	28.89		117.35	263.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:27:03	201.43		200.54	28.79	117.25	33.34	0.04	200.52	28.81		117.27	263.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:27:05	201.47		200.74	28.60	117.06	33.34	0.04	200.72	28.61		117.07	263.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:27:07	201.50		200.56	28.78	117.24	33.34	0.04	200.54	28.79		117.25	263.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:27:09	201.53		200.49	28.85	117.31	33.34	0.04	200.47	28.86		117.32	263.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:27:11	201.57		200.40	28.93	117.39	33.34	0.04	200.38	28.95		117.41	263.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:27:13	201.60		200.70	28.64	117.10	33.34	0.04	200.68	28.65		117.11	263.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:27:15	201.63		200.69	28.64	117.10	33.34	0.04	200.67	28.66		117.12	263.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:27:17	201.67		200.46	28.88	117.34	33.34	0.04	200.44	28.89		117.35	263.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:27:19	201.70		200.59	28.74	117.20	33.34	0.04	200.57	28.76		117.22	263.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:27:21	201.73		200.89	28.45	116.91	33.34	0.04	200.87	28.47		116.93	264.07
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:27:23	201.77		200.51	28.83	117.29	33.34	0.04	200.48	28.85		117.31	263.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:27:25	201.80		200.44	28.90	117.36	33.34	0.04	200.41	28.92		117.38	263.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:27:27	201.83		200.48	28.85	117.31	33.34	0.04	200.46	28.87		117.33	263.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:27:29	201.87		200.30	29.03	117.49	33.34	0.04	200.28	29.05		117.51	263.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:27:31	201.90		200.37	28.97	117.43	33.34	0.04	200.34	28.99		117.45	263.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:27:33	201.93		200.51	28.83	117.29	33.34	0.04	200.48	28.85		117.31	263.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:27:35	201.97		200.57	28.77	117.23	33.34	0.04	200.55	28.79		117.25	263.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:27:37	202.00		200.32	29.02	117.48	33.34	0.04	200.30	29.04		117.50	263.50
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:27:39	202.03		200.61	28.73	117.19	33.34	0.04	200.59	28.75		117.21	263.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:27:41	202.07		200.58	28.76	117.22	33.34	0.04	200.55	28.78		117.24	263.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:27:43	202.10		200.55	28.78	117.24	33.34	0.04	200.53	28.80		117.26	263.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:27:45	202.13		200.54	28.79	117.25	33.34	0.04	200.52	28.81		117.27	263.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:27:47	202.17		200.72	28.61	117.07	33.34	0.04	200.70	28.63		117.09	263.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:27:49	202.20		200.72	28.62	117.08	33.34	0.04	200.70	28.64		117.10	263.90
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:27:51	202.23		201.02	28.32	116.78	33.34	0.04	201.00	28.33		116.79	264.21
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:27:53	202.27		200.91	28.42	116.88	33.34	0.04	200.89	28.44		116.90	264.10
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:27:55	202.30		200.86	28.47	116.93	33.34	0.04	200.84	28.49		116.95	264.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:27:57	202.33		200.87	28.46	116.92	33.34	0.04	200.85	28.48		116.94	264.06
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:27:59	202.37		200.73	28.60	117.06	33.34	0.04	200.71	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:28:01	202.40		200.55	28.79	117.25	33.34	0.04	200.53	28.80		117.26	263.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:28:03	202.43		200.77	28.57	117.03	33.34	0.04	200.75	28.58		117.04	263.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:28:05	202.47		200.42	28.92	117.38	33.34	0.04	200.40	28.94		117.40	263.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:28:07	202.50		200.34	28.99	117.45	33.34	0.04	200.32	29.01		117.47	263.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:28:09	202.53		200.47	28.86	117.32	33.34	0.04	200.45	28.88		117.34	263.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:28:11	202.57		200.33	29.01	117.47	33.34	0.04	200.31	29.03		117.49	263.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:28:13	202.60		200.28	29.06	117.52	33.34	0.04	200.26	29.08		117.54	263.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:28:15	202.63		200.44	28.89	117.35	33.34	0.04	200.42	28.91		117.37	263.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:28:17	202.67		200.59	28.75	117.21	33.34	0.04	200.57	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:28:19	202.70		200.17	29.17	117.63	33.34	0.04	200.15	29.19		117.65	263.35
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:28:21	202.73		200.44	28.90	117.36	33.34	0.04	200.41	28.92		117.38	263.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:28:23	202.77		200.36	28.97	117.43	33.34	0.04	200.34	28.99		117.45	263.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:28:25	202.80		200.49	28.85	117.31	33.34	0.04	200.47	28.87		117.33	263.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:28:27	202.83		200.64	28.70	117.16	33.34	0.04	200.61	28.72		117.18	263.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:28:29	202.87		200.64	28.69	117.15	33.34	0.04	200.62	28.71		117.17	263.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:28:31	202.90		200.69	28.65	117.11	33.34	0.04	200.67	28.66		117.12	263.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:28:33	202.93		200.55	28.79	117.25	33.34	0.04	200.53	28.80		117.26	263.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:28:35	202.97		200.64	28.69	117.15	33.34	0.04	200.62	28.71		117.17	263.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:28:37	203.00		200.78	28.56	117.02	33.34	0.04	200.75	28.58		117.04	263.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:28:39	203.03		200.83	28.51	116.97	33.34	0.04	200.81	28.52		116.98	264.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:28:41	203.07		200.85	28.49	116.95	33.34	0.04	200.82	28.51		116.97	264.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:28:43	203.10		200.69	28.64	117.10	33.34	0.04	200.67	28.66		117.12	263.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:28:45	203.13		200.81	28.53	116.99	33.34	0.04	200.79	28.55		117.01	263.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:28:47	203.17		200.77	28.57	117.03	33.34	0.04	200.75	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:28:49	203.20		200.46	28.87	117.33	33.34	0.04	200.44	28.89		117.35	263.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:28:51	203.23		200.44	28.90	117.36	33.34	0.04	200.42	28.91		117.37	263.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:28:53	203.27		200.50	28.84	117.30	33.34	0.04	200.47	28.86		117.32	263.68
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:28:55	203.30		200.52	28.82	117.28	33.34	0.04	200.50	28.84		117.30	263.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:28:57	203.33		200.41	28.93	117.39	33.34	0.04	200.39	28.94		117.40	263.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:28:59	203.37		200.18	29.15	117.61	33.34	0.04	200.16	29.17		117.63	263.37
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:29:01	203.40		200.36	28.97	117.43	33.34	0.04	200.34	28.99		117.45	263.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:29:03	203.43		200.36	28.97	117.43	33.34	0.04	200.34	28.99		117.45	263.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:29:05	203.47		200.55	28.79	117.25	33.34	0.04	200.53	28.80		117.26	263.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:29:07	203.50		200.34	29.00	117.46	33.34	0.04	200.32	29.01		117.47	263.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:29:09	203.53		200.52	28.82	117.28	33.34	0.04	200.50	28.84		117.30	263.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:29:11	203.57		200.45	28.89	117.35	33.34	0.04	200.43	28.91		117.37	263.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:29:13	203.60		200.54	28.79	117.25	33.34	0.04	200.52	28.81		117.27	263.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:29:15	203.63		200.57	28.76	117.22	33.34	0.04	200.55	28.78		117.24	263.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:29:17	203.67		200.82	28.51	116.97	33.34	0.04	200.80	28.53		116.99	264.01
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:29:19	203.70		200.63	28.71	117.17	33.34	0.04	200.61	28.73		117.19	263.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:29:21	203.73		200.70	28.64	117.10	33.34	0.04	200.68	28.66		117.12	263.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:29:23	203.77		200.55	28.79	117.25	33.34	0.04	200.53	28.80		117.26	263.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:29:25	203.80		200.81	28.53	116.99	33.34	0.04	200.79	28.55		117.01	263.99
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:29:27	203.83		200.73	28.61	117.07	33.34	0.04	200.71	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:29:29	203.87		200.71	28.63	117.09	33.34	0.04	200.68	28.65		117.11	263.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:29:31	203.90		200.58	28.75	117.21	33.34	0.04	200.56	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:29:33	203.93		200.77	28.57	117.03	33.34	0.04	200.75	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:29:35	203.97		200.56	28.78	117.24	33.34	0.04	200.54	28.80		117.26	263.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:29:37	204.00		200.59	28.75	117.21	33.34	0.04	200.57	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:29:39	204.03		200.50	28.83	117.29	33.34	0.04	200.48	28.85		117.31	263.69
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:29:41	204.07		200.53	28.81	117.27	33.34	0.04	200.51	28.83		117.29	263.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:29:43	204.10		200.24	29.10	117.56	33.34	0.04	200.22	29.12		117.58	263.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:29:45	204.13		200.40	28.93	117.39	33.34	0.04	200.38	28.95		117.41	263.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:29:47	204.17		200.25	29.08	117.54	33.34	0.04	200.23	29.10		117.56	263.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:29:49	204.20		200.50	28.84	117.30	33.34	0.04	200.47	28.86		117.32	263.68

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:29:51	204.23		200.37	28.97	117.43	33.34	0.04	200.35	28.98		117.44	263.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:29:53	204.27		200.46	28.87	117.33	33.34	0.04	200.44	28.89		117.35	263.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:29:55	204.30		200.27	29.07	117.53	33.34	0.04	200.25	29.08		117.54	263.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:29:57	204.33		200.51	28.83	117.29	33.34	0.04	200.49	28.84		117.30	263.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:29:59	204.37		200.53	28.81	117.27	33.34	0.04	200.51	28.83		117.29	263.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:30:01	204.40		200.66	28.68	117.14	33.34	0.04	200.64	28.70		117.16	263.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:30:03	204.43		200.67	28.66	117.12	33.34	0.04	200.65	28.68		117.14	263.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:30:05	204.47		200.74	28.60	117.06	33.34	0.04	200.71	28.62		117.08	263.92
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:30:07	204.50		200.79	28.54	117.00	33.34	0.04	200.77	28.56		117.02	263.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:30:09	204.53		200.65	28.68	117.14	33.34	0.04	200.63	28.70		117.16	263.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:30:11	204.57		200.71	28.63	117.09	33.34	0.04	200.68	28.65		117.11	263.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:30:13	204.60		200.52	28.82	117.28	33.34	0.04	200.50	28.84		117.30	263.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:30:15	204.63		200.80	28.54	117.00	33.34	0.04	200.78	28.56		117.02	263.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:30:17	204.67		200.57	28.77	117.23	33.34	0.04	200.54	28.79		117.25	263.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:30:19	204.70		200.56	28.78	117.24	33.34	0.04	200.54	28.80		117.26	263.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:30:21	204.73		200.49	28.85	117.31	33.34	0.04	200.47	28.87		117.33	263.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:30:23	204.77		200.28	29.05	117.51	33.34	0.04	200.26	29.07		117.53	263.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:30:25	204.80		200.46	28.87	117.33	33.34	0.04	200.44	28.89		117.35	263.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:30:27	204.83		200.42	28.92	117.38	33.34	0.04	200.40	28.94		117.40	263.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:30:29	204.87		200.34	29.00	117.46	33.34	0.04	200.32	29.02		117.48	263.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:30:31	204.90		200.36	28.97	117.43	33.34	0.04	200.34	28.99		117.45	263.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:30:33	204.93		200.43	28.90	117.36	33.34	0.04	200.41	28.92		117.38	263.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:30:35	204.97		200.26	29.07	117.53	33.34	0.04	200.24	29.09		117.55	263.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:30:37	205.00		200.38	28.96	117.42	33.34	0.04	200.36	28.98		117.44	263.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:30:39	205.03		200.29	29.04	117.50	33.34	0.04	200.27	29.06		117.52	263.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:30:41	205.07		200.35	28.99	117.45	33.34	0.04	200.33	29.01		117.47	263.53
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:30:43	205.10		200.39	28.95	117.41	33.34	0.04	200.36	28.97		117.43	263.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:30:45	205.13		200.65	28.68	117.14	33.34	0.04	200.63	28.70		117.16	263.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:30:47	205.17		200.54	28.79	117.25	33.34	0.04	200.52	28.81		117.27	263.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:30:49	205.20		200.73	28.61	117.07	33.34	0.04	200.71	28.63		117.09	263.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:30:51	205.23		200.52	28.82	117.28	33.34	0.04	200.50	28.84		117.30	263.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:30:53	205.27		200.64	28.69	117.15	33.34	0.04	200.62	28.71		117.17	263.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:30:55	205.30		200.92	28.41	116.87	33.34	0.04	200.90	28.43		116.89	264.11
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:30:57	205.33		200.69	28.65	117.11	33.34	0.04	200.67	28.66		117.12	263.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:30:59	205.37		200.67	28.67	117.13	33.34	0.04	200.64	28.69		117.15	263.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:31:01	205.40		200.72	28.61	117.07	33.34	0.04	200.70	28.63		117.09	263.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:31:03	205.43		200.54	28.79	117.25	33.34	0.04	200.52	28.81		117.27	263.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:31:05	205.47		200.70	28.64	117.10	33.34	0.04	200.68	28.66		117.12	263.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:31:07	205.50		200.66	28.68	117.14	33.34	0.04	200.64	28.70		117.16	263.84
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:31:09	205.53		200.60	28.73	117.19	33.34	0.04	200.58	28.75		117.21	263.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:31:11	205.57		200.46	28.88	117.34	33.34	0.04	200.43	28.90		117.36	263.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:31:13	205.60		200.33	29.00	117.46	33.34	0.04	200.31	29.02		117.48	263.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:31:15	205.63		200.29	29.04	117.50	33.34	0.04	200.27	29.06		117.52	263.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:31:17	205.67		200.59	28.75	117.21	33.34	0.04	200.57	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:31:19	205.70		200.33	29.00	117.46	33.34	0.04	200.31	29.02		117.48	263.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:31:21	205.73		200.31	29.03	117.49	33.34	0.04	200.28	29.05		117.51	263.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:31:23	205.77		200.41	28.93	117.39	33.34	0.04	200.39	28.95		117.41	263.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:31:25	205.80		200.47	28.87	117.33	33.34	0.04	200.45	28.89		117.35	263.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:31:27	205.83		200.37	28.97	117.43	33.34	0.04	200.35	28.98		117.44	263.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:31:29	205.87		200.63	28.71	117.17	33.34	0.04	200.61	28.73		117.19	263.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:31:31	205.90		200.47	28.86	117.32	33.34	0.04	200.45	28.88		117.34	263.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:31:33	205.93		200.55	28.79	117.25	33.34	0.04	200.53	28.81		117.27	263.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:31:35	205.97		200.78	28.56	117.02	33.34	0.04	200.75	28.58		117.04	263.96
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:31:37	206.00		200.68	28.65	117.11	33.34	0.04	200.66	28.67		117.13	263.87
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:31:39	206.03		200.59	28.75	117.21	33.34	0.04	200.57	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:31:41	206.07		200.67	28.66	117.12	33.34	0.04	200.65	28.68		117.14	263.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:31:43	206.10		200.57	28.76	117.22	33.34	0.04	200.55	28.78		117.24	263.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:31:45	206.13		200.77	28.57	117.03	33.34	0.04	200.75	28.59		117.05	263.95
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:31:47	206.17		200.71	28.63	117.09	33.34	0.04	200.68	28.65		117.11	263.89
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:31:49	206.20		200.53	28.80	117.26	33.34	0.04	200.51	28.82		117.28	263.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:31:51	206.23		200.60	28.74	117.20	33.34	0.04	200.57	28.76		117.22	263.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:31:53	206.27		200.78	28.55	117.01	33.34	0.04	200.76	28.57		117.03	263.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:31:55	206.30		200.56	28.78	117.24	33.34	0.04	200.54	28.80		117.26	263.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:31:57	206.33		200.46	28.88	117.34	33.34	0.04	200.43	28.90		117.36	263.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:31:59	206.37		200.41	28.93	117.39	33.34	0.04	200.39	28.95		117.41	263.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:32:01	206.40		200.32	29.01	117.47	33.34	0.04	200.30	29.03		117.49	263.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:32:03	206.43		200.42	28.92	117.38	33.34	0.04	200.40	28.94		117.40	263.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:32:05	206.47		200.42	28.92	117.38	33.34	0.04	200.40	28.94		117.40	263.60
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:32:07	206.50		200.48	28.86	117.32	33.34	0.04	200.46	28.88		117.34	263.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:32:09	206.53		200.34	29.00	117.46	33.34	0.04	200.32	29.02		117.48	263.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:32:11	206.57		200.36	28.97	117.43	33.34	0.04	200.34	28.99		117.45	263.55
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:32:13	206.60		200.64	28.69	117.15	33.34	0.04	200.62	28.71		117.17	263.83
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:32:15	206.63		200.47	28.86	117.32	33.34	0.04	200.45	28.88		117.34	263.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:32:17	206.67		200.59	28.74	117.20	33.34	0.04	200.57	28.76		117.22	263.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:32:19	206.70		200.46	28.87	117.33	33.34	0.04	200.44	28.89		117.35	263.65
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:32:21	206.73		200.52	28.82	117.28	33.34	0.04	200.50	28.84		117.30	263.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:32:23	206.77		200.47	28.86	117.32	33.34	0.04	200.45	28.88		117.34	263.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:32:25	206.80		200.85	28.49	116.95	33.34	0.04	200.82	28.51		116.97	264.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:32:27	206.83		200.83	28.51	116.97	33.34	0.04	200.81	28.52		116.98	264.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:32:29	206.87		200.91	28.43	116.89	33.34	0.04	200.89	28.45		116.91	264.09
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:32:31	206.90		200.63	28.71	117.17	33.34	0.04	200.61	28.73		117.19	263.81
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:32:33	206.93		200.58	28.76	117.22	33.34	0.04	200.56	28.78		117.24	263.76
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:32:35	206.97		200.39	28.95	117.41	33.34	0.04	200.36	28.97		117.43	263.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:32:37	207.00		200.64	28.70	117.16	33.34	0.04	200.61	28.72		117.18	263.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:32:39	207.03		200.73	28.61	117.07	33.34	0.04	200.71	28.63		117.09	263.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:32:41	207.07		200.26	29.07	117.53	33.34	0.04	200.24	29.09		117.55	263.45
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:32:43	207.10		200.60	28.73	117.19	33.34	0.04	200.58	28.75		117.21	263.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:32:45	207.13		200.39	28.95	117.41	33.34	0.04	200.36	28.97		117.43	263.57
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:32:47	207.17		200.25	29.08	117.54	33.34	0.04	200.23	29.10		117.56	263.44
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:32:49	207.20		200.28	29.05	117.51	33.34	0.04	200.26	29.07		117.53	263.47
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:32:51	207.23		200.43	28.90	117.36	33.34	0.04	200.41	28.92		117.38	263.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:32:53	207.27		200.34	29.00	117.46	33.34	0.04	200.32	29.02		117.48	263.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:32:55	207.30		200.54	28.79	117.25	33.34	0.04	200.52	28.81		117.27	263.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:32:57	207.33		200.46	28.88	117.34	33.34	0.04	200.43	28.90		117.36	263.64
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:32:59	207.37		200.49	28.85	117.31	33.34	0.04	200.47	28.87		117.33	263.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:33:01	207.40		200.47	28.86	117.32	33.34	0.04	200.45	28.88		117.34	263.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:33:03	207.43		200.52	28.82	117.28	33.34	0.04	200.50	28.84		117.30	263.70

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:33:05	207.47		200.96	28.38	116.84	33.34	0.04	200.93	28.40		116.86	264.14
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:33:07	207.50		200.60	28.73	117.19	33.34	0.04	200.58	28.75		117.21	263.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:33:09	207.53		200.60	28.73	117.19	33.34	0.04	200.58	28.75		117.21	263.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:33:11	207.57		200.74	28.59	117.05	33.34	0.04	200.72	28.61		117.07	263.93
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:33:13	207.60		200.84	28.50	116.96	33.34	0.04	200.82	28.52		116.98	264.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:33:15	207.63		200.64	28.70	117.16	33.34	0.04	200.61	28.72		117.18	263.82
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:33:17	207.67		200.52	28.82	117.28	33.34	0.04	200.50	28.84		117.30	263.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:33:19	207.70		200.72	28.61	117.07	33.34	0.04	200.70	28.63		117.09	263.91
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:33:21	207.73		200.56	28.78	117.24	33.34	0.04	200.54	28.80		117.26	263.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:33:23	207.77		200.40	28.93	117.39	33.34	0.04	200.38	28.95		117.41	263.59
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:33:25	207.80		200.49	28.85	117.31	33.34	0.04	200.47	28.87		117.33	263.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:33:27	207.83		200.39	28.94	117.40	33.34	0.04	200.37	28.96		117.42	263.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:33:29	207.87		200.43	28.91	117.37	33.34	0.04	200.40	28.93		117.39	263.61
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:33:31	207.90		200.21	29.12	117.58	33.34	0.04	200.19	29.14		117.60	263.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:33:33	207.93		200.28	29.06	117.52	33.34	0.04	200.26	29.08		117.54	263.46
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:33:35	207.97		200.54	28.79	117.25	33.34	0.04	200.52	28.81		117.27	263.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:33:37	208.00		200.25	29.09	117.55	33.34	0.04	200.22	29.11		117.57	263.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:33:39	208.03		200.47	28.86	117.32	33.34	0.04	200.45	28.88		117.34	263.66
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:33:41	208.07		200.54	28.79	117.25	33.34	0.04	200.52	28.81		117.27	263.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:33:43	208.10		200.33	29.00	117.46	33.34	0.04	200.31	29.02		117.48	263.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:33:45	208.13		200.53	28.80	117.26	33.34	0.04	200.51	28.82		117.28	263.72
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:33:47	208.17		200.30	29.04	117.50	33.34	0.04	200.28	29.05		117.51	263.49
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:33:49	208.20		200.43	28.90	117.36	33.34	0.04	200.41	28.92		117.38	263.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:33:51	208.23		200.55	28.79	117.25	33.34	0.04	200.53	28.81		117.27	263.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:33:53	208.27		200.79	28.54	117.00	33.34	0.04	200.77	28.56		117.02	263.98
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:33:55	208.30		200.57	28.77	117.23	33.34	0.04	200.54	28.79		117.25	263.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:33:57	208.33		200.59	28.75	117.21	33.34	0.04	200.57	28.77		117.23	263.77
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:33:59	208.37		200.87	28.47	116.93	33.34	0.04	200.85	28.49		116.95	264.05
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:34:01	208.40		200.78	28.55	117.01	33.34	0.04	200.76	28.57		117.03	263.97
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:34:03	208.43		200.67	28.67	117.13	33.34	0.04	200.64	28.69		117.15	263.85
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:34:05	208.47		200.75	28.58	117.04	33.34	0.04	200.73	28.60		117.06	263.94
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:34:07	208.50		200.60	28.74	117.20	33.34	0.04	200.57	28.76		117.22	263.78
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:34:09	208.53		200.39	28.94	117.40	33.34	0.04	200.37	28.96		117.42	263.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:34:11	208.57		200.37	28.97	117.43	33.34	0.04	200.35	28.98		117.44	263.56
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:34:13	208.60		200.29	29.04	117.50	33.34	0.04	200.27	29.06		117.52	263.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:34:15	208.63		200.36	28.98	117.44	33.34	0.04	200.33	29.00		117.46	263.54
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:34:17	208.67		200.22	29.11	117.57	33.34	0.04	200.20	29.13		117.59	263.41
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:34:19	208.70		200.24	29.10	117.56	33.34	0.04	200.22	29.12		117.58	263.42
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:34:21	208.73		200.33	29.00	117.46	33.34	0.04	200.31	29.02		117.48	263.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:34:23	208.77		200.34	29.00	117.46	33.34	0.04	200.32	29.02		117.48	263.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:34:25	208.80		200.29	29.04	117.50	33.34	0.04	200.27	29.06		117.52	263.48
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:34:27	208.83		200.25	29.09	117.55	33.34	0.04	200.22	29.11		117.57	263.43
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:34:29	208.87		200.39	28.94	117.40	33.34	0.04	200.37	28.96		117.42	263.58
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:34:31	208.90		200.60	28.73	117.19	33.34	0.04	200.58	28.75		117.21	263.79
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:34:33	208.93		200.51	28.83	117.29	33.34	0.04	200.49	28.84		117.30	263.70
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:34:35	208.97		200.54	28.79	117.25	33.34	0.04	200.52	28.81		117.27	263.73
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:34:37	209.00		200.49	28.85	117.31	33.34	0.04	200.47	28.87		117.33	263.67
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:34:39	209.03		200.67	28.66	117.12	33.34	0.04	200.65	28.68		117.14	263.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:34:41	209.07		200.70	28.64	117.10	33.34	0.04	200.68	28.66		117.12	263.88
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:34:43	209.10		200.83	28.51	116.97	33.34	0.04	200.81	28.52		116.98	264.02
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:34:45	209.13		200.67	28.66	117.12	33.34	0.04	200.65	28.68		117.14	263.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:34:47	209.17		200.57	28.77	117.23	33.34	0.04	200.54	28.79		117.25	263.75
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:34:49	209.20		200.85	28.49	116.95	33.34	0.04	200.82	28.51		116.97	264.03
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:34:51	209.23		200.67	28.66	117.12	33.34	0.04	200.65	28.68		117.14	263.86
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:34:53	209.27		200.53	28.81	117.27	33.34	0.04	200.50	28.83		117.29	263.71
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:34:55	209.30		200.34	29.00	117.46	33.34	0.04	200.32	29.02		117.48	263.52
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:34:57	209.33		200.43	28.90	117.36	33.34	0.04	200.41	28.92		117.38	263.62
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:34:59	209.37		200.21	29.12	117.58	33.34	0.04	200.19	29.14		117.60	263.40
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:35:01	209.40		200.44	28.90	117.36	33.34	0.04	200.42	28.91		117.37	263.63
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:35:03	209.43		200.56	28.78	117.24	33.34	0.04	200.54	28.80		117.26	263.74
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:35:05	209.47		200.32	29.01	117.47	33.34	0.04	200.30	29.03		117.49	263.51
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:35:07	209.50		200.13	29.21	117.67	33.34	0.04	200.11	29.23		117.69	263.31
SW Well 1A	STEP RATE - STEP #1	9/23/2010 19:35:09	209.53		200.31	29.02	117.48	33.34	0.04	200.29	29.04		117.50	263.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:35:11	209.57		199.97	29.36	117.82	33.34	0.04	199.95	29.38		117.84	263.16
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:35:13	209.60		199.38	29.96	118.42	33.34	0.04	199.36	29.97		118.43	262.57
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:35:15	209.63		198.40	30.94	119.40	33.34	0.04	198.38	30.96		119.42	261.58
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:35:17	209.67		197.92	31.41	119.87	33.34	0.04	197.90	31.43		119.89	261.11
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:35:19	209.70		196.37	32.97	121.43	33.34	0.04	196.34	32.99		121.45	259.55
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:35:21	209.73		194.55	34.79	123.25	33.34	0.04	194.53	34.81		123.27	257.73
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:35:23	209.77		193.37	35.97	124.43	33.34	0.04	193.34	35.99		124.45	256.55
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:35:25	209.80		191.74	37.60	126.06	33.34	0.04	191.71	37.62		126.08	254.92
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:35:27	209.83		190.20	39.13	127.59	33.34	0.04	190.18	39.15		127.61	253.39
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:35:29	209.87		188.52	40.82	129.28	33.34	0.04	188.50	40.84		129.30	251.70
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:35:31	209.90		187.36	41.98	130.44	33.34	0.04	187.34	42.00		130.46	250.54
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:35:33	209.93		186.65	42.69	131.15	33.34	0.04	186.63	42.71		131.17	249.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:35:35	209.97		185.71	43.62	132.08	33.34	0.04	185.69	43.64		132.10	248.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:35:37	210.00		185.07	44.26	132.72	33.34	0.04	185.05	44.28		132.74	248.26
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:35:39	210.03		184.59	44.74	133.20	33.34	0.04	184.57	44.76		133.22	247.78
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:35:41	210.07		184.46	44.88	133.34	33.34	0.04	184.44	44.90		133.36	247.64
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:35:43	210.10		184.68	44.66	133.12	33.34	0.04	184.65	44.68		133.14	247.86
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:35:45	210.13		184.43	44.91	133.37	33.34	0.04	184.41	44.93		133.39	247.61
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:35:47	210.17		184.78	44.56	133.02	33.34	0.04	184.76	44.58		133.04	247.96
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:35:49	210.20		184.64	44.70	133.16	33.34	0.04	184.62	44.72		133.18	247.82
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:35:51	210.23		184.65	44.69	133.15	33.34	0.04	184.62	44.71		133.17	247.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:35:53	210.27		185.09	44.25	132.71	33.34	0.04	185.07	44.27		132.73	248.27
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:35:55	210.30		184.84	44.50	132.96	33.34	0.04	184.82	44.51		132.97	248.03
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:35:57	210.33		185.04	44.30	132.76	33.34	0.04	185.01	44.32		132.78	248.22
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:35:59	210.37		185.49	43.85	132.31	33.34	0.04	185.47	43.87		132.33	248.67
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:36:01	210.40		185.12	44.22	132.68	33.34	0.04	185.10	44.23		132.69	248.31
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:36:03	210.43		185.06	44.28	132.74	33.34	0.04	185.04	44.30		132.76	248.24
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:36:05	210.47		184.75	44.58	133.04	33.34	0.04	184.73	44.60		133.06	247.94
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:36:07	210.50		184.91	44.43	132.89	33.34	0.04	184.89	44.44		132.90	248.10
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:36:09	210.53		184.81	44.53	132.99	33.34	0.04	184.79	44.55		133.01	247.99
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:36:11	210.57		184.58	44.75	133.21	33.34	0.04	184.56	44.77		133.23	247.77
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:36:13	210.60		184.64	44.70	133.16	33.34	0.04	184.62	44.72		133.18	247.82
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:36:15	210.63		184.58	44.76	133.22	33.34	0.04	184.55	44.78		133.24	247.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:36:17	210.67		184.68	44.65	133.11	33.34	0.04	184.66	44.67		133.13	247.87

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:36:19	210.70		184.59	44.74	133.20	33.34	0.04	184.57	44.76		133.22	247.78
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:36:21	210.73		184.77	44.57	133.03	33.34	0.04	184.75	44.58		133.04	247.96
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:36:23	210.77		184.37	44.97	133.43	33.34	0.04	184.34	44.99		133.45	247.55
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:36:25	210.80		184.87	44.46	132.92	33.34	0.04	184.85	44.48		132.94	248.06
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:36:27	210.83		184.27	45.07	133.53	33.34	0.04	184.24	45.09		133.55	247.45
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:36:29	210.87		184.44	44.90	133.36	33.34	0.04	184.42	44.92		133.38	247.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:36:31	210.90		184.57	44.77	133.23	33.34	0.04	184.55	44.79		133.25	247.75
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:36:33	210.93		184.93	44.41	132.87	33.34	0.04	184.90	44.43		132.89	248.11
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:36:35	210.97		183.95	45.39	133.85	33.34	0.04	183.92	45.41		133.87	247.13
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:36:37	211.00		184.19	45.15	133.61	33.34	0.04	184.16	45.17		133.63	247.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:36:39	211.03		184.37	44.97	133.43	33.34	0.04	184.35	44.99		133.45	247.55
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:36:41	211.07		184.09	45.24	133.70	33.34	0.04	184.07	45.26		133.72	247.28
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:36:43	211.10		184.45	44.89	133.35	33.34	0.04	184.43	44.90		133.36	247.64
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:36:45	211.13		184.42	44.92	133.38	33.34	0.04	184.40	44.94		133.40	247.60
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:36:47	211.17		184.38	44.95	133.41	33.34	0.04	184.36	44.97		133.43	247.57
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:36:49	211.20		184.30	45.03	133.49	33.34	0.04	184.28	45.05		133.51	247.49
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:36:51	211.23		184.53	44.80	133.26	33.34	0.04	184.51	44.82		133.28	247.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:36:53	211.27		183.84	45.49	133.95	33.34	0.04	183.82	45.51		133.97	247.03
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:36:55	211.30		184.41	44.93	133.39	33.34	0.04	184.38	44.95		133.41	247.59
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:36:57	211.33		183.90	45.44	133.90	33.34	0.04	183.88	45.46		133.92	247.08
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:36:59	211.37		184.55	44.78	133.24	33.34	0.04	184.53	44.80		133.26	247.74
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:37:01	211.40		184.28	45.06	133.52	33.34	0.04	184.26	45.08		133.54	247.46
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:37:03	211.43		184.14	45.20	133.66	33.34	0.04	184.12	45.22		133.68	247.32
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:37:05	211.47		184.39	44.94	133.40	33.34	0.04	184.37	44.96		133.42	247.58
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:37:07	211.50		184.18	45.16	133.62	33.34	0.04	184.16	45.17		133.63	247.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:37:09	211.53		184.09	45.24	133.70	33.34	0.04	184.07	45.26		133.72	247.28
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:37:11	211.57		184.18	45.16	133.62	33.34	0.04	184.16	45.17		133.63	247.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:37:13	211.60		184.48	44.85	133.31	33.34	0.04	184.46	44.87		133.33	247.67
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:37:15	211.63		184.16	45.18	133.64	33.34	0.04	184.14	45.20		133.66	247.34
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:37:17	211.67		183.71	45.62	134.08	33.34	0.04	183.69	45.64		134.10	246.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:37:19	211.70		184.26	45.08	133.54	33.34	0.04	184.24	45.10		133.56	247.44
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:37:21	211.73		184.15	45.19	133.65	33.34	0.04	184.12	45.21		133.67	247.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:37:23	211.77		184.54	44.80	133.26	33.34	0.04	184.52	44.82		133.28	247.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:37:25	211.80		183.80	45.54	134.00	33.34	0.04	183.78	45.56		134.02	246.98
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:37:27	211.83		184.16	45.18	133.64	33.34	0.04	184.14	45.20		133.66	247.34
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:37:29	211.87		183.83	45.51	133.97	33.34	0.04	183.81	45.53		133.99	247.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:37:31	211.90		184.15	45.19	133.65	33.34	0.04	184.13	45.21		133.67	247.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:37:33	211.93		183.94	45.40	133.86	33.34	0.04	183.92	45.42		133.88	247.12
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:37:35	211.97		184.22	45.12	133.58	33.34	0.04	184.20	45.14		133.60	247.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:37:37	212.00		184.12	45.22	133.68	33.34	0.04	184.10	45.24		133.70	247.30
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:37:39	212.03		184.13	45.21	133.67	33.34	0.04	184.10	45.23		133.69	247.31
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:37:41	212.07		184.14	45.19	133.65	33.34	0.04	184.12	45.21		133.67	247.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:37:43	212.10		183.85	45.49	133.95	33.34	0.04	183.82	45.51		133.97	247.03
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:37:45	212.13		184.07	45.26	133.72	33.34	0.04	184.05	45.28		133.74	247.26
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:37:47	212.17		184.08	45.26	133.72	33.34	0.04	184.06	45.28		133.74	247.26
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:37:49	212.20		184.12	45.21	133.67	33.34	0.04	184.10	45.23		133.69	247.31
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:37:51	212.23		184.16	45.18	133.64	33.34	0.04	184.14	45.20		133.66	247.34
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:37:53	212.27		184.52	44.81	133.27	33.34	0.04	184.50	44.83		133.29	247.71
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:37:55	212.30		183.95	45.38	133.84	33.34	0.04	183.93	45.40		133.86	247.14
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:37:57	212.33		183.93	45.40	133.86	33.34	0.04	183.91	45.42		133.88	247.12
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:37:59	212.37		183.99	45.34	133.80	33.34	0.04	183.97	45.36		133.82	247.18
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:38:01	212.40		184.26	45.08	133.54	33.34	0.04	184.24	45.10		133.56	247.44
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:38:03	212.43		183.69	45.65	134.11	33.34	0.04	183.67	45.67		134.13	246.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:38:05	212.47		184.19	45.15	133.61	33.34	0.04	184.17	45.17		133.63	247.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:38:07	212.50		183.88	45.46	133.92	33.34	0.04	183.85	45.48		133.94	247.06
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:38:09	212.53		183.84	45.50	133.96	33.34	0.04	183.82	45.52		133.98	247.02
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:38:11	212.57		183.85	45.48	133.94	33.34	0.04	183.83	45.50		133.96	247.04
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:38:13	212.60		184.24	45.09	133.55	33.34	0.04	184.22	45.11		133.57	247.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:38:15	212.63		183.76	45.58	134.04	33.34	0.04	183.74	45.60		134.06	246.94
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:38:17	212.67		183.64	45.69	134.15	33.34	0.04	183.62	45.71		134.17	246.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:38:19	212.70		183.99	45.35	133.81	33.34	0.04	183.96	45.37		133.83	247.17
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:38:21	212.73		183.66	45.68	134.14	33.34	0.04	183.63	45.70		134.16	246.84
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:38:23	212.77		183.84	45.50	133.96	33.34	0.04	183.82	45.52		133.98	247.02
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:38:25	212.80		183.67	45.67	134.13	33.34	0.04	183.64	45.69		134.15	246.85
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:38:27	212.83		183.53	45.81	134.27	33.34	0.04	183.50	45.83		134.29	246.71
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:38:29	212.87		183.59	45.75	134.21	33.34	0.04	183.57	45.77		134.23	246.77
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:38:31	212.90		183.76	45.58	134.04	33.34	0.04	183.74	45.60		134.06	246.94
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:38:33	212.93		183.56	45.78	134.24	33.34	0.04	183.54	45.80		134.26	246.74
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:38:35	212.97		184.20	45.14	133.60	33.34	0.04	184.17	45.16		133.62	247.38
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:38:37	213.00		183.37	45.97	134.43	33.34	0.04	183.35	45.98		134.44	246.56
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:38:39	213.03		183.64	45.70	134.16	33.34	0.04	183.61	45.72		134.18	246.82
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:38:41	213.07		183.85	45.49	133.95	33.34	0.04	183.82	45.51		133.97	247.03
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:38:43	213.10		183.95	45.39	133.85	33.34	0.04	183.92	45.41		133.87	247.13
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:38:45	213.13		183.59	45.75	134.21	33.34	0.04	183.57	45.77		134.23	246.77
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:38:47	213.17		184.24	45.09	133.55	33.34	0.04	184.22	45.11		133.57	247.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:38:49	213.20		183.73	45.61	134.07	33.34	0.04	183.71	45.63		134.09	246.91
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:38:51	213.23		184.21	45.12	133.58	33.34	0.04	184.19	45.14		133.60	247.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:38:53	213.27		183.57	45.76	134.22	33.34	0.04	183.55	45.78		134.24	246.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:38:55	213.30		183.78	45.56	134.02	33.34	0.04	183.75	45.58		134.04	246.96
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:38:57	213.33		183.94	45.40	133.86	33.34	0.04	183.92	45.42		133.88	247.12
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:38:59	213.37		183.74	45.59	134.05	33.34	0.04	183.72	45.61		134.07	246.93
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:39:01	213.40		183.45	45.89	134.35	33.34	0.04	183.43	45.91		134.37	246.63
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:39:03	213.43		183.80	45.54	134.00	33.34	0.04	183.78	45.56		134.02	246.98
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:39:05	213.47		183.88	45.45	133.91	33.34	0.04	183.86	45.47		133.93	247.07
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:39:07	213.50		183.40	45.93	134.39	33.34	0.04	183.38	45.95		134.41	246.59
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:39:09	213.53		183.99	45.34	133.80	33.34	0.04	183.97	45.36		133.82	247.18
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:39:11	213.57		183.85	45.48	133.94	33.34	0.04	183.83	45.50		133.96	247.04
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:39:13	213.60		183.99	45.34	133.80	33.34	0.04	183.97	45.36		133.82	247.18
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:39:15	213.63		183.79	45.54	134.00	33.34	0.04	183.77	45.56		134.02	246.98
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:39:17	213.67		184.09	45.24	133.70	33.34	0.04	184.07	45.26		133.72	247.28
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:39:19	213.70		183.81	45.53	133.99	33.34	0.04	183.78	45.55		134.01	246.99
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:39:21	213.73		183.61	45.72	134.18	33.34	0.04	183.59	45.74		134.20	246.80
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:39:23	213.77		183.72	45.62	134.08	33.34	0.04	183.70	45.63		134.09	246.91
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:39:25	213.80		183.46	45.87	134.33	33.34	0.04	183.44	45.89		134.35	246.65
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:39:27	213.83		183.93	45.40	133.86	33.34	0.04	183.91	45.42		133.88	247.12
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:39:29	213.87		184.06	45.28	133.74	33.34	0.04	184.03	45.30		133.76	247.24
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:39:31	213.90		183.39	45.95	134.41	33.34	0.04	183.36	45.97		134.43	246.57

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:39:33	213.93		183.38	45.96	134.42	33.34	0.04	183.36	45.98		134.44	246.56
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:39:35	213.97		183.49	45.85	134.31	33.34	0.04	183.47	45.87		134.33	246.67
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:39:37	214.00		184.02	45.31	133.77	33.34	0.04	184.00	45.33		133.79	247.21
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:39:39	214.03		183.57	45.77	134.23	33.34	0.04	183.54	45.79		134.25	246.75
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:39:41	214.07		183.53	45.80	134.26	33.34	0.04	183.51	45.82		134.28	246.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:39:43	214.10		183.61	45.72	134.18	33.34	0.04	183.59	45.74		134.20	246.80
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:39:45	214.13		183.67	45.67	134.13	33.34	0.04	183.64	45.69		134.15	246.85
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:39:47	214.17		183.44	45.90	134.36	33.34	0.04	183.42	45.91		134.37	246.63
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:39:49	214.20		183.90	45.44	133.90	33.34	0.04	183.88	45.45		133.91	247.09
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:39:51	214.23		183.15	46.18	134.64	33.34	0.04	183.13	46.20		134.66	246.34
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:39:53	214.27		184.08	45.26	133.72	33.34	0.04	184.06	45.28		133.74	247.26
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:39:55	214.30		183.57	45.76	134.22	33.34	0.04	183.55	45.78		134.24	246.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:39:57	214.33		183.46	45.87	134.33	33.34	0.04	183.44	45.89		134.35	246.65
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:39:59	214.37		183.64	45.69	134.15	33.34	0.04	183.62	45.71		134.17	246.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:40:01	214.40		183.45	45.89	134.35	33.34	0.05	183.42	45.91		134.37	246.63
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:40:03	214.43		183.31	46.03	134.49	33.34	0.05	183.28	46.05		134.51	246.49
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:40:05	214.47		183.59	45.75	134.21	33.34	0.05	183.57	45.77		134.23	246.77
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:40:07	214.50		183.99	45.34	133.80	33.34	0.05	183.97	45.36		133.82	247.18
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:40:09	214.53		183.42	45.91	134.37	33.34	0.05	183.40	45.93		134.39	246.61
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:40:11	214.57		183.91	45.43	133.89	33.34	0.05	183.88	45.45		133.91	247.09
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:40:13	214.60		184.02	45.32	133.78	33.34	0.05	183.99	45.34		133.80	247.20
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:40:15	214.63		183.80	45.54	134.00	33.34	0.05	183.78	45.56		134.02	246.98
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:40:17	214.67		183.39	45.94	134.40	33.34	0.05	183.37	45.96		134.42	246.58
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:40:19	214.70		183.39	45.95	134.41	33.34	0.05	183.36	45.97		134.43	246.57
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:40:21	214.73		183.95	45.38	133.84	33.34	0.05	183.93	45.40		133.86	247.14
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:40:23	214.77		183.18	46.15	134.61	33.34	0.05	183.16	46.17		134.63	246.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:40:25	214.80		183.41	45.93	134.39	33.34	0.05	183.39	45.95		134.41	246.59
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:40:27	214.83		183.21	46.12	134.58	33.34	0.05	183.19	46.14		134.60	246.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:40:29	214.87		183.60	45.73	134.19	33.34	0.05	183.58	45.75		134.21	246.79
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:40:31	214.90		183.80	45.54	134.00	33.34	0.05	183.78	45.56		134.02	246.98
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:40:33	214.93		183.42	45.91	134.37	33.34	0.05	183.40	45.93		134.39	246.61
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:40:35	214.97		183.21	46.12	134.58	33.34	0.05	183.19	46.14		134.60	246.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:40:37	215.00		183.47	45.86	134.32	33.34	0.05	183.45	45.88		134.34	246.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:40:39	215.03		183.60	45.73	134.19	33.34	0.05	183.58	45.75		134.21	246.79
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:40:41	215.07		183.75	45.58	134.04	33.34	0.05	183.73	45.60		134.06	246.94
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:40:43	215.10		183.49	45.84	134.30	33.34	0.05	183.47	45.86		134.32	246.68
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:40:45	215.13		183.58	45.76	134.22	33.34	0.05	183.56	45.78		134.24	246.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:40:47	215.17		183.59	45.75	134.21	33.34	0.05	183.57	45.77		134.23	246.77
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:40:49	215.20		183.18	46.15	134.61	33.34	0.05	183.16	46.17		134.63	246.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:40:51	215.23		183.60	45.73	134.19	33.34	0.05	183.58	45.75		134.21	246.79
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:40:53	215.27		183.27	46.07	134.53	33.34	0.05	183.25	46.09		134.55	246.45
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:40:55	215.30		183.03	46.31	134.77	33.34	0.05	183.00	46.33		134.79	246.21
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:40:57	215.33		183.60	45.74	134.20	33.34	0.05	183.57	45.76		134.22	246.78
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:40:59	215.37		183.69	45.65	134.11	33.34	0.05	183.67	45.67		134.13	246.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:41:01	215.40		183.27	46.07	134.53	33.34	0.05	183.25	46.09		134.55	246.45
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:41:03	215.43		183.57	45.77	134.23	33.34	0.05	183.54	45.79		134.25	246.75
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:41:05	215.47		183.50	45.83	134.29	33.34	0.05	183.48	45.85		134.31	246.69
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:41:07	215.50		183.65	45.69	134.15	33.34	0.05	183.63	45.71		134.17	246.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:41:09	215.53		182.88	46.46	134.92	33.34	0.05	182.86	46.48		134.94	246.06
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:41:11	215.57		183.25	46.09	134.55	33.34	0.05	183.22	46.11		134.57	246.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:41:13	215.60		183.34	46.00	134.46	33.34	0.05	183.32	46.02		134.48	246.52
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:41:15	215.63		183.12	46.22	134.68	33.34	0.05	183.10	46.24		134.70	246.30
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:41:17	215.67		183.31	46.03	134.49	33.34	0.05	183.28	46.05		134.51	246.49
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:41:19	215.70		183.38	45.96	134.42	33.34	0.05	183.36	45.98		134.44	246.56
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:41:21	215.73		183.04	46.29	134.75	33.34	0.05	183.02	46.31		134.77	246.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:41:23	215.77		183.18	46.16	134.62	33.34	0.05	183.15	46.18		134.64	246.36
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:41:25	215.80		182.99	46.35	134.81	33.34	0.05	182.97	46.37		134.83	246.17
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:41:27	215.83		183.10	46.24	134.70	33.34	0.05	183.07	46.26		134.72	246.28
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:41:29	215.87		183.32	46.02	134.48	33.34	0.05	183.29	46.04		134.50	246.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:41:31	215.90		182.57	46.77	135.23	33.34	0.05	182.54	46.79		135.25	245.75
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:41:33	215.93		183.21	46.13	134.59	33.34	0.05	183.18	46.15		134.61	246.39
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:41:35	215.97		183.32	46.01	134.47	33.34	0.05	183.30	46.03		134.49	246.51
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:41:37	216.00		183.07	46.26	134.72	33.34	0.05	183.05	46.28		134.74	246.26
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:41:39	216.03		183.43	45.90	134.36	33.34	0.05	183.41	45.92		134.38	246.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:41:41	216.07		183.34	46.00	134.46	33.34	0.05	183.32	46.02		134.48	246.52
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:41:43	216.10		183.01	46.32	134.78	33.34	0.05	182.99	46.34		134.80	246.20
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:41:45	216.13		183.43	45.90	134.36	33.34	0.05	183.41	45.92		134.38	246.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:41:47	216.17		183.46	45.88	134.34	33.34	0.05	183.43	45.90		134.36	246.64
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:41:49	216.20		183.11	46.23	134.69	33.34	0.05	183.08	46.25		134.71	246.29
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:41:51	216.23		183.41	45.93	134.39	33.34	0.05	183.39	45.95		134.41	246.59
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:41:53	216.27		183.15	46.18	134.64	33.34	0.05	183.13	46.20		134.66	246.34
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:41:55	216.30		183.44	45.90	134.36	33.34	0.05	183.42	45.92		134.38	246.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:41:57	216.33		183.39	45.94	134.40	33.34	0.05	183.37	45.96		134.42	246.58
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:41:59	216.37		183.27	46.07	134.53	33.34	0.05	183.25	46.09		134.55	246.45
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:42:01	216.40		183.16	46.18	134.64	33.34	0.05	183.14	46.20		134.66	246.34
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:42:03	216.43		183.51	45.83	134.29	33.34	0.05	183.49	45.85		134.31	246.69
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:42:05	216.47		183.58	45.76	134.22	33.34	0.05	183.56	45.78		134.24	246.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:42:07	216.50		183.32	46.02	134.48	33.34	0.05	183.29	46.04		134.50	246.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:42:09	216.53		183.33	46.00	134.46	33.34	0.05	183.31	46.02		134.48	246.52
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:42:11	216.57		183.67	45.66	134.12	33.34	0.05	183.65	45.68		134.14	246.86
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:42:13	216.60		182.88	46.45	134.91	33.34	0.05	182.86	46.47		134.93	246.07
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:42:15	216.63		183.02	46.32	134.78	33.34	0.05	183.00	46.34		134.80	246.20
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:42:17	216.67		183.66	45.68	134.14	33.34	0.05	183.64	45.70		134.16	246.84
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:42:19	216.70		183.49	45.85	134.31	33.34	0.05	183.46	45.87		134.33	246.67
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:42:21	216.73		183.16	46.18	134.64	33.34	0.05	183.14	46.20		134.66	246.34
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:42:23	216.77		183.27	46.07	134.53	33.34	0.05	183.25	46.09		134.55	246.45
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:42:25	216.80		183.26	46.07	134.53	33.34	0.05	183.24	46.09		134.55	246.45
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:42:27	216.83		183.18	46.16	134.62	33.34	0.05	183.15	46.18		134.64	246.36
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:42:29	216.87		183.07	46.26	134.72	33.34	0.05	183.05	46.28		134.74	246.26
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:42:31	216.90		183.06	46.28	134.74	33.34	0.05	183.04	46.30		134.76	246.24
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:42:33	216.93		183.10	46.24	134.70	33.34	0.05	183.07	46.26		134.72	246.28
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:42:35	216.97		183.35	45.99	134.45	33.34	0.05	183.32	46.01		134.47	246.53
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:42:37	217.00		183.10	46.24	134.70	33.34	0.05	183.07	46.26		134.72	246.28
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:42:39	217.03		182.65	46.69	135.15	33.34	0.05	182.62	46.71		135.17	245.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:42:41	217.07		182.83	46.50	134.96	33.34	0.05	182.81	46.52		134.98	246.02
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:42:43	217.10		183.30	46.04	134.50	33.34	0.05	183.28	46.06		134.52	246.48
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:42:45	217.13		183.05	46.29	134.75	33.34	0.05	183.03	46.31		134.77	246.23

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:42:47	217.17		183.22	46.11	134.57	33.34	0.05	183.20	46.13		134.59	246.41
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:42:49	217.20		183.00	46.33	134.79	33.34	0.05	182.98	46.35		134.81	246.19
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:42:51	217.23		183.21	46.13	134.59	33.34	0.05	183.18	46.15		134.61	246.39
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:42:53	217.27		183.73	45.61	134.07	33.34	0.05	183.70	45.63		134.09	246.91
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:42:55	217.30		183.46	45.88	134.34	33.34	0.05	183.43	45.90		134.36	246.64
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:42:57	217.33		183.41	45.93	134.39	33.34	0.05	183.38	45.95		134.41	246.59
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:42:59	217.37		183.35	45.98	134.44	33.34	0.05	183.33	46.00		134.46	246.54
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:43:01	217.40		183.00	46.34	134.80	33.34	0.05	182.97	46.36		134.82	246.18
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:43:03	217.43		183.07	46.27	134.73	33.34	0.05	183.04	46.29		134.75	246.25
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:43:05	217.47		183.38	45.96	134.42	33.34	0.05	183.35	45.98		134.44	246.56
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:43:07	217.50		182.65	46.68	135.14	33.34	0.05	182.63	46.70		135.16	245.84
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:43:09	217.53		183.09	46.25	134.71	33.34	0.05	183.07	46.27		134.73	246.27
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:43:11	217.57		183.64	45.69	134.15	33.34	0.05	183.62	45.71		134.17	246.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:43:13	217.60		183.48	45.85	134.31	33.34	0.05	183.46	45.87		134.33	246.67
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:43:15	217.63		183.46	45.87	134.33	33.34	0.05	183.44	45.89		134.35	246.65
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:43:17	217.67		182.90	46.43	134.89	33.34	0.05	182.88	46.45		134.91	246.09
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:43:19	217.70		183.18	46.15	134.61	33.34	0.05	183.16	46.17		134.63	246.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:43:21	217.73		183.16	46.18	134.64	33.34	0.05	183.14	46.20		134.66	246.34
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:43:23	217.77		183.47	45.86	134.32	33.34	0.05	183.45	45.88		134.34	246.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:43:25	217.80		183.28	46.06	134.52	33.34	0.05	183.25	46.08		134.54	246.46
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:43:27	217.83		183.28	46.05	134.51	33.34	0.05	183.26	46.07		134.53	246.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:43:29	217.87		183.04	46.29	134.75	33.34	0.05	183.02	46.31		134.77	246.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:43:31	217.90		183.00	46.34	134.80	33.34	0.05	182.97	46.36		134.82	246.18
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:43:33	217.93		183.38	45.96	134.42	33.34	0.05	183.35	45.98		134.44	246.56
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:43:35	217.97		183.10	46.24	134.70	33.34	0.05	183.07	46.26		134.72	246.28
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:43:37	218.00		182.81	46.53	134.99	33.34	0.05	182.78	46.55		135.01	245.99
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:43:39	218.03		183.32	46.01	134.47	33.34	0.05	183.30	46.03		134.49	246.51
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:43:41	218.07		183.01	46.32	134.78	33.34	0.05	182.99	46.34		134.80	246.20
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:43:43	218.10		182.85	46.49	134.95	33.34	0.05	182.82	46.51		134.97	246.03
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:43:45	218.13		183.38	45.96	134.42	33.34	0.05	183.36	45.98		134.44	246.56
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:43:47	218.17		182.97	46.36	134.82	33.34	0.05	182.95	46.38		134.84	246.16
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:43:49	218.20		183.14	46.19	134.65	33.34	0.05	183.12	46.21		134.67	246.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:43:51	218.23		183.21	46.13	134.59	33.34	0.05	183.18	46.15		134.61	246.39
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:43:53	218.27		182.89	46.44	134.90	33.34	0.05	182.87	46.46		134.92	246.08
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:43:55	218.30		182.71	46.63	135.09	33.34	0.05	182.68	46.65		135.11	245.89
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:43:57	218.33		182.90	46.44	134.90	33.34	0.05	182.88	46.46		134.92	246.08
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:43:59	218.37		182.80	46.53	134.99	33.34	0.05	182.78	46.55		135.01	245.99
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:44:01	218.40		183.01	46.33	134.79	33.34	0.05	182.99	46.35		134.81	246.19
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:44:03	218.43		183.18	46.16	134.62	33.34	0.05	183.16	46.18		134.64	246.36
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:44:05	218.47		182.96	46.38	134.84	33.34	0.05	182.93	46.40		134.86	246.14
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:44:07	218.50		182.99	46.34	134.80	33.34	0.05	182.97	46.36		134.82	246.18
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:44:09	218.53		182.84	46.50	134.96	33.34	0.05	182.82	46.52		134.98	246.02
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:44:11	218.57		182.96	46.38	134.84	33.34	0.05	182.93	46.40		134.86	246.14
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:44:13	218.60		183.43	45.90	134.36	33.34	0.05	183.41	45.92		134.38	246.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:44:15	218.63		182.71	46.63	135.09	33.34	0.05	182.68	46.65		135.11	245.89
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:44:17	218.67		183.16	46.18	134.64	33.34	0.05	183.13	46.20		134.66	246.34
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:44:19	218.70		183.14	46.20	134.66	33.34	0.05	183.11	46.22		134.68	246.32
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:44:21	218.73		183.10	46.23	134.69	33.34	0.05	183.08	46.25		134.71	246.29
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:44:23	218.77		182.65	46.69	135.15	33.34	0.05	182.62	46.71		135.17	245.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:44:25	218.80		182.92	46.41	134.87	33.34	0.05	182.90	46.43		134.89	246.11
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:44:27	218.83		183.35	45.98	134.44	33.34	0.05	183.33	46.00		134.46	246.54
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:44:29	218.87		182.86	46.47	134.93	33.34	0.05	182.84	46.49		134.95	246.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:44:31	218.90		183.27	46.07	134.53	33.34	0.05	183.25	46.09		134.55	246.45
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:44:33	218.93		183.53	45.80	134.26	33.34	0.05	183.51	45.82		134.28	246.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:44:35	218.97		183.18	46.15	134.61	33.34	0.05	183.16	46.17		134.63	246.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:44:37	219.00		183.14	46.19	134.65	33.34	0.05	183.12	46.21		134.67	246.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:44:39	219.03		182.99	46.35	134.81	33.34	0.05	182.96	46.37		134.83	246.17
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:44:41	219.07		182.99	46.35	134.81	33.34	0.05	182.97	46.37		134.83	246.17
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:44:43	219.10		182.79	46.54	135.00	33.34	0.05	182.77	46.56		135.02	245.98
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:44:45	219.13		182.61	46.72	135.18	33.34	0.05	182.59	46.74		135.20	245.80
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:44:47	219.17		183.09	46.25	134.71	33.34	0.05	183.07	46.27		134.73	246.27
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:44:49	219.20		182.65	46.69	135.15	33.34	0.05	182.63	46.71		135.17	245.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:44:51	219.23		183.13	46.21	134.67	33.34	0.05	183.11	46.23		134.69	246.31
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:44:53	219.27		183.34	45.99	134.45	33.34	0.05	183.32	46.01		134.47	246.53
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:44:55	219.30		183.02	46.32	134.78	33.34	0.05	182.99	46.34		134.80	246.20
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:44:57	219.33		183.00	46.33	134.79	33.34	0.05	182.98	46.35		134.81	246.19
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:44:59	219.37		183.00	46.33	134.79	33.34	0.05	182.98	46.35		134.81	246.19
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:45:01	219.40		183.02	46.32	134.78	33.34	0.05	182.99	46.34		134.80	246.20
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:45:03	219.43		183.11	46.22	134.68	33.34	0.05	183.09	46.24		134.70	246.30
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:45:05	219.47		183.42	45.91	134.37	33.34	0.05	183.40	45.93		134.39	246.61
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:45:07	219.50		183.31	46.02	134.48	33.34	0.05	183.29	46.04		134.50	246.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:45:09	219.53		183.18	46.16	134.62	33.34	0.05	183.15	46.18		134.64	246.36
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:45:11	219.57		182.89	46.45	134.91	33.34	0.05	182.86	46.47		134.93	246.07
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:45:13	219.60		183.24	46.10	134.56	33.34	0.05	183.21	46.12		134.58	246.42
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:45:15	219.63		183.27	46.06	134.52	33.34	0.05	183.25	46.08		134.54	246.46
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:45:17	219.67		182.69	46.65	135.11	33.34	0.05	182.67	46.67		135.13	245.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:45:19	219.70		182.64	46.69	135.15	33.34	0.05	182.62	46.71		135.17	245.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:45:21	219.73		183.20	46.14	134.60	33.34	0.05	183.17	46.16		134.62	246.38
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:45:23	219.77		182.56	46.78	135.24	33.34	0.05	182.54	46.80		135.26	245.74
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:45:25	219.80		183.09	46.25	134.71	33.34	0.05	183.06	46.27		134.73	246.27
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:45:27	219.83		182.74	46.60	135.06	33.34	0.05	182.71	46.62		135.08	245.92
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:45:29	219.87		183.06	46.28	134.74	33.34	0.05	183.03	46.30		134.76	246.24
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:45:31	219.90		182.35	46.98	135.44	33.34	0.05	182.33	47.00		135.46	245.54
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:45:33	219.93		182.91	46.43	134.89	33.34	0.05	182.88	46.45		134.91	246.09
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:45:35	219.97		182.91	46.43	134.89	33.34	0.05	182.88	46.45		134.91	246.09
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:45:37	220.00		182.87	46.46	134.92	33.34	0.05	182.85	46.49		134.95	246.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:45:39	220.03		183.07	46.26	134.72	33.34	0.05	183.05	46.29		134.75	246.25
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:45:41	220.07		182.53	46.81	135.27	33.34	0.05	182.50	46.83		135.29	245.71
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:45:43	220.10		182.45	46.89	135.35	33.34	0.05	182.43	46.91		135.37	245.63
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:45:45	220.13		182.68	46.65	135.11	33.34	0.05	182.66	46.68		135.14	245.86
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:45:47	220.17		183.50	45.84	134.30	33.34	0.05	183.48	45.86		134.32	246.68
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:45:49	220.20		183.06	46.28	134.74	33.34	0.05	183.03	46.30		134.76	246.24
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:45:51	220.23		182.75	46.59	135.05	33.34	0.05	182.72	46.61		135.07	245.93
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:45:53	220.27		182.60	46.73	135.19	33.34	0.05	182.58	46.75		135.21	245.79
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:45:55	220.30		183.11	46.23	134.69	33.34	0.05	183.09	46.25		134.71	246.29
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:45:57	220.33		182.88	46.45	134.91	33.34	0.05	182.86	46.47		134.93	246.07
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:45:59	220.37		182.66	46.68	135.14	33.34	0.05	182.63	46.70		135.16	245.84

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:46:01	220.40		182.63	46.71	135.17	33.34	0.05	182.60	46.73		135.19	245.81
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:46:03	220.43		182.90	46.43	134.89	33.34	0.05	182.88	46.45		134.91	246.09
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:46:05	220.47		183.03	46.30	134.76	33.34	0.05	183.01	46.32		134.78	246.22
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:46:07	220.50		182.86	46.47	134.93	33.34	0.05	182.84	46.50		134.96	246.04
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:46:09	220.53		182.87	46.47	134.93	33.34	0.05	182.85	46.49		134.95	246.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:46:11	220.57		182.52	46.82	135.28	33.34	0.05	182.50	46.84		135.30	245.70
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:46:13	220.60		182.72	46.62	135.08	33.34	0.05	182.70	46.64		135.10	245.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:46:15	220.63		182.77	46.57	135.03	33.34	0.05	182.74	46.59		135.05	245.95
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:46:17	220.67		182.42	46.91	135.37	33.34	0.05	182.40	46.93		135.39	245.61
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:46:19	220.70		182.95	46.39	134.85	33.34	0.05	182.92	46.41		134.87	246.13
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:46:21	220.73		182.71	46.62	135.08	33.34	0.05	182.69	46.64		135.10	245.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:46:23	220.77		182.74	46.60	135.06	33.34	0.05	182.71	46.62		135.08	245.92
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:46:25	220.80		183.35	45.98	134.44	33.34	0.05	183.33	46.00		134.46	246.54
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:46:27	220.83		182.35	46.98	135.44	33.34	0.05	182.33	47.00		135.46	245.54
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:46:29	220.87		182.42	46.92	135.38	33.34	0.05	182.39	46.94		135.40	245.60
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:46:31	220.90		182.49	46.85	135.31	33.34	0.05	182.46	46.87		135.33	245.67
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:46:33	220.93		182.27	47.07	135.53	33.34	0.05	182.24	47.09		135.55	245.45
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:46:35	220.97		182.35	46.99	135.45	33.34	0.05	182.33	47.01		135.47	245.53
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:46:37	221.00		182.95	46.39	134.85	33.34	0.05	182.92	46.41		134.87	246.13
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:46:39	221.03		182.65	46.69	135.15	33.34	0.05	182.63	46.71		135.17	245.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:46:41	221.07		183.06	46.28	134.74	33.34	0.05	183.03	46.30		134.76	246.24
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:46:43	221.10		183.26	46.08	134.54	33.34	0.05	183.23	46.10		134.56	246.44
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:46:45	221.13		183.02	46.32	134.78	33.34	0.05	182.99	46.34		134.80	246.20
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:46:47	221.17		182.89	46.44	134.90	33.34	0.05	182.87	46.46		134.92	246.08
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:46:49	221.20		182.77	46.57	135.03	33.34	0.05	182.74	46.59		135.05	245.95
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:46:51	221.23		182.79	46.55	135.01	33.34	0.05	182.76	46.57		135.03	245.97
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:46:53	221.27		182.61	46.72	135.18	33.34	0.05	182.59	46.75		135.21	245.79
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:46:55	221.30		182.95	46.39	134.85	33.34	0.05	182.92	46.41		134.87	246.13
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:46:57	221.33		182.60	46.73	135.19	33.34	0.05	182.58	46.75		135.21	245.79
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:46:59	221.37		183.03	46.30	134.76	33.34	0.05	183.01	46.32		134.78	246.22
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:47:01	221.40		182.78	46.55	135.01	33.34	0.05	182.76	46.57		135.03	245.97
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:47:03	221.43		182.25	47.09	135.55	33.34	0.05	182.22	47.11		135.57	245.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:47:05	221.47		182.46	46.88	135.34	33.34	0.05	182.43	46.90		135.36	245.64
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:47:07	221.50		182.56	46.78	135.24	33.34	0.05	182.53	46.80		135.26	245.74
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:47:09	221.53		182.72	46.62	135.08	33.34	0.05	182.70	46.64		135.10	245.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:47:11	221.57		182.77	46.57	135.03	33.34	0.05	182.74	46.59		135.05	245.95
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:47:13	221.60		182.59	46.75	135.21	33.34	0.05	182.56	46.77		135.23	245.77
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:47:15	221.63		182.42	46.91	135.37	33.34	0.05	182.40	46.93		135.39	245.61
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:47:17	221.67		182.72	46.62	135.08	33.34	0.05	182.70	46.64		135.10	245.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:47:19	221.70		182.48	46.86	135.32	33.34	0.05	182.46	46.88		135.34	245.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:47:21	221.73		182.88	46.46	134.92	33.34	0.05	182.85	46.48		134.94	246.06
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:47:23	221.77		182.72	46.62	135.08	33.34	0.05	182.70	46.64		135.10	245.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:47:25	221.80		182.59	46.75	135.21	33.34	0.05	182.56	46.77		135.23	245.77
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:47:27	221.83		182.60	46.74	135.20	33.34	0.05	182.57	46.76		135.22	245.78
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:47:29	221.87		183.04	46.30	134.76	33.34	0.05	183.01	46.32		134.78	246.22
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:47:31	221.90		183.29	46.05	134.51	33.34	0.05	183.27	46.07		134.53	246.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:47:33	221.93		183.05	46.29	134.75	33.34	0.05	183.02	46.31		134.77	246.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:47:35	221.97		182.81	46.52	134.98	33.34	0.05	182.79	46.54		135.00	246.00
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:47:37	222.00		182.83	46.51	134.97	33.34	0.05	182.81	46.53		134.99	246.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:47:39	222.03		182.43	46.91	135.37	33.34	0.05	182.40	46.93		135.39	245.61
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:47:41	222.07		182.76	46.58	135.04	33.34	0.05	182.74	46.60		135.06	245.94
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:47:43	222.10		182.73	46.61	135.07	33.34	0.05	182.70	46.63		135.09	245.91
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:47:45	222.13		182.57	46.76	135.22	33.34	0.05	182.55	46.78		135.24	245.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:47:47	222.17		182.67	46.67	135.13	33.34	0.05	182.64	46.69		135.15	245.85
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:47:49	222.20		182.56	46.78	135.24	33.34	0.05	182.53	46.80		135.26	245.74
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:47:51	222.23		183.04	46.30	134.76	33.34	0.05	183.02	46.32		134.78	246.22
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:47:53	222.27		182.96	46.37	134.83	33.34	0.05	182.94	46.39		134.85	246.15
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:47:55	222.30		182.78	46.56	135.02	33.34	0.05	182.75	46.58		135.04	245.96
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:47:57	222.33		183.02	46.32	134.78	33.34	0.05	182.99	46.34		134.80	246.20
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:47:59	222.37		182.69	46.65	135.11	33.34	0.05	182.67	46.67		135.13	245.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:48:01	222.40		182.80	46.54	135.00	33.34	0.05	182.77	46.56		135.02	245.98
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:48:03	222.43		182.39	46.95	135.41	33.34	0.05	182.36	46.97		135.43	245.57
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:48:05	222.47		182.97	46.37	134.83	33.34	0.05	182.95	46.39		134.85	246.15
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:48:07	222.50		182.14	47.19	135.65	33.34	0.05	182.12	47.21		135.67	245.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:48:09	222.53		182.64	46.70	135.16	33.34	0.05	182.61	46.72		135.18	245.82
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:48:11	222.57		182.49	46.85	135.31	33.34	0.05	182.47	46.87		135.33	245.67
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:48:13	222.60		182.79	46.54	135.00	33.34	0.05	182.77	46.57		135.03	245.97
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:48:15	222.63		182.47	46.87	135.33	33.34	0.05	182.44	46.89		135.35	245.65
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:48:17	222.67		182.48	46.86	135.32	33.34	0.05	182.46	46.88		135.34	245.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:48:19	222.70		182.79	46.54	135.00	33.34	0.05	182.77	46.57		135.03	245.97
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:48:21	222.73		183.11	46.23	134.69	33.34	0.05	183.09	46.25		134.71	246.29
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:48:23	222.77		183.22	46.12	134.58	33.34	0.05	183.20	46.14		134.60	246.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:48:25	222.80		183.28	46.05	134.51	33.34	0.05	183.26	46.07		134.53	246.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:48:27	222.83		183.07	46.26	134.72	33.34	0.05	183.05	46.29		134.75	246.25
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:48:29	222.87		182.76	46.58	135.04	33.34	0.05	182.74	46.60		135.06	245.94
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:48:31	222.90		182.49	46.84	135.30	33.34	0.05	182.47	46.86		135.32	245.68
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:48:33	222.93		183.00	46.33	134.79	33.34	0.05	182.98	46.36		134.82	246.18
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:48:35	222.97		182.49	46.84	135.30	33.34	0.05	182.47	46.86		135.32	245.68
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:48:37	223.00		182.79	46.54	135.00	33.34	0.05	182.77	46.57		135.03	245.97
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:48:39	223.03		182.85	46.48	134.94	33.34	0.05	182.83	46.50		134.96	246.04
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:48:41	223.07		182.84	46.50	134.96	33.34	0.05	182.81	46.52		134.98	246.02
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:48:43	223.10		182.85	46.49	134.95	33.34	0.05	182.82	46.51		134.97	246.03
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:48:45	223.13		182.22	47.11	135.57	33.34	0.05	182.20	47.13		135.59	245.41
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:48:47	223.17		182.39	46.94	135.40	33.34	0.05	182.37	46.96		135.42	245.58
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:48:49	223.20		182.19	47.14	135.60	33.34	0.05	182.17	47.17		135.63	245.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:48:51	223.23		182.81	46.53	134.99	33.34	0.05	182.78	46.55		135.01	245.99
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:48:53	223.27		182.48	46.86	135.32	33.34	0.05	182.46	46.88		135.34	245.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:48:55	223.30		182.49	46.84	135.30	33.34	0.05	182.47	46.86		135.32	245.68
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:48:57	223.33		182.67	46.67	135.13	33.34	0.05	182.64	46.69		135.15	245.85
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:48:59	223.37		182.48	46.86	135.32	33.34	0.05	182.46	46.88		135.34	245.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:49:01	223.40		182.94	46.40	134.86	33.34	0.05	182.92	46.42		134.88	246.12
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:49:03	223.43		182.64	46.69	135.15	33.34	0.05	182.62	46.71		135.17	245.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:49:05	223.47		182.45	46.89	135.35	33.34	0.05	182.42	46.91		135.37	245.63
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:49:07	223.50		182.12	47.21	135.67	33.34	0.05	182.10	47.23		135.69	245.31
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:49:09	223.53		182.72	46.62	135.08	33.34	0.05	182.70	46.64		135.10	245.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:49:11	223.57		183.01	46.33	134.79	33.34	0.05	182.99	46.35		134.81	246.19
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:49:13	223.60		182.66	46.68	135.14	33.34	0.05	182.63	46.70		135.16	245.84

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:49:15	223.63		182.51	46.83	135.29	33.34	0.05	182.49	46.85		135.31	245.69
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:49:17	223.67		182.32	47.02	135.48	33.34	0.05	182.29	47.04		135.50	245.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:49:19	223.70		182.71	46.63	135.09	33.34	0.05	182.68	46.65		135.11	245.89
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:49:21	223.73		182.70	46.64	135.10	33.34	0.05	182.67	46.66		135.12	245.88
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:49:23	223.77		182.22	47.11	135.57	33.34	0.05	182.20	47.13		135.59	245.41
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:49:25	223.80		182.67	46.67	135.13	33.34	0.05	182.64	46.69		135.15	245.85
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:49:27	223.83		182.88	46.45	134.91	33.34	0.05	182.86	46.47		134.93	246.07
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:49:29	223.87		182.28	47.06	135.52	33.34	0.05	182.25	47.08		135.54	245.46
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:49:31	223.90		182.35	46.98	135.44	33.34	0.05	182.33	47.00		135.46	245.54
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:49:33	223.93		182.56	46.78	135.24	33.34	0.05	182.53	46.80		135.26	245.74
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:49:35	223.97		182.50	46.83	135.29	33.34	0.05	182.48	46.85		135.31	245.69
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:49:37	224.00		182.85	46.48	134.94	33.34	0.05	182.83	46.50		134.96	246.04
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:49:39	224.03		182.29	47.04	135.50	33.34	0.05	182.27	47.06		135.52	245.48
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:49:41	224.07		182.35	46.99	135.45	33.34	0.05	182.32	47.01		135.47	245.53
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:49:43	224.10		182.73	46.61	135.07	33.34	0.05	182.70	46.63		135.09	245.91
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:49:45	224.13		182.04	47.30	135.76	33.34	0.05	182.01	47.32		135.78	245.22
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:49:47	224.17		182.35	46.99	135.45	33.34	0.05	182.32	47.01		135.47	245.53
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:49:49	224.20		182.39	46.94	135.40	33.34	0.05	182.37	46.96		135.42	245.58
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:49:51	224.23		182.35	46.99	135.45	33.34	0.05	182.32	47.01		135.47	245.53
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:49:53	224.27		182.46	46.88	135.34	33.34	0.05	182.43	46.90		135.36	245.64
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:49:55	224.30		182.78	46.55	135.01	33.34	0.05	182.76	46.57		135.03	245.97
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:49:57	224.33		182.99	46.35	134.81	33.34	0.05	182.96	46.37		134.83	246.17
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:49:59	224.37		182.94	46.40	134.86	33.34	0.05	182.92	46.42		134.88	246.12
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:50:01	224.40		182.53	46.80	135.26	33.34	0.05	182.51	46.82		135.28	245.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:50:03	224.43		182.64	46.69	135.15	33.34	0.05	182.62	46.71		135.17	245.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:50:05	224.47		182.32	47.01	135.47	33.34	0.05	182.30	47.03		135.49	245.51
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:50:07	224.50		182.57	46.77	135.23	33.34	0.05	182.54	46.79		135.25	245.75
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:50:09	224.53		182.31	47.03	135.49	33.34	0.05	182.28	47.05		135.51	245.49
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:50:11	224.57		182.14	47.19	135.65	33.34	0.05	182.12	47.21		135.67	245.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:50:13	224.60		182.25	47.08	135.54	33.34	0.05	182.23	47.10		135.56	245.44
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:50:15	224.63		182.44	46.90	135.36	33.34	0.05	182.42	46.92		135.38	245.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:50:17	224.67		182.14	47.19	135.65	33.34	0.05	182.12	47.21		135.67	245.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:50:19	224.70		182.85	46.49	134.95	33.34	0.05	182.82	46.51		134.97	246.03
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:50:21	224.73		182.21	47.12	135.58	33.34	0.05	182.19	47.14		135.60	245.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:50:23	224.77		182.30	47.04	135.50	33.34	0.05	182.28	47.06		135.52	245.48
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:50:25	224.80		182.43	46.90	135.36	33.34	0.05	182.41	46.92		135.38	245.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:50:27	224.83		182.15	47.18	135.64	33.34	0.05	182.13	47.20		135.66	245.34
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:50:29	224.87		182.47	46.86	135.32	33.34	0.05	182.45	46.89		135.35	245.65
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:50:31	224.90		182.54	46.79	135.25	33.34	0.05	182.52	46.82		135.28	245.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:50:33	224.93		182.16	47.18	135.64	33.34	0.05	182.14	47.20		135.66	245.34
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:50:35	224.97		182.17	47.17	135.63	33.34	0.05	182.14	47.19		135.65	245.35
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:50:37	225.00		182.80	46.54	135.00	33.34	0.05	182.77	46.56		135.02	245.98
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:50:39	225.03		182.34	47.00	135.46	33.34	0.05	182.32	47.02		135.48	245.52
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:50:41	225.07		182.39	46.94	135.40	33.34	0.05	182.37	46.96		135.42	245.58
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:50:43	225.10		182.22	47.11	135.57	33.34	0.05	182.20	47.13		135.59	245.41
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:50:45	225.13		182.74	46.59	135.05	33.34	0.05	182.72	46.61		135.07	245.93
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:50:47	225.17		181.98	47.36	135.82	33.34	0.05	181.96	47.38		135.84	245.16
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:50:49	225.20		182.30	47.04	135.50	33.34	0.05	182.28	47.06		135.52	245.48
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:50:51	225.23		182.44	46.90	135.36	33.34	0.05	182.42	46.92		135.38	245.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:50:53	225.27		182.67	46.67	135.13	33.34	0.05	182.64	46.69		135.15	245.85
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:50:55	225.30		182.86	46.47	134.93	33.34	0.05	182.84	46.50		134.96	246.04
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:50:57	225.33		182.06	47.28	135.74	33.34	0.05	182.03	47.30		135.76	245.24
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:50:59	225.37		182.33	47.00	135.46	33.34	0.05	182.31	47.03		135.49	245.51
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:51:01	225.40		181.99	47.35	135.81	33.34	0.05	181.96	47.37		135.83	245.17
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:51:03	225.43		181.88	47.46	135.92	33.34	0.05	181.86	47.48		135.94	245.06
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:51:05	225.47		182.64	46.69	135.15	33.34	0.05	182.62	46.71		135.17	245.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:51:07	225.50		182.58	46.76	135.22	33.34	0.05	182.55	46.78		135.24	245.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:51:09	225.53		182.40	46.93	135.39	33.34	0.05	182.38	46.96		135.42	245.58
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:51:11	225.57		182.50	46.83	135.29	33.34	0.05	182.48	46.85		135.31	245.69
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:51:13	225.60		182.84	46.50	134.96	33.34	0.05	182.81	46.52		134.98	246.02
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:51:15	225.63		182.48	46.86	135.32	33.34	0.05	182.46	46.88		135.34	245.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:51:17	225.67		182.17	47.17	135.63	33.34	0.05	182.14	47.19		135.65	245.35
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:51:19	225.70		182.16	47.18	135.64	33.34	0.05	182.14	47.20		135.66	245.34
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:51:21	225.73		182.71	46.62	135.08	33.34	0.05	182.69	46.64		135.10	245.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:51:23	225.77		182.58	46.76	135.22	33.34	0.05	182.56	46.78		135.24	245.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:51:25	225.80		182.12	47.22	135.68	33.34	0.05	182.10	47.24		135.70	245.30
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:51:27	225.83		182.22	47.11	135.57	33.34	0.05	182.20	47.13		135.59	245.41
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:51:29	225.87		182.12	47.22	135.68	33.34	0.05	182.10	47.24		135.70	245.30
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:51:31	225.90		182.43	46.90	135.36	33.34	0.05	182.41	46.92		135.38	245.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:51:33	225.93		182.54	46.79	135.25	33.34	0.05	182.52	46.82		135.28	245.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:51:35	225.97		182.61	46.72	135.18	33.34	0.05	182.59	46.75		135.21	245.79
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:51:37	226.00		182.33	47.00	135.46	33.34	0.05	182.31	47.03		135.49	245.51
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:51:39	226.03		182.57	46.76	135.22	33.34	0.05	182.55	46.78		135.24	245.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:51:41	226.07		182.44	46.90	135.36	33.34	0.05	182.42	46.92		135.38	245.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:51:43	226.10		182.59	46.75	135.21	33.34	0.05	182.56	46.77		135.23	245.77
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:51:45	226.13		182.28	47.06	135.52	33.34	0.05	182.25	47.08		135.54	245.46
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:51:47	226.17		182.94	46.40	134.86	33.34	0.05	182.92	46.42		134.88	246.12
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:51:49	226.20		182.25	47.08	135.54	33.34	0.05	182.23	47.10		135.56	245.44
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:51:51	226.23		182.19	47.14	135.60	33.34	0.05	182.17	47.17		135.63	245.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:51:53	226.27		181.99	47.35	135.81	33.34	0.05	181.96	47.37		135.83	245.17
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:51:55	226.30		182.36	46.97	135.43	33.34	0.05	182.34	46.99		135.45	245.55
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:51:57	226.33		181.86	47.48	135.94	33.34	0.05	181.83	47.50		135.96	245.04
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:51:59	226.37		182.30	47.04	135.50	33.34	0.05	182.28	47.06		135.52	245.48
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:52:01	226.40		182.06	47.28	135.74	33.34	0.05	182.03	47.30		135.76	245.24
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:52:03	226.43		182.84	46.50	134.96	33.34	0.05	182.81	46.52		134.98	246.02
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:52:05	226.47		182.50	46.83	135.29	33.34	0.05	182.48	46.85		135.31	245.69
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:52:07	226.50		182.48	46.86	135.32	33.34	0.05	182.46	46.88		135.34	245.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:52:09	226.53		182.54	46.79	135.25	33.34	0.05	182.52	46.82		135.28	245.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:52:11	226.57		182.50	46.83	135.29	33.34	0.05	182.48	46.85		135.31	245.69
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:52:13	226.60		182.81	46.52	134.98	33.34	0.05	182.79	46.54		135.00	246.00
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:52:15	226.63		182.24	47.10	135.56	33.34	0.05	182.21	47.12		135.58	245.42
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:52:17	226.67		182.30	47.04	135.50	33.34	0.05	182.28	47.06		135.52	245.48
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:52:19	226.70		182.49	46.84	135.30	33.34	0.05	182.47	46.86		135.32	245.68
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:52:21	226.73		182.06	47.28	135.74	33.34	0.05	182.03	47.30		135.76	245.24
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:52:23	226.77		182.07	47.27	135.73	33.34	0.05	182.04	47.29		135.75	245.25
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:52:25	226.80		181.87	47.46	135.92	33.34	0.05	181.85	47.49		135.95	245.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:52:27	226.83		182.35	46.98	135.44	33.34	0.05	182.33	47.00		135.46	245.54

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:52:29	226.87		182.34	47.00	135.46	33.34	0.05	182.32	47.02		135.48	245.52
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:52:31	226.90		182.59	46.75	135.21	33.34	0.05	182.56	46.77		135.23	245.77
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:52:33	226.93		182.12	47.22	135.68	33.34	0.05	182.10	47.24		135.70	245.30
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:52:35	226.97		182.25	47.09	135.55	33.34	0.05	182.22	47.11		135.57	245.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:52:37	227.00		182.81	46.52	134.98	33.34	0.05	182.79	46.54		135.00	246.00
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:52:39	227.03		182.08	47.25	135.71	33.34	0.05	182.06	47.28		135.74	245.26
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:52:41	227.07		182.78	46.56	135.02	33.34	0.05	182.75	46.58		135.04	245.96
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:52:43	227.10		182.46	46.87	135.33	33.34	0.05	182.44	46.89		135.35	245.65
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:52:45	227.13		182.44	46.90	135.36	33.34	0.05	182.42	46.92		135.38	245.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:52:47	227.17		182.07	47.26	135.72	33.34	0.05	182.05	47.28		135.74	245.26
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:52:49	227.20		182.35	46.98	135.44	33.34	0.05	182.33	47.00		135.46	245.54
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:52:51	227.23		182.69	46.65	135.11	33.34	0.05	182.67	46.67		135.13	245.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:52:53	227.27		182.31	47.03	135.49	33.34	0.05	182.28	47.05		135.51	245.49
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:52:55	227.30		182.22	47.11	135.57	33.34	0.05	182.20	47.13		135.59	245.41
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:52:57	227.33		181.86	47.47	135.93	33.34	0.05	181.84	47.49		135.95	245.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:52:59	227.37		182.02	47.32	135.78	33.34	0.05	182.00	47.34		135.80	245.20
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:53:01	227.40		182.42	46.91	135.37	33.34	0.05	182.40	46.93		135.39	245.61
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:53:03	227.43		182.63	46.71	135.17	33.34	0.05	182.60	46.73		135.19	245.81
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:53:05	227.47		182.12	47.22	135.68	33.34	0.05	182.10	47.24		135.70	245.30
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:53:07	227.50		182.37	46.97	135.43	33.34	0.05	182.35	46.99		135.45	245.55
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:53:09	227.53		182.36	46.97	135.43	33.34	0.05	182.34	46.99		135.45	245.55
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:53:11	227.57		182.24	47.10	135.56	33.34	0.05	182.21	47.12		135.58	245.42
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:53:13	227.60		182.11	47.23	135.69	33.34	0.05	182.08	47.25		135.71	245.29
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:53:15	227.63		182.31	47.03	135.49	33.34	0.05	182.28	47.05		135.51	245.49
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:53:17	227.67		182.28	47.05	135.51	33.34	0.05	182.26	47.07		135.53	245.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:53:19	227.70		182.56	46.78	135.24	33.34	0.05	182.53	46.80		135.26	245.74
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:53:21	227.73		181.86	47.47	135.93	33.34	0.05	181.84	47.49		135.95	245.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:53:23	227.77		181.94	47.39	135.85	33.34	0.05	181.92	47.42		135.88	245.12
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:53:25	227.80		181.79	47.55	136.01	33.34	0.05	181.76	47.57		136.03	244.97
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:53:27	227.83		181.95	47.39	135.85	33.34	0.05	181.93	47.41		135.87	245.13
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:53:29	227.87		182.03	47.31	135.77	33.34	0.05	182.00	47.33		135.79	245.21
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:53:31	227.90		182.21	47.13	135.59	33.34	0.05	182.18	47.15		135.61	245.39
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:53:33	227.93		181.96	47.38	135.84	33.34	0.05	181.93	47.40		135.86	245.14
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:53:35	227.97		182.06	47.28	135.74	33.34	0.05	182.03	47.30		135.76	245.24
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:53:37	228.00		181.97	47.36	135.82	33.34	0.05	181.95	47.38		135.84	245.16
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:53:39	228.03		182.39	46.95	135.41	33.34	0.05	182.36	46.97		135.43	245.57
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:53:41	228.07		182.44	46.90	135.36	33.34	0.05	182.42	46.92		135.38	245.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:53:43	228.10		182.38	46.96	135.42	33.34	0.05	182.35	46.98		135.44	245.56
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:53:45	228.13		182.07	47.27	135.73	33.34	0.05	182.04	47.29		135.75	245.25
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:53:47	228.17		182.14	47.19	135.65	33.34	0.05	182.12	47.21		135.67	245.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:53:49	228.20		182.04	47.29	135.75	33.34	0.05	182.02	47.31		135.77	245.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:53:51	228.23		182.00	47.33	135.79	33.34	0.05	181.98	47.35		135.81	245.19
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:53:53	228.27		182.51	46.83	135.29	33.34	0.05	182.49	46.85		135.31	245.69
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:53:55	228.30		181.96	47.38	135.84	33.34	0.05	181.93	47.40		135.86	245.14
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:53:57	228.33		181.86	47.48	135.94	33.34	0.05	181.83	47.50		135.96	245.04
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:53:59	228.37		182.39	46.95	135.41	33.34	0.05	182.36	46.97		135.43	245.57
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:54:01	228.40		181.85	47.49	135.95	33.34	0.05	181.82	47.51		135.97	245.03
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:54:03	228.43		182.24	47.10	135.56	33.34	0.05	182.21	47.12		135.58	245.42
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:54:05	228.47		182.18	47.15	135.61	33.34	0.05	182.16	47.17		135.63	245.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:54:07	228.50		182.11	47.22	135.68	33.34	0.05	182.09	47.24		135.70	245.30
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:54:09	228.53		182.21	47.12	135.58	33.34	0.05	182.19	47.14		135.60	245.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:54:11	228.57		182.16	47.18	135.64	33.34	0.05	182.14	47.20		135.66	245.34
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:54:13	228.60		182.21	47.12	135.58	33.34	0.05	182.19	47.14		135.60	245.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:54:15	228.63		182.26	47.07	135.53	33.34	0.05	182.24	47.10		135.56	245.44
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:54:17	228.67		182.20	47.14	135.60	33.34	0.05	182.17	47.16		135.62	245.38
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:54:19	228.70		182.68	46.65	135.11	33.34	0.05	182.66	46.68		135.14	245.86
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:54:21	228.73		182.18	47.15	135.61	33.34	0.05	182.16	47.17		135.63	245.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:54:23	228.77		182.02	47.32	135.78	33.34	0.05	182.00	47.34		135.80	245.20
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:54:25	228.80		182.29	47.04	135.50	33.34	0.05	182.27	47.06		135.52	245.48
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:54:27	228.83		182.32	47.02	135.48	33.34	0.05	182.29	47.04		135.50	245.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:54:29	228.87		181.66	47.67	136.13	33.34	0.05	181.64	47.70		136.16	244.84
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:54:31	228.90		181.82	47.51	135.97	33.34	0.05	181.80	47.53		135.99	245.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:54:33	228.93		182.06	47.28	135.74	33.34	0.05	182.03	47.30		135.76	245.24
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:54:35	228.97		182.01	47.32	135.78	33.34	0.05	181.99	47.35		135.81	245.19
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:54:37	229.00		182.11	47.23	135.69	33.34	0.05	182.08	47.25		135.71	245.29
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:54:39	229.03		182.14	47.20	135.66	33.34	0.05	182.11	47.22		135.68	245.32
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:54:41	229.07		182.74	46.59	135.05	33.34	0.05	182.72	46.61		135.07	245.93
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:54:43	229.10		182.18	47.16	135.62	33.34	0.05	182.15	47.18		135.64	245.36
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:54:45	229.13		182.60	46.73	135.19	33.34	0.05	182.58	46.75		135.21	245.79
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:54:47	229.17		182.63	46.71	135.17	33.34	0.05	182.60	46.73		135.19	245.81
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:54:49	229.20		181.99	47.35	135.81	33.34	0.05	181.96	47.37		135.83	245.17
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:54:51	229.23		182.14	47.20	135.66	33.34	0.05	182.11	47.22		135.68	245.32
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:54:53	229.27		182.36	46.97	135.43	33.34	0.05	182.34	46.99		135.45	245.55
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:54:55	229.30		182.05	47.29	135.75	33.34	0.05	182.03	47.31		135.77	245.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:54:57	229.33		181.76	47.57	136.03	33.34	0.05	181.74	47.59		136.05	244.95
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:54:59	229.37		182.26	47.07	135.53	33.34	0.05	182.24	47.10		135.56	245.44
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:55:01	229.40		182.10	47.24	135.70	33.34	0.05	182.07	47.26		135.72	245.28
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:55:03	229.43		182.24	47.10	135.56	33.34	0.05	182.21	47.12		135.58	245.42
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:55:05	229.47		181.85	47.49	135.95	33.34	0.05	181.82	47.51		135.97	245.03
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:55:07	229.50		181.75	47.58	136.04	33.34	0.05	181.73	47.60		136.06	244.94
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:55:09	229.53		181.72	47.61	136.07	33.34	0.05	181.70	47.63		136.09	244.91
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:55:11	229.57		182.29	47.04	135.50	33.34	0.05	182.27	47.07		135.53	245.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:55:13	229.60		181.91	47.43	135.89	33.34	0.05	181.89	47.45		135.91	245.09
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:55:15	229.63		182.09	47.25	135.71	33.34	0.05	182.06	47.27		135.73	245.27
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:55:17	229.67		182.53	46.80	135.26	33.34	0.05	182.51	46.82		135.28	245.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:55:19	229.70		182.28	47.06	135.52	33.34	0.05	182.25	47.08		135.54	245.46
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:55:21	229.73		182.18	47.16	135.62	33.34	0.05	182.15	47.18		135.64	245.36
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:55:23	229.77		182.20	47.14	135.60	33.34	0.05	182.17	47.16		135.62	245.38
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:55:25	229.80		182.12	47.22	135.68	33.34	0.05	182.10	47.24		135.70	245.30
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:55:27	229.83		182.19	47.14	135.60	33.34	0.05	182.17	47.17		135.63	245.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:55:29	229.87		182.27	47.07	135.53	33.34	0.05	182.24	47.09		135.55	245.45
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:55:31	229.90		182.23	47.11	135.57	33.34	0.05	182.21	47.13		135.59	245.41
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:55:33	229.93		182.54	46.79	135.25	33.34	0.05	182.52	46.82		135.28	245.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:55:35	229.97		182.12	47.22	135.68	33.34	0.05	182.10	47.24		135.70	245.30
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:55:37	230.00		182.19	47.14	135.60	33.34	0.05	182.17	47.17		135.63	245.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:55:39	230.03		181.92	47.42	135.88	33.34	0.05	181.89	47.44		135.90	245.10
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:55:41	230.07		182.28	47.05	135.51	33.34	0.05	182.26	47.07		135.53	245.47

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:55:43	230.10		182.14	47.20	135.66	33.34	0.05	182.11	47.22		135.68	245.32
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:55:45	230.13		182.46	46.88	135.34	33.34	0.05	182.43	46.90		135.36	245.64
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:55:47	230.17		182.03	47.31	135.77	33.34	0.05	182.00	47.33		135.79	245.21
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:55:49	230.20		182.02	47.32	135.78	33.34	0.05	181.99	47.34		135.80	245.20
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:55:51	230.23		182.06	47.28	135.74	33.34	0.05	182.03	47.30		135.76	245.24
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:55:53	230.27		181.68	47.65	136.11	33.34	0.05	181.66	47.67		136.13	244.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:55:55	230.30		181.90	47.43	135.89	33.34	0.05	181.88	47.46		135.92	245.08
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:55:57	230.33		181.97	47.37	135.83	33.34	0.05	181.94	47.39		135.85	245.15
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:55:59	230.37		182.42	46.92	135.38	33.34	0.05	182.39	46.94		135.40	245.60
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:56:01	230.40		182.16	47.18	135.64	33.34	0.05	182.13	47.20		135.66	245.34
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:56:03	230.43		181.77	47.57	136.03	33.34	0.05	181.75	47.59		136.05	244.95
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:56:05	230.47		182.32	47.01	135.47	33.34	0.05	182.30	47.03		135.49	245.51
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:56:07	230.50		182.51	46.83	135.29	33.34	0.05	182.49	46.85		135.31	245.69
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:56:09	230.53		182.05	47.29	135.75	33.34	0.05	182.03	47.31		135.77	245.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:56:11	230.57		181.80	47.53	135.99	33.34	0.05	181.78	47.56		136.02	244.98
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:56:13	230.60		181.98	47.36	135.82	33.34	0.05	181.96	47.38		135.84	245.16
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:56:15	230.63		182.07	47.27	135.73	33.34	0.05	182.04	47.29		135.75	245.25
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:56:17	230.67		182.32	47.01	135.47	33.34	0.05	182.30	47.03		135.49	245.51
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:56:19	230.70		182.24	47.10	135.56	33.34	0.05	182.21	47.12		135.58	245.42
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:56:21	230.73		182.52	46.82	135.28	33.34	0.05	182.49	46.84		135.30	245.70
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:56:23	230.77		182.18	47.15	135.61	33.34	0.05	182.16	47.17		135.63	245.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:56:25	230.80		181.92	47.42	135.88	33.34	0.05	181.89	47.44		135.90	245.10
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:56:27	230.83		182.03	47.31	135.77	33.34	0.05	182.00	47.33		135.79	245.21
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:56:29	230.87		182.05	47.29	135.75	33.34	0.05	182.03	47.31		135.77	245.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:56:31	230.90		181.83	47.50	135.96	33.34	0.05	181.81	47.53		135.99	245.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:56:33	230.93		182.11	47.22	135.68	33.34	0.05	182.09	47.24		135.70	245.30
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:56:35	230.97		182.29	47.04	135.50	33.34	0.05	182.27	47.07		135.53	245.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:56:37	231.00		182.04	47.30	135.76	33.34	0.05	182.01	47.32		135.78	245.22
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:56:39	231.03		182.25	47.08	135.54	33.34	0.05	182.23	47.10		135.56	245.44
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:56:41	231.07		182.12	47.22	135.68	33.34	0.05	182.10	47.24		135.70	245.30
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:56:43	231.10		182.31	47.03	135.49	33.34	0.05	182.28	47.05		135.51	245.49
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:56:45	231.13		181.56	47.78	136.24	33.34	0.05	181.53	47.80		136.26	244.74
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:56:47	231.17		181.93	47.41	135.87	33.34	0.05	181.90	47.43		135.89	245.11
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:56:49	231.20		181.86	47.47	135.93	33.34	0.05	181.84	47.49		135.95	245.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:56:51	231.23		182.31	47.03	135.49	33.34	0.05	182.28	47.05		135.51	245.49
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:56:53	231.27		182.10	47.24	135.70	33.34	0.05	182.07	47.26		135.72	245.28
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:56:55	231.30		182.21	47.13	135.59	33.34	0.05	182.18	47.15		135.61	245.39
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:56:57	231.33		181.51	47.83	136.29	33.34	0.05	181.48	47.85		136.31	244.69
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:56:59	231.37		182.18	47.15	135.61	33.34	0.05	182.16	47.17		135.63	245.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:57:01	231.40		181.80	47.53	135.99	33.34	0.05	181.78	47.56		136.02	244.98
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:57:03	231.43		181.75	47.58	136.04	33.34	0.05	181.73	47.60		136.06	244.94
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:57:05	231.47		181.97	47.36	135.82	33.34	0.05	181.95	47.39		135.85	245.15
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:57:07	231.50		182.43	46.90	135.36	33.34	0.05	182.41	46.93		135.39	245.61
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:57:09	231.53		182.46	46.88	135.34	33.34	0.05	182.43	46.90		135.36	245.64
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:57:11	231.57		181.57	47.77	136.23	33.34	0.05	181.54	47.79		136.25	244.75
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:57:13	231.60		181.94	47.39	135.85	33.34	0.05	181.92	47.42		135.88	245.12
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:57:15	231.63		181.72	47.61	136.07	33.34	0.05	181.70	47.63		136.09	244.91
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:57:17	231.67		181.75	47.59	136.05	33.34	0.05	181.72	47.61		136.07	244.93
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:57:19	231.70		181.93	47.41	135.87	33.34	0.05	181.90	47.43		135.89	245.11
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:57:21	231.73		181.68	47.66	136.12	33.34	0.05	181.65	47.68		136.14	244.86
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:57:23	231.77		181.76	47.57	136.03	33.34	0.05	181.74	47.60		136.06	244.94
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:57:25	231.80		182.28	47.05	135.51	33.34	0.05	182.26	47.07		135.53	245.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:57:27	231.83		181.99	47.35	135.81	33.34	0.05	181.96	47.37		135.83	245.17
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:57:29	231.87		182.12	47.22	135.68	33.34	0.05	182.10	47.24		135.70	245.30
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:57:31	231.90		181.84	47.50	135.96	33.34	0.05	181.82	47.52		135.98	245.02
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:57:33	231.93		181.35	47.99	136.45	33.34	0.05	181.32	48.01		136.47	244.53
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:57:35	231.97		181.49	47.85	136.31	33.34	0.05	181.46	47.87		136.33	244.67
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:57:37	232.00		181.66	47.67	136.13	33.34	0.05	181.64	47.70		136.16	244.84
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:57:39	232.03		181.59	47.74	136.20	33.34	0.05	181.57	47.77		136.23	244.77
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:57:41	232.07		182.05	47.29	135.75	33.34	0.05	182.03	47.31		135.77	245.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:57:43	232.10		181.93	47.41	135.87	33.34	0.05	181.90	47.43		135.89	245.11
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:57:45	232.13		182.14	47.19	135.65	33.34	0.05	182.12	47.21		135.67	245.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:57:47	232.17		182.15	47.18	135.64	33.34	0.05	182.13	47.21		135.67	245.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:57:49	232.20		182.58	46.76	135.22	33.34	0.05	182.56	46.78		135.24	245.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:57:51	232.23		182.09	47.25	135.71	33.34	0.05	182.06	47.27		135.73	245.27
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:57:53	232.27		181.65	47.69	136.15	33.34	0.05	181.62	47.71		136.17	244.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:57:55	232.30		181.82	47.51	135.97	33.34	0.05	181.80	47.53		135.99	245.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:57:57	232.33		181.99	47.35	135.81	33.34	0.05	181.96	47.37		135.83	245.17
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:57:59	232.37		182.15	47.18	135.64	33.34	0.05	182.13	47.21		135.67	245.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:58:01	232.40		182.24	47.10	135.56	33.34	0.05	182.21	47.12		135.58	245.42
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:58:03	232.43		181.85	47.49	135.95	33.34	0.05	181.82	47.51		135.97	245.03
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:58:05	232.47		182.21	47.13	135.59	33.34	0.05	182.18	47.15		135.61	245.39
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:58:07	232.50		182.01	47.32	135.78	33.34	0.05	181.99	47.35		135.81	245.19
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:58:09	232.53		181.80	47.53	135.99	33.34	0.05	181.78	47.56		136.02	244.98
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:58:11	232.57		181.86	47.47	135.93	33.34	0.05	181.84	47.49		135.95	245.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:58:13	232.60		182.07	47.27	135.73	33.34	0.05	182.04	47.29		135.75	245.25
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:58:15	232.63		181.81	47.53	135.99	33.34	0.05	181.78	47.55		136.01	244.99
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:58:17	232.67		181.96	47.38	135.84	33.34	0.05	181.93	47.40		135.86	245.14
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:58:19	232.70		181.71	47.63	136.09	33.34	0.05	181.68	47.65		136.11	244.89
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:58:21	232.73		182.04	47.30	135.76	33.34	0.05	182.01	47.32		135.78	245.22
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:58:23	232.77		181.89	47.44	135.90	33.34	0.05	181.87	47.46		135.92	245.08
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:58:25	232.80		181.93	47.41	135.87	33.34	0.05	181.90	47.43		135.89	245.11
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:58:27	232.83		182.21	47.12	135.58	33.34	0.05	182.19	47.14		135.60	245.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:58:29	232.87		182.35	46.99	135.45	33.34	0.05	182.32	47.01		135.47	245.53
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:58:31	232.90		182.20	47.14	135.60	33.34	0.05	182.17	47.16		135.62	245.38
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:58:33	232.93		182.49	46.84	135.30	33.34	0.05	182.47	46.86		135.32	245.68
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:58:35	232.97		181.71	47.63	136.09	33.34	0.05	181.68	47.65		136.11	244.89
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:58:37	233.00		182.11	47.23	135.69	33.34	0.05	182.08	47.25		135.71	245.29
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:58:39	233.03		182.03	47.31	135.77	33.34	0.05	182.00	47.33		135.79	245.21
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:58:41	233.07		181.93	47.40	135.86	33.34	0.05	181.91	47.42		135.88	245.12
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:58:43	233.10		181.71	47.63	136.09	33.34	0.05	181.68	47.65		136.11	244.89
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:58:45	233.13		182.34	47.00	135.46	33.34	0.05	182.31	47.02		135.48	245.52
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:58:47	233.17		181.97	47.36	135.82	33.34	0.05	181.95	47.39		135.85	245.15
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:58:49	233.20		181.84	47.50	135.96	33.34	0.05	181.82	47.52		135.98	245.02
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:58:51	233.23		181.44	47.89	136.35	33.34	0.05	181.42	47.91		136.37	244.63
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:58:53	233.27		181.59	47.74	136.20	33.34	0.05	181.57	47.77		136.23	244.77
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:58:55	233.30		181.72	47.62	136.08	33.34	0.05	181.69	47.64		136.10	244.90

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:58:57	233.33		181.89	47.45	135.91	33.34	0.05	181.86	47.47		135.93	245.07
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:58:59	233.37		181.85	47.49	135.95	33.34	0.05	181.82	47.51		135.97	245.03
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:59:01	233.40		182.34	47.00	135.46	33.34	0.05	182.31	47.02		135.48	245.52
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:59:03	233.43		182.34	47.00	135.46	33.34	0.05	182.31	47.02		135.48	245.52
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:59:05	233.47		181.51	47.83	136.29	33.34	0.05	181.48	47.85		136.31	244.69
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:59:07	233.50		182.08	47.25	135.71	33.34	0.05	182.06	47.28		135.74	245.26
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:59:09	233.53		181.97	47.36	135.82	33.34	0.05	181.95	47.39		135.85	245.15
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:59:11	233.57		182.08	47.25	135.71	33.34	0.05	182.06	47.28		135.74	245.26
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:59:13	233.60		181.89	47.45	135.91	33.34	0.05	181.86	47.47		135.93	245.07
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:59:15	233.63		181.72	47.61	136.07	33.34	0.05	181.70	47.63		136.09	244.91
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:59:17	233.67		182.09	47.25	135.71	33.34	0.05	182.06	47.27		135.73	245.27
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:59:19	233.70		181.89	47.45	135.91	33.34	0.05	181.86	47.47		135.93	245.07
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:59:21	233.73		181.71	47.63	136.09	33.34	0.05	181.68	47.65		136.11	244.89
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:59:23	233.77		182.06	47.28	135.74	33.34	0.05	182.03	47.30		135.76	245.24
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:59:25	233.80		181.65	47.68	136.14	33.34	0.05	181.63	47.70		136.16	244.84
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:59:27	233.83		182.02	47.32	135.78	33.34	0.05	181.99	47.34		135.80	245.20
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:59:29	233.87		181.01	48.33	136.79	33.34	0.05	180.98	48.35		136.81	244.19
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:59:31	233.90		181.61	47.73	136.19	33.34	0.05	181.58	47.75		136.21	244.79
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:59:33	233.93		181.82	47.51	135.97	33.34	0.05	181.80	47.53		135.99	245.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:59:35	233.97		181.71	47.63	136.09	33.34	0.05	181.68	47.65		136.11	244.89
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:59:37	234.00		181.65	47.69	136.15	33.34	0.05	181.62	47.71		136.17	244.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:59:39	234.03		182.45	46.89	135.35	33.34	0.05	182.42	46.91		135.37	245.63
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:59:41	234.07		181.95	47.39	135.85	33.34	0.05	181.92	47.41		135.87	245.13
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:59:43	234.10		181.92	47.42	135.88	33.34	0.05	181.89	47.44		135.90	245.10
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:59:45	234.13		181.65	47.68	136.14	33.34	0.05	181.63	47.70		136.16	244.84
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:59:47	234.17		181.32	48.02	136.48	33.34	0.05	181.29	48.04		136.50	244.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:59:49	234.20		181.94	47.39	135.85	33.34	0.05	181.92	47.42		135.88	245.12
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:59:51	234.23		182.11	47.22	135.68	33.34	0.05	182.09	47.24		135.70	245.30
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:59:53	234.27		181.87	47.46	135.92	33.34	0.05	181.85	47.49		135.95	245.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:59:55	234.30		182.05	47.29	135.75	33.34	0.05	182.03	47.31		135.77	245.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:59:57	234.33		182.08	47.25	135.71	33.34	0.05	182.06	47.28		135.74	245.26
SW Well 1A	STEP RATE - STEP #2	9/23/2010 19:59:59	234.37		182.24	47.10	135.56	33.34	0.05	182.21	47.12		135.58	245.42
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:00:01	234.40		182.35	46.98	135.44	33.34	0.05	182.33	47.00		135.46	245.54
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:00:03	234.43		181.86	47.48	135.94	33.34	0.05	181.83	47.50		135.96	245.04
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:00:05	234.47		181.83	47.50	135.96	33.34	0.05	181.81	47.53		135.99	245.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:00:07	234.50		181.78	47.56	136.02	33.34	0.05	181.75	47.58		136.04	244.96
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:00:09	234.53		182.22	47.11	135.57	33.34	0.05	182.20	47.14		135.60	245.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:00:11	234.57		181.85	47.49	135.95	33.34	0.05	181.82	47.51		135.97	245.03
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:00:13	234.60		181.90	47.43	135.89	33.34	0.05	181.88	47.46		135.92	245.08
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:00:15	234.63		181.87	47.46	135.92	33.34	0.05	181.85	47.49		135.95	245.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:00:17	234.67		182.02	47.32	135.78	33.34	0.05	181.99	47.34		135.80	245.20
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:00:19	234.70		181.80	47.53	135.99	33.34	0.05	181.78	47.56		136.02	244.98
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:00:21	234.73		182.15	47.18	135.64	33.34	0.05	182.13	47.21		135.67	245.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:00:23	234.77		181.74	47.60	136.06	33.34	0.05	181.71	47.62		136.08	244.92
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:00:25	234.80		181.53	47.81	136.27	33.34	0.05	181.50	47.83		136.29	244.71
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:00:27	234.83		182.53	46.80	135.26	33.34	0.05	182.51	46.82		135.28	245.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:00:29	234.87		181.47	47.86	136.32	33.34	0.05	181.45	47.88		136.34	244.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:00:31	234.90		181.49	47.85	136.31	33.34	0.05	181.46	47.87		136.33	244.67
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:00:33	234.93		182.07	47.27	135.73	33.34	0.05	182.04	47.29		135.75	245.25
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:00:35	234.97		181.95	47.39	135.85	33.34	0.05	181.92	47.41		135.87	245.13
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:00:37	235.00		182.07	47.27	135.73	33.34	0.05	182.04	47.29		135.75	245.25
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:00:39	235.03		181.82	47.51	135.97	33.34	0.05	181.80	47.53		135.99	245.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:00:41	235.07		182.19	47.14	135.60	33.34	0.05	182.17	47.17		135.63	245.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:00:43	235.10		181.91	47.43	135.89	33.34	0.05	181.89	47.45		135.91	245.09
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:00:45	235.13		181.53	47.81	136.27	33.34	0.05	181.50	47.83		136.29	244.71
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:00:47	235.17		181.82	47.51	135.97	33.34	0.05	181.80	47.53		135.99	245.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:00:49	235.20		181.89	47.44	135.90	33.34	0.05	181.87	47.46		135.92	245.08
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:00:51	235.23		182.04	47.30	135.76	33.34	0.05	182.01	47.32		135.78	245.22
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:00:53	235.27		181.61	47.73	136.19	33.34	0.05	181.58	47.75		136.21	244.79
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:00:55	235.30		181.70	47.64	136.10	33.34	0.05	181.68	47.66		136.12	244.88
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:00:57	235.33		181.69	47.64	136.10	33.34	0.05	181.67	47.67		136.13	244.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:00:59	235.37		181.74	47.60	136.06	33.34	0.05	181.71	47.62		136.08	244.92
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:01:01	235.40		182.37	46.97	135.43	33.34	0.05	182.35	46.99		135.45	245.55
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:01:03	235.43		182.13	47.21	135.67	33.34	0.05	182.10	47.23		135.69	245.31
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:01:05	235.47		181.26	48.08	136.54	33.34	0.05	181.23	48.10		136.56	244.44
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:01:07	235.50		181.57	47.77	136.23	33.34	0.05	181.54	47.79		136.25	244.75
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:01:09	235.53		181.61	47.73	136.19	33.34	0.05	181.58	47.75		136.21	244.79
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:01:11	235.57		181.91	47.43	135.89	33.34	0.05	181.89	47.45		135.91	245.09
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:01:13	235.60		182.04	47.30	135.76	33.34	0.05	182.01	47.32		135.78	245.22
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:01:15	235.63		181.86	47.47	135.93	33.34	0.05	181.84	47.49		135.95	245.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:01:17	235.67		181.97	47.37	135.83	33.34	0.05	181.94	47.39		135.85	245.15
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:01:19	235.70		181.87	47.46	135.92	33.34	0.05	181.85	47.49		135.95	245.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:01:21	235.73		181.95	47.39	135.85	33.34	0.05	181.92	47.41		135.87	245.13
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:01:23	235.77		181.90	47.43	135.89	33.34	0.05	181.88	47.46		135.92	245.08
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:01:25	235.80		181.94	47.39	135.85	33.34	0.05	181.92	47.42		135.88	245.12
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:01:27	235.83		181.58	47.75	136.21	33.34	0.05	181.56	47.77		136.23	244.77
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:01:29	235.87		181.76	47.57	136.03	33.34	0.05	181.74	47.60		136.06	244.94
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:01:31	235.90		181.75	47.59	136.05	33.34	0.05	181.72	47.61		136.07	244.93
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:01:33	235.93		181.92	47.42	135.88	33.34	0.05	181.89	47.44		135.90	245.10
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:01:35	235.97		181.40	47.93	136.39	33.34	0.05	181.38	47.95		136.41	244.59
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:01:37	236.00		181.61	47.73	136.19	33.34	0.05	181.58	47.75		136.21	244.79
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:01:39	236.03		181.61	47.72	136.18	33.34	0.05	181.59	47.74		136.20	244.80
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:01:41	236.07		181.74	47.60	136.06	33.34	0.05	181.71	47.62		136.08	244.92
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:01:43	236.10		181.87	47.46	135.92	33.34	0.05	181.85	47.49		135.95	245.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:01:45	236.13		181.69	47.64	136.10	33.34	0.05	181.67	47.67		136.13	244.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:01:47	236.17		181.70	47.64	136.10	33.34	0.05	181.68	47.66		136.12	244.88
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:01:49	236.20		182.06	47.28	135.74	33.34	0.05	182.03	47.30		135.76	245.24
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:01:51	236.23		181.32	48.02	136.48	33.34	0.05	181.29	48.04		136.50	244.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:01:53	236.27		181.72	47.62	136.08	33.34	0.05	181.69	47.64		136.10	244.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:01:55	236.30		181.95	47.39	135.85	33.34	0.05	181.92	47.41		135.87	245.13
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:01:57	236.33		181.79	47.55	136.01	33.34	0.05	181.76	47.57		136.03	244.97
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:01:59	236.37		181.71	47.63	136.09	33.34	0.05	181.68	47.65		136.11	244.89
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:02:01	236.40		181.89	47.44	135.90	33.34	0.05	181.87	47.46		135.92	245.08
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:02:03	236.43		181.55	47.78	136.24	33.34	0.05	181.53	47.81		136.27	244.73
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:02:05	236.47		182.08	47.25	135.71	33.34	0.05	182.06	47.28		135.74	245.26
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:02:07	236.50		181.99	47.35	135.81	33.34	0.05	181.96	47.37		135.83	245.17
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:02:09	236.53		181.92	47.42	135.88	33.34	0.05	181.89	47.44		135.90	245.10

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:02:11	236.57		181.55	47.78	136.24	33.34	0.05	181.53	47.81		136.27	244.73
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:02:13	236.60		181.79	47.54	136.00	33.34	0.05	181.77	47.56		136.02	244.98
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:02:15	236.63		181.99	47.35	135.81	33.34	0.05	181.96	47.37		135.83	245.17
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:02:17	236.67		182.05	47.29	135.75	33.34	0.05	182.03	47.31		135.77	245.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:02:19	236.70		181.82	47.52	135.98	33.34	0.05	181.79	47.54		136.00	245.00
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:02:21	236.73		182.42	46.91	135.37	33.34	0.05	182.40	46.93		135.39	245.61
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:02:23	236.77		182.39	46.94	135.40	33.34	0.05	182.37	46.96		135.42	245.58
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:02:25	236.80		181.85	47.49	135.95	33.34	0.05	181.82	47.51		135.97	245.03
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:02:27	236.83		182.08	47.25	135.71	33.34	0.05	182.06	47.28		135.74	245.26
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:02:29	236.87		181.73	47.60	136.06	33.34	0.05	181.71	47.63		136.09	244.91
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:02:31	236.90		181.45	47.89	136.35	33.34	0.05	181.43	47.91		136.37	244.63
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:02:33	236.93		182.04	47.29	135.75	33.34	0.05	182.02	47.31		135.77	245.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:02:35	236.97		181.78	47.56	136.02	33.34	0.05	181.75	47.58		136.04	244.96
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:02:37	237.00		181.97	47.36	135.82	33.34	0.05	181.95	47.39		135.85	245.15
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:02:39	237.03		181.98	47.36	135.82	33.34	0.05	181.96	47.38		135.84	245.16
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:02:41	237.07		181.59	47.74	136.20	33.34	0.05	181.57	47.77		136.23	244.77
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:02:43	237.10		181.88	47.46	135.92	33.34	0.05	181.85	47.48		135.94	245.06
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:02:45	237.13		181.69	47.64	136.10	33.34	0.05	181.67	47.67		136.13	244.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:02:47	237.17		182.19	47.14	135.60	33.34	0.05	182.17	47.17		135.63	245.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:02:49	237.20		181.73	47.60	136.06	33.34	0.05	181.71	47.63		136.09	244.91
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:02:51	237.23		181.64	47.70	136.16	33.34	0.05	181.61	47.72		136.18	244.82
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:02:53	237.27		181.83	47.50	135.96	33.34	0.05	181.81	47.53		135.99	245.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:02:55	237.30		181.61	47.73	136.19	33.34	0.05	181.58	47.75		136.21	244.79
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:02:57	237.33		181.70	47.64	136.10	33.34	0.05	181.68	47.66		136.12	244.88
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:02:59	237.37		181.55	47.78	136.24	33.34	0.05	181.53	47.81		136.27	244.73
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:03:01	237.40		181.31	48.03	136.49	33.34	0.05	181.29	48.05		136.51	244.49
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:03:03	237.43		181.48	47.85	136.31	33.34	0.05	181.46	47.88		136.34	244.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:03:05	237.47		182.18	47.15	135.61	33.34	0.05	182.16	47.17		135.63	245.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:03:07	237.50		182.21	47.13	135.59	33.34	0.05	182.18	47.15		135.61	245.39
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:03:09	237.53		181.98	47.36	135.82	33.34	0.05	181.96	47.38		135.84	245.16
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:03:11	237.57		181.69	47.64	136.10	33.34	0.05	181.67	47.67		136.13	244.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:03:13	237.60		181.57	47.77	136.23	33.34	0.05	181.54	47.79		136.25	244.75
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:03:15	237.63		181.44	47.90	136.36	33.34	0.05	181.41	47.92		136.38	244.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:03:17	237.67		182.58	46.76	135.22	33.34	0.05	182.56	46.78		135.24	245.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:03:19	237.70		181.77	47.57	136.03	33.34	0.05	181.75	47.59		136.05	244.95
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:03:21	237.73		181.87	47.46	135.92	33.34	0.05	181.85	47.49		135.95	245.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:03:23	237.77		181.34	47.99	136.45	33.34	0.05	181.32	48.02		136.48	244.52
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:03:25	237.80		182.21	47.13	135.59	33.34	0.05	182.18	47.15		135.61	245.39
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:03:27	237.83		181.54	47.80	136.26	33.34	0.05	181.51	47.82		136.28	244.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:03:29	237.87		181.36	47.98	136.44	33.34	0.05	181.33	48.00		136.46	244.54
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:03:31	237.90		181.84	47.50	135.96	33.34	0.05	181.82	47.52		135.98	245.02
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:03:33	237.93		181.75	47.58	136.04	33.34	0.05	181.73	47.60		136.06	244.94
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:03:35	237.97		181.75	47.59	136.05	33.34	0.05	181.72	47.61		136.07	244.93
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:03:37	238.00		181.49	47.85	136.31	33.34	0.05	181.46	47.87		136.33	244.67
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:03:39	238.03		182.00	47.33	135.79	33.34	0.05	181.98	47.35		135.81	245.19
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:03:41	238.07		181.56	47.78	136.24	33.34	0.05	181.53	47.80		136.26	244.74
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:03:43	238.10		182.27	47.07	135.53	33.34	0.05	182.24	47.09		135.55	245.45
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:03:45	238.13		181.65	47.68	136.14	33.34	0.05	181.63	47.70		136.16	244.84
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:03:47	238.17		182.32	47.02	135.48	33.34	0.05	182.29	47.04		135.50	245.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:03:49	238.20		181.97	47.37	135.83	33.34	0.05	181.94	47.39		135.85	245.15
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:03:51	238.23		181.53	47.81	136.27	33.34	0.05	181.50	47.83		136.29	244.71
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:03:53	238.27		181.53	47.81	136.27	33.34	0.05	181.50	47.83		136.29	244.71
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:03:55	238.30		181.56	47.78	136.24	33.34	0.05	181.53	47.80		136.26	244.74
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:03:57	238.33		181.62	47.72	136.18	33.34	0.05	181.59	47.74		136.20	244.80
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:03:59	238.37		181.80	47.53	135.99	33.34	0.05	181.78	47.56		136.02	244.98
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:04:01	238.40		181.38	47.96	136.42	33.34	0.05	181.36	47.98		136.44	244.56
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:04:03	238.43		181.84	47.50	135.96	33.34	0.05	181.82	47.52		135.98	245.02
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:04:05	238.47		181.40	47.94	136.40	33.34	0.05	181.37	47.96		136.42	244.58
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:04:07	238.50		181.34	47.99	136.45	33.34	0.05	181.32	48.02		136.48	244.52
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:04:09	238.53		182.02	47.32	135.78	33.34	0.05	181.99	47.34		135.80	245.20
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:04:11	238.57		181.77	47.57	136.03	33.34	0.05	181.75	47.59		136.05	244.95
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:04:13	238.60		181.55	47.78	136.24	33.34	0.05	181.53	47.81		136.27	244.73
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:04:15	238.63		181.68	47.65	136.11	33.34	0.05	181.66	47.67		136.13	244.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:04:17	238.67		181.40	47.94	136.40	33.34	0.05	181.37	47.96		136.42	244.58
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:04:19	238.70		181.52	47.82	136.28	33.34	0.05	181.50	47.84		136.30	244.70
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:04:21	238.73		182.02	47.32	135.78	33.34	0.05	181.99	47.34		135.80	245.20
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:04:23	238.77		181.58	47.75	136.21	33.34	0.05	181.56	47.77		136.23	244.77
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:04:25	238.80		181.68	47.65	136.11	33.34	0.05	181.66	47.67		136.13	244.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:04:27	238.83		181.62	47.71	136.17	33.34	0.05	181.60	47.74		136.20	244.80
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:04:29	238.87		181.97	47.36	135.82	33.34	0.05	181.95	47.39		135.85	245.15
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:04:31	238.90		181.70	47.64	136.10	33.34	0.05	181.68	47.66		136.12	244.88
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:04:33	238.93		181.94	47.39	135.85	33.34	0.05	181.92	47.42		135.88	245.12
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:04:35	238.97		181.84	47.50	135.96	33.34	0.05	181.82	47.52		135.98	245.02
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:04:37	239.00		181.80	47.53	135.99	33.34	0.05	181.78	47.56		136.02	244.98
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:04:39	239.03		181.68	47.65	136.11	33.34	0.05	181.66	47.67		136.13	244.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:04:41	239.07		181.86	47.47	135.93	33.34	0.05	181.84	47.49		135.95	245.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:04:43	239.10		181.80	47.53	135.99	33.34	0.05	181.78	47.56		136.02	244.98
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:04:45	239.13		181.78	47.56	136.02	33.34	0.05	181.75	47.58		136.04	244.96
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:04:47	239.17		182.05	47.29	135.75	33.34	0.05	182.03	47.31		135.77	245.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:04:49	239.20		181.34	47.99	136.45	33.34	0.05	181.32	48.02		136.48	244.52
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:04:51	239.23		181.73	47.60	136.06	33.34	0.05	181.71	47.63		136.09	244.91
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:04:53	239.27		181.35	47.99	136.45	33.34	0.05	181.32	48.01		136.47	244.53
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:04:55	239.30		181.68	47.66	136.12	33.34	0.05	181.65	47.68		136.14	244.86
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:04:57	239.33		181.40	47.94	136.40	33.34	0.05	181.37	47.96		136.42	244.58
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:04:59	239.37		181.61	47.73	136.19	33.34	0.05	181.58	47.75		136.21	244.79
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:05:01	239.40		181.94	47.39	135.85	33.34	0.05	181.92	47.42		135.88	245.12
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:05:03	239.43		181.45	47.89	136.35	33.34	0.05	181.42	47.91		136.37	244.63
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:05:05	239.47		182.04	47.30	135.76	33.34	0.05	182.01	47.32		135.78	245.22
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:05:07	239.50		181.51	47.82	136.28	33.34	0.05	181.49	47.85		136.31	244.69
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:05:09	239.53		180.81	48.52	136.98	33.34	0.05	180.79	48.55		137.01	243.99
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:05:11	239.57		181.03	48.31	136.77	33.34	0.05	181.00	48.33		136.79	244.21
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:05:13	239.60		181.62	47.71	136.17	33.34	0.05	181.60	47.74		136.20	244.80
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:05:15	239.63		181.75	47.59	136.05	33.34	0.05	181.72	47.61		136.07	244.93
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:05:17	239.67		181.37	47.96	136.42	33.34	0.05	181.35	47.99		136.45	244.55
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:05:19	239.70		181.93	47.41	135.87	33.34	0.05	181.90	47.43		135.89	245.11
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:05:21	239.73		181.91	47.43	135.89	33.34	0.05	181.88	47.45		135.91	245.09
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:05:23	239.77		181.68	47.66	136.12	33.34	0.05	181.65	47.68		136.14	244.86

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:05:25	239.80		181.87	47.46	135.92	33.34	0.05	181.85	47.49		135.95	245.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:05:27	239.83		181.19	48.15	136.61	33.34	0.05	181.16	48.17		136.63	244.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:05:29	239.87		182.10	47.24	135.70	33.34	0.05	182.07	47.26		135.72	245.28
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:05:31	239.90		181.46	47.88	136.34	33.34	0.05	181.43	47.90		136.36	244.64
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:05:33	239.93		181.26	48.07	136.53	33.34	0.05	181.24	48.10		136.56	244.44
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:05:35	239.97		181.48	47.85	136.31	33.34	0.05	181.46	47.88		136.34	244.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:05:37	240.00		181.23	48.10	136.56	33.34	0.05	181.21	48.13		136.59	244.41
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:05:39	240.03		181.29	48.04	136.50	33.34	0.05	181.27	48.06		136.52	244.48
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:05:41	240.07		181.95	47.39	135.85	33.34	0.05	181.92	47.41		135.87	245.13
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:05:43	240.10		181.82	47.51	135.97	33.34	0.05	181.80	47.53		135.99	245.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:05:45	240.13		181.58	47.75	136.21	33.34	0.05	181.56	47.78		136.24	244.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:05:47	240.17		181.47	47.87	136.33	33.34	0.05	181.44	47.89		136.35	244.65
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:05:49	240.20		181.17	48.17	136.63	33.34	0.05	181.14	48.19		136.65	244.35
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:05:51	240.23		181.47	47.87	136.33	33.34	0.05	181.44	47.89		136.35	244.65
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:05:53	240.27		181.65	47.69	136.15	33.34	0.05	181.62	47.71		136.17	244.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:05:55	240.30		181.78	47.56	136.02	33.34	0.05	181.75	47.58		136.04	244.96
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:05:57	240.33		181.98	47.36	135.82	33.34	0.05	181.95	47.38		135.84	245.16
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:05:59	240.37		181.75	47.59	136.05	33.34	0.05	181.72	47.61		136.07	244.93
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:06:01	240.40		181.74	47.60	136.06	33.34	0.05	181.71	47.62		136.08	244.92
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:06:03	240.43		181.70	47.64	136.10	33.34	0.05	181.67	47.66		136.12	244.88
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:06:05	240.47		182.02	47.31	135.77	33.34	0.05	182.00	47.33		135.79	245.21
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:06:07	240.50		181.98	47.36	135.82	33.34	0.05	181.95	47.38		135.84	245.16
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:06:09	240.53		181.92	47.42	135.88	33.34	0.05	181.89	47.44		135.90	245.10
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:06:11	240.57		181.78	47.56	136.02	33.34	0.05	181.75	47.58		136.04	244.96
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:06:13	240.60		181.50	47.84	136.30	33.34	0.05	181.47	47.86		136.32	244.68
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:06:15	240.63		181.66	47.67	136.13	33.34	0.05	181.64	47.70		136.16	244.84
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:06:17	240.67		181.34	47.99	136.45	33.34	0.05	181.32	48.02		136.48	244.52
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:06:19	240.70		181.16	48.17	136.63	33.34	0.05	181.14	48.20		136.66	244.34
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:06:21	240.73		181.50	47.84	136.30	33.34	0.05	181.47	47.86		136.32	244.68
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:06:23	240.77		182.04	47.30	135.76	33.34	0.05	182.01	47.32		135.78	245.22
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:06:25	240.80		181.43	47.91	136.37	33.34	0.05	181.40	47.93		136.39	244.61
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:06:27	240.83		181.73	47.60	136.06	33.34	0.05	181.71	47.63		136.09	244.91
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:06:29	240.87		181.50	47.84	136.30	33.34	0.05	181.47	47.86		136.32	244.68
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:06:31	240.90		181.70	47.64	136.10	33.34	0.05	181.67	47.66		136.12	244.88
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:06:33	240.93		181.38	47.96	136.42	33.34	0.05	181.35	47.98		136.44	244.56
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:06:35	240.97		181.76	47.57	136.03	33.34	0.05	181.74	47.60		136.06	244.94
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:06:37	241.00		182.25	47.09	135.55	33.34	0.05	182.22	47.11		135.57	245.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:06:39	241.03		181.83	47.50	135.96	33.34	0.05	181.81	47.53		135.99	245.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:06:41	241.07		181.84	47.50	135.96	33.34	0.05	181.81	47.52		135.98	245.02
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:06:43	241.10		181.34	47.99	136.45	33.34	0.05	181.32	48.02		136.48	244.52
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:06:45	241.13		181.63	47.71	136.17	33.34	0.05	181.60	47.73		136.19	244.81
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:06:47	241.17		181.64	47.70	136.16	33.34	0.05	181.61	47.72		136.18	244.82
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:06:49	241.20		181.61	47.73	136.19	33.34	0.05	181.58	47.75		136.21	244.79
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:06:51	241.23		181.47	47.87	136.33	33.34	0.05	181.44	47.89		136.35	244.65
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:06:53	241.27		181.91	47.43	135.89	33.34	0.05	181.88	47.45		135.91	245.09
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:06:55	241.30		181.43	47.91	136.37	33.34	0.05	181.40	47.93		136.39	244.61
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:06:57	241.33		181.19	48.14	136.60	33.34	0.05	181.17	48.17		136.63	244.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:06:59	241.37		181.47	47.86	136.32	33.34	0.05	181.45	47.88		136.34	244.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:07:01	241.40		181.68	47.66	136.12	33.34	0.05	181.65	47.68		136.14	244.86
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:07:03	241.43		181.54	47.79	136.25	33.34	0.05	181.52	47.81		136.27	244.73
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:07:05	241.47		182.04	47.29	135.75	33.34	0.05	182.02	47.32		135.78	245.22
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:07:07	241.50		181.79	47.54	136.00	33.34	0.05	181.77	47.57		136.03	244.97
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:07:09	241.53		181.47	47.86	136.32	33.34	0.05	181.45	47.88		136.34	244.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:07:11	241.57		181.65	47.69	136.15	33.34	0.05	181.62	47.71		136.17	244.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:07:13	241.60		181.46	47.87	136.33	33.34	0.05	181.44	47.90		136.36	244.64
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:07:15	241.63		181.58	47.76	136.22	33.34	0.05	181.55	47.78		136.24	244.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:07:17	241.67		181.73	47.61	136.07	33.34	0.05	181.70	47.63		136.09	244.91
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:07:19	241.70		181.61	47.73	136.19	33.34	0.05	181.58	47.75		136.21	244.79
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:07:21	241.73		181.71	47.63	136.09	33.34	0.05	181.68	47.65		136.11	244.89
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:07:23	241.77		181.91	47.43	135.89	33.34	0.05	181.88	47.45		135.91	245.09
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:07:25	241.80		181.75	47.58	136.04	33.34	0.05	181.73	47.60		136.06	244.94
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:07:27	241.83		181.79	47.55	136.01	33.34	0.05	181.76	47.57		136.03	244.97
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:07:29	241.87		181.68	47.66	136.12	33.34	0.05	181.65	47.68		136.14	244.86
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:07:31	241.90		181.04	48.30	136.76	33.34	0.05	181.01	48.32		136.78	244.22
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:07:33	241.93		181.49	47.85	136.31	33.34	0.05	181.46	47.87		136.33	244.67
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:07:35	241.97		181.89	47.44	135.90	33.34	0.05	181.87	47.46		135.92	245.08
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:07:37	242.00		181.67	47.67	136.13	33.34	0.05	181.64	47.69		136.15	244.85
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:07:39	242.03		181.66	47.67	136.13	33.34	0.05	181.64	47.70		136.16	244.84
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:07:41	242.07		181.68	47.65	136.11	33.34	0.05	181.66	47.67		136.13	244.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:07:43	242.10		181.82	47.52	135.98	33.34	0.05	181.79	47.54		136.00	245.00
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:07:45	242.13		181.62	47.71	136.17	33.34	0.05	181.60	47.74		136.20	244.80
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:07:47	242.17		181.54	47.79	136.25	33.34	0.05	181.52	47.81		136.27	244.73
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:07:49	242.20		181.96	47.38	135.84	33.34	0.05	181.93	47.40		135.86	245.14
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:07:51	242.23		181.97	47.36	135.82	33.34	0.05	181.95	47.39		135.85	245.15
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:07:53	242.27		181.26	48.07	136.53	33.34	0.05	181.24	48.10		136.56	244.44
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:07:55	242.30		181.12	48.22	136.68	33.34	0.05	181.09	48.24		136.70	244.30
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:07:57	242.33		181.98	47.36	135.82	33.34	0.05	181.95	47.38		135.84	245.16
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:07:59	242.37		182.11	47.22	135.68	33.34	0.05	182.09	47.25		135.71	245.29
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:08:01	242.40		182.12	47.22	135.68	33.34	0.05	182.09	47.24		135.70	245.30
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:08:03	242.43		181.44	47.90	136.36	33.34	0.05	181.41	47.92		136.38	244.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:08:05	242.47		181.29	48.05	136.51	33.34	0.05	181.26	48.07		136.53	244.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:08:07	242.50		181.65	47.68	136.14	33.34	0.05	181.63	47.71		136.17	244.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:08:09	242.53		181.53	47.81	136.27	33.34	0.05	181.50	47.83		136.29	244.71
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:08:11	242.57		181.22	48.12	136.58	33.34	0.05	181.19	48.14		136.60	244.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:08:13	242.60		181.82	47.51	135.97	33.34	0.05	181.80	47.53		135.99	245.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:08:15	242.63		181.59	47.74	136.20	33.34	0.05	181.57	47.77		136.23	244.77
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:08:17	242.67		181.34	47.99	136.45	33.34	0.05	181.32	48.02		136.48	244.52
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:08:19	242.70		181.23	48.10	136.56	33.34	0.05	181.21	48.13		136.59	244.41
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:08:21	242.73		181.68	47.65	136.11	33.34	0.05	181.66	47.67		136.13	244.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:08:23	242.77		181.37	47.96	136.42	33.34	0.05	181.35	47.99		136.45	244.55
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:08:25	242.80		181.47	47.86	136.32	33.34	0.05	181.45	47.88		136.34	244.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:08:27	242.83		181.89	47.44	135.90	33.34	0.05	181.87	47.46		135.92	245.08
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:08:29	242.87		181.81	47.53	135.99	33.34	0.05	181.78	47.55		136.01	244.99
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:08:31	242.90		181.61	47.72	136.18	33.34	0.05	181.59	47.74		136.20	244.80
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:08:33	242.93		181.51	47.83	136.29	33.34	0.05	181.48	47.85		136.31	244.69
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:08:35	242.97		181.83	47.50	135.96	33.34	0.05	181.81	47.53		135.99	245.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:08:37	243.00		181.84	47.50	135.96	33.34	0.05	181.81	47.52		135.98	245.02

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:08:39	243.03		181.33	48.01	136.47	33.34	0.05	181.30	48.03		136.49	244.51
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:08:41	243.07		182.07	47.27	135.73	33.34	0.05	182.04	47.29		135.75	245.25
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:08:43	243.10		181.45	47.89	136.35	33.34	0.05	181.42	47.91		136.37	244.63
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:08:45	243.13		181.14	48.20	136.66	33.34	0.05	181.11	48.22		136.68	244.32
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:08:47	243.17		181.10	48.24	136.70	33.34	0.05	181.07	48.26		136.72	244.28
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:08:49	243.20		181.40	47.94	136.40	33.34	0.05	181.37	47.96		136.42	244.58
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:08:51	243.23		181.60	47.74	136.20	33.34	0.05	181.57	47.76		136.22	244.78
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:08:53	243.27		181.37	47.97	136.43	33.34	0.05	181.34	47.99		136.45	244.55
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:08:55	243.30		181.81	47.53	135.99	33.34	0.05	181.78	47.55		136.01	244.99
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:08:57	243.33		181.72	47.61	136.07	33.34	0.05	181.70	47.64		136.10	244.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:08:59	243.37		181.63	47.71	136.17	33.34	0.05	181.60	47.73		136.19	244.81
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:09:01	243.40		181.34	47.99	136.45	33.34	0.05	181.32	48.02		136.48	244.52
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:09:03	243.43		181.47	47.87	136.33	33.34	0.05	181.44	47.89		136.35	244.65
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:09:05	243.47		181.67	47.67	136.13	33.34	0.05	181.64	47.69		136.15	244.85
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:09:07	243.50		181.65	47.68	136.14	33.34	0.05	181.63	47.71		136.17	244.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:09:09	243.53		181.83	47.50	135.96	33.34	0.05	181.81	47.53		135.99	245.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:09:11	243.57		181.68	47.66	136.12	33.34	0.05	181.65	47.68		136.14	244.86
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:09:13	243.60		181.87	47.46	135.92	33.34	0.05	181.85	47.49		135.95	245.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:09:15	243.63		181.89	47.44	135.90	33.34	0.05	181.87	47.46		135.92	245.08
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:09:17	243.67		181.74	47.60	136.06	33.34	0.05	181.71	47.62		136.08	244.92
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:09:19	243.70		181.98	47.36	135.82	33.34	0.05	181.95	47.38		135.84	245.16
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:09:21	243.73		181.73	47.60	136.06	33.34	0.05	181.71	47.63		136.09	244.91
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:09:23	243.77		181.52	47.82	136.28	33.34	0.05	181.49	47.84		136.30	244.70
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:09:25	243.80		181.58	47.76	136.22	33.34	0.05	181.55	47.78		136.24	244.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:09:27	243.83		181.73	47.60	136.06	33.34	0.05	181.71	47.63		136.09	244.91
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:09:29	243.87		181.75	47.58	136.04	33.34	0.05	181.73	47.60		136.06	244.94
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:09:31	243.90		181.80	47.53	135.99	33.34	0.05	181.78	47.56		136.02	244.98
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:09:33	243.93		181.29	48.04	136.50	33.34	0.05	181.27	48.06		136.52	244.48
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:09:35	243.97		181.86	47.48	135.94	33.34	0.05	181.83	47.50		135.96	245.04
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:09:37	244.00		181.68	47.65	136.11	33.34	0.05	181.66	47.67		136.13	244.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:09:39	244.03		181.78	47.56	136.02	33.34	0.05	181.75	47.58		136.04	244.96
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:09:41	244.07		181.48	47.85	136.31	33.34	0.05	181.46	47.88		136.34	244.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:09:43	244.10		181.19	48.14	136.60	33.34	0.05	181.17	48.17		136.63	244.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:09:45	244.13		181.29	48.05	136.51	33.34	0.05	181.26	48.07		136.53	244.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:09:47	244.17		181.30	48.03	136.49	33.34	0.05	181.28	48.06		136.52	244.48
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:09:49	244.20		181.05	48.29	136.75	33.34	0.05	181.02	48.31		136.77	244.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:09:51	244.23		181.68	47.65	136.11	33.34	0.05	181.66	47.67		136.13	244.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:09:53	244.27		181.73	47.60	136.06	33.34	0.05	181.71	47.63		136.09	244.91
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:09:55	244.30		181.48	47.85	136.31	33.34	0.05	181.46	47.88		136.34	244.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:09:57	244.33		181.23	48.10	136.56	33.34	0.05	181.21	48.13		136.59	244.41
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:09:59	244.37		181.35	47.99	136.45	33.34	0.05	181.32	48.01		136.47	244.53
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:10:01	244.40		181.50	47.84	136.30	33.35	0.05	181.47	47.86		136.32	244.68
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:10:03	244.43		181.49	47.85	136.31	33.35	0.05	181.46	47.87		136.33	244.67
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:10:05	244.47		181.29	48.04	136.50	33.35	0.05	181.27	48.06		136.52	244.48
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:10:07	244.50		181.62	47.71	136.17	33.35	0.05	181.60	47.74		136.20	244.80
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:10:09	244.53		181.36	47.98	136.44	33.35	0.05	181.33	48.00		136.46	244.54
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:10:11	244.57		181.12	48.21	136.67	33.35	0.05	181.10	48.24		136.70	244.30
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:10:13	244.60		181.24	48.10	136.56	33.35	0.05	181.21	48.12		136.58	244.42
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:10:15	244.63		181.45	47.89	136.35	33.35	0.05	181.42	47.91		136.37	244.63
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:10:17	244.67		181.67	47.67	136.13	33.35	0.05	181.64	47.69		136.15	244.85
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:10:19	244.70		181.37	47.97	136.43	33.35	0.05	181.34	47.99		136.45	244.55
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:10:21	244.73		181.42	47.92	136.38	33.35	0.05	181.39	47.94		136.40	244.60
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:10:23	244.77		181.22	48.12	136.58	33.35	0.05	181.19	48.14		136.60	244.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:10:25	244.80		181.70	47.64	136.10	33.35	0.05	181.67	47.66		136.12	244.88
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:10:27	244.83		181.61	47.72	136.18	33.35	0.05	181.59	47.74		136.20	244.80
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:10:29	244.87		181.19	48.15	136.61	33.35	0.05	181.16	48.17		136.63	244.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:10:31	244.90		181.63	47.71	136.17	33.35	0.05	181.60	47.73		136.19	244.81
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:10:33	244.93		181.48	47.85	136.31	33.35	0.05	181.46	47.88		136.34	244.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:10:35	244.97		181.31	48.03	136.49	33.35	0.05	181.28	48.05		136.51	244.49
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:10:37	245.00		181.91	47.43	135.89	33.35	0.05	181.88	47.45		135.91	245.09
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:10:39	245.03		181.51	47.83	136.29	33.35	0.05	181.48	47.85		136.31	244.69
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:10:41	245.07		181.62	47.71	136.17	33.35	0.05	181.60	47.74		136.20	244.80
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:10:43	245.10		181.20	48.13	136.59	33.35	0.05	181.18	48.16		136.62	244.38
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:10:45	245.13		181.63	47.71	136.17	33.35	0.05	181.60	47.73		136.19	244.81
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:10:47	245.17		181.69	47.64	136.10	33.35	0.05	181.67	47.67		136.13	244.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:10:49	245.20		181.17	48.17	136.63	33.35	0.05	181.14	48.19		136.65	244.35
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:10:51	245.23		181.44	47.89	136.35	33.35	0.05	181.42	47.92		136.38	244.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:10:53	245.27		181.68	47.65	136.11	33.35	0.05	181.66	47.67		136.13	244.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:10:55	245.30		181.30	48.03	136.49	33.35	0.05	181.28	48.06		136.52	244.48
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:10:57	245.33		181.45	47.89	136.35	33.35	0.05	181.42	47.91		136.37	244.63
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:10:59	245.37		181.26	48.08	136.54	33.35	0.05	181.23	48.10		136.56	244.44
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:11:01	245.40		181.66	47.67	136.13	33.35	0.05	181.64	47.70		136.16	244.84
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:11:03	245.43		181.47	47.86	136.32	33.35	0.05	181.45	47.88		136.34	244.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:11:05	245.47		181.15	48.19	136.65	33.35	0.05	181.12	48.21		136.67	244.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:11:07	245.50		181.25	48.09	136.55	33.35	0.05	181.22	48.11		136.57	244.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:11:09	245.53		181.65	47.68	136.14	33.35	0.05	181.63	47.71		136.17	244.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:11:11	245.57		181.36	47.98	136.44	33.35	0.05	181.33	48.00		136.46	244.54
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:11:13	245.60		181.54	47.80	136.26	33.35	0.05	181.51	47.82		136.28	244.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:11:15	245.63		181.51	47.83	136.29	33.35	0.05	181.48	47.85		136.31	244.69
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:11:17	245.67		181.21	48.13	136.59	33.35	0.05	181.18	48.15		136.61	244.39
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:11:19	245.70		181.38	47.96	136.42	33.35	0.05	181.35	47.98		136.44	244.56
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:11:21	245.73		181.11	48.23	136.69	33.35	0.05	181.08	48.25		136.71	244.29
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:11:23	245.77		181.30	48.03	136.49	33.35	0.05	181.28	48.06		136.52	244.48
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:11:25	245.80		181.55	47.78	136.24	33.35	0.05	181.53	47.81		136.27	244.73
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:11:27	245.83		181.47	47.86	136.32	33.35	0.05	181.45	47.88		136.34	244.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:11:29	245.87		181.50	47.84	136.30	33.35	0.05	181.47	47.86		136.32	244.68
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:11:31	245.90		181.22	48.11	136.57	33.35	0.05	181.20	48.13		136.59	244.41
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:11:33	245.93		180.94	48.39	136.85	33.35	0.05	180.92	48.41		136.87	244.13
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:11:35	245.97		181.15	48.19	136.65	33.35	0.05	181.12	48.21		136.67	244.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:11:37	246.00		181.29	48.05	136.51	33.35	0.05	181.26	48.07		136.53	244.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:11:39	246.03		181.43	47.91	136.37	33.35	0.05	181.40	47.93		136.39	244.61
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:11:41	246.07		181.30	48.03	136.49	33.35	0.05	181.28	48.06		136.52	244.48
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:11:43	246.10		181.15	48.18	136.64	33.35	0.05	181.13	48.20		136.66	244.34
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:11:45	246.13		181.50	47.84	136.30	33.35	0.05	181.47	47.86		136.32	244.68
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:11:47	246.17		181.30	48.03	136.49	33.35	0.05	181.28	48.06		136.52	244.48
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:11:49	246.20		181.33	48.01	136.47	33.35	0.05	181.30	48.03		136.49	244.51
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:11:51	246.23		181.28	48.06	136.52	33.35	0.05	181.25	48.08		136.54	244.46

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:11:53	246.27		181.57	47.77	136.23	33.35	0.05	181.54	47.79		136.25	244.75
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:11:55	246.30		181.12	48.22	136.68	33.35	0.05	181.09	48.24		136.70	244.30
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:11:57	246.33		181.29	48.04	136.50	33.35	0.05	181.27	48.06		136.52	244.48
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:11:59	246.37		181.69	47.64	136.10	33.35	0.05	181.67	47.67		136.13	244.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:12:01	246.40		180.87	48.46	136.92	33.35	0.05	180.85	48.48		136.94	244.06
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:12:03	246.43		181.57	47.77	136.23	33.35	0.05	181.54	47.79		136.25	244.75
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:12:05	246.47		181.33	48.00	136.46	33.35	0.05	181.31	48.03		136.49	244.51
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:12:07	246.50		181.11	48.23	136.69	33.35	0.05	181.08	48.25		136.71	244.29
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:12:09	246.53		180.91	48.43	136.89	33.35	0.05	180.88	48.45		136.91	244.09
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:12:11	246.57		181.45	47.89	136.35	33.35	0.05	181.42	47.91		136.37	244.63
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:12:13	246.60		181.49	47.85	136.31	33.35	0.05	181.46	47.87		136.33	244.67
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:12:15	246.63		181.35	47.99	136.45	33.35	0.05	181.32	48.01		136.47	244.53
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:12:17	246.67		181.57	47.77	136.23	33.35	0.05	181.54	47.79		136.25	244.75
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:12:19	246.70		181.23	48.10	136.56	33.35	0.05	181.21	48.13		136.59	244.41
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:12:21	246.73		181.64	47.70	136.16	33.35	0.05	181.61	47.72		136.18	244.82
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:12:23	246.77		181.85	47.49	135.95	33.35	0.05	181.82	47.51		135.97	245.03
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:12:25	246.80		181.54	47.79	136.25	33.35	0.05	181.52	47.81		136.27	244.73
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:12:27	246.83		181.51	47.83	136.29	33.35	0.05	181.48	47.85		136.31	244.69
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:12:29	246.87		181.08	48.25	136.71	33.35	0.05	181.06	48.27		136.73	244.27
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:12:31	246.90		181.63	47.71	136.17	33.35	0.05	181.60	47.73		136.19	244.81
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:12:33	246.93		181.33	48.01	136.47	33.35	0.05	181.30	48.03		136.49	244.51
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:12:35	246.97		181.53	47.81	136.27	33.35	0.05	181.50	47.83		136.29	244.71
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:12:37	247.00		181.29	48.04	136.50	33.35	0.05	181.27	48.06		136.52	244.48
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:12:39	247.03		181.23	48.10	136.56	33.35	0.05	181.21	48.13		136.59	244.41
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:12:41	247.07		181.82	47.51	135.97	33.35	0.05	181.80	47.53		135.99	245.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:12:43	247.10		181.50	47.84	136.30	33.35	0.05	181.47	47.86		136.32	244.68
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:12:45	247.13		181.51	47.83	136.29	33.35	0.05	181.48	47.85		136.31	244.69
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:12:47	247.17		181.74	47.60	136.06	33.35	0.05	181.71	47.62		136.08	244.92
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:12:49	247.20		181.54	47.80	136.26	33.35	0.05	181.51	47.82		136.28	244.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:12:51	247.23		181.68	47.65	136.11	33.35	0.05	181.66	47.67		136.13	244.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:12:53	247.27		181.81	47.53	135.99	33.35	0.05	181.78	47.55		136.01	244.99
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:12:55	247.30		181.27	48.06	136.52	33.35	0.05	181.25	48.09		136.55	244.45
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:12:57	247.33		181.30	48.03	136.49	33.35	0.05	181.28	48.06		136.52	244.48
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:12:59	247.37		181.02	48.31	136.77	33.35	0.05	181.00	48.34		136.80	244.20
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:13:01	247.40		181.19	48.14	136.60	33.35	0.05	181.17	48.17		136.63	244.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:13:03	247.43		181.43	47.91	136.37	33.35	0.05	181.40	47.93		136.39	244.61
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:13:05	247.47		181.51	47.83	136.29	33.35	0.05	181.48	47.85		136.31	244.69
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:13:07	247.50		181.94	47.39	135.85	33.35	0.05	181.92	47.42		135.88	245.12
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:13:09	247.53		181.24	48.10	136.56	33.35	0.05	181.21	48.12		136.58	244.42
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:13:11	247.57		181.49	47.85	136.31	33.35	0.05	181.46	47.87		136.33	244.67
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:13:13	247.60		181.58	47.76	136.22	33.35	0.05	181.55	47.78		136.24	244.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:13:15	247.63		181.46	47.88	136.34	33.35	0.05	181.43	47.90		136.36	244.64
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:13:17	247.67		181.58	47.76	136.22	33.35	0.05	181.55	47.78		136.24	244.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:13:19	247.70		181.86	47.48	135.94	33.35	0.05	181.83	47.50		135.96	245.04
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:13:21	247.73		181.30	48.03	136.49	33.35	0.05	181.28	48.06		136.52	244.48
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:13:23	247.77		181.44	47.90	136.36	33.35	0.05	181.41	47.92		136.38	244.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:13:25	247.80		181.27	48.06	136.52	33.35	0.05	181.25	48.09		136.55	244.45
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:13:27	247.83		181.26	48.08	136.54	33.35	0.05	181.23	48.10		136.56	244.44
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:13:29	247.87		181.54	47.79	136.25	33.35	0.05	181.52	47.81		136.27	244.73
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:13:31	247.90		181.33	48.00	136.46	33.35	0.05	181.31	48.03		136.49	244.51
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:13:33	247.93		181.68	47.65	136.11	33.35	0.05	181.66	47.67		136.13	244.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:13:35	247.97		181.50	47.84	136.30	33.35	0.05	181.47	47.86		136.32	244.68
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:13:37	248.00		181.44	47.89	136.35	33.35	0.05	181.42	47.92		136.38	244.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:13:39	248.03		181.31	48.03	136.49	33.35	0.05	181.28	48.05		136.51	244.49
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:13:41	248.07		181.25	48.09	136.55	33.35	0.05	181.22	48.11		136.57	244.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:13:43	248.10		181.05	48.28	136.74	33.35	0.05	181.03	48.31		136.77	244.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:13:45	248.13		181.14	48.20	136.66	33.35	0.05	181.11	48.22		136.68	244.32
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:13:47	248.17		181.43	47.91	136.37	33.35	0.05	181.40	47.93		136.39	244.61
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:13:49	248.20		181.37	47.97	136.43	33.35	0.05	181.34	47.99		136.45	244.55
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:13:51	248.23		180.92	48.42	136.88	33.35	0.05	180.89	48.44		136.90	244.10
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:13:53	248.27		181.37	47.96	136.42	33.35	0.05	181.35	47.99		136.45	244.55
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:13:55	248.30		181.42	47.92	136.38	33.35	0.05	181.39	47.94		136.40	244.60
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:13:57	248.33		181.43	47.91	136.37	33.35	0.05	181.40	47.93		136.39	244.61
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:13:59	248.37		181.07	48.27	136.73	33.35	0.05	181.04	48.29		136.75	244.25
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:14:01	248.40		181.65	47.69	136.15	33.35	0.05	181.62	47.71		136.17	244.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:14:03	248.43		181.22	48.12	136.58	33.35	0.05	181.19	48.14		136.60	244.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:14:05	248.47		181.50	47.84	136.30	33.35	0.05	181.47	47.86		136.32	244.68
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:14:07	248.50		181.40	47.93	136.39	33.35	0.05	181.38	47.95		136.41	244.59
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:14:09	248.53		181.40	47.93	136.39	33.35	0.05	181.38	47.95		136.41	244.59
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:14:11	248.57		181.25	48.09	136.55	33.35	0.05	181.22	48.11		136.57	244.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:14:13	248.60		181.38	47.96	136.42	33.35	0.05	181.35	47.98		136.44	244.56
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:14:15	248.63		181.74	47.60	136.06	33.35	0.05	181.71	47.62		136.08	244.92
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:14:17	248.67		181.72	47.62	136.08	33.35	0.05	181.69	47.64		136.10	244.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:14:19	248.70		181.02	48.31	136.77	33.35	0.05	181.00	48.34		136.80	244.20
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:14:21	248.73		181.09	48.24	136.70	33.35	0.05	181.07	48.27		136.73	244.27
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:14:23	248.77		181.41	47.92	136.38	33.35	0.05	181.39	47.95		136.41	244.59
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:14:25	248.80		181.60	47.74	136.20	33.35	0.05	181.57	47.76		136.22	244.78
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:14:27	248.83		181.47	47.86	136.32	33.35	0.05	181.45	47.88		136.34	244.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:14:29	248.87		181.63	47.71	136.17	33.35	0.05	181.60	47.73		136.19	244.81
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:14:31	248.90		181.57	47.77	136.23	33.35	0.05	181.54	47.79		136.25	244.75
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:14:33	248.93		181.44	47.89	136.35	33.35	0.05	181.42	47.92		136.38	244.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:14:35	248.97		181.01	48.33	136.79	33.35	0.05	180.98	48.35		136.81	244.19
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:14:37	249.00		181.58	47.75	136.21	33.35	0.05	181.56	47.78		136.24	244.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:14:39	249.03		181.44	47.90	136.36	33.35	0.05	181.41	47.92		136.38	244.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:14:41	249.07		181.85	47.49	135.95	33.35	0.05	181.82	47.51		135.97	245.03
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:14:43	249.10		182.00	47.34	135.80	33.35	0.05	181.97	47.36		135.82	245.18
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:14:45	249.13		181.24	48.10	136.56	33.35	0.05	181.21	48.12		136.58	244.42
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:14:47	249.17		181.54	47.80	136.26	33.35	0.05	181.51	47.82		136.28	244.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:14:49	249.20		181.91	47.43	135.89	33.35	0.05	181.88	47.45		135.91	245.09
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:14:51	249.23		181.39	47.95	136.41	33.35	0.05	181.36	47.97		136.43	244.57
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:14:53	249.27		181.47	47.87	136.33	33.35	0.05	181.44	47.89		136.35	244.65
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:14:55	249.30		181.14	48.20	136.66	33.35	0.05	181.11	48.22		136.68	244.32
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:14:57	249.33		181.28	48.06	136.52	33.35	0.05	181.25	48.08		136.54	244.46
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:14:59	249.37		182.09	47.25	135.71	33.35	0.05	182.06	47.27		135.73	245.27
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:15:01	249.40		181.46	47.88	136.34	33.35	0.05	181.43	47.90		136.36	244.64
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:15:03	249.43		181.68	47.66	136.12	33.35	0.05	181.65	47.68		136.14	244.86
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:15:05	249.47		181.46	47.88	136.34	33.35	0.05	181.43	47.90		136.36	244.64

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:15:07	249.50		181.00	48.34	136.80	33.35	0.05	180.97	48.36		136.82	244.18
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:15:09	249.53		181.23	48.10	136.56	33.35	0.05	181.21	48.13		136.59	244.41
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:15:11	249.57		181.12	48.22	136.68	33.35	0.05	181.09	48.24		136.70	244.30
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:15:13	249.60		181.23	48.10	136.56	33.35	0.05	181.21	48.13		136.59	244.41
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:15:15	249.63		181.44	47.90	136.36	33.35	0.05	181.41	47.92		136.38	244.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:15:17	249.67		181.58	47.75	136.21	33.35	0.05	181.56	47.78		136.24	244.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:15:19	249.70		181.32	48.02	136.48	33.35	0.05	181.29	48.04		136.50	244.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:15:21	249.73		181.12	48.22	136.68	33.35	0.05	181.09	48.24		136.70	244.30
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:15:23	249.77		181.81	47.53	135.99	33.35	0.05	181.78	47.55		136.01	244.99
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:15:25	249.80		181.93	47.41	135.87	33.35	0.05	181.90	47.43		135.89	245.11
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:15:27	249.83		181.19	48.15	136.61	33.35	0.05	181.16	48.17		136.63	244.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:15:29	249.87		180.84	48.49	136.95	33.35	0.05	180.82	48.52		136.98	244.02
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:15:31	249.90		181.17	48.17	136.63	33.35	0.05	181.14	48.19		136.65	244.35
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:15:33	249.93		181.13	48.20	136.66	33.35	0.05	181.10	48.23		136.69	244.31
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:15:35	249.97		181.08	48.25	136.71	33.35	0.05	181.06	48.28		136.74	244.26
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:15:37	250.00		181.76	47.57	136.03	33.35	0.05	181.74	47.60		136.06	244.94
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:15:39	250.03		180.92	48.42	136.88	33.35	0.05	180.89	48.44		136.90	244.10
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:15:41	250.07		181.40	47.94	136.40	33.35	0.05	181.37	47.96		136.42	244.58
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:15:43	250.10		181.47	47.87	136.33	33.35	0.05	181.44	47.89		136.35	244.65
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:15:45	250.13		181.34	47.99	136.45	33.35	0.05	181.31	48.02		136.48	244.52
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:15:47	250.17		181.04	48.30	136.76	33.35	0.05	181.01	48.32		136.78	244.22
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:15:49	250.20		181.65	47.68	136.14	33.35	0.05	181.63	47.71		136.17	244.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:15:51	250.23		181.12	48.21	136.67	33.35	0.05	181.10	48.24		136.70	244.30
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:15:53	250.27		181.74	47.60	136.06	33.35	0.05	181.71	47.62		136.08	244.92
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:15:55	250.30		181.15	48.18	136.64	33.35	0.05	181.13	48.21		136.67	244.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:15:57	250.33		181.40	47.94	136.40	33.35	0.05	181.37	47.96		136.42	244.58
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:15:59	250.37		181.44	47.90	136.36	33.35	0.05	181.41	47.92		136.38	244.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:16:01	250.40		181.57	47.77	136.23	33.35	0.05	181.54	47.79		136.25	244.75
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:16:03	250.43		181.44	47.90	136.36	33.35	0.05	181.41	47.92		136.38	244.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:16:05	250.47		180.98	48.36	136.82	33.35	0.05	180.95	48.38		136.84	244.16
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:16:07	250.50		181.15	48.19	136.65	33.35	0.05	181.12	48.21		136.67	244.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:16:09	250.53		181.54	47.79	136.25	33.35	0.05	181.52	47.82		136.28	244.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:16:11	250.57		181.21	48.13	136.59	33.35	0.05	181.18	48.15		136.61	244.39
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:16:13	250.60		181.37	47.97	136.43	33.35	0.05	181.34	47.99		136.45	244.55
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:16:15	250.63		181.22	48.11	136.57	33.35	0.05	181.20	48.14		136.60	244.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:16:17	250.67		180.87	48.47	136.93	33.35	0.05	180.84	48.49		136.95	244.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:16:19	250.70		181.30	48.03	136.49	33.35	0.05	181.28	48.06		136.52	244.48
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:16:21	250.73		181.03	48.31	136.77	33.35	0.05	181.00	48.33		136.79	244.21
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:16:23	250.77		181.20	48.13	136.59	33.35	0.05	181.17	48.16		136.62	244.38
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:16:25	250.80		181.55	47.78	136.24	33.35	0.05	181.53	47.81		136.27	244.73
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:16:27	250.83		181.22	48.12	136.58	33.35	0.05	181.19	48.14		136.60	244.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:16:29	250.87		181.30	48.03	136.49	33.35	0.05	181.28	48.06		136.52	244.48
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:16:31	250.90		181.47	47.86	136.32	33.35	0.05	181.45	47.89		136.35	244.65
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:16:33	250.93		180.84	48.50	136.96	33.35	0.05	180.81	48.52		136.98	244.02
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:16:35	250.97		181.22	48.12	136.58	33.35	0.05	181.19	48.14		136.60	244.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:16:37	251.00		181.50	47.84	136.30	33.35	0.05	181.47	47.86		136.32	244.68
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:16:39	251.03		180.71	48.63	137.09	33.35	0.05	180.68	48.65		137.11	243.89
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:16:41	251.07		181.27	48.06	136.52	33.35	0.05	181.24	48.09		136.55	244.45
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:16:43	251.10		181.44	47.90	136.36	33.35	0.05	181.41	47.92		136.38	244.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:16:45	251.13		182.17	47.17	135.63	33.35	0.05	182.14	47.19		135.65	245.35
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:16:47	251.17		181.23	48.10	136.56	33.35	0.05	181.21	48.13		136.59	244.41
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:16:49	251.20		181.15	48.18	136.64	33.35	0.05	181.13	48.21		136.67	244.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:16:51	251.23		181.20	48.13	136.59	33.35	0.05	181.17	48.16		136.62	244.38
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:16:53	251.27		181.58	47.75	136.21	33.35	0.05	181.56	47.78		136.24	244.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:16:55	251.30		181.29	48.04	136.50	33.35	0.05	181.27	48.07		136.53	244.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:16:57	251.33		181.44	47.89	136.35	33.35	0.05	181.42	47.92		136.38	244.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:16:59	251.37		181.26	48.07	136.53	33.35	0.05	181.24	48.10		136.56	244.44
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:17:01	251.40		181.01	48.33	136.79	33.35	0.05	180.98	48.35		136.81	244.19
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:17:03	251.43		181.22	48.11	136.57	33.35	0.05	181.20	48.14		136.60	244.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:17:05	251.47		181.09	48.24	136.70	33.35	0.05	181.07	48.27		136.73	244.27
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:17:07	251.50		181.29	48.05	136.51	33.35	0.05	181.26	48.07		136.53	244.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:17:09	251.53		180.83	48.50	136.96	33.35	0.05	180.81	48.53		136.99	244.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:17:11	251.57		181.37	47.96	136.42	33.35	0.05	181.35	47.99		136.45	244.55
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:17:13	251.60		181.41	47.92	136.38	33.35	0.05	181.38	47.95		136.41	244.59
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:17:15	251.63		181.62	47.71	136.17	33.35	0.05	181.60	47.74		136.20	244.80
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:17:17	251.67		180.90	48.44	136.90	33.35	0.05	180.87	48.46		136.92	244.08
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:17:19	251.70		181.38	47.96	136.42	33.35	0.05	181.35	47.98		136.44	244.56
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:17:21	251.73		181.08	48.26	136.72	33.35	0.05	181.05	48.28		136.74	244.26
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:17:23	251.77		180.83	48.51	136.97	33.35	0.05	180.80	48.53		136.99	244.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:17:25	251.80		181.42	47.92	136.38	33.35	0.05	181.39	47.94		136.40	244.60
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:17:27	251.83		181.15	48.18	136.64	33.35	0.05	181.13	48.21		136.67	244.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:17:29	251.87		181.41	47.92	136.38	33.35	0.05	181.38	47.95		136.41	244.59
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:17:31	251.90		181.07	48.27	136.73	33.35	0.05	181.04	48.29		136.75	244.25
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:17:33	251.93		181.01	48.32	136.78	33.35	0.05	180.99	48.35		136.81	244.19
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:17:35	251.97		180.86	48.48	136.94	33.35	0.05	180.83	48.50		136.96	244.04
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:17:37	252.00		181.31	48.03	136.49	33.35	0.05	181.28	48.05		136.51	244.49
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:17:39	252.03		181.13	48.20	136.66	33.35	0.05	181.10	48.23		136.69	244.31
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:17:41	252.07		181.41	47.92	136.38	33.35	0.05	181.38	47.95		136.41	244.59
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:17:43	252.10		181.65	47.68	136.14	33.35	0.05	181.63	47.71		136.17	244.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:17:45	252.13		181.64	47.70	136.16	33.35	0.05	181.61	47.72		136.18	244.82
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:17:47	252.17		180.88	48.45	136.91	33.35	0.05	180.85	48.48		136.94	244.06
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:17:49	252.20		181.61	47.72	136.18	33.35	0.05	181.59	47.75		136.21	244.79
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:17:51	252.23		180.85	48.49	136.95	33.35	0.05	180.82	48.51		136.97	244.03
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:17:53	252.27		181.38	47.96	136.42	33.35	0.05	181.35	47.98		136.44	244.56
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:17:55	252.30		181.38	47.96	136.42	33.35	0.05	181.35	47.98		136.44	244.56
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:17:57	252.33		181.61	47.73	136.19	33.35	0.05	181.58	47.75		136.21	244.79
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:17:59	252.37		181.39	47.95	136.41	33.35	0.05	181.36	47.97		136.43	244.57
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:18:01	252.40		181.11	48.23	136.69	33.35	0.05	181.08	48.25		136.71	244.29
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:18:03	252.43		181.24	48.10	136.56	33.35	0.05	181.21	48.12		136.58	244.42
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:18:05	252.47		181.12	48.21	136.67	33.35	0.05	181.10	48.24		136.70	244.30
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:18:07	252.50		181.47	47.86	136.32	33.35	0.05	181.45	47.89		136.35	244.65
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:18:09	252.53		181.07	48.27	136.73	33.35	0.05	181.04	48.29		136.75	244.25
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:18:11	252.57		181.20	48.13	136.59	33.35	0.05	181.17	48.16		136.62	244.38
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:18:13	252.60		180.77	48.56	137.02	33.35	0.05	180.75	48.59		137.05	243.95
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:18:15	252.63		181.25	48.09	136.55	33.35	0.05	181.22	48.11		136.57	244.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:18:17	252.67		180.75	48.59	137.05	33.35	0.05	180.72	48.61		137.07	243.93
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:18:19	252.70		181.12	48.22	136.68	33.35	0.05	181.09	48.24		136.70	244.30

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:18:21	252.73		181.56	47.78	136.24	33.35	0.05	181.53	47.80		136.26	244.74
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:18:23	252.77		181.07	48.27	136.73	33.35	0.05	181.04	48.29		136.75	244.25
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:18:25	252.80		181.27	48.06	136.52	33.35	0.05	181.24	48.09		136.55	244.45
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:18:27	252.83		181.06	48.27	136.73	33.35	0.05	181.03	48.30		136.76	244.24
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:18:29	252.87		181.35	47.99	136.45	33.35	0.05	181.32	48.01		136.47	244.53
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:18:31	252.90		180.94	48.39	136.85	33.35	0.05	180.92	48.42		136.88	244.12
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:18:33	252.93		181.80	47.53	135.99	33.35	0.05	181.77	47.56		136.02	244.98
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:18:35	252.97		181.08	48.26	136.72	33.35	0.05	181.05	48.28		136.74	244.26
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:18:37	253.00		181.09	48.24	136.70	33.35	0.05	181.07	48.27		136.73	244.27
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:18:39	253.03		181.40	47.94	136.40	33.35	0.05	181.37	47.96		136.42	244.58
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:18:41	253.07		181.61	47.73	136.19	33.35	0.05	181.58	47.75		136.21	244.79
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:18:43	253.10		181.57	47.77	136.23	33.35	0.05	181.54	47.79		136.25	244.75
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:18:45	253.13		181.22	48.12	136.58	33.35	0.05	181.19	48.14		136.60	244.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:18:47	253.17		180.83	48.51	136.97	33.35	0.05	180.80	48.53		136.99	244.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:18:49	253.20		181.27	48.06	136.52	33.35	0.05	181.24	48.09		136.55	244.45
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:18:51	253.23		180.98	48.36	136.82	33.35	0.05	180.95	48.38		136.84	244.16
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:18:53	253.27		180.91	48.43	136.89	33.35	0.05	180.88	48.45		136.91	244.09
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:18:55	253.30		181.02	48.31	136.77	33.35	0.05	181.00	48.34		136.80	244.20
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:18:57	253.33		181.42	47.92	136.38	33.35	0.05	181.39	47.94		136.40	244.60
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:18:59	253.37		181.19	48.15	136.61	33.35	0.05	181.16	48.17		136.63	244.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:19:01	253.40		181.22	48.11	136.57	33.35	0.05	181.20	48.14		136.60	244.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:19:03	253.43		180.73	48.61	137.07	33.35	0.05	180.70	48.63		137.09	243.91
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:19:05	253.47		182.03	47.31	135.77	33.35	0.05	182.00	47.33		135.79	245.21
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:19:07	253.50		181.08	48.26	136.72	33.35	0.05	181.05	48.28		136.74	244.26
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:19:09	253.53		180.84	48.49	136.95	33.35	0.05	180.82	48.52		136.98	244.02
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:19:11	253.57		180.98	48.36	136.82	33.35	0.05	180.95	48.38		136.84	244.16
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:19:13	253.60		180.94	48.40	136.86	33.35	0.05	180.91	48.42		136.88	244.12
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:19:15	253.63		181.21	48.13	136.59	33.35	0.05	181.18	48.15		136.61	244.39
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:19:17	253.67		181.40	47.94	136.40	33.35	0.05	181.37	47.96		136.42	244.58
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:19:19	253.70		181.34	47.99	136.45	33.35	0.05	181.31	48.02		136.48	244.52
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:19:21	253.73		181.14	48.20	136.66	33.35	0.05	181.11	48.22		136.68	244.32
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:19:23	253.77		181.65	47.69	136.15	33.35	0.05	181.62	47.71		136.17	244.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:19:25	253.80		181.01	48.33	136.79	33.35	0.05	180.98	48.35		136.81	244.19
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:19:27	253.83		181.33	48.00	136.46	33.35	0.05	181.31	48.03		136.49	244.51
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:19:29	253.87		181.22	48.12	136.58	33.35	0.05	181.19	48.14		136.60	244.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:19:31	253.90		181.27	48.06	136.52	33.35	0.05	181.24	48.09		136.55	244.45
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:19:33	253.93		181.60	47.74	136.20	33.35	0.05	181.57	47.76		136.22	244.78
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:19:35	253.97		181.29	48.04	136.50	33.35	0.05	181.27	48.07		136.53	244.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:19:37	254.00		181.05	48.28	136.74	33.35	0.05	181.03	48.31		136.77	244.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:19:39	254.03		181.21	48.13	136.59	33.35	0.05	181.18	48.15		136.61	244.39
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:19:41	254.07		180.78	48.56	137.02	33.35	0.05	180.75	48.58		137.04	243.96
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:19:43	254.10		180.89	48.45	136.91	33.35	0.05	180.86	48.47		136.93	244.07
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:19:45	254.13		181.56	47.78	136.24	33.35	0.05	181.53	47.80		136.26	244.74
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:19:47	254.17		181.27	48.06	136.52	33.35	0.05	181.24	48.09		136.55	244.45
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:19:49	254.20		180.98	48.35	136.81	33.35	0.05	180.96	48.38		136.84	244.16
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:19:51	254.23		180.94	48.39	136.85	33.35	0.05	180.92	48.42		136.88	244.12
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:19:53	254.27		181.50	47.84	136.30	33.35	0.05	181.47	47.86		136.32	244.68
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:19:55	254.30		180.90	48.44	136.90	33.35	0.05	180.87	48.46		136.92	244.08
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:19:57	254.33		180.90	48.44	136.90	33.35	0.05	180.87	48.46		136.92	244.08
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:19:59	254.37		180.81	48.52	136.98	33.35	0.05	180.78	48.55		137.01	243.99
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:20:01	254.40		181.10	48.24	136.70	33.35	0.05	181.07	48.26		136.72	244.28
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:20:03	254.43		181.29	48.04	136.50	33.35	0.05	181.27	48.07		136.53	244.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:20:05	254.47		181.51	47.82	136.28	33.35	0.05	181.49	47.85		136.31	244.69
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:20:07	254.50		180.93	48.41	136.87	33.35	0.05	180.90	48.43		136.89	244.11
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:20:09	254.53		181.24	48.10	136.56	33.35	0.05	181.21	48.12		136.58	244.42
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:20:11	254.57		181.38	47.96	136.42	33.35	0.05	181.35	47.98		136.44	244.56
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:20:13	254.60		182.09	47.25	135.71	33.35	0.05	182.06	47.27		135.73	245.27
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:20:15	254.63		180.80	48.53	136.99	33.35	0.05	180.78	48.56		137.02	243.98
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:20:17	254.67		181.22	48.12	136.58	33.35	0.05	181.19	48.14		136.60	244.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:20:19	254.70		180.80	48.54	137.00	33.35	0.05	180.77	48.56		137.02	243.98
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:20:21	254.73		181.22	48.11	136.57	33.35	0.05	181.20	48.14		136.60	244.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:20:23	254.77		180.90	48.44	136.90	33.35	0.05	180.87	48.46		136.92	244.08
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:20:25	254.80		180.71	48.63	137.09	33.35	0.05	180.68	48.65		137.11	243.89
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:20:27	254.83		181.12	48.22	136.68	33.35	0.05	181.09	48.24		136.70	244.30
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:20:29	254.87		181.01	48.33	136.79	33.35	0.05	180.98	48.35		136.81	244.19
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:20:31	254.90		181.54	47.80	136.26	33.35	0.05	181.51	47.82		136.28	244.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:20:33	254.93		180.71	48.63	137.09	33.35	0.05	180.68	48.65		137.11	243.89
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:20:35	254.97		180.96	48.38	136.84	33.35	0.05	180.93	48.40		136.86	244.14
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:20:37	255.00		181.17	48.17	136.63	33.35	0.05	181.14	48.19		136.65	244.35
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:20:39	255.03		181.04	48.30	136.76	33.35	0.05	181.01	48.32		136.78	244.22
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:20:41	255.07		180.87	48.47	136.93	33.35	0.05	180.84	48.49		136.95	244.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:20:43	255.10		181.01	48.32	136.78	33.35	0.05	180.99	48.35		136.81	244.19
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:20:45	255.13		181.13	48.20	136.66	33.35	0.05	181.10	48.23		136.69	244.31
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:20:47	255.17		181.25	48.09	136.55	33.35	0.05	181.22	48.11		136.57	244.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:20:49	255.20		181.54	47.79	136.25	33.35	0.05	181.52	47.82		136.28	244.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:20:51	255.23		181.12	48.22	136.68	33.35	0.05	181.09	48.24		136.70	244.30
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:20:53	255.27		180.67	48.66	137.12	33.35	0.05	180.64	48.69		137.15	243.85
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:20:55	255.30		181.23	48.10	136.56	33.35	0.05	181.20	48.13		136.59	244.41
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:20:57	255.33		181.19	48.15	136.61	33.35	0.05	181.16	48.17		136.63	244.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:20:59	255.37		181.00	48.34	136.80	33.35	0.05	180.97	48.36		136.82	244.18
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:21:01	255.40		181.56	47.78	136.24	33.35	0.05	181.53	47.80		136.26	244.74
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:21:03	255.43		181.16	48.17	136.63	33.35	0.05	181.13	48.20		136.66	244.34
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:21:05	255.47		181.60	47.74	136.20	33.35	0.05	181.57	47.76		136.22	244.78
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:21:07	255.50		181.08	48.26	136.72	33.35	0.05	181.05	48.28		136.74	244.26
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:21:09	255.53		181.26	48.08	136.54	33.35	0.05	181.23	48.10		136.56	244.44
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:21:11	255.57		181.47	47.87	136.33	33.35	0.05	181.44	47.89		136.35	244.65
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:21:13	255.60		180.66	48.67	137.13	33.35	0.05	180.64	48.70		137.16	243.84
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:21:15	255.63		180.62	48.72	137.18	33.35	0.05	180.59	48.74		137.20	243.80
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:21:17	255.67		181.29	48.05	136.51	33.35	0.05	181.26	48.07		136.53	244.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:21:19	255.70		181.12	48.22	136.68	33.35	0.05	181.09	48.24		136.70	244.30
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:21:21	255.73		180.84	48.49	136.95	33.35	0.05	180.81	48.52		136.98	244.02
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:21:23	255.77		181.09	48.24	136.70	33.35	0.05	181.06	48.27		136.73	244.27
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:21:25	255.80		181.14	48.20	136.66	33.35	0.05	181.11	48.22		136.68	244.32
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:21:27	255.83		181.67	47.67	136.13	33.35	0.05	181.64	47.69		136.15	244.85
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:21:29	255.87		181.09	48.24	136.70	33.35	0.05	181.06	48.27		136.73	244.27
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:21:31	255.90		181.05	48.28	136.74	33.35	0.05	181.03	48.31		136.77	244.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:21:33	255.93		181.01	48.33	136.79	33.35	0.05	180.98	48.35		136.81	244.19

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:21:35	255.97		181.19	48.14	136.60	33.35	0.05	181.17	48.17		136.63	244.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:21:37	256.00		181.12	48.21	136.67	33.35	0.05	181.10	48.24		136.70	244.30
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:21:39	256.03		181.07	48.27	136.73	33.35	0.05	181.04	48.29		136.75	244.25
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:21:41	256.07		181.43	47.91	136.37	33.35	0.05	181.40	47.93		136.39	244.61
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:21:43	256.10		181.32	48.02	136.48	33.35	0.05	181.29	48.04		136.50	244.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:21:45	256.13		181.30	48.03	136.49	33.35	0.05	181.27	48.06		136.52	244.48
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:21:47	256.17		181.68	47.66	136.12	33.35	0.05	181.65	47.68		136.14	244.86
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:21:49	256.20		180.77	48.57	137.03	33.35	0.05	180.74	48.59		137.05	243.95
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:21:51	256.23		181.38	47.96	136.42	33.35	0.05	181.35	47.98		136.44	244.56
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:21:53	256.27		180.88	48.45	136.91	33.35	0.05	180.85	48.48		136.94	244.06
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:21:55	256.30		180.80	48.54	137.00	33.35	0.05	180.77	48.56		137.02	243.98
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:21:57	256.33		180.72	48.62	137.08	33.35	0.05	180.69	48.64		137.10	243.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:21:59	256.37		181.05	48.28	136.74	33.35	0.05	181.03	48.31		136.77	244.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:22:01	256.40		181.33	48.00	136.46	33.35	0.05	181.31	48.03		136.49	244.51
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:22:03	256.43		181.26	48.08	136.54	33.35	0.05	181.23	48.10		136.56	244.44
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:22:05	256.47		181.05	48.28	136.74	33.35	0.05	181.03	48.31		136.77	244.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:22:07	256.50		181.59	47.74	136.20	33.35	0.05	181.56	47.77		136.23	244.77
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:22:09	256.53		181.36	47.98	136.44	33.35	0.05	181.33	48.00		136.46	244.54
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:22:11	256.57		181.12	48.22	136.68	33.35	0.05	181.09	48.24		136.70	244.30
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:22:13	256.60		181.16	48.17	136.63	33.35	0.05	181.13	48.20		136.66	244.34
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:22:15	256.63		180.98	48.35	136.81	33.35	0.05	180.96	48.38		136.84	244.16
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:22:17	256.67		180.57	48.77	137.23	33.35	0.05	180.54	48.79		137.25	243.75
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:22:19	256.70		181.06	48.27	136.73	33.35	0.05	181.03	48.30		136.76	244.24
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:22:21	256.73		181.42	47.92	136.38	33.35	0.05	181.39	47.94		136.40	244.60
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:22:23	256.77		181.31	48.03	136.49	33.35	0.05	181.28	48.05		136.51	244.49
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:22:25	256.80		180.88	48.45	136.91	33.35	0.05	180.85	48.48		136.94	244.06
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:22:27	256.83		180.67	48.66	137.12	33.35	0.05	180.64	48.69		137.15	243.85
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:22:29	256.87		180.92	48.42	136.88	33.35	0.05	180.89	48.44		136.90	244.10
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:22:31	256.90		181.19	48.15	136.61	33.35	0.05	181.16	48.17		136.63	244.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:22:33	256.93		180.94	48.39	136.85	33.35	0.05	180.92	48.42		136.88	244.12
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:22:35	256.97		181.22	48.11	136.57	33.35	0.05	181.20	48.14		136.60	244.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:22:37	257.00		181.48	47.85	136.31	33.35	0.05	181.45	47.88		136.34	244.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:22:39	257.03		181.15	48.18	136.64	33.35	0.05	181.13	48.21		136.67	244.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:22:41	257.07		181.38	47.96	136.42	33.35	0.05	181.35	47.98		136.44	244.56
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:22:43	257.10		181.26	48.07	136.53	33.35	0.05	181.24	48.10		136.56	244.44
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:22:45	257.13		181.13	48.20	136.66	33.35	0.05	181.10	48.23		136.69	244.31
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:22:47	257.17		180.69	48.64	137.10	33.35	0.05	180.67	48.67		137.13	243.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:22:49	257.20		180.52	48.82	137.28	33.35	0.05	180.49	48.84		137.30	243.70
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:22:51	257.23		181.09	48.24	136.70	33.35	0.05	181.06	48.27		136.73	244.27
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:22:53	257.27		180.83	48.51	136.97	33.35	0.05	180.80	48.53		136.99	244.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:22:55	257.30		180.86	48.48	136.94	33.35	0.05	180.83	48.50		136.96	244.04
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:22:57	257.33		181.36	47.98	136.44	33.35	0.05	181.33	48.00		136.46	244.54
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:22:59	257.37		181.10	48.24	136.70	33.35	0.05	181.07	48.26		136.72	244.28
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:23:01	257.40		180.99	48.34	136.80	33.35	0.05	180.96	48.37		136.83	244.17
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:23:03	257.43		181.37	47.97	136.43	33.35	0.05	181.34	47.99		136.45	244.55
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:23:05	257.47		181.19	48.14	136.60	33.35	0.05	181.17	48.17		136.63	244.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:23:07	257.50		181.02	48.31	136.77	33.35	0.05	180.99	48.34		136.80	244.20
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:23:09	257.53		181.35	47.99	136.45	33.35	0.05	181.32	48.01		136.47	244.53
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:23:11	257.57		180.84	48.49	136.95	33.35	0.05	180.81	48.52		136.98	244.02
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:23:13	257.60		180.52	48.81	137.27	33.35	0.05	180.50	48.84		137.30	243.70
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:23:15	257.63		180.85	48.49	136.95	33.35	0.05	180.82	48.51		136.97	244.03
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:23:17	257.67		181.15	48.18	136.64	33.35	0.05	181.13	48.21		136.67	244.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:23:19	257.70		180.62	48.72	137.18	33.35	0.05	180.59	48.74		137.20	243.80
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:23:21	257.73		180.60	48.73	137.19	33.35	0.05	180.57	48.76		137.22	243.78
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:23:23	257.77		181.33	48.01	136.47	33.35	0.05	181.30	48.03		136.49	244.51
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:23:25	257.80		180.63	48.70	137.16	33.35	0.05	180.60	48.73		137.19	243.81
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:23:27	257.83		181.43	47.91	136.37	33.35	0.05	181.40	47.93		136.39	244.61
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:23:29	257.87		181.19	48.14	136.60	33.35	0.05	181.17	48.17		136.63	244.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:23:31	257.90		181.32	48.02	136.48	33.35	0.05	181.29	48.04		136.50	244.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:23:33	257.93		181.14	48.20	136.66	33.35	0.05	181.11	48.22		136.68	244.32
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:23:35	257.97		180.90	48.44	136.90	33.35	0.05	180.87	48.46		136.92	244.08
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:23:37	258.00		180.78	48.56	137.02	33.35	0.05	180.75	48.58		137.04	243.96
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:23:39	258.03		181.05	48.29	136.75	33.35	0.05	181.02	48.31		136.77	244.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:23:41	258.07		180.52	48.82	137.28	33.35	0.05	180.49	48.84		137.30	243.70
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:23:43	258.10		181.05	48.28	136.74	33.35	0.05	181.03	48.31		136.77	244.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:23:45	258.13		180.99	48.34	136.80	33.35	0.05	180.96	48.37		136.83	244.17
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:23:47	258.17		181.11	48.23	136.69	33.35	0.05	181.08	48.25		136.71	244.29
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:23:49	258.20		180.86	48.48	136.94	33.35	0.05	180.83	48.50		136.96	244.04
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:23:51	258.23		181.21	48.13	136.59	33.35	0.05	181.18	48.15		136.61	244.39
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:23:53	258.27		180.84	48.50	136.96	33.35	0.05	180.81	48.52		136.98	244.02
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:23:55	258.30		180.85	48.49	136.95	33.35	0.05	180.82	48.51		136.97	244.03
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:23:57	258.33		181.12	48.21	136.67	33.35	0.05	181.10	48.24		136.70	244.30
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:23:59	258.37		180.82	48.52	136.98	33.35	0.05	180.79	48.54		137.00	244.00
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:24:01	258.40		181.08	48.26	136.72	33.35	0.05	181.05	48.28		136.74	244.26
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:24:03	258.43		180.62	48.71	137.17	33.35	0.05	180.60	48.74		137.20	243.80
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:24:05	258.47		181.43	47.91	136.37	33.35	0.05	181.40	47.93		136.39	244.61
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:24:07	258.50		180.99	48.34	136.80	33.35	0.05	180.96	48.37		136.83	244.17
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:24:09	258.53		181.23	48.10	136.56	33.35	0.05	181.20	48.13		136.59	244.41
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:24:11	258.57		181.05	48.28	136.74	33.35	0.05	181.03	48.31		136.77	244.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:24:13	258.60		181.42	47.92	136.38	33.35	0.05	181.39	47.94		136.40	244.60
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:24:15	258.63		181.24	48.10	136.56	33.35	0.05	181.21	48.12		136.58	244.42
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:24:17	258.67		180.87	48.47	136.93	33.35	0.05	180.84	48.49		136.95	244.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:24:19	258.70		180.87	48.46	136.92	33.35	0.05	180.85	48.49		136.95	244.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:24:21	258.73		181.05	48.29	136.75	33.35	0.05	181.02	48.31		136.77	244.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:24:23	258.77		180.84	48.50	136.96	33.35	0.05	180.81	48.52		136.98	244.02
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:24:25	258.80		180.96	48.38	136.84	33.35	0.05	180.93	48.40		136.86	244.14
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:24:27	258.83		180.90	48.44	136.90	33.35	0.05	180.87	48.46		136.92	244.08
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:24:29	258.87		180.40	48.94	137.40	33.35	0.05	180.37	48.96		137.42	243.58
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:24:31	258.90		181.38	47.96	136.42	33.35	0.05	181.35	47.98		136.44	244.56
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:24:33	258.93		180.62	48.71	137.17	33.35	0.05	180.60	48.74		137.20	243.80
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:24:35	258.97		181.27	48.06	136.52	33.35	0.05	181.24	48.09		136.55	244.45
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:24:37	259.00		180.77	48.57	137.03	33.35	0.05	180.74	48.59		137.05	243.95
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:24:39	259.03		181.25	48.09	136.55	33.35	0.05	181.22	48.11		136.57	244.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:24:41	259.07		180.76	48.58	137.04	33.35	0.05	180.73	48.60		137.06	243.94
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:24:43	259.10		181.08	48.25	136.71	33.35	0.05	181.06	48.28		136.74	244.26
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:24:45	259.13		181.23	48.10	136.56	33.35	0.05	181.20	48.13		136.59	244.41
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:24:47	259.17		180.93	48.41	136.87	33.35	0.05	180.90	48.43		136.89	244.11

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:24:49	259.20		180.72	48.62	137.08	33.35	0.05	180.69	48.64		137.10	243.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:24:51	259.23		180.86	48.48	136.94	33.35	0.05	180.83	48.50		136.96	244.04
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:24:53	259.27		181.49	47.85	136.31	33.35	0.05	181.46	47.87		136.33	244.67
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:24:55	259.30		181.08	48.25	136.71	33.35	0.05	181.06	48.28		136.74	244.26
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:24:57	259.33		180.59	48.75	137.21	33.35	0.05	180.56	48.77		137.23	243.77
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:24:59	259.37		180.97	48.37	136.83	33.35	0.05	180.94	48.39		136.85	244.15
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:25:01	259.40		181.08	48.26	136.72	33.35	0.06	181.05	48.28		136.74	244.26
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:25:03	259.43		180.72	48.62	137.08	33.35	0.06	180.69	48.64		137.10	243.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:25:05	259.47		180.91	48.43	136.89	33.35	0.06	180.88	48.46		136.92	244.08
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:25:07	259.50		180.50	48.84	137.30	33.35	0.06	180.47	48.86		137.32	243.68
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:25:09	259.53		181.27	48.06	136.52	33.35	0.06	181.24	48.09		136.55	244.45
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:25:11	259.57		181.61	47.73	136.19	33.35	0.06	181.58	47.75		136.21	244.79
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:25:13	259.60		181.00	48.34	136.80	33.35	0.06	180.97	48.36		136.82	244.18
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:25:15	259.63		181.20	48.13	136.59	33.35	0.06	181.17	48.16		136.62	244.38
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:25:17	259.67		181.22	48.12	136.58	33.35	0.06	181.19	48.14		136.60	244.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:25:19	259.70		181.12	48.22	136.68	33.35	0.06	181.09	48.25		136.71	244.29
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:25:21	259.73		181.22	48.11	136.57	33.35	0.06	181.20	48.14		136.60	244.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:25:23	259.77		180.76	48.58	137.04	33.35	0.06	180.73	48.60		137.06	243.94
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:25:25	259.80		181.12	48.22	136.68	33.35	0.06	181.09	48.25		136.71	244.29
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:25:27	259.83		181.07	48.27	136.73	33.35	0.06	181.04	48.29		136.75	244.25
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:25:29	259.87		180.56	48.77	137.23	33.35	0.06	180.53	48.80		137.26	243.74
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:25:31	259.90		181.19	48.15	136.61	33.35	0.06	181.16	48.18		136.64	244.36
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:25:33	259.93		181.06	48.27	136.73	33.35	0.06	181.03	48.30		136.76	244.24
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:25:35	259.97		181.33	48.01	136.47	33.35	0.06	181.30	48.03		136.49	244.51
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:25:37	260.00		180.80	48.54	137.00	33.35	0.06	180.77	48.56		137.02	243.98
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:25:39	260.03		181.33	48.00	136.46	33.35	0.06	181.31	48.03		136.49	244.51
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:25:41	260.07		180.98	48.36	136.82	33.35	0.06	180.95	48.39		136.85	244.15
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:25:43	260.10		181.03	48.31	136.77	33.35	0.06	181.00	48.33		136.79	244.21
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:25:45	260.13		181.33	48.00	136.46	33.35	0.06	181.31	48.03		136.49	244.51
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:25:47	260.17		181.14	48.20	136.66	33.35	0.06	181.11	48.22		136.68	244.32
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:25:49	260.20		181.15	48.18	136.64	33.35	0.06	181.13	48.21		136.67	244.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:25:51	260.23		181.15	48.19	136.65	33.35	0.06	181.12	48.21		136.67	244.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:25:53	260.27		181.25	48.09	136.55	33.35	0.06	181.22	48.11		136.57	244.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:25:55	260.30		180.84	48.50	136.96	33.35	0.06	180.81	48.53		136.99	244.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:25:57	260.33		180.87	48.47	136.93	33.35	0.06	180.84	48.49		136.95	244.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:25:59	260.37		180.89	48.45	136.91	33.35	0.06	180.86	48.47		136.93	244.07
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:26:01	260.40		180.98	48.35	136.81	33.35	0.06	180.96	48.38		136.84	244.16
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:26:03	260.43		180.80	48.53	136.99	33.35	0.06	180.78	48.56		137.02	243.98
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:26:05	260.47		181.32	48.02	136.48	33.35	0.06	181.29	48.04		136.50	244.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:26:07	260.50		180.24	49.09	137.55	33.35	0.06	180.21	49.12		137.58	243.42
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:26:09	260.53		181.20	48.13	136.59	33.35	0.06	181.17	48.16		136.62	244.38
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:26:11	260.57		181.29	48.05	136.51	33.35	0.06	181.26	48.07		136.53	244.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:26:13	260.60		180.98	48.35	136.81	33.35	0.06	180.96	48.38		136.84	244.16
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:26:15	260.63		181.01	48.32	136.78	33.35	0.06	180.99	48.35		136.81	244.19
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:26:17	260.67		181.02	48.31	136.77	33.35	0.06	180.99	48.34		136.80	244.20
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:26:19	260.70		181.26	48.08	136.54	33.35	0.06	181.23	48.11		136.57	244.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:26:21	260.73		180.29	49.05	137.51	33.35	0.06	180.26	49.07		137.53	243.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:26:23	260.77		181.16	48.17	136.63	33.35	0.06	181.13	48.20		136.66	244.34
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:26:25	260.80		181.15	48.18	136.64	33.35	0.06	181.13	48.21		136.67	244.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:26:27	260.83		180.73	48.61	137.07	33.35	0.06	180.70	48.63		137.09	243.91
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:26:29	260.87		180.86	48.48	136.94	33.35	0.06	180.83	48.50		136.96	244.04
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:26:31	260.90		181.03	48.31	136.77	33.35	0.06	181.00	48.33		136.79	244.21
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:26:33	260.93		181.10	48.24	136.70	33.35	0.06	181.07	48.26		136.72	244.28
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:26:35	260.97		180.55	48.79	137.25	33.35	0.06	180.52	48.81		137.27	243.73
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:26:37	261.00		181.15	48.18	136.64	33.35	0.06	181.13	48.21		136.67	244.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:26:39	261.03		181.01	48.32	136.78	33.35	0.06	180.99	48.35		136.81	244.19
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:26:41	261.07		181.06	48.27	136.73	33.35	0.06	181.03	48.30		136.76	244.24
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:26:43	261.10		181.33	48.00	136.46	33.35	0.06	181.31	48.03		136.49	244.51
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:26:45	261.13		180.80	48.54	137.00	33.35	0.06	180.77	48.56		137.02	243.98
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:26:47	261.17		181.07	48.27	136.73	33.35	0.06	181.04	48.29		136.75	244.25
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:26:49	261.20		180.98	48.36	136.82	33.35	0.06	180.95	48.39		136.85	244.15
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:26:51	261.23		180.49	48.84	137.30	33.35	0.06	180.46	48.87		137.33	243.67
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:26:53	261.27		181.06	48.27	136.73	33.35	0.06	181.03	48.30		136.76	244.24
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:26:55	261.30		181.11	48.23	136.69	33.35	0.06	181.08	48.25		136.71	244.29
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:26:57	261.33		181.37	47.97	136.43	33.35	0.06	181.34	48.00		136.46	244.54
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:26:59	261.37		181.26	48.08	136.54	33.35	0.06	181.23	48.11		136.57	244.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:27:01	261.40		181.26	48.08	136.54	33.35	0.06	181.23	48.11		136.57	244.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:27:03	261.43		180.80	48.54	137.00	33.35	0.06	180.77	48.56		137.02	243.98
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:27:05	261.47		180.79	48.55	137.01	33.35	0.06	180.76	48.57		137.03	243.97
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:27:07	261.50		180.57	48.77	137.23	33.35	0.06	180.54	48.79		137.25	243.75
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:27:09	261.53		180.91	48.42	136.88	33.35	0.06	180.89	48.45		136.91	244.09
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:27:11	261.57		181.30	48.03	136.49	33.35	0.06	181.27	48.06		136.52	244.48
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:27:13	261.60		181.06	48.27	136.73	33.35	0.06	181.03	48.30		136.76	244.24
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:27:15	261.63		180.60	48.73	137.19	33.35	0.06	180.57	48.76		137.22	243.78
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:27:17	261.67		180.64	48.70	137.16	33.35	0.06	180.61	48.72		137.18	243.82
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:27:19	261.70		181.47	47.87	136.33	33.35	0.06	181.44	47.89		136.35	244.65
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:27:21	261.73		180.57	48.77	137.23	33.35	0.06	180.54	48.79		137.25	243.75
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:27:23	261.77		180.52	48.82	137.28	33.35	0.06	180.49	48.85		137.31	243.69
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:27:25	261.80		180.36	48.98	137.44	33.35	0.06	180.33	49.00		137.46	243.54
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:27:27	261.83		180.82	48.52	136.98	33.35	0.06	180.79	48.54		137.00	244.00
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:27:29	261.87		180.93	48.41	136.87	33.35	0.06	180.90	48.43		136.89	244.11
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:27:31	261.90		181.17	48.17	136.63	33.35	0.06	181.14	48.19		136.65	244.35
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:27:33	261.93		180.84	48.49	136.95	33.35	0.06	180.81	48.52		136.98	244.02
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:27:35	261.97		180.84	48.50	136.96	33.35	0.06	180.81	48.53		136.99	244.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:27:37	262.00		181.31	48.03	136.49	33.35	0.06	181.28	48.05		136.51	244.49
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:27:39	262.03		181.15	48.18	136.64	33.35	0.06	181.13	48.21		136.67	244.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:27:41	262.07		181.19	48.14	136.60	33.35	0.06	181.17	48.17		136.63	244.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:27:43	262.10		181.03	48.31	136.77	33.35	0.06	181.00	48.33		136.79	244.21
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:27:45	262.13		181.17	48.17	136.63	33.35	0.06	181.14	48.19		136.65	244.35
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:27:47	262.17		180.84	48.50	136.96	33.35	0.06	180.81	48.53		136.99	244.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:27:49	262.20		181.01	48.33	136.79	33.35	0.06	180.98	48.35		136.81	244.19
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:27:51	262.23		180.85	48.49	136.95	33.35	0.06	180.82	48.51		136.97	244.03
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:27:53	262.27		181.29	48.04	136.50	33.35	0.06	181.27	48.07		136.53	244.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:27:55	262.30		180.58	48.76	137.22	33.35	0.06	180.55	48.78		137.24	243.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:27:57	262.33		181.15	48.18	136.64	33.35	0.06	181.13	48.21		136.67	244.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:27:59	262.37		181.28	48.06	136.52	33.35	0.06	181.25	48.08		136.54	244.46
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:28:01	262.40		181.28	48.06	136.52	33.35	0.06	181.25	48.08		136.54	244.46

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:28:03	262.43		181.26	48.08	136.54	33.35	0.06	181.23	48.11		136.57	244.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:28:05	262.47		181.43	47.91	136.37	33.35	0.06	181.40	47.93		136.39	244.61
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:28:07	262.50		180.80	48.53	136.99	33.35	0.06	180.78	48.56		137.02	243.98
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:28:09	262.53		181.01	48.33	136.79	33.35	0.06	180.98	48.35		136.81	244.19
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:28:11	262.57		180.97	48.37	136.83	33.35	0.06	180.94	48.39		136.85	244.15
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:28:13	262.60		181.26	48.08	136.54	33.35	0.06	181.23	48.11		136.57	244.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:28:15	262.63		180.47	48.87	137.33	33.35	0.06	180.44	48.89		137.35	243.65
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:28:17	262.67		180.91	48.43	136.89	33.35	0.06	180.88	48.46		136.92	244.08
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:28:19	262.70		180.69	48.64	137.10	33.35	0.06	180.67	48.67		137.13	243.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:28:21	262.73		181.02	48.31	136.77	33.35	0.06	180.99	48.34		136.80	244.20
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:28:23	262.77		180.78	48.56	137.02	33.35	0.06	180.75	48.58		137.04	243.96
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:28:25	262.80		181.03	48.31	136.77	33.35	0.06	181.00	48.33		136.79	244.21
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:28:27	262.83		181.02	48.31	136.77	33.35	0.06	180.99	48.34		136.80	244.20
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:28:29	262.87		181.24	48.10	136.56	33.35	0.06	181.21	48.12		136.58	244.42
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:28:31	262.90		180.98	48.36	136.82	33.35	0.06	180.95	48.39		136.85	244.15
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:28:33	262.93		180.93	48.41	136.87	33.35	0.06	180.90	48.43		136.89	244.11
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:28:35	262.97		180.12	49.22	137.68	33.35	0.06	180.09	49.24		137.70	243.30
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:28:37	263.00		181.07	48.27	136.73	33.35	0.06	181.04	48.29		136.75	244.25
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:28:39	263.03		180.96	48.38	136.84	33.35	0.06	180.93	48.40		136.86	244.14
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:28:41	263.07		180.13	49.20	137.66	33.35	0.06	180.11	49.23		137.69	243.31
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:28:43	263.10		180.87	48.47	136.93	33.35	0.06	180.84	48.49		136.95	244.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:28:45	263.13		180.82	48.52	136.98	33.35	0.06	180.79	48.54		137.00	244.00
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:28:47	263.17		180.78	48.56	137.02	33.35	0.06	180.75	48.58		137.04	243.96
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:28:49	263.20		180.75	48.59	137.05	33.35	0.06	180.72	48.61		137.07	243.93
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:28:51	263.23		181.19	48.14	136.60	33.35	0.06	181.17	48.17		136.63	244.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:28:53	263.27		181.18	48.16	136.62	33.35	0.06	181.15	48.18		136.64	244.36
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:28:55	263.30		180.77	48.56	137.02	33.35	0.06	180.74	48.59		137.05	243.95
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:28:57	263.33		180.44	48.90	137.36	33.35	0.06	180.41	48.92		137.38	243.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:28:59	263.37		181.07	48.27	136.73	33.35	0.06	181.04	48.29		136.75	244.25
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:29:01	263.40		180.86	48.48	136.94	33.35	0.06	180.83	48.50		136.96	244.04
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:29:03	263.43		180.75	48.59	137.05	33.35	0.06	180.72	48.61		137.07	243.93
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:29:05	263.47		180.68	48.66	137.12	33.35	0.06	180.65	48.68		137.14	243.86
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:29:07	263.50		181.32	48.02	136.48	33.35	0.06	181.29	48.04		136.50	244.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:29:09	263.53		181.10	48.24	136.70	33.35	0.06	181.07	48.26		136.72	244.28
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:29:11	263.57		181.33	48.01	136.47	33.35	0.06	181.30	48.03		136.49	244.51
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:29:13	263.60		181.17	48.17	136.63	33.35	0.06	181.14	48.19		136.65	244.35
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:29:15	263.63		180.95	48.38	136.84	33.35	0.06	180.92	48.41		136.87	244.13
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:29:17	263.67		181.21	48.13	136.59	33.35	0.06	181.18	48.15		136.61	244.39
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:29:19	263.70		180.34	49.00	137.46	33.35	0.06	180.31	49.02		137.48	243.52
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:29:21	263.73		181.17	48.17	136.63	33.35	0.06	181.14	48.19		136.65	244.35
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:29:23	263.77		180.84	48.49	136.95	33.35	0.06	180.81	48.52		136.98	244.02
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:29:25	263.80		181.07	48.27	136.73	33.35	0.06	181.04	48.29		136.75	244.25
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:29:27	263.83		181.02	48.31	136.77	33.35	0.06	180.99	48.34		136.80	244.20
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:29:29	263.87		180.95	48.38	136.84	33.35	0.06	180.92	48.41		136.87	244.13
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:29:31	263.90		180.83	48.51	136.97	33.35	0.06	180.80	48.53		136.99	244.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:29:33	263.93		180.89	48.45	136.91	33.35	0.06	180.86	48.47		136.93	244.07
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:29:35	263.97		180.77	48.56	137.02	33.35	0.06	180.74	48.59		137.05	243.95
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:29:37	264.00		180.79	48.55	137.01	33.35	0.06	180.76	48.57		137.03	243.97
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:29:39	264.03		180.74	48.59	137.05	33.35	0.06	180.71	48.62		137.08	243.92
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:29:41	264.07		180.46	48.87	137.33	33.35	0.06	180.43	48.90		137.36	243.64
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:29:43	264.10		180.71	48.63	137.09	33.35	0.06	180.68	48.65		137.11	243.89
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:29:45	264.13		180.99	48.34	136.80	33.35	0.06	180.96	48.37		136.83	244.17
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:29:47	264.17		180.97	48.37	136.83	33.35	0.06	180.94	48.39		136.85	244.15
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:29:49	264.20		180.97	48.37	136.83	33.35	0.06	180.94	48.39		136.85	244.15
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:29:51	264.23		180.54	48.80	137.26	33.35	0.06	180.51	48.82		137.28	243.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:29:53	264.27		180.56	48.77	137.23	33.35	0.06	180.53	48.80		137.26	243.74
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:29:55	264.30		181.05	48.29	136.75	33.35	0.06	181.02	48.32		136.78	244.22
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:29:57	264.33		180.68	48.66	137.12	33.35	0.06	180.65	48.68		137.14	243.86
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:29:59	264.37		180.42	48.91	137.37	33.35	0.06	180.39	48.94		137.40	243.60
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:30:01	264.40		181.02	48.31	136.77	33.35	0.06	180.99	48.34		136.80	244.20
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:30:03	264.43		181.12	48.22	136.68	33.35	0.06	181.09	48.25		136.71	244.29
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:30:05	264.47		181.13	48.20	136.66	33.35	0.06	181.10	48.23		136.69	244.31
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:30:07	264.50		181.37	47.96	136.42	33.35	0.06	181.34	47.99		136.45	244.55
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:30:09	264.53		180.99	48.34	136.80	33.35	0.06	180.96	48.37		136.83	244.17
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:30:11	264.57		180.98	48.35	136.81	33.35	0.06	180.95	48.38		136.84	244.16
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:30:13	264.60		180.92	48.42	136.88	33.35	0.06	180.89	48.44		136.90	244.10
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:30:15	264.63		180.55	48.79	137.25	33.35	0.06	180.52	48.82		137.28	243.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:30:17	264.67		180.93	48.41	136.87	33.35	0.06	180.90	48.43		136.89	244.11
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:30:19	264.70		180.73	48.61	137.07	33.35	0.06	180.70	48.64		137.10	243.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:30:21	264.73		180.74	48.59	137.05	33.35	0.06	180.71	48.62		137.08	243.92
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:30:23	264.77		180.87	48.46	136.92	33.35	0.06	180.85	48.49		136.95	244.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:30:25	264.80		180.61	48.73	137.19	33.35	0.06	180.58	48.75		137.21	243.79
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:30:27	264.83		181.23	48.10	136.56	33.35	0.06	181.20	48.13		136.59	244.41
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:30:29	264.87		181.22	48.11	136.57	33.35	0.06	181.20	48.14		136.60	244.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:30:31	264.90		180.97	48.37	136.83	33.35	0.06	180.94	48.39		136.85	244.15
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:30:33	264.93		180.73	48.60	137.06	33.35	0.06	180.70	48.63		137.09	243.91
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:30:35	264.97		181.28	48.06	136.52	33.35	0.06	181.25	48.08		136.54	244.46
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:30:37	265.00		180.73	48.61	137.07	33.35	0.06	180.70	48.64		137.10	243.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:30:39	265.03		180.48	48.85	137.31	33.35	0.06	180.46	48.88		137.34	243.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:30:41	265.07		181.25	48.09	136.55	33.35	0.06	181.22	48.11		136.57	244.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:30:43	265.10		180.73	48.61	137.07	33.35	0.06	180.70	48.64		137.10	243.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:30:45	265.13		180.98	48.35	136.81	33.35	0.06	180.95	48.38		136.84	244.16
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:30:47	265.17		181.16	48.17	136.63	33.35	0.06	181.13	48.20		136.66	244.34
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:30:49	265.20		181.01	48.32	136.78	33.35	0.06	180.99	48.35		136.81	244.19
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:30:51	265.23		181.00	48.34	136.80	33.35	0.06	180.97	48.36		136.82	244.18
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:30:53	265.27		180.68	48.66	137.12	33.35	0.06	180.65	48.68		137.14	243.86
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:30:55	265.30		181.11	48.23	136.69	33.35	0.06	181.08	48.25		136.71	244.29
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:30:57	265.33		180.95	48.38	136.84	33.35	0.06	180.92	48.41		136.87	244.13
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:30:59	265.37		180.85	48.49	136.95	33.35	0.06	180.82	48.51		136.97	244.03
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:31:01	265.40		181.29	48.04	136.50	33.35	0.06	181.27	48.07		136.53	244.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:31:03	265.43		181.12	48.22	136.68	33.35	0.06	181.09	48.25		136.71	244.29
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:31:05	265.47		180.83	48.51	136.97	33.35	0.06	180.80	48.53		136.99	244.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:31:07	265.50		180.98	48.36	136.82	33.35	0.06	180.95	48.39		136.85	244.15
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:31:09	265.53		180.90	48.44	136.90	33.35	0.06	180.87	48.46		136.92	244.08
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:31:11	265.57		181.06	48.27	136.73	33.35	0.06	181.03	48.30		136.76	244.24
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:31:13	265.60		181.69	47.64	136.10	33.35	0.06	181.66	47.67		136.13	244.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:31:15	265.63		181.02	48.31	136.77	33.35	0.06	180.99	48.34		136.80	244.20

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:31:17	265.67		180.74	48.59	137.05	33.35	0.06	180.71	48.62		137.08	243.92
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:31:19	265.70		180.59	48.74	137.20	33.35	0.06	180.56	48.77		137.23	243.77
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:31:21	265.73		180.60	48.73	137.19	33.35	0.06	180.57	48.76		137.22	243.78
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:31:23	265.77		181.32	48.02	136.48	33.35	0.06	181.29	48.04		136.50	244.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:31:25	265.80		180.77	48.56	137.02	33.35	0.06	180.74	48.59		137.05	243.95
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:31:27	265.83		180.82	48.52	136.98	33.35	0.06	180.79	48.54		137.00	244.00
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:31:29	265.87		180.45	48.89	137.35	33.35	0.06	180.42	48.92		137.38	243.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:31:31	265.90		180.60	48.73	137.19	33.35	0.06	180.57	48.76		137.22	243.78
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:31:33	265.93		180.87	48.46	136.92	33.35	0.06	180.85	48.49		136.95	244.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:31:35	265.97		180.87	48.46	136.92	33.35	0.06	180.85	48.49		136.95	244.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:31:37	266.00		180.77	48.56	137.02	33.35	0.06	180.74	48.59		137.05	243.95
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:31:39	266.03		180.69	48.64	137.10	33.35	0.06	180.67	48.67		137.13	243.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:31:41	266.07		180.67	48.66	137.12	33.35	0.06	180.64	48.69		137.15	243.85
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:31:43	266.10		181.22	48.11	136.57	33.35	0.06	181.20	48.14		136.60	244.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:31:45	266.13		180.59	48.75	137.21	33.35	0.06	180.56	48.78		137.24	243.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:31:47	266.17		180.98	48.35	136.81	33.35	0.06	180.95	48.38		136.84	244.16
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:31:49	266.20		180.30	49.04	137.50	33.35	0.06	180.27	49.06		137.52	243.48
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:31:51	266.23		181.24	48.10	136.56	33.35	0.06	181.21	48.12		136.58	244.42
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:31:53	266.27		181.22	48.11	136.57	33.35	0.06	181.20	48.14		136.60	244.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:31:55	266.30		180.96	48.38	136.84	33.35	0.06	180.93	48.40		136.86	244.14
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:31:57	266.33		180.66	48.67	137.13	33.35	0.06	180.63	48.70		137.16	243.84
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:31:59	266.37		181.13	48.20	136.66	33.35	0.06	181.10	48.23		136.69	244.31
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:32:01	266.40		180.73	48.60	137.06	33.35	0.06	180.70	48.63		137.09	243.91
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:32:03	266.43		181.18	48.16	136.62	33.35	0.06	181.15	48.18		136.64	244.36
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:32:05	266.47		180.78	48.56	137.02	33.35	0.06	180.75	48.58		137.04	243.96
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:32:07	266.50		180.79	48.55	137.01	33.35	0.06	180.76	48.57		137.03	243.97
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:32:09	266.53		181.28	48.06	136.52	33.35	0.06	181.25	48.08		136.54	244.46
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:32:11	266.57		180.77	48.57	137.03	33.35	0.06	180.74	48.60		137.06	243.94
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:32:13	266.60		180.54	48.80	137.26	33.35	0.06	180.51	48.82		137.28	243.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:32:15	266.63		180.98	48.36	136.82	33.35	0.06	180.95	48.39		136.85	244.15
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:32:17	266.67		180.74	48.59	137.05	33.35	0.06	180.71	48.62		137.08	243.92
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:32:19	266.70		180.80	48.54	137.00	33.35	0.06	180.77	48.57		137.03	243.97
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:32:21	266.73		181.32	48.02	136.48	33.35	0.06	181.29	48.04		136.50	244.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:32:23	266.77		181.06	48.27	136.73	33.35	0.06	181.03	48.30		136.76	244.24
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:32:25	266.80		180.58	48.76	137.22	33.35	0.06	180.55	48.78		137.24	243.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:32:27	266.83		181.37	47.96	136.42	33.35	0.06	181.34	47.99		136.45	244.55
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:32:29	266.87		180.45	48.88	137.34	33.35	0.06	180.42	48.91		137.37	243.63
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:32:31	266.90		180.99	48.34	136.80	33.35	0.06	180.96	48.37		136.83	244.17
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:32:33	266.93		180.95	48.38	136.84	33.35	0.06	180.92	48.41		136.87	244.13
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:32:35	266.97		180.69	48.65	137.11	33.35	0.06	180.66	48.67		137.13	243.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:32:37	267.00		181.12	48.21	136.67	33.35	0.06	181.09	48.24		136.70	244.30
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:32:39	267.03		180.73	48.61	137.07	33.35	0.06	180.70	48.64		137.10	243.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:32:41	267.07		181.05	48.28	136.74	33.35	0.06	181.02	48.31		136.77	244.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:32:43	267.10		180.71	48.63	137.09	33.35	0.06	180.68	48.65		137.11	243.89
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:32:45	267.13		180.91	48.42	136.88	33.35	0.06	180.88	48.45		136.91	244.09
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:32:47	267.17		181.05	48.28	136.74	33.35	0.06	181.02	48.31		136.77	244.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:32:49	267.20		180.86	48.48	136.94	33.35	0.06	180.83	48.50		136.96	244.04
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:32:51	267.23		181.05	48.29	136.75	33.35	0.06	181.02	48.32		136.78	244.22
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:32:53	267.27		181.29	48.05	136.51	33.35	0.06	181.26	48.07		136.53	244.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:32:55	267.30		180.72	48.62	137.08	33.35	0.06	180.69	48.64		137.10	243.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:32:57	267.33		180.91	48.43	136.89	33.35	0.06	180.88	48.46		136.92	244.08
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:32:59	267.37		180.89	48.45	136.91	33.35	0.06	180.86	48.47		136.93	244.07
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:33:01	267.40		180.54	48.80	137.26	33.35	0.06	180.51	48.82		137.28	243.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:33:03	267.43		181.02	48.31	136.77	33.35	0.06	180.99	48.34		136.80	244.20
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:33:05	267.47		180.78	48.56	137.02	33.35	0.06	180.75	48.58		137.04	243.96
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:33:07	267.50		180.34	48.99	137.45	33.35	0.06	180.32	49.02		137.48	243.52
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:33:09	267.53		180.80	48.53	136.99	33.35	0.06	180.78	48.56		137.02	243.98
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:33:11	267.57		180.98	48.36	136.82	33.35	0.06	180.95	48.39		136.85	244.15
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:33:13	267.60		181.17	48.17	136.63	33.35	0.06	181.14	48.19		136.65	244.35
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:33:15	267.63		180.88	48.45	136.91	33.35	0.06	180.85	48.48		136.94	244.06
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:33:17	267.67		181.08	48.25	136.71	33.35	0.06	181.06	48.28		136.74	244.26
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:33:19	267.70		180.87	48.47	136.93	33.35	0.06	180.84	48.50		136.96	244.04
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:33:21	267.73		180.40	48.94	137.40	33.35	0.06	180.37	48.96		137.42	243.58
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:33:23	267.77		181.01	48.32	136.78	33.35	0.06	180.99	48.35		136.81	244.19
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:33:25	267.80		180.48	48.85	137.31	33.35	0.06	180.46	48.88		137.34	243.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:33:27	267.83		180.56	48.77	137.23	33.35	0.06	180.53	48.80		137.26	243.74
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:33:29	267.87		180.34	48.99	137.45	33.35	0.06	180.32	49.02		137.48	243.52
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:33:31	267.90		180.98	48.35	136.81	33.35	0.06	180.95	48.38		136.84	244.16
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:33:33	267.93		181.17	48.17	136.63	33.35	0.06	181.14	48.19		136.65	244.35
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:33:35	267.97		180.65	48.69	137.15	33.35	0.06	180.62	48.71		137.17	243.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:33:37	268.00		180.84	48.50	136.96	33.35	0.06	180.81	48.53		136.99	244.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:33:39	268.03		180.77	48.57	137.03	33.35	0.06	180.74	48.60		137.06	243.94
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:33:41	268.07		180.80	48.53	136.99	33.35	0.06	180.78	48.56		137.02	243.98
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:33:43	268.10		181.20	48.13	136.59	33.35	0.06	181.17	48.16		136.62	244.38
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:33:45	268.13		181.07	48.27	136.73	33.35	0.06	181.04	48.29		136.75	244.25
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:33:47	268.17		180.57	48.77	137.23	33.35	0.06	180.54	48.79		137.25	243.75
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:33:49	268.20		181.03	48.31	136.77	33.35	0.06	181.00	48.33		136.79	244.21
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:33:51	268.23		180.98	48.36	136.82	33.35	0.06	180.95	48.39		136.85	244.15
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:33:53	268.27		180.73	48.61	137.07	33.35	0.06	180.70	48.64		137.10	243.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:33:55	268.30		180.53	48.80	137.26	33.35	0.06	180.50	48.83		137.29	243.71
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:33:57	268.33		181.26	48.08	136.54	33.35	0.06	181.23	48.11		136.57	244.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:33:59	268.37		180.85	48.49	136.95	33.35	0.06	180.82	48.51		136.97	244.03
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:34:01	268.40		180.94	48.39	136.85	33.35	0.06	180.92	48.42		136.88	244.12
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:34:03	268.43		180.79	48.55	137.01	33.35	0.06	180.76	48.57		137.03	243.97
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:34:05	268.47		180.92	48.42	136.88	33.35	0.06	180.89	48.44		136.90	244.10
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:34:07	268.50		180.87	48.46	136.92	33.35	0.06	180.85	48.49		136.95	244.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:34:09	268.53		180.86	48.48	136.94	33.35	0.06	180.83	48.50		136.96	244.04
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:34:11	268.57		180.45	48.88	137.34	33.35	0.06	180.42	48.91		137.37	243.63
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:34:13	268.60		180.45	48.88	137.34	33.35	0.06	180.42	48.91		137.37	243.63
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:34:15	268.63		180.77	48.56	137.02	33.35	0.06	180.74	48.59		137.05	243.95
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:34:17	268.67		180.21	49.12	137.58	33.35	0.06	180.18	49.15		137.61	243.39
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:34:19	268.70		180.50	48.84	137.30	33.35	0.06	180.47	48.86		137.32	243.68
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:34:21	268.73		181.17	48.17	136.63	33.35	0.06	181.14	48.19		136.65	244.35
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:34:23	268.77		180.87	48.47	136.93	33.35	0.06	180.84	48.50		136.96	244.04
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:34:25	268.80		180.85	48.49	136.95	33.35	0.06	180.82	48.51		136.97	244.03
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:34:27	268.83		180.80	48.54	137.00	33.35	0.06	180.77	48.57		137.03	243.97
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:34:29	268.87		181.04	48.30	136.76	33.35	0.06	181.01	48.32		136.78	244.22

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:34:31	268.90		181.01	48.33	136.79	33.35	0.06	180.98	48.36		136.82	244.18
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:34:33	268.93		180.84	48.50	136.96	33.35	0.06	180.81	48.53		136.99	244.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:34:35	268.97		181.05	48.29	136.75	33.35	0.06	181.02	48.32		136.78	244.22
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:34:37	269.00		180.89	48.45	136.91	33.35	0.06	180.86	48.47		136.93	244.07
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:34:39	269.03		180.84	48.50	136.96	33.35	0.06	180.81	48.53		136.99	244.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:34:41	269.07		180.77	48.56	137.02	33.35	0.06	180.74	48.59		137.05	243.95
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:34:43	269.10		181.30	48.03	136.49	33.35	0.06	181.27	48.06		136.52	244.48
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:34:45	269.13		181.30	48.03	136.49	33.35	0.06	181.27	48.06		136.52	244.48
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:34:47	269.17		180.84	48.50	136.96	33.35	0.06	180.81	48.53		136.99	244.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:34:49	269.20		181.01	48.32	136.78	33.35	0.06	180.99	48.35		136.81	244.19
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:34:51	269.23		180.43	48.91	137.37	33.35	0.06	180.40	48.93		137.39	243.61
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:34:53	269.27		180.95	48.38	136.84	33.35	0.06	180.92	48.41		136.87	244.13
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:34:55	269.30		180.88	48.45	136.91	33.35	0.06	180.85	48.48		136.94	244.06
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:34:57	269.33		180.24	49.10	137.56	33.35	0.06	180.21	49.13		137.59	243.41
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:34:59	269.37		180.68	48.66	137.12	33.35	0.06	180.65	48.68		137.14	243.86
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:35:01	269.40		181.21	48.13	136.59	33.35	0.06	181.18	48.15		136.61	244.39
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:35:03	269.43		180.93	48.41	136.87	33.35	0.06	180.90	48.43		136.89	244.11
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:35:05	269.47		180.51	48.83	137.29	33.35	0.06	180.48	48.85		137.31	243.69
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:35:07	269.50		180.69	48.65	137.11	33.35	0.06	180.66	48.67		137.13	243.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:35:09	269.53		180.53	48.80	137.26	33.35	0.06	180.50	48.83		137.29	243.71
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:35:11	269.57		180.40	48.94	137.40	33.35	0.06	180.37	48.96		137.42	243.58
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:35:13	269.60		180.85	48.49	136.95	33.35	0.06	180.82	48.51		136.97	244.03
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:35:15	269.63		180.97	48.37	136.83	33.35	0.06	180.94	48.39		136.85	244.15
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:35:17	269.67		180.96	48.38	136.84	33.35	0.06	180.93	48.40		136.86	244.14
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:35:19	269.70		181.12	48.22	136.68	33.35	0.06	181.09	48.25		136.71	244.29
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:35:21	269.73		180.28	49.05	137.51	33.35	0.06	180.25	49.08		137.54	243.46
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:35:23	269.77		180.74	48.59	137.05	33.35	0.06	180.71	48.62		137.08	243.92
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:35:25	269.80		180.98	48.35	136.81	33.35	0.06	180.95	48.38		136.84	244.16
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:35:27	269.83		180.45	48.88	137.34	33.35	0.06	180.42	48.91		137.37	243.63
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:35:29	269.87		180.68	48.66	137.12	33.35	0.06	180.65	48.68		137.14	243.86
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:35:31	269.90		181.07	48.27	136.73	33.35	0.06	181.04	48.29		136.75	244.25
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:35:33	269.93		180.68	48.66	137.12	33.35	0.06	180.65	48.68		137.14	243.86
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:35:35	269.97		180.73	48.60	137.06	33.35	0.06	180.70	48.63		137.09	243.91
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:35:37	270.00		181.06	48.27	136.73	33.35	0.06	181.03	48.30		136.76	244.24
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:35:39	270.03		180.37	48.97	137.43	33.35	0.06	180.34	48.99		137.45	243.55
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:35:41	270.07		180.64	48.70	137.16	33.35	0.06	180.61	48.72		137.18	243.82
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:35:43	270.10		180.53	48.80	137.26	33.35	0.06	180.50	48.83		137.29	243.71
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:35:45	270.13		180.82	48.52	136.98	33.35	0.06	180.79	48.54		137.00	244.00
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:35:47	270.17		180.87	48.47	136.93	33.35	0.06	180.84	48.50		136.96	244.04
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:35:49	270.20		180.65	48.69	137.15	33.35	0.06	180.62	48.71		137.17	243.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:35:51	270.23		180.92	48.42	136.88	33.35	0.06	180.89	48.44		136.90	244.10
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:35:53	270.27		180.73	48.61	137.07	33.35	0.06	180.70	48.64		137.10	243.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:35:55	270.30		181.04	48.30	136.76	33.35	0.06	181.01	48.32		136.78	244.22
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:35:57	270.33		180.55	48.78	137.24	33.35	0.06	180.53	48.81		137.27	243.73
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:35:59	270.37		180.57	48.77	137.23	33.35	0.06	180.54	48.79		137.25	243.75
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:36:01	270.40		180.51	48.83	137.29	33.35	0.06	180.48	48.85		137.31	243.69
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:36:03	270.43		180.49	48.84	137.30	33.35	0.06	180.46	48.87		137.33	243.67
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:36:05	270.47		180.63	48.70	137.16	33.35	0.06	180.60	48.73		137.19	243.81
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:36:07	270.50		180.77	48.57	137.03	33.35	0.06	180.74	48.60		137.06	243.94
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:36:09	270.53		180.82	48.52	136.98	33.35	0.06	180.79	48.54		137.00	244.00
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:36:11	270.57		180.85	48.49	136.95	33.35	0.06	180.82	48.51		136.97	244.03
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:36:13	270.60		180.73	48.60	137.06	33.35	0.06	180.70	48.63		137.09	243.91
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:36:15	270.63		180.99	48.34	136.80	33.35	0.06	180.96	48.37		136.83	244.17
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:36:17	270.67		180.53	48.80	137.26	33.35	0.06	180.50	48.83		137.29	243.71
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:36:19	270.70		180.71	48.63	137.09	33.35	0.06	180.68	48.65		137.11	243.89
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:36:21	270.73		180.74	48.59	137.05	33.35	0.06	180.71	48.62		137.08	243.92
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:36:23	270.77		180.77	48.56	137.02	33.35	0.06	180.74	48.59		137.05	243.95
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:36:25	270.80		180.83	48.51	136.97	33.35	0.06	180.80	48.53		136.99	244.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:36:27	270.83		181.26	48.08	136.54	33.35	0.06	181.23	48.11		136.57	244.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:36:29	270.87		181.22	48.12	136.58	33.35	0.06	181.19	48.14		136.60	244.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:36:31	270.90		181.04	48.30	136.76	33.35	0.06	181.01	48.32		136.78	244.22
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:36:33	270.93		180.67	48.66	137.12	33.35	0.06	180.64	48.69		137.15	243.85
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:36:35	270.97		180.47	48.87	137.33	33.35	0.06	180.44	48.89		137.35	243.65
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:36:37	271.00		180.59	48.75	137.21	33.35	0.06	180.56	48.78		137.24	243.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:36:39	271.03		180.40	48.94	137.40	33.35	0.06	180.37	48.96		137.42	243.58
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:36:41	271.07		180.84	48.50	136.96	33.35	0.06	180.81	48.53		136.99	244.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:36:43	271.10		180.70	48.63	137.09	33.35	0.06	180.67	48.66		137.12	243.88
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:36:45	271.13		181.08	48.25	136.71	33.35	0.06	181.06	48.28		136.74	244.26
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:36:47	271.17		180.61	48.73	137.19	33.35	0.06	180.58	48.75		137.21	243.79
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:36:49	271.20		181.19	48.15	136.61	33.35	0.06	181.16	48.18		136.64	244.36
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:36:51	271.23		180.87	48.46	136.92	33.35	0.06	180.85	48.49		136.95	244.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:36:53	271.27		180.99	48.34	136.80	33.35	0.06	180.96	48.37		136.83	244.17
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:36:55	271.30		180.73	48.61	137.07	33.35	0.06	180.70	48.64		137.10	243.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:36:57	271.33		180.41	48.93	137.39	33.35	0.06	180.38	48.96		137.42	243.58
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:36:59	271.37		180.88	48.45	136.91	33.35	0.06	180.85	48.48		136.94	244.06
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:37:01	271.40		180.58	48.76	137.22	33.35	0.06	180.55	48.78		137.24	243.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:37:03	271.43		180.55	48.78	137.24	33.35	0.06	180.53	48.81		137.27	243.73
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:37:05	271.47		180.91	48.42	136.88	33.35	0.06	180.88	48.45		136.91	244.09
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:37:07	271.50		180.80	48.54	137.00	33.35	0.06	180.77	48.57		137.03	243.97
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:37:09	271.53		180.63	48.70	137.16	33.35	0.06	180.60	48.73		137.19	243.81
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:37:11	271.57		180.78	48.56	137.02	33.35	0.06	180.75	48.58		137.04	243.96
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:37:13	271.60		180.87	48.47	136.93	33.35	0.06	180.84	48.50		136.96	244.04
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:37:15	271.63		180.80	48.53	136.99	33.35	0.06	180.78	48.56		137.02	243.98
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:37:17	271.67		180.44	48.90	137.36	33.35	0.06	180.41	48.92		137.38	243.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:37:19	271.70		180.51	48.83	137.29	33.35	0.06	180.48	48.85		137.31	243.69
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:37:21	271.73		181.10	48.24	136.70	33.35	0.06	181.07	48.26		136.72	244.28
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:37:23	271.77		180.77	48.57	137.03	33.35	0.06	180.74	48.60		137.06	243.94
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:37:25	271.80		180.77	48.57	137.03	33.35	0.06	180.74	48.60		137.06	243.94
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:37:27	271.83		180.71	48.63	137.09	33.35	0.06	180.68	48.65		137.11	243.89
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:37:29	271.87		180.84	48.50	136.96	33.35	0.06	180.81	48.53		136.99	244.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:37:31	271.90		180.39	48.94	137.40	33.35	0.06	180.36	48.97		137.43	243.57
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:37:33	271.93		180.58	48.76	137.22	33.35	0.06	180.55	48.78		137.24	243.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:37:35	271.97		181.38	47.96	136.42	33.35	0.06	181.35	47.98		136.44	244.56
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:37:37	272.00		180.67	48.66	137.12	33.35	0.06	180.64	48.69		137.15	243.85
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:37:39	272.03		180.90	48.44	136.90	33.35	0.06	180.87	48.46		136.92	244.08
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:37:41	272.07		180.55	48.79	137.25	33.35	0.06	180.52	48.82		137.28	243.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:37:43	272.10		180.61	48.73	137.19	33.35	0.06	180.58	48.75		137.21	243.79

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:37:45	272.13		181.15	48.19	136.65	33.35	0.06	181.12	48.22		136.68	244.32
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:37:47	272.17		180.81	48.52	136.98	33.35	0.06	180.78	48.55		137.01	243.99
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:37:49	272.20		180.87	48.47	136.93	33.35	0.06	180.84	48.50		136.96	244.04
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:37:51	272.23		180.64	48.70	137.16	33.35	0.06	180.61	48.72		137.18	243.82
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:37:53	272.27		181.01	48.33	136.79	33.35	0.06	180.98	48.36		136.82	244.18
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:37:55	272.30		180.70	48.63	137.09	33.35	0.06	180.67	48.66		137.12	243.88
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:37:57	272.33		180.44	48.90	137.36	33.35	0.06	180.41	48.92		137.38	243.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:37:59	272.37		180.87	48.46	136.92	33.35	0.06	180.85	48.49		136.95	244.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:38:01	272.40		180.68	48.66	137.12	33.35	0.06	180.65	48.68		137.14	243.86
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:38:03	272.43		180.91	48.43	136.89	33.35	0.06	180.88	48.46		136.92	244.08
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:38:05	272.47		180.91	48.42	136.88	33.35	0.06	180.88	48.45		136.91	244.09
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:38:07	272.50		181.02	48.31	136.77	33.35	0.06	180.99	48.34		136.80	244.20
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:38:09	272.53		180.56	48.77	137.23	33.35	0.06	180.53	48.80		137.26	243.74
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:38:11	272.57		180.49	48.84	137.30	33.35	0.06	180.46	48.87		137.33	243.67
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:38:13	272.60		180.65	48.69	137.15	33.35	0.06	180.62	48.71		137.17	243.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:38:15	272.63		180.73	48.60	137.06	33.35	0.06	180.70	48.63		137.09	243.91
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:38:17	272.67		180.62	48.71	137.17	33.35	0.06	180.60	48.74		137.20	243.80
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:38:19	272.70		180.75	48.59	137.05	33.35	0.06	180.72	48.61		137.07	243.93
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:38:21	272.73		180.99	48.34	136.80	33.35	0.06	180.96	48.37		136.83	244.17
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:38:23	272.77		180.38	48.96	137.42	33.35	0.06	180.35	48.99		137.45	243.55
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:38:25	272.80		180.73	48.61	137.07	33.35	0.06	180.70	48.64		137.10	243.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:38:27	272.83		180.87	48.46	136.92	33.35	0.06	180.85	48.49		136.95	244.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:38:29	272.87		180.78	48.56	137.02	33.35	0.06	180.75	48.58		137.04	243.96
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:38:31	272.90		180.72	48.62	137.08	33.35	0.06	180.69	48.64		137.10	243.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:38:33	272.93		180.56	48.77	137.23	33.35	0.06	180.53	48.80		137.26	243.74
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:38:35	272.97		180.70	48.63	137.09	33.35	0.06	180.67	48.66		137.12	243.88
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:38:37	273.00		181.13	48.20	136.66	33.35	0.06	181.10	48.23		136.69	244.31
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:38:39	273.03		180.54	48.80	137.26	33.35	0.06	180.51	48.82		137.28	243.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:38:41	273.07		180.93	48.41	136.87	33.35	0.06	180.90	48.43		136.89	244.11
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:38:43	273.10		180.72	48.62	137.08	33.35	0.06	180.69	48.64		137.10	243.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:38:45	273.13		180.49	48.84	137.30	33.35	0.06	180.46	48.87		137.33	243.67
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:38:47	273.17		180.58	48.76	137.22	33.35	0.06	180.55	48.78		137.24	243.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:38:49	273.20		180.40	48.94	137.40	33.35	0.06	180.37	48.96		137.42	243.58
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:38:51	273.23		180.55	48.79	137.25	33.35	0.06	180.52	48.82		137.28	243.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:38:53	273.27		180.64	48.70	137.16	33.35	0.06	180.61	48.72		137.18	243.82
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:38:55	273.30		180.45	48.89	137.35	33.35	0.06	180.42	48.92		137.38	243.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:38:57	273.33		180.96	48.38	136.84	33.35	0.06	180.93	48.40		136.86	244.14
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:38:59	273.37		180.74	48.59	137.05	33.35	0.06	180.71	48.62		137.08	243.92
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:39:01	273.40		180.94	48.39	136.85	33.35	0.06	180.92	48.42		136.88	244.12
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:39:03	273.43		180.80	48.53	136.99	33.35	0.06	180.78	48.56		137.02	243.98
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:39:05	273.47		180.31	49.02	137.48	33.35	0.06	180.28	49.05		137.51	243.49
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:39:07	273.50		181.05	48.28	136.74	33.35	0.06	181.02	48.31		136.77	244.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:39:09	273.53		180.55	48.78	137.24	33.35	0.06	180.53	48.81		137.27	243.73
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:39:11	273.57		180.59	48.74	137.20	33.35	0.06	180.56	48.77		137.23	243.77
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:39:13	273.60		180.77	48.57	137.03	33.35	0.06	180.74	48.60		137.06	243.94
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:39:15	273.63		181.26	48.07	136.53	33.35	0.06	181.23	48.10		136.56	244.44
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:39:17	273.67		180.87	48.47	136.93	33.35	0.06	180.84	48.50		136.96	244.04
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:39:19	273.70		180.43	48.91	137.37	33.35	0.06	180.40	48.93		137.39	243.61
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:39:21	273.73		180.74	48.59	137.05	33.35	0.06	180.71	48.62		137.08	243.92
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:39:23	273.77		180.44	48.90	137.36	33.35	0.06	180.41	48.92		137.38	243.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:39:25	273.80		180.97	48.37	136.83	33.35	0.06	180.94	48.39		136.85	244.15
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:39:27	273.83		180.83	48.51	136.97	33.35	0.06	180.80	48.53		136.99	244.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:39:29	273.87		180.80	48.54	137.00	33.35	0.06	180.77	48.57		137.03	243.97
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:39:31	273.90		180.63	48.70	137.16	33.35	0.06	180.60	48.73		137.19	243.81
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:39:33	273.93		181.00	48.34	136.80	33.35	0.06	180.97	48.36		136.82	244.18
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:39:35	273.97		180.61	48.73	137.19	33.35	0.06	180.58	48.75		137.21	243.79
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:39:37	274.00		180.65	48.69	137.15	33.35	0.06	180.62	48.71		137.17	243.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:39:39	274.03		181.15	48.19	136.65	33.35	0.06	181.12	48.22		136.68	244.32
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:39:41	274.07		180.85	48.49	136.95	33.35	0.06	180.82	48.51		136.97	244.03
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:39:43	274.10		180.91	48.43	136.89	33.35	0.06	180.88	48.46		136.92	244.08
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:39:45	274.13		180.92	48.42	136.88	33.35	0.06	180.89	48.44		136.90	244.10
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:39:47	274.17		180.93	48.41	136.87	33.35	0.06	180.90	48.43		136.89	244.11
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:39:49	274.20		180.78	48.56	137.02	33.35	0.06	180.75	48.58		137.04	243.96
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:39:51	274.23		180.45	48.88	137.34	33.35	0.06	180.42	48.91		137.37	243.63
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:39:53	274.27		180.43	48.91	137.37	33.35	0.06	180.40	48.93		137.39	243.61
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:39:55	274.30		180.35	48.98	137.44	33.35	0.06	180.32	49.01		137.47	243.53
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:39:57	274.33		180.89	48.45	136.91	33.35	0.06	180.86	48.47		136.93	244.07
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:39:59	274.37		180.44	48.90	137.36	33.35	0.06	180.41	48.92		137.38	243.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:40:01	274.40		180.88	48.45	136.91	33.35	0.06	180.85	48.48		136.94	244.06
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:40:03	274.43		180.31	49.02	137.48	33.35	0.06	180.28	49.05		137.51	243.49
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:40:05	274.47		180.67	48.66	137.12	33.35	0.06	180.64	48.69		137.15	243.85
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:40:07	274.50		180.94	48.39	136.85	33.35	0.06	180.91	48.42		136.88	244.12
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:40:09	274.53		180.94	48.40	136.86	33.35	0.06	180.91	48.43		136.89	244.11
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:40:11	274.57		180.81	48.52	136.98	33.35	0.06	180.78	48.55		137.01	243.99
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:40:13	274.60		180.87	48.46	136.92	33.35	0.06	180.84	48.49		136.95	244.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:40:15	274.63		180.99	48.34	136.80	33.35	0.06	180.96	48.37		136.83	244.17
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:40:17	274.67		180.72	48.62	137.08	33.35	0.06	180.69	48.64		137.10	243.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:40:19	274.70		180.38	48.96	137.42	33.35	0.06	180.35	48.99		137.45	243.55
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:40:21	274.73		180.87	48.46	136.92	33.35	0.06	180.84	48.49		136.95	244.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:40:23	274.77		180.72	48.62	137.08	33.35	0.06	180.69	48.64		137.10	243.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:40:25	274.80		180.65	48.69	137.15	33.35	0.06	180.62	48.71		137.17	243.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:40:27	274.83		180.65	48.69	137.15	33.35	0.06	180.62	48.71		137.17	243.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:40:29	274.87		180.73	48.61	137.07	33.35	0.06	180.70	48.64		137.10	243.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:40:31	274.90		180.78	48.56	137.02	33.35	0.06	180.75	48.58		137.04	243.96
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:40:33	274.93		180.64	48.70	137.16	33.35	0.06	180.61	48.72		137.18	243.82
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:40:35	274.97		181.21	48.13	136.59	33.35	0.06	181.18	48.15		136.61	244.39
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:40:37	275.00		180.80	48.54	137.00	33.35	0.06	180.77	48.57		137.03	243.97
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:40:39	275.03		180.39	48.94	137.40	33.35	0.06	180.36	48.97		137.43	243.57
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:40:41	275.07		180.94	48.40	136.86	33.35	0.06	180.91	48.43		136.89	244.11
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:40:43	275.10		180.91	48.43	136.89	33.35	0.06	180.88	48.46		136.92	244.08
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:40:45	275.13		181.16	48.17	136.63	33.35	0.06	181.13	48.20		136.66	244.34
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:40:47	275.17		180.41	48.93	137.39	33.35	0.06	180.38	48.96		137.42	243.58
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:40:49	275.20		181.05	48.28	136.74	33.35	0.06	181.02	48.31		136.77	244.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:40:51	275.23		180.99	48.34	136.80	33.35	0.06	180.96	48.37		136.83	244.17
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:40:53	275.27		180.70	48.63	137.09	33.35	0.06	180.67	48.66		137.12	243.88
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:40:55	275.30		181.07	48.27	136.73	33.35	0.06	181.04	48.29		136.75	244.25
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:40:57	275.33		180.85	48.49	136.95	33.35	0.06	180.82	48.51		136.97	244.03

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:40:59	275.37		180.84	48.49	136.95	33.35	0.06	180.81	48.52		136.98	244.02
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:41:01	275.40		180.93	48.41	136.87	33.35	0.06	180.90	48.43		136.89	244.11
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:41:03	275.43		180.78	48.56	137.02	33.35	0.06	180.75	48.58		137.04	243.96
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:41:05	275.47		180.97	48.37	136.83	33.35	0.06	180.94	48.40		136.86	244.14
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:41:07	275.50		179.89	49.44	137.90	33.35	0.06	179.86	49.47		137.93	243.07
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:41:09	275.53		180.55	48.78	137.24	33.35	0.06	180.52	48.81		137.27	243.73
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:41:11	275.57		180.99	48.34	136.80	33.35	0.06	180.96	48.37		136.83	244.17
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:41:13	275.60		180.30	49.04	137.50	33.35	0.06	180.27	49.07		137.53	243.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:41:15	275.63		180.47	48.87	137.33	33.35	0.06	180.44	48.89		137.35	243.65
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:41:17	275.67		180.69	48.65	137.11	33.35	0.06	180.66	48.68		137.14	243.86
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:41:19	275.70		180.51	48.83	137.29	33.35	0.06	180.48	48.86		137.32	243.68
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:41:21	275.73		180.93	48.41	136.87	33.35	0.06	180.90	48.43		136.89	244.11
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:41:23	275.77		180.69	48.64	137.10	33.35	0.06	180.66	48.67		137.13	243.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:41:25	275.80		180.86	48.48	136.94	33.35	0.06	180.83	48.50		136.96	244.04
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:41:27	275.83		180.04	49.30	137.76	33.35	0.06	180.01	49.32		137.78	243.22
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:41:29	275.87		180.59	48.74	137.20	33.35	0.06	180.56	48.77		137.23	243.77
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:41:31	275.90		180.67	48.66	137.12	33.35	0.06	180.64	48.69		137.15	243.85
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:41:33	275.93		180.88	48.45	136.91	33.35	0.06	180.85	48.48		136.94	244.06
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:41:35	275.97		180.32	49.02	137.48	33.35	0.06	180.29	49.04		137.50	243.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:41:37	276.00		180.24	49.10	137.56	33.35	0.06	180.21	49.13		137.59	243.41
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:41:39	276.03		180.42	48.91	137.37	33.35	0.06	180.39	48.94		137.40	243.60
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:41:41	276.07		181.15	48.19	136.65	33.35	0.06	181.12	48.22		136.68	244.32
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:41:43	276.10		180.71	48.63	137.09	33.35	0.06	180.68	48.65		137.11	243.89
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:41:45	276.13		180.60	48.73	137.19	33.35	0.06	180.57	48.76		137.22	243.78
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:41:47	276.17		180.27	49.07	137.53	33.35	0.06	180.24	49.10		137.56	243.44
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:41:49	276.20		180.95	48.38	136.84	33.35	0.06	180.92	48.41		136.87	244.13
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:41:51	276.23		180.89	48.45	136.91	33.35	0.06	180.86	48.47		136.93	244.07
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:41:53	276.27		180.03	49.30	137.76	33.35	0.06	180.00	49.33		137.79	243.21
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:41:55	276.30		180.80	48.54	137.00	33.35	0.06	180.77	48.57		137.03	243.97
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:41:57	276.33		180.73	48.60	137.06	33.35	0.06	180.70	48.63		137.09	243.91
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:41:59	276.37		180.80	48.54	137.00	33.35	0.06	180.77	48.57		137.03	243.97
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:42:01	276.40		180.74	48.59	137.05	33.35	0.06	180.71	48.62		137.08	243.92
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:42:03	276.43		180.79	48.55	137.01	33.35	0.06	180.76	48.57		137.03	243.97
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:42:05	276.47		180.76	48.58	137.04	33.35	0.06	180.73	48.61		137.07	243.93
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:42:07	276.50		180.95	48.38	136.84	33.35	0.06	180.92	48.41		136.87	244.13
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:42:09	276.53		180.58	48.76	137.22	33.35	0.06	180.55	48.78		137.24	243.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:42:11	276.57		180.39	48.94	137.40	33.35	0.06	180.36	48.97		137.43	243.57
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:42:13	276.60		180.99	48.34	136.80	33.35	0.06	180.96	48.37		136.83	244.17
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:42:15	276.63		180.70	48.63	137.09	33.35	0.06	180.67	48.66		137.12	243.88
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:42:17	276.67		180.78	48.56	137.02	33.35	0.06	180.75	48.58		137.04	243.96
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:42:19	276.70		180.82	48.52	136.98	33.35	0.06	180.79	48.54		137.00	244.00
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:42:21	276.73		180.58	48.76	137.22	33.35	0.06	180.55	48.78		137.24	243.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:42:23	276.77		180.24	49.10	137.56	33.35	0.06	180.21	49.13		137.59	243.41
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:42:25	276.80		180.81	48.52	136.98	33.35	0.06	180.78	48.55		137.01	243.99
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:42:27	276.83		181.19	48.14	136.60	33.35	0.06	181.16	48.17		136.63	244.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:42:29	276.87		180.60	48.73	137.19	33.35	0.06	180.57	48.76		137.22	243.78
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:42:31	276.90		180.52	48.82	137.28	33.35	0.06	180.49	48.85		137.31	243.69
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:42:33	276.93		180.24	49.10	137.56	33.35	0.06	180.21	49.13		137.59	243.41
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:42:35	276.97		180.36	48.98	137.44	33.35	0.06	180.33	49.00		137.46	243.54
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:42:37	277.00		180.58	48.76	137.22	33.35	0.06	180.55	48.78		137.24	243.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:42:39	277.03		180.81	48.52	136.98	33.35	0.06	180.78	48.55		137.01	243.99
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:42:41	277.07		181.29	48.04	136.50	33.35	0.06	181.26	48.07		136.53	244.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:42:43	277.10		180.80	48.54	137.00	33.35	0.06	180.77	48.57		137.03	243.97
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:42:45	277.13		180.56	48.77	137.23	33.35	0.06	180.53	48.80		137.26	243.74
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:42:47	277.17		180.17	49.16	137.62	33.35	0.06	180.14	49.19		137.65	243.35
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:42:49	277.20		180.42	48.91	137.37	33.35	0.06	180.39	48.94		137.40	243.60
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:42:51	277.23		180.66	48.67	137.13	33.35	0.06	180.63	48.70		137.16	243.84
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:42:53	277.27		180.28	49.05	137.51	33.35	0.06	180.25	49.08		137.54	243.46
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:42:55	277.30		180.86	48.48	136.94	33.35	0.06	180.83	48.50		136.96	244.04
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:42:57	277.33		180.37	48.97	137.43	33.35	0.06	180.34	49.00		137.46	243.54
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:42:59	277.37		180.52	48.81	137.27	33.35	0.06	180.49	48.84		137.30	243.70
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:43:01	277.40		180.39	48.94	137.40	33.35	0.06	180.36	48.97		137.43	243.57
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:43:03	277.43		181.19	48.15	136.61	33.35	0.06	181.16	48.18		136.64	244.36
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:43:05	277.47		180.49	48.84	137.30	33.35	0.06	180.46	48.87		137.33	243.67
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:43:07	277.50		180.39	48.94	137.40	33.35	0.06	180.36	48.97		137.43	243.57
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:43:09	277.53		180.66	48.67	137.13	33.35	0.06	180.63	48.70		137.16	243.84
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:43:11	277.57		180.79	48.55	137.01	33.35	0.06	180.76	48.57		137.03	243.97
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:43:13	277.60		180.73	48.60	137.06	33.35	0.06	180.70	48.63		137.09	243.91
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:43:15	277.63		180.23	49.11	137.57	33.35	0.06	180.20	49.14		137.60	243.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:43:17	277.67		180.89	48.45	136.91	33.35	0.06	180.86	48.47		136.93	244.07
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:43:19	277.70		180.27	49.07	137.53	33.35	0.06	180.24	49.10		137.56	243.44
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:43:21	277.73		180.59	48.75	137.21	33.35	0.06	180.56	48.78		137.24	243.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:43:23	277.77		180.69	48.65	137.11	33.35	0.06	180.66	48.68		137.14	243.86
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:43:25	277.80		180.88	48.45	136.91	33.35	0.06	180.85	48.48		136.94	244.06
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:43:27	277.83		181.16	48.17	136.63	33.35	0.06	181.13	48.20		136.66	244.34
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:43:29	277.87		180.47	48.87	137.33	33.35	0.06	180.44	48.89		137.35	243.65
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:43:31	277.90		180.33	49.01	137.47	33.35	0.06	180.30	49.03		137.49	243.51
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:43:33	277.93		180.24	49.09	137.55	33.35	0.06	180.21	49.12		137.58	243.42
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:43:35	277.97		180.76	48.58	137.04	33.35	0.06	180.73	48.61		137.07	243.93
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:43:37	278.00		180.39	48.94	137.40	33.35	0.06	180.36	48.97		137.43	243.57
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:43:39	278.03		181.34	47.99	136.45	33.35	0.06	181.31	48.02		136.48	244.52
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:43:41	278.07		180.54	48.80	137.26	33.35	0.06	180.51	48.82		137.28	243.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:43:43	278.10		180.87	48.46	136.92	33.35	0.06	180.84	48.49		136.95	244.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:43:45	278.13		180.51	48.83	137.29	33.35	0.06	180.48	48.86		137.32	243.68
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:43:47	278.17		180.67	48.66	137.12	33.35	0.06	180.64	48.69		137.15	243.85
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:43:49	278.20		180.50	48.84	137.30	33.35	0.06	180.47	48.86		137.32	243.68
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:43:51	278.23		180.55	48.79	137.25	33.35	0.06	180.52	48.82		137.28	243.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:43:53	278.27		180.55	48.79	137.25	33.35	0.06	180.52	48.82		137.28	243.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:43:55	278.30		180.31	49.02	137.48	33.35	0.06	180.28	49.05		137.51	243.49
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:43:57	278.33		180.55	48.78	137.24	33.35	0.06	180.52	48.81		137.27	243.73
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:43:59	278.37		180.41	48.93	137.39	33.35	0.06	180.38	48.96		137.42	243.58
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:44:01	278.40		180.82	48.52	136.98	33.35	0.06	180.79	48.54		137.00	244.00
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:44:03	278.43		180.24	49.09	137.55	33.35	0.06	180.21	49.12		137.58	243.42
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:44:05	278.47		180.64	48.70	137.16	33.35	0.06	180.61	48.72		137.18	243.82
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:44:07	278.50		180.53	48.80	137.26	33.35	0.06	180.50	48.83		137.29	243.71
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:44:09	278.53		180.26	49.08	137.54	33.35	0.06	180.23	49.10		137.56	243.44
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:44:11	278.57		180.94	48.39	136.85	33.35	0.06	180.91	48.42		136.88	244.12

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:44:13	278.60		180.39	48.94	137.40	33.35	0.06	180.36	48.97		137.43	243.57
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:44:15	278.63		180.40	48.94	137.40	33.35	0.06	180.37	48.96		137.42	243.58
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:44:17	278.67		180.34	48.99	137.45	33.35	0.06	180.31	49.02		137.48	243.52
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:44:19	278.70		180.45	48.89	137.35	33.35	0.06	180.42	48.92		137.38	243.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:44:21	278.73		180.79	48.55	137.01	33.35	0.06	180.76	48.57		137.03	243.97
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:44:23	278.77		180.30	49.04	137.50	33.35	0.06	180.27	49.07		137.53	243.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:44:25	278.80		180.75	48.59	137.05	33.35	0.06	180.72	48.61		137.07	243.93
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:44:27	278.83		180.87	48.46	136.92	33.35	0.06	180.84	48.49		136.95	244.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:44:29	278.87		181.21	48.13	136.59	33.35	0.06	181.18	48.15		136.61	244.39
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:44:31	278.90		180.78	48.56	137.02	33.35	0.06	180.75	48.58		137.04	243.96
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:44:33	278.93		179.77	49.57	138.03	33.35	0.06	179.74	49.60		138.06	242.94
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:44:35	278.97		180.62	48.72	137.18	33.35	0.06	180.59	48.75		137.21	243.79
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:44:37	279.00		180.67	48.66	137.12	33.35	0.06	180.64	48.69		137.15	243.85
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:44:39	279.03		181.12	48.22	136.68	33.35	0.06	181.09	48.25		136.71	244.29
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:44:41	279.07		180.36	48.98	137.44	33.35	0.06	180.33	49.00		137.46	243.54
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:44:43	279.10		180.82	48.52	136.98	33.35	0.06	180.79	48.54		137.00	244.00
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:44:45	279.13		180.77	48.56	137.02	33.35	0.06	180.74	48.59		137.05	243.95
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:44:47	279.17		180.29	49.05	137.51	33.35	0.06	180.26	49.07		137.53	243.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:44:49	279.20		180.32	49.02	137.48	33.35	0.06	180.29	49.04		137.50	243.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:44:51	279.23		180.71	48.63	137.09	33.35	0.06	180.68	48.65		137.11	243.89
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:44:53	279.27		181.15	48.18	136.64	33.35	0.06	181.12	48.21		136.67	244.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:44:55	279.30		180.35	48.98	137.44	33.35	0.06	180.32	49.01		137.47	243.53
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:44:57	279.33		180.99	48.34	136.80	33.35	0.06	180.96	48.37		136.83	244.17
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:44:59	279.37		180.44	48.90	137.36	33.35	0.06	180.41	48.93		137.39	243.61
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:45:01	279.40		180.80	48.54	137.00	33.35	0.06	180.77	48.57		137.03	243.97
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:45:03	279.43		180.47	48.87	137.33	33.35	0.06	180.44	48.89		137.35	243.65
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:45:05	279.47		180.35	48.98	137.44	33.35	0.06	180.32	49.01		137.47	243.53
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:45:07	279.50		180.36	48.98	137.44	33.35	0.06	180.33	49.00		137.46	243.54
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:45:09	279.53		180.28	49.05	137.51	33.35	0.06	180.25	49.08		137.54	243.46
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:45:11	279.57		180.80	48.54	137.00	33.35	0.06	180.77	48.57		137.03	243.97
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:45:13	279.60		180.25	49.09	137.55	33.35	0.06	180.22	49.11		137.57	243.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:45:15	279.63		180.75	48.59	137.05	33.35	0.06	180.72	48.61		137.07	243.93
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:45:17	279.67		180.80	48.54	137.00	33.35	0.06	180.77	48.57		137.03	243.97
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:45:19	279.70		180.66	48.68	137.14	33.35	0.06	180.63	48.71		137.17	243.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:45:21	279.73		180.77	48.57	137.03	33.35	0.06	180.74	48.60		137.06	243.94
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:45:23	279.77		180.78	48.56	137.02	33.35	0.06	180.75	48.58		137.04	243.96
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:45:25	279.80		180.99	48.34	136.80	33.35	0.06	180.96	48.37		136.83	244.17
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:45:27	279.83		180.25	49.09	137.55	33.35	0.06	180.22	49.11		137.57	243.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:45:29	279.87		180.64	48.70	137.16	33.35	0.06	180.61	48.72		137.18	243.82
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:45:31	279.90		180.48	48.85	137.31	33.35	0.06	180.45	48.88		137.34	243.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:45:33	279.93		180.71	48.63	137.09	33.35	0.06	180.68	48.65		137.11	243.89
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:45:35	279.97		180.88	48.45	136.91	33.35	0.06	180.85	48.48		136.94	244.06
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:45:37	280.00		180.66	48.67	137.13	33.35	0.06	180.63	48.70		137.16	243.84
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:45:39	280.03		180.87	48.46	136.92	33.35	0.06	180.84	48.49		136.95	244.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:45:41	280.07		180.34	48.99	137.45	33.35	0.06	180.31	49.02		137.48	243.52
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:45:43	280.10		180.66	48.68	137.14	33.35	0.06	180.63	48.71		137.17	243.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:45:45	280.13		180.39	48.94	137.40	33.35	0.06	180.36	48.97		137.43	243.57
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:45:47	280.17		181.05	48.28	136.74	33.35	0.06	181.02	48.31		136.77	244.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:45:49	280.20		180.52	48.81	137.27	33.35	0.06	180.49	48.84		137.30	243.70
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:45:51	280.23		180.77	48.57	137.03	33.35	0.06	180.74	48.60		137.06	243.94
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:45:53	280.27		180.37	48.97	137.43	33.35	0.06	180.34	49.00		137.46	243.54
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:45:55	280.30		180.55	48.78	137.24	33.35	0.06	180.52	48.81		137.27	243.73
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:45:57	280.33		180.69	48.65	137.11	33.35	0.06	180.66	48.68		137.14	243.86
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:45:59	280.37		180.99	48.34	136.80	33.35	0.06	180.96	48.37		136.83	244.17
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:46:01	280.40		179.85	49.48	137.94	33.35	0.06	179.82	49.51		137.97	243.03
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:46:03	280.43		180.24	49.09	137.55	33.35	0.06	180.21	49.12		137.58	243.42
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:46:05	280.47		180.97	48.37	136.83	33.35	0.06	180.94	48.40		136.86	244.14
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:46:07	280.50		180.27	49.06	137.52	33.35	0.06	180.24	49.09		137.55	243.45
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:46:09	280.53		180.25	49.09	137.55	33.35	0.06	180.22	49.11		137.57	243.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:46:11	280.57		180.49	48.84	137.30	33.35	0.06	180.46	48.87		137.33	243.67
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:46:13	280.60		180.58	48.76	137.22	33.35	0.06	180.55	48.78		137.24	243.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:46:15	280.63		180.72	48.62	137.08	33.35	0.06	180.69	48.64		137.10	243.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:46:17	280.67		180.84	48.50	136.96	33.35	0.06	180.81	48.53		136.99	244.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:46:19	280.70		180.48	48.86	137.32	33.35	0.06	180.45	48.89		137.35	243.65
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:46:21	280.73		180.73	48.60	137.06	33.35	0.06	180.70	48.63		137.09	243.91
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:46:23	280.77		180.72	48.62	137.08	33.35	0.06	180.69	48.64		137.10	243.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:46:25	280.80		180.78	48.56	137.02	33.35	0.06	180.75	48.58		137.04	243.96
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:46:27	280.83		180.68	48.66	137.12	33.35	0.06	180.65	48.68		137.14	243.86
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:46:29	280.87		179.92	49.41	137.87	33.35	0.06	179.89	49.44		137.90	243.10
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:46:31	280.90		180.59	48.74	137.20	33.35	0.06	180.56	48.77		137.23	243.77
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:46:33	280.93		180.61	48.73	137.19	33.35	0.06	180.58	48.75		137.21	243.79
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:46:35	280.97		180.48	48.85	137.31	33.35	0.06	180.45	48.88		137.34	243.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:46:37	281.00		180.50	48.84	137.30	33.35	0.06	180.47	48.86		137.32	243.68
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:46:39	281.03		180.91	48.42	136.88	33.35	0.06	180.88	48.45		136.91	244.09
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:46:41	281.07		180.50	48.84	137.30	33.35	0.06	180.47	48.86		137.32	243.68
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:46:43	281.10		180.34	48.99	137.45	33.35	0.06	180.31	49.02		137.48	243.52
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:46:45	281.13		180.28	49.05	137.51	33.35	0.06	180.25	49.08		137.54	243.46
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:46:47	281.17		180.84	48.49	136.95	33.35	0.06	180.81	48.52		136.98	244.02
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:46:49	281.20		180.51	48.83	137.29	33.35	0.06	180.48	48.86		137.32	243.68
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:46:51	281.23		180.62	48.71	137.17	33.35	0.06	180.59	48.74		137.20	243.80
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:46:53	281.27		180.32	49.02	137.48	33.35	0.06	180.29	49.04		137.50	243.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:46:55	281.30		180.68	48.66	137.12	33.35	0.06	180.65	48.68		137.14	243.86
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:46:57	281.33		180.58	48.76	137.22	33.35	0.06	180.55	48.78		137.24	243.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:46:59	281.37		180.34	49.00	137.46	33.35	0.06	180.31	49.03		137.49	243.51
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:47:01	281.40		180.67	48.66	137.12	33.35	0.06	180.64	48.69		137.15	243.85
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:47:03	281.43		180.34	49.00	137.46	33.35	0.06	180.31	49.03		137.49	243.51
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:47:05	281.47		180.41	48.92	137.38	33.35	0.06	180.38	48.95		137.41	243.59
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:47:07	281.50		180.62	48.71	137.17	33.35	0.06	180.59	48.74		137.20	243.80
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:47:09	281.53		180.91	48.42	136.88	33.35	0.06	180.88	48.45		136.91	244.09
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:47:11	281.57		180.55	48.79	137.25	33.35	0.06	180.52	48.82		137.28	243.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:47:13	281.60		180.26	49.08	137.54	33.35	0.06	180.23	49.10		137.56	243.44
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:47:15	281.63		180.52	48.82	137.28	33.35	0.06	180.49	48.85		137.31	243.69
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:47:17	281.67		180.94	48.40	136.86	33.35	0.06	180.91	48.43		136.89	244.11
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:47:19	281.70		180.03	49.30	137.76	33.35	0.06	180.00	49.33		137.79	243.21
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:47:21	281.73		180.12	49.22	137.68	33.35	0.06	180.09	49.24		137.70	243.30
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:47:23	281.77		180.50	48.84	137.30	33.35	0.06	180.47	48.86		137.32	243.68
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:47:25	281.80		180.93	48.41	136.87	33.35	0.06	180.90	48.43		136.89	244.11

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:47:27	281.83		180.48	48.85	137.31	33.35	0.06	180.45	48.88		137.34	243.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:47:29	281.87		180.73	48.61	137.07	33.35	0.06	180.70	48.64		137.10	243.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:47:31	281.90		180.47	48.87	137.33	33.35	0.06	180.44	48.89		137.35	243.65
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:47:33	281.93		180.38	48.96	137.42	33.35	0.06	180.35	48.99		137.45	243.55
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:47:35	281.97		180.48	48.85	137.31	33.35	0.06	180.45	48.88		137.34	243.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:47:37	282.00		180.48	48.86	137.32	33.35	0.06	180.45	48.89		137.35	243.65
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:47:39	282.03		180.15	49.19	137.65	33.35	0.06	180.12	49.21		137.67	243.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:47:41	282.07		180.69	48.64	137.10	33.35	0.06	180.66	48.67		137.13	243.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:47:43	282.10		180.66	48.68	137.14	33.35	0.06	180.63	48.71		137.17	243.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:47:45	282.13		181.10	48.24	136.70	33.35	0.06	181.07	48.26		136.72	244.28
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:47:47	282.17		180.75	48.59	137.05	33.35	0.06	180.72	48.61		137.07	243.93
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:47:49	282.20		180.64	48.70	137.16	33.35	0.06	180.61	48.72		137.18	243.82
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:47:51	282.23		180.42	48.91	137.37	33.35	0.06	180.39	48.94		137.40	243.60
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:47:53	282.27		180.81	48.52	136.98	33.35	0.06	180.78	48.55		137.01	243.99
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:47:55	282.30		180.72	48.62	137.08	33.35	0.06	180.69	48.64		137.10	243.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:47:57	282.33		180.66	48.67	137.13	33.35	0.06	180.63	48.70		137.16	243.84
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:47:59	282.37		180.83	48.51	136.97	33.35	0.06	180.80	48.54		137.00	244.00
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:48:01	282.40		180.62	48.71	137.17	33.35	0.06	180.59	48.74		137.20	243.80
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:48:03	282.43		180.35	48.98	137.44	33.35	0.06	180.32	49.01		137.47	243.53
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:48:05	282.47		180.55	48.79	137.25	33.35	0.06	180.52	48.82		137.28	243.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:48:07	282.50		180.62	48.72	137.18	33.35	0.06	180.59	48.75		137.21	243.79
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:48:09	282.53		180.73	48.61	137.07	33.35	0.06	180.70	48.64		137.10	243.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:48:11	282.57		180.55	48.78	137.24	33.35	0.06	180.52	48.81		137.27	243.73
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:48:13	282.60		181.02	48.31	136.77	33.35	0.06	180.99	48.34		136.80	244.20
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:48:15	282.63		180.43	48.91	137.37	33.35	0.06	180.40	48.93		137.39	243.61
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:48:17	282.67		180.91	48.42	136.88	33.35	0.06	180.88	48.45		136.91	244.09
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:48:19	282.70		181.17	48.17	136.63	33.35	0.06	181.14	48.19		136.65	244.35
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:48:21	282.73		180.84	48.49	136.95	33.35	0.06	180.81	48.52		136.98	244.02
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:48:23	282.77		180.72	48.62	137.08	33.35	0.06	180.69	48.64		137.10	243.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:48:25	282.80		179.84	49.50	137.96	33.35	0.06	179.81	49.53		137.99	243.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:48:27	282.83		180.15	49.19	137.65	33.35	0.06	180.12	49.21		137.67	243.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:48:29	282.87		180.56	48.77	137.23	33.35	0.06	180.53	48.80		137.26	243.74
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:48:31	282.90		180.32	49.02	137.48	33.35	0.06	180.29	49.04		137.50	243.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:48:33	282.93		180.15	49.19	137.65	33.35	0.06	180.12	49.21		137.67	243.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:48:35	282.97		180.63	48.70	137.16	33.35	0.06	180.60	48.73		137.19	243.81
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:48:37	283.00		180.29	49.05	137.51	33.35	0.06	180.26	49.07		137.53	243.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:48:39	283.03		180.62	48.72	137.18	33.35	0.06	180.59	48.75		137.21	243.79
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:48:41	283.07		180.64	48.70	137.16	33.35	0.06	180.61	48.72		137.18	243.82
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:48:43	283.10		180.48	48.86	137.32	33.35	0.06	180.45	48.89		137.35	243.65
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:48:45	283.13		180.49	48.84	137.30	33.35	0.06	180.46	48.87		137.33	243.67
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:48:47	283.17		179.95	49.38	137.84	33.35	0.06	179.92	49.41		137.87	243.13
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:48:49	283.20		180.10	49.23	137.69	33.35	0.06	180.07	49.26		137.72	243.28
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:48:51	283.23		180.41	48.93	137.39	33.35	0.06	180.38	48.96		137.42	243.58
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:48:53	283.27		180.40	48.94	137.40	33.35	0.06	180.37	48.96		137.42	243.58
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:48:55	283.30		180.87	48.47	136.93	33.35	0.06	180.84	48.50		136.96	244.04
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:48:57	283.33		180.43	48.91	137.37	33.35	0.06	180.40	48.93		137.39	243.61
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:48:59	283.37		180.71	48.63	137.09	33.35	0.06	180.68	48.65		137.11	243.89
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:49:01	283.40		180.34	48.99	137.45	33.35	0.06	180.31	49.02		137.48	243.52
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:49:03	283.43		180.25	49.09	137.55	33.35	0.06	180.22	49.11		137.57	243.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:49:05	283.47		180.82	48.52	136.98	33.35	0.06	180.79	48.54		137.00	244.00
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:49:07	283.50		180.71	48.63	137.09	33.35	0.06	180.68	48.65		137.11	243.89
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:49:09	283.53		180.63	48.70	137.16	33.35	0.06	180.60	48.73		137.19	243.81
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:49:11	283.57		180.06	49.28	137.74	33.35	0.06	180.03	49.31		137.77	243.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:49:13	283.60		180.60	48.73	137.19	33.35	0.06	180.57	48.76		137.22	243.78
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:49:15	283.63		180.68	48.66	137.12	33.35	0.06	180.65	48.68		137.14	243.86
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:49:17	283.67		180.39	48.94	137.40	33.35	0.06	180.36	48.97		137.43	243.57
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:49:19	283.70		180.63	48.70	137.16	33.35	0.06	180.60	48.73		137.19	243.81
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:49:21	283.73		179.98	49.36	137.82	33.35	0.06	179.95	49.38		137.84	243.16
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:49:23	283.77		180.99	48.34	136.80	33.35	0.06	180.96	48.37		136.83	244.17
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:49:25	283.80		180.38	48.95	137.41	33.35	0.06	180.35	48.98		137.44	243.56
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:49:27	283.83		180.66	48.67	137.13	33.35	0.06	180.63	48.70		137.16	243.84
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:49:29	283.87		181.09	48.24	136.70	33.35	0.06	181.06	48.27		136.73	244.27
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:49:31	283.90		180.64	48.70	137.16	33.35	0.06	180.61	48.72		137.18	243.82
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:49:33	283.93		180.66	48.68	137.14	33.35	0.06	180.63	48.71		137.17	243.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:49:35	283.97		180.74	48.59	137.05	33.35	0.06	180.71	48.62		137.08	243.92
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:49:37	284.00		180.44	48.90	137.36	33.35	0.06	180.41	48.93		137.39	243.61
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:49:39	284.03		180.32	49.02	137.48	33.35	0.06	180.29	49.04		137.50	243.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:49:41	284.07		180.15	49.19	137.65	33.35	0.06	180.12	49.21		137.67	243.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:49:43	284.10		180.39	48.94	137.40	33.35	0.06	180.36	48.97		137.43	243.57
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:49:45	284.13		180.47	48.87	137.33	33.35	0.06	180.44	48.89		137.35	243.65
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:49:47	284.17		180.27	49.07	137.53	33.35	0.06	180.24	49.10		137.56	243.44
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:49:49	284.20		180.05	49.29	137.75	33.35	0.06	180.02	49.31		137.77	243.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:49:51	284.23		180.42	48.91	137.37	33.35	0.06	180.39	48.94		137.40	243.60
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:49:53	284.27		180.69	48.65	137.11	33.35	0.06	180.66	48.68		137.14	243.86
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:49:55	284.30		180.44	48.90	137.36	33.35	0.06	180.41	48.93		137.39	243.61
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:49:57	284.33		180.48	48.85	137.31	33.35	0.06	180.45	48.88		137.34	243.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:49:59	284.37		180.88	48.45	136.91	33.35	0.06	180.85	48.48		136.94	244.06
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:50:01	284.40		180.61	48.73	137.19	33.36	0.06	180.58	48.75		137.21	243.79
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:50:03	284.43		180.24	49.10	137.56	33.36	0.06	180.20	49.13		137.59	243.41
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:50:05	284.47		180.70	48.63	137.09	33.36	0.06	180.67	48.66		137.12	243.88
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:50:07	284.50		180.55	48.78	137.24	33.36	0.06	180.52	48.81		137.27	243.73
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:50:09	284.53		180.48	48.85	137.31	33.36	0.06	180.45	48.88		137.34	243.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:50:11	284.57		180.27	49.06	137.52	33.36	0.06	180.24	49.09		137.55	243.45
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:50:13	284.60		180.11	49.23	137.69	33.36	0.06	180.08	49.25		137.71	243.29
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:50:15	284.63		180.60	48.73	137.19	33.36	0.06	180.57	48.76		137.22	243.78
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:50:17	284.67		180.66	48.67	137.13	33.36	0.06	180.63	48.70		137.16	243.84
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:50:19	284.70		180.71	48.63	137.09	33.36	0.06	180.68	48.65		137.11	243.89
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:50:21	284.73		180.44	48.90	137.36	33.36	0.06	180.41	48.93		137.39	243.61
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:50:23	284.77		180.93	48.41	136.87	33.36	0.06	180.90	48.44		136.90	244.10
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:50:25	284.80		180.31	49.03	137.49	33.36	0.06	180.27	49.06		137.52	243.48
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:50:27	284.83		180.91	48.42	136.88	33.36	0.06	180.88	48.45		136.91	244.09
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:50:29	284.87		180.51	48.83	137.29	33.36	0.06	180.48	48.86		137.32	243.68
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:50:31	284.90		180.34	48.99	137.45	33.36	0.06	180.31	49.02		137.48	243.52
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:50:33	284.93		180.28	49.05	137.51	33.36	0.06	180.25	49.08		137.54	243.46
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:50:35	284.97		180.18	49.16	137.62	33.36	0.06	180.15	49.18		137.64	243.36
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:50:37	285.00		180.19	49.15	137.61	33.36	0.06	180.16	49.18		137.64	243.36
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:50:39	285.03		180.24	49.10	137.56	33.36	0.06	180.20	49.13		137.59	243.41

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:50:41	285.07		180.24	49.09	137.55	33.36	0.06	180.21	49.12		137.58	243.42
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:50:43	285.10		180.48	48.85	137.31	33.36	0.06	180.45	48.88		137.34	243.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:50:45	285.13		180.61	48.73	137.19	33.36	0.06	180.58	48.75		137.21	243.79
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:50:47	285.17		180.39	48.94	137.40	33.36	0.06	180.36	48.97		137.43	243.57
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:50:49	285.20		180.52	48.82	137.28	33.36	0.06	180.48	48.85		137.31	243.69
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:50:51	285.23		180.31	49.02	137.48	33.36	0.06	180.28	49.05		137.51	243.49
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:50:53	285.27		180.38	48.95	137.41	33.36	0.06	180.35	48.98		137.44	243.56
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:50:55	285.30		180.62	48.71	137.17	33.36	0.06	180.59	48.74		137.20	243.80
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:50:57	285.33		180.75	48.59	137.05	33.36	0.06	180.72	48.61		137.07	243.93
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:50:59	285.37		180.34	48.99	137.45	33.36	0.06	180.31	49.02		137.48	243.52
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:51:01	285.40		179.81	49.52	137.98	33.36	0.06	179.78	49.55		138.01	242.99
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:51:03	285.43		180.75	48.59	137.05	33.36	0.06	180.72	48.61		137.07	243.93
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:51:05	285.47		180.19	49.15	137.61	33.36	0.06	180.16	49.18		137.64	243.36
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:51:07	285.50		179.95	49.38	137.84	33.36	0.06	179.92	49.41		137.87	243.13
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:51:09	285.53		180.18	49.16	137.62	33.36	0.06	180.15	49.18		137.64	243.36
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:51:11	285.57		180.38	48.96	137.42	33.36	0.06	180.34	48.99		137.45	243.55
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:51:13	285.60		180.80	48.54	137.00	33.36	0.06	180.77	48.57		137.03	243.97
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:51:15	285.63		180.38	48.96	137.42	33.36	0.06	180.34	48.99		137.45	243.55
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:51:17	285.67		180.17	49.16	137.62	33.36	0.06	180.14	49.19		137.65	243.35
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:51:19	285.70		179.98	49.36	137.82	33.36	0.06	179.95	49.39		137.85	243.15
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:51:21	285.73		180.27	49.06	137.52	33.36	0.06	180.24	49.09		137.55	243.45
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:51:23	285.77		180.34	49.00	137.46	33.36	0.06	180.31	49.03		137.49	243.51
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:51:25	285.80		180.35	48.98	137.44	33.36	0.06	180.32	49.01		137.47	243.53
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:51:27	285.83		180.60	48.73	137.19	33.36	0.06	180.57	48.76		137.22	243.78
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:51:29	285.87		180.75	48.59	137.05	33.36	0.06	180.72	48.61		137.07	243.93
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:51:31	285.90		180.66	48.68	137.14	33.36	0.06	180.62	48.71		137.17	243.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:51:33	285.93		180.32	49.02	137.48	33.36	0.06	180.29	49.04		137.50	243.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:51:35	285.97		180.72	48.62	137.08	33.36	0.06	180.69	48.65		137.11	243.89
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:51:37	286.00		180.21	49.12	137.58	33.36	0.06	180.18	49.15		137.61	243.39
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:51:39	286.03		181.22	48.12	136.58	33.36	0.06	181.19	48.15		136.61	244.39
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:51:41	286.07		180.69	48.65	137.11	33.36	0.06	180.66	48.68		137.14	243.86
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:51:43	286.10		180.13	49.20	137.66	33.36	0.06	180.10	49.23		137.69	243.31
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:51:45	286.13		180.25	49.09	137.55	33.36	0.06	180.22	49.11		137.57	243.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:51:47	286.17		180.69	48.64	137.10	33.36	0.06	180.66	48.67		137.13	243.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:51:49	286.20		180.41	48.93	137.39	33.36	0.06	180.38	48.96		137.42	243.58
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:51:51	286.23		180.67	48.66	137.12	33.36	0.06	180.64	48.69		137.15	243.85
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:51:53	286.27		180.62	48.71	137.17	33.36	0.06	180.59	48.74		137.20	243.80
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:51:55	286.30		180.37	48.97	137.43	33.36	0.06	180.34	49.00		137.46	243.54
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:51:57	286.33		180.35	48.98	137.44	33.36	0.06	180.32	49.01		137.47	243.53
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:51:59	286.37		180.38	48.96	137.42	33.36	0.06	180.34	48.99		137.45	243.55
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:52:01	286.40		180.26	49.08	137.54	33.36	0.06	180.23	49.11		137.57	243.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:52:03	286.43		181.05	48.28	136.74	33.36	0.06	181.02	48.31		136.77	244.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:52:05	286.47		179.92	49.42	137.88	33.36	0.06	179.88	49.45		137.91	243.09
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:52:07	286.50		179.90	49.44	137.90	33.36	0.06	179.87	49.46		137.92	243.08
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:52:09	286.53		180.67	48.66	137.12	33.36	0.06	180.64	48.69		137.15	243.85
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:52:11	286.57		180.31	49.02	137.48	33.36	0.06	180.28	49.05		137.51	243.49
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:52:13	286.60		180.15	49.19	137.65	33.36	0.06	180.12	49.21		137.67	243.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:52:15	286.63		180.27	49.07	137.53	33.36	0.06	180.24	49.10		137.56	243.44
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:52:17	286.67		180.34	48.99	137.45	33.36	0.06	180.31	49.02		137.48	243.52
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:52:19	286.70		180.88	48.45	136.91	33.36	0.06	180.85	48.48		136.94	244.06
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:52:21	286.73		180.76	48.58	137.04	33.36	0.06	180.73	48.61		137.07	243.93
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:52:23	286.77		180.65	48.69	137.15	33.36	0.06	180.62	48.72		137.18	243.82
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:52:25	286.80		180.40	48.94	137.40	33.36	0.06	180.37	48.97		137.43	243.57
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:52:27	286.83		180.28	49.05	137.51	33.36	0.06	180.25	49.08		137.54	243.46
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:52:29	286.87		180.27	49.06	137.52	33.36	0.06	180.24	49.09		137.55	243.45
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:52:31	286.90		180.47	48.87	137.33	33.36	0.06	180.44	48.90		137.36	243.64
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:52:33	286.93		180.47	48.87	137.33	33.36	0.06	180.44	48.90		137.36	243.64
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:52:35	286.97		180.86	48.48	136.94	33.36	0.06	180.83	48.51		136.97	244.03
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:52:37	287.00		180.40	48.94	137.40	33.36	0.06	180.37	48.97		137.43	243.57
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:52:39	287.03		180.23	49.11	137.57	33.36	0.06	180.20	49.14		137.60	243.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:52:41	287.07		180.40	48.94	137.40	33.36	0.06	180.37	48.97		137.43	243.57
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:52:43	287.10		180.23	49.11	137.57	33.36	0.06	180.20	49.14		137.60	243.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:52:45	287.13		180.89	48.45	136.91	33.36	0.06	180.86	48.47		136.93	244.07
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:52:47	287.17		179.87	49.47	137.93	33.36	0.06	179.84	49.50		137.96	243.04
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:52:49	287.20		181.07	48.27	136.73	33.36	0.06	181.04	48.30		136.76	244.24
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:52:51	287.23		180.76	48.58	137.04	33.36	0.06	180.73	48.61		137.07	243.93
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:52:53	287.27		180.52	48.81	137.27	33.36	0.06	180.49	48.84		137.30	243.70
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:52:55	287.30		180.48	48.86	137.32	33.36	0.06	180.45	48.89		137.35	243.65
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:52:57	287.33		180.36	48.98	137.44	33.36	0.06	180.33	49.00		137.46	243.54
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:52:59	287.37		179.79	49.54	138.00	33.36	0.06	179.76	49.57		138.03	242.97
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:53:01	287.40		180.28	49.05	137.51	33.36	0.06	180.25	49.08		137.54	243.46
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:53:03	287.43		180.65	48.69	137.15	33.36	0.06	180.62	48.72		137.18	243.82
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:53:05	287.47		180.27	49.07	137.53	33.36	0.06	180.24	49.10		137.56	243.44
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:53:07	287.50		180.30	49.04	137.50	33.36	0.06	180.27	49.07		137.53	243.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:53:09	287.53		180.48	48.86	137.32	33.36	0.06	180.45	48.89		137.35	243.65
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:53:11	287.57		180.74	48.59	137.05	33.36	0.06	180.71	48.62		137.08	243.92
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:53:13	287.60		180.37	48.97	137.43	33.36	0.06	180.34	49.00		137.46	243.54
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:53:15	287.63		180.39	48.94	137.40	33.36	0.06	180.36	48.97		137.43	243.57
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:53:17	287.67		179.78	49.56	138.02	33.36	0.06	179.74	49.59		138.05	242.95
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:53:19	287.70		180.23	49.11	137.57	33.36	0.06	180.20	49.14		137.60	243.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:53:21	287.73		180.42	48.91	137.37	33.36	0.06	180.39	48.94		137.40	243.60
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:53:23	287.77		179.97	49.37	137.83	33.36	0.06	179.94	49.39		137.85	243.15
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:53:25	287.80		180.31	49.02	137.48	33.36	0.06	180.28	49.05		137.51	243.49
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:53:27	287.83		180.40	48.94	137.40	33.36	0.06	180.37	48.97		137.43	243.57
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:53:29	287.87		180.31	49.02	137.48	33.36	0.06	180.28	49.05		137.51	243.49
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:53:31	287.90		180.32	49.02	137.48	33.36	0.06	180.29	49.04		137.50	243.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:53:33	287.93		180.30	49.04	137.50	33.36	0.06	180.27	49.07		137.53	243.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:53:35	287.97		179.78	49.56	138.02	33.36	0.06	179.74	49.59		138.05	242.95
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:53:37	288.00		180.80	48.53	136.99	33.36	0.06	180.77	48.56		137.02	243.98
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:53:39	288.03		180.84	48.50	136.96	33.36	0.06	180.80	48.53		136.99	244.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:53:41	288.07		180.40	48.94	137.40	33.36	0.06	180.37	48.97		137.43	243.57
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:53:43	288.10		179.53	49.81	138.27	33.36	0.06	179.50	49.84		138.30	242.70
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:53:45	288.13		180.68	48.66	137.12	33.36	0.06	180.65	48.68		137.14	243.86
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:53:47	288.17		180.70	48.63	137.09	33.36	0.06	180.67	48.66		137.12	243.88
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:53:49	288.20		179.90	49.44	137.90	33.36	0.06	179.87	49.46		137.92	243.08
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:53:51	288.23		180.13	49.20	137.66	33.36	0.06	180.10	49.23		137.69	243.31
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:53:53	288.27		180.52	48.81	137.27	33.36	0.06	180.49	48.84		137.30	243.70

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:53:55	288.30		180.61	48.73	137.19	33.36	0.06	180.58	48.75		137.21	243.79
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:53:57	288.33		180.00	49.33	137.79	33.36	0.06	179.97	49.36		137.82	243.18
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:53:59	288.37		180.25	49.09	137.55	33.36	0.06	180.22	49.11		137.57	243.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:54:01	288.40		180.50	48.84	137.30	33.36	0.06	180.47	48.86		137.32	243.68
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:54:03	288.43		180.61	48.73	137.19	33.36	0.06	180.58	48.75		137.21	243.79
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:54:05	288.47		180.53	48.80	137.26	33.36	0.06	180.50	48.83		137.29	243.71
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:54:07	288.50		180.48	48.86	137.32	33.36	0.06	180.45	48.89		137.35	243.65
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:54:09	288.53		180.20	49.14	137.60	33.36	0.06	180.17	49.17		137.63	243.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:54:11	288.57		180.47	48.87	137.33	33.36	0.06	180.44	48.90		137.36	243.64
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:54:13	288.60		180.35	48.98	137.44	33.36	0.06	180.32	49.01		137.47	243.53
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:54:15	288.63		180.68	48.66	137.12	33.36	0.06	180.65	48.68		137.14	243.86
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:54:17	288.67		180.30	49.04	137.50	33.36	0.06	180.27	49.07		137.53	243.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:54:19	288.70		180.10	49.23	137.69	33.36	0.06	180.07	49.26		137.72	243.28
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:54:21	288.73		179.94	49.40	137.86	33.36	0.06	179.91	49.42		137.88	243.12
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:54:23	288.77		180.17	49.17	137.63	33.36	0.06	180.13	49.20		137.66	243.34
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:54:25	288.80		180.12	49.22	137.68	33.36	0.06	180.09	49.25		137.71	243.29
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:54:27	288.83		180.65	48.69	137.15	33.36	0.06	180.62	48.72		137.18	243.82
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:54:29	288.87		180.34	49.00	137.46	33.36	0.06	180.31	49.03		137.49	243.51
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:54:31	288.90		180.55	48.79	137.25	33.36	0.06	180.52	48.82		137.28	243.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:54:33	288.93		180.23	49.11	137.57	33.36	0.06	180.20	49.14		137.60	243.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:54:35	288.97		179.89	49.44	137.90	33.36	0.06	179.86	49.47		137.93	243.07
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:54:37	289.00		180.15	49.19	137.65	33.36	0.06	180.12	49.21		137.67	243.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:54:39	289.03		180.26	49.08	137.54	33.36	0.06	180.23	49.11		137.57	243.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:54:41	289.07		180.89	48.45	136.91	33.36	0.06	180.86	48.47		136.93	244.07
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:54:43	289.10		180.19	49.15	137.61	33.36	0.06	180.16	49.18		137.64	243.36
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:54:45	289.13		180.52	48.82	137.28	33.36	0.06	180.48	48.85		137.31	243.69
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:54:47	289.17		180.69	48.64	137.10	33.36	0.06	180.66	48.67		137.13	243.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:54:49	289.20		180.58	48.76	137.22	33.36	0.06	180.55	48.79		137.25	243.75
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:54:51	289.23		180.46	48.87	137.33	33.36	0.06	180.43	48.90		137.36	243.64
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:54:53	289.27		180.73	48.60	137.06	33.36	0.06	180.70	48.63		137.09	243.91
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:54:55	289.30		180.59	48.75	137.21	33.36	0.06	180.55	48.78		137.24	243.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:54:57	289.33		180.09	49.24	137.70	33.36	0.06	180.06	49.27		137.73	243.27
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:54:59	289.37		180.47	48.87	137.33	33.36	0.06	180.44	48.90		137.36	243.64
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:55:01	289.40		180.78	48.56	137.02	33.36	0.06	180.75	48.58		137.04	243.96
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:55:03	289.43		180.20	49.13	137.59	33.36	0.06	180.17	49.16		137.62	243.38
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:55:05	289.47		180.27	49.06	137.52	33.36	0.06	180.24	49.09		137.55	243.45
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:55:07	289.50		180.09	49.25	137.71	33.36	0.06	180.06	49.28		137.74	243.26
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:55:09	289.53		180.06	49.28	137.74	33.36	0.06	180.02	49.31		137.77	243.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:55:11	289.57		179.95	49.39	137.85	33.36	0.06	179.92	49.42		137.88	243.12
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:55:13	289.60		180.31	49.03	137.49	33.36	0.06	180.27	49.06		137.52	243.48
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:55:15	289.63		180.06	49.27	137.73	33.36	0.06	180.03	49.30		137.76	243.24
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:55:17	289.67		180.15	49.19	137.65	33.36	0.06	180.12	49.21		137.67	243.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:55:19	289.70		180.80	48.53	136.99	33.36	0.06	180.77	48.56		137.02	243.98
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:55:21	289.73		180.36	48.98	137.44	33.36	0.06	180.33	49.00		137.46	243.54
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:55:23	289.77		180.41	48.92	137.38	33.36	0.06	180.38	48.95		137.41	243.59
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:55:25	289.80		180.17	49.17	137.63	33.36	0.06	180.13	49.20		137.66	243.34
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:55:27	289.83		180.98	48.35	136.81	33.36	0.06	180.95	48.38		136.84	244.16
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:55:29	289.87		180.04	49.30	137.76	33.36	0.06	180.01	49.32		137.78	243.22
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:55:31	289.90		180.20	49.14	137.60	33.36	0.06	180.17	49.17		137.63	243.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:55:33	289.93		180.42	48.91	137.37	33.36	0.06	180.39	48.94		137.40	243.60
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:55:35	289.97		180.20	49.14	137.60	33.36	0.06	180.17	49.17		137.63	243.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:55:37	290.00		180.51	48.83	137.29	33.36	0.06	180.48	48.86		137.32	243.68
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:55:39	290.03		180.66	48.67	137.13	33.36	0.06	180.63	48.70		137.16	243.84
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:55:41	290.07		180.76	48.58	137.04	33.36	0.06	180.73	48.61		137.07	243.93
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:55:43	290.10		180.48	48.85	137.31	33.36	0.06	180.45	48.88		137.34	243.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:55:45	290.13		180.00	49.33	137.79	33.36	0.06	179.97	49.36		137.82	243.18
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:55:47	290.17		180.07	49.26	137.72	33.36	0.06	180.04	49.29		137.75	243.25
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:55:49	290.20		180.24	49.09	137.55	33.36	0.06	180.21	49.12		137.58	243.42
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:55:51	290.23		180.51	48.83	137.29	33.36	0.06	180.48	48.86		137.32	243.68
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:55:53	290.27		180.72	48.62	137.08	33.36	0.06	180.69	48.65		137.11	243.89
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:55:55	290.30		180.30	49.04	137.50	33.36	0.06	180.27	49.07		137.53	243.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:55:57	290.33		180.59	48.75	137.21	33.36	0.06	180.55	48.78		137.24	243.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:55:59	290.37		180.91	48.43	136.89	33.36	0.06	180.87	48.46		136.92	244.08
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:56:01	290.40		180.52	48.81	137.27	33.36	0.06	180.49	48.84		137.30	243.70
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:56:03	290.43		180.66	48.67	137.13	33.36	0.06	180.63	48.70		137.16	243.84
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:56:05	290.47		180.72	48.62	137.08	33.36	0.06	180.69	48.65		137.11	243.89
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:56:07	290.50		180.24	49.09	137.55	33.36	0.06	180.21	49.12		137.58	243.42
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:56:09	290.53		180.44	48.90	137.36	33.36	0.06	180.41	48.93		137.39	243.61
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:56:11	290.57		180.45	48.88	137.34	33.36	0.06	180.42	48.91		137.37	243.63
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:56:13	290.60		180.22	49.12	137.58	33.36	0.06	180.19	49.14		137.60	243.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:56:15	290.63		179.72	49.62	138.08	33.36	0.06	179.69	49.64		138.10	242.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:56:17	290.67		180.55	48.79	137.25	33.36	0.06	180.52	48.82		137.28	243.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:56:19	290.70		180.36	48.98	137.44	33.36	0.06	180.33	49.00		137.46	243.54
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:56:21	290.73		180.27	49.07	137.53	33.36	0.06	180.24	49.10		137.56	243.44
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:56:23	290.77		180.42	48.91	137.37	33.36	0.06	180.39	48.94		137.40	243.60
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:56:25	290.80		180.19	49.15	137.61	33.36	0.06	180.16	49.18		137.64	243.36
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:56:27	290.83		180.20	49.13	137.59	33.36	0.06	180.17	49.16		137.62	243.38
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:56:29	290.87		180.41	48.92	137.38	33.36	0.06	180.38	48.95		137.41	243.59
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:56:31	290.90		180.02	49.31	137.77	33.36	0.06	179.99	49.34		137.80	243.20
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:56:33	290.93		180.32	49.02	137.48	33.36	0.06	180.29	49.04		137.50	243.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:56:35	290.97		180.23	49.11	137.57	33.36	0.06	180.20	49.14		137.60	243.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:56:37	291.00		180.20	49.13	137.59	33.36	0.06	180.17	49.16		137.62	243.38
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:56:39	291.03		180.35	48.98	137.44	33.36	0.06	180.32	49.01		137.47	243.53
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:56:41	291.07		180.20	49.13	137.59	33.36	0.06	180.17	49.16		137.62	243.38
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:56:43	291.10		180.24	49.10	137.56	33.36	0.06	180.20	49.13		137.59	243.41
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:56:45	291.13		180.50	48.84	137.30	33.36	0.06	180.47	48.86		137.32	243.68
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:56:47	291.17		180.61	48.73	137.19	33.36	0.06	180.58	48.75		137.21	243.79
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:56:49	291.20		180.20	49.14	137.60	33.36	0.06	180.17	49.17		137.63	243.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:56:51	291.23		180.45	48.89	137.35	33.36	0.06	180.41	48.92		137.38	243.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:56:53	291.27		180.31	49.02	137.48	33.36	0.06	180.28	49.05		137.51	243.49
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:56:55	291.30		180.56	48.77	137.23	33.36	0.06	180.53	48.80		137.26	243.74
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:56:57	291.33		180.31	49.02	137.48	33.36	0.06	180.28	49.05		137.51	243.49
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:56:59	291.37		180.06	49.28	137.74	33.36	0.06	180.02	49.31		137.77	243.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:57:01	291.40		179.96	49.37	137.83	33.36	0.06	179.93	49.40		137.86	243.14
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:57:03	291.43		180.07	49.26	137.72	33.36	0.06	180.04	49.29		137.75	243.25
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:57:05	291.47		179.88	49.46	137.92	33.36	0.06	179.85	49.49		137.95	243.05
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:57:07	291.50		179.92	49.41	137.87	33.36	0.06	179.89	49.44		137.90	243.10

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:57:09	291.53		180.48	48.85	137.31	33.36	0.06	180.45	48.88		137.34	243.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:57:11	291.57		180.29	49.05	137.51	33.36	0.06	180.26	49.07		137.53	243.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:57:13	291.60		180.23	49.11	137.57	33.36	0.06	180.20	49.14		137.60	243.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:57:15	291.63		180.44	48.90	137.36	33.36	0.06	180.41	48.93		137.39	243.61
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:57:17	291.67		180.29	49.05	137.51	33.36	0.06	180.26	49.07		137.53	243.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:57:19	291.70		180.41	48.93	137.39	33.36	0.06	180.38	48.96		137.42	243.58
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:57:21	291.73		180.47	48.87	137.33	33.36	0.06	180.44	48.90		137.36	243.64
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:57:23	291.77		180.54	48.80	137.26	33.36	0.06	180.51	48.82		137.28	243.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:57:25	291.80		179.98	49.36	137.82	33.36	0.06	179.95	49.39		137.85	243.15
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:57:27	291.83		180.37	48.97	137.43	33.36	0.06	180.34	49.00		137.46	243.54
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:57:29	291.87		180.38	48.96	137.42	33.36	0.06	180.34	48.99		137.45	243.55
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:57:31	291.90		180.01	49.33	137.79	33.36	0.06	179.98	49.35		137.81	243.19
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:57:33	291.93		180.00	49.33	137.79	33.36	0.06	179.97	49.36		137.82	243.18
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:57:35	291.97		180.95	48.38	136.84	33.36	0.06	180.92	48.41		136.87	244.13
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:57:37	292.00		180.62	48.72	137.18	33.36	0.06	180.59	48.75		137.21	243.79
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:57:39	292.03		180.19	49.15	137.61	33.36	0.06	180.16	49.18		137.64	243.36
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:57:41	292.07		180.38	48.95	137.41	33.36	0.06	180.35	48.98		137.44	243.56
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:57:43	292.10		180.06	49.27	137.73	33.36	0.06	180.03	49.30		137.76	243.24
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:57:45	292.13		180.33	49.01	137.47	33.36	0.06	180.30	49.04		137.50	243.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:57:47	292.17		180.13	49.20	137.66	33.36	0.06	180.10	49.23		137.69	243.31
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:57:49	292.20		180.26	49.08	137.54	33.36	0.06	180.23	49.11		137.57	243.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:57:51	292.23		180.62	48.71	137.17	33.36	0.06	180.59	48.74		137.20	243.80
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:57:53	292.27		180.01	49.33	137.79	33.36	0.06	179.98	49.35		137.81	243.19
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:57:55	292.30		180.26	49.08	137.54	33.36	0.06	180.23	49.11		137.57	243.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:57:57	292.33		180.39	48.94	137.40	33.36	0.06	180.36	48.97		137.43	243.57
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:57:59	292.37		180.18	49.16	137.62	33.36	0.06	180.15	49.18		137.64	243.36
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:58:01	292.40		180.32	49.02	137.48	33.36	0.06	180.29	49.04		137.50	243.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:58:03	292.43		180.48	48.85	137.31	33.36	0.06	180.45	48.88		137.34	243.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:58:05	292.47		180.41	48.92	137.38	33.36	0.06	180.38	48.95		137.41	243.59
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:58:07	292.50		180.38	48.95	137.41	33.36	0.06	180.35	48.98		137.44	243.56
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:58:09	292.53		179.91	49.43	137.89	33.36	0.06	179.88	49.46		137.92	243.08
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:58:11	292.57		180.16	49.18	137.64	33.36	0.06	180.13	49.21		137.67	243.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:58:13	292.60		180.64	48.70	137.16	33.36	0.06	180.61	48.72		137.18	243.82
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:58:15	292.63		180.16	49.18	137.64	33.36	0.06	180.13	49.21		137.67	243.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:58:17	292.67		180.20	49.14	137.60	33.36	0.06	180.17	49.17		137.63	243.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:58:19	292.70		180.49	48.84	137.30	33.36	0.06	180.46	48.87		137.33	243.67
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:58:21	292.73		180.08	49.26	137.72	33.36	0.06	180.05	49.28		137.74	243.26
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:58:23	292.77		179.93	49.40	137.86	33.36	0.06	179.90	49.43		137.89	243.11
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:58:25	292.80		180.34	49.00	137.46	33.36	0.06	180.31	49.03		137.49	243.51
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:58:27	292.83		180.25	49.09	137.55	33.36	0.06	180.22	49.11		137.57	243.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:58:29	292.87		180.20	49.14	137.60	33.36	0.06	180.17	49.17		137.63	243.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:58:31	292.90		180.11	49.23	137.69	33.36	0.06	180.08	49.25		137.71	243.29
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:58:33	292.93		180.75	48.59	137.05	33.36	0.06	180.72	48.61		137.07	243.93
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:58:35	292.97		180.39	48.94	137.40	33.36	0.06	180.36	48.97		137.43	243.57
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:58:37	293.00		180.20	49.13	137.59	33.36	0.06	180.17	49.16		137.62	243.38
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:58:39	293.03		180.43	48.91	137.37	33.36	0.06	180.40	48.93		137.39	243.61
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:58:41	293.07		180.48	48.85	137.31	33.36	0.06	180.45	48.88		137.34	243.66
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:58:43	293.10		180.69	48.65	137.11	33.36	0.06	180.66	48.68		137.14	243.86
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:58:45	293.13		180.41	48.92	137.38	33.36	0.06	180.38	48.95		137.41	243.59
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:58:47	293.17		180.71	48.63	137.09	33.36	0.06	180.68	48.65		137.11	243.89
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:58:49	293.20		180.26	49.08	137.54	33.36	0.06	180.23	49.11		137.57	243.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:58:51	293.23		180.54	48.80	137.26	33.36	0.06	180.51	48.82		137.28	243.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:58:53	293.27		180.28	49.05	137.51	33.36	0.06	180.25	49.08		137.54	243.46
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:58:55	293.30		180.41	48.92	137.38	33.36	0.06	180.38	48.95		137.41	243.59
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:58:57	293.33		180.11	49.23	137.69	33.36	0.06	180.08	49.25		137.71	243.29
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:58:59	293.37		180.78	48.56	137.02	33.36	0.06	180.75	48.58		137.04	243.96
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:59:01	293.40		180.03	49.30	137.76	33.36	0.06	180.00	49.33		137.79	243.21
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:59:03	293.43		180.38	48.96	137.42	33.36	0.06	180.34	48.99		137.45	243.55
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:59:05	293.47		180.60	48.73	137.19	33.36	0.06	180.57	48.76		137.22	243.78
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:59:07	293.50		180.47	48.87	137.33	33.36	0.06	180.44	48.90		137.36	243.64
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:59:09	293.53		180.69	48.64	137.10	33.36	0.06	180.66	48.67		137.13	243.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:59:11	293.57		180.56	48.77	137.23	33.36	0.06	180.53	48.80		137.26	243.74
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:59:13	293.60		181.04	48.30	136.76	33.36	0.06	181.01	48.33		136.79	244.21
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:59:15	293.63		180.01	49.33	137.79	33.36	0.06	179.98	49.35		137.81	243.19
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:59:17	293.67		180.40	48.94	137.40	33.36	0.06	180.37	48.97		137.43	243.57
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:59:19	293.70		179.87	49.47	137.93	33.36	0.06	179.84	49.50		137.96	243.04
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:59:21	293.73		180.57	48.77	137.23	33.36	0.06	180.54	48.79		137.25	243.75
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:59:23	293.77		180.30	49.04	137.50	33.36	0.06	180.27	49.07		137.53	243.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:59:25	293.80		180.14	49.19	137.65	33.36	0.06	180.11	49.22		137.68	243.32
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:59:27	293.83		180.34	48.99	137.45	33.36	0.06	180.31	49.02		137.48	243.52
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:59:29	293.87		180.87	48.47	136.93	33.36	0.06	180.84	48.50		136.96	244.04
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:59:31	293.90		180.08	49.26	137.72	33.36	0.06	180.05	49.28		137.74	243.26
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:59:33	293.93		179.86	49.47	137.93	33.36	0.06	179.83	49.50		137.96	243.04
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:59:35	293.97		180.21	49.12	137.58	33.36	0.06	180.18	49.15		137.61	243.39
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:59:37	294.00		180.49	48.84	137.30	33.36	0.06	180.46	48.87		137.33	243.67
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:59:39	294.03		180.06	49.27	137.73	33.36	0.06	180.03	49.30		137.76	243.24
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:59:41	294.07		180.20	49.13	137.59	33.36	0.06	180.17	49.16		137.62	243.38
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:59:43	294.10		180.24	49.10	137.56	33.36	0.06	180.20	49.13		137.59	243.41
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:59:45	294.13		179.93	49.40	137.86	33.36	0.06	179.90	49.43		137.89	243.11
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:59:47	294.17		179.97	49.37	137.83	33.36	0.06	179.94	49.39		137.85	243.15
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:59:49	294.20		180.30	49.04	137.50	33.36	0.06	180.27	49.07		137.53	243.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:59:51	294.23		180.15	49.19	137.65	33.36	0.06	180.12	49.21		137.67	243.33
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:59:53	294.27		180.59	48.75	137.21	33.36	0.06	180.55	48.78		137.24	243.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:59:55	294.30		180.31	49.03	137.49	33.36	0.06	180.27	49.06		137.52	243.48
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:59:57	294.33		180.04	49.30	137.76	33.36	0.06	180.01	49.32		137.78	243.22
SW Well 1A	STEP RATE - STEP #2	9/23/2010 20:59:59	294.37		180.13	49.21	137.67	33.36	0.06	180.10	49.24		137.70	243.30
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:00:01	294.40		180.38	48.95	137.41	33.36	0.06	180.35	48.98		137.44	243.56
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:00:03	294.43		180.67	48.66	137.12	33.36	0.06	180.64	48.69		137.15	243.85
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:00:05	294.47		180.54	48.80	137.26	33.36	0.06	180.51	48.83		137.29	243.71
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:00:07	294.50		180.06	49.28	137.74	33.36	0.06	180.02	49.31		137.77	243.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:00:09	294.53		179.77	49.57	138.03	33.36	0.06	179.74	49.60		138.06	242.94
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:00:11	294.57		180.60	48.73	137.19	33.36	0.06	180.57	48.76		137.22	243.78
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:00:13	294.60		180.23	49.11	137.57	33.36	0.06	180.20	49.14		137.60	243.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:00:15	294.63		180.52	48.81	137.27	33.36	0.06	180.49	48.84		137.30	243.70
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:00:17	294.67		180.95	48.38	136.84	33.36	0.06	180.92	48.41		136.87	244.13
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:00:19	294.70		180.20	49.14	137.60	33.36	0.06	180.16	49.17		137.63	243.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:00:21	294.73		179.79	49.54	138.00	33.36	0.06	179.76	49.57		138.03	242.97

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:00:23	294.77		180.31	49.02	137.48	33.36	0.06	180.28	49.05		137.51	243.49
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:00:25	294.80		180.82	48.52	136.98	33.36	0.06	180.79	48.55		137.01	243.99
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:00:27	294.83		180.31	49.02	137.48	33.36	0.06	180.28	49.05		137.51	243.49
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:00:29	294.87		180.09	49.24	137.70	33.36	0.06	180.06	49.27		137.73	243.27
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:00:31	294.90		180.42	48.91	137.37	33.36	0.06	180.39	48.94		137.40	243.60
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:00:33	294.93		180.09	49.25	137.71	33.36	0.06	180.06	49.28		137.74	243.26
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:00:35	294.97		180.41	48.92	137.38	33.36	0.06	180.38	48.95		137.41	243.59
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:00:37	295.00		180.36	48.98	137.44	33.36	0.06	180.33	49.01		137.47	243.53
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:00:39	295.03		180.17	49.17	137.63	33.36	0.06	180.13	49.20		137.66	243.34
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:00:41	295.07		180.23	49.11	137.57	33.36	0.06	180.20	49.14		137.60	243.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:00:43	295.10		179.82	49.51	137.97	33.36	0.06	179.79	49.54		138.00	243.00
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:00:45	295.13		180.66	48.68	137.14	33.36	0.06	180.62	48.71		137.17	243.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:00:47	295.17		180.34	49.00	137.46	33.36	0.06	180.30	49.03		137.49	243.51
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:00:49	295.20		180.48	48.86	137.32	33.36	0.06	180.44	48.89		137.35	243.65
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:00:51	295.23		180.32	49.02	137.48	33.36	0.06	180.29	49.04		137.50	243.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:00:53	295.27		180.19	49.15	137.61	33.36	0.06	180.16	49.18		137.64	243.36
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:00:55	295.30		180.32	49.02	137.48	33.36	0.06	180.29	49.04		137.50	243.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:00:57	295.33		180.01	49.33	137.79	33.36	0.06	179.98	49.36		137.82	243.18
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:00:59	295.37		180.59	48.74	137.20	33.36	0.06	180.56	48.77		137.23	243.77
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:01:01	295.40		180.34	49.00	137.46	33.36	0.06	180.30	49.03		137.49	243.51
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:01:03	295.43		180.53	48.80	137.26	33.36	0.06	180.50	48.83		137.29	243.71
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:01:05	295.47		180.35	48.98	137.44	33.36	0.06	180.32	49.01		137.47	243.53
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:01:07	295.50		180.05	49.29	137.75	33.36	0.06	180.02	49.32		137.78	243.22
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:01:09	295.53		180.17	49.17	137.63	33.36	0.06	180.13	49.20		137.66	243.34
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:01:11	295.57		180.34	49.00	137.46	33.36	0.06	180.30	49.03		137.49	243.51
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:01:13	295.60		180.10	49.23	137.69	33.36	0.06	180.07	49.26		137.72	243.28
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:01:15	295.63		180.50	48.84	137.30	33.36	0.06	180.47	48.86		137.32	243.68
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:01:17	295.67		180.10	49.23	137.69	33.36	0.06	180.07	49.26		137.72	243.28
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:01:19	295.70		180.68	48.66	137.12	33.36	0.06	180.65	48.69		137.15	243.85
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:01:21	295.73		180.12	49.22	137.68	33.36	0.06	180.09	49.25		137.71	243.29
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:01:23	295.77		180.66	48.68	137.14	33.36	0.06	180.62	48.71		137.17	243.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:01:25	295.80		180.22	49.12	137.58	33.36	0.06	180.19	49.15		137.61	243.39
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:01:27	295.83		180.66	48.67	137.13	33.36	0.06	180.63	48.70		137.16	243.84
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:01:29	295.87		180.47	48.87	137.33	33.36	0.06	180.44	48.90		137.36	243.64
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:01:31	295.90		180.60	48.73	137.19	33.36	0.06	180.57	48.76		137.22	243.78
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:01:33	295.93		179.88	49.45	137.91	33.36	0.06	179.85	49.48		137.94	243.06
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:01:35	295.97		179.98	49.36	137.82	33.36	0.06	179.95	49.39		137.85	243.15
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:01:37	296.00		179.93	49.40	137.86	33.36	0.06	179.90	49.43		137.89	243.11
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:01:39	296.03		180.71	48.63	137.09	33.36	0.06	180.68	48.65		137.11	243.89
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:01:41	296.07		180.71	48.63	137.09	33.36	0.06	180.68	48.65		137.11	243.89
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:01:43	296.10		180.26	49.08	137.54	33.36	0.06	180.23	49.11		137.57	243.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:01:45	296.13		180.59	48.75	137.21	33.36	0.06	180.55	48.78		137.24	243.76
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:01:47	296.17		180.33	49.01	137.47	33.36	0.06	180.30	49.04		137.50	243.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:01:49	296.20		180.45	48.89	137.35	33.36	0.06	180.41	48.92		137.38	243.62
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:01:51	296.23		180.37	48.97	137.43	33.36	0.06	180.34	49.00		137.46	243.54
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:01:53	296.27		180.17	49.17	137.63	33.36	0.06	180.13	49.20		137.66	243.34
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:01:55	296.30		180.56	48.77	137.23	33.36	0.06	180.53	48.80		137.26	243.74
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:01:57	296.33		179.65	49.69	138.15	33.36	0.06	179.62	49.71		138.17	242.83
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:01:59	296.37		180.37	48.97	137.43	33.36	0.06	180.34	49.00		137.46	243.54
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:02:01	296.40		179.99	49.35	137.81	33.36	0.06	179.95	49.38		137.84	243.16
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:02:03	296.43		180.74	48.59	137.05	33.36	0.06	180.71	48.62		137.08	243.92
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:02:05	296.47		180.23	49.11	137.57	33.36	0.06	180.20	49.14		137.60	243.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:02:07	296.50		180.13	49.20	137.66	33.36	0.06	180.10	49.23		137.69	243.31
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:02:09	296.53		180.31	49.02	137.48	33.36	0.06	180.28	49.05		137.51	243.49
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:02:11	296.57		180.36	48.98	137.44	33.36	0.06	180.33	49.01		137.47	243.53
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:02:13	296.60		180.25	49.09	137.55	33.36	0.06	180.22	49.11		137.57	243.43
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:02:15	296.63		180.58	48.76	137.22	33.36	0.06	180.55	48.79		137.25	243.75
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:02:17	296.67		180.89	48.45	136.91	33.36	0.06	180.86	48.48		136.94	244.06
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:02:19	296.70		180.19	49.15	137.61	33.36	0.06	180.16	49.18		137.64	243.36
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:02:21	296.73		179.95	49.38	137.84	33.36	0.06	179.92	49.41		137.87	243.13
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:02:23	296.77		180.05	49.29	137.75	33.36	0.06	180.02	49.32		137.78	243.22
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:02:25	296.80		179.94	49.40	137.86	33.36	0.06	179.91	49.43		137.89	243.11
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:02:27	296.83		180.41	48.92	137.38	33.36	0.06	180.38	48.95		137.41	243.59
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:02:29	296.87		180.11	49.23	137.69	33.36	0.06	180.08	49.25		137.71	243.29
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:02:31	296.90		180.32	49.02	137.48	33.36	0.06	180.29	49.04		137.50	243.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:02:33	296.93		180.38	48.96	137.42	33.36	0.06	180.34	48.99		137.45	243.55
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:02:35	296.97		180.37	48.97	137.43	33.36	0.06	180.34	49.00		137.46	243.54
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:02:37	297.00		180.08	49.26	137.72	33.36	0.06	180.05	49.29		137.75	243.25
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:02:39	297.03		180.20	49.14	137.60	33.36	0.06	180.16	49.17		137.63	243.37
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:02:41	297.07		180.47	48.87	137.33	33.36	0.06	180.44	48.90		137.36	243.64
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:02:43	297.10		180.32	49.02	137.48	33.36	0.06	180.29	49.04		137.50	243.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:02:45	297.13		180.57	48.77	137.23	33.36	0.06	180.54	48.79		137.25	243.75
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:02:47	297.17		180.54	48.80	137.26	33.36	0.06	180.51	48.83		137.29	243.71
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:02:49	297.20		180.14	49.19	137.65	33.36	0.06	180.11	49.22		137.68	243.32
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:02:51	297.23		180.06	49.27	137.73	33.36	0.06	180.03	49.30		137.76	243.24
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:02:53	297.27		180.05	49.29	137.75	33.36	0.06	180.02	49.32		137.78	243.22
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:02:55	297.30		179.72	49.62	138.08	33.36	0.06	179.69	49.64		138.10	242.90
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:02:57	297.33		180.27	49.06	137.52	33.36	0.06	180.24	49.09		137.55	243.45
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:02:59	297.37		180.14	49.19	137.65	33.36	0.06	180.11	49.22		137.68	243.32
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:03:01	297.40		180.38	48.96	137.42	33.36	0.06	180.34	48.99		137.45	243.55
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:03:03	297.43		180.33	49.01	137.47	33.36	0.06	180.30	49.04		137.50	243.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:03:05	297.47		179.77	49.57	138.03	33.36	0.06	179.74	49.60		138.06	242.94
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:03:07	297.50		180.22	49.12	137.58	33.36	0.06	180.19	49.15		137.61	243.39
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:03:09	297.53		179.56	49.78	138.24	33.36	0.06	179.53	49.81		138.27	242.73
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:03:11	297.57		180.27	49.06	137.52	33.36	0.06	180.24	49.09		137.55	243.45
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:03:13	297.60		180.66	48.67	137.13	33.36	0.06	180.63	48.70		137.16	243.84
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:03:15	297.63		180.05	49.29	137.75	33.36	0.06	180.02	49.32		137.78	243.22
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:03:17	297.67		179.91	49.43	137.89	33.36	0.06	179.88	49.46		137.92	243.08
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:03:19	297.70		180.65	48.69	137.15	33.36	0.06	180.62	48.72		137.18	243.82
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:03:21	297.73		180.47	48.87	137.33	33.36	0.06	180.44	48.90		137.36	243.64
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:03:23	297.77		180.24	49.09	137.55	33.36	0.06	180.21	49.12		137.58	243.42
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:03:25	297.80		179.95	49.38	137.84	33.36	0.06	179.92	49.41		137.87	243.13
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:03:27	297.83		180.13	49.20	137.66	33.36	0.06	180.10	49.23		137.69	243.31
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:03:29	297.87		180.42	48.91	137.37	33.36	0.06	180.39	48.94		137.40	243.60
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:03:31	297.90		179.64	49.70	138.16	33.36	0.06	179.61	49.73		138.19	242.81
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:03:33	297.93		180.31	49.03	137.49	33.36	0.06	180.27	49.06		137.52	243.48
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:03:35	297.97		180.31	49.03	137.49	33.36	0.06	180.27	49.06		137.52	243.48

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:03:37	298.00		180.29	49.05	137.51	33.36	0.06	180.26	49.08		137.54	243.46
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:03:39	298.03		180.20	49.13	137.59	33.36	0.06	180.17	49.16		137.62	243.38
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:03:41	298.07		179.99	49.35	137.81	33.36	0.06	179.95	49.38		137.84	243.16
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:03:43	298.10		180.23	49.11	137.57	33.36	0.06	180.20	49.14		137.60	243.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:03:45	298.13		180.04	49.30	137.76	33.36	0.06	180.01	49.32		137.78	243.22
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:03:47	298.17		180.34	49.00	137.46	33.36	0.06	180.30	49.03		137.49	243.51
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:03:49	298.20		180.02	49.32	137.78	33.36	0.06	179.99	49.35		137.81	243.19
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:03:51	298.23		180.33	49.01	137.47	33.36	0.06	180.30	49.04		137.50	243.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:03:53	298.27		180.41	48.93	137.39	33.36	0.06	180.37	48.96		137.42	243.58
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:03:55	298.30		180.06	49.28	137.74	33.36	0.06	180.02	49.31		137.77	243.23
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:03:57	298.33		179.99	49.35	137.81	33.36	0.06	179.95	49.38		137.84	243.16
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:03:59	298.37		180.34	49.00	137.46	33.36	0.06	180.30	49.03		137.49	243.51
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:04:01	298.40		179.74	49.60	138.06	33.36	0.06	179.70	49.63		138.09	242.91
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:04:03	298.43		180.20	49.13	137.59	33.36	0.06	180.17	49.16		137.62	243.38
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:04:05	298.47		180.20	49.13	137.59	33.36	0.06	180.17	49.16		137.62	243.38
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:04:07	298.50		180.17	49.16	137.62	33.36	0.06	180.14	49.19		137.65	243.35
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:04:09	298.53		180.19	49.15	137.61	33.36	0.06	180.16	49.18		137.64	243.36
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:04:11	298.57		180.23	49.11	137.57	33.36	0.06	180.20	49.14		137.60	243.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:04:13	298.60		179.84	49.50	137.96	33.36	0.06	179.81	49.53		137.99	243.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:04:15	298.63		179.70	49.64	138.10	33.36	0.06	179.67	49.67		138.13	242.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:04:17	298.67		180.17	49.17	137.63	33.36	0.06	180.13	49.20		137.66	243.34
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:04:19	298.70		180.01	49.33	137.79	33.36	0.06	179.98	49.36		137.82	243.18
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:04:21	298.73		180.32	49.02	137.48	33.36	0.06	180.29	49.04		137.50	243.50
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:04:23	298.77		180.55	48.79	137.25	33.36	0.06	180.51	48.82		137.28	243.72
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:04:25	298.80		180.19	49.15	137.61	33.36	0.06	180.16	49.18		137.64	243.36
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:04:27	298.83		180.24	49.09	137.55	33.36	0.06	180.21	49.12		137.58	243.42
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:04:29	298.87		179.78	49.55	138.01	33.36	0.06	179.75	49.58		138.04	242.96
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:04:31	298.90		180.20	49.13	137.59	33.36	0.06	180.17	49.16		137.62	243.38
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:04:33	298.93		179.80	49.54	138.00	33.36	0.06	179.77	49.57		138.03	242.97
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:04:35	298.97		180.12	49.22	137.68	33.36	0.06	180.09	49.25		137.71	243.29
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:04:37	299.00		180.09	49.24	137.70	33.36	0.06	180.06	49.27		137.73	243.27
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:04:39	299.03		180.02	49.32	137.78	33.36	0.06	179.99	49.35		137.81	243.19
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:04:41	299.07		180.17	49.17	137.63	33.36	0.06	180.13	49.20		137.66	243.34
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:04:43	299.10		180.35	48.98	137.44	33.36	0.06	180.32	49.01		137.47	243.53
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:04:45	299.13		180.21	49.12	137.58	33.36	0.06	180.18	49.15		137.61	243.39
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:04:47	299.17		180.29	49.05	137.51	33.36	0.06	180.26	49.08		137.54	243.46
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:04:49	299.20		180.34	49.00	137.46	33.36	0.06	180.30	49.03		137.49	243.51
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:04:51	299.23		180.14	49.19	137.65	33.36	0.06	180.11	49.22		137.68	243.32
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:04:53	299.27		179.70	49.64	138.10	33.36	0.06	179.67	49.67		138.13	242.87
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:04:55	299.30		179.96	49.37	137.83	33.36	0.06	179.93	49.40		137.86	243.14
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:04:57	299.33		179.92	49.42	137.88	33.36	0.06	179.88	49.45		137.91	243.09
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:04:59	299.37		180.17	49.17	137.63	33.36	0.06	180.13	49.20		137.66	243.34
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:05:01	299.40		180.41	48.92	137.38	33.36	0.06	180.38	48.95		137.41	243.59
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:05:03	299.43		179.79	49.54	138.00	33.36	0.06	179.76	49.57		138.03	242.97
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:05:05	299.47		179.98	49.36	137.82	33.36	0.06	179.95	49.39		137.85	243.15
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:05:07	299.50		180.01	49.33	137.79	33.36	0.06	179.98	49.36		137.82	243.18
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:05:09	299.53		180.10	49.23	137.69	33.36	0.06	180.07	49.26		137.72	243.28
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:05:11	299.57		179.84	49.50	137.96	33.36	0.06	179.80	49.53		137.99	243.01
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:05:13	299.60		180.14	49.19	137.65	33.36	0.06	180.11	49.22		137.68	243.32
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:05:15	299.63		180.30	49.04	137.50	33.36	0.06	180.26	49.07		137.53	243.47
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:05:17	299.67		180.48	48.86	137.32	33.36	0.06	180.44	48.89		137.35	243.65
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:05:19	299.70		180.13	49.21	137.67	33.36	0.06	180.09	49.24		137.70	243.30
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:05:21	299.73		180.11	49.23	137.69	33.36	0.06	180.08	49.26		137.72	243.28
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:05:23	299.77		180.47	48.87	137.33	33.36	0.06	180.44	48.90		137.36	243.64
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:05:25	299.80		180.28	49.05	137.51	33.36	0.06	180.25	49.08		137.54	243.46
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:05:27	299.83		180.03	49.30	137.76	33.36	0.06	180.00	49.33		137.79	243.21
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:05:29	299.87		179.82	49.51	137.97	33.36	0.06	179.79	49.54		138.00	243.00
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:05:31	299.90		180.00	49.33	137.79	33.36	0.06	179.97	49.36		137.82	243.18
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:05:33	299.93		180.23	49.11	137.57	33.36	0.06	180.19	49.14		137.60	243.40
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:05:35	299.97		180.01	49.33	137.79	33.36	0.06	179.98	49.36		137.82	243.18
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:05:37	300.00		180.24	49.10	137.56	33.36	0.06	180.20	49.13		137.59	243.41
SW Well 1A	STEP RATE - STEP #2	9/23/2010 21:05:39	300.03		179.81	49.53	137.99	33.36	0.06	179.77	49.56		138.02	242.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:05:41	300.07		179.29	50.04	138.50	33.36	0.06	179.26	50.07		138.53	242.47
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:05:43	300.10		178.86	50.48	138.94	33.36	0.06	178.82	50.51		138.97	242.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:05:45	300.13		177.75	51.59	140.05	33.36	0.06	177.72	51.62		140.08	240.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:05:47	300.17		177.09	52.25	140.71	33.36	0.06	177.05	52.28		140.74	240.26
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:05:49	300.20		175.51	53.82	142.28	33.36	0.06	175.48	53.85		142.31	238.69
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:05:51	300.23		174.09	55.25	143.71	33.36	0.06	174.05	55.28		143.74	237.26
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:05:53	300.27		173.20	56.14	144.60	33.36	0.06	173.17	56.17		144.63	236.37
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:05:55	300.30		172.33	57.00	145.46	33.36	0.06	172.30	57.03		145.49	235.51
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:05:57	300.33		171.37	57.97	146.43	33.36	0.06	171.33	58.00		146.46	234.54
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:05:59	300.37		170.48	58.86	147.32	33.36	0.06	170.45	58.89		147.35	233.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:06:01	300.40		169.54	59.80	148.26	33.36	0.06	169.50	59.83		148.29	232.71
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:06:03	300.43		168.54	60.80	149.26	33.36	0.06	168.51	60.83		149.29	231.71
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:06:05	300.47		168.43	60.91	149.37	33.36	0.06	168.40	60.94		149.40	231.60
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:06:07	300.50		167.55	61.79	150.25	33.36	0.06	167.52	61.82		150.28	230.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:06:09	300.53		167.09	62.25	150.71	33.36	0.06	167.06	62.28		150.74	230.26
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:06:11	300.57		166.92	62.42	150.88	33.36	0.06	166.89	62.45		150.91	230.09
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:06:13	300.60		166.59	62.75	151.21	33.36	0.06	166.56	62.78		151.24	229.76
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:06:15	300.63		166.28	63.06	151.52	33.36	0.06	166.25	63.09		151.55	229.45
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:06:17	300.67		166.25	63.09	151.55	33.36	0.06	166.21	63.12		151.58	229.42
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:06:19	300.70		166.21	63.13	151.59	33.36	0.06	166.18	63.16		151.62	229.38
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:06:21	300.73		165.96	63.38	151.84	33.36	0.06	165.93	63.41		151.87	229.13
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:06:23	300.77		166.01	63.33	151.79	33.36	0.06	165.97	63.36		151.82	229.18
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:06:25	300.80		165.76	63.58	152.04	33.36	0.06	165.72	63.61		152.07	228.93
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:06:27	300.83		165.95	63.38	151.84	33.36	0.06	165.92	63.41		151.87	229.13
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:06:29	300.87		165.71	63.63	152.09	33.36	0.06	165.68	63.66		152.12	228.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:06:31	300.90		165.83	63.50	151.96	33.36	0.06	165.80	63.53		151.99	229.01
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:06:33	300.93		165.81	63.52	151.98	33.36	0.06	165.78	63.55		152.01	228.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:06:35	300.97		165.78	63.56	152.02	33.36	0.06	165.75	63.59		152.05	228.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:06:37	301.00		165.66	63.68	152.14	33.36	0.06	165.62	63.71		152.17	228.83
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:06:39	301.03		165.72	63.62	152.08	33.36	0.06	165.69	63.65		152.11	228.89
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:06:41	301.07		165.73	63.61	152.07	33.36	0.06	165.69	63.64		152.10	228.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:06:43	301.10		165.66	63.68	152.14	33.36	0.06	165.62	63.71		152.17	228.83
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:06:45	301.13		165.73	63.60	152.06	33.36	0.06	165.70	63.63		152.09	228.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:06:47	301.17		165.60	63.73	152.19	33.36	0.06	165.57	63.76		152.22	228.78
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:06:49	301.20		165.76	63.57	152.03	33.36	0.06	165.73	63.60		152.06	228.94

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:06:51	301.23		165.70	63.63	152.09	33.36	0.06	165.67	63.66		152.12	228.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:06:53	301.27		165.41	63.93	152.39	33.36	0.06	165.37	63.96		152.42	228.58
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:06:55	301.30		165.39	63.95	152.41	33.36	0.06	165.36	63.98		152.44	228.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:06:57	301.33		165.59	63.74	152.20	33.36	0.06	165.56	63.77		152.23	228.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:06:59	301.37		165.45	63.89	152.35	33.36	0.06	165.41	63.92		152.38	228.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:07:01	301.40		165.50	63.84	152.30	33.36	0.06	165.47	63.87		152.33	228.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:07:03	301.43		165.41	63.93	152.39	33.36	0.06	165.37	63.96		152.42	228.58
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:07:05	301.47		165.52	63.81	152.27	33.36	0.06	165.49	63.84		152.30	228.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:07:07	301.50		165.23	64.10	152.56	33.36	0.06	165.20	64.13		152.59	228.41
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:07:09	301.53		165.38	63.96	152.42	33.36	0.06	165.34	63.99		152.45	228.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:07:11	301.57		165.33	64.01	152.47	33.36	0.06	165.30	64.04		152.50	228.50
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:07:13	301.60		165.48	63.86	152.32	33.36	0.06	165.44	63.89		152.35	228.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:07:15	301.63		165.46	63.87	152.33	33.36	0.06	165.43	63.90		152.36	228.64
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:07:17	301.67		165.43	63.91	152.37	33.36	0.06	165.40	63.94		152.40	228.60
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:07:19	301.70		165.47	63.87	152.33	33.36	0.06	165.44	63.90		152.36	228.64
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:07:21	301.73		165.45	63.89	152.35	33.36	0.06	165.41	63.92		152.38	228.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:07:23	301.77		165.50	63.84	152.30	33.36	0.06	165.47	63.87		152.33	228.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:07:25	301.80		165.59	63.75	152.21	33.36	0.06	165.55	63.78		152.24	228.76
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:07:27	301.83		165.46	63.88	152.34	33.36	0.06	165.43	63.91		152.37	228.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:07:29	301.87		165.50	63.83	152.29	33.36	0.06	165.47	63.86		152.32	228.68
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:07:31	301.90		165.55	63.79	152.25	33.36	0.06	165.51	63.82		152.28	228.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:07:33	301.93		165.32	64.02	152.48	33.36	0.06	165.29	64.05		152.51	228.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:07:35	301.97		165.47	63.87	152.33	33.36	0.06	165.44	63.90		152.36	228.64
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:07:37	302.00		165.41	63.92	152.38	33.36	0.06	165.38	63.95		152.41	228.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:07:39	302.03		165.39	63.95	152.41	33.36	0.06	165.35	63.98		152.44	228.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:07:41	302.07		165.43	63.91	152.37	33.36	0.06	165.40	63.94		152.40	228.60
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:07:43	302.10		165.32	64.02	152.48	33.36	0.06	165.28	64.05		152.51	228.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:07:45	302.13		165.34	64.00	152.46	33.36	0.06	165.30	64.03		152.49	228.51
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:07:47	302.17		165.42	63.92	152.38	33.36	0.06	165.38	63.95		152.41	228.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:07:49	302.20		165.38	63.96	152.42	33.36	0.06	165.34	63.99		152.45	228.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:07:51	302.23		165.32	64.01	152.47	33.36	0.06	165.29	64.04		152.50	228.50
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:07:53	302.27		165.22	64.12	152.58	33.36	0.06	165.19	64.15		152.61	228.39
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:07:55	302.30		165.30	64.04	152.50	33.36	0.06	165.27	64.07		152.53	228.47
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:07:57	302.33		165.31	64.03	152.49	33.36	0.06	165.27	64.06		152.52	228.48
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:07:59	302.37		165.33	64.01	152.47	33.36	0.06	165.30	64.04		152.50	228.50
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:08:01	302.40		165.21	64.12	152.58	33.36	0.06	165.18	64.15		152.61	228.39
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:08:03	302.43		165.16	64.18	152.64	33.36	0.06	165.13	64.21		152.67	228.33
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:08:05	302.47		165.18	64.15	152.61	33.36	0.06	165.15	64.18		152.64	228.36
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:08:07	302.50		165.10	64.23	152.69	33.36	0.06	165.07	64.26		152.72	228.28
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:08:09	302.53		165.17	64.16	152.62	33.36	0.06	165.14	64.19		152.65	228.35
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:08:11	302.57		165.04	64.29	152.75	33.36	0.06	165.01	64.32		152.78	228.22
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:08:13	302.60		165.18	64.15	152.61	33.36	0.06	165.15	64.18		152.64	228.36
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:08:15	302.63		165.14	64.19	152.65	33.36	0.06	165.11	64.22		152.68	228.32
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:08:17	302.67		165.15	64.19	152.65	33.36	0.06	165.12	64.22		152.68	228.32
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:08:19	302.70		165.27	64.07	152.53	33.36	0.06	165.24	64.10		152.56	228.44
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:08:21	302.73		165.20	64.13	152.59	33.36	0.06	165.17	64.16		152.62	228.38
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:08:23	302.77		165.20	64.14	152.60	33.36	0.06	165.16	64.17		152.63	228.37
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:08:25	302.80		165.20	64.14	152.60	33.36	0.06	165.16	64.17		152.63	228.37
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:08:27	302.83		165.29	64.04	152.50	33.36	0.06	165.26	64.07		152.53	228.47
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:08:29	302.87		165.18	64.16	152.62	33.36	0.06	165.15	64.19		152.65	228.35
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:08:31	302.90		165.08	64.25	152.71	33.36	0.06	165.05	64.28		152.74	228.26
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:08:33	302.93		165.11	64.22	152.68	33.36	0.06	165.08	64.25		152.71	228.29
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:08:35	302.97		165.19	64.15	152.61	33.36	0.06	165.16	64.18		152.64	228.36
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:08:37	303.00		165.18	64.15	152.61	33.36	0.06	165.15	64.18		152.64	228.36
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:08:39	303.03		165.24	64.09	152.55	33.36	0.06	165.21	64.12		152.58	228.42
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:08:41	303.07		165.14	64.19	152.65	33.36	0.06	165.11	64.22		152.68	228.32
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:08:43	303.10		165.10	64.24	152.70	33.36	0.06	165.06	64.27		152.73	228.27
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:08:45	303.13		165.28	64.06	152.52	33.36	0.06	165.24	64.09		152.55	228.45
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:08:47	303.17		165.08	64.25	152.71	33.36	0.06	165.05	64.28		152.74	228.26
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:08:49	303.20		165.16	64.18	152.64	33.36	0.06	165.13	64.21		152.67	228.33
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:08:51	303.23		165.20	64.14	152.60	33.36	0.06	165.17	64.17		152.63	228.37
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:08:53	303.27		165.17	64.17	152.63	33.36	0.06	165.13	64.20		152.66	228.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:08:55	303.30		165.17	64.16	152.62	33.36	0.06	165.14	64.19		152.65	228.35
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:08:57	303.33		165.23	64.11	152.57	33.36	0.06	165.20	64.14		152.60	228.40
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:08:59	303.37		165.22	64.11	152.57	33.36	0.06	165.19	64.14		152.60	228.40
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:09:01	303.40		165.19	64.15	152.61	33.36	0.06	165.16	64.18		152.64	228.36
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:09:03	303.43		165.06	64.28	152.74	33.36	0.06	165.02	64.31		152.77	228.23
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:09:05	303.47		165.20	64.14	152.60	33.36	0.06	165.17	64.17		152.63	228.37
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:09:07	303.50		165.00	64.33	152.79	33.36	0.06	164.97	64.36		152.82	228.18
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:09:09	303.53		164.97	64.36	152.82	33.36	0.06	164.94	64.39		152.85	228.15
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:09:11	303.57		164.95	64.39	152.85	33.36	0.06	164.92	64.42		152.88	228.12
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:09:13	303.60		164.97	64.37	152.83	33.36	0.06	164.94	64.40		152.86	228.14
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:09:15	303.63		165.01	64.32	152.78	33.36	0.06	164.98	64.35		152.81	228.19
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:09:17	303.67		164.93	64.41	152.87	33.36	0.06	164.89	64.44		152.90	228.10
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:09:19	303.70		164.93	64.40	152.86	33.36	0.06	164.90	64.43		152.89	228.11
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:09:21	303.73		165.03	64.31	152.77	33.36	0.06	164.99	64.34		152.80	228.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:09:23	303.77		164.85	64.49	152.95	33.36	0.06	164.81	64.52		152.98	228.02
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:09:25	303.80		164.97	64.36	152.82	33.36	0.06	164.94	64.39		152.85	228.15
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:09:27	303.83		165.06	64.27	152.73	33.36	0.06	165.03	64.30		152.76	228.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:09:29	303.87		164.85	64.48	152.94	33.36	0.06	164.82	64.51		152.97	228.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:09:31	303.90		165.07	64.27	152.73	33.36	0.06	165.03	64.30		152.76	228.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:09:33	303.93		165.07	64.26	152.72	33.36	0.06	165.04	64.29		152.75	228.25
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:09:35	303.97		164.90	64.43	152.89	33.36	0.06	164.87	64.46		152.92	228.08
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:09:37	304.00		165.17	64.17	152.63	33.36	0.06	165.13	64.20		152.66	228.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:09:39	304.03		165.19	64.15	152.61	33.36	0.06	165.16	64.18		152.64	228.36
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:09:41	304.07		164.97	64.37	152.83	33.36	0.06	164.94	64.40		152.86	228.14
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:09:43	304.10		165.15	64.18	152.64	33.36	0.06	165.12	64.21		152.67	228.33
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:09:45	304.13		165.11	64.22	152.68	33.36	0.06	165.08	64.25		152.71	228.29
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:09:47	304.17		165.06	64.28	152.74	33.36	0.06	165.02	64.31		152.77	228.23
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:09:49	304.20		165.09	64.25	152.71	33.36	0.06	165.05	64.28		152.74	228.26
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:09:51	304.23		164.98	64.36	152.82	33.36	0.06	164.95	64.39		152.85	228.15
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:09:53	304.27		164.94	64.39	152.85	33.36	0.06	164.91	64.42		152.88	228.12
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:09:55	304.30		165.16	64.18	152.64	33.36	0.06	165.13	64.21		152.67	228.33
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:09:57	304.33		165.15	64.18	152.64	33.36	0.06	165.12	64.21		152.67	228.33
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:09:59	304.37		164.95	64.39	152.85	33.36	0.06	164.92	64.42		152.88	228.12
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:10:01	304.40		164.84	64.50	152.96	33.36	0.07	164.80	64.53		152.99	228.01
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:10:03	304.43		164.98	64.36	152.82	33.36	0.07	164.95	64.39		152.85	228.15

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:10:05	304.47		165.01	64.32	152.78	33.36	0.07	164.98	64.35		152.81	228.19
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:10:07	304.50		164.83	64.50	152.96	33.36	0.07	164.80	64.53		152.99	228.01
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:10:09	304.53		164.96	64.38	152.84	33.36	0.07	164.92	64.41		152.87	228.13
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:10:11	304.57		164.96	64.37	152.83	33.36	0.07	164.93	64.40		152.86	228.14
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:10:13	304.60		164.88	64.46	152.92	33.36	0.07	164.84	64.49		152.95	228.05
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:10:15	304.63		164.89	64.44	152.90	33.36	0.07	164.86	64.47		152.93	228.07
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:10:17	304.67		164.89	64.44	152.90	33.36	0.07	164.86	64.47		152.93	228.07
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:10:19	304.70		164.81	64.53	152.99	33.36	0.07	164.78	64.56		153.02	227.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:10:21	304.73		164.93	64.40	152.86	33.36	0.07	164.90	64.43		152.89	228.11
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:10:23	304.77		164.93	64.40	152.86	33.36	0.07	164.90	64.43		152.89	228.11
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:10:25	304.80		164.62	64.72	153.18	33.36	0.07	164.59	64.75		153.21	227.79
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:10:27	304.83		164.85	64.49	152.95	33.36	0.07	164.81	64.52		152.98	228.02
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:10:29	304.87		164.94	64.39	152.85	33.36	0.07	164.91	64.42		152.88	228.12
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:10:31	304.90		164.79	64.55	153.01	33.36	0.07	164.75	64.58		153.04	227.96
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:10:33	304.93		164.83	64.51	152.97	33.36	0.07	164.80	64.54		153.00	228.00
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:10:35	304.97		164.86	64.48	152.94	33.36	0.07	164.82	64.51		152.97	228.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:10:37	305.00		164.76	64.57	153.03	33.36	0.07	164.73	64.60		153.06	227.94
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:10:39	305.03		164.73	64.61	153.07	33.36	0.07	164.70	64.64		153.10	227.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:10:41	305.07		164.75	64.58	153.04	33.36	0.07	164.72	64.61		153.07	227.93
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:10:43	305.10		164.79	64.55	153.01	33.36	0.07	164.75	64.58		153.04	227.96
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:10:45	305.13		164.74	64.60	153.06	33.36	0.07	164.71	64.63		153.09	227.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:10:47	305.17		164.64	64.70	153.16	33.36	0.07	164.60	64.73		153.19	227.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:10:49	305.20		164.92	64.42	152.88	33.36	0.07	164.88	64.45		152.91	228.09
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:10:51	305.23		164.78	64.56	153.02	33.36	0.07	164.74	64.59		153.05	227.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:10:53	305.27		165.11	64.23	152.69	33.36	0.07	165.08	64.26		152.72	228.28
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:10:55	305.30		164.93	64.40	152.86	33.36	0.07	164.90	64.43		152.89	228.11
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:10:57	305.33		164.82	64.52	152.98	33.36	0.07	164.78	64.55		153.01	227.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:10:59	305.37		164.89	64.45	152.91	33.36	0.07	164.85	64.48		152.94	228.06
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:11:01	305.40		165.00	64.34	152.80	33.36	0.07	164.96	64.37		152.83	228.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:11:03	305.43		164.97	64.36	152.82	33.36	0.07	164.94	64.39		152.85	228.15
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:11:05	305.47		164.85	64.49	152.95	33.36	0.07	164.81	64.52		152.98	228.02
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:11:07	305.50		164.86	64.48	152.94	33.36	0.07	164.82	64.51		152.97	228.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:11:09	305.53		164.86	64.48	152.94	33.36	0.07	164.82	64.51		152.97	228.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:11:11	305.57		164.76	64.57	153.03	33.36	0.07	164.73	64.60		153.06	227.94
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:11:13	305.60		164.90	64.43	152.89	33.36	0.07	164.87	64.46		152.92	228.08
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:11:15	305.63		164.82	64.51	152.97	33.36	0.07	164.79	64.54		153.00	228.00
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:11:17	305.67		164.70	64.64	153.10	33.36	0.07	164.67	64.67		153.13	227.87
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:11:19	305.70		164.86	64.48	152.94	33.36	0.07	164.82	64.51		152.97	228.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:11:21	305.73		164.68	64.66	153.12	33.36	0.07	164.64	64.69		153.15	227.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:11:23	305.77		164.68	64.65	153.11	33.36	0.07	164.65	64.68		153.14	227.86
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:11:25	305.80		164.80	64.54	153.00	33.36	0.07	164.77	64.57		153.03	227.97
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:11:27	305.83		164.97	64.36	152.82	33.36	0.07	164.94	64.39		152.85	228.15
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:11:29	305.87		164.63	64.71	153.17	33.36	0.07	164.60	64.74		153.20	227.80
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:11:31	305.90		164.80	64.54	153.00	33.36	0.07	164.77	64.57		153.03	227.97
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:11:33	305.93		164.80	64.54	153.00	33.36	0.07	164.77	64.57		153.03	227.97
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:11:35	305.97		164.55	64.78	153.24	33.36	0.07	164.52	64.81		153.27	227.73
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:11:37	306.00		164.52	64.82	153.28	33.36	0.07	164.49	64.85		153.31	227.69
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:11:39	306.03		164.69	64.64	153.10	33.36	0.07	164.66	64.67		153.13	227.87
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:11:41	306.07		164.63	64.71	153.17	33.36	0.07	164.60	64.74		153.20	227.80
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:11:43	306.10		164.70	64.64	153.10	33.36	0.07	164.67	64.67		153.13	227.87
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:11:45	306.13		164.71	64.63	153.09	33.36	0.07	164.67	64.66		153.12	227.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:11:47	306.17		164.67	64.67	153.13	33.36	0.07	164.64	64.70		153.16	227.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:11:49	306.20		164.74	64.60	153.06	33.36	0.07	164.70	64.63		153.09	227.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:11:51	306.23		164.82	64.52	152.98	33.36	0.07	164.78	64.55		153.01	227.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:11:53	306.27		164.67	64.66	153.12	33.36	0.07	164.64	64.69		153.15	227.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:11:55	306.30		164.74	64.60	153.06	33.36	0.07	164.71	64.63		153.09	227.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:11:57	306.33		164.84	64.50	152.96	33.36	0.07	164.81	64.53		152.99	228.01
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:11:59	306.37		164.72	64.62	153.08	33.36	0.07	164.68	64.65		153.11	227.89
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:12:01	306.40		164.64	64.70	153.16	33.36	0.07	164.60	64.73		153.19	227.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:12:03	306.43		164.62	64.71	153.17	33.36	0.07	164.59	64.74		153.20	227.80
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:12:05	306.47		164.87	64.47	152.93	33.36	0.07	164.84	64.50		152.96	228.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:12:07	306.50		164.69	64.64	153.10	33.36	0.07	164.66	64.67		153.13	227.87
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:12:09	306.53		164.73	64.61	153.07	33.36	0.07	164.70	64.64		153.10	227.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:12:11	306.57		164.76	64.57	153.03	33.36	0.07	164.73	64.60		153.06	227.94
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:12:13	306.60		164.71	64.63	153.09	33.36	0.07	164.67	64.66		153.12	227.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:12:15	306.63		164.75	64.58	153.04	33.36	0.07	164.72	64.61		153.07	227.93
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:12:17	306.67		164.82	64.51	152.97	33.36	0.07	164.79	64.54		153.00	228.00
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:12:19	306.70		164.81	64.53	152.99	33.36	0.07	164.78	64.56		153.02	227.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:12:21	306.73		164.63	64.71	153.17	33.36	0.07	164.60	64.74		153.20	227.80
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:12:23	306.77		164.76	64.57	153.03	33.36	0.07	164.73	64.60		153.06	227.94
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:12:25	306.80		164.71	64.63	153.09	33.36	0.07	164.67	64.66		153.12	227.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:12:27	306.83		164.57	64.77	153.23	33.36	0.07	164.53	64.80		153.26	227.74
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:12:29	306.87		164.81	64.53	152.99	33.36	0.07	164.78	64.56		153.02	227.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:12:31	306.90		164.67	64.67	153.13	33.36	0.07	164.64	64.70		153.16	227.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:12:33	306.93		164.68	64.65	153.11	33.36	0.07	164.65	64.68		153.14	227.86
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:12:35	306.97		164.66	64.68	153.14	33.36	0.07	164.63	64.71		153.17	227.83
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:12:37	307.00		164.60	64.74	153.20	33.36	0.07	164.57	64.77		153.23	227.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:12:39	307.03		164.54	64.80	153.26	33.36	0.07	164.50	64.83		153.29	227.71
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:12:41	307.07		164.45	64.89	153.35	33.36	0.07	164.42	64.92		153.38	227.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:12:43	307.10		164.67	64.67	153.13	33.36	0.07	164.64	64.70		153.16	227.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:12:45	307.13		164.51	64.82	153.28	33.36	0.07	164.48	64.85		153.31	227.69
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:12:47	307.17		164.41	64.92	153.38	33.36	0.07	164.38	64.95		153.41	227.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:12:49	307.20		164.62	64.72	153.18	33.36	0.07	164.59	64.75		153.21	227.79
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:12:51	307.23		164.61	64.72	153.18	33.36	0.07	164.58	64.75		153.21	227.79
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:12:53	307.27		164.38	64.96	153.42	33.36	0.07	164.34	64.99		153.45	227.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:12:55	307.30		164.51	64.82	153.28	33.36	0.07	164.48	64.85		153.31	227.69
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:12:57	307.33		164.60	64.73	153.19	33.36	0.07	164.57	64.76		153.22	227.78
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:12:59	307.37		164.54	64.80	153.26	33.36	0.07	164.50	64.83		153.29	227.71
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:13:01	307.40		164.72	64.62	153.08	33.36	0.07	164.69	64.65		153.11	227.89
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:13:03	307.43		164.67	64.67	153.13	33.36	0.07	164.64	64.70		153.16	227.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:13:05	307.47		164.75	64.59	153.05	33.36	0.07	164.71	64.62		153.08	227.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:13:07	307.50		164.61	64.72	153.18	33.36	0.07	164.58	64.75		153.21	227.79
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:13:09	307.53		164.65	64.69	153.15	33.36	0.07	164.62	64.72		153.18	227.82
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:13:11	307.57		164.54	64.80	153.26	33.36	0.07	164.50	64.83		153.29	227.71
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:13:13	307.60		164.69	64.64	153.10	33.36	0.07	164.66	64.67		153.13	227.87
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:13:15	307.63		164.70	64.64	153.10	33.36	0.07	164.67	64.67		153.13	227.87
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:13:17	307.67		164.53	64.81	153.27	33.36	0.07	164.50	64.84		153.30	227.70

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:13:19	307.70		164.55	64.78	153.24	33.36	0.07	164.52	64.81		153.27	227.73
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:13:21	307.73		164.66	64.68	153.14	33.36	0.07	164.63	64.71		153.17	227.83
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:13:23	307.77		164.61	64.73	153.19	33.36	0.07	164.57	64.76		153.22	227.78
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:13:25	307.80		164.79	64.54	153.00	33.36	0.07	164.76	64.57		153.03	227.97
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:13:27	307.83		164.58	64.75	153.21	33.36	0.07	164.55	64.78		153.24	227.76
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:13:29	307.87		164.61	64.72	153.18	33.36	0.07	164.58	64.75		153.21	227.79
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:13:31	307.90		164.47	64.87	153.33	33.36	0.07	164.43	64.90		153.36	227.64
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:13:33	307.93		164.57	64.76	153.22	33.36	0.07	164.54	64.79		153.25	227.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:13:35	307.97		164.57	64.77	153.23	33.36	0.07	164.53	64.80		153.26	227.74
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:13:37	308.00		164.55	64.78	153.24	33.36	0.07	164.52	64.81		153.27	227.73
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:13:39	308.03		164.61	64.73	153.19	33.36	0.07	164.57	64.76		153.22	227.78
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:13:41	308.07		164.52	64.82	153.28	33.36	0.07	164.49	64.85		153.31	227.69
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:13:43	308.10		164.51	64.82	153.28	33.36	0.07	164.48	64.85		153.31	227.69
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:13:45	308.13		164.58	64.75	153.21	33.36	0.07	164.55	64.78		153.24	227.76
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:13:47	308.17		164.50	64.83	153.29	33.36	0.07	164.47	64.86		153.32	227.68
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:13:49	308.20		164.56	64.78	153.24	33.36	0.07	164.52	64.81		153.27	227.73
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:13:51	308.23		164.44	64.89	153.35	33.36	0.07	164.41	64.92		153.38	227.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:13:53	308.27		164.47	64.87	153.33	33.36	0.07	164.43	64.90		153.36	227.64
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:13:55	308.30		164.51	64.82	153.28	33.36	0.07	164.48	64.85		153.31	227.69
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:13:57	308.33		164.49	64.85	153.31	33.36	0.07	164.45	64.88		153.34	227.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:13:59	308.37		164.29	65.04	153.50	33.36	0.07	164.26	65.07		153.53	227.47
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:14:01	308.40		164.58	64.75	153.21	33.36	0.07	164.55	64.78		153.24	227.76
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:14:03	308.43		164.60	64.74	153.20	33.36	0.07	164.57	64.77		153.23	227.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:14:05	308.47		164.37	64.97	153.43	33.36	0.07	164.34	65.00		153.46	227.54
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:14:07	308.50		164.49	64.85	153.31	33.36	0.07	164.46	64.88		153.34	227.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:14:09	308.53		164.49	64.85	153.31	33.36	0.07	164.46	64.88		153.34	227.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:14:11	308.57		164.34	64.99	153.45	33.36	0.07	164.31	65.02		153.48	227.52
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:14:13	308.60		164.51	64.83	153.29	33.36	0.07	164.48	64.86		153.32	227.68
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:14:15	308.63		164.45	64.89	153.35	33.36	0.07	164.42	64.92		153.38	227.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:14:17	308.67		164.47	64.86	153.32	33.36	0.07	164.44	64.89		153.35	227.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:14:19	308.70		164.51	64.82	153.28	33.36	0.07	164.48	64.85		153.31	227.69
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:14:21	308.73		164.55	64.79	153.25	33.36	0.07	164.52	64.82		153.28	227.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:14:23	308.77		164.54	64.80	153.26	33.36	0.07	164.50	64.83		153.29	227.71
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:14:25	308.80		164.66	64.68	153.14	33.36	0.07	164.63	64.71		153.17	227.83
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:14:27	308.83		164.56	64.78	153.24	33.36	0.07	164.53	64.81		153.27	227.73
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:14:29	308.87		164.54	64.80	153.26	33.36	0.07	164.50	64.83		153.29	227.71
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:14:31	308.90		164.44	64.89	153.35	33.36	0.07	164.41	64.92		153.38	227.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:14:33	308.93		164.59	64.75	153.21	33.36	0.07	164.56	64.78		153.24	227.76
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:14:35	308.97		164.54	64.79	153.25	33.36	0.07	164.51	64.82		153.28	227.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:14:37	309.00		164.67	64.67	153.13	33.36	0.07	164.64	64.70		153.16	227.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:14:39	309.03		164.56	64.78	153.24	33.36	0.07	164.52	64.81		153.27	227.73
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:14:41	309.07		164.50	64.83	153.29	33.36	0.07	164.47	64.86		153.32	227.68
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:14:43	309.10		164.41	64.92	153.38	33.36	0.07	164.38	64.95		153.41	227.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:14:45	309.13		164.41	64.92	153.38	33.36	0.07	164.38	64.95		153.41	227.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:14:47	309.17		164.44	64.89	153.35	33.36	0.07	164.41	64.92		153.38	227.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:14:49	309.20		164.35	64.99	153.45	33.36	0.07	164.32	65.02		153.48	227.52
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:14:51	309.23		164.38	64.96	153.42	33.36	0.07	164.35	64.99		153.45	227.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:14:53	309.27		164.41	64.92	153.38	33.36	0.07	164.38	64.95		153.41	227.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:14:55	309.30		164.35	64.99	153.45	33.36	0.07	164.32	65.02		153.48	227.52
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:14:57	309.33		164.47	64.87	153.33	33.36	0.07	164.43	64.90		153.36	227.64
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:14:59	309.37		164.44	64.89	153.35	33.36	0.07	164.41	64.92		153.38	227.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:15:01	309.40		164.33	65.01	153.47	33.36	0.07	164.29	65.04		153.50	227.50
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:15:03	309.43		164.52	64.82	153.28	33.36	0.07	164.49	64.85		153.31	227.69
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:15:05	309.47		164.59	64.75	153.21	33.36	0.07	164.55	64.78		153.24	227.76
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:15:07	309.50		164.33	65.00	153.46	33.36	0.07	164.30	65.04		153.50	227.50
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:15:09	309.53		164.47	64.86	153.32	33.36	0.07	164.44	64.90		153.36	227.64
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:15:11	309.57		164.37	64.96	153.42	33.36	0.07	164.34	64.99		153.45	227.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:15:13	309.60		164.23	65.11	153.57	33.36	0.07	164.20	65.14		153.60	227.40
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:15:15	309.63		164.39	64.95	153.41	33.36	0.07	164.35	64.98		153.44	227.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:15:17	309.67		164.40	64.93	153.39	33.36	0.07	164.37	64.97		153.43	227.57
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:15:19	309.70		164.35	64.98	153.44	33.36	0.07	164.32	65.01		153.47	227.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:15:21	309.73		164.22	65.12	153.58	33.36	0.07	164.18	65.15		153.61	227.39
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:15:23	309.77		164.32	65.02	153.48	33.36	0.07	164.28	65.05		153.51	227.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:15:25	309.80		164.45	64.89	153.35	33.36	0.07	164.41	64.92		153.38	227.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:15:27	309.83		164.45	64.89	153.35	33.36	0.07	164.42	64.92		153.38	227.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:15:29	309.87		164.44	64.89	153.35	33.36	0.07	164.41	64.92		153.38	227.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:15:31	309.90		164.29	65.04	153.50	33.36	0.07	164.26	65.07		153.53	227.47
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:15:33	309.93		164.37	64.96	153.42	33.36	0.07	164.34	64.99		153.45	227.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:15:35	309.97		164.45	64.89	153.35	33.36	0.07	164.42	64.92		153.38	227.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:15:37	310.00		164.45	64.89	153.35	33.36	0.07	164.42	64.92		153.38	227.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:15:39	310.03		164.59	64.75	153.21	33.36	0.07	164.56	64.78		153.24	227.76
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:15:41	310.07		164.33	65.00	153.46	33.36	0.07	164.30	65.03		153.49	227.51
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:15:43	310.10		164.47	64.86	153.32	33.36	0.07	164.44	64.89		153.35	227.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:15:45	310.13		164.41	64.93	153.39	33.36	0.07	164.37	64.96		153.42	227.58
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:15:47	310.17		164.37	64.97	153.43	33.36	0.07	164.34	65.00		153.46	227.54
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:15:49	310.20		164.37	64.97	153.43	33.36	0.07	164.34	65.00		153.46	227.54
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:15:51	310.23		164.46	64.88	153.34	33.36	0.07	164.42	64.91		153.37	227.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:15:53	310.27		164.49	64.84	153.30	33.36	0.07	164.46	64.87		153.33	227.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:15:55	310.30		164.46	64.88	153.34	33.36	0.07	164.42	64.91		153.37	227.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:15:57	310.33		164.36	64.97	153.43	33.36	0.07	164.33	65.00		153.46	227.54
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:15:59	310.37		164.20	65.14	153.60	33.36	0.07	164.17	65.17		153.63	227.37
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:16:01	310.40		164.31	65.03	153.49	33.36	0.07	164.27	65.06		153.52	227.48
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:16:03	310.43		164.35	64.99	153.45	33.36	0.07	164.31	65.02		153.48	227.52
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:16:05	310.47		164.21	65.13	153.59	33.36	0.07	164.17	65.16		153.62	227.38
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:16:07	310.50		164.11	65.23	153.69	33.36	0.07	164.07	65.26		153.72	227.28
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:16:09	310.53		164.40	64.93	153.39	33.36	0.07	164.37	64.96		153.42	227.58
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:16:11	310.57		164.26	65.07	153.53	33.36	0.07	164.23	65.10		153.56	227.44
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:16:13	310.60		164.26	65.07	153.53	33.36	0.07	164.23	65.10		153.56	227.44
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:16:15	310.63		164.35	64.99	153.45	33.36	0.07	164.31	65.02		153.48	227.52
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:16:17	310.67		164.16	65.17	153.63	33.36	0.07	164.13	65.21		153.67	227.33
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:16:19	310.70		164.14	65.20	153.66	33.36	0.07	164.10	65.23		153.69	227.31
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:16:21	310.73		164.35	64.99	153.45	33.36	0.07	164.31	65.02		153.48	227.52
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:16:23	310.77		164.36	64.97	153.43	33.36	0.07	164.33	65.00		153.46	227.54
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:16:25	310.80		164.37	64.96	153.42	33.36	0.07	164.34	64.99		153.45	227.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:16:27	310.83		164.23	65.11	153.57	33.36	0.07	164.20	65.14		153.60	227.40
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:16:29	310.87		164.24	65.10	153.56	33.36	0.07	164.20	65.13		153.59	227.41
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:16:31	310.90		164.43	64.90	153.36	33.36	0.07	164.40	64.93		153.39	227.61

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:16:33	310.93		164.22	65.11	153.57	33.36	0.07	164.19	65.15		153.61	227.39
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:16:35	310.97		164.36	64.97	153.43	33.36	0.07	164.33	65.00		153.46	227.54
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:16:37	311.00		164.36	64.97	153.43	33.36	0.07	164.33	65.00		153.46	227.54
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:16:39	311.03		164.30	65.04	153.50	33.36	0.07	164.27	65.07		153.53	227.47
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:16:41	311.07		164.48	64.86	153.32	33.36	0.07	164.45	64.89		153.35	227.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:16:43	311.10		164.15	65.18	153.64	33.36	0.07	164.12	65.21		153.67	227.33
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:16:45	311.13		164.17	65.17	153.63	33.36	0.07	164.13	65.20		153.66	227.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:16:47	311.17		164.29	65.04	153.50	33.36	0.07	164.26	65.07		153.53	227.47
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:16:49	311.20		164.35	64.98	153.44	33.36	0.07	164.32	65.01		153.47	227.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:16:51	311.23		164.21	65.13	153.59	33.36	0.07	164.17	65.16		153.62	227.38
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:16:53	311.27		164.50	64.83	153.29	33.36	0.07	164.47	64.86		153.32	227.68
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:16:55	311.30		164.22	65.11	153.57	33.36	0.07	164.19	65.14		153.60	227.40
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:16:57	311.33		164.26	65.08	153.54	33.36	0.07	164.23	65.11		153.57	227.43
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:16:59	311.37		164.35	64.99	153.45	33.36	0.07	164.31	65.02		153.48	227.52
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:17:01	311.40		164.36	64.97	153.43	33.36	0.07	164.33	65.00		153.46	227.54
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:17:03	311.43		164.46	64.88	153.34	33.36	0.07	164.42	64.91		153.37	227.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:17:05	311.47		164.32	65.01	153.47	33.36	0.07	164.29	65.04		153.50	227.50
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:17:07	311.50		164.32	65.01	153.47	33.36	0.07	164.29	65.04		153.50	227.50
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:17:09	311.53		164.19	65.15	153.61	33.36	0.07	164.16	65.18		153.64	227.36
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:17:11	311.57		164.33	65.00	153.46	33.36	0.07	164.30	65.04		153.50	227.50
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:17:13	311.60		164.29	65.04	153.50	33.36	0.07	164.26	65.07		153.53	227.47
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:17:15	311.63		164.25	65.09	153.55	33.36	0.07	164.21	65.12		153.58	227.42
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:17:17	311.67		164.24	65.10	153.56	33.36	0.07	164.20	65.13		153.59	227.41
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:17:19	311.70		164.19	65.15	153.61	33.36	0.07	164.15	65.18		153.64	227.36
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:17:21	311.73		164.15	65.18	153.64	33.36	0.07	164.12	65.22		153.68	227.32
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:17:23	311.77		164.27	65.07	153.53	33.36	0.07	164.24	65.10		153.56	227.44
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:17:25	311.80		164.28	65.05	153.51	33.36	0.07	164.25	65.08		153.54	227.46
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:17:27	311.83		164.08	65.25	153.71	33.36	0.07	164.05	65.28		153.74	227.26
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:17:29	311.87		164.04	65.30	153.76	33.36	0.07	164.00	65.33		153.79	227.21
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:17:31	311.90		164.06	65.28	153.74	33.36	0.07	164.03	65.31		153.77	227.23
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:17:33	311.93		164.18	65.15	153.61	33.36	0.07	164.15	65.18		153.64	227.36
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:17:35	311.97		164.13	65.21	153.67	33.36	0.07	164.09	65.24		153.70	227.30
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:17:37	312.00		164.16	65.18	153.64	33.36	0.07	164.13	65.21		153.67	227.33
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:17:39	312.03		164.15	65.18	153.64	33.36	0.07	164.12	65.21		153.67	227.33
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:17:41	312.07		164.12	65.22	153.68	33.36	0.07	164.09	65.25		153.71	227.29
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:17:43	312.10		164.06	65.28	153.74	33.36	0.07	164.02	65.31		153.77	227.23
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:17:45	312.13		164.18	65.15	153.61	33.36	0.07	164.15	65.18		153.64	227.36
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:17:47	312.17		164.21	65.12	153.58	33.36	0.07	164.18	65.15		153.61	227.39
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:17:49	312.20		164.24	65.10	153.56	33.36	0.07	164.20	65.13		153.59	227.41
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:17:51	312.23		164.31	65.03	153.49	33.36	0.07	164.28	65.06		153.52	227.48
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:17:53	312.27		164.30	65.04	153.50	33.36	0.07	164.27	65.07		153.53	227.47
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:17:55	312.30		164.05	65.28	153.74	33.36	0.07	164.02	65.31		153.77	227.23
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:17:57	312.33		164.22	65.11	153.57	33.36	0.07	164.19	65.15		153.61	227.39
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:17:59	312.37		164.16	65.17	153.63	33.36	0.07	164.13	65.21		153.67	227.33
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:18:01	312.40		164.22	65.11	153.57	33.36	0.07	164.19	65.15		153.61	227.39
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:18:03	312.43		164.36	64.97	153.43	33.36	0.07	164.33	65.00		153.46	227.54
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:18:05	312.47		164.26	65.07	153.53	33.36	0.07	164.23	65.10		153.56	227.44
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:18:07	312.50		164.23	65.10	153.56	33.36	0.07	164.20	65.14		153.60	227.40
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:18:09	312.53		164.47	64.87	153.33	33.36	0.07	164.43	64.90		153.36	227.64
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:18:11	312.57		164.21	65.13	153.59	33.36	0.07	164.17	65.16		153.62	227.38
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:18:13	312.60		164.17	65.17	153.63	33.36	0.07	164.13	65.20		153.66	227.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:18:15	312.63		164.45	64.89	153.35	33.36	0.07	164.41	64.92		153.38	227.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:18:17	312.67		164.25	65.09	153.55	33.36	0.07	164.21	65.12		153.58	227.42
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:18:19	312.70		164.20	65.14	153.60	33.36	0.07	164.17	65.17		153.63	227.37
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:18:21	312.73		164.31	65.03	153.49	33.36	0.07	164.28	65.06		153.52	227.48
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:18:23	312.77		164.26	65.08	153.54	33.36	0.07	164.22	65.11		153.57	227.43
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:18:25	312.80		164.21	65.13	153.59	33.36	0.07	164.17	65.16		153.62	227.38
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:18:27	312.83		164.08	65.26	153.72	33.36	0.07	164.04	65.29		153.75	227.25
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:18:29	312.87		164.08	65.25	153.71	33.36	0.07	164.05	65.29		153.75	227.25
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:18:31	312.90		163.99	65.35	153.81	33.36	0.07	163.96	65.38		153.84	227.16
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:18:33	312.93		164.01	65.32	153.78	33.36	0.07	163.98	65.36		153.82	227.18
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:18:35	312.97		164.06	65.28	153.74	33.36	0.07	164.03	65.31		153.77	227.23
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:18:37	313.00		164.09	65.25	153.71	33.36	0.07	164.06	65.28		153.74	227.26
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:18:39	313.03		164.02	65.32	153.78	33.36	0.07	163.99	65.35		153.81	227.19
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:18:41	313.07		164.05	65.28	153.74	33.36	0.07	164.02	65.31		153.77	227.23
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:18:43	313.10		164.29	65.04	153.50	33.36	0.07	164.26	65.07		153.53	227.47
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:18:45	313.13		163.91	65.42	153.88	33.36	0.07	163.88	65.45		153.91	227.09
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:18:47	313.17		164.00	65.33	153.79	33.36	0.07	163.97	65.36		153.82	227.18
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:18:49	313.20		163.94	65.39	153.85	33.36	0.07	163.91	65.43		153.89	227.11
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:18:51	313.23		164.01	65.32	153.78	33.36	0.07	163.98	65.35		153.81	227.19
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:18:53	313.27		164.27	65.07	153.53	33.36	0.07	164.23	65.10		153.56	227.44
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:18:55	313.30		164.04	65.29	153.75	33.36	0.07	164.01	65.32		153.78	227.22
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:18:57	313.33		164.09	65.25	153.71	33.36	0.07	164.06	65.28		153.74	227.26
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:18:59	313.37		164.00	65.34	153.80	33.36	0.07	163.96	65.37		153.83	227.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:19:01	313.40		164.02	65.31	153.77	33.36	0.07	163.99	65.35		153.81	227.19
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:19:03	313.43		164.17	65.17	153.63	33.36	0.07	164.14	65.20		153.66	227.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:19:05	313.47		164.14	65.20	153.66	33.36	0.07	164.10	65.23		153.69	227.31
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:19:07	313.50		164.18	65.16	153.62	33.36	0.07	164.14	65.19		153.65	227.35
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:19:09	313.53		164.28	65.06	153.52	33.36	0.07	164.24	65.09		153.55	227.45
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:19:11	313.57		164.10	65.24	153.70	33.36	0.07	164.06	65.27		153.73	227.27
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:19:13	313.60		164.14	65.19	153.65	33.36	0.07	164.11	65.22		153.68	227.32
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:19:15	313.63		164.22	65.11	153.57	33.36	0.07	164.19	65.15		153.61	227.39
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:19:17	313.67		164.23	65.11	153.57	33.36	0.07	164.20	65.14		153.60	227.40
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:19:19	313.70		164.22	65.11	153.57	33.36	0.07	164.19	65.15		153.61	227.39
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:19:21	313.73		164.17	65.17	153.63	33.36	0.07	164.13	65.20		153.66	227.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:19:23	313.77		163.94	65.40	153.86	33.36	0.07	163.90	65.43		153.89	227.11
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:19:25	313.80		164.19	65.15	153.61	33.36	0.07	164.16	65.18		153.64	227.36
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:19:27	313.83		164.21	65.13	153.59	33.36	0.07	164.17	65.16		153.62	227.38
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:19:29	313.87		164.16	65.18	153.64	33.36	0.07	164.13	65.21		153.67	227.33
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:19:31	313.90		164.18	65.15	153.61	33.36	0.07	164.15	65.18		153.64	227.36
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:19:33	313.93		164.06	65.28	153.74	33.36	0.07	164.02	65.31		153.77	227.23
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:19:35	313.97		164.03	65.31	153.77	33.36	0.07	164.00	65.34		153.80	227.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:19:37	314.00		164.00	65.33	153.79	33.36	0.07	163.97	65.36		153.82	227.18
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:19:39	314.03		164.00	65.34	153.80	33.36	0.07	163.96	65.37		153.83	227.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:19:41	314.07		164.03	65.31	153.77	33.36	0.07	163.99	65.34		153.80	227.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:19:43	314.10		163.95	65.39	153.85	33.36	0.07	163.92	65.42		153.88	227.12
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:19:45	314.13		164.07	65.27	153.73	33.36	0.07	164.03	65.30		153.76	227.24

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:19:47	314.17		164.15	65.19	153.65	33.36	0.07	164.11	65.22		153.68	227.32
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:19:49	314.20		163.92	65.42	153.88	33.36	0.07	163.88	65.45		153.91	227.09
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:19:51	314.23		164.11	65.23	153.69	33.36	0.07	164.07	65.26		153.72	227.28
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:19:53	314.27		163.90	65.43	153.89	33.36	0.07	163.87	65.46		153.92	227.08
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:19:55	314.30		163.93	65.40	153.86	33.36	0.07	163.90	65.43		153.89	227.11
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:19:57	314.33		164.12	65.22	153.68	33.36	0.07	164.09	65.25		153.71	227.29
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:19:59	314.37		164.04	65.30	153.76	33.36	0.07	164.00	65.33		153.79	227.21
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:20:01	314.40		164.00	65.33	153.79	33.36	0.07	163.97	65.36		153.82	227.18
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:20:03	314.43		164.14	65.19	153.65	33.36	0.07	164.11	65.22		153.68	227.32
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:20:05	314.47		163.99	65.35	153.81	33.36	0.07	163.95	65.38		153.84	227.16
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:20:07	314.50		163.84	65.49	153.95	33.36	0.07	163.81	65.52		153.98	227.02
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:20:09	314.53		164.18	65.16	153.62	33.36	0.07	164.14	65.19		153.65	227.35
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:20:11	314.57		164.02	65.32	153.78	33.36	0.07	163.99	65.35		153.81	227.19
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:20:13	314.60		163.99	65.35	153.81	33.36	0.07	163.95	65.38		153.84	227.16
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:20:15	314.63		163.93	65.41	153.87	33.36	0.07	163.89	65.44		153.90	227.10
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:20:17	314.67		163.95	65.39	153.85	33.36	0.07	163.92	65.42		153.88	227.12
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:20:19	314.70		164.05	65.29	153.75	33.36	0.07	164.02	65.32		153.78	227.22
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:20:21	314.73		164.11	65.23	153.69	33.36	0.07	164.07	65.26		153.72	227.28
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:20:23	314.77		164.14	65.20	153.66	33.36	0.07	164.10	65.23		153.69	227.31
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:20:25	314.80		164.08	65.25	153.71	33.36	0.07	164.05	65.29		153.75	227.25
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:20:27	314.83		164.14	65.20	153.66	33.36	0.07	164.10	65.23		153.69	227.31
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:20:29	314.87		164.25	65.09	153.55	33.36	0.07	164.21	65.12		153.58	227.42
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:20:31	314.90		164.11	65.23	153.69	33.36	0.07	164.07	65.26		153.72	227.28
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:20:33	314.93		163.95	65.39	153.85	33.36	0.07	163.92	65.42		153.88	227.12
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:20:35	314.97		164.14	65.20	153.66	33.36	0.07	164.10	65.23		153.69	227.31
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:20:37	315.00		164.11	65.23	153.69	33.36	0.07	164.07	65.26		153.72	227.28
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:20:39	315.03		163.97	65.36	153.82	33.36	0.07	163.94	65.39		153.85	227.15
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:20:41	315.07		163.93	65.41	153.87	33.36	0.07	163.89	65.44		153.90	227.10
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:20:43	315.10		164.06	65.28	153.74	33.36	0.07	164.02	65.31		153.77	227.23
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:20:45	315.13		163.89	65.45	153.91	33.36	0.07	163.85	65.48		153.94	227.06
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:20:47	315.17		164.00	65.34	153.80	33.36	0.07	163.96	65.37		153.83	227.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:20:49	315.20		164.02	65.32	153.78	33.36	0.07	163.99	65.35		153.81	227.19
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:20:51	315.23		163.88	65.46	153.92	33.36	0.07	163.85	65.49		153.95	227.05
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:20:53	315.27		163.90	65.43	153.89	33.36	0.07	163.87	65.46		153.92	227.08
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:20:55	315.30		163.91	65.43	153.89	33.36	0.07	163.88	65.46		153.92	227.08
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:20:57	315.33		163.76	65.57	154.03	33.36	0.07	163.73	65.60		154.06	226.94
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:20:59	315.37		163.99	65.35	153.81	33.36	0.07	163.95	65.38		153.84	227.16
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:21:01	315.40		163.83	65.50	153.96	33.36	0.07	163.80	65.53		153.99	227.01
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:21:03	315.43		163.89	65.45	153.91	33.36	0.07	163.86	65.48		153.94	227.06
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:21:05	315.47		163.86	65.47	153.93	33.36	0.07	163.83	65.50		153.96	227.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:21:07	315.50		163.96	65.37	153.83	33.36	0.07	163.93	65.40		153.86	227.14
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:21:09	315.53		163.77	65.56	154.02	33.36	0.07	163.74	65.59		154.05	226.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:21:11	315.57		163.92	65.42	153.88	33.36	0.07	163.88	65.45		153.91	227.09
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:21:13	315.60		163.99	65.35	153.81	33.36	0.07	163.95	65.38		153.84	227.16
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:21:15	315.63		163.91	65.42	153.88	33.36	0.07	163.88	65.45		153.91	227.09
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:21:17	315.67		163.93	65.41	153.87	33.36	0.07	163.89	65.44		153.90	227.10
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:21:19	315.70		163.89	65.45	153.91	33.36	0.07	163.85	65.48		153.94	227.06
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:21:21	315.73		163.99	65.35	153.81	33.36	0.07	163.95	65.38		153.84	227.16
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:21:23	315.77		164.03	65.30	153.76	33.36	0.07	164.00	65.33		153.79	227.21
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:21:25	315.80		164.05	65.29	153.75	33.36	0.07	164.02	65.32		153.78	227.22
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:21:27	315.83		163.90	65.44	153.90	33.36	0.07	163.86	65.47		153.93	227.07
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:21:29	315.87		163.89	65.45	153.91	33.36	0.07	163.85	65.48		153.94	227.06
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:21:31	315.90		164.04	65.29	153.75	33.36	0.07	164.01	65.32		153.78	227.22
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:21:33	315.93		163.90	65.43	153.89	33.36	0.07	163.87	65.46		153.92	227.08
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:21:35	315.97		163.88	65.45	153.91	33.36	0.07	163.85	65.49		153.95	227.05
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:21:37	316.00		163.97	65.36	153.82	33.36	0.07	163.94	65.39		153.85	227.15
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:21:39	316.03		163.98	65.36	153.82	33.36	0.07	163.95	65.39		153.85	227.15
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:21:41	316.07		164.22	65.11	153.57	33.36	0.07	164.19	65.15		153.61	227.39
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:21:43	316.10		164.00	65.34	153.80	33.36	0.07	163.96	65.37		153.83	227.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:21:45	316.13		164.03	65.30	153.76	33.36	0.07	164.00	65.33		153.79	227.21
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:21:47	316.17		163.82	65.51	153.97	33.36	0.07	163.79	65.54		154.00	227.00
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:21:49	316.20		163.96	65.38	153.84	33.36	0.07	163.92	65.41		153.87	227.13
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:21:51	316.23		164.09	65.24	153.70	33.36	0.07	164.06	65.28		153.74	227.26
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:21:53	316.27		164.00	65.33	153.79	33.36	0.07	163.97	65.36		153.82	227.18
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:21:55	316.30		163.96	65.38	153.84	33.36	0.07	163.92	65.41		153.87	227.13
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:21:57	316.33		164.03	65.31	153.77	33.36	0.07	163.99	65.34		153.80	227.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:21:59	316.37		163.95	65.39	153.85	33.36	0.07	163.92	65.42		153.88	227.12
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:22:01	316.40		163.98	65.35	153.81	33.36	0.07	163.95	65.38		153.84	227.16
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:22:03	316.43		163.89	65.45	153.91	33.36	0.07	163.85	65.48		153.94	227.06
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:22:05	316.47		163.82	65.51	153.97	33.36	0.07	163.79	65.54		154.00	227.00
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:22:07	316.50		163.80	65.53	153.99	33.36	0.07	163.77	65.57		154.03	226.97
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:22:09	316.53		163.79	65.55	154.01	33.36	0.07	163.75	65.58		154.04	226.96
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:22:11	316.57		163.79	65.55	154.01	33.36	0.07	163.75	65.58		154.04	226.96
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:22:13	316.60		163.97	65.36	153.82	33.36	0.07	163.94	65.39		153.85	227.15
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:22:15	316.63		163.88	65.45	153.91	33.36	0.07	163.85	65.49		153.95	227.05
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:22:17	316.67		163.90	65.43	153.89	33.36	0.07	163.87	65.46		153.92	227.08
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:22:19	316.70		163.82	65.52	153.98	33.36	0.07	163.78	65.55		154.01	226.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:22:21	316.73		163.82	65.51	153.97	33.36	0.07	163.79	65.54		154.00	227.00
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:22:23	316.77		163.80	65.54	154.00	33.36	0.07	163.76	65.57		154.03	226.97
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:22:25	316.80		163.86	65.48	153.94	33.36	0.07	163.82	65.51		153.97	227.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:22:27	316.83		164.00	65.33	153.79	33.36	0.07	163.97	65.36		153.82	227.18
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:22:29	316.87		163.90	65.43	153.89	33.36	0.07	163.87	65.46		153.92	227.08
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:22:31	316.90		163.93	65.41	153.87	33.36	0.07	163.89	65.44		153.90	227.10
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:22:33	316.93		163.86	65.48	153.94	33.36	0.07	163.82	65.51		153.97	227.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:22:35	316.97		163.93	65.40	153.86	33.36	0.07	163.90	65.43		153.89	227.11
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:22:37	317.00		163.96	65.37	153.83	33.36	0.07	163.93	65.40		153.86	227.14
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:22:39	317.03		163.98	65.36	153.82	33.36	0.07	163.95	65.39		153.85	227.15
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:22:41	317.07		163.85	65.49	153.95	33.36	0.07	163.81	65.52		153.98	227.02
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:22:43	317.10		163.97	65.36	153.82	33.36	0.07	163.94	65.39		153.85	227.15
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:22:45	317.13		163.75	65.59	154.05	33.36	0.07	163.71	65.62		154.08	226.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:22:47	317.17		163.80	65.53	153.99	33.36	0.07	163.77	65.57		154.03	226.97
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:22:49	317.20		164.07	65.27	153.73	33.36	0.07	164.03	65.30		153.76	227.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:22:51	317.23		163.90	65.43	153.89	33.36	0.07	163.87	65.46		153.92	227.08
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:22:53	317.27		163.87	65.46	153.92	33.36	0.07	163.84	65.50		153.96	227.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:22:55	317.30		163.86	65.47	153.93	33.36	0.07	163.83	65.50		153.96	227.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:22:57	317.33		164.01	65.32	153.78	33.36	0.07	163.98	65.36		153.82	227.18
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:22:59	317.37		163.84	65.50	153.96	33.36	0.07	163.81	65.53		153.99	227.01

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:23:01	317.40		163.92	65.42	153.88	33.36	0.07	163.88	65.45		153.91	227.09
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:23:03	317.43		163.87	65.46	153.92	33.36	0.07	163.84	65.49		153.95	227.05
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:23:05	317.47		163.86	65.48	153.94	33.36	0.07	163.82	65.51		153.97	227.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:23:07	317.50		163.84	65.50	153.96	33.36	0.07	163.81	65.53		153.99	227.01
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:23:09	317.53		163.87	65.46	153.92	33.36	0.07	163.84	65.50		153.96	227.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:23:11	317.57		163.81	65.52	153.98	33.36	0.07	163.78	65.56		154.02	226.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:23:13	317.60		163.68	65.66	154.12	33.36	0.07	163.64	65.69		154.15	226.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:23:15	317.63		163.77	65.56	154.02	33.36	0.07	163.74	65.59		154.05	226.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:23:17	317.67		163.74	65.60	154.06	33.36	0.07	163.70	65.63		154.09	226.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:23:19	317.70		164.00	65.33	153.79	33.36	0.07	163.97	65.36		153.82	227.18
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:23:21	317.73		163.86	65.48	153.94	33.36	0.07	163.82	65.51		153.97	227.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:23:23	317.77		163.95	65.39	153.85	33.36	0.07	163.92	65.42		153.88	227.12
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:23:25	317.80		163.92	65.42	153.88	33.36	0.07	163.88	65.45		153.91	227.09
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:23:27	317.83		163.68	65.65	154.11	33.36	0.07	163.65	65.68		154.14	226.86
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:23:29	317.87		163.80	65.53	153.99	33.36	0.07	163.77	65.56		154.02	226.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:23:31	317.90		163.83	65.50	153.96	33.36	0.07	163.80	65.53		153.99	227.01
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:23:33	317.93		163.68	65.65	154.11	33.36	0.07	163.65	65.68		154.14	226.86
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:23:35	317.97		163.86	65.47	153.93	33.36	0.07	163.83	65.50		153.96	227.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:23:37	318.00		163.87	65.47	153.93	33.36	0.07	163.83	65.50		153.96	227.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:23:39	318.03		163.73	65.60	154.06	33.36	0.07	163.70	65.64		154.10	226.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:23:41	318.07		163.81	65.53	153.99	33.36	0.07	163.77	65.56		154.02	226.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:23:43	318.10		163.75	65.58	154.04	33.36	0.07	163.72	65.61		154.07	226.93
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:23:45	318.13		163.82	65.51	153.97	33.36	0.07	163.79	65.54		154.00	227.00
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:23:47	318.17		163.77	65.56	154.02	33.36	0.07	163.74	65.59		154.05	226.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:23:49	318.20		164.04	65.29	153.75	33.36	0.07	164.01	65.32		153.78	227.22
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:23:51	318.23		163.83	65.50	153.96	33.36	0.07	163.80	65.53		153.99	227.01
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:23:53	318.27		163.94	65.40	153.86	33.36	0.07	163.90	65.43		153.89	227.11
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:23:55	318.30		163.67	65.67	154.13	33.36	0.07	163.64	65.70		154.16	226.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:23:57	318.33		163.78	65.56	154.02	33.36	0.07	163.74	65.59		154.05	226.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:23:59	318.37		163.79	65.55	154.01	33.36	0.07	163.75	65.58		154.04	226.96
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:24:01	318.40		163.72	65.62	154.08	33.36	0.07	163.68	65.65		154.11	226.89
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:24:03	318.43		163.76	65.57	154.03	33.36	0.07	163.73	65.60		154.06	226.94
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:24:05	318.47		163.82	65.52	153.98	33.36	0.07	163.78	65.55		154.01	226.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:24:07	318.50		163.90	65.43	153.89	33.36	0.07	163.87	65.46		153.92	227.08
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:24:09	318.53		163.83	65.51	153.97	33.36	0.07	163.79	65.54		154.00	227.00
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:24:11	318.57		163.82	65.52	153.98	33.36	0.07	163.78	65.55		154.01	226.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:24:13	318.60		163.74	65.60	154.06	33.36	0.07	163.70	65.63		154.09	226.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:24:15	318.63		163.72	65.61	154.07	33.36	0.07	163.69	65.64		154.10	226.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:24:17	318.67		163.79	65.55	154.01	33.36	0.07	163.75	65.58		154.04	226.96
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:24:19	318.70		163.78	65.56	154.02	33.36	0.07	163.74	65.59		154.05	226.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:24:21	318.73		163.75	65.59	154.05	33.36	0.07	163.71	65.62		154.08	226.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:24:23	318.77		163.68	65.66	154.12	33.36	0.07	163.64	65.69		154.15	226.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:24:25	318.80		163.60	65.74	154.20	33.36	0.07	163.57	65.77		154.23	226.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:24:27	318.83		163.82	65.52	153.98	33.36	0.07	163.78	65.55		154.01	226.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:24:29	318.87		163.69	65.64	154.10	33.36	0.07	163.66	65.67		154.13	226.87
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:24:31	318.90		163.54	65.79	154.25	33.36	0.07	163.51	65.82		154.28	226.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:24:33	318.93		163.81	65.53	153.99	33.36	0.07	163.77	65.56		154.02	226.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:24:35	318.97		163.53	65.81	154.27	33.36	0.07	163.50	65.84		154.30	226.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:24:37	319.00		163.73	65.61	154.07	33.36	0.07	163.69	65.64		154.10	226.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:24:39	319.03		163.83	65.50	153.96	33.36	0.07	163.80	65.53		153.99	227.01
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:24:41	319.07		163.67	65.67	154.13	33.36	0.07	163.63	65.70		154.16	226.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:24:43	319.10		163.74	65.60	154.06	33.36	0.07	163.70	65.63		154.09	226.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:24:45	319.13		163.74	65.59	154.05	33.36	0.07	163.71	65.63		154.09	226.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:24:47	319.17		163.84	65.50	153.96	33.36	0.07	163.81	65.53		153.99	227.01
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:24:49	319.20		163.64	65.70	154.16	33.36	0.07	163.60	65.73		154.19	226.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:24:51	319.23		163.91	65.42	153.88	33.36	0.07	163.88	65.45		153.91	227.09
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:24:53	319.27		163.70	65.64	154.10	33.36	0.07	163.67	65.67		154.13	226.87
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:24:55	319.30		163.75	65.58	154.04	33.36	0.07	163.72	65.61		154.07	226.93
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:24:57	319.33		163.79	65.54	154.00	33.36	0.07	163.76	65.57		154.03	226.97
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:24:59	319.37		163.83	65.51	153.97	33.36	0.07	163.79	65.54		154.00	227.00
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:25:01	319.40		163.68	65.66	154.12	33.36	0.07	163.64	65.69		154.15	226.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:25:03	319.43		163.74	65.60	154.06	33.36	0.07	163.70	65.63		154.09	226.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:25:05	319.47		163.75	65.59	154.05	33.36	0.07	163.71	65.62		154.08	226.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:25:07	319.50		163.73	65.60	154.06	33.36	0.07	163.70	65.63		154.09	226.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:25:09	319.53		163.79	65.55	154.01	33.36	0.07	163.75	65.58		154.04	226.96
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:25:11	319.57		163.80	65.53	153.99	33.36	0.07	163.77	65.57		154.03	226.97
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:25:13	319.60		163.74	65.59	154.05	33.36	0.07	163.71	65.63		154.09	226.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:25:15	319.63		163.80	65.54	154.00	33.36	0.07	163.76	65.57		154.03	226.97
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:25:17	319.67		163.90	65.44	153.90	33.36	0.07	163.86	65.47		153.93	227.07
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:25:19	319.70		163.84	65.50	153.96	33.36	0.07	163.81	65.53		153.99	227.01
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:25:21	319.73		163.74	65.60	154.06	33.36	0.07	163.70	65.63		154.09	226.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:25:23	319.77		163.80	65.53	153.99	33.36	0.07	163.77	65.57		154.03	226.97
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:25:25	319.80		163.77	65.57	154.03	33.36	0.07	163.73	65.60		154.06	226.94
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:25:27	319.83		163.76	65.57	154.03	33.36	0.07	163.73	65.61		154.07	226.93
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:25:29	319.87		163.73	65.60	154.06	33.36	0.07	163.70	65.64		154.10	226.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:25:31	319.90		163.73	65.61	154.07	33.36	0.07	163.69	65.64		154.10	226.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:25:33	319.93		163.46	65.88	154.34	33.36	0.07	163.42	65.91		154.37	226.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:25:35	319.97		163.75	65.58	154.04	33.36	0.07	163.72	65.61		154.07	226.93
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:25:37	320.00		163.79	65.55	154.01	33.36	0.07	163.75	65.58		154.04	226.96
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:25:39	320.03		163.66	65.68	154.14	33.36	0.07	163.63	65.71		154.17	226.83
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:25:41	320.07		163.60	65.74	154.20	33.36	0.07	163.56	65.77		154.23	226.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:25:43	320.10		163.57	65.77	154.23	33.36	0.07	163.53	65.80		154.26	226.74
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:25:45	320.13		163.43	65.91	154.37	33.36	0.07	163.39	65.94		154.40	226.60
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:25:47	320.17		163.75	65.59	154.05	33.36	0.07	163.71	65.62		154.08	226.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:25:49	320.20		163.79	65.55	154.01	33.36	0.07	163.75	65.58		154.04	226.96
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:25:51	320.23		163.71	65.63	154.09	33.36	0.07	163.67	65.66		154.12	226.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:25:53	320.27		163.66	65.68	154.14	33.36	0.07	163.63	65.71		154.17	226.83
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:25:55	320.30		163.60	65.74	154.20	33.36	0.07	163.56	65.77		154.23	226.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:25:57	320.33		163.69	65.64	154.10	33.36	0.07	163.66	65.67		154.13	226.87
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:25:59	320.37		163.68	65.66	154.12	33.36	0.07	163.64	65.69		154.15	226.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:26:01	320.40		163.72	65.62	154.08	33.36	0.07	163.68	65.65		154.11	226.89
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:26:03	320.43		163.83	65.50	153.96	33.36	0.07	163.80	65.54		154.00	227.00
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:26:05	320.47		163.73	65.60	154.06	33.36	0.07	163.70	65.64		154.10	226.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:26:07	320.50		163.56	65.77	154.23	33.36	0.07	163.53	65.81		154.27	226.73
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:26:09	320.53		163.87	65.46	153.92	33.36	0.07	163.84	65.50		153.96	227.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:26:11	320.57		163.72	65.62	154.08	33.36	0.07	163.68	65.65		154.11	226.89
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:26:13	320.60		163.67	65.67	154.13	33.36	0.07	163.63	65.70		154.16	226.84

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:26:15	320.63		163.73	65.60	154.06	33.36	0.07	163.70	65.64		154.10	226.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:26:17	320.67		163.58	65.75	154.21	33.36	0.07	163.55	65.79		154.25	226.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:26:19	320.70		163.51	65.83	154.29	33.36	0.07	163.47	65.86		154.32	226.68
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:26:21	320.73		163.86	65.48	153.94	33.36	0.07	163.82	65.51		153.97	227.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:26:23	320.77		163.75	65.59	154.05	33.36	0.07	163.71	65.62		154.08	226.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:26:25	320.80		163.47	65.87	154.33	33.36	0.07	163.43	65.90		154.36	226.64
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:26:27	320.83		163.55	65.78	154.24	33.36	0.07	163.52	65.82		154.28	226.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:26:29	320.87		163.66	65.68	154.14	33.36	0.07	163.63	65.71		154.17	226.83
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:26:31	320.90		163.67	65.67	154.13	33.36	0.07	163.64	65.70		154.16	226.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:26:33	320.93		163.67	65.67	154.13	33.36	0.07	163.63	65.70		154.16	226.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:26:35	320.97		163.72	65.62	154.08	33.36	0.07	163.68	65.65		154.11	226.89
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:26:37	321.00		163.65	65.68	154.14	33.36	0.07	163.62	65.71		154.17	226.83
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:26:39	321.03		163.66	65.68	154.14	33.36	0.07	163.63	65.71		154.17	226.83
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:26:41	321.07		163.61	65.73	154.19	33.36	0.07	163.57	65.76		154.22	226.78
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:26:43	321.10		163.58	65.76	154.22	33.36	0.07	163.54	65.79		154.25	226.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:26:45	321.13		163.74	65.60	154.06	33.36	0.07	163.70	65.63		154.09	226.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:26:47	321.17		163.63	65.70	154.16	33.36	0.07	163.60	65.74		154.20	226.80
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:26:49	321.20		163.54	65.79	154.25	33.36	0.07	163.51	65.82		154.28	226.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:26:51	321.23		163.49	65.84	154.30	33.36	0.07	163.46	65.88		154.34	226.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:26:53	321.27		163.55	65.78	154.24	33.36	0.07	163.52	65.82		154.28	226.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:26:55	321.30		163.59	65.75	154.21	33.36	0.07	163.56	65.78		154.24	226.76
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:26:57	321.33		163.51	65.82	154.28	33.36	0.07	163.48	65.86		154.32	226.68
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:26:59	321.37		163.47	65.86	154.32	33.36	0.07	163.44	65.89		154.35	226.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:27:01	321.40		163.67	65.67	154.13	33.36	0.07	163.63	65.70		154.16	226.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:27:03	321.43		163.55	65.78	154.24	33.36	0.07	163.52	65.81		154.27	226.73
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:27:05	321.47		163.54	65.80	154.26	33.36	0.07	163.50	65.83		154.29	226.71
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:27:07	321.50		163.74	65.59	154.05	33.36	0.07	163.71	65.63		154.09	226.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:27:09	321.53		163.55	65.78	154.24	33.36	0.07	163.52	65.82		154.28	226.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:27:11	321.57		163.80	65.53	153.99	33.36	0.07	163.77	65.56		154.02	226.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:27:13	321.60		163.75	65.59	154.05	33.36	0.07	163.71	65.62		154.08	226.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:27:15	321.63		163.81	65.52	153.98	33.36	0.07	163.78	65.56		154.02	226.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:27:17	321.67		163.71	65.63	154.09	33.36	0.07	163.67	65.66		154.12	226.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:27:19	321.70		163.76	65.58	154.04	33.36	0.07	163.72	65.61		154.07	226.93
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:27:21	321.73		163.69	65.64	154.10	33.36	0.07	163.66	65.68		154.14	226.86
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:27:23	321.77		163.57	65.77	154.23	33.36	0.07	163.53	65.80		154.26	226.74
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:27:25	321.80		163.75	65.58	154.04	33.36	0.07	163.72	65.61		154.07	226.93
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:27:27	321.83		163.78	65.56	154.02	33.36	0.07	163.74	65.59		154.05	226.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:27:29	321.87		163.64	65.70	154.16	33.36	0.07	163.60	65.73		154.19	226.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:27:31	321.90		163.50	65.84	154.30	33.36	0.07	163.46	65.87		154.33	226.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:27:33	321.93		163.66	65.67	154.13	33.36	0.07	163.63	65.70		154.16	226.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:27:35	321.97		163.71	65.63	154.09	33.36	0.07	163.67	65.66		154.12	226.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:27:37	322.00		163.58	65.75	154.21	33.36	0.07	163.55	65.79		154.25	226.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:27:39	322.03		163.50	65.84	154.30	33.36	0.07	163.46	65.87		154.33	226.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:27:41	322.07		163.54	65.80	154.26	33.36	0.07	163.50	65.83		154.29	226.71
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:27:43	322.10		163.59	65.74	154.20	33.36	0.07	163.56	65.77		154.23	226.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:27:45	322.13		163.64	65.70	154.16	33.36	0.07	163.60	65.73		154.19	226.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:27:47	322.17		163.72	65.62	154.08	33.36	0.07	163.68	65.65		154.11	226.89
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:27:49	322.20		163.56	65.78	154.24	33.36	0.07	163.52	65.81		154.27	226.73
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:27:51	322.23		163.63	65.70	154.16	33.36	0.07	163.60	65.74		154.20	226.80
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:27:53	322.27		163.54	65.80	154.26	33.36	0.07	163.50	65.83		154.29	226.71
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:27:55	322.30		163.59	65.75	154.21	33.36	0.07	163.56	65.78		154.24	226.76
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:27:57	322.33		163.48	65.85	154.31	33.36	0.07	163.45	65.88		154.34	226.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:27:59	322.37		163.70	65.64	154.10	33.36	0.07	163.66	65.67		154.13	226.87
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:28:01	322.40		163.59	65.74	154.20	33.36	0.07	163.56	65.77		154.23	226.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:28:03	322.43		163.62	65.71	154.17	33.36	0.07	163.59	65.75		154.21	226.79
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:28:05	322.47		163.59	65.75	154.21	33.36	0.07	163.56	65.78		154.24	226.76
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:28:07	322.50		163.55	65.78	154.24	33.36	0.07	163.52	65.82		154.28	226.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:28:09	322.53		163.48	65.85	154.31	33.36	0.07	163.45	65.89		154.35	226.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:28:11	322.57		163.73	65.60	154.06	33.36	0.07	163.70	65.64		154.10	226.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:28:13	322.60		163.45	65.89	154.35	33.36	0.07	163.42	65.92		154.38	226.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:28:15	322.63		163.54	65.79	154.25	33.36	0.07	163.51	65.82		154.28	226.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:28:17	322.67		163.51	65.82	154.28	33.36	0.07	163.48	65.86		154.32	226.68
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:28:19	322.70		163.44	65.89	154.35	33.36	0.07	163.41	65.92		154.38	226.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:28:21	322.73		163.61	65.72	154.18	33.36	0.07	163.58	65.75		154.21	226.79
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:28:23	322.77		163.71	65.63	154.09	33.36	0.07	163.67	65.66		154.12	226.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:28:25	322.80		163.58	65.76	154.22	33.36	0.07	163.54	65.79		154.25	226.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:28:27	322.83		163.62	65.71	154.17	33.36	0.07	163.59	65.75		154.21	226.79
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:28:29	322.87		163.69	65.64	154.10	33.36	0.07	163.66	65.68		154.14	226.86
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:28:31	322.90		163.65	65.68	154.14	33.36	0.07	163.62	65.71		154.17	226.83
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:28:33	322.93		163.71	65.63	154.09	33.36	0.07	163.67	65.66		154.12	226.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:28:35	322.97		163.70	65.64	154.10	33.36	0.07	163.66	65.67		154.13	226.87
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:28:37	323.00		163.66	65.68	154.14	33.36	0.07	163.63	65.71		154.17	226.83
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:28:39	323.03		163.71	65.63	154.09	33.36	0.07	163.67	65.66		154.12	226.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:28:41	323.07		163.66	65.68	154.14	33.36	0.07	163.63	65.71		154.17	226.83
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:28:43	323.10		163.72	65.62	154.08	33.36	0.07	163.68	65.65		154.11	226.89
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:28:45	323.13		163.49	65.85	154.31	33.36	0.07	163.45	65.88		154.34	226.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:28:47	323.17		163.56	65.77	154.23	33.36	0.07	163.53	65.81		154.27	226.73
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:28:49	323.20		163.64	65.70	154.16	33.36	0.07	163.60	65.73		154.19	226.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:28:51	323.23		163.62	65.72	154.18	33.36	0.07	163.58	65.75		154.21	226.79
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:28:53	323.27		163.43	65.90	154.36	33.36	0.07	163.40	65.93		154.39	226.61
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:28:55	323.30		163.56	65.77	154.23	33.36	0.07	163.53	65.81		154.27	226.73
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:28:57	323.33		163.59	65.75	154.21	33.36	0.07	163.56	65.78		154.24	226.76
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:28:59	323.37		163.45	65.88	154.34	33.36	0.07	163.42	65.92		154.38	226.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:29:01	323.40		163.59	65.75	154.21	33.36	0.07	163.56	65.78		154.24	226.76
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:29:03	323.43		163.46	65.88	154.34	33.36	0.07	163.42	65.91		154.37	226.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:29:05	323.47		163.58	65.76	154.22	33.36	0.07	163.54	65.79		154.25	226.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:29:07	323.50		163.55	65.78	154.24	33.36	0.07	163.52	65.81		154.27	226.73
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:29:09	323.53		163.51	65.83	154.29	33.36	0.07	163.47	65.86		154.32	226.68
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:29:11	323.57		163.48	65.85	154.31	33.36	0.07	163.45	65.88		154.34	226.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:29:13	323.60		163.48	65.85	154.31	33.36	0.07	163.45	65.89		154.35	226.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:29:15	323.63		163.41	65.92	154.38	33.36	0.07	163.38	65.95		154.41	226.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:29:17	323.67		163.44	65.90	154.36	33.36	0.07	163.40	65.93		154.39	226.61
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:29:19	323.70		163.55	65.79	154.25	33.36	0.07	163.51	65.82		154.28	226.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:29:21	323.73		163.62	65.71	154.17	33.36	0.07	163.59	65.75		154.21	226.79
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:29:23	323.77		163.58	65.76	154.22	33.36	0.07	163.54	65.79		154.25	226.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:29:25	323.80		163.49	65.85	154.31	33.36	0.07	163.45	65.88		154.34	226.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:29:27	323.83		163.51	65.82	154.28	33.36	0.07	163.48	65.86		154.32	226.68

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:29:29	323.87		163.47	65.87	154.33	33.36	0.07	163.43	65.90		154.36	226.64
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:29:31	323.90		163.54	65.79	154.25	33.36	0.07	163.51	65.82		154.28	226.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:29:33	323.93		163.51	65.82	154.28	33.36	0.07	163.48	65.86		154.32	226.68
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:29:35	323.97		163.55	65.79	154.25	33.36	0.07	163.51	65.82		154.28	226.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:29:37	324.00		163.62	65.71	154.17	33.36	0.07	163.59	65.75		154.21	226.79
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:29:39	324.03		163.53	65.81	154.27	33.36	0.07	163.49	65.84		154.30	226.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:29:41	324.07		163.62	65.71	154.17	33.36	0.07	163.59	65.75		154.21	226.79
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:29:43	324.10		163.65	65.69	154.15	33.36	0.07	163.61	65.72		154.18	226.82
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:29:45	324.13		163.51	65.83	154.29	33.36	0.07	163.47	65.86		154.32	226.68
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:29:47	324.17		163.61	65.73	154.19	33.36	0.07	163.57	65.76		154.22	226.78
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:29:49	324.20		163.58	65.76	154.22	33.36	0.07	163.54	65.79		154.25	226.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:29:51	324.23		163.28	66.06	154.52	33.36	0.07	163.24	66.09		154.55	226.45
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:29:53	324.27		163.48	65.85	154.31	33.36	0.07	163.45	65.89		154.35	226.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:29:55	324.30		163.47	65.87	154.33	33.36	0.07	163.43	65.90		154.36	226.64
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:29:57	324.33		163.44	65.89	154.35	33.36	0.07	163.41	65.92		154.38	226.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:29:59	324.37		163.48	65.86	154.32	33.36	0.07	163.44	65.89		154.35	226.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:30:01	324.40		163.51	65.83	154.29	33.36	0.07	163.47	65.86		154.32	226.68
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:30:03	324.43		163.54	65.79	154.25	33.36	0.07	163.51	65.82		154.28	226.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:30:05	324.47		163.48	65.85	154.31	33.36	0.07	163.45	65.89		154.35	226.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:30:07	324.50		163.49	65.84	154.30	33.36	0.07	163.46	65.88		154.34	226.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:30:09	324.53		163.45	65.88	154.34	33.36	0.07	163.42	65.92		154.38	226.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:30:11	324.57		163.58	65.76	154.22	33.36	0.07	163.54	65.79		154.25	226.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:30:13	324.60		163.53	65.81	154.27	33.36	0.07	163.49	65.84		154.30	226.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:30:15	324.63		163.30	66.03	154.49	33.36	0.07	163.27	66.07		154.53	226.47
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:30:17	324.67		163.51	65.83	154.29	33.36	0.07	163.47	65.86		154.32	226.68
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:30:19	324.70		163.29	66.05	154.51	33.36	0.07	163.25	66.08		154.54	226.46
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:30:21	324.73		163.39	65.95	154.41	33.36	0.07	163.35	65.98		154.44	226.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:30:23	324.77		163.44	65.89	154.35	33.36	0.07	163.41	65.92		154.38	226.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:30:25	324.80		163.48	65.85	154.31	33.36	0.07	163.45	65.89		154.35	226.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:30:27	324.83		163.33	66.00	154.46	33.36	0.07	163.30	66.03		154.49	226.51
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:30:29	324.87		163.32	66.02	154.48	33.36	0.07	163.28	66.05		154.51	226.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:30:31	324.90		163.37	65.96	154.42	33.36	0.07	163.34	65.99		154.45	226.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:30:33	324.93		163.45	65.89	154.35	33.36	0.07	163.42	65.92		154.38	226.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:30:35	324.97		163.55	65.79	154.25	33.36	0.07	163.51	65.82		154.28	226.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:30:37	325.00		163.49	65.85	154.31	33.36	0.07	163.45	65.88		154.34	226.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:30:39	325.03		163.52	65.82	154.28	33.36	0.07	163.48	65.85		154.31	226.69
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:30:41	325.07		163.60	65.74	154.20	33.36	0.07	163.56	65.77		154.23	226.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:30:43	325.10		163.56	65.77	154.23	33.36	0.07	163.53	65.81		154.27	226.73
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:30:45	325.13		163.50	65.84	154.30	33.36	0.07	163.46	65.87		154.33	226.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:30:47	325.17		163.52	65.82	154.28	33.36	0.07	163.49	65.85		154.31	226.69
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:30:49	325.20		163.29	66.05	154.51	33.36	0.07	163.25	66.08		154.54	226.46
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:30:51	325.23		163.55	65.78	154.24	33.36	0.07	163.52	65.81		154.27	226.73
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:30:53	325.27		163.47	65.86	154.32	33.36	0.07	163.44	65.89		154.35	226.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:30:55	325.30		163.39	65.95	154.41	33.36	0.07	163.36	65.98		154.44	226.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:30:57	325.33		163.57	65.77	154.23	33.36	0.07	163.53	65.80		154.26	226.74
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:30:59	325.37		163.44	65.89	154.35	33.36	0.07	163.41	65.93		154.39	226.61
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:31:01	325.40		163.75	65.59	154.05	33.36	0.07	163.71	65.62		154.08	226.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:31:03	325.43		163.51	65.83	154.29	33.36	0.07	163.47	65.86		154.32	226.68
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:31:05	325.47		163.57	65.77	154.23	33.36	0.07	163.53	65.80		154.26	226.74
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:31:07	325.50		163.43	65.91	154.37	33.36	0.07	163.39	65.94		154.40	226.60
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:31:09	325.53		163.56	65.78	154.24	33.36	0.07	163.52	65.81		154.27	226.73
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:31:11	325.57		163.51	65.83	154.29	33.36	0.07	163.47	65.86		154.32	226.68
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:31:13	325.60		163.52	65.82	154.28	33.36	0.07	163.48	65.85		154.31	226.69
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:31:15	325.63		163.56	65.77	154.23	33.36	0.07	163.53	65.81		154.27	226.73
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:31:17	325.67		163.27	66.06	154.52	33.36	0.07	163.24	66.10		154.56	226.44
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:31:19	325.70		163.48	65.85	154.31	33.36	0.07	163.45	65.88		154.34	226.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:31:21	325.73		163.39	65.95	154.41	33.36	0.07	163.35	65.98		154.44	226.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:31:23	325.77		163.42	65.92	154.38	33.36	0.07	163.38	65.95		154.41	226.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:31:25	325.80		163.48	65.85	154.31	33.36	0.07	163.45	65.88		154.34	226.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:31:27	325.83		163.42	65.91	154.37	33.36	0.07	163.39	65.95		154.41	226.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:31:29	325.87		163.38	65.96	154.42	33.36	0.07	163.35	65.99		154.45	226.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:31:31	325.90		163.48	65.86	154.32	33.36	0.07	163.44	65.89		154.35	226.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:31:33	325.93		163.44	65.89	154.35	33.36	0.07	163.41	65.93		154.39	226.61
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:31:35	325.97		163.46	65.88	154.34	33.36	0.07	163.42	65.91		154.37	226.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:31:37	326.00		163.38	65.96	154.42	33.36	0.07	163.35	65.99		154.45	226.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:31:39	326.03		163.36	65.98	154.44	33.36	0.07	163.32	66.01		154.47	226.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:31:41	326.07		163.32	66.02	154.48	33.36	0.07	163.28	66.05		154.51	226.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:31:43	326.10		163.44	65.89	154.35	33.36	0.07	163.41	65.93		154.39	226.61
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:31:45	326.13		163.40	65.94	154.40	33.36	0.07	163.36	65.97		154.43	226.57
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:31:47	326.17		163.42	65.91	154.37	33.36	0.07	163.39	65.95		154.41	226.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:31:49	326.20		163.40	65.94	154.40	33.36	0.07	163.36	65.97		154.43	226.57
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:31:51	326.23		163.44	65.90	154.36	33.36	0.07	163.40	65.93		154.39	226.61
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:31:53	326.27		163.49	65.85	154.31	33.36	0.07	163.45	65.88		154.34	226.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:31:55	326.30		163.54	65.80	154.26	33.36	0.07	163.50	65.83		154.29	226.71
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:31:57	326.33		163.51	65.82	154.28	33.36	0.07	163.48	65.86		154.32	226.68
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:31:59	326.37		163.39	65.95	154.41	33.36	0.07	163.35	65.98		154.44	226.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:32:01	326.40		163.59	65.75	154.21	33.36	0.07	163.56	65.78		154.24	226.76
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:32:03	326.43		163.47	65.87	154.33	33.36	0.07	163.43	65.90		154.36	226.64
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:32:05	326.47		163.42	65.92	154.38	33.36	0.07	163.38	65.95		154.41	226.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:32:07	326.50		163.48	65.86	154.32	33.36	0.07	163.44	65.89		154.35	226.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:32:09	326.53		163.37	65.96	154.42	33.36	0.07	163.34	66.00		154.46	226.54
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:32:11	326.57		163.43	65.91	154.37	33.36	0.07	163.39	65.94		154.40	226.60
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:32:13	326.60		163.44	65.90	154.36	33.36	0.07	163.40	65.93		154.39	226.61
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:32:15	326.63		163.50	65.84	154.30	33.36	0.07	163.46	65.87		154.33	226.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:32:17	326.67		163.42	65.92	154.38	33.36	0.07	163.38	65.95		154.41	226.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:32:19	326.70		163.42	65.91	154.37	33.36	0.07	163.39	65.95		154.41	226.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:32:21	326.73		163.50	65.84	154.30	33.36	0.07	163.46	65.87		154.33	226.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:32:23	326.77		163.41	65.92	154.38	33.36	0.07	163.38	65.95		154.41	226.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:32:25	326.80		163.33	66.01	154.47	33.36	0.07	163.29	66.04		154.50	226.50
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:32:27	326.83		163.48	65.85	154.31	33.36	0.07	163.45	65.88		154.34	226.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:32:29	326.87		163.36	65.97	154.43	33.36	0.07	163.33	66.00		154.46	226.54
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:32:31	326.90		163.34	66.00	154.46	33.36	0.07	163.30	66.03		154.49	226.51
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:32:33	326.93		163.39	65.95	154.41	33.36	0.07	163.35	65.98		154.44	226.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:32:35	326.97		163.41	65.92	154.38	33.36	0.07	163.38	65.96		154.42	226.58
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:32:37	327.00		163.36	65.98	154.44	33.36	0.07	163.32	66.01		154.47	226.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:32:39	327.03		163.36	65.98	154.44	33.36	0.07	163.32	66.01		154.47	226.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:32:41	327.07		163.46	65.88	154.34	33.36	0.07	163.42	65.91		154.37	226.63

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:32:43	327.10		163.29	66.04	154.50	33.36	0.07	163.26	66.07		154.53	226.47
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:32:45	327.13		163.32	66.02	154.48	33.36	0.07	163.29	66.05		154.51	226.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:32:47	327.17		163.47	65.87	154.33	33.36	0.07	163.43	65.90		154.36	226.64
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:32:49	327.20		163.33	66.01	154.47	33.36	0.07	163.29	66.04		154.50	226.50
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:32:51	327.23		163.44	65.89	154.35	33.36	0.07	163.41	65.92		154.38	226.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:32:53	327.27		163.39	65.95	154.41	33.36	0.07	163.35	65.98		154.44	226.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:32:55	327.30		163.33	66.01	154.47	33.36	0.07	163.29	66.04		154.50	226.50
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:32:57	327.33		163.33	66.01	154.47	33.36	0.07	163.29	66.04		154.50	226.50
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:32:59	327.37		163.34	66.00	154.46	33.36	0.07	163.30	66.03		154.49	226.51
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:33:01	327.40		163.26	66.07	154.53	33.36	0.07	163.23	66.10		154.56	226.44
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:33:03	327.43		163.29	66.04	154.50	33.36	0.07	163.26	66.07		154.53	226.47
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:33:05	327.47		163.37	65.96	154.42	33.36	0.07	163.34	66.00		154.46	226.54
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:33:07	327.50		163.54	65.80	154.26	33.36	0.07	163.50	65.83		154.29	226.71
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:33:09	327.53		163.40	65.94	154.40	33.36	0.07	163.36	65.97		154.43	226.57
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:33:11	327.57		163.32	66.02	154.48	33.36	0.07	163.28	66.05		154.51	226.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:33:13	327.60		163.46	65.88	154.34	33.36	0.07	163.42	65.91		154.37	226.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:33:15	327.63		163.44	65.89	154.35	33.36	0.07	163.41	65.92		154.38	226.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:33:17	327.67		163.40	65.94	154.40	33.36	0.07	163.36	65.97		154.43	226.57
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:33:19	327.70		163.43	65.91	154.37	33.36	0.07	163.39	65.94		154.40	226.60
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:33:21	327.73		163.63	65.71	154.17	33.36	0.07	163.59	65.74		154.20	226.80
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:33:23	327.77		163.44	65.89	154.35	33.36	0.07	163.41	65.92		154.38	226.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:33:25	327.80		163.57	65.77	154.23	33.36	0.07	163.53	65.80		154.26	226.74
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:33:27	327.83		163.38	65.96	154.42	33.36	0.07	163.35	65.99		154.45	226.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:33:29	327.87		163.33	66.00	154.46	33.36	0.07	163.30	66.03		154.49	226.51
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:33:31	327.90		163.41	65.92	154.38	33.36	0.07	163.38	65.96		154.42	226.58
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:33:33	327.93		163.31	66.02	154.48	33.36	0.07	163.28	66.06		154.52	226.48
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:33:35	327.97		163.27	66.06	154.52	33.36	0.07	163.24	66.10		154.56	226.44
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:33:37	328.00		163.38	65.96	154.42	33.36	0.07	163.35	65.99		154.45	226.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:33:39	328.03		163.33	66.01	154.47	33.36	0.07	163.29	66.04		154.50	226.50
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:33:41	328.07		163.19	66.14	154.60	33.36	0.07	163.16	66.17		154.63	226.37
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:33:43	328.10		163.34	65.99	154.45	33.36	0.07	163.31	66.02		154.48	226.52
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:33:45	328.13		163.36	65.98	154.44	33.36	0.07	163.32	66.01		154.47	226.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:33:47	328.17		163.13	66.21	154.67	33.36	0.07	163.09	66.24		154.70	226.30
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:33:49	328.20		163.34	65.99	154.45	33.36	0.07	163.31	66.03		154.49	226.51
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:33:51	328.23		163.35	65.98	154.44	33.36	0.07	163.32	66.02		154.48	226.52
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:33:53	328.27		163.30	66.04	154.50	33.36	0.07	163.26	66.07		154.53	226.47
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:33:55	328.30		163.34	66.00	154.46	33.36	0.07	163.30	66.03		154.49	226.51
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:33:57	328.33		163.28	66.06	154.52	33.36	0.07	163.24	66.09		154.55	226.45
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:33:59	328.37		163.34	66.00	154.46	33.36	0.07	163.30	66.03		154.49	226.51
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:34:01	328.40		163.27	66.06	154.52	33.36	0.07	163.24	66.10		154.56	226.44
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:34:03	328.43		163.36	65.98	154.44	33.36	0.07	163.32	66.01		154.47	226.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:34:05	328.47		163.52	65.82	154.28	33.36	0.07	163.49	65.85		154.31	226.69
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:34:07	328.50		163.33	66.01	154.47	33.36	0.07	163.29	66.04		154.50	226.50
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:34:09	328.53		163.30	66.03	154.49	33.36	0.07	163.27	66.07		154.53	226.47
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:34:11	328.57		163.30	66.04	154.50	33.36	0.07	163.26	66.07		154.53	226.47
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:34:13	328.60		163.27	66.06	154.52	33.36	0.07	163.24	66.10		154.56	226.44
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:34:15	328.63		163.31	66.02	154.48	33.36	0.07	163.28	66.06		154.52	226.48
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:34:17	328.67		163.41	65.92	154.38	33.36	0.07	163.38	65.96		154.42	226.58
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:34:19	328.70		163.49	65.84	154.30	33.36	0.07	163.46	65.88		154.34	226.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:34:21	328.73		163.38	65.96	154.42	33.36	0.07	163.35	65.99		154.45	226.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:34:23	328.77		163.45	65.89	154.35	33.36	0.07	163.42	65.92		154.38	226.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:34:25	328.80		163.40	65.94	154.40	33.36	0.07	163.36	65.97		154.43	226.57
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:34:27	328.83		163.36	65.98	154.44	33.36	0.07	163.32	66.01		154.47	226.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:34:29	328.87		163.42	65.92	154.38	33.36	0.07	163.38	65.95		154.41	226.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:34:31	328.90		163.23	66.10	154.56	33.36	0.07	163.20	66.13		154.59	226.41
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:34:33	328.93		163.48	65.85	154.31	33.36	0.07	163.45	65.88		154.34	226.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:34:35	328.97		163.48	65.85	154.31	33.36	0.07	163.45	65.88		154.34	226.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:34:37	329.00		163.35	65.99	154.45	33.36	0.07	163.31	66.02		154.48	226.52
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:34:39	329.03		163.29	66.05	154.51	33.36	0.07	163.25	66.08		154.54	226.46
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:34:41	329.07		163.14	66.20	154.66	33.36	0.07	163.10	66.23		154.69	226.31
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:34:43	329.10		163.30	66.03	154.49	33.36	0.07	163.27	66.06		154.52	226.48
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:34:45	329.13		163.36	65.97	154.43	33.36	0.07	163.33	66.00		154.46	226.54
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:34:47	329.17		163.36	65.97	154.43	33.36	0.07	163.33	66.00		154.46	226.54
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:34:49	329.20		163.23	66.11	154.57	33.36	0.07	163.19	66.14		154.60	226.40
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:34:51	329.23		163.37	65.96	154.42	33.36	0.07	163.34	65.99		154.45	226.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:34:53	329.27		163.31	66.03	154.49	33.36	0.07	163.28	66.06		154.52	226.48
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:34:55	329.30		163.29	66.05	154.51	33.36	0.07	163.25	66.08		154.54	226.46
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:34:57	329.33		163.44	65.89	154.35	33.36	0.07	163.41	65.93		154.39	226.61
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:34:59	329.37		163.19	66.15	154.61	33.36	0.07	163.15	66.18		154.64	226.36
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:35:01	329.40		163.21	66.13	154.59	33.36	0.07	163.17	66.16		154.62	226.38
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:35:03	329.43		163.29	66.05	154.51	33.36	0.07	163.25	66.08		154.54	226.46
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:35:05	329.47		163.26	66.07	154.53	33.36	0.07	163.23	66.11		154.57	226.43
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:35:07	329.50		163.28	66.05	154.51	33.36	0.07	163.25	66.09		154.55	226.45
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:35:09	329.53		163.23	66.10	154.56	33.36	0.07	163.20	66.14		154.60	226.40
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:35:11	329.57		163.15	66.18	154.64	33.36	0.07	163.12	66.21		154.67	226.33
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:35:13	329.60		163.19	66.15	154.61	33.36	0.07	163.15	66.18		154.64	226.36
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:35:15	329.63		163.41	65.92	154.38	33.36	0.07	163.38	65.96		154.42	226.58
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:35:17	329.67		163.29	66.04	154.50	33.36	0.07	163.26	66.07		154.53	226.47
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:35:19	329.70		163.40	65.93	154.39	33.36	0.07	163.37	65.97		154.43	226.57
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:35:21	329.73		163.32	66.02	154.48	33.36	0.07	163.28	66.05		154.51	226.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:35:23	329.77		163.34	65.99	154.45	33.36	0.07	163.31	66.03		154.49	226.51
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:35:25	329.80		163.38	65.95	154.41	33.36	0.07	163.35	65.99		154.45	226.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:35:27	329.83		163.42	65.91	154.37	33.36	0.07	163.39	65.95		154.41	226.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:35:29	329.87		163.40	65.93	154.39	33.36	0.07	163.37	65.97		154.43	226.57
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:35:31	329.90		163.36	65.98	154.44	33.36	0.07	163.32	66.01		154.47	226.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:35:33	329.93		163.26	66.07	154.53	33.36	0.07	163.23	66.11		154.57	226.43
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:35:35	329.97		163.44	65.89	154.35	33.36	0.07	163.41	65.92		154.38	226.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:35:37	330.00		163.27	66.06	154.52	33.36	0.07	163.24	66.10		154.56	226.44
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:35:39	330.03		163.35	65.98	154.44	33.36	0.07	163.32	66.02		154.48	226.52
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:35:41	330.07		163.43	65.91	154.37	33.36	0.07	163.39	65.94		154.40	226.60
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:35:43	330.10		163.29	66.04	154.50	33.36	0.07	163.26	66.07		154.53	226.47
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:35:45	330.13		163.36	65.98	154.44	33.36	0.07	163.32	66.01		154.47	226.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:35:47	330.17		163.18	66.16	154.62	33.36	0.07	163.14	66.19		154.65	226.35
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:35:49	330.20		163.36	65.98	154.44	33.36	0.07	163.32	66.01		154.47	226.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:35:51	330.23		163.27	66.06	154.52	33.36	0.07	163.24	66.10		154.56	226.44
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:35:53	330.27		163.19	66.14	154.60	33.36	0.07	163.16	66.18		154.64	226.36
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:35:55	330.30		163.29	66.05	154.51	33.36	0.07	163.25	66.08		154.54	226.46

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:35:57	330.33		163.19	66.14	154.60	33.36	0.07	163.16	66.18		154.64	226.36
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:35:59	330.37		163.29	66.05	154.51	33.36	0.07	163.25	66.08		154.54	226.46
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:36:01	330.40		163.27	66.06	154.52	33.36	0.07	163.24	66.10		154.56	226.44
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:36:03	330.43		163.20	66.13	154.59	33.36	0.07	163.17	66.17		154.63	226.37
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:36:05	330.47		163.26	66.07	154.53	33.36	0.07	163.23	66.11		154.57	226.43
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:36:07	330.50		163.06	66.28	154.74	33.36	0.07	163.02	66.31		154.77	226.23
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:36:09	330.53		163.12	66.21	154.67	33.36	0.07	163.09	66.25		154.71	226.29
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:36:11	330.57		163.16	66.17	154.63	33.36	0.07	163.13	66.21		154.67	226.33
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:36:13	330.60		163.35	65.99	154.45	33.36	0.07	163.31	66.02		154.48	226.52
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:36:15	330.63		163.24	66.09	154.55	33.36	0.07	163.21	66.13		154.59	226.41
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:36:17	330.67		163.09	66.24	154.70	33.36	0.07	163.06	66.28		154.74	226.26
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:36:19	330.70		163.22	66.11	154.57	33.36	0.07	163.19	66.14		154.60	226.40
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:36:21	330.73		163.22	66.12	154.58	33.36	0.07	163.18	66.15		154.61	226.39
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:36:23	330.77		163.12	66.22	154.68	33.36	0.07	163.08	66.25		154.71	226.29
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:36:25	330.80		163.05	66.28	154.74	33.36	0.07	163.02	66.32		154.78	226.22
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:36:27	330.83		163.14	66.20	154.66	33.36	0.07	163.10	66.23		154.69	226.31
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:36:29	330.87		163.21	66.13	154.59	33.36	0.07	163.17	66.16		154.62	226.38
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:36:31	330.90		163.28	66.06	154.52	33.36	0.07	163.24	66.09		154.55	226.45
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:36:33	330.93		163.22	66.11	154.57	33.36	0.07	163.19	66.14		154.60	226.40
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:36:35	330.97		163.29	66.05	154.51	33.36	0.07	163.25	66.08		154.54	226.46
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:36:37	331.00		163.29	66.05	154.51	33.36	0.07	163.25	66.08		154.54	226.46
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:36:39	331.03		163.36	65.98	154.44	33.36	0.07	163.32	66.01		154.47	226.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:36:41	331.07		163.29	66.04	154.50	33.36	0.07	163.26	66.07		154.53	226.47
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:36:43	331.10		163.21	66.12	154.58	33.36	0.07	163.18	66.16		154.62	226.38
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:36:45	331.13		163.41	65.92	154.38	33.36	0.07	163.38	65.96		154.42	226.58
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:36:47	331.17		163.34	66.00	154.46	33.36	0.07	163.30	66.03		154.49	226.51
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:36:49	331.20		163.22	66.11	154.57	33.36	0.07	163.19	66.14		154.60	226.40
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:36:51	331.23		163.39	65.95	154.41	33.36	0.07	163.35	65.98		154.44	226.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:36:53	331.27		163.22	66.12	154.58	33.36	0.07	163.18	66.15		154.61	226.39
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:36:55	331.30		163.21	66.13	154.59	33.36	0.07	163.17	66.16		154.62	226.38
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:36:57	331.33		163.36	65.98	154.44	33.36	0.07	163.32	66.01		154.47	226.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:36:59	331.37		163.30	66.04	154.50	33.36	0.07	163.26	66.07		154.53	226.47
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:37:01	331.40		163.19	66.15	154.61	33.36	0.07	163.15	66.18		154.64	226.36
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:37:03	331.43		163.29	66.04	154.50	33.36	0.07	163.26	66.07		154.53	226.47
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:37:05	331.47		163.32	66.02	154.48	33.36	0.07	163.28	66.05		154.51	226.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:37:07	331.50		163.09	66.24	154.70	33.36	0.07	163.06	66.27		154.73	226.27
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:37:09	331.53		163.25	66.09	154.55	33.36	0.07	163.21	66.12		154.58	226.42
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:37:11	331.57		163.27	66.07	154.53	33.36	0.07	163.23	66.10		154.56	226.44
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:37:13	331.60		163.07	66.27	154.73	33.36	0.07	163.03	66.30		154.76	226.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:37:15	331.63		163.15	66.18	154.64	33.36	0.07	163.12	66.21		154.67	226.33
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:37:17	331.67		163.19	66.15	154.61	33.36	0.07	163.15	66.18		154.64	226.36
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:37:19	331.70		163.29	66.04	154.50	33.36	0.07	163.26	66.07		154.53	226.47
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:37:21	331.73		163.16	66.18	154.64	33.36	0.07	163.12	66.21		154.67	226.33
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:37:23	331.77		163.30	66.04	154.50	33.36	0.07	163.26	66.07		154.53	226.47
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:37:25	331.80		163.26	66.07	154.53	33.36	0.07	163.23	66.11		154.57	226.43
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:37:27	331.83		163.05	66.29	154.75	33.36	0.07	163.01	66.32		154.78	226.22
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:37:29	331.87		163.17	66.17	154.63	33.36	0.07	163.13	66.20		154.66	226.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:37:31	331.90		163.12	66.21	154.67	33.36	0.07	163.09	66.25		154.71	226.29
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:37:33	331.93		163.27	66.06	154.52	33.36	0.07	163.24	66.10		154.56	226.44
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:37:35	331.97		163.15	66.19	154.65	33.36	0.07	163.11	66.22		154.68	226.32
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:37:37	332.00		163.20	66.14	154.60	33.36	0.07	163.16	66.17		154.63	226.37
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:37:39	332.03		163.24	66.09	154.55	33.36	0.07	163.21	66.13		154.59	226.41
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:37:41	332.07		163.16	66.17	154.63	33.36	0.07	163.13	66.21		154.67	226.33
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:37:43	332.10		163.12	66.21	154.67	33.36	0.07	163.09	66.25		154.71	226.29
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:37:45	332.13		163.32	66.02	154.48	33.36	0.07	163.28	66.05		154.51	226.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:37:47	332.17		163.27	66.06	154.52	33.36	0.07	163.24	66.10		154.56	226.44
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:37:49	332.20		163.29	66.05	154.51	33.36	0.07	163.25	66.08		154.54	226.46
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:37:51	332.23		163.35	65.98	154.44	33.36	0.07	163.32	66.02		154.48	226.52
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:37:53	332.27		163.28	66.06	154.52	33.36	0.07	163.24	66.09		154.55	226.45
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:37:55	332.30		163.26	66.08	154.54	33.36	0.07	163.22	66.11		154.57	226.43
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:37:57	332.33		163.24	66.09	154.55	33.36	0.07	163.21	66.13		154.59	226.41
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:37:59	332.37		163.38	65.95	154.41	33.36	0.07	163.35	65.99		154.45	226.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:38:01	332.40		163.33	66.01	154.47	33.36	0.07	163.29	66.04		154.50	226.50
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:38:03	332.43		163.41	65.92	154.38	33.36	0.07	163.38	65.96		154.42	226.58
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:38:05	332.47		163.29	66.05	154.51	33.36	0.07	163.25	66.08		154.54	226.46
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:38:07	332.50		163.19	66.15	154.61	33.36	0.07	163.15	66.18		154.64	226.36
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:38:09	332.53		163.22	66.12	154.58	33.36	0.07	163.18	66.15		154.61	226.39
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:38:11	332.57		163.16	66.17	154.63	33.36	0.07	163.13	66.21		154.67	226.33
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:38:13	332.60		163.08	66.25	154.71	33.36	0.07	163.05	66.28		154.74	226.26
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:38:15	332.63		163.22	66.12	154.58	33.36	0.07	163.18	66.15		154.61	226.39
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:38:17	332.67		163.17	66.17	154.63	33.36	0.07	163.13	66.20		154.66	226.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:38:19	332.70		163.19	66.15	154.61	33.36	0.07	163.15	66.18		154.64	226.36
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:38:21	332.73		163.28	66.06	154.52	33.36	0.07	163.24	66.09		154.55	226.45
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:38:23	332.77		163.05	66.28	154.74	33.36	0.07	163.02	66.32		154.78	226.22
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:38:25	332.80		163.10	66.24	154.70	33.36	0.07	163.06	66.27		154.73	226.27
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:38:27	332.83		163.16	66.17	154.63	33.36	0.07	163.13	66.20		154.66	226.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:38:29	332.87		163.23	66.10	154.56	33.36	0.07	163.20	66.14		154.60	226.40
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:38:31	332.90		163.03	66.30	154.76	33.36	0.07	163.00	66.34		154.80	226.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:38:33	332.93		163.16	66.18	154.64	33.36	0.07	163.12	66.21		154.67	226.33
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:38:35	332.97		163.07	66.27	154.73	33.36	0.07	163.03	66.30		154.76	226.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:38:37	333.00		163.16	66.17	154.63	33.36	0.07	163.13	66.21		154.67	226.33
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:38:39	333.03		163.20	66.13	154.59	33.36	0.07	163.17	66.17		154.63	226.37
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:38:41	333.07		163.16	66.18	154.64	33.36	0.07	163.12	66.21		154.67	226.33
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:38:43	333.10		163.06	66.28	154.74	33.36	0.07	163.02	66.31		154.77	226.23
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:38:45	333.13		163.19	66.14	154.60	33.36	0.07	163.16	66.18		154.64	226.36
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:38:47	333.17		163.31	66.02	154.48	33.36	0.07	163.28	66.06		154.52	226.48
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:38:49	333.20		163.17	66.17	154.63	33.36	0.07	163.13	66.20		154.66	226.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:38:51	333.23		163.13	66.20	154.66	33.36	0.07	163.10	66.24		154.70	226.30
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:38:53	333.27		163.36	65.98	154.44	33.36	0.07	163.32	66.01		154.47	226.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:38:55	333.30		163.23	66.10	154.56	33.36	0.07	163.20	66.14		154.60	226.40
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:38:57	333.33		163.16	66.17	154.63	33.36	0.07	163.13	66.21		154.67	226.33
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:38:59	333.37		163.26	66.08	154.54	33.36	0.07	163.22	66.11		154.57	226.43
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:39:01	333.40		163.21	66.13	154.59	33.36	0.07	163.17	66.16		154.62	226.38
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:39:03	333.43		163.15	66.19	154.65	33.36	0.07	163.11	66.22		154.68	226.32
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:39:05	333.47		163.18	66.16	154.62	33.36	0.07	163.14	66.19		154.65	226.35
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:39:07	333.50		163.29	66.05	154.51	33.36	0.07	163.25	66.08		154.54	226.46
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:39:09	333.53		163.13	66.20	154.66	33.36	0.07	163.10	66.24		154.70	226.30

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:39:11	333.57		163.19	66.15	154.61	33.36	0.07	163.15	66.18		154.64	226.36
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:39:13	333.60		163.29	66.05	154.51	33.36	0.07	163.25	66.08		154.54	226.46
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:39:15	333.63		163.17	66.17	154.63	33.36	0.07	163.13	66.20		154.66	226.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:39:17	333.67		163.25	66.09	154.55	33.36	0.07	163.21	66.12		154.58	226.42
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:39:19	333.70		163.13	66.20	154.66	33.36	0.07	163.10	66.24		154.70	226.30
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:39:21	333.73		163.21	66.13	154.59	33.36	0.07	163.17	66.16		154.62	226.38
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:39:23	333.77		163.08	66.25	154.71	33.36	0.07	163.05	66.28		154.74	226.26
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:39:25	333.80		163.13	66.21	154.67	33.36	0.07	163.09	66.24		154.70	226.30
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:39:27	333.83		163.21	66.13	154.59	33.36	0.07	163.17	66.16		154.62	226.38
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:39:29	333.87		163.17	66.17	154.63	33.36	0.07	163.13	66.20		154.66	226.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:39:31	333.90		163.09	66.24	154.70	33.36	0.07	163.06	66.27		154.73	226.27
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:39:33	333.93		163.09	66.24	154.70	33.36	0.07	163.06	66.27		154.73	226.27
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:39:35	333.97		163.12	66.21	154.67	33.36	0.07	163.09	66.25		154.71	226.29
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:39:37	334.00		163.08	66.25	154.71	33.36	0.07	163.05	66.28		154.74	226.26
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:39:39	334.03		163.21	66.13	154.59	33.36	0.07	163.17	66.16		154.62	226.38
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:39:41	334.07		163.08	66.25	154.71	33.36	0.07	163.05	66.28		154.74	226.26
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:39:43	334.10		163.02	66.32	154.78	33.36	0.07	162.98	66.35		154.81	226.19
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:39:45	334.13		162.99	66.35	154.81	33.36	0.07	162.95	66.38		154.84	226.16
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:39:47	334.17		163.09	66.25	154.71	33.36	0.07	163.05	66.28		154.74	226.26
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:39:49	334.20		163.12	66.22	154.68	33.36	0.07	163.08	66.25		154.71	226.29
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:39:51	334.23		163.11	66.23	154.69	33.36	0.07	163.07	66.26		154.72	226.28
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:39:53	334.27		163.05	66.28	154.74	33.36	0.07	163.02	66.32		154.78	226.22
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:39:55	334.30		163.08	66.26	154.72	33.36	0.07	163.04	66.29		154.75	226.25
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:39:57	334.33		163.08	66.25	154.71	33.36	0.07	163.05	66.28		154.74	226.26
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:39:59	334.37		162.97	66.37	154.83	33.36	0.07	162.93	66.40		154.86	226.14
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:40:01	334.40		163.16	66.17	154.63	33.36	0.07	163.13	66.20		154.66	226.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:40:03	334.43		163.31	66.02	154.48	33.36	0.07	163.28	66.06		154.52	226.48
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:40:05	334.47		163.30	66.03	154.49	33.36	0.07	163.27	66.07		154.53	226.47
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:40:07	334.50		163.17	66.16	154.62	33.36	0.07	163.14	66.20		154.66	226.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:40:09	334.53		163.10	66.24	154.70	33.36	0.07	163.06	66.27		154.73	226.27
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:40:11	334.57		163.22	66.12	154.58	33.36	0.07	163.18	66.15		154.61	226.39
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:40:13	334.60		163.15	66.19	154.65	33.36	0.07	163.11	66.22		154.68	226.32
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:40:15	334.63		163.16	66.17	154.63	33.36	0.07	163.13	66.20		154.66	226.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:40:17	334.67		163.09	66.24	154.70	33.36	0.07	163.06	66.28		154.74	226.26
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:40:19	334.70		163.09	66.25	154.71	33.36	0.07	163.05	66.28		154.74	226.26
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:40:21	334.73		163.05	66.28	154.74	33.36	0.07	163.02	66.32		154.78	226.22
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:40:23	334.77		163.18	66.16	154.62	33.36	0.07	163.14	66.19		154.65	226.35
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:40:25	334.80		163.06	66.27	154.73	33.36	0.07	163.03	66.31		154.77	226.23
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:40:27	334.83		163.19	66.15	154.61	33.36	0.07	163.15	66.18		154.64	226.36
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:40:29	334.87		163.16	66.18	154.64	33.36	0.07	163.12	66.21		154.67	226.33
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:40:31	334.90		163.09	66.24	154.70	33.36	0.07	163.06	66.28		154.74	226.26
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:40:33	334.93		163.10	66.24	154.70	33.36	0.07	163.06	66.27		154.73	226.27
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:40:35	334.97		163.23	66.10	154.56	33.36	0.07	163.20	66.14		154.60	226.40
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:40:37	335.00		163.23	66.10	154.56	33.36	0.07	163.20	66.14		154.60	226.40
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:40:39	335.03		163.07	66.27	154.73	33.36	0.07	163.03	66.30		154.76	226.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:40:41	335.07		163.12	66.22	154.68	33.36	0.07	163.08	66.25		154.71	226.29
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:40:43	335.10		163.17	66.17	154.63	33.36	0.07	163.13	66.20		154.66	226.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:40:45	335.13		162.90	66.44	154.90	33.36	0.07	162.86	66.47		154.93	226.07
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:40:47	335.17		163.24	66.10	154.56	33.36	0.07	163.20	66.13		154.59	226.41
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:40:49	335.20		163.16	66.17	154.63	33.36	0.07	163.13	66.21		154.67	226.33
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:40:51	335.23		162.99	66.35	154.81	33.36	0.07	162.95	66.38		154.84	226.16
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:40:53	335.27		162.87	66.47	154.93	33.36	0.07	162.83	66.50		154.96	226.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:40:55	335.30		163.06	66.28	154.74	33.36	0.07	163.02	66.31		154.77	226.23
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:40:57	335.33		162.94	66.40	154.86	33.36	0.07	162.90	66.43		154.89	226.11
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:40:59	335.37		162.92	66.41	154.87	33.36	0.07	162.89	66.45		154.91	226.09
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:41:01	335.40		163.03	66.31	154.77	33.36	0.07	162.99	66.34		154.80	226.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:41:03	335.43		163.06	66.28	154.74	33.36	0.07	163.02	66.31		154.77	226.23
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:41:05	335.47		163.08	66.25	154.71	33.36	0.07	163.05	66.28		154.74	226.26
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:41:07	335.50		162.99	66.35	154.81	33.36	0.07	162.95	66.38		154.84	226.16
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:41:09	335.53		162.97	66.37	154.83	33.36	0.07	162.93	66.40		154.86	226.14
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:41:11	335.57		162.99	66.34	154.80	33.36	0.07	162.96	66.38		154.84	226.16
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:41:13	335.60		163.07	66.27	154.73	33.36	0.07	163.03	66.30		154.76	226.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:41:15	335.63		163.17	66.16	154.62	33.36	0.07	163.14	66.20		154.66	226.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:41:17	335.67		163.08	66.26	154.72	33.36	0.07	163.04	66.29		154.75	226.25
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:41:19	335.70		163.17	66.16	154.62	33.36	0.07	163.14	66.20		154.66	226.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:41:21	335.73		163.14	66.20	154.66	33.36	0.07	163.10	66.23		154.69	226.31
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:41:23	335.77		163.14	66.19	154.65	33.36	0.07	163.11	66.23		154.69	226.31
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:41:25	335.80		163.10	66.24	154.70	33.36	0.07	163.06	66.27		154.73	226.27
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:41:27	335.83		163.14	66.19	154.65	33.36	0.07	163.11	66.23		154.69	226.31
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:41:29	335.87		163.06	66.28	154.74	33.36	0.07	163.02	66.31		154.77	226.23
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:41:31	335.90		163.08	66.26	154.72	33.36	0.07	163.04	66.29		154.75	226.25
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:41:33	335.93		163.15	66.19	154.65	33.36	0.07	163.11	66.22		154.68	226.32
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:41:35	335.97		163.04	66.30	154.76	33.36	0.07	163.00	66.33		154.79	226.21
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:41:37	336.00		163.12	66.22	154.68	33.36	0.07	163.08	66.25		154.71	226.29
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:41:39	336.03		163.16	66.17	154.63	33.36	0.07	163.13	66.21		154.67	226.33
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:41:41	336.07		163.10	66.24	154.70	33.36	0.07	163.06	66.27		154.73	226.27
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:41:43	336.10		163.07	66.27	154.73	33.36	0.07	163.03	66.30		154.76	226.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:41:45	336.13		163.07	66.27	154.73	33.36	0.07	163.03	66.30		154.76	226.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:41:47	336.17		163.09	66.24	154.70	33.36	0.07	163.06	66.28		154.74	226.26
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:41:49	336.20		163.08	66.25	154.71	33.36	0.07	163.05	66.28		154.74	226.26
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:41:51	336.23		162.96	66.37	154.83	33.36	0.07	162.93	66.41		154.87	226.13
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:41:53	336.27		162.99	66.35	154.81	33.36	0.07	162.95	66.38		154.84	226.16
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:41:55	336.30		162.96	66.37	154.83	33.36	0.07	162.93	66.41		154.87	226.13
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:41:57	336.33		163.01	66.33	154.79	33.36	0.07	162.97	66.36		154.82	226.18
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:41:59	336.37		162.92	66.41	154.87	33.36	0.07	162.89	66.45		154.91	226.09
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:42:01	336.40		163.07	66.27	154.73	33.36	0.07	163.03	66.30		154.76	226.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:42:03	336.43		163.03	66.31	154.77	33.36	0.07	162.99	66.34		154.80	226.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:42:05	336.47		162.97	66.37	154.83	33.36	0.07	162.93	66.40		154.86	226.14
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:42:07	336.50		163.02	66.31	154.77	33.36	0.07	162.99	66.34		154.80	226.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:42:09	336.53		163.01	66.33	154.79	33.36	0.07	162.97	66.36		154.82	226.18
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:42:11	336.57		162.92	66.41	154.87	33.36	0.07	162.89	66.45		154.91	226.09
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:42:13	336.60		162.98	66.36	154.82	33.36	0.07	162.94	66.39		154.85	226.15
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:42:15	336.63		162.94	66.39	154.85	33.36	0.07	162.91	66.43		154.89	226.11
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:42:17	336.67		163.06	66.27	154.73	33.36	0.07	163.03	66.31		154.77	226.23
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:42:19	336.70		162.91	66.43	154.89	33.36	0.07	162.87	66.46		154.92	226.08
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:42:21	336.73		162.98	66.35	154.81	33.36	0.07	162.95	66.39		154.85	226.15
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:42:23	336.77		163.17	66.16	154.62	33.36	0.07	163.14	66.20		154.66	226.34

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:42:25	336.80		162.97	66.37	154.83	33.36	0.07	162.93	66.40		154.86	226.14
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:42:27	336.83		163.02	66.32	154.78	33.36	0.07	162.98	66.35		154.81	226.19
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:42:29	336.87		163.02	66.31	154.77	33.36	0.07	162.99	66.35		154.81	226.19
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:42:31	336.90		163.09	66.24	154.70	33.36	0.07	163.06	66.27		154.73	226.27
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:42:33	336.93		163.07	66.27	154.73	33.36	0.07	163.03	66.30		154.76	226.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:42:35	336.97		163.01	66.33	154.79	33.36	0.07	162.97	66.36		154.82	226.18
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:42:37	337.00		163.09	66.24	154.70	33.36	0.07	163.06	66.28		154.74	226.26
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:42:39	337.03		163.12	66.22	154.68	33.36	0.07	163.08	66.25		154.71	226.29
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:42:41	337.07		163.18	66.16	154.62	33.36	0.07	163.14	66.19		154.65	226.35
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:42:43	337.10		163.10	66.23	154.69	33.36	0.07	163.07	66.27		154.73	226.27
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:42:45	337.13		163.07	66.27	154.73	33.36	0.07	163.03	66.30		154.76	226.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:42:47	337.17		163.00	66.34	154.80	33.36	0.07	162.96	66.37		154.83	226.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:42:49	337.20		162.97	66.37	154.83	33.36	0.07	162.93	66.40		154.86	226.14
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:42:51	337.23		163.08	66.25	154.71	33.36	0.07	163.05	66.28		154.74	226.26
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:42:53	337.27		163.10	66.23	154.69	33.36	0.07	163.07	66.27		154.73	226.27
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:42:55	337.30		162.98	66.35	154.81	33.36	0.07	162.95	66.39		154.85	226.15
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:42:57	337.33		162.86	66.48	154.94	33.36	0.07	162.82	66.51		154.97	226.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:42:59	337.37		162.98	66.36	154.82	33.36	0.07	162.94	66.39		154.85	226.15
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:43:01	337.40		162.86	66.48	154.94	33.36	0.07	162.82	66.51		154.97	226.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:43:03	337.43		162.97	66.37	154.83	33.36	0.07	162.93	66.40		154.86	226.14
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:43:05	337.47		162.83	66.51	154.97	33.36	0.07	162.79	66.54		155.00	226.00
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:43:07	337.50		162.89	66.44	154.90	33.36	0.07	162.86	66.48		154.94	226.06
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:43:09	337.53		163.02	66.32	154.78	33.36	0.07	162.98	66.35		154.81	226.19
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:43:11	337.57		162.96	66.38	154.84	33.36	0.07	162.92	66.41		154.87	226.13
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:43:13	337.60		162.89	66.45	154.91	33.36	0.07	162.85	66.48		154.94	226.06
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:43:15	337.63		162.89	66.44	154.90	33.36	0.07	162.86	66.48		154.94	226.06
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:43:17	337.67		163.01	66.33	154.79	33.36	0.07	162.97	66.36		154.82	226.18
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:43:19	337.70		162.98	66.36	154.82	33.36	0.07	162.94	66.39		154.85	226.15
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:43:21	337.73		162.93	66.41	154.87	33.36	0.07	162.89	66.44		154.90	226.10
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:43:23	337.77		163.03	66.30	154.76	33.36	0.07	163.00	66.34		154.80	226.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:43:25	337.80		162.91	66.42	154.88	33.36	0.07	162.88	66.46		154.92	226.08
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:43:27	337.83		163.16	66.17	154.63	33.36	0.07	163.13	66.21		154.67	226.33
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:43:29	337.87		163.02	66.32	154.78	33.36	0.07	162.98	66.35		154.81	226.19
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:43:31	337.90		162.83	66.50	154.96	33.36	0.07	162.80	66.53		154.99	226.01
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:43:33	337.93		162.83	66.50	154.96	33.36	0.07	162.80	66.53		154.99	226.01
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:43:35	337.97		163.16	66.17	154.63	33.36	0.07	163.13	66.20		154.66	226.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:43:37	338.00		162.87	66.47	154.93	33.36	0.07	162.83	66.50		154.96	226.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:43:39	338.03		162.95	66.39	154.85	33.36	0.07	162.91	66.42		154.88	226.12
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:43:41	338.07		163.20	66.14	154.60	33.36	0.07	163.16	66.17		154.63	226.37
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:43:43	338.10		162.94	66.39	154.85	33.36	0.07	162.91	66.43		154.89	226.11
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:43:45	338.13		163.13	66.21	154.67	33.36	0.07	163.09	66.24		154.70	226.30
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:43:47	338.17		163.16	66.17	154.63	33.36	0.07	163.13	66.21		154.67	226.33
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:43:49	338.20		163.12	66.21	154.67	33.36	0.07	163.09	66.25		154.71	226.29
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:43:51	338.23		163.13	66.21	154.67	33.36	0.07	163.09	66.24		154.70	226.30
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:43:53	338.27		163.06	66.28	154.74	33.36	0.07	163.02	66.31		154.77	226.23
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:43:55	338.30		163.05	66.28	154.74	33.36	0.07	163.02	66.32		154.78	226.22
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:43:57	338.33		162.92	66.41	154.87	33.36	0.07	162.89	66.45		154.91	226.09
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:43:59	338.37		162.94	66.40	154.86	33.36	0.07	162.90	66.43		154.89	226.11
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:44:01	338.40		163.13	66.20	154.66	33.36	0.07	163.10	66.24		154.70	226.30
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:44:03	338.43		163.15	66.19	154.65	33.36	0.07	163.11	66.22		154.68	226.32
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:44:05	338.47		162.84	66.49	154.95	33.36	0.07	162.81	66.52		154.98	226.02
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:44:07	338.50		162.88	66.45	154.91	33.36	0.07	162.85	66.49		154.95	226.05
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:44:09	338.53		162.98	66.36	154.82	33.36	0.07	162.94	66.39		154.85	226.15
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:44:11	338.57		162.96	66.37	154.83	33.36	0.07	162.93	66.41		154.87	226.13
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:44:13	338.60		163.14	66.20	154.66	33.36	0.07	163.10	66.23		154.69	226.31
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:44:15	338.63		163.02	66.31	154.77	33.36	0.07	162.99	66.34		154.80	226.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:44:17	338.67		162.83	66.51	154.97	33.36	0.07	162.79	66.54		155.00	226.00
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:44:19	338.70		162.88	66.45	154.91	33.36	0.07	162.85	66.49		154.95	226.05
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:44:21	338.73		163.05	66.29	154.75	33.36	0.07	163.01	66.32		154.78	226.22
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:44:23	338.77		162.84	66.50	154.96	33.36	0.07	162.80	66.53		154.99	226.01
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:44:25	338.80		162.98	66.35	154.81	33.36	0.07	162.95	66.39		154.85	226.15
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:44:27	338.83		162.92	66.42	154.88	33.36	0.07	162.88	66.45		154.91	226.09
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:44:29	338.87		162.77	66.56	155.02	33.36	0.07	162.74	66.60		155.06	225.94
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:44:31	338.90		162.94	66.40	154.86	33.36	0.07	162.90	66.43		154.89	226.11
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:44:33	338.93		162.95	66.39	154.85	33.36	0.07	162.91	66.42		154.88	226.12
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:44:35	338.97		162.84	66.49	154.95	33.36	0.07	162.81	66.53		154.99	226.01
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:44:37	339.00		162.78	66.56	155.02	33.36	0.07	162.74	66.59		155.05	225.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:44:39	339.03		163.01	66.33	154.79	33.36	0.07	162.97	66.36		154.82	226.18
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:44:41	339.07		162.93	66.41	154.87	33.36	0.07	162.89	66.44		154.90	226.10
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:44:43	339.10		162.84	66.50	154.96	33.36	0.07	162.80	66.53		154.99	226.01
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:44:45	339.13		163.10	66.23	154.69	33.36	0.07	163.07	66.27		154.73	226.27
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:44:47	339.17		162.94	66.39	154.85	33.36	0.07	162.91	66.43		154.89	226.11
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:44:49	339.20		163.06	66.28	154.74	33.36	0.07	163.02	66.31		154.77	226.23
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:44:51	339.23		163.10	66.23	154.69	33.36	0.07	163.07	66.27		154.73	226.27
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:44:53	339.27		163.00	66.34	154.80	33.36	0.07	162.96	66.37		154.83	226.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:44:55	339.30		163.01	66.33	154.79	33.36	0.07	162.97	66.36		154.82	226.18
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:44:57	339.33		163.02	66.31	154.77	33.36	0.07	162.99	66.34		154.80	226.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:44:59	339.37		162.84	66.49	154.95	33.36	0.07	162.81	66.52		154.98	226.02
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:45:01	339.40		162.95	66.39	154.85	33.37	0.07	162.91	66.42		154.88	226.12
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:45:03	339.43		162.88	66.45	154.91	33.37	0.07	162.85	66.49		154.95	226.05
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:45:05	339.47		162.94	66.40	154.86	33.37	0.07	162.90	66.43		154.89	226.11
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:45:07	339.50		162.95	66.39	154.85	33.37	0.07	162.91	66.42		154.88	226.12
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:45:09	339.53		162.83	66.51	154.97	33.37	0.07	162.79	66.54		155.00	226.00
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:45:11	339.57		162.99	66.34	154.80	33.37	0.07	162.96	66.38		154.84	226.16
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:45:13	339.60		162.95	66.39	154.85	33.37	0.07	162.91	66.42		154.88	226.12
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:45:15	339.63		162.96	66.38	154.84	33.37	0.07	162.92	66.41		154.87	226.13
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:45:17	339.67		163.03	66.30	154.76	33.37	0.07	163.00	66.33		154.79	226.21
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:45:19	339.70		162.88	66.46	154.92	33.37	0.07	162.84	66.49		154.95	226.05
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:45:21	339.73		163.03	66.30	154.76	33.37	0.07	163.00	66.33		154.79	226.21
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:45:23	339.77		162.98	66.36	154.82	33.37	0.07	162.94	66.39		154.85	226.15
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:45:25	339.80		162.86	66.47	154.93	33.37	0.07	162.83	66.51		154.97	226.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:45:27	339.83		163.06	66.28	154.74	33.37	0.07	163.02	66.31		154.77	226.23
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:45:29	339.87		162.75	66.59	155.05	33.37	0.07	162.71	66.62		155.08	225.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:45:31	339.90		162.89	66.44	154.90	33.37	0.07	162.86	66.48		154.94	226.06
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:45:33	339.93		162.90	66.43	154.89	33.37	0.07	162.87	66.47		154.93	226.07
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:45:35	339.97		162.78	66.56	155.02	33.37	0.07	162.74	66.59		155.05	225.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:45:37	340.00		162.99	66.35	154.81	33.37	0.07	162.95	66.38		154.84	226.16

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:45:39	340.03		162.83	66.50	154.96	33.37	0.07	162.80	66.54		155.00	226.00
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:45:41	340.07		162.89	66.45	154.91	33.37	0.07	162.85	66.48		154.94	226.06
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:45:43	340.10		162.84	66.50	154.96	33.37	0.07	162.80	66.53		154.99	226.01
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:45:45	340.13		162.82	66.52	154.98	33.37	0.07	162.78	66.55		155.01	225.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:45:47	340.17		162.95	66.39	154.85	33.37	0.07	162.91	66.42		154.88	226.12
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:45:49	340.20		162.86	66.47	154.93	33.37	0.07	162.83	66.51		154.97	226.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:45:51	340.23		162.93	66.40	154.86	33.37	0.07	162.90	66.44		154.90	226.10
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:45:53	340.27		163.00	66.34	154.80	33.37	0.07	162.96	66.37		154.83	226.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:45:55	340.30		163.24	66.10	154.56	33.37	0.07	163.20	66.13		154.59	226.41
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:45:57	340.33		162.75	66.58	155.04	33.37	0.07	162.72	66.62		155.08	225.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:45:59	340.37		163.10	66.24	154.70	33.37	0.07	163.06	66.27		154.73	226.27
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:46:01	340.40		162.91	66.43	154.89	33.37	0.07	162.87	66.46		154.92	226.08
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:46:03	340.43		162.91	66.43	154.89	33.37	0.07	162.87	66.46		154.92	226.08
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:46:05	340.47		163.03	66.31	154.77	33.37	0.07	162.99	66.34		154.80	226.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:46:07	340.50		162.85	66.48	154.94	33.37	0.07	162.82	66.51		154.97	226.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:46:09	340.53		162.78	66.55	155.01	33.37	0.07	162.75	66.58		155.04	225.96
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:46:11	340.57		162.85	66.49	154.95	33.37	0.07	162.81	66.52		154.98	226.02
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:46:13	340.60		163.01	66.33	154.79	33.37	0.07	162.97	66.36		154.82	226.18
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:46:15	340.63		162.84	66.50	154.96	33.37	0.07	162.80	66.53		154.99	226.01
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:46:17	340.67		162.70	66.64	155.10	33.37	0.07	162.66	66.67		155.13	225.87
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:46:19	340.70		162.87	66.47	154.93	33.37	0.07	162.83	66.50		154.96	226.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:46:21	340.73		162.68	66.65	155.11	33.37	0.07	162.65	66.69		155.15	225.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:46:23	340.77		162.84	66.50	154.96	33.37	0.07	162.80	66.53		154.99	226.01
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:46:25	340.80		162.93	66.41	154.87	33.37	0.07	162.89	66.44		154.90	226.10
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:46:27	340.83		162.83	66.50	154.96	33.37	0.07	162.80	66.54		155.00	226.00
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:46:29	340.87		162.81	66.52	154.98	33.37	0.07	162.78	66.56		155.02	225.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:46:31	340.90		162.81	66.53	154.99	33.37	0.07	162.77	66.56		155.02	225.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:46:33	340.93		162.86	66.48	154.94	33.37	0.07	162.82	66.51		154.97	226.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:46:35	340.97		162.80	66.54	155.00	33.37	0.07	162.76	66.57		155.03	225.97
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:46:37	341.00		162.77	66.57	155.03	33.37	0.07	162.73	66.60		155.06	225.94
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:46:39	341.03		162.92	66.42	154.88	33.37	0.07	162.88	66.45		154.91	226.09
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:46:41	341.07		162.93	66.41	154.87	33.37	0.07	162.89	66.44		154.90	226.10
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:46:43	341.10		162.95	66.38	154.84	33.37	0.07	162.92	66.41		154.87	226.13
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:46:45	341.13		163.10	66.23	154.69	33.37	0.07	163.07	66.27		154.73	226.27
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:46:47	341.17		162.81	66.53	154.99	33.37	0.07	162.77	66.56		155.02	225.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:46:49	341.20		162.88	66.46	154.92	33.37	0.07	162.84	66.49		154.95	226.05
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:46:51	341.23		162.99	66.35	154.81	33.37	0.07	162.95	66.38		154.84	226.16
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:46:53	341.27		162.85	66.48	154.94	33.37	0.07	162.82	66.52		154.98	226.02
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:46:55	341.30		162.71	66.62	155.08	33.37	0.07	162.68	66.66		155.12	225.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:46:57	341.33		162.95	66.38	154.84	33.37	0.07	162.92	66.41		154.87	226.13
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:46:59	341.37		162.82	66.51	154.97	33.37	0.07	162.79	66.55		155.01	225.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:47:01	341.40		162.77	66.56	155.02	33.37	0.07	162.74	66.59		155.05	225.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:47:03	341.43		163.11	66.23	154.69	33.37	0.07	163.07	66.26		154.72	226.28
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:47:05	341.47		162.90	66.44	154.90	33.37	0.07	162.86	66.47		154.93	226.07
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:47:07	341.50		162.88	66.46	154.92	33.37	0.07	162.84	66.49		154.95	226.05
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:47:09	341.53		162.99	66.35	154.81	33.37	0.07	162.95	66.38		154.84	226.16
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:47:11	341.57		162.95	66.38	154.84	33.37	0.07	162.92	66.41		154.87	226.13
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:47:13	341.60		162.95	66.39	154.85	33.37	0.07	162.91	66.42		154.88	226.12
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:47:15	341.63		162.85	66.48	154.94	33.37	0.07	162.82	66.52		154.98	226.02
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:47:17	341.67		162.81	66.53	154.99	33.37	0.07	162.77	66.56		155.02	225.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:47:19	341.70		162.90	66.44	154.90	33.37	0.07	162.86	66.47		154.93	226.07
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:47:21	341.73		162.91	66.43	154.89	33.37	0.07	162.87	66.46		154.92	226.08
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:47:23	341.77		162.87	66.47	154.93	33.37	0.07	162.83	66.50		154.96	226.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:47:25	341.80		162.73	66.61	155.07	33.37	0.07	162.69	66.64		155.10	225.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:47:27	341.83		162.88	66.46	154.92	33.37	0.07	162.84	66.49		154.95	226.05
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:47:29	341.87		162.68	66.65	155.11	33.37	0.07	162.65	66.69		155.15	225.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:47:31	341.90		162.87	66.47	154.93	33.37	0.07	162.83	66.50		154.96	226.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:47:33	341.93		162.73	66.61	155.07	33.37	0.07	162.69	66.64		155.10	225.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:47:35	341.97		162.72	66.62	155.08	33.37	0.07	162.68	66.65		155.11	225.89
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:47:37	342.00		162.72	66.62	155.08	33.37	0.07	162.68	66.65		155.11	225.89
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:47:39	342.03		162.77	66.56	155.02	33.37	0.07	162.74	66.59		155.05	225.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:47:41	342.07		162.80	66.54	155.00	33.37	0.07	162.76	66.57		155.03	225.97
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:47:43	342.10		162.68	66.65	155.11	33.37	0.07	162.65	66.69		155.15	225.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:47:45	342.13		162.90	66.44	154.90	33.37	0.07	162.86	66.47		154.93	226.07
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:47:47	342.17		162.86	66.48	154.94	33.37	0.07	162.82	66.51		154.97	226.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:47:49	342.20		162.98	66.36	154.82	33.37	0.07	162.94	66.39		154.85	226.15
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:47:51	342.23		162.80	66.54	155.00	33.37	0.07	162.76	66.57		155.03	225.97
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:47:53	342.27		163.00	66.34	154.80	33.37	0.07	162.96	66.37		154.83	226.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:47:55	342.30		162.99	66.34	154.80	33.37	0.07	162.96	66.38		154.84	226.16
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:47:57	342.33		162.87	66.47	154.93	33.37	0.07	162.83	66.50		154.96	226.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:47:59	342.37		162.88	66.46	154.92	33.37	0.07	162.84	66.49		154.95	226.05
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:48:01	342.40		162.96	66.37	154.83	33.37	0.07	162.93	66.41		154.87	226.13
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:48:03	342.43		162.89	66.44	154.90	33.37	0.07	162.86	66.48		154.94	226.06
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:48:05	342.47		162.86	66.48	154.94	33.37	0.07	162.82	66.51		154.97	226.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:48:07	342.50		162.96	66.37	154.83	33.37	0.07	162.93	66.41		154.87	226.13
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:48:09	342.53		162.96	66.38	154.84	33.37	0.07	162.92	66.41		154.87	226.13
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:48:11	342.57		162.92	66.41	154.87	33.37	0.07	162.89	66.45		154.91	226.09
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:48:13	342.60		162.96	66.37	154.83	33.37	0.07	162.93	66.41		154.87	226.13
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:48:15	342.63		162.92	66.42	154.88	33.37	0.07	162.88	66.45		154.91	226.09
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:48:17	342.67		162.87	66.47	154.93	33.37	0.07	162.83	66.50		154.96	226.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:48:19	342.70		162.87	66.47	154.93	33.37	0.07	162.83	66.50		154.96	226.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:48:21	342.73		162.88	66.46	154.92	33.37	0.07	162.84	66.49		154.95	226.05
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:48:23	342.77		162.81	66.53	154.99	33.37	0.07	162.77	66.56		155.02	225.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:48:25	342.80		162.77	66.56	155.02	33.37	0.07	162.74	66.59		155.05	225.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:48:27	342.83		162.83	66.51	154.97	33.37	0.07	162.79	66.54		155.00	226.00
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:48:29	342.87		162.86	66.48	154.94	33.37	0.07	162.82	66.51		154.97	226.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:48:31	342.90		162.70	66.64	155.10	33.37	0.07	162.66	66.67		155.13	225.87
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:48:33	342.93		162.87	66.47	154.93	33.37	0.07	162.83	66.50		154.96	226.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:48:35	342.97		162.76	66.58	155.04	33.37	0.07	162.72	66.61		155.07	225.93
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:48:37	343.00		162.63	66.71	155.17	33.37	0.07	162.59	66.74		155.20	225.80
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:48:39	343.03		162.77	66.56	155.02	33.37	0.07	162.74	66.59		155.05	225.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:48:41	343.07		162.65	66.69	155.15	33.37	0.07	162.61	66.72		155.18	225.82
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:48:43	343.10		162.65	66.69	155.15	33.37	0.07	162.61	66.72		155.18	225.82
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:48:45	343.13		162.81	66.52	154.98	33.37	0.07	162.78	66.56		155.02	225.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:48:47	343.17		162.77	66.56	155.02	33.37	0.07	162.74	66.59		155.05	225.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:48:49	343.20		162.81	66.52	154.98	33.37	0.07	162.78	66.56		155.02	225.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:48:51	343.23		162.82	66.51	154.97	33.37	0.07	162.79	66.55		155.01	225.99

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:48:53	343.27		162.87	66.47	154.93	33.37	0.07	162.83	66.50		154.96	226.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:48:55	343.30		162.76	66.58	155.04	33.37	0.07	162.72	66.61		155.07	225.93
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:48:57	343.33		162.88	66.45	154.91	33.37	0.07	162.85	66.49		154.95	226.05
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:48:59	343.37		162.83	66.51	154.97	33.37	0.07	162.79	66.54		155.00	226.00
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:49:01	343.40		162.87	66.47	154.93	33.37	0.07	162.83	66.50		154.96	226.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:49:03	343.43		162.74	66.60	155.06	33.37	0.07	162.70	66.63		155.09	225.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:49:05	343.47		162.99	66.34	154.80	33.37	0.07	162.96	66.38		154.84	226.16
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:49:07	343.50		162.77	66.56	155.02	33.37	0.07	162.74	66.59		155.05	225.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:49:09	343.53		162.88	66.46	154.92	33.37	0.07	162.84	66.49		154.95	226.05
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:49:11	343.57		162.92	66.41	154.87	33.37	0.07	162.89	66.45		154.91	226.09
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:49:13	343.60		162.84	66.49	154.95	33.37	0.07	162.81	66.52		154.98	226.02
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:49:15	343.63		162.93	66.41	154.87	33.37	0.07	162.89	66.44		154.90	226.10
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:49:17	343.67		162.76	66.58	155.04	33.37	0.07	162.72	66.61		155.07	225.93
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:49:19	343.70		162.86	66.48	154.94	33.37	0.07	162.82	66.51		154.97	226.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:49:21	343.73		162.90	66.44	154.90	33.37	0.07	162.86	66.47		154.93	226.07
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:49:23	343.77		162.73	66.61	155.07	33.37	0.07	162.69	66.64		155.10	225.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:49:25	343.80		162.85	66.49	154.95	33.37	0.07	162.81	66.52		154.98	226.02
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:49:27	343.83		162.77	66.57	155.03	33.37	0.07	162.73	66.60		155.06	225.94
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:49:29	343.87		162.81	66.52	154.98	33.37	0.07	162.78	66.56		155.02	225.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:49:31	343.90		162.76	66.58	155.04	33.37	0.07	162.72	66.61		155.07	225.93
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:49:33	343.93		162.77	66.57	155.03	33.37	0.07	162.73	66.60		155.06	225.94
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:49:35	343.97		162.83	66.51	154.97	33.37	0.07	162.79	66.54		155.00	226.00
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:49:37	344.00		162.78	66.55	155.01	33.37	0.07	162.75	66.59		155.05	225.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:49:39	344.03		162.77	66.56	155.02	33.37	0.07	162.74	66.59		155.05	225.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:49:41	344.07		162.84	66.50	154.96	33.37	0.07	162.80	66.53		154.99	226.01
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:49:43	344.10		162.90	66.44	154.90	33.37	0.07	162.86	66.47		154.93	226.07
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:49:45	344.13		162.76	66.58	155.04	33.37	0.07	162.72	66.61		155.07	225.93
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:49:47	344.17		162.78	66.56	155.02	33.37	0.07	162.74	66.59		155.05	225.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:49:49	344.20		162.75	66.59	155.05	33.37	0.07	162.71	66.62		155.08	225.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:49:51	344.23		162.81	66.52	154.98	33.37	0.07	162.78	66.56		155.02	225.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:49:53	344.27		162.70	66.64	155.10	33.37	0.07	162.66	66.67		155.13	225.87
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:49:55	344.30		162.72	66.62	155.08	33.37	0.07	162.68	66.65		155.11	225.89
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:49:57	344.33		162.71	66.63	155.09	33.37	0.07	162.67	66.66		155.12	225.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:49:59	344.37		162.65	66.69	155.15	33.37	0.07	162.61	66.72		155.18	225.82
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:50:01	344.40		162.70	66.64	155.10	33.37	0.07	162.66	66.67		155.13	225.87
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:50:03	344.43		162.77	66.57	155.03	33.37	0.07	162.73	66.60		155.06	225.94
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:50:05	344.47		162.78	66.55	155.01	33.37	0.07	162.75	66.59		155.05	225.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:50:07	344.50		162.77	66.57	155.03	33.37	0.07	162.73	66.60		155.06	225.94
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:50:09	344.53		162.73	66.61	155.07	33.37	0.07	162.69	66.64		155.10	225.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:50:11	344.57		162.78	66.55	155.01	33.37	0.07	162.75	66.59		155.05	225.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:50:13	344.60		162.91	66.42	154.88	33.37	0.07	162.88	66.46		154.92	226.08
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:50:15	344.63		162.84	66.50	154.96	33.37	0.07	162.80	66.53		154.99	226.01
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:50:17	344.67		162.74	66.59	155.05	33.37	0.07	162.71	66.63		155.09	225.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:50:19	344.70		162.72	66.62	155.08	33.37	0.07	162.68	66.65		155.11	225.89
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:50:21	344.73		162.89	66.45	154.91	33.37	0.07	162.85	66.48		154.94	226.06
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:50:23	344.77		162.77	66.57	155.03	33.37	0.07	162.73	66.60		155.06	225.94
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:50:25	344.80		162.59	66.75	155.21	33.37	0.07	162.55	66.78		155.24	225.76
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:50:27	344.83		162.83	66.51	154.97	33.37	0.07	162.79	66.54		155.00	226.00
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:50:29	344.87		162.99	66.35	154.81	33.37	0.07	162.95	66.38		154.84	226.16
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:50:31	344.90		162.70	66.63	155.09	33.37	0.07	162.67	66.66		155.12	225.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:50:33	344.93		162.81	66.53	154.99	33.37	0.07	162.77	66.56		155.02	225.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:50:35	344.97		163.02	66.32	154.78	33.37	0.07	162.98	66.35		154.81	226.19
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:50:37	345.00		162.70	66.63	155.09	33.37	0.07	162.67	66.66		155.12	225.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:50:39	345.03		162.90	66.44	154.90	33.37	0.07	162.86	66.47		154.93	226.07
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:50:41	345.07		162.84	66.49	154.95	33.37	0.07	162.81	66.52		154.98	226.02
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:50:43	345.10		162.73	66.61	155.07	33.37	0.07	162.69	66.64		155.10	225.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:50:45	345.13		162.73	66.61	155.07	33.37	0.07	162.69	66.64		155.10	225.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:50:47	345.17		162.74	66.60	155.06	33.37	0.07	162.70	66.63		155.09	225.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:50:49	345.20		162.63	66.70	155.16	33.37	0.07	162.60	66.74		155.20	225.80
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:50:51	345.23		162.82	66.51	154.97	33.37	0.07	162.79	66.55		155.01	225.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:50:53	345.27		162.65	66.69	155.15	33.37	0.07	162.61	66.72		155.18	225.82
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:50:55	345.30		162.62	66.72	155.18	33.37	0.07	162.58	66.75		155.21	225.79
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:50:57	345.33		162.63	66.71	155.17	33.37	0.07	162.59	66.74		155.20	225.80
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:50:59	345.37		162.74	66.59	155.05	33.37	0.07	162.71	66.63		155.09	225.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:51:01	345.40		162.67	66.66	155.12	33.37	0.07	162.64	66.70		155.16	225.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:51:03	345.43		162.52	66.82	155.28	33.37	0.07	162.48	66.85		155.31	225.69
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:51:05	345.47		162.71	66.62	155.08	33.37	0.07	162.68	66.66		155.12	225.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:51:07	345.50		162.77	66.57	155.03	33.37	0.07	162.73	66.60		155.06	225.94
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:51:09	345.53		162.73	66.61	155.07	33.37	0.07	162.69	66.64		155.10	225.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:51:11	345.57		162.63	66.70	155.16	33.37	0.07	162.60	66.73		155.19	225.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:51:13	345.60		162.68	66.65	155.11	33.37	0.07	162.65	66.69		155.15	225.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:51:15	345.63		162.77	66.56	155.02	33.37	0.07	162.74	66.59		155.05	225.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:51:17	345.67		162.73	66.61	155.07	33.37	0.07	162.69	66.64		155.10	225.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:51:19	345.70		162.82	66.51	154.97	33.37	0.07	162.79	66.55		155.01	225.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:51:21	345.73		162.79	66.55	155.01	33.37	0.07	162.75	66.58		155.04	225.96
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:51:23	345.77		162.63	66.71	155.17	33.37	0.07	162.59	66.74		155.20	225.80
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:51:25	345.80		162.77	66.56	155.02	33.37	0.07	162.74	66.59		155.05	225.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:51:27	345.83		162.80	66.54	155.00	33.37	0.07	162.76	66.57		155.03	225.97
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:51:29	345.87		162.81	66.53	154.99	33.37	0.07	162.77	66.56		155.02	225.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:51:31	345.90		162.81	66.53	154.99	33.37	0.07	162.77	66.56		155.02	225.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:51:33	345.93		162.73	66.61	155.07	33.37	0.07	162.69	66.64		155.10	225.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:51:35	345.97		162.67	66.66	155.12	33.37	0.07	162.64	66.70		155.16	225.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:51:37	346.00		162.71	66.63	155.09	33.37	0.07	162.67	66.66		155.12	225.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:51:39	346.03		162.77	66.57	155.03	33.37	0.07	162.73	66.60		155.06	225.94
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:51:41	346.07		162.75	66.58	155.04	33.37	0.07	162.72	66.62		155.08	225.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:51:43	346.10		162.71	66.62	155.08	33.37	0.07	162.68	66.66		155.12	225.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:51:45	346.13		162.88	66.46	154.92	33.37	0.07	162.84	66.49		154.95	226.05
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:51:47	346.17		162.75	66.58	155.04	33.37	0.07	162.72	66.62		155.08	225.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:51:49	346.20		162.82	66.52	154.98	33.37	0.07	162.78	66.55		155.01	225.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:51:51	346.23		162.71	66.62	155.08	33.37	0.07	162.68	66.66		155.12	225.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:51:53	346.27		162.81	66.52	154.98	33.37	0.07	162.78	66.56		155.02	225.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:51:55	346.30		162.77	66.57	155.03	33.37	0.07	162.73	66.60		155.06	225.94
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:51:57	346.33		162.80	66.54	155.00	33.37	0.07	162.76	66.57		155.03	225.97
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:51:59	346.37		162.61	66.72	155.18	33.37	0.07	162.58	66.76		155.22	225.78
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:52:01	346.40		162.80	66.54	155.00	33.37	0.07	162.76	66.57		155.03	225.97
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:52:03	346.43		162.74	66.59	155.05	33.37	0.07	162.71	66.63		155.09	225.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:52:05	346.47		162.63	66.70	155.16	33.37	0.07	162.60	66.74		155.20	225.80

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:52:07	346.50		162.64	66.69	155.15	33.37	0.07	162.61	66.73		155.19	225.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:52:09	346.53		162.63	66.71	155.17	33.37	0.07	162.59	66.74		155.20	225.80
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:52:11	346.57		162.53	66.80	155.26	33.37	0.07	162.50	66.84		155.30	225.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:52:13	346.60		162.62	66.72	155.18	33.37	0.07	162.58	66.75		155.21	225.79
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:52:15	346.63		162.72	66.62	155.08	33.37	0.07	162.68	66.65		155.11	225.89
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:52:17	346.67		162.63	66.70	155.16	33.37	0.07	162.60	66.73		155.19	225.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:52:19	346.70		162.72	66.62	155.08	33.37	0.07	162.68	66.65		155.11	225.89
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:52:21	346.73		162.65	66.69	155.15	33.37	0.07	162.61	66.72		155.18	225.82
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:52:23	346.77		162.77	66.57	155.03	33.37	0.07	162.73	66.60		155.06	225.94
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:52:25	346.80		162.70	66.63	155.09	33.37	0.07	162.67	66.66		155.12	225.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:52:27	346.83		162.77	66.57	155.03	33.37	0.07	162.73	66.60		155.06	225.94
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:52:29	346.87		162.74	66.59	155.05	33.37	0.07	162.71	66.63		155.09	225.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:52:31	346.90		162.71	66.62	155.08	33.37	0.07	162.68	66.66		155.12	225.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:52:33	346.93		162.72	66.62	155.08	33.37	0.07	162.68	66.65		155.11	225.89
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:52:35	346.97		162.82	66.51	154.97	33.37	0.07	162.79	66.55		155.01	225.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:52:37	347.00		162.79	66.55	155.01	33.37	0.07	162.75	66.58		155.04	225.96
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:52:39	347.03		162.66	66.68	155.14	33.37	0.07	162.62	66.71		155.17	225.83
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:52:41	347.07		162.81	66.52	154.98	33.37	0.07	162.78	66.56		155.02	225.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:52:43	347.10		162.74	66.59	155.05	33.37	0.07	162.71	66.63		155.09	225.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:52:45	347.13		162.77	66.57	155.03	33.37	0.07	162.73	66.60		155.06	225.94
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:52:47	347.17		162.80	66.54	155.00	33.37	0.07	162.76	66.57		155.03	225.97
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:52:49	347.20		162.67	66.67	155.13	33.37	0.07	162.63	66.70		155.16	225.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:52:51	347.23		162.60	66.74	155.20	33.37	0.07	162.56	66.77		155.23	225.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:52:53	347.27		162.79	66.55	155.01	33.37	0.07	162.75	66.58		155.04	225.96
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:52:55	347.30		162.73	66.61	155.07	33.37	0.07	162.69	66.64		155.10	225.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:52:57	347.33		162.81	66.53	154.99	33.37	0.07	162.77	66.56		155.02	225.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:52:59	347.37		162.67	66.66	155.12	33.37	0.07	162.64	66.70		155.16	225.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:53:01	347.40		162.74	66.59	155.05	33.37	0.07	162.71	66.63		155.09	225.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:53:03	347.43		162.74	66.60	155.06	33.37	0.07	162.70	66.63		155.09	225.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:53:05	347.47		162.63	66.70	155.16	33.37	0.07	162.60	66.73		155.19	225.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:53:07	347.50		162.62	66.71	155.17	33.37	0.07	162.59	66.74		155.20	225.80
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:53:09	347.53		162.72	66.62	155.08	33.37	0.07	162.68	66.65		155.11	225.89
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:53:11	347.57		162.64	66.69	155.15	33.37	0.07	162.61	66.73		155.19	225.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:53:13	347.60		162.63	66.71	155.17	33.37	0.07	162.59	66.74		155.20	225.80
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:53:15	347.63		162.66	66.68	155.14	33.37	0.07	162.62	66.71		155.17	225.83
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:53:17	347.67		162.59	66.75	155.21	33.37	0.07	162.55	66.78		155.24	225.76
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:53:19	347.70		162.50	66.83	155.29	33.37	0.07	162.47	66.87		155.33	225.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:53:21	347.73		162.66	66.68	155.14	33.37	0.07	162.62	66.71		155.17	225.83
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:53:23	347.77		162.55	66.79	155.25	33.37	0.07	162.51	66.82		155.28	225.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:53:25	347.80		162.63	66.71	155.17	33.37	0.07	162.59	66.74		155.20	225.80
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:53:27	347.83		162.70	66.64	155.10	33.37	0.07	162.66	66.67		155.13	225.87
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:53:29	347.87		162.58	66.76	155.22	33.37	0.07	162.54	66.79		155.25	225.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:53:31	347.90		162.60	66.73	155.19	33.37	0.07	162.57	66.77		155.23	225.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:53:33	347.93		162.66	66.68	155.14	33.37	0.07	162.62	66.71		155.17	225.83
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:53:35	347.97		162.57	66.76	155.22	33.37	0.07	162.54	66.80		155.26	225.74
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:53:37	348.00		162.68	66.65	155.11	33.37	0.07	162.65	66.69		155.15	225.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:53:39	348.03		162.71	66.62	155.08	33.37	0.07	162.68	66.66		155.12	225.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:53:41	348.07		162.49	66.84	155.30	33.37	0.07	162.46	66.87		155.33	225.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:53:43	348.10		162.77	66.57	155.03	33.37	0.07	162.73	66.60		155.06	225.94
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:53:45	348.13		162.77	66.56	155.02	33.37	0.07	162.74	66.59		155.05	225.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:53:47	348.17		162.70	66.64	155.10	33.37	0.07	162.66	66.67		155.13	225.87
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:53:49	348.20		162.71	66.62	155.08	33.37	0.07	162.68	66.66		155.12	225.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:53:51	348.23		162.73	66.61	155.07	33.37	0.07	162.69	66.64		155.10	225.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:53:53	348.27		162.72	66.62	155.08	33.37	0.07	162.68	66.65		155.11	225.89
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:53:55	348.30		162.62	66.72	155.18	33.37	0.07	162.58	66.75		155.21	225.79
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:53:57	348.33		162.76	66.58	155.04	33.37	0.07	162.72	66.61		155.07	225.93
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:53:59	348.37		162.76	66.58	155.04	33.37	0.07	162.72	66.61		155.07	225.93
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:54:01	348.40		162.74	66.59	155.05	33.37	0.07	162.71	66.63		155.09	225.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:54:03	348.43		162.67	66.66	155.12	33.37	0.07	162.64	66.70		155.16	225.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:54:05	348.47		162.63	66.70	155.16	33.37	0.07	162.60	66.73		155.19	225.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:54:07	348.50		162.67	66.66	155.12	33.37	0.07	162.64	66.70		155.16	225.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:54:09	348.53		162.73	66.61	155.07	33.37	0.07	162.69	66.64		155.10	225.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:54:11	348.57		162.73	66.61	155.07	33.37	0.07	162.69	66.64		155.10	225.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:54:13	348.60		162.67	66.66	155.12	33.37	0.07	162.64	66.70		155.16	225.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:54:15	348.63		162.60	66.74	155.20	33.37	0.07	162.56	66.77		155.23	225.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:54:17	348.67		162.64	66.69	155.15	33.37	0.07	162.61	66.73		155.19	225.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:54:19	348.70		162.67	66.67	155.13	33.37	0.07	162.63	66.70		155.16	225.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:54:21	348.73		162.66	66.68	155.14	33.37	0.07	162.62	66.71		155.17	225.83
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:54:23	348.77		162.68	66.65	155.11	33.37	0.07	162.65	66.69		155.15	225.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:54:25	348.80		162.63	66.70	155.16	33.37	0.07	162.60	66.74		155.20	225.80
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:54:27	348.83		162.53	66.80	155.26	33.37	0.07	162.50	66.84		155.30	225.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:54:29	348.87		162.57	66.76	155.22	33.37	0.07	162.54	66.80		155.26	225.74
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:54:31	348.90		162.65	66.69	155.15	33.37	0.07	162.61	66.72		155.18	225.82
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:54:33	348.93		162.62	66.72	155.18	33.37	0.07	162.58	66.75		155.21	225.79
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:54:35	348.97		162.56	66.78	155.24	33.37	0.07	162.52	66.81		155.27	225.73
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:54:37	349.00		162.61	66.72	155.18	33.37	0.07	162.58	66.76		155.22	225.78
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:54:39	349.03		162.60	66.74	155.20	33.37	0.07	162.56	66.77		155.23	225.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:54:41	349.07		162.60	66.73	155.19	33.37	0.07	162.57	66.77		155.23	225.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:54:43	349.10		162.52	66.82	155.28	33.37	0.07	162.48	66.85		155.31	225.69
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:54:45	349.13		162.67	66.67	155.13	33.37	0.07	162.63	66.70		155.16	225.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:54:47	349.17		162.58	66.76	155.22	33.37	0.07	162.54	66.79		155.25	225.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:54:49	349.20		162.50	66.84	155.30	33.37	0.07	162.46	66.87		155.33	225.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:54:51	349.23		162.58	66.76	155.22	33.37	0.07	162.54	66.79		155.25	225.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:54:53	349.27		162.67	66.67	155.13	33.37	0.07	162.63	66.70		155.16	225.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:54:55	349.30		162.70	66.64	155.10	33.37	0.07	162.66	66.67		155.13	225.87
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:54:57	349.33		162.53	66.80	155.26	33.37	0.07	162.50	66.84		155.30	225.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:54:59	349.37		162.72	66.62	155.08	33.37	0.07	162.68	66.65		155.11	225.89
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:55:01	349.40		162.63	66.70	155.16	33.37	0.07	162.60	66.74		155.20	225.80
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:55:03	349.43		162.76	66.58	155.04	33.37	0.07	162.72	66.61		155.07	225.93
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:55:05	349.47		162.65	66.69	155.15	33.37	0.07	162.61	66.72		155.18	225.82
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:55:07	349.50		162.74	66.60	155.06	33.37	0.07	162.70	66.63		155.09	225.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:55:09	349.53		162.84	66.50	154.96	33.37	0.07	162.80	66.53		154.99	226.01
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:55:11	349.57		162.62	66.72	155.18	33.37	0.07	162.58	66.75		155.21	225.79
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:55:13	349.60		162.70	66.63	155.09	33.37	0.07	162.67	66.66		155.12	225.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:55:15	349.63		162.79	66.55	155.01	33.37	0.07	162.75	66.58		155.04	225.96
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:55:17	349.67		162.57	66.77	155.23	33.37	0.07	162.53	66.80		155.26	225.74
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:55:19	349.70		162.59	66.75	155.21	33.37	0.07	162.55	66.78		155.24	225.76

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:55:21	349.73		162.54	66.79	155.25	33.37	0.07	162.51	66.83		155.29	225.71
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:55:23	349.77		162.56	66.78	155.24	33.37	0.07	162.52	66.81		155.27	225.73
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:55:25	349.80		162.70	66.64	155.10	33.37	0.07	162.66	66.67		155.13	225.87
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:55:27	349.83		162.63	66.71	155.17	33.37	0.07	162.59	66.74		155.20	225.80
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:55:29	349.87		162.53	66.81	155.27	33.37	0.07	162.49	66.84		155.30	225.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:55:31	349.90		162.50	66.83	155.29	33.37	0.07	162.47	66.87		155.33	225.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:55:33	349.93		162.58	66.76	155.22	33.37	0.07	162.54	66.79		155.25	225.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:55:35	349.97		162.58	66.76	155.22	33.37	0.07	162.54	66.79		155.25	225.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:55:37	350.00		162.39	66.95	155.41	33.37	0.07	162.35	66.98		155.44	225.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:55:39	350.03		162.53	66.80	155.26	33.37	0.07	162.50	66.84		155.30	225.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:55:41	350.07		162.48	66.86	155.32	33.37	0.07	162.44	66.89		155.35	225.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:55:43	350.10		162.60	66.73	155.19	33.37	0.07	162.57	66.77		155.23	225.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:55:45	350.13		162.57	66.76	155.22	33.37	0.07	162.54	66.80		155.26	225.74
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:55:47	350.17		162.65	66.69	155.15	33.37	0.07	162.61	66.72		155.18	225.82
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:55:49	350.20		162.58	66.76	155.22	33.37	0.07	162.54	66.79		155.25	225.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:55:51	350.23		162.52	66.81	155.27	33.37	0.07	162.49	66.85		155.31	225.69
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:55:53	350.27		162.66	66.68	155.14	33.37	0.07	162.62	66.71		155.17	225.83
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:55:55	350.30		162.57	66.76	155.22	33.37	0.07	162.54	66.80		155.26	225.74
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:55:57	350.33		162.66	66.68	155.14	33.37	0.07	162.62	66.71		155.17	225.83
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:55:59	350.37		162.53	66.80	155.26	33.37	0.07	162.50	66.84		155.30	225.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:56:01	350.40		162.75	66.59	155.05	33.37	0.07	162.71	66.62		155.08	225.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:56:03	350.43		162.45	66.89	155.35	33.37	0.07	162.41	66.92		155.38	225.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:56:05	350.47		162.82	66.52	154.98	33.37	0.07	162.78	66.55		155.01	225.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:56:07	350.50		162.58	66.76	155.22	33.37	0.07	162.54	66.79		155.25	225.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:56:09	350.53		162.60	66.74	155.20	33.37	0.07	162.56	66.77		155.23	225.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:56:11	350.57		162.73	66.61	155.07	33.37	0.07	162.69	66.64		155.10	225.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:56:13	350.60		162.71	66.62	155.08	33.37	0.07	162.68	66.66		155.12	225.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:56:15	350.63		162.61	66.72	155.18	33.37	0.07	162.58	66.76		155.22	225.78
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:56:17	350.67		162.76	66.58	155.04	33.37	0.07	162.72	66.61		155.07	225.93
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:56:19	350.70		162.57	66.76	155.22	33.37	0.07	162.54	66.80		155.26	225.74
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:56:21	350.73		162.63	66.70	155.16	33.37	0.07	162.60	66.74		155.20	225.80
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:56:23	350.77		162.60	66.74	155.20	33.37	0.07	162.56	66.77		155.23	225.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:56:25	350.80		162.66	66.68	155.14	33.37	0.07	162.62	66.71		155.17	225.83
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:56:27	350.83		162.58	66.76	155.22	33.37	0.07	162.54	66.79		155.25	225.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:56:29	350.87		162.63	66.70	155.16	33.37	0.07	162.60	66.74		155.20	225.80
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:56:31	350.90		162.62	66.71	155.17	33.37	0.07	162.59	66.74		155.20	225.80
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:56:33	350.93		162.77	66.56	155.02	33.37	0.07	162.74	66.59		155.05	225.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:56:35	350.97		162.70	66.64	155.10	33.37	0.07	162.66	66.67		155.13	225.87
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:56:37	351.00		162.75	66.58	155.04	33.37	0.07	162.72	66.62		155.08	225.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:56:39	351.03		162.46	66.87	155.33	33.37	0.07	162.43	66.91		155.37	225.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:56:41	351.07		162.50	66.83	155.29	33.37	0.07	162.47	66.87		155.33	225.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:56:43	351.10		162.58	66.76	155.22	33.37	0.07	162.54	66.79		155.25	225.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:56:45	351.13		162.53	66.80	155.26	33.37	0.07	162.50	66.84		155.30	225.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:56:47	351.17		162.46	66.88	155.34	33.37	0.07	162.42	66.91		155.37	225.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:56:49	351.20		162.49	66.84	155.30	33.37	0.07	162.46	66.87		155.33	225.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:56:51	351.23		162.54	66.79	155.25	33.37	0.07	162.51	66.83		155.29	225.71
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:56:53	351.27		162.55	66.79	155.25	33.37	0.07	162.51	66.82		155.28	225.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:56:55	351.30		162.67	66.66	155.12	33.37	0.07	162.64	66.70		155.16	225.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:56:57	351.33		162.47	66.87	155.33	33.37	0.07	162.43	66.90		155.36	225.64
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:56:59	351.37		162.67	66.67	155.13	33.37	0.07	162.63	66.70		155.16	225.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:57:01	351.40		162.58	66.76	155.22	33.37	0.07	162.54	66.79		155.25	225.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:57:03	351.43		162.63	66.71	155.17	33.37	0.07	162.59	66.74		155.20	225.80
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:57:05	351.47		162.53	66.80	155.26	33.37	0.07	162.50	66.84		155.30	225.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:57:07	351.50		162.50	66.84	155.30	33.37	0.07	162.46	66.87		155.33	225.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:57:09	351.53		162.72	66.62	155.08	33.37	0.07	162.68	66.65		155.11	225.89
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:57:11	351.57		162.58	66.76	155.22	33.37	0.07	162.54	66.79		155.25	225.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:57:13	351.60		162.60	66.73	155.19	33.37	0.07	162.57	66.77		155.23	225.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:57:15	351.63		162.74	66.60	155.06	33.37	0.07	162.70	66.63		155.09	225.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:57:17	351.67		162.51	66.83	155.29	33.37	0.07	162.47	66.86		155.32	225.68
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:57:19	351.70		162.62	66.72	155.18	33.37	0.07	162.58	66.75		155.21	225.79
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:57:21	351.73		162.72	66.62	155.08	33.37	0.07	162.68	66.65		155.11	225.89
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:57:23	351.77		162.65	66.69	155.15	33.37	0.07	162.61	66.72		155.18	225.82
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:57:25	351.80		162.56	66.77	155.23	33.37	0.07	162.53	66.81		155.27	225.73
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:57:27	351.83		162.63	66.70	155.16	33.37	0.07	162.60	66.73		155.19	225.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:57:29	351.87		162.59	66.75	155.21	33.37	0.07	162.55	66.78		155.24	225.76
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:57:31	351.90		162.56	66.77	155.23	33.37	0.07	162.53	66.80		155.26	225.74
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:57:33	351.93		162.60	66.74	155.20	33.37	0.07	162.56	66.77		155.23	225.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:57:35	351.97		162.57	66.76	155.22	33.37	0.07	162.54	66.80		155.26	225.74
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:57:37	352.00		162.64	66.69	155.15	33.37	0.07	162.61	66.73		155.19	225.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:57:39	352.03		162.56	66.77	155.23	33.37	0.07	162.53	66.80		155.26	225.74
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:57:41	352.07		162.60	66.73	155.19	33.37	0.07	162.57	66.77		155.23	225.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:57:43	352.10		162.59	66.74	155.20	33.37	0.07	162.56	66.78		155.24	225.76
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:57:45	352.13		162.66	66.68	155.14	33.37	0.07	162.62	66.71		155.17	225.83
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:57:47	352.17		162.59	66.75	155.21	33.37	0.07	162.55	66.78		155.24	225.76
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:57:49	352.20		162.48	66.85	155.31	33.37	0.07	162.45	66.88		155.34	225.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:57:51	352.23		162.41	66.93	155.39	33.37	0.07	162.37	66.96		155.42	225.58
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:57:53	352.27		162.53	66.80	155.26	33.37	0.07	162.50	66.84		155.30	225.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:57:55	352.30		162.54	66.79	155.25	33.37	0.07	162.51	66.83		155.29	225.71
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:57:57	352.33		162.41	66.93	155.39	33.37	0.07	162.37	66.96		155.42	225.58
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:57:59	352.37		162.54	66.79	155.25	33.37	0.07	162.51	66.83		155.29	225.71
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:58:01	352.40		162.42	66.92	155.38	33.37	0.07	162.38	66.95		155.41	225.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:58:03	352.43		162.53	66.81	155.27	33.37	0.07	162.49	66.84		155.30	225.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:58:05	352.47		162.49	66.84	155.30	33.37	0.07	162.46	66.87		155.33	225.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:58:07	352.50		162.57	66.76	155.22	33.37	0.07	162.54	66.80		155.26	225.74
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:58:09	352.53		162.53	66.81	155.27	33.37	0.07	162.49	66.84		155.30	225.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:58:11	352.57		162.51	66.83	155.29	33.37	0.07	162.47	66.86		155.32	225.68
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:58:13	352.60		162.68	66.66	155.12	33.37	0.07	162.64	66.69		155.15	225.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:58:15	352.63		162.53	66.81	155.27	33.37	0.07	162.49	66.84		155.30	225.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:58:17	352.67		162.69	66.64	155.10	33.37	0.07	162.66	66.67		155.13	225.87
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:58:19	352.70		162.67	66.67	155.13	33.37	0.07	162.63	66.70		155.16	225.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:58:21	352.73		162.60	66.74	155.20	33.37	0.07	162.56	66.77		155.23	225.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:58:23	352.77		162.52	66.82	155.28	33.37	0.07	162.48	66.85		155.31	225.69
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:58:25	352.80		162.58	66.76	155.22	33.37	0.07	162.54	66.79		155.25	225.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:58:27	352.83		162.59	66.75	155.21	33.37	0.07	162.55	66.78		155.24	225.76
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:58:29	352.87		162.53	66.81	155.27	33.37	0.07	162.49	66.84		155.30	225.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:58:31	352.90		162.72	66.62	155.08	33.37	0.07	162.68	66.65		155.11	225.89
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:58:33	352.93		162.56	66.78	155.24	33.37	0.07	162.52	66.81		155.27	225.73

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:58:35	352.97		162.64	66.69	155.15	33.37	0.07	162.61	66.73		155.19	225.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:58:37	353.00		162.66	66.67	155.13	33.37	0.07	162.63	66.71		155.17	225.83
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:58:39	353.03		162.54	66.79	155.25	33.37	0.07	162.51	66.83		155.29	225.71
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:58:41	353.07		162.56	66.78	155.24	33.37	0.07	162.52	66.81		155.27	225.73
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:58:43	353.10		162.60	66.73	155.19	33.37	0.07	162.57	66.77		155.23	225.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:58:45	353.13		162.52	66.82	155.28	33.37	0.07	162.48	66.85		155.31	225.69
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:58:47	353.17		162.55	66.79	155.25	33.37	0.07	162.51	66.82		155.28	225.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:58:49	353.20		162.53	66.81	155.27	33.37	0.07	162.49	66.84		155.30	225.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:58:51	353.23		162.47	66.87	155.33	33.37	0.07	162.43	66.90		155.36	225.64
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:58:53	353.27		162.49	66.85	155.31	33.37	0.07	162.45	66.88		155.34	225.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:58:55	353.30		162.48	66.86	155.32	33.37	0.07	162.44	66.89		155.35	225.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:58:57	353.33		162.42	66.92	155.38	33.37	0.07	162.38	66.95		155.41	225.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:58:59	353.37		162.42	66.92	155.38	33.37	0.07	162.38	66.95		155.41	225.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:59:01	353.40		162.38	66.96	155.42	33.37	0.07	162.34	66.99		155.45	225.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:59:03	353.43		162.45	66.89	155.35	33.37	0.07	162.41	66.92		155.38	225.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:59:05	353.47		162.44	66.90	155.36	33.37	0.07	162.40	66.93		155.39	225.61
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:59:07	353.50		162.44	66.90	155.36	33.37	0.07	162.40	66.93		155.39	225.61
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:59:09	353.53		162.39	66.95	155.41	33.37	0.07	162.35	66.98		155.44	225.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:59:11	353.57		162.33	67.01	155.47	33.37	0.07	162.29	67.04		155.50	225.50
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:59:13	353.60		162.43	66.90	155.36	33.37	0.07	162.40	66.94		155.40	225.60
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:59:15	353.63		162.44	66.90	155.36	33.37	0.07	162.40	66.93		155.39	225.61
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:59:17	353.67		162.59	66.75	155.21	33.37	0.07	162.55	66.78		155.24	225.76
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:59:19	353.70		162.39	66.95	155.41	33.37	0.07	162.35	66.98		155.44	225.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:59:21	353.73		162.58	66.76	155.22	33.37	0.07	162.54	66.79		155.25	225.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:59:23	353.77		162.54	66.79	155.25	33.37	0.07	162.51	66.83		155.29	225.71
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:59:25	353.80		162.41	66.93	155.39	33.37	0.07	162.37	66.96		155.42	225.58
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:59:27	353.83		162.55	66.79	155.25	33.37	0.07	162.51	66.82		155.28	225.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:59:29	353.87		162.60	66.73	155.19	33.37	0.07	162.57	66.77		155.23	225.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:59:31	353.90		162.41	66.93	155.39	33.37	0.07	162.37	66.96		155.42	225.58
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:59:33	353.93		162.58	66.76	155.22	33.37	0.07	162.54	66.79		155.25	225.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:59:35	353.97		162.53	66.81	155.27	33.37	0.07	162.49	66.84		155.30	225.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:59:37	354.00		162.55	66.78	155.24	33.37	0.07	162.52	66.81		155.27	225.73
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:59:39	354.03		162.48	66.86	155.32	33.37	0.07	162.44	66.89		155.35	225.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:59:41	354.07		162.65	66.69	155.15	33.37	0.07	162.61	66.72		155.18	225.82
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:59:43	354.10		162.65	66.69	155.15	33.37	0.07	162.61	66.72		155.18	225.82
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:59:45	354.13		162.53	66.81	155.27	33.37	0.07	162.49	66.84		155.30	225.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:59:47	354.17		162.69	66.65	155.11	33.37	0.07	162.65	66.68		155.14	225.86
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:59:49	354.20		162.37	66.97	155.43	33.37	0.07	162.33	67.00		155.46	225.54
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:59:51	354.23		162.48	66.86	155.32	33.37	0.07	162.44	66.89		155.35	225.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:59:53	354.27		162.55	66.79	155.25	33.37	0.07	162.51	66.82		155.28	225.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:59:55	354.30		162.57	66.76	155.22	33.37	0.07	162.54	66.80		155.26	225.74
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:59:57	354.33		162.60	66.73	155.19	33.37	0.07	162.57	66.77		155.23	225.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 21:59:59	354.37		162.50	66.83	155.29	33.37	0.07	162.47	66.87		155.33	225.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:00:01	354.40		162.55	66.79	155.25	33.37	0.07	162.51	66.82		155.28	225.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:00:03	354.43		162.33	67.01	155.47	33.37	0.07	162.29	67.04		155.50	225.50
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:00:05	354.47		162.40	66.94	155.40	33.37	0.07	162.36	66.97		155.43	225.57
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:00:07	354.50		162.48	66.86	155.32	33.37	0.07	162.44	66.89		155.35	225.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:00:09	354.53		162.40	66.94	155.40	33.37	0.07	162.36	66.97		155.43	225.57
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:00:11	354.57		162.29	67.04	155.50	33.37	0.07	162.25	67.08		155.54	225.46
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:00:13	354.60		162.48	66.85	155.31	33.37	0.07	162.45	66.89		155.35	225.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:00:15	354.63		162.53	66.80	155.26	33.37	0.07	162.50	66.84		155.30	225.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:00:17	354.67		162.59	66.75	155.21	33.37	0.07	162.55	66.78		155.24	225.76
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:00:19	354.70		162.48	66.86	155.32	33.37	0.07	162.44	66.89		155.35	225.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:00:21	354.73		162.42	66.91	155.37	33.37	0.07	162.39	66.95		155.41	225.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:00:23	354.77		162.53	66.81	155.27	33.37	0.07	162.49	66.84		155.30	225.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:00:25	354.80		162.66	66.67	155.13	33.37	0.07	162.63	66.71		155.17	225.83
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:00:27	354.83		162.46	66.87	155.33	33.37	0.07	162.43	66.91		155.37	225.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:00:29	354.87		162.39	66.94	155.40	33.37	0.07	162.36	66.98		155.44	225.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:00:31	354.90		162.50	66.83	155.29	33.37	0.07	162.47	66.87		155.33	225.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:00:33	354.93		162.49	66.85	155.31	33.37	0.07	162.45	66.88		155.34	225.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:00:35	354.97		162.42	66.92	155.38	33.37	0.07	162.38	66.95		155.41	225.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:00:37	355.00		162.53	66.80	155.26	33.37	0.07	162.50	66.84		155.30	225.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:00:39	355.03		162.35	66.98	155.44	33.37	0.07	162.32	67.02		155.48	225.52
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:00:41	355.07		162.52	66.81	155.27	33.37	0.07	162.49	66.85		155.31	225.69
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:00:43	355.10		162.55	66.79	155.25	33.37	0.07	162.51	66.82		155.28	225.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:00:45	355.13		162.50	66.84	155.30	33.37	0.07	162.46	66.87		155.33	225.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:00:47	355.17		162.36	66.97	155.43	33.37	0.07	162.32	67.01		155.47	225.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:00:49	355.20		162.52	66.82	155.28	33.37	0.07	162.48	66.85		155.31	225.69
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:00:51	355.23		162.49	66.85	155.31	33.37	0.07	162.45	66.88		155.34	225.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:00:53	355.27		162.53	66.81	155.27	33.37	0.07	162.49	66.84		155.30	225.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:00:55	355.30		162.39	66.95	155.41	33.37	0.07	162.35	66.98		155.44	225.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:00:57	355.33		162.65	66.69	155.15	33.37	0.07	162.61	66.72		155.18	225.82
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:00:59	355.37		162.41	66.93	155.39	33.37	0.07	162.37	66.96		155.42	225.58
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:01:01	355.40		162.60	66.74	155.20	33.37	0.07	162.56	66.77		155.23	225.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:01:03	355.43		162.47	66.87	155.33	33.37	0.07	162.43	66.90		155.36	225.64
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:01:05	355.47		162.61	66.72	155.18	33.37	0.07	162.57	66.76		155.22	225.78
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:01:07	355.50		162.63	66.71	155.17	33.37	0.07	162.59	66.74		155.20	225.80
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:01:09	355.53		162.52	66.82	155.28	33.37	0.07	162.48	66.85		155.31	225.69
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:01:11	355.57		162.48	66.86	155.32	33.37	0.07	162.44	66.89		155.35	225.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:01:13	355.60		162.27	67.07	155.53	33.37	0.07	162.23	67.10		155.56	225.44
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:01:15	355.63		162.54	66.79	155.25	33.37	0.07	162.50	66.83		155.29	225.71
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:01:17	355.67		162.38	66.96	155.42	33.37	0.07	162.34	66.99		155.45	225.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:01:19	355.70		162.35	66.99	155.45	33.37	0.07	162.31	67.02		155.48	225.52
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:01:21	355.73		162.42	66.91	155.37	33.37	0.07	162.39	66.95		155.41	225.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:01:23	355.77		162.20	67.14	155.60	33.37	0.07	162.16	67.17		155.63	225.37
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:01:25	355.80		162.41	66.93	155.39	33.37	0.07	162.37	66.96		155.42	225.58
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:01:27	355.83		162.34	67.00	155.46	33.37	0.07	162.30	67.03		155.49	225.51
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:01:29	355.87		162.47	66.87	155.33	33.37	0.07	162.43	66.90		155.36	225.64
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:01:31	355.90		162.42	66.91	155.37	33.37	0.07	162.39	66.95		155.41	225.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:01:33	355.93		162.48	66.86	155.32	33.37	0.07	162.44	66.89		155.35	225.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:01:35	355.97		162.45	66.89	155.35	33.37	0.07	162.41	66.92		155.38	225.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:01:37	356.00		162.45	66.88	155.34	33.37	0.07	162.42	66.92		155.38	225.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:01:39	356.03		162.50	66.83	155.29	33.37	0.07	162.47	66.87		155.33	225.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:01:41	356.07		162.41	66.93	155.39	33.37	0.07	162.37	66.96		155.42	225.58
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:01:43	356.10		162.46	66.87	155.33	33.37	0.07	162.43	66.91		155.37	225.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:01:45	356.13		162.48	66.86	155.32	33.37	0.07	162.44	66.89		155.35	225.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:01:47	356.17		162.47	66.87	155.33	33.37	0.07	162.43	66.90		155.36	225.64

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:01:49	356.20		162.58	66.76	155.22	33.37	0.07	162.54	66.79		155.25	225.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:01:51	356.23		162.54	66.79	155.25	33.37	0.07	162.50	66.83		155.29	225.71
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:01:53	356.27		162.63	66.70	155.16	33.37	0.07	162.60	66.74		155.20	225.80
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:01:55	356.30		162.55	66.79	155.25	33.37	0.07	162.51	66.82		155.28	225.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:01:57	356.33		162.40	66.94	155.40	33.37	0.07	162.36	66.97		155.43	225.57
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:01:59	356.37		162.44	66.90	155.36	33.37	0.07	162.40	66.93		155.39	225.61
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:02:01	356.40		162.49	66.85	155.31	33.37	0.07	162.45	66.88		155.34	225.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:02:03	356.43		162.37	66.97	155.43	33.37	0.07	162.33	67.00		155.46	225.54
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:02:05	356.47		162.44	66.90	155.36	33.37	0.07	162.40	66.93		155.39	225.61
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:02:07	356.50		162.35	66.99	155.45	33.37	0.07	162.31	67.02		155.48	225.52
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:02:09	356.53		162.47	66.87	155.33	33.37	0.07	162.43	66.90		155.36	225.64
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:02:11	356.57		162.52	66.82	155.28	33.37	0.07	162.48	66.85		155.31	225.69
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:02:13	356.60		162.54	66.79	155.25	33.37	0.07	162.50	66.83		155.29	225.71
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:02:15	356.63		162.35	66.98	155.44	33.37	0.07	162.32	67.02		155.48	225.52
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:02:17	356.67		162.49	66.85	155.31	33.37	0.07	162.45	66.88		155.34	225.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:02:19	356.70		162.60	66.73	155.19	33.37	0.07	162.57	66.77		155.23	225.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:02:21	356.73		162.49	66.85	155.31	33.37	0.07	162.45	66.88		155.34	225.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:02:23	356.77		162.36	66.98	155.44	33.37	0.07	162.32	67.01		155.47	225.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:02:25	356.80		162.53	66.80	155.26	33.37	0.07	162.50	66.84		155.30	225.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:02:27	356.83		162.32	67.02	155.48	33.37	0.07	162.28	67.05		155.51	225.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:02:29	356.87		162.53	66.80	155.26	33.37	0.07	162.50	66.84		155.30	225.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:02:31	356.90		162.39	66.94	155.40	33.37	0.07	162.36	66.98		155.44	225.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:02:33	356.93		162.31	67.03	155.49	33.37	0.07	162.27	67.06		155.52	225.48
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:02:35	356.97		162.28	67.05	155.51	33.37	0.07	162.25	67.09		155.55	225.45
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:02:37	357.00		162.34	67.00	155.46	33.37	0.07	162.30	67.03		155.49	225.51
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:02:39	357.03		162.41	66.93	155.39	33.37	0.07	162.37	66.96		155.42	225.58
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:02:41	357.07		162.32	67.02	155.48	33.37	0.07	162.28	67.05		155.51	225.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:02:43	357.10		162.38	66.95	155.41	33.37	0.07	162.35	66.99		155.45	225.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:02:45	357.13		162.44	66.90	155.36	33.37	0.07	162.40	66.93		155.39	225.61
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:02:47	357.17		162.35	66.99	155.45	33.37	0.07	162.31	67.02		155.48	225.52
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:02:49	357.20		162.35	66.98	155.44	33.37	0.07	162.32	67.02		155.48	225.52
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:02:51	357.23		162.44	66.90	155.36	33.37	0.07	162.40	66.93		155.39	225.61
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:02:53	357.27		162.26	67.08	155.54	33.37	0.07	162.22	67.11		155.57	225.43
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:02:55	357.30		162.38	66.96	155.42	33.37	0.07	162.34	66.99		155.45	225.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:02:57	357.33		162.56	66.77	155.23	33.37	0.07	162.53	66.81		155.27	225.73
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:02:59	357.37		162.46	66.87	155.33	33.37	0.07	162.43	66.91		155.37	225.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:03:01	357.40		162.36	66.97	155.43	33.37	0.07	162.32	67.01		155.47	225.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:03:03	357.43		162.50	66.83	155.29	33.37	0.07	162.47	66.87		155.33	225.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:03:05	357.47		162.36	66.97	155.43	33.37	0.07	162.32	67.01		155.47	225.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:03:07	357.50		162.32	67.01	155.47	33.37	0.07	162.29	67.05		155.51	225.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:03:09	357.53		162.34	67.00	155.46	33.37	0.07	162.30	67.03		155.49	225.51
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:03:11	357.57		162.47	66.87	155.33	33.37	0.07	162.43	66.90		155.36	225.64
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:03:13	357.60		162.43	66.90	155.36	33.37	0.07	162.39	66.94		155.40	225.60
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:03:15	357.63		162.49	66.84	155.30	33.37	0.07	162.46	66.88		155.34	225.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:03:17	357.67		162.38	66.95	155.41	33.37	0.07	162.35	66.99		155.45	225.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:03:19	357.70		162.40	66.94	155.40	33.37	0.07	162.36	66.97		155.43	225.57
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:03:21	357.73		162.41	66.93	155.39	33.37	0.07	162.37	66.96		155.42	225.58
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:03:23	357.77		162.46	66.88	155.34	33.37	0.07	162.42	66.91		155.37	225.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:03:25	357.80		162.32	67.02	155.48	33.37	0.07	162.28	67.05		155.51	225.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:03:27	357.83		162.53	66.81	155.27	33.37	0.07	162.49	66.84		155.30	225.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:03:29	357.87		162.38	66.96	155.42	33.37	0.07	162.34	66.99		155.45	225.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:03:31	357.90		162.30	67.04	155.50	33.37	0.07	162.26	67.07		155.53	225.47
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:03:33	357.93		162.48	66.86	155.32	33.37	0.07	162.44	66.89		155.35	225.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:03:35	357.97		162.36	66.97	155.43	33.37	0.07	162.32	67.01		155.47	225.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:03:37	358.00		162.32	67.02	155.48	33.37	0.07	162.28	67.05		155.51	225.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:03:39	358.03		162.19	67.15	155.61	33.37	0.07	162.15	67.18		155.64	225.36
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:03:41	358.07		162.46	66.87	155.33	33.37	0.07	162.43	66.91		155.37	225.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:03:43	358.10		162.42	66.91	155.37	33.37	0.07	162.38	66.95		155.41	225.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:03:45	358.13		162.23	67.10	155.56	33.37	0.07	162.20	67.14		155.60	225.40
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:03:47	358.17		162.28	67.06	155.52	33.37	0.07	162.24	67.09		155.55	225.45
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:03:49	358.20		162.34	67.00	155.46	33.37	0.07	162.30	67.03		155.49	225.51
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:03:51	358.23		162.13	67.21	155.67	33.37	0.07	162.09	67.24		155.70	225.30
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:03:53	358.27		162.36	66.97	155.43	33.37	0.07	162.32	67.01		155.47	225.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:03:55	358.30		162.28	67.06	155.52	33.37	0.07	162.24	67.09		155.55	225.45
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:03:57	358.33		162.35	66.98	155.44	33.37	0.07	162.31	67.02		155.48	225.52
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:03:59	358.37		162.29	67.04	155.50	33.37	0.07	162.25	67.08		155.54	225.46
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:04:01	358.40		162.25	67.08	155.54	33.37	0.07	162.22	67.12		155.58	225.42
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:04:03	358.43		162.35	66.99	155.45	33.37	0.07	162.31	67.02		155.48	225.52
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:04:05	358.47		162.30	67.04	155.50	33.37	0.07	162.26	67.07		155.53	225.47
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:04:07	358.50		162.42	66.91	155.37	33.37	0.07	162.39	66.95		155.41	225.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:04:09	358.53		162.32	67.02	155.48	33.37	0.07	162.28	67.05		155.51	225.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:04:11	358.57		162.41	66.93	155.39	33.37	0.07	162.37	66.96		155.42	225.58
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:04:13	358.60		162.47	66.87	155.33	33.37	0.07	162.43	66.90		155.36	225.64
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:04:15	358.63		162.39	66.95	155.41	33.37	0.07	162.35	66.98		155.44	225.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:04:17	358.67		162.50	66.84	155.30	33.37	0.07	162.46	66.87		155.33	225.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:04:19	358.70		162.55	66.79	155.25	33.37	0.07	162.51	66.82		155.28	225.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:04:21	358.73		162.43	66.91	155.37	33.37	0.07	162.39	66.94		155.40	225.60
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:04:23	358.77		162.33	67.01	155.47	33.37	0.07	162.29	67.04		155.50	225.50
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:04:25	358.80		162.45	66.89	155.35	33.37	0.07	162.41	66.92		155.38	225.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:04:27	358.83		162.39	66.94	155.40	33.37	0.07	162.36	66.98		155.44	225.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:04:29	358.87		162.42	66.91	155.37	33.37	0.07	162.39	66.95		155.41	225.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:04:31	358.90		162.46	66.88	155.34	33.37	0.07	162.42	66.91		155.37	225.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:04:33	358.93		162.39	66.94	155.40	33.37	0.07	162.36	66.98		155.44	225.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:04:35	358.97		162.28	67.06	155.52	33.37	0.07	162.24	67.09		155.55	225.45
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:04:37	359.00		162.53	66.81	155.27	33.37	0.07	162.49	66.84		155.30	225.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:04:39	359.03		162.36	66.97	155.43	33.37	0.07	162.32	67.01		155.47	225.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:04:41	359.07		162.22	67.12	155.58	33.37	0.07	162.18	67.15		155.61	225.39
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:04:43	359.10		162.28	67.06	155.52	33.37	0.07	162.24	67.09		155.55	225.45
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:04:45	359.13		162.31	67.03	155.49	33.37	0.07	162.27	67.06		155.52	225.48
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:04:47	359.17		162.27	67.07	155.53	33.37	0.07	162.23	67.10		155.56	225.44
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:04:49	359.20		162.28	67.05	155.51	33.37	0.07	162.25	67.09		155.55	225.45
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:04:51	359.23		162.39	66.95	155.41	33.37	0.07	162.35	66.98		155.44	225.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:04:53	359.27		162.28	67.06	155.52	33.37	0.07	162.24	67.09		155.55	225.45
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:04:55	359.30		162.32	67.01	155.47	33.37	0.07	162.29	67.05		155.51	225.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:04:57	359.33		162.23	67.11	155.57	33.37	0.07	162.19	67.14		155.60	225.40
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:04:59	359.37		162.31	67.03	155.49	33.37	0.07	162.27	67.06		155.52	225.48
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:05:01	359.40		162.20	67.14	155.60	33.37	0.07	162.16	67.17		155.63	225.37

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:05:03	359.43		162.35	66.98	155.44	33.37	0.07	162.32	67.02		155.48	225.52
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:05:05	359.47		162.44	66.90	155.36	33.37	0.07	162.40	66.93		155.39	225.61
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:05:07	359.50		162.17	67.16	155.62	33.37	0.07	162.14	67.20		155.66	225.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:05:09	359.53		162.33	67.01	155.47	33.37	0.07	162.29	67.04		155.50	225.50
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:05:11	359.57		162.56	66.77	155.23	33.37	0.07	162.53	66.81		155.27	225.73
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:05:13	359.60		162.32	67.02	155.48	33.37	0.07	162.28	67.05		155.51	225.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:05:15	359.63		162.31	67.03	155.49	33.37	0.07	162.27	67.06		155.52	225.48
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:05:17	359.67		162.38	66.96	155.42	33.37	0.07	162.34	66.99		155.45	225.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:05:19	359.70		162.45	66.89	155.35	33.37	0.07	162.41	66.92		155.38	225.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:05:21	359.73		162.32	67.02	155.48	33.37	0.07	162.28	67.05		155.51	225.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:05:23	359.77		162.43	66.90	155.36	33.37	0.07	162.39	66.94		155.40	225.60
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:05:25	359.80		162.34	67.00	155.46	33.37	0.07	162.30	67.03		155.49	225.51
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:05:27	359.83		162.27	67.07	155.53	33.37	0.07	162.23	67.10		155.56	225.44
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:05:29	359.87		162.40	66.94	155.40	33.37	0.07	162.36	66.97		155.43	225.57
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:05:31	359.90		162.26	67.08	155.54	33.37	0.07	162.22	67.11		155.57	225.43
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:05:33	359.93		162.35	66.98	155.44	33.37	0.07	162.32	67.02		155.48	225.52
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:05:35	359.97		162.43	66.90	155.36	33.37	0.07	162.39	66.94		155.40	225.60
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:05:37	360.00		162.55	66.79	155.25	33.37	0.07	162.51	66.82		155.28	225.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:05:39	360.03		162.42	66.91	155.37	33.37	0.07	162.39	66.95		155.41	225.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:05:41	360.07		162.30	67.04	155.50	33.37	0.07	162.26	67.07		155.53	225.47
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:05:43	360.10		162.39	66.95	155.41	33.37	0.07	162.35	66.98		155.44	225.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:05:45	360.13		162.38	66.96	155.42	33.37	0.07	162.34	66.99		155.45	225.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:05:47	360.17		162.28	67.05	155.51	33.37	0.07	162.25	67.09		155.55	225.45
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:05:49	360.20		162.31	67.03	155.49	33.37	0.07	162.27	67.06		155.52	225.48
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:05:51	360.23		162.27	67.07	155.53	33.37	0.07	162.23	67.10		155.56	225.44
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:05:53	360.27		162.35	66.98	155.44	33.37	0.07	162.31	67.02		155.48	225.52
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:05:55	360.30		162.27	67.07	155.53	33.37	0.07	162.23	67.10		155.56	225.44
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:05:57	360.33		162.27	67.06	155.52	33.37	0.07	162.24	67.10		155.56	225.44
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:05:59	360.37		162.17	67.16	155.62	33.37	0.07	162.14	67.20		155.66	225.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:06:01	360.40		162.39	66.95	155.41	33.37	0.07	162.35	66.98		155.44	225.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:06:03	360.43		162.25	67.08	155.54	33.37	0.07	162.22	67.12		155.58	225.42
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:06:05	360.47		162.39	66.95	155.41	33.37	0.07	162.35	66.98		155.44	225.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:06:07	360.50		162.37	66.97	155.43	33.37	0.07	162.33	67.00		155.46	225.54
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:06:09	360.53		162.16	67.18	155.64	33.37	0.07	162.12	67.21		155.67	225.33
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:06:11	360.57		162.27	67.07	155.53	33.37	0.07	162.23	67.10		155.56	225.44
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:06:13	360.60		162.26	67.08	155.54	33.37	0.07	162.22	67.11		155.57	225.43
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:06:15	360.63		162.27	67.06	155.52	33.37	0.07	162.24	67.10		155.56	225.44
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:06:17	360.67		162.26	67.08	155.54	33.37	0.07	162.22	67.11		155.57	225.43
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:06:19	360.70		162.37	66.97	155.43	33.37	0.07	162.33	67.00		155.46	225.54
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:06:21	360.73		162.37	66.97	155.43	33.37	0.07	162.33	67.00		155.46	225.54
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:06:23	360.77		162.27	67.07	155.53	33.37	0.07	162.23	67.10		155.56	225.44
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:06:25	360.80		162.30	67.04	155.50	33.37	0.07	162.26	67.07		155.53	225.47
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:06:27	360.83		162.29	67.04	155.50	33.37	0.07	162.25	67.08		155.54	225.46
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:06:29	360.87		162.24	67.09	155.55	33.37	0.07	162.21	67.13		155.59	225.41
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:06:31	360.90		162.42	66.92	155.38	33.37	0.07	162.38	66.95		155.41	225.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:06:33	360.93		162.32	67.01	155.47	33.37	0.07	162.29	67.05		155.51	225.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:06:35	360.97		162.27	67.07	155.53	33.37	0.07	162.23	67.10		155.56	225.44
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:06:37	361.00		162.39	66.94	155.40	33.37	0.07	162.36	66.98		155.44	225.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:06:39	361.03		162.35	66.98	155.44	33.37	0.07	162.32	67.02		155.48	225.52
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:06:41	361.07		162.19	67.15	155.61	33.37	0.07	162.15	67.18		155.64	225.36
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:06:43	361.10		162.37	66.97	155.43	33.37	0.07	162.33	67.00		155.46	225.54
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:06:45	361.13		162.36	66.97	155.43	33.37	0.07	162.32	67.01		155.47	225.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:06:47	361.17		162.23	67.11	155.57	33.37	0.07	162.19	67.14		155.60	225.40
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:06:49	361.20		162.32	67.02	155.48	33.37	0.07	162.28	67.05		155.51	225.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:06:51	361.23		162.33	67.01	155.47	33.37	0.07	162.29	67.04		155.50	225.50
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:06:53	361.27		162.23	67.10	155.56	33.37	0.07	162.20	67.14		155.60	225.40
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:06:55	361.30		162.28	67.06	155.52	33.37	0.07	162.24	67.09		155.55	225.45
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:06:57	361.33		162.18	67.15	155.61	33.37	0.07	162.15	67.19		155.65	225.35
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:06:59	361.37		162.26	67.08	155.54	33.37	0.07	162.22	67.11		155.57	225.43
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:07:01	361.40		162.26	67.08	155.54	33.37	0.07	162.22	67.11		155.57	225.43
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:07:03	361.43		162.33	67.01	155.47	33.37	0.07	162.29	67.04		155.50	225.50
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:07:05	361.47		162.32	67.02	155.48	33.37	0.07	162.28	67.05		155.51	225.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:07:07	361.50		162.31	67.03	155.49	33.37	0.07	162.27	67.06		155.52	225.48
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:07:09	361.53		162.31	67.02	155.48	33.37	0.07	162.28	67.06		155.52	225.48
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:07:11	361.57		162.24	67.09	155.55	33.37	0.07	162.21	67.13		155.59	225.41
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:07:13	361.60		162.22	67.11	155.57	33.37	0.07	162.18	67.15		155.61	225.39
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:07:15	361.63		162.26	67.08	155.54	33.37	0.07	162.22	67.11		155.57	225.43
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:07:17	361.67		162.26	67.08	155.54	33.37	0.07	162.22	67.11		155.57	225.43
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:07:19	361.70		162.25	67.08	155.54	33.37	0.07	162.22	67.12		155.58	225.42
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:07:21	361.73		162.12	67.22	155.68	33.37	0.07	162.08	67.25		155.71	225.29
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:07:23	361.77		162.31	67.03	155.49	33.37	0.07	162.27	67.06		155.52	225.48
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:07:25	361.80		162.24	67.09	155.55	33.37	0.07	162.21	67.13		155.59	225.41
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:07:27	361.83		162.18	67.15	155.61	33.37	0.07	162.15	67.19		155.65	225.35
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:07:29	361.87		162.28	67.06	155.52	33.37	0.07	162.24	67.09		155.55	225.45
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:07:31	361.90		162.23	67.11	155.57	33.37	0.07	162.19	67.14		155.60	225.40
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:07:33	361.93		162.37	66.97	155.43	33.37	0.07	162.33	67.00		155.46	225.54
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:07:35	361.97		162.34	67.00	155.46	33.37	0.07	162.30	67.03		155.49	225.51
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:07:37	362.00		162.27	67.06	155.52	33.37	0.07	162.24	67.10		155.56	225.44
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:07:39	362.03		162.19	67.15	155.61	33.37	0.07	162.15	67.18		155.64	225.36
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:07:41	362.07		162.42	66.91	155.37	33.37	0.07	162.39	66.95		155.41	225.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:07:43	362.10		162.33	67.01	155.47	33.37	0.07	162.29	67.04		155.50	225.50
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:07:45	362.13		162.25	67.08	155.54	33.37	0.07	162.22	67.12		155.58	225.42
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:07:47	362.17		162.56	66.78	155.24	33.37	0.07	162.52	66.81		155.27	225.73
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:07:49	362.20		162.24	67.10	155.56	33.37	0.07	162.20	67.13		155.59	225.41
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:07:51	362.23		162.22	67.11	155.57	33.37	0.07	162.18	67.15		155.61	225.39
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:07:53	362.27		162.32	67.02	155.48	33.37	0.07	162.28	67.05		155.51	225.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:07:55	362.30		162.52	66.82	155.28	33.37	0.07	162.48	66.85		155.31	225.69
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:07:57	362.33		162.23	67.10	155.56	33.37	0.07	162.20	67.14		155.60	225.40
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:07:59	362.37		162.18	67.15	155.61	33.37	0.07	162.15	67.19		155.65	225.35
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:08:01	362.40		162.26	67.08	155.54	33.37	0.07	162.22	67.11		155.57	225.43
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:08:03	362.43		162.33	67.01	155.47	33.37	0.07	162.29	67.04		155.50	225.50
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:08:05	362.47		162.26	67.08	155.54	33.37	0.07	162.22	67.11		155.57	225.43
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:08:07	362.50		162.32	67.02	155.48	33.37	0.07	162.28	67.05		155.51	225.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:08:09	362.53		162.38	66.95	155.41	33.37	0.07	162.35	66.99		155.45	225.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:08:11	362.57		162.17	67.17	155.63	33.37	0.07	162.13	67.20		155.66	225.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:08:13	362.60		162.37	66.97	155.43	33.37	0.07	162.33	67.00		155.46	225.54
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:08:15	362.63		162.26	67.08	155.54	33.37	0.07	162.22	67.11		155.57	225.43

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:08:17	362.67		162.28	67.05	155.51	33.37	0.07	162.25	67.09		155.55	225.45
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:08:19	362.70		162.23	67.10	155.56	33.37	0.07	162.20	67.14		155.60	225.40
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:08:21	362.73		162.21	67.12	155.58	33.37	0.07	162.18	67.16		155.62	225.38
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:08:23	362.77		162.17	67.17	155.63	33.37	0.07	162.13	67.20		155.66	225.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:08:25	362.80		162.25	67.08	155.54	33.37	0.07	162.22	67.12		155.58	225.42
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:08:27	362.83		162.26	67.08	155.54	33.37	0.07	162.22	67.11		155.57	225.43
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:08:29	362.87		162.15	67.18	155.64	33.37	0.07	162.11	67.22		155.68	225.32
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:08:31	362.90		162.24	67.09	155.55	33.37	0.07	162.21	67.13		155.59	225.41
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:08:33	362.93		162.18	67.16	155.62	33.37	0.07	162.14	67.19		155.65	225.35
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:08:35	362.97		162.06	67.28	155.74	33.37	0.07	162.02	67.31		155.77	225.23
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:08:37	363.00		162.21	67.12	155.58	33.37	0.07	162.18	67.16		155.62	225.38
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:08:39	363.03		162.25	67.08	155.54	33.37	0.07	162.22	67.12		155.58	225.42
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:08:41	363.07		162.21	67.12	155.58	33.37	0.07	162.17	67.16		155.62	225.38
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:08:43	363.10		162.11	67.22	155.68	33.37	0.07	162.08	67.26		155.72	225.28
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:08:45	363.13		162.32	67.02	155.48	33.37	0.07	162.28	67.05		155.51	225.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:08:47	363.17		162.32	67.02	155.48	33.37	0.07	162.28	67.05		155.51	225.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:08:49	363.20		162.35	66.99	155.45	33.37	0.07	162.31	67.02		155.48	225.52
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:08:51	363.23		162.42	66.91	155.37	33.37	0.07	162.39	66.95		155.41	225.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:08:53	363.27		162.29	67.04	155.50	33.37	0.07	162.25	67.08		155.54	225.46
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:08:55	363.30		162.44	66.90	155.36	33.37	0.07	162.40	66.93		155.39	225.61
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:08:57	363.33		162.40	66.94	155.40	33.37	0.07	162.36	66.97		155.43	225.57
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:08:59	363.37		162.20	67.14	155.60	33.37	0.07	162.16	67.17		155.63	225.37
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:09:01	363.40		162.31	67.03	155.49	33.37	0.07	162.27	67.06		155.52	225.48
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:09:03	363.43		162.34	67.00	155.46	33.37	0.07	162.30	67.03		155.49	225.51
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:09:05	363.47		162.46	66.88	155.34	33.37	0.07	162.42	66.91		155.37	225.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:09:07	363.50		162.32	67.01	155.47	33.37	0.07	162.29	67.05		155.51	225.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:09:09	363.53		162.32	67.01	155.47	33.37	0.07	162.29	67.05		155.51	225.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:09:11	363.57		162.35	66.98	155.44	33.37	0.07	162.32	67.02		155.48	225.52
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:09:13	363.60		162.19	67.15	155.61	33.37	0.07	162.15	67.18		155.64	225.36
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:09:15	363.63		162.09	67.25	155.71	33.37	0.07	162.05	67.28		155.74	225.26
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:09:17	363.67		162.31	67.03	155.49	33.37	0.07	162.27	67.06		155.52	225.48
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:09:19	363.70		162.32	67.02	155.48	33.37	0.07	162.28	67.05		155.51	225.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:09:21	363.73		162.04	67.29	155.75	33.37	0.07	162.01	67.33		155.79	225.21
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:09:23	363.77		162.29	67.04	155.50	33.37	0.07	162.25	67.08		155.54	225.46
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:09:25	363.80		162.12	67.22	155.68	33.37	0.07	162.08	67.25		155.71	225.29
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:09:27	363.83		162.14	67.20	155.66	33.37	0.07	162.10	67.23		155.69	225.31
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:09:29	363.87		162.29	67.04	155.50	33.37	0.07	162.25	67.08		155.54	225.46
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:09:31	363.90		162.14	67.20	155.66	33.37	0.07	162.10	67.23		155.69	225.31
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:09:33	363.93		162.11	67.22	155.68	33.37	0.07	162.08	67.26		155.72	225.28
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:09:35	363.97		162.13	67.21	155.67	33.37	0.07	162.09	67.24		155.70	225.30
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:09:37	364.00		162.09	67.25	155.71	33.37	0.07	162.05	67.28		155.74	225.26
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:09:39	364.03		162.10	67.23	155.69	33.37	0.07	162.07	67.27		155.73	225.27
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:09:41	364.07		162.17	67.16	155.62	33.37	0.07	162.14	67.20		155.66	225.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:09:43	364.10		162.29	67.04	155.50	33.37	0.07	162.25	67.08		155.54	225.46
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:09:45	364.13		162.03	67.31	155.77	33.37	0.07	161.99	67.34		155.80	225.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:09:47	364.17		162.23	67.11	155.57	33.37	0.07	162.19	67.14		155.60	225.40
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:09:49	364.20		162.20	67.14	155.60	33.37	0.07	162.16	67.17		155.63	225.37
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:09:51	364.23		162.28	67.06	155.52	33.37	0.07	162.24	67.09		155.55	225.45
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:09:53	364.27		162.21	67.12	155.58	33.37	0.07	162.18	67.16		155.62	225.38
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:09:55	364.30		162.24	67.10	155.56	33.37	0.07	162.20	67.13		155.59	225.41
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:09:57	364.33		162.13	67.21	155.67	33.37	0.07	162.09	67.24		155.70	225.30
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:09:59	364.37		162.19	67.15	155.61	33.37	0.07	162.15	67.18		155.64	225.36
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:10:01	364.40		162.29	67.04	155.50	33.37	0.07	162.25	67.08		155.54	225.46
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:10:03	364.43		162.34	67.00	155.46	33.37	0.07	162.30	67.03		155.49	225.51
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:10:05	364.47		162.26	67.08	155.54	33.37	0.07	162.22	67.11		155.57	225.43
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:10:07	364.50		162.33	67.01	155.47	33.37	0.07	162.29	67.04		155.50	225.50
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:10:09	364.53		162.24	67.09	155.55	33.37	0.07	162.21	67.13		155.59	225.41
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:10:11	364.57		162.28	67.06	155.52	33.37	0.07	162.24	67.09		155.55	225.45
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:10:13	364.60		162.36	66.97	155.43	33.37	0.07	162.32	67.01		155.47	225.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:10:15	364.63		162.24	67.09	155.55	33.37	0.07	162.21	67.13		155.59	225.41
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:10:17	364.67		162.30	67.04	155.50	33.37	0.07	162.26	67.07		155.53	225.47
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:10:19	364.70		162.21	67.13	155.59	33.37	0.07	162.17	67.16		155.62	225.38
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:10:21	364.73		162.27	67.07	155.53	33.37	0.07	162.23	67.10		155.56	225.44
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:10:23	364.77		162.12	67.22	155.68	33.37	0.07	162.08	67.25		155.71	225.29
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:10:25	364.80		162.15	67.18	155.64	33.37	0.07	162.11	67.22		155.68	225.32
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:10:27	364.83		162.32	67.01	155.47	33.37	0.07	162.29	67.05		155.51	225.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:10:29	364.87		162.07	67.26	155.72	33.37	0.07	162.04	67.30		155.76	225.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:10:31	364.90		162.11	67.22	155.68	33.37	0.07	162.08	67.26		155.72	225.28
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:10:33	364.93		162.17	67.16	155.62	33.37	0.07	162.14	67.20		155.66	225.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:10:35	364.97		162.16	67.17	155.63	33.37	0.07	162.13	67.21		155.67	225.33
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:10:37	365.00		162.05	67.29	155.75	33.37	0.07	162.01	67.32		155.78	225.22
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:10:39	365.03		162.07	67.26	155.72	33.37	0.07	162.04	67.30		155.76	225.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:10:41	365.07		162.09	67.25	155.71	33.37	0.07	162.05	67.28		155.74	225.26
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:10:43	365.10		162.39	66.95	155.41	33.37	0.07	162.35	66.98		155.44	225.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:10:45	365.13		162.20	67.14	155.60	33.37	0.07	162.16	67.17		155.63	225.37
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:10:47	365.17		162.03	67.30	155.76	33.37	0.07	162.00	67.34		155.80	225.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:10:49	365.20		162.10	67.23	155.69	33.37	0.07	162.07	67.27		155.73	225.27
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:10:51	365.23		162.14	67.20	155.66	33.37	0.07	162.10	67.23		155.69	225.31
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:10:53	365.27		162.04	67.30	155.76	33.37	0.07	162.00	67.33		155.79	225.21
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:10:55	365.30		162.27	67.07	155.53	33.37	0.07	162.23	67.10		155.56	225.44
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:10:57	365.33		162.08	67.25	155.71	33.37	0.07	162.04	67.29		155.75	225.25
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:10:59	365.37		162.14	67.20	155.66	33.37	0.07	162.10	67.23		155.69	225.31
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:11:01	365.40		162.14	67.19	155.65	33.37	0.07	162.11	67.23		155.69	225.31
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:11:03	365.43		162.20	67.14	155.60	33.37	0.07	162.16	67.17		155.63	225.37
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:11:05	365.47		162.20	67.14	155.60	33.37	0.07	162.16	67.17		155.63	225.37
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:11:07	365.50		162.10	67.23	155.69	33.37	0.07	162.07	67.27		155.73	225.27
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:11:09	365.53		162.15	67.18	155.64	33.37	0.07	162.11	67.22		155.68	225.32
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:11:11	365.57		162.24	67.10	155.56	33.37	0.07	162.20	67.13		155.59	225.41
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:11:13	365.60		162.28	67.05	155.51	33.37	0.07	162.25	67.09		155.55	225.45
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:11:15	365.63		162.17	67.16	155.62	33.37	0.07	162.14	67.20		155.66	225.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:11:17	365.67		162.39	66.95	155.41	33.37	0.07	162.35	66.98		155.44	225.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:11:19	365.70		162.09	67.25	155.71	33.37	0.07	162.05	67.28		155.74	225.26
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:11:21	365.73		162.16	67.18	155.64	33.37	0.07	162.12	67.21		155.67	225.33
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:11:23	365.77		162.32	67.01	155.47	33.37	0.07	162.29	67.05		155.51	225.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:11:25	365.80		162.18	67.16	155.62	33.37	0.07	162.14	67.19		155.65	225.35
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:11:27	365.83		162.18	67.16	155.62	33.37	0.07	162.14	67.19		155.65	225.35
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:11:29	365.87		162.33	67.01	155.47	33.37	0.07	162.29	67.04		155.50	225.50

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:11:31	365.90		162.12	67.22	155.68	33.37	0.07	162.08	67.25		155.71	225.29
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:11:33	365.93		162.15	67.18	155.64	33.37	0.07	162.11	67.22		155.68	225.32
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:11:35	365.97		162.39	66.95	155.41	33.37	0.07	162.35	66.98		155.44	225.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:11:37	366.00		162.14	67.19	155.65	33.37	0.07	162.11	67.23		155.69	225.31
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:11:39	366.03		162.01	67.32	155.78	33.37	0.07	161.97	67.36		155.82	225.18
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:11:41	366.07		162.27	67.07	155.53	33.37	0.07	162.23	67.10		155.56	225.44
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:11:43	366.10		162.19	67.15	155.61	33.37	0.07	162.15	67.18		155.64	225.36
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:11:45	366.13		162.03	67.31	155.77	33.37	0.07	161.99	67.34		155.80	225.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:11:47	366.17		162.32	67.02	155.48	33.37	0.07	162.28	67.05		155.51	225.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:11:49	366.20		162.10	67.23	155.69	33.37	0.07	162.07	67.27		155.73	225.27
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:11:51	366.23		162.02	67.31	155.77	33.37	0.07	161.99	67.35		155.81	225.19
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:11:53	366.27		162.05	67.29	155.75	33.37	0.07	162.01	67.32		155.78	225.22
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:11:55	366.30		162.07	67.26	155.72	33.37	0.07	162.04	67.30		155.76	225.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:11:57	366.33		162.14	67.19	155.65	33.37	0.07	162.11	67.23		155.69	225.31
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:11:59	366.37		162.22	67.11	155.57	33.37	0.07	162.18	67.15		155.61	225.39
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:12:01	366.40		162.23	67.11	155.57	33.37	0.07	162.19	67.14		155.60	225.40
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:12:03	366.43		162.14	67.20	155.66	33.37	0.07	162.10	67.23		155.69	225.31
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:12:05	366.47		162.22	67.12	155.58	33.37	0.07	162.18	67.15		155.61	225.39
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:12:07	366.50		162.19	67.15	155.61	33.37	0.07	162.15	67.18		155.64	225.36
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:12:09	366.53		162.09	67.25	155.71	33.37	0.07	162.05	67.28		155.74	225.26
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:12:11	366.57		162.23	67.11	155.57	33.37	0.07	162.19	67.14		155.60	225.40
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:12:13	366.60		162.12	67.22	155.68	33.37	0.07	162.08	67.25		155.71	225.29
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:12:15	366.63		162.20	67.14	155.60	33.37	0.07	162.16	67.17		155.63	225.37
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:12:17	366.67		162.15	67.18	155.64	33.37	0.07	162.11	67.22		155.68	225.32
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:12:19	366.70		162.23	67.11	155.57	33.37	0.07	162.19	67.14		155.60	225.40
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:12:21	366.73		162.11	67.22	155.68	33.37	0.07	162.08	67.26		155.72	225.28
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:12:23	366.77		162.01	67.32	155.78	33.37	0.07	161.97	67.36		155.82	225.18
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:12:25	366.80		162.24	67.09	155.55	33.37	0.07	162.21	67.13		155.59	225.41
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:12:27	366.83		162.19	67.15	155.61	33.37	0.07	162.15	67.18		155.64	225.36
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:12:29	366.87		162.21	67.12	155.58	33.37	0.07	162.18	67.16		155.62	225.38
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:12:31	366.90		162.06	67.28	155.74	33.37	0.07	162.02	67.31		155.77	225.23
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:12:33	366.93		162.20	67.14	155.60	33.37	0.07	162.16	67.17		155.63	225.37
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:12:35	366.97		162.08	67.25	155.71	33.37	0.07	162.04	67.29		155.75	225.25
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:12:37	367.00		162.07	67.26	155.72	33.37	0.07	162.04	67.30		155.76	225.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:12:39	367.03		162.28	67.06	155.52	33.37	0.07	162.24	67.09		155.55	225.45
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:12:41	367.07		162.00	67.33	155.79	33.37	0.07	161.96	67.37		155.83	225.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:12:43	367.10		162.14	67.19	155.65	33.37	0.07	162.11	67.23		155.69	225.31
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:12:45	367.13		162.35	66.98	155.44	33.37	0.07	162.32	67.02		155.48	225.52
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:12:47	367.17		162.14	67.20	155.66	33.37	0.07	162.10	67.23		155.69	225.31
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:12:49	367.20		162.29	67.05	155.51	33.37	0.07	162.25	67.08		155.54	225.46
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:12:51	367.23		162.27	67.07	155.53	33.37	0.07	162.23	67.10		155.56	225.44
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:12:53	367.27		162.21	67.12	155.58	33.37	0.07	162.18	67.16		155.62	225.38
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:12:55	367.30		162.03	67.30	155.76	33.37	0.07	162.00	67.34		155.80	225.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:12:57	367.33		162.07	67.26	155.72	33.37	0.07	162.04	67.30		155.76	225.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:12:59	367.37		161.92	67.42	155.88	33.37	0.07	161.88	67.45		155.91	225.09
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:13:01	367.40		162.06	67.28	155.74	33.37	0.07	162.02	67.31		155.77	225.23
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:13:03	367.43		162.07	67.27	155.73	33.37	0.07	162.03	67.30		155.76	225.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:13:05	367.47		162.03	67.31	155.77	33.37	0.07	161.99	67.34		155.80	225.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:13:07	367.50		162.06	67.28	155.74	33.37	0.07	162.02	67.31		155.77	225.23
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:13:09	367.53		162.14	67.20	155.66	33.37	0.07	162.10	67.23		155.69	225.31
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:13:11	367.57		162.09	67.25	155.71	33.37	0.07	162.05	67.28		155.74	225.26
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:13:13	367.60		162.17	67.17	155.63	33.37	0.07	162.13	67.20		155.66	225.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:13:15	367.63		162.20	67.14	155.60	33.37	0.07	162.16	67.17		155.63	225.37
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:13:17	367.67		162.11	67.23	155.69	33.37	0.07	162.07	67.26		155.72	225.28
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:13:19	367.70		162.15	67.18	155.64	33.37	0.07	162.11	67.22		155.68	225.32
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:13:21	367.73		162.14	67.20	155.66	33.37	0.07	162.10	67.23		155.69	225.31
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:13:23	367.77		162.09	67.25	155.71	33.37	0.07	162.05	67.28		155.74	225.26
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:13:25	367.80		162.14	67.20	155.66	33.37	0.07	162.10	67.23		155.69	225.31
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:13:27	367.83		162.12	67.22	155.68	33.37	0.07	162.08	67.25		155.71	225.29
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:13:29	367.87		162.13	67.21	155.67	33.37	0.07	162.09	67.24		155.70	225.30
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:13:31	367.90		162.14	67.20	155.66	33.37	0.07	162.10	67.23		155.69	225.31
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:13:33	367.93		162.12	67.22	155.68	33.37	0.07	162.08	67.25		155.71	225.29
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:13:35	367.97		162.28	67.05	155.51	33.37	0.07	162.25	67.09		155.55	225.45
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:13:37	368.00		162.15	67.18	155.64	33.37	0.07	162.11	67.22		155.68	225.32
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:13:39	368.03		162.14	67.20	155.66	33.37	0.07	162.10	67.23		155.69	225.31
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:13:41	368.07		162.22	67.11	155.57	33.37	0.07	162.18	67.15		155.61	225.39
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:13:43	368.10		162.14	67.20	155.66	33.37	0.07	162.10	67.23		155.69	225.31
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:13:45	368.13		162.08	67.25	155.71	33.37	0.07	162.04	67.29		155.75	225.25
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:13:47	368.17		162.10	67.23	155.69	33.37	0.07	162.07	67.27		155.73	225.27
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:13:49	368.20		162.23	67.11	155.57	33.37	0.07	162.19	67.14		155.60	225.40
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:13:51	368.23		162.03	67.30	155.76	33.37	0.07	162.00	67.34		155.80	225.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:13:53	368.27		162.17	67.16	155.62	33.37	0.07	162.14	67.20		155.66	225.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:13:55	368.30		162.12	67.22	155.68	33.37	0.07	162.08	67.25		155.71	225.29
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:13:57	368.33		162.17	67.17	155.63	33.37	0.07	162.13	67.20		155.66	225.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:13:59	368.37		162.08	67.25	155.71	33.37	0.07	162.04	67.29		155.75	225.25
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:14:01	368.40		161.95	67.39	155.85	33.37	0.07	161.91	67.42		155.88	225.12
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:14:03	368.43		162.10	67.23	155.69	33.37	0.07	162.07	67.27		155.73	225.27
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:14:05	368.47		162.25	67.08	155.54	33.37	0.07	162.22	67.12		155.58	225.42
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:14:07	368.50		162.16	67.17	155.63	33.37	0.07	162.13	67.21		155.67	225.33
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:14:09	368.53		162.00	67.34	155.80	33.37	0.07	161.96	67.37		155.83	225.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:14:11	368.57		162.21	67.13	155.59	33.37	0.07	162.17	67.16		155.62	225.38
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:14:13	368.60		162.07	67.26	155.72	33.37	0.07	162.04	67.30		155.76	225.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:14:15	368.63		162.01	67.32	155.78	33.37	0.07	161.97	67.36		155.82	225.18
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:14:17	368.67		161.98	67.36	155.82	33.37	0.07	161.94	67.39		155.85	225.15
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:14:19	368.70		162.17	67.17	155.63	33.37	0.07	162.13	67.20		155.66	225.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:14:21	368.73		162.02	67.32	155.78	33.37	0.07	161.98	67.35		155.81	225.19
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:14:23	368.77		162.07	67.26	155.72	33.37	0.07	162.04	67.30		155.76	225.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:14:25	368.80		161.87	67.47	155.93	33.37	0.07	161.83	67.50		155.96	225.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:14:27	368.83		162.06	67.28	155.74	33.37	0.07	162.02	67.31		155.77	225.23
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:14:29	368.87		162.07	67.26	155.72	33.37	0.07	162.04	67.30		155.76	225.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:14:31	368.90		162.07	67.26	155.72	33.37	0.07	162.04	67.30		155.76	225.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:14:33	368.93		162.13	67.21	155.67	33.37	0.07	162.09	67.24		155.70	225.30
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:14:35	368.97		162.12	67.22	155.68	33.37	0.07	162.08	67.25		155.71	225.29
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:14:37	369.00		162.18	67.15	155.61	33.37	0.07	162.15	67.19		155.65	225.35
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:14:39	369.03		162.15	67.18	155.64	33.37	0.07	162.11	67.22		155.68	225.32
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:14:41	369.07		162.11	67.22	155.68	33.37	0.07	162.08	67.26		155.72	225.28
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:14:43	369.10		162.17	67.16	155.62	33.37	0.07	162.14	67.20		155.66	225.34

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:14:45	369.13		162.17	67.17	155.63	33.37	0.07	162.13	67.20		155.66	225.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:14:47	369.17		162.06	67.28	155.74	33.37	0.07	162.02	67.31		155.77	225.23
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:14:49	369.20		162.11	67.22	155.68	33.37	0.07	162.08	67.26		155.72	225.28
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:14:51	369.23		162.21	67.12	155.58	33.37	0.07	162.18	67.16		155.62	225.38
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:14:53	369.27		162.02	67.31	155.77	33.37	0.07	161.99	67.35		155.81	225.19
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:14:55	369.30		162.13	67.21	155.67	33.37	0.07	162.09	67.24		155.70	225.30
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:14:57	369.33		162.18	67.15	155.61	33.37	0.07	162.15	67.19		155.65	225.35
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:14:59	369.37		162.17	67.17	155.63	33.37	0.07	162.13	67.20		155.66	225.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:15:01	369.40		162.11	67.23	155.69	33.37	0.07	162.07	67.26		155.72	225.28
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:15:03	369.43		162.32	67.02	155.48	33.37	0.07	162.28	67.05		155.51	225.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:15:05	369.47		162.00	67.33	155.79	33.37	0.07	161.96	67.37		155.83	225.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:15:07	369.50		161.99	67.35	155.81	33.37	0.07	161.95	67.38		155.84	225.16
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:15:09	369.53		162.05	67.29	155.75	33.37	0.07	162.01	67.32		155.78	225.22
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:15:11	369.57		162.12	67.22	155.68	33.37	0.07	162.08	67.25		155.71	225.29
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:15:13	369.60		162.03	67.30	155.76	33.37	0.07	162.00	67.34		155.80	225.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:15:15	369.63		162.20	67.14	155.60	33.37	0.07	162.16	67.17		155.63	225.37
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:15:17	369.67		162.00	67.33	155.79	33.37	0.07	161.97	67.37		155.83	225.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:15:19	369.70		162.00	67.33	155.79	33.37	0.07	161.97	67.37		155.83	225.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:15:21	369.73		161.95	67.39	155.85	33.37	0.07	161.91	67.42		155.88	225.12
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:15:23	369.77		162.15	67.18	155.64	33.37	0.07	162.11	67.22		155.68	225.32
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:15:25	369.80		161.97	67.37	155.83	33.37	0.07	161.93	67.40		155.86	225.14
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:15:27	369.83		162.04	67.29	155.75	33.37	0.07	162.01	67.33		155.79	225.21
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:15:29	369.87		162.07	67.27	155.73	33.37	0.07	162.03	67.30		155.76	225.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:15:31	369.90		162.07	67.26	155.72	33.37	0.07	162.04	67.30		155.76	225.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:15:33	369.93		162.08	67.25	155.71	33.37	0.07	162.04	67.29		155.75	225.25
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:15:35	369.97		162.04	67.29	155.75	33.37	0.07	162.01	67.33		155.79	225.21
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:15:37	370.00		162.05	67.29	155.75	33.37	0.07	162.01	67.32		155.78	225.22
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:15:39	370.03		162.10	67.24	155.70	33.37	0.07	162.06	67.27		155.73	225.27
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:15:41	370.07		162.07	67.27	155.73	33.37	0.07	162.03	67.30		155.76	225.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:15:43	370.10		162.07	67.26	155.72	33.37	0.07	162.04	67.30		155.76	225.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:15:45	370.13		162.12	67.22	155.68	33.37	0.07	162.08	67.25		155.71	225.29
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:15:47	370.17		162.10	67.24	155.70	33.37	0.07	162.06	67.27		155.73	225.27
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:15:49	370.20		162.06	67.28	155.74	33.37	0.07	162.02	67.31		155.77	225.23
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:15:51	370.23		161.99	67.35	155.81	33.37	0.07	161.95	67.38		155.84	225.16
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:15:53	370.27		162.11	67.22	155.68	33.37	0.07	162.08	67.26		155.72	225.28
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:15:55	370.30		162.05	67.29	155.75	33.37	0.07	162.01	67.32		155.78	225.22
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:15:57	370.33		162.00	67.33	155.79	33.37	0.07	161.97	67.37		155.83	225.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:15:59	370.37		162.13	67.21	155.67	33.37	0.07	162.09	67.24		155.70	225.30
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:16:01	370.40		162.23	67.11	155.57	33.37	0.07	162.19	67.14		155.60	225.40
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:16:03	370.43		162.10	67.24	155.70	33.37	0.07	162.06	67.27		155.73	225.27
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:16:05	370.47		162.12	67.22	155.68	33.37	0.07	162.08	67.25		155.71	225.29
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:16:07	370.50		162.25	67.08	155.54	33.37	0.07	162.22	67.12		155.58	225.42
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:16:09	370.53		162.17	67.17	155.63	33.37	0.07	162.13	67.20		155.66	225.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:16:11	370.57		162.05	67.29	155.75	33.37	0.07	162.01	67.32		155.78	225.22
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:16:13	370.60		162.15	67.19	155.65	33.37	0.07	162.11	67.22		155.68	225.32
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:16:15	370.63		162.22	67.11	155.57	33.37	0.07	162.18	67.15		155.61	225.39
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:16:17	370.67		162.11	67.22	155.68	33.37	0.07	162.08	67.26		155.72	225.28
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:16:19	370.70		162.07	67.27	155.73	33.37	0.07	162.03	67.30		155.76	225.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:16:21	370.73		162.10	67.23	155.69	33.37	0.07	162.07	67.27		155.73	225.27
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:16:23	370.77		162.03	67.31	155.77	33.37	0.07	161.99	67.34		155.80	225.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:16:25	370.80		162.02	67.32	155.78	33.37	0.07	161.98	67.35		155.81	225.19
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:16:27	370.83		162.00	67.34	155.80	33.37	0.07	161.96	67.37		155.83	225.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:16:29	370.87		162.00	67.34	155.80	33.37	0.07	161.96	67.37		155.83	225.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:16:31	370.90		161.95	67.39	155.85	33.37	0.07	161.91	67.42		155.88	225.12
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:16:33	370.93		161.96	67.37	155.83	33.37	0.07	161.93	67.41		155.87	225.13
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:16:35	370.97		161.98	67.36	155.82	33.37	0.07	161.94	67.39		155.85	225.15
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:16:37	371.00		161.96	67.38	155.84	33.37	0.07	161.92	67.41		155.87	225.13
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:16:39	371.03		162.12	67.22	155.68	33.37	0.07	162.08	67.25		155.71	225.29
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:16:41	371.07		162.03	67.30	155.76	33.37	0.07	162.00	67.34		155.80	225.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:16:43	371.10		162.03	67.30	155.76	33.37	0.07	162.00	67.34		155.80	225.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:16:45	371.13		162.06	67.28	155.74	33.37	0.07	162.02	67.31		155.77	225.23
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:16:47	371.17		162.01	67.32	155.78	33.37	0.07	161.97	67.36		155.82	225.18
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:16:49	371.20		162.08	67.25	155.71	33.37	0.07	162.04	67.29		155.75	225.25
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:16:51	371.23		162.03	67.31	155.77	33.37	0.07	161.99	67.34		155.80	225.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:16:53	371.27		162.00	67.33	155.79	33.37	0.07	161.97	67.37		155.83	225.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:16:55	371.30		162.00	67.34	155.80	33.37	0.07	161.96	67.37		155.83	225.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:16:57	371.33		162.22	67.12	155.58	33.37	0.07	162.18	67.15		155.61	225.39
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:16:59	371.37		162.06	67.28	155.74	33.37	0.07	162.02	67.31		155.77	225.23
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:17:01	371.40		162.03	67.31	155.77	33.37	0.07	161.99	67.34		155.80	225.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:17:03	371.43		162.11	67.22	155.68	33.37	0.07	162.08	67.26		155.72	225.28
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:17:05	371.47		162.05	67.29	155.75	33.37	0.07	162.01	67.32		155.78	225.22
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:17:07	371.50		162.02	67.32	155.78	33.37	0.07	161.98	67.35		155.81	225.19
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:17:09	371.53		162.16	67.18	155.64	33.37	0.07	162.12	67.21		155.67	225.33
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:17:11	371.57		161.99	67.35	155.81	33.37	0.07	161.95	67.38		155.84	225.16
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:17:13	371.60		162.01	67.32	155.78	33.37	0.07	161.97	67.36		155.82	225.18
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:17:15	371.63		162.07	67.27	155.73	33.37	0.07	162.03	67.30		155.76	225.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:17:17	371.67		162.06	67.28	155.74	33.37	0.07	162.02	67.31		155.77	225.23
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:17:19	371.70		162.14	67.20	155.66	33.37	0.07	162.10	67.23		155.69	225.31
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:17:21	371.73		162.00	67.33	155.79	33.37	0.07	161.97	67.37		155.83	225.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:17:23	371.77		162.13	67.21	155.67	33.37	0.07	162.09	67.24		155.70	225.30
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:17:25	371.80		162.12	67.22	155.68	33.37	0.07	162.08	67.25		155.71	225.29
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:17:27	371.83		162.07	67.27	155.73	33.37	0.07	162.03	67.30		155.76	225.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:17:29	371.87		161.95	67.39	155.85	33.37	0.07	161.91	67.42		155.88	225.12
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:17:31	371.90		162.01	67.32	155.78	33.37	0.07	161.97	67.36		155.82	225.18
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:17:33	371.93		161.90	67.43	155.89	33.37	0.07	161.87	67.47		155.93	225.07
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:17:35	371.97		162.07	67.26	155.72	33.37	0.07	162.04	67.30		155.76	225.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:17:37	372.00		161.89	67.44	155.90	33.37	0.07	161.86	67.48		155.94	225.06
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:17:39	372.03		162.03	67.30	155.76	33.37	0.07	162.00	67.34		155.80	225.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:17:41	372.07		162.05	67.29	155.75	33.37	0.07	162.01	67.32		155.78	225.22
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:17:43	372.10		162.01	67.32	155.78	33.37	0.07	161.97	67.36		155.82	225.18
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:17:45	372.13		162.02	67.32	155.78	33.37	0.07	161.98	67.35		155.81	225.19
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:17:47	372.17		161.93	67.40	155.86	33.37	0.07	161.90	67.44		155.90	225.10
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:17:49	372.20		161.98	67.36	155.82	33.37	0.07	161.94	67.39		155.85	225.15
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:17:51	372.23		161.79	67.54	156.00	33.37	0.07	161.76	67.58		156.04	224.96
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:17:53	372.27		162.13	67.21	155.67	33.37	0.07	162.09	67.24		155.70	225.30
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:17:55	372.30		162.04	67.29	155.75	33.37	0.07	162.01	67.33		155.79	225.21
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:17:57	372.33		161.89	67.44	155.90	33.37	0.07	161.86	67.48		155.94	225.06

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:17:59	372.37		162.10	67.23	155.69	33.37	0.07	162.07	67.27		155.73	225.27
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:18:01	372.40		161.96	67.37	155.83	33.37	0.07	161.93	67.41		155.87	225.13
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:18:03	372.43		161.86	67.47	155.93	33.37	0.07	161.83	67.51		155.97	225.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:18:05	372.47		162.10	67.23	155.69	33.37	0.07	162.07	67.27		155.73	225.27
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:18:07	372.50		162.03	67.30	155.76	33.37	0.07	162.00	67.34		155.80	225.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:18:09	372.53		161.97	67.36	155.82	33.37	0.07	161.94	67.40		155.86	225.14
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:18:11	372.57		161.88	67.46	155.92	33.37	0.07	161.84	67.49		155.95	225.05
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:18:13	372.60		162.00	67.33	155.79	33.37	0.07	161.97	67.37		155.83	225.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:18:15	372.63		162.10	67.24	155.70	33.37	0.07	162.06	67.27		155.73	225.27
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:18:17	372.67		162.01	67.32	155.78	33.37	0.07	161.97	67.36		155.82	225.18
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:18:19	372.70		162.17	67.16	155.62	33.37	0.07	162.14	67.20		155.66	225.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:18:21	372.73		162.03	67.30	155.76	33.37	0.07	162.00	67.34		155.80	225.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:18:23	372.77		162.24	67.10	155.56	33.37	0.07	162.20	67.13		155.59	225.41
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:18:25	372.80		162.06	67.28	155.74	33.37	0.07	162.02	67.31		155.77	225.23
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:18:27	372.83		161.99	67.35	155.81	33.37	0.07	161.95	67.38		155.84	225.16
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:18:29	372.87		162.11	67.23	155.69	33.37	0.07	162.07	67.26		155.72	225.28
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:18:31	372.90		162.05	67.29	155.75	33.37	0.07	162.01	67.32		155.78	225.22
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:18:33	372.93		162.14	67.19	155.65	33.37	0.07	162.11	67.23		155.69	225.31
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:18:35	372.97		161.82	67.52	155.98	33.37	0.07	161.78	67.55		156.01	224.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:18:37	373.00		162.02	67.32	155.78	33.37	0.07	161.98	67.35		155.81	225.19
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:18:39	373.03		162.07	67.27	155.73	33.37	0.07	162.03	67.30		155.76	225.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:18:41	373.07		161.98	67.36	155.82	33.37	0.07	161.94	67.39		155.85	225.15
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:18:43	373.10		161.87	67.47	155.93	33.37	0.07	161.83	67.50		155.96	225.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:18:45	373.13		162.01	67.32	155.78	33.37	0.07	161.97	67.36		155.82	225.18
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:18:47	373.17		162.03	67.30	155.76	33.37	0.07	162.00	67.34		155.80	225.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:18:49	373.20		161.92	67.42	155.88	33.37	0.07	161.88	67.45		155.91	225.09
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:18:51	373.23		161.95	67.39	155.85	33.37	0.07	161.91	67.42		155.88	225.12
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:18:53	373.27		161.90	67.43	155.89	33.37	0.07	161.87	67.47		155.93	225.07
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:18:55	373.30		161.94	67.39	155.85	33.37	0.07	161.90	67.43		155.89	225.11
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:18:57	373.33		162.03	67.30	155.76	33.37	0.07	162.00	67.34		155.80	225.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:18:59	373.37		162.00	67.33	155.79	33.37	0.07	161.97	67.37		155.83	225.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:19:01	373.40		161.90	67.43	155.89	33.37	0.07	161.87	67.47		155.93	225.07
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:19:03	373.43		161.95	67.39	155.85	33.37	0.07	161.91	67.42		155.88	225.12
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:19:05	373.47		161.89	67.44	155.90	33.37	0.07	161.86	67.48		155.94	225.06
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:19:07	373.50		162.00	67.33	155.79	33.37	0.07	161.97	67.37		155.83	225.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:19:09	373.53		162.00	67.34	155.80	33.37	0.07	161.96	67.37		155.83	225.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:19:11	373.57		161.87	67.47	155.93	33.37	0.07	161.83	67.50		155.96	225.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:19:13	373.60		161.94	67.39	155.85	33.37	0.07	161.90	67.43		155.89	225.11
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:19:15	373.63		162.10	67.24	155.70	33.37	0.07	162.06	67.27		155.73	225.27
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:19:17	373.67		161.87	67.47	155.93	33.37	0.07	161.83	67.50		155.96	225.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:19:19	373.70		162.14	67.20	155.66	33.37	0.07	162.10	67.23		155.69	225.31
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:19:21	373.73		162.21	67.13	155.59	33.37	0.07	162.17	67.16		155.62	225.38
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:19:23	373.77		162.08	67.25	155.71	33.37	0.07	162.04	67.29		155.75	225.25
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:19:25	373.80		162.06	67.28	155.74	33.37	0.07	162.02	67.31		155.77	225.23
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:19:27	373.83		161.96	67.38	155.84	33.37	0.07	161.92	67.41		155.87	225.13
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:19:29	373.87		161.99	67.35	155.81	33.37	0.07	161.95	67.38		155.84	225.16
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:19:31	373.90		162.11	67.22	155.68	33.37	0.07	162.08	67.26		155.72	225.28
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:19:33	373.93		161.89	67.45	155.91	33.37	0.07	161.85	67.48		155.94	225.06
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:19:35	373.97		162.05	67.29	155.75	33.37	0.07	162.01	67.32		155.78	225.22
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:19:37	374.00		161.93	67.40	155.86	33.37	0.07	161.90	67.44		155.90	225.10
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:19:39	374.03		161.96	67.38	155.84	33.37	0.07	161.92	67.41		155.87	225.13
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:19:41	374.07		162.10	67.23	155.69	33.37	0.07	162.07	67.27		155.73	225.27
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:19:43	374.10		162.11	67.22	155.68	33.37	0.07	162.08	67.26		155.72	225.28
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:19:45	374.13		162.03	67.31	155.77	33.37	0.07	161.99	67.34		155.80	225.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:19:47	374.17		161.97	67.36	155.82	33.37	0.07	161.94	67.40		155.86	225.14
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:19:49	374.20		161.96	67.38	155.84	33.37	0.07	161.92	67.41		155.87	225.13
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:19:51	374.23		161.82	67.51	155.97	33.37	0.07	161.79	67.55		156.01	224.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:19:53	374.27		162.08	67.25	155.71	33.37	0.07	162.04	67.29		155.75	225.25
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:19:55	374.30		162.15	67.18	155.64	33.37	0.07	162.11	67.22		155.68	225.32
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:19:57	374.33		162.04	67.29	155.75	33.37	0.07	162.01	67.33		155.79	225.21
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:19:59	374.37		161.83	67.50	155.96	33.37	0.07	161.79	67.54		156.00	225.00
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:20:01	374.40		161.97	67.36	155.82	33.37	0.07	161.94	67.40		155.86	225.14
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:20:03	374.43		161.78	67.56	156.02	33.37	0.07	161.74	67.59		156.05	224.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:20:05	374.47		161.78	67.56	156.02	33.37	0.07	161.74	67.59		156.05	224.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:20:07	374.50		161.91	67.43	155.89	33.37	0.07	161.87	67.46		155.92	225.08
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:20:09	374.53		161.91	67.43	155.89	33.37	0.07	161.87	67.46		155.92	225.08
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:20:11	374.57		161.96	67.37	155.83	33.37	0.07	161.93	67.41		155.87	225.13
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:20:13	374.60		161.91	67.43	155.89	33.37	0.07	161.87	67.46		155.92	225.08
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:20:15	374.63		161.92	67.42	155.88	33.37	0.07	161.88	67.45		155.91	225.09
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:20:17	374.67		162.01	67.32	155.78	33.37	0.07	161.97	67.36		155.82	225.18
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:20:19	374.70		162.08	67.25	155.71	33.37	0.07	162.04	67.29		155.75	225.25
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:20:21	374.73		161.83	67.50	155.96	33.37	0.07	161.79	67.54		156.00	225.00
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:20:23	374.77		162.00	67.34	155.80	33.37	0.07	161.96	67.37		155.83	225.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:20:25	374.80		162.03	67.31	155.77	33.37	0.07	161.99	67.34		155.80	225.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:20:27	374.83		162.07	67.26	155.72	33.37	0.07	162.04	67.30		155.76	225.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:20:29	374.87		161.87	67.47	155.93	33.37	0.07	161.83	67.50		155.96	225.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:20:31	374.90		161.90	67.43	155.89	33.37	0.07	161.87	67.47		155.93	225.07
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:20:33	374.93		161.85	67.49	155.95	33.37	0.07	161.81	67.52		155.98	225.02
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:20:35	374.97		161.90	67.43	155.89	33.37	0.07	161.87	67.47		155.93	225.07
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:20:37	375.00		162.08	67.25	155.71	33.37	0.07	162.04	67.29		155.75	225.25
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:20:39	375.03		162.03	67.31	155.77	33.37	0.07	161.99	67.34		155.80	225.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:20:41	375.07		161.96	67.37	155.83	33.37	0.07	161.93	67.41		155.87	225.13
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:20:43	375.10		161.99	67.35	155.81	33.37	0.07	161.95	67.38		155.84	225.16
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:20:45	375.13		161.89	67.45	155.91	33.37	0.07	161.85	67.48		155.94	225.06
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:20:47	375.17		161.86	67.48	155.94	33.37	0.07	161.82	67.51		155.97	225.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:20:49	375.20		161.87	67.47	155.93	33.37	0.07	161.83	67.50		155.96	225.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:20:51	375.23		162.01	67.32	155.78	33.37	0.07	161.97	67.36		155.82	225.18
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:20:53	375.27		161.87	67.47	155.93	33.37	0.07	161.83	67.50		155.96	225.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:20:55	375.30		162.05	67.29	155.75	33.37	0.07	162.01	67.32		155.78	225.22
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:20:57	375.33		162.01	67.32	155.78	33.37	0.07	161.97	67.36		155.82	225.18
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:20:59	375.37		161.86	67.47	155.93	33.37	0.07	161.83	67.51		155.97	225.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:21:01	375.40		161.82	67.51	155.97	33.37	0.07	161.79	67.55		156.01	224.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:21:03	375.43		161.88	67.46	155.92	33.37	0.07	161.84	67.49		155.95	225.05
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:21:05	375.47		161.84	67.50	155.96	33.37	0.07	161.80	67.53		155.99	225.01
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:21:07	375.50		161.86	67.48	155.94	33.37	0.07	161.82	67.51		155.97	225.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:21:09	375.53		162.01	67.32	155.78	33.37	0.07	161.97	67.36		155.82	225.18
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:21:11	375.57		161.96	67.37	155.83	33.37	0.07	161.93	67.41		155.87	225.13

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:21:13	375.60		161.80	67.54	156.00	33.37	0.07	161.76	67.57		156.03	224.97
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:21:15	375.63		162.06	67.28	155.74	33.37	0.07	162.02	67.31		155.77	225.23
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:21:17	375.67		161.97	67.36	155.82	33.37	0.07	161.94	67.40		155.86	225.14
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:21:19	375.70		161.90	67.43	155.89	33.37	0.07	161.87	67.47		155.93	225.07
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:21:21	375.73		161.96	67.37	155.83	33.37	0.07	161.93	67.41		155.87	225.13
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:21:23	375.77		161.98	67.36	155.82	33.37	0.07	161.94	67.39		155.85	225.15
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:21:25	375.80		161.82	67.52	155.98	33.37	0.07	161.78	67.55		156.01	224.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:21:27	375.83		161.86	67.48	155.94	33.37	0.07	161.82	67.51		155.97	225.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:21:29	375.87		161.89	67.44	155.90	33.37	0.07	161.86	67.48		155.94	225.06
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:21:31	375.90		161.83	67.50	155.96	33.37	0.07	161.79	67.54		156.00	225.00
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:21:33	375.93		161.90	67.43	155.89	33.37	0.07	161.87	67.47		155.93	225.07
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:21:35	375.97		162.00	67.33	155.79	33.37	0.07	161.97	67.37		155.83	225.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:21:37	376.00		161.92	67.42	155.88	33.37	0.07	161.88	67.45		155.91	225.09
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:21:39	376.03		161.87	67.47	155.93	33.37	0.07	161.83	67.50		155.96	225.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:21:41	376.07		161.91	67.43	155.89	33.37	0.07	161.87	67.46		155.92	225.08
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:21:43	376.10		161.93	67.40	155.86	33.37	0.07	161.90	67.44		155.90	225.10
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:21:45	376.13		161.86	67.47	155.93	33.37	0.07	161.83	67.51		155.97	225.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:21:47	376.17		161.87	67.47	155.93	33.37	0.07	161.83	67.50		155.96	225.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:21:49	376.20		162.00	67.33	155.79	33.37	0.07	161.97	67.37		155.83	225.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:21:51	376.23		161.93	67.40	155.86	33.37	0.07	161.90	67.44		155.90	225.10
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:21:53	376.27		162.00	67.34	155.80	33.37	0.07	161.96	67.37		155.83	225.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:21:55	376.30		161.98	67.36	155.82	33.37	0.07	161.94	67.39		155.85	225.15
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:21:57	376.33		162.04	67.29	155.75	33.37	0.07	162.01	67.33		155.79	225.21
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:21:59	376.37		162.03	67.31	155.77	33.37	0.07	161.99	67.34		155.80	225.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:22:01	376.40		161.81	67.53	155.99	33.37	0.07	161.77	67.56		156.02	224.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:22:03	376.43		161.93	67.40	155.86	33.37	0.07	161.90	67.44		155.90	225.10
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:22:05	376.47		162.05	67.29	155.75	33.37	0.07	162.01	67.32		155.78	225.22
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:22:07	376.50		161.91	67.43	155.89	33.37	0.07	161.87	67.46		155.92	225.08
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:22:09	376.53		162.00	67.33	155.79	33.37	0.07	161.96	67.37		155.83	225.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:22:11	376.57		161.99	67.35	155.81	33.37	0.07	161.95	67.38		155.84	225.16
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:22:13	376.60		161.89	67.44	155.90	33.37	0.07	161.86	67.48		155.94	225.06
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:22:15	376.63		161.77	67.57	156.03	33.37	0.07	161.73	67.60		156.06	224.94
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:22:17	376.67		161.87	67.47	155.93	33.37	0.07	161.83	67.50		155.96	225.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:22:19	376.70		161.85	67.49	155.95	33.37	0.07	161.81	67.52		155.98	225.02
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:22:21	376.73		161.87	67.47	155.93	33.37	0.07	161.83	67.50		155.96	225.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:22:23	376.77		161.82	67.51	155.97	33.37	0.07	161.79	67.55		156.01	224.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:22:25	376.80		161.94	67.39	155.85	33.37	0.07	161.90	67.43		155.89	225.11
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:22:27	376.83		161.73	67.61	156.07	33.37	0.07	161.69	67.64		156.10	224.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:22:29	376.87		161.89	67.45	155.91	33.37	0.07	161.85	67.48		155.94	225.06
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:22:31	376.90		161.87	67.47	155.93	33.37	0.07	161.83	67.50		155.96	225.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:22:33	376.93		161.78	67.56	156.02	33.37	0.07	161.74	67.59		156.05	224.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:22:35	376.97		161.87	67.47	155.93	33.37	0.07	161.83	67.50		155.96	225.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:22:37	377.00		161.86	67.48	155.94	33.37	0.07	161.82	67.51		155.97	225.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:22:39	377.03		161.88	67.46	155.92	33.37	0.07	161.84	67.49		155.95	225.05
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:22:41	377.07		161.90	67.43	155.89	33.37	0.07	161.87	67.47		155.93	225.07
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:22:43	377.10		161.90	67.43	155.89	33.37	0.07	161.87	67.47		155.93	225.07
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:22:45	377.13		161.89	67.45	155.91	33.37	0.07	161.85	67.48		155.94	225.06
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:22:47	377.17		162.02	67.32	155.78	33.37	0.07	161.98	67.35		155.81	225.19
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:22:49	377.20		161.98	67.36	155.82	33.37	0.07	161.94	67.39		155.85	225.15
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:22:51	377.23		162.02	67.32	155.78	33.37	0.07	161.98	67.35		155.81	225.19
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:22:53	377.27		161.83	67.50	155.96	33.37	0.07	161.79	67.54		156.00	225.00
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:22:55	377.30		162.00	67.34	155.80	33.37	0.07	161.96	67.37		155.83	225.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:22:57	377.33		162.00	67.34	155.80	33.37	0.07	161.96	67.37		155.83	225.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:22:59	377.37		161.87	67.47	155.93	33.37	0.07	161.83	67.50		155.96	225.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:23:01	377.40		161.93	67.41	155.87	33.37	0.07	161.89	67.44		155.90	225.10
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:23:03	377.43		162.07	67.26	155.72	33.37	0.07	162.04	67.30		155.76	225.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:23:05	377.47		161.88	67.46	155.92	33.37	0.07	161.84	67.49		155.95	225.05
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:23:07	377.50		161.85	67.49	155.95	33.37	0.07	161.81	67.52		155.98	225.02
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:23:09	377.53		162.07	67.27	155.73	33.37	0.07	162.03	67.30		155.76	225.24
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:23:11	377.57		161.76	67.57	156.03	33.37	0.07	161.72	67.61		156.07	224.93
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:23:13	377.60		161.87	67.47	155.93	33.37	0.07	161.83	67.50		155.96	225.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:23:15	377.63		162.06	67.28	155.74	33.37	0.07	162.02	67.31		155.77	225.23
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:23:17	377.67		161.93	67.41	155.87	33.37	0.07	161.89	67.44		155.90	225.10
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:23:19	377.70		161.81	67.53	155.99	33.37	0.07	161.77	67.56		156.02	224.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:23:21	377.73		161.92	67.42	155.88	33.37	0.07	161.88	67.45		155.91	225.09
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:23:23	377.77		161.92	67.42	155.88	33.37	0.07	161.88	67.45		155.91	225.09
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:23:25	377.80		161.74	67.60	156.06	33.37	0.07	161.70	67.63		156.09	224.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:23:27	377.83		161.99	67.35	155.81	33.37	0.07	161.95	67.38		155.84	225.16
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:23:29	377.87		161.73	67.61	156.07	33.37	0.07	161.69	67.64		156.10	224.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:23:31	377.90		161.86	67.48	155.94	33.37	0.07	161.82	67.51		155.97	225.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:23:33	377.93		161.74	67.60	156.06	33.37	0.07	161.70	67.63		156.09	224.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:23:35	377.97		161.89	67.45	155.91	33.37	0.07	161.85	67.48		155.94	225.06
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:23:37	378.00		161.82	67.52	155.98	33.37	0.07	161.78	67.55		156.01	224.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:23:39	378.03		161.86	67.48	155.94	33.37	0.07	161.82	67.51		155.97	225.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:23:41	378.07		161.82	67.51	155.97	33.37	0.07	161.79	67.55		156.01	224.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:23:43	378.10		161.95	67.39	155.85	33.37	0.07	161.91	67.42		155.88	225.12
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:23:45	378.13		161.84	67.50	155.96	33.37	0.07	161.80	67.53		155.99	225.01
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:23:47	378.17		161.88	67.46	155.92	33.37	0.07	161.84	67.49		155.95	225.05
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:23:49	378.20		161.79	67.54	156.00	33.37	0.07	161.76	67.58		156.04	224.96
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:23:51	378.23		161.81	67.53	155.99	33.37	0.07	161.77	67.56		156.02	224.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:23:53	378.27		161.89	67.44	155.90	33.37	0.07	161.86	67.48		155.94	225.06
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:23:55	378.30		161.82	67.51	155.97	33.37	0.07	161.79	67.55		156.01	224.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:23:57	378.33		162.03	67.30	155.76	33.37	0.07	162.00	67.34		155.80	225.20
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:23:59	378.37		161.89	67.44	155.90	33.37	0.07	161.86	67.48		155.94	225.06
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:24:01	378.40		162.01	67.32	155.78	33.37	0.07	161.97	67.36		155.82	225.18
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:24:03	378.43		161.80	67.54	156.00	33.37	0.07	161.76	67.57		156.03	224.97
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:24:05	378.47		162.00	67.34	155.80	33.37	0.07	161.96	67.37		155.83	225.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:24:07	378.50		161.75	67.58	156.04	33.37	0.07	161.72	67.62		156.08	224.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:24:09	378.53		161.86	67.48	155.94	33.37	0.07	161.82	67.51		155.97	225.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:24:11	378.57		161.91	67.43	155.89	33.37	0.07	161.87	67.46		155.92	225.08
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:24:13	378.60		161.86	67.48	155.94	33.37	0.07	161.82	67.51		155.97	225.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:24:15	378.63		161.86	67.47	155.93	33.37	0.07	161.83	67.51		155.97	225.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:24:17	378.67		161.83	67.50	155.96	33.37	0.07	161.79	67.54		156.00	225.00
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:24:19	378.70		161.94	67.39	155.85	33.37	0.07	161.90	67.43		155.89	225.11
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:24:21	378.73		161.90	67.43	155.89	33.37	0.07	161.87	67.47		155.93	225.07
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:24:23	378.77		161.86	67.48	155.94	33.37	0.07	161.82	67.51		155.97	225.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:24:25	378.80		161.93	67.40	155.86	33.37	0.07	161.90	67.44		155.90	225.10

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:24:27	378.83		161.81	67.53	155.99	33.37	0.07	161.77	67.56		156.02	224.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:24:29	378.87		161.96	67.37	155.83	33.37	0.07	161.93	67.41		155.87	225.13
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:24:31	378.90		161.96	67.37	155.83	33.37	0.07	161.93	67.41		155.87	225.13
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:24:33	378.93		161.79	67.54	156.00	33.37	0.07	161.76	67.58		156.04	224.96
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:24:35	378.97		161.86	67.48	155.94	33.37	0.07	161.82	67.51		155.97	225.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:24:37	379.00		161.87	67.47	155.93	33.37	0.07	161.83	67.50		155.96	225.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:24:39	379.03		161.82	67.51	155.97	33.37	0.07	161.79	67.55		156.01	224.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:24:41	379.07		161.91	67.43	155.89	33.37	0.07	161.87	67.46		155.92	225.08
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:24:43	379.10		161.78	67.56	156.02	33.37	0.07	161.74	67.59		156.05	224.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:24:45	379.13		161.75	67.58	156.04	33.37	0.07	161.72	67.62		156.08	224.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:24:47	379.17		161.85	67.49	155.95	33.37	0.07	161.81	67.52		155.98	225.02
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:24:49	379.20		161.73	67.61	156.07	33.37	0.07	161.69	67.64		156.10	224.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:24:51	379.23		161.68	67.66	156.12	33.37	0.07	161.64	67.69		156.15	224.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:24:53	379.27		161.79	67.55	156.01	33.37	0.07	161.75	67.58		156.04	224.96
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:24:55	379.30		161.89	67.45	155.91	33.37	0.07	161.85	67.48		155.94	225.06
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:24:57	379.33		161.74	67.60	156.06	33.37	0.07	161.70	67.63		156.09	224.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:24:59	379.37		161.82	67.52	155.98	33.37	0.07	161.78	67.55		156.01	224.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:25:01	379.40		161.78	67.56	156.02	33.37	0.07	161.74	67.59		156.05	224.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:25:03	379.43		161.90	67.43	155.89	33.37	0.07	161.86	67.47		155.93	225.07
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:25:05	379.47		161.87	67.47	155.93	33.37	0.07	161.83	67.50		155.96	225.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:25:07	379.50		161.73	67.61	156.07	33.37	0.07	161.69	67.64		156.10	224.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:25:09	379.53		161.99	67.35	155.81	33.37	0.07	161.95	67.38		155.84	225.16
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:25:11	379.57		161.96	67.37	155.83	33.37	0.07	161.93	67.41		155.87	225.13
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:25:13	379.60		161.90	67.43	155.89	33.37	0.07	161.86	67.47		155.93	225.07
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:25:15	379.63		161.96	67.37	155.83	33.37	0.07	161.93	67.41		155.87	225.13
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:25:17	379.67		161.82	67.52	155.98	33.37	0.07	161.78	67.55		156.01	224.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:25:19	379.70		161.91	67.43	155.89	33.37	0.07	161.87	67.46		155.92	225.08
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:25:21	379.73		162.00	67.33	155.79	33.37	0.07	161.97	67.37		155.83	225.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:25:23	379.77		161.79	67.54	156.00	33.37	0.07	161.75	67.58		156.04	224.96
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:25:25	379.80		161.87	67.47	155.93	33.37	0.07	161.83	67.50		155.96	225.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:25:27	379.83		161.91	67.43	155.89	33.37	0.07	161.87	67.46		155.92	225.08
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:25:29	379.87		161.92	67.42	155.88	33.37	0.07	161.88	67.45		155.91	225.09
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:25:31	379.90		161.79	67.54	156.00	33.37	0.07	161.75	67.58		156.04	224.96
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:25:33	379.93		162.00	67.33	155.79	33.37	0.07	161.97	67.37		155.83	225.17
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:25:35	379.97		161.82	67.51	155.97	33.37	0.07	161.79	67.55		156.01	224.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:25:37	380.00		161.65	67.68	156.14	33.37	0.07	161.61	67.72		156.18	224.82
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:25:39	380.03		161.75	67.59	156.05	33.37	0.07	161.71	67.62		156.08	224.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:25:41	380.07		161.77	67.57	156.03	33.37	0.07	161.73	67.60		156.06	224.94
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:25:43	380.10		161.83	67.50	155.96	33.37	0.07	161.79	67.54		156.00	225.00
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:25:45	380.13		161.86	67.47	155.93	33.37	0.07	161.83	67.51		155.97	225.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:25:47	380.17		161.80	67.54	156.00	33.37	0.07	161.76	67.57		156.03	224.97
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:25:49	380.20		161.75	67.59	156.05	33.37	0.07	161.71	67.62		156.08	224.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:25:51	380.23		161.81	67.53	155.99	33.37	0.07	161.77	67.56		156.02	224.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:25:53	380.27		161.79	67.55	156.01	33.37	0.07	161.75	67.59		156.05	224.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:25:55	380.30		161.68	67.65	156.11	33.37	0.07	161.65	67.69		156.15	224.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:25:57	380.33		161.75	67.59	156.05	33.37	0.07	161.71	67.62		156.08	224.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:25:59	380.37		161.73	67.61	156.07	33.37	0.07	161.69	67.64		156.10	224.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:26:01	380.40		161.63	67.71	156.17	33.37	0.07	161.59	67.74		156.20	224.80
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:26:03	380.43		161.79	67.55	156.01	33.37	0.07	161.75	67.59		156.05	224.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:26:05	380.47		161.88	67.46	155.92	33.37	0.07	161.84	67.49		155.95	225.05
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:26:07	380.50		161.79	67.54	156.00	33.37	0.07	161.75	67.58		156.04	224.96
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:26:09	380.53		161.80	67.54	156.00	33.37	0.07	161.76	67.57		156.03	224.97
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:26:11	380.57		161.64	67.70	156.16	33.37	0.07	161.60	67.73		156.19	224.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:26:13	380.60		161.71	67.63	156.09	33.37	0.07	161.67	67.66		156.12	224.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:26:15	380.63		161.74	67.60	156.06	33.37	0.07	161.70	67.63		156.09	224.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:26:17	380.67		161.81	67.53	155.99	33.37	0.07	161.77	67.56		156.02	224.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:26:19	380.70		161.80	67.54	156.00	33.37	0.07	161.76	67.57		156.03	224.97
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:26:21	380.73		161.75	67.58	156.04	33.37	0.07	161.72	67.62		156.08	224.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:26:23	380.77		161.70	67.64	156.10	33.37	0.07	161.66	67.67		156.13	224.87
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:26:25	380.80		161.84	67.50	155.96	33.37	0.07	161.80	67.53		155.99	225.01
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:26:27	380.83		161.86	67.47	155.93	33.37	0.07	161.83	67.51		155.97	225.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:26:29	380.87		161.86	67.48	155.94	33.37	0.07	161.82	67.52		155.98	225.02
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:26:31	380.90		161.84	67.50	155.96	33.37	0.07	161.80	67.53		155.99	225.01
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:26:33	380.93		161.80	67.54	156.00	33.37	0.07	161.76	67.57		156.03	224.97
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:26:35	380.97		161.85	67.49	155.95	33.37	0.07	161.81	67.52		155.98	225.02
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:26:37	381.00		161.80	67.54	156.00	33.37	0.07	161.76	67.57		156.03	224.97
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:26:39	381.03		161.68	67.66	156.12	33.37	0.07	161.64	67.69		156.15	224.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:26:41	381.07		161.88	67.46	155.92	33.37	0.07	161.84	67.49		155.95	225.05
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:26:43	381.10		161.81	67.53	155.99	33.37	0.07	161.77	67.56		156.02	224.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:26:45	381.13		161.73	67.61	156.07	33.37	0.07	161.69	67.64		156.10	224.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:26:47	381.17		161.78	67.56	156.02	33.37	0.07	161.74	67.59		156.05	224.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:26:49	381.20		161.79	67.55	156.01	33.37	0.07	161.75	67.59		156.05	224.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:26:51	381.23		161.74	67.60	156.06	33.37	0.07	161.70	67.63		156.09	224.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:26:53	381.27		161.88	67.46	155.92	33.37	0.07	161.84	67.49		155.95	225.05
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:26:55	381.30		161.71	67.63	156.09	33.37	0.07	161.67	67.66		156.12	224.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:26:57	381.33		161.73	67.61	156.07	33.37	0.07	161.69	67.64		156.10	224.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:26:59	381.37		161.96	67.38	155.84	33.37	0.07	161.92	67.41		155.87	225.13
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:27:01	381.40		161.79	67.55	156.01	33.37	0.07	161.75	67.59		156.05	224.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:27:03	381.43		161.54	67.79	156.25	33.37	0.07	161.51	67.83		156.29	224.71
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:27:05	381.47		161.64	67.69	156.15	33.37	0.07	161.61	67.73		156.19	224.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:27:07	381.50		161.89	67.44	155.90	33.37	0.07	161.86	67.48		155.94	225.06
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:27:09	381.53		161.79	67.54	156.00	33.37	0.07	161.75	67.58		156.04	224.96
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:27:11	381.57		161.87	67.47	155.93	33.37	0.07	161.83	67.50		155.96	225.04
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:27:13	381.60		161.74	67.60	156.06	33.37	0.07	161.70	67.63		156.09	224.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:27:15	381.63		161.68	67.66	156.12	33.37	0.07	161.64	67.69		156.15	224.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:27:17	381.67		161.67	67.67	156.13	33.37	0.07	161.63	67.70		156.16	224.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:27:19	381.70		161.90	67.43	155.89	33.37	0.07	161.86	67.47		155.93	225.07
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:27:21	381.73		161.86	67.48	155.94	33.37	0.07	161.82	67.52		155.98	225.02
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:27:23	381.77		161.79	67.54	156.00	33.37	0.07	161.75	67.58		156.04	224.96
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:27:25	381.80		161.70	67.64	156.10	33.37	0.07	161.66	67.67		156.13	224.87
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:27:27	381.83		161.82	67.51	155.97	33.37	0.07	161.79	67.55		156.01	224.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:27:29	381.87		161.77	67.57	156.03	33.37	0.07	161.73	67.60		156.06	224.94
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:27:31	381.90		161.85	67.49	155.95	33.37	0.07	161.81	67.52		155.98	225.02
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:27:33	381.93		161.80	67.54	156.00	33.37	0.07	161.76	67.57		156.03	224.97
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:27:35	381.97		161.83	67.50	155.96	33.37	0.07	161.79	67.54		156.00	225.00
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:27:37	382.00		161.89	67.44	155.90	33.37	0.07	161.86	67.48		155.94	225.06
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:27:39	382.03		161.93	67.40	155.86	33.37	0.07	161.90	67.44		155.90	225.10

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:27:41	382.07		161.84	67.50	155.96	33.37	0.07	161.80	67.53		155.99	225.01
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:27:43	382.10		161.79	67.55	156.01	33.37	0.07	161.75	67.59		156.05	224.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:27:45	382.13		161.89	67.44	155.90	33.37	0.07	161.86	67.48		155.94	225.06
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:27:47	382.17		161.79	67.55	156.01	33.37	0.07	161.75	67.59		156.05	224.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:27:49	382.20		161.93	67.41	155.87	33.37	0.07	161.89	67.45		155.91	225.09
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:27:51	382.23		161.83	67.50	155.96	33.37	0.07	161.79	67.54		156.00	225.00
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:27:53	382.27		161.75	67.58	156.04	33.37	0.07	161.72	67.62		156.08	224.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:27:55	382.30		161.75	67.58	156.04	33.37	0.07	161.72	67.62		156.08	224.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:27:57	382.33		161.85	67.49	155.95	33.37	0.07	161.81	67.52		155.98	225.02
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:27:59	382.37		161.70	67.64	156.10	33.37	0.07	161.66	67.67		156.13	224.87
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:28:01	382.40		161.81	67.53	155.99	33.37	0.07	161.77	67.56		156.02	224.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:28:03	382.43		161.78	67.56	156.02	33.37	0.07	161.74	67.59		156.05	224.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:28:05	382.47		161.72	67.62	156.08	33.37	0.07	161.68	67.66		156.12	224.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:28:07	382.50		161.69	67.64	156.10	33.37	0.07	161.65	67.68		156.14	224.86
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:28:09	382.53		161.76	67.57	156.03	33.37	0.07	161.72	67.61		156.07	224.93
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:28:11	382.57		161.71	67.63	156.09	33.37	0.07	161.67	67.66		156.12	224.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:28:13	382.60		161.64	67.69	156.15	33.37	0.07	161.61	67.73		156.19	224.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:28:15	382.63		161.82	67.51	155.97	33.37	0.07	161.79	67.55		156.01	224.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:28:17	382.67		161.61	67.72	156.18	33.37	0.07	161.58	67.76		156.22	224.78
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:28:19	382.70		161.74	67.60	156.06	33.37	0.07	161.70	67.63		156.09	224.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:28:21	382.73		161.62	67.71	156.17	33.37	0.07	161.58	67.75		156.21	224.79
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:28:23	382.77		161.79	67.55	156.01	33.37	0.07	161.75	67.59		156.05	224.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:28:25	382.80		161.65	67.68	156.14	33.37	0.07	161.61	67.72		156.18	224.82
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:28:27	382.83		161.79	67.55	156.01	33.37	0.07	161.75	67.59		156.05	224.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:28:29	382.87		161.79	67.55	156.01	33.37	0.07	161.75	67.59		156.05	224.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:28:31	382.90		161.74	67.60	156.06	33.37	0.07	161.70	67.63		156.09	224.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:28:33	382.93		161.57	67.77	156.23	33.37	0.07	161.53	67.80		156.26	224.74
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:28:35	382.97		161.77	67.57	156.03	33.37	0.07	161.73	67.60		156.06	224.94
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:28:37	383.00		161.79	67.55	156.01	33.37	0.07	161.75	67.59		156.05	224.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:28:39	383.03		161.66	67.68	156.14	33.37	0.07	161.62	67.71		156.17	224.83
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:28:41	383.07		161.76	67.57	156.03	33.37	0.07	161.72	67.61		156.07	224.93
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:28:43	383.10		161.76	67.57	156.03	33.37	0.07	161.72	67.61		156.07	224.93
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:28:45	383.13		161.78	67.56	156.02	33.37	0.07	161.74	67.59		156.05	224.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:28:47	383.17		161.72	67.62	156.08	33.37	0.07	161.68	67.66		156.12	224.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:28:49	383.20		161.85	67.49	155.95	33.37	0.07	161.81	67.52		155.98	225.02
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:28:51	383.23		161.68	67.65	156.11	33.37	0.07	161.65	67.69		156.15	224.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:28:53	383.27		161.89	67.44	155.90	33.37	0.07	161.86	67.48		155.94	225.06
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:28:55	383.30		161.85	67.49	155.95	33.37	0.07	161.81	67.52		155.98	225.02
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:28:57	383.33		161.67	67.67	156.13	33.37	0.07	161.63	67.70		156.16	224.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:28:59	383.37		161.82	67.51	155.97	33.37	0.07	161.79	67.55		156.01	224.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:29:01	383.40		161.77	67.57	156.03	33.37	0.07	161.73	67.60		156.06	224.94
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:29:03	383.43		161.70	67.64	156.10	33.37	0.07	161.66	67.67		156.13	224.87
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:29:05	383.47		161.81	67.53	155.99	33.37	0.07	161.77	67.56		156.02	224.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:29:07	383.50		161.80	67.54	156.00	33.37	0.07	161.76	67.57		156.03	224.97
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:29:09	383.53		161.75	67.59	156.05	33.37	0.07	161.71	67.62		156.08	224.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:29:11	383.57		161.68	67.65	156.11	33.37	0.07	161.65	67.69		156.15	224.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:29:13	383.60		161.81	67.52	155.98	33.37	0.07	161.78	67.56		156.02	224.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:29:15	383.63		161.71	67.63	156.09	33.37	0.07	161.67	67.66		156.12	224.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:29:17	383.67		161.80	67.54	156.00	33.37	0.07	161.76	67.57		156.03	224.97
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:29:19	383.70		161.60	67.74	156.20	33.37	0.07	161.56	67.77		156.23	224.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:29:21	383.73		161.51	67.82	156.28	33.37	0.07	161.47	67.86		156.32	224.68
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:29:23	383.77		161.64	67.69	156.15	33.37	0.07	161.61	67.73		156.19	224.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:29:25	383.80		161.82	67.51	155.97	33.37	0.07	161.79	67.55		156.01	224.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:29:27	383.83		161.73	67.61	156.07	33.37	0.07	161.69	67.64		156.10	224.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:29:29	383.87		161.62	67.71	156.17	33.37	0.07	161.58	67.75		156.21	224.79
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:29:31	383.90		161.72	67.61	156.07	33.37	0.07	161.68	67.65		156.11	224.89
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:29:33	383.93		161.65	67.68	156.14	33.37	0.07	161.61	67.72		156.18	224.82
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:29:35	383.97		161.66	67.68	156.14	33.37	0.07	161.62	67.71		156.17	224.83
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:29:37	384.00		161.82	67.51	155.97	33.37	0.07	161.79	67.55		156.01	224.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:29:39	384.03		161.64	67.69	156.15	33.37	0.07	161.61	67.73		156.19	224.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:29:41	384.07		161.69	67.64	156.10	33.37	0.07	161.65	67.68		156.14	224.86
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:29:43	384.10		161.79	67.55	156.01	33.37	0.07	161.75	67.59		156.05	224.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:29:45	384.13		161.74	67.60	156.06	33.37	0.07	161.70	67.63		156.09	224.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:29:47	384.17		161.75	67.58	156.04	33.37	0.07	161.72	67.62		156.08	224.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:29:49	384.20		161.78	67.56	156.02	33.37	0.07	161.74	67.59		156.05	224.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:29:51	384.23		161.78	67.56	156.02	33.37	0.07	161.74	67.59		156.05	224.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:29:53	384.27		161.76	67.57	156.03	33.37	0.07	161.72	67.61		156.07	224.93
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:29:55	384.30		161.74	67.60	156.06	33.37	0.07	161.70	67.63		156.09	224.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:29:57	384.33		161.73	67.61	156.07	33.37	0.07	161.69	67.64		156.10	224.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:29:59	384.37		161.66	67.68	156.14	33.37	0.07	161.62	67.71		156.17	224.83
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:30:01	384.40		161.82	67.51	155.97	33.37	0.07	161.79	67.55		156.01	224.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:30:03	384.43		161.75	67.58	156.04	33.37	0.07	161.72	67.62		156.08	224.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:30:05	384.47		161.72	67.61	156.07	33.37	0.07	161.68	67.65		156.11	224.89
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:30:07	384.50		161.75	67.59	156.05	33.37	0.07	161.71	67.62		156.08	224.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:30:09	384.53		161.80	67.54	156.00	33.37	0.07	161.76	67.57		156.03	224.97
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:30:11	384.57		161.63	67.71	156.17	33.37	0.07	161.59	67.74		156.20	224.80
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:30:13	384.60		161.75	67.59	156.05	33.37	0.07	161.71	67.62		156.08	224.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:30:15	384.63		161.75	67.58	156.04	33.37	0.07	161.72	67.62		156.08	224.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:30:17	384.67		161.71	67.63	156.09	33.37	0.07	161.67	67.66		156.12	224.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:30:19	384.70		161.75	67.58	156.04	33.37	0.07	161.72	67.62		156.08	224.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:30:21	384.73		161.72	67.61	156.07	33.37	0.07	161.68	67.65		156.11	224.89
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:30:23	384.77		161.72	67.61	156.07	33.37	0.07	161.68	67.65		156.11	224.89
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:30:25	384.80		161.79	67.55	156.01	33.37	0.07	161.75	67.59		156.05	224.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:30:27	384.83		161.65	67.68	156.14	33.37	0.07	161.61	67.72		156.18	224.82
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:30:29	384.87		161.79	67.55	156.01	33.37	0.07	161.75	67.59		156.05	224.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:30:31	384.90		161.77	67.57	156.03	33.37	0.07	161.73	67.60		156.06	224.94
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:30:33	384.93		161.68	67.65	156.11	33.37	0.07	161.65	67.69		156.15	224.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:30:35	384.97		161.58	67.75	156.21	33.37	0.07	161.54	67.79		156.25	224.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:30:37	385.00		161.48	67.85	156.31	33.37	0.07	161.44	67.89		156.35	224.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:30:39	385.03		161.63	67.71	156.17	33.37	0.07	161.59	67.74		156.20	224.80
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:30:41	385.07		161.61	67.72	156.18	33.37	0.07	161.58	67.76		156.22	224.78
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:30:43	385.10		161.68	67.65	156.11	33.37	0.07	161.65	67.69		156.15	224.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:30:45	385.13		161.58	67.75	156.21	33.37	0.07	161.54	67.79		156.25	224.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:30:47	385.17		161.69	67.64	156.10	33.37	0.07	161.65	67.68		156.14	224.86
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:30:49	385.20		161.64	67.70	156.16	33.37	0.07	161.60	67.73		156.19	224.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:30:51	385.23		161.68	67.66	156.12	33.37	0.07	161.64	67.69		156.15	224.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:30:53	385.27		161.81	67.53	155.99	33.37	0.07	161.77	67.56		156.02	224.98

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:30:55	385.30		161.71	67.63	156.09	33.37	0.07	161.67	67.66		156.12	224.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:30:57	385.33		161.79	67.55	156.01	33.37	0.07	161.75	67.59		156.05	224.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:30:59	385.37		161.82	67.52	155.98	33.37	0.07	161.78	67.55		156.01	224.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:31:01	385.40		161.77	67.57	156.03	33.37	0.07	161.73	67.60		156.06	224.94
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:31:03	385.43		161.84	67.50	155.96	33.37	0.07	161.80	67.53		155.99	225.01
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:31:05	385.47		161.95	67.39	155.85	33.37	0.07	161.91	67.42		155.88	225.12
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:31:07	385.50		161.54	67.79	156.25	33.37	0.07	161.51	67.83		156.29	224.71
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:31:09	385.53		161.81	67.53	155.99	33.37	0.07	161.77	67.56		156.02	224.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:31:11	385.57		161.86	67.47	155.93	33.37	0.07	161.83	67.51		155.97	225.03
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:31:13	385.60		161.75	67.58	156.04	33.37	0.07	161.72	67.62		156.08	224.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:31:15	385.63		161.82	67.52	155.98	33.37	0.07	161.78	67.55		156.01	224.99
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:31:17	385.67		161.86	67.48	155.94	33.37	0.07	161.82	67.52		155.98	225.02
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:31:19	385.70		161.55	67.78	156.24	33.37	0.07	161.51	67.82		156.28	224.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:31:21	385.73		161.72	67.62	156.08	33.37	0.07	161.68	67.66		156.12	224.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:31:23	385.77		161.83	67.50	155.96	33.37	0.07	161.79	67.54		156.00	225.00
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:31:25	385.80		161.79	67.54	156.00	33.37	0.07	161.75	67.58		156.04	224.96
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:31:27	385.83		161.71	67.63	156.09	33.37	0.07	161.67	67.66		156.12	224.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:31:29	385.87		161.68	67.66	156.12	33.37	0.07	161.64	67.69		156.15	224.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:31:31	385.90		161.68	67.65	156.11	33.37	0.07	161.65	67.69		156.15	224.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:31:33	385.93		161.78	67.56	156.02	33.37	0.07	161.74	67.59		156.05	224.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:31:35	385.97		161.64	67.69	156.15	33.37	0.07	161.61	67.73		156.19	224.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:31:37	386.00		161.74	67.60	156.06	33.37	0.07	161.70	67.63		156.09	224.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:31:39	386.03		161.58	67.75	156.21	33.37	0.07	161.54	67.79		156.25	224.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:31:41	386.07		161.56	67.78	156.24	33.37	0.07	161.52	67.81		156.27	224.73
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:31:43	386.10		161.64	67.69	156.15	33.37	0.07	161.61	67.73		156.19	224.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:31:45	386.13		161.58	67.75	156.21	33.37	0.07	161.54	67.79		156.25	224.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:31:47	386.17		161.53	67.81	156.27	33.37	0.07	161.49	67.84		156.30	224.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:31:49	386.20		161.66	67.68	156.14	33.37	0.07	161.62	67.71		156.17	224.83
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:31:51	386.23		161.73	67.61	156.07	33.37	0.07	161.69	67.64		156.10	224.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:31:53	386.27		161.56	67.78	156.24	33.37	0.07	161.52	67.81		156.27	224.73
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:31:55	386.30		161.67	67.67	156.13	33.37	0.07	161.63	67.70		156.16	224.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:31:57	386.33		161.78	67.56	156.02	33.37	0.07	161.74	67.59		156.05	224.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:31:59	386.37		161.78	67.56	156.02	33.37	0.07	161.74	67.59		156.05	224.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:32:01	386.40		161.74	67.60	156.06	33.37	0.07	161.70	67.63		156.09	224.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:32:03	386.43		161.52	67.82	156.28	33.37	0.07	161.48	67.85		156.31	224.69
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:32:05	386.47		161.75	67.59	156.05	33.37	0.07	161.71	67.62		156.08	224.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:32:07	386.50		161.84	67.50	155.96	33.37	0.07	161.80	67.53		155.99	225.01
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:32:09	386.53		161.70	67.64	156.10	33.37	0.07	161.66	67.67		156.13	224.87
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:32:11	386.57		161.59	67.75	156.21	33.37	0.07	161.55	67.78		156.24	224.76
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:32:13	386.60		161.74	67.60	156.06	33.37	0.07	161.70	67.63		156.09	224.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:32:15	386.63		161.72	67.62	156.08	33.37	0.07	161.68	67.66		156.12	224.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:32:17	386.67		161.70	67.64	156.10	33.37	0.07	161.66	67.67		156.13	224.87
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:32:19	386.70		161.81	67.53	155.99	33.37	0.07	161.77	67.56		156.02	224.98
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:32:21	386.73		161.75	67.59	156.05	33.37	0.07	161.71	67.62		156.08	224.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:32:23	386.77		161.72	67.62	156.08	33.37	0.07	161.68	67.66		156.12	224.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:32:25	386.80		161.74	67.60	156.06	33.37	0.07	161.70	67.63		156.09	224.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:32:27	386.83		161.74	67.60	156.06	33.37	0.07	161.70	67.63		156.09	224.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:32:29	386.87		161.71	67.63	156.09	33.37	0.07	161.67	67.66		156.12	224.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:32:31	386.90		161.64	67.69	156.15	33.37	0.07	161.61	67.73		156.19	224.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:32:33	386.93		161.70	67.64	156.10	33.37	0.07	161.66	67.67		156.13	224.87
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:32:35	386.97		161.72	67.62	156.08	33.37	0.07	161.68	67.66		156.12	224.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:32:37	387.00		161.69	67.64	156.10	33.37	0.07	161.65	67.68		156.14	224.86
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:32:39	387.03		161.79	67.55	156.01	33.37	0.07	161.75	67.59		156.05	224.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:32:41	387.07		161.64	67.69	156.15	33.37	0.07	161.61	67.73		156.19	224.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:32:43	387.10		161.58	67.75	156.21	33.37	0.07	161.54	67.79		156.25	224.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:32:45	387.13		161.64	67.69	156.15	33.37	0.07	161.61	67.73		156.19	224.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:32:47	387.17		161.62	67.71	156.17	33.37	0.07	161.58	67.75		156.21	224.79
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:32:49	387.20		161.62	67.71	156.17	33.37	0.07	161.58	67.75		156.21	224.79
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:32:51	387.23		161.69	67.64	156.10	33.37	0.07	161.65	67.68		156.14	224.86
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:32:53	387.27		161.48	67.85	156.31	33.37	0.07	161.44	67.89		156.35	224.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:32:55	387.30		161.64	67.69	156.15	33.37	0.07	161.61	67.73		156.19	224.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:32:57	387.33		161.47	67.86	156.32	33.37	0.07	161.44	67.90		156.36	224.64
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:32:59	387.37		161.50	67.84	156.30	33.37	0.07	161.46	67.87		156.33	224.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:33:01	387.40		161.55	67.78	156.24	33.37	0.07	161.51	67.82		156.28	224.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:33:03	387.43		161.64	67.70	156.16	33.37	0.07	161.60	67.73		156.19	224.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:33:05	387.47		161.60	67.74	156.20	33.37	0.07	161.56	67.77		156.23	224.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:33:07	387.50		161.58	67.75	156.21	33.37	0.07	161.54	67.79		156.25	224.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:33:09	387.53		161.56	67.78	156.24	33.37	0.07	161.52	67.81		156.27	224.73
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:33:11	387.57		161.64	67.69	156.15	33.37	0.07	161.61	67.73		156.19	224.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:33:13	387.60		161.72	67.61	156.07	33.37	0.07	161.68	67.65		156.11	224.89
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:33:15	387.63		161.53	67.81	156.27	33.37	0.07	161.49	67.84		156.30	224.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:33:17	387.67		161.68	67.65	156.11	33.37	0.07	161.65	67.69		156.15	224.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:33:19	387.70		161.49	67.85	156.31	33.37	0.07	161.45	67.88		156.34	224.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:33:21	387.73		161.70	67.64	156.10	33.37	0.07	161.66	67.67		156.13	224.87
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:33:23	387.77		161.71	67.63	156.09	33.37	0.07	161.67	67.66		156.12	224.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:33:25	387.80		161.68	67.65	156.11	33.37	0.07	161.65	67.69		156.15	224.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:33:27	387.83		161.66	67.68	156.14	33.37	0.07	161.62	67.71		156.17	224.83
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:33:29	387.87		161.68	67.65	156.11	33.37	0.07	161.65	67.69		156.15	224.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:33:31	387.90		161.68	67.66	156.12	33.37	0.07	161.64	67.69		156.15	224.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:33:33	387.93		161.68	67.65	156.11	33.37	0.07	161.65	67.69		156.15	224.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:33:35	387.97		161.73	67.61	156.07	33.37	0.07	161.69	67.64		156.10	224.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:33:37	388.00		161.59	67.75	156.21	33.37	0.07	161.55	67.78		156.24	224.76
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:33:39	388.03		161.68	67.66	156.12	33.37	0.07	161.64	67.69		156.15	224.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:33:41	388.07		161.62	67.71	156.17	33.37	0.07	161.58	67.75		156.21	224.79
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:33:43	388.10		161.54	67.79	156.25	33.37	0.07	161.51	67.83		156.29	224.71
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:33:45	388.13		161.54	67.79	156.25	33.37	0.07	161.51	67.83		156.29	224.71
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:33:47	388.17		161.62	67.71	156.17	33.37	0.07	161.58	67.75		156.21	224.79
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:33:49	388.20		161.67	67.67	156.13	33.37	0.07	161.63	67.70		156.16	224.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:33:51	388.23		161.66	67.68	156.14	33.37	0.07	161.62	67.71		156.17	224.83
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:33:53	388.27		161.50	67.83	156.29	33.37	0.07	161.47	67.87		156.33	224.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:33:55	388.30		161.52	67.82	156.28	33.37	0.07	161.48	67.85		156.31	224.69
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:33:57	388.33		161.53	67.81	156.27	33.37	0.07	161.49	67.84		156.30	224.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:33:59	388.37		161.52	67.82	156.28	33.37	0.07	161.48	67.85		156.31	224.69
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:34:01	388.40		161.49	67.85	156.31	33.37	0.07	161.45	67.88		156.34	224.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:34:03	388.43		161.67	67.67	156.13	33.37	0.07	161.63	67.70		156.16	224.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:34:05	388.47		161.58	67.75	156.21	33.37	0.07	161.54	67.79		156.25	224.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:34:07	388.50		161.58	67.75	156.21	33.37	0.07	161.54	67.79		156.25	224.75

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:34:09	388.53		161.53	67.81	156.27	33.37	0.07	161.49	67.84		156.30	224.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:34:11	388.57		161.60	67.74	156.20	33.37	0.07	161.56	67.77		156.23	224.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:34:13	388.60		161.57	67.76	156.22	33.37	0.07	161.54	67.80		156.26	224.74
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:34:15	388.63		161.72	67.62	156.08	33.37	0.07	161.68	67.66		156.12	224.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:34:17	388.67		161.60	67.74	156.20	33.37	0.07	161.56	67.77		156.23	224.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:34:19	388.70		161.75	67.59	156.05	33.37	0.07	161.71	67.62		156.08	224.92
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:34:21	388.73		161.63	67.71	156.17	33.37	0.07	161.59	67.74		156.20	224.80
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:34:23	388.77		161.51	67.82	156.28	33.37	0.07	161.47	67.86		156.32	224.68
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:34:25	388.80		161.72	67.61	156.07	33.37	0.07	161.68	67.65		156.11	224.89
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:34:27	388.83		161.57	67.77	156.23	33.37	0.07	161.53	67.80		156.26	224.74
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:34:29	388.87		161.64	67.70	156.16	33.37	0.07	161.60	67.73		156.19	224.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:34:31	388.90		161.65	67.68	156.14	33.37	0.07	161.61	67.72		156.18	224.82
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:34:33	388.93		161.68	67.66	156.12	33.37	0.07	161.64	67.69		156.15	224.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:34:35	388.97		161.74	67.60	156.06	33.37	0.07	161.70	67.63		156.09	224.91
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:34:37	389.00		161.65	67.68	156.14	33.37	0.07	161.61	67.72		156.18	224.82
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:34:39	389.03		161.73	67.61	156.07	33.37	0.07	161.69	67.64		156.10	224.90
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:34:41	389.07		161.61	67.72	156.18	33.37	0.07	161.58	67.76		156.22	224.78
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:34:43	389.10		161.72	67.61	156.07	33.37	0.07	161.68	67.65		156.11	224.89
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:34:45	389.13		161.61	67.72	156.18	33.37	0.07	161.58	67.76		156.22	224.78
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:34:47	389.17		161.66	67.68	156.14	33.37	0.07	161.62	67.71		156.17	224.83
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:34:49	389.20		161.61	67.72	156.18	33.37	0.07	161.58	67.76		156.22	224.78
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:34:51	389.23		161.69	67.64	156.10	33.37	0.07	161.65	67.68		156.14	224.86
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:34:53	389.27		161.70	67.64	156.10	33.37	0.07	161.66	67.67		156.13	224.87
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:34:55	389.30		161.56	67.78	156.24	33.37	0.07	161.52	67.81		156.27	224.73
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:34:57	389.33		161.69	67.64	156.10	33.37	0.07	161.65	67.68		156.14	224.86
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:34:59	389.37		161.54	67.80	156.26	33.37	0.07	161.50	67.84		156.30	224.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:35:01	389.40		161.55	67.78	156.24	33.37	0.08	161.51	67.82		156.28	224.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:35:03	389.43		161.55	67.78	156.24	33.37	0.08	161.51	67.82		156.28	224.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:35:05	389.47		161.69	67.64	156.10	33.37	0.08	161.65	67.68		156.14	224.86
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:35:07	389.50		161.45	67.89	156.35	33.37	0.08	161.41	67.92		156.38	224.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:35:09	389.53		161.63	67.71	156.17	33.37	0.08	161.59	67.74		156.20	224.80
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:35:11	389.57		161.61	67.72	156.18	33.37	0.08	161.58	67.76		156.22	224.78
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:35:13	389.60		161.38	67.96	156.42	33.37	0.08	161.34	67.99		156.45	224.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:35:15	389.63		161.58	67.75	156.21	33.37	0.08	161.54	67.79		156.25	224.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:35:17	389.67		161.68	67.65	156.11	33.37	0.08	161.65	67.69		156.15	224.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:35:19	389.70		161.47	67.86	156.32	33.37	0.08	161.44	67.90		156.36	224.64
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:35:21	389.73		161.50	67.83	156.29	33.37	0.08	161.47	67.87		156.33	224.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:35:23	389.77		161.68	67.66	156.12	33.37	0.08	161.64	67.69		156.15	224.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:35:25	389.80		161.54	67.79	156.25	33.37	0.08	161.51	67.83		156.29	224.71
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:35:27	389.83		161.54	67.79	156.25	33.37	0.08	161.51	67.83		156.29	224.71
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:35:29	389.87		161.63	67.71	156.17	33.37	0.08	161.59	67.74		156.20	224.80
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:35:31	389.90		161.56	67.78	156.24	33.37	0.08	161.52	67.81		156.27	224.73
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:35:33	389.93		161.65	67.68	156.14	33.37	0.08	161.61	67.72		156.18	224.82
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:35:35	389.97		161.55	67.78	156.24	33.37	0.08	161.51	67.82		156.28	224.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:35:37	390.00		161.36	67.97	156.43	33.37	0.08	161.33	68.01		156.47	224.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:35:39	390.03		161.67	67.67	156.13	33.37	0.08	161.63	67.70		156.16	224.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:35:41	390.07		161.67	67.67	156.13	33.37	0.08	161.63	67.70		156.16	224.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:35:43	390.10		161.62	67.71	156.17	33.37	0.08	161.58	67.75		156.21	224.79
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:35:45	390.13		161.65	67.68	156.14	33.37	0.08	161.61	67.72		156.18	224.82
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:35:47	390.17		161.65	67.68	156.14	33.37	0.08	161.61	67.72		156.18	224.82
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:35:49	390.20		161.64	67.70	156.16	33.37	0.08	161.60	67.73		156.19	224.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:35:51	390.23		161.78	67.56	156.02	33.37	0.08	161.74	67.59		156.05	224.95
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:35:53	390.27		161.56	67.78	156.24	33.37	0.08	161.52	67.81		156.27	224.73
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:35:55	390.30		161.65	67.68	156.14	33.37	0.08	161.61	67.72		156.18	224.82
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:35:57	390.33		161.54	67.80	156.26	33.37	0.08	161.50	67.84		156.30	224.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:35:59	390.37		161.64	67.69	156.15	33.37	0.08	161.61	67.73		156.19	224.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:36:01	390.40		161.70	67.64	156.10	33.37	0.08	161.66	67.67		156.13	224.87
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:36:03	390.43		161.54	67.80	156.26	33.37	0.08	161.50	67.84		156.30	224.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:36:05	390.47		161.57	67.77	156.23	33.37	0.08	161.53	67.80		156.26	224.74
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:36:07	390.50		161.62	67.71	156.17	33.37	0.08	161.58	67.75		156.21	224.79
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:36:09	390.53		161.43	67.91	156.37	33.37	0.08	161.39	67.94		156.40	224.60
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:36:11	390.57		161.50	67.84	156.30	33.37	0.08	161.46	67.87		156.33	224.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:36:13	390.60		161.61	67.72	156.18	33.37	0.08	161.58	67.76		156.22	224.78
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:36:15	390.63		161.60	67.74	156.20	33.37	0.08	161.56	67.77		156.23	224.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:36:17	390.67		161.47	67.87	156.33	33.37	0.08	161.43	67.91		156.37	224.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:36:19	390.70		161.50	67.84	156.30	33.37	0.08	161.46	67.87		156.33	224.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:36:21	390.73		161.41	67.92	156.38	33.37	0.08	161.37	67.96		156.42	224.58
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:36:23	390.77		161.48	67.85	156.31	33.37	0.08	161.44	67.89		156.35	224.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:36:25	390.80		161.49	67.85	156.31	33.37	0.08	161.45	67.88		156.34	224.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:36:27	390.83		161.50	67.83	156.29	33.37	0.08	161.47	67.87		156.33	224.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:36:29	390.87		161.44	67.89	156.35	33.37	0.08	161.40	67.93		156.39	224.61
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:36:31	390.90		161.52	67.82	156.28	33.37	0.08	161.48	67.85		156.31	224.69
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:36:33	390.93		161.49	67.85	156.31	33.37	0.08	161.45	67.88		156.34	224.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:36:35	390.97		161.56	67.78	156.24	33.37	0.08	161.52	67.81		156.27	224.73
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:36:37	391.00		161.66	67.68	156.14	33.37	0.08	161.62	67.71		156.17	224.83
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:36:39	391.03		161.54	67.79	156.25	33.37	0.08	161.51	67.83		156.29	224.71
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:36:41	391.07		161.50	67.84	156.30	33.37	0.08	161.46	67.87		156.33	224.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:36:43	391.10		161.50	67.83	156.29	33.37	0.08	161.47	67.87		156.33	224.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:36:45	391.13		161.50	67.84	156.30	33.37	0.08	161.46	67.87		156.33	224.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:36:47	391.17		161.67	67.67	156.13	33.37	0.08	161.63	67.70		156.16	224.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:36:49	391.20		161.67	67.67	156.13	33.37	0.08	161.63	67.70		156.16	224.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:36:51	391.23		161.49	67.85	156.31	33.37	0.08	161.45	67.88		156.34	224.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:36:53	391.27		161.50	67.84	156.30	33.37	0.08	161.46	67.87		156.33	224.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:36:55	391.30		161.61	67.72	156.18	33.37	0.08	161.58	67.76		156.22	224.78
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:36:57	391.33		161.61	67.73	156.19	33.37	0.08	161.57	67.77		156.23	224.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:36:59	391.37		161.65	67.68	156.14	33.37	0.08	161.61	67.72		156.18	224.82
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:37:01	391.40		161.58	67.75	156.21	33.37	0.08	161.54	67.79		156.25	224.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:37:03	391.43		161.61	67.72	156.18	33.37	0.08	161.58	67.76		156.22	224.78
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:37:05	391.47		161.67	67.67	156.13	33.37	0.08	161.63	67.70		156.16	224.84
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:37:07	391.50		161.43	67.91	156.37	33.37	0.08	161.39	67.94		156.40	224.60
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:37:09	391.53		161.58	67.75	156.21	33.37	0.08	161.54	67.79		156.25	224.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:37:11	391.57		161.62	67.71	156.17	33.37	0.08	161.58	67.75		156.21	224.79
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:37:13	391.60		161.40	67.93	156.39	33.37	0.08	161.37	67.97		156.43	224.57
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:37:15	391.63		161.54	67.79	156.25	33.37	0.08	161.51	67.83		156.29	224.71
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:37:17	391.67		161.60	67.74	156.20	33.37	0.08	161.56	67.77		156.23	224.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:37:19	391.70		161.47	67.86	156.32	33.37	0.08	161.44	67.90		156.36	224.64
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:37:21	391.73		161.54	67.80	156.26	33.37	0.08	161.50	67.84		156.30	224.70

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:37:23	391.77		161.64	67.69	156.15	33.37	0.08	161.61	67.73		156.19	224.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:37:25	391.80		161.46	67.88	156.34	33.37	0.08	161.42	67.91		156.37	224.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:37:27	391.83		161.42	67.92	156.38	33.37	0.08	161.38	67.95		156.41	224.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:37:29	391.87		161.55	67.78	156.24	33.37	0.08	161.51	67.82		156.28	224.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:37:31	391.90		161.49	67.85	156.31	33.37	0.08	161.45	67.88		156.34	224.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:37:33	391.93		161.49	67.85	156.31	33.37	0.08	161.45	67.88		156.34	224.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:37:35	391.97		161.49	67.85	156.31	33.37	0.08	161.45	67.88		156.34	224.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:37:37	392.00		161.40	67.93	156.39	33.37	0.08	161.37	67.97		156.43	224.57
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:37:39	392.03		161.47	67.87	156.33	33.37	0.08	161.43	67.91		156.37	224.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:37:41	392.07		161.57	67.76	156.22	33.37	0.08	161.54	67.80		156.26	224.74
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:37:43	392.10		161.39	67.95	156.41	33.37	0.08	161.35	67.98		156.44	224.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:37:45	392.13		161.55	67.78	156.24	33.37	0.08	161.51	67.82		156.28	224.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:37:47	392.17		161.45	67.89	156.35	33.37	0.08	161.41	67.92		156.38	224.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:37:49	392.20		161.49	67.85	156.31	33.37	0.08	161.45	67.88		156.34	224.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:37:51	392.23		161.71	67.63	156.09	33.37	0.08	161.67	67.66		156.12	224.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:37:53	392.27		161.59	67.75	156.21	33.37	0.08	161.55	67.78		156.24	224.76
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:37:55	392.30		161.61	67.72	156.18	33.37	0.08	161.58	67.76		156.22	224.78
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:37:57	392.33		161.72	67.62	156.08	33.37	0.08	161.68	67.66		156.12	224.88
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:37:59	392.37		161.68	67.65	156.11	33.37	0.08	161.65	67.69		156.15	224.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:38:01	392.40		161.54	67.79	156.25	33.37	0.08	161.51	67.83		156.29	224.71
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:38:03	392.43		161.50	67.83	156.29	33.37	0.08	161.47	67.87		156.33	224.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:38:05	392.47		161.49	67.85	156.31	33.37	0.08	161.45	67.88		156.34	224.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:38:07	392.50		161.61	67.73	156.19	33.37	0.08	161.57	67.77		156.23	224.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:38:09	392.53		161.76	67.57	156.03	33.37	0.08	161.72	67.61		156.07	224.93
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:38:11	392.57		161.51	67.82	156.28	33.37	0.08	161.47	67.86		156.32	224.68
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:38:13	392.60		161.53	67.81	156.27	33.37	0.08	161.49	67.84		156.30	224.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:38:15	392.63		161.53	67.81	156.27	33.37	0.08	161.49	67.84		156.30	224.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:38:17	392.67		161.56	67.78	156.24	33.37	0.08	161.52	67.81		156.27	224.73
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:38:19	392.70		161.53	67.81	156.27	33.37	0.08	161.49	67.84		156.30	224.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:38:21	392.73		161.54	67.80	156.26	33.37	0.08	161.50	67.84		156.30	224.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:38:23	392.77		161.59	67.75	156.21	33.37	0.08	161.55	67.78		156.24	224.76
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:38:25	392.80		161.63	67.71	156.17	33.37	0.08	161.59	67.74		156.20	224.80
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:38:27	392.83		161.60	67.74	156.20	33.37	0.08	161.56	67.77		156.23	224.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:38:29	392.87		161.64	67.70	156.16	33.37	0.08	161.60	67.73		156.19	224.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:38:31	392.90		161.64	67.69	156.15	33.37	0.08	161.61	67.73		156.19	224.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:38:33	392.93		161.61	67.72	156.18	33.37	0.08	161.58	67.76		156.22	224.78
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:38:35	392.97		161.49	67.85	156.31	33.37	0.08	161.45	67.88		156.34	224.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:38:37	393.00		161.55	67.78	156.24	33.37	0.08	161.51	67.82		156.28	224.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:38:39	393.03		161.54	67.80	156.26	33.37	0.08	161.50	67.84		156.30	224.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:38:41	393.07		161.50	67.84	156.30	33.37	0.08	161.46	67.87		156.33	224.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:38:43	393.10		161.37	67.96	156.42	33.37	0.08	161.33	68.00		156.46	224.54
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:38:45	393.13		161.29	68.04	156.50	33.37	0.08	161.26	68.08		156.54	224.46
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:38:47	393.17		161.43	67.91	156.37	33.37	0.08	161.39	67.94		156.40	224.60
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:38:49	393.20		161.51	67.82	156.28	33.37	0.08	161.47	67.86		156.32	224.68
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:38:51	393.23		161.45	67.89	156.35	33.37	0.08	161.41	67.92		156.38	224.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:38:53	393.27		161.47	67.87	156.33	33.37	0.08	161.43	67.91		156.37	224.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:38:55	393.30		161.49	67.85	156.31	33.37	0.08	161.45	67.88		156.34	224.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:38:57	393.33		161.43	67.90	156.36	33.37	0.08	161.40	67.94		156.40	224.60
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:38:59	393.37		161.54	67.80	156.26	33.37	0.08	161.50	67.84		156.30	224.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:39:01	393.40		161.55	67.78	156.24	33.37	0.08	161.51	67.82		156.28	224.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:39:03	393.43		161.40	67.94	156.40	33.37	0.08	161.36	67.98		156.44	224.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:39:05	393.47		161.47	67.87	156.33	33.37	0.08	161.43	67.91		156.37	224.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:39:07	393.50		161.49	67.85	156.31	33.37	0.08	161.45	67.88		156.34	224.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:39:09	393.53		161.50	67.84	156.30	33.37	0.08	161.46	67.87		156.33	224.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:39:11	393.57		161.51	67.82	156.28	33.37	0.08	161.47	67.86		156.32	224.68
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:39:13	393.60		161.54	67.80	156.26	33.37	0.08	161.50	67.84		156.30	224.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:39:15	393.63		161.61	67.73	156.19	33.37	0.08	161.57	67.77		156.23	224.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:39:17	393.67		161.64	67.70	156.16	33.37	0.08	161.60	67.73		156.19	224.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:39:19	393.70		161.64	67.69	156.15	33.37	0.08	161.61	67.73		156.19	224.81
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:39:21	393.73		161.54	67.79	156.25	33.37	0.08	161.51	67.83		156.29	224.71
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:39:23	393.77		161.59	67.75	156.21	33.37	0.08	161.55	67.78		156.24	224.76
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:39:25	393.80		161.51	67.82	156.28	33.37	0.08	161.47	67.86		156.32	224.68
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:39:27	393.83		161.62	67.71	156.17	33.37	0.08	161.58	67.75		156.21	224.79
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:39:29	393.87		161.45	67.89	156.35	33.37	0.08	161.41	67.92		156.38	224.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:39:31	393.90		161.47	67.87	156.33	33.37	0.08	161.43	67.91		156.37	224.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:39:33	393.93		161.50	67.83	156.29	33.37	0.08	161.47	67.87		156.33	224.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:39:35	393.97		161.49	67.85	156.31	33.37	0.08	161.45	67.88		156.34	224.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:39:37	394.00		161.43	67.91	156.37	33.37	0.08	161.39	67.94		156.40	224.60
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:39:39	394.03		161.57	67.76	156.22	33.37	0.08	161.54	67.80		156.26	224.74
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:39:41	394.07		161.32	68.02	156.48	33.37	0.08	161.28	68.05		156.51	224.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:39:43	394.10		161.46	67.88	156.34	33.37	0.08	161.42	67.91		156.37	224.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:39:45	394.13		161.39	67.95	156.41	33.37	0.08	161.35	67.98		156.44	224.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:39:47	394.17		161.47	67.87	156.33	33.37	0.08	161.43	67.91		156.37	224.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:39:49	394.20		161.34	68.00	156.46	33.37	0.08	161.30	68.03		156.49	224.51
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:39:51	394.23		161.38	67.96	156.42	33.37	0.08	161.34	67.99		156.45	224.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:39:53	394.27		161.49	67.85	156.31	33.37	0.08	161.45	67.88		156.34	224.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:39:55	394.30		161.26	68.08	156.54	33.37	0.08	161.22	68.12		156.58	224.42
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:39:57	394.33		161.59	67.75	156.21	33.37	0.08	161.55	67.78		156.24	224.76
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:39:59	394.37		161.41	67.92	156.38	33.37	0.08	161.37	67.96		156.42	224.58
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:40:01	394.40		161.54	67.80	156.26	33.37	0.08	161.50	67.84		156.30	224.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:40:03	394.43		161.40	67.93	156.39	33.37	0.08	161.37	67.97		156.43	224.57
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:40:05	394.47		161.36	67.97	156.43	33.37	0.08	161.33	68.01		156.47	224.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:40:07	394.50		161.53	67.81	156.27	33.37	0.08	161.49	67.84		156.30	224.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:40:09	394.53		161.49	67.85	156.31	33.37	0.08	161.45	67.88		156.34	224.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:40:11	394.57		161.57	67.77	156.23	33.37	0.08	161.53	67.80		156.26	224.74
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:40:13	394.60		161.39	67.95	156.41	33.37	0.08	161.35	67.98		156.44	224.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:40:15	394.63		161.68	67.66	156.12	33.37	0.08	161.64	67.69		156.15	224.85
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:40:17	394.67		161.31	68.03	156.49	33.37	0.08	161.27	68.06		156.52	224.48
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:40:19	394.70		161.57	67.77	156.23	33.37	0.08	161.53	67.80		156.26	224.74
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:40:21	394.73		161.49	67.85	156.31	33.37	0.08	161.45	67.88		156.34	224.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:40:23	394.77		161.50	67.83	156.29	33.37	0.08	161.47	67.87		156.33	224.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:40:25	394.80		161.60	67.74	156.20	33.37	0.08	161.56	67.77		156.23	224.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:40:27	394.83		161.40	67.94	156.40	33.37	0.08	161.36	67.98		156.44	224.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:40:29	394.87		161.57	67.77	156.23	33.37	0.08	161.53	67.80		156.26	224.74
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:40:31	394.90		161.55	67.78	156.24	33.37	0.08	161.51	67.82		156.28	224.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:40:33	394.93		161.61	67.72	156.18	33.37	0.08	161.58	67.76		156.22	224.78
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:40:35	394.97		161.49	67.85	156.31	33.37	0.08	161.45	67.88		156.34	224.66

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:40:37	395.00		161.48	67.85	156.31	33.37	0.08	161.44	67.89		156.35	224.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:40:39	395.03		161.41	67.92	156.38	33.37	0.08	161.37	67.96		156.42	224.58
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:40:41	395.07		161.55	67.78	156.24	33.37	0.08	161.51	67.82		156.28	224.72
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:40:43	395.10		161.53	67.81	156.27	33.37	0.08	161.49	67.84		156.30	224.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:40:45	395.13		161.40	67.94	156.40	33.37	0.08	161.36	67.98		156.44	224.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:40:47	395.17		161.44	67.89	156.35	33.37	0.08	161.40	67.93		156.39	224.61
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:40:49	395.20		161.36	67.98	156.44	33.37	0.08	161.32	68.01		156.47	224.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:40:51	395.23		161.39	67.95	156.41	33.37	0.08	161.35	67.98		156.44	224.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:40:53	395.27		161.42	67.92	156.38	33.37	0.08	161.38	67.95		156.41	224.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:40:55	395.30		161.40	67.94	156.40	33.37	0.08	161.36	67.98		156.44	224.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:40:57	395.33		161.40	67.94	156.40	33.37	0.08	161.36	67.98		156.44	224.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:40:59	395.37		161.42	67.92	156.38	33.37	0.08	161.38	67.95		156.41	224.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:41:01	395.40		161.33	68.00	156.46	33.37	0.08	161.30	68.04		156.50	224.50
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:41:03	395.43		161.45	67.89	156.35	33.37	0.08	161.41	67.92		156.38	224.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:41:05	395.47		161.47	67.87	156.33	33.37	0.08	161.43	67.91		156.37	224.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:41:07	395.50		161.45	67.89	156.35	33.37	0.08	161.41	67.92		156.38	224.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:41:09	395.53		161.47	67.87	156.33	33.37	0.08	161.43	67.91		156.37	224.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:41:11	395.57		161.46	67.88	156.34	33.37	0.08	161.42	67.91		156.37	224.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:41:13	395.60		161.58	67.75	156.21	33.37	0.08	161.54	67.79		156.25	224.75
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:41:15	395.63		161.20	68.14	156.60	33.37	0.08	161.16	68.17		156.63	224.37
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:41:17	395.67		161.35	67.99	156.45	33.37	0.08	161.31	68.02		156.48	224.52
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:41:19	395.70		161.46	67.88	156.34	33.37	0.08	161.42	67.91		156.37	224.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:41:21	395.73		161.54	67.80	156.26	33.37	0.08	161.50	67.84		156.30	224.70
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:41:23	395.77		161.66	67.68	156.14	33.37	0.08	161.62	67.71		156.17	224.83
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:41:25	395.80		161.54	67.79	156.25	33.37	0.08	161.51	67.83		156.29	224.71
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:41:27	395.83		161.36	67.97	156.43	33.37	0.08	161.33	68.01		156.47	224.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:41:29	395.87		161.39	67.95	156.41	33.37	0.08	161.35	67.98		156.44	224.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:41:31	395.90		161.48	67.85	156.31	33.37	0.08	161.44	67.89		156.35	224.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:41:33	395.93		161.60	67.74	156.20	33.37	0.08	161.56	67.77		156.23	224.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:41:35	395.97		161.42	67.92	156.38	33.37	0.08	161.38	67.95		156.41	224.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:41:37	396.00		161.56	67.78	156.24	33.37	0.08	161.52	67.81		156.27	224.73
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:41:39	396.03		161.39	67.95	156.41	33.37	0.08	161.35	67.98		156.44	224.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:41:41	396.07		161.51	67.82	156.28	33.37	0.08	161.47	67.86		156.32	224.68
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:41:43	396.10		161.59	67.75	156.21	33.37	0.08	161.55	67.78		156.24	224.76
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:41:45	396.13		161.51	67.82	156.28	33.37	0.08	161.47	67.86		156.32	224.68
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:41:47	396.17		161.57	67.76	156.22	33.37	0.08	161.54	67.80		156.26	224.74
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:41:49	396.20		161.50	67.84	156.30	33.37	0.08	161.46	67.87		156.33	224.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:41:51	396.23		161.41	67.92	156.38	33.37	0.08	161.37	67.96		156.42	224.58
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:41:53	396.27		161.48	67.85	156.31	33.37	0.08	161.44	67.89		156.35	224.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:41:55	396.30		161.48	67.85	156.31	33.37	0.08	161.44	67.89		156.35	224.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:41:57	396.33		161.47	67.87	156.33	33.37	0.08	161.43	67.91		156.37	224.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:41:59	396.37		161.36	67.98	156.44	33.37	0.08	161.32	68.01		156.47	224.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:42:01	396.40		161.43	67.91	156.37	33.37	0.08	161.39	67.94		156.40	224.60
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:42:03	396.43		161.26	68.07	156.53	33.37	0.08	161.23	68.11		156.57	224.43
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:42:05	396.47		161.26	68.07	156.53	33.37	0.08	161.23	68.11		156.57	224.43
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:42:07	396.50		161.36	67.98	156.44	33.37	0.08	161.32	68.01		156.47	224.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:42:09	396.53		161.47	67.86	156.32	33.37	0.08	161.44	67.90		156.36	224.64
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:42:11	396.57		161.33	68.01	156.47	33.37	0.08	161.29	68.05		156.51	224.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:42:13	396.60		161.31	68.03	156.49	33.37	0.08	161.27	68.06		156.52	224.48
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:42:15	396.63		161.37	67.96	156.42	33.37	0.08	161.33	68.00		156.46	224.54
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:42:17	396.67		161.36	67.98	156.44	33.37	0.08	161.32	68.01		156.47	224.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:42:19	396.70		161.45	67.89	156.35	33.37	0.08	161.41	67.92		156.38	224.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:42:21	396.73		161.47	67.86	156.32	33.37	0.08	161.44	67.90		156.36	224.64
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:42:23	396.77		161.45	67.89	156.35	33.37	0.08	161.41	67.92		156.38	224.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:42:25	396.80		161.46	67.88	156.34	33.37	0.08	161.42	67.91		156.37	224.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:42:27	396.83		161.39	67.95	156.41	33.37	0.08	161.35	67.98		156.44	224.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:42:29	396.87		161.43	67.90	156.36	33.37	0.08	161.40	67.94		156.40	224.60
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:42:31	396.90		161.42	67.92	156.38	33.37	0.08	161.38	67.95		156.41	224.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:42:33	396.93		161.50	67.83	156.29	33.37	0.08	161.47	67.87		156.33	224.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:42:35	396.97		161.50	67.83	156.29	33.37	0.08	161.47	67.87		156.33	224.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:42:37	397.00		161.52	67.82	156.28	33.37	0.08	161.48	67.85		156.31	224.69
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:42:39	397.03		161.51	67.82	156.28	33.37	0.08	161.47	67.86		156.32	224.68
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:42:41	397.07		161.39	67.95	156.41	33.37	0.08	161.35	67.98		156.44	224.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:42:43	397.10		161.39	67.95	156.41	33.37	0.08	161.35	67.98		156.44	224.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:42:45	397.13		161.57	67.76	156.22	33.37	0.08	161.54	67.80		156.26	224.74
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:42:47	397.17		161.52	67.82	156.28	33.37	0.08	161.48	67.85		156.31	224.69
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:42:49	397.20		161.43	67.90	156.36	33.37	0.08	161.40	67.94		156.40	224.60
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:42:51	397.23		161.49	67.85	156.31	33.37	0.08	161.45	67.88		156.34	224.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:42:53	397.27		161.54	67.79	156.25	33.37	0.08	161.51	67.83		156.29	224.71
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:42:55	397.30		161.38	67.96	156.42	33.37	0.08	161.34	67.99		156.45	224.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:42:57	397.33		161.40	67.94	156.40	33.37	0.08	161.36	67.98		156.44	224.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:42:59	397.37		161.45	67.89	156.35	33.37	0.08	161.41	67.92		156.38	224.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:43:01	397.40		161.48	67.85	156.31	33.37	0.08	161.44	67.89		156.35	224.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:43:03	397.43		161.47	67.87	156.33	33.37	0.08	161.43	67.91		156.37	224.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:43:05	397.47		161.40	67.94	156.40	33.37	0.08	161.36	67.98		156.44	224.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:43:07	397.50		161.39	67.95	156.41	33.37	0.08	161.35	67.98		156.44	224.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:43:09	397.53		161.38	67.96	156.42	33.37	0.08	161.34	67.99		156.45	224.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:43:11	397.57		161.37	67.96	156.42	33.37	0.08	161.33	68.00		156.46	224.54
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:43:13	397.60		161.40	67.93	156.39	33.37	0.08	161.37	67.97		156.43	224.57
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:43:15	397.63		161.37	67.96	156.42	33.37	0.08	161.33	68.00		156.46	224.54
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:43:17	397.67		161.40	67.94	156.40	33.37	0.08	161.36	67.98		156.44	224.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:43:19	397.70		161.26	68.08	156.54	33.37	0.08	161.22	68.12		156.58	224.42
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:43:21	397.73		161.32	68.02	156.48	33.37	0.08	161.28	68.05		156.51	224.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:43:23	397.77		161.31	68.03	156.49	33.37	0.08	161.27	68.06		156.52	224.48
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:43:25	397.80		161.34	68.00	156.46	33.37	0.08	161.30	68.03		156.49	224.51
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:43:27	397.83		161.24	68.10	156.56	33.37	0.08	161.20	68.13		156.59	224.41
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:43:29	397.87		161.31	68.03	156.49	33.37	0.08	161.27	68.06		156.52	224.48
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:43:31	397.90		161.50	67.83	156.29	33.37	0.08	161.47	67.87		156.33	224.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:43:33	397.93		161.33	68.00	156.46	33.37	0.08	161.30	68.04		156.50	224.50
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:43:35	397.97		161.46	67.88	156.34	33.37	0.08	161.42	67.91		156.37	224.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:43:37	398.00		161.40	67.93	156.39	33.37	0.08	161.37	67.97		156.43	224.57
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:43:39	398.03		161.33	68.00	156.46	33.37	0.08	161.30	68.04		156.50	224.50
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:43:41	398.07		161.35	67.99	156.45	33.37	0.08	161.31	68.02		156.48	224.52
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:43:43	398.10		161.44	67.89	156.35	33.37	0.08	161.40	67.93		156.39	224.61
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:43:45	398.13		161.45	67.89	156.35	33.37	0.08	161.41	67.92		156.38	224.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:43:47	398.17		161.45	67.89	156.35	33.37	0.08	161.41	67.92		156.38	224.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:43:49	398.20		161.36	67.97	156.43	33.37	0.08	161.33	68.01		156.47	224.53

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:43:51	398.23		161.40	67.94	156.40	33.37	0.08	161.36	67.98		156.44	224.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:43:53	398.27		161.44	67.89	156.35	33.37	0.08	161.40	67.93		156.39	224.61
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:43:55	398.30		161.47	67.86	156.32	33.37	0.08	161.44	67.90		156.36	224.64
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:43:57	398.33		161.50	67.83	156.29	33.37	0.08	161.47	67.87		156.33	224.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:43:59	398.37		161.34	68.00	156.46	33.37	0.08	161.30	68.03		156.49	224.51
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:44:01	398.40		161.40	67.93	156.39	33.37	0.08	161.37	67.97		156.43	224.57
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:44:03	398.43		161.49	67.85	156.31	33.37	0.08	161.45	67.88		156.34	224.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:44:05	398.47		161.30	68.03	156.49	33.37	0.08	161.26	68.07		156.53	224.47
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:44:07	398.50		161.47	67.87	156.33	33.37	0.08	161.43	67.91		156.37	224.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:44:09	398.53		161.45	67.89	156.35	33.37	0.08	161.41	67.92		156.38	224.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:44:11	398.57		161.42	67.92	156.38	33.37	0.08	161.38	67.95		156.41	224.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:44:13	398.60		161.42	67.92	156.38	33.37	0.08	161.38	67.95		156.41	224.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:44:15	398.63		161.44	67.89	156.35	33.37	0.08	161.40	67.93		156.39	224.61
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:44:17	398.67		161.33	68.01	156.47	33.37	0.08	161.29	68.05		156.51	224.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:44:19	398.70		161.30	68.03	156.49	33.37	0.08	161.26	68.07		156.53	224.47
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:44:21	398.73		161.37	67.96	156.42	33.37	0.08	161.33	68.00		156.46	224.54
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:44:23	398.77		161.36	67.97	156.43	33.37	0.08	161.33	68.01		156.47	224.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:44:25	398.80		161.37	67.96	156.42	33.37	0.08	161.33	68.00		156.46	224.54
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:44:27	398.83		161.35	67.99	156.45	33.37	0.08	161.31	68.02		156.48	224.52
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:44:29	398.87		161.29	68.05	156.51	33.37	0.08	161.25	68.08		156.54	224.46
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:44:31	398.90		161.40	67.93	156.39	33.37	0.08	161.37	67.97		156.43	224.57
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:44:33	398.93		161.39	67.95	156.41	33.37	0.08	161.35	67.98		156.44	224.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:44:35	398.97		161.17	68.17	156.63	33.37	0.08	161.13	68.20		156.66	224.34
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:44:37	399.00		161.43	67.91	156.37	33.37	0.08	161.39	67.94		156.40	224.60
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:44:39	399.03		161.31	68.03	156.49	33.37	0.08	161.27	68.06		156.52	224.48
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:44:41	399.07		161.33	68.00	156.46	33.37	0.08	161.30	68.04		156.50	224.50
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:44:43	399.10		161.36	67.98	156.44	33.37	0.08	161.32	68.01		156.47	224.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:44:45	399.13		161.33	68.01	156.47	33.37	0.08	161.29	68.05		156.51	224.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:44:47	399.17		161.32	68.02	156.48	33.37	0.08	161.28	68.05		156.51	224.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:44:49	399.20		161.47	67.87	156.33	33.37	0.08	161.43	67.91		156.37	224.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:44:51	399.23		161.52	67.82	156.28	33.37	0.08	161.48	67.85		156.31	224.69
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:44:53	399.27		161.43	67.91	156.37	33.37	0.08	161.39	67.94		156.40	224.60
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:44:55	399.30		161.42	67.92	156.38	33.37	0.08	161.38	67.95		156.41	224.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:44:57	399.33		161.60	67.74	156.20	33.37	0.08	161.56	67.77		156.23	224.77
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:44:59	399.37		161.42	67.92	156.38	33.37	0.08	161.38	67.95		156.41	224.59
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:45:01	399.40		161.47	67.87	156.33	33.37	0.08	161.43	67.91		156.37	224.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:45:03	399.43		161.49	67.85	156.31	33.37	0.08	161.45	67.88		156.34	224.66
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:45:05	399.47		161.34	68.00	156.46	33.37	0.08	161.30	68.03		156.49	224.51
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:45:07	399.50		161.46	67.88	156.34	33.37	0.08	161.42	67.91		156.37	224.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:45:09	399.53		161.44	67.89	156.35	33.37	0.08	161.40	67.93		156.39	224.61
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:45:11	399.57		161.40	67.94	156.40	33.37	0.08	161.36	67.98		156.44	224.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:45:13	399.60		161.39	67.95	156.41	33.37	0.08	161.35	67.98		156.44	224.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:45:15	399.63		161.32	68.02	156.48	33.37	0.08	161.28	68.05		156.51	224.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:45:17	399.67		161.40	67.94	156.40	33.37	0.08	161.36	67.98		156.44	224.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:45:19	399.70		161.37	67.96	156.42	33.37	0.08	161.33	68.00		156.46	224.54
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:45:21	399.73		161.38	67.96	156.42	33.37	0.08	161.34	67.99		156.45	224.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:45:23	399.77		161.39	67.95	156.41	33.37	0.08	161.35	67.98		156.44	224.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:45:25	399.80		161.38	67.96	156.42	33.37	0.08	161.34	67.99		156.45	224.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:45:27	399.83		161.45	67.89	156.35	33.37	0.08	161.41	67.92		156.38	224.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:45:29	399.87		161.32	68.02	156.48	33.37	0.08	161.28	68.05		156.51	224.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:45:31	399.90		161.19	68.15	156.61	33.37	0.08	161.15	68.19		156.65	224.35
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:45:33	399.93		161.32	68.02	156.48	33.37	0.08	161.28	68.05		156.51	224.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:45:35	399.97		161.41	67.92	156.38	33.37	0.08	161.37	67.96		156.42	224.58
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:45:37	400.00		161.30	68.03	156.49	33.37	0.08	161.26	68.07		156.53	224.47
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:45:39	400.03		161.39	67.95	156.41	33.37	0.08	161.35	67.98		156.44	224.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:45:41	400.07		161.39	67.95	156.41	33.37	0.08	161.35	67.98		156.44	224.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:45:43	400.10		161.18	68.16	156.62	33.37	0.08	161.14	68.19		156.65	224.35
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:45:45	400.13		161.33	68.00	156.46	33.37	0.08	161.29	68.04		156.50	224.50
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:45:47	400.17		161.41	67.92	156.38	33.37	0.08	161.37	67.96		156.42	224.58
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:45:49	400.20		161.29	68.04	156.50	33.37	0.08	161.26	68.08		156.54	224.46
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:45:51	400.23		161.34	68.00	156.46	33.37	0.08	161.30	68.03		156.49	224.51
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:45:53	400.27		161.36	67.97	156.43	33.37	0.08	161.33	68.01		156.47	224.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:45:55	400.30		161.29	68.05	156.51	33.37	0.08	161.25	68.08		156.54	224.46
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:45:57	400.33		161.46	67.88	156.34	33.37	0.08	161.42	67.91		156.37	224.63
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:45:59	400.37		161.25	68.09	156.55	33.37	0.08	161.21	68.12		156.58	224.42
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:46:01	400.40		161.31	68.03	156.49	33.37	0.08	161.27	68.06		156.52	224.48
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:46:03	400.43		161.36	67.98	156.44	33.37	0.08	161.32	68.01		156.47	224.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:46:05	400.47		161.40	67.94	156.40	33.37	0.08	161.36	67.98		156.44	224.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:46:07	400.50		161.38	67.96	156.42	33.37	0.08	161.34	67.99		156.45	224.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:46:09	400.53		161.45	67.89	156.35	33.37	0.08	161.41	67.92		156.38	224.62
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:46:11	400.57		161.34	68.00	156.46	33.37	0.08	161.30	68.03		156.49	224.51
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:46:13	400.60		161.40	67.93	156.39	33.37	0.08	161.36	67.97		156.43	224.57
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:46:15	400.63		161.43	67.90	156.36	33.37	0.08	161.40	67.94		156.40	224.60
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:46:17	400.67		161.31	68.03	156.49	33.37	0.08	161.27	68.06		156.52	224.48
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:46:19	400.70		161.51	67.82	156.28	33.37	0.08	161.47	67.86		156.32	224.68
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:46:21	400.73		161.38	67.96	156.42	33.37	0.08	161.34	67.99		156.45	224.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:46:23	400.77		161.31	68.03	156.49	33.37	0.08	161.27	68.06		156.52	224.48
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:46:25	400.80		161.34	68.00	156.46	33.37	0.08	161.30	68.03		156.49	224.51
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:46:27	400.83		161.40	67.93	156.39	33.37	0.08	161.36	67.97		156.43	224.57
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:46:29	400.87		161.33	68.01	156.47	33.37	0.08	161.29	68.05		156.51	224.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:46:31	400.90		161.36	67.98	156.44	33.37	0.08	161.32	68.01		156.47	224.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:46:33	400.93		161.34	68.00	156.46	33.37	0.08	161.30	68.03		156.49	224.51
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:46:35	400.97		161.26	68.08	156.54	33.37	0.08	161.22	68.12		156.58	224.42
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:46:37	401.00		161.35	67.99	156.45	33.37	0.08	161.31	68.02		156.48	224.52
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:46:39	401.03		161.19	68.14	156.60	33.37	0.08	161.15	68.18		156.64	224.36
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:46:41	401.07		161.26	68.08	156.54	33.37	0.08	161.22	68.12		156.58	224.42
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:46:43	401.10		161.37	67.96	156.42	33.37	0.08	161.33	68.00		156.46	224.54
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:46:45	401.13		161.20	68.14	156.60	33.37	0.08	161.16	68.17		156.63	224.37
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:46:47	401.17		161.24	68.10	156.56	33.37	0.08	161.20	68.13		156.59	224.41
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:46:49	401.20		161.38	67.96	156.42	33.37	0.08	161.34	67.99		156.45	224.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:46:51	401.23		161.23	68.10	156.56	33.37	0.08	161.19	68.14		156.60	224.40
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:46:53	401.27		161.31	68.03	156.49	33.37	0.08	161.27	68.06		156.52	224.48
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:46:55	401.30		161.23	68.10	156.56	33.37	0.08	161.19	68.14		156.60	224.40
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:46:57	401.33		161.24	68.10	156.56	33.37	0.08	161.20	68.13		156.59	224.41
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:46:59	401.37		161.23	68.10	156.56	33.37	0.08	161.19	68.14		156.60	224.40
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:47:01	401.40		161.29	68.04	156.50	33.37	0.08	161.26	68.08		156.54	224.46
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:47:03	401.43		161.33	68.00	156.46	33.37	0.08	161.29	68.04		156.50	224.50

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:47:05	401.47		161.33	68.00	156.46	33.37	0.08	161.29	68.04		156.50	224.50
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:47:07	401.50		161.50	67.84	156.30	33.37	0.08	161.46	67.87		156.33	224.67
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:47:09	401.53		161.23	68.10	156.56	33.37	0.08	161.19	68.14		156.60	224.40
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:47:11	401.57		161.29	68.04	156.50	33.37	0.08	161.26	68.08		156.54	224.46
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:47:13	401.60		161.33	68.01	156.47	33.37	0.08	161.29	68.05		156.51	224.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:47:15	401.63		161.38	67.96	156.42	33.37	0.08	161.34	67.99		156.45	224.55
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:47:17	401.67		161.29	68.04	156.50	33.37	0.08	161.26	68.08		156.54	224.46
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:47:19	401.70		161.33	68.01	156.47	33.37	0.08	161.29	68.05		156.51	224.49
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:47:21	401.73		161.39	67.95	156.41	33.37	0.08	161.35	67.98		156.44	224.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:47:23	401.77		161.40	67.94	156.40	33.37	0.08	161.36	67.98		156.44	224.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:47:25	401.80		161.48	67.85	156.31	33.37	0.08	161.44	67.89		156.35	224.65
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:47:27	401.83		161.29	68.04	156.50	33.37	0.08	161.26	68.08		156.54	224.46
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:47:29	401.87		161.36	67.98	156.44	33.37	0.08	161.32	68.01		156.47	224.53
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:47:31	401.90		161.40	67.94	156.40	33.37	0.08	161.36	67.98		156.44	224.56
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:47:33	401.93		161.37	67.96	156.42	33.37	0.08	161.33	68.00		156.46	224.54
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:47:35	401.97		161.44	67.89	156.35	33.37	0.08	161.40	67.93		156.39	224.61
SW Well 1A	STEP RATE - STEP #3	9/23/2010 22:47:37	402.00		161.41	67.92	156.38	33.37	0.08	161.37	67.96		156.42	224.58
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:47:39			161.17	68.17	156.63	33.37	0.08	161.13	68.20		156.66	224.34
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:47:41			160.59	68.74	157.20	33.37	0.08	160.55	68.78		157.24	223.76
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:47:43			160.13	69.21	157.67	33.37	0.08	160.09	69.25		157.71	223.29
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:47:45			159.24	70.10	158.56	33.37	0.08	159.20	70.13		158.59	222.41
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:47:47			158.11	71.22	159.68	33.37	0.08	158.08	71.26		159.72	221.28
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:47:49			156.76	72.58	161.04	33.37	0.08	156.72	72.61		161.07	219.93
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:47:51			154.79	74.55	163.01	33.37	0.08	154.75	74.58		163.04	217.96
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:47:53			152.86	76.48	164.94	33.37	0.08	152.82	76.52		164.98	216.02
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:47:55			151.12	78.22	166.68	33.37	0.08	151.08	78.25		166.71	214.29
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:47:57			149.19	80.14	168.60	33.37	0.08	149.15	80.18		168.64	212.36
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:47:59			147.18	82.15	170.61	33.37	0.08	147.14	82.19		170.65	210.35
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:48:01			145.24	84.09	172.55	33.37	0.08	145.20	84.13		172.59	208.41
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:48:03			143.31	86.03	174.49	33.37	0.08	143.27	86.06		174.52	206.48
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:48:05			141.35	87.98	176.44	33.37	0.08	141.31	88.02		176.48	204.52
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:48:07			139.31	90.02	178.48	33.37	0.08	139.27	90.06		178.52	202.48
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:48:09			137.96	91.38	179.84	33.37	0.08	137.92	91.42		179.88	201.12
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:48:11			136.25	93.09	181.55	33.37	0.08	136.21	93.12		181.58	199.42
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:48:13			135.05	94.29	182.75	33.37	0.08	135.01	94.32		182.78	198.22
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:48:15			133.98	95.35	183.81	33.37	0.08	133.94	95.39		183.85	197.15
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:48:17			133.22	96.12	184.58	33.37	0.08	133.18	96.15		184.61	196.39
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:48:19			132.49	96.84	185.30	33.37	0.08	132.45	96.88		185.34	195.66
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:48:21			132.00	97.33	185.79	33.37	0.08	131.96	97.37		185.83	195.17
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:48:23			131.71	97.63	186.09	33.37	0.08	131.67	97.66		186.12	194.88
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:48:25			131.47	97.86	186.32	33.37	0.08	131.43	97.90		186.36	194.64
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:48:27			131.53	97.81	186.27	33.37	0.08	131.49	97.84		186.30	194.70
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:48:29			131.18	98.15	186.61	33.37	0.08	131.15	98.19		186.65	194.35
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:48:31			131.22	98.11	186.57	33.37	0.08	131.18	98.15		186.61	194.39
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:48:33			131.08	98.26	186.72	33.37	0.08	131.04	98.30		186.76	194.24
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:48:35			130.88	98.46	186.92	33.37	0.08	130.84	98.49		186.95	194.05
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:48:37			130.92	98.42	186.88	33.37	0.08	130.88	98.45		186.91	194.09
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:48:39			130.79	98.54	187.00	33.37	0.08	130.76	98.58		187.04	193.96
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:48:41			130.70	98.63	187.09	33.37	0.08	130.66	98.67		187.13	193.87
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:48:43			130.62	98.72	187.18	33.37	0.08	130.58	98.76		187.22	193.78
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:48:45			130.67	98.67	187.13	33.37	0.08	130.63	98.70		187.16	193.84
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:48:47			130.52	98.81	187.27	33.37	0.08	130.48	98.85		187.31	193.69
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:48:49			130.66	98.67	187.13	33.37	0.08	130.62	98.71		187.17	193.83
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:48:51			130.53	98.81	187.27	33.37	0.08	130.49	98.84		187.30	193.70
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:48:53			130.42	98.92	187.38	33.37	0.08	130.38	98.95		187.41	193.59
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:48:55			130.48	98.86	187.32	33.37	0.08	130.44	98.90		187.36	193.64
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:48:57			130.31	99.02	187.48	33.37	0.08	130.27	99.06		187.52	193.48
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:48:59			130.43	98.91	187.37	33.37	0.08	130.39	98.94		187.40	193.60
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:49:01			130.37	98.96	187.42	33.37	0.08	130.33	99.00		187.46	193.54
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:49:03			130.41	98.93	187.39	33.37	0.08	130.37	98.96		187.42	193.58
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:49:05			130.38	98.95	187.41	33.37	0.08	130.34	98.99		187.45	193.55
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:49:07			130.21	99.13	187.59	33.37	0.08	130.17	99.16		187.62	193.38
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:49:09			130.23	99.10	187.56	33.37	0.08	130.19	99.14		187.60	193.40
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:49:11			130.22	99.12	187.58	33.37	0.08	130.18	99.15		187.61	193.39
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:49:13			130.23	99.11	187.57	33.37	0.08	130.19	99.15		187.61	193.39
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:49:15			130.27	99.06	187.52	33.37	0.08	130.24	99.10		187.56	193.44
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:49:17			130.20	99.13	187.59	33.37	0.08	130.16	99.17		187.63	193.37
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:49:19			130.17	99.16	187.62	33.37	0.08	130.13	99.20		187.66	193.34
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:49:21			131.59	97.74	186.20	33.37	0.08	131.55	97.78		186.24	194.76
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:49:23			132.04	97.30	185.76	33.37	0.08	132.00	97.34		185.80	195.20
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:49:25			133.58	95.76	184.22	33.37	0.08	133.54	95.79		184.25	196.75
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:49:27			134.92	94.42	182.88	33.37	0.08	134.88	94.45		182.91	198.09
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:49:29			136.75	92.59	181.05	33.37	0.08	136.71	92.62		181.08	199.92
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:49:31			138.72	90.61	179.07	33.37	0.08	138.68	90.65		179.11	201.89
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:49:33			140.28	89.06	177.52	33.37	0.08	140.24	89.09		177.55	203.45
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:49:35			142.10	87.24	175.70	33.37	0.08	142.06	87.28		175.74	205.26
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:49:37			143.42	85.92	174.38	33.37	0.08	143.38	85.95		174.41	206.59
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:49:39			144.66	84.68	173.14	33.37	0.08	144.62	84.71		173.17	207.83
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:49:41			145.84	83.49	171.95	33.37	0.08	145.80	83.53		171.99	209.01
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:49:43			146.58	82.75	171.21	33.37	0.08	146.55	82.79		171.25	209.75
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:49:45			147.32	82.01	170.47	33.37	0.08	147.29	82.05		170.51	210.49
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:49:47			148.03	81.31	169.77	33.37	0.08	147.99	81.35		169.81	211.19
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:49:49			148.31	81.02	169.48	33.37	0.08	148.27	81.06		169.52	211.48
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:49:51			148.73	80.61	169.07	33.37	0.08	148.69	80.64		169.10	211.90
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:49:53			148.63	80.70	169.16	33.37	0.08	148.59	80.74		169.20	211.80
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:49:55			148.78	80.55	169.01	33.37	0.08	148.74	80.59		169.05	211.95
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:49:57			148.85	80.48	168.94	33.37	0.08	148.81	80.52		168.98	212.02
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:49:59			148.95	80.38	168.84	33.37	0.08	148.91	80.42		168.88	212.12
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:50:01			149.04	80.30	168.76	33.37	0.08	149.00	80.33		168.79	212.21
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:50:03			149.01	80.32	168.78	33.37	0.08	148.97	80.36		168.82	212.18
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:50:05			148.96	80.38	168.84	33.37	0.08	148.92	80.41		168.87	212.13
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:50:07			149.04	80.30	168.76	33.37	0.08	149.00	80.33		168.79	212.21
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:50:09			148.90	80.44	168.90	33.37	0.08	148.86	80.47		168.93	212.07
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:50:11			149.13	80.20	168.66	33.37	0.08	149.09	80.24		168.70	212.30
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:50:13			149.13	80.20	168.66	33.37	0.08	149.09	80.24		168.70	212.30
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:50:15			148.96	80.38	168.84	33.37	0.08	148.92	80.41		168.87	212.13
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:50:17			149.02	80.31	168.77	33.37	0.08	148.98	80.35		168.81	212.19

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:50:19			148.98	80.35	168.81	33.37	0.08	148.95	80.39		168.85	212.15
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:50:21			149.24	80.09	168.55	33.37	0.08	149.20	80.13		168.59	212.41
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:50:23			149.19	80.15	168.61	33.37	0.08	149.15	80.19		168.65	212.35
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:50:25			148.94	80.39	168.85	33.37	0.08	148.90	80.43		168.89	212.11
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:50:27			149.09	80.24	168.70	33.37	0.08	149.05	80.28		168.74	212.26
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:50:29			149.11	80.23	168.69	33.37	0.08	149.07	80.27		168.73	212.27
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:50:31			149.17	80.16	168.62	33.37	0.08	149.13	80.20		168.66	212.34
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:50:33			149.22	80.12	168.58	33.37	0.08	149.18	80.16		168.62	212.38
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:50:35			149.21	80.13	168.59	33.37	0.08	149.17	80.16		168.62	212.38
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:50:37			149.20	80.13	168.59	33.37	0.08	149.16	80.17		168.63	212.37
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:50:39			149.19	80.15	168.61	33.37	0.08	149.15	80.19		168.65	212.35
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:50:41			149.11	80.23	168.69	33.37	0.08	149.07	80.26		168.72	212.28
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:50:43			149.24	80.09	168.55	33.37	0.08	149.20	80.13		168.59	212.41
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:50:45			149.11	80.22	168.68	33.37	0.08	149.08	80.26		168.72	212.28
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:50:47			149.28	80.06	168.52	33.37	0.08	149.24	80.09		168.55	212.45
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:50:49			149.11	80.23	168.69	33.37	0.08	149.07	80.26		168.72	212.28
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:50:51			149.23	80.11	168.57	33.37	0.08	149.19	80.15		168.61	212.39
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:50:53			149.23	80.10	168.56	33.37	0.08	149.19	80.14		168.60	212.40
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:50:55			149.23	80.11	168.57	33.37	0.08	149.19	80.15		168.61	212.39
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:50:57			149.23	80.11	168.57	33.37	0.08	149.19	80.15		168.61	212.39
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:50:59			149.23	80.11	168.57	33.37	0.08	149.19	80.15		168.61	212.39
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:51:01			149.14	80.20	168.66	33.37	0.08	149.10	80.23		168.69	212.31
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:51:03			149.30	80.04	168.50	33.37	0.08	149.26	80.08		168.54	212.46
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:51:05			149.30	80.03	168.49	33.37	0.08	149.26	80.07		168.53	212.47
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:51:07			149.19	80.14	168.60	33.37	0.08	149.16	80.18		168.64	212.36
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:51:09			149.17	80.16	168.62	33.37	0.08	149.13	80.20		168.66	212.34
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:51:11			149.08	80.26	168.72	33.37	0.08	149.04	80.29		168.75	212.25
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:51:13			149.37	79.97	168.43	33.37	0.08	149.33	80.01		168.47	212.53
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:51:15			149.31	80.02	168.48	33.37	0.08	149.27	80.06		168.52	212.48
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:51:17			149.27	80.06	168.52	33.37	0.08	149.23	80.10		168.56	212.44
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:51:19			149.13	80.20	168.66	33.37	0.08	149.09	80.24		168.70	212.30
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:51:21			149.18	80.16	168.62	33.37	0.08	149.14	80.19		168.65	212.35
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:51:23			149.16	80.17	168.63	33.37	0.08	149.12	80.21		168.67	212.33
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:51:25			149.31	80.02	168.48	33.37	0.08	149.27	80.06		168.52	212.48
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:51:27			149.19	80.14	168.60	33.37	0.08	149.16	80.18		168.64	212.36
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:51:29			149.16	80.17	168.63	33.37	0.08	149.12	80.21		168.67	212.33
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:51:31			149.25	80.09	168.55	33.37	0.08	149.21	80.12		168.58	212.42
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:51:33			149.16	80.18	168.64	33.37	0.08	149.12	80.22		168.68	212.32
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:51:35			149.27	80.06	168.52	33.37	0.08	149.23	80.10		168.56	212.44
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:51:37			149.32	80.02	168.48	33.37	0.08	149.28	80.05		168.51	212.49
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:51:39			149.29	80.05	168.51	33.37	0.08	149.25	80.08		168.54	212.46
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:51:41			149.17	80.16	168.62	33.37	0.08	149.13	80.20		168.66	212.34
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:51:43			149.09	80.25	168.71	33.37	0.08	149.05	80.29		168.75	212.25
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:51:45			149.25	80.09	168.55	33.37	0.08	149.21	80.12		168.58	212.42
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:51:47			149.23	80.11	168.57	33.37	0.08	149.19	80.15		168.61	212.39
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:51:49			149.23	80.11	168.57	33.37	0.08	149.19	80.15		168.61	212.39
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:51:51			149.35	79.99	168.45	33.37	0.08	149.31	80.02		168.48	212.52
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:51:53			149.17	80.16	168.62	33.37	0.08	149.13	80.20		168.66	212.34
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:51:55			149.23	80.10	168.56	33.37	0.08	149.19	80.14		168.60	212.40
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:51:57			149.24	80.09	168.55	33.37	0.08	149.20	80.13		168.59	212.41
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:51:59			149.30	80.04	168.50	33.37	0.08	149.26	80.08		168.54	212.46
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:52:01			149.26	80.07	168.53	33.37	0.08	149.23	80.11		168.57	212.43
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:52:03			149.19	80.14	168.60	33.37	0.08	149.16	80.18		168.64	212.36
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:52:05			149.13	80.20	168.66	33.37	0.08	149.09	80.24		168.70	212.30
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:52:07			149.32	80.02	168.48	33.37	0.08	149.28	80.05		168.51	212.49
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:52:09			149.33	80.01	168.47	33.37	0.08	149.29	80.04		168.50	212.50
SW Well 1A	RIGHT ANGLE DRIVE / PUMP MOTOR TESTING	9/23/2010 22:52:11			149.06	80.27	168.73	33.37	0.08	149.02	80.31		168.77	212.23
SW Well 1A	PUMP OFF	9/23/2010 22:52:13			149.20	80.13	168.59	33.37	0.08	149.16	80.17		168.63	212.37
SW Well 1A		9/23/2010 22:52:15			149.95	79.39	167.85	33.37	0.08	149.91	79.42		167.88	213.12
SW Well 1A		9/23/2010 22:52:17			150.24	79.10	167.56	33.37	0.08	150.20	79.13		167.59	213.41
SW Well 1A		9/23/2010 22:52:19			151.35	77.99	166.45	33.37	0.08	151.31	78.03		166.49	214.51
SW Well 1A		9/23/2010 22:52:21			152.30	77.03	165.49	33.37	0.08	152.26	77.07		165.53	215.47
SW Well 1A		9/23/2010 22:52:23			153.56	75.78	164.24	33.37	0.08	153.52	75.81		164.27	216.73
SW Well 1A		9/23/2010 22:52:25			154.94	74.40	162.86	33.37	0.08	154.90	74.43		162.89	218.11
SW Well 1A		9/23/2010 22:52:27			156.42	72.92	161.38	33.37	0.08	156.38	72.95		161.41	219.59
SW Well 1A		9/23/2010 22:52:29			157.76	71.58	160.04	33.37	0.08	157.72	71.61		160.07	220.93
SW Well 1A		9/23/2010 22:52:31			159.34	70.00	158.46	33.37	0.08	159.30	70.03		158.49	222.51
SW Well 1A		9/23/2010 22:52:33			160.28	69.06	157.52	33.37	0.08	160.24	69.10		157.56	223.44
SW Well 1A		9/23/2010 22:52:35			161.70	67.63	156.09	33.37	0.08	161.66	67.67		156.13	224.87
SW Well 1A		9/23/2010 22:52:37			163.07	66.27	154.73	33.37	0.08	163.03	66.31		154.77	226.23
SW Well 1A		9/23/2010 22:52:39			164.46	64.88	153.34	33.37	0.08	164.42	64.91		153.37	227.63
SW Well 1A		9/23/2010 22:52:41			165.54	63.79	152.25	33.37	0.08	165.50	63.83		152.29	228.71
SW Well 1A		9/23/2010 22:52:43			166.64	62.70	151.16	33.37	0.08	166.60	62.73		151.19	229.81
SW Well 1A		9/23/2010 22:52:45			167.94	61.39	149.85	33.37	0.08	167.90	61.43		149.89	231.11
SW Well 1A		9/23/2010 22:52:47			169.04	60.29	148.75	33.37	0.08	169.00	60.33		148.79	232.21
SW Well 1A		9/23/2010 22:52:49			170.21	59.12	147.58	33.37	0.08	170.17	59.16		147.62	233.38
SW Well 1A		9/23/2010 22:52:51			171.43	57.90	146.36	33.37	0.08	171.40	57.94		146.40	234.60
SW Well 1A		9/23/2010 22:52:53			172.55	56.78	145.24	33.37	0.08	172.52	56.82		145.28	235.72
SW Well 1A		9/23/2010 22:52:55			173.87	55.46	143.92	33.37	0.08	173.83	55.50		143.96	237.04
SW Well 1A		9/23/2010 22:52:57			174.96	54.38	142.84	33.37	0.08	174.92	54.42		142.88	238.12
SW Well 1A		9/23/2010 22:52:59			175.85	53.48	141.94	33.37	0.08	175.81	53.52		141.98	239.02
SW Well 1A		9/23/2010 22:53:01			177.31	52.03	140.49	33.37	0.08	177.27	52.06		140.52	240.48
SW Well 1A		9/23/2010 22:53:03			178.52	50.82	139.28	33.37	0.08	178.48	50.85		139.31	241.69
SW Well 1A		9/23/2010 22:53:05			179.13	50.21	138.67	33.37	0.08	179.09	50.25		138.71	242.29
SW Well 1A		9/23/2010 22:53:07			180.21	49.13	137.59	33.37	0.08	180.17	49.16		137.62	243.38
SW Well 1A		9/23/2010 22:53:09			180.42	48.91	137.37	33.37	0.08	180.39	48.95		137.41	243.59
SW Well 1A		9/23/2010 22:53:11			181.78	47.55	136.01	33.37	0.08	181.74	47.59		136.05	244.95
SW Well 1A		9/23/2010 22:53:13			182.09	47.24	135.70	33.37	0.08	182.05	47.28		135.74	245.26
SW Well 1A		9/23/2010 22:53:15			182.58	46.76	135.22	33.37	0.08	182.54	46.80		135.26	245.74
SW Well 1A		9/23/2010 22:53:17			183.54	45.79	134.25	33.37	0.08	183.50	45.83		134.29	246.71
SW Well 1A		9/23/2010 22:53:19			184.14	45.20	133.66	33.37	0.08	184.10	45.24		133.70	247.30
SW Well 1A		9/23/2010 22:53:21			184.66	44.68	133.14	33.37	0.08	184.62	44.72		133.18	247.82
SW Well 1A		9/23/2010 22:53:23			185.15	44.19	132.65	33.37	0.08	185.11	44.22		132.68	248.32
SW Well 1A		9/23/2010 22:53:25			185.20	44.13	132.59	33.37	0.08	185.16	44.17		132.63	248.37
SW Well 1A		9/23/2010 22:53:27			186.27	43.07	131.53	33.37	0.08	186.23	43.10		131.56	249.44
SW Well 1A		9/23/2010 22:53:29			186.92	42.41	130.87	33.37	0.08	186.88	42.45		130.91	250.09
SW Well 1A		9/23/2010 22:53:31			187.65	41.69	130.15	33.37	0.08	187.61	41.72		130.18	250.82

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A		9/23/2010 22:53:33			188.41	40.92	129.38	33.37	0.08	188.37	40.96		129.42	251.58
SW Well 1A		9/23/2010 22:53:35			188.47	40.87	129.33	33.37	0.08	188.43	40.91		129.37	251.63
SW Well 1A		9/23/2010 22:53:37			189.39	39.95	128.41	33.37	0.08	189.35	39.99		128.45	252.55
SW Well 1A		9/23/2010 22:53:39			190.21	39.12	127.58	33.37	0.08	190.17	39.16		127.62	253.38
SW Well 1A		9/23/2010 22:53:41			190.82	38.52	126.98	33.37	0.08	190.78	38.55		127.01	253.99
SW Well 1A		9/23/2010 22:53:43			191.07	38.27	126.73	33.37	0.08	191.03	38.30		126.76	254.24
SW Well 1A		9/23/2010 22:53:45			191.43	37.90	126.36	33.37	0.08	191.39	37.94		126.40	254.60
SW Well 1A		9/23/2010 22:53:47			191.60	37.74	126.20	33.37	0.08	191.56	37.77		126.23	254.77
SW Well 1A		9/23/2010 22:53:49			191.93	37.41	125.87	33.37	0.08	191.89	37.45		125.91	255.09
SW Well 1A		9/23/2010 22:53:51			191.98	37.36	125.82	33.37	0.08	191.94	37.39		125.85	255.15
SW Well 1A		9/23/2010 22:53:53			192.06	37.28	125.74	33.37	0.08	192.02	37.31		125.77	255.23
SW Well 1A		9/23/2010 22:53:55			192.13	37.20	125.66	33.37	0.08	192.10	37.24		125.70	255.30
SW Well 1A		9/23/2010 22:53:57			192.28	37.05	125.51	33.37	0.08	192.24	37.09		125.55	255.45
SW Well 1A		9/23/2010 22:53:59			192.40	36.93	125.39	33.37	0.08	192.36	36.97		125.43	255.57
SW Well 1A		9/23/2010 22:54:01			192.39	36.94	125.40	33.37	0.08	192.35	36.98		125.44	255.56
SW Well 1A		9/23/2010 22:54:03			192.63	36.71	125.17	33.37	0.08	192.59	36.75		125.21	255.79
SW Well 1A		9/23/2010 22:54:05			192.49	36.84	125.30	33.37	0.08	192.45	36.88		125.34	255.66
SW Well 1A		9/23/2010 22:54:07			192.98	36.36	124.82	33.37	0.08	192.94	36.40		124.86	256.14
SW Well 1A		9/23/2010 22:54:09			193.28	36.06	124.52	33.37	0.08	193.24	36.09		124.55	256.45
SW Well 1A		9/23/2010 22:54:11			193.20	36.13	124.59	33.37	0.08	193.16	36.17		124.63	256.37
SW Well 1A		9/23/2010 22:54:13			193.28	36.06	124.52	33.37	0.08	193.24	36.09		124.55	256.45
SW Well 1A		9/23/2010 22:54:15			193.21	36.13	124.59	33.37	0.08	193.17	36.16		124.62	256.38
SW Well 1A		9/23/2010 22:54:17			193.14	36.20	124.66	33.37	0.08	193.10	36.23		124.69	256.31
SW Well 1A		9/23/2010 22:54:19			193.20	36.13	124.59	33.37	0.08	193.16	36.17		124.63	256.37
SW Well 1A		9/23/2010 22:54:21			193.17	36.17	124.63	33.37	0.08	193.13	36.20		124.66	256.34
SW Well 1A		9/23/2010 22:54:23			193.21	36.13	124.59	33.37	0.08	193.17	36.16		124.62	256.38
SW Well 1A		9/23/2010 22:54:25			193.23	36.11	124.57	33.37	0.08	193.19	36.15		124.61	256.39
SW Well 1A		9/23/2010 22:54:27			192.97	36.37	124.83	33.37	0.08	192.93	36.40		124.86	256.14
SW Well 1A		9/23/2010 22:54:29			193.21	36.13	124.59	33.37	0.08	193.17	36.16		124.62	256.38
SW Well 1A		9/23/2010 22:54:31			193.11	36.23	124.69	33.37	0.08	193.07	36.26		124.72	256.28
SW Well 1A		9/23/2010 22:54:33			193.20	36.13	124.59	33.37	0.08	193.16	36.17		124.63	256.37
SW Well 1A		9/23/2010 22:54:35			192.99	36.34	124.80	33.37	0.08	192.95	36.38		124.84	256.16
SW Well 1A		9/23/2010 22:54:37			193.00	36.34	124.80	33.37	0.08	192.96	36.37		124.83	256.17
SW Well 1A		9/23/2010 22:54:39			192.96	36.38	124.84	33.37	0.08	192.92	36.41		124.87	256.13
SW Well 1A		9/23/2010 22:54:41			192.91	36.42	124.88	33.37	0.08	192.87	36.46		124.92	256.08
SW Well 1A		9/23/2010 22:54:43			192.95	36.38	124.84	33.37	0.08	192.91	36.42		124.88	256.12
SW Well 1A		9/23/2010 22:54:45			193.12	36.22	124.68	33.37	0.08	193.08	36.26		124.72	256.28
SW Well 1A		9/23/2010 22:54:47			193.18	36.16	124.62	33.37	0.08	193.14	36.19		124.65	256.35
SW Well 1A		9/23/2010 22:54:49			193.28	36.06	124.52	33.37	0.08	193.24	36.09		124.55	256.45
SW Well 1A		9/23/2010 22:54:51			193.30	36.04	124.50	33.37	0.08	193.26	36.08		124.54	256.46
SW Well 1A		9/23/2010 22:54:53			193.40	35.93	124.39	33.37	0.08	193.37	35.97		124.43	256.57
SW Well 1A		9/23/2010 22:54:55			193.42	35.92	124.38	33.37	0.08	193.38	35.95		124.41	256.59
SW Well 1A		9/23/2010 22:54:57			193.59	35.74	124.20	33.37	0.08	193.55	35.78		124.24	256.76
SW Well 1A		9/23/2010 22:54:59			193.70	35.64	124.10	33.37	0.08	193.66	35.67		124.13	256.87
SW Well 1A		9/23/2010 22:55:01			193.86	35.47	123.93	33.37	0.08	193.83	35.51		123.97	257.03
SW Well 1A		9/23/2010 22:55:03			193.75	35.59	124.05	33.37	0.08	193.71	35.62		124.08	256.92
SW Well 1A		9/23/2010 22:55:05			193.63	35.71	124.17	33.37	0.08	193.59	35.74		124.20	256.80
SW Well 1A		9/23/2010 22:55:07			193.97	35.37	123.83	33.37	0.08	193.93	35.41		123.87	257.13
SW Well 1A		9/23/2010 22:55:09			193.72	35.62	124.08	33.37	0.08	193.68	35.66		124.12	256.88
SW Well 1A		9/23/2010 22:55:11			193.68	35.66	124.12	33.37	0.08	193.64	35.70		124.16	256.84
SW Well 1A		9/23/2010 22:55:13			193.60	35.74	124.20	33.37	0.08	193.56	35.77		124.23	256.77
SW Well 1A		9/23/2010 22:55:15			193.62	35.71	124.17	33.37	0.08	193.58	35.75		124.21	256.79
SW Well 1A		9/23/2010 22:55:17			193.66	35.68	124.14	33.37	0.08	193.62	35.71		124.17	256.83
SW Well 1A		9/23/2010 22:55:19			193.48	35.85	124.31	33.37	0.08	193.44	35.89		124.35	256.65
SW Well 1A		9/23/2010 22:55:21			193.34	36.00	124.46	33.37	0.08	193.30	36.03		124.49	256.51
SW Well 1A		9/23/2010 22:55:23			193.54	35.80	124.26	33.37	0.08	193.50	35.84		124.30	256.70
SW Well 1A		9/23/2010 22:55:25			193.32	36.01	124.47	33.37	0.08	193.28	36.05		124.51	256.49
SW Well 1A		9/23/2010 22:55:27			193.39	35.95	124.41	33.37	0.08	193.35	35.98		124.44	256.56
SW Well 1A		9/23/2010 22:55:29			193.61	35.72	124.18	33.37	0.08	193.58	35.76		124.22	256.78
SW Well 1A		9/23/2010 22:55:31			193.52	35.81	124.27	33.37	0.08	193.48	35.85		124.31	256.69
SW Well 1A		9/23/2010 22:55:33			193.97	35.36	123.82	33.37	0.08	193.93	35.40		123.86	257.14
SW Well 1A		9/23/2010 22:55:35			194.28	35.05	123.51	33.37	0.08	194.25	35.09		123.55	257.45
SW Well 1A		9/23/2010 22:55:37			193.80	35.53	123.99	33.37	0.08	193.76	35.57		124.03	256.97
SW Well 1A		9/23/2010 22:55:39			193.71	35.63	124.09	33.37	0.08	193.67	35.66		124.12	256.88
SW Well 1A		9/23/2010 22:55:41			194.08	35.25	123.71	33.37	0.08	194.04	35.29		123.75	257.25
SW Well 1A		9/23/2010 22:55:43			194.70	34.64	123.10	33.37	0.08	194.66	34.67		123.13	257.87
SW Well 1A		9/23/2010 22:55:45			194.44	34.90	123.36	33.37	0.08	194.40	34.93		123.39	257.61
SW Well 1A		9/23/2010 22:55:47			194.47	34.87	123.33	33.37	0.08	194.43	34.91		123.37	257.63
SW Well 1A		9/23/2010 22:55:49			195.06	34.28	122.74	33.37	0.08	195.02	34.32		122.78	258.22
SW Well 1A		9/23/2010 22:55:51			195.13	34.20	122.66	33.37	0.08	195.10	34.24		122.70	258.30
SW Well 1A		9/23/2010 22:55:53			195.87	33.47	121.93	33.37	0.08	195.83	33.51		121.97	259.03
SW Well 1A		9/23/2010 22:55:55			195.82	33.52	121.98	33.37	0.08	195.78	33.55		122.01	258.99
SW Well 1A		9/23/2010 22:55:57			196.10	33.24	121.70	33.37	0.08	196.06	33.27		121.73	259.27
SW Well 1A		9/23/2010 22:55:59			196.49	32.85	121.31	33.37	0.08	196.45	32.88		121.34	259.66
SW Well 1A		9/23/2010 22:56:01			196.86	32.48	120.94	33.37	0.08	196.82	32.52		120.98	260.02
SW Well 1A		9/23/2010 22:56:03			196.86	32.47	120.93	33.37	0.08	196.83	32.51		120.97	260.03
SW Well 1A		9/23/2010 22:56:05			196.58	32.76	121.22	33.37	0.08	196.54	32.80		121.26	259.74
SW Well 1A		9/23/2010 22:56:07			196.80	32.53	120.99	33.37	0.08	196.76	32.57		121.03	259.97
SW Well 1A		9/23/2010 22:56:09			196.35	32.99	121.45	33.37	0.08	196.31	33.02		121.48	259.52
SW Well 1A		9/23/2010 22:56:11			196.33	33.01	121.47	33.37	0.08	196.29	33.05		121.51	259.49
SW Well 1A		9/23/2010 22:56:13			196.40	32.93	121.39	33.37	0.08	196.37	32.97		121.43	259.57
SW Well 1A		9/23/2010 22:56:15			195.84	33.49	121.95	33.37	0.08	195.80	33.53		121.99	259.01
SW Well 1A		9/23/2010 22:56:17			195.64	33.70	122.16	33.37	0.08	195.60	33.73		122.19	258.81
SW Well 1A		9/23/2010 22:56:19			195.93	33.40	121.86	33.37	0.08	195.89	33.44		121.90	259.10
SW Well 1A		9/23/2010 22:56:21			196.18	33.16	121.62	33.37	0.08	196.14	33.19		121.65	259.35
SW Well 1A		9/23/2010 22:56:23			195.82	33.51	121.97	33.37	0.08	195.78	33.55		122.01	258.99
SW Well 1A		9/23/2010 22:56:25			195.67	33.67	122.13	33.37	0.08	195.63	33.71		122.17	258.83
SW Well 1A		9/23/2010 22:56:27			196.01	33.33	121.79	33.37	0.08	195.97	33.36		121.82	259.18
SW Well 1A		9/23/2010 22:56:29			196.35	32.98	121.44	33.37	0.08	196.31	33.02		121.48	259.52
SW Well 1A		9/23/2010 22:56:31			196.24	33.09	121.55	33.37	0.08	196.20	33.13		121.59	259.41
SW Well 1A		9/23/2010 22:56:33			196.18	33.16	121.62	33.37	0.08	196.14	33.19		121.65	259.35
SW Well 1A		9/23/2010 22:56:35			196.38	32.95	121.41	33.37	0.08	196.34	32.99		121.45	259.55
SW Well 1A		9/23/2010 22:56:37			196.88	32.45	120.91	33.37	0.08	196.84	32.49		120.95	260.05
SW Well 1A		9/23/2010 22:56:39			196.46	32.87	121.33	33.37	0.08	196.42	32.91		121.37	259.63
SW Well 1A		9/23/2010 22:56:41			196.42	32.91	121.37	33.37	0.08	196.38	32.95		121.41	259.59
SW Well 1A		9/23/2010 22:56:43			196.84	32.49	120.95	33.37	0.08	196.80	32.53		120.99	260.01
SW Well 1A		9/23/2010 22:56:45			196.88	32.45	120.91	33.37	0.08	196.84	32.49		120.95	260.05

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A		9/23/2010 22:56:47			196.66	32.68	121.14	33.37	0.08	196.62	32.72		121.18	259.82
SW Well 1A		9/23/2010 22:56:49			196.66	32.68	121.14	33.37	0.08	196.62	32.72		121.18	259.82
SW Well 1A		9/23/2010 22:56:51			196.73	32.61	121.07	33.37	0.08	196.69	32.65		121.11	259.89
SW Well 1A		9/23/2010 22:56:53			197.05	32.28	120.74	33.37	0.08	197.01	32.32		120.78	260.22
SW Well 1A		9/23/2010 22:56:55			196.99	32.34	120.80	33.37	0.08	196.95	32.38		120.84	260.16
SW Well 1A		9/23/2010 22:56:57			197.05	32.28	120.74	33.37	0.08	197.01	32.32		120.78	260.22
SW Well 1A		9/23/2010 22:56:59			197.39	31.95	120.41	33.37	0.08	197.35	31.98		120.44	260.56
SW Well 1A		9/23/2010 23:15:00			209.89	19.44	107.90	33.37	0.08	209.85	19.48		107.94	273.06
SW Well 1A		9/23/2010 23:30:00			209.83	19.50	107.96	33.37	0.08	209.79	19.54		108.00	273.00
SW Well 1A		9/23/2010 23:45:00			210.71	18.63	107.09	33.38	0.08	210.67	18.66		107.12	273.88
SW Well 1A		9/24/2010 0:00:00			211.36	17.97	106.43	33.38	0.08	211.32	18.01		106.47	274.53
SW Well 1A		9/24/2010 0:15:00			211.87	17.46	105.92	33.38	0.08	211.83	17.50		105.96	275.04
SW Well 1A		9/24/2010 0:30:00			212.28	17.06	105.52	33.38	0.08	212.24	17.10		105.56	275.44
SW Well 1A		9/24/2010 0:45:00			212.61	16.73	105.19	33.38	0.09	212.57	16.77		105.23	275.77
SW Well 1A		9/24/2010 1:00:00			212.91	16.42	104.88	33.38	0.09	212.87	16.46		104.92	276.08
SW Well 1A		9/24/2010 1:15:00			213.17	16.17	104.63	33.38	0.09	213.12	16.21		104.67	276.33
SW Well 1A		9/24/2010 1:30:00			213.40	15.94	104.40	33.38	0.09	213.35	15.98		104.44	276.56
SW Well 1A		9/24/2010 1:45:00			213.60	15.73	104.19	33.39	0.09	213.56	15.78		104.24	276.76
SW Well 1A		9/24/2010 2:00:00			213.79	15.54	104.00	33.39	0.10	213.74	15.59		104.05	276.95
SW Well 1A		9/24/2010 2:15:00			213.96	15.37	103.83	33.39	0.10	213.91	15.42		103.88	277.12
SW Well 1A		9/24/2010 2:30:00			214.13	15.21	103.67	33.40	0.10	214.08	15.26		103.72	277.28
SW Well 1A		9/24/2010 2:45:00			214.29	15.05	103.51	33.40	0.11	214.23	15.10		103.56	277.44
SW Well 1A		9/24/2010 3:00:00			214.42	14.92	103.38	33.40	0.11	214.36	14.97		103.43	277.57
SW Well 1A		9/24/2010 3:15:00			214.55	14.79	103.25	33.41	0.11	214.49	14.84		103.30	277.70
SW Well 1A		9/24/2010 3:30:00			214.66	14.67	103.13	33.41	0.12	214.60	14.73		103.19	277.81
SW Well 1A		9/24/2010 3:45:00			214.78	14.56	103.02	33.41	0.12	214.72	14.61		103.07	277.93
SW Well 1A		9/24/2010 4:00:00			214.89	14.45	102.91	33.42	0.12	214.83	14.51		102.97	278.03
SW Well 1A		9/24/2010 4:15:00			214.99	14.34	102.80	33.42	0.13	214.93	14.40		102.86	278.14
SW Well 1A		9/24/2010 4:30:00			215.09	14.25	102.71	33.42	0.13	215.02	14.31		102.77	278.23
SW Well 1A		9/24/2010 4:45:00			215.18	14.16	102.62	33.43	0.13	215.11	14.22		102.68	278.32
SW Well 1A		9/24/2010 5:00:00			215.27	14.07	102.53	33.43	0.14	215.20	14.14		102.60	278.40
SW Well 1A		9/24/2010 5:15:00			215.35	13.99	102.45	33.43	0.14	215.28	14.06		102.52	278.48
SW Well 1A		9/24/2010 5:30:00			215.42	13.91	102.37	33.44	0.14	215.35	13.98		102.44	278.56
SW Well 1A		9/24/2010 5:45:00			215.50	13.83	102.29	33.44	0.15	215.43	13.90		102.36	278.64
SW Well 1A		9/24/2010 6:00:00			215.59	13.75	102.21	33.44	0.15	215.51	13.82		102.28	278.72
SW Well 1A		9/24/2010 6:15:00			215.66	13.68	102.14	33.44	0.15	215.58	13.75		102.21	278.79
SW Well 1A		9/24/2010 6:30:00			215.72	13.61	102.07	33.45	0.15	215.65	13.69		102.15	278.85
SW Well 1A		9/24/2010 6:45:00			215.79	13.54	102.00	33.45	0.15	215.72	13.62		102.08	278.92
SW Well 1A		9/24/2010 7:00:00			215.85	13.49	101.95	33.45	0.16	215.77	13.56		102.02	278.98
SW Well 1A		9/24/2010 7:15:00			215.91	13.43	101.89	33.45	0.16	215.83	13.50		101.96	279.04
SW Well 1A		9/24/2010 7:30:00			215.97	13.37	101.83	33.46	0.16	215.89	13.45		101.91	279.09
SW Well 1A		9/24/2010 7:45:00			216.03	13.31	101.77	33.46	0.16	215.95	13.38		101.84	279.16
SW Well 1A		9/24/2010 8:00:00			216.08	13.26	101.72	33.46	0.17	215.99	13.34		101.80	279.20
SW Well 1A		9/24/2010 8:15:00			216.12	13.21	101.67	33.46	0.17	216.04	13.29		101.75	279.25
SW Well 1A		9/24/2010 8:30:00			216.17	13.17	101.63	33.46	0.17	216.09	13.25		101.71	279.29
SW Well 1A		9/24/2010 8:45:00			216.22	13.12	101.58	33.47	0.17	216.13	13.20		101.66	279.34
SW Well 1A		9/24/2010 9:00:00			216.25	13.08	101.54	33.47	0.17	216.16	13.17		101.63	279.37
SW Well 1A		9/24/2010 9:15:00			216.29	13.05	101.51	33.47	0.18	216.20	13.13		101.59	279.41
SW Well 1A		9/24/2010 9:30:00			216.34	13.00	101.46	33.47	0.18	216.25	13.09		101.55	279.45
SW Well 1A		9/24/2010 9:45:00			216.37	12.97	101.43	33.47	0.18	216.28	13.05		101.51	279.49
SW Well 1A		9/24/2010 10:00:00			216.42	12.91	101.37	33.48	0.18	216.33	13.00		101.46	279.54
SW Well 1A		9/24/2010 10:15:00			216.46	12.87	101.33	33.48	0.18	216.37	12.96		101.42	279.58
SW Well 1A		9/24/2010 10:30:00			216.50	12.84	101.30	33.48	0.18	216.41	12.93		101.39	279.61
SW Well 1A		9/24/2010 10:45:00			216.54	12.79	101.25	33.48	0.19	216.45	12.88		101.34	279.66
SW Well 1A		9/24/2010 11:00:00			216.57	12.76	101.22	33.48	0.19	216.48	12.85		101.31	279.69
SW Well 1A		9/24/2010 11:15:00			216.60	12.73	101.19	33.48	0.19	216.51	12.82		101.28	279.72
SW Well 1A		9/24/2010 11:30:00			216.64	12.69	101.15	33.49	0.19	216.55	12.79		101.25	279.75
SW Well 1A		9/24/2010 11:45:00			216.67	12.66	101.12	33.49	0.19	216.58	12.76		101.22	279.78
SW Well 1A		9/24/2010 12:00:00			216.71	12.63	101.09	33.49	0.20	216.61	12.73		101.19	279.81
SW Well 1A		9/24/2010 12:15:00			216.74	12.60	101.06	33.49	0.20	216.64	12.69		101.15	279.85
SW Well 1A		9/24/2010 12:30:00			216.76	12.57	101.03	33.49	0.20	216.66	12.67		101.13	279.87
SW Well 1A		9/24/2010 12:45:00			216.79	12.55	101.01	33.49	0.20	216.69	12.65		101.11	279.89
SW Well 1A		9/24/2010 13:00:00			216.82	12.52	100.98	33.50	0.20	216.72	12.62		101.08	279.92
SW Well 1A		9/24/2010 13:15:00			216.85	12.49	100.95	33.50	0.20	216.75	12.59		101.05	279.95
SW Well 1A		9/24/2010 13:30:00			216.87	12.46	100.92	33.50	0.21	216.77	12.56		101.02	279.98
SW Well 1A		9/24/2010 13:45:00			216.89	12.45	100.91	33.50	0.20	216.79	12.55		101.01	279.99
SW Well 1A		9/24/2010 14:00:00			216.91	12.42	100.88	33.49	0.20	216.81	12.52		100.98	280.02
SW Well 1A		9/24/2010 14:15:00			216.95	12.39	100.85	33.49	0.20	216.85	12.49		100.95	280.05
SW Well 1A		9/24/2010 14:30:00			216.96	12.38	100.84	33.49	0.19	216.86	12.47		100.93	280.07
SW Well 1A		9/24/2010 14:45:00			216.98	12.35	100.81	33.48	0.19	216.89	12.44		100.90	280.10
SW Well 1A		9/24/2010 15:00:00			217.00	12.34	100.80	33.48	0.19	216.90	12.43		100.89	280.11
SW Well 1A		9/24/2010 15:15:00			217.02	12.31	100.77	33.48	0.18	216.93	12.40		100.86	280.14
SW Well 1A		9/24/2010 15:30:00			217.05	12.29	100.75	33.47	0.18	216.96	12.38		100.84	280.16
SW Well 1A		9/24/2010 15:45:00			217.06	12.27	100.73	33.47	0.18	216.97	12.36		100.82	280.18
SW Well 1A		9/24/2010 16:00:00			217.09	12.25	100.71	33.47	0.17	217.00	12.33		100.79	280.21
SW Well 1A		9/24/2010 16:15:00			217.11	12.23	100.69	33.46	0.17	217.02	12.31		100.77	280.23
SW Well 1A		9/24/2010 16:30:00			217.12	12.21	100.67	33.46	0.17	217.04	12.29		100.75	280.25
SW Well 1A		9/24/2010 16:45:00			217.15	12.19	100.65	33.46	0.16	217.07	12.27		100.73	280.27
SW Well 1A		9/24/2010 17:00:00			217.17	12.16	100.62	33.45	0.16	217.09	12.24		100.70	280.30
SW Well 1A		9/24/2010 17:15:00			217.19	12.15	100.61	33.45	0.16	217.11	12.22		100.68	280.32
SW Well 1A		9/24/2010 17:30:00			217.20	12.13	100.59	33.45	0.15	217.13	12.21		100.67	280.33
SW Well 1A		9/24/2010 17:45:00			217.23	12.11	100.57	33.45	0.15	217.15	12.18		100.64	280.36
SW Well 1A		9/24/2010 18:00:00			217.24	12.09	100.55	33.44	0.15	217.17	12.16		100.62	280.38
SW Well 1A		9/24/2010 18:15:00			217.26	12.08	100.54	33.44	0.15	217.19	12.15		100.61	280.39
SW Well 1A		9/24/2010 18:30:00			217.28	12.06	100.52	33.44	0.15	217.20	12.13		100.59	280.41
SW Well 1A		9/24/2010 18:45:00			217.29	12.04	100.50	33.44	0.15	217.22	12.12		100.58	280.42
SW Well 1A		9/24/2010 19:00:00			217.31	12.03	100.49	33.44	0.15	217.23	12.10		100.56	280.44
SW Well 1A		9/24/2010 19:15:00			217.32	12.01	100.47	33.44	0.15	217.25	12.08		100.54	280.46
SW Well 1A		9/24/2010 19:30:00			217.34	12.00	100.46	33.44	0.14	217.26	12.07		100.53	280.47
SW Well 1A		9/24/2010 19:45:00			217.35	11.98	100.44	33.44	0.14	217.28	12.05		100.51	280.49
SW Well 1A		9/24/2010 20:00:00			217.37	11.97	100.43	33.44	0.14	217.30	12.04		100.50	280.50
SW Well 1A		9/24/2010 20:15:00			217.38	11.96	100.42	33.44	0.14	217.31	12.03		100.49	280.51
SW Well 1A		9/24/2010 20:30:00			217.40	11.94	100.40	33.43	0.14	217.33	12.00		100.46	280.54
SW Well 1A		9/24/2010 20:45:00			217.41	11.93	100.39	33.43	0.14	217.34	11.99		100.45	280.55
SW Well 1A		9/24/2010 21:00:00			217.42	11.91	100.37	33.43	0.14	217.35	11.98		100.44	280.56
SW Well 1A		9/24/2010 21:15:00			217.43	11.90	100.36	33.43	0.14	217.37	11.97		100.43	280.57
SW Well 1A		9/24/2010 21:30:00			217.44	11.89	100.35	33.43	0.14	217.37	11.96		100.42	280.58

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A		9/24/2010 21:45:00			217.46	11.88	100.34	33.43	0.14	217.39	11.94		100.40	280.60
SW Well 1A		9/24/2010 22:00:00			217.47	11.87	100.33	33.43	0.14	217.40	11.94		100.40	280.60
SW Well 1A		9/24/2010 22:15:00			217.48	11.85	100.31	33.43	0.14	217.41	11.92		100.38	280.62
SW Well 1A		9/24/2010 22:30:00			217.49	11.85	100.31	33.43	0.14	217.42	11.91		100.37	280.63
SW Well 1A		9/24/2010 22:45:00			217.50	11.84	100.30	33.43	0.14	217.43	11.91		100.37	280.63
SW Well 1A		9/24/2010 23:00:00			217.51	11.82	100.28	33.44	0.14	217.44	11.89		100.35	280.65
SW Well 1A		9/24/2010 23:15:00			217.51	11.82	100.28	33.44	0.14	217.44	11.89		100.35	280.65
SW Well 1A		9/24/2010 23:30:00			217.53	11.81	100.27	33.44	0.14	217.46	11.88		100.34	280.66
SW Well 1A		9/24/2010 23:45:00			217.54	11.80	100.26	33.44	0.14	217.46	11.87		100.33	280.67
SW Well 1A		9/25/2010 0:00:00			217.55	11.78	100.24	33.44	0.14	217.48	11.85		100.31	280.69
SW Well 1A		9/25/2010 0:15:00			217.56	11.78	100.24	33.44	0.15	217.49	11.85		100.31	280.69
SW Well 1A		9/25/2010 0:30:00			217.57	11.77	100.23	33.44	0.15	217.49	11.84		100.30	280.70
SW Well 1A		9/25/2010 0:45:00			217.58	11.76	100.22	33.44	0.15	217.50	11.83		100.29	280.71
SW Well 1A		9/25/2010 1:00:00			217.59	11.75	100.21	33.44	0.15	217.52	11.82		100.28	280.72
SW Well 1A		9/25/2010 1:15:00			217.60	11.74	100.20	33.44	0.15	217.52	11.81		100.27	280.73
SW Well 1A		9/25/2010 1:30:00			217.61	11.73	100.19	33.44	0.15	217.53	11.80		100.26	280.74
SW Well 1A		9/25/2010 1:45:00			217.62	11.71	100.17	33.44	0.15	217.55	11.78		100.24	280.76
SW Well 1A		9/25/2010 2:00:00			217.63	11.71	100.17	33.44	0.15	217.56	11.78		100.24	280.76
SW Well 1A		9/25/2010 2:15:00			217.64	11.70	100.16	33.44	0.15	217.57	11.77		100.23	280.77
SW Well 1A		9/25/2010 2:30:00			217.65	11.69	100.15	33.44	0.15	217.57	11.76		100.22	280.78
SW Well 1A		9/25/2010 2:45:00			217.66	11.68	100.14	33.44	0.15	217.58	11.75		100.21	280.79
SW Well 1A		9/25/2010 3:00:00			217.66	11.67	100.13	33.44	0.15	217.59	11.74		100.20	280.80
SW Well 1A		9/25/2010 3:15:00			217.67	11.66	100.12	33.44	0.15	217.60	11.73		100.19	280.81
SW Well 1A		9/25/2010 3:30:00			217.67	11.66	100.12	33.44	0.15	217.60	11.73		100.19	280.81
SW Well 1A		9/25/2010 3:45:00			217.69	11.65	100.11	33.44	0.14	217.61	11.72		100.18	280.82
SW Well 1A		9/25/2010 4:00:00			217.69	11.64	100.10	33.44	0.14	217.62	11.71		100.17	280.83
SW Well 1A		9/25/2010 4:15:00			217.69	11.64	100.10	33.44	0.14	217.62	11.71		100.17	280.83
SW Well 1A		9/25/2010 4:30:00			217.71	11.63	100.09	33.44	0.14	217.64	11.70		100.16	280.84
SW Well 1A		9/25/2010 4:45:00			217.72	11.62	100.08	33.44	0.14	217.65	11.69		100.15	280.85
SW Well 1A		9/25/2010 5:00:00			217.73	11.61	100.07	33.44	0.14	217.65	11.68		100.14	280.86
SW Well 1A		9/25/2010 5:15:00			217.74	11.59	100.05	33.44	0.14	217.67	11.66		100.12	280.88
SW Well 1A		9/25/2010 5:30:00			217.75	11.59	100.05	33.44	0.14	217.68	11.66		100.12	280.88
SW Well 1A		9/25/2010 5:45:00			217.76	11.58	100.04	33.44	0.14	217.69	11.65		100.11	280.89
SW Well 1A		9/25/2010 6:00:00			217.76	11.57	100.03	33.43	0.14	217.69	11.64		100.10	280.90
SW Well 1A		9/25/2010 6:15:00			217.77	11.56	100.02	33.43	0.14	217.70	11.63		100.09	280.91
SW Well 1A		9/25/2010 6:30:00			217.78	11.56	100.02	33.43	0.14	217.71	11.62		100.08	280.92
SW Well 1A		9/25/2010 6:45:00			217.80	11.54	100.00	33.43	0.14	217.73	11.61		100.07	280.93
SW Well 1A		9/25/2010 7:00:00			217.80	11.53	99.99	33.43	0.14	217.73	11.60		100.06	280.94
SW Well 1A		9/25/2010 7:15:00			217.80	11.53	99.99	33.43	0.14	217.73	11.60		100.06	280.94
SW Well 1A		9/25/2010 7:30:00			217.81	11.52	99.98	33.43	0.14	217.74	11.59		100.05	280.95
SW Well 1A		9/25/2010 7:45:00			217.82	11.51	99.97	33.43	0.13	217.75	11.58		100.04	280.96
SW Well 1A		9/25/2010 8:00:00			217.83	11.51	99.97	33.43	0.13	217.76	11.57		100.03	280.97
SW Well 1A		9/25/2010 8:15:00			217.83	11.50	99.96	33.43	0.13	217.77	11.57		100.03	280.97
SW Well 1A		9/25/2010 8:30:00			217.84	11.49	99.95	33.43	0.13	217.78	11.56		100.02	280.98
SW Well 1A		9/25/2010 8:45:00			217.84	11.49	99.95	33.43	0.13	217.78	11.56		100.02	280.98
SW Well 1A		9/25/2010 9:00:00			217.84	11.49	99.95	33.42	0.13	217.78	11.56		100.02	280.98
SW Well 1A		9/25/2010 9:15:00			217.84	11.49	99.95	33.42	0.13	217.78	11.56		100.02	280.98
SW Well 1A		9/25/2010 9:30:00			217.86	11.48	99.94	33.42	0.13	217.79	11.54		100.00	281.00
SW Well 1A		9/25/2010 9:45:00			217.86	11.48	99.94	33.42	0.12	217.80	11.54		100.00	281.00
SW Well 1A		9/25/2010 10:00:00			217.86	11.48	99.94	33.41	0.12	217.80	11.53		99.99	281.01
SW Well 1A		9/25/2010 10:15:00			217.86	11.48	99.94	33.40	0.11	217.81	11.53		99.99	281.01
SW Well 1A		9/25/2010 10:30:00			217.86	11.48	99.94	33.40	0.10	217.81	11.53		99.99	281.01
SW Well 1A		9/25/2010 10:45:00			217.87	11.47	99.93	33.39	0.10	217.82	11.51		99.97	281.03
SW Well 1A		9/25/2010 11:00:00			217.87	11.47	99.93	33.38	0.09	217.82	11.51		99.97	281.03
SW Well 1A		9/25/2010 11:15:00			217.87	11.47	99.93	33.38	0.08	217.83	11.51		99.97	281.03
SW Well 1A		9/25/2010 11:30:00			217.87	11.47	99.93	33.37	0.08	217.83	11.50		99.96	281.04
SW Well 1A		9/25/2010 11:45:00			217.87	11.47	99.93	33.37	0.07	217.83	11.50		99.96	281.04
SW Well 1A		9/25/2010 12:00:00			217.87	11.47	99.93	33.36	0.06	217.84	11.50		99.96	281.04
SW Well 1A		9/25/2010 12:15:00			217.88	11.46	99.92	33.35	0.06	217.85	11.49		99.95	281.05
SW Well 1A		9/25/2010 12:30:00			217.87	11.46	99.92	33.35	0.05	217.85	11.49		99.95	281.05
SW Well 1A		9/25/2010 12:45:00			217.88	11.46	99.92	33.34	0.05	217.85	11.48		99.94	281.06
SW Well 1A		9/25/2010 13:00:00			217.88	11.46	99.92	33.33	0.04	217.86	11.48		99.94	281.06
SW Well 1A		9/25/2010 13:15:00			217.88	11.45	99.91	33.33	0.03	217.87	11.47		99.93	281.07
SW Well 1A		9/25/2010 13:30:00			217.88	11.45	99.91	33.32	0.03	217.87	11.46		99.92	281.08
SW Well 1A		9/25/2010 13:45:00			217.88	11.45	99.91	33.32	0.02	217.87	11.46		99.92	281.08
SW Well 1A		9/25/2010 14:00:00			217.89	11.44	99.90	33.31	0.02	217.88	11.45		99.91	281.09
SW Well 1A		9/25/2010 14:15:00			217.89	11.44	99.90	33.31	0.01	217.89	11.45		99.91	281.09
SW Well 1A		9/25/2010 14:30:00			217.89	11.44	99.90	33.30	0.01	217.89	11.44		99.90	281.10
SW Well 1A		9/25/2010 14:45:00			217.90	11.44	99.90	33.30	0.00	217.90	11.44		99.90	281.10
SW Well 1A		9/25/2010 15:00:00			217.90	11.44	99.90	33.29	0.00	217.90	11.43		99.89	281.11
SW Well 1A		9/25/2010 15:15:00			217.90	11.44	99.90	33.29	-0.01	217.90	11.43		99.89	281.11
SW Well 1A		9/25/2010 15:30:00			217.90	11.44	99.90	33.28	-0.01	217.90	11.43		99.89	281.11
SW Well 1A		9/25/2010 15:45:00			217.90	11.44	99.90	33.28	-0.02	217.91	11.43		99.89	281.11
SW Well 1A		9/25/2010 16:00:00			217.90	11.44	99.90	33.27	-0.02	217.91	11.42		99.88	281.12
SW Well 1A		9/25/2010 16:15:00			217.91	11.43	99.89	33.27	-0.03	217.92	11.41		99.87	281.13
SW Well 1A		9/25/2010 16:30:00			217.92	11.42	99.88	33.26	-0.03	217.93	11.40		99.86	281.14
SW Well 1A		9/25/2010 16:45:00			217.92	11.42	99.88	33.26	-0.03	217.93	11.40		99.86	281.14
SW Well 1A		9/25/2010 17:00:00			217.92	11.42	99.88	33.26	-0.04	217.93	11.40		99.86	281.14
SW Well 1A		9/25/2010 17:15:00			217.92	11.41	99.87	33.25	-0.04	217.94	11.39		99.85	281.15
SW Well 1A		9/25/2010 17:30:00			217.92	11.41	99.87	33.25	-0.05	217.95	11.39		99.85	281.15
SW Well 1A		9/25/2010 17:45:00			217.92	11.41	99.87	33.25	-0.05	217.95	11.39		99.85	281.15
SW Well 1A		9/25/2010 18:00:00			217.93	11.40	99.86	33.25	-0.05	217.95	11.38		99.84	281.16
SW Well 1A		9/25/2010 18:15:00			217.94	11.40	99.86	33.25	-0.05	217.96	11.37		99.83	281.17
SW Well 1A		9/25/2010 18:30:00			217.94	11.40	99.86	33.25	-0.05	217.96	11.37		99.83	281.17
SW Well 1A		9/25/2010 18:45:00			217.95	11.38	99.84	33.25	-0.05	217.98	11.36		99.82	281.18
SW Well 1A		9/25/2010 19:00:00			217.95	11.38	99.84	33.25	-0.05	217.98	11.36		99.82	281.18
SW Well 1A		9/25/2010 19:15:00			217.96	11.37	99.83	33.25	-0.05	217.99	11.35		99.81	281.19
SW Well 1A		9/25/2010 19:30:00			217.95	11.38	99.84	33.25	-0.05	217.98	11.36		99.82	281.18
SW Well 1A		9/25/2010 19:45:00			217.96	11.37	99.83	33.25	-0.05	217.98	11.35		99.81	281.19
SW Well 1A		9/25/2010 20:00:00			217.98	11.36	99.82	33.25	-0.05	218.00	11.33		99.79	281.21
SW Well 1A		9/25/2010 20:15:00			217.98	11.36	99.82	33.25	-0.05	218.00	11.33		99.79	281.21
SW Well 1A		9/25/2010 20:30:00			217.98	11.36	99.82	33.25	-0.05	218.00	11.33		99.79	281.21
SW Well 1A		9/25/2010 20:45:00			217.98	11.36	99.82	33.25	-0.04	218.00	11.33		99.79	281.21
SW Well 1A		9/25/2010 21:00:00			217.98	11.36	99.82	33.25	-0.04	218.00	11.33		99.79	281.21
SW Well 1A		9/25/2010 21:15:00			217.98	11.36	99.82	33.25	-0.04	218.00	11.33		99.79	281.21
SW Well 1A		9/25/2010 21:30:00			217.99	11.35	99.81	33.25	-0.04	218.01	11.33		99.79	281.21
SW Well 1A		9/25/2010 21:45:00			217.97	11.37	99.83	33.25	-0.04	217.99	11.34		99.80	281.20

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A		9/25/2010 22:00:00			217.98	11.36	99.82	33.25	-0.04	218.00	11.33		99.79	281.21
SW Well 1A		9/25/2010 22:15:00			217.97	11.37	99.83	33.25	-0.04	217.99	11.34		99.80	281.20
SW Well 1A		9/25/2010 22:30:00			217.98	11.36	99.82	33.25	-0.04	218.00	11.34		99.80	281.20
SW Well 1A		9/25/2010 22:45:00			217.98	11.36	99.82	33.25	-0.04	218.00	11.34		99.80	281.20
SW Well 1A		9/25/2010 23:00:00			217.97	11.37	99.83	33.26	-0.04	217.99	11.34		99.80	281.20
SW Well 1A		9/25/2010 23:15:00			217.98	11.36	99.82	33.26	-0.04	218.00	11.33		99.79	281.21
SW Well 1A		9/25/2010 23:30:00			217.97	11.36	99.82	33.26	-0.04	217.99	11.34		99.80	281.20
SW Well 1A		9/25/2010 23:45:00			217.98	11.36	99.82	33.26	-0.04	218.00	11.33		99.79	281.21
SW Well 1A		9/26/2010 0:00:00			217.99	11.35	99.81	33.26	-0.04	218.01	11.33		99.79	281.21
SW Well 1A		9/26/2010 0:15:00			218.00	11.33	99.79	33.26	-0.03	218.02	11.31		99.77	281.23
SW Well 1A		9/26/2010 0:30:00			218.00	11.33	99.79	33.26	-0.03	218.02	11.31		99.77	281.23
SW Well 1A		9/26/2010 0:45:00			218.00	11.33	99.79	33.26	-0.03	218.02	11.32		99.78	281.22
SW Well 1A		9/26/2010 1:00:00			218.00	11.33	99.79	33.26	-0.03	218.02	11.32		99.78	281.22
SW Well 1A		9/26/2010 1:15:00			218.00	11.33	99.79	33.26	-0.03	218.02	11.32		99.78	281.22
SW Well 1A		9/26/2010 1:30:00			218.00	11.33	99.79	33.26	-0.03	218.02	11.31		99.77	281.23
SW Well 1A		9/26/2010 1:45:00			218.02	11.32	99.78	33.26	-0.03	218.04	11.30		99.76	281.24
SW Well 1A		9/26/2010 2:00:00			218.01	11.32	99.78	33.26	-0.04	218.03	11.30		99.76	281.24
SW Well 1A		9/26/2010 2:15:00			218.01	11.32	99.78	33.26	-0.04	218.03	11.30		99.76	281.24
SW Well 1A		9/26/2010 2:30:00			218.00	11.34	99.80	33.25	-0.04	218.02	11.32		99.78	281.22
SW Well 1A		9/26/2010 2:45:00			217.98	11.36	99.82	33.25	-0.04	218.00	11.33		99.79	281.21
SW Well 1A		9/26/2010 3:00:00			217.95	11.38	99.84	33.25	-0.05	217.98	11.36		99.82	281.18
SW Well 1A		9/26/2010 3:15:00			217.95	11.39	99.85	33.25	-0.05	217.97	11.36		99.82	281.18
SW Well 1A		9/26/2010 3:30:00			217.94	11.39	99.85	33.24	-0.05	217.97	11.37		99.83	281.17
SW Well 1A		9/26/2010 3:45:00			217.96	11.37	99.83	33.24	-0.05	217.99	11.34		99.80	281.20
SW Well 1A		9/26/2010 4:00:00			217.98	11.36	99.82	33.24	-0.06	218.01	11.33		99.79	281.21
SW Well 1A		9/26/2010 4:15:00			218.01	11.32	99.78	33.24	-0.06	218.04	11.29		99.75	281.25
SW Well 1A		9/26/2010 4:30:00			218.01	11.32	99.78	33.23	-0.06	218.04	11.29		99.75	281.25
SW Well 1A		9/26/2010 4:45:00			218.01	11.32	99.78	33.23	-0.06	218.04	11.29		99.75	281.25
SW Well 1A		9/26/2010 5:00:00			218.02	11.32	99.78	33.23	-0.07	218.05	11.28		99.74	281.26
SW Well 1A		9/26/2010 5:15:00			218.04	11.30	99.76	33.22	-0.07	218.07	11.26		99.72	281.28
SW Well 1A		9/26/2010 5:30:00			218.02	11.31	99.77	33.22	-0.07	218.06	11.27		99.73	281.27
SW Well 1A		9/26/2010 5:45:00			218.03	11.31	99.77	33.22	-0.07	218.06	11.27		99.73	281.27
SW Well 1A		9/26/2010 6:00:00			218.03	11.30	99.76	33.22	-0.07	218.07	11.27		99.73	281.27
SW Well 1A		9/26/2010 6:15:00			218.03	11.30	99.76	33.23	-0.07	218.07	11.27		99.73	281.27
SW Well 1A		9/26/2010 6:30:00			218.03	11.30	99.76	33.23	-0.07	218.07	11.27		99.73	281.27
SW Well 1A		9/26/2010 6:45:00			218.04	11.30	99.76	33.23	-0.07	218.07	11.26		99.72	281.28
SW Well 1A		9/26/2010 7:00:00			218.05	11.29	99.75	33.23	-0.06	218.08	11.25		99.71	281.29
SW Well 1A		9/26/2010 7:15:00			218.06	11.28	99.74	33.23	-0.06	218.09	11.24		99.70	281.30
SW Well 1A		9/26/2010 7:30:00			218.06	11.28	99.74	33.23	-0.06	218.09	11.25		99.71	281.29
SW Well 1A		9/26/2010 7:45:00			218.06	11.28	99.74	33.23	-0.06	218.09	11.24		99.70	281.30
SW Well 1A		9/26/2010 8:00:00			218.06	11.27	99.73	33.24	-0.06	218.09	11.24		99.70	281.30
SW Well 1A		9/26/2010 8:15:00			218.08	11.25	99.71	33.24	-0.06	218.11	11.22		99.68	281.32
SW Well 1A		9/26/2010 8:30:00			218.07	11.26	99.72	33.24	-0.06	218.10	11.23		99.69	281.31
SW Well 1A		9/26/2010 8:45:00			218.08	11.25	99.71	33.24	-0.06	218.11	11.22		99.68	281.32
SW Well 1A		9/26/2010 9:00:00			218.09	11.25	99.71	33.24	-0.05	218.11	11.22		99.68	281.32
SW Well 1A		9/26/2010 9:15:00			218.09	11.25	99.71	33.24	-0.05	218.11	11.22		99.68	281.32
SW Well 1A		9/26/2010 9:30:00			218.09	11.25	99.71	33.24	-0.05	218.11	11.22		99.68	281.32
SW Well 1A		9/26/2010 9:45:00			218.10	11.24	99.70	33.25	-0.05	218.12	11.21		99.67	281.33
SW Well 1A		9/26/2010 10:00:00			218.09	11.24	99.70	33.25	-0.05	218.12	11.22		99.68	281.32
SW Well 1A		9/26/2010 10:15:00			218.11	11.23	99.69	33.25	-0.04	218.13	11.21		99.67	281.33
SW Well 1A		9/26/2010 10:30:00			218.11	11.23	99.69	33.25	-0.04	218.13	11.20		99.66	281.34
SW Well 1A		9/26/2010 10:45:00			218.12	11.22	99.68	33.26	-0.04	218.14	11.19		99.65	281.35
SW Well 1A		9/26/2010 11:00:00			218.12	11.22	99.68	33.26	-0.04	218.14	11.20		99.66	281.34
SW Well 1A		9/26/2010 11:15:00			218.13	11.21	99.67	33.26	-0.03	218.14	11.19		99.65	281.35
SW Well 1A		9/26/2010 11:30:00			218.14	11.20	99.66	33.26	-0.03	218.15	11.18		99.64	281.36
SW Well 1A		9/26/2010 11:45:00			218.14	11.20	99.66	33.27	-0.03	218.15	11.18		99.64	281.36
SW Well 1A		9/26/2010 12:00:00			218.13	11.20	99.66	33.27	-0.03	218.15	11.19		99.65	281.35
SW Well 1A		9/26/2010 12:15:00			218.14	11.20	99.66	33.27	-0.02	218.15	11.19		99.65	281.35
SW Well 1A		9/26/2010 12:30:00			218.14	11.20	99.66	33.27	-0.02	218.15	11.19		99.65	281.35
SW Well 1A		9/26/2010 12:45:00			218.14	11.20	99.66	33.28	-0.02	218.14	11.19		99.65	281.35
SW Well 1A		9/26/2010 13:00:00			218.13	11.20	99.66	33.28	-0.02	218.14	11.19		99.65	281.35
SW Well 1A		9/26/2010 13:15:00			218.14	11.20	99.66	33.28	-0.01	218.14	11.19		99.65	281.35
SW Well 1A		9/26/2010 13:30:00			218.14	11.19	99.65	33.28	-0.01	218.15	11.18		99.64	281.36
SW Well 1A		9/26/2010 13:45:00			218.14	11.19	99.65	33.28	-0.01	218.15	11.18		99.64	281.36
SW Well 1A		9/26/2010 14:00:00			218.14	11.19	99.65	33.28	-0.01	218.15	11.18		99.64	281.36
SW Well 1A		9/26/2010 14:15:00			218.14	11.20	99.66	33.28	-0.01	218.14	11.19		99.65	281.35
SW Well 1A		9/26/2010 14:30:00			218.14	11.19	99.65	33.28	-0.01	218.15	11.18		99.64	281.36
SW Well 1A		9/26/2010 14:45:00			218.14	11.19	99.65	33.28	-0.01	218.15	11.18		99.64	281.36
SW Well 1A		9/26/2010 15:00:00			218.14	11.19	99.65	33.28	-0.01	218.15	11.18		99.64	281.36
SW Well 1A		9/26/2010 15:15:00			218.14	11.19	99.65	33.28	-0.01	218.15	11.18		99.64	281.36
SW Well 1A		9/26/2010 15:30:00			218.14	11.19	99.65	33.28	-0.02	218.15	11.18		99.64	281.36
SW Well 1A		9/26/2010 15:45:00			218.15	11.18	99.64	33.28	-0.02	218.16	11.17		99.63	281.37
SW Well 1A		9/26/2010 16:00:00			218.14	11.19	99.65	33.28	-0.02	218.15	11.18		99.64	281.36
SW Well 1A		9/26/2010 16:15:00			218.15	11.18	99.64	33.28	-0.02	218.16	11.17		99.63	281.37
SW Well 1A		9/26/2010 16:30:00			218.15	11.19	99.65	33.28	-0.02	218.16	11.18		99.64	281.36
SW Well 1A		9/26/2010 16:45:00			218.15	11.18	99.64	33.28	-0.02	218.16	11.17		99.63	281.37
SW Well 1A		9/26/2010 17:00:00			218.16	11.18	99.64	33.28	-0.02	218.17	11.16		99.62	281.38
SW Well 1A		9/26/2010 17:15:00			218.16	11.18	99.64	33.27	-0.02	218.17	11.16		99.62	281.38
SW Well 1A		9/26/2010 17:30:00			218.17	11.17	99.63	33.27	-0.02	218.18	11.16		99.62	281.38
SW Well 1A		9/26/2010 17:45:00			218.16	11.17	99.63	33.28	-0.02	218.17	11.16		99.62	281.38
SW Well 1A		9/26/2010 18:00:00			218.17	11.17	99.63	33.28	-0.02	218.18	11.16		99.62	281.38
SW Well 1A		9/26/2010 18:15:00			218.18	11.16	99.62	33.28	-0.02	218.18	11.15		99.61	281.39
SW Well 1A		9/26/2010 18:30:00			218.18	11.16	99.62	33.28	-0.01	218.18	11.15		99.61	281.39
SW Well 1A		9/26/2010 18:45:00			218.18	11.16	99.62	33.28	-0.01	218.18	11.15		99.61	281.39
SW Well 1A		9/26/2010 19:00:00			218.18	11.16	99.62	33.28	-0.01	218.18	11.15		99.61	281.39
SW Well 1A		9/26/2010 19:15:00			218.18	11.16	99.62	33.28	-0.01	218.19	11.15		99.61	281.39
SW Well 1A		9/26/2010 19:30:00			218.18	11.16	99.62	33.29	-0.01	218.18	11.15		99.61	281.39
SW Well 1A		9/26/2010 19:45:00			218.18	11.15	99.61	33.29	-0.01	218.19	11.15		99.61	281.39
SW Well 1A		9/26/2010 20:00:00			218.18	11.15	99.61	33.29	-0.01	218.19	11.15		99.61	281.39
SW Well 1A		9/26/2010 20:15:00			218.18	11.15	99.61	33.29	-0.01	218.19	11.15		99.61	281.39
SW Well 1A		9/26/2010 20:30:00			218.19	11.15	99.61	33.29	0.00	218.19	11.14		99.60	281.40
SW Well 1A		9/26/2010 20:45:00			218.19	11.14	99.60	33.29	0.00	218.19	11.14		99.60	281.40
SW Well 1A		9/26/2010 21:00:00			218.20	11.14	99.60	33.29	0.00	218.20	11.14		99.60	281.40
SW Well 1A		9/26/2010 21:15:00			218.20	11.14	99.60	33.29	0.00	218.20	11.14		99.60	281.40
SW Well 1A		9/26/2010 21:30:00			218.20	11.14	99.60	33.30	0.00	218.20	11.14		99.60	281.40
SW Well 1A		9/26/2010 21:45:00			218.20	11.13	99.59	33.30	0.00	218.20	11.13		99.59	281.41
SW Well 1A		9/26/2010 22:00:00			218.20	11.14	99.60	33.30	0.00	218.20	11.14		99.60	281.40

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A		9/26/2010 22:15:00			218.20	11.14	99.60	33.30	0.01	218.20	11.14		99.60	281.40
SW Well 1A		9/26/2010 22:30:00			218.20	11.14	99.60	33.30	0.01	218.19	11.14		99.60	281.40
SW Well 1A		9/26/2010 22:45:00			218.21	11.13	99.59	33.30	0.01	218.20	11.13		99.59	281.41
SW Well 1A		9/26/2010 23:00:00			218.20	11.13	99.59	33.30	0.01	218.20	11.13		99.59	281.41
SW Well 1A		9/26/2010 23:15:00			218.20	11.14	99.60	33.30	0.01	218.19	11.14		99.60	281.40
SW Well 1A		9/26/2010 23:30:00			218.21	11.13	99.59	33.31	0.01	218.20	11.13		99.59	281.41
SW Well 1A		9/26/2010 23:45:00			218.19	11.15	99.61	33.31	0.01	218.18	11.15		99.61	281.39
SW Well 1A		9/27/2010 0:00:00			218.20	11.14	99.60	33.31	0.01	218.19	11.14		99.60	281.40
SW Well 1A		9/27/2010 0:15:00			218.20	11.14	99.60	33.31	0.01	218.19	11.14		99.60	281.40
SW Well 1A		9/27/2010 0:30:00			218.20	11.14	99.60	33.31	0.02	218.19	11.14		99.60	281.40
SW Well 1A		9/27/2010 0:45:00			218.21	11.13	99.59	33.31	0.02	218.20	11.14		99.60	281.40
SW Well 1A		9/27/2010 1:00:00			218.20	11.13	99.59	33.31	0.02	218.19	11.14		99.60	281.40
SW Well 1A		9/27/2010 1:15:00			218.20	11.14	99.60	33.31	0.02	218.19	11.15		99.61	281.39
SW Well 1A		9/27/2010 1:30:00			218.20	11.14	99.60	33.31	0.02	218.19	11.15		99.61	281.39
SW Well 1A		9/27/2010 1:45:00			218.20	11.14	99.60	33.31	0.02	218.19	11.15		99.61	281.39
SW Well 1A		9/27/2010 2:00:00			218.20	11.14	99.60	33.32	0.02	218.19	11.15		99.61	281.39
SW Well 1A		9/27/2010 2:15:00			218.20	11.14	99.60	33.32	0.02	218.18	11.15		99.61	281.39
SW Well 1A		9/27/2010 2:30:00			218.20	11.14	99.60	33.32	0.02	218.18	11.15		99.61	281.39
SW Well 1A		9/27/2010 2:45:00			218.20	11.13	99.59	33.32	0.02	218.19	11.14		99.60	281.40
SW Well 1A		9/27/2010 3:00:00			218.20	11.13	99.59	33.32	0.02	218.19	11.14		99.60	281.40
SW Well 1A		9/27/2010 3:15:00			218.20	11.13	99.59	33.32	0.03	218.19	11.14		99.60	281.40
SW Well 1A		9/27/2010 3:30:00			218.20	11.13	99.59	33.32	0.03	218.19	11.14		99.60	281.40
SW Well 1A		9/27/2010 3:45:00			218.21	11.12	99.58	33.32	0.03	218.20	11.14		99.60	281.40
SW Well 1A		9/27/2010 4:00:00			218.21	11.12	99.58	33.32	0.03	218.20	11.13		99.59	281.41
SW Well 1A		9/27/2010 4:15:00			218.21	11.12	99.58	33.32	0.03	218.20	11.13		99.59	281.41
SW Well 1A		9/27/2010 4:30:00			218.21	11.13	99.59	33.32	0.03	218.19	11.14		99.60	281.40
SW Well 1A		9/27/2010 4:45:00			218.21	11.12	99.58	33.32	0.03	218.20	11.14		99.60	281.40
SW Well 1A		9/27/2010 5:00:00			218.21	11.12	99.58	33.32	0.03	218.20	11.14		99.60	281.40
SW Well 1A		9/27/2010 5:15:00			218.22	11.11	99.57	33.33	0.03	218.21	11.13		99.59	281.41
SW Well 1A		9/27/2010 5:30:00			218.22	11.11	99.57	33.33	0.03	218.21	11.13		99.59	281.41
SW Well 1A		9/27/2010 5:45:00			218.22	11.12	99.58	33.33	0.03	218.20	11.13		99.59	281.41
SW Well 1A		9/27/2010 6:00:00			218.22	11.12	99.58	33.33	0.03	218.20	11.13		99.59	281.41
SW Well 1A		9/27/2010 6:15:00			218.22	11.12	99.58	33.33	0.03	218.20	11.13		99.59	281.41
SW Well 1A		9/27/2010 6:30:00			218.23	11.11	99.57	33.33	0.03	218.21	11.12		99.58	281.42
SW Well 1A		9/27/2010 6:45:00			218.23	11.11	99.57	33.32	0.03	218.21	11.12		99.58	281.42
SW Well 1A		9/27/2010 7:00:00			218.23	11.11	99.57	33.32	0.03	218.21	11.12		99.58	281.42
SW Well 1A		9/27/2010 7:15:00			218.23	11.11	99.57	33.32	0.03	218.21	11.12		99.58	281.42
SW Well 1A		9/27/2010 7:30:00			218.23	11.11	99.57	33.32	0.03	218.21	11.12		99.58	281.42
SW Well 1A		9/27/2010 7:45:00			218.24	11.10	99.56	33.32	0.03	218.22	11.11		99.57	281.43
SW Well 1A		9/27/2010 8:00:00			218.23	11.10	99.56	33.32	0.03	218.22	11.11		99.57	281.43
SW Well 1A		9/27/2010 8:15:00			218.23	11.10	99.56	33.32	0.03	218.22	11.11		99.57	281.43
SW Well 1A		9/27/2010 8:30:00			218.23	11.10	99.56	33.32	0.03	218.22	11.11		99.57	281.43
SW Well 1A		9/27/2010 8:45:00			218.23	11.10	99.56	33.32	0.03	218.22	11.11		99.57	281.43
SW Well 1A		9/27/2010 9:00:00			218.24	11.10	99.56	33.32	0.03	218.22	11.11		99.57	281.43
SW Well 1A		9/27/2010 9:15:00			218.24	11.09	99.55	33.32	0.03	218.23	11.10		99.56	281.44
SW Well 1A		9/27/2010 9:30:00			218.24	11.09	99.55	33.32	0.03	218.23	11.10		99.56	281.44
SW Well 1A		9/27/2010 9:45:00			218.25	11.09	99.55	33.32	0.03	218.24	11.10		99.56	281.44
SW Well 1A		9/27/2010 10:00:00			218.24	11.09	99.55	33.32	0.03	218.23	11.10		99.56	281.44
SW Well 1A		9/27/2010 10:15:00			218.25	11.09	99.55	33.32	0.03	218.23	11.10		99.56	281.44
SW Well 1A		9/27/2010 10:30:00			218.23	11.10	99.56	33.32	0.03	218.22	11.11		99.57	281.43
SW Well 1A		9/27/2010 10:45:00			218.49	10.85	99.31	33.32	0.03	218.47	10.86		99.32	281.68
SW Well 1A		9/27/2010 11:00:00			218.52	10.82	99.28	33.32	0.03	218.50	10.83		99.29	281.71
SW Well 1A		9/27/2010 11:15:00			218.53	10.81	99.27	33.32	0.03	218.51	10.82		99.28	281.72
SW Well 1A		9/27/2010 11:30:00			218.54	10.80	99.26	33.32	0.03	218.52	10.81		99.27	281.73
SW Well 1A		9/27/2010 11:45:00			218.54	10.79	99.25	33.32	0.03	218.53	10.81		99.27	281.73
SW Well 1A		9/27/2010 12:00:00			218.61	10.73	99.19	33.32	0.03	218.59	10.74		99.20	281.80
SW Well 1A		9/27/2010 12:15:00			218.63	10.71	99.17	33.32	0.03	218.61	10.72		99.18	281.82
SW Well 1A		9/27/2010 12:30:00			218.65	10.68	99.14	33.32	0.03	218.64	10.69		99.15	281.85
SW Well 1A		9/27/2010 12:45:00			218.68	10.66	99.12	33.32	0.03	218.66	10.67		99.13	281.87
SW Well 1A		9/27/2010 12:50:40			218.69	10.65	99.11	33.32	0.03	218.67	10.66		99.12	281.88
SW Well 1A		9/27/2010 12:50:42			218.69	10.65	99.11	33.32	0.03	218.67	10.66		99.12	281.88
SW Well 1A		9/27/2010 12:50:44			218.69	10.64	99.10	33.32	0.03	218.68	10.66		99.12	281.88
SW Well 1A		9/27/2010 12:50:46			218.69	10.64	99.10	33.32	0.03	218.68	10.66		99.12	281.88
SW Well 1A		9/27/2010 12:50:48			218.69	10.64	99.10	33.32	0.03	218.68	10.66		99.12	281.88
SW Well 1A		9/27/2010 12:50:50			218.69	10.64	99.10	33.32	0.03	218.68	10.66		99.12	281.88
SW Well 1A		9/27/2010 12:50:52			218.69	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:50:54			218.69	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:50:56			218.69	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:50:58			218.69	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:51:00			218.69	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:51:02			218.70	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:51:04			218.70	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:51:06			218.69	10.65	99.11	33.32	0.03	218.67	10.66		99.12	281.88
SW Well 1A		9/27/2010 12:51:08			218.70	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:51:10			218.70	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:51:12			218.69	10.65	99.11	33.32	0.03	218.67	10.66		99.12	281.88
SW Well 1A		9/27/2010 12:51:14			218.70	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:51:16			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:51:18			218.69	10.64	99.10	33.32	0.03	218.68	10.66		99.12	281.88
SW Well 1A		9/27/2010 12:51:20			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:51:22			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:51:24			218.69	10.64	99.10	33.32	0.03	218.68	10.66		99.12	281.88
SW Well 1A		9/27/2010 12:51:26			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:51:28			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:51:30			218.69	10.64	99.10	33.32	0.03	218.68	10.66		99.12	281.88
SW Well 1A		9/27/2010 12:51:32			218.69	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:51:34			218.69	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:51:36			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:51:38			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:51:40			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:51:42			218.69	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:51:44			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:51:46			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:51:48			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:51:50			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:51:52			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:51:54			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A		9/27/2010 12:51:56			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:51:58			218.69	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:52:00			218.69	10.65	99.11	33.32	0.03	218.67	10.66		99.12	281.88
SW Well 1A		9/27/2010 12:52:02			218.69	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:52:04			218.69	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:52:06			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:52:08			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:52:10			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:52:12			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:52:14			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:52:16			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:52:18			218.69	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:52:20			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:52:22			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:52:24			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:52:26			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:52:28			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:52:30			218.69	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:52:32			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:52:34			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:52:36			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:52:38			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:52:40			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:52:42			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:52:44			218.69	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:52:46			218.69	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:52:48			218.69	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:52:50			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:52:52			218.69	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:52:54			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:52:56			218.69	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:52:58			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:53:00			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:53:02			218.70	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:53:04			218.70	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:53:06			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:53:08			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:53:10			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:53:12			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:53:14			218.70	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:53:16			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:53:18			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:53:20			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:53:22			218.69	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:53:24			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:53:26			218.70	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:53:28			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:53:30			218.70	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:53:32			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:53:34			218.70	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:53:36			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:53:38			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:53:40			218.70	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:53:42			218.70	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:53:44			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:53:46			218.70	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:53:48			218.70	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:53:50			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:53:52			218.70	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:53:54			218.70	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:53:56			218.70	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:53:58			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:54:00			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:54:02			218.70	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:54:04			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:54:06			218.70	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:54:08			218.70	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:54:10			218.70	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:54:12			218.70	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:54:14			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:54:16			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:54:18			218.69	10.65	99.11	33.32	0.03	218.68	10.66		99.12	281.88
SW Well 1A		9/27/2010 12:54:20			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:54:22			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:54:24			218.70	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:54:26			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:54:28			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:54:30			218.70	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:54:32			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:54:34			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:54:36			218.69	10.65	99.11	33.32	0.03	218.68	10.66		99.12	281.88
SW Well 1A		9/27/2010 12:54:38			218.70	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:54:40			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:54:42			218.70	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:54:44			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:54:46			218.70	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:54:48			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:54:50			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:54:52			218.70	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:54:54			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:54:56			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:54:58			218.70	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:55:00			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:55:02			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:55:04			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:55:06			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:55:08			218.70	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A		9/27/2010 12:55:10			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:55:12			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:55:14			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:55:16			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:55:18			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:55:20			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:55:22			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:55:24			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:55:26			218.69	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:55:28			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:55:30			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:55:32			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:55:34			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:55:36			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:55:38			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:55:40			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:55:42			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:55:44			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:55:46			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:55:48			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:55:50			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:55:52			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:55:54			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:55:56			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:55:58			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:56:00			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:56:02			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:56:04			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:56:06			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:56:08			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:56:10			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:56:12			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:56:14			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:56:16			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:56:18			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:56:20			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:56:22			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:56:24			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:56:26			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:56:28			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:56:30			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:56:32			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:56:34			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:56:36			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:56:38			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:56:40			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:56:42			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:56:44			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:56:46			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:56:48			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:56:50			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:56:52			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:56:54			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:56:56			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:56:58			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:57:00			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:57:02			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:57:04			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:57:06			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:57:08			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:57:10			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:57:12			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:57:14			218.69	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:57:16			218.69	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:57:18			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:57:20			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:57:22			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:57:24			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 12:57:26			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:57:28			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:57:30			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:57:32			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:57:34			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:57:36			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:57:38			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:57:40			218.70	10.64	99.10	33.32	0.03	218.69	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:57:42			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:57:44			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:57:46			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:57:48			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:57:50			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:57:52			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:57:54			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:57:56			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:57:58			218.69	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:58:00			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:58:02			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:58:04			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:58:06			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 12:58:08			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:58:10			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:58:12			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:58:14			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:58:16			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:58:18			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:58:20			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:58:22			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A		9/27/2010 12:58:24			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:58:26			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:58:28			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:58:30			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:58:32			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:58:34			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:58:36			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:58:38			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:58:40			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:58:42			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:58:44			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:58:46			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:58:48			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:58:50			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:58:52			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:58:54			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:58:56			218.69	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:58:58			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:59:00			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:59:02			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:59:04			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:59:06			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:59:08			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:59:10			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:59:12			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:59:14			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:59:16			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:59:18			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:59:20			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 12:59:22			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:59:24			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:59:26			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:59:28			218.69	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:59:30			218.69	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 12:59:32			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:59:34			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:59:36			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:59:38			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:59:40			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:59:42			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:59:44			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:59:46			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 12:59:48			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 12:59:50			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 12:59:52			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 12:59:54			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 12:59:56			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 12:59:58			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:00:00			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:00:02			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:00:04			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:00:06			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:00:08			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:00:10			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:00:12			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:00:14			218.70	10.64	99.10	33.32	0.03	218.68	10.65		99.11	281.89
SW Well 1A		9/27/2010 13:00:16			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:00:18			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:00:20			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:00:22			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:00:24			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:00:26			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:00:28			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:00:30			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:00:32			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:00:34			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:00:36			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:00:38			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:00:40			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:00:42			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:00:44			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:00:46			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:00:48			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:00:50			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:00:52			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:00:54			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:00:56			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:00:58			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:01:00			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:01:02			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:01:04			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:01:06			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:01:08			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:01:10			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:01:12			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:01:14			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:01:16			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:01:18			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:01:20			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:01:22			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:01:24			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:01:26			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:01:28			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:01:30			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:01:32			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:01:34			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:01:36			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A		9/27/2010 13:01:38			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:01:40			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:01:42			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:01:44			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:01:46			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:01:48			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:01:50			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:01:52			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:01:54			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:01:56			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:01:58			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:02:00			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:02:02			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:02:04			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:02:06			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:02:08			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:02:10			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:02:12			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:02:14			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:02:16			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:02:18			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:02:20			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:02:22			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:02:24			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:02:26			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:02:28			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:02:30			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:02:32			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:02:34			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:02:36			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:02:38			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:02:40			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:02:42			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:02:44			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:02:46			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:02:48			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:02:50			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:02:52			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:02:54			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:02:56			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:02:58			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:03:00			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:03:02			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:03:04			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:03:06			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:03:08			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:03:10			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:03:12			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:03:14			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:03:16			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:03:18			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:03:20			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:03:22			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:03:24			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:03:26			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:03:28			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:03:30			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:03:32			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:03:34			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:03:36			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:03:38			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:03:40			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:03:42			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:03:44			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:03:46			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:03:48			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:03:50			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:03:52			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:03:54			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:03:56			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:03:58			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:04:00			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:04:02			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:04:04			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:04:06			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:04:08			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:04:10			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:04:12			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:04:14			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:04:16			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:04:18			218.71	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:04:20			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:04:22			218.73	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:04:24			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:04:26			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:04:28			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:04:30			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:04:32			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:04:34			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:04:36			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:04:38			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:04:40			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:04:42			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:04:44			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:04:46			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:04:48			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:04:50			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A		9/27/2010 13:04:52			218.73	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:04:54			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:04:56			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:04:58			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:05:00			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:05:02			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:05:04			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:05:06			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:05:08			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:05:10			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:05:12			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:05:14			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:05:16			218.73	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:05:18			218.73	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:05:20			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:05:22			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:05:24			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:05:26			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:05:28			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:05:30			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:05:32			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:05:34			218.73	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:05:36			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:05:38			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:05:40			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:05:42			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:05:44			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:05:46			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:05:48			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:05:50			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:05:52			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:05:54			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:05:56			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:05:58			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:06:00			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:06:02			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:06:04			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:06:06			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:06:08			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:06:10			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:06:12			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:06:14			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:06:16			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:06:18			218.73	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:06:20			218.73	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:06:22			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:06:24			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:06:26			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:06:28			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:06:30			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:06:32			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:06:34			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:06:36			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:06:38			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:06:40			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:06:42			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:06:44			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:06:46			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:06:48			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:06:50			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:06:52			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:06:54			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:06:56			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:06:58			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:07:00			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:07:02			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:07:04			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:07:06			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:07:08			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:07:10			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:07:12			218.71	10.63	99.09	33.32	0.03	218.70	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:07:14			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:07:16			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:07:18			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:07:20			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:07:22			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:07:24			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:07:26			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:07:28			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:07:30			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:07:32			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:07:34			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:07:36			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:07:38			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:07:40			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:07:42			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:07:44			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:07:46			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:07:48			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:07:50			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:07:52			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:07:54			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:07:56			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:07:58			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:08:00			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:08:02			218.73	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:08:04			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A		9/27/2010 13:08:06			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:08:08			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:08:10			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:08:12			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:08:14			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:08:16			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:08:18			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:08:20			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:08:22			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:08:24			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:08:26			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:08:28			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:08:30			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:08:32			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:08:34			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:08:36			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:08:38			218.70	10.63	99.09	33.32	0.03	218.69	10.64		99.10	281.90
SW Well 1A		9/27/2010 13:08:40			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:08:42			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:08:44			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:08:46			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:08:48			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:08:50			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:08:52			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:08:54			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:08:56			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:08:58			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:09:00			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:09:02			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:09:04			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:09:06			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:09:08			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:09:10			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:09:12			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:09:14			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:09:16			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:09:18			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:09:20			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:09:22			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:09:24			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:09:26			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:09:28			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:09:30			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:09:32			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:09:34			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:09:36			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:09:38			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:09:40			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:09:42			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:09:44			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:09:46			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:09:48			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:09:50			218.72	10.62	99.08	33.32	0.03	218.71	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:09:52			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:09:54			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:09:56			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:09:58			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:10:00			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:10:02			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:10:04			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:10:06			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:10:08			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:10:10			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:10:12			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:10:14			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:10:16			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:10:18			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:10:20			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:10:22			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:10:24			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:10:26			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:10:28			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:10:30			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:10:32			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:10:34			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:10:36			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:10:38			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:10:40			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:10:42			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:10:44			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:10:46			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:10:48			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:10:50			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:10:52			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:10:54			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:10:56			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:10:58			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:11:00			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:11:02			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:11:04			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:11:06			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:11:08			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:11:10			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:11:12			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:11:14			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:11:16			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:11:18			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A		9/27/2010 13:11:20			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:11:22			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:11:24			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:11:26			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:11:28			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:11:30			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:11:32			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:11:34			218.71	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A		9/27/2010 13:11:36			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A		9/27/2010 13:11:38			218.72	10.61	99.07	33.32	0.03	218.71	10.62		99.08	281.92
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:11:40			218.72	10.62	99.08	33.32	0.03	218.70	10.63		99.09	281.91
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:11:42			210.85	18.48	106.94	33.32	0.03	210.84	18.49		106.95	274.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:11:44			214.18	15.15	103.61	33.32	0.03	214.17	15.16		103.62	277.38
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:11:46			211.61	17.72	106.18	33.32	0.03	211.60	17.73		106.19	274.81
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:11:48			209.59	19.74	108.20	33.32	0.03	209.58	19.75		108.21	272.79
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:11:50			207.70	21.64	110.10	33.32	0.03	207.68	21.65		110.11	270.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:11:52			206.66	22.68	111.14	33.32	0.03	206.65	22.69		111.15	269.85
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:11:54			206.67	22.67	111.13	33.32	0.03	206.65	22.68		111.14	269.86
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:11:56			206.36	22.97	111.43	33.32	0.03	206.35	22.98		111.44	269.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:11:58			206.70	22.63	111.09	33.32	0.03	206.69	22.64		111.10	269.90
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:12:00			207.43	21.91	110.37	33.32	0.03	207.42	21.92		110.38	270.62
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:12:02			207.88	21.45	109.91	33.32	0.03	207.87	21.46		109.92	271.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:12:04			208.37	20.96	109.42	33.32	0.03	208.36	20.97		109.43	271.57
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:12:06			208.70	20.64	109.10	33.32	0.03	208.68	20.65		109.11	271.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:12:08			208.93	20.40	108.86	33.32	0.03	208.92	20.41		108.87	272.13
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:12:10			209.02	20.32	108.78	33.32	0.03	209.00	20.33		108.79	272.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:12:12			209.20	20.14	108.60	33.32	0.03	209.18	20.15		108.61	272.39
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:12:14			209.00	20.33	108.79	33.32	0.03	208.99	20.34		108.80	272.20
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:12:16			209.08	20.26	108.72	33.32	0.03	209.07	20.27		108.73	272.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:12:18			209.02	20.32	108.78	33.32	0.03	209.00	20.33		108.79	272.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:12:20			209.03	20.30	108.76	33.32	0.03	209.02	20.31		108.77	272.23
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:12:22			209.17	20.17	108.63	33.32	0.03	209.15	20.18		108.64	272.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:12:24			209.21	20.12	108.58	33.32	0.03	209.20	20.13		108.59	272.41
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:12:26			209.13	20.20	108.66	33.32	0.03	209.12	20.21		108.67	272.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:12:28			209.02	20.32	108.78	33.32	0.03	209.00	20.33		108.79	272.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:12:30			209.24	20.10	108.56	33.32	0.03	209.22	20.11		108.57	272.43
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:12:32			208.97	20.37	108.83	33.32	0.03	208.96	20.38		108.84	272.16
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:12:34			209.25	20.08	108.54	33.32	0.03	209.24	20.09		108.55	272.45
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:12:36			208.86	20.47	108.93	33.32	0.03	208.85	20.48		108.94	272.06
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:12:38			208.99	20.34	108.80	33.32	0.03	208.98	20.35		108.81	272.19
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:12:40			208.81	20.52	108.98	33.32	0.03	208.80	20.53		108.99	272.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:12:42			208.96	20.37	108.83	33.32	0.03	208.95	20.38		108.84	272.16
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:12:44			208.85	20.49	108.95	33.32	0.03	208.83	20.50		108.96	272.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:12:46			208.96	20.38	108.84	33.32	0.03	208.95	20.39		108.85	272.15
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:12:48			208.85	20.49	108.95	33.32	0.03	208.83	20.50		108.96	272.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:12:50			208.98	20.36	108.82	33.32	0.03	208.97	20.37		108.83	272.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:12:52			208.10	21.23	109.69	33.32	0.03	208.09	21.24		109.70	271.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:12:54			207.93	21.40	109.86	33.32	0.03	207.92	21.41		109.87	271.13
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:12:56			207.51	21.82	110.28	33.32	0.03	207.50	21.83		110.29	270.71
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:12:58			207.08	22.25	110.71	33.32	0.03	207.07	22.26		110.72	270.28
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:13:00			205.74	23.60	112.06	33.32	0.03	205.73	23.61		112.07	268.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:13:02			204.95	24.38	112.84	33.32	0.03	204.94	24.39		112.85	268.15
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:13:04			203.51	25.83	114.29	33.32	0.03	203.50	25.84		114.30	266.70
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:13:06			202.68	26.66	115.12	33.32	0.03	202.66	26.67		115.13	265.87
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:13:08			201.99	27.35	115.81	33.32	0.03	201.98	27.36		115.82	265.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:13:10			200.86	28.48	116.94	33.32	0.03	200.85	28.49		116.95	264.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:13:12			199.95	29.38	117.84	33.32	0.03	199.94	29.39		117.85	263.15
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:13:14			198.51	30.82	119.28	33.32	0.03	198.50	30.83		119.29	261.71
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:13:16			197.68	31.66	120.12	33.32	0.03	197.66	31.67		120.13	260.87
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:13:18			196.29	33.05	121.51	33.32	0.03	196.28	33.06		121.52	259.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:13:20			195.65	33.69	122.15	33.32	0.03	195.64	33.70		122.16	258.84
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:13:22			194.96	34.38	122.84	33.32	0.03	194.94	34.39		122.85	258.15
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:13:24			194.30	35.03	123.49	33.32	0.03	194.29	35.04		123.50	257.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:13:26			193.92	35.42	123.88	33.32	0.03	193.91	35.43		123.89	257.11
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:13:28			193.31	36.02	124.48	33.32	0.03	193.30	36.03		124.49	256.51
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:13:30			193.14	36.20	124.66	33.32	0.03	193.13	36.21		124.67	256.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:13:32			193.13	36.20	124.66	33.32	0.03	193.12	36.21		124.67	256.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:13:34			192.90	36.44	124.90	33.32	0.03	192.88	36.45		124.91	256.09
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:13:36			192.77	36.57	125.03	33.32	0.03	192.75	36.58		125.04	255.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:13:38			192.43	36.91	125.37	33.32	0.03	192.42	36.92		125.38	255.62
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:13:40			192.51	36.83	125.29	33.32	0.03	192.50	36.84		125.30	255.70
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:13:42			192.44	36.90	125.36	33.32	0.03	192.42	36.91		125.37	255.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:13:44			191.77	37.57	126.03	33.32	0.03	191.75	37.58		126.04	254.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:13:46			191.67	37.66	126.12	33.32	0.03	191.66	37.67		126.13	254.87
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:13:48			192.12	37.22	125.68	33.32	0.03	192.11	37.23		125.69	255.31
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:13:50			191.73	37.61	126.07	33.32	0.03	191.72	37.62		126.08	254.92
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:13:52			192.13	37.21	125.67	33.32	0.03	192.11	37.22		125.68	255.32
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:13:54			191.68	37.65	126.11	33.32	0.03	191.67	37.66		126.12	254.88
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:13:56			191.92	37.42	125.88	33.32	0.03	191.90	37.43		125.89	255.11
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:13:58			192.18	37.16	125.62	33.32	0.03	192.17	37.17		125.63	255.37
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:14:00			192.21	37.13	125.59	33.32	0.03	192.19	37.14		125.60	255.40
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:14:02			192.48	36.86	125.32	33.32	0.03	192.46	36.87		125.33	255.67
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:14:04			192.37	36.97	125.43	33.32	0.03	192.35	36.98		125.44	255.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:14:06			192.52	36.81	125.27	33.32	0.03	192.51	36.82		125.28	255.72
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:14:08			192.20	37.14	125.60	33.32	0.03	192.18	37.15		125.61	255.39
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:14:10			192.08	37.26	125.72	33.32	0.03	192.07	37.27		125.73	255.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:14:12			192.44	36.90	125.36	33.32	0.03	192.42	36.91		125.37	255.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:14:14			191.77	37.57	126.03	33.32	0.03	191.75	37.58		126.04	254.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:14:16			191.75	37.58	126.04	33.32	0.03	191.74	37.59		126.05	254.95
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:14:18			192.04	37.30	125.76	33.32	0.03	192.03	37.31		125.77	255.23
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:14:20			191.58	37.75	126.21	33.32	0.03	191.57	37.76		126.22	254.78
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:14:22			191.39	37.95	126.41	33.32	0.03	191.37	37.96		126.42	254.58
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:14:24			192.18	37.16	125.62	33.32	0.03	192.16	37.17		125.63	255.37
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:14:26			192.41	36.93	125.39	33.32	0.03	192.39	36.94		125.40	255.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:14:28			192.68	36.66	125.12	33.32	0.03	192.67	36.67		125.13	255.87
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:14:30			193.04	36.30	124.76	33.32	0.03	193.03	36.31		124.77	256.23
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:14:32			193.37	35.97	124.43	33.32	0.03	193.35	35.98		124.44	256.56

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:14:34			193.79	35.54	124.00	33.32	0.03	193.78	35.55		124.01	256.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:14:36			193.76	35.57	124.03	33.32	0.03	193.75	35.58		124.04	256.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:14:38			193.97	35.37	123.83	33.32	0.03	193.95	35.38		123.84	257.16
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:14:40			194.04	35.29	123.75	33.32	0.03	194.03	35.30		123.76	257.24
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:14:42			194.21	35.13	123.59	33.32	0.03	194.19	35.14		123.60	257.40
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:14:44			193.90	35.44	123.90	33.32	0.03	193.88	35.45		123.91	257.09
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:14:46			193.62	35.71	124.17	33.32	0.03	193.61	35.72		124.18	256.82
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:14:48			193.72	35.62	124.08	33.32	0.03	193.70	35.63		124.09	256.91
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:14:50			193.60	35.74	124.20	33.32	0.03	193.59	35.75		124.21	256.79
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:14:52			193.04	36.30	124.76	33.32	0.03	193.03	36.31		124.77	256.23
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:14:54			193.18	36.16	124.62	33.32	0.03	193.17	36.17		124.63	256.37
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:14:56			193.17	36.17	124.63	33.32	0.03	193.16	36.18		124.64	256.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:14:58			193.10	36.24	124.70	33.32	0.03	193.09	36.25		124.71	256.29
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:15:00			192.74	36.59	125.05	33.32	0.03	192.73	36.60		125.06	255.94
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:15:02			192.51	36.83	125.29	33.32	0.03	192.50	36.84		125.30	255.70
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:15:04			192.55	36.79	125.25	33.32	0.03	192.53	36.80		125.26	255.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:15:06			192.47	36.87	125.33	33.32	0.03	192.46	36.88		125.34	255.66
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:15:08			192.34	37.00	125.46	33.32	0.03	192.32	37.01		125.47	255.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:15:10			192.45	36.88	125.34	33.32	0.03	192.44	36.89		125.35	255.65
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:15:12			192.31	37.02	125.48	33.32	0.03	192.30	37.03		125.49	255.51
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:15:14			192.34	37.00	125.46	33.32	0.03	192.32	37.01		125.47	255.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:15:16			192.49	36.84	125.30	33.32	0.03	192.48	36.85		125.31	255.69
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:15:18			192.54	36.80	125.26	33.32	0.03	192.53	36.81		125.27	255.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:15:20			192.48	36.85	125.31	33.32	0.03	192.47	36.86		125.32	255.68
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:15:22			192.66	36.67	125.13	33.32	0.03	192.65	36.68		125.14	255.86
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:15:24			192.48	36.86	125.32	33.32	0.03	192.46	36.87		125.33	255.67
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:15:26			192.35	36.98	125.44	33.32	0.03	192.34	36.99		125.45	255.55
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:15:28			192.24	37.10	125.56	33.32	0.03	192.22	37.11		125.57	255.43
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:15:30			192.34	37.00	125.46	33.32	0.03	192.32	37.01		125.47	255.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:15:32			192.47	36.87	125.33	33.32	0.03	192.46	36.88		125.34	255.66
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:15:34			192.53	36.80	125.26	33.32	0.03	192.52	36.81		125.27	255.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:15:36			192.41	36.92	125.38	33.32	0.03	192.40	36.93		125.39	255.61
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:15:38			192.32	37.02	125.48	33.32	0.03	192.31	37.03		125.49	255.51
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:15:40			192.44	36.90	125.36	33.32	0.03	192.42	36.91		125.37	255.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:15:42			192.30	37.04	125.50	33.32	0.03	192.28	37.05		125.51	255.49
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:15:44			192.61	36.73	125.19	33.32	0.03	192.59	36.74		125.20	255.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:15:46			192.22	37.12	125.58	33.32	0.03	192.20	37.13		125.59	255.41
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:15:48			192.09	37.24	125.70	33.32	0.03	192.08	37.25		125.71	255.29
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:15:50			192.11	37.23	125.69	33.32	0.03	192.10	37.24		125.70	255.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:15:52			192.28	37.06	125.52	33.32	0.03	192.27	37.07		125.53	255.47
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:15:54			192.32	37.02	125.48	33.32	0.03	192.31	37.03		125.49	255.51
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:15:56			191.98	37.35	125.81	33.32	0.03	191.97	37.36		125.82	255.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:15:58			192.27	37.06	125.52	33.32	0.03	192.26	37.07		125.53	255.47
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:16:00			192.31	37.03	125.49	33.32	0.03	192.30	37.04		125.50	255.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:16:02			192.42	36.92	125.38	33.32	0.03	192.41	36.93		125.39	255.61
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:16:04			192.05	37.29	125.75	33.32	0.03	192.03	37.30		125.76	255.24
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:16:06			192.30	37.03	125.49	33.32	0.03	192.29	37.04		125.50	255.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:16:08			191.99	37.34	125.80	33.32	0.03	191.98	37.35		125.81	255.19
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:16:10			192.24	37.10	125.56	33.32	0.03	192.23	37.11		125.57	255.43
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:16:12			192.14	37.20	125.66	33.32	0.03	192.13	37.21		125.67	255.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:16:14			192.07	37.27	125.73	33.32	0.03	192.06	37.28		125.74	255.26
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:16:16			192.93	36.41	124.87	33.32	0.03	192.91	36.42		124.88	256.12
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:16:18			194.47	34.87	123.33	33.32	0.03	194.46	34.88		123.34	257.66
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:16:20			193.97	35.36	123.82	33.32	0.03	193.96	35.37		123.83	257.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:16:22			195.02	34.31	122.77	33.32	0.03	195.01	34.32		122.78	258.22
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:16:24			196.00	33.34	121.80	33.32	0.03	195.99	33.35		121.81	259.19
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:16:26			196.85	32.49	120.95	33.32	0.03	196.84	32.50		120.96	260.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:16:28			195.81	33.52	121.98	33.32	0.03	195.80	33.53		121.99	259.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:16:30			197.01	32.32	120.78	33.32	0.03	197.00	32.33		120.79	260.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:16:32			196.90	32.43	120.89	33.32	0.03	196.89	32.44		120.90	260.10
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:16:34			196.66	32.67	121.13	33.32	0.03	196.65	32.68		121.14	259.86
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:16:36			195.88	33.45	121.91	33.32	0.03	195.87	33.46		121.92	259.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:16:38			195.27	34.07	122.53	33.32	0.03	195.25	34.08		122.54	258.46
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:16:40			195.10	34.23	122.69	33.32	0.03	195.09	34.24		122.70	258.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:16:42			194.54	34.80	123.26	33.32	0.03	194.53	34.81		123.27	257.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:16:44			194.44	34.90	123.36	33.32	0.03	194.43	34.91		123.37	257.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:16:46			194.14	35.20	123.66	33.32	0.03	194.12	35.21		123.67	257.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:16:48			194.07	35.26	123.72	33.32	0.03	194.06	35.27		123.73	257.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:16:50			194.57	34.76	123.22	33.32	0.03	194.56	34.77		123.23	257.77
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:16:52			194.20	35.14	123.60	33.32	0.03	194.18	35.15		123.61	257.39
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:16:54			194.07	35.27	123.73	33.32	0.03	194.05	35.28		123.74	257.26
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:16:56			194.37	34.97	123.43	33.32	0.03	194.36	34.98		123.44	257.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:16:58			194.43	34.90	123.36	33.32	0.03	194.42	34.91		123.37	257.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:17:00			194.36	34.97	123.43	33.32	0.03	194.35	34.98		123.44	257.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:17:02			194.24	35.09	123.55	33.32	0.03	194.23	35.10		123.56	257.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:17:04			194.09	35.25	123.71	33.32	0.03	194.08	35.26		123.72	257.28
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:17:06			194.44	34.90	123.36	33.32	0.03	194.42	34.91		123.37	257.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:17:08			192.57	36.77	125.23	33.32	0.03	192.56	36.78		125.24	255.76
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:17:10			192.60	36.74	125.20	33.32	0.03	192.58	36.75		125.21	255.79
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:17:12			190.56	38.77	127.23	33.32	0.03	190.55	38.78		127.24	253.76
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:17:14			190.20	39.13	127.59	33.32	0.03	190.19	39.14		127.60	253.40
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:17:16			188.71	40.62	129.08	33.32	0.03	188.70	40.63		129.09	251.91
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:17:18			187.27	42.06	130.52	33.32	0.03	187.26	42.07		130.53	250.47
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:17:20			185.87	43.47	131.93	33.32	0.03	185.86	43.48		131.94	249.06
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:17:22			185.40	43.94	132.40	33.32	0.03	185.39	43.95		132.41	248.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:17:24			184.37	44.96	133.42	33.32	0.03	184.36	44.97		133.43	247.57
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:17:26			183.93	45.41	133.87	33.32	0.03	183.91	45.42		133.88	247.12
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:17:28			183.57	45.77	134.23	33.32	0.03	183.56	45.78		134.24	246.76
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:17:30			183.82	45.52	133.98	33.32	0.03	183.81	45.53		133.99	247.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:17:32			183.32	46.02	134.48	33.32	0.03	183.31	46.03		134.49	246.51
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:17:34			183.87	45.46	133.92	33.32	0.03	183.86	45.47		133.93	247.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:17:36			183.53	45.80	134.26	33.32	0.03	183.52	45.81		134.27	246.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:17:38			183.91	45.42	133.88	33.32	0.03	183.90	45.43		133.89	247.11
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:17:40			183.70	45.63	134.09	33.32	0.03	183.69	45.64		134.10	246.90
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:17:42			183.58	45.76	134.22	33.32	0.03	183.56	45.77		134.23	246.77
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:17:44			183.93	45.41	133.87	33.32	0.03	183.92	45.42		133.88	247.12
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:17:46			184.37	44.96	133.42	33.32	0.03	184.36	44.97		133.43	247.57

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:17:48			184.56	44.78	133.24	33.32	0.03	184.55	44.79		133.25	247.75
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:17:50			184.40	44.93	133.39	33.32	0.03	184.39	44.94		133.40	247.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:17:52			184.84	44.49	132.95	33.32	0.03	184.83	44.50		132.96	248.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:17:54			185.51	43.82	132.28	33.32	0.03	185.50	43.83		132.29	248.71
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:17:56			185.35	43.99	132.45	33.32	0.03	185.33	44.00		132.46	248.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:17:58			185.20	44.14	132.60	33.32	0.03	185.19	44.15		132.61	248.39
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:18:00			185.59	43.75	132.21	33.32	0.03	185.58	43.76		132.22	248.78
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:18:02			185.36	43.98	132.44	33.32	0.03	185.34	43.99		132.45	248.55
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:18:04			184.69	44.65	133.11	33.32	0.03	184.67	44.66		133.12	247.88
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:18:06			184.68	44.66	133.12	33.32	0.03	184.66	44.67		133.13	247.87
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:18:08			184.40	44.93	133.39	33.32	0.03	184.39	44.94		133.40	247.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:18:10			183.98	45.36	133.82	33.32	0.03	183.96	45.37		133.83	247.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:18:12			184.07	45.27	133.73	33.32	0.03	184.06	45.28		133.74	247.26
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:18:14			184.19	45.14	133.60	33.32	0.03	184.18	45.15		133.61	247.39
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:18:16			184.47	44.86	133.32	33.32	0.03	184.46	44.87		133.33	247.67
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:18:18			183.65	45.69	134.15	33.32	0.03	183.64	45.70		134.16	246.84
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:18:20			184.02	45.31	133.77	33.32	0.03	184.01	45.32		133.78	247.22
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:18:22			183.89	45.45	133.91	33.32	0.03	183.88	45.46		133.92	247.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:18:24			183.79	45.55	134.01	33.32	0.03	183.78	45.56		134.02	246.98
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:18:26			183.79	45.55	134.01	33.32	0.03	183.78	45.56		134.02	246.98
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:18:28			183.89	45.45	133.91	33.32	0.03	183.88	45.46		133.92	247.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:18:30			183.98	45.35	133.81	33.32	0.03	183.97	45.36		133.82	247.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:18:32			183.63	45.70	134.16	33.32	0.03	183.62	45.71		134.17	246.83
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:18:34			183.98	45.35	133.81	33.32	0.03	183.97	45.36		133.82	247.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:18:36			183.77	45.57	134.03	33.32	0.03	183.75	45.58		134.04	246.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:18:38			183.63	45.70	134.16	33.32	0.03	183.62	45.71		134.17	246.83
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:18:40			183.65	45.69	134.15	33.32	0.03	183.64	45.70		134.16	246.84
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:18:42			183.44	45.90	134.36	33.32	0.03	183.42	45.91		134.37	246.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:18:44			183.32	46.02	134.48	33.32	0.03	183.31	46.03		134.49	246.51
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:18:46			183.60	45.73	134.19	33.32	0.03	183.59	45.74		134.20	246.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:18:48			183.64	45.70	134.16	33.32	0.03	183.63	45.71		134.17	246.83
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:18:50			183.79	45.55	134.01	33.32	0.03	183.77	45.56		134.02	246.98
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:18:52			182.87	46.47	134.93	33.32	0.03	182.86	46.48		134.94	246.06
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:18:54			183.47	45.87	134.33	33.32	0.03	183.46	45.88		134.34	246.66
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:18:56			183.41	45.93	134.39	33.32	0.03	183.39	45.94		134.40	246.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:18:58			183.31	46.03	134.49	33.32	0.03	183.30	46.04		134.50	246.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:19:00			183.44	45.89	134.35	33.32	0.03	183.43	45.90		134.36	246.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:19:02			183.80	45.53	133.99	33.32	0.03	183.79	45.54		134.00	247.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:19:04			184.69	44.65	133.11	33.32	0.03	184.67	44.66		133.12	247.88
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:19:06			185.48	43.86	132.32	33.32	0.03	185.47	43.87		132.33	248.67
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:19:08			185.57	43.77	132.23	33.32	0.03	185.55	43.78		132.24	248.76
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:19:10			186.62	42.72	131.18	33.32	0.03	186.60	42.73		131.19	249.81
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:19:12			186.99	42.35	130.81	33.32	0.03	186.97	42.36		130.82	250.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:19:14			187.91	41.43	129.89	33.32	0.03	187.90	41.44		129.90	251.10
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:19:16			187.70	41.64	130.10	33.32	0.03	187.69	41.65		130.11	250.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:19:18			188.33	41.00	129.46	33.32	0.03	188.32	41.01		129.47	251.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:19:20			188.79	40.54	129.00	33.32	0.03	188.78	40.55		129.01	251.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:19:22			187.40	41.93	130.39	33.32	0.03	187.39	41.94		130.40	250.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:19:24			185.83	43.51	131.97	33.32	0.03	185.82	43.52		131.98	249.02
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:19:26			185.04	44.29	132.75	33.32	0.03	185.03	44.30		132.76	248.24
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:19:28			183.01	46.32	134.78	33.32	0.03	183.00	46.33		134.79	246.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:19:30			180.82	48.51	136.97	33.32	0.03	180.81	48.52		136.98	244.02
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:19:32			178.77	50.56	139.02	33.32	0.03	178.76	50.57		139.03	241.97
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:19:34			176.80	52.54	141.00	33.32	0.03	176.79	52.55		141.01	239.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:19:36			175.22	54.12	142.58	33.32	0.03	175.20	54.13		142.59	238.41
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:19:38			173.93	55.41	143.87	33.32	0.03	173.92	55.42		143.88	237.12
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:19:40			173.07	56.26	144.72	33.32	0.03	173.06	56.27		144.73	236.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:19:42			172.24	57.10	145.56	33.32	0.03	172.23	57.11		145.57	235.43
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:19:44			171.44	57.90	146.36	33.32	0.03	171.42	57.91		146.37	234.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:19:46			171.03	58.30	146.76	33.32	0.03	171.02	58.31		146.77	234.23
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:19:48			170.67	58.66	147.12	33.32	0.03	170.66	58.67		147.13	233.87
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:19:50			170.84	58.49	146.95	33.32	0.03	170.83	58.50		146.96	234.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:19:52			170.43	58.90	147.36	33.32	0.03	170.42	58.91		147.37	233.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:19:54			170.32	59.02	147.48	33.32	0.03	170.31	59.03		147.49	233.51
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:19:56			170.07	59.26	147.72	33.32	0.03	170.06	59.27		147.73	233.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:19:58			170.03	59.30	147.76	33.32	0.03	170.02	59.31		147.77	233.23
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:20:00			170.18	59.15	147.61	33.32	0.03	170.17	59.16		147.62	233.38
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:20:02			169.68	59.66	148.12	33.32	0.03	169.66	59.67		148.13	232.87
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:20:04			169.58	59.75	148.21	33.32	0.03	169.57	59.76		148.22	232.78
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:20:06			169.41	59.93	148.39	33.32	0.03	169.40	59.94		148.40	232.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:20:08			169.39	59.94	148.40	33.32	0.03	169.38	59.95		148.41	232.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:20:10			169.77	59.57	148.03	33.32	0.03	169.76	59.58		148.04	232.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:20:12			169.07	60.26	148.72	33.32	0.03	169.06	60.27		148.73	232.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:20:14			169.51	59.82	148.28	33.32	0.03	169.50	59.83		148.29	232.71
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:20:16			168.95	60.39	148.85	33.32	0.03	168.94	60.40		148.86	232.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:20:18			169.42	59.92	148.38	33.32	0.03	169.41	59.93		148.39	232.61
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:20:20			169.30	60.03	148.49	33.32	0.03	169.29	60.04		148.50	232.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:20:22			169.23	60.11	148.57	33.32	0.03	169.22	60.12		148.58	232.42
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:20:24			169.12	60.21	148.67	33.32	0.03	169.11	60.22		148.68	232.32
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:20:26			168.86	60.47	148.93	33.32	0.03	168.85	60.48		148.94	232.06
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:20:28			168.85	60.49	148.95	33.32	0.03	168.84	60.50		148.96	232.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:20:30			168.74	60.60	149.06	33.32	0.03	168.73	60.61		149.07	231.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:20:32			169.03	60.31	148.77	33.32	0.03	169.02	60.32		148.78	232.22
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:20:34			169.16	60.18	148.64	33.32	0.03	169.15	60.19		148.65	232.35
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:20:36			169.04	60.29	148.75	33.32	0.03	169.03	60.30		148.76	232.24
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:20:38			168.75	60.59	149.05	33.32	0.03	168.73	60.60		149.06	231.94
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:20:40			168.85	60.49	148.95	33.32	0.03	168.84	60.50		148.96	232.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:20:42			168.72	60.62	149.08	33.32	0.03	168.70	60.63		149.09	231.91
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:20:44			168.61	60.72	149.18	33.32	0.03	168.60	60.73		149.19	231.81
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:20:46			168.69	60.64	149.10	33.32	0.03	168.68	60.65		149.11	231.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:20:48			168.44	60.90	149.36	33.32	0.03	168.42	60.91		149.37	231.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:20:50			168.58	60.76	149.22	33.32	0.03	168.56	60.77		149.23	231.77
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:20:52			168.69	60.64	149.10	33.32	0.03	168.68	60.65		149.11	231.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:20:54			168.22	61.12	149.58	33.32	0.03	168.20	61.13		149.59	231.41
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:20:56			168.30	61.03	149.49	33.32	0.03	168.29	61.04		149.50	231.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:20:58			168.53	60.81	149.27	33.32	0.03	168.52	60.82		149.28	231.72
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:21:00			168.47	60.86	149.32	33.32	0.03	168.46	60.87		149.33	231.67

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:21:02			168.42	60.92	149.38	33.32	0.03	168.41	60.93		149.39	231.61
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:21:04			168.51	60.83	149.29	33.32	0.03	168.49	60.84		149.30	231.70
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:21:06			168.25	61.09	149.55	33.32	0.03	168.24	61.10		149.56	231.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:21:08			168.43	60.91	149.37	33.32	0.03	168.41	60.92		149.38	231.62
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:21:10			168.47	60.86	149.32	33.32	0.03	168.46	60.87		149.33	231.67
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:21:12			168.27	61.06	149.52	33.32	0.03	168.26	61.07		149.53	231.47
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:21:14			168.10	61.24	149.70	33.32	0.03	168.09	61.25		149.71	231.29
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:21:16			168.38	60.95	149.41	33.32	0.03	168.37	60.96		149.42	231.58
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:21:18			168.15	61.19	149.65	33.32	0.03	168.13	61.20		149.66	231.34
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:21:20			168.29	61.05	149.51	33.32	0.03	168.27	61.06		149.52	231.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:21:22			168.29	61.05	149.51	33.32	0.03	168.27	61.06		149.52	231.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:21:24			168.29	61.05	149.51	33.32	0.03	168.27	61.06		149.52	231.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:21:26			168.24	61.10	149.56	33.32	0.03	168.23	61.11		149.57	231.43
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:21:28			167.89	61.45	149.91	33.32	0.03	167.88	61.46		149.92	231.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:21:30			167.89	61.45	149.91	33.32	0.03	167.88	61.46		149.92	231.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:21:32			168.10	61.24	149.70	33.32	0.03	168.09	61.25		149.71	231.29
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:21:34			168.12	61.22	149.68	33.32	0.03	168.10	61.23		149.69	231.31
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:21:36			167.62	61.71	150.17	33.32	0.03	167.61	61.72		150.18	230.82
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:21:38			167.90	61.44	149.90	33.32	0.03	167.88	61.45		149.91	231.09
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:21:40			168.01	61.32	149.78	33.32	0.03	168.00	61.33		149.79	231.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:21:42			167.84	61.49	149.95	33.32	0.03	167.83	61.50		149.96	231.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:21:44			167.76	61.58	150.04	33.32	0.03	167.74	61.59		150.05	230.95
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:21:46			167.81	61.52	149.98	33.32	0.03	167.80	61.53		149.99	231.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:21:48			167.89	61.45	149.91	33.32	0.03	167.88	61.46		149.92	231.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:21:50			167.86	61.48	149.94	33.32	0.03	167.85	61.49		149.95	231.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:21:52			167.99	61.34	149.80	33.32	0.03	167.98	61.35		149.81	231.19
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:21:54			167.77	61.57	150.03	33.32	0.03	167.76	61.58		150.04	230.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:21:56			168.12	61.22	149.68	33.32	0.03	168.10	61.23		149.69	231.31
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:21:58			168.71	60.63	149.09	33.32	0.03	168.70	60.64		149.10	231.90
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:22:00			169.19	60.14	148.60	33.32	0.03	169.18	60.15		148.61	232.39
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:22:02			169.67	59.67	148.13	33.32	0.03	169.65	59.68		148.14	232.86
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:22:04			169.88	59.45	147.91	33.32	0.03	169.87	59.46		147.92	233.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:22:06			170.26	59.08	147.54	33.32	0.03	170.25	59.09		147.55	233.45
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:22:08			170.75	58.59	147.05	33.32	0.03	170.74	58.60		147.06	233.94
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:22:10			170.41	58.92	147.38	33.32	0.03	170.40	58.93		147.39	233.61
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:22:12			169.76	59.57	148.03	33.32	0.03	169.75	59.58		148.04	232.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:22:14			169.19	60.15	148.61	33.32	0.03	169.18	60.16		148.62	232.38
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:22:16			168.15	61.18	149.64	33.32	0.03	168.14	61.19		149.65	231.35
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:22:18			168.17	61.17	149.63	33.32	0.03	168.16	61.18		149.64	231.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:22:20			167.92	61.42	149.88	33.32	0.03	167.91	61.43		149.89	231.11
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:22:22			167.09	62.24	150.70	33.32	0.03	167.08	62.25		150.71	230.29
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:22:24			166.95	62.38	150.84	33.32	0.03	166.94	62.39		150.85	230.15
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:22:26			168.09	61.25	149.71	33.32	0.03	168.08	61.26		149.72	231.28
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:22:28			168.14	61.20	149.66	33.32	0.03	168.12	61.21		149.67	231.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:22:30			167.84	61.50	149.96	33.32	0.03	167.83	61.51		149.97	231.03
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:22:32			168.49	60.85	149.31	33.32	0.03	168.48	60.86		149.32	231.68
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:22:34			168.22	61.12	149.58	33.32	0.03	168.20	61.13		149.59	231.41
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:22:36			168.39	60.94	149.40	33.32	0.03	168.38	60.95		149.41	231.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:22:38			168.58	60.75	149.21	33.32	0.03	168.57	60.76		149.22	231.78
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:22:40			168.05	61.28	149.74	33.32	0.03	168.04	61.29		149.75	231.25
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:22:42			168.11	61.23	149.69	33.32	0.03	168.09	61.24		149.70	231.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:22:44			168.15	61.19	149.65	33.32	0.03	168.13	61.20		149.66	231.34
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:22:46			167.46	61.87	150.33	33.32	0.03	167.45	61.88		150.34	230.66
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:22:48			167.15	62.19	150.65	33.32	0.03	167.13	62.20		150.66	230.34
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:22:50			167.52	61.81	150.27	33.32	0.03	167.51	61.82		150.28	230.72
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:22:52			167.51	61.82	150.28	33.32	0.03	167.50	61.83		150.29	230.71
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:22:54			167.33	62.01	150.47	33.32	0.03	167.31	62.02		150.48	230.52
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:22:56			167.42	61.92	150.38	33.32	0.03	167.41	61.93		150.39	230.61
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:22:58			167.62	61.72	150.18	33.32	0.03	167.61	61.73		150.19	230.81
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:23:00			168.07	61.26	149.72	33.32	0.03	168.06	61.27		149.73	231.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:23:02			167.99	61.34	149.80	33.32	0.03	167.98	61.35		149.81	231.19
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:23:04			168.24	61.09	149.55	33.32	0.03	168.23	61.10		149.56	231.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:23:06			168.10	61.24	149.70	33.32	0.03	168.08	61.25		149.71	231.29
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:23:08			167.79	61.54	150.00	33.32	0.03	167.78	61.55		150.01	230.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:23:10			168.17	61.17	149.63	33.32	0.03	168.15	61.18		149.64	231.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:23:12			168.07	61.26	149.72	33.32	0.03	168.06	61.27		149.73	231.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:23:14			167.78	61.56	150.02	33.32	0.03	167.76	61.57		150.03	230.97
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:23:16			167.92	61.41	149.87	33.32	0.03	167.91	61.42		149.88	231.12
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:23:18			167.83	61.50	149.96	33.32	0.03	167.82	61.51		149.97	231.03
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:23:20			167.91	61.43	149.89	33.32	0.03	167.90	61.44		149.90	231.10
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:23:22			167.53	61.81	150.27	33.32	0.03	167.51	61.82		150.28	230.72
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:23:24			167.62	61.72	150.18	33.32	0.03	167.61	61.73		150.19	230.81
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:23:26			167.46	61.87	150.33	33.32	0.03	167.45	61.88		150.34	230.66
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:23:28			167.84	61.49	149.95	33.32	0.03	167.83	61.50		149.96	231.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:23:30			167.90	61.44	149.90	33.32	0.03	167.89	61.45		149.91	231.09
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:23:32			167.88	61.46	149.92	33.32	0.03	167.86	61.47		149.93	231.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:23:34			168.00	61.34	149.80	33.32	0.03	167.99	61.35		149.81	231.19
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:23:36			167.69	61.65	150.11	33.32	0.03	167.68	61.66		150.12	230.88
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:23:38			167.82	61.51	149.97	33.32	0.03	167.81	61.52		149.98	231.02
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:23:40			167.70	61.63	150.09	33.32	0.03	167.69	61.64		150.10	230.90
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:23:42			167.84	61.50	149.96	33.32	0.03	167.82	61.51		149.97	231.03
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:23:44			167.56	61.77	150.23	33.32	0.03	167.55	61.78		150.24	230.76
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:23:46			167.84	61.49	149.95	33.32	0.03	167.83	61.50		149.96	231.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:23:48			167.69	61.65	150.11	33.32	0.03	167.68	61.66		150.12	230.88
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:23:50			168.34	60.99	149.45	33.32	0.03	168.33	61.00		149.46	231.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:23:52			167.61	61.73	150.19	33.32	0.03	167.60	61.74		150.20	230.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:23:54			167.62	61.71	150.17	33.32	0.03	167.61	61.72		150.18	230.82
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:23:56			167.49	61.84	150.30	33.32	0.03	167.48	61.85		150.31	230.69
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:23:58			167.43	61.91	150.37	33.32	0.03	167.42	61.92		150.38	230.62
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:24:00			167.15	62.19	150.65	33.32	0.03	167.14	62.20		150.66	230.34
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:24:02			167.75	61.59	150.05	33.32	0.03	167.74	61.60		150.06	230.94
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:24:04			167.68	61.66	150.12	33.32	0.03	167.67	61.67		150.13	230.87
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:24:06			167.44	61.89	150.35	33.32	0.03	167.43	61.90		150.36	230.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:24:08			167.59	61.75	150.21	33.32	0.03	167.57	61.76		150.22	230.78
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:24:10			167.61	61.73	150.19	33.32	0.03	167.60	61.74		150.20	230.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:24:12			167.46	61.88	150.34	33.32	0.03	167.45	61.89		150.35	230.65
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:24:14			167.55	61.78	150.24	33.32	0.03	167.54	61.79		150.25	230.75

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:24:16			167.15	62.19	150.65	33.32	0.03	167.13	62.20		150.66	230.34
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:24:18			167.71	61.63	150.09	33.32	0.03	167.70	61.64		150.10	230.90
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:24:20			167.81	61.52	149.98	33.32	0.03	167.80	61.53		149.99	231.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:24:22			169.21	60.12	148.58	33.32	0.03	169.20	60.13		148.59	232.41
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:24:24			168.61	60.72	149.18	33.32	0.03	168.60	60.73		149.19	231.81
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:24:26			169.28	60.05	148.51	33.32	0.03	169.27	60.06		148.52	232.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:24:28			170.80	58.54	147.00	33.32	0.03	170.78	58.55		147.01	233.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:24:30			172.14	57.20	145.66	33.32	0.03	172.12	57.21		145.67	235.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:24:32			173.30	56.04	144.50	33.32	0.03	173.29	56.05		144.51	236.49
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:24:34			174.09	55.24	143.70	33.32	0.03	174.08	55.25		143.71	237.29
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:24:36			176.18	53.15	141.61	33.32	0.03	176.17	53.16		141.62	239.38
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:24:38			176.39	52.94	141.40	33.32	0.03	176.38	52.95		141.41	239.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:24:40			176.79	52.54	141.00	33.32	0.03	176.78	52.55		141.01	239.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:24:42			177.14	52.19	140.65	33.32	0.03	177.13	52.20		140.66	240.34
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:24:44			178.03	51.31	139.77	33.32	0.03	178.02	51.32		139.78	241.22
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:24:46			178.75	50.59	139.05	33.32	0.03	178.74	50.60		139.06	241.94
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:24:48			179.44	49.89	138.35	33.32	0.03	179.43	49.90		138.36	242.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:24:50			180.22	49.11	137.57	33.32	0.03	180.21	49.12		137.58	243.42
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:24:52			179.54	49.80	138.26	33.32	0.03	179.52	49.81		138.27	242.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:24:54			180.66	48.67	137.13	33.32	0.03	180.65	48.68		137.14	243.86
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:24:56			180.79	48.54	137.00	33.32	0.03	180.78	48.55		137.01	243.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:24:58			179.95	49.39	137.85	33.32	0.03	179.94	49.40		137.86	243.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:25:00			180.25	49.08	137.54	33.32	0.03	180.24	49.09		137.55	243.45
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:25:02			179.99	49.34	137.80	33.32	0.03	179.98	49.35		137.81	243.19
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:25:04			180.39	48.94	137.40	33.32	0.03	180.38	48.95		137.41	243.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:25:06			180.06	49.28	137.74	33.32	0.03	180.04	49.29		137.75	243.25
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:25:08			180.72	48.62	137.08	33.32	0.03	180.71	48.63		137.09	243.91
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:25:10			180.07	49.26	137.72	33.32	0.03	180.06	49.27		137.73	243.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:25:12			180.34	49.00	137.46	33.32	0.03	180.32	49.01		137.47	243.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:25:14			180.31	49.03	137.49	33.32	0.03	180.29	49.04		137.50	243.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:25:16			179.73	49.61	138.07	33.32	0.03	179.72	49.62		138.08	242.92
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:25:18			179.94	49.40	137.86	33.32	0.03	179.93	49.41		137.87	243.13
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:25:20			179.95	49.39	137.85	33.32	0.03	179.93	49.40		137.86	243.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:25:22			180.56	48.77	137.23	33.32	0.03	180.55	48.78		137.24	243.76
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:25:24			179.91	49.43	137.89	33.32	0.03	179.89	49.44		137.90	243.10
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:25:26			180.35	48.98	137.44	33.32	0.03	180.34	48.99		137.45	243.55
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:25:28			181.24	48.09	136.55	33.32	0.03	181.23	48.10		136.56	244.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:25:30			180.97	48.37	136.83	33.32	0.03	180.96	48.38		136.84	244.16
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:25:32			180.79	48.54	137.00	33.32	0.03	180.78	48.55		137.01	243.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:25:34			180.54	48.79	137.25	33.32	0.03	180.53	48.80		137.26	243.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:25:36			180.65	48.68	137.14	33.32	0.03	180.64	48.69		137.15	243.85
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:25:38			181.30	48.03	136.49	33.32	0.03	181.29	48.04		136.50	244.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:25:40			181.11	48.23	136.69	33.32	0.03	181.09	48.24		136.70	244.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:25:42			180.40	48.94	137.40	33.32	0.03	180.38	48.95		137.41	243.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:25:44			180.06	49.27	137.73	33.32	0.03	180.05	49.28		137.74	243.26
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:25:46			180.18	49.16	137.62	33.32	0.03	180.17	49.17		137.63	243.37
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:25:48			180.20	49.13	137.59	33.32	0.03	180.19	49.14		137.60	243.40
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:25:50			180.18	49.16	137.62	33.32	0.03	180.17	49.17		137.63	243.37
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:25:52			180.44	48.90	137.36	33.32	0.03	180.42	48.91		137.37	243.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:25:54			181.10	48.24	136.70	33.32	0.03	181.09	48.25		136.71	244.29
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:25:56			181.00	48.33	136.79	33.32	0.03	180.99	48.34		136.80	244.20
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:25:58			181.21	48.13	136.59	33.32	0.03	181.19	48.14		136.60	244.40
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:26:00			180.42	48.92	137.38	33.32	0.03	180.41	48.93		137.39	243.61
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:26:02			180.71	48.63	137.09	33.32	0.03	180.69	48.64		137.10	243.90
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:26:04			180.74	48.60	137.06	33.32	0.03	180.72	48.61		137.07	243.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:26:06			180.89	48.44	136.90	33.32	0.03	180.88	48.45		136.91	244.09
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:26:08			180.99	48.35	136.81	33.32	0.03	180.97	48.36		136.82	244.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:26:10			180.80	48.54	137.00	33.32	0.03	180.79	48.55		137.01	243.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:26:12			181.18	48.15	136.61	33.32	0.03	181.17	48.16		136.62	244.38
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:26:14			180.51	48.82	137.28	33.32	0.03	180.50	48.83		137.29	243.71
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:26:16			180.91	48.43	136.89	33.32	0.03	180.90	48.44		136.90	244.10
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:26:18			180.14	49.20	137.66	33.32	0.03	180.12	49.21		137.67	243.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:26:20			179.95	49.39	137.85	33.32	0.03	179.94	49.40		137.86	243.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:26:22			180.84	48.50	136.96	33.32	0.03	180.83	48.51		136.97	244.03
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:26:24			180.44	48.90	137.36	33.32	0.03	180.43	48.91		137.37	243.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:26:26			180.37	48.97	137.43	33.32	0.03	180.36	48.98		137.44	243.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:26:28			179.92	49.42	137.88	33.32	0.03	179.90	49.43		137.89	243.11
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:26:30			180.05	49.29	137.75	33.32	0.03	180.04	49.30		137.76	243.24
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:26:32			179.62	49.72	138.18	33.32	0.03	179.61	49.73		138.19	242.81
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:26:34			180.10	49.23	137.69	33.32	0.03	180.09	49.24		137.70	243.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:26:36			180.15	49.19	137.65	33.32	0.03	180.14	49.20		137.66	243.34
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:26:38			180.45	48.89	137.35	33.32	0.03	180.43	48.90		137.36	243.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:26:40			180.89	48.44	136.90	33.32	0.03	180.88	48.45		136.91	244.09
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:26:42			181.33	48.00	136.46	33.32	0.03	181.32	48.01		136.47	244.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:26:44			180.89	48.45	136.91	33.32	0.03	180.88	48.46		136.92	244.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:26:46			181.26	48.08	136.54	33.32	0.03	181.24	48.09		136.55	244.45
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:26:48			180.94	48.40	136.86	33.32	0.03	180.92	48.41		136.87	244.13
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:26:50			181.49	47.85	136.31	33.32	0.03	181.48	47.86		136.32	244.68
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:26:52			180.64	48.70	137.16	33.32	0.03	180.63	48.71		137.17	243.83
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:26:54			181.19	48.15	136.61	33.32	0.03	181.17	48.16		136.62	244.38
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:26:56			181.01	48.32	136.78	33.32	0.03	181.00	48.33		136.79	244.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:26:58			180.09	49.25	137.71	33.32	0.03	180.07	49.26		137.72	243.28
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:27:00			180.42	48.91	137.37	33.32	0.03	180.41	48.92		137.38	243.62
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:27:02			180.63	48.70	137.16	33.32	0.03	180.62	48.71		137.17	243.83
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:27:04			180.32	49.02	137.48	33.32	0.03	180.31	49.03		137.49	243.51
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:27:06			179.10	50.23	138.69	33.32	0.03	179.09	50.24		138.70	242.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:27:08			180.74	48.60	137.06	33.32	0.03	180.73	48.61		137.07	243.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:27:10			179.94	49.40	137.86	33.32	0.03	179.92	49.41		137.87	243.13
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:27:12			180.88	48.46	136.92	33.32	0.03	180.87	48.47		136.93	244.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:27:14			180.32	49.02	137.48	33.32	0.03	180.30	49.03		137.49	243.51
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:27:16			180.39	48.95	137.41	33.32	0.03	180.37	48.96		137.42	243.58
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:27:18			180.98	48.36	136.82	33.32	0.03	180.97	48.37		136.83	244.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:27:20			181.17	48.17	136.63	33.32	0.03	181.15	48.18		136.64	244.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:27:22			180.82	48.52	136.98	33.32	0.03	180.80	48.53		136.99	244.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:27:24			181.07	48.26	136.72	33.32	0.03	181.06	48.27		136.73	244.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:27:26			180.17	49.17	137.63	33.32	0.03	180.16	49.18		137.64	243.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:27:28			180.18	49.16	137.62	33.32	0.03	180.16	49.17		137.63	243.37

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:27:30			179.79	49.55	138.01	33.32	0.03	179.77	49.56		138.02	242.98
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:27:32			180.46	48.88	137.34	33.32	0.03	180.45	48.89		137.35	243.65
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:27:34			180.38	48.96	137.42	33.32	0.03	180.37	48.97		137.43	243.57
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:27:36			180.49	48.85	137.31	33.32	0.03	180.48	48.86		137.32	243.68
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:27:38			180.61	48.72	137.18	33.32	0.03	180.60	48.73		137.19	243.81
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:27:40			180.42	48.91	137.37	33.32	0.03	180.41	48.92		137.38	243.62
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:27:42			180.39	48.94	137.40	33.32	0.03	180.38	48.95		137.41	243.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:27:44			180.16	49.17	137.63	33.32	0.03	180.15	49.18		137.64	243.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:27:46			179.89	49.45	137.91	33.32	0.03	179.87	49.46		137.92	243.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:27:48			179.74	49.60	138.06	33.32	0.03	179.73	49.61		138.07	242.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:27:50			179.95	49.39	137.85	33.32	0.03	179.94	49.40		137.86	243.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:27:52			180.36	48.97	137.43	33.32	0.03	180.35	48.98		137.44	243.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:27:54			180.81	48.53	136.99	33.32	0.03	180.79	48.54		137.00	244.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:27:56			180.49	48.85	137.31	33.32	0.03	180.47	48.86		137.32	243.68
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:27:58			181.21	48.12	136.58	33.32	0.03	181.20	48.13		136.59	244.41
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:28:00			180.95	48.39	136.85	33.32	0.03	180.93	48.40		136.86	244.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:28:02			181.54	47.80	136.26	33.32	0.03	181.53	47.81		136.27	244.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:28:04			180.74	48.60	137.06	33.32	0.03	180.72	48.61		137.07	243.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:28:06			180.49	48.85	137.31	33.32	0.03	180.47	48.86		137.32	243.68
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:28:08			180.56	48.77	137.23	33.32	0.03	180.55	48.78		137.24	243.76
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:28:10			180.24	49.10	137.56	33.32	0.03	180.22	49.11		137.57	243.43
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:28:12			179.79	49.54	138.00	33.32	0.03	179.78	49.55		138.01	242.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:28:14			180.64	48.70	137.16	33.32	0.03	180.62	48.71		137.17	243.83
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:28:16			180.47	48.86	137.32	33.32	0.03	180.46	48.87		137.33	243.67
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:28:18			180.25	49.08	137.54	33.32	0.03	180.24	49.09		137.55	243.45
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:28:20			180.76	48.58	137.04	33.32	0.03	180.74	48.59		137.05	243.95
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:28:22			179.85	49.49	137.95	33.32	0.03	179.83	49.50		137.96	243.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:28:24			179.98	49.36	137.82	33.32	0.03	179.96	49.37		137.83	243.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:28:26			180.70	48.64	137.10	33.32	0.03	180.68	48.65		137.11	243.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:28:28			180.40	48.94	137.40	33.32	0.03	180.39	48.95		137.41	243.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:28:30			180.49	48.84	137.30	33.32	0.03	180.48	48.85		137.31	243.69
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:28:32			180.54	48.80	137.26	33.32	0.03	180.53	48.81		137.27	243.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:28:34			180.60	48.73	137.19	33.32	0.03	180.59	48.74		137.20	243.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:28:36			180.26	49.08	137.54	33.32	0.03	180.25	49.09		137.55	243.45
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:28:38			180.68	48.66	137.12	33.32	0.03	180.67	48.67		137.13	243.87
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:28:40			180.18	49.16	137.62	33.32	0.03	180.17	49.17		137.63	243.37
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:28:42			179.95	49.39	137.85	33.32	0.03	179.93	49.40		137.86	243.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:28:44			181.22	48.12	136.58	33.32	0.03	181.20	48.13		136.59	244.41
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:28:46			180.27	49.06	137.52	33.32	0.03	180.26	49.07		137.53	243.47
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:28:48			180.45	48.89	137.35	33.32	0.03	180.43	48.90		137.36	243.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:28:50			179.49	49.85	138.31	33.32	0.03	179.47	49.86		138.32	242.68
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:28:52			179.99	49.35	137.81	33.32	0.03	179.97	49.36		137.82	243.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:28:54			180.01	49.32	137.78	33.32	0.03	180.00	49.33		137.79	243.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:28:56			180.20	49.14	137.60	33.32	0.03	180.18	49.15		137.61	243.39
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:28:58			179.93	49.41	137.87	33.32	0.03	179.92	49.42		137.88	243.12
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:29:00			179.92	49.41	137.87	33.32	0.03	179.91	49.42		137.88	243.12
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:29:02			180.81	48.53	136.99	33.32	0.03	180.80	48.54		137.00	244.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:29:04			180.86	48.48	136.94	33.32	0.03	180.84	48.49		136.95	244.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:29:06			181.29	48.05	136.51	33.32	0.03	181.27	48.06		136.52	244.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:29:08			180.37	48.96	137.42	33.32	0.03	180.36	48.97		137.43	243.57
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:29:10			180.50	48.84	137.30	33.32	0.03	180.49	48.85		137.31	243.69
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:29:12			180.73	48.60	137.06	33.32	0.03	180.72	48.61		137.07	243.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:29:14			181.09	48.25	136.71	33.32	0.03	181.08	48.26		136.72	244.28
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:29:16			180.49	48.85	137.31	33.32	0.03	180.48	48.86		137.32	243.68
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:29:18			180.56	48.78	137.24	33.32	0.03	180.55	48.79		137.25	243.75
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:29:20			179.69	49.65	138.11	33.32	0.03	179.67	49.66		138.12	242.88
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:29:22			180.01	49.32	137.78	33.32	0.03	180.00	49.33		137.79	243.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:29:24			180.68	48.66	137.12	33.32	0.03	180.66	48.67		137.13	243.87
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:29:26			180.60	48.73	137.19	33.32	0.03	180.59	48.74		137.20	243.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:29:28			180.50	48.84	137.30	33.32	0.03	180.49	48.85		137.31	243.69
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:29:30			180.90	48.43	136.89	33.32	0.03	180.89	48.44		136.90	244.10
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:29:32			180.37	48.97	137.43	33.32	0.03	180.35	48.98		137.44	243.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:29:34			180.69	48.64	137.10	33.32	0.03	180.68	48.65		137.11	243.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:29:36			180.46	48.88	137.34	33.32	0.03	180.45	48.89		137.35	243.65
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:29:38			180.84	48.49	136.95	33.32	0.03	180.83	48.50		136.96	244.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:29:40			181.12	48.21	136.67	33.32	0.03	181.11	48.22		136.68	244.32
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:29:42			180.27	49.06	137.52	33.32	0.03	180.26	49.07		137.53	243.47
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:29:44			180.08	49.25	137.71	33.32	0.03	180.07	49.26		137.72	243.28
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:29:46			179.75	49.59	138.05	33.32	0.03	179.74	49.60		138.06	242.94
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:29:48			180.99	48.35	136.81	33.32	0.03	180.97	48.36		136.82	244.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:29:50			180.13	49.21	137.67	33.32	0.03	180.12	49.22		137.68	243.32
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:29:52			180.32	49.02	137.48	33.32	0.03	180.31	49.03		137.49	243.51
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:29:54			180.17	49.17	137.63	33.32	0.03	180.16	49.18		137.64	243.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:29:56			180.78	48.55	137.01	33.32	0.03	180.77	48.56		137.02	243.98
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:29:58			181.05	48.29	136.75	33.32	0.03	181.04	48.30		136.76	244.24
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:30:00			180.22	49.11	137.57	33.32	0.03	180.21	49.12		137.58	243.42
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:30:02			180.81	48.53	136.99	33.32	0.03	180.79	48.54		137.00	244.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:30:04			179.87	49.46	137.92	33.32	0.03	179.86	49.47		137.93	243.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:30:06			179.60	49.74	138.20	33.32	0.03	179.59	49.75		138.21	242.79
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:30:08			179.44	49.90	138.36	33.32	0.03	179.42	49.91		138.37	242.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:30:10			179.32	50.02	138.48	33.32	0.03	179.31	50.03		138.49	242.51
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:30:12			179.33	50.00	138.46	33.32	0.03	179.32	50.01		138.47	242.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:30:14			180.97	48.36	136.82	33.32	0.03	180.96	48.37		136.83	244.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:30:16			180.58	48.75	137.21	33.32	0.03	180.57	48.76		137.22	243.78
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:30:18			181.54	47.80	136.26	33.32	0.03	181.53	47.81		136.27	244.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:30:20			181.16	48.18	136.64	33.32	0.03	181.14	48.19		136.65	244.35
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:30:22			182.13	47.21	135.67	33.32	0.03	182.11	47.22		135.68	245.32
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:30:24			183.45	45.89	134.35	33.32	0.03	183.44	45.90		134.36	246.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:30:26			184.04	45.29	133.75	33.32	0.03	184.03	45.30		133.76	247.24
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:30:28			183.80	45.53	133.99	33.32	0.03	183.79	45.54		134.00	247.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:30:30			184.63	44.71	133.17	33.32	0.03	184.61	44.72		133.18	247.82
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:30:32			185.53	43.80	132.26	33.32	0.03	185.52	43.81		132.27	248.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:30:34			185.54	43.80	132.26	33.32	0.03	185.53	43.81		132.27	248.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:30:36			186.45	42.88	131.34	33.32	0.03	186.44	42.89		131.35	249.65
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:30:38			187.34	42.00	130.46	33.32	0.03	187.33	42.01		130.47	250.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:30:40			187.99	41.35	129.81	33.32	0.03	187.98	41.36		129.82	251.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:30:42			188.44	40.89	129.35	33.32	0.03	188.43	40.90		129.36	251.64

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:30:44			188.80	40.54	129.00	33.32	0.03	188.79	40.55		129.01	251.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:30:46			189.42	39.92	128.38	33.32	0.03	189.40	39.93		128.39	252.61
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:30:48			189.70	39.64	128.10	33.32	0.03	189.68	39.65		128.11	252.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:30:50			189.63	39.71	128.17	33.32	0.03	189.61	39.72		128.18	252.82
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:30:52			189.71	39.63	128.09	33.32	0.03	189.70	39.64		128.10	252.90
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:30:54			189.86	39.48	127.94	33.32	0.03	189.85	39.49		127.95	253.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:30:56			189.92	39.41	127.87	33.32	0.03	189.91	39.42		127.88	253.12
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:30:58			189.84	39.50	127.96	33.32	0.03	189.82	39.51		127.97	253.03
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:31:00			189.85	39.49	127.95	33.32	0.03	189.83	39.50		127.96	253.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:31:02			190.26	39.08	127.54	33.32	0.03	190.25	39.09		127.55	253.45
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:31:04			190.63	38.70	127.16	33.32	0.03	190.62	38.71		127.17	253.83
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:31:06			189.89	39.45	127.91	33.32	0.03	189.88	39.46		127.92	253.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:31:08			188.85	40.48	128.94	33.32	0.03	188.84	40.49		128.95	252.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:31:10			188.46	40.87	129.33	33.32	0.03	188.45	40.88		129.34	251.66
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:31:12			187.60	41.74	130.20	33.32	0.03	187.58	41.75		130.21	250.79
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:31:14			186.37	42.97	131.43	33.32	0.03	186.35	42.98		131.44	249.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:31:16			183.29	46.05	134.51	33.32	0.03	183.27	46.06		134.52	246.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:31:18			181.48	47.86	136.32	33.32	0.03	181.47	47.87		136.33	244.67
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:31:20			179.86	49.48	137.94	33.32	0.03	179.84	49.49		137.95	243.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:31:22			177.49	51.84	140.30	33.32	0.03	177.48	51.85		140.31	240.69
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:31:24			175.57	53.77	142.23	33.32	0.03	175.56	53.78		142.24	238.76
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:31:26			173.50	55.83	144.29	33.32	0.03	173.49	55.84		144.30	236.70
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:31:28			172.35	56.99	145.45	33.32	0.03	172.34	57.00		145.46	235.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:31:30			170.60	58.73	147.19	33.32	0.03	170.59	58.74		147.20	233.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:31:32			169.76	59.58	148.04	33.32	0.03	169.75	59.59		148.05	232.95
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:31:34			169.35	59.99	148.45	33.32	0.03	169.33	60.00		148.46	232.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:31:36			169.49	59.85	148.31	33.32	0.03	169.47	59.86		148.32	232.68
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:31:38			169.25	60.08	148.54	33.32	0.03	169.24	60.09		148.55	232.45
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:31:40			169.21	60.12	148.58	33.32	0.03	169.20	60.13		148.59	232.41
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:31:42			169.88	59.45	147.91	33.32	0.03	169.87	59.46		147.92	233.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:31:44			170.59	58.74	147.20	33.32	0.03	170.58	58.75		147.21	233.79
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:31:46			171.50	57.83	146.29	33.32	0.03	171.49	57.84		146.30	234.70
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:31:48			172.35	56.98	145.44	33.32	0.03	172.34	56.99		145.45	235.55
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:31:50			172.84	56.50	144.96	33.32	0.03	172.82	56.51		144.97	236.03
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:31:52			173.49	55.84	144.30	33.32	0.03	173.48	55.85		144.31	236.69
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:31:54			174.35	54.99	143.45	33.32	0.03	174.34	55.00		143.46	237.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:31:56			174.93	54.40	142.86	33.32	0.03	174.92	54.41		142.87	238.13
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:31:58			175.42	53.92	142.38	33.32	0.03	175.41	53.93		142.39	238.61
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:32:00			176.17	53.17	141.63	33.32	0.03	176.15	53.18		141.64	239.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:32:02			175.96	53.37	141.83	33.32	0.03	175.95	53.38		141.84	239.16
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:32:04			176.68	52.65	141.11	33.32	0.03	176.67	52.66		141.12	239.88
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:32:06			177.24	52.09	140.55	33.32	0.03	177.23	52.10		140.56	240.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:32:08			177.83	51.51	139.97	33.32	0.03	177.81	51.52		139.98	241.02
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:32:10			178.47	50.86	139.32	33.32	0.03	178.46	50.87		139.33	241.67
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:32:12			179.62	49.72	138.18	33.32	0.03	179.61	49.73		138.19	242.81
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:32:14			180.03	49.31	137.77	33.32	0.03	180.01	49.32		137.78	243.22
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:32:16			181.02	48.31	136.77	33.32	0.03	181.01	48.32		136.78	244.22
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:32:18			182.11	47.23	135.69	33.32	0.03	182.09	47.24		135.70	245.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:32:20			182.87	46.47	134.93	33.32	0.03	182.86	46.48		134.94	246.06
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:32:22			183.95	45.38	133.84	33.32	0.03	183.94	45.39		133.85	247.15
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:32:24			184.42	44.92	133.38	33.32	0.03	184.41	44.93		133.39	247.61
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:32:26			184.69	44.65	133.11	33.32	0.03	184.67	44.66		133.12	247.88
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:32:28			185.45	43.89	132.35	33.32	0.03	185.44	43.90		132.36	248.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:32:30			185.45	43.89	132.35	33.32	0.03	185.44	43.90		132.36	248.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:32:32			185.75	43.59	132.05	33.32	0.03	185.73	43.60		132.06	248.94
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:32:34			185.78	43.55	132.01	33.32	0.03	185.77	43.56		132.02	248.98
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:32:36			185.78	43.55	132.01	33.32	0.03	185.77	43.56		132.02	248.98
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:32:38			185.83	43.50	131.96	33.32	0.03	185.82	43.51		131.97	249.03
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:32:40			185.56	43.78	132.24	33.32	0.03	185.55	43.79		132.25	248.75
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:32:42			185.77	43.57	132.03	33.32	0.03	185.76	43.58		132.04	248.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:32:44			185.78	43.55	132.01	33.32	0.03	185.77	43.56		132.02	248.98
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:32:46			185.75	43.58	132.04	33.32	0.03	185.74	43.59		132.05	248.95
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:32:48			185.95	43.39	131.85	33.32	0.03	185.94	43.40		131.86	249.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:32:50			185.81	43.52	131.98	33.32	0.03	185.80	43.53		131.99	249.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:32:52			185.84	43.50	131.96	33.32	0.03	185.82	43.51		131.97	249.03
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:32:54			185.88	43.46	131.92	33.32	0.03	185.86	43.47		131.93	249.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:32:56			185.95	43.39	131.85	33.32	0.03	185.93	43.40		131.86	249.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:32:58			186.08	43.26	131.72	33.32	0.03	186.07	43.27		131.73	249.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:33:00			186.11	43.23	131.69	33.32	0.03	186.10	43.24		131.70	249.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:33:02			185.86	43.48	131.94	33.32	0.03	185.85	43.49		131.95	249.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:33:04			185.86	43.48	131.94	33.32	0.03	185.85	43.49		131.95	249.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:33:06			185.88	43.46	131.92	33.32	0.03	185.86	43.47		131.93	249.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:33:08			185.77	43.57	132.03	33.32	0.03	185.75	43.58		132.04	248.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:33:10			185.84	43.49	131.95	33.32	0.03	185.83	43.50		131.96	249.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:33:12			186.04	43.30	131.76	33.32	0.03	186.03	43.31		131.77	249.23
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:33:14			185.99	43.34	131.80	33.32	0.03	185.98	43.35		131.81	249.19
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:33:16			185.81	43.52	131.98	33.32	0.03	185.80	43.53		131.99	249.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:33:18			185.69	43.65	132.11	33.32	0.03	185.68	43.66		132.12	248.88
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:33:20			186.04	43.30	131.76	33.32	0.03	186.02	43.31		131.77	249.23
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:33:22			185.83	43.51	131.97	33.32	0.03	185.82	43.52		131.98	249.02
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:33:24			185.87	43.46	131.92	33.32	0.03	185.86	43.47		131.93	249.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:33:26			186.06	43.28	131.74	33.32	0.03	186.05	43.29		131.75	249.25
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:33:28			186.02	43.31	131.77	33.32	0.03	186.01	43.32		131.78	249.22
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:33:30			185.96	43.38	131.84	33.32	0.03	185.95	43.39		131.85	249.15
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:33:32			185.92	43.42	131.88	33.32	0.03	185.91	43.43		131.89	249.11
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:33:34			185.77	43.56	132.02	33.32	0.03	185.76	43.57		132.03	248.97
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:33:36			185.69	43.64	132.10	33.32	0.03	185.68	43.65		132.11	248.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:33:38			185.86	43.48	131.94	33.32	0.03	185.84	43.49		131.95	249.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:33:40			185.97	43.36	131.82	33.32	0.03	185.96	43.37		131.83	249.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:33:42			185.98	43.35	131.81	33.32	0.03	185.97	43.36		131.82	249.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:33:44			186.05	43.29	131.75	33.32	0.03	186.03	43.30		131.76	249.24
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:33:46			185.87	43.46	131.92	33.32	0.03	185.86	43.47		131.93	249.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:33:48			185.93	43.40	131.86	33.32	0.03	185.92	43.41		131.87	249.13
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:33:50			186.10	43.24	131.70	33.32	0.03	186.08	43.25		131.71	249.29
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:33:52			186.00	43.33	131.79	33.32	0.03	185.99	43.34		131.80	249.20
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:33:54			185.94	43.39	131.85	33.32	0.03	185.93	43.40		131.86	249.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:33:56			186.15	43.18	131.64	33.32	0.03	186.14	43.19		131.65	249.35

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:33:58			186.11	43.23	131.69	33.32	0.03	186.09	43.24		131.70	249.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:34:00			185.94	43.39	131.85	33.32	0.03	185.93	43.40		131.86	249.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:34:02			186.11	43.23	131.69	33.32	0.03	186.09	43.24		131.70	249.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:34:04			185.98	43.36	131.82	33.32	0.03	185.97	43.37		131.83	249.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:34:06			186.18	43.16	131.62	33.32	0.03	186.16	43.17		131.63	249.37
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:34:08			186.02	43.32	131.78	33.32	0.03	186.01	43.33		131.79	249.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:34:10			186.05	43.29	131.75	33.32	0.03	186.04	43.30		131.76	249.24
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:34:12			185.95	43.38	131.84	33.32	0.03	185.94	43.39		131.85	249.15
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:34:14			185.89	43.44	131.90	33.32	0.03	185.88	43.45		131.91	249.09
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:34:16			185.96	43.38	131.84	33.32	0.03	185.94	43.39		131.85	249.15
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:34:18			185.96	43.38	131.84	33.32	0.03	185.94	43.39		131.85	249.15
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:34:20			185.99	43.34	131.80	33.32	0.03	185.98	43.35		131.81	249.19
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:34:22			186.20	43.14	131.60	33.32	0.03	186.19	43.15		131.61	249.39
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:34:24			185.90	43.44	131.90	33.32	0.03	185.89	43.45		131.91	249.09
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:34:26			186.07	43.26	131.72	33.32	0.03	186.06	43.27		131.73	249.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:34:28			185.76	43.58	132.04	33.32	0.03	185.75	43.59		132.05	248.95
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:34:30			186.10	43.23	131.69	33.32	0.03	186.09	43.24		131.70	249.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:34:32			186.10	43.23	131.69	33.32	0.03	186.09	43.24		131.70	249.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:34:34			186.00	43.33	131.79	33.32	0.03	185.99	43.34		131.80	249.20
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:34:36			185.95	43.39	131.85	33.32	0.03	185.93	43.40		131.86	249.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:34:38			185.99	43.35	131.81	33.32	0.03	185.97	43.36		131.82	249.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:34:40			185.94	43.40	131.86	33.32	0.03	185.93	43.41		131.87	249.13
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:34:42			185.98	43.36	131.82	33.32	0.03	185.96	43.37		131.83	249.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:34:44			186.14	43.19	131.65	33.32	0.03	186.13	43.20		131.66	249.34
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:34:46			185.89	43.44	131.90	33.32	0.03	185.88	43.45		131.91	249.09
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:34:48			185.91	43.43	131.89	33.32	0.03	185.89	43.44		131.90	249.10
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:34:50			186.08	43.26	131.72	33.32	0.03	186.07	43.27		131.73	249.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:34:52			186.15	43.19	131.65	33.32	0.03	186.13	43.20		131.66	249.34
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:34:54			185.99	43.34	131.80	33.32	0.03	185.98	43.35		131.81	249.19
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:34:56			186.08	43.26	131.72	33.32	0.03	186.06	43.27		131.73	249.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:34:58			186.15	43.19	131.65	33.32	0.03	186.13	43.20		131.66	249.34
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:35:00			185.87	43.47	131.93	33.32	0.02	185.85	43.48		131.94	249.06
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:35:02			186.05	43.28	131.74	33.32	0.02	186.04	43.29		131.75	249.25
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:35:04			186.13	43.20	131.66	33.32	0.02	186.12	43.21		131.67	249.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:35:06			185.92	43.41	131.87	33.32	0.02	185.91	43.42		131.88	249.12
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:35:08			185.82	43.52	131.98	33.32	0.02	185.81	43.53		131.99	249.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:35:10			185.96	43.38	131.84	33.32	0.02	185.95	43.39		131.85	249.15
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:35:12			185.81	43.53	131.99	33.32	0.02	185.80	43.54		132.00	249.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:35:14			186.02	43.31	131.77	33.32	0.02	186.01	43.32		131.78	249.22
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:35:16			186.04	43.30	131.76	33.32	0.02	186.02	43.31		131.77	249.23
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:35:18			185.99	43.35	131.81	33.32	0.02	185.98	43.36		131.82	249.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:35:20			185.91	43.43	131.89	33.32	0.02	185.90	43.44		131.90	249.10
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:35:22			186.10	43.24	131.70	33.32	0.02	186.08	43.25		131.71	249.29
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:35:24			185.97	43.36	131.82	33.32	0.02	185.96	43.37		131.83	249.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:35:26			185.90	43.43	131.89	33.32	0.02	185.89	43.44		131.90	249.10
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:35:28			185.99	43.35	131.81	33.32	0.02	185.98	43.36		131.82	249.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:35:30			185.92	43.42	131.88	33.32	0.02	185.91	43.43		131.89	249.11
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:35:32			185.87	43.46	131.92	33.32	0.02	185.86	43.47		131.93	249.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:35:34			185.97	43.36	131.82	33.32	0.02	185.96	43.37		131.83	249.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:35:36			185.86	43.48	131.94	33.32	0.02	185.84	43.49		131.95	249.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:35:38			186.04	43.30	131.76	33.32	0.02	186.02	43.31		131.77	249.23
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:35:40			185.90	43.43	131.89	33.32	0.02	185.89	43.44		131.90	249.10
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:35:42			185.98	43.36	131.82	33.32	0.02	185.97	43.37		131.83	249.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:35:44			186.04	43.29	131.75	33.32	0.02	186.03	43.30		131.76	249.24
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:35:46			185.91	43.43	131.89	33.32	0.02	185.90	43.44		131.90	249.10
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:35:48			186.01	43.33	131.79	33.32	0.02	186.00	43.34		131.80	249.20
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:35:50			185.89	43.45	131.91	33.32	0.02	185.87	43.46		131.92	249.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:35:52			186.08	43.26	131.72	33.32	0.02	186.07	43.27		131.73	249.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:35:54			185.89	43.44	131.90	33.32	0.02	185.88	43.45		131.91	249.09
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:35:56			185.79	43.54	132.00	33.32	0.02	185.78	43.55		132.01	248.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:35:58			185.97	43.37	131.83	33.32	0.02	185.96	43.38		131.84	249.16
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:36:00			185.86	43.47	131.93	33.32	0.02	185.85	43.48		131.94	249.06
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:36:02			185.83	43.51	131.97	33.32	0.02	185.82	43.52		131.98	249.02
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:36:04			185.81	43.52	131.98	33.32	0.02	185.80	43.53		131.99	249.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:36:06			186.02	43.32	131.78	33.32	0.02	186.00	43.33		131.79	249.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:36:08			185.89	43.45	131.91	33.32	0.02	185.87	43.46		131.92	249.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:36:10			185.88	43.46	131.92	33.32	0.02	185.86	43.47		131.93	249.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:36:12			185.98	43.36	131.82	33.32	0.02	185.97	43.37		131.83	249.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:36:14			186.04	43.29	131.75	33.32	0.02	186.03	43.30		131.76	249.24
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:36:16			186.11	43.22	131.68	33.32	0.02	186.10	43.23		131.69	249.31
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:36:18			185.92	43.41	131.87	33.32	0.02	185.91	43.42		131.88	249.12
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:36:20			186.03	43.31	131.77	33.32	0.02	186.02	43.32		131.78	249.22
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:36:22			186.08	43.26	131.72	33.32	0.02	186.06	43.27		131.73	249.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:36:24			185.81	43.52	131.98	33.32	0.02	185.80	43.53		131.99	249.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:36:26			185.89	43.45	131.91	33.32	0.02	185.88	43.46		131.92	249.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:36:28			186.09	43.25	131.71	33.32	0.02	186.07	43.26		131.72	249.28
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:36:30			185.84	43.49	131.95	33.32	0.02	185.83	43.50		131.96	249.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:36:32			186.09	43.24	131.70	33.32	0.02	186.08	43.25		131.71	249.29
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:36:34			185.44	43.90	132.36	33.32	0.02	185.43	43.91		132.37	248.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:36:36			184.69	44.65	133.11	33.32	0.02	184.68	44.66		133.12	247.88
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:36:38			184.92	44.41	132.87	33.32	0.02	184.91	44.42		132.88	248.12
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:36:40			184.11	45.23	133.69	33.32	0.02	184.09	45.24		133.70	247.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:36:42			183.49	45.85	134.31	33.32	0.02	183.48	45.86		134.32	246.68
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:36:44			183.33	46.00	134.46	33.32	0.02	183.32	46.01		134.47	246.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:36:46			182.96	46.38	134.84	33.32	0.02	182.95	46.39		134.85	246.15
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:36:48			182.72	46.62	135.08	33.32	0.02	182.70	46.63		135.09	245.91
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:36:50			182.60	46.74	135.20	33.32	0.02	182.59	46.75		135.21	245.79
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:36:52			182.65	46.69	135.15	33.32	0.02	182.63	46.70		135.16	245.84
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:36:54			182.62	46.72	135.18	33.32	0.02	182.61	46.73		135.19	245.81
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:36:56			182.47	46.87	135.33	33.32	0.02	182.46	46.88		135.34	245.66
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:36:58			182.61	46.73	135.19	33.32	0.02	182.60	46.74		135.20	245.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:37:00			182.40	46.94	135.40	33.32	0.02	182.39	46.95		135.41	245.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:37:02			182.62	46.71	135.17	33.32	0.02	182.61	46.72		135.18	245.82
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:37:04			182.70	46.63	135.09	33.32	0.02	182.69	46.64		135.10	245.90
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:37:06			182.32	47.02	135.48	33.32	0.02	182.31	47.03		135.49	245.51
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:37:08			182.36	46.98	135.44	33.32	0.02	182.35	46.99		135.45	245.55
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:37:10			181.89	47.44	135.90	33.32	0.02	181.88	47.45		135.91	245.09

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:37:12			181.27	48.07	136.53	33.32	0.02	181.26	48.08		136.54	244.46
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:37:14			181.09	48.25	136.71	33.32	0.02	181.08	48.26		136.72	244.28
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:37:16			180.85	48.48	136.94	33.32	0.02	180.84	48.49		136.95	244.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:37:18			180.07	49.27	137.73	33.32	0.02	180.05	49.28		137.74	243.26
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:37:20			180.45	48.89	137.35	33.32	0.02	180.44	48.90		137.36	243.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:37:22			180.01	49.32	137.78	33.32	0.02	180.00	49.33		137.79	243.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:37:24			179.90	49.43	137.89	33.32	0.02	179.89	49.44		137.90	243.10
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:37:26			180.17	49.17	137.63	33.32	0.02	180.16	49.18		137.64	243.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:37:28			180.38	48.96	137.42	33.32	0.02	180.37	48.97		137.43	243.57
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:37:30			180.74	48.60	137.06	33.32	0.02	180.72	48.61		137.07	243.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:37:32			180.78	48.56	137.02	33.32	0.02	180.76	48.57		137.03	243.97
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:37:34			180.72	48.61	137.07	33.32	0.02	180.71	48.62		137.08	243.92
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:37:36			180.75	48.59	137.05	33.32	0.02	180.73	48.60		137.06	243.94
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:37:38			180.75	48.58	137.04	33.32	0.02	180.74	48.59		137.05	243.95
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:37:40			180.71	48.62	137.08	33.32	0.02	180.70	48.63		137.09	243.91
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:37:42			180.78	48.56	137.02	33.32	0.02	180.76	48.57		137.03	243.97
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:37:44			180.68	48.65	137.11	33.32	0.02	180.67	48.66		137.12	243.88
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:37:46			180.73	48.61	137.07	33.32	0.02	180.72	48.62		137.08	243.92
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:37:48			180.64	48.69	137.15	33.32	0.02	180.63	48.70		137.16	243.84
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:37:50			180.68	48.66	137.12	33.32	0.02	180.66	48.67		137.13	243.87
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:37:52			180.76	48.57	137.03	33.32	0.02	180.75	48.58		137.04	243.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:37:54			180.79	48.54	137.00	33.32	0.02	180.78	48.55		137.01	243.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:37:56			180.67	48.67	137.13	33.32	0.02	180.65	48.68		137.14	243.86
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:37:58			180.61	48.73	137.19	33.32	0.02	180.59	48.74		137.20	243.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:38:00			180.73	48.61	137.07	33.32	0.02	180.72	48.62		137.08	243.92
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:38:02			180.57	48.77	137.23	33.32	0.02	180.55	48.78		137.24	243.76
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:38:04			180.62	48.71	137.17	33.32	0.02	180.61	48.72		137.18	243.82
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:38:06			180.61	48.73	137.19	33.32	0.02	180.59	48.74		137.20	243.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:38:08			180.64	48.69	137.15	33.32	0.02	180.63	48.70		137.16	243.84
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:38:10			180.50	48.83	137.29	33.32	0.02	180.49	48.84		137.30	243.70
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:38:12			180.59	48.75	137.21	33.32	0.02	180.57	48.76		137.22	243.78
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:38:14			180.82	48.52	136.98	33.32	0.02	180.80	48.53		136.99	244.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:38:16			180.53	48.81	137.27	33.32	0.02	180.51	48.82		137.28	243.72
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:38:18			180.57	48.77	137.23	33.32	0.02	180.55	48.78		137.24	243.76
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:38:20			180.56	48.78	137.24	33.32	0.02	180.54	48.79		137.25	243.75
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:38:22			180.98	48.36	136.82	33.32	0.02	180.97	48.37		136.83	244.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:38:24			180.46	48.87	137.33	33.32	0.02	180.45	48.88		137.34	243.66
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:38:26			180.57	48.76	137.22	33.32	0.02	180.56	48.77		137.23	243.77
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:38:28			180.32	49.01	137.47	33.32	0.02	180.31	49.02		137.48	243.52
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:38:30			180.60	48.73	137.19	33.32	0.02	180.59	48.74		137.20	243.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:38:32			180.54	48.80	137.26	33.32	0.02	180.53	48.81		137.27	243.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:38:34			180.59	48.75	137.21	33.32	0.02	180.57	48.76		137.22	243.78
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:38:36			180.60	48.73	137.19	33.32	0.02	180.59	48.74		137.20	243.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:38:38			180.49	48.84	137.30	33.32	0.02	180.48	48.85		137.31	243.69
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:38:40			180.68	48.65	137.11	33.32	0.02	180.67	48.66		137.12	243.88
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:38:42			180.52	48.82	137.28	33.32	0.02	180.50	48.83		137.29	243.71
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:38:44			180.45	48.89	137.35	33.32	0.02	180.43	48.90		137.36	243.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:38:46			180.63	48.71	137.17	33.32	0.02	180.61	48.72		137.18	243.82
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:38:48			180.53	48.81	137.27	33.32	0.02	180.51	48.82		137.28	243.72
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:38:50			180.58	48.76	137.22	33.32	0.02	180.57	48.77		137.23	243.77
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:38:52			180.69	48.65	137.11	33.32	0.02	180.68	48.66		137.12	243.88
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:38:54			180.59	48.75	137.21	33.32	0.02	180.57	48.76		137.22	243.78
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:38:56			180.40	48.94	137.40	33.32	0.02	180.39	48.95		137.41	243.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:38:58			180.49	48.84	137.30	33.32	0.02	180.48	48.85		137.31	243.69
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:39:00			180.55	48.79	137.25	33.32	0.02	180.53	48.80		137.26	243.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:39:02			180.45	48.88	137.34	33.32	0.02	180.44	48.89		137.35	243.65
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:39:04			180.46	48.88	137.34	33.32	0.02	180.45	48.89		137.35	243.65
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:39:06			180.34	48.99	137.45	33.32	0.02	180.33	49.00		137.46	243.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:39:08			180.51	48.83	137.29	33.32	0.02	180.49	48.84		137.30	243.70
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:39:10			180.41	48.93	137.39	33.32	0.02	180.39	48.94		137.40	243.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:39:12			180.33	49.01	137.47	33.32	0.02	180.31	49.02		137.48	243.52
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:39:14			180.41	48.92	137.38	33.32	0.02	180.40	48.93		137.39	243.61
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:39:16			180.31	49.02	137.48	33.32	0.02	180.30	49.03		137.49	243.51
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:39:18			180.25	49.09	137.55	33.32	0.02	180.24	49.10		137.56	243.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:39:20			180.27	49.07	137.53	33.32	0.02	180.25	49.08		137.54	243.46
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:39:22			180.31	49.02	137.48	33.32	0.02	180.30	49.03		137.49	243.51
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:39:24			180.41	48.92	137.38	33.32	0.02	180.40	48.93		137.39	243.61
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:39:26			180.23	49.10	137.56	33.32	0.02	180.22	49.11		137.57	243.43
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:39:28			180.32	49.02	137.48	33.32	0.02	180.31	49.03		137.49	243.51
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:39:30			180.28	49.05	137.51	33.32	0.02	180.27	49.06		137.52	243.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:39:32			180.56	48.77	137.23	33.32	0.02	180.55	48.78		137.24	243.76
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:39:34			180.39	48.95	137.41	33.32	0.02	180.37	48.96		137.42	243.58
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:39:36			180.36	48.98	137.44	33.32	0.02	180.34	48.99		137.45	243.55
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:39:38			180.25	49.09	137.55	33.32	0.02	180.23	49.10		137.56	243.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:39:40			180.54	48.79	137.25	33.32	0.02	180.53	48.80		137.26	243.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:39:42			180.43	48.90	137.36	33.32	0.02	180.42	48.91		137.37	243.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:39:44			180.26	49.08	137.54	33.32	0.02	180.24	49.09		137.55	243.45
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:39:46			180.54	48.79	137.25	33.32	0.02	180.53	48.80		137.26	243.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:39:48			180.40	48.93	137.39	33.32	0.02	180.39	48.94		137.40	243.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:39:50			180.30	49.03	137.49	33.32	0.02	180.29	49.04		137.50	243.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:39:52			180.15	49.18	137.64	33.32	0.02	180.14	49.19		137.65	243.35
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:39:54			180.19	49.15	137.61	33.32	0.02	180.17	49.16		137.62	243.38
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:39:56			180.14	49.20	137.66	33.32	0.02	180.13	49.21		137.67	243.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:39:58			180.44	48.89	137.35	33.32	0.02	180.43	48.90		137.36	243.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:40:00			180.16	49.17	137.63	33.32	0.02	180.15	49.18		137.64	243.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:40:02			180.26	49.08	137.54	33.32	0.02	180.24	49.09		137.55	243.45
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:40:04			180.27	49.06	137.52	33.32	0.02	180.26	49.07		137.53	243.47
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:40:06			180.24	49.10	137.56	33.32	0.02	180.23	49.11		137.57	243.43
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:40:08			180.40	48.93	137.39	33.32	0.02	180.39	48.94		137.40	243.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:40:10			180.02	49.31	137.77	33.32	0.02	180.01	49.32		137.78	243.22
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:40:12			180.34	49.00	137.46	33.32	0.02	180.33	49.01		137.47	243.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:40:14			180.33	49.00	137.46	33.32	0.02	180.32	49.01		137.47	243.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:40:16			180.25	49.09	137.55	33.32	0.02	180.24	49.10		137.56	243.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:40:18			180.35	48.99	137.45	33.32	0.02	180.33	49.00		137.46	243.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:40:20			180.40	48.93	137.39	33.32	0.02	180.39	48.94		137.40	243.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:40:22			180.28	49.05	137.51	33.32	0.02	180.27	49.06		137.52	243.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:40:24			180.21	49.12	137.58	33.32	0.02	180.20	49.13		137.59	243.41

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:40:26			180.24	49.10	137.56	33.32	0.02	180.23	49.11		137.57	243.43
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:40:28			180.48	48.86	137.32	33.32	0.02	180.47	48.87		137.33	243.67
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:40:30			180.28	49.05	137.51	33.32	0.02	180.27	49.06		137.52	243.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:40:32			180.25	49.09	137.55	33.32	0.02	180.23	49.10		137.56	243.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:40:34			180.16	49.18	137.64	33.32	0.02	180.15	49.19		137.65	243.35
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:40:36			180.17	49.17	137.63	33.32	0.02	180.16	49.18		137.64	243.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:40:38			180.27	49.07	137.53	33.32	0.02	180.26	49.08		137.54	243.46
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:40:40			180.21	49.12	137.58	33.32	0.02	180.20	49.13		137.59	243.41
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:40:42			180.17	49.17	137.63	33.32	0.02	180.16	49.18		137.64	243.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:40:44			180.31	49.03	137.49	33.32	0.02	180.30	49.04		137.50	243.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:40:46			180.16	49.18	137.64	33.32	0.02	180.15	49.19		137.65	243.35
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:40:48			180.26	49.08	137.54	33.32	0.02	180.25	49.08		137.54	243.46
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:40:50			180.21	49.13	137.59	33.32	0.02	180.19	49.14		137.60	243.40
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:40:52			180.22	49.11	137.57	33.32	0.02	180.21	49.12		137.58	243.42
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:40:54			180.36	48.97	137.43	33.32	0.02	180.35	48.98		137.44	243.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:40:56			180.36	48.97	137.43	33.32	0.02	180.35	48.98		137.44	243.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:40:58			180.09	49.25	137.71	33.32	0.02	180.08	49.26		137.72	243.28
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:41:00			179.99	49.34	137.80	33.32	0.02	179.98	49.35		137.81	243.19
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:41:02			180.22	49.12	137.58	33.32	0.02	180.21	49.13		137.59	243.41
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:41:04			180.42	48.91	137.37	33.32	0.02	180.41	48.92		137.38	243.62
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:41:06			180.13	49.21	137.67	33.32	0.02	180.11	49.22		137.68	243.32
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:41:08			180.10	49.23	137.69	33.32	0.02	180.09	49.24		137.70	243.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:41:10			180.12	49.22	137.68	33.32	0.02	180.11	49.23		137.69	243.31
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:41:12			180.14	49.19	137.65	33.32	0.02	180.13	49.20		137.66	243.34
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:41:14			180.20	49.14	137.60	33.32	0.02	180.18	49.15		137.61	243.39
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:41:16			179.99	49.34	137.80	33.32	0.02	179.98	49.35		137.81	243.19
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:41:18			180.23	49.11	137.57	33.32	0.02	180.22	49.12		137.58	243.42
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:41:20			180.13	49.20	137.66	33.32	0.02	180.12	49.21		137.67	243.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:41:22			179.88	49.46	137.92	33.32	0.02	179.86	49.47		137.93	243.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:41:24			179.52	49.82	138.28	33.32	0.02	179.51	49.83		138.29	242.71
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:41:26			179.38	49.96	138.42	33.32	0.02	179.37	49.97		138.43	242.57
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:41:28			178.40	50.93	139.39	33.32	0.02	178.39	50.94		139.40	241.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:41:30			178.34	50.99	139.45	33.32	0.02	178.33	51.00		139.46	241.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:41:32			177.82	51.52	139.98	33.32	0.02	177.81	51.53		139.99	241.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:41:34			177.29	52.05	140.51	33.32	0.02	177.28	52.06		140.52	240.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:41:36			176.92	52.41	140.87	33.32	0.02	176.91	52.42		140.88	240.12
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:41:38			176.61	52.73	141.19	33.32	0.02	176.60	52.73		141.19	239.81
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:41:40			176.23	53.11	141.57	33.32	0.02	176.22	53.12		141.58	239.42
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:41:42			176.59	52.75	141.21	33.32	0.02	176.58	52.76		141.22	239.78
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:41:44			176.35	52.99	141.45	33.32	0.02	176.33	53.00		141.46	239.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:41:46			176.03	53.31	141.77	33.32	0.02	176.01	53.32		141.78	239.22
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:41:48			176.48	52.86	141.32	33.32	0.02	176.47	52.87		141.33	239.67
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:41:50			176.42	52.91	141.37	33.32	0.02	176.41	52.92		141.38	239.62
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:41:52			176.58	52.76	141.22	33.32	0.02	176.57	52.77		141.23	239.77
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:41:54			176.55	52.79	141.25	33.32	0.02	176.54	52.80		141.26	239.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:41:56			176.59	52.75	141.21	33.32	0.02	176.58	52.76		141.22	239.78
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:41:58			176.43	52.90	141.36	33.32	0.02	176.42	52.91		141.37	239.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:42:00			176.66	52.68	141.14	33.32	0.02	176.65	52.69		141.15	239.85
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:42:02			176.18	53.15	141.61	33.32	0.02	176.17	53.16		141.62	239.38
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:42:04			176.26	53.08	141.54	33.32	0.02	176.25	53.09		141.55	239.45
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:42:06			176.41	52.93	141.39	33.32	0.02	176.40	52.94		141.40	239.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:42:08			176.24	53.10	141.56	33.32	0.02	176.22	53.11		141.57	239.43
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:42:10			176.31	53.02	141.48	33.32	0.02	176.30	53.03		141.49	239.51
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:42:12			176.54	52.80	141.26	33.32	0.02	176.53	52.80		141.26	239.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:42:14			176.19	53.15	141.61	33.32	0.02	176.18	53.16		141.62	239.38
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:42:16			176.26	53.08	141.54	33.32	0.02	176.25	53.09		141.55	239.45
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:42:18			176.08	53.26	141.72	33.32	0.02	176.07	53.26		141.72	239.28
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:42:20			176.14	53.20	141.66	33.32	0.02	176.12	53.21		141.67	239.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:42:22			176.55	52.78	141.24	33.32	0.02	176.54	52.79		141.25	239.75
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:42:24			176.22	53.12	141.58	33.32	0.02	176.21	53.13		141.59	239.41
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:42:26			176.31	53.02	141.48	33.32	0.02	176.30	53.03		141.49	239.51
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:42:28			176.39	52.95	141.41	33.32	0.02	176.38	52.95		141.41	239.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:42:30			176.32	53.01	141.47	33.32	0.02	176.31	53.02		141.48	239.52
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:42:32			176.35	52.98	141.44	33.32	0.02	176.34	52.99		141.45	239.55
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:42:34			176.14	53.20	141.66	33.32	0.02	176.13	53.20		141.66	239.34
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:42:36			176.13	53.21	141.67	33.32	0.02	176.11	53.22		141.68	239.32
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:42:38			176.35	52.98	141.44	33.32	0.02	176.34	52.99		141.45	239.55
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:42:40			176.14	53.20	141.66	33.32	0.02	176.13	53.20		141.66	239.34
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:42:42			176.30	53.03	141.49	33.32	0.02	176.29	53.04		141.50	239.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:42:44			176.30	53.03	141.49	33.32	0.02	176.29	53.04		141.50	239.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:42:46			176.05	53.29	141.75	33.32	0.02	176.04	53.30		141.76	239.24
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:42:48			176.07	53.27	141.73	33.32	0.02	176.06	53.27		141.73	239.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:42:50			176.11	53.23	141.69	33.32	0.02	176.10	53.24		141.70	239.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:42:52			176.32	53.02	141.48	33.32	0.02	176.31	53.03		141.49	239.51
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:42:54			175.97	53.37	141.83	33.32	0.02	175.96	53.38		141.84	239.16
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:42:56			176.07	53.27	141.73	33.32	0.02	176.06	53.27		141.73	239.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:42:58			176.24	53.09	141.55	33.32	0.02	176.23	53.10		141.56	239.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:43:00			176.06	53.27	141.73	33.32	0.02	176.05	53.28		141.74	239.26
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:43:02			175.96	53.37	141.83	33.32	0.02	175.95	53.38		141.84	239.16
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:43:04			176.21	53.13	141.59	33.32	0.02	176.20	53.13		141.59	239.41
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:43:06			175.98	53.35	141.81	33.32	0.02	175.97	53.36		141.82	239.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:43:08			176.09	53.24	141.70	33.32	0.02	176.08	53.25		141.71	239.29
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:43:10			176.12	53.22	141.68	33.32	0.02	176.11	53.23		141.69	239.31
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:43:12			175.95	53.38	141.84	33.32	0.02	175.94	53.39		141.85	239.15
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:43:14			176.16	53.18	141.64	33.32	0.02	176.14	53.19		141.65	239.35
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:43:16			175.80	53.53	141.99	33.32	0.02	175.79	53.54		142.00	239.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:43:18			176.23	53.11	141.57	33.32	0.02	176.21	53.12		141.58	239.42
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:43:20			175.82	53.52	141.98	33.32	0.02	175.81	53.53		141.99	239.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:43:22			176.25	53.09	141.55	33.32	0.02	176.24	53.10		141.56	239.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:43:24			176.17	53.17	141.63	33.32	0.02	176.16	53.18		141.64	239.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:43:26			176.27	53.07	141.53	33.32	0.02	176.26	53.07		141.53	239.47
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:43:28			176.27	53.07	141.53	33.32	0.02	176.26	53.07		141.53	239.47
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:43:30			175.93	53.41	141.87	33.32	0.02	175.92	53.42		141.88	239.12
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:43:32			175.88	53.45	141.91	33.32	0.02	175.87	53.46		141.92	239.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:43:34			176.16	53.17	141.63	33.32	0.02	176.15	53.18		141.64	239.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:43:36			176.18	53.16	141.62	33.32	0.02	176.17	53.17		141.63	239.37
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:43:38			175.80	53.54	142.00	33.32	0.02	175.78	53.55		142.01	238.99

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:43:40			175.60	53.74	142.20	33.32	0.02	175.59	53.74		142.20	238.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:43:42			175.30	54.03	142.49	33.32	0.02	175.29	54.04		142.50	238.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:43:44			174.86	54.48	142.94	33.32	0.02	174.85	54.48		142.94	238.06
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:43:46			174.35	54.99	143.45	33.32	0.02	174.33	55.00		143.46	237.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:43:48			174.24	55.10	143.56	33.32	0.02	174.22	55.11		143.57	237.43
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:43:50			174.29	55.04	143.50	33.32	0.02	174.28	55.05		143.51	237.49
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:43:52			174.11	55.22	143.68	33.32	0.02	174.10	55.23		143.69	237.31
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:43:54			174.07	55.26	143.72	33.32	0.02	174.06	55.27		143.73	237.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:43:56			173.87	55.47	143.93	33.32	0.02	173.86	55.47		143.93	237.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:43:58			174.02	55.32	143.78	33.32	0.02	174.01	55.33		143.79	237.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:44:00			173.78	55.55	144.01	33.32	0.02	173.77	55.56		144.02	236.98
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:44:02			173.97	55.36	143.82	33.32	0.02	173.96	55.37		143.83	237.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:44:04			174.09	55.25	143.71	33.32	0.02	174.08	55.26		143.72	237.28
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:44:06			174.10	55.23	143.69	33.32	0.02	174.09	55.24		143.70	237.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:44:08			173.85	55.48	143.94	33.32	0.02	173.84	55.49		143.95	237.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:44:10			173.64	55.69	144.15	33.32	0.02	173.63	55.70		144.16	236.84
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:44:12			173.99	55.35	143.81	33.32	0.02	173.98	55.36		143.82	237.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:44:14			173.82	55.52	143.98	33.32	0.02	173.80	55.53		143.99	237.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:44:16			173.96	55.38	143.84	33.32	0.02	173.94	55.39		143.85	237.15
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:44:18			173.99	55.35	143.81	33.32	0.02	173.98	55.36		143.82	237.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:44:20			173.96	55.37	143.83	33.32	0.02	173.95	55.38		143.84	237.16
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:44:22			173.89	55.45	143.91	33.32	0.02	173.87	55.46		143.92	237.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:44:24			173.98	55.36	143.82	33.32	0.02	173.97	55.37		143.83	237.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:44:26			173.87	55.47	143.93	33.32	0.02	173.86	55.48		143.94	237.06
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:44:28			173.95	55.39	143.85	33.32	0.02	173.93	55.40		143.86	237.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:44:30			173.78	55.55	144.01	33.32	0.02	173.77	55.56		144.02	236.98
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:44:32			173.85	55.48	143.94	33.32	0.02	173.84	55.49		143.95	237.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:44:34			173.74	55.60	144.06	33.32	0.02	173.72	55.61		144.07	236.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:44:36			173.80	55.54	144.00	33.32	0.02	173.79	55.55		144.01	236.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:44:38			173.74	55.60	144.06	33.32	0.02	173.73	55.61		144.07	236.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:44:40			174.05	55.29	143.75	33.32	0.02	174.04	55.30		143.76	237.24
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:44:42			173.56	55.77	144.23	33.32	0.02	173.55	55.78		144.24	236.76
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:44:44			173.86	55.48	143.94	33.32	0.02	173.85	55.48		143.94	237.06
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:44:46			173.67	55.66	144.12	33.32	0.02	173.66	55.67		144.13	236.87
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:44:48			173.74	55.59	144.05	33.32	0.02	173.73	55.60		144.06	236.94
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:44:50			173.89	55.44	143.90	33.32	0.02	173.88	55.45		143.91	237.09
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:44:52			173.76	55.58	144.04	33.32	0.02	173.75	55.59		144.05	236.95
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:44:54			173.53	55.80	144.26	33.32	0.02	173.52	55.81		144.27	236.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:44:56			173.86	55.48	143.94	33.32	0.02	173.85	55.48		143.94	237.06
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:44:58			173.58	55.76	144.22	33.32	0.02	173.57	55.77		144.23	236.77
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:45:00			173.71	55.62	144.08	33.32	0.02	173.70	55.63		144.09	236.91
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:45:02			174.04	55.30	143.76	33.32	0.02	174.03	55.30		143.76	237.24
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:45:04			173.62	55.72	144.18	33.32	0.02	173.61	55.73		144.19	236.81
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:45:06			173.64	55.69	144.15	33.32	0.02	173.63	55.70		144.16	236.84
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:45:08			173.63	55.71	144.17	33.32	0.02	173.62	55.72		144.18	236.82
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:45:10			173.45	55.89	144.35	33.32	0.02	173.44	55.90		144.36	236.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:45:12			173.74	55.59	144.05	33.32	0.02	173.73	55.60		144.06	236.94
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:45:14			173.69	55.65	144.11	33.32	0.02	173.68	55.66		144.12	236.88
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:45:16			173.81	55.52	143.98	33.32	0.02	173.80	55.53		143.99	237.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:45:18			173.71	55.62	144.08	33.32	0.02	173.70	55.63		144.09	236.91
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:45:20			173.63	55.71	144.17	33.32	0.02	173.62	55.72		144.18	236.82
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:45:22			173.60	55.73	144.19	33.32	0.02	173.59	55.74		144.20	236.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:45:24			173.62	55.72	144.18	33.32	0.02	173.61	55.73		144.19	236.81
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:45:26			173.74	55.59	144.05	33.32	0.02	173.73	55.60		144.06	236.94
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:45:28			173.69	55.65	144.11	33.32	0.02	173.68	55.66		144.12	236.88
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:45:30			173.68	55.66	144.12	33.32	0.02	173.67	55.66		144.12	236.88
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:45:32			173.69	55.65	144.11	33.32	0.02	173.68	55.66		144.12	236.88
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:45:34			173.79	55.55	144.01	33.32	0.02	173.78	55.55		144.01	236.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:45:36			173.56	55.77	144.23	33.32	0.02	173.55	55.78		144.24	236.76
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:45:38			173.56	55.77	144.23	33.32	0.02	173.55	55.78		144.24	236.76
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:45:40			173.45	55.88	144.34	33.32	0.02	173.44	55.89		144.35	236.65
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:45:42			173.47	55.87	144.33	33.32	0.02	173.46	55.87		144.33	236.67
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:45:44			173.81	55.53	143.99	33.32	0.02	173.79	55.54		144.00	237.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:45:46			173.66	55.68	144.14	33.32	0.02	173.65	55.69		144.15	236.85
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:45:48			173.80	55.54	144.00	33.32	0.02	173.79	55.55		144.01	236.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:45:50			173.90	55.44	143.90	33.32	0.02	173.89	55.44		143.90	237.10
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:45:52			173.35	55.99	144.45	33.32	0.02	173.33	56.00		144.46	236.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:45:54			173.53	55.80	144.26	33.32	0.02	173.52	55.81		144.27	236.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:45:56			173.59	55.75	144.21	33.32	0.02	173.57	55.76		144.22	236.78
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:45:58			173.52	55.81	144.27	33.32	0.02	173.51	55.82		144.28	236.72
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:46:00			173.52	55.81	144.27	33.32	0.02	173.51	55.82		144.28	236.72
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:46:02			173.64	55.70	144.16	33.32	0.02	173.63	55.70		144.16	236.84
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:46:04			173.41	55.93	144.39	33.32	0.02	173.39	55.94		144.40	236.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:46:06			173.50	55.84	144.30	33.32	0.02	173.49	55.84		144.30	236.70
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:46:08			173.33	56.01	144.47	33.32	0.02	173.32	56.02		144.48	236.52
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:46:10			173.55	55.79	144.25	33.32	0.02	173.54	55.80		144.26	236.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:46:12			173.62	55.71	144.17	33.32	0.02	173.61	55.72		144.18	236.82
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:46:14			173.44	55.90	144.36	33.32	0.02	173.43	55.91		144.37	236.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:46:16			173.65	55.69	144.15	33.32	0.02	173.64	55.70		144.16	236.84
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:46:18			173.60	55.74	144.20	33.32	0.02	173.59	55.74		144.20	236.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:46:20			173.73	55.61	144.07	33.32	0.02	173.71	55.62		144.08	236.92
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:46:22			173.55	55.78	144.24	33.32	0.02	173.54	55.79		144.25	236.75
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:46:24			173.52	55.81	144.27	33.32	0.02	173.51	55.82		144.28	236.72
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:46:26			173.59	55.74	144.20	33.32	0.02	173.58	55.75		144.21	236.79
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:46:28			173.39	55.95	144.41	33.32	0.02	173.38	55.95		144.41	236.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:46:30			173.60	55.74	144.20	33.32	0.02	173.59	55.75		144.21	236.79
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:46:32			173.54	55.80	144.26	33.32	0.02	173.52	55.81		144.27	236.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:46:34			173.57	55.77	144.23	33.32	0.02	173.56	55.78		144.24	236.76
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:46:36			173.39	55.95	144.41	33.32	0.02	173.38	55.96		144.42	236.58
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:46:38			173.43	55.91	144.37	33.32	0.02	173.42	55.92		144.38	236.62
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:46:40			173.86	55.48	143.94	33.32	0.02	173.84	55.49		143.95	237.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:46:42			173.89	55.44	143.90	33.32	0.02	173.88	55.45		143.91	237.09
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:46:44			173.47	55.86	144.32	33.32	0.02	173.46	55.87		144.33	236.67
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:46:46			173.58	55.75	144.21	33.32	0.02	173.57	55.76		144.22	236.78
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:46:48			173.72	55.61	144.07	33.32	0.02	173.71	55.62		144.08	236.92
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:46:50			173.54	55.80	144.26	33.32	0.02	173.52	55.81		144.27	236.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:46:52			173.50	55.83	144.29	33.32	0.02	173.49	55.84		144.30	236.70

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:46:54			173.57	55.76	144.22	33.32	0.02	173.56	55.77		144.23	236.77
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:46:56			173.57	55.76	144.22	33.32	0.02	173.56	55.77		144.23	236.77
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:46:58			173.43	55.90	144.36	33.32	0.02	173.42	55.91		144.37	236.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:47:00			173.42	55.92	144.38	33.32	0.02	173.41	55.92		144.38	236.62
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:47:02			173.13	56.21	144.67	33.32	0.02	173.12	56.22		144.68	236.32
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:47:04			173.46	55.88	144.34	33.32	0.02	173.44	55.89		144.35	236.65
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:47:06			173.42	55.91	144.37	33.32	0.02	173.41	55.92		144.38	236.62
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:47:08			173.37	55.97	144.43	33.32	0.02	173.36	55.97		144.43	236.57
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:47:10			173.19	56.15	144.61	33.32	0.02	173.18	56.15		144.61	236.39
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:47:12			173.56	55.77	144.23	33.32	0.02	173.55	55.78		144.24	236.76
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:47:14			173.51	55.83	144.29	33.32	0.02	173.50	55.83		144.29	236.71
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:47:16			173.46	55.87	144.33	33.32	0.02	173.45	55.88		144.34	236.66
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:47:18			173.41	55.93	144.39	33.32	0.02	173.40	55.94		144.40	236.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:47:20			172.78	56.56	145.02	33.32	0.02	172.77	56.57		145.03	235.97
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:47:22			172.68	56.66	145.12	33.32	0.02	172.67	56.67		145.13	235.87
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:47:24			172.30	57.03	145.49	33.32	0.02	172.29	57.04		145.50	235.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:47:26			171.60	57.74	146.20	33.32	0.02	171.59	57.74		146.20	234.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:47:28			171.35	57.98	146.44	33.32	0.02	171.34	57.99		146.45	234.55
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:47:30			170.12	59.22	147.68	33.32	0.02	170.11	59.22		147.68	233.32
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:47:32			169.94	59.40	147.86	33.32	0.02	169.93	59.40		147.86	233.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:47:34			169.26	60.07	148.53	33.32	0.02	169.25	60.08		148.54	232.46
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:47:36			168.30	61.04	149.50	33.32	0.02	168.28	61.05		149.51	231.49
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:47:38			167.96	61.38	149.84	33.32	0.02	167.95	61.38		149.84	231.16
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:47:40			167.35	61.98	150.44	33.32	0.02	167.34	61.99		150.45	230.55
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:47:42			166.80	62.54	151.00	33.32	0.02	166.79	62.54		151.00	230.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:47:44			165.86	63.48	151.94	33.32	0.02	165.85	63.49		151.95	229.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:47:46			165.57	63.77	152.23	33.32	0.02	165.56	63.78		152.24	228.76
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:47:48			165.14	64.20	152.66	33.32	0.02	165.13	64.20		152.66	228.34
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:47:50			164.86	64.48	152.94	33.32	0.02	164.85	64.49		152.95	228.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:47:52			164.49	64.84	153.30	33.32	0.02	164.48	64.85		153.31	227.69
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:47:54			163.81	65.53	153.99	33.32	0.02	163.80	65.54		154.00	227.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:47:56			163.26	66.08	154.54	33.32	0.02	163.25	66.08		154.54	226.46
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:47:58			163.35	65.98	154.44	33.32	0.02	163.34	65.99		154.45	226.55
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:48:00			162.54	66.80	155.26	33.32	0.02	162.53	66.81		155.27	225.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:48:02			162.69	66.64	155.10	33.32	0.02	162.68	66.65		155.11	225.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:48:04			162.23	67.10	155.56	33.32	0.02	162.22	67.11		155.57	225.43
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:48:06			162.30	67.03	155.49	33.32	0.02	162.29	67.04		155.50	225.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:48:08			162.09	67.24	155.70	33.32	0.02	162.08	67.25		155.71	225.29
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:48:10			162.24	67.10	155.56	33.32	0.02	162.23	67.10		155.56	225.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:48:12			161.90	67.43	155.89	33.32	0.02	161.89	67.44		155.90	225.10
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:48:14			162.15	67.18	155.64	33.32	0.02	162.14	67.19		155.65	225.35
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:48:16			162.11	67.23	155.69	33.32	0.02	162.10	67.24		155.70	225.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:48:18			161.95	67.38	155.84	33.32	0.02	161.94	67.39		155.85	225.15
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:48:20			162.06	67.28	155.74	33.32	0.02	162.05	67.28		155.74	225.26
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:48:22			161.86	67.48	155.94	33.32	0.02	161.85	67.49		155.95	225.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:48:24			162.12	67.21	155.67	33.32	0.02	162.11	67.22		155.68	225.32
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:48:26			161.83	67.50	155.96	33.32	0.02	161.82	67.51		155.97	225.03
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:48:28			161.84	67.49	155.95	33.32	0.02	161.83	67.50		155.96	225.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:48:30			161.66	67.67	156.13	33.32	0.02	161.65	67.68		156.14	224.86
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:48:32			161.90	67.44	155.90	33.32	0.02	161.89	67.45		155.91	225.09
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:48:34			161.52	67.82	156.28	33.32	0.02	161.50	67.83		156.29	224.71
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:48:36			162.08	67.26	155.72	33.32	0.02	162.07	67.27		155.73	225.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:48:38			161.55	67.79	156.25	33.32	0.02	161.54	67.80		156.26	224.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:48:40			161.95	67.38	155.84	33.32	0.02	161.94	67.39		155.85	225.15
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:48:42			161.52	67.81	156.27	33.32	0.02	161.51	67.82		156.28	224.72
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:48:44			161.77	67.56	156.02	33.32	0.02	161.76	67.57		156.03	224.97
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:48:46			161.64	67.70	156.16	33.32	0.02	161.63	67.70		156.16	224.84
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:48:48			161.80	67.53	155.99	33.32	0.02	161.79	67.54		156.00	225.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:48:50			161.63	67.70	156.16	33.32	0.02	161.62	67.71		156.17	224.83
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:48:52			161.80	67.54	156.00	33.32	0.02	161.78	67.55		156.01	224.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:48:54			161.73	67.60	156.06	33.32	0.02	161.72	67.61		156.07	224.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:48:56			161.57	67.77	156.23	33.32	0.02	161.56	67.77		156.23	224.77
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:48:58			161.69	67.64	156.10	33.32	0.02	161.68	67.65		156.11	224.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:49:00			161.34	67.99	156.45	33.32	0.02	161.33	68.00		156.46	224.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:49:02			161.61	67.73	156.19	33.32	0.02	161.60	67.74		156.20	224.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:49:04			161.58	67.76	156.22	33.32	0.02	161.57	67.77		156.23	224.77
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:49:06			161.72	67.62	156.08	33.32	0.02	161.71	67.63		156.09	224.91
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:49:08			161.41	67.92	156.38	33.32	0.02	161.40	67.93		156.39	224.61
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:49:10			161.79	67.55	156.01	33.32	0.02	161.78	67.56		156.02	224.98
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:49:12			161.37	67.97	156.43	33.32	0.02	161.36	67.98		156.44	224.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:49:14			161.66	67.68	156.14	33.32	0.02	161.64	67.69		156.15	224.85
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:49:16			161.52	67.82	156.28	33.32	0.02	161.50	67.83		156.29	224.71
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:49:18			161.59	67.75	156.21	33.32	0.02	161.57	67.76		156.22	224.78
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:49:20			161.37	67.97	156.43	33.32	0.02	161.36	67.98		156.44	224.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:49:22			161.59	67.74	156.20	33.32	0.02	161.58	67.75		156.21	224.79
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:49:24			161.39	67.95	156.41	33.32	0.02	161.38	67.95		156.41	224.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:49:26			161.43	67.91	156.37	33.32	0.02	161.42	67.91		156.37	224.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:49:28			161.44	67.90	156.36	33.32	0.02	161.43	67.91		156.37	224.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:49:30			161.40	67.94	156.40	33.32	0.02	161.39	67.95		156.41	224.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:49:32			161.64	67.70	156.16	33.32	0.02	161.63	67.70		156.16	224.84
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:49:34			161.18	68.16	156.62	33.32	0.02	161.17	68.17		156.63	224.37
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:49:36			161.49	67.84	156.30	33.32	0.02	161.48	67.85		156.31	224.69
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:49:38			161.24	68.10	156.56	33.32	0.02	161.23	68.10		156.56	224.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:49:40			161.62	67.71	156.17	33.32	0.02	161.61	67.72		156.18	224.82
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:49:42			161.27	68.06	156.52	33.32	0.02	161.26	68.07		156.53	224.47
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:49:44			161.46	67.88	156.34	33.32	0.02	161.45	67.89		156.35	224.65
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:49:46			161.27	68.06	156.52	33.32	0.02	161.26	68.07		156.53	224.47
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:49:48			161.55	67.78	156.24	33.32	0.02	161.54	67.79		156.25	224.75
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:49:50			161.26	68.07	156.53	33.32	0.02	161.25	68.08		156.54	224.46
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:49:52			161.39	67.95	156.41	33.32	0.02	161.38	67.96		156.42	224.58
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:49:54			161.05	68.28	156.74	33.32	0.02	161.04	68.29		156.75	224.25
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:49:56			161.48	67.85	156.31	33.32	0.02	161.47	67.86		156.32	224.68
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:49:58			161.11	68.23	156.69	33.32	0.02	161.10	68.24		156.70	224.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:50:00			161.31	68.03	156.49	33.31	0.02	161.30	68.03		156.49	224.51
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:50:02			161.29	68.04	156.50	33.31	0.02	161.28	68.05		156.51	224.49
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:50:04			161.29	68.05	156.51	33.31	0.02	161.28	68.06		156.52	224.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:50:06			161.25	68.09	156.55	33.31	0.02	161.24	68.10		156.56	224.44

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:50:08			161.10	68.24	156.70	33.31	0.02	161.09	68.24		156.70	224.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:50:10			161.15	68.19	156.65	33.31	0.02	161.14	68.20		156.66	224.34
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:50:12			161.15	68.18	156.64	33.31	0.02	161.14	68.19		156.65	224.35
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:50:14			161.26	68.08	156.54	33.31	0.02	161.24	68.09		156.55	224.45
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:50:16			161.01	68.32	156.78	33.31	0.02	161.00	68.33		156.79	224.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:50:18			161.33	68.01	156.47	33.31	0.02	161.31	68.02		156.48	224.52
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:50:20			161.02	68.31	156.77	33.31	0.02	161.01	68.32		156.78	224.22
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:50:22			161.26	68.08	156.54	33.31	0.02	161.24	68.09		156.55	224.45
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:50:24			161.01	68.32	156.78	33.31	0.02	161.00	68.33		156.79	224.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:50:26			161.24	68.10	156.56	33.31	0.02	161.23	68.10		156.56	224.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:50:28			161.01	68.33	156.79	33.31	0.02	161.00	68.34		156.80	224.20
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:50:30			161.21	68.13	156.59	33.31	0.02	161.20	68.14		156.60	224.40
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:50:32			160.86	68.48	156.94	33.31	0.02	160.85	68.49		156.95	224.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:50:34			161.25	68.09	156.55	33.31	0.02	161.24	68.10		156.56	224.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:50:36			161.11	68.23	156.69	33.31	0.02	161.09	68.24		156.70	224.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:50:38			160.89	68.44	156.90	33.31	0.02	160.88	68.45		156.91	224.09
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:50:40			161.15	68.19	156.65	33.31	0.02	161.14	68.20		156.66	224.34
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:50:42			160.93	68.40	156.86	33.31	0.02	160.92	68.41		156.87	224.13
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:50:44			160.90	68.43	156.89	33.31	0.02	160.89	68.44		156.90	224.10
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:50:46			160.89	68.44	156.90	33.31	0.02	160.88	68.45		156.91	224.09
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:50:48			160.99	68.35	156.81	33.31	0.02	160.98	68.36		156.82	224.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:50:50			160.79	68.54	157.00	33.31	0.02	160.78	68.55		157.01	223.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:50:52			161.09	68.25	156.71	33.31	0.02	161.08	68.25		156.71	224.29
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:50:54			160.77	68.57	157.03	33.31	0.02	160.76	68.57		157.03	223.97
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:50:56			161.18	68.15	156.61	33.31	0.02	161.17	68.16		156.62	224.38
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:50:58			160.72	68.61	157.07	33.31	0.02	160.71	68.62		157.08	223.92
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:51:00			161.07	68.27	156.73	33.31	0.02	161.06	68.28		156.74	224.26
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:51:02			160.73	68.60	157.06	33.31	0.02	160.72	68.61		157.07	223.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:51:04			161.04	68.29	156.75	33.31	0.02	161.03	68.30		156.76	224.24
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:51:06			160.61	68.73	157.19	33.31	0.02	160.60	68.74		157.20	223.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:51:08			160.97	68.36	156.82	33.31	0.02	160.96	68.37		156.83	224.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:51:10			160.80	68.53	156.99	33.31	0.02	160.79	68.54		157.00	224.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:51:12			160.94	68.39	156.85	33.31	0.02	160.93	68.40		156.86	224.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:51:14			161.60	67.73	156.19	33.31	0.02	161.59	67.74		156.20	224.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:51:16			161.52	67.82	156.28	33.31	0.02	161.51	67.83		156.29	224.71
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:51:18			161.75	67.58	156.04	33.31	0.02	161.74	67.59		156.05	224.95
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:51:20			162.17	67.17	155.63	33.31	0.02	162.15	67.18		155.64	225.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:51:22			162.53	66.80	155.26	33.31	0.02	162.52	66.81		155.27	225.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:51:24			163.06	66.27	154.73	33.31	0.02	163.05	66.28		154.74	226.26
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:51:26			163.40	65.93	154.39	33.31	0.02	163.39	65.94		154.40	226.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:51:28			163.76	65.57	154.03	33.31	0.02	163.75	65.58		154.04	226.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:51:30			164.68	64.66	153.12	33.31	0.02	164.66	64.67		153.13	227.87
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:51:32			164.83	64.51	152.97	33.31	0.02	164.82	64.51		152.97	228.03
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:51:34			165.62	63.72	152.18	33.31	0.02	165.61	63.73		152.19	228.81
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:51:36			165.92	63.41	151.87	33.31	0.02	165.91	63.42		151.88	229.12
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:51:38			166.34	62.99	151.45	33.31	0.02	166.33	63.00		151.46	229.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:51:40			166.63	62.70	151.16	33.31	0.02	166.62	62.71		151.17	229.83
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:51:42			166.94	62.39	150.85	33.31	0.02	166.93	62.40		150.86	230.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:51:44			167.21	62.13	150.59	33.31	0.02	167.20	62.14		150.60	230.40
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:51:46			167.81	61.53	149.99	33.31	0.02	167.80	61.54		150.00	231.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:51:48			167.45	61.89	150.35	33.31	0.02	167.44	61.89		150.35	230.65
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:51:50			167.93	61.41	149.87	33.31	0.02	167.91	61.42		149.88	231.12
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:51:52			168.07	61.26	149.72	33.31	0.02	168.06	61.27		149.73	231.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:51:54			167.92	61.42	149.88	33.31	0.02	167.90	61.43		149.89	231.11
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:51:56			167.81	61.53	149.99	33.31	0.02	167.80	61.54		150.00	231.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:51:58			168.01	61.33	149.79	33.31	0.02	168.00	61.34		149.80	231.20
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:52:00			168.46	60.88	149.34	33.31	0.02	168.44	60.89		149.35	231.65
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:52:02			167.73	61.61	150.07	33.31	0.02	167.72	61.61		150.07	230.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:52:04			167.92	61.42	149.88	33.31	0.02	167.91	61.43		149.89	231.11
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:52:06			168.05	61.29	149.75	33.31	0.02	168.04	61.30		149.76	231.24
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:52:08			168.00	61.34	149.80	33.31	0.02	167.99	61.34		149.80	231.20
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:52:10			167.88	61.46	149.92	33.31	0.02	167.87	61.47		149.93	231.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:52:12			168.10	61.23	149.69	33.31	0.02	168.09	61.24		149.70	231.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:52:14			167.85	61.49	149.95	33.31	0.02	167.83	61.50		149.96	231.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:52:16			168.19	61.15	149.61	33.31	0.02	168.18	61.16		149.62	231.38
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:52:18			168.26	61.08	149.54	33.31	0.02	168.25	61.09		149.55	231.45
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:52:20			168.03	61.30	149.76	33.31	0.02	168.02	61.31		149.77	231.23
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:52:22			168.16	61.17	149.63	33.31	0.02	168.15	61.18		149.64	231.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:52:24			167.95	61.39	149.85	33.31	0.02	167.94	61.40		149.86	231.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:52:26			167.96	61.37	149.83	33.31	0.02	167.95	61.38		149.84	231.16
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:52:28			168.18	61.16	149.62	33.31	0.02	168.17	61.16		149.62	231.38
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:52:30			168.20	61.14	149.60	33.31	0.02	168.18	61.15		149.61	231.39
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:52:32			168.11	61.23	149.69	33.31	0.02	168.10	61.23		149.69	231.31
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:52:34			168.20	61.13	149.59	33.31	0.02	168.19	61.14		149.60	231.40
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:52:36			167.92	61.42	149.88	33.31	0.02	167.90	61.43		149.89	231.11
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:52:38			168.15	61.19	149.65	33.31	0.02	168.14	61.20		149.66	231.34
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:52:40			168.07	61.26	149.72	33.31	0.02	168.06	61.27		149.73	231.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:52:42			168.13	61.20	149.66	33.31	0.02	168.12	61.21		149.67	231.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:52:44			167.96	61.37	149.83	33.31	0.02	167.95	61.38		149.84	231.16
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:52:46			168.27	61.06	149.52	33.31	0.02	168.26	61.07		149.53	231.47
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:52:48			167.99	61.34	149.80	33.31	0.02	167.98	61.35		149.81	231.19
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:52:50			168.06	61.27	149.73	33.31	0.02	168.05	61.28		149.74	231.26
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:52:52			167.88	61.45	149.91	33.31	0.02	167.87	61.46		149.92	231.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:52:54			167.86	61.48	149.94	33.31	0.02	167.85	61.48		149.94	231.06
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:52:56			167.90	61.44	149.90	33.31	0.02	167.89	61.44		149.90	231.10
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:52:58			167.80	61.54	150.00	33.31	0.02	167.79	61.55		150.01	230.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:53:00			168.09	61.24	149.70	33.31	0.02	168.08	61.25		149.71	231.29
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:53:02			168.25	61.09	149.55	33.31	0.02	168.24	61.10		149.56	231.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:53:04			167.91	61.42	149.88	33.31	0.02	167.90	61.43		149.89	231.11
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:53:06			167.96	61.38	149.84	33.31	0.02	167.95	61.38		149.84	231.16
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:53:08			167.92	61.42	149.88	33.31	0.02	167.91	61.42		149.88	231.12
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:53:10			167.87	61.47	149.93	33.31	0.02	167.86	61.48		149.94	231.06
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:53:12			168.26	61.08	149.54	33.31	0.02	168.24	61.09		149.55	231.45
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:53:14			168.07	61.27	149.73	33.31	0.02	168.06	61.28		149.74	231.26
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:53:16			168.15	61.19	149.65	33.31	0.02	168.14	61.20		149.66	231.34
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:53:18			168.09	61.24	149.70	33.31	0.02	168.08	61.25		149.71	231.29
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:53:20			168.22	61.11	149.57	33.31	0.02	168.21	61.12		149.58	231.42

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:53:22			167.86	61.48	149.94	33.31	0.02	167.85	61.49		149.95	231.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:53:24			168.38	60.96	149.42	33.31	0.02	168.37	60.96		149.42	231.58
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:53:26			167.95	61.38	149.84	33.31	0.02	167.94	61.39		149.85	231.15
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:53:28			168.34	60.99	149.45	33.31	0.02	168.33	61.00		149.46	231.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:53:30			167.99	61.35	149.81	33.31	0.02	167.98	61.35		149.81	231.19
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:53:32			167.81	61.52	149.98	33.31	0.02	167.80	61.53		149.99	231.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:53:34			167.91	61.42	149.88	33.31	0.02	167.90	61.43		149.89	231.11
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:53:36			168.18	61.16	149.62	33.31	0.02	168.17	61.17		149.63	231.37
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:53:38			168.21	61.13	149.59	33.31	0.02	168.20	61.13		149.59	231.41
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:53:40			168.12	61.21	149.67	33.31	0.02	168.11	61.22		149.68	231.32
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:53:42			168.12	61.22	149.68	33.31	0.02	168.10	61.23		149.69	231.31
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:53:44			168.03	61.31	149.77	33.31	0.02	168.02	61.31		149.77	231.23
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:53:46			168.23	61.10	149.56	33.31	0.02	168.22	61.11		149.57	231.43
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:53:48			167.93	61.41	149.87	33.31	0.02	167.92	61.42		149.88	231.12
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:53:50			167.84	61.50	149.96	33.31	0.02	167.82	61.51		149.97	231.03
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:53:52			168.15	61.18	149.64	33.31	0.02	168.14	61.19		149.65	231.35
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:53:54			167.79	61.55	150.01	33.31	0.02	167.78	61.56		150.02	230.98
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:53:56			167.70	61.64	150.10	33.31	0.02	167.69	61.64		150.10	230.90
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:53:58			168.11	61.23	149.69	33.31	0.02	168.10	61.24		149.70	231.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:54:00			167.75	61.58	150.04	33.31	0.02	167.74	61.59		150.05	230.95
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:54:02			168.05	61.29	149.75	33.31	0.02	168.04	61.29		149.75	231.25
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:54:04			168.02	61.31	149.77	33.31	0.02	168.01	61.32		149.78	231.22
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:54:06			167.90	61.44	149.90	33.31	0.02	167.88	61.45		149.91	231.09
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:54:08			168.17	61.17	149.63	33.31	0.02	168.16	61.18		149.64	231.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:54:10			168.32	61.02	149.48	33.31	0.02	168.30	61.03		149.49	231.51
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:54:12			167.78	61.56	150.02	33.31	0.02	167.77	61.57		150.03	230.97
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:54:14			167.86	61.48	149.94	33.31	0.02	167.85	61.49		149.95	231.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:54:16			168.11	61.23	149.69	33.31	0.02	168.09	61.24		149.70	231.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:54:18			167.82	61.51	149.97	33.31	0.02	167.81	61.52		149.98	231.02
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:54:20			168.11	61.23	149.69	33.31	0.02	168.09	61.24		149.70	231.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:54:22			167.86	61.48	149.94	33.31	0.02	167.85	61.49		149.95	231.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:54:24			167.93	61.41	149.87	33.31	0.02	167.92	61.42		149.88	231.12
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:54:26			167.64	61.70	150.16	33.31	0.02	167.63	61.71		150.17	230.83
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:54:28			167.82	61.51	149.97	33.31	0.02	167.81	61.52		149.98	231.02
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:54:30			167.96	61.38	149.84	33.31	0.02	167.95	61.39		149.85	231.15
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:54:32			168.04	61.29	149.75	33.31	0.02	168.03	61.30		149.76	231.24
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:54:34			167.71	61.63	150.09	33.31	0.02	167.70	61.64		150.10	230.90
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:54:36			167.79	61.55	150.01	33.31	0.02	167.78	61.56		150.02	230.98
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:54:38			167.98	61.36	149.82	33.31	0.02	167.97	61.36		149.82	231.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:54:40			168.06	61.28	149.74	33.31	0.02	168.05	61.29		149.75	231.25
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:54:42			167.93	61.41	149.87	33.31	0.02	167.92	61.42		149.88	231.12
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:54:44			168.09	61.25	149.71	33.31	0.02	168.08	61.25		149.71	231.29
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:54:46			167.96	61.38	149.84	33.31	0.02	167.95	61.39		149.85	231.15
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:54:48			167.85	61.49	149.95	33.31	0.02	167.84	61.50		149.96	231.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:54:50			168.10	61.24	149.70	33.31	0.02	168.09	61.25		149.71	231.29
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:54:52			167.68	61.66	150.12	33.31	0.02	167.67	61.67		150.13	230.87
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:54:54			168.06	61.28	149.74	33.31	0.02	168.05	61.29		149.75	231.25
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:54:56			167.54	61.80	150.26	33.31	0.02	167.53	61.81		150.27	230.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:54:58			168.03	61.31	149.77	33.31	0.02	168.02	61.32		149.78	231.22
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:55:00			168.06	61.28	149.74	33.31	0.02	168.05	61.28		149.74	231.26
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:55:02			168.22	61.12	149.58	33.31	0.02	168.21	61.12		149.58	231.42
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:55:04			167.74	61.60	150.06	33.31	0.02	167.73	61.60		150.06	230.94
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:55:06			167.97	61.37	149.83	33.31	0.02	167.96	61.38		149.84	231.16
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:55:08			167.53	61.81	150.27	33.31	0.02	167.52	61.81		150.27	230.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:55:10			168.23	61.11	149.57	33.31	0.02	168.22	61.12		149.58	231.42
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:55:12			167.77	61.57	150.03	33.31	0.02	167.76	61.57		150.03	230.97
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:55:14			167.86	61.47	149.93	33.31	0.02	167.85	61.48		149.94	231.06
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:55:16			167.99	61.35	149.81	33.31	0.02	167.98	61.35		149.81	231.19
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:55:18			167.99	61.35	149.81	33.31	0.02	167.98	61.35		149.81	231.19
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:55:20			167.74	61.60	150.06	33.31	0.02	167.73	61.61		150.07	230.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:55:22			168.10	61.23	149.69	33.31	0.02	168.09	61.24		149.70	231.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:55:24			167.71	61.63	150.09	33.31	0.02	167.70	61.64		150.10	230.90
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:55:26			167.84	61.50	149.96	33.31	0.02	167.83	61.50		149.96	231.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:55:28			167.96	61.38	149.84	33.31	0.02	167.95	61.39		149.85	231.15
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:55:30			167.67	61.67	150.13	33.31	0.02	167.66	61.68		150.14	230.86
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:55:32			167.52	61.82	150.28	33.31	0.02	167.51	61.82		150.28	230.72
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:55:34			167.33	62.00	150.46	33.31	0.02	167.32	62.01		150.47	230.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:55:36			167.86	61.47	149.93	33.31	0.02	167.85	61.48		149.94	231.06
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:55:38			167.72	61.61	150.07	33.31	0.02	167.71	61.62		150.08	230.92
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:55:40			167.96	61.37	149.83	33.31	0.02	167.95	61.38		149.84	231.16
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:55:42			167.77	61.57	150.03	33.31	0.02	167.76	61.57		150.03	230.97
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:55:44			167.77	61.57	150.03	33.31	0.02	167.76	61.57		150.03	230.97
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:55:46			167.85	61.48	149.94	33.31	0.02	167.84	61.49		149.95	231.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:55:48			167.64	61.69	150.15	33.31	0.02	167.63	61.70		150.16	230.84
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:55:50			167.63	61.71	150.17	33.31	0.02	167.62	61.72		150.18	230.82
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:55:52			167.89	61.44	149.90	33.31	0.02	167.88	61.45		149.91	231.09
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:55:54			167.83	61.51	149.97	33.31	0.02	167.82	61.51		149.97	231.03
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:55:56			167.93	61.40	149.86	33.31	0.02	167.92	61.41		149.87	231.13
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:55:58			167.71	61.63	150.09	33.31	0.02	167.70	61.64		150.10	230.90
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:56:00			167.83	61.51	149.97	33.31	0.02	167.82	61.51		149.97	231.03
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:56:02			168.20	61.13	149.59	33.31	0.02	168.19	61.14		149.60	231.40
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:56:04			167.84	61.50	149.96	33.31	0.02	167.83	61.50		149.96	231.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:56:06			167.78	61.55	150.01	33.31	0.02	167.77	61.56		150.02	230.98
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:56:08			167.78	61.56	150.02	33.31	0.02	167.77	61.57		150.03	230.97
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:56:10			167.89	61.45	149.91	33.31	0.02	167.88	61.46		149.92	231.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:56:12			167.44	61.90	150.36	33.31	0.02	167.43	61.90		150.36	230.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:56:14			167.87	61.47	149.93	33.31	0.02	167.86	61.47		149.93	231.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:56:16			167.72	61.61	150.07	33.31	0.02	167.71	61.62		150.08	230.92
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:56:18			167.71	61.63	150.09	33.31	0.02	167.70	61.64		150.10	230.90
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:56:20			167.61	61.72	150.18	33.31	0.02	167.60	61.73		150.19	230.81
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:56:22			167.85	61.48	149.94	33.31	0.02	167.84	61.49		149.95	231.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:56:24			167.68	61.65	150.11	33.31	0.02	167.67	61.66		150.12	230.88
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:56:26			167.72	61.61	150.07	33.31	0.02	167.71	61.62		150.08	230.92
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:56:28			167.69	61.65	150.11	33.31	0.02	167.68	61.65		150.11	230.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:56:30			167.81	61.53	149.99	33.31	0.02	167.80	61.54		150.00	231.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:56:32			167.68	61.65	150.11	33.31	0.02	167.67	61.66		150.12	230.88
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:56:34			167.65	61.68	150.14	33.31	0.02	167.64	61.69		150.15	230.85

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:56:36			167.74	61.60	150.06	33.31	0.02	167.73	61.61		150.07	230.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:56:38			167.44	61.90	150.36	33.31	0.02	167.43	61.90		150.36	230.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:56:40			167.92	61.41	149.87	33.31	0.02	167.91	61.42		149.88	231.12
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:56:42			167.88	61.46	149.92	33.31	0.02	167.87	61.47		149.93	231.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:56:44			167.81	61.53	149.99	33.31	0.02	167.80	61.54		150.00	231.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:56:46			167.26	62.07	150.53	33.31	0.02	167.25	62.08		150.54	230.46
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:56:48			167.67	61.66	150.12	33.31	0.02	167.66	61.67		150.13	230.87
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:56:50			167.71	61.63	150.09	33.31	0.02	167.70	61.64		150.10	230.90
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:56:52			167.85	61.48	149.94	33.31	0.02	167.84	61.49		149.95	231.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:56:54			167.81	61.52	149.98	33.31	0.02	167.80	61.53		149.99	231.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:56:56			167.41	61.93	150.39	33.31	0.02	167.40	61.93		150.39	230.61
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:56:58			167.49	61.85	150.31	33.31	0.02	167.48	61.86		150.32	230.68
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:57:00			167.60	61.73	150.19	33.31	0.02	167.59	61.74		150.20	230.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:57:02			167.50	61.84	150.30	33.31	0.02	167.49	61.85		150.31	230.69
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:57:04			167.67	61.66	150.12	33.31	0.02	167.66	61.67		150.13	230.87
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:57:06			167.56	61.78	150.24	33.31	0.02	167.55	61.79		150.25	230.75
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:57:08			167.53	61.81	150.27	33.31	0.02	167.52	61.82		150.28	230.72
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:57:10			167.80	61.54	150.00	33.31	0.02	167.79	61.54		150.00	231.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:57:12			167.64	61.69	150.15	33.31	0.02	167.63	61.70		150.16	230.84
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:57:14			167.73	61.61	150.07	33.31	0.02	167.72	61.61		150.07	230.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:57:16			167.60	61.74	150.20	33.31	0.02	167.59	61.75		150.21	230.79
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:57:18			167.53	61.81	150.27	33.31	0.02	167.52	61.82		150.28	230.72
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:57:20			167.64	61.70	150.16	33.31	0.02	167.63	61.71		150.17	230.83
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:57:22			167.87	61.47	149.93	33.31	0.02	167.86	61.47		149.93	231.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:57:24			167.32	62.02	150.48	33.31	0.02	167.31	62.03		150.49	230.51
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:57:26			167.98	61.35	149.81	33.31	0.02	167.97	61.36		149.82	231.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:57:28			167.62	61.72	150.18	33.31	0.02	167.61	61.72		150.18	230.82
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:57:30			167.74	61.60	150.06	33.31	0.02	167.73	61.61		150.07	230.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:57:32			167.49	61.85	150.31	33.31	0.02	167.48	61.86		150.32	230.68
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:57:34			167.71	61.63	150.09	33.31	0.02	167.70	61.64		150.10	230.90
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:57:36			167.37	61.97	150.43	33.31	0.02	167.36	61.97		150.43	230.57
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:57:38			167.62	61.72	150.18	33.31	0.02	167.61	61.73		150.19	230.81
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:57:40			167.78	61.55	150.01	33.31	0.02	167.77	61.56		150.02	230.98
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:57:42			167.53	61.80	150.26	33.31	0.02	167.52	61.81		150.27	230.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:57:44			167.52	61.82	150.28	33.31	0.02	167.51	61.82		150.28	230.72
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:57:46			167.44	61.90	150.36	33.31	0.02	167.43	61.90		150.36	230.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:57:48			167.82	61.52	149.98	33.31	0.02	167.81	61.52		149.98	231.02
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:57:50			167.65	61.69	150.15	33.31	0.02	167.64	61.69		150.15	230.85
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:57:52			167.50	61.84	150.30	33.31	0.02	167.49	61.85		150.31	230.69
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:57:54			167.35	61.98	150.44	33.31	0.02	167.34	61.99		150.45	230.55
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:57:56			167.85	61.48	149.94	33.31	0.02	167.84	61.49		149.95	231.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:57:58			167.32	62.01	150.47	33.31	0.02	167.31	62.02		150.48	230.52
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:58:00			167.69	61.65	150.11	33.31	0.02	167.68	61.66		150.12	230.88
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:58:02			167.66	61.67	150.13	33.31	0.02	167.65	61.68		150.14	230.86
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:58:04			167.88	61.46	149.92	33.31	0.02	167.87	61.47		149.93	231.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:58:06			167.57	61.76	150.22	33.31	0.02	167.56	61.77		150.23	230.77
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:58:08			167.70	61.64	150.10	33.31	0.02	167.69	61.65		150.11	230.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:58:10			167.38	61.96	150.42	33.31	0.02	167.37	61.97		150.43	230.57
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:58:12			167.59	61.74	150.20	33.31	0.02	167.58	61.75		150.21	230.79
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:58:14			167.81	61.52	149.98	33.31	0.02	167.80	61.53		149.99	231.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:58:16			167.39	61.94	150.40	33.31	0.02	167.38	61.95		150.41	230.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:58:18			167.81	61.52	149.98	33.31	0.02	167.80	61.53		149.99	231.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:58:20			167.68	61.66	150.12	33.31	0.02	167.67	61.66		150.12	230.88
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:58:22			167.70	61.64	150.10	33.31	0.02	167.69	61.65		150.11	230.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:58:24			167.42	61.92	150.38	33.31	0.02	167.41	61.93		150.39	230.61
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:58:26			167.70	61.64	150.10	33.31	0.02	167.69	61.65		150.11	230.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:58:28			167.52	61.81	150.27	33.31	0.02	167.51	61.82		150.28	230.72
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:58:30			167.77	61.56	150.02	33.31	0.02	167.76	61.57		150.03	230.97
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:58:32			167.38	61.95	150.41	33.31	0.02	167.37	61.96		150.42	230.58
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:58:34			167.56	61.78	150.24	33.31	0.02	167.55	61.79		150.25	230.75
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:58:36			167.34	62.00	150.46	33.31	0.02	167.33	62.01		150.47	230.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:58:38			167.80	61.54	150.00	33.31	0.02	167.79	61.55		150.01	230.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:58:40			167.52	61.81	150.27	33.31	0.02	167.51	61.82		150.28	230.72
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:58:42			167.70	61.64	150.10	33.31	0.02	167.69	61.65		150.11	230.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:58:44			167.63	61.70	150.16	33.31	0.02	167.62	61.71		150.17	230.83
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:58:46			167.62	61.72	150.18	33.31	0.02	167.61	61.73		150.19	230.81
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:58:48			167.48	61.86	150.32	33.31	0.02	167.47	61.87		150.33	230.67
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:58:50			167.55	61.79	150.25	33.31	0.02	167.54	61.80		150.26	230.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:58:52			167.38	61.95	150.41	33.31	0.02	167.37	61.96		150.42	230.58
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:58:54			167.20	62.13	150.59	33.31	0.02	167.19	62.14		150.60	230.40
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:58:56			167.66	61.67	150.13	33.31	0.02	167.65	61.68		150.14	230.86
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:58:58			167.54	61.80	150.26	33.31	0.02	167.53	61.80		150.26	230.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:59:00			167.54	61.80	150.26	33.31	0.02	167.53	61.80		150.26	230.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:59:02			167.70	61.63	150.09	33.31	0.02	167.69	61.64		150.10	230.90
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:59:04			167.79	61.55	150.01	33.31	0.02	167.78	61.55		150.01	230.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:59:06			167.24	62.09	150.55	33.31	0.02	167.23	62.10		150.56	230.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:59:08			167.70	61.63	150.09	33.31	0.02	167.69	61.64		150.10	230.90
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:59:10			167.51	61.83	150.29	33.31	0.02	167.50	61.83		150.29	230.71
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:59:12			167.59	61.75	150.21	33.31	0.02	167.58	61.76		150.22	230.78
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:59:14			167.53	61.80	150.26	33.31	0.02	167.52	61.81		150.27	230.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:59:16			167.67	61.66	150.12	33.31	0.02	167.66	61.67		150.13	230.87
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:59:18			167.20	62.13	150.59	33.31	0.02	167.19	62.14		150.60	230.40
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:59:20			167.78	61.55	150.01	33.31	0.02	167.77	61.56		150.02	230.98
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:59:22			167.16	62.18	150.64	33.31	0.02	167.15	62.19		150.65	230.35
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:59:24			167.27	62.07	150.53	33.31	0.02	167.26	62.08		150.54	230.46
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:59:26			167.63	61.71	150.17	33.31	0.02	167.62	61.72		150.18	230.82
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:59:28			167.58	61.76	150.22	33.31	0.02	167.57	61.76		150.22	230.78
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:59:30			167.48	61.86	150.32	33.31	0.02	167.47	61.87		150.33	230.67
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:59:32			167.66	61.67	150.13	33.31	0.02	167.65	61.68		150.14	230.86
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:59:34			167.77	61.56	150.02	33.31	0.02	167.76	61.57		150.03	230.97
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:59:36			167.42	61.91	150.37	33.31	0.02	167.41	61.92		150.38	230.62
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:59:38			167.61	61.73	150.19	33.31	0.02	167.60	61.73		150.19	230.81
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:59:40			167.19	62.15	150.61	33.31	0.02	167.18	62.16		150.62	230.38
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:59:42			167.51	61.82	150.28	33.31	0.02	167.50	61.83		150.29	230.71
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:59:44			167.31	62.03	150.49	33.31	0.02	167.30	62.04		150.50	230.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:59:46			167.49	61.85	150.31	33.31	0.02	167.48	61.86		150.32	230.68
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:59:48			167.27	62.06	150.52	33.31	0.02	167.26	62.07		150.53	230.47

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:59:50			167.62	61.72	150.18	33.31	0.02	167.61	61.73		150.19	230.81
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:59:52			167.48	61.85	150.31	33.31	0.02	167.47	61.86		150.32	230.68
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:59:54			167.84	61.49	149.95	33.31	0.02	167.83	61.50		149.96	231.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:59:56			167.39	61.94	150.40	33.31	0.02	167.38	61.95		150.41	230.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 13:59:58			167.37	61.97	150.43	33.31	0.02	167.36	61.98		150.44	230.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:00:00			167.61	61.73	150.19	33.31	0.02	167.60	61.73		150.19	230.81
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:00:02			167.55	61.78	150.24	33.31	0.02	167.54	61.79		150.25	230.75
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:00:04			167.23	62.11	150.57	33.31	0.02	167.22	62.12		150.58	230.42
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:00:06			167.62	61.72	150.18	33.31	0.02	167.61	61.73		150.19	230.81
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:00:08			167.72	61.61	150.07	33.31	0.02	167.72	61.62		150.08	230.92
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:00:10			167.27	62.06	150.52	33.31	0.02	167.26	62.07		150.53	230.47
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:00:12			167.30	62.04	150.50	33.31	0.02	167.29	62.05		150.51	230.49
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:00:14			167.35	61.99	150.45	33.31	0.02	167.34	61.99		150.45	230.55
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:00:16			167.51	61.82	150.28	33.31	0.02	167.51	61.83		150.29	230.71
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:00:18			167.45	61.88	150.34	33.31	0.02	167.44	61.89		150.35	230.65
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:00:20			167.50	61.84	150.30	33.31	0.02	167.49	61.84		150.30	230.70
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:00:22			167.34	61.99	150.45	33.31	0.02	167.33	62.00		150.46	230.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:00:24			167.68	61.66	150.12	33.31	0.02	167.67	61.66		150.12	230.88
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:00:26			167.20	62.13	150.59	33.31	0.02	167.19	62.14		150.60	230.40
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:00:28			167.59	61.74	150.20	33.31	0.02	167.58	61.75		150.21	230.79
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:00:30			167.23	62.10	150.56	33.31	0.02	167.22	62.11		150.57	230.43
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:00:32			167.26	62.08	150.54	33.31	0.02	167.25	62.08		150.54	230.46
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:00:34			167.42	61.92	150.38	33.31	0.02	167.41	61.92		150.38	230.62
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:00:36			167.16	62.18	150.64	33.31	0.02	167.15	62.19		150.65	230.35
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:00:38			167.40	61.94	150.40	33.31	0.02	167.39	61.94		150.40	230.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:00:40			167.36	61.98	150.44	33.31	0.02	167.35	61.98		150.44	230.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:00:42			167.23	62.11	150.57	33.31	0.02	167.22	62.12		150.58	230.42
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:00:44			167.65	61.68	150.14	33.31	0.02	167.65	61.69		150.15	230.85
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:00:46			167.51	61.82	150.28	33.31	0.02	167.51	61.83		150.29	230.71
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:00:48			167.28	62.06	150.52	33.31	0.02	167.27	62.06		150.52	230.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:00:50			167.61	61.73	150.19	33.31	0.02	167.60	61.73		150.19	230.81
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:00:52			167.09	62.24	150.70	33.31	0.02	167.08	62.25		150.71	230.29
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:00:54			167.43	61.91	150.37	33.31	0.02	167.42	61.91		150.37	230.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:00:56			167.48	61.86	150.32	33.31	0.02	167.47	61.87		150.33	230.67
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:00:58			167.41	61.93	150.39	33.31	0.02	167.40	61.94		150.40	230.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:01:00			167.55	61.78	150.24	33.31	0.02	167.54	61.79		150.25	230.75
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:01:02			167.62	61.71	150.17	33.31	0.02	167.61	61.72		150.18	230.82
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:01:04			167.34	62.00	150.46	33.31	0.02	167.33	62.01		150.47	230.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:01:06			167.37	61.97	150.43	33.31	0.02	167.36	61.98		150.44	230.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:01:08			167.62	61.71	150.17	33.31	0.02	167.61	61.72		150.18	230.82
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:01:10			167.27	62.07	150.53	33.31	0.02	167.26	62.07		150.53	230.47
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:01:12			167.26	62.08	150.54	33.31	0.02	167.25	62.08		150.54	230.46
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:01:14			167.30	62.03	150.49	33.31	0.02	167.29	62.04		150.50	230.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:01:16			167.16	62.17	150.63	33.31	0.02	167.15	62.18		150.64	230.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:01:18			167.36	61.98	150.44	33.31	0.02	167.35	61.98		150.44	230.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:01:20			167.58	61.75	150.21	33.31	0.02	167.58	61.76		150.22	230.78
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:01:22			167.24	62.09	150.55	33.31	0.02	167.23	62.10		150.56	230.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:01:24			167.47	61.86	150.32	33.31	0.02	167.46	61.87		150.33	230.67
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:01:26			167.03	62.31	150.77	33.31	0.02	167.02	62.31		150.77	230.23
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:01:28			167.29	62.05	150.51	33.31	0.02	167.28	62.06		150.52	230.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:01:30			166.99	62.35	150.81	33.31	0.02	166.98	62.35		150.81	230.19
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:01:32			167.29	62.04	150.50	33.31	0.02	167.28	62.05		150.51	230.49
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:01:34			167.17	62.17	150.63	33.31	0.02	167.16	62.17		150.63	230.37
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:01:36			167.50	61.83	150.29	33.31	0.02	167.50	61.84		150.30	230.70
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:01:38			167.28	62.06	150.52	33.31	0.02	167.27	62.06		150.52	230.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:01:40			167.46	61.88	150.34	33.31	0.02	167.45	61.88		150.34	230.66
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:01:42			167.04	62.29	150.75	33.31	0.02	167.04	62.30		150.76	230.24
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:01:44			167.36	61.97	150.43	33.31	0.02	167.35	61.98		150.44	230.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:01:46			167.39	61.95	150.41	33.31	0.02	167.38	61.95		150.41	230.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:01:48			167.30	62.03	150.49	33.31	0.02	167.29	62.04		150.50	230.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:01:50			167.23	62.10	150.56	33.31	0.02	167.22	62.11		150.57	230.43
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:01:52			167.03	62.31	150.77	33.31	0.02	167.02	62.31		150.77	230.23
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:01:54			167.54	61.79	150.25	33.31	0.02	167.53	61.80		150.26	230.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:01:56			167.20	62.14	150.60	33.31	0.02	167.19	62.14		150.60	230.40
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:01:58			167.48	61.86	150.32	33.31	0.02	167.47	61.86		150.32	230.68
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:02:00			167.12	62.21	150.67	33.31	0.02	167.11	62.22		150.68	230.32
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:02:02			167.18	62.16	150.62	33.31	0.02	167.17	62.17		150.63	230.37
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:02:04			167.08	62.25	150.71	33.31	0.02	167.07	62.26		150.72	230.28
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:02:06			167.60	61.74	150.20	33.31	0.02	167.59	61.74		150.20	230.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:02:08			167.15	62.19	150.65	33.31	0.02	167.14	62.20		150.66	230.34
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:02:10			167.40	61.93	150.39	33.31	0.02	167.39	61.94		150.40	230.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:02:12			167.08	62.25	150.71	33.31	0.02	167.07	62.26		150.72	230.28
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:02:14			167.29	62.05	150.51	33.31	0.02	167.28	62.06		150.52	230.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:02:16			167.44	61.89	150.35	33.31	0.02	167.43	61.90		150.36	230.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:02:18			167.30	62.03	150.49	33.31	0.02	167.29	62.04		150.50	230.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:02:20			167.15	62.18	150.64	33.31	0.02	167.14	62.19		150.65	230.35
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:02:22			167.04	62.30	150.76	33.31	0.02	167.03	62.31		150.77	230.23
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:02:24			167.34	62.00	150.46	33.31	0.02	167.33	62.00		150.46	230.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:02:26			167.18	62.16	150.62	33.31	0.02	167.17	62.17		150.63	230.37
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:02:28			167.11	62.23	150.69	33.31	0.02	167.10	62.24		150.70	230.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:02:30			167.20	62.14	150.60	33.31	0.02	167.19	62.14		150.60	230.40
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:02:32			167.18	62.16	150.62	33.31	0.02	167.17	62.17		150.63	230.37
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:02:34			167.03	62.31	150.77	33.31	0.02	167.02	62.32		150.78	230.22
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:02:36			167.30	62.04	150.50	33.31	0.02	167.29	62.04		150.50	230.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:02:38			167.40	61.94	150.40	33.31	0.02	167.39	61.95		150.41	230.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:02:40			167.17	62.16	150.62	33.31	0.02	167.17	62.17		150.63	230.37
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:02:42			166.96	62.37	150.83	33.31	0.02	166.96	62.38		150.84	230.16
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:02:44			167.31	62.03	150.49	33.31	0.02	167.30	62.03		150.49	230.51
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:02:46			166.72	62.61	151.07	33.31	0.02	166.72	62.62		151.08	229.92
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:02:48			167.20	62.14	150.60	33.31	0.02	167.19	62.14		150.60	230.40
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:02:50			167.22	62.11	150.57	33.31	0.02	167.21	62.12		150.58	230.42
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:02:52			166.97	62.37	150.83	33.31	0.02	166.96	62.38		150.84	230.16
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:02:54			167.12	62.21	150.67	33.31	0.02	167.11	62.22		150.68	230.32
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:02:56			167.13	62.21	150.67	33.31	0.02	167.12	62.21		150.67	230.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:02:58			167.17	62.17	150.63	33.31	0.02	167.16	62.17		150.63	230.37
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:03:00			167.22	62.11	150.57	33.31	0.02	167.21	62.12		150.58	230.42
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:03:02			167.14	62.20	150.66	33.31	0.02	167.13	62.20		150.66	230.34

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:03:04			167.12	62.21	150.67	33.31	0.02	167.11	62.22		150.68	230.32
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:03:06			167.42	61.92	150.38	33.31	0.02	167.41	61.92		150.38	230.62
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:03:08			167.18	62.15	150.61	33.31	0.02	167.18	62.16		150.62	230.38
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:03:10			167.16	62.17	150.63	33.31	0.02	167.15	62.18		150.64	230.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:03:12			167.06	62.28	150.74	33.31	0.02	167.05	62.28		150.74	230.26
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:03:14			167.11	62.22	150.68	33.31	0.02	167.11	62.23		150.69	230.31
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:03:16			167.24	62.09	150.55	33.31	0.02	167.23	62.10		150.56	230.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:03:18			167.11	62.23	150.69	33.31	0.02	167.10	62.24		150.70	230.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:03:20			167.34	62.00	150.46	33.31	0.02	167.33	62.01		150.47	230.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:03:22			167.18	62.15	150.61	33.31	0.02	167.18	62.16		150.62	230.38
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:03:24			167.11	62.22	150.68	33.31	0.02	167.11	62.23		150.69	230.31
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:03:26			167.05	62.28	150.74	33.31	0.02	167.04	62.29		150.75	230.25
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:03:28			167.18	62.16	150.62	33.31	0.02	167.17	62.16		150.62	230.38
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:03:30			167.36	61.98	150.44	33.31	0.02	167.35	61.99		150.45	230.55
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:03:32			167.18	62.16	150.62	33.31	0.02	167.17	62.17		150.63	230.37
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:03:34			167.05	62.28	150.74	33.31	0.02	167.05	62.29		150.75	230.25
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:03:36			167.21	62.13	150.59	33.31	0.02	167.20	62.13		150.59	230.41
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:03:38			167.12	62.21	150.67	33.31	0.02	167.11	62.22		150.68	230.32
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:03:40			167.33	62.01	150.47	33.31	0.02	167.32	62.01		150.47	230.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:03:42			167.05	62.28	150.74	33.31	0.02	167.05	62.29		150.75	230.25
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:03:44			167.23	62.10	150.56	33.31	0.02	167.22	62.11		150.57	230.43
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:03:46			167.23	62.11	150.57	33.31	0.02	167.22	62.12		150.58	230.42
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:03:48			166.97	62.37	150.83	33.31	0.02	166.96	62.37		150.83	230.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:03:50			167.24	62.09	150.55	33.31	0.02	167.23	62.10		150.56	230.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:03:52			167.43	61.91	150.37	33.31	0.02	167.42	61.91		150.37	230.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:03:54			167.19	62.14	150.60	33.31	0.02	167.19	62.15		150.61	230.39
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:03:56			167.16	62.17	150.63	33.31	0.02	167.15	62.18		150.64	230.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:03:58			166.93	62.41	150.87	33.31	0.02	166.92	62.41		150.87	230.13
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:04:00			166.97	62.37	150.83	33.31	0.02	166.96	62.38		150.84	230.16
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:04:02			167.15	62.19	150.65	33.31	0.02	167.14	62.20		150.66	230.34
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:04:04			166.73	62.60	151.06	33.31	0.02	166.72	62.61		151.07	229.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:04:06			167.09	62.24	150.70	33.31	0.02	167.08	62.25		150.71	230.29
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:04:08			167.15	62.18	150.64	33.31	0.02	167.14	62.19		150.65	230.35
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:04:10			167.35	61.99	150.45	33.31	0.02	167.34	61.99		150.45	230.55
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:04:12			167.25	62.08	150.54	33.31	0.02	167.25	62.09		150.55	230.45
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:04:14			167.07	62.27	150.73	33.31	0.02	167.06	62.27		150.73	230.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:04:16			167.22	62.12	150.58	33.31	0.02	167.21	62.13		150.59	230.41
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:04:18			167.22	62.12	150.58	33.31	0.02	167.21	62.13		150.59	230.41
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:04:20			167.16	62.18	150.64	33.31	0.02	167.15	62.18		150.64	230.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:04:22			167.16	62.17	150.63	33.31	0.02	167.15	62.18		150.64	230.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:04:24			167.00	62.34	150.80	33.31	0.02	166.99	62.35		150.81	230.19
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:04:26			166.76	62.57	151.03	33.31	0.02	166.75	62.58		151.04	229.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:04:28			167.11	62.22	150.68	33.31	0.02	167.10	62.23		150.69	230.31
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:04:30			167.06	62.28	150.74	33.31	0.02	167.05	62.28		150.74	230.26
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:04:32			167.16	62.18	150.64	33.31	0.02	167.15	62.18		150.64	230.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:04:34			167.01	62.33	150.79	33.31	0.02	167.00	62.33		150.79	230.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:04:36			167.17	62.17	150.63	33.31	0.02	167.16	62.18		150.64	230.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:04:38			166.42	62.92	151.38	33.31	0.02	166.41	62.92		151.38	229.62
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:04:40			167.18	62.15	150.61	33.31	0.02	167.17	62.16		150.62	230.38
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:04:42			166.82	62.51	150.97	33.31	0.02	166.81	62.52		150.98	230.02
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:04:44			167.32	62.01	150.47	33.31	0.02	167.31	62.02		150.48	230.52
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:04:46			167.24	62.09	150.55	33.31	0.02	167.24	62.10		150.56	230.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:04:48			167.11	62.22	150.68	33.31	0.02	167.10	62.23		150.69	230.31
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:04:50			166.31	63.03	151.49	33.31	0.02	166.30	63.03		151.49	229.51
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:04:52			167.64	61.69	150.15	33.31	0.02	167.63	61.70		150.16	230.84
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:04:54			166.90	62.43	150.89	33.31	0.02	166.89	62.44		150.90	230.10
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:04:56			166.59	62.75	151.21	33.31	0.02	166.58	62.75		151.21	229.79
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:04:58			166.93	62.41	150.87	33.31	0.02	166.92	62.42		150.88	230.12
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:05:00			166.42	62.92	151.38	33.31	0.02	166.41	62.92		151.38	229.62
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:05:02			166.77	62.57	151.03	33.31	0.02	166.76	62.57		151.03	229.97
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:05:04			166.65	62.68	151.14	33.31	0.02	166.64	62.69		151.15	229.85
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:05:06			166.10	63.24	151.70	33.31	0.02	166.09	63.24		151.70	229.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:05:08			166.29	63.04	151.50	33.31	0.02	166.29	63.05		151.51	229.49
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:05:10			165.91	63.42	151.88	33.31	0.02	165.90	63.43		151.89	229.11
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:05:12			165.87	63.46	151.92	33.31	0.02	165.87	63.47		151.93	229.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:05:14			165.76	63.57	152.03	33.31	0.02	165.76	63.58		152.04	228.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:05:16			165.72	63.61	152.07	33.31	0.02	165.71	63.62		152.08	228.92
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:05:18			165.80	63.54	152.00	33.31	0.02	165.79	63.55		152.01	228.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:05:20			165.69	63.65	152.11	33.31	0.02	165.68	63.65		152.11	228.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:05:22			165.88	63.46	151.92	33.31	0.02	165.87	63.46		151.92	229.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:05:24			166.05	63.28	151.74	33.31	0.02	166.04	63.29		151.75	229.25
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:05:26			166.03	63.31	151.77	33.31	0.02	166.02	63.31		151.77	229.23
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:05:28			165.60	63.74	152.20	33.31	0.02	165.59	63.74		152.20	228.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:05:30			165.65	63.69	152.15	33.31	0.02	165.64	63.69		152.15	228.85
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:05:32			166.07	63.27	151.73	33.31	0.02	166.06	63.27		151.73	229.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:05:34			165.69	63.65	152.11	33.31	0.02	165.68	63.65		152.11	228.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:05:36			165.38	63.96	152.42	33.31	0.02	165.37	63.96		152.42	228.58
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:05:38			165.36	63.98	152.44	33.31	0.02	165.35	63.98		152.44	228.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:05:40			165.61	63.73	152.19	33.31	0.02	165.60	63.74		152.20	228.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:05:42			165.37	63.97	152.43	33.31	0.02	165.36	63.97		152.43	228.57
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:05:44			165.56	63.78	152.24	33.31	0.02	165.55	63.78		152.24	228.76
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:05:46			166.17	63.17	151.63	33.31	0.02	166.16	63.17		151.63	229.37
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:05:48			166.25	63.09	151.55	33.31	0.02	166.24	63.09		151.55	229.45
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:05:50			166.93	62.41	150.87	33.31	0.02	166.92	62.41		150.87	230.13
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:05:52			166.83	62.51	150.97	33.31	0.02	166.82	62.51		150.97	230.03
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:05:54			167.45	61.89	150.35	33.31	0.02	167.44	61.90		150.36	230.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:05:56			166.63	62.70	151.16	33.31	0.02	166.63	62.71		151.17	229.83
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:05:58			166.80	62.54	151.00	33.31	0.02	166.79	62.54		151.00	230.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:06:00			166.77	62.57	151.03	33.31	0.02	166.76	62.57		151.03	229.97
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:06:02			166.23	63.10	151.56	33.31	0.02	166.22	63.11		151.57	229.43
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:06:04			166.18	63.15	151.61	33.31	0.02	166.17	63.16		151.62	229.38
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:06:06			165.81	63.53	151.99	33.31	0.02	165.80	63.53		151.99	229.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:06:08			165.50	63.83	152.29	33.31	0.02	165.50	63.84		152.30	228.70
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:06:10			166.07	63.26	151.72	33.31	0.02	166.07	63.27		151.73	229.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:06:12			166.01	63.32	151.78	33.31	0.02	166.00	63.33		151.79	229.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:06:14			166.28	63.05	151.51	33.31	0.02	166.28	63.06		151.52	229.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:06:16			166.05	63.29	151.75	33.31	0.02	166.04	63.29		151.75	229.25

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:06:18			166.28	63.06	151.52	33.31	0.02	166.27	63.06		151.52	229.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:06:20			166.16	63.18	151.64	33.31	0.02	166.15	63.18		151.64	229.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:06:22			166.13	63.21	151.67	33.31	0.02	166.12	63.21		151.67	229.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:06:24			165.95	63.39	151.85	33.31	0.02	165.94	63.39		151.85	229.15
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:06:26			165.94	63.39	151.85	33.31	0.02	165.93	63.40		151.86	229.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:06:28			166.11	63.22	151.68	33.31	0.02	166.10	63.23		151.69	229.31
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:06:30			166.21	63.13	151.59	33.31	0.02	166.20	63.13		151.59	229.41
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:06:32			165.94	63.39	151.85	33.31	0.02	165.93	63.40		151.86	229.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:06:34			166.39	62.95	151.41	33.31	0.02	166.38	62.96		151.42	229.58
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:06:36			166.41	62.93	151.39	33.31	0.02	166.40	62.93		151.39	229.61
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:06:38			166.27	63.07	151.53	33.31	0.02	166.26	63.07		151.53	229.47
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:06:40			166.52	62.82	151.28	33.31	0.02	166.51	62.82		151.28	229.72
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:06:42			166.69	62.65	151.11	33.31	0.02	166.68	62.65		151.11	229.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:06:44			166.32	63.01	151.47	33.31	0.02	166.31	63.02		151.48	229.52
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:06:46			166.37	62.97	151.43	33.31	0.02	166.36	62.97		151.43	229.57
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:06:48			166.66	62.68	151.14	33.31	0.02	166.65	62.68		151.14	229.86
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:06:50			166.46	62.88	151.34	33.31	0.02	166.45	62.89		151.35	229.65
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:06:52			166.14	63.20	151.66	33.31	0.02	166.13	63.21		151.67	229.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:06:54			166.52	62.82	151.28	33.31	0.02	166.51	62.82		151.28	229.72
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:06:56			166.63	62.71	151.17	33.31	0.02	166.62	62.71		151.17	229.83
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:06:58			166.14	63.20	151.66	33.31	0.02	166.13	63.21		151.67	229.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:07:00			166.11	63.22	151.68	33.31	0.02	166.10	63.23		151.69	229.31
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:07:02			166.28	63.06	151.52	33.31	0.02	166.27	63.06		151.52	229.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:07:04			166.34	63.00	151.46	33.31	0.02	166.33	63.00		151.46	229.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:07:06			166.47	62.86	151.32	33.31	0.02	166.46	62.87		151.33	229.67
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:07:08			166.46	62.88	151.34	33.31	0.02	166.45	62.89		151.35	229.65
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:07:10			166.35	62.98	151.44	33.31	0.02	166.35	62.99		151.45	229.55
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:07:12			166.64	62.69	151.15	33.31	0.02	166.63	62.70		151.16	229.84
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:07:14			166.34	63.00	151.46	33.31	0.02	166.33	63.00		151.46	229.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:07:16			166.01	63.32	151.78	33.31	0.02	166.00	63.33		151.79	229.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:07:18			165.84	63.50	151.96	33.31	0.02	165.83	63.50		151.96	229.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:07:20			165.72	63.62	152.08	33.31	0.02	165.71	63.63		152.09	228.91
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:07:22			165.19	64.15	152.61	33.31	0.02	165.18	64.16		152.62	228.38
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:07:24			165.15	64.19	152.65	33.31	0.02	165.14	64.19		152.65	228.35
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:07:26			164.70	64.63	153.09	33.31	0.02	164.69	64.64		153.10	227.90
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:07:28			164.24	65.09	153.55	33.31	0.02	164.23	65.10		153.56	227.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:07:30			164.03	65.30	153.76	33.31	0.02	164.02	65.31		153.77	227.23
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:07:32			163.91	65.43	153.89	33.31	0.02	163.90	65.43		153.89	227.11
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:07:34			163.79	65.55	154.01	33.31	0.02	163.78	65.55		154.01	226.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:07:36			163.42	65.91	154.37	33.31	0.02	163.41	65.92		154.38	226.62
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:07:38			163.30	66.04	154.50	33.31	0.02	163.29	66.04		154.50	226.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:07:40			163.03	66.31	154.77	33.31	0.02	163.02	66.31		154.77	226.23
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:07:42			163.08	66.26	154.72	33.31	0.02	163.07	66.26		154.72	226.28
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:07:44			162.96	66.38	154.84	33.31	0.02	162.95	66.38		154.84	226.16
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:07:46			162.98	66.36	154.82	33.31	0.02	162.97	66.36		154.82	226.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:07:48			163.02	66.32	154.78	33.31	0.02	163.01	66.32		154.78	226.22
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:07:50			162.58	66.75	155.21	33.31	0.02	162.57	66.76		155.22	225.78
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:07:52			163.01	66.33	154.79	33.31	0.02	163.00	66.33		154.79	226.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:07:54			162.80	66.54	155.00	33.31	0.02	162.79	66.54		155.00	226.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:07:56			162.95	66.39	154.85	33.31	0.02	162.94	66.39		154.85	226.15
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:07:58			162.81	66.52	154.98	33.31	0.02	162.81	66.53		154.99	226.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:08:00			162.70	66.64	155.10	33.31	0.02	162.69	66.64		155.10	225.90
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:08:02			162.62	66.72	155.18	33.31	0.02	162.61	66.72		155.18	225.82
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:08:04			162.82	66.51	154.97	33.31	0.02	162.81	66.52		154.98	226.02
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:08:06			162.76	66.57	155.03	33.31	0.02	162.75	66.58		155.04	225.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:08:08			162.69	66.65	155.11	33.31	0.02	162.68	66.65		155.11	225.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:08:10			162.68	66.65	155.11	33.31	0.02	162.67	66.66		155.12	225.88
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:08:12			162.68	66.65	155.11	33.31	0.02	162.67	66.66		155.12	225.88
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:08:14			162.83	66.51	154.97	33.31	0.02	162.82	66.51		154.97	226.03
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:08:16			162.78	66.55	155.01	33.31	0.02	162.77	66.56		155.02	225.98
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:08:18			162.92	66.42	154.88	33.31	0.02	162.91	66.43		154.89	226.11
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:08:20			162.53	66.80	155.26	33.31	0.02	162.53	66.81		155.27	225.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:08:22			162.56	66.77	155.23	33.31	0.02	162.56	66.78		155.24	225.76
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:08:24			162.18	67.15	155.61	33.31	0.02	162.17	67.16		155.62	225.38
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:08:26			162.14	67.20	155.66	33.31	0.02	162.13	67.20		155.66	225.34
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:08:28			161.94	67.40	155.86	33.31	0.02	161.93	67.40		155.86	225.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:08:30			161.90	67.43	155.89	33.31	0.02	161.89	67.44		155.90	225.10
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:08:32			161.61	67.73	156.19	33.31	0.02	161.60	67.74		156.20	224.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:08:34			161.29	68.04	156.50	33.31	0.02	161.29	68.05		156.51	224.49
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:08:36			161.20	68.14	156.60	33.31	0.02	161.19	68.14		156.60	224.40
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:08:38			160.79	68.55	157.01	33.31	0.02	160.78	68.55		157.01	223.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:08:40			160.75	68.59	157.05	33.31	0.02	160.74	68.59		157.05	223.95
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:08:42			160.72	68.62	157.08	33.31	0.02	160.71	68.62		157.08	223.92
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:08:44			160.60	68.74	157.20	33.31	0.02	160.59	68.74		157.20	223.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:08:46			160.28	69.05	157.51	33.31	0.02	160.27	69.06		157.52	223.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:08:48			160.17	69.16	157.62	33.31	0.02	160.16	69.17		157.63	223.37
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:08:50			160.37	68.96	157.42	33.31	0.02	160.37	68.97		157.43	223.57
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:08:52			160.27	69.07	157.53	33.31	0.02	160.26	69.08		157.54	223.46
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:08:54			160.30	69.04	157.50	33.31	0.02	160.29	69.04		157.50	223.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:08:56			160.21	69.13	157.59	33.31	0.02	160.20	69.14		157.60	223.40
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:08:58			160.35	68.99	157.45	33.31	0.02	160.34	69.00		157.46	223.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:09:00			160.16	69.18	157.64	33.31	0.02	160.15	69.18		157.64	223.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:09:02			160.22	69.12	157.58	33.31	0.02	160.21	69.12		157.58	223.42
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:09:04			160.16	69.18	157.64	33.31	0.02	160.15	69.18		157.64	223.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:09:06			160.24	69.10	157.56	33.31	0.02	160.23	69.10		157.56	223.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:09:08			160.14	69.19	157.65	33.31	0.02	160.13	69.20		157.66	223.34
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:09:10			160.08	69.26	157.72	33.31	0.02	160.07	69.26		157.72	223.28
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:09:12			160.18	69.15	157.61	33.31	0.02	160.17	69.16		157.62	223.38
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:09:14			160.34	69.00	157.46	33.31	0.02	160.33	69.00		157.46	223.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:09:16			160.14	69.20	157.66	33.31	0.02	160.13	69.21		157.67	223.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:09:18			160.13	69.21	157.67	33.31	0.02	160.12	69.21		157.67	223.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:09:20			160.10	69.23	157.69	33.31	0.02	160.10	69.24		157.70	223.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:09:22			160.22	69.12	157.58	33.31	0.02	160.21	69.12		157.58	223.42
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:09:24			160.09	69.25	157.71	33.31	0.02	160.08	69.25		157.71	223.29
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:09:26			160.06	69.28	157.74	33.31	0.02	160.05	69.28		157.74	223.26
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:09:28			160.14	69.20	157.66	33.31	0.02	160.13	69.20		157.66	223.34
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:09:30			160.15	69.19	157.65	33.31	0.02	160.14	69.20		157.66	223.34

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:09:32			160.09	69.25	157.71	33.31	0.02	160.08	69.25		157.71	223.29
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:09:34			160.14	69.20	157.66	33.31	0.02	160.13	69.20		157.66	223.34
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:09:36			159.99	69.35	157.81	33.31	0.02	159.98	69.35		157.81	223.19
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:09:38			159.99	69.35	157.81	33.31	0.02	159.98	69.35		157.81	223.19
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:09:40			159.83	69.51	157.97	33.31	0.02	159.82	69.52		157.98	223.02
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:09:42			160.05	69.28	157.74	33.31	0.02	160.04	69.29		157.75	223.25
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:09:44			159.94	69.39	157.85	33.31	0.02	159.93	69.40		157.86	223.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:09:46			160.02	69.32	157.78	33.31	0.02	160.01	69.32		157.78	223.22
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:09:48			160.03	69.31	157.77	33.31	0.02	160.02	69.31		157.77	223.23
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:09:50			160.12	69.21	157.67	33.31	0.02	160.11	69.22		157.68	223.32
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:09:52			160.09	69.25	157.71	33.31	0.02	160.08	69.25		157.71	223.29
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:09:54			160.03	69.31	157.77	33.31	0.02	160.02	69.31		157.77	223.23
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:09:56			159.88	69.46	157.92	33.31	0.02	159.87	69.46		157.92	223.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:09:58			160.03	69.31	157.77	33.31	0.02	160.02	69.31		157.77	223.23
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:10:00			160.04	69.30	157.76	33.31	0.01	160.03	69.31		157.77	223.23
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:10:02			160.08	69.26	157.72	33.31	0.01	160.07	69.26		157.72	223.28
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:10:04			160.09	69.25	157.71	33.31	0.01	160.08	69.25		157.71	223.29
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:10:06			159.92	69.41	157.87	33.31	0.01	159.92	69.42		157.88	223.12
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:10:08			159.82	69.52	157.98	33.31	0.01	159.81	69.53		157.99	223.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:10:10			159.87	69.47	157.93	33.31	0.01	159.86	69.47		157.93	223.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:10:12			159.87	69.47	157.93	33.31	0.01	159.86	69.47		157.93	223.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:10:14			159.90	69.43	157.89	33.31	0.01	159.89	69.44		157.90	223.10
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:10:16			160.14	69.20	157.66	33.31	0.01	160.13	69.21		157.67	223.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:10:18			160.02	69.32	157.78	33.31	0.01	160.01	69.32		157.78	223.22
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:10:20			160.08	69.26	157.72	33.31	0.01	160.07	69.26		157.72	223.28
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:10:22			160.12	69.22	157.68	33.31	0.01	160.11	69.22		157.68	223.32
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:10:24			159.98	69.36	157.82	33.31	0.01	159.97	69.36		157.82	223.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:10:26			160.05	69.29	157.75	33.31	0.01	160.04	69.29		157.75	223.25
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:10:28			160.03	69.31	157.77	33.31	0.01	160.02	69.31		157.77	223.23
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:10:30			160.02	69.31	157.77	33.31	0.01	160.02	69.32		157.78	223.22
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:10:32			159.92	69.42	157.88	33.31	0.01	159.91	69.42		157.88	223.12
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:10:34			159.97	69.36	157.82	33.31	0.01	159.96	69.37		157.83	223.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:10:36			159.89	69.45	157.91	33.31	0.01	159.88	69.46		157.92	223.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:10:38			160.06	69.28	157.74	33.31	0.01	160.05	69.28		157.74	223.26
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:10:40			159.81	69.53	157.99	33.31	0.01	159.80	69.53		157.99	223.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:10:42			159.84	69.50	157.96	33.31	0.01	159.83	69.50		157.96	223.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:10:44			160.00	69.34	157.80	33.31	0.01	159.99	69.34		157.80	223.20
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:10:46			159.85	69.49	157.95	33.31	0.01	159.84	69.49		157.95	223.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:10:48			159.89	69.44	157.90	33.31	0.01	159.88	69.45		157.91	223.09
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:10:50			159.98	69.36	157.82	33.31	0.01	159.97	69.36		157.82	223.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:10:52			159.83	69.51	157.97	33.31	0.01	159.82	69.51		157.97	223.03
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:10:54			159.72	69.62	158.08	33.31	0.01	159.71	69.62		158.08	222.92
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:10:56			159.97	69.37	157.83	33.31	0.01	159.96	69.37		157.83	223.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:10:58			159.81	69.53	157.99	33.31	0.01	159.80	69.54		158.00	223.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:11:00			159.93	69.41	157.87	33.31	0.01	159.92	69.41		157.87	223.13
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:11:02			159.88	69.46	157.92	33.31	0.01	159.87	69.47		157.93	223.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:11:04			159.69	69.65	158.11	33.31	0.01	159.68	69.65		158.11	222.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:11:06			159.74	69.60	158.06	33.31	0.01	159.73	69.61		158.07	222.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:11:08			159.55	69.79	158.25	33.31	0.01	159.54	69.79		158.25	222.75
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:11:10			159.88	69.45	157.91	33.31	0.01	159.88	69.46		157.92	223.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:11:12			159.86	69.48	157.94	33.31	0.01	159.85	69.48		157.94	223.06
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:11:14			159.91	69.42	157.88	33.31	0.01	159.91	69.43		157.89	223.11
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:11:16			159.77	69.57	158.03	33.31	0.01	159.76	69.57		158.03	222.97
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:11:18			160.04	69.30	157.76	33.31	0.01	160.03	69.30		157.76	223.24
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:11:20			159.86	69.48	157.94	33.31	0.01	159.85	69.48		157.94	223.06
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:11:22			159.96	69.37	157.83	33.31	0.01	159.95	69.38		157.84	223.16
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:11:24			159.83	69.51	157.97	33.31	0.01	159.82	69.51		157.97	223.03
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:11:26			159.72	69.62	158.08	33.31	0.01	159.71	69.62		158.08	222.92
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:11:28			160.01	69.33	157.79	33.31	0.01	160.00	69.33		157.79	223.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:11:30			159.84	69.50	157.96	33.31	0.01	159.83	69.50		157.96	223.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:11:32			159.85	69.48	157.94	33.31	0.01	159.84	69.49		157.95	223.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:11:34			159.93	69.41	157.87	33.31	0.01	159.92	69.41		157.87	223.13
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:11:36			159.82	69.51	157.97	33.31	0.01	159.81	69.52		157.98	223.02
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:11:38			159.65	69.69	158.15	33.31	0.01	159.64	69.69		158.15	222.85
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:11:40			159.97	69.37	157.83	33.31	0.01	159.96	69.37		157.83	223.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:11:42			159.80	69.54	158.00	33.31	0.01	159.79	69.54		158.00	223.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:11:44			159.79	69.55	158.01	33.31	0.01	159.78	69.55		158.01	222.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:11:46			159.78	69.55	158.01	33.31	0.01	159.77	69.56		158.02	222.98
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:11:48			160.02	69.32	157.78	33.31	0.01	160.01	69.32		157.78	223.22
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:11:50			159.88	69.46	157.92	33.31	0.01	159.87	69.47		157.93	223.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:11:52			159.81	69.52	157.98	33.31	0.01	159.81	69.53		157.99	223.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:11:54			159.82	69.52	157.98	33.31	0.01	159.81	69.52		157.98	223.02
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:11:56			159.59	69.75	158.21	33.31	0.01	159.58	69.75		158.21	222.79
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:11:58			159.69	69.64	158.10	33.31	0.01	159.69	69.65		158.11	222.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:12:00			159.76	69.58	158.04	33.31	0.01	159.75	69.58		158.04	222.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:12:02			159.86	69.48	157.94	33.31	0.01	159.85	69.48		157.94	223.06
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:12:04			159.76	69.58	158.04	33.31	0.01	159.75	69.58		158.04	222.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:12:06			159.58	69.76	158.22	33.31	0.01	159.57	69.76		158.22	222.78
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:12:08			159.70	69.63	158.09	33.31	0.01	159.70	69.64		158.10	222.90
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:12:10			159.67	69.67	158.13	33.31	0.01	159.66	69.67		158.13	222.87
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:12:12			159.82	69.51	157.97	33.31	0.01	159.81	69.52		157.98	223.02
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:12:14			159.76	69.58	158.04	33.31	0.01	159.75	69.58		158.04	222.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:12:16			159.83	69.51	157.97	33.31	0.01	159.82	69.51		157.97	223.03
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:12:18			159.60	69.74	158.20	33.31	0.01	159.59	69.75		158.21	222.79
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:12:20			159.78	69.55	158.01	33.31	0.01	159.77	69.56		158.02	222.98
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:12:22			159.73	69.61	158.07	33.31	0.01	159.72	69.61		158.07	222.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:12:24			159.66	69.68	158.14	33.31	0.01	159.65	69.69		158.15	222.85
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:12:26			159.72	69.62	158.08	33.31	0.01	159.71	69.62		158.08	222.92
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:12:28			159.84	69.49	157.95	33.31	0.01	159.84	69.50		157.96	223.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:12:30			159.73	69.61	158.07	33.31	0.01	159.72	69.62		158.08	222.92
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:12:32			159.75	69.58	158.04	33.31	0.01	159.74	69.59		158.05	222.95
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:12:34			159.73	69.61	158.07	33.31	0.01	159.72	69.62		158.08	222.92
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:12:36			159.73	69.60	158.06	33.31	0.01	159.73	69.61		158.07	222.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:12:38			159.73	69.60	158.06	33.31	0.01	159.73	69.61		158.07	222.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:12:40			159.46	69.88	158.34	33.31	0.01	159.45	69.88		158.34	222.66
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:12:42			159.69	69.65	158.11	33.31	0.01	159.68	69.65		158.11	222.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:12:44			159.57	69.76	158.22	33.31	0.01	159.56	69.77		158.23	222.77

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:12:46			159.66	69.68	158.14	33.31	0.01	159.65	69.69		158.15	222.85
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:12:48			159.61	69.73	158.19	33.31	0.01	159.60	69.73		158.19	222.81
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:12:50			159.60	69.74	158.20	33.31	0.01	159.59	69.74		158.20	222.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:12:52			159.66	69.67	158.13	33.31	0.01	159.66	69.68		158.14	222.86
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:12:54			159.61	69.73	158.19	33.31	0.01	159.60	69.73		158.19	222.81
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:12:56			159.57	69.77	158.23	33.31	0.01	159.56	69.77		158.23	222.77
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:12:58			159.48	69.85	158.31	33.31	0.01	159.48	69.86		158.32	222.68
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:13:00			159.73	69.61	158.07	33.31	0.01	159.72	69.62		158.08	222.92
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:13:02			159.56	69.77	158.23	33.31	0.01	159.55	69.78		158.24	222.76
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:13:04			159.66	69.68	158.14	33.31	0.01	159.65	69.69		158.15	222.85
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:13:06			159.63	69.70	158.16	33.31	0.01	159.62	69.71		158.17	222.83
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:13:08			159.73	69.61	158.07	33.31	0.01	159.72	69.62		158.08	222.92
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:13:10			159.41	69.92	158.38	33.31	0.01	159.41	69.93		158.39	222.61
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:13:12			159.34	69.99	158.45	33.31	0.01	159.34	70.00		158.46	222.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:13:14			159.55	69.79	158.25	33.31	0.01	159.54	69.79		158.25	222.75
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:13:16			159.53	69.81	158.27	33.31	0.01	159.52	69.81		158.27	222.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:13:18			159.62	69.71	158.17	33.31	0.01	159.62	69.72		158.18	222.82
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:13:20			159.68	69.66	158.12	33.31	0.01	159.67	69.66		158.12	222.88
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:13:22			159.45	69.88	158.34	33.31	0.01	159.44	69.89		158.35	222.65
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:13:24			159.45	69.88	158.34	33.31	0.01	159.44	69.89		158.35	222.65
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:13:26			159.41	69.92	158.38	33.31	0.01	159.41	69.93		158.39	222.61
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:13:28			159.67	69.67	158.13	33.31	0.01	159.66	69.67		158.13	222.87
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:13:30			159.44	69.90	158.36	33.31	0.01	159.43	69.90		158.36	222.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:13:32			159.63	69.70	158.16	33.31	0.01	159.62	69.71		158.17	222.83
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:13:34			159.47	69.87	158.33	33.31	0.01	159.46	69.87		158.33	222.67
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:13:36			159.64	69.70	158.16	33.31	0.01	159.63	69.70		158.16	222.84
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:13:38			159.62	69.72	158.18	33.31	0.01	159.61	69.72		158.18	222.82
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:13:40			159.34	69.99	158.45	33.31	0.01	159.34	70.00		158.46	222.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:13:42			159.51	69.83	158.29	33.31	0.01	159.50	69.83		158.29	222.71
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:13:44			159.53	69.81	158.27	33.31	0.01	159.52	69.81		158.27	222.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:13:46			159.66	69.67	158.13	33.31	0.01	159.66	69.68		158.14	222.86
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:13:48			159.60	69.74	158.20	33.31	0.01	159.59	69.74		158.20	222.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:13:50			159.30	70.04	158.50	33.31	0.01	159.29	70.04		158.50	222.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:13:52			159.37	69.97	158.43	33.31	0.01	159.36	69.97		158.43	222.57
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:13:54			159.55	69.78	158.24	33.31	0.01	159.55	69.79		158.25	222.75
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:13:56			159.65	69.69	158.15	33.31	0.01	159.64	69.69		158.15	222.85
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:13:58			159.46	69.88	158.34	33.31	0.01	159.45	69.88		158.34	222.66
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:14:00			159.47	69.87	158.33	33.31	0.01	159.46	69.87		158.33	222.67
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:14:02			159.62	69.71	158.17	33.31	0.01	159.62	69.72		158.18	222.82
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:14:04			159.46	69.88	158.34	33.31	0.01	159.45	69.88		158.34	222.66
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:14:06			159.48	69.86	158.32	33.31	0.01	159.47	69.86		158.32	222.68
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:14:08			159.38	69.95	158.41	33.31	0.01	159.37	69.96		158.42	222.58
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:14:10			159.36	69.98	158.44	33.31	0.01	159.35	69.98		158.44	222.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:14:12			159.36	69.98	158.44	33.31	0.01	159.35	69.98		158.44	222.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:14:14			159.47	69.87	158.33	33.31	0.01	159.46	69.87		158.33	222.67
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:14:16			159.50	69.84	158.30	33.31	0.01	159.49	69.84		158.30	222.70
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:14:18			159.53	69.81	158.27	33.31	0.01	159.52	69.81		158.27	222.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:14:20			159.68	69.66	158.12	33.31	0.01	159.67	69.66		158.12	222.88
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:14:22			159.37	69.97	158.43	33.31	0.01	159.36	69.97		158.43	222.57
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:14:24			159.46	69.88	158.34	33.31	0.01	159.45	69.88		158.34	222.66
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:14:26			159.40	69.94	158.40	33.31	0.01	159.39	69.94		158.40	222.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:14:28			159.32	70.02	158.48	33.31	0.01	159.31	70.02		158.48	222.52
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:14:30			159.30	70.03	158.49	33.31	0.01	159.30	70.04		158.50	222.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:14:32			159.42	69.91	158.37	33.31	0.01	159.41	69.92		158.38	222.62
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:14:34			159.26	70.08	158.54	33.31	0.01	159.25	70.08		158.54	222.46
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:14:36			159.39	69.95	158.41	33.31	0.01	159.38	69.95		158.41	222.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:14:38			159.36	69.98	158.44	33.31	0.01	159.35	69.98		158.44	222.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:14:40			159.45	69.88	158.34	33.31	0.01	159.44	69.89		158.35	222.65
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:14:42			159.50	69.84	158.30	33.31	0.01	159.49	69.84		158.30	222.70
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:14:44			159.20	70.13	158.59	33.31	0.01	159.20	70.14		158.60	222.40
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:14:46			159.39	69.95	158.41	33.31	0.01	159.38	69.95		158.41	222.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:14:48			159.52	69.81	158.27	33.31	0.01	159.51	69.82		158.28	222.72
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:14:50			159.54	69.79	158.25	33.31	0.01	159.54	69.80		158.26	222.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:14:52			159.28	70.05	158.51	33.31	0.01	159.27	70.06		158.52	222.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:14:54			159.39	69.95	158.41	33.31	0.01	159.38	69.95		158.41	222.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:14:56			159.47	69.86	158.32	33.31	0.01	159.47	69.87		158.33	222.67
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:14:58			159.33	70.01	158.47	33.31	0.01	159.32	70.02		158.48	222.52
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:15:00			159.39	69.95	158.41	33.31	0.01	159.38	69.95		158.41	222.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:15:02			159.36	69.98	158.44	33.31	0.01	159.35	69.98		158.44	222.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:15:04			159.27	70.07	158.53	33.31	0.01	159.26	70.07		158.53	222.47
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:15:06			159.44	69.90	158.36	33.31	0.01	159.43	69.90		158.36	222.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:15:08			159.31	70.03	158.49	33.31	0.01	159.30	70.03		158.49	222.51
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:15:10			159.32	70.02	158.48	33.31	0.01	159.31	70.02		158.48	222.52
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:15:12			159.13	70.20	158.66	33.31	0.01	159.13	70.21		158.67	222.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:15:14			159.38	69.96	158.42	33.31	0.01	159.37	69.96		158.42	222.58
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:15:16			159.24	70.10	158.56	33.31	0.01	159.23	70.10		158.56	222.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:15:18			159.17	70.17	158.63	33.31	0.01	159.16	70.17		158.63	222.37
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:15:20			159.42	69.91	158.37	33.31	0.01	159.41	69.92		158.38	222.62
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:15:22			159.01	70.33	158.79	33.31	0.01	159.00	70.33		158.79	222.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:15:24			159.52	69.82	158.28	33.31	0.01	159.51	69.82		158.28	222.72
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:15:26			159.33	70.00	158.46	33.31	0.01	159.33	70.01		158.47	222.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:15:28			159.43	69.91	158.37	33.31	0.01	159.42	69.91		158.37	222.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:15:30			159.40	69.94	158.40	33.31	0.01	159.39	69.94		158.40	222.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:15:32			159.42	69.92	158.38	33.31	0.01	159.41	69.92		158.38	222.62
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:15:34			159.26	70.07	158.53	33.31	0.01	159.26	70.08		158.54	222.46
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:15:36			159.26	70.07	158.53	33.31	0.01	159.26	70.08		158.54	222.46
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:15:38			159.31	70.03	158.49	33.31	0.01	159.30	70.03		158.49	222.51
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:15:40			159.55	69.78	158.24	33.31	0.01	159.54	69.79		158.25	222.75
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:15:42			159.49	69.85	158.31	33.31	0.01	159.48	69.85		158.31	222.69
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:15:44			159.38	69.96	158.42	33.31	0.01	159.37	69.96		158.42	222.58
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:15:46			159.29	70.05	158.51	33.31	0.01	159.28	70.05		158.51	222.49
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:15:48			159.32	70.02	158.48	33.31	0.01	159.31	70.02		158.48	222.52
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:15:50			159.19	70.15	158.61	33.31	0.01	159.18	70.15		158.61	222.39
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:15:52			159.12	70.21	158.67	33.31	0.01	159.12	70.22		158.68	222.32
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:15:54			159.24	70.10	158.56	33.31	0.01	159.23	70.10		158.56	222.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:15:56			159.36	69.98	158.44	33.31	0.01	159.35	69.98		158.44	222.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:15:58			159.25	70.09	158.55	33.31	0.01	159.24	70.09		158.55	222.45

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:16:00			159.29	70.04	158.50	33.31	0.01	159.29	70.05		158.51	222.49
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:16:02			159.29	70.04	158.50	33.31	0.01	159.29	70.05		158.51	222.49
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:16:04			159.18	70.16	158.62	33.31	0.01	159.17	70.16		158.62	222.38
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:16:06			159.12	70.22	158.68	33.31	0.01	159.11	70.22		158.68	222.32
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:16:08			159.39	69.95	158.41	33.31	0.01	159.38	69.95		158.41	222.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:16:10			159.35	69.99	158.45	33.31	0.01	159.34	69.99		158.45	222.55
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:16:12			159.16	70.17	158.63	33.31	0.01	159.16	70.18		158.64	222.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:16:14			159.29	70.05	158.51	33.31	0.01	159.28	70.05		158.51	222.49
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:16:16			159.30	70.03	158.49	33.31	0.01	159.30	70.04		158.50	222.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:16:18			159.28	70.06	158.52	33.31	0.01	159.27	70.06		158.52	222.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:16:20			159.26	70.07	158.53	33.31	0.01	159.26	70.08		158.54	222.46
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:16:22			159.19	70.14	158.60	33.31	0.01	159.19	70.15		158.61	222.39
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:16:24			159.24	70.10	158.56	33.31	0.01	159.23	70.10		158.56	222.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:16:26			159.21	70.13	158.59	33.31	0.01	159.20	70.13		158.59	222.41
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:16:28			159.26	70.08	158.54	33.31	0.01	159.25	70.08		158.54	222.46
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:16:30			159.34	69.99	158.45	33.31	0.01	159.33	70.00		158.46	222.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:16:32			159.12	70.21	158.67	33.31	0.01	159.12	70.22		158.68	222.32
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:16:34			159.15	70.19	158.65	33.31	0.01	159.14	70.19		158.65	222.35
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:16:36			159.25	70.09	158.55	33.31	0.01	159.24	70.09		158.55	222.45
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:16:38			159.19	70.15	158.61	33.31	0.01	159.18	70.15		158.61	222.39
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:16:40			159.30	70.03	158.49	33.31	0.01	159.30	70.04		158.50	222.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:16:42			159.03	70.31	158.77	33.31	0.01	159.02	70.31		158.77	222.23
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:16:44			159.29	70.04	158.50	33.31	0.01	159.29	70.05		158.51	222.49
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:16:46			159.17	70.17	158.63	33.31	0.01	159.16	70.17		158.63	222.37
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:16:48			159.17	70.17	158.63	33.31	0.01	159.16	70.17		158.63	222.37
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:16:50			159.21	70.13	158.59	33.31	0.01	159.20	70.13		158.59	222.41
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:16:52			159.22	70.11	158.57	33.31	0.01	159.22	70.12		158.58	222.42
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:16:54			159.36	69.97	158.43	33.31	0.01	159.36	69.98		158.44	222.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:16:56			159.26	70.08	158.54	33.31	0.01	159.25	70.08		158.54	222.46
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:16:58			159.05	70.28	158.74	33.31	0.01	159.05	70.29		158.75	222.25
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:17:00			159.01	70.33	158.79	33.31	0.01	159.00	70.33		158.79	222.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:17:02			159.15	70.19	158.65	33.31	0.01	159.14	70.19		158.65	222.35
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:17:04			159.14	70.20	158.66	33.31	0.01	159.13	70.20		158.66	222.34
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:17:06			159.17	70.17	158.63	33.31	0.01	159.16	70.17		158.63	222.37
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:17:08			159.21	70.13	158.59	33.31	0.01	159.20	70.13		158.59	222.41
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:17:10			159.21	70.13	158.59	33.31	0.01	159.20	70.13		158.59	222.41
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:17:12			159.10	70.24	158.70	33.31	0.01	159.09	70.24		158.70	222.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:17:14			159.19	70.15	158.61	33.31	0.01	159.18	70.15		158.61	222.39
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:17:16			159.12	70.21	158.67	33.31	0.01	159.12	70.22		158.68	222.32
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:17:18			159.14	70.20	158.66	33.31	0.01	159.13	70.20		158.66	222.34
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:17:20			159.20	70.13	158.59	33.31	0.01	159.19	70.14		158.60	222.40
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:17:22			159.01	70.32	158.78	33.31	0.01	159.01	70.33		158.79	222.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:17:24			158.92	70.42	158.88	33.31	0.01	158.91	70.42		158.88	222.12
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:17:26			158.88	70.45	158.91	33.31	0.01	158.87	70.46		158.92	222.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:17:28			159.00	70.34	158.80	33.31	0.01	158.99	70.34		158.80	222.20
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:17:30			159.26	70.08	158.54	33.31	0.01	159.25	70.08		158.54	222.46
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:17:32			159.01	70.32	158.78	33.31	0.01	159.01	70.33		158.79	222.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:17:34			159.06	70.28	158.74	33.31	0.01	159.05	70.28		158.74	222.26
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:17:36			159.01	70.32	158.78	33.31	0.01	159.01	70.33		158.79	222.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:17:38			159.11	70.22	158.68	33.31	0.01	159.11	70.23		158.69	222.31
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:17:40			159.15	70.18	158.64	33.31	0.01	159.15	70.19		158.65	222.35
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:17:42			159.07	70.27	158.73	33.31	0.01	159.06	70.27		158.73	222.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:17:44			159.12	70.21	158.67	33.31	0.01	159.12	70.22		158.68	222.32
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:17:46			159.13	70.21	158.67	33.31	0.01	159.12	70.21		158.67	222.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:17:48			159.06	70.28	158.74	33.31	0.01	159.05	70.28		158.74	222.26
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:17:50			159.16	70.17	158.63	33.31	0.01	159.16	70.18		158.64	222.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:17:52			159.02	70.31	158.77	33.31	0.01	159.01	70.32		158.78	222.22
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:17:54			159.17	70.17	158.63	33.31	0.01	159.16	70.17		158.63	222.37
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:17:56			159.09	70.25	158.71	33.31	0.01	159.08	70.25		158.71	222.29
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:17:58			158.97	70.36	158.82	33.31	0.01	158.97	70.37		158.83	222.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:18:00			159.02	70.31	158.77	33.31	0.01	159.01	70.32		158.78	222.22
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:18:02			159.13	70.20	158.66	33.31	0.01	159.12	70.21		158.67	222.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:18:04			159.07	70.26	158.72	33.31	0.01	159.07	70.27		158.73	222.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:18:06			158.92	70.42	158.88	33.31	0.01	158.91	70.42		158.88	222.12
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:18:08			159.12	70.22	158.68	33.31	0.01	159.11	70.22		158.68	222.32
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:18:10			159.13	70.20	158.66	33.31	0.01	159.12	70.21		158.67	222.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:18:12			159.03	70.31	158.77	33.31	0.01	159.02	70.31		158.77	222.23
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:18:14			158.94	70.39	158.85	33.31	0.01	158.94	70.40		158.86	222.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:18:16			159.08	70.26	158.72	33.31	0.01	159.07	70.26		158.72	222.28
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:18:18			158.80	70.53	158.99	33.31	0.01	158.80	70.54		159.00	222.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:18:20			159.00	70.34	158.80	33.31	0.01	158.99	70.34		158.80	222.20
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:18:22			158.96	70.38	158.84	33.31	0.01	158.95	70.38		158.84	222.16
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:18:24			159.08	70.25	158.71	33.31	0.01	159.08	70.26		158.72	222.28
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:18:26			158.99	70.35	158.81	33.31	0.01	158.98	70.35		158.81	222.19
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:18:28			158.92	70.42	158.88	33.31	0.01	158.91	70.42		158.88	222.12
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:18:30			159.27	70.07	158.53	33.31	0.01	159.26	70.07		158.53	222.47
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:18:32			158.94	70.40	158.86	33.31	0.01	158.93	70.40		158.86	222.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:18:34			158.98	70.36	158.82	33.31	0.01	158.97	70.36		158.82	222.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:18:36			159.00	70.33	158.79	33.31	0.01	159.00	70.34		158.80	222.20
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:18:38			158.97	70.36	158.82	33.31	0.01	158.97	70.37		158.83	222.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:18:40			158.83	70.51	158.97	33.31	0.01	158.82	70.51		158.97	222.03
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:18:42			159.16	70.18	158.64	33.31	0.01	159.15	70.18		158.64	222.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:18:44			159.06	70.28	158.74	33.31	0.01	159.05	70.28		158.74	222.26
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:18:46			158.87	70.46	158.92	33.31	0.01	158.86	70.47		158.93	222.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:18:48			158.94	70.39	158.85	33.31	0.01	158.93	70.40		158.86	222.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:18:50			159.18	70.15	158.61	33.31	0.01	159.18	70.16		158.62	222.38
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:18:52			159.00	70.34	158.80	33.31	0.01	158.99	70.34		158.80	222.20
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:18:54			158.88	70.46	158.92	33.31	0.01	158.87	70.46		158.92	222.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:18:56			158.97	70.36	158.82	33.31	0.01	158.97	70.37		158.83	222.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:18:58			159.04	70.29	158.75	33.31	0.01	159.04	70.30		158.76	222.24
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:19:00			159.04	70.30	158.76	33.31	0.01	159.03	70.30		158.76	222.24
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:19:02			158.82	70.51	158.97	33.31	0.01	158.82	70.52		158.98	222.02
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:19:04			159.02	70.32	158.78	33.31	0.01	159.01	70.32		158.78	222.22
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:19:06			159.07	70.26	158.72	33.31	0.01	159.07	70.27		158.73	222.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:19:08			158.89	70.45	158.91	33.31	0.01	158.88	70.45		158.91	222.09
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:19:10			159.05	70.29	158.75	33.31	0.01	159.04	70.29		158.75	222.25
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:19:12			158.83	70.51	158.97	33.31	0.01	158.82	70.51		158.97	222.03

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:19:14			158.92	70.42	158.88	33.31	0.01	158.91	70.42		158.88	222.12
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:19:16			158.88	70.46	158.92	33.31	0.01	158.87	70.46		158.92	222.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:19:18			158.93	70.40	158.86	33.31	0.01	158.93	70.41		158.87	222.13
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:19:20			158.96	70.38	158.84	33.31	0.01	158.95	70.38		158.84	222.16
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:19:22			158.93	70.41	158.87	33.31	0.01	158.92	70.41		158.87	222.13
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:19:24			158.98	70.36	158.82	33.31	0.01	158.97	70.36		158.82	222.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:19:26			158.96	70.38	158.84	33.31	0.01	158.95	70.38		158.84	222.16
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:19:28			158.96	70.38	158.84	33.31	0.01	158.95	70.38		158.84	222.16
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:19:30			159.00	70.33	158.79	33.31	0.01	159.00	70.34		158.80	222.20
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:19:32			158.94	70.39	158.85	33.31	0.01	158.93	70.40		158.86	222.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:19:34			158.97	70.37	158.83	33.31	0.01	158.96	70.37		158.83	222.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:19:36			159.11	70.22	158.68	33.31	0.01	159.11	70.23		158.69	222.31
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:19:38			158.90	70.43	158.89	33.31	0.01	158.90	70.44		158.90	222.10
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:19:40			159.00	70.33	158.79	33.31	0.01	159.00	70.34		158.80	222.20
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:19:42			158.91	70.43	158.89	33.31	0.01	158.90	70.43		158.89	222.11
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:19:44			158.96	70.38	158.84	33.31	0.01	158.95	70.38		158.84	222.16
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:19:46			158.91	70.43	158.89	33.31	0.01	158.90	70.43		158.89	222.11
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:19:48			158.79	70.54	159.00	33.31	0.01	158.79	70.55		159.01	221.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:19:50			158.85	70.49	158.95	33.31	0.01	158.84	70.49		158.95	222.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:19:52			158.80	70.53	158.99	33.31	0.01	158.79	70.54		159.00	222.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:19:54			158.97	70.37	158.83	33.31	0.01	158.96	70.37		158.83	222.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:19:56			158.77	70.57	159.03	33.31	0.01	158.76	70.57		159.03	221.97
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:19:58			159.03	70.31	158.77	33.31	0.01	159.02	70.31		158.77	222.23
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:20:00			158.97	70.37	158.83	33.31	0.01	158.96	70.37		158.83	222.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:20:02			159.10	70.24	158.70	33.31	0.01	159.09	70.24		158.70	222.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:20:04			158.88	70.46	158.92	33.31	0.01	158.87	70.46		158.92	222.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:20:06			158.97	70.36	158.82	33.31	0.01	158.97	70.37		158.83	222.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:20:08			158.86	70.47	158.93	33.31	0.01	158.86	70.48		158.94	222.06
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:20:10			158.87	70.46	158.92	33.31	0.01	158.87	70.47		158.93	222.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:20:12			158.87	70.46	158.92	33.31	0.01	158.87	70.47		158.93	222.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:20:14			159.01	70.32	158.78	33.31	0.01	159.01	70.33		158.79	222.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:20:16			158.86	70.48	158.94	33.31	0.01	158.85	70.48		158.94	222.06
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:20:18			158.71	70.63	159.09	33.31	0.01	158.70	70.63		159.09	221.91
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:20:20			158.88	70.46	158.92	33.31	0.01	158.87	70.46		158.92	222.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:20:22			158.90	70.43	158.89	33.31	0.01	158.90	70.44		158.90	222.10
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:20:24			158.89	70.45	158.91	33.31	0.01	158.88	70.45		158.91	222.09
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:20:26			158.87	70.46	158.92	33.31	0.01	158.87	70.47		158.93	222.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:20:28			158.97	70.37	158.83	33.31	0.01	158.96	70.37		158.83	222.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:20:30			158.87	70.46	158.92	33.31	0.01	158.87	70.47		158.93	222.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:20:32			158.86	70.47	158.93	33.31	0.01	158.86	70.48		158.94	222.06
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:20:34			158.96	70.38	158.84	33.31	0.01	158.95	70.38		158.84	222.16
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:20:36			158.67	70.67	159.13	33.31	0.01	158.66	70.67		159.13	221.87
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:20:38			158.85	70.49	158.95	33.31	0.01	158.84	70.49		158.95	222.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:20:40			158.79	70.55	159.01	33.31	0.01	158.78	70.55		159.01	221.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:20:42			158.79	70.54	159.00	33.31	0.01	158.79	70.55		159.01	221.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:20:44			158.72	70.62	159.08	33.31	0.01	158.71	70.62		159.08	221.92
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:20:46			158.86	70.47	158.93	33.31	0.01	158.86	70.48		158.94	222.06
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:20:48			158.83	70.50	158.96	33.31	0.01	158.83	70.51		158.97	222.03
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:20:50			158.70	70.64	159.10	33.31	0.01	158.69	70.64		159.10	221.90
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:20:52			158.79	70.54	159.00	33.31	0.01	158.79	70.55		159.01	221.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:20:54			158.89	70.45	158.91	33.31	0.01	158.88	70.45		158.91	222.09
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:20:56			158.97	70.36	158.82	33.31	0.01	158.97	70.37		158.83	222.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:20:58			158.61	70.72	159.18	33.31	0.01	158.61	70.72		159.18	221.82
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:21:00			158.86	70.47	158.93	33.31	0.01	158.86	70.48		158.94	222.06
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:21:02			158.76	70.57	159.03	33.31	0.01	158.76	70.58		159.04	221.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:21:04			158.85	70.49	158.95	33.31	0.01	158.84	70.49		158.95	222.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:21:06			158.77	70.57	159.03	33.31	0.01	158.76	70.57		159.03	221.97
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:21:08			158.67	70.67	159.13	33.31	0.01	158.66	70.67		159.13	221.87
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:21:10			158.74	70.59	159.05	33.31	0.01	158.74	70.59		159.05	221.95
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:21:12			159.00	70.34	158.80	33.31	0.01	158.99	70.34		158.80	222.20
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:21:14			158.71	70.62	159.08	33.31	0.01	158.71	70.63		159.09	221.91
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:21:16			158.91	70.43	158.89	33.31	0.01	158.90	70.43		158.89	222.11
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:21:18			158.69	70.64	159.10	33.31	0.01	158.69	70.65		159.11	221.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:21:20			158.71	70.63	159.09	33.31	0.01	158.70	70.63		159.09	221.91
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:21:22			158.86	70.47	158.93	33.31	0.01	158.86	70.48		158.94	222.06
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:21:24			158.68	70.65	159.11	33.31	0.01	158.68	70.65		159.11	221.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:21:26			158.65	70.68	159.14	33.31	0.01	158.65	70.69		159.15	221.85
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:21:28			158.76	70.57	159.03	33.31	0.01	158.76	70.58		159.04	221.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:21:30			158.84	70.50	158.96	33.31	0.01	158.83	70.50		158.96	222.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:21:32			158.76	70.58	159.04	33.31	0.01	158.75	70.58		159.04	221.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:21:34			158.89	70.45	158.91	33.31	0.01	158.88	70.45		158.91	222.09
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:21:36			158.79	70.54	159.00	33.31	0.01	158.79	70.55		159.01	221.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:21:38			158.66	70.67	159.13	33.31	0.01	158.66	70.68		159.14	221.86
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:21:40			158.66	70.67	159.13	33.31	0.01	158.66	70.68		159.14	221.86
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:21:42			158.77	70.57	159.03	33.31	0.01	158.76	70.57		159.03	221.97
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:21:44			158.90	70.43	158.89	33.31	0.01	158.90	70.44		158.90	222.10
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:21:46			158.67	70.67	159.13	33.31	0.01	158.66	70.67		159.13	221.87
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:21:48			158.64	70.69	159.15	33.31	0.01	158.64	70.70		159.16	221.84
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:21:50			158.78	70.56	159.02	33.31	0.01	158.77	70.56		159.02	221.98
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:21:52			158.77	70.57	159.03	33.31	0.01	158.76	70.57		159.03	221.97
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:21:54			158.68	70.65	159.11	33.31	0.01	158.68	70.65		159.11	221.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:21:56			158.66	70.67	159.13	33.31	0.01	158.66	70.68		159.14	221.86
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:21:58			158.74	70.60	159.06	33.31	0.01	158.73	70.60		159.06	221.94
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:22:00			158.89	70.45	158.91	33.31	0.01	158.88	70.45		158.91	222.09
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:22:02			158.65	70.69	159.15	33.31	0.01	158.64	70.69		159.15	221.85
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:22:04			158.71	70.63	159.09	33.31	0.01	158.70	70.63		159.09	221.91
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:22:06			158.78	70.56	159.02	33.31	0.01	158.77	70.56		159.02	221.98
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:22:08			158.77	70.57	159.03	33.31	0.01	158.76	70.57		159.03	221.97
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:22:10			158.68	70.65	159.11	33.31	0.01	158.68	70.65		159.11	221.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:22:12			158.94	70.39	158.85	33.31	0.01	158.94	70.40		158.86	222.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:22:14			158.70	70.64	159.10	33.31	0.01	158.69	70.64		159.10	221.90
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:22:16			158.76	70.57	159.03	33.31	0.01	158.76	70.58		159.04	221.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:22:18			158.67	70.67	159.13	33.31	0.01	158.66	70.67		159.13	221.87
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:22:20			158.67	70.67	159.13	33.31	0.01	158.66	70.67		159.13	221.87
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:22:22			158.69	70.64	159.10	33.31	0.01	158.69	70.65		159.11	221.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:22:24			158.82	70.52	158.98	33.31	0.01	158.81	70.52		158.98	222.02
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:22:26			158.92	70.42	158.88	33.31	0.01	158.91	70.42		158.88	222.12

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:22:28			158.70	70.64	159.10	33.31	0.01	158.69	70.64		159.10	221.90
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:22:30			158.71	70.63	159.09	33.31	0.01	158.70	70.63		159.09	221.91
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:22:32			158.51	70.82	159.28	33.31	0.01	158.51	70.83		159.29	221.71
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:22:34			158.80	70.53	158.99	33.31	0.01	158.80	70.54		159.00	222.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:22:36			158.54	70.80	159.26	33.31	0.01	158.53	70.80		159.26	221.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:22:38			158.66	70.68	159.14	33.31	0.01	158.65	70.68		159.14	221.86
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:22:40			158.56	70.78	159.24	33.31	0.01	158.55	70.78		159.24	221.76
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:22:42			158.82	70.51	158.97	33.31	0.01	158.82	70.51		158.97	222.03
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:22:44			158.53	70.81	159.27	33.31	0.01	158.52	70.81		159.27	221.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:22:46			158.55	70.79	159.25	33.31	0.01	158.54	70.79		159.25	221.75
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:22:48			158.58	70.76	159.22	33.31	0.01	158.57	70.76		159.22	221.78
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:22:50			158.60	70.74	159.20	33.31	0.01	158.59	70.74		159.20	221.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:22:52			158.74	70.59	159.05	33.31	0.01	158.74	70.59		159.05	221.95
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:22:54			158.78	70.56	159.02	33.31	0.01	158.77	70.56		159.02	221.98
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:22:56			158.69	70.65	159.11	33.31	0.01	158.68	70.65		159.11	221.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:22:58			158.56	70.78	159.24	33.31	0.01	158.55	70.78		159.24	221.76
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:23:00			158.62	70.72	159.18	33.31	0.01	158.61	70.72		159.18	221.82
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:23:02			158.73	70.61	159.07	33.31	0.01	158.72	70.61		159.07	221.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:23:04			158.63	70.71	159.17	33.31	0.01	158.62	70.71		159.17	221.83
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:23:06			158.59	70.75	159.21	33.31	0.01	158.58	70.75		159.21	221.79
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:23:08			158.51	70.82	159.28	33.31	0.01	158.51	70.83		159.29	221.71
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:23:10			158.64	70.69	159.15	33.31	0.01	158.64	70.70		159.16	221.84
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:23:12			158.65	70.69	159.15	33.31	0.01	158.64	70.69		159.15	221.85
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:23:14			158.70	70.64	159.10	33.31	0.01	158.69	70.64		159.10	221.90
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:23:16			158.60	70.74	159.20	33.31	0.01	158.59	70.74		159.20	221.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:23:18			158.71	70.63	159.09	33.31	0.01	158.70	70.63		159.09	221.91
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:23:20			158.55	70.79	159.25	33.31	0.01	158.54	70.79		159.25	221.75
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:23:22			158.47	70.86	159.32	33.31	0.01	158.47	70.87		159.33	221.67
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:23:24			158.51	70.82	159.28	33.31	0.01	158.51	70.83		159.29	221.71
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:23:26			158.71	70.62	159.08	33.31	0.01	158.71	70.63		159.09	221.91
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:23:28			158.69	70.65	159.11	33.31	0.01	158.68	70.65		159.11	221.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:23:30			158.78	70.56	159.02	33.31	0.01	158.77	70.56		159.02	221.98
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:23:32			158.60	70.74	159.20	33.31	0.01	158.59	70.74		159.20	221.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:23:34			158.57	70.76	159.22	33.31	0.01	158.57	70.77		159.23	221.77
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:23:36			158.75	70.59	159.05	33.31	0.01	158.74	70.59		159.05	221.95
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:23:38			158.62	70.72	159.18	33.31	0.01	158.61	70.72		159.18	221.82
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:23:40			158.45	70.89	159.35	33.31	0.01	158.44	70.89		159.35	221.65
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:23:42			158.48	70.86	159.32	33.31	0.01	158.47	70.86		159.32	221.68
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:23:44			158.53	70.81	159.27	33.31	0.01	158.52	70.81		159.27	221.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:23:46			158.50	70.84	159.30	33.31	0.01	158.49	70.84		159.30	221.70
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:23:48			158.53	70.81	159.27	33.31	0.01	158.52	70.81		159.27	221.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:23:50			158.48	70.86	159.32	33.31	0.01	158.47	70.86		159.32	221.68
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:23:52			158.43	70.90	159.36	33.31	0.01	158.43	70.91		159.37	221.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:23:54			158.44	70.90	159.36	33.31	0.01	158.43	70.90		159.36	221.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:23:56			158.57	70.77	159.23	33.31	0.01	158.56	70.77		159.23	221.77
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:23:58			158.58	70.75	159.21	33.31	0.01	158.58	70.76		159.22	221.78
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:24:00			158.57	70.77	159.23	33.31	0.01	158.56	70.77		159.23	221.77
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:24:02			158.59	70.75	159.21	33.31	0.01	158.58	70.75		159.21	221.79
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:24:04			158.60	70.73	159.19	33.31	0.01	158.60	70.73		159.19	221.81
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:24:06			158.50	70.83	159.29	33.31	0.01	158.50	70.84		159.30	221.70
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:24:08			158.50	70.83	159.29	33.31	0.01	158.50	70.84		159.30	221.70
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:24:10			158.40	70.93	159.39	33.31	0.01	158.40	70.94		159.40	221.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:24:12			158.60	70.74	159.20	33.31	0.01	158.59	70.74		159.20	221.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:24:14			158.47	70.86	159.32	33.31	0.01	158.47	70.87		159.33	221.67
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:24:16			158.42	70.92	159.38	33.31	0.01	158.41	70.92		159.38	221.62
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:24:18			158.53	70.81	159.27	33.31	0.01	158.52	70.81		159.27	221.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:24:20			158.54	70.79	159.25	33.31	0.01	158.54	70.80		159.26	221.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:24:22			158.74	70.59	159.05	33.31	0.01	158.74	70.59		159.05	221.95
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:24:24			158.40	70.93	159.39	33.31	0.01	158.40	70.94		159.40	221.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:24:26			158.49	70.85	159.31	33.31	0.01	158.48	70.85		159.31	221.69
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:24:28			158.50	70.83	159.29	33.31	0.01	158.50	70.84		159.30	221.70
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:24:30			158.54	70.79	159.25	33.31	0.01	158.54	70.80		159.26	221.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:24:32			158.54	70.79	159.25	33.31	0.01	158.54	70.80		159.26	221.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:24:34			158.48	70.86	159.32	33.31	0.01	158.47	70.86		159.32	221.68
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:24:36			158.33	71.00	159.46	33.31	0.01	158.33	71.01		159.47	221.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:24:38			158.36	70.97	159.43	33.31	0.01	158.36	70.98		159.44	221.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:24:40			158.65	70.68	159.14	33.31	0.01	158.65	70.69		159.15	221.85
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:24:42			158.50	70.83	159.29	33.31	0.01	158.50	70.84		159.30	221.70
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:24:44			158.43	70.90	159.36	33.31	0.01	158.43	70.91		159.37	221.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:24:46			158.40	70.93	159.39	33.31	0.01	158.40	70.94		159.40	221.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:24:48			158.49	70.85	159.31	33.31	0.01	158.48	70.85		159.31	221.69
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:24:50			158.43	70.90	159.36	33.31	0.01	158.43	70.91		159.37	221.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:24:52			158.44	70.90	159.36	33.31	0.01	158.43	70.90		159.36	221.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:24:54			158.36	70.97	159.43	33.31	0.01	158.36	70.98		159.44	221.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:24:56			158.64	70.69	159.15	33.31	0.01	158.64	70.70		159.16	221.84
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:24:58			158.32	71.01	159.47	33.31	0.01	158.32	71.01		159.47	221.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:25:00			158.48	70.86	159.32	33.30	0.01	158.47	70.86		159.32	221.68
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:25:02			158.43	70.91	159.37	33.30	0.01	158.42	70.91		159.37	221.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:25:04			158.58	70.75	159.21	33.30	0.01	158.58	70.76		159.22	221.78
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:25:06			158.54	70.79	159.25	33.30	0.01	158.54	70.80		159.26	221.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:25:08			158.30	71.04	159.50	33.30	0.01	158.29	71.04		159.50	221.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:25:10			158.53	70.81	159.27	33.30	0.01	158.52	70.81		159.27	221.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:25:12			158.39	70.95	159.41	33.30	0.01	158.38	70.95		159.41	221.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:25:14			158.40	70.93	159.39	33.30	0.01	158.40	70.94		159.40	221.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:25:16			158.39	70.94	159.40	33.30	0.01	158.39	70.94		159.40	221.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:25:18			158.38	70.96	159.42	33.30	0.01	158.37	70.96		159.42	221.58
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:25:20			158.45	70.89	159.35	33.30	0.01	158.44	70.89		159.35	221.65
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:25:22			158.51	70.82	159.28	33.30	0.01	158.51	70.83		159.29	221.71
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:25:24			158.36	70.97	159.43	33.30	0.01	158.36	70.98		159.44	221.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:25:26			158.40	70.93	159.39	33.30	0.01	158.40	70.94		159.40	221.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:25:28			158.32	71.01	159.47	33.30	0.01	158.32	71.01		159.47	221.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:25:30			158.36	70.97	159.43	33.30	0.01	158.36	70.98		159.44	221.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:25:32			158.64	70.70	159.16	33.30	0.01	158.63	70.70		159.16	221.84
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:25:34			158.45	70.89	159.35	33.30	0.01	158.44	70.89		159.35	221.65
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:25:36			158.52	70.82	159.28	33.30	0.01	158.51	70.82		159.28	221.72
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:25:38			158.51	70.82	159.28	33.30	0.01	158.51	70.83		159.29	221.71
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:25:40			158.20	71.14	159.60	33.30	0.01	158.19	71.14		159.60	221.40

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:25:42			158.43	70.91	159.37	33.30	0.01	158.42	70.91		159.37	221.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:25:44			158.32	71.01	159.47	33.30	0.01	158.32	71.01		159.47	221.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:25:46			158.24	71.10	159.56	33.30	0.01	158.23	71.10		159.56	221.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:25:48			158.32	71.01	159.47	33.30	0.01	158.32	71.01		159.47	221.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:25:50			158.36	70.97	159.43	33.30	0.01	158.36	70.98		159.44	221.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:25:52			158.39	70.94	159.40	33.30	0.01	158.39	70.94		159.40	221.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:25:54			158.39	70.94	159.40	33.30	0.01	158.39	70.94		159.40	221.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:25:56			158.32	71.02	159.48	33.30	0.01	158.31	71.02		159.48	221.52
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:25:58			158.30	71.04	159.50	33.30	0.01	158.29	71.04		159.50	221.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:26:00			158.30	71.04	159.50	33.30	0.01	158.29	71.04		159.50	221.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:26:02			158.57	70.77	159.23	33.30	0.01	158.56	70.77		159.23	221.77
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:26:04			158.28	71.06	159.52	33.30	0.01	158.27	71.06		159.52	221.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:26:06			158.27	71.07	159.53	33.30	0.01	158.26	71.07		159.53	221.47
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:26:08			158.44	70.90	159.36	33.30	0.01	158.43	70.90		159.36	221.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:26:10			158.52	70.82	159.28	33.30	0.01	158.51	70.82		159.28	221.72
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:26:12			158.20	71.14	159.60	33.30	0.01	158.19	71.14		159.60	221.40
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:26:14			158.37	70.97	159.43	33.30	0.01	158.36	70.97		159.43	221.57
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:26:16			158.32	71.01	159.47	33.30	0.01	158.32	71.01		159.47	221.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:26:18			158.33	71.00	159.46	33.30	0.01	158.33	71.01		159.47	221.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:26:20			158.23	71.11	159.57	33.30	0.01	158.22	71.11		159.57	221.43
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:26:22			158.33	71.00	159.46	33.30	0.01	158.33	71.01		159.47	221.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:26:24			158.32	71.02	159.48	33.30	0.01	158.31	71.02		159.48	221.52
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:26:26			158.43	70.90	159.36	33.30	0.01	158.43	70.91		159.37	221.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:26:28			158.28	71.06	159.52	33.30	0.01	158.27	71.06		159.52	221.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:26:30			158.17	71.17	159.63	33.30	0.01	158.16	71.17		159.63	221.37
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:26:32			158.24	71.10	159.56	33.30	0.01	158.23	71.10		159.56	221.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:26:34			158.28	71.06	159.52	33.30	0.01	158.27	71.06		159.52	221.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:26:36			158.29	71.04	159.50	33.30	0.01	158.29	71.05		159.51	221.49
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:26:38			158.43	70.90	159.36	33.30	0.01	158.43	70.91		159.37	221.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:26:40			158.53	70.80	159.26	33.30	0.01	158.53	70.80		159.26	221.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:26:42			158.23	71.11	159.57	33.30	0.01	158.22	71.11		159.57	221.43
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:26:44			158.33	71.00	159.46	33.30	0.01	158.33	71.01		159.47	221.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:26:46			158.26	71.07	159.53	33.30	0.01	158.26	71.08		159.54	221.46
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:26:48			158.19	71.14	159.60	33.30	0.01	158.19	71.15		159.61	221.39
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:26:50			158.23	71.11	159.57	33.30	0.01	158.22	71.11		159.57	221.43
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:26:52			158.44	70.90	159.36	33.30	0.01	158.43	70.90		159.36	221.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:26:54			158.32	71.01	159.47	33.30	0.01	158.32	71.01		159.47	221.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:26:56			158.24	71.10	159.56	33.30	0.01	158.23	71.10		159.56	221.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:26:58			158.34	71.00	159.46	33.30	0.01	158.33	71.00		159.46	221.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:27:00			158.33	71.00	159.46	33.30	0.01	158.33	71.01		159.47	221.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:27:02			158.34	71.00	159.46	33.30	0.01	158.33	71.00		159.46	221.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:27:04			158.25	71.09	159.55	33.30	0.01	158.24	71.09		159.55	221.45
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:27:06			158.36	70.97	159.43	33.30	0.01	158.36	70.98		159.44	221.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:27:08			158.28	71.06	159.52	33.30	0.01	158.27	71.06		159.52	221.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:27:10			158.39	70.94	159.40	33.30	0.01	158.39	70.95		159.41	221.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:27:12			158.37	70.97	159.43	33.30	0.01	158.36	70.97		159.43	221.57
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:27:14			158.25	71.08	159.54	33.30	0.01	158.25	71.09		159.55	221.45
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:27:16			158.16	71.18	159.64	33.30	0.01	158.15	71.18		159.64	221.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:27:18			158.10	71.24	159.70	33.30	0.01	158.09	71.24		159.70	221.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:27:20			158.34	71.00	159.46	33.30	0.01	158.33	71.00		159.46	221.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:27:22			158.25	71.08	159.54	33.30	0.01	158.25	71.09		159.55	221.45
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:27:24			158.35	70.99	159.45	33.30	0.01	158.34	70.99		159.45	221.55
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:27:26			158.18	71.16	159.62	33.30	0.01	158.17	71.16		159.62	221.38
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:27:28			158.21	71.12	159.58	33.30	0.01	158.21	71.12		159.58	221.42
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:27:30			158.14	71.19	159.65	33.30	0.01	158.14	71.19		159.65	221.35
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:27:32			158.41	70.93	159.39	33.30	0.01	158.40	70.93		159.39	221.61
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:27:34			158.18	71.16	159.62	33.30	0.01	158.17	71.16		159.62	221.38
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:27:36			158.08	71.25	159.71	33.30	0.01	158.08	71.26		159.72	221.28
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:27:38			158.36	70.98	159.44	33.30	0.01	158.35	70.98		159.44	221.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:27:40			158.37	70.97	159.43	33.30	0.01	158.36	70.97		159.43	221.57
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:27:42			158.24	71.10	159.56	33.30	0.01	158.23	71.10		159.56	221.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:27:44			158.08	71.25	159.71	33.30	0.01	158.08	71.26		159.72	221.28
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:27:46			158.23	71.11	159.57	33.30	0.01	158.22	71.11		159.57	221.43
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:27:48			158.02	71.32	159.78	33.30	0.01	158.01	71.32		159.78	221.22
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:27:50			158.30	71.04	159.50	33.30	0.01	158.29	71.04		159.50	221.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:27:52			158.12	71.21	159.67	33.30	0.01	158.12	71.22		159.68	221.32
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:27:54			158.04	71.29	159.75	33.30	0.01	158.04	71.30		159.76	221.24
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:27:56			158.20	71.14	159.60	33.30	0.01	158.19	71.14		159.60	221.40
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:27:58			158.35	70.99	159.45	33.30	0.01	158.34	70.99		159.45	221.55
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:28:00			158.24	71.10	159.56	33.30	0.01	158.23	71.10		159.56	221.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:28:02			158.14	71.19	159.65	33.30	0.01	158.14	71.19		159.65	221.35
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:28:04			158.24	71.10	159.56	33.30	0.01	158.23	71.10		159.56	221.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:28:06			158.15	71.18	159.64	33.30	0.01	158.15	71.19		159.65	221.35
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:28:08			158.39	70.94	159.40	33.30	0.01	158.39	70.95		159.41	221.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:28:10			158.28	71.06	159.52	33.30	0.01	158.27	71.06		159.52	221.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:28:12			158.36	70.97	159.43	33.30	0.01	158.36	70.98		159.44	221.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:28:14			158.13	71.21	159.67	33.30	0.01	158.12	71.21		159.67	221.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:28:16			158.13	71.21	159.67	33.30	0.01	158.12	71.21		159.67	221.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:28:18			158.35	70.98	159.44	33.30	0.01	158.35	70.99		159.45	221.55
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:28:20			158.16	71.18	159.64	33.30	0.01	158.15	71.18		159.64	221.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:28:22			158.14	71.19	159.65	33.30	0.01	158.14	71.19		159.65	221.35
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:28:24			158.30	71.04	159.50	33.30	0.01	158.29	71.04		159.50	221.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:28:26			159.59	69.74	158.20	33.30	0.01	159.59	69.74		158.20	222.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:28:28			159.12	70.22	158.68	33.30	0.01	159.11	70.22		158.68	222.32
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:28:30			159.79	69.55	158.01	33.30	0.01	159.78	69.55		158.01	222.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:28:32			160.73	68.60	157.06	33.30	0.01	160.73	68.61		157.07	223.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:28:34			161.34	68.00	156.46	33.30	0.01	161.33	68.00		156.46	224.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:28:36			161.84	67.50	155.96	33.30	0.01	161.83	67.50		155.96	225.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:28:38			161.81	67.52	155.98	33.30	0.01	161.81	67.53		155.99	225.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:28:40			162.17	67.16	155.62	33.30	0.01	162.17	67.17		155.63	225.37
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:28:42			162.50	66.84	155.30	33.30	0.01	162.49	66.84		155.30	225.70
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:28:44			162.27	67.07	155.53	33.30	0.01	162.26	67.07		155.53	225.47
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:28:46			162.01	67.33	155.79	33.30	0.01	162.00	67.33		155.79	225.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:28:48			162.06	67.28	155.74	33.30	0.01	162.05	67.28		155.74	225.26
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:28:50			161.84	67.50	155.96	33.30	0.01	161.83	67.50		155.96	225.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:28:52			161.39	67.95	156.41	33.30	0.01	161.38	67.95		156.41	224.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:28:54			161.04	68.29	156.75	33.30	0.01	161.04	68.30		156.76	224.24

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:28:56			161.04	68.30	156.76	33.30	0.01	161.03	68.30		156.76	224.24
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:28:58			161.06	68.28	156.74	33.30	0.01	161.05	68.28		156.74	224.26
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:29:00			160.98	68.35	156.81	33.30	0.01	160.98	68.36		156.82	224.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:29:02			160.93	68.41	156.87	33.30	0.01	160.92	68.41		156.87	224.13
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:29:04			160.80	68.53	156.99	33.30	0.01	160.80	68.54		157.00	224.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:29:06			160.89	68.45	156.91	33.30	0.01	160.88	68.45		156.91	224.09
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:29:08			160.84	68.49	156.95	33.30	0.01	160.84	68.50		156.96	224.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:29:10			160.89	68.45	156.91	33.30	0.01	160.88	68.45		156.91	224.09
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:29:12			160.58	68.75	157.21	33.30	0.01	160.58	68.76		157.22	223.78
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:29:14			160.79	68.55	157.01	33.30	0.01	160.78	68.55		157.01	223.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:29:16			161.03	68.31	156.77	33.30	0.01	161.02	68.31		156.77	224.23
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:29:18			160.81	68.53	156.99	33.30	0.01	160.80	68.53		156.99	224.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:29:20			160.65	68.68	157.14	33.30	0.01	160.65	68.68		157.14	223.86
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:29:22			161.07	68.27	156.73	33.30	0.01	161.06	68.27		156.73	224.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:29:24			161.00	68.33	156.79	33.30	0.01	161.00	68.33		156.79	224.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:29:26			160.90	68.43	156.89	33.30	0.01	160.90	68.44		156.90	224.10
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:29:28			160.78	68.56	157.02	33.30	0.01	160.77	68.56		157.02	223.98
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:29:30			160.82	68.52	156.98	33.30	0.01	160.81	68.52		156.98	224.02
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:29:32			161.14	68.20	156.66	33.30	0.01	161.13	68.20		156.66	224.34
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:29:34			160.86	68.48	156.94	33.30	0.01	160.85	68.48		156.94	224.06
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:29:36			161.06	68.28	156.74	33.30	0.01	161.05	68.28		156.74	224.26
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:29:38			161.11	68.22	156.68	33.30	0.01	161.11	68.23		156.69	224.31
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:29:40			160.83	68.50	156.96	33.30	0.01	160.83	68.51		156.97	224.03
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:29:42			160.95	68.39	156.85	33.30	0.01	160.94	68.39		156.85	224.15
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:29:44			160.95	68.39	156.85	33.30	0.01	160.94	68.39		156.85	224.15
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:29:46			161.22	68.12	156.58	33.30	0.01	161.21	68.12		156.58	224.42
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:29:48			160.93	68.41	156.87	33.30	0.01	160.92	68.41		156.87	224.13
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:29:50			160.91	68.42	156.88	33.30	0.01	160.91	68.43		156.89	224.11
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:29:52			161.09	68.25	156.71	33.30	0.01	161.08	68.25		156.71	224.29
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:29:54			160.58	68.76	157.22	33.30	0.01	160.57	68.76		157.22	223.78
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:29:56			160.80	68.53	156.99	33.30	0.01	160.80	68.54		157.00	224.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:29:58			160.84	68.49	156.95	33.30	0.01	160.84	68.50		156.96	224.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:30:00			161.04	68.29	156.75	33.30	0.01	161.04	68.29		156.75	224.25
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:30:02			161.00	68.34	156.80	33.30	0.01	160.99	68.34		156.80	224.20
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:30:04			160.79	68.54	157.00	33.30	0.01	160.79	68.54		157.00	224.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:30:06			160.87	68.46	156.92	33.30	0.01	160.87	68.47		156.93	224.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:30:08			160.85	68.49	156.95	33.30	0.01	160.84	68.49		156.95	224.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:30:10			160.87	68.46	156.92	33.30	0.01	160.87	68.47		156.93	224.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:30:12			160.93	68.40	156.86	33.30	0.01	160.93	68.40		156.86	224.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:30:14			160.79	68.55	157.01	33.30	0.01	160.78	68.55		157.01	223.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:30:16			160.79	68.54	157.00	33.30	0.01	160.79	68.54		157.00	224.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:30:18			160.81	68.53	156.99	33.30	0.01	160.80	68.53		156.99	224.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:30:20			160.74	68.60	157.06	33.30	0.01	160.73	68.60		157.06	223.94
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:30:22			160.79	68.55	157.01	33.30	0.01	160.78	68.55		157.01	223.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:30:24			160.74	68.60	157.06	33.30	0.01	160.73	68.60		157.06	223.94
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:30:26			160.76	68.58	157.04	33.30	0.01	160.75	68.58		157.04	223.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:30:28			160.90	68.43	156.89	33.30	0.01	160.90	68.43		156.89	224.11
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:30:30			160.79	68.54	157.00	33.30	0.01	160.79	68.54		157.00	224.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:30:32			160.69	68.65	157.11	33.30	0.01	160.68	68.65		157.11	223.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:30:34			161.04	68.29	156.75	33.30	0.01	161.04	68.29		156.75	224.25
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:30:36			160.91	68.42	156.88	33.30	0.01	160.91	68.43		156.89	224.11
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:30:38			160.83	68.51	156.97	33.30	0.01	160.82	68.51		156.97	224.03
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:30:40			160.84	68.49	156.95	33.30	0.01	160.84	68.50		156.96	224.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:30:42			160.93	68.40	156.86	33.30	0.01	160.93	68.40		156.86	224.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:30:44			160.93	68.41	156.87	33.30	0.01	160.92	68.41		156.87	224.13
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:30:46			160.79	68.55	157.01	33.30	0.01	160.78	68.55		157.01	223.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:30:48			160.93	68.40	156.86	33.30	0.01	160.93	68.40		156.86	224.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:30:50			160.93	68.40	156.86	33.30	0.01	160.93	68.40		156.86	224.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:30:52			160.87	68.46	156.92	33.30	0.01	160.87	68.47		156.93	224.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:30:54			160.90	68.44	156.90	33.30	0.01	160.89	68.44		156.90	224.10
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:30:56			160.83	68.50	156.96	33.30	0.01	160.83	68.50		156.96	224.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:30:58			160.96	68.38	156.84	33.30	0.01	160.95	68.38		156.84	224.16
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:31:00			160.80	68.53	156.99	33.30	0.01	160.80	68.54		157.00	224.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:31:02			160.93	68.41	156.87	33.30	0.01	160.92	68.41		156.87	224.13
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:31:04			160.93	68.41	156.87	33.30	0.01	160.92	68.41		156.87	224.13
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:31:06			160.65	68.69	157.15	33.30	0.01	160.64	68.69		157.15	223.85
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:31:08			160.60	68.74	157.20	33.30	0.01	160.59	68.74		157.20	223.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:31:10			160.70	68.64	157.10	33.30	0.01	160.70	68.64		157.10	223.90
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:31:12			160.78	68.56	157.02	33.30	0.01	160.77	68.56		157.02	223.98
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:31:14			160.66	68.67	157.13	33.30	0.01	160.66	68.68		157.14	223.86
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:31:16			160.81	68.53	156.99	33.30	0.01	160.80	68.53		156.99	224.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:31:18			160.98	68.35	156.81	33.30	0.01	160.98	68.35		156.81	224.19
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:31:20			160.81	68.52	156.98	33.30	0.01	160.81	68.53		156.99	224.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:31:22			160.89	68.45	156.91	33.30	0.01	160.89	68.45		156.91	224.09
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:31:24			160.87	68.46	156.92	33.30	0.01	160.87	68.47		156.93	224.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:31:26			160.84	68.49	156.95	33.30	0.01	160.84	68.50		156.96	224.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:31:28			161.08	68.25	156.71	33.30	0.01	161.08	68.26		156.72	224.28
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:31:30			161.04	68.30	156.76	33.30	0.01	161.03	68.30		156.76	224.24
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:31:32			160.75	68.59	157.05	33.30	0.01	160.74	68.59		157.05	223.95
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:31:34			160.98	68.35	156.81	33.30	0.01	160.98	68.36		156.82	224.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:31:36			160.83	68.50	156.96	33.30	0.01	160.83	68.50		156.96	224.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:31:38			160.81	68.53	156.99	33.30	0.01	160.80	68.53		156.99	224.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:31:40			160.92	68.42	156.88	33.30	0.01	160.91	68.42		156.88	224.12
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:31:42			160.72	68.62	157.08	33.30	0.01	160.71	68.62		157.08	223.92
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:31:44			160.76	68.57	157.03	33.30	0.01	160.76	68.57		157.03	223.97
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:31:46			160.90	68.44	156.90	33.30	0.01	160.89	68.44		156.90	224.10
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:31:48			160.87	68.46	156.92	33.30	0.01	160.87	68.47		156.93	224.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:31:50			160.85	68.48	156.94	33.30	0.01	160.85	68.49		156.95	224.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:31:52			160.83	68.51	156.97	33.30	0.01	160.82	68.51		156.97	224.03
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:31:54			160.78	68.56	157.02	33.30	0.01	160.77	68.56		157.02	223.98
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:31:56			160.72	68.62	157.08	33.30	0.01	160.71	68.62		157.08	223.92
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:31:58			160.93	68.41	156.87	33.30	0.01	160.92	68.41		156.87	224.13
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:32:00			160.76	68.58	157.04	33.30	0.01	160.75	68.58		157.04	223.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:32:02			160.75	68.59	157.05	33.30	0.01	160.74	68.59		157.05	223.95
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:32:04			160.71	68.63	157.09	33.30	0.01	160.71	68.63		157.09	223.91
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:32:06			160.84	68.50	156.96	33.30	0.01	160.83	68.50		156.96	224.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:32:08			160.64	68.70	157.16	33.30	0.01	160.64	68.70		157.16	223.84

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:32:10			160.88	68.46	156.92	33.30	0.01	160.88	68.46		156.92	224.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:32:12			160.78	68.56	157.02	33.30	0.01	160.78	68.56		157.02	223.98
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:32:14			160.94	68.39	156.85	33.30	0.01	160.94	68.40		156.86	224.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:32:16			160.86	68.47	156.93	33.30	0.01	160.86	68.47		156.93	224.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:32:18			160.93	68.40	156.86	33.30	0.01	160.93	68.40		156.86	224.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:32:20			160.75	68.59	157.05	33.30	0.01	160.74	68.59		157.05	223.95
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:32:22			160.76	68.58	157.04	33.30	0.01	160.75	68.58		157.04	223.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:32:24			160.94	68.39	156.85	33.30	0.01	160.94	68.40		156.86	224.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:32:26			160.98	68.35	156.81	33.30	0.01	160.98	68.36		156.82	224.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:32:28			161.08	68.25	156.71	33.30	0.01	161.08	68.26		156.72	224.28
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:32:30			160.68	68.66	157.12	33.30	0.01	160.67	68.66		157.12	223.88
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:32:32			160.94	68.39	156.85	33.30	0.01	160.94	68.40		156.86	224.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:32:34			161.09	68.25	156.71	33.30	0.01	161.09	68.25		156.71	224.29
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:32:36			160.69	68.65	157.11	33.30	0.01	160.68	68.65		157.11	223.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:32:38			160.91	68.42	156.88	33.30	0.01	160.91	68.43		156.89	224.11
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:32:40			160.83	68.50	156.96	33.30	0.01	160.83	68.50		156.96	224.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:32:42			160.65	68.68	157.14	33.30	0.01	160.65	68.68		157.14	223.86
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:32:44			160.99	68.35	156.81	33.30	0.01	160.98	68.35		156.81	224.19
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:32:46			160.73	68.60	157.06	33.30	0.01	160.73	68.61		157.07	223.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:32:48			160.56	68.78	157.24	33.30	0.01	160.56	68.78		157.24	223.76
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:32:50			160.85	68.49	156.95	33.30	0.01	160.84	68.49		156.95	224.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:32:52			160.76	68.57	157.03	33.30	0.01	160.76	68.57		157.03	223.97
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:32:54			160.79	68.54	157.00	33.30	0.01	160.79	68.54		157.00	224.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:32:56			160.67	68.67	157.13	33.30	0.01	160.66	68.67		157.13	223.87
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:32:58			160.76	68.57	157.03	33.30	0.01	160.76	68.57		157.03	223.97
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:33:00			160.69	68.64	157.10	33.30	0.01	160.69	68.64		157.10	223.90
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:33:02			160.70	68.64	157.10	33.30	0.01	160.70	68.64		157.10	223.90
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:33:04			160.94	68.39	156.85	33.30	0.01	160.94	68.40		156.86	224.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:33:06			161.05	68.28	156.74	33.30	0.01	161.05	68.29		156.75	224.25
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:33:08			160.76	68.58	157.04	33.30	0.01	160.75	68.58		157.04	223.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:33:10			160.88	68.46	156.92	33.30	0.01	160.88	68.46		156.92	224.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:33:12			160.88	68.46	156.92	33.30	0.01	160.88	68.46		156.92	224.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:33:14			161.01	68.32	156.78	33.30	0.01	161.01	68.33		156.79	224.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:33:16			160.97	68.37	156.83	33.30	0.01	160.96	68.37		156.83	224.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:33:18			160.92	68.42	156.88	33.30	0.01	160.91	68.42		156.88	224.12
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:33:20			160.78	68.56	157.02	33.30	0.01	160.77	68.56		157.02	223.98
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:33:22			160.67	68.67	157.13	33.30	0.01	160.66	68.67		157.13	223.87
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:33:24			160.69	68.64	157.10	33.30	0.01	160.69	68.64		157.10	223.90
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:33:26			160.83	68.51	156.97	33.30	0.01	160.82	68.51		156.97	224.03
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:33:28			161.12	68.21	156.67	33.30	0.01	161.12	68.22		156.68	224.32
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:33:30			161.03	68.31	156.77	33.30	0.01	161.02	68.31		156.77	224.23
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:33:32			160.89	68.44	156.90	33.30	0.01	160.89	68.44		156.90	224.10
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:33:34			160.92	68.42	156.88	33.30	0.01	160.91	68.42		156.88	224.12
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:33:36			160.90	68.43	156.89	33.30	0.01	160.90	68.44		156.90	224.10
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:33:38			160.90	68.43	156.89	33.30	0.01	160.90	68.44		156.90	224.10
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:33:40			160.81	68.53	156.99	33.30	0.01	160.80	68.53		156.99	224.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:33:42			160.79	68.54	157.00	33.30	0.01	160.79	68.55		157.01	223.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:33:44			160.74	68.60	157.06	33.30	0.01	160.73	68.60		157.06	223.94
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:33:46			160.91	68.43	156.89	33.30	0.01	160.90	68.43		156.89	224.11
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:33:48			160.89	68.44	156.90	33.30	0.01	160.89	68.44		156.90	224.10
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:33:50			160.74	68.60	157.06	33.30	0.01	160.73	68.60		157.06	223.94
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:33:52			160.79	68.54	157.00	33.30	0.01	160.79	68.55		157.01	223.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:33:54			160.79	68.54	157.00	33.30	0.01	160.79	68.55		157.01	223.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:33:56			160.76	68.58	157.04	33.30	0.01	160.76	68.58		157.04	223.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:33:58			160.92	68.41	156.87	33.30	0.01	160.92	68.41		156.87	224.13
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:34:00			160.86	68.47	156.93	33.30	0.01	160.86	68.48		156.94	224.06
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:34:02			160.73	68.61	157.07	33.30	0.01	160.72	68.61		157.07	223.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:34:04			160.96	68.38	156.84	33.30	0.01	160.95	68.38		156.84	224.16
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:34:06			160.71	68.63	157.09	33.30	0.01	160.70	68.63		157.09	223.91
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:34:08			160.88	68.46	156.92	33.30	0.01	160.87	68.46		156.92	224.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:34:10			160.80	68.54	157.00	33.30	0.01	160.79	68.54		157.00	224.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:34:12			160.75	68.58	157.04	33.30	0.01	160.75	68.58		157.04	223.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:34:14			160.60	68.74	157.20	33.30	0.01	160.59	68.74		157.20	223.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:34:16			160.86	68.48	156.94	33.30	0.01	160.85	68.48		156.94	224.06
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:34:18			160.93	68.40	156.86	33.30	0.01	160.93	68.41		156.87	224.13
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:34:20			161.01	68.33	156.79	33.30	0.01	161.01	68.33		156.79	224.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:34:22			160.83	68.50	156.96	33.30	0.01	160.83	68.51		156.97	224.03
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:34:24			160.57	68.77	157.23	33.30	0.01	160.56	68.77		157.23	223.77
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:34:26			160.76	68.58	157.04	33.30	0.01	160.76	68.58		157.04	223.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:34:28			160.73	68.61	157.07	33.30	0.01	160.72	68.61		157.07	223.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:34:30			160.53	68.81	157.27	33.30	0.01	160.52	68.81		157.27	223.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:34:32			160.68	68.65	157.11	33.30	0.01	160.68	68.65		157.11	223.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:34:34			160.75	68.59	157.05	33.30	0.01	160.74	68.59		157.05	223.95
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:34:36			160.63	68.71	157.17	33.30	0.01	160.62	68.71		157.17	223.83
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:34:38			160.77	68.57	157.03	33.30	0.01	160.76	68.57		157.03	223.97
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:34:40			160.89	68.44	156.90	33.30	0.01	160.89	68.44		156.90	224.10
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:34:42			160.77	68.57	157.03	33.30	0.01	160.76	68.57		157.03	223.97
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:34:44			160.76	68.58	157.04	33.30	0.01	160.76	68.58		157.04	223.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:34:46			160.67	68.67	157.13	33.30	0.01	160.66	68.67		157.13	223.87
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:34:48			160.73	68.61	157.07	33.30	0.01	160.72	68.61		157.07	223.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:34:50			160.95	68.39	156.85	33.30	0.01	160.94	68.39		156.85	224.15
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:34:52			160.70	68.64	157.10	33.30	0.01	160.69	68.64		157.10	223.90
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:34:54			160.86	68.47	156.93	33.30	0.01	160.86	68.48		156.94	224.06
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:34:56			160.79	68.54	157.00	33.30	0.01	160.79	68.55		157.01	223.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:34:58			160.75	68.58	157.04	33.30	0.01	160.75	68.58		157.04	223.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:35:00			160.92	68.41	156.87	33.30	0.01	160.92	68.41		156.87	224.13
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:35:02			160.83	68.50	156.96	33.30	0.01	160.83	68.51		156.97	224.03
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:35:04			160.96	68.38	156.84	33.30	0.01	160.95	68.38		156.84	224.16
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:35:06			160.79	68.54	157.00	33.30	0.01	160.79	68.54		157.00	224.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:35:08			160.69	68.65	157.11	33.30	0.01	160.69	68.65		157.11	223.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:35:10			160.81	68.53	156.99	33.30	0.01	160.80	68.53		156.99	224.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:35:12			160.56	68.78	157.24	33.30	0.01	160.55	68.78		157.24	223.76
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:35:14			160.57	68.77	157.23	33.30	0.01	160.56	68.77		157.23	223.77
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:35:16			160.75	68.58	157.04	33.30	0.01	160.75	68.58		157.04	223.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:35:18			160.74	68.60	157.06	33.30	0.01	160.73	68.60		157.06	223.94
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:35:20			160.98	68.36	156.82	33.30	0.01	160.98	68.36		156.82	224.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:35:22			160.70	68.64	157.10	33.30	0.01	160.69	68.64		157.10	223.90

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:35:24			160.59	68.75	157.21	33.30	0.01	160.59	68.75		157.21	223.79
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:35:26			160.76	68.58	157.04	33.30	0.01	160.76	68.58		157.04	223.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:35:28			161.00	68.33	156.79	33.30	0.01	161.00	68.33		156.79	224.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:35:30			160.71	68.63	157.09	33.30	0.01	160.70	68.63		157.09	223.91
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:35:32			160.60	68.74	157.20	33.30	0.01	160.59	68.74		157.20	223.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:35:34			160.57	68.76	157.22	33.30	0.01	160.57	68.76		157.22	223.78
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:35:36			160.72	68.61	157.07	33.30	0.01	160.72	68.61		157.07	223.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:35:38			160.82	68.52	156.98	33.30	0.01	160.81	68.52		156.98	224.02
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:35:40			160.71	68.63	157.09	33.30	0.01	160.70	68.63		157.09	223.91
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:35:42			160.72	68.61	157.07	33.30	0.01	160.72	68.61		157.07	223.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:35:44			160.92	68.41	156.87	33.30	0.01	160.92	68.41		156.87	224.13
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:35:46			160.69	68.65	157.11	33.30	0.01	160.69	68.65		157.11	223.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:35:48			160.62	68.72	157.18	33.30	0.01	160.62	68.72		157.18	223.82
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:35:50			160.75	68.58	157.04	33.30	0.01	160.75	68.58		157.04	223.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:35:52			160.58	68.75	157.21	33.30	0.01	160.58	68.76		157.22	223.78
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:35:54			160.82	68.51	156.97	33.30	0.01	160.82	68.51		156.97	224.03
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:35:56			160.71	68.63	157.09	33.30	0.01	160.70	68.63		157.09	223.91
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:35:58			160.50	68.84	157.30	33.30	0.01	160.49	68.84		157.30	223.70
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:36:00			160.70	68.64	157.10	33.30	0.01	160.69	68.64		157.10	223.90
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:36:02			160.59	68.75	157.21	33.30	0.01	160.59	68.75		157.21	223.79
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:36:04			160.76	68.58	157.04	33.30	0.01	160.76	68.58		157.04	223.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:36:06			160.73	68.61	157.07	33.30	0.01	160.73	68.61		157.07	223.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:36:08			160.78	68.56	157.02	33.30	0.01	160.77	68.56		157.02	223.98
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:36:10			160.91	68.43	156.89	33.30	0.01	160.91	68.43		156.89	224.11
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:36:12			160.61	68.72	157.18	33.30	0.01	160.61	68.72		157.18	223.82
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:36:14			160.72	68.61	157.07	33.30	0.01	160.72	68.61		157.07	223.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:36:16			160.65	68.68	157.14	33.30	0.01	160.65	68.69		157.15	223.85
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:36:18			160.73	68.61	157.07	33.30	0.01	160.73	68.61		157.07	223.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:36:20			160.88	68.46	156.92	33.30	0.01	160.87	68.46		156.92	224.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:36:22			160.69	68.65	157.11	33.30	0.01	160.69	68.65		157.11	223.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:36:24			160.80	68.54	157.00	33.30	0.01	160.80	68.54		157.00	224.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:36:26			160.72	68.61	157.07	33.30	0.01	160.72	68.61		157.07	223.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:36:28			160.86	68.47	156.93	33.30	0.01	160.86	68.47		156.93	224.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:36:30			160.75	68.58	157.04	33.30	0.01	160.75	68.58		157.04	223.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:36:32			160.85	68.48	156.94	33.30	0.01	160.85	68.48		156.94	224.06
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:36:34			160.61	68.73	157.19	33.30	0.01	160.60	68.73		157.19	223.81
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:36:36			160.46	68.88	157.34	33.30	0.01	160.45	68.88		157.34	223.66
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:36:38			160.82	68.51	156.97	33.30	0.01	160.82	68.51		156.97	224.03
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:36:40			160.87	68.47	156.93	33.30	0.01	160.87	68.47		156.93	224.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:36:42			160.83	68.51	156.97	33.30	0.01	160.82	68.51		156.97	224.03
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:36:44			160.81	68.53	156.99	33.30	0.01	160.80	68.53		156.99	224.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:36:46			160.79	68.55	157.01	33.30	0.01	160.79	68.55		157.01	223.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:36:48			160.74	68.60	157.06	33.30	0.01	160.73	68.60		157.06	223.94
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:36:50			160.70	68.63	157.09	33.30	0.01	160.70	68.63		157.09	223.91
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:36:52			160.61	68.73	157.19	33.30	0.01	160.60	68.73		157.19	223.81
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:36:54			160.53	68.81	157.27	33.30	0.01	160.52	68.81		157.27	223.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:36:56			160.71	68.63	157.09	33.30	0.01	160.70	68.63		157.09	223.91
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:36:58			160.71	68.63	157.09	33.30	0.01	160.70	68.63		157.09	223.91
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:37:00			160.61	68.72	157.18	33.30	0.01	160.61	68.72		157.18	223.82
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:37:02			160.66	68.68	157.14	33.30	0.01	160.66	68.68		157.14	223.86
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:37:04			160.61	68.73	157.19	33.30	0.01	160.60	68.73		157.19	223.81
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:37:06			160.53	68.80	157.26	33.30	0.01	160.53	68.80		157.26	223.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:37:08			160.68	68.66	157.12	33.30	0.01	160.67	68.66		157.12	223.88
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:37:10			160.69	68.65	157.11	33.30	0.01	160.69	68.65		157.11	223.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:37:12			160.76	68.58	157.04	33.30	0.01	160.76	68.58		157.04	223.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:37:14			160.54	68.80	157.26	33.30	0.01	160.54	68.80		157.26	223.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:37:16			160.60	68.74	157.20	33.30	0.01	160.59	68.74		157.20	223.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:37:18			160.46	68.87	157.33	33.30	0.01	160.46	68.87		157.33	223.67
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:37:20			160.42	68.92	157.38	33.30	0.01	160.41	68.92		157.38	223.62
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:37:22			160.57	68.76	157.22	33.30	0.01	160.57	68.77		157.23	223.77
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:37:24			160.61	68.72	157.18	33.30	0.01	160.61	68.72		157.18	223.82
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:37:26			160.88	68.46	156.92	33.30	0.01	160.87	68.46		156.92	224.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:37:28			160.43	68.91	157.37	33.30	0.01	160.42	68.91		157.37	223.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:37:30			160.74	68.59	157.05	33.30	0.01	160.74	68.59		157.05	223.95
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:37:32			160.57	68.77	157.23	33.30	0.01	160.56	68.77		157.23	223.77
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:37:34			160.53	68.80	157.26	33.30	0.01	160.53	68.80		157.26	223.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:37:36			160.62	68.72	157.18	33.30	0.01	160.62	68.72		157.18	223.82
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:37:38			160.57	68.76	157.22	33.30	0.01	160.57	68.77		157.23	223.77
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:37:40			160.47	68.86	157.32	33.30	0.01	160.47	68.86		157.32	223.68
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:37:42			160.60	68.74	157.20	33.30	0.01	160.59	68.74		157.20	223.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:37:44			160.43	68.91	157.37	33.30	0.01	160.42	68.91		157.37	223.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:37:46			160.57	68.76	157.22	33.30	0.01	160.57	68.76		157.22	223.78
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:37:48			160.55	68.79	157.25	33.30	0.01	160.55	68.79		157.25	223.75
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:37:50			160.68	68.66	157.12	33.30	0.01	160.67	68.66		157.12	223.88
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:37:52			160.63	68.71	157.17	33.30	0.01	160.62	68.71		157.17	223.83
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:37:54			160.32	69.01	157.47	33.30	0.01	160.32	69.01		157.47	223.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:37:56			160.53	68.81	157.27	33.30	0.01	160.52	68.81		157.27	223.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:37:58			160.67	68.66	157.12	33.30	0.01	160.67	68.66		157.12	223.88
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:38:00			160.48	68.86	157.32	33.30	0.01	160.48	68.86		157.32	223.68
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:38:02			160.54	68.79	157.25	33.30	0.01	160.54	68.79		157.25	223.75
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:38:04			160.68	68.65	157.11	33.30	0.01	160.68	68.65		157.11	223.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:38:06			160.54	68.80	157.26	33.30	0.01	160.54	68.80		157.26	223.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:38:08			160.70	68.64	157.10	33.30	0.01	160.69	68.64		157.10	223.90
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:38:10			160.59	68.75	157.21	33.30	0.01	160.58	68.75		157.21	223.79
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:38:12			160.61	68.73	157.19	33.30	0.01	160.60	68.73		157.19	223.81
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:38:14			160.54	68.80	157.26	33.30	0.01	160.54	68.80		157.26	223.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:38:16			160.35	68.99	157.45	33.30	0.01	160.34	68.99		157.45	223.55
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:38:18			160.63	68.70	157.16	33.30	0.01	160.63	68.70		157.16	223.84
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:38:20			160.43	68.91	157.37	33.30	0.01	160.42	68.91		157.37	223.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:38:22			160.66	68.68	157.14	33.30	0.01	160.65	68.68		157.14	223.86
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:38:24			160.50	68.84	157.30	33.30	0.01	160.49	68.84		157.30	223.70
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:38:26			160.55	68.79	157.25	33.30	0.01	160.54	68.79		157.25	223.75
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:38:28			160.77	68.57	157.03	33.30	0.01	160.76	68.57		157.03	223.97
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:38:30			160.59	68.75	157.21	33.30	0.01	160.58	68.75		157.21	223.79
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:38:32			160.31	69.03	157.49	33.30	0.01	160.31	69.03		157.49	223.51
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:38:34			160.63	68.71	157.17	33.30	0.01	160.62	68.71		157.17	223.83
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:38:36			160.64	68.69	157.15	33.30	0.01	160.64	68.69		157.15	223.85

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:38:38			160.60	68.74	157.20	33.30	0.01	160.59	68.74		157.20	223.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:38:40			160.62	68.72	157.18	33.30	0.01	160.61	68.72		157.18	223.82
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:38:42			160.36	68.97	157.43	33.30	0.01	160.36	68.98		157.44	223.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:38:44			160.67	68.67	157.13	33.30	0.01	160.66	68.67		157.13	223.87
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:38:46			160.51	68.83	157.29	33.30	0.01	160.51	68.83		157.29	223.71
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:38:48			160.71	68.62	157.08	33.30	0.01	160.71	68.62		157.08	223.92
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:38:50			160.65	68.68	157.14	33.30	0.01	160.65	68.69		157.15	223.85
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:38:52			160.52	68.81	157.27	33.30	0.01	160.52	68.81		157.27	223.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:38:54			160.34	69.00	157.46	33.30	0.01	160.33	69.00		157.46	223.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:38:56			160.70	68.64	157.10	33.30	0.01	160.69	68.64		157.10	223.90
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:38:58			160.41	68.93	157.39	33.30	0.01	160.40	68.93		157.39	223.61
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:39:00			160.51	68.83	157.29	33.30	0.01	160.51	68.83		157.29	223.71
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:39:02			160.70	68.64	157.10	33.30	0.01	160.69	68.64		157.10	223.90
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:39:04			160.76	68.58	157.04	33.30	0.01	160.76	68.58		157.04	223.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:39:06			160.60	68.73	157.19	33.30	0.01	160.60	68.73		157.19	223.81
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:39:08			160.46	68.87	157.33	33.30	0.01	160.46	68.87		157.33	223.67
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:39:10			160.54	68.80	157.26	33.30	0.01	160.54	68.80		157.26	223.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:39:12			160.37	68.97	157.43	33.30	0.01	160.37	68.97		157.43	223.57
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:39:14			160.67	68.67	157.13	33.30	0.01	160.66	68.67		157.13	223.87
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:39:16			160.43	68.90	157.36	33.30	0.01	160.43	68.91		157.37	223.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:39:18			160.33	69.01	157.47	33.30	0.01	160.33	69.01		157.47	223.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:39:20			160.65	68.69	157.15	33.30	0.01	160.65	68.69		157.15	223.85
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:39:22			160.52	68.81	157.27	33.30	0.01	160.52	68.81		157.27	223.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:39:24			160.61	68.72	157.18	33.30	0.01	160.61	68.72		157.18	223.82
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:39:26			160.53	68.81	157.27	33.30	0.01	160.52	68.81		157.27	223.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:39:28			160.59	68.75	157.21	33.30	0.01	160.58	68.75		157.21	223.79
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:39:30			160.52	68.82	157.28	33.30	0.01	160.51	68.82		157.28	223.72
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:39:32			160.60	68.74	157.20	33.30	0.01	160.59	68.74		157.20	223.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:39:34			160.49	68.84	157.30	33.30	0.01	160.49	68.84		157.30	223.70
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:39:36			160.47	68.87	157.33	33.30	0.01	160.47	68.87		157.33	223.67
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:39:38			160.46	68.87	157.33	33.30	0.01	160.46	68.87		157.33	223.67
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:39:40			160.57	68.77	157.23	33.30	0.01	160.56	68.77		157.23	223.77
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:39:42			160.48	68.86	157.32	33.30	0.01	160.47	68.86		157.32	223.68
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:39:44			160.46	68.87	157.33	33.30	0.01	160.46	68.87		157.33	223.67
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:39:46			160.57	68.76	157.22	33.30	0.01	160.57	68.77		157.23	223.77
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:39:48			160.28	69.06	157.52	33.30	0.01	160.27	69.06		157.52	223.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:39:50			160.53	68.80	157.26	33.30	0.01	160.53	68.80		157.26	223.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:39:52			160.48	68.86	157.32	33.30	0.01	160.47	68.86		157.32	223.68
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:39:54			160.48	68.86	157.32	33.30	0.01	160.47	68.86		157.32	223.68
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:39:56			160.60	68.74	157.20	33.30	0.01	160.59	68.74		157.20	223.80
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:39:58			160.38	68.96	157.42	33.30	0.01	160.37	68.96		157.42	223.58
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:40:00			160.40	68.94	157.40	33.30	0.01	160.40	68.94		157.40	223.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:40:02			160.51	68.83	157.29	33.30	0.01	160.51	68.83		157.29	223.71
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:40:04			160.53	68.80	157.26	33.30	0.01	160.53	68.80		157.26	223.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:40:06			160.48	68.86	157.32	33.30	0.01	160.48	68.86		157.32	223.68
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:40:08			160.52	68.82	157.28	33.30	0.01	160.51	68.82		157.28	223.72
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:40:10			160.42	68.91	157.37	33.30	0.01	160.42	68.91		157.37	223.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:40:12			160.48	68.86	157.32	33.30	0.01	160.48	68.86		157.32	223.68
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:40:14			160.52	68.81	157.27	33.30	0.01	160.52	68.81		157.27	223.73
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:40:16			160.54	68.80	157.26	33.30	0.01	160.54	68.80		157.26	223.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:40:18			160.63	68.71	157.17	33.30	0.01	160.62	68.71		157.17	223.83
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:40:20			160.43	68.90	157.36	33.30	0.01	160.43	68.90		157.36	223.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:40:22			160.38	68.96	157.42	33.30	0.01	160.37	68.96		157.42	223.58
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:40:24			160.49	68.84	157.30	33.30	0.01	160.49	68.84		157.30	223.70
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:40:26			160.41	68.93	157.39	33.30	0.01	160.41	68.93		157.39	223.61
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:40:28			160.63	68.71	157.17	33.30	0.01	160.62	68.71		157.17	223.83
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:40:30			160.63	68.70	157.16	33.30	0.01	160.63	68.70		157.16	223.84
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:40:32			160.48	68.86	157.32	33.30	0.01	160.48	68.86		157.32	223.68
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:40:34			160.49	68.84	157.30	33.30	0.01	160.49	68.84		157.30	223.70
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:40:36			160.56	68.77	157.23	33.30	0.01	160.56	68.77		157.23	223.77
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:40:38			160.54	68.80	157.26	33.30	0.01	160.54	68.80		157.26	223.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:40:40			160.53	68.80	157.26	33.30	0.01	160.53	68.80		157.26	223.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:40:42			160.48	68.86	157.32	33.30	0.01	160.48	68.86		157.32	223.68
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:40:44			160.43	68.90	157.36	33.30	0.01	160.43	68.90		157.36	223.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:40:46			160.38	68.96	157.42	33.30	0.01	160.37	68.96		157.42	223.58
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:40:48			160.68	68.65	157.11	33.30	0.01	160.68	68.65		157.11	223.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:40:50			160.79	68.55	157.01	33.30	0.01	160.79	68.55		157.01	223.99
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:40:52			160.61	68.73	157.19	33.30	0.01	160.61	68.73		157.19	223.81
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:40:54			160.34	69.00	157.46	33.30	0.01	160.33	69.00		157.46	223.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:40:56			160.40	68.94	157.40	33.30	0.01	160.40	68.94		157.40	223.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:40:58			160.42	68.92	157.38	33.30	0.01	160.41	68.92		157.38	223.62
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:41:00			160.52	68.82	157.28	33.30	0.01	160.51	68.82		157.28	223.72
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:41:02			160.49	68.84	157.30	33.30	0.01	160.49	68.84		157.30	223.70
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:41:04			160.43	68.90	157.36	33.30	0.01	160.43	68.90		157.36	223.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:41:06			160.34	69.00	157.46	33.30	0.01	160.33	69.00		157.46	223.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:41:08			160.34	69.00	157.46	33.30	0.01	160.33	69.00		157.46	223.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:41:10			160.42	68.91	157.37	33.30	0.01	160.42	68.91		157.37	223.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:41:12			160.28	69.05	157.51	33.30	0.01	160.28	69.05		157.51	223.49
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:41:14			160.48	68.86	157.32	33.30	0.01	160.48	68.86		157.32	223.68
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:41:16			160.69	68.65	157.11	33.30	0.01	160.69	68.65		157.11	223.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:41:18			160.31	69.02	157.48	33.30	0.01	160.31	69.02		157.48	223.52
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:41:20			160.23	69.11	157.57	33.30	0.01	160.23	69.11		157.57	223.43
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:41:22			160.63	68.71	157.17	33.30	0.01	160.62	68.71		157.17	223.83
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:41:24			160.23	69.10	157.56	33.30	0.01	160.23	69.10		157.56	223.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:41:26			160.28	69.06	157.52	33.30	0.01	160.27	69.06		157.52	223.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:41:28			160.21	69.12	157.58	33.30	0.01	160.21	69.12		157.58	223.42
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:41:30			160.32	69.01	157.47	33.30	0.01	160.32	69.01		157.47	223.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:41:32			160.44	68.90	157.36	33.30	0.01	160.44	68.90		157.36	223.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:41:34			160.45	68.89	157.35	33.30	0.01	160.44	68.89		157.35	223.65
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:41:36			160.59	68.75	157.21	33.30	0.01	160.58	68.75		157.21	223.79
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:41:38			160.25	69.08	157.54	33.30	0.01	160.25	69.08		157.54	223.46
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:41:40			160.33	69.01	157.47	33.30	0.01	160.33	69.01		157.47	223.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:41:42			160.46	68.87	157.33	33.30	0.01	160.46	68.87		157.33	223.67
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:41:44			160.44	68.90	157.36	33.30	0.01	160.44	68.90		157.36	223.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:41:46			160.38	68.95	157.41	33.30	0.01	160.38	68.95		157.41	223.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:41:48			160.54	68.80	157.26	33.30	0.01	160.54	68.80		157.26	223.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:41:50			160.53	68.80	157.26	33.30	0.01	160.53	68.80		157.26	223.74

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:41:52			160.44	68.90	157.36	33.30	0.01	160.44	68.90		157.36	223.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:41:54			160.49	68.85	157.31	33.30	0.01	160.48	68.85		157.31	223.69
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:41:56			160.35	68.99	157.45	33.30	0.01	160.34	68.99		157.45	223.55
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:41:58			160.38	68.95	157.41	33.30	0.01	160.38	68.95		157.41	223.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:42:00			160.45	68.89	157.35	33.30	0.01	160.44	68.89		157.35	223.65
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:42:02			160.52	68.82	157.28	33.30	0.01	160.51	68.82		157.28	223.72
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:42:04			160.42	68.92	157.38	33.30	0.01	160.41	68.92		157.38	223.62
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:42:06			160.50	68.83	157.29	33.30	0.01	160.50	68.83		157.29	223.71
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:42:08			160.55	68.79	157.25	33.30	0.01	160.55	68.79		157.25	223.75
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:42:10			160.65	68.69	157.15	33.30	0.01	160.65	68.69		157.15	223.85
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:42:12			160.49	68.84	157.30	33.30	0.01	160.49	68.84		157.30	223.70
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:42:14			160.49	68.85	157.31	33.30	0.01	160.48	68.85		157.31	223.69
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:42:16			160.17	69.16	157.62	33.30	0.01	160.17	69.16		157.62	223.38
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:42:18			160.51	68.83	157.29	33.30	0.01	160.51	68.83		157.29	223.71
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:42:20			160.26	69.08	157.54	33.30	0.01	160.26	69.08		157.54	223.46
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:42:22			160.39	68.94	157.40	33.30	0.01	160.39	68.94		157.40	223.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:42:24			160.32	69.01	157.47	33.30	0.01	160.32	69.01		157.47	223.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:42:26			160.30	69.04	157.50	33.30	0.01	160.30	69.04		157.50	223.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:42:28			160.51	68.83	157.29	33.30	0.01	160.51	68.83		157.29	223.71
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:42:30			160.40	68.94	157.40	33.30	0.01	160.40	68.94		157.40	223.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:42:32			160.57	68.76	157.22	33.30	0.01	160.57	68.76		157.22	223.78
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:42:34			160.54	68.80	157.26	33.30	0.01	160.54	68.80		157.26	223.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:42:36			160.43	68.90	157.36	33.30	0.01	160.43	68.90		157.36	223.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:42:38			160.49	68.84	157.30	33.30	0.01	160.49	68.84		157.30	223.70
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:42:40			160.37	68.97	157.43	33.30	0.01	160.37	68.97		157.43	223.57
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:42:42			160.38	68.95	157.41	33.30	0.01	160.38	68.95		157.41	223.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:42:44			160.29	69.04	157.50	33.30	0.01	160.29	69.04		157.50	223.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:42:46			160.44	68.90	157.36	33.30	0.01	160.44	68.90		157.36	223.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:42:48			160.27	69.07	157.53	33.30	0.01	160.26	69.07		157.53	223.47
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:42:50			160.34	69.00	157.46	33.30	0.01	160.33	69.00		157.46	223.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:42:52			160.23	69.11	157.57	33.30	0.01	160.23	69.11		157.57	223.43
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:42:54			160.42	68.91	157.37	33.30	0.01	160.42	68.91		157.37	223.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:42:56			160.38	68.96	157.42	33.30	0.01	160.37	68.96		157.42	223.58
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:42:58			160.45	68.88	157.34	33.30	0.01	160.45	68.88		157.34	223.66
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:43:00			160.28	69.06	157.52	33.30	0.01	160.27	69.06		157.52	223.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:43:02			160.35	68.98	157.44	33.30	0.01	160.35	68.98		157.44	223.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:43:04			160.44	68.90	157.36	33.30	0.01	160.44	68.90		157.36	223.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:43:06			160.18	69.15	157.61	33.30	0.01	160.18	69.15		157.61	223.39
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:43:08			160.33	69.01	157.47	33.30	0.01	160.33	69.01		157.47	223.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:43:10			160.24	69.09	157.55	33.30	0.01	160.24	69.09		157.55	223.45
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:43:12			160.49	68.84	157.30	33.30	0.01	160.49	68.84		157.30	223.70
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:43:14			160.39	68.94	157.40	33.30	0.01	160.39	68.94		157.40	223.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:43:16			160.42	68.92	157.38	33.30	0.01	160.41	68.92		157.38	223.62
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:43:18			160.45	68.89	157.35	33.30	0.01	160.44	68.89		157.35	223.65
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:43:20			160.28	69.06	157.52	33.30	0.01	160.27	69.06		157.52	223.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:43:22			160.42	68.91	157.37	33.30	0.01	160.42	68.91		157.37	223.63
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:43:24			160.24	69.09	157.55	33.30	0.01	160.24	69.09		157.55	223.45
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:43:26			160.30	69.04	157.50	33.30	0.01	160.30	69.04		157.50	223.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:43:28			160.31	69.03	157.49	33.30	0.01	160.30	69.03		157.49	223.51
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:43:30			160.39	68.94	157.40	33.30	0.01	160.39	68.94		157.40	223.60
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:43:32			160.56	68.78	157.24	33.30	0.01	160.55	68.78		157.24	223.76
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:43:34			160.50	68.83	157.29	33.30	0.01	160.50	68.83		157.29	223.71
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:43:36			160.29	69.04	157.50	33.30	0.01	160.29	69.04		157.50	223.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:43:38			160.26	69.08	157.54	33.30	0.01	160.26	69.08		157.54	223.46
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:43:40			160.43	68.90	157.36	33.30	0.01	160.43	68.90		157.36	223.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:43:42			160.31	69.03	157.49	33.30	0.01	160.30	69.03		157.49	223.51
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:43:44			160.28	69.06	157.52	33.30	0.01	160.27	69.06		157.52	223.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:43:46			160.38	68.95	157.41	33.30	0.01	160.38	68.95		157.41	223.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:43:48			160.24	69.10	157.56	33.30	0.01	160.23	69.10		157.56	223.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:43:50			160.38	68.95	157.41	33.30	0.01	160.38	68.95		157.41	223.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:43:52			160.28	69.06	157.52	33.30	0.01	160.27	69.06		157.52	223.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:43:54			160.28	69.05	157.51	33.30	0.01	160.28	69.05		157.51	223.49
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:43:56			160.42	68.92	157.38	33.30	0.01	160.41	68.92		157.38	223.62
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:43:58			160.27	69.07	157.53	33.30	0.01	160.26	69.07		157.53	223.47
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:44:00			160.35	68.99	157.45	33.30	0.01	160.34	68.99		157.45	223.55
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:44:02			160.27	69.07	157.53	33.30	0.01	160.26	69.07		157.53	223.47
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:44:04			160.31	69.03	157.49	33.30	0.01	160.30	69.03		157.49	223.51
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:44:06			160.35	68.98	157.44	33.30	0.01	160.35	68.98		157.44	223.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:44:08			160.54	68.80	157.26	33.30	0.01	160.54	68.80		157.26	223.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:44:10			160.53	68.80	157.26	33.30	0.01	160.53	68.80		157.26	223.74
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:44:12			160.11	69.22	157.68	33.30	0.01	160.11	69.22		157.68	223.32
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:44:14			160.32	69.01	157.47	33.30	0.01	160.32	69.01		157.47	223.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:44:16			160.31	69.02	157.48	33.30	0.01	160.31	69.02		157.48	223.52
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:44:18			160.22	69.11	157.57	33.30	0.01	160.22	69.11		157.57	223.43
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:44:20			160.26	69.08	157.54	33.30	0.01	160.26	69.08		157.54	223.46
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:44:22			160.27	69.07	157.53	33.30	0.01	160.26	69.07		157.53	223.47
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:44:24			160.34	69.00	157.46	33.30	0.01	160.33	69.00		157.46	223.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:44:26			160.31	69.03	157.49	33.30	0.01	160.30	69.03		157.49	223.51
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:44:28			160.31	69.03	157.49	33.30	0.01	160.30	69.03		157.49	223.51
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:44:30			160.36	68.97	157.43	33.30	0.01	160.36	68.97		157.43	223.57
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:44:32			160.33	69.01	157.47	33.30	0.01	160.33	69.01		157.47	223.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:44:34			160.36	68.97	157.43	33.30	0.01	160.36	68.97		157.43	223.57
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:44:36			160.21	69.12	157.58	33.30	0.01	160.21	69.12		157.58	223.42
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:44:38			160.24	69.10	157.56	33.30	0.01	160.23	69.10		157.56	223.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:44:40			160.24	69.09	157.55	33.30	0.01	160.24	69.09		157.55	223.45
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:44:42			160.44	68.90	157.36	33.30	0.01	160.44	68.90		157.36	223.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:44:44			160.29	69.04	157.50	33.30	0.01	160.29	69.04		157.50	223.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:44:46			160.44	68.90	157.36	33.30	0.01	160.44	68.90		157.36	223.64
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:44:48			160.31	69.03	157.49	33.30	0.01	160.30	69.03		157.49	223.51
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:44:50			160.33	69.01	157.47	33.30	0.01	160.33	69.01		157.47	223.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:44:52			160.42	68.92	157.38	33.30	0.01	160.41	68.92		157.38	223.62
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:44:54			160.32	69.01	157.47	33.30	0.01	160.32	69.01		157.47	223.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:44:56			160.34	69.00	157.46	33.30	0.01	160.33	69.00		157.46	223.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:44:58			160.22	69.11	157.57	33.30	0.01	160.22	69.11		157.57	223.43
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:45:00			160.47	68.87	157.33	33.30	0.00	160.47	68.87		157.33	223.67
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:45:02			160.20	69.14	157.60	33.30	0.00	160.19	69.14		157.60	223.40
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:45:04			160.21	69.13	157.59	33.30	0.00	160.20	69.13		157.59	223.41

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:45:06			160.45	68.88	157.34	33.30	0.00	160.45	68.88		157.34	223.66
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:45:08			160.14	69.19	157.65	33.30	0.00	160.14	69.19		157.65	223.35
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:45:10			160.25	69.08	157.54	33.30	0.00	160.25	69.08		157.54	223.46
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:45:12			160.36	68.97	157.43	33.30	0.00	160.36	68.97		157.43	223.57
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:45:14			160.28	69.05	157.51	33.30	0.00	160.28	69.05		157.51	223.49
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:45:16			160.28	69.06	157.52	33.30	0.00	160.27	69.06		157.52	223.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:45:18			160.35	68.98	157.44	33.30	0.00	160.35	68.98		157.44	223.56
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:45:20			160.24	69.09	157.55	33.30	0.00	160.24	69.09		157.55	223.45
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:45:22			160.06	69.28	157.74	33.30	0.00	160.05	69.28		157.74	223.26
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:45:24			160.27	69.07	157.53	33.30	0.00	160.26	69.07		157.53	223.47
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:45:26			160.13	69.21	157.67	33.30	0.00	160.12	69.21		157.67	223.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:45:28			160.30	69.04	157.50	33.30	0.00	160.30	69.04		157.50	223.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:45:30			160.19	69.15	157.61	33.30	0.00	160.19	69.15		157.61	223.39
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:45:32			160.31	69.03	157.49	33.30	0.00	160.30	69.03		157.49	223.51
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:45:34			160.33	69.01	157.47	33.30	0.00	160.33	69.01		157.47	223.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:45:36			160.24	69.09	157.55	33.30	0.00	160.24	69.09		157.55	223.45
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:45:38			160.21	69.12	157.58	33.30	0.00	160.21	69.12		157.58	223.42
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:45:40			160.32	69.01	157.47	33.30	0.00	160.32	69.01		157.47	223.53
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:45:42			160.06	69.28	157.74	33.30	0.00	160.05	69.28		157.74	223.26
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:45:44			160.17	69.16	157.62	33.30	0.00	160.17	69.16		157.62	223.38
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:45:46			160.30	69.04	157.50	33.30	0.00	160.30	69.04		157.50	223.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:45:48			159.99	69.35	157.81	33.30	0.00	159.98	69.35		157.81	223.19
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:45:50			160.24	69.10	157.56	33.30	0.00	160.23	69.10		157.56	223.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:45:52			160.29	69.04	157.50	33.30	0.00	160.29	69.04		157.50	223.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:45:54			160.18	69.15	157.61	33.30	0.00	160.18	69.15		157.61	223.39
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:45:56			160.28	69.06	157.52	33.30	0.00	160.27	69.06		157.52	223.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:45:58			160.10	69.24	157.70	33.30	0.00	160.09	69.24		157.70	223.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:46:00			160.15	69.19	157.65	33.30	0.00	160.15	69.19		157.65	223.35
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:46:02			160.38	68.95	157.41	33.30	0.00	160.38	68.95		157.41	223.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:46:04			160.08	69.26	157.72	33.30	0.00	160.08	69.26		157.72	223.28
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:46:06			160.19	69.15	157.61	33.30	0.00	160.19	69.15		157.61	223.39
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:46:08			160.05	69.29	157.75	33.30	0.00	160.05	69.29		157.75	223.25
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:46:10			160.15	69.19	157.65	33.30	0.00	160.15	69.19		157.65	223.35
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:46:12			160.31	69.02	157.48	33.30	0.00	160.31	69.02		157.48	223.52
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:46:14			160.46	68.87	157.33	33.30	0.00	160.46	68.87		157.33	223.67
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:46:16			160.11	69.22	157.68	33.30	0.00	160.11	69.22		157.68	223.32
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:46:18			160.27	69.07	157.53	33.30	0.00	160.26	69.07		157.53	223.47
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:46:20			160.17	69.17	157.63	33.30	0.00	160.16	69.17		157.63	223.37
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:46:22			160.24	69.10	157.56	33.30	0.00	160.23	69.10		157.56	223.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:46:24			160.28	69.05	157.51	33.30	0.00	160.28	69.05		157.51	223.49
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:46:26			160.22	69.11	157.57	33.30	0.00	160.22	69.11		157.57	223.43
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:46:28			160.17	69.16	157.62	33.30	0.00	160.17	69.16		157.62	223.38
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:46:30			160.28	69.06	157.52	33.30	0.00	160.27	69.06		157.52	223.48
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:46:32			160.07	69.26	157.72	33.30	0.00	160.07	69.26		157.72	223.28
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:46:34			160.21	69.12	157.58	33.30	0.00	160.21	69.12		157.58	223.42
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:46:36			160.45	68.89	157.35	33.30	0.00	160.44	68.89		157.35	223.65
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:46:38			160.13	69.21	157.67	33.30	0.00	160.12	69.21		157.67	223.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:46:40			160.20	69.14	157.60	33.30	0.00	160.19	69.14		157.60	223.40
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:46:42			160.13	69.21	157.67	33.30	0.00	160.12	69.21		157.67	223.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:46:44			160.18	69.15	157.61	33.30	0.00	160.18	69.15		157.61	223.39
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:46:46			160.31	69.02	157.48	33.30	0.00	160.31	69.02		157.48	223.52
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:46:48			160.14	69.20	157.66	33.30	0.00	160.13	69.20		157.66	223.34
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:46:50			160.03	69.30	157.76	33.30	0.00	160.03	69.30		157.76	223.24
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:46:52			160.23	69.11	157.57	33.30	0.00	160.23	69.11		157.57	223.43
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:46:54			160.04	69.29	157.75	33.30	0.00	160.04	69.29		157.75	223.25
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:46:56			160.09	69.25	157.71	33.30	0.00	160.09	69.25		157.71	223.29
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:46:58			160.24	69.10	157.56	33.30	0.00	160.23	69.10		157.56	223.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:47:00			160.03	69.31	157.77	33.30	0.00	160.02	69.31		157.77	223.23
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:47:02			160.09	69.25	157.71	33.30	0.00	160.09	69.25		157.71	223.29
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:47:04			160.04	69.29	157.75	33.30	0.00	160.04	69.29		157.75	223.25
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:47:06			160.38	68.95	157.41	33.30	0.00	160.38	68.95		157.41	223.59
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:47:08			160.07	69.27	157.73	33.30	0.00	160.06	69.27		157.73	223.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:47:10			160.03	69.30	157.76	33.30	0.00	160.03	69.30		157.76	223.24
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:47:12			160.16	69.18	157.64	33.30	0.00	160.16	69.18		157.64	223.36
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:47:14			160.17	69.17	157.63	33.30	0.00	160.16	69.17		157.63	223.37
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:47:16			160.30	69.04	157.50	33.30	0.00	160.30	69.04		157.50	223.50
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:47:18			160.02	69.32	157.78	33.30	0.00	160.01	69.32		157.78	223.22
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:47:20			160.14	69.19	157.65	33.30	0.00	160.14	69.19		157.65	223.35
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:47:22			160.13	69.21	157.67	33.30	0.00	160.12	69.21		157.67	223.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:47:24			160.19	69.15	157.61	33.30	0.00	160.19	69.15		157.61	223.39
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:47:26			160.03	69.30	157.76	33.30	0.00	160.03	69.30		157.76	223.24
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:47:28			160.06	69.28	157.74	33.30	0.00	160.05	69.28		157.74	223.26
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:47:30			160.10	69.24	157.70	33.30	0.00	160.09	69.24		157.70	223.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:47:32			160.13	69.21	157.67	33.30	0.00	160.12	69.21		157.67	223.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:47:34			160.14	69.19	157.65	33.30	0.00	160.14	69.19		157.65	223.35
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:47:36			160.34	69.00	157.46	33.30	0.00	160.33	69.00		157.46	223.54
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:47:38			160.10	69.23	157.69	33.30	0.00	160.10	69.23		157.69	223.31
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:47:40			160.25	69.08	157.54	33.30	0.00	160.25	69.08		157.54	223.46
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:47:42			159.97	69.36	157.82	33.30	0.00	159.97	69.36		157.82	223.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:47:44			160.21	69.13	157.59	33.30	0.00	160.20	69.13		157.59	223.41
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:47:46			159.94	69.40	157.86	33.30	0.00	159.94	69.40		157.86	223.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:47:48			160.14	69.20	157.66	33.30	0.00	160.13	69.20		157.66	223.34
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:47:50			160.13	69.21	157.67	33.30	0.00	160.12	69.21		157.67	223.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:47:52			160.11	69.22	157.68	33.30	0.00	160.11	69.22		157.68	223.32
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:47:54			160.13	69.21	157.67	33.30	0.00	160.12	69.21		157.67	223.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:47:56			160.09	69.25	157.71	33.30	0.00	160.09	69.25		157.71	223.29
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:47:58			160.05	69.29	157.75	33.30	0.00	160.05	69.29		157.75	223.25
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:48:00			160.17	69.16	157.62	33.30	0.00	160.17	69.16		157.62	223.38
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:48:02			160.21	69.12	157.58	33.30	0.00	160.21	69.12		157.58	223.42
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:48:04			160.19	69.15	157.61	33.30	0.00	160.19	69.15		157.61	223.39
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:48:06			160.25	69.08	157.54	33.30	0.00	160.25	69.08		157.54	223.46
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:48:08			160.06	69.28	157.74	33.30	0.00	160.05	69.28		157.74	223.26
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:48:10			160.15	69.19	157.65	33.30	0.00	160.15	69.19		157.65	223.35
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:48:12			160.18	69.15	157.61	33.30	0.00	160.18	69.15		157.61	223.39
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:48:14			159.89	69.44	157.90	33.30	0.00	159.89	69.44		157.90	223.10
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:48:16			159.96	69.37	157.83	33.30	0.00	159.96	69.37		157.83	223.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:48:18			159.92	69.41	157.87	33.30	0.00	159.92	69.41		157.87	223.13

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:48:20			159.95	69.39	157.85	33.30	0.00	159.95	69.39		157.85	223.15
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:48:22			160.02	69.32	157.78	33.30	0.00	160.02	69.32		157.78	223.22
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:48:24			160.17	69.16	157.62	33.30	0.00	160.17	69.16		157.62	223.38
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:48:26			160.05	69.29	157.75	33.30	0.00	160.05	69.29		157.75	223.25
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:48:28			159.92	69.41	157.87	33.30	0.00	159.92	69.41		157.87	223.13
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:48:30			160.00	69.34	157.80	33.30	0.00	160.00	69.34		157.80	223.20
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:48:32			160.15	69.19	157.65	33.30	0.00	160.15	69.19		157.65	223.35
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:48:34			160.06	69.28	157.74	33.30	0.00	160.05	69.28		157.74	223.26
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:48:36			160.07	69.27	157.73	33.30	0.00	160.06	69.27		157.73	223.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:48:38			160.21	69.13	157.59	33.30	0.00	160.20	69.13		157.59	223.41
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:48:40			160.13	69.21	157.67	33.30	0.00	160.12	69.21		157.67	223.33
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:48:42			160.07	69.27	157.73	33.30	0.00	160.06	69.27		157.73	223.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:48:44			160.10	69.24	157.70	33.30	0.00	160.09	69.24		157.70	223.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:48:46			160.05	69.29	157.75	33.30	0.00	160.04	69.29		157.75	223.25
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:48:48			160.04	69.29	157.75	33.30	0.00	160.04	69.29		157.75	223.25
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:48:50			160.20	69.14	157.60	33.30	0.00	160.19	69.14		157.60	223.40
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:48:52			160.14	69.20	157.66	33.30	0.00	160.13	69.20		157.66	223.34
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:48:54			160.10	69.23	157.69	33.30	0.00	160.10	69.23		157.69	223.31
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:48:56			160.17	69.17	157.63	33.30	0.00	160.16	69.17		157.63	223.37
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:48:58			159.93	69.40	157.86	33.30	0.00	159.93	69.40		157.86	223.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:49:00			160.15	69.19	157.65	33.30	0.00	160.15	69.19		157.65	223.35
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:49:02			160.11	69.22	157.68	33.30	0.00	160.11	69.22		157.68	223.32
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:49:04			160.25	69.08	157.54	33.30	0.00	160.25	69.08		157.54	223.46
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:49:06			159.96	69.37	157.83	33.30	0.00	159.96	69.37		157.83	223.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:49:08			160.14	69.20	157.66	33.30	0.00	160.13	69.20		157.66	223.34
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:49:10			159.81	69.53	157.99	33.30	0.00	159.81	69.53		157.99	223.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:49:12			160.05	69.29	157.75	33.30	0.00	160.05	69.29		157.75	223.25
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:49:14			160.01	69.33	157.79	33.30	0.00	160.01	69.33		157.79	223.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:49:16			160.14	69.20	157.66	33.30	0.00	160.13	69.20		157.66	223.34
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:49:18			160.12	69.22	157.68	33.30	0.00	160.12	69.22		157.68	223.32
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:49:20			160.07	69.26	157.72	33.30	0.00	160.07	69.26		157.72	223.28
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:49:22			160.17	69.16	157.62	33.30	0.00	160.17	69.16		157.62	223.38
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:49:24			159.87	69.47	157.93	33.30	0.00	159.87	69.47		157.93	223.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:49:26			160.07	69.26	157.72	33.30	0.00	160.07	69.26		157.72	223.28
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:49:28			160.19	69.15	157.61	33.30	0.00	160.19	69.15		157.61	223.39
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:49:30			160.23	69.11	157.57	33.30	0.00	160.23	69.11		157.57	223.43
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:49:32			159.92	69.41	157.87	33.30	0.00	159.92	69.41		157.87	223.13
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:49:34			160.23	69.10	157.56	33.30	0.00	160.23	69.10		157.56	223.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:49:36			160.01	69.33	157.79	33.30	0.00	160.01	69.33		157.79	223.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:49:38			160.02	69.32	157.78	33.30	0.00	160.02	69.32		157.78	223.22
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:49:40			159.99	69.35	157.81	33.30	0.00	159.98	69.35		157.81	223.19
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:49:42			160.07	69.27	157.73	33.30	0.00	160.06	69.27		157.73	223.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:49:44			160.21	69.13	157.59	33.30	0.00	160.20	69.13		157.59	223.41
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:49:46			159.95	69.39	157.85	33.30	0.00	159.94	69.39		157.85	223.15
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:49:48			159.96	69.37	157.83	33.30	0.00	159.96	69.37		157.83	223.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:49:50			159.93	69.40	157.86	33.30	0.00	159.93	69.40		157.86	223.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:49:52			160.03	69.30	157.76	33.30	0.00	160.03	69.30		157.76	223.24
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:49:54			159.98	69.36	157.82	33.30	0.00	159.97	69.36		157.82	223.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:49:56			159.93	69.41	157.87	33.30	0.00	159.93	69.41		157.87	223.13
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:49:58			159.98	69.36	157.82	33.30	0.00	159.98	69.36		157.82	223.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:50:00			159.85	69.48	157.94	33.30	0.00	159.85	69.48		157.94	223.06
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:50:02			159.96	69.37	157.83	33.30	0.00	159.96	69.37		157.83	223.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:50:04			160.09	69.25	157.71	33.30	0.00	160.09	69.25		157.71	223.29
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:50:06			159.99	69.35	157.81	33.30	0.00	159.98	69.35		157.81	223.19
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:50:08			159.97	69.37	157.83	33.30	0.00	159.97	69.37		157.83	223.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:50:10			160.03	69.30	157.76	33.30	0.00	160.03	69.30		157.76	223.24
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:50:12			159.86	69.47	157.93	33.30	0.00	159.86	69.47		157.93	223.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:50:14			160.07	69.26	157.72	33.30	0.00	160.07	69.26		157.72	223.28
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:50:16			160.05	69.29	157.75	33.30	0.00	160.05	69.29		157.75	223.25
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:50:18			160.12	69.22	157.68	33.30	0.00	160.12	69.22		157.68	223.32
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:50:20			159.99	69.35	157.81	33.30	0.00	159.99	69.35		157.81	223.19
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:50:22			160.06	69.28	157.74	33.30	0.00	160.05	69.28		157.74	223.26
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:50:24			159.96	69.37	157.83	33.30	0.00	159.96	69.37		157.83	223.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:50:26			160.08	69.26	157.72	33.30	0.00	160.08	69.25		157.71	223.29
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:50:28			160.03	69.31	157.77	33.30	0.00	160.02	69.31		157.77	223.23
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:50:30			160.01	69.33	157.79	33.30	0.00	160.01	69.33		157.79	223.21
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:50:32			159.81	69.52	157.98	33.30	0.00	159.81	69.52		157.98	223.02
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:50:34			160.02	69.32	157.78	33.30	0.00	160.01	69.32		157.78	223.22
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:50:36			159.81	69.53	157.99	33.30	0.00	159.81	69.53		157.99	223.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:50:38			159.98	69.36	157.82	33.30	0.00	159.98	69.36		157.82	223.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:50:40			160.08	69.26	157.72	33.30	0.00	160.08	69.25		157.71	223.29
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:50:42			159.87	69.47	157.93	33.30	0.00	159.87	69.47		157.93	223.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:50:44			159.97	69.37	157.83	33.30	0.00	159.97	69.37		157.83	223.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:50:46			159.94	69.40	157.86	33.30	0.00	159.94	69.39		157.85	223.15
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:50:48			160.15	69.19	157.65	33.30	0.00	160.15	69.19		157.65	223.35
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:50:50			159.99	69.35	157.81	33.30	0.00	159.99	69.35		157.81	223.19
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:50:52			160.14	69.19	157.65	33.30	0.00	160.14	69.19		157.65	223.35
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:50:54			159.98	69.36	157.82	33.30	0.00	159.98	69.36		157.82	223.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:50:56			160.25	69.08	157.54	33.30	0.00	160.25	69.08		157.54	223.46
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:50:58			160.24	69.10	157.56	33.30	0.00	160.23	69.10		157.56	223.44
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:51:00			160.01	69.33	157.79	33.30	0.00	160.01	69.32		157.78	223.22
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:51:02			159.95	69.38	157.84	33.30	0.00	159.95	69.38		157.84	223.16
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:51:04			160.07	69.27	157.73	33.30	0.00	160.06	69.27		157.73	223.27
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:51:06			159.96	69.37	157.83	33.30	0.00	159.96	69.37		157.83	223.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:51:08			159.91	69.43	157.89	33.30	0.00	159.91	69.43		157.89	223.11
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:51:10			159.95	69.39	157.85	33.30	0.00	159.95	69.39		157.85	223.15
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:51:12			159.95	69.39	157.85	33.30	0.00	159.95	69.39		157.85	223.15
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:51:14			160.04	69.29	157.75	33.30	0.00	160.04	69.29		157.75	223.25
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:51:16			160.12	69.22	157.68	33.30	0.00	160.12	69.22		157.68	223.32
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:51:18			159.97	69.37	157.83	33.30	0.00	159.97	69.37		157.83	223.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:51:20			159.98	69.36	157.82	33.30	0.00	159.98	69.36		157.82	223.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:51:22			160.03	69.30	157.76	33.30	0.00	160.03	69.30		157.76	223.24
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:51:24			159.79	69.54	158.00	33.30	0.00	159.79	69.54		158.00	223.00
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:51:26			160.07	69.27	157.73	33.30	0.00	160.07	69.26		157.72	223.28
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:51:28			159.89	69.44	157.90	33.30	0.00	159.89	69.44		157.90	223.10
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:51:30			159.90	69.43	157.89	33.30	0.00	159.90	69.43		157.89	223.11
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:51:32			159.88	69.46	157.92	33.30	0.00	159.87	69.46		157.92	223.08

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:51:34			159.84	69.49	157.95	33.30	0.00	159.84	69.49		157.95	223.05
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:51:36			159.84	69.50	157.96	33.30	0.00	159.84	69.50		157.96	223.04
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:51:38			159.80	69.54	158.00	33.30	0.00	159.80	69.53		157.99	223.01
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:51:40			159.73	69.61	158.07	33.30	0.00	159.73	69.60		158.06	222.94
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:51:42			159.82	69.52	157.98	33.30	0.00	159.81	69.52		157.98	223.02
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:51:44			159.89	69.45	157.91	33.30	0.00	159.88	69.45		157.91	223.09
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:51:46			159.95	69.39	157.85	33.30	0.00	159.95	69.39		157.85	223.15
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:51:48			159.77	69.57	158.03	33.30	0.00	159.76	69.57		158.03	222.97
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:51:50			159.95	69.39	157.85	33.30	0.00	159.94	69.39		157.85	223.15
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:51:52			159.96	69.37	157.83	33.30	0.00	159.96	69.37		157.83	223.17
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:51:54			159.93	69.40	157.86	33.30	0.00	159.93	69.40		157.86	223.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:51:56			160.09	69.24	157.70	33.30	0.00	160.09	69.24		157.70	223.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:51:58			159.90	69.44	157.90	33.30	0.00	159.90	69.44		157.90	223.10
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:52:00			159.73	69.61	158.07	33.30	0.00	159.73	69.61		158.07	222.93
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:52:02			159.96	69.38	157.84	33.30	0.00	159.95	69.38		157.84	223.16
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:52:04			159.82	69.51	157.97	33.30	0.00	159.82	69.51		157.97	223.03
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:52:06			159.82	69.51	157.97	33.30	0.00	159.82	69.51		157.97	223.03
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:52:08			159.86	69.47	157.93	33.30	0.00	159.86	69.47		157.93	223.07
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:52:10			159.94	69.40	157.86	33.30	0.00	159.94	69.40		157.86	223.14
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:52:12			160.10	69.24	157.70	33.30	0.00	160.09	69.24		157.70	223.30
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:52:14			159.88	69.46	157.92	33.30	0.00	159.87	69.46		157.92	223.08
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:52:16			159.75	69.59	158.05	33.30	0.00	159.74	69.59		158.05	222.95
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:52:18			159.69	69.65	158.11	33.30	0.00	159.69	69.65		158.11	222.89
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:52:20			159.82	69.51	157.97	33.30	0.00	159.82	69.51		157.97	223.03
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:52:22			159.65	69.69	158.15	33.30	0.00	159.65	69.68		158.14	222.86
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:52:24			159.75	69.58	158.04	33.30	0.00	159.75	69.58		158.04	222.96
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:52:26			159.98	69.36	157.82	33.30	0.00	159.98	69.36		157.82	223.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:52:28			160.01	69.33	157.79	33.30	0.00	160.01	69.32		157.78	223.22
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:52:30			159.98	69.36	157.82	33.30	0.00	159.98	69.36		157.82	223.18
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:52:32			159.94	69.40	157.86	33.30	0.00	159.94	69.39		157.85	223.15
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:52:34			159.85	69.48	157.94	33.30	0.00	159.85	69.48		157.94	223.06
SW Well 1A	RATE CALIBRATIONS; PUMP ON	9/27/2010 14:52:36			159.84	69.49	157.95	33.30	0.00	159.84	69.49		157.95	223.05
SW Well 1A	RATE CALIBRATIONS; PUMP OFF	9/27/2010 14:52:38			159.85	69.48	157.94	33.30	0.00	159.85	69.48		157.94	223.06
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:52:40			160.68	68.66	157.12	33.30	0.00	160.68	68.65		157.11	223.89
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:52:42			160.80	68.53	156.99	33.30	0.00	160.80	68.53		156.99	224.01
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:52:44			161.54	67.80	156.26	33.30	0.00	161.54	67.80		156.26	224.74
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:52:46			162.68	66.65	155.11	33.30	0.00	162.68	66.65		155.11	225.89
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:52:48			163.79	65.55	154.01	33.30	0.00	163.79	65.54		154.00	227.00
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:52:50			165.67	63.66	152.12	33.30	0.00	165.67	63.66		152.12	228.88
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:52:52			167.33	62.00	150.46	33.30	0.00	167.33	62.00		150.46	230.54
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:52:54			169.62	59.71	148.17	33.30	0.00	169.62	59.71		148.17	232.83
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:52:56			172.13	57.21	145.67	33.30	0.00	172.13	57.21		145.67	235.33
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:52:58			173.61	55.73	144.19	33.30	0.00	173.60	55.73		144.19	236.81
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:53:00			176.67	52.66	141.12	33.30	0.00	176.67	52.66		141.12	239.88
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:53:02			178.50	50.84	139.30	33.30	0.00	178.50	50.84		139.30	241.70
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:53:04			181.77	47.57	136.03	33.30	0.00	181.77	47.57		136.03	244.97
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:53:06			183.95	45.39	133.85	33.30	0.00	183.95	45.39		133.85	247.15
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:53:08			188.92	40.41	128.87	33.30	0.00	188.92	40.41		128.87	252.13
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:53:10			191.54	37.80	126.26	33.30	0.00	191.54	37.80		126.26	254.74
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:53:12			194.93	34.41	122.87	33.30	0.00	194.93	34.41		122.87	258.13
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:53:14			198.40	30.93	119.39	33.30	0.00	198.40	30.93		119.39	261.61
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:53:16			201.53	27.81	116.27	33.30	0.00	201.53	27.81		116.27	264.73
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:53:18			204.35	24.99	113.45	33.30	0.00	204.35	24.98		113.44	267.56
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:53:20			206.59	22.74	111.20	33.30	0.00	206.59	22.74		111.20	269.80
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:53:22			208.85	20.49	108.95	33.30	0.00	208.84	20.49		108.95	272.05
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:53:24			210.51	18.82	107.28	33.30	0.00	210.51	18.82		107.28	273.72
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:53:26			211.92	17.42	105.88	33.30	0.00	211.91	17.42		105.88	275.12
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:53:28			213.23	16.11	104.57	33.30	0.00	213.22	16.11		104.57	276.43
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:53:30			213.75	15.59	104.05	33.30	0.00	213.75	15.59		104.05	276.95
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:53:32			214.48	14.86	103.32	33.30	0.00	214.48	14.85		103.31	277.69
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:53:34			214.39	14.95	103.41	33.30	0.00	214.39	14.95		103.41	277.59
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:53:36			214.08	15.26	103.72	33.30	0.00	214.08	15.25		103.71	277.29
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:53:38			213.54	15.79	104.25	33.30	0.00	213.54	15.79		104.25	276.75
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:53:40			212.67	16.67	105.13	33.30	0.00	212.67	16.67		105.13	275.87
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:53:42			211.71	17.62	106.08	33.30	0.00	211.71	17.62		106.08	274.92
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:53:44			210.53	18.81	107.27	33.30	0.00	210.52	18.81		107.27	273.73
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:53:46			209.37	19.96	108.42	33.30	0.00	209.37	19.96		108.42	272.58
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:53:48			208.27	21.06	109.52	33.30	0.00	208.27	21.06		109.52	271.48
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:53:50			207.37	21.97	110.43	33.30	0.00	207.37	21.97		110.43	270.57
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:53:52			206.58	22.75	111.21	33.30	0.00	206.58	22.75		111.21	269.79
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:53:54			205.99	23.35	111.81	33.30	0.00	205.99	23.35		111.81	269.19
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:53:56			205.58	23.76	112.22	33.30	0.00	205.57	23.76		112.22	268.78
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:53:58			205.35	23.99	112.45	33.30	0.00	205.35	23.99		112.45	268.55
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:54:00			205.27	24.06	112.52	33.30	0.00	205.27	24.06		112.52	268.48
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:54:02			205.26	24.08	112.54	33.30	0.00	205.26	24.08		112.54	268.46
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:54:04			205.28	24.05	112.51	33.30	0.00	205.28	24.05		112.51	268.49
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:54:06			205.34	24.00	112.46	33.30	0.00	205.34	24.00		112.46	268.54
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:54:08			205.39	23.94	112.40	33.30	0.00	205.39	23.94		112.40	268.60
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:54:10			205.44	23.90	112.36	33.30	0.00	205.44	23.90		112.36	268.64
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:54:12			205.46	23.88	112.34	33.30	0.00	205.46	23.88		112.34	268.66
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:54:14			205.46	23.87	112.33	33.30	0.00	205.46	23.87		112.33	268.67
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:54:16			205.46	23.88	112.34	33.30	0.00	205.46	23.88		112.34	268.66
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:54:18			205.47	23.87	112.33	33.30	0.00	205.47	23.87		112.33	268.67
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:54:20			205.48	23.86	112.32	33.30	0.00	205.48	23.86		112.32	268.68
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:54:22			205.50	23.84	112.30	33.30	0.00	205.50	23.83		112.29	268.71
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:54:24			205.52	23.81	112.27	33.30	0.00	205.52	23.81		112.27	268.73
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:54:26			205.56	23.78	112.24	33.30	0.00	205.55	23.78		112.24	268.76
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:54:28			205.58	23.75	112.21	33.30	0.00	205.58	23.75		112.21	268.79
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:54:30			205.60	23.73	112.19	33.30	0.00	205.60	23.73		112.19	268.81
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:54:32			205.61	23.72	112.18	33.30	0.00	205.61	23.72		112.18	268.82
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:54:34			205.63	23.70	112.16	33.30	0.00	205.63	23.70		112.16	268.84
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:54:36			205.65	23.69	112.15	33.30	0.00	205.64	23.69		112.15	268.85
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:54:38			205.66	23.67	112.13	33.30	0.00	205.66	23.67		112.13	268.87
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:54:40			205.68	23.65	112.11	33.30	0.00	205.68	23.65		112.11	268.89
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:54:42			205.72	23.62	112.08	33.30	0.00	205.72	23.62		112.08	268.92
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:54:44			205.74	23.60	112.06	33.30	0.00	205.74	23.60		112.06	268.94
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:54:46			205.77	23.57	112.03	33.30	0.00	205.76	23.57		112.03	268.97

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:54:48			205.79	23.55	112.01	33.30	0.00	205.78	23.55		112.01	268.99
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:54:50			205.80	23.53	111.99	33.30	0.00	205.80	23.53		111.99	269.01
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:54:52			205.82	23.52	111.98	33.30	0.00	205.82	23.52		111.98	269.02
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:54:54			205.84	23.50	111.96	33.30	0.00	205.84	23.49		111.95	269.05
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:54:56			205.86	23.47	111.93	33.30	0.00	205.86	23.47		111.93	269.07
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:54:58			205.89	23.45	111.91	33.30	0.00	205.89	23.44		111.90	269.10
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:55:00			205.91	23.43	111.89	33.30	0.00	205.91	23.42		111.88	269.12
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:55:02			205.93	23.40	111.86	33.30	0.00	205.93	23.40		111.86	269.14
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:55:04			205.96	23.38	111.84	33.30	0.00	205.96	23.38		111.84	269.16
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:55:06			205.97	23.36	111.82	33.30	0.00	205.97	23.36		111.82	269.18
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:55:08			205.99	23.35	111.81	33.30	0.00	205.99	23.35		111.81	269.19
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:55:10			206.01	23.33	111.79	33.30	0.00	206.01	23.33		111.79	269.21
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:55:12			206.02	23.32	111.78	33.30	0.00	206.02	23.31		111.77	269.23
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:55:14			206.05	23.29	111.75	33.30	0.00	206.05	23.29		111.75	269.25
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:55:16			206.06	23.28	111.74	33.30	0.00	206.06	23.27		111.73	269.27
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:55:18			206.08	23.25	111.71	33.30	0.00	206.08	23.25		111.71	269.29
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:55:20			206.10	23.24	111.70	33.30	0.00	206.10	23.24		111.70	269.30
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:55:22			206.11	23.22	111.68	33.30	0.00	206.11	23.22		111.68	269.32
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:55:24			206.13	23.21	111.67	33.30	0.00	206.13	23.20		111.66	269.34
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:55:26			206.14	23.19	111.65	33.30	0.00	206.14	23.19		111.65	269.35
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:55:28			206.17	23.17	111.63	33.30	0.00	206.17	23.17		111.63	269.37
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:55:30			206.18	23.15	111.61	33.30	0.00	206.18	23.15		111.61	269.39
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:55:32			206.21	23.13	111.59	33.30	0.00	206.21	23.13		111.59	269.41
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:55:34			206.22	23.11	111.57	33.30	0.00	206.22	23.11		111.57	269.43
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:55:36			206.24	23.10	111.56	33.30	0.00	206.24	23.10		111.56	269.44
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:55:38			206.25	23.08	111.54	33.30	0.00	206.25	23.08		111.54	269.46
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:55:40			206.28	23.06	111.52	33.30	0.00	206.28	23.06		111.52	269.48
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:55:42			206.29	23.04	111.50	33.30	0.00	206.29	23.04		111.50	269.50
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:55:44			206.30	23.04	111.50	33.30	0.00	206.30	23.03		111.49	269.51
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:55:46			206.32	23.02	111.48	33.30	0.00	206.32	23.02		111.48	269.52
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:55:48			206.34	23.00	111.46	33.30	0.00	206.34	22.99		111.45	269.55
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:55:50			206.36	22.98	111.44	33.30	0.00	206.35	22.98		111.44	269.56
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:55:52			206.37	22.97	111.43	33.30	0.00	206.37	22.96		111.42	269.58
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:55:54			206.39	22.94	111.40	33.30	0.00	206.39	22.94		111.40	269.60
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:55:56			206.40	22.93	111.39	33.30	0.00	206.40	22.93		111.39	269.61
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:55:58			206.43	22.91	111.37	33.30	0.00	206.42	22.91		111.37	269.63
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:56:00			206.43	22.90	111.36	33.30	0.00	206.43	22.90		111.36	269.64
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:56:02			206.45	22.89	111.35	33.30	0.00	206.45	22.89		111.35	269.65
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:56:04			206.46	22.87	111.33	33.30	0.00	206.46	22.87		111.33	269.67
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:56:06			206.48	22.86	111.32	33.30	0.00	206.48	22.85		111.31	269.69
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:56:08			206.50	22.84	111.30	33.30	0.00	206.49	22.84		111.30	269.70
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:56:10			206.51	22.83	111.29	33.30	0.00	206.51	22.82		111.28	269.72
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:56:12			206.53	22.81	111.27	33.30	0.00	206.53	22.81		111.27	269.73
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:56:14			206.54	22.79	111.25	33.30	0.00	206.54	22.79		111.25	269.75
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:56:16			206.56	22.78	111.24	33.30	0.00	206.56	22.78		111.24	269.76
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:56:18			206.57	22.76	111.22	33.30	0.00	206.57	22.76		111.22	269.78
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:56:20			206.58	22.75	111.21	33.30	0.00	206.58	22.75		111.21	269.79
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:56:22			206.60	22.74	111.20	33.30	0.00	206.60	22.74		111.20	269.80
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:56:24			206.61	22.72	111.18	33.30	0.00	206.61	22.72		111.18	269.82
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:56:26			206.63	22.71	111.17	33.30	0.00	206.63	22.71		111.17	269.83
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:56:28			206.64	22.70	111.16	33.30	0.00	206.63	22.70		111.16	269.84
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:56:30			206.65	22.68	111.14	33.30	0.00	206.65	22.68		111.14	269.86
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:56:32			206.67	22.67	111.13	33.30	0.00	206.67	22.67		111.13	269.87
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:56:34			206.68	22.65	111.11	33.30	0.00	206.68	22.65		111.11	269.89
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:56:36			206.70	22.64	111.10	33.30	0.00	206.70	22.64		111.10	269.90
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:56:38			206.71	22.63	111.09	33.30	0.00	206.70	22.63		111.09	269.91
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:56:40			206.71	22.62	111.08	33.30	0.00	206.71	22.62		111.08	269.92
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:56:42			206.74	22.60	111.06	33.30	0.00	206.74	22.60		111.06	269.94
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:56:44			206.74	22.59	111.05	33.30	0.00	206.74	22.59		111.05	269.95
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:56:46			206.76	22.58	111.04	33.30	0.00	206.76	22.57		111.03	269.97
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:56:48			206.78	22.56	111.02	33.30	0.00	206.77	22.56		111.02	269.98
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:56:50			206.79	22.54	111.00	33.30	0.00	206.79	22.54		111.00	270.00
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:56:52			206.81	22.53	110.99	33.30	0.00	206.81	22.53		110.99	270.01
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:56:54			206.81	22.52	110.98	33.30	0.00	206.81	22.52		110.98	270.02
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:56:56			206.82	22.51	110.97	33.30	0.00	206.82	22.51		110.97	270.03
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:56:58			206.83	22.51	110.97	33.30	0.00	206.83	22.50		110.96	270.04
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:57:00			206.84	22.50	110.96	33.30	0.00	206.84	22.50		110.96	270.04
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:57:02			206.85	22.48	110.94	33.30	0.00	206.85	22.48		110.94	270.06
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:57:04			206.88	22.46	110.92	33.30	0.00	206.88	22.46		110.92	270.08
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:57:06			206.89	22.44	110.90	33.30	0.00	206.89	22.44		110.90	270.10
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:57:08			206.90	22.44	110.90	33.30	0.00	206.90	22.43		110.89	270.11
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:57:10			206.92	22.42	110.88	33.30	0.00	206.92	22.42		110.88	270.12
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:57:12			206.92	22.41	110.87	33.30	0.00	206.92	22.41		110.87	270.13
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:57:14			206.94	22.40	110.86	33.30	0.00	206.94	22.39		110.85	270.15
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:57:16			206.96	22.38	110.84	33.30	0.00	206.95	22.38		110.84	270.16
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:57:18			206.96	22.38	110.84	33.30	0.00	206.95	22.38		110.84	270.16
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:57:20			206.98	22.36	110.82	33.30	0.00	206.98	22.36		110.82	270.18
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:57:22			206.99	22.35	110.81	33.30	0.00	206.99	22.35		110.81	270.19
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:57:24			207.00	22.33	110.79	33.30	0.00	207.00	22.33		110.79	270.21
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:57:26			207.01	22.33	110.79	33.30	0.00	207.01	22.32		110.78	270.22
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:57:28			207.02	22.32	110.78	33.30	0.00	207.02	22.32		110.78	270.22
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:57:30			207.03	22.31	110.77	33.30	0.00	207.02	22.31		110.77	270.23
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:57:32			207.03	22.30	110.76	33.30	0.00	207.03	22.30		110.76	270.24
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:57:34			207.06	22.28	110.74	33.30	0.00	207.06	22.28		110.74	270.26
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:57:36			207.06	22.28	110.74	33.30	0.00	207.06	22.28		110.74	270.26
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:57:38			207.08	22.26	110.72	33.30	0.00	207.08	22.25		110.71	270.29
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:57:40			207.09	22.25	110.71	33.30	0.00	207.09	22.25		110.71	270.29
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:57:42			207.09	22.25	110.71	33.30	0.00	207.09	22.25		110.71	270.29
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:57:44			207.10	22.23	110.69	33.30	0.00	207.10	22.23		110.69	270.31
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:57:46			207.11	22.23	110.69	33.30	0.00	207.11	22.22		110.68	270.32
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:57:48			207.13	22.21	110.67	33.30	0.00	207.13	22.21		110.67	270.33
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:57:50			207.13	22.20	110.66	33.30	0.00	207.13	22.20		110.66	270.34
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:57:52			207.14	22.19	110.65	33.30	0.00	207.14	22.19		110.65	270.35
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:57:54			207.17	22.17	110.63	33.30	0.00	207.16	22.17		110.63	270.37
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:57:56			207.17	22.16	110.62	33.30	0.00	207.17	22.16		110.62	270.38
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:57:58			207.19	22.15	110.61	33.30	0.00	207.19	22.15		110.61	270.39
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:58:00			207.19	22.15	110.61	33.30	0.00	207.19	22.15		110.61	270.39

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:58:02			207.20	22.13	110.59	33.30	0.00	207.20	22.13		110.59	270.41
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:58:04			207.21	22.12	110.58	33.30	0.00	207.21	22.12		110.58	270.42
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:58:06			207.22	22.12	110.58	33.30	0.00	207.22	22.11		110.57	270.43
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:58:08			207.23	22.11	110.57	33.30	0.00	207.23	22.11		110.57	270.43
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:58:10			207.24	22.09	110.55	33.30	0.00	207.24	22.09		110.55	270.45
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:58:12			207.25	22.08	110.54	33.30	0.00	207.25	22.08		110.54	270.46
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:58:14			207.26	22.08	110.54	33.30	0.00	207.26	22.07		110.53	270.47
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:58:16			207.27	22.06	110.52	33.30	0.00	207.27	22.06		110.52	270.48
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:58:18			207.28	22.05	110.51	33.30	0.00	207.28	22.05		110.51	270.49
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:58:20			207.29	22.05	110.51	33.30	0.00	207.29	22.04		110.50	270.50
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:58:22			207.30	22.04	110.50	33.30	0.00	207.30	22.04		110.50	270.50
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:58:24			207.31	22.02	110.48	33.30	0.00	207.31	22.02		110.48	270.52
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:58:26			207.32	22.01	110.47	33.30	0.00	207.32	22.01		110.47	270.53
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:58:28			207.33	22.01	110.47	33.30	0.00	207.33	22.01		110.47	270.53
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:58:30			207.34	22.00	110.46	33.30	0.00	207.34	22.00		110.46	270.54
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:58:32			207.35	21.98	110.44	33.30	0.00	207.35	21.98		110.44	270.56
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:58:34			207.35	21.98	110.44	33.30	0.00	207.35	21.98		110.44	270.56
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:58:36			207.37	21.97	110.43	33.30	0.00	207.37	21.97		110.43	270.57
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:58:38			207.38	21.96	110.42	33.30	0.00	207.37	21.96		110.42	270.58
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:58:40			207.38	21.95	110.41	33.30	0.00	207.38	21.95		110.41	270.59
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:58:42			207.39	21.94	110.40	33.30	0.00	207.39	21.94		110.40	270.60
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:58:44			207.40	21.94	110.40	33.30	0.00	207.40	21.93		110.39	270.61
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:58:46			207.42	21.92	110.38	33.30	0.00	207.42	21.92		110.38	270.62
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:58:48			207.42	21.91	110.37	33.30	0.00	207.42	21.91		110.37	270.63
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:58:50			207.43	21.90	110.36	33.30	0.00	207.43	21.90		110.36	270.64
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:58:52			207.44	21.89	110.35	33.30	0.00	207.44	21.89		110.35	270.65
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:58:54			207.45	21.89	110.35	33.30	0.00	207.45	21.89		110.35	270.65
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:58:56			207.46	21.87	110.33	33.30	0.00	207.46	21.87		110.33	270.67
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:58:58			207.47	21.87	110.33	33.30	0.00	207.47	21.86		110.32	270.68
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:59:00			207.48	21.86	110.32	33.30	0.00	207.48	21.86		110.32	270.68
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:59:02			207.49	21.85	110.31	33.30	0.00	207.49	21.85		110.31	270.69
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:59:04			207.50	21.84	110.30	33.30	0.00	207.49	21.84		110.30	270.70
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:59:06			207.51	21.82	110.28	33.30	0.00	207.51	21.82		110.28	270.72
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:59:08			207.52	21.82	110.28	33.30	0.00	207.52	21.82		110.28	270.72
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:59:10			207.53	21.81	110.27	33.30	0.00	207.53	21.81		110.27	270.73
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:59:12			207.53	21.80	110.26	33.30	0.00	207.53	21.80		110.26	270.74
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:59:14			207.54	21.79	110.25	33.30	0.00	207.54	21.79		110.25	270.75
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:59:16			207.55	21.79	110.25	33.30	0.00	207.55	21.78		110.24	270.76
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:59:18			207.57	21.77	110.23	33.30	0.00	207.56	21.77		110.23	270.77
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:59:20			207.57	21.76	110.22	33.30	0.00	207.57	21.76		110.22	270.78
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:59:22			207.57	21.76	110.22	33.30	0.00	207.57	21.76		110.22	270.78
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:59:24			207.59	21.75	110.21	33.30	0.00	207.59	21.74		110.20	270.80
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:59:26			207.60	21.74	110.20	33.30	0.00	207.60	21.74		110.20	270.80
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:59:28			207.60	21.73	110.19	33.30	0.00	207.60	21.73		110.19	270.81
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:59:30			207.61	21.72	110.18	33.30	0.00	207.61	21.72		110.18	270.82
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:59:32			207.62	21.72	110.18	33.30	0.00	207.62	21.71		110.17	270.83
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:59:34			207.63	21.71	110.17	33.30	0.00	207.63	21.71		110.17	270.83
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:59:36			207.64	21.70	110.16	33.30	0.00	207.63	21.70		110.16	270.84
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:59:38			207.64	21.69	110.15	33.30	0.00	207.64	21.69		110.15	270.85
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:59:40			207.65	21.68	110.14	33.30	0.00	207.65	21.68		110.14	270.86
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:59:42			207.66	21.67	110.13	33.30	0.00	207.66	21.67		110.13	270.87
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:59:44			207.67	21.67	110.13	33.30	0.00	207.67	21.67		110.13	270.87
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:59:46			207.67	21.66	110.12	33.30	0.00	207.67	21.66		110.12	270.88
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:59:48			207.69	21.65	110.11	33.30	0.00	207.68	21.65		110.11	270.89
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:59:50			207.69	21.65	110.11	33.30	0.00	207.69	21.64		110.10	270.90
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:59:52			207.70	21.63	110.09	33.30	0.00	207.70	21.63		110.09	270.91
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:59:54			207.71	21.62	110.08	33.30	0.00	207.71	21.62		110.08	270.92
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:59:56			207.72	21.61	110.07	33.30	0.00	207.72	21.61		110.07	270.93
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 14:59:58			207.73	21.61	110.07	33.30	0.00	207.73	21.60		110.06	270.94
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:00:00			207.74	21.60	110.06	33.29	0.00	207.74	21.60		110.06	270.94
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:00:02			207.74	21.59	110.05	33.29	0.00	207.74	21.59		110.05	270.95
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:00:04			207.75	21.58	110.04	33.29	0.00	207.75	21.58		110.04	270.96
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:00:06			207.76	21.58	110.04	33.29	0.00	207.76	21.57		110.03	270.97
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:00:08			207.77	21.57	110.03	33.29	0.00	207.77	21.57		110.03	270.97
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:00:10			207.78	21.56	110.02	33.29	0.00	207.78	21.56		110.02	270.98
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:00:12			207.78	21.55	110.01	33.29	0.00	207.78	21.55		110.01	270.99
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:00:14			207.79	21.54	110.00	33.29	0.00	207.79	21.54		110.00	271.00
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:00:16			207.80	21.54	110.00	33.29	0.00	207.80	21.53		109.99	271.01
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:00:18			207.81	21.53	109.99	33.29	0.00	207.81	21.53		109.99	271.01
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:00:20			207.82	21.52	109.98	33.29	0.00	207.81	21.52		109.98	271.02
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:00:22			207.82	21.52	109.98	33.29	0.00	207.81	21.52		109.98	271.02
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:00:24			207.83	21.51	109.97	33.29	0.00	207.83	21.50		109.96	271.04
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:00:26			207.83	21.51	109.97	33.29	0.00	207.83	21.51		109.97	271.03
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:00:28			207.84	21.50	109.96	33.29	0.00	207.83	21.50		109.96	271.04
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:00:30			207.85	21.49	109.95	33.29	0.00	207.85	21.49		109.95	271.05
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:00:32			207.85	21.48	109.94	33.29	0.00	207.85	21.48		109.94	271.06
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:00:34			207.86	21.48	109.94	33.29	0.00	207.86	21.47		109.93	271.07
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:00:36			207.87	21.47	109.93	33.29	0.00	207.87	21.47		109.93	271.07
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:00:38			207.87	21.46	109.92	33.29	0.00	207.87	21.46		109.92	271.08
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:00:40			207.88	21.45	109.91	33.29	0.00	207.88	21.45		109.91	271.09
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:00:42			207.89	21.45	109.91	33.29	0.00	207.89	21.44		109.90	271.10
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:00:44			207.89	21.45	109.91	33.29	0.00	207.89	21.44		109.90	271.10
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:00:46			207.90	21.44	109.90	33.29	0.00	207.90	21.44		109.90	271.10
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:00:48			207.91	21.43	109.89	33.29	0.00	207.90	21.43		109.89	271.11
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:00:50			207.91	21.42	109.88	33.29	0.00	207.91	21.42		109.88	271.12
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:00:52			207.92	21.41	109.87	33.29	0.00	207.92	21.41		109.87	271.13
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:00:54			207.93	21.41	109.87	33.29	0.00	207.93	21.40		109.86	271.14
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:00:56			207.94	21.40	109.86	33.29	0.00	207.94	21.40		109.86	271.14
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:00:58			207.94	21.40	109.86	33.29	0.00	207.94	21.40		109.86	271.14
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:01:00			207.94	21.39	109.85	33.29	0.00	207.94	21.39		109.85	271.15
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:01:02			207.95	21.38	109.84	33.29	0.00	207.95	21.38		109.84	271.16
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:01:04			207.96	21.38	109.84	33.29	0.00	207.96	21.37		109.83	271.17
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:01:06			207.97	21.37	109.83	33.29	0.00	207.97	21.37		109.83	271.17
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:01:08			207.98	21.36	109.82	33.29	0.00	207.97	21.36		109.82	271.18
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:01:10			207.98	21.36	109.82	33.29	0.00	207.97	21.36		109.82	271.18
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:01:12			207.98	21.35	109.81	33.29	0.00	207.98	21.35		109.81	271.19
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:01:14			207.99	21.34	109.80	33.29	0.00	207.99	21.34		109.80	271.20

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:01:16			208.00	21.34	109.80	33.29	0.00	208.00	21.33		109.79	271.21
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:01:18			208.01	21.33	109.79	33.29	0.00	208.01	21.33		109.79	271.21
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:01:20			208.01	21.33	109.79	33.29	0.00	208.01	21.33		109.79	271.21
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:01:22			208.01	21.32	109.78	33.29	0.00	208.01	21.32		109.78	271.22
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:01:24			208.02	21.31	109.77	33.29	0.00	208.02	21.31		109.77	271.23
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:01:26			208.03	21.31	109.77	33.29	0.00	208.03	21.30		109.76	271.24
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:01:28			208.04	21.30	109.76	33.29	0.00	208.04	21.30		109.76	271.24
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:01:30			208.05	21.29	109.75	33.29	0.00	208.05	21.29		109.75	271.25
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:01:32			208.05	21.29	109.75	33.29	0.00	208.05	21.29		109.75	271.25
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:01:34			208.05	21.28	109.74	33.29	0.00	208.05	21.28		109.74	271.26
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:01:36			208.06	21.27	109.73	33.29	0.00	208.06	21.27		109.73	271.27
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:01:38			208.07	21.27	109.73	33.29	0.00	208.07	21.26		109.72	271.28
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:01:40			208.08	21.26	109.72	33.29	0.00	208.08	21.26		109.72	271.28
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:01:42			208.08	21.26	109.72	33.29	0.00	208.08	21.26		109.72	271.28
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:01:44			208.09	21.25	109.71	33.29	0.00	208.08	21.25		109.71	271.29
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:01:46			208.09	21.24	109.70	33.29	0.00	208.09	21.24		109.70	271.30
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:01:48			208.10	21.24	109.70	33.29	0.00	208.10	21.23		109.69	271.31
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:01:50			208.11	21.23	109.69	33.29	0.00	208.11	21.23		109.69	271.31
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:01:52			208.11	21.23	109.69	33.29	0.00	208.11	21.23		109.69	271.31
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:01:54			208.11	21.22	109.68	33.29	0.00	208.11	21.22		109.68	271.32
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:01:56			208.12	21.21	109.67	33.29	0.00	208.12	21.21		109.67	271.33
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:01:58			208.13	21.20	109.66	33.29	0.00	208.13	21.20		109.66	271.34
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:02:00			208.13	21.20	109.66	33.29	0.00	208.13	21.20		109.66	271.34
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:02:02			208.14	21.20	109.66	33.29	0.00	208.14	21.19		109.65	271.35
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:02:04			208.15	21.19	109.65	33.29	0.00	208.15	21.19		109.65	271.35
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:02:06			208.15	21.18	109.64	33.29	0.00	208.15	21.18		109.64	271.36
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:02:08			208.16	21.18	109.64	33.29	0.00	208.15	21.18		109.64	271.36
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:02:10			208.16	21.17	109.63	33.29	0.00	208.16	21.17		109.63	271.37
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:02:12			208.17	21.17	109.63	33.29	0.00	208.17	21.16		109.62	271.38
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:02:14			208.18	21.16	109.62	33.29	0.00	208.18	21.16		109.62	271.38
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:02:16			208.19	21.15	109.61	33.29	0.00	208.19	21.15		109.61	271.39
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:02:18			208.19	21.15	109.61	33.29	0.00	208.19	21.15		109.61	271.39
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:02:20			208.19	21.14	109.60	33.29	0.00	208.19	21.14		109.60	271.40
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:02:22			208.20	21.14	109.60	33.29	0.00	208.20	21.13		109.59	271.41
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:02:24			208.21	21.13	109.59	33.29	0.00	208.21	21.13		109.59	271.41
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:02:26			208.21	21.13	109.59	33.29	0.00	208.21	21.13		109.59	271.41
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:02:28			208.22	21.12	109.58	33.29	0.00	208.22	21.12		109.58	271.42
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:02:30			208.23	21.11	109.57	33.29	0.00	208.22	21.11		109.57	271.43
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:02:32			208.23	21.11	109.57	33.29	0.00	208.22	21.11		109.57	271.43
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:02:34			208.23	21.11	109.57	33.29	0.00	208.23	21.10		109.56	271.44
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:02:36			208.24	21.10	109.56	33.29	0.00	208.24	21.09		109.55	271.45
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:02:38			208.25	21.09	109.55	33.29	0.00	208.25	21.09		109.55	271.45
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:02:40			208.25	21.09	109.55	33.29	0.00	208.25	21.09		109.55	271.45
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:02:42			208.26	21.08	109.54	33.29	0.00	208.26	21.08		109.54	271.46
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:02:44			208.26	21.07	109.53	33.29	0.00	208.26	21.07		109.53	271.47
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:02:46			208.26	21.07	109.53	33.29	0.00	208.26	21.07		109.53	271.47
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:02:48			208.28	21.06	109.52	33.29	0.00	208.28	21.05		109.51	271.49
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:02:50			208.28	21.06	109.52	33.29	0.00	208.28	21.05		109.51	271.49
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:02:52			208.29	21.05	109.51	33.29	0.00	208.29	21.05		109.51	271.49
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:02:54			208.29	21.04	109.50	33.29	0.00	208.29	21.04		109.50	271.50
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:02:56			208.30	21.03	109.49	33.29	0.00	208.30	21.03		109.49	271.51
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:02:58			208.30	21.04	109.50	33.29	0.00	208.30	21.03		109.49	271.51
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:03:00			208.30	21.03	109.49	33.29	0.00	208.30	21.03		109.49	271.51
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:03:02			208.31	21.02	109.48	33.29	0.00	208.31	21.02		109.48	271.52
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:03:04			208.32	21.02	109.48	33.29	0.00	208.32	21.02		109.48	271.52
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:03:06			208.32	21.02	109.48	33.29	0.00	208.32	21.02		109.48	271.52
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:03:08			208.32	21.01	109.47	33.29	0.00	208.32	21.01		109.47	271.53
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:03:10			208.33	21.00	109.46	33.29	0.00	208.33	21.00		109.46	271.54
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:03:12			208.33	21.00	109.46	33.29	0.00	208.33	21.00		109.46	271.54
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:03:14			208.34	20.99	109.45	33.29	0.00	208.34	20.99		109.45	271.55
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:03:16			208.35	20.99	109.45	33.29	0.00	208.35	20.98		109.44	271.56
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:03:18			208.36	20.98	109.44	33.29	0.00	208.36	20.98		109.44	271.56
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:03:20			208.35	20.98	109.44	33.29	0.00	208.35	20.98		109.44	271.56
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:03:22			208.37	20.97	109.43	33.29	0.00	208.37	20.96		109.42	271.58
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:03:24			208.37	20.97	109.43	33.29	0.00	208.37	20.96		109.42	271.58
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:03:26			208.38	20.96	109.42	33.29	0.00	208.38	20.96		109.42	271.58
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:03:28			208.38	20.96	109.42	33.29	0.00	208.38	20.96		109.42	271.58
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:03:30			208.39	20.95	109.41	33.29	0.00	208.39	20.95		109.41	271.59
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:03:32			208.39	20.94	109.40	33.29	0.00	208.39	20.94		109.40	271.60
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:03:34			208.39	20.94	109.40	33.29	0.00	208.39	20.94		109.40	271.60
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:03:36			208.40	20.93	109.39	33.29	0.00	208.40	20.93		109.39	271.61
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:03:38			208.41	20.93	109.39	33.29	0.00	208.41	20.92		109.38	271.62
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:03:40			208.41	20.92	109.38	33.29	0.00	208.41	20.92		109.38	271.62
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:03:42			208.42	20.92	109.38	33.29	0.00	208.42	20.92		109.38	271.62
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:03:44			208.43	20.91	109.37	33.29	0.00	208.43	20.91		109.37	271.63
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:03:46			208.43	20.91	109.37	33.29	0.00	208.43	20.91		109.37	271.63
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:03:48			208.44	20.90	109.36	33.29	0.00	208.43	20.90		109.36	271.64
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:03:50			208.44	20.90	109.36	33.29	0.00	208.44	20.89		109.35	271.65
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:03:52			208.45	20.88	109.34	33.29	0.00	208.45	20.88		109.34	271.66
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:03:54			208.45	20.89	109.35	33.29	0.00	208.45	20.89		109.35	271.65
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:03:56			208.46	20.88	109.34	33.29	0.00	208.46	20.88		109.34	271.66
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:03:58			208.46	20.88	109.34	33.29	0.00	208.46	20.88		109.34	271.66
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:04:00			208.46	20.87	109.33	33.29	0.00	208.46	20.87		109.33	271.67
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:04:02			208.47	20.86	109.32	33.29	0.00	208.47	20.86		109.32	271.68
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:04:04			208.48	20.86	109.32	33.29	0.00	208.48	20.85		109.31	271.69
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:04:06			208.48	20.86	109.32	33.29	0.00	208.48	20.85		109.31	271.69
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:04:08			208.49	20.85	109.31	33.29	0.00	208.49	20.84		109.30	271.70
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:04:10			208.49	20.85	109.31	33.29	0.00	208.49	20.84		109.30	271.70
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:04:12			208.50	20.84	109.30	33.29	0.00	208.49	20.84		109.30	271.70
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:04:14			208.50	20.84	109.30	33.29	0.00	208.49	20.84		109.30	271.70
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:04:16			208.50	20.83	109.29	33.29	0.00	208.50	20.83		109.29	271.71
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:04:18			208.51	20.83	109.29	33.29	0.00	208.51	20.82		109.28	271.72
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:04:20			208.51	20.82	109.28	33.29	0.00	208.51	20.82		109.28	271.72
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:04:22			208.53	20.81	109.27	33.29	0.00	208.53	20.81		109.27	271.73
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:04:24			208.53	20.81	109.27	33.29	0.00	208.53	20.81		109.27	271.73
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:04:26			208.53	20.81	109.27	33.29	0.00	208.53	20.81		109.27	271.73
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:04:28			208.54	20.80	109.26	33.29	0.00	208.54	20.80		109.26	271.74

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:04:30			208.54	20.79	109.25	33.29	0.00	208.54	20.79		109.25	271.75
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:04:32			208.54	20.79	109.25	33.29	0.00	208.54	20.79		109.25	271.75
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:04:34			208.55	20.79	109.25	33.29	0.00	208.55	20.78		109.24	271.76
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:04:36			208.56	20.78	109.24	33.29	0.00	208.56	20.78		109.24	271.76
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:04:38			208.56	20.78	109.24	33.29	0.00	208.56	20.78		109.24	271.76
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:04:40			208.57	20.77	109.23	33.29	0.00	208.56	20.77		109.23	271.77
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:04:42			208.57	20.77	109.23	33.29	0.00	208.56	20.77		109.23	271.77
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:04:44			208.57	20.76	109.22	33.29	0.00	208.57	20.76		109.22	271.78
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:04:46			208.58	20.76	109.22	33.29	0.00	208.58	20.75		109.21	271.79
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:04:48			208.58	20.76	109.22	33.29	0.00	208.58	20.75		109.21	271.79
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:04:50			208.59	20.75	109.21	33.29	0.00	208.59	20.75		109.21	271.79
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:04:52			208.60	20.74	109.20	33.29	0.00	208.60	20.73		109.19	271.81
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:04:54			208.60	20.74	109.20	33.29	0.00	208.60	20.74		109.20	271.80
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:04:56			208.60	20.73	109.19	33.29	0.00	208.60	20.73		109.19	271.81
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:04:58			208.61	20.72	109.18	33.29	0.00	208.61	20.72		109.18	271.82
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:05:00			208.61	20.72	109.18	33.29	0.00	208.61	20.72		109.18	271.82
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:05:02			208.61	20.72	109.18	33.29	0.00	208.61	20.72		109.18	271.82
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:05:04			208.63	20.71	109.17	33.29	0.00	208.63	20.71		109.17	271.83
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:05:06			208.63	20.71	109.17	33.29	0.00	208.63	20.71		109.17	271.83
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:05:08			208.64	20.70	109.16	33.29	0.00	208.64	20.69		109.15	271.85
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:05:10			208.64	20.69	109.15	33.29	0.00	208.64	20.69		109.15	271.85
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:05:12			208.65	20.69	109.15	33.29	0.00	208.65	20.69		109.15	271.85
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:05:14			208.65	20.68	109.14	33.29	0.00	208.65	20.68		109.14	271.86
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:05:16			208.65	20.68	109.14	33.29	0.00	208.65	20.68		109.14	271.86
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:05:18			208.65	20.68	109.14	33.29	0.00	208.65	20.68		109.14	271.86
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:05:20			208.66	20.68	109.14	33.29	0.00	208.66	20.67		109.13	271.87
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:05:22			208.67	20.67	109.13	33.29	0.00	208.67	20.67		109.13	271.87
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:05:24			208.67	20.66	109.12	33.29	0.00	208.67	20.66		109.12	271.88
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:05:26			208.67	20.66	109.12	33.29	0.00	208.67	20.66		109.12	271.88
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:05:28			208.68	20.65	109.11	33.29	0.00	208.68	20.65		109.11	271.89
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:05:30			208.68	20.65	109.11	33.29	0.00	208.68	20.65		109.11	271.89
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:05:32			208.69	20.64	109.10	33.29	0.00	208.69	20.64		109.10	271.90
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:05:34			208.69	20.65	109.11	33.29	0.00	208.69	20.64		109.10	271.90
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:05:36			208.70	20.64	109.10	33.29	0.00	208.70	20.64		109.10	271.90
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:05:38			208.71	20.63	109.09	33.29	0.00	208.71	20.63		109.09	271.91
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:05:40			208.71	20.63	109.09	33.29	0.00	208.71	20.63		109.09	271.91
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:05:42			208.71	20.62	109.08	33.29	0.00	208.71	20.62		109.08	271.92
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:05:44			208.72	20.62	109.08	33.29	0.00	208.72	20.62		109.08	271.92
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:05:46			208.72	20.61	109.07	33.29	0.00	208.72	20.61		109.07	271.93
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:05:48			208.73	20.61	109.07	33.29	0.00	208.73	20.60		109.06	271.94
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:05:50			208.73	20.61	109.07	33.29	0.00	208.73	20.60		109.06	271.94
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:05:52			208.74	20.60	109.06	33.29	0.00	208.74	20.59		109.05	271.95
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:05:54			208.74	20.60	109.06	33.29	0.00	208.74	20.60		109.06	271.94
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:05:56			208.75	20.59	109.05	33.29	0.00	208.75	20.59		109.05	271.95
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:05:58			208.74	20.59	109.05	33.29	0.00	208.74	20.59		109.05	271.95
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:06:00			208.76	20.58	109.04	33.29	0.00	208.76	20.57		109.03	271.97
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:06:02			208.75	20.58	109.04	33.29	0.00	208.75	20.58		109.04	271.96
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:06:04			208.77	20.57	109.03	33.29	0.00	208.77	20.57		109.03	271.97
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:06:06			208.77	20.57	109.03	33.29	0.00	208.77	20.57		109.03	271.97
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:06:08			208.77	20.57	109.03	33.29	0.00	208.77	20.56		109.02	271.98
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:06:10			208.78	20.56	109.02	33.29	0.00	208.78	20.55		109.01	271.99
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:06:12			208.78	20.56	109.02	33.29	0.00	208.78	20.56		109.02	271.98
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:06:14			208.78	20.55	109.01	33.29	0.00	208.78	20.55		109.01	271.99
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:06:16			208.79	20.54	109.00	33.29	0.00	208.79	20.54		109.00	272.00
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:06:18			208.80	20.54	109.00	33.29	0.00	208.80	20.53		108.99	272.01
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:06:20			208.80	20.54	109.00	33.29	0.00	208.80	20.53		108.99	272.01
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:06:22			208.81	20.53	108.99	33.29	0.00	208.81	20.53		108.99	272.01
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:06:24			208.81	20.53	108.99	33.29	0.00	208.81	20.53		108.99	272.01
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:06:26			208.81	20.52	108.98	33.29	0.00	208.81	20.52		108.98	272.02
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:06:28			208.81	20.52	108.98	33.29	0.00	208.81	20.52		108.98	272.02
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:06:30			208.81	20.52	108.98	33.29	0.00	208.81	20.52		108.98	272.02
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:06:32			208.82	20.51	108.97	33.29	0.00	208.82	20.51		108.97	272.03
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:06:34			208.83	20.51	108.97	33.29	0.00	208.83	20.50		108.96	272.04
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:06:36			208.84	20.50	108.96	33.29	0.00	208.84	20.49		108.95	272.05
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:06:38			208.84	20.50	108.96	33.29	0.00	208.84	20.49		108.95	272.05
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:06:40			208.85	20.49	108.95	33.29	0.00	208.85	20.49		108.95	272.05
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:06:42			208.85	20.49	108.95	33.29	0.00	208.85	20.49		108.95	272.05
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:06:44			208.85	20.48	108.94	33.29	0.00	208.85	20.48		108.94	272.06
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:06:46			208.85	20.48	108.94	33.29	0.00	208.85	20.48		108.94	272.06
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:06:48			208.86	20.47	108.93	33.29	0.00	208.86	20.47		108.93	272.07
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:06:50			208.87	20.47	108.93	33.29	0.00	208.87	20.46		108.92	272.08
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:06:52			208.87	20.46	108.92	33.29	0.00	208.87	20.46		108.92	272.08
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:06:54			208.87	20.47	108.93	33.29	0.00	208.87	20.46		108.92	272.08
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:06:56			208.88	20.46	108.92	33.29	0.00	208.88	20.46		108.92	272.08
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:06:58			208.88	20.45	108.91	33.29	0.00	208.88	20.45		108.91	272.09
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:07:00			208.88	20.45	108.91	33.29	0.00	208.88	20.45		108.91	272.09
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:07:02			208.89	20.44	108.90	33.29	0.00	208.89	20.44		108.90	272.10
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:07:04			208.89	20.44	108.90	33.29	0.00	208.89	20.44		108.90	272.10
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:07:06			208.90	20.44	108.90	33.29	0.00	208.90	20.43		108.89	272.11
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:07:08			208.91	20.43	108.89	33.29	0.00	208.91	20.42		108.88	272.12
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:07:10			208.91	20.43	108.89	33.29	0.00	208.91	20.42		108.88	272.12
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:07:12			208.92	20.42	108.88	33.29	0.00	208.92	20.42		108.88	272.12
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:07:14			208.92	20.42	108.88	33.29	0.00	208.92	20.42		108.88	272.12
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:07:16			208.92	20.41	108.87	33.29	0.00	208.92	20.41		108.87	272.13
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:07:18			208.92	20.41	108.87	33.29	0.00	208.92	20.41		108.87	272.13
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:07:20			208.93	20.40	108.86	33.29	0.00	208.93	20.40		108.86	272.14
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:07:22			208.93	20.40	108.86	33.29	0.00	208.93	20.40		108.86	272.14
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:07:24			208.94	20.39	108.85	33.29	0.00	208.94	20.39		108.85	272.15
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:07:26			208.94	20.40	108.86	33.29	0.00	208.94	20.39		108.85	272.15
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:07:28			208.95	20.39	108.85	33.29	0.00	208.95	20.39		108.85	272.15
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:07:30			208.95	20.39	108.85	33.29	0.00	208.95	20.39		108.85	272.15
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:07:32			208.96	20.38	108.84	33.29	0.00	208.96	20.38		108.84	272.16
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:07:34			208.96	20.37	108.83	33.29	0.00	208.96	20.37		108.83	272.17
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:07:36			208.97	20.37	108.83	33.29	0.00	208.97	20.37		108.83	272.17
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:07:38			208.97	20.37	108.83	33.29	0.00	208.97	20.37		108.83	272.17
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:07:40			208.97	20.37	108.83	33.29	0.00	208.97	20.36		108.82	272.18
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:07:42			208.97	20.37	108.83	33.29	0.00	208.97	20.36		108.82	272.18

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:07:44			208.98	20.35	108.81	33.29	0.00	208.98	20.35		108.81	272.19
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:07:46			208.99	20.35	108.81	33.29	0.00	208.99	20.35		108.81	272.19
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:07:48			208.99	20.35	108.81	33.29	0.00	208.99	20.35		108.81	272.19
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:07:50			208.99	20.34	108.80	33.29	0.00	208.99	20.34		108.80	272.20
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:07:52			208.99	20.35	108.81	33.29	0.00	208.99	20.34		108.80	272.20
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:07:54			209.00	20.33	108.79	33.29	0.00	209.00	20.33		108.79	272.21
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:07:56			209.00	20.33	108.79	33.29	0.00	209.00	20.33		108.79	272.21
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:07:58			209.01	20.32	108.78	33.29	0.00	209.01	20.32		108.78	272.22
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:08:00			209.01	20.33	108.79	33.29	0.00	209.01	20.32		108.78	272.22
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:08:02			209.02	20.32	108.78	33.29	0.00	209.02	20.32		108.78	272.22
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:08:04			209.02	20.32	108.78	33.29	0.00	209.02	20.32		108.78	272.22
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:08:06			209.02	20.32	108.78	33.29	0.00	209.02	20.31		108.77	272.23
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:08:08			209.03	20.31	108.77	33.29	0.00	209.03	20.31		108.77	272.23
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:08:10			209.03	20.30	108.76	33.29	0.00	209.03	20.30		108.76	272.24
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:08:12			209.03	20.30	108.76	33.29	0.00	209.03	20.30		108.76	272.24
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:08:14			209.04	20.30	108.76	33.29	0.00	209.04	20.29		108.75	272.25
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:08:16			209.04	20.30	108.76	33.29	0.00	209.04	20.29		108.75	272.25
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:08:18			209.05	20.28	108.74	33.29	0.00	209.05	20.28		108.74	272.26
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:08:20			209.05	20.29	108.75	33.29	0.00	209.05	20.28		108.74	272.26
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:08:22			209.06	20.28	108.74	33.29	0.00	209.06	20.28		108.74	272.26
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:08:24			209.06	20.28	108.74	33.29	0.00	209.06	20.28		108.74	272.26
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:08:26			209.06	20.27	108.73	33.29	0.00	209.06	20.27		108.73	272.27
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:08:28			209.06	20.27	108.73	33.29	0.00	209.06	20.27		108.73	272.27
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:08:30			209.07	20.26	108.72	33.29	0.00	209.07	20.26		108.72	272.28
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:08:32			209.08	20.25	108.71	33.29	0.00	209.08	20.25		108.71	272.29
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:08:34			209.08	20.26	108.72	33.29	0.00	209.08	20.25		108.71	272.29
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:08:36			209.08	20.25	108.71	33.29	0.00	209.08	20.25		108.71	272.29
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:08:38			209.08	20.26	108.72	33.29	0.00	209.08	20.25		108.71	272.29
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:08:40			209.10	20.24	108.70	33.29	0.00	209.10	20.24		108.70	272.30
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:08:42			209.10	20.24	108.70	33.29	0.00	209.10	20.24		108.70	272.30
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:08:44			209.10	20.24	108.70	33.29	0.00	209.10	20.23		108.69	272.31
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:08:46			209.11	20.23	108.69	33.29	0.00	209.11	20.23		108.69	272.31
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:08:48			209.10	20.23	108.69	33.29	0.00	209.10	20.23		108.69	272.31
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:08:50			209.11	20.23	108.69	33.29	0.00	209.11	20.22		108.68	272.32
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:08:52			209.11	20.23	108.69	33.29	0.00	209.11	20.22		108.68	272.32
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:08:54			209.12	20.22	108.68	33.29	0.00	209.12	20.21		108.67	272.33
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:08:56			209.12	20.21	108.67	33.29	0.00	209.12	20.21		108.67	272.33
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:08:58			209.13	20.21	108.67	33.29	0.00	209.13	20.21		108.67	272.33
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:09:00			209.13	20.21	108.67	33.29	0.00	209.13	20.21		108.67	272.33
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:09:02			209.13	20.21	108.67	33.29	0.00	209.13	20.21		108.67	272.33
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:09:04			209.13	20.20	108.66	33.29	0.00	209.13	20.20		108.66	272.34
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:09:06			209.14	20.19	108.65	33.29	0.00	209.14	20.19		108.65	272.35
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:09:08			209.14	20.19	108.65	33.29	0.00	209.14	20.19		108.65	272.35
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:09:10			209.15	20.19	108.65	33.29	0.00	209.15	20.18		108.64	272.36
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:09:12			209.15	20.19	108.65	33.29	0.00	209.15	20.18		108.64	272.36
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:09:14			209.16	20.18	108.64	33.29	0.00	209.16	20.18		108.64	272.36
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:09:16			209.16	20.18	108.64	33.29	0.00	209.16	20.18		108.64	272.36
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:09:18			209.17	20.17	108.63	33.29	0.00	209.17	20.17		108.63	272.37
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:09:20			209.17	20.17	108.63	33.29	0.00	209.17	20.16		108.62	272.38
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:09:22			209.17	20.17	108.63	33.29	0.00	209.17	20.17		108.63	272.37
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:09:24			209.17	20.16	108.62	33.29	0.00	209.17	20.16		108.62	272.38
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:09:26			209.18	20.16	108.62	33.29	0.00	209.18	20.15		108.61	272.39
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:09:28			209.18	20.16	108.62	33.29	0.00	209.18	20.15		108.61	272.39
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:09:30			209.19	20.15	108.61	33.29	0.00	209.19	20.14		108.60	272.40
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:09:32			209.19	20.14	108.60	33.29	0.00	209.19	20.14		108.60	272.40
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:09:34			209.20	20.14	108.60	33.29	0.00	209.20	20.14		108.60	272.40
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:09:36			209.20	20.14	108.60	33.29	0.00	209.20	20.14		108.60	272.40
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:09:38			209.20	20.13	108.59	33.29	0.00	209.20	20.13		108.59	272.41
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:09:40			209.20	20.13	108.59	33.29	0.00	209.20	20.13		108.59	272.41
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:09:42			209.21	20.12	108.58	33.29	0.00	209.21	20.12		108.58	272.42
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:09:44			209.21	20.12	108.58	33.29	0.00	209.21	20.12		108.58	272.42
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:09:46			209.21	20.12	108.58	33.29	0.00	209.21	20.12		108.58	272.42
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:09:48			209.22	20.11	108.57	33.29	0.00	209.22	20.11		108.57	272.43
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:09:50			209.22	20.12	108.58	33.29	0.00	209.22	20.11		108.57	272.43
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:09:52			209.22	20.11	108.57	33.29	0.00	209.22	20.11		108.57	272.43
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:09:54			209.23	20.11	108.57	33.29	0.00	209.23	20.11		108.57	272.43
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:09:56			209.24	20.10	108.56	33.29	0.00	209.24	20.10		108.56	272.44
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:09:58			209.24	20.09	108.55	33.29	0.00	209.24	20.09		108.55	272.45
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:10:00			209.24	20.10	108.56	33.29	0.00	209.24	20.09		108.55	272.45
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:10:02			209.24	20.09	108.55	33.29	0.00	209.24	20.09		108.55	272.45
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:10:04			209.24	20.09	108.55	33.29	0.00	209.24	20.09		108.55	272.45
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:10:06			209.25	20.08	108.54	33.29	0.00	209.25	20.08		108.54	272.46
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:10:08			209.25	20.08	108.54	33.29	0.00	209.25	20.08		108.54	272.46
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:10:10			209.26	20.08	108.54	33.29	0.00	209.26	20.07		108.53	272.47
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:10:12			209.26	20.08	108.54	33.29	0.00	209.26	20.07		108.53	272.47
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:10:14			209.27	20.07	108.53	33.29	0.00	209.27	20.07		108.53	272.47
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:10:16			209.27	20.07	108.53	33.29	0.00	209.27	20.06		108.52	272.48
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:10:18			209.28	20.06	108.52	33.29	0.00	209.28	20.05		108.51	272.49
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:10:20			209.28	20.06	108.52	33.29	0.00	209.28	20.05		108.51	272.49
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:10:22			209.27	20.06	108.52	33.29	0.00	209.28	20.06		108.52	272.48
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:10:24			209.28	20.05	108.51	33.29	0.00	209.28	20.05		108.51	272.49
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:10:26			209.29	20.05	108.51	33.29	0.00	209.29	20.04		108.50	272.50
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:10:28			209.29	20.05	108.51	33.29	0.00	209.29	20.04		108.50	272.50
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:10:30			209.29	20.05	108.51	33.29	0.00	209.29	20.04		108.50	272.50
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:10:32			209.30	20.04	108.50	33.29	0.00	209.30	20.03		108.49	272.51
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:10:34			209.30	20.04	108.50	33.29	0.00	209.30	20.03		108.49	272.51
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:10:36			209.30	20.04	108.50	33.29	0.00	209.30	20.03		108.49	272.51
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:10:38			209.31	20.03	108.49	33.29	0.00	209.31	20.02		108.48	272.52
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:10:40			209.31	20.02	108.48	33.29	0.00	209.31	20.02		108.48	272.52
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:10:42			209.31	20.02	108.48	33.29	0.00	209.31	20.02		108.48	272.52
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:10:44			209.32	20.02	108.48	33.29	0.00	209.32	20.02		108.48	272.52
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:10:46			209.32	20.01	108.47	33.29	0.00	209.32	20.01		108.47	272.53
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:10:48			209.32	20.01	108.47	33.29	0.00	209.33	20.01		108.47	272.53
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:10:50			209.33	20.01	108.47	33.29	0.00	209.33	20.00		108.46	272.54
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:10:52			209.34	20.00	108.46	33.29	0.00	209.34	20.00		108.46	272.54
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:10:54			209.33	20.01	108.47	33.29	0.00	209.33	20.00		108.46	272.54
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:10:56			209.34	20.00	108.46	33.29	0.00	209.34	19.99		108.45	272.55

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:10:58			209.34	19.99	108.45	33.29	0.00	209.35	19.99		108.45	272.55
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:11:00			209.35	19.99	108.45	33.29	0.00	209.35	19.98		108.44	272.56
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:11:02			209.34	19.99	108.45	33.29	0.00	209.35	19.99		108.45	272.55
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:11:04			209.36	19.98	108.44	33.29	0.00	209.36	19.98		108.44	272.56
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:11:06			209.35	19.98	108.44	33.29	0.00	209.35	19.98		108.44	272.56
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:11:08			209.36	19.97	108.43	33.29	0.00	209.36	19.97		108.43	272.57
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:11:10			209.36	19.98	108.44	33.29	0.00	209.36	19.97		108.43	272.57
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:11:12			209.37	19.97	108.43	33.29	0.00	209.37	19.96		108.42	272.58
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:11:14			209.37	19.97	108.43	33.29	0.00	209.37	19.96		108.42	272.58
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:11:16			209.37	19.97	108.43	33.29	0.00	209.37	19.96		108.42	272.58
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:11:18			209.38	19.96	108.42	33.29	0.00	209.38	19.95		108.41	272.59
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:11:20			209.38	19.96	108.42	33.29	0.00	209.38	19.95		108.41	272.59
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:11:22			209.38	19.95	108.41	33.29	0.00	209.38	19.95		108.41	272.59
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:11:24			209.38	19.95	108.41	33.29	0.00	209.38	19.95		108.41	272.59
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:11:26			209.38	19.95	108.41	33.29	0.00	209.38	19.95		108.41	272.59
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:11:28			209.39	19.94	108.40	33.29	0.00	209.40	19.94		108.40	272.60
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:11:30			209.39	19.94	108.40	33.29	0.00	209.39	19.94		108.40	272.60
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:11:32			209.40	19.94	108.40	33.29	0.00	209.40	19.93		108.39	272.61
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:11:34			209.40	19.94	108.40	33.29	0.00	209.40	19.93		108.39	272.61
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:11:36			209.41	19.93	108.39	33.29	0.00	209.41	19.92		108.38	272.62
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:11:38			209.41	19.93	108.39	33.29	0.00	209.41	19.93		108.39	272.61
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:11:40			209.41	19.92	108.38	33.29	0.00	209.42	19.92		108.38	272.62
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:11:42			209.41	19.93	108.39	33.29	0.00	209.41	19.93		108.39	272.61
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:11:44			209.43	19.91	108.37	33.29	0.00	209.43	19.91		108.37	272.63
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:11:46			209.41	19.92	108.38	33.29	0.00	209.42	19.92		108.38	272.62
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:11:48			209.43	19.91	108.37	33.29	0.00	209.43	19.91		108.37	272.63
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:11:50			209.43	19.91	108.37	33.29	0.00	209.43	19.90		108.36	272.64
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:11:52			209.43	19.90	108.36	33.29	0.00	209.43	19.90		108.36	272.64
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:11:54			209.44	19.90	108.36	33.29	0.00	209.44	19.89		108.35	272.65
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:11:56			209.44	19.90	108.36	33.29	0.00	209.44	19.89		108.35	272.65
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:11:58			209.44	19.90	108.36	33.29	0.00	209.44	19.89		108.35	272.65
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:12:00			209.44	19.90	108.36	33.29	0.00	209.44	19.89		108.35	272.65
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:12:02			209.45	19.89	108.35	33.29	0.00	209.45	19.89		108.35	272.65
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:12:04			209.45	19.88	108.34	33.29	0.00	209.45	19.88		108.34	272.66
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:12:06			209.45	19.88	108.34	33.29	0.00	209.45	19.88		108.34	272.66
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:12:08			209.45	19.88	108.34	33.29	0.00	209.45	19.88		108.34	272.66
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:12:10			209.46	19.87	108.33	33.29	0.00	209.46	19.87		108.33	272.67
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:12:12			209.47	19.87	108.33	33.29	0.00	209.47	19.86		108.32	272.68
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:12:14			209.46	19.87	108.33	33.29	0.00	209.46	19.87		108.33	272.67
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:12:16			209.47	19.86	108.32	33.29	0.00	209.47	19.86		108.32	272.68
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:12:18			209.47	19.87	108.33	33.29	0.00	209.47	19.86		108.32	272.68
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:12:20			209.48	19.86	108.32	33.29	0.00	209.48	19.85		108.31	272.69
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:12:22			209.48	19.86	108.32	33.29	0.00	209.48	19.85		108.31	272.69
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:12:24			209.49	19.85	108.31	33.29	0.00	209.49	19.84		108.30	272.70
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:12:26			209.48	19.85	108.31	33.29	0.00	209.49	19.85		108.31	272.69
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:12:28			209.49	19.85	108.31	33.29	0.00	209.49	19.84		108.30	272.70
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:12:30			209.49	19.84	108.30	33.29	0.00	209.49	19.84		108.30	272.70
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:12:32			209.50	19.84	108.30	33.29	0.00	209.50	19.84		108.30	272.70
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:12:34			209.50	19.84	108.30	33.29	0.00	209.50	19.83		108.29	272.71
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:12:36			209.50	19.84	108.30	33.29	0.00	209.50	19.83		108.29	272.71
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:12:38			209.50	19.84	108.30	33.29	0.00	209.50	19.83		108.29	272.71
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:12:40			209.51	19.82	108.28	33.29	0.00	209.51	19.82		108.28	272.72
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:12:42			209.51	19.83	108.29	33.29	0.00	209.51	19.82		108.28	272.72
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:12:44			209.52	19.82	108.28	33.29	0.00	209.52	19.81		108.27	272.73
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:12:46			209.52	19.82	108.28	33.29	0.00	209.52	19.81		108.27	272.73
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:12:48			209.53	19.81	108.27	33.29	0.00	209.53	19.81		108.27	272.73
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:12:50			209.52	19.81	108.27	33.29	0.00	209.52	19.81		108.27	272.73
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:12:52			209.52	19.81	108.27	33.29	0.00	209.52	19.81		108.27	272.73
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:12:54			209.53	19.80	108.26	33.29	0.00	209.53	19.80		108.26	272.74
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:12:56			209.53	19.80	108.26	33.29	0.00	209.53	19.80		108.26	272.74
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:12:58			209.53	19.80	108.26	33.29	0.00	209.54	19.80		108.26	272.74
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:13:00			209.54	19.79	108.25	33.29	0.00	209.54	19.79		108.25	272.75
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:13:02			209.54	19.79	108.25	33.29	0.00	209.54	19.79		108.25	272.75
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:13:04			209.55	19.79	108.25	33.29	0.00	209.55	19.78		108.24	272.76
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:13:06			209.55	19.79	108.25	33.29	0.00	209.55	19.78		108.24	272.76
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:13:08			209.55	19.79	108.25	33.29	0.00	209.55	19.78		108.24	272.76
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:13:10			209.55	19.78	108.24	33.29	0.00	209.56	19.78		108.24	272.76
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:13:12			209.56	19.78	108.24	33.29	0.00	209.56	19.77		108.23	272.77
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:13:14			209.56	19.77	108.23	33.29	0.00	209.56	19.77		108.23	272.77
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:13:16			209.57	19.77	108.23	33.29	0.00	209.57	19.77		108.23	272.77
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:13:18			209.57	19.77	108.23	33.29	0.00	209.57	19.77		108.23	272.77
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:13:20			209.57	19.76	108.22	33.29	0.00	209.57	19.76		108.22	272.78
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:13:22			209.57	19.76	108.22	33.29	0.00	209.57	19.76		108.22	272.78
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:13:24			209.57	19.77	108.23	33.29	0.00	209.57	19.76		108.22	272.78
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:13:26			209.58	19.76	108.22	33.29	0.00	209.58	19.75		108.21	272.79
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:13:28			209.58	19.76	108.22	33.29	0.00	209.58	19.75		108.21	272.79
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:13:30			209.59	19.75	108.21	33.29	0.00	209.59	19.74		108.20	272.80
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:13:32			209.59	19.75	108.21	33.29	0.00	209.59	19.74		108.20	272.80
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:13:34			209.59	19.75	108.21	33.29	0.00	209.59	19.75		108.21	272.79
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:13:36			209.59	19.74	108.20	33.29	0.00	209.59	19.74		108.20	272.80
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:13:38			209.59	19.74	108.20	33.29	0.00	209.59	19.74		108.20	272.80
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:13:40			209.60	19.73	108.19	33.29	0.00	209.61	19.73		108.19	272.81
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:13:42			209.60	19.73	108.19	33.29	0.00	209.60	19.73		108.19	272.81
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:13:44			209.60	19.73	108.19	33.29	0.00	209.61	19.73		108.19	272.81
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:13:46			209.61	19.73	108.19	33.29	0.00	209.61	19.72		108.18	272.82
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:13:48			209.62	19.72	108.18	33.29	0.00	209.62	19.71		108.17	272.83
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:13:50			209.62	19.72	108.18	33.29	0.00	209.62	19.71		108.17	272.83
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:13:52			209.62	19.72	108.18	33.29	0.00	209.62	19.71		108.17	272.83
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:13:54			209.62	19.72	108.18	33.29	0.00	209.62	19.71		108.17	272.83
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:13:56			209.63	19.71	108.17	33.29	0.00	209.63	19.70		108.16	272.84
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:13:58			209.63	19.71	108.17	33.29	0.00	209.63	19.71		108.17	272.83
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:14:00			209.63	19.71	108.17	33.29	0.00	209.63	19.70		108.16	272.84
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:14:02			209.64	19.70	108.16	33.29	0.00	209.64	19.70		108.16	272.84
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:14:04			209.64	19.70	108.16	33.29	0.00	209.64	19.70		108.16	272.84
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:14:06			209.64	19.70	108.16	33.29	0.00	209.64	19.69		108.15	272.85
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:14:08			209.64	19.70	108.16	33.29	0.00	209.64	19.69		108.15	272.85
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:14:10			209.64	19.70	108.16	33.29	0.00	209.64	19.69		108.15	272.85

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:14:12			209.65	19.68	108.14	33.29	0.00	209.65	19.68		108.14	272.86
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:14:14			209.65	19.69	108.15	33.29	0.00	209.65	19.68		108.14	272.86
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:14:16			209.65	19.69	108.15	33.29	0.00	209.65	19.68		108.14	272.86
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:14:18			209.66	19.68	108.14	33.29	0.00	209.66	19.67		108.13	272.87
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:14:20			209.66	19.68	108.14	33.29	0.00	209.66	19.67		108.13	272.87
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:14:22			209.67	19.67	108.13	33.29	0.00	209.67	19.67		108.13	272.87
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:14:24			209.67	19.67	108.13	33.29	0.00	209.67	19.67		108.13	272.87
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:14:26			209.67	19.67	108.13	33.29	0.00	209.67	19.67		108.13	272.87
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:14:28			209.67	19.66	108.12	33.29	0.00	209.68	19.66		108.12	272.88
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:14:30			209.67	19.66	108.12	33.29	0.00	209.67	19.66		108.12	272.88
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:14:32			209.67	19.66	108.12	33.29	0.00	209.67	19.66		108.12	272.88
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:14:34			209.68	19.65	108.11	33.29	0.00	209.68	19.65		108.11	272.89
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:14:36			209.68	19.66	108.12	33.29	0.00	209.68	19.65		108.11	272.89
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:14:38			209.68	19.65	108.11	33.29	0.00	209.68	19.65		108.11	272.89
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:14:40			209.69	19.65	108.11	33.29	0.00	209.69	19.64		108.10	272.90
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:14:42			209.69	19.65	108.11	33.29	0.00	209.69	19.64		108.10	272.90
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:14:44			209.69	19.65	108.11	33.29	0.00	209.69	19.64		108.10	272.90
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:14:46			209.70	19.64	108.10	33.29	0.00	209.70	19.64		108.10	272.90
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:14:48			209.71	19.63	108.09	33.29	0.00	209.71	19.63		108.09	272.91
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:14:50			209.70	19.64	108.10	33.29	0.00	209.70	19.63		108.09	272.91
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:14:52			209.71	19.63	108.09	33.29	0.00	209.71	19.63		108.09	272.91
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:14:54			209.71	19.63	108.09	33.29	0.00	209.71	19.63		108.09	272.91
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:14:56			209.71	19.62	108.08	33.29	0.00	209.71	19.62		108.08	272.92
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:14:58			209.71	19.63	108.09	33.29	0.00	209.71	19.62		108.08	272.92
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:15:00			209.71	19.62	108.08	33.29	0.00	209.71	19.62		108.08	272.92
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:15:02			209.72	19.62	108.08	33.29	0.00	209.72	19.61		108.07	272.93
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:15:04			209.72	19.61	108.07	33.29	0.00	209.72	19.61		108.07	272.93
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:15:06			209.73	19.61	108.07	33.29	0.00	209.73	19.60		108.06	272.94
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:15:08			209.73	19.61	108.07	33.29	0.00	209.73	19.60		108.06	272.94
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:15:10			209.73	19.61	108.07	33.29	0.00	209.73	19.60		108.06	272.94
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:15:12			209.74	19.60	108.06	33.29	0.00	209.74	19.59		108.05	272.95
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:15:14			209.74	19.60	108.06	33.29	0.00	209.74	19.59		108.05	272.95
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:15:16			209.74	19.60	108.06	33.29	0.00	209.74	19.59		108.05	272.95
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:15:18			209.74	19.60	108.06	33.29	0.00	209.74	19.59		108.05	272.95
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:15:20			209.74	19.59	108.05	33.29	0.00	209.74	19.59		108.05	272.95
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:15:22			209.74	19.59	108.05	33.29	0.00	209.75	19.59		108.05	272.95
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:15:24			209.75	19.58	108.04	33.29	0.00	209.75	19.58		108.04	272.96
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:15:26			209.75	19.58	108.04	33.29	0.00	209.75	19.58		108.04	272.96
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:15:28			209.75	19.58	108.04	33.29	0.00	209.75	19.58		108.04	272.96
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:15:30			209.75	19.58	108.04	33.29	0.00	209.75	19.58		108.04	272.96
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:15:32			209.76	19.58	108.04	33.29	0.00	209.76	19.57		108.03	272.97
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:15:34			209.76	19.58	108.04	33.29	0.00	209.76	19.57		108.03	272.97
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:15:36			209.77	19.57	108.03	33.29	0.00	209.77	19.56		108.02	272.98
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:15:38			209.77	19.57	108.03	33.29	0.00	209.77	19.56		108.02	272.98
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:15:40			209.77	19.57	108.03	33.29	0.00	209.77	19.56		108.02	272.98
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:15:42			209.78	19.56	108.02	33.29	0.00	209.78	19.56		108.02	272.98
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:15:44			209.78	19.56	108.02	33.29	0.00	209.78	19.56		108.02	272.98
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:15:46			209.78	19.56	108.02	33.29	0.00	209.78	19.55		108.01	272.99
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:15:48			209.78	19.56	108.02	33.29	0.00	209.78	19.56		108.02	272.98
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:15:50			209.78	19.55	108.01	33.29	0.00	209.78	19.55		108.01	272.99
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:15:52			209.78	19.55	108.01	33.29	0.00	209.78	19.55		108.01	272.99
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:15:54			209.79	19.55	108.01	33.29	0.00	209.79	19.54		108.00	273.00
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:15:56			209.79	19.55	108.01	33.29	0.00	209.79	19.54		108.00	273.00
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:15:58			209.80	19.54	108.00	33.29	0.00	209.80	19.53		107.99	273.01
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:16:00			209.80	19.54	108.00	33.29	0.00	209.80	19.53		107.99	273.01
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:16:02			209.80	19.54	108.00	33.29	0.00	209.80	19.53		107.99	273.01
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:16:04			209.81	19.53	107.99	33.29	0.00	209.81	19.52		107.98	273.02
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:16:06			209.81	19.53	107.99	33.29	0.00	209.81	19.52		107.98	273.02
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:16:08			209.81	19.53	107.99	33.29	0.00	209.81	19.52		107.98	273.02
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:16:10			209.81	19.52	107.98	33.29	0.00	209.82	19.52		107.98	273.02
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:16:12			209.81	19.52	107.98	33.29	0.00	209.82	19.52		107.98	273.02
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:16:14			209.81	19.52	107.98	33.29	0.00	209.82	19.52		107.98	273.02
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:16:16			209.82	19.51	107.97	33.29	0.00	209.82	19.51		107.97	273.03
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:16:18			209.82	19.52	107.98	33.29	0.00	209.82	19.51		107.97	273.03
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:16:20			209.82	19.51	107.97	33.29	0.00	209.82	19.51		107.97	273.03
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:16:22			209.83	19.51	107.97	33.29	0.00	209.83	19.50		107.96	273.04
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:16:24			209.83	19.51	107.97	33.29	0.00	209.83	19.50		107.96	273.04
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:16:26			209.83	19.51	107.97	33.29	0.00	209.83	19.50		107.96	273.04
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:16:28			209.84	19.50	107.96	33.29	0.00	209.84	19.49		107.95	273.05
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:16:30			209.84	19.50	107.96	33.29	0.00	209.84	19.49		107.95	273.05
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:16:32			209.84	19.50	107.96	33.29	0.00	209.84	19.49		107.95	273.05
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:16:34			209.84	19.50	107.96	33.29	0.00	209.84	19.50		107.96	273.04
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:16:36			209.85	19.49	107.95	33.29	0.00	209.85	19.48		107.94	273.06
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:16:38			209.84	19.49	107.95	33.29	0.00	209.84	19.49		107.95	273.05
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:16:40			209.85	19.49	107.95	33.29	0.00	209.85	19.48		107.94	273.06
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:16:42			209.85	19.48	107.94	33.29	0.00	209.85	19.48		107.94	273.06
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:16:44			209.85	19.48	107.94	33.29	0.00	209.85	19.48		107.94	273.06
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:16:46			209.86	19.47	107.93	33.29	0.00	209.86	19.47		107.93	273.07
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:16:48			209.86	19.47	107.93	33.29	0.00	209.86	19.47		107.93	273.07
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:16:50			209.87	19.47	107.93	33.29	0.00	209.87	19.46		107.92	273.08
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:16:52			209.87	19.47	107.93	33.29	0.00	209.87	19.46		107.92	273.08
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:16:54			209.87	19.47	107.93	33.29	0.00	209.87	19.46		107.92	273.08
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:16:56			209.87	19.47	107.93	33.29	0.00	209.87	19.46		107.92	273.08
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:16:58			209.88	19.46	107.92	33.29	0.00	209.88	19.45		107.91	273.09
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:17:00			209.88	19.46	107.92	33.29	0.00	209.88	19.45		107.91	273.09
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:17:02			209.88	19.46	107.92	33.29	0.00	209.88	19.45		107.91	273.09
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:17:04			209.88	19.46	107.92	33.29	0.00	209.88	19.45		107.91	273.09
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:17:06			209.89	19.45	107.91	33.29	0.00	209.89	19.45		107.91	273.09
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:17:08			209.89	19.44	107.90	33.29	0.00	209.89	19.44		107.90	273.10
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:17:10			209.89	19.45	107.91	33.29	0.00	209.89	19.45		107.91	273.09
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:17:12			209.89	19.44	107.90	33.29	0.00	209.89	19.44		107.90	273.10
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:17:14			209.89	19.44	107.90	33.29	0.00	209.89	19.44		107.90	273.10
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:17:16			209.89	19.44	107.90	33.29	0.00	209.89	19.44		107.90	273.10
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:17:18			209.90	19.44	107.90	33.29	0.00	209.90	19.43		107.89	273.11
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:17:20			209.90	19.44	107.90	33.29	0.00	209.90	19.43		107.89	273.11
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:17:22			209.91	19.43	107.89	33.29	0.00	209.91	19.42		107.88	273.12
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:17:24			209.91	19.43	107.89	33.29	0.00	209.91	19.42		107.88	273.12

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:17:26			209.91	19.43	107.89	33.29	0.00	209.91	19.42		107.88	273.12
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:17:28			209.91	19.43	107.89	33.29	0.00	209.91	19.42		107.88	273.12
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:17:30			209.92	19.42	107.88	33.29	0.00	209.92	19.41		107.87	273.13
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:17:32			209.92	19.42	107.88	33.29	0.00	209.92	19.41		107.87	273.13
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:17:34			209.92	19.42	107.88	33.29	0.00	209.92	19.41		107.87	273.13
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:17:36			209.92	19.42	107.88	33.29	0.00	209.92	19.41		107.87	273.13
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:17:38			209.92	19.41	107.87	33.29	0.00	209.93	19.41		107.87	273.13
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:17:40			209.92	19.41	107.87	33.29	0.00	209.93	19.41		107.87	273.13
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:17:42			209.93	19.40	107.86	33.29	0.00	209.93	19.40		107.86	273.14
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:17:44			209.93	19.40	107.86	33.29	0.00	209.93	19.40		107.86	273.14
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:17:46			209.93	19.40	107.86	33.29	0.00	209.93	19.40		107.86	273.14
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:17:48			209.93	19.40	107.86	33.29	0.00	209.93	19.40		107.86	273.14
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:17:50			209.94	19.40	107.86	33.29	0.00	209.94	19.39		107.85	273.15
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:17:52			209.94	19.40	107.86	33.29	0.00	209.94	19.39		107.85	273.15
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:17:54			209.94	19.40	107.86	33.29	0.00	209.94	19.39		107.85	273.15
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:17:56			209.95	19.39	107.85	33.29	0.00	209.95	19.38		107.84	273.16
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:17:58			209.95	19.39	107.85	33.29	0.00	209.95	19.38		107.84	273.16
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:18:00			209.96	19.38	107.84	33.29	0.00	209.96	19.38		107.84	273.16
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:18:02			209.96	19.38	107.84	33.29	0.00	209.96	19.38		107.84	273.16
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:18:04			209.96	19.38	107.84	33.29	0.00	209.96	19.38		107.84	273.16
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:18:06			209.96	19.38	107.84	33.29	0.00	209.96	19.38		107.84	273.16
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:18:08			209.96	19.37	107.83	33.29	0.00	209.96	19.37		107.83	273.17
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:18:10			209.96	19.37	107.83	33.29	0.00	209.96	19.37		107.83	273.17
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:18:12			209.96	19.37	107.83	33.29	0.00	209.96	19.37		107.83	273.17
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:18:14			209.97	19.37	107.83	33.29	0.00	209.97	19.36		107.82	273.18
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:18:16			209.97	19.37	107.83	33.29	0.00	209.97	19.36		107.82	273.18
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:18:18			209.97	19.37	107.83	33.29	0.00	209.97	19.36		107.82	273.18
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:18:20			209.98	19.36	107.82	33.29	0.00	209.98	19.35		107.81	273.19
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:18:22			209.98	19.36	107.82	33.29	0.00	209.98	19.35		107.81	273.19
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:18:24			209.98	19.36	107.82	33.29	0.00	209.98	19.35		107.81	273.19
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:18:26			209.99	19.35	107.81	33.29	0.00	209.99	19.34		107.80	273.20
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:18:28			209.99	19.35	107.81	33.29	0.00	209.99	19.34		107.80	273.20
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:18:30			209.99	19.35	107.81	33.29	0.00	209.99	19.34		107.80	273.20
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:18:32			209.99	19.34	107.80	33.29	0.00	210.00	19.34		107.80	273.20
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:18:34			209.99	19.34	107.80	33.29	0.00	210.00	19.34		107.80	273.20
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:18:36			209.99	19.34	107.80	33.29	0.00	210.00	19.34		107.80	273.20
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:18:38			209.99	19.34	107.80	33.29	0.00	210.00	19.34		107.80	273.20
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:18:40			210.00	19.33	107.79	33.29	0.00	210.00	19.33		107.79	273.21
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:18:42			210.00	19.33	107.79	33.29	0.00	210.00	19.33		107.79	273.21
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:18:44			210.00	19.33	107.79	33.29	0.00	210.00	19.33		107.79	273.21
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:18:46			210.01	19.33	107.79	33.29	0.00	210.01	19.32		107.78	273.22
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:18:48			210.01	19.33	107.79	33.29	0.00	210.01	19.32		107.78	273.22
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:18:50			210.01	19.33	107.79	33.29	0.00	210.01	19.32		107.78	273.22
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:18:52			210.02	19.32	107.78	33.29	0.00	210.02	19.31		107.77	273.23
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:18:54			210.02	19.32	107.78	33.29	0.00	210.02	19.31		107.77	273.23
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:18:56			210.02	19.32	107.78	33.29	0.00	210.02	19.31		107.77	273.23
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:18:58			210.02	19.32	107.78	33.29	0.00	210.02	19.31		107.77	273.23
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:19:00			210.03	19.31	107.77	33.29	0.00	210.03	19.31		107.77	273.23
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:19:02			210.03	19.31	107.77	33.29	0.00	210.03	19.31		107.77	273.23
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:19:04			210.03	19.31	107.77	33.29	0.00	210.03	19.31		107.77	273.23
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:19:06			210.03	19.30	107.76	33.29	0.00	210.03	19.30		107.76	273.24
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:19:08			210.03	19.30	107.76	33.29	0.00	210.03	19.30		107.76	273.24
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:19:10			210.03	19.30	107.76	33.29	0.00	210.03	19.30		107.76	273.24
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:19:12			210.04	19.30	107.76	33.29	0.00	210.04	19.29		107.75	273.25
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:19:14			210.04	19.30	107.76	33.29	0.00	210.04	19.29		107.75	273.25
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:19:16			210.04	19.30	107.76	33.29	0.00	210.04	19.29		107.75	273.25
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:19:18			210.04	19.30	107.76	33.29	0.00	210.04	19.29		107.75	273.25
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:19:20			210.05	19.29	107.75	33.29	0.00	210.05	19.28		107.74	273.26
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:19:22			210.05	19.29	107.75	33.29	0.00	210.05	19.28		107.74	273.26
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:19:24			210.06	19.28	107.74	33.29	0.00	210.06	19.27		107.73	273.27
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:19:26			210.06	19.28	107.74	33.29	0.00	210.06	19.27		107.73	273.27
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:19:28			210.06	19.28	107.74	33.29	0.00	210.06	19.27		107.73	273.27
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:19:30			210.06	19.28	107.74	33.29	0.00	210.06	19.27		107.73	273.27
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:19:32			210.06	19.28	107.74	33.29	0.00	210.06	19.27		107.73	273.27
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:19:34			210.06	19.27	107.73	33.29	0.00	210.07	19.27		107.73	273.27
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:19:36			210.06	19.27	107.73	33.29	0.00	210.07	19.27		107.73	273.27
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:19:38			210.06	19.27	107.73	33.29	0.00	210.07	19.27		107.73	273.27
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:19:40			210.07	19.26	107.72	33.29	0.00	210.07	19.26		107.72	273.28
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:19:42			210.07	19.26	107.72	33.29	0.00	210.07	19.26		107.72	273.28
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:19:44			210.07	19.26	107.72	33.29	0.00	210.07	19.26		107.72	273.28
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:19:46			210.07	19.26	107.72	33.29	0.00	210.07	19.26		107.72	273.28
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:19:48			210.08	19.26	107.72	33.29	0.00	210.08	19.25		107.71	273.29
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:19:50			210.08	19.26	107.72	33.29	0.00	210.08	19.25		107.71	273.29
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:19:52			210.08	19.26	107.72	33.29	0.00	210.08	19.25		107.71	273.29
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:19:54			210.09	19.25	107.71	33.29	0.00	210.09	19.24		107.70	273.30
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:19:56			210.08	19.26	107.72	33.29	0.00	210.08	19.25		107.71	273.29
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:19:58			210.09	19.25	107.71	33.29	0.00	210.09	19.24		107.70	273.30
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:20:00			210.09	19.25	107.71	33.29	-0.01	210.09	19.24		107.70	273.30
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:20:02			210.10	19.24	107.70	33.29	-0.01	210.10	19.24		107.70	273.30
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:20:04			210.10	19.24	107.70	33.29	-0.01	210.10	19.24		107.70	273.30
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:20:06			210.10	19.24	107.70	33.29	-0.01	210.10	19.24		107.70	273.30
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:20:08			210.10	19.23	107.69	33.29	-0.01	210.11	19.23		107.69	273.31
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:20:10			210.10	19.23	107.69	33.29	-0.01	210.11	19.23		107.69	273.31
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:20:12			210.10	19.23	107.69	33.29	-0.01	210.11	19.23		107.69	273.31
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:20:14			210.10	19.23	107.69	33.29	-0.01	210.11	19.23		107.69	273.31
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:20:16			210.11	19.22	107.68	33.29	-0.01	210.11	19.22		107.68	273.32
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:20:18			210.11	19.22	107.68	33.29	-0.01	210.11	19.22		107.68	273.32
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:20:20			210.11	19.22	107.68	33.29	-0.01	210.11	19.22		107.68	273.32
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:20:22			210.11	19.22	107.68	33.29	-0.01	210.11	19.22		107.68	273.32
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:20:24			210.12	19.22	107.68	33.29	-0.01	210.12	19.21		107.67	273.33
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:20:26			210.12	19.22	107.68	33.29	-0.01	210.12	19.21		107.67	273.33
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:20:28			210.13	19.21	107.67	33.29	-0.01	210.13	19.20		107.66	273.34
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:20:30			210.13	19.21	107.67	33.29	-0.01	210.13	19.20		107.66	273.34
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:20:32			210.13	19.20	107.66	33.29	-0.01	210.14	19.20		107.66	273.34
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:20:34			210.13	19.21	107.67	33.29	-0.01	210.13	19.20		107.66	273.34
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:20:36			210.13	19.20	107.66	33.29	-0.01	210.14	19.20		107.66	273.34
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:20:38			210.13	19.20	107.66	33.29	-0.01	210.14	19.20		107.66	273.34

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:20:40			210.13	19.20	107.66	33.29	-0.01	210.14	19.20		107.66	273.34
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:20:42			210.14	19.19	107.65	33.29	-0.01	210.14	19.19		107.65	273.35
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:20:44			210.14	19.19	107.65	33.29	-0.01	210.14	19.19		107.65	273.35
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:20:46			210.14	19.19	107.65	33.29	-0.01	210.14	19.19		107.65	273.35
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:20:48			210.14	19.19	107.65	33.29	-0.01	210.14	19.19		107.65	273.35
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:20:50			210.15	19.19	107.65	33.29	-0.01	210.15	19.18		107.64	273.36
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:20:52			210.15	19.19	107.65	33.29	-0.01	210.15	19.18		107.64	273.36
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:20:54			210.15	19.19	107.65	33.29	-0.01	210.15	19.18		107.64	273.36
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:20:56			210.15	19.19	107.65	33.29	-0.01	210.15	19.18		107.64	273.36
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:20:58			210.15	19.19	107.65	33.29	-0.01	210.15	19.18		107.64	273.36
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:21:00			210.16	19.18	107.64	33.29	-0.01	210.16	19.17		107.63	273.37
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:21:02			210.16	19.18	107.64	33.29	-0.01	210.16	19.17		107.63	273.37
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:21:04			210.16	19.18	107.64	33.29	-0.01	210.16	19.17		107.63	273.37
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:21:06			210.17	19.17	107.63	33.29	-0.01	210.17	19.17		107.63	273.37
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:21:08			210.17	19.17	107.63	33.29	-0.01	210.17	19.17		107.63	273.37
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:21:10			210.17	19.17	107.63	33.29	-0.01	210.17	19.17		107.63	273.37
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:21:12			210.17	19.16	107.62	33.29	-0.01	210.18	19.16		107.62	273.38
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:21:14			210.17	19.16	107.62	33.29	-0.01	210.18	19.16		107.62	273.38
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:21:16			210.17	19.16	107.62	33.29	-0.01	210.18	19.16		107.62	273.38
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:21:18			210.17	19.16	107.62	33.29	-0.01	210.18	19.16		107.62	273.38
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:21:20			210.18	19.15	107.61	33.29	-0.01	210.18	19.15		107.61	273.39
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:21:22			210.18	19.15	107.61	33.29	-0.01	210.18	19.15		107.61	273.39
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:21:24			210.18	19.15	107.61	33.29	-0.01	210.18	19.15		107.61	273.39
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:21:26			210.19	19.15	107.61	33.29	-0.01	210.19	19.14		107.60	273.40
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:21:28			210.19	19.15	107.61	33.29	-0.01	210.19	19.14		107.60	273.40
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:21:30			210.19	19.15	107.61	33.29	-0.01	210.19	19.14		107.60	273.40
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:21:32			210.19	19.15	107.61	33.29	-0.01	210.19	19.14		107.60	273.40
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:21:34			210.20	19.14	107.60	33.29	-0.01	210.20	19.13		107.59	273.41
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:21:36			210.20	19.14	107.60	33.29	-0.01	210.20	19.13		107.59	273.41
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:21:38			210.20	19.14	107.60	33.29	-0.01	210.20	19.13		107.59	273.41
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:21:40			210.20	19.14	107.60	33.29	-0.01	210.20	19.13		107.59	273.41
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:21:42			210.20	19.13	107.59	33.29	-0.01	210.21	19.13		107.59	273.41
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:21:44			210.20	19.13	107.59	33.29	-0.01	210.21	19.13		107.59	273.41
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:21:46			210.21	19.12	107.58	33.29	-0.01	210.21	19.12		107.58	273.42
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:21:48			210.20	19.13	107.59	33.29	-0.01	210.21	19.13		107.59	273.41
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:21:50			210.20	19.13	107.59	33.29	-0.01	210.21	19.13		107.59	273.41
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:21:52			210.21	19.12	107.58	33.29	-0.01	210.21	19.12		107.58	273.42
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:21:54			210.21	19.12	107.58	33.29	-0.01	210.21	19.12		107.58	273.42
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:21:56			210.21	19.12	107.58	33.29	-0.01	210.21	19.12		107.58	273.42
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:21:58			210.22	19.12	107.58	33.29	-0.01	210.22	19.11		107.57	273.43
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:22:00			210.22	19.12	107.58	33.29	-0.01	210.22	19.11		107.57	273.43
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:22:02			210.22	19.12	107.58	33.29	-0.01	210.22	19.11		107.57	273.43
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:22:04			210.23	19.11	107.57	33.29	-0.01	210.23	19.10		107.56	273.44
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:22:06			210.23	19.11	107.57	33.29	-0.01	210.23	19.10		107.56	273.44
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:22:08			210.23	19.11	107.57	33.29	-0.01	210.23	19.10		107.56	273.44
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:22:10			210.23	19.11	107.57	33.29	-0.01	210.23	19.10		107.56	273.44
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:22:12			210.24	19.10	107.56	33.29	-0.01	210.24	19.10		107.56	273.44
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:22:14			210.24	19.10	107.56	33.29	-0.01	210.24	19.10		107.56	273.44
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:22:16			210.24	19.10	107.56	33.29	-0.01	210.24	19.10		107.56	273.44
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:22:18			210.24	19.09	107.55	33.29	-0.01	210.25	19.09		107.55	273.45
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:22:20			210.24	19.09	107.55	33.29	-0.01	210.25	19.09		107.55	273.45
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:22:22			210.24	19.09	107.55	33.29	-0.01	210.25	19.09		107.55	273.45
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:22:24			210.25	19.08	107.54	33.29	-0.01	210.25	19.08		107.54	273.46
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:22:26			210.25	19.08	107.54	33.29	-0.01	210.25	19.08		107.54	273.46
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:22:28			210.25	19.08	107.54	33.29	-0.01	210.25	19.08		107.54	273.46
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:22:30			210.25	19.08	107.54	33.29	-0.01	210.25	19.08		107.54	273.46
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:22:32			210.25	19.08	107.54	33.29	-0.01	210.25	19.08		107.54	273.46
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:22:34			210.26	19.08	107.54	33.29	-0.01	210.26	19.07		107.53	273.47
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:22:36			210.26	19.08	107.54	33.29	-0.01	210.26	19.07		107.53	273.47
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:22:38			210.26	19.08	107.54	33.29	-0.01	210.26	19.07		107.53	273.47
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:22:40			210.26	19.08	107.54	33.29	-0.01	210.26	19.07		107.53	273.47
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:22:42			210.27	19.07	107.53	33.29	-0.01	210.27	19.06		107.52	273.48
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:22:44			210.27	19.07	107.53	33.29	-0.01	210.27	19.06		107.52	273.48
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:22:46			210.27	19.07	107.53	33.29	-0.01	210.27	19.06		107.52	273.48
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:22:48			210.27	19.06	107.52	33.29	-0.01	210.28	19.06		107.52	273.48
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:22:50			210.27	19.06	107.52	33.29	-0.01	210.28	19.06		107.52	273.48
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:22:52			210.27	19.06	107.52	33.29	-0.01	210.28	19.06		107.52	273.48
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:22:54			210.27	19.06	107.52	33.29	-0.01	210.28	19.06		107.52	273.48
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:22:56			210.28	19.05	107.51	33.29	-0.01	210.28	19.05		107.51	273.49
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:22:58			210.28	19.05	107.51	33.29	-0.01	210.28	19.05		107.51	273.49
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:23:00			210.28	19.05	107.51	33.29	-0.01	210.28	19.05		107.51	273.49
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:23:02			210.28	19.05	107.51	33.29	-0.01	210.28	19.05		107.51	273.49
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:23:04			210.28	19.05	107.51	33.29	-0.01	210.28	19.05		107.51	273.49
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:23:06			210.29	19.05	107.51	33.29	-0.01	210.29	19.04		107.50	273.50
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:23:08			210.29	19.05	107.51	33.29	-0.01	210.29	19.04		107.50	273.50
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:23:10			210.30	19.04	107.50	33.29	-0.01	210.30	19.03		107.49	273.51
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:23:12			210.30	19.04	107.50	33.29	-0.01	210.30	19.03		107.49	273.51
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:23:14			210.30	19.04	107.50	33.29	-0.01	210.30	19.03		107.49	273.51
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:23:16			210.30	19.04	107.50	33.29	-0.01	210.30	19.03		107.49	273.51
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:23:18			210.30	19.04	107.50	33.29	-0.01	210.30	19.03		107.49	273.51
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:23:20			210.31	19.03	107.49	33.29	-0.01	210.31	19.03		107.49	273.51
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:23:22			210.31	19.03	107.49	33.29	-0.01	210.31	19.03		107.49	273.51
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:23:24			210.31	19.03	107.49	33.29	-0.01	210.31	19.03		107.49	273.51
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:23:26			210.31	19.02	107.48	33.29	-0.01	210.32	19.02		107.48	273.52
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:23:28			210.31	19.02	107.48	33.29	-0.01	210.32	19.02		107.48	273.52
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:23:30			210.31	19.02	107.48	33.29	-0.01	210.32	19.02		107.48	273.52
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:23:32			210.31	19.02	107.48	33.29	-0.01	210.32	19.02		107.48	273.52
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:23:34			210.31	19.02	107.48	33.29	-0.01	210.32	19.02		107.48	273.52
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:23:36			210.31	19.02	107.48	33.29	-0.01	210.32	19.02		107.48	273.52
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:23:38			210.32	19.01	107.47	33.29	-0.01	210.32	19.01		107.47	273.53
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:23:40			210.32	19.01	107.47	33.29	-0.01	210.32	19.01		107.47	273.53
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:23:42			210.32	19.01	107.47	33.29	-0.01	210.32	19.01		107.47	273.53
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:23:44			210.33	19.01	107.47	33.29	-0.01	210.33	19.00		107.46	273.54
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:23:46			210.33	19.01	107.47	33.29	-0.01	210.33	19.00		107.46	273.54
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:23:48			210.33	19.01	107.47	33.29	-0.01	210.33	19.00		107.46	273.54
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:23:50			210.33	19.01	107.47	33.29	-0.01	210.33	19.00		107.46	273.54
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:23:52			210.33	19.01	107.47	33.29	-0.01	210.33	19.00		107.46	273.54

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:23:54			210.33	19.01	107.47	33.29	-0.01	210.33	19.00		107.46	273.54
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:23:56			210.34	19.00	107.46	33.29	-0.01	210.34	18.99		107.45	273.55
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:23:58			210.34	18.99	107.45	33.29	-0.01	210.35	18.99		107.45	273.55
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:24:00			210.34	19.00	107.46	33.29	-0.01	210.34	18.99		107.45	273.55
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:24:02			210.34	18.99	107.45	33.29	-0.01	210.35	18.99		107.45	273.55
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:24:04			210.34	18.99	107.45	33.29	-0.01	210.35	18.99		107.45	273.55
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:24:06			210.35	18.98	107.44	33.29	-0.01	210.35	18.98		107.44	273.56
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:24:08			210.35	18.98	107.44	33.29	-0.01	210.35	18.98		107.44	273.56
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:24:10			210.35	18.98	107.44	33.29	-0.01	210.35	18.98		107.44	273.56
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:24:12			210.35	18.98	107.44	33.29	-0.01	210.35	18.98		107.44	273.56
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:24:14			210.35	18.98	107.44	33.29	-0.01	210.35	18.98		107.44	273.56
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:24:16			210.36	18.98	107.44	33.29	-0.01	210.36	18.97		107.43	273.57
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:24:18			210.36	18.98	107.44	33.29	-0.01	210.36	18.97		107.43	273.57
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:24:20			210.36	18.98	107.44	33.29	-0.01	210.36	18.97		107.43	273.57
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:24:22			210.36	18.98	107.44	33.29	-0.01	210.36	18.97		107.43	273.57
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:24:24			210.36	18.98	107.44	33.29	-0.01	210.36	18.97		107.43	273.57
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:24:26			210.36	18.98	107.44	33.29	-0.01	210.36	18.97		107.43	273.57
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:24:28			210.37	18.97	107.43	33.29	-0.01	210.37	18.96		107.42	273.58
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:24:30			210.37	18.97	107.43	33.29	-0.01	210.37	18.96		107.42	273.58
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:24:32			210.38	18.96	107.42	33.29	-0.01	210.38	18.96		107.42	273.58
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:24:34			210.38	18.96	107.42	33.29	-0.01	210.38	18.96		107.42	273.58
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:24:36			210.38	18.96	107.42	33.29	-0.01	210.38	18.96		107.42	273.58
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:24:38			210.38	18.95	107.41	33.29	-0.01	210.39	18.95		107.41	273.59
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:24:40			210.38	18.96	107.42	33.29	-0.01	210.38	18.96		107.42	273.58
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:24:42			210.38	18.95	107.41	33.29	-0.01	210.39	18.95		107.41	273.59
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:24:44			210.38	18.95	107.41	33.29	-0.01	210.39	18.95		107.41	273.59
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:24:46			210.39	18.95	107.41	33.29	-0.01	210.39	18.94		107.40	273.60
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:24:48			210.39	18.95	107.41	33.29	-0.01	210.39	18.94		107.40	273.60
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:24:50			210.39	18.95	107.41	33.29	-0.01	210.39	18.94		107.40	273.60
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:24:52			210.39	18.95	107.41	33.29	-0.01	210.39	18.94		107.40	273.60
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:24:54			210.39	18.94	107.40	33.29	-0.01	210.40	18.94		107.40	273.60
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:24:56			210.39	18.94	107.40	33.29	-0.01	210.40	18.94		107.40	273.60
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:24:58			210.40	18.93	107.39	33.29	-0.01	210.40	18.93		107.39	273.61
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:25:00			210.40	18.93	107.39	33.29	-0.01	210.41	18.93		107.39	273.61
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:25:02			210.40	18.93	107.39	33.29	-0.01	210.41	18.93		107.39	273.61
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:25:04			210.41	18.93	107.39	33.29	-0.01	210.41	18.92		107.38	273.62
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:25:06			210.41	18.93	107.39	33.29	-0.01	210.41	18.92		107.38	273.62
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:25:08			210.41	18.93	107.39	33.29	-0.01	210.41	18.92		107.38	273.62
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:25:10			210.42	18.92	107.38	33.29	-0.01	210.42	18.91		107.37	273.63
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:25:12			210.42	18.92	107.38	33.29	-0.01	210.42	18.91		107.37	273.63
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:25:14			210.42	18.92	107.38	33.29	-0.01	210.42	18.91		107.37	273.63
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:25:16			210.42	18.92	107.38	33.29	-0.01	210.42	18.91		107.37	273.63
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:25:18			210.42	18.92	107.38	33.29	-0.01	210.42	18.91		107.37	273.63
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:25:20			210.43	18.91	107.37	33.29	-0.01	210.43	18.90		107.36	273.64
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:25:22			210.43	18.91	107.37	33.29	-0.01	210.43	18.90		107.36	273.64
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:25:24			210.43	18.91	107.37	33.29	-0.01	210.43	18.90		107.36	273.64
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:25:26			210.43	18.91	107.37	33.29	-0.01	210.43	18.90		107.36	273.64
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:25:28			210.43	18.91	107.37	33.29	-0.01	210.43	18.90		107.36	273.64
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:25:30			210.43	18.91	107.37	33.29	-0.01	210.43	18.90		107.36	273.64
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:25:32			210.43	18.90	107.36	33.29	-0.01	210.44	18.90		107.36	273.64
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:25:34			210.43	18.90	107.36	33.29	-0.01	210.44	18.90		107.36	273.64
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:25:36			210.44	18.89	107.35	33.29	-0.01	210.44	18.89		107.35	273.65
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:25:38			210.43	18.90	107.36	33.29	-0.01	210.44	18.90		107.36	273.64
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:25:40			210.44	18.89	107.35	33.29	-0.01	210.44	18.89		107.35	273.65
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:25:42			210.44	18.89	107.35	33.29	-0.01	210.44	18.89		107.35	273.65
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:25:44			210.44	18.89	107.35	33.29	-0.01	210.44	18.89		107.35	273.65
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:25:46			210.44	18.89	107.35	33.29	-0.01	210.44	18.89		107.35	273.65
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:25:48			210.44	18.89	107.35	33.29	-0.01	210.44	18.89		107.35	273.65
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:25:50			210.45	18.89	107.35	33.29	-0.01	210.45	18.88		107.34	273.66
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:25:52			210.45	18.89	107.35	33.29	-0.01	210.45	18.88		107.34	273.66
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:25:54			210.45	18.89	107.35	33.29	-0.01	210.45	18.88		107.34	273.66
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:25:56			210.45	18.89	107.35	33.29	-0.01	210.45	18.88		107.34	273.66
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:25:58			210.46	18.88	107.34	33.29	-0.01	210.46	18.87		107.33	273.67
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:26:00			210.46	18.88	107.34	33.29	-0.01	210.46	18.87		107.33	273.67
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:26:02			210.46	18.88	107.34	33.29	-0.01	210.46	18.87		107.33	273.67
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:26:04			210.46	18.87	107.33	33.29	-0.01	210.47	18.87		107.33	273.67
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:26:06			210.46	18.87	107.33	33.29	-0.01	210.47	18.87		107.33	273.67
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:26:08			210.46	18.87	107.33	33.29	-0.01	210.47	18.87		107.33	273.67
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:26:10			210.46	18.87	107.33	33.29	-0.01	210.47	18.87		107.33	273.67
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:26:12			210.47	18.86	107.32	33.29	-0.01	210.48	18.86		107.32	273.68
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:26:14			210.47	18.86	107.32	33.29	-0.01	210.48	18.86		107.32	273.68
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:26:16			210.47	18.86	107.32	33.29	-0.01	210.48	18.86		107.32	273.68
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:26:18			210.47	18.86	107.32	33.29	-0.01	210.48	18.86		107.32	273.68
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:26:20			210.47	18.86	107.32	33.29	-0.01	210.48	18.86		107.32	273.68
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:26:22			210.48	18.86	107.32	33.29	-0.01	210.48	18.85		107.31	273.69
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:26:24			210.48	18.86	107.32	33.29	-0.01	210.48	18.85		107.31	273.69
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:26:26			210.48	18.86	107.32	33.29	-0.01	210.48	18.85		107.31	273.69
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:26:28			210.48	18.86	107.32	33.29	-0.01	210.48	18.85		107.31	273.69
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:26:30			210.48	18.86	107.32	33.29	-0.01	210.48	18.85		107.31	273.69
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:26:32			210.49	18.85	107.31	33.29	-0.01	210.49	18.84		107.30	273.70
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:26:34			210.49	18.85	107.31	33.29	-0.01	210.49	18.84		107.30	273.70
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:26:36			210.49	18.85	107.31	33.29	-0.01	210.49	18.84		107.30	273.70
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:26:38			210.50	18.84	107.30	33.29	-0.01	210.50	18.83		107.29	273.71
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:26:40			210.49	18.85	107.31	33.29	-0.01	210.49	18.84		107.30	273.70
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:26:42			210.50	18.84	107.30	33.29	-0.01	210.50	18.83		107.29	273.71
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:26:44			210.50	18.84	107.30	33.29	-0.01	210.50	18.83		107.29	273.71
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:26:46			210.50	18.84	107.30	33.29	-0.01	210.50	18.83		107.29	273.71
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:26:48			210.50	18.84	107.30	33.29	-0.01	210.50	18.83		107.29	273.71
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:26:50			210.50	18.83	107.29	33.29	-0.01	210.51	18.83		107.29	273.71
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:26:52			210.50	18.83	107.29	33.29	-0.01	210.51	18.83		107.29	273.71
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:26:54			210.50	18.83	107.29	33.29	-0.01	210.51	18.83		107.29	273.71
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:26:56			210.50	18.83	107.29	33.29	-0.01	210.51	18.83		107.29	273.71
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:26:58			210.50	18.84	107.30	33.29	-0.01	210.50	18.83		107.29	273.71
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:27:00			210.51	18.83	107.29	33.29	-0.01	210.51	18.82		107.28	273.72
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:27:02			210.51	18.83	107.29	33.29	-0.01	210.51	18.82		107.28	273.72
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:27:04			210.51	18.82	107.28	33.29	-0.01	210.51	18.82		107.28	273.72
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:27:06			210.52	18.82	107.28	33.29	-0.01	210.52	18.81		107.27	273.73

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:27:08			210.52	18.82	107.28	33.29	-0.01	210.52	18.81		107.27	273.73
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:27:10			210.52	18.82	107.28	33.29	-0.01	210.52	18.81		107.27	273.73
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:27:12			210.53	18.81	107.27	33.29	-0.01	210.53	18.80		107.26	273.74
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:27:14			210.52	18.82	107.28	33.29	-0.01	210.52	18.81		107.27	273.73
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:27:16			210.52	18.81	107.27	33.29	-0.01	210.53	18.81		107.27	273.73
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:27:18			210.52	18.81	107.27	33.29	-0.01	210.53	18.81		107.27	273.73
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:27:20			210.53	18.81	107.27	33.29	-0.01	210.53	18.80		107.26	273.74
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:27:22			210.53	18.80	107.26	33.29	-0.01	210.53	18.80		107.26	273.74
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:27:24			210.53	18.80	107.26	33.29	-0.01	210.54	18.80		107.26	273.74
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:27:26			210.52	18.82	107.28	33.29	-0.01	210.52	18.81		107.27	273.73
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:27:28			210.53	18.80	107.26	33.29	-0.01	210.54	18.80		107.26	273.74
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:27:30			210.53	18.80	107.26	33.29	-0.01	210.54	18.80		107.26	273.74
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:27:32			210.53	18.80	107.26	33.29	-0.01	210.54	18.80		107.26	273.74
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:27:34			210.53	18.80	107.26	33.29	-0.01	210.53	18.80		107.26	273.74
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:27:36			210.54	18.79	107.25	33.29	-0.01	210.55	18.79		107.25	273.75
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:27:38			210.54	18.80	107.26	33.29	-0.01	210.54	18.79		107.25	273.75
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:27:40			210.54	18.79	107.25	33.29	-0.01	210.55	18.79		107.25	273.75
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:27:42			210.55	18.79	107.25	33.29	-0.01	210.55	18.78		107.24	273.76
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:27:44			210.55	18.79	107.25	33.29	-0.01	210.55	18.78		107.24	273.76
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:27:46			210.55	18.79	107.25	33.29	-0.01	210.55	18.78		107.24	273.76
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:27:48			210.55	18.79	107.25	33.29	-0.01	210.55	18.78		107.24	273.76
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:27:50			210.55	18.79	107.25	33.29	-0.01	210.55	18.78		107.24	273.76
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:27:52			210.55	18.79	107.25	33.29	-0.01	210.55	18.78		107.24	273.76
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:27:54			210.56	18.78	107.24	33.29	-0.01	210.56	18.77		107.23	273.77
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:27:56			210.56	18.78	107.24	33.29	-0.01	210.56	18.77		107.23	273.77
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:27:58			210.56	18.78	107.24	33.29	-0.01	210.56	18.77		107.23	273.77
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:28:00			210.57	18.77	107.23	33.29	-0.01	210.57	18.76		107.22	273.78
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:28:02			210.56	18.77	107.23	33.29	-0.01	210.57	18.77		107.23	273.77
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:28:04			210.57	18.77	107.23	33.29	-0.01	210.57	18.76		107.22	273.78
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:28:06			210.56	18.77	107.23	33.29	-0.01	210.57	18.77		107.23	273.77
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:28:08			210.57	18.76	107.22	33.29	-0.01	210.58	18.76		107.22	273.78
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:28:10			210.56	18.77	107.23	33.29	-0.01	210.57	18.77		107.23	273.77
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:28:12			210.57	18.77	107.23	33.29	-0.01	210.57	18.76		107.22	273.78
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:28:14			210.57	18.77	107.23	33.29	-0.01	210.57	18.76		107.22	273.78
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:28:16			210.57	18.77	107.23	33.29	-0.01	210.57	18.76		107.22	273.78
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:28:18			210.57	18.76	107.22	33.29	-0.01	210.58	18.76		107.22	273.78
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:28:20			210.57	18.76	107.22	33.29	-0.01	210.58	18.76		107.22	273.78
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:28:22			210.58	18.75	107.21	33.29	-0.01	210.58	18.75		107.21	273.79
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:28:24			210.58	18.75	107.21	33.29	-0.01	210.58	18.75		107.21	273.79
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:28:26			210.58	18.76	107.22	33.29	-0.01	210.58	18.75		107.21	273.79
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:28:28			210.58	18.75	107.21	33.29	-0.01	210.58	18.75		107.21	273.79
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:28:30			210.58	18.76	107.22	33.29	-0.01	210.58	18.75		107.21	273.79
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:28:32			210.59	18.75	107.21	33.29	-0.01	210.59	18.74		107.20	273.80
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:28:34			210.59	18.75	107.21	33.29	-0.01	210.59	18.74		107.20	273.80
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:28:36			210.60	18.74	107.20	33.29	-0.01	210.60	18.73		107.19	273.81
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:28:38			210.59	18.74	107.20	33.29	-0.01	210.60	18.74		107.20	273.80
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:28:40			210.60	18.74	107.20	33.29	-0.01	210.60	18.73		107.19	273.81
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:28:42			210.60	18.74	107.20	33.29	-0.01	210.60	18.73		107.19	273.81
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:28:44			210.60	18.73	107.19	33.29	-0.01	210.61	18.73		107.19	273.81
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:28:46			210.59	18.74	107.20	33.29	-0.01	210.60	18.74		107.20	273.80
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:28:48			210.60	18.73	107.19	33.29	-0.01	210.61	18.73		107.19	273.81
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:28:50			210.60	18.73	107.19	33.29	-0.01	210.60	18.73		107.19	273.81
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:28:52			210.60	18.73	107.19	33.29	-0.01	210.60	18.73		107.19	273.81
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:28:54			210.60	18.73	107.19	33.29	-0.01	210.60	18.73		107.19	273.81
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:28:56			210.61	18.72	107.18	33.29	-0.01	210.62	18.72		107.18	273.82
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:28:58			210.61	18.72	107.18	33.29	-0.01	210.62	18.72		107.18	273.82
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:29:00			210.61	18.73	107.19	33.29	-0.01	210.61	18.72		107.18	273.82
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:29:02			210.61	18.72	107.18	33.29	-0.01	210.62	18.72		107.18	273.82
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:29:04			210.61	18.72	107.18	33.29	-0.01	210.62	18.72		107.18	273.82
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:29:06			210.62	18.72	107.18	33.29	-0.01	210.62	18.71		107.17	273.83
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:29:08			210.61	18.72	107.18	33.29	-0.01	210.62	18.72		107.18	273.82
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:29:10			210.62	18.72	107.18	33.29	-0.01	210.62	18.71		107.17	273.83
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:29:12			210.62	18.72	107.18	33.29	-0.01	210.62	18.71		107.17	273.83
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:29:14			210.63	18.71	107.17	33.29	-0.01	210.63	18.70		107.16	273.84
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:29:16			210.63	18.71	107.17	33.29	-0.01	210.63	18.70		107.16	273.84
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:29:18			210.63	18.71	107.17	33.29	-0.01	210.63	18.70		107.16	273.84
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:29:20			210.63	18.71	107.17	33.29	-0.01	210.63	18.70		107.16	273.84
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:29:22			210.63	18.71	107.17	33.29	-0.01	210.63	18.70		107.16	273.84
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:29:24			210.64	18.70	107.16	33.29	-0.01	210.64	18.69		107.15	273.85
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:29:26			210.63	18.71	107.17	33.29	-0.01	210.63	18.70		107.16	273.84
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:29:28			210.64	18.70	107.16	33.29	-0.01	210.64	18.69		107.15	273.85
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:29:30			210.64	18.70	107.16	33.29	-0.01	210.64	18.69		107.15	273.85
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:29:32			210.64	18.70	107.16	33.29	-0.01	210.64	18.69		107.15	273.85
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:29:34			210.63	18.70	107.16	33.29	-0.01	210.64	18.70		107.16	273.84
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:29:36			210.64	18.69	107.15	33.29	-0.01	210.65	18.69		107.15	273.85
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:29:38			210.64	18.70	107.16	33.29	-0.01	210.64	18.69		107.15	273.85
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:29:40			210.64	18.69	107.15	33.29	-0.01	210.65	18.69		107.15	273.85
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:29:42			210.64	18.70	107.16	33.29	-0.01	210.64	18.69		107.15	273.85
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:29:44			210.64	18.69	107.15	33.29	-0.01	210.65	18.69		107.15	273.85
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:29:46			210.65	18.69	107.15	33.29	-0.01	210.65	18.68		107.14	273.86
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:29:48			210.65	18.68	107.14	33.29	-0.01	210.65	18.68		107.14	273.86
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:29:50			210.65	18.68	107.14	33.29	-0.01	210.65	18.68		107.14	273.86
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:29:52			210.65	18.68	107.14	33.29	-0.01	210.65	18.68		107.14	273.86
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:29:54			210.65	18.69	107.15	33.29	-0.01	210.65	18.68		107.14	273.86
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:29:56			210.66	18.68	107.14	33.29	-0.01	210.66	18.67		107.13	273.87
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:29:58			210.66	18.68	107.14	33.29	-0.01	210.66	18.67		107.13	273.87
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:30:00			210.66	18.68	107.14	33.29	-0.01	210.66	18.67		107.13	273.87
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:30:02			210.66	18.68	107.14	33.29	-0.01	210.66	18.67		107.13	273.87
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:30:04			210.66	18.67	107.13	33.29	-0.01	210.67	18.66		107.12	273.88
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:30:06			210.67	18.67	107.13	33.29	-0.01	210.67	18.66		107.12	273.88
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:30:08			210.66	18.68	107.14	33.29	-0.01	210.66	18.67		107.13	273.87
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:30:10			210.66	18.67	107.13	33.29	-0.01	210.67	18.66		107.12	273.88
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:30:12			210.67	18.67	107.13	33.29	-0.01	210.67	18.66		107.12	273.88
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:30:14			210.67	18.67	107.13	33.29	-0.01	210.67	18.66		107.12	273.88
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:30:16			210.67	18.67	107.13	33.29	-0.01	210.67	18.66		107.12	273.88
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:30:18			210.67	18.66	107.12	33.29	-0.01	210.68	18.65		107.11	273.89
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:30:20			210.67	18.66	107.12	33.29	-0.01	210.68	18.65		107.11	273.89

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:30:22			210.68	18.66	107.12	33.29	-0.01	210.68	18.65		107.11	273.89
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:30:24			210.68	18.65	107.11	33.29	-0.01	210.69	18.65		107.11	273.89
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:30:26			210.67	18.66	107.12	33.29	-0.01	210.68	18.66		107.12	273.88
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:30:28			210.68	18.65	107.11	33.29	-0.01	210.69	18.65		107.11	273.89
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:30:30			210.68	18.65	107.11	33.29	-0.01	210.69	18.65		107.11	273.89
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:30:32			210.68	18.65	107.11	33.29	-0.01	210.69	18.65		107.11	273.89
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:30:34			210.69	18.65	107.11	33.29	-0.01	210.69	18.64		107.10	273.90
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:30:36			210.69	18.65	107.11	33.29	-0.01	210.69	18.64		107.10	273.90
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:30:38			210.69	18.65	107.11	33.29	-0.01	210.69	18.64		107.10	273.90
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:30:40			210.69	18.65	107.11	33.29	-0.01	210.69	18.64		107.10	273.90
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:30:42			210.69	18.65	107.11	33.29	-0.01	210.69	18.64		107.10	273.90
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:30:44			210.69	18.65	107.11	33.29	-0.01	210.69	18.64		107.10	273.90
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:30:46			210.70	18.64	107.10	33.29	-0.01	210.70	18.63		107.09	273.91
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:30:48			210.70	18.64	107.10	33.29	-0.01	210.70	18.63		107.09	273.91
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:30:50			210.70	18.64	107.10	33.29	-0.01	210.70	18.63		107.09	273.91
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:30:52			210.70	18.64	107.10	33.29	-0.01	210.70	18.63		107.09	273.91
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:30:54			210.71	18.63	107.09	33.29	-0.01	210.71	18.62		107.08	273.92
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:30:56			210.70	18.63	107.09	33.29	-0.01	210.71	18.63		107.09	273.91
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:30:58			210.71	18.63	107.09	33.29	-0.01	210.71	18.62		107.08	273.92
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:31:00			210.71	18.63	107.09	33.29	-0.01	210.71	18.62		107.08	273.92
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:31:02			210.71	18.62	107.08	33.29	-0.01	210.72	18.62		107.08	273.92
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:31:04			210.71	18.62	107.08	33.29	-0.01	210.72	18.62		107.08	273.92
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:31:06			210.71	18.62	107.08	33.29	-0.01	210.72	18.62		107.08	273.92
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:31:08			210.71	18.63	107.09	33.29	-0.01	210.71	18.62		107.08	273.92
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:31:10			210.71	18.62	107.08	33.29	-0.01	210.72	18.62		107.08	273.92
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:31:12			210.71	18.62	107.08	33.29	-0.01	210.72	18.62		107.08	273.92
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:31:14			210.71	18.62	107.08	33.29	-0.01	210.72	18.62		107.08	273.92
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:31:16			210.71	18.62	107.08	33.29	-0.01	210.72	18.62		107.08	273.92
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:31:18			210.72	18.61	107.07	33.29	-0.01	210.73	18.61		107.07	273.93
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:31:20			210.72	18.61	107.07	33.29	-0.01	210.73	18.61		107.07	273.93
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:31:22			210.73	18.61	107.07	33.29	-0.01	210.73	18.60		107.06	273.94
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:31:24			210.72	18.61	107.07	33.29	-0.01	210.73	18.61		107.07	273.93
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:31:26			210.73	18.61	107.07	33.29	-0.01	210.73	18.60		107.06	273.94
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:31:28			210.73	18.61	107.07	33.29	-0.01	210.73	18.60		107.06	273.94
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:31:30			210.73	18.61	107.07	33.29	-0.01	210.73	18.60		107.06	273.94
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:31:32			210.73	18.61	107.07	33.29	-0.01	210.73	18.60		107.06	273.94
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:31:34			210.73	18.61	107.07	33.29	-0.01	210.73	18.60		107.06	273.94
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:31:36			210.74	18.60	107.06	33.29	-0.01	210.74	18.59		107.05	273.95
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:31:38			210.74	18.60	107.06	33.29	-0.01	210.74	18.59		107.05	273.95
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:31:40			210.74	18.60	107.06	33.29	-0.01	210.74	18.59		107.05	273.95
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:31:42			210.74	18.60	107.06	33.29	-0.01	210.74	18.59		107.05	273.95
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:31:44			210.74	18.60	107.06	33.29	-0.01	210.74	18.59		107.05	273.95
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:31:46			210.74	18.60	107.06	33.29	-0.01	210.74	18.59		107.05	273.95
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:31:48			210.75	18.59	107.05	33.29	-0.01	210.75	18.58		107.04	273.96
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:31:50			210.74	18.59	107.05	33.29	-0.01	210.75	18.59		107.05	273.95
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:31:52			210.75	18.59	107.05	33.29	-0.01	210.75	18.58		107.04	273.96
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:31:54			210.75	18.59	107.05	33.29	-0.01	210.75	18.58		107.04	273.96
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:31:56			210.75	18.59	107.05	33.29	-0.01	210.75	18.58		107.04	273.96
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:31:58			210.75	18.58	107.04	33.29	-0.01	210.76	18.58		107.04	273.96
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:32:00			210.75	18.58	107.04	33.29	-0.01	210.76	18.58		107.04	273.96
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:32:02			210.75	18.58	107.04	33.29	-0.01	210.76	18.58		107.04	273.96
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:32:04			210.75	18.58	107.04	33.29	-0.01	210.76	18.58		107.04	273.96
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:32:06			210.76	18.58	107.04	33.29	-0.01	210.76	18.57		107.03	273.97
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:32:08			210.76	18.58	107.04	33.29	-0.01	210.76	18.57		107.03	273.97
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:32:10			210.76	18.58	107.04	33.29	-0.01	210.76	18.57		107.03	273.97
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:32:12			210.76	18.58	107.04	33.29	-0.01	210.76	18.57		107.03	273.97
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:32:14			210.76	18.58	107.04	33.29	-0.01	210.76	18.57		107.03	273.97
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:32:16			210.76	18.58	107.04	33.29	-0.01	210.76	18.57		107.03	273.97
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:32:18			210.76	18.58	107.04	33.29	-0.01	210.76	18.57		107.03	273.97
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:32:20			210.76	18.58	107.04	33.29	-0.01	210.76	18.57		107.03	273.97
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:32:22			210.77	18.57	107.03	33.29	-0.01	210.77	18.56		107.02	273.98
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:32:24			210.77	18.57	107.03	33.29	-0.01	210.77	18.56		107.02	273.98
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:32:26			210.77	18.57	107.03	33.29	-0.01	210.77	18.56		107.02	273.98
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:32:28			210.78	18.56	107.02	33.29	-0.01	210.78	18.55		107.01	273.99
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:32:30			210.78	18.56	107.02	33.29	-0.01	210.78	18.55		107.01	273.99
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:32:32			210.78	18.56	107.02	33.29	-0.01	210.78	18.55		107.01	273.99
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:32:34			210.78	18.56	107.02	33.29	-0.01	210.78	18.55		107.01	273.99
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:32:36			210.78	18.56	107.02	33.29	-0.01	210.78	18.55		107.01	273.99
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:32:38			210.78	18.56	107.02	33.29	-0.01	210.78	18.55		107.01	273.99
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:32:40			210.78	18.55	107.01	33.29	-0.01	210.79	18.54		107.00	274.00
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:32:42			210.78	18.55	107.01	33.29	-0.01	210.79	18.54		107.00	274.00
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:32:44			210.78	18.55	107.01	33.29	-0.01	210.79	18.54		107.00	274.00
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:32:46			210.78	18.55	107.01	33.29	-0.01	210.79	18.54		107.00	274.00
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:32:48			210.78	18.55	107.01	33.29	-0.01	210.79	18.54		107.00	274.00
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:32:50			210.79	18.54	107.00	33.29	-0.01	210.80	18.54		107.00	274.00
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:32:52			210.78	18.55	107.01	33.29	-0.01	210.79	18.54		107.00	274.00
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:32:54			210.79	18.54	107.00	33.29	-0.01	210.80	18.54		107.00	274.00
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:32:56			210.79	18.54	107.00	33.29	-0.01	210.80	18.54		107.00	274.00
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:32:58			210.80	18.54	107.00	33.29	-0.01	210.80	18.53		106.99	274.01
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:33:00			210.79	18.54	107.00	33.29	-0.01	210.80	18.54		107.00	274.00
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:33:02			210.79	18.54	107.00	33.29	-0.01	210.80	18.54		107.00	274.00
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:33:04			210.80	18.54	107.00	33.29	-0.01	210.80	18.53		106.99	274.01
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:33:06			210.80	18.54	107.00	33.29	-0.01	210.80	18.53		106.99	274.01
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:33:08			210.80	18.54	107.00	33.29	-0.01	210.80	18.53		106.99	274.01
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:33:10			210.80	18.54	107.00	33.29	-0.01	210.80	18.53		106.99	274.01
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:33:12			210.81	18.53	106.99	33.29	-0.01	210.81	18.52		106.98	274.02
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:33:14			210.81	18.53	106.99	33.29	-0.01	210.81	18.52		106.98	274.02
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:33:16			210.81	18.53	106.99	33.29	-0.01	210.81	18.52		106.98	274.02
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:33:18			210.81	18.53	106.99	33.29	-0.01	210.81	18.52		106.98	274.02
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:33:20			210.81	18.53	106.99	33.29	-0.01	210.81	18.52		106.98	274.02
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:33:22			210.82	18.52	106.98	33.29	-0.01	210.82	18.51		106.97	274.03
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:33:24			210.82	18.52	106.98	33.29	-0.01	210.82	18.51		106.97	274.03
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:33:26			210.81	18.52	106.98	33.29	-0.01	210.82	18.52		106.98	274.02
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:33:28			210.82	18.52	106.98	33.29	-0.01	210.82	18.51		106.97	274.03
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:33:30			210.82	18.52	106.98	33.29	-0.01	210.82	18.51		106.97	274.03
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:33:32			210.82	18.52	106.98	33.29	-0.01	210.82	18.51		106.97	274.03
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:33:34			210.82	18.51	106.97	33.29	-0.01	210.83	18.51		106.97	274.03

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:33:36			210.82	18.51	106.97	33.29	-0.01	210.83	18.51		106.97	274.03
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:33:38			210.82	18.51	106.97	33.29	-0.01	210.83	18.51		106.97	274.03
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:33:40			210.82	18.51	106.97	33.29	-0.01	210.83	18.51		106.97	274.03
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:33:42			210.82	18.51	106.97	33.29	-0.01	210.83	18.51		106.97	274.03
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:33:44			210.82	18.51	106.97	33.29	-0.01	210.83	18.51		106.97	274.03
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:33:46			210.83	18.51	106.97	33.29	-0.01	210.83	18.50		106.96	274.04
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:33:48			210.83	18.51	106.97	33.29	-0.01	210.83	18.50		106.96	274.04
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:33:50			210.83	18.51	106.97	33.29	-0.01	210.83	18.50		106.96	274.04
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:33:52			210.83	18.51	106.97	33.29	-0.01	210.83	18.50		106.96	274.04
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:33:54			210.83	18.51	106.97	33.29	-0.01	210.83	18.50		106.96	274.04
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:33:56			210.83	18.51	106.97	33.29	-0.01	210.83	18.50		106.96	274.04
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:33:58			210.84	18.50	106.96	33.29	-0.01	210.84	18.49		106.95	274.05
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:34:00			210.84	18.50	106.96	33.29	-0.01	210.84	18.49		106.95	274.05
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:34:02			210.84	18.50	106.96	33.29	-0.01	210.84	18.49		106.95	274.05
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:34:04			210.84	18.50	106.96	33.29	-0.01	210.84	18.49		106.95	274.05
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:34:06			210.84	18.50	106.96	33.29	-0.01	210.84	18.49		106.95	274.05
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:34:08			210.84	18.50	106.96	33.29	-0.01	210.84	18.49		106.95	274.05
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:34:10			210.84	18.50	106.96	33.29	-0.01	210.84	18.49		106.95	274.05
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:34:12			210.85	18.49	106.95	33.29	-0.01	210.85	18.48		106.94	274.06
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:34:14			210.85	18.49	106.95	33.29	-0.01	210.85	18.48		106.94	274.06
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:34:16			210.85	18.49	106.95	33.29	-0.01	210.85	18.48		106.94	274.06
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:34:18			210.85	18.49	106.95	33.29	-0.01	210.85	18.48		106.94	274.06
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:34:20			210.85	18.49	106.95	33.29	-0.01	210.85	18.48		106.94	274.06
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:34:22			210.85	18.49	106.95	33.29	-0.01	210.85	18.48		106.94	274.06
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:34:24			210.85	18.48	106.94	33.29	-0.01	210.86	18.47		106.93	274.07
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:34:26			210.86	18.48	106.94	33.29	-0.01	210.86	18.47		106.93	274.07
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:34:28			210.86	18.48	106.94	33.29	-0.01	210.86	18.47		106.93	274.07
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:34:30			210.86	18.48	106.94	33.29	-0.01	210.86	18.47		106.93	274.07
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:34:32			210.86	18.48	106.94	33.29	-0.01	210.86	18.47		106.93	274.07
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:34:34			210.86	18.47	106.93	33.29	-0.01	210.87	18.46		106.92	274.08
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:34:36			210.86	18.48	106.94	33.29	-0.01	210.86	18.47		106.93	274.07
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:34:38			210.86	18.47	106.93	33.29	-0.01	210.87	18.46		106.92	274.08
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:34:40			210.86	18.47	106.93	33.29	-0.01	210.87	18.46		106.92	274.08
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:34:42			210.86	18.47	106.93	33.29	-0.01	210.87	18.46		106.92	274.08
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:34:44			210.86	18.47	106.93	33.29	-0.01	210.87	18.46		106.92	274.08
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:34:46			210.87	18.46	106.92	33.29	-0.01	210.88	18.46		106.92	274.08
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:34:48			210.87	18.46	106.92	33.29	-0.01	210.88	18.46		106.92	274.08
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:34:50			210.87	18.46	106.92	33.29	-0.01	210.88	18.46		106.92	274.08
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:34:52			210.87	18.46	106.92	33.29	-0.01	210.88	18.46		106.92	274.08
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:34:54			210.88	18.46	106.92	33.29	-0.01	210.88	18.45		106.91	274.09
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:34:56			210.88	18.46	106.92	33.29	-0.01	210.88	18.45		106.91	274.09
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:34:58			210.88	18.46	106.92	33.29	-0.01	210.88	18.45		106.91	274.09
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:35:00			210.88	18.46	106.92	33.28	-0.01	210.88	18.45		106.91	274.09
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:35:02			210.88	18.46	106.92	33.28	-0.01	210.88	18.45		106.91	274.09
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:35:04			210.88	18.46	106.92	33.28	-0.01	210.88	18.45		106.91	274.09
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:35:06			210.88	18.45	106.91	33.28	-0.01	210.89	18.45		106.91	274.09
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:35:08			210.88	18.46	106.92	33.28	-0.01	210.88	18.45		106.91	274.09
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:35:10			210.89	18.45	106.91	33.28	-0.01	210.89	18.44		106.90	274.10
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:35:12			210.89	18.45	106.91	33.28	-0.01	210.89	18.44		106.90	274.10
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:35:14			210.89	18.45	106.91	33.28	-0.01	210.89	18.44		106.90	274.10
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:35:16			210.88	18.45	106.91	33.28	-0.01	210.89	18.45		106.91	274.09
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:35:18			210.89	18.45	106.91	33.28	-0.01	210.89	18.44		106.90	274.10
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:35:20			210.88	18.45	106.91	33.28	-0.01	210.89	18.45		106.91	274.09
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:35:22			210.89	18.45	106.91	33.28	-0.01	210.89	18.44		106.90	274.10
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:35:24			210.89	18.45	106.91	33.28	-0.01	210.89	18.44		106.90	274.10
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:35:26			210.89	18.45	106.91	33.28	-0.01	210.89	18.44		106.90	274.10
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:35:28			210.90	18.44	106.90	33.28	-0.01	210.90	18.43		106.89	274.11
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:35:30			210.90	18.44	106.90	33.28	-0.01	210.90	18.43		106.89	274.11
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:35:32			210.90	18.44	106.90	33.28	-0.01	210.90	18.43		106.89	274.11
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:35:34			210.90	18.44	106.90	33.28	-0.01	210.90	18.43		106.89	274.11
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:35:36			210.91	18.43	106.89	33.28	-0.01	210.91	18.42		106.88	274.12
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:35:38			210.91	18.43	106.89	33.28	-0.01	210.91	18.42		106.88	274.12
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:35:40			210.91	18.43	106.89	33.28	-0.01	210.91	18.42		106.88	274.12
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:35:42			210.91	18.43	106.89	33.28	-0.01	210.91	18.42		106.88	274.12
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:35:44			210.90	18.43	106.89	33.28	-0.01	210.91	18.43		106.89	274.11
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:35:46			210.91	18.42	106.88	33.28	-0.01	210.92	18.42		106.88	274.12
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:35:48			210.91	18.42	106.88	33.28	-0.01	210.92	18.42		106.88	274.12
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:35:50			210.91	18.42	106.88	33.28	-0.01	210.92	18.42		106.88	274.12
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:35:52			210.91	18.42	106.88	33.28	-0.01	210.92	18.42		106.88	274.12
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:35:54			210.91	18.42	106.88	33.28	-0.01	210.92	18.42		106.88	274.12
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:35:56			210.91	18.42	106.88	33.28	-0.01	210.92	18.42		106.88	274.12
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:35:58			210.92	18.42	106.88	33.28	-0.01	210.92	18.41		106.87	274.13
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:36:00			210.92	18.42	106.88	33.28	-0.01	210.92	18.41		106.87	274.13
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:36:02			210.92	18.42	106.88	33.28	-0.01	210.92	18.41		106.87	274.13
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:36:04			210.92	18.42	106.88	33.28	-0.01	210.92	18.41		106.87	274.13
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:36:06			210.92	18.42	106.88	33.28	-0.01	210.92	18.41		106.87	274.13
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:36:08			210.92	18.42	106.88	33.28	-0.01	210.92	18.41		106.87	274.13
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:36:10			210.93	18.41	106.87	33.28	-0.01	210.93	18.40		106.86	274.14
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:36:12			210.93	18.41	106.87	33.28	-0.01	210.93	18.40		106.86	274.14
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:36:14			210.93	18.41	106.87	33.28	-0.01	210.93	18.40		106.86	274.14
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:36:16			210.93	18.41	106.87	33.28	-0.01	210.93	18.40		106.86	274.14
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:36:18			210.93	18.41	106.87	33.28	-0.01	210.93	18.40		106.86	274.14
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:36:20			210.93	18.40	106.86	33.28	-0.01	210.94	18.39		106.85	274.15
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:36:22			210.93	18.40	106.86	33.28	-0.01	210.94	18.39		106.85	274.15
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:36:24			210.93	18.40	106.86	33.28	-0.01	210.94	18.39		106.85	274.15
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:36:26			210.93	18.40	106.86	33.28	-0.01	210.94	18.39		106.85	274.15
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:36:28			210.93	18.40	106.86	33.28	-0.01	210.94	18.39		106.85	274.15
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:36:30			210.93	18.40	106.86	33.28	-0.01	210.94	18.39		106.85	274.15
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:36:32			210.93	18.40	106.86	33.28	-0.01	210.94	18.39		106.85	274.15
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:36:34			210.93	18.40	106.86	33.28	-0.01	210.94	18.39		106.85	274.15
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:36:36			210.94	18.39	106.85	33.28	-0.01	210.95	18.39		106.85	274.15
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:36:38			210.94	18.39	106.85	33.28	-0.01	210.95	18.39		106.85	274.15
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:36:40			210.94	18.39	106.85	33.28	-0.01	210.95	18.39		106.85	274.15
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:36:42			210.94	18.39	106.85	33.28	-0.01	210.95	18.39		106.85	274.15
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:36:44			210.94	18.39	106.85	33.28	-0.01	210.95	18.39		106.85	274.15
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:36:46			210.95	18.39	106.85	33.28	-0.01	210.95	18.38		106.84	274.16
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:36:48			210.95	18.39	106.85	33.28	-0.01	210.95	18.38		106.84	274.16

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:36:50			210.95	18.39	106.85	33.28	-0.01	210.95	18.38		106.84	274.16
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:36:52			210.95	18.39	106.85	33.28	-0.01	210.95	18.38		106.84	274.16
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:36:54			210.95	18.39	106.85	33.28	-0.01	210.95	18.38		106.84	274.16
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:36:56			210.95	18.39	106.85	33.28	-0.01	210.95	18.38		106.84	274.16
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:36:58			210.96	18.38	106.84	33.28	-0.01	210.96	18.37		106.83	274.17
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:37:00			210.96	18.38	106.84	33.28	-0.01	210.96	18.37		106.83	274.17
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:37:02			210.96	18.38	106.84	33.28	-0.01	210.96	18.37		106.83	274.17
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:37:04			210.96	18.38	106.84	33.28	-0.01	210.96	18.37		106.83	274.17
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:37:06			210.96	18.38	106.84	33.28	-0.01	210.96	18.37		106.83	274.17
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:37:08			210.96	18.38	106.84	33.28	-0.01	210.96	18.37		106.83	274.17
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:37:10			210.96	18.37	106.83	33.28	-0.01	210.97	18.37		106.83	274.17
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:37:12			210.97	18.37	106.83	33.28	-0.01	210.97	18.36		106.82	274.18
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:37:14			210.96	18.37	106.83	33.28	-0.01	210.97	18.37		106.83	274.17
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:37:16			210.96	18.37	106.83	33.28	-0.01	210.97	18.37		106.83	274.17
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:37:18			210.96	18.37	106.83	33.28	-0.01	210.97	18.37		106.83	274.17
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:37:20			210.97	18.37	106.83	33.28	-0.01	210.97	18.36		106.82	274.18
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:37:22			210.96	18.37	106.83	33.28	-0.01	210.97	18.37		106.83	274.17
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:37:24			210.97	18.36	106.82	33.28	-0.01	210.98	18.36		106.82	274.18
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:37:26			210.97	18.36	106.82	33.28	-0.01	210.98	18.36		106.82	274.18
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:37:28			210.97	18.36	106.82	33.28	-0.01	210.98	18.36		106.82	274.18
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:37:30			210.97	18.36	106.82	33.28	-0.01	210.98	18.36		106.82	274.18
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:37:32			210.97	18.36	106.82	33.28	-0.01	210.98	18.36		106.82	274.18
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:37:34			210.98	18.36	106.82	33.28	-0.01	210.98	18.35		106.81	274.19
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:37:36			210.97	18.36	106.82	33.28	-0.01	210.98	18.36		106.82	274.18
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:37:38			210.98	18.36	106.82	33.28	-0.01	210.98	18.35		106.81	274.19
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:37:40			210.98	18.36	106.82	33.28	-0.01	210.98	18.35		106.81	274.19
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:37:42			210.98	18.36	106.82	33.28	-0.01	210.98	18.35		106.81	274.19
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:37:44			210.98	18.35	106.81	33.28	-0.01	210.99	18.35		106.81	274.19
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:37:46			210.98	18.36	106.82	33.28	-0.01	210.98	18.35		106.81	274.19
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:37:48			210.98	18.36	106.82	33.28	-0.01	210.98	18.35		106.81	274.19
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:37:50			210.99	18.35	106.81	33.28	-0.01	210.99	18.34		106.80	274.20
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:37:52			210.99	18.35	106.81	33.28	-0.01	210.99	18.34		106.80	274.20
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:37:54			210.99	18.35	106.81	33.28	-0.01	210.99	18.34		106.80	274.20
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:37:56			210.99	18.35	106.81	33.28	-0.01	210.99	18.34		106.80	274.20
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:37:58			210.99	18.35	106.81	33.28	-0.01	210.99	18.34		106.80	274.20
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:38:00			210.99	18.35	106.81	33.28	-0.01	210.99	18.34		106.80	274.20
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:38:02			210.99	18.34	106.80	33.28	-0.01	211.00	18.33		106.79	274.21
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:38:04			211.00	18.34	106.80	33.28	-0.01	211.00	18.33		106.79	274.21
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:38:06			210.99	18.34	106.80	33.28	-0.01	211.00	18.33		106.79	274.21
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:38:08			210.99	18.34	106.80	33.28	-0.01	211.00	18.33		106.79	274.21
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:38:10			210.99	18.34	106.80	33.28	-0.01	211.00	18.33		106.79	274.21
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:38:12			211.00	18.33	106.79	33.28	-0.01	211.01	18.33		106.79	274.21
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:38:14			211.00	18.34	106.80	33.28	-0.01	211.00	18.33		106.79	274.21
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:38:16			211.00	18.34	106.80	33.28	-0.01	211.00	18.33		106.79	274.21
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:38:18			211.00	18.34	106.80	33.28	-0.01	211.00	18.33		106.79	274.21
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:38:20			211.01	18.33	106.79	33.28	-0.01	211.01	18.32		106.78	274.22
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:38:22			211.01	18.33	106.79	33.28	-0.01	211.01	18.32		106.78	274.22
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:38:24			211.01	18.33	106.79	33.28	-0.01	211.01	18.32		106.78	274.22
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:38:26			211.01	18.33	106.79	33.28	-0.01	211.01	18.32		106.78	274.22
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:38:28			211.01	18.33	106.79	33.28	-0.01	211.01	18.32		106.78	274.22
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:38:30			211.01	18.32	106.78	33.28	-0.01	211.02	18.32		106.78	274.22
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:38:32			211.01	18.32	106.78	33.28	-0.01	211.02	18.32		106.78	274.22
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:38:34			211.01	18.32	106.78	33.28	-0.01	211.02	18.32		106.78	274.22
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:38:36			211.01	18.32	106.78	33.28	-0.01	211.02	18.32		106.78	274.22
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:38:38			211.01	18.33	106.79	33.28	-0.01	211.01	18.32		106.78	274.22
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:38:40			211.02	18.32	106.78	33.28	-0.01	211.02	18.31		106.77	274.23
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:38:42			211.01	18.32	106.78	33.28	-0.01	211.02	18.32		106.78	274.22
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:38:44			211.02	18.32	106.78	33.28	-0.01	211.02	18.31		106.77	274.23
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:38:46			211.02	18.32	106.78	33.28	-0.01	211.02	18.31		106.77	274.23
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:38:48			211.02	18.32	106.78	33.28	-0.01	211.02	18.31		106.77	274.23
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:38:50			211.02	18.32	106.78	33.28	-0.01	211.02	18.31		106.77	274.23
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:38:52			211.02	18.32	106.78	33.28	-0.01	211.02	18.31		106.77	274.23
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:38:54			211.03	18.31	106.77	33.28	-0.01	211.03	18.30		106.76	274.24
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:38:56			211.03	18.31	106.77	33.28	-0.01	211.03	18.30		106.76	274.24
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:38:58			211.03	18.31	106.77	33.28	-0.01	211.03	18.30		106.76	274.24
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:39:00			211.03	18.31	106.77	33.28	-0.01	211.03	18.30		106.76	274.24
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:39:02			211.03	18.31	106.77	33.28	-0.01	211.03	18.30		106.76	274.24
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:39:04			211.04	18.30	106.76	33.28	-0.01	211.04	18.29		106.75	274.25
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:39:06			211.04	18.30	106.76	33.28	-0.01	211.04	18.29		106.75	274.25
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:39:08			211.03	18.30	106.76	33.28	-0.01	211.04	18.30		106.76	274.24
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:39:10			211.04	18.30	106.76	33.28	-0.01	211.04	18.29		106.75	274.25
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 15:45:00			211.21	18.12	106.58	33.28	-0.01	211.22	18.12		106.58	274.42
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 16:00:00			211.60	17.73	106.19	33.28	-0.02	211.61	17.72		106.18	274.82
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 16:15:00			211.88	17.45	105.91	33.27	-0.02	211.89	17.44		105.90	275.10
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 16:30:00			212.11	17.22	105.68	33.27	-0.03	212.12	17.21		105.67	275.33
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 16:45:00			212.30	17.03	105.49	33.26	-0.03	212.32	17.02		105.48	275.52
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 17:00:00			212.45	16.89	105.35	33.26	-0.03	212.47	16.87		105.33	275.67
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 17:15:00			212.59	16.75	105.21	33.26	-0.04	212.60	16.73		105.19	275.81
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 17:30:00			212.70	16.63	105.09	33.25	-0.04	212.72	16.61		105.07	275.93
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 17:45:00			212.80	16.54	105.00	33.26	-0.04	212.82	16.51		104.97	276.03
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 18:00:00			212.89	16.44	104.90	33.26	-0.04	212.91	16.42		104.88	276.12
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 18:15:00			212.98	16.36	104.82	33.26	-0.03	212.99	16.34		104.80	276.20
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 18:30:00			213.05	16.28	104.74	33.26	-0.03	213.07	16.27		104.73	276.27
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 18:45:00			213.12	16.21	104.67	33.27	-0.03	213.13	16.20		104.66	276.34
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 19:00:00			213.19	16.14	104.60	33.27	-0.02	213.20	16.13		104.59	276.41
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 19:15:00			213.25	16.08	104.54	33.27	-0.02	213.26	16.07		104.53	276.47
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 19:30:00			213.32	16.02	104.48	33.28	-0.02	213.33	16.01		104.47	276.53
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 19:45:00			213.37	15.96	104.42	33.28	-0.01	213.38	15.95		104.41	276.59
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 20:00:00			213.43	15.91	104.37	33.28	-0.01	213.43	15.90		104.36	276.64
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 20:15:00			213.48	15.86	104.32	33.29	-0.01	213.48	15.85		104.31	276.69
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 20:30:00			213.52	15.81	104.27	33.29	0.00	213.53	15.81		104.27	276.73
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 20:45:00			213.57	15.76	104.22	33.29	0.00	213.57	15.76		104.22	276.78
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 21:00:00			213.61	15.73	104.19	33.30	0.00	213.61	15.72		104.18	276.82
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 21:15:00			213.65	15.69	104.15	33.30	0.00	213.65	15.69		104.15	276.85
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 21:30:00			213.69	15.64	104.10	33.30	0.01	213.69	15.65		104.11	276.89
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 21:45:00			213.72	15.61	104.07	33.30	0.01	213.72	15.61		104.07	276.93
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 22:00:00			213.75	15.58	104.04	33.30	0.01	213.75	15.58		104.04	276.96

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 22:15:00			213.78	15.55	104.01	33.30	0.01	213.78	15.55		104.01	276.99
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 22:30:00			213.81	15.53	103.99	33.30	0.00	213.81	15.53		103.99	277.01
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 22:45:00			213.84	15.49	103.95	33.30	0.00	213.84	15.49		103.95	277.05
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 23:00:00			213.87	15.47	103.93	33.30	0.00	213.86	15.47		103.93	277.07
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 23:15:00			213.89	15.45	103.91	33.30	0.00	213.89	15.45		103.91	277.10
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 23:30:00			213.91	15.42	103.88	33.30	0.00	213.91	15.42		103.88	277.12
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/27/2010 23:45:00			213.94	15.39	103.85	33.29	0.00	213.94	15.39		103.85	277.15
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 0:00:00			213.96	15.38	103.84	33.29	0.00	213.96	15.37		103.83	277.17
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 0:15:00			213.99	15.35	103.81	33.29	0.00	213.99	15.35		103.81	277.19
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 0:30:00			214.00	15.34	103.80	33.29	0.00	214.00	15.33		103.79	277.21
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 0:45:00			214.02	15.32	103.78	33.29	0.00	214.02	15.32		103.78	277.22
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 1:00:00			214.03	15.30	103.76	33.29	0.00	214.03	15.30		103.76	277.24
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 1:15:00			214.06	15.28	103.74	33.29	0.00	214.06	15.28		103.74	277.26
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 1:30:00			214.08	15.26	103.72	33.29	-0.01	214.08	15.25		103.71	277.29
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 1:45:00			214.10	15.24	103.70	33.29	0.00	214.10	15.23		103.69	277.31
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 2:00:00			214.12	15.22	103.68	33.29	0.00	214.12	15.21		103.67	277.33
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 2:15:00			214.14	15.20	103.66	33.29	0.00	214.14	15.20		103.66	277.34
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 2:30:00			214.15	15.18	103.64	33.29	0.00	214.15	15.18		103.64	277.36
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 2:45:00			214.17	15.17	103.63	33.29	0.00	214.17	15.17		103.63	277.37
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 3:00:00			214.18	15.15	103.61	33.29	0.00	214.18	15.15		103.61	277.39
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 3:15:00			214.20	15.14	103.60	33.29	0.00	214.20	15.13		103.59	277.41
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 3:30:00			214.21	15.12	103.58	33.29	0.00	214.21	15.12		103.58	277.42
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 3:45:00			214.22	15.11	103.57	33.30	0.00	214.22	15.11		103.57	277.43
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 4:00:00			214.25	15.09	103.55	33.30	0.00	214.24	15.09		103.55	277.45
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 4:15:00			214.26	15.07	103.53	33.30	0.00	214.26	15.07		103.53	277.47
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 4:30:00			214.29	15.05	103.51	33.30	0.00	214.29	15.05		103.51	277.49
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 4:45:00			214.29	15.04	103.50	33.30	0.00	214.29	15.04		103.50	277.50
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 5:00:00			214.31	15.03	103.49	33.30	0.00	214.30	15.03		103.49	277.51
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 5:15:00			214.33	15.00	103.46	33.30	0.01	214.33	15.00		103.46	277.54
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 5:30:00			214.35	14.99	103.45	33.30	0.01	214.35	14.99		103.45	277.55
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 5:45:00			214.36	14.98	103.44	33.30	0.01	214.35	14.98		103.44	277.56
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 6:00:00			214.38	14.96	103.42	33.31	0.01	214.37	14.96		103.42	277.58
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 6:15:00			214.40	14.94	103.40	33.31	0.02	214.39	14.95		103.41	277.60
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 6:30:00			214.41	14.92	103.38	33.31	0.02	214.40	14.93		103.39	277.61
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 6:45:00			214.43	14.91	103.37	33.32	0.02	214.42	14.92		103.38	277.62
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 7:00:00			214.45	14.89	103.35	33.32	0.03	214.44	14.90		103.36	277.64
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 7:15:00			214.47	14.87	103.33	33.32	0.03	214.45	14.88		103.34	277.66
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 7:30:00			214.48	14.85	103.31	33.33	0.03	214.47	14.87		103.33	277.67
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 7:45:00			214.50	14.84	103.30	33.33	0.04	214.48	14.85		103.31	277.69
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 8:00:00			214.51	14.83	103.29	33.33	0.04	214.49	14.85		103.31	277.69
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 8:15:00			214.51	14.82	103.28	33.34	0.04	214.49	14.84		103.30	277.70
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 8:30:00			214.52	14.81	103.27	33.34	0.05	214.50	14.84		103.30	277.70
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 8:45:00			214.54	14.80	103.26	33.34	0.05	214.51	14.82		103.28	277.72
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 9:00:00			214.56	14.78	103.24	33.35	0.05	214.53	14.80		103.26	277.74
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 9:15:00			214.57	14.77	103.23	33.35	0.06	214.54	14.79		103.25	277.75
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 9:30:00			214.59	14.75	103.21	33.36	0.06	214.56	14.78		103.24	277.76
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 9:45:00			214.59	14.74	103.20	33.36	0.06	214.56	14.77		103.23	277.77
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 10:00:00			214.61	14.73	103.19	33.36	0.06	214.58	14.76		103.22	277.78
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 10:15:00			214.62	14.72	103.18	33.36	0.06	214.58	14.75		103.21	277.79
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 10:30:00			214.63	14.70	103.16	33.36	0.07	214.60	14.73		103.19	277.81
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 10:45:00			214.64	14.70	103.16	33.36	0.07	214.61	14.73		103.19	277.81
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 11:00:00			214.65	14.69	103.15	33.36	0.07	214.61	14.72		103.18	277.82
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 11:15:00			214.66	14.67	103.13	33.36	0.07	214.63	14.70		103.16	277.84
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 11:30:00			214.68	14.66	103.12	33.36	0.07	214.64	14.69		103.15	277.85
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 11:45:00			214.70	14.64	103.10	33.37	0.07	214.66	14.67		103.13	277.87
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 12:00:00			214.70	14.63	103.09	33.37	0.07	214.67	14.67		103.13	277.87
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 12:15:00			214.71	14.63	103.09	33.37	0.07	214.67	14.66		103.12	277.88
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 12:30:00			214.73	14.61	103.07	33.37	0.08	214.69	14.64		103.10	277.90
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 12:45:00			214.73	14.61	103.07	33.37	0.08	214.69	14.65		103.11	277.89
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 13:00:00			214.73	14.60	103.06	33.37	0.08	214.70	14.64		103.10	277.90
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 13:15:00			214.74	14.60	103.06	33.37	0.08	214.70	14.64		103.10	277.90
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 13:30:00			214.74	14.60	103.06	33.37	0.08	214.70	14.64		103.10	277.90
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 13:45:00			214.74	14.59	103.05	33.38	0.08	214.70	14.63		103.09	277.91
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 14:00:00			214.75	14.59	103.05	33.38	0.08	214.71	14.63		103.09	277.91
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 14:15:00			214.76	14.58	103.04	33.38	0.08	214.72	14.61		103.07	277.93
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 14:30:00			214.77	14.57	103.03	33.38	0.09	214.72	14.61		103.07	277.93
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 14:45:00			214.78	14.56	103.02	33.38	0.09	214.73	14.60		103.06	277.94
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 15:00:00			214.78	14.56	103.02	33.38	0.09	214.73	14.60		103.06	277.94
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 15:15:00			214.78	14.55	103.01	33.38	0.09	214.74	14.59		103.05	277.95
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 15:30:00			214.79	14.54	103.00	33.38	0.09	214.75	14.59		103.05	277.95
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 15:45:00			214.80	14.54	103.00	33.39	0.09	214.75	14.58		103.04	277.96
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 16:00:00			214.80	14.53	102.99	33.39	0.09	214.76	14.58		103.04	277.96
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 16:15:00			214.82	14.51	102.97	33.39	0.09	214.77	14.56		103.02	277.98
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 16:30:00			214.83	14.51	102.97	33.39	0.10	214.78	14.55		103.01	277.99
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 16:45:00			214.84	14.50	102.96	33.39	0.10	214.79	14.54		103.00	278.00
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 17:00:00			214.85	14.49	102.95	33.39	0.10	214.80	14.54		103.00	278.00
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 17:15:00			214.86	14.47	102.93	33.39	0.10	214.81	14.52		102.98	278.02
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 17:30:00			214.87	14.47	102.93	33.40	0.10	214.82	14.51		102.97	278.03
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 17:45:00			214.88	14.46	102.92	33.40	0.10	214.83	14.51		102.97	278.03
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 18:00:00			214.89	14.45	102.91	33.40	0.10	214.83	14.50		102.96	278.04
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 18:15:00			214.89	14.44	102.90	33.40	0.11	214.84	14.49		102.95	278.05
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 18:30:00			214.90	14.44	102.90	33.40	0.11	214.85	14.49		102.95	278.05
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 18:45:00			214.91	14.43	102.89	33.40	0.11	214.85	14.48		102.94	278.06
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 19:00:00			214.91	14.43	102.89	33.41	0.11	214.85	14.48		102.94	278.06
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 19:15:00			214.91	14.43	102.89	33.41	0.11	214.85	14.48		102.94	278.06
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 19:30:00			214.92	14.42	102.88	33.41	0.11	214.86	14.47		102.93	278.07
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 19:45:00			214.91	14.43	102.89	33.41	0.12	214.85	14.48		102.94	278.06
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 20:00:00			214.92	14.41	102.87	33.41	0.12	214.87	14.47		102.93	278.07
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 20:15:00			214.93	14.40	102.86	33.41	0.12	214.87	14.46		102.92	278.08
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 20:30:00			214.93	14.40	102.86	33.42	0.12	214.87	14.46		102.92	278.08
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 20:45:00			214.94	14.40	102.86	33.42	0.12	214.88	14.46		102.92	278.08
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 21:00:00			214.95	14.39	102.85	33.42	0.12	214.88	14.45		102.91	278.09
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 21:15:00			214.96	14.38	102.84	33.42	0.13	214.89	14.44		102.90	278.10
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 21:30:00			214.96	14.37	102.83	33.42	0.13	214.90	14.43		102.89	278.11
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 21:45:00			214.97	14.37	102.83	33.42	0.13	214.91	14.43		102.89	278.11
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 22:00:00			214.98	14.36	102.82	33.42	0.13	214.91	14.42		102.88	278.12
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 22:15:00			214.99	14.35	102.81	33.42	0.13	214.92	14.41		102.87	278.13

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 22:30:00			214.99	14.35	102.81	33.42	0.13	214.92	14.41		102.87	278.13
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 22:45:00			215.00	14.34	102.80	33.42	0.13	214.93	14.40		102.86	278.14
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 23:00:00			215.00	14.34	102.80	33.43	0.13	214.93	14.40		102.86	278.14
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 23:15:00			215.00	14.34	102.80	33.43	0.13	214.93	14.40		102.86	278.14
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 23:30:00			215.00	14.33	102.79	33.43	0.13	214.94	14.40		102.86	278.14
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/28/2010 23:45:00			215.00	14.33	102.79	33.43	0.13	214.94	14.40		102.86	278.14
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 0:00:00			215.01	14.33	102.79	33.43	0.13	214.94	14.39		102.85	278.15
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 0:15:00			215.00	14.33	102.79	33.43	0.13	214.94	14.40		102.86	278.14
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 0:30:00			215.00	14.33	102.79	33.43	0.13	214.93	14.40		102.86	278.14
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 0:45:00			215.00	14.33	102.79	33.43	0.14	214.94	14.40		102.86	278.14
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 1:00:00			215.01	14.33	102.79	33.43	0.14	214.94	14.39		102.85	278.15
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 1:15:00			215.01	14.32	102.78	33.43	0.14	214.94	14.39		102.85	278.15
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 1:30:00			215.01	14.32	102.78	33.43	0.14	214.94	14.39		102.85	278.15
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 1:45:00			215.01	14.32	102.78	33.43	0.14	214.94	14.39		102.85	278.15
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 2:00:00			215.02	14.32	102.78	33.43	0.14	214.95	14.39		102.85	278.15
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 2:15:00			215.02	14.32	102.78	33.44	0.14	214.95	14.38		102.84	278.16
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 2:30:00			215.03	14.31	102.77	33.44	0.14	214.96	14.38		102.84	278.16
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 2:45:00			215.03	14.31	102.77	33.44	0.15	214.96	14.38		102.84	278.16
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 3:00:00			215.03	14.31	102.77	33.44	0.15	214.95	14.38		102.84	278.16
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 3:15:00			215.04	14.30	102.76	33.44	0.15	214.96	14.37		102.83	278.17
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 3:30:00			215.04	14.30	102.76	33.45	0.15	214.96	14.37		102.83	278.17
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 3:45:00			215.04	14.29	102.75	33.45	0.15	214.97	14.37		102.83	278.17
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 4:00:00			215.04	14.29	102.75	33.45	0.15	214.97	14.37		102.83	278.17
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 4:15:00			215.04	14.29	102.75	33.45	0.16	214.96	14.37		102.83	278.17
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 4:30:00			215.04	14.29	102.75	33.45	0.16	214.96	14.37		102.83	278.17
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 4:45:00			215.04	14.29	102.75	33.45	0.16	214.96	14.37		102.83	278.17
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 5:00:00			215.04	14.29	102.75	33.46	0.16	214.96	14.37		102.83	278.17
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 5:15:00			215.05	14.28	102.74	33.46	0.16	214.97	14.36		102.82	278.18
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 5:30:00			215.06	14.28	102.74	33.46	0.16	214.98	14.36		102.82	278.18
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 5:45:00			215.06	14.28	102.74	33.46	0.17	214.98	14.36		102.82	278.18
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 6:00:00			215.06	14.28	102.74	33.46	0.17	214.98	14.36		102.82	278.18
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 6:15:00			215.06	14.28	102.74	33.46	0.17	214.97	14.36		102.82	278.18
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 6:30:00			215.06	14.28	102.74	33.46	0.17	214.97	14.36		102.82	278.18
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 6:45:00			215.08	14.26	102.72	33.46	0.17	214.99	14.34		102.80	278.20
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 7:00:00			215.08	14.26	102.72	33.47	0.17	214.99	14.34		102.80	278.20
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 7:15:00			215.08	14.26	102.72	33.47	0.17	214.99	14.34		102.80	278.20
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 7:30:00			215.08	14.25	102.71	33.47	0.17	214.99	14.34		102.80	278.20
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 7:45:00			215.09	14.25	102.71	33.47	0.18	215.00	14.33		102.79	278.21
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 8:00:00			215.09	14.25	102.71	33.47	0.18	215.00	14.33		102.79	278.21
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 8:15:00			215.09	14.25	102.71	33.47	0.18	215.00	14.33		102.79	278.21
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 8:30:00			215.11	14.23	102.69	33.47	0.18	215.02	14.32		102.78	278.22
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 8:45:00			215.11	14.23	102.69	33.47	0.18	215.02	14.32		102.78	278.22
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 9:00:00			215.11	14.23	102.69	33.48	0.18	215.02	14.32		102.78	278.22
SW Well 1A	RATE CALIBRATIONS; RECOVERY	9/29/2010 9:15:00			215.11	14.22	102.68	33.48	0.18	215.02	14.31		102.77	278.23
SW Well 1A	BASELINE MONITORING	9/29/2010 9:30:00			215.12		102.67	33.48	0.18	215.03			102.76	278.24
SW Well 1A	BASELINE MONITORING	9/29/2010 9:45:00			215.12		102.67	33.47	0.18	215.03			102.76	278.24
SW Well 1A	BASELINE MONITORING	9/29/2010 10:00:00			215.12		102.67	33.47	0.17	215.03			102.76	278.24
SW Well 1A	BASELINE MONITORING	9/29/2010 10:15:00			215.12		102.67	33.46	0.17	215.04			102.76	278.24
SW Well 1A	BASELINE MONITORING	9/29/2010 10:30:00			215.12		102.67	33.46	0.17	215.04			102.75	278.25
SW Well 1A	BASELINE MONITORING	9/29/2010 10:45:00			215.12		102.67	33.46	0.16	215.04			102.75	278.25
SW Well 1A	BASELINE MONITORING	9/29/2010 11:00:00			215.13		102.67	33.45	0.16	215.05			102.74	278.26
SW Well 1A	BASELINE MONITORING	9/29/2010 11:15:00			215.12		102.67	33.45	0.15	215.04			102.75	278.25
SW Well 1A	BASELINE MONITORING	9/29/2010 11:30:00			215.13		102.67	33.44	0.15	215.06			102.74	278.26
SW Well 1A	BASELINE MONITORING	9/29/2010 11:45:00			215.12		102.67	33.44	0.14	215.05			102.74	278.26
SW Well 1A	BASELINE MONITORING	9/29/2010 12:00:00			215.13		102.67	33.43	0.14	215.06			102.73	278.27
SW Well 1A	BASELINE MONITORING	9/29/2010 12:15:00			215.12		102.67	33.43	0.13	215.05			102.74	278.26
SW Well 1A	BASELINE MONITORING	9/29/2010 12:30:00			215.12		102.67	33.42	0.13	215.06			102.74	278.26
SW Well 1A	BASELINE MONITORING	9/29/2010 12:45:00			215.12		102.67	33.42	0.13	215.06			102.73	278.27
SW Well 1A	BASELINE MONITORING	9/29/2010 13:00:00			215.12		102.67	33.42	0.12	215.06			102.73	278.27
SW Well 1A	BASELINE MONITORING	9/29/2010 13:15:00			215.11		102.68	33.41	0.12	215.06			102.74	278.26
SW Well 1A	BASELINE MONITORING	9/29/2010 13:30:00			215.12		102.67	33.41	0.11	215.07			102.73	278.27
SW Well 1A	BASELINE MONITORING	9/29/2010 13:45:00			215.11		102.68	33.40	0.10	215.06			102.73	278.27
SW Well 1A	BASELINE MONITORING	9/29/2010 14:00:00			215.11		102.68	33.39	0.10	215.07			102.73	278.27
SW Well 1A	BASELINE MONITORING	9/29/2010 14:15:00			215.11		102.68	33.38	0.09	215.07			102.72	278.28
SW Well 1A	BASELINE MONITORING	9/29/2010 14:30:00			215.11		102.69	33.38	0.08	215.06			102.73	278.27
SW Well 1A	BASELINE MONITORING	9/29/2010 14:45:00			215.10		102.70	33.37	0.07	215.06			102.73	278.27
SW Well 1A	BASELINE MONITORING	9/29/2010 15:00:00			215.10		102.70	33.36	0.07	215.06			102.73	278.27
SW Well 1A	BASELINE MONITORING	9/29/2010 15:15:00			215.10		102.70	33.35	0.06	215.07			102.73	278.27
SW Well 1A	BASELINE MONITORING	9/29/2010 15:30:00			215.10		102.70	33.35	0.05	215.07			102.72	278.28
SW Well 1A	BASELINE MONITORING	9/29/2010 15:45:00			215.08		102.71	33.34	0.05	215.06			102.73	278.27
SW Well 1A	BASELINE MONITORING	9/29/2010 16:00:00			215.08		102.71	33.33	0.04	215.06			102.73	278.27
SW Well 1A	BASELINE MONITORING	9/29/2010 16:15:00			215.08		102.71	33.32	0.03	215.07			102.73	278.27
SW Well 1A	BASELINE MONITORING	9/29/2010 16:30:00			215.08		102.72	33.32	0.02	215.06			102.73	278.27
SW Well 1A	BASELINE MONITORING	9/29/2010 16:45:00			215.08		102.71	33.31	0.02	215.07			102.72	278.28
SW Well 1A	BASELINE MONITORING	9/29/2010 17:00:00			215.08		102.72	33.30	0.01	215.07			102.72	278.28
SW Well 1A	BASELINE MONITORING	9/29/2010 17:15:00			215.08		102.72	33.30	0.00	215.07			102.72	278.28
SW Well 1A	BASELINE MONITORING	9/29/2010 17:30:00			215.08		102.72	33.29	-0.01	215.08			102.71	278.29
SW Well 1A	BASELINE MONITORING	9/29/2010 17:45:00			215.08		102.72	33.29	-0.01	215.08			102.71	278.29
SW Well 1A	BASELINE MONITORING	9/29/2010 18:00:00			215.08		102.72	33.29	-0.01	215.08			102.71	278.29
SW Well 1A	BASELINE MONITORING	9/29/2010 18:15:00			215.08		102.72	33.29	-0.01	215.08			102.71	278.29
SW Well 1A	BASELINE MONITORING	9/29/2010 18:30:00			215.08		102.72	33.29	-0.01	215.08			102.71	278.29
SW Well 1A	BASELINE MONITORING	9/29/2010 18:45:00			215.08		102.72	33.29	-0.01	215.08			102.72	278.29
SW Well 1A	BASELINE MONITORING	9/29/2010 19:00:00			215.08		102.72	33.29	-0.01	215.08			102.72	278.28
SW Well 1A	BASELINE MONITORING	9/29/2010 19:15:00			215.08		102.71	33.29	-0.01	215.08			102.71	278.29
SW Well 1A	BASELINE MONITORING	9/29/2010 19:30:00			215.08		102.71	33.29	-0.01	215.08			102.71	278.29
SW Well 1A	BASELINE MONITORING	9/29/2010 19:45:00			215.09		102.71	33.29	-0.01	215.09			102.70	278.30
SW Well 1A	BASELINE MONITORING	9/29/2010 20:00:00			215.09		102.71	33.29	-0.01	215.09			102.70	278.30
SW Well 1A	BASELINE MONITORING	9/29/2010 20:15:00			215.09		102.71	33.29	-0.01	215.09			102.70	278.30
SW Well 1A	BASELINE MONITORING	9/29/2010 20:30:00			215.09		102.71	33.29	-0.01	215.09			102.70	278.30
SW Well 1A	BASELINE MONITORING	9/29/2010 20:45:00			215.10		102.70	33.29	-0.01	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	9/29/2010 21:00:00			215.10		102.70	33.29	-0.01	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	9/29/2010 21:15:00			215.10		102.70	33.29	-0.01	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	9/29/2010 21:30:00			215.10		102.70	33.29	-0.01	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	9/29/2010 21:45:00			215.10		102.70	33.29	-0.01	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	9/29/2010 22:00:00			215.10		102.70	33.29	-0.01	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	9/29/2010 22:15:00			215.11		102.69	33.29	-0.01	215.11			102.68	278.32
SW Well 1A	BASELINE MONITORING	9/29/2010 22:30:00			215.11		102.69	33.29	-0.01	215.11			102.68	278.32

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	BASELINE MONITORING	9/29/2010 22:45:00			215.10		102.70	33.29	-0.01	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	9/29/2010 23:00:00			215.10		102.70	33.29	-0.01	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	9/29/2010 23:15:00			215.09		102.71	33.29	-0.01	215.09			102.70	278.30
SW Well 1A	BASELINE MONITORING	9/29/2010 23:30:00			215.10		102.70	33.29	-0.01	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	9/29/2010 23:45:00			215.10		102.70	33.29	-0.01	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	9/30/2010 0:00:00			215.10		102.70	33.29	-0.01	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	9/30/2010 0:15:00			215.10		102.70	33.29	-0.01	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	9/30/2010 0:30:00			215.09		102.71	33.29	-0.01	215.09			102.70	278.30
SW Well 1A	BASELINE MONITORING	9/30/2010 0:45:00			215.08		102.71	33.29	-0.01	215.09			102.71	278.29
SW Well 1A	BASELINE MONITORING	9/30/2010 1:00:00			215.08		102.71	33.29	-0.01	215.09			102.71	278.29
SW Well 1A	BASELINE MONITORING	9/30/2010 1:15:00			215.08		102.71	33.29	-0.01	215.09			102.71	278.29
SW Well 1A	BASELINE MONITORING	9/30/2010 1:30:00			215.08		102.71	33.29	-0.01	215.09			102.71	278.29
SW Well 1A	BASELINE MONITORING	9/30/2010 1:45:00			215.08		102.72	33.28	-0.01	215.08			102.71	278.29
SW Well 1A	BASELINE MONITORING	9/30/2010 2:00:00			215.08		102.72	33.28	-0.02	215.08			102.71	278.29
SW Well 1A	BASELINE MONITORING	9/30/2010 2:15:00			215.08		102.72	33.28	-0.02	215.08			102.71	278.29
SW Well 1A	BASELINE MONITORING	9/30/2010 2:30:00			215.08		102.72	33.27	-0.02	215.09			102.71	278.29
SW Well 1A	BASELINE MONITORING	9/30/2010 2:45:00			215.08		102.72	33.27	-0.02	215.09			102.71	278.29
SW Well 1A	BASELINE MONITORING	9/30/2010 3:00:00			215.07		102.73	33.27	-0.03	215.08			102.71	278.29
SW Well 1A	BASELINE MONITORING	9/30/2010 3:15:00			215.07		102.73	33.26	-0.03	215.08			102.71	278.29
SW Well 1A	BASELINE MONITORING	9/30/2010 3:30:00			215.07		102.73	33.26	-0.03	215.08			102.71	278.29
SW Well 1A	BASELINE MONITORING	9/30/2010 3:45:00			215.06		102.74	33.26	-0.04	215.08			102.72	278.28
SW Well 1A	BASELINE MONITORING	9/30/2010 4:00:00			215.06		102.74	33.25	-0.04	215.08			102.71	278.29
SW Well 1A	BASELINE MONITORING	9/30/2010 4:15:00			215.06		102.74	33.25	-0.04	215.08			102.71	278.29
SW Well 1A	BASELINE MONITORING	9/30/2010 4:30:00			215.05		102.74	33.25	-0.05	215.07			102.72	278.28
SW Well 1A	BASELINE MONITORING	9/30/2010 4:45:00			215.05		102.74	33.25	-0.05	215.08			102.71	278.29
SW Well 1A	BASELINE MONITORING	9/30/2010 5:00:00			215.05		102.74	33.24	-0.05	215.08			102.72	278.28
SW Well 1A	BASELINE MONITORING	9/30/2010 5:15:00			215.04		102.75	33.24	-0.06	215.07			102.72	278.28
SW Well 1A	BASELINE MONITORING	9/30/2010 5:30:00			215.05		102.74	33.24	-0.06	215.08			102.71	278.29
SW Well 1A	BASELINE MONITORING	9/30/2010 5:45:00			215.04		102.75	33.24	-0.06	215.07			102.72	278.28
SW Well 1A	BASELINE MONITORING	9/30/2010 6:00:00			215.04		102.75	33.23	-0.06	215.07			102.72	278.28
SW Well 1A	BASELINE MONITORING	9/30/2010 6:15:00			215.04		102.75	33.23	-0.06	215.07			102.72	278.28
SW Well 1A	BASELINE MONITORING	9/30/2010 6:30:00			215.04		102.75	33.23	-0.06	215.07			102.72	278.28
SW Well 1A	BASELINE MONITORING	9/30/2010 6:45:00			215.05		102.74	33.23	-0.06	215.08			102.71	278.29
SW Well 1A	BASELINE MONITORING	9/30/2010 7:00:00			215.04		102.75	33.23	-0.06	215.07			102.72	278.28
SW Well 1A	BASELINE MONITORING	9/30/2010 7:15:00			215.05		102.74	33.23	-0.06	215.08			102.71	278.29
SW Well 1A	BASELINE MONITORING	9/30/2010 7:30:00			215.05		102.74	33.23	-0.06	215.08			102.71	278.29
SW Well 1A	BASELINE MONITORING	9/30/2010 7:45:00			215.05		102.74	33.23	-0.06	215.08			102.71	278.29
SW Well 1A	BASELINE MONITORING	9/30/2010 8:00:00			215.05		102.75	33.23	-0.06	215.08			102.71	278.29
SW Well 1A	BASELINE MONITORING	9/30/2010 8:15:00			215.06		102.74	33.23	-0.07	215.09			102.70	278.30
SW Well 1A	BASELINE MONITORING	9/30/2010 8:30:00			215.06		102.74	33.23	-0.07	215.09			102.70	278.30
SW Well 1A	BASELINE MONITORING	9/30/2010 8:45:00			215.06		102.74	33.23	-0.07	215.09			102.70	278.30
SW Well 1A	BASELINE MONITORING	9/30/2010 9:00:00			215.06		102.74	33.23	-0.07	215.09			102.70	278.30
SW Well 1A	BASELINE MONITORING	9/30/2010 9:15:00			215.07		102.73	33.23	-0.07	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	9/30/2010 9:30:00			215.06		102.74	33.23	-0.07	215.09			102.70	278.30
SW Well 1A	BASELINE MONITORING	9/30/2010 9:45:00			215.07		102.73	33.22	-0.07	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	9/30/2010 10:00:00			215.06		102.74	33.22	-0.08	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	9/30/2010 10:15:00			215.07		102.73	33.21	-0.08	215.11			102.68	278.32
SW Well 1A	BASELINE MONITORING	9/30/2010 10:30:00			215.07		102.73	33.21	-0.09	215.11			102.68	278.32
SW Well 1A	BASELINE MONITORING	9/30/2010 10:45:00			215.06		102.74	33.20	-0.09	215.11			102.69	278.31
SW Well 1A	BASELINE MONITORING	9/30/2010 11:00:00			215.06		102.74	33.20	-0.10	215.11			102.68	278.32
SW Well 1A	BASELINE MONITORING	9/30/2010 11:15:00			215.06		102.74	33.19	-0.10	215.11			102.68	278.32
SW Well 1A	BASELINE MONITORING	9/30/2010 11:30:00			215.07		102.73	33.19	-0.11	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	9/30/2010 11:45:00			215.06		102.74	33.18	-0.11	215.12			102.68	278.32
SW Well 1A	BASELINE MONITORING	9/30/2010 12:00:00			215.06		102.74	33.17	-0.12	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	9/30/2010 12:15:00			215.05		102.74	33.17	-0.12	215.11			102.68	278.32
SW Well 1A	BASELINE MONITORING	9/30/2010 12:30:00			215.04		102.75	33.16	-0.13	215.11			102.69	278.31
SW Well 1A	BASELINE MONITORING	9/30/2010 12:45:00			215.04		102.75	33.16	-0.13	215.11			102.68	278.32
SW Well 1A	BASELINE MONITORING	9/30/2010 13:00:00			215.04		102.75	33.15	-0.14	215.11			102.68	278.32
SW Well 1A	BASELINE MONITORING	9/30/2010 13:15:00			215.04		102.76	33.15	-0.15	215.11			102.68	278.32
SW Well 1A	BASELINE MONITORING	9/30/2010 13:30:00			215.03		102.77	33.14	-0.15	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	9/30/2010 13:45:00			215.02		102.78	33.14	-0.16	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	9/30/2010 14:00:00			215.02		102.78	33.13	-0.16	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	9/30/2010 14:15:00			215.01		102.78	33.13	-0.17	215.10			102.70	278.30
SW Well 1A	BASELINE MONITORING	9/30/2010 14:30:00			215.00		102.79	33.12	-0.17	215.09			102.70	278.30
SW Well 1A	BASELINE MONITORING	9/30/2010 14:45:00			215.00		102.79	33.11	-0.18	215.09			102.70	278.30
SW Well 1A	BASELINE MONITORING	9/30/2010 15:00:00			215.00		102.80	33.11	-0.19	215.09			102.70	278.30
SW Well 1A	BASELINE MONITORING	9/30/2010 15:15:00			215.00		102.80	33.10	-0.19	215.09			102.70	278.30
SW Well 1A	BASELINE MONITORING	9/30/2010 15:30:00			215.00		102.80	33.10	-0.20	215.10			102.70	278.30
SW Well 1A	BASELINE MONITORING	9/30/2010 15:45:00			215.00		102.80	33.09	-0.20	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	9/30/2010 16:00:00			214.99		102.81	33.09	-0.21	215.09			102.70	278.30
SW Well 1A	BASELINE MONITORING	9/30/2010 16:15:00			214.99		102.81	33.08	-0.21	215.10			102.70	278.30
SW Well 1A	BASELINE MONITORING	9/30/2010 16:30:00			214.99		102.81	33.07	-0.22	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	9/30/2010 16:45:00			214.99		102.81	33.07	-0.23	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	9/30/2010 17:00:00			214.98		102.81	33.06	-0.23	215.10			102.70	278.30
SW Well 1A	BASELINE MONITORING	9/30/2010 17:15:00			214.99		102.81	33.06	-0.24	215.11			102.68	278.32
SW Well 1A	BASELINE MONITORING	9/30/2010 17:30:00			214.99		102.81	33.05	-0.24	215.11			102.68	278.32
SW Well 1A	BASELINE MONITORING	9/30/2010 17:45:00			214.98		102.81	33.05	-0.24	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	9/30/2010 18:00:00			214.98		102.81	33.05	-0.24	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	9/30/2010 18:15:00			214.99		102.81	33.06	-0.24	215.11			102.68	278.32
SW Well 1A	BASELINE MONITORING	9/30/2010 18:30:00			214.98		102.81	33.06	-0.24	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	9/30/2010 18:45:00			214.98		102.81	33.06	-0.24	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	9/30/2010 19:00:00			214.99		102.81	33.06	-0.23	215.11			102.69	278.31
SW Well 1A	BASELINE MONITORING	9/30/2010 19:15:00			214.99		102.81	33.06	-0.23	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	9/30/2010 19:30:00			215.00		102.80	33.06	-0.23	215.11			102.68	278.32
SW Well 1A	BASELINE MONITORING	9/30/2010 19:45:00			215.00		102.80	33.07	-0.23	215.11			102.68	278.32
SW Well 1A	BASELINE MONITORING	9/30/2010 20:00:00			215.00		102.79	33.07	-0.23	215.12			102.68	278.32
SW Well 1A	BASELINE MONITORING	9/30/2010 20:15:00			215.00		102.80	33.07	-0.22	215.11			102.68	278.32
SW Well 1A	BASELINE MONITORING	9/30/2010 20:30:00			215.00		102.79	33.07	-0.22	215.12			102.68	278.32
SW Well 1A	BASELINE MONITORING	9/30/2010 20:45:00			215.00		102.79	33.07	-0.22	215.11			102.68	278.32
SW Well 1A	BASELINE MONITORING	9/30/2010 21:00:00			215.00		102.79	33.07	-0.22	215.11			102.68	278.32
SW Well 1A	BASELINE MONITORING	9/30/2010 21:15:00			215.00		102.79	33.08	-0.22	215.11			102.68	278.32
SW Well 1A	BASELINE MONITORING	9/30/2010 21:30:00			215.01		102.78	33.08	-0.22	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	9/30/2010 21:45:00			215.00		102.79	33.08	-0.21	215.11			102.68	278.32
SW Well 1A	BASELINE MONITORING	9/30/2010 22:00:00			215.01		102.78	33.08	-0.21	215.12			102.68	278.32
SW Well 1A	BASELINE MONITORING	9/30/2010 22:15:00			215.02		102.78	33.09	-0.21	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	9/30/2010 22:30:00			215.02		102.78	33.09	-0.20	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	9/30/2010 22:45:00			215.02		102.78	33.09	-0.20	215.12			102.67	278.33

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	BASELINE MONITORING	9/30/2010 23:00:00			215.03		102.77	33.10	-0.20	215.13			102.67	278.33
SW Well 1A	BASELINE MONITORING	9/30/2010 23:15:00			215.02		102.78	33.10	-0.19	215.12			102.68	278.32
SW Well 1A	BASELINE MONITORING	9/30/2010 23:30:00			215.03		102.77	33.10	-0.19	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	9/30/2010 23:45:00			215.03		102.77	33.11	-0.19	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/1/2010 0:00:00			215.03		102.77	33.11	-0.18	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/1/2010 0:15:00			215.03		102.77	33.11	-0.18	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/1/2010 0:30:00			215.04		102.76	33.12	-0.18	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/1/2010 0:45:00			215.03		102.77	33.12	-0.17	215.12			102.68	278.32
SW Well 1A	BASELINE MONITORING	10/1/2010 1:00:00			215.04		102.76	33.12	-0.17	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/1/2010 1:15:00			215.03		102.77	33.13	-0.17	215.11			102.68	278.32
SW Well 1A	BASELINE MONITORING	10/1/2010 1:30:00			215.03		102.77	33.13	-0.17	215.11			102.68	278.32
SW Well 1A	BASELINE MONITORING	10/1/2010 1:45:00			215.03		102.77	33.13	-0.16	215.11			102.69	278.31
SW Well 1A	BASELINE MONITORING	10/1/2010 2:00:00			215.03		102.77	33.14	-0.15	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	10/1/2010 2:15:00			215.04		102.76	33.15	-0.15	215.11			102.68	278.32
SW Well 1A	BASELINE MONITORING	10/1/2010 2:30:00			215.04		102.76	33.15	-0.14	215.11			102.69	278.31
SW Well 1A	BASELINE MONITORING	10/1/2010 2:45:00			215.04		102.76	33.16	-0.14	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	10/1/2010 3:00:00			215.03		102.77	33.16	-0.13	215.09			102.70	278.30
SW Well 1A	BASELINE MONITORING	10/1/2010 3:15:00			215.04		102.76	33.17	-0.12	215.10			102.70	278.30
SW Well 1A	BASELINE MONITORING	10/1/2010 3:30:00			215.04		102.75	33.18	-0.12	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	10/1/2010 3:45:00			215.04		102.75	33.18	-0.11	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	10/1/2010 4:00:00			215.05		102.74	33.19	-0.11	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	10/1/2010 4:15:00			215.05		102.74	33.19	-0.10	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	10/1/2010 4:30:00			215.06		102.74	33.20	-0.09	215.11			102.69	278.31
SW Well 1A	BASELINE MONITORING	10/1/2010 4:45:00			215.06		102.74	33.21	-0.09	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	10/1/2010 5:00:00			215.06		102.74	33.21	-0.08	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	10/1/2010 5:15:00			215.06		102.74	33.22	-0.08	215.10			102.70	278.30
SW Well 1A	BASELINE MONITORING	10/1/2010 5:30:00			215.07		102.73	33.22	-0.07	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	10/1/2010 5:45:00			215.08		102.72	33.23	-0.06	215.11			102.69	278.31
SW Well 1A	BASELINE MONITORING	10/1/2010 6:00:00			215.08		102.72	33.24	-0.06	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	10/1/2010 6:15:00			215.08		102.71	33.25	-0.05	215.11			102.69	278.31
SW Well 1A	BASELINE MONITORING	10/1/2010 6:30:00			215.10		102.70	33.25	-0.04	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/1/2010 6:45:00			215.09		102.71	33.26	-0.03	215.11			102.69	278.31
SW Well 1A	BASELINE MONITORING	10/1/2010 7:00:00			215.09		102.71	33.27	-0.03	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	10/1/2010 7:15:00			215.11		102.69	33.28	-0.02	215.11			102.68	278.32
SW Well 1A	BASELINE MONITORING	10/1/2010 7:30:00			215.11		102.68	33.28	-0.01	215.12			102.68	278.32
SW Well 1A	BASELINE MONITORING	10/1/2010 7:45:00			215.11		102.68	33.29	0.00	215.12			102.68	278.32
SW Well 1A	BASELINE MONITORING	10/1/2010 8:00:00			215.11		102.68	33.30	0.00	215.11			102.68	278.32
SW Well 1A	BASELINE MONITORING	10/1/2010 8:15:00			215.12		102.67	33.31	0.01	215.11			102.68	278.32
SW Well 1A	BASELINE MONITORING	10/1/2010 8:30:00			215.13		102.67	33.31	0.02	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/1/2010 8:45:00			215.14		102.66	33.32	0.03	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/1/2010 9:00:00			215.14		102.66	33.33	0.03	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/1/2010 9:15:00			215.15		102.65	33.34	0.04	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/1/2010 9:30:00			215.15		102.65	33.34	0.05	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/1/2010 9:45:00			215.15		102.65	33.35	0.05	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/1/2010 10:00:00			215.17		102.63	33.35	0.06	215.14			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/1/2010 10:15:00			215.18		102.62	33.35	0.06	215.15			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/1/2010 10:30:00			215.17		102.62	33.36	0.06	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/1/2010 10:45:00			215.18		102.61	33.36	0.06	215.15			102.64	278.36
SW Well 1A	BASELINE MONITORING	10/1/2010 11:00:00			215.19		102.61	33.36	0.07	215.16			102.64	278.36
SW Well 1A	BASELINE MONITORING	10/1/2010 11:15:00			215.20		102.60	33.36	0.07	215.16			102.63	278.37
SW Well 1A	BASELINE MONITORING	10/1/2010 11:30:00			215.20		102.60	33.37	0.07	215.16			102.63	278.37
SW Well 1A	BASELINE MONITORING	10/1/2010 11:45:00			215.20		102.60	33.37	0.08	215.16			102.63	278.37
SW Well 1A	BASELINE MONITORING	10/1/2010 12:00:00			215.20		102.60	33.37	0.08	215.16			102.63	278.37
SW Well 1A	BASELINE MONITORING	10/1/2010 12:15:00			215.21		102.59	33.38	0.08	215.17			102.63	278.37
SW Well 1A	BASELINE MONITORING	10/1/2010 12:30:00			215.20		102.59	33.38	0.08	215.16			102.63	278.37
SW Well 1A	BASELINE MONITORING	10/1/2010 12:45:00			215.21		102.58	33.38	0.09	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/1/2010 13:00:00			215.22		102.58	33.38	0.09	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/1/2010 13:15:00			215.22		102.57	33.39	0.09	215.18			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/1/2010 13:30:00			215.22		102.58	33.39	0.10	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/1/2010 13:45:00			215.23		102.57	33.39	0.10	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/1/2010 14:00:00			215.23		102.57	33.39	0.09	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/1/2010 14:15:00			215.23		102.57	33.39	0.09	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/1/2010 14:30:00			215.23		102.57	33.39	0.09	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/1/2010 14:45:00			215.23		102.57	33.39	0.09	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/1/2010 15:00:00			215.23		102.57	33.39	0.09	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/1/2010 15:15:00			215.23		102.57	33.39	0.09	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/1/2010 15:30:00			215.23		102.57	33.39	0.09	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/1/2010 15:45:00			215.23		102.57	33.38	0.09	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/1/2010 16:00:00			215.23		102.57	33.38	0.09	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/1/2010 16:15:00			215.23		102.57	33.38	0.09	215.19			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/1/2010 16:30:00			215.24		102.56	33.38	0.09	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/1/2010 16:45:00			215.23		102.57	33.38	0.09	215.19			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/1/2010 17:00:00			215.23		102.57	33.38	0.09	215.19			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/1/2010 17:15:00			215.23		102.57	33.38	0.09	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/1/2010 17:30:00			215.24		102.56	33.38	0.09	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/1/2010 17:45:00			215.23		102.57	33.38	0.09	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/1/2010 18:00:00			215.24		102.56	33.38	0.09	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/1/2010 18:15:00			215.23		102.57	33.39	0.09	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/1/2010 18:30:00			215.23		102.57	33.39	0.09	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/1/2010 18:45:00			215.23		102.57	33.39	0.10	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/1/2010 19:00:00			215.24		102.56	33.39	0.10	215.19			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/1/2010 19:15:00			215.24		102.56	33.39	0.10	215.19			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/1/2010 19:30:00			215.24		102.55	33.39	0.10	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/1/2010 19:45:00			215.25		102.55	33.40	0.10	215.20			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/1/2010 20:00:00			215.24		102.55	33.40	0.10	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/1/2010 20:15:00			215.24		102.55	33.40	0.11	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/1/2010 20:30:00			215.25		102.54	33.40	0.11	215.20			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/1/2010 20:45:00			215.25		102.54	33.40	0.11	215.20			102.59	278.41
SW Well 1A	BASELINE MONITORING	10/1/2010 21:00:00			215.25		102.54	33.40	0.11	215.20			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/1/2010 21:15:00			215.25		102.54	33.41	0.11	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/1/2010 21:30:00			215.26		102.54	33.41	0.11	215.20			102.59	278.41
SW Well 1A	BASELINE MONITORING	10/1/2010 21:45:00			215.25		102.54	33.41	0.11	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/1/2010 22:00:00			215.26		102.54	33.41	0.12	215.20			102.59	278.41
SW Well 1A	BASELINE MONITORING	10/1/2010 22:15:00			215.26		102.53	33.41	0.12	215.20			102.59	278.41
SW Well 1A	BASELINE MONITORING	10/1/2010 22:30:00			215.25		102.54	33.41	0.12	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/1/2010 22:45:00			215.26		102.53	33.41	0.12	215.20			102.59	278.41
SW Well 1A	BASELINE MONITORING	10/1/2010 23:00:00			215.25		102.54	33.41	0.12	215.19			102.60	278.40

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	BASELINE MONITORING	10/1/2010 23:15:00			215.26		102.54	33.41	0.12	215.20			102.59	278.41
SW Well 1A	BASELINE MONITORING	10/1/2010 23:30:00			215.26		102.54	33.41	0.12	215.20			102.59	278.41
SW Well 1A	BASELINE MONITORING	10/1/2010 23:45:00			215.26		102.54	33.41	0.12	215.20			102.59	278.41
SW Well 1A	BASELINE MONITORING	10/2/2010 0:00:00			215.26		102.54	33.41	0.12	215.20			102.59	278.41
SW Well 1A	BASELINE MONITORING	10/2/2010 0:15:00			215.26		102.54	33.41	0.12	215.20			102.59	278.41
SW Well 1A	BASELINE MONITORING	10/2/2010 0:30:00			215.26		102.54	33.42	0.12	215.20			102.59	278.41
SW Well 1A	BASELINE MONITORING	10/2/2010 0:45:00			215.26		102.53	33.42	0.12	215.20			102.59	278.41
SW Well 1A	BASELINE MONITORING	10/2/2010 1:00:00			215.26		102.54	33.42	0.12	215.20			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/2/2010 1:15:00			215.26		102.54	33.42	0.12	215.20			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/2/2010 1:30:00			215.26		102.54	33.42	0.12	215.20			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/2/2010 1:45:00			215.26		102.54	33.42	0.12	215.20			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/2/2010 2:00:00			215.26		102.54	33.42	0.12	215.20			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/2/2010 2:15:00			215.26		102.53	33.42	0.12	215.20			102.59	278.41
SW Well 1A	BASELINE MONITORING	10/2/2010 2:30:00			215.25		102.54	33.42	0.12	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/2/2010 2:45:00			215.25		102.54	33.42	0.12	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/2/2010 3:00:00			215.26		102.54	33.42	0.12	215.20			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/2/2010 3:15:00			215.25		102.54	33.42	0.12	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/2/2010 3:30:00			215.25		102.54	33.42	0.12	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/2/2010 3:45:00			215.25		102.54	33.42	0.12	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/2/2010 4:00:00			215.25		102.54	33.42	0.12	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/2/2010 4:15:00			215.25		102.54	33.42	0.12	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/2/2010 4:30:00			215.25		102.54	33.42	0.12	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/2/2010 4:45:00			215.24		102.55	33.42	0.12	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/2/2010 5:00:00			215.25		102.54	33.42	0.12	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/2/2010 5:15:00			215.24		102.55	33.42	0.12	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/2/2010 5:30:00			215.24		102.55	33.42	0.12	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/2/2010 5:45:00			215.24		102.55	33.42	0.12	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/2/2010 6:00:00			215.24		102.55	33.42	0.12	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/2/2010 6:15:00			215.24		102.55	33.42	0.13	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/2/2010 6:30:00			215.24		102.55	33.42	0.13	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/2/2010 6:45:00			215.24		102.55	33.42	0.13	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/2/2010 7:00:00			215.24		102.56	33.42	0.13	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/2/2010 7:15:00			215.24		102.56	33.42	0.13	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/2/2010 7:30:00			215.24		102.56	33.42	0.13	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/2/2010 7:45:00			215.24		102.56	33.42	0.13	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/2/2010 8:00:00			215.23		102.57	33.42	0.13	215.16			102.63	278.37
SW Well 1A	BASELINE MONITORING	10/2/2010 8:15:00			215.24		102.56	33.42	0.13	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/2/2010 8:30:00			215.24		102.56	33.42	0.13	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/2/2010 8:45:00			215.24		102.56	33.42	0.13	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/2/2010 9:00:00			215.24		102.56	33.42	0.13	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/2/2010 9:15:00			215.24		102.56	33.42	0.13	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/2/2010 9:30:00			215.23		102.57	33.43	0.13	215.16			102.63	278.37
SW Well 1A	BASELINE MONITORING	10/2/2010 9:45:00			215.24		102.56	33.42	0.13	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/2/2010 10:00:00			215.24		102.56	33.42	0.12	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/2/2010 10:15:00			215.23		102.57	33.41	0.12	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/2/2010 10:30:00			215.24		102.56	33.41	0.11	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/2/2010 10:45:00			215.23		102.57	33.40	0.11	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/2/2010 11:00:00			215.23		102.57	33.40	0.10	215.18			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/2/2010 11:15:00			215.23		102.57	33.39	0.10	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/2/2010 11:30:00			215.23		102.57	33.39	0.09	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/2/2010 11:45:00			215.22		102.58	33.38	0.09	215.18			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/2/2010 12:00:00			215.22		102.58	33.38	0.09	215.18			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/2/2010 12:15:00			215.22		102.58	33.37	0.08	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/2/2010 12:30:00			215.21		102.58	33.37	0.08	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/2/2010 12:45:00			215.21		102.58	33.37	0.07	215.18			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/2/2010 13:00:00			215.20		102.59	33.36	0.07	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/2/2010 13:15:00			215.21		102.58	33.36	0.06	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/2/2010 13:30:00			215.20		102.59	33.35	0.06	215.18			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/2/2010 13:45:00			215.20		102.59	33.35	0.05	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/2/2010 14:00:00			215.20		102.60	33.34	0.05	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/2/2010 14:15:00			215.20		102.60	33.33	0.04	215.18			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/2/2010 14:30:00			215.19		102.61	33.33	0.03	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/2/2010 14:45:00			215.19		102.61	33.32	0.03	215.18			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/2/2010 15:00:00			215.19		102.61	33.32	0.02	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/2/2010 15:15:00			215.18		102.61	33.31	0.02	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/2/2010 15:30:00			215.18		102.61	33.30	0.01	215.18			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/2/2010 15:45:00			215.17		102.62	33.30	0.00	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/2/2010 16:00:00			215.17		102.62	33.29	0.00	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/2/2010 16:15:00			215.17		102.63	33.29	-0.01	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/2/2010 16:30:00			215.16		102.64	33.28	-0.01	215.16			102.63	278.37
SW Well 1A	BASELINE MONITORING	10/2/2010 16:45:00			215.16		102.64	33.27	-0.02	215.17			102.63	278.37
SW Well 1A	BASELINE MONITORING	10/2/2010 17:00:00			215.15		102.65	33.27	-0.03	215.16			102.63	278.37
SW Well 1A	BASELINE MONITORING	10/2/2010 17:15:00			215.15		102.65	33.26	-0.03	215.17			102.63	278.37
SW Well 1A	BASELINE MONITORING	10/2/2010 17:30:00			215.14		102.65	33.26	-0.04	215.16			102.63	278.37
SW Well 1A	BASELINE MONITORING	10/2/2010 17:45:00			215.14		102.65	33.25	-0.04	215.16			102.63	278.37
SW Well 1A	BASELINE MONITORING	10/2/2010 18:00:00			215.13		102.66	33.25	-0.04	215.15			102.64	278.36
SW Well 1A	BASELINE MONITORING	10/2/2010 18:15:00			215.13		102.66	33.25	-0.04	215.16			102.64	278.36
SW Well 1A	BASELINE MONITORING	10/2/2010 18:30:00			215.13		102.67	33.25	-0.04	215.15			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/2/2010 18:45:00			215.13		102.67	33.25	-0.04	215.15			102.64	278.36
SW Well 1A	BASELINE MONITORING	10/2/2010 19:00:00			215.12		102.68	33.25	-0.05	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/2/2010 19:15:00			215.12		102.68	33.25	-0.05	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/2/2010 19:30:00			215.12		102.68	33.25	-0.05	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/2/2010 19:45:00			215.12		102.68	33.24	-0.05	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/2/2010 20:00:00			215.12		102.68	33.24	-0.05	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/2/2010 20:15:00			215.12		102.68	33.24	-0.05	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/2/2010 20:30:00			215.12		102.68	33.24	-0.05	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/2/2010 20:45:00			215.12		102.68	33.24	-0.05	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/2/2010 21:00:00			215.12		102.68	33.24	-0.05	215.15			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/2/2010 21:15:00			215.11		102.68	33.24	-0.06	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/2/2010 21:30:00			215.12		102.68	33.24	-0.06	215.15			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/2/2010 21:45:00			215.12		102.68	33.24	-0.06	215.15			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/2/2010 22:00:00			215.12		102.68	33.24	-0.06	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/2/2010 22:15:00			215.12		102.68	33.24	-0.06	215.15			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/2/2010 22:30:00			215.12		102.68	33.24	-0.05	215.15			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/2/2010 22:45:00			215.12		102.68	33.24	-0.05	215.15			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/2/2010 23:00:00			215.11		102.68	33.24	-0.05	215.14			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/2/2010 23:15:00			215.12		102.68	33.24	-0.05	215.14			102.65	278.35

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	BASELINE MONITORING	10/2/2010 23:30:00			215.12		102.68	33.24	-0.05	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/2/2010 23:45:00			215.12		102.68	33.24	-0.05	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 0:00:00			215.12		102.68	33.24	-0.05	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 0:15:00			215.12		102.68	33.24	-0.05	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 0:30:00			215.12		102.68	33.24	-0.05	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 0:45:00			215.12		102.68	33.25	-0.05	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 1:00:00			215.12		102.68	33.25	-0.05	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 1:15:00			215.12		102.68	33.25	-0.05	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 1:30:00			215.12		102.68	33.25	-0.05	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 1:45:00			215.13		102.67	33.25	-0.05	215.15			102.64	278.36
SW Well 1A	BASELINE MONITORING	10/3/2010 2:00:00			215.12		102.67	33.25	-0.05	215.15			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 2:15:00			215.13		102.67	33.25	-0.05	215.15			102.64	278.36
SW Well 1A	BASELINE MONITORING	10/3/2010 2:30:00			215.12		102.67	33.25	-0.05	215.15			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 2:45:00			215.12		102.68	33.25	-0.05	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 3:00:00			215.12		102.68	33.25	-0.05	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 3:15:00			215.13		102.67	33.25	-0.05	215.15			102.64	278.36
SW Well 1A	BASELINE MONITORING	10/3/2010 3:30:00			215.12		102.68	33.25	-0.05	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 3:45:00			215.12		102.68	33.25	-0.05	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 4:00:00			215.12		102.68	33.25	-0.05	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 4:15:00			215.12		102.68	33.25	-0.05	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 4:30:00			215.12		102.68	33.25	-0.04	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 4:45:00			215.11		102.69	33.25	-0.04	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 5:00:00			215.12		102.68	33.25	-0.04	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 5:15:00			215.12		102.68	33.25	-0.04	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 5:30:00			215.12		102.68	33.25	-0.04	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 5:45:00			215.12		102.68	33.25	-0.04	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 6:00:00			215.11		102.69	33.25	-0.04	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 6:15:00			215.11		102.68	33.26	-0.04	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 6:30:00			215.11		102.68	33.26	-0.04	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 6:45:00			215.12		102.68	33.26	-0.03	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 7:00:00			215.12		102.68	33.26	-0.03	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 7:15:00			215.11		102.68	33.26	-0.03	215.13			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/3/2010 7:30:00			215.11		102.68	33.27	-0.03	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/3/2010 7:45:00			215.11		102.68	33.27	-0.03	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/3/2010 8:00:00			215.11		102.69	33.27	-0.02	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/3/2010 8:15:00			215.11		102.68	33.27	-0.02	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/3/2010 8:30:00			215.11		102.69	33.28	-0.02	215.12			102.68	278.32
SW Well 1A	BASELINE MONITORING	10/3/2010 8:45:00			215.11		102.68	33.28	-0.02	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/3/2010 9:00:00			215.12		102.68	33.28	-0.01	215.13			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/3/2010 9:15:00			215.12		102.68	33.28	-0.01	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/3/2010 9:30:00			215.12		102.68	33.28	-0.01	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/3/2010 9:45:00			215.12		102.68	33.28	-0.01	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/3/2010 10:00:00			215.13		102.67	33.28	-0.01	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 10:15:00			215.13		102.67	33.28	-0.01	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 10:30:00			215.12		102.68	33.28	-0.01	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/3/2010 10:45:00			215.12		102.67	33.28	-0.01	215.13			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/3/2010 11:00:00			215.12		102.67	33.29	-0.01	215.13			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/3/2010 11:15:00			215.13		102.67	33.29	-0.01	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 11:30:00			215.12		102.67	33.29	-0.01	215.13			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/3/2010 11:45:00			215.13		102.67	33.29	-0.01	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 12:00:00			215.13		102.66	33.29	-0.01	215.14			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 12:15:00			215.13		102.66	33.29	-0.01	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 12:30:00			215.13		102.66	33.29	-0.01	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 12:45:00			215.13		102.66	33.29	-0.01	215.14			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 13:00:00			215.13		102.66	33.29	-0.01	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 13:15:00			215.13		102.66	33.29	-0.01	215.14			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 13:30:00			215.14		102.66	33.29	-0.01	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 13:45:00			215.13		102.66	33.29	-0.01	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 14:00:00			215.13		102.66	33.28	-0.01	215.14			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 14:15:00			215.13		102.66	33.28	-0.01	215.14			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 14:30:00			215.13		102.66	33.28	-0.01	215.14			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 14:45:00			215.14		102.66	33.28	-0.01	215.15			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 15:00:00			215.14		102.66	33.28	-0.01	215.15			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 15:15:00			215.14		102.66	33.28	-0.02	215.15			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 15:30:00			215.14		102.66	33.28	-0.02	215.15			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 15:45:00			215.14		102.65	33.28	-0.02	215.15			102.64	278.36
SW Well 1A	BASELINE MONITORING	10/3/2010 16:00:00			215.13		102.66	33.28	-0.02	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 16:15:00			215.13		102.66	33.27	-0.02	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 16:30:00			215.13		102.66	33.27	-0.02	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 16:45:00			215.13		102.66	33.27	-0.02	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 17:00:00			215.13		102.66	33.27	-0.02	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 17:15:00			215.13		102.66	33.27	-0.02	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 17:30:00			215.13		102.66	33.27	-0.03	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 17:45:00			215.13		102.66	33.27	-0.02	215.15			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 18:00:00			215.13		102.66	33.27	-0.02	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 18:15:00			215.12		102.67	33.28	-0.02	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 18:30:00			215.12		102.67	33.28	-0.01	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 18:45:00			215.12		102.67	33.28	-0.01	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 19:00:00			215.13		102.66	33.29	-0.01	215.14			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 19:15:00			215.13		102.66	33.29	-0.01	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 19:30:00			215.14		102.66	33.29	0.00	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 19:45:00			215.13		102.66	33.29	0.00	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 20:00:00			215.14		102.66	33.30	0.00	215.14			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 20:15:00			215.14		102.66	33.30	0.01	215.14			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 20:30:00			215.14		102.66	33.30	0.01	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 20:45:00			215.14		102.66	33.31	0.01	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 21:00:00			215.15		102.65	33.31	0.01	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 21:15:00			215.15		102.65	33.31	0.02	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/3/2010 21:30:00			215.15		102.65	33.31	0.02	215.14			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 21:45:00			215.15		102.65	33.32	0.02	215.14			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 22:00:00			215.15		102.65	33.32	0.03	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 22:15:00			215.15		102.65	33.33	0.03	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 22:30:00			215.15		102.65	33.33	0.03	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 22:45:00			215.15		102.65	33.33	0.04	215.13			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/3/2010 23:00:00			215.15		102.65	33.34	0.04	215.13			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/3/2010 23:15:00			215.16		102.64	33.34	0.05	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/3/2010 23:30:00			215.16		102.63	33.34	0.05	215.14			102.66	278.34

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	BASELINE MONITORING	10/3/2010 23:45:00			215.16		102.64	33.35	0.05	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/4/2010 0:00:00			215.16		102.63	33.35	0.06	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/4/2010 0:15:00			215.16		102.63	33.35	0.06	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/4/2010 0:30:00			215.16		102.63	33.36	0.06	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/4/2010 0:45:00			215.16		102.63	33.36	0.07	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/4/2010 1:00:00			215.16		102.63	33.37	0.07	215.13			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/4/2010 1:15:00			215.17		102.63	33.37	0.08	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/4/2010 1:30:00			215.17		102.63	33.37	0.08	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/4/2010 1:45:00			215.18		102.62	33.38	0.08	215.14			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/4/2010 2:00:00			215.18		102.62	33.38	0.09	215.14			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/4/2010 2:15:00			215.18		102.62	33.38	0.09	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/4/2010 2:30:00			215.19		102.61	33.39	0.09	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/4/2010 2:45:00			215.19		102.61	33.39	0.10	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/4/2010 3:00:00			215.19		102.61	33.39	0.10	215.14			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/4/2010 3:15:00			215.19		102.60	33.40	0.10	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/4/2010 3:30:00			215.19		102.61	33.40	0.11	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/4/2010 3:45:00			215.19		102.61	33.40	0.11	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/4/2010 4:00:00			215.19		102.60	33.41	0.11	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/4/2010 4:15:00			215.19		102.60	33.41	0.12	215.14			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/4/2010 4:30:00			215.19		102.60	33.41	0.12	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/4/2010 4:45:00			215.19		102.60	33.42	0.12	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/4/2010 5:00:00			215.19		102.60	33.42	0.13	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/4/2010 5:15:00			215.19		102.60	33.42	0.13	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/4/2010 5:30:00			215.19		102.60	33.43	0.13	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/4/2010 5:45:00			215.20		102.59	33.43	0.14	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/4/2010 6:00:00			215.19		102.60	33.43	0.14	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/4/2010 6:15:00			215.19		102.60	33.44	0.14	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/4/2010 6:30:00			215.19		102.60	33.44	0.15	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/4/2010 6:45:00			215.19		102.60	33.45	0.15	215.12			102.68	278.32
SW Well 1A	BASELINE MONITORING	10/4/2010 7:00:00			215.20		102.59	33.45	0.16	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/4/2010 7:15:00			215.20		102.59	33.46	0.16	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/4/2010 7:30:00			215.21		102.59	33.46	0.17	215.13			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/4/2010 7:45:00			215.20		102.59	33.46	0.17	215.12			102.68	278.32
SW Well 1A	BASELINE MONITORING	10/4/2010 8:00:00			215.21		102.59	33.47	0.17	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/4/2010 8:15:00			215.21		102.59	33.47	0.18	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/4/2010 8:30:00			215.21		102.59	33.48	0.18	215.12			102.68	278.32
SW Well 1A	BASELINE MONITORING	10/4/2010 8:45:00			215.21		102.59	33.48	0.19	215.12			102.68	278.32
SW Well 1A	BASELINE MONITORING	10/4/2010 9:00:00			215.22		102.58	33.49	0.19	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/4/2010 9:15:00			215.22		102.58	33.49	0.20	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/4/2010 9:30:00			215.22		102.58	33.49	0.20	215.12			102.68	278.32
SW Well 1A	BASELINE MONITORING	10/4/2010 9:45:00			215.22		102.58	33.49	0.20	215.12			102.68	278.32
SW Well 1A	BASELINE MONITORING	10/4/2010 10:00:00			215.22		102.58	33.49	0.20	215.12			102.68	278.32
SW Well 1A	BASELINE MONITORING	10/4/2010 10:15:00			215.22		102.58	33.49	0.20	215.12			102.68	278.32
SW Well 1A	BASELINE MONITORING	10/4/2010 10:30:00			215.21		102.58	33.49	0.20	215.12			102.68	278.32
SW Well 1A	BASELINE MONITORING	10/4/2010 10:45:00			215.22		102.58	33.49	0.20	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/4/2010 11:00:00			215.23		102.57	33.49	0.20	215.13			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/4/2010 11:15:00			215.23		102.57	33.49	0.20	215.13			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/4/2010 11:30:00			215.23		102.56	33.49	0.20	215.14			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/4/2010 11:45:00			215.23		102.56	33.49	0.20	215.14			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/4/2010 12:00:00			215.23		102.56	33.49	0.19	215.14			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/4/2010 12:15:00			215.23		102.56	33.49	0.19	215.14			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/4/2010 12:30:00			215.24		102.56	33.49	0.19	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/4/2010 12:45:00			215.24		102.56	33.49	0.19	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/4/2010 13:00:00			215.24		102.56	33.49	0.19	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/4/2010 13:15:00			215.24		102.56	33.49	0.19	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/4/2010 13:30:00			215.24		102.56	33.49	0.19	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/4/2010 13:45:00			215.25		102.55	33.49	0.19	215.15			102.64	278.36
SW Well 1A	BASELINE MONITORING	10/4/2010 14:00:00			215.25		102.55	33.49	0.19	215.15			102.64	278.36
SW Well 1A	BASELINE MONITORING	10/4/2010 14:15:00			215.25		102.55	33.49	0.19	215.15			102.64	278.36
SW Well 1A	BASELINE MONITORING	10/4/2010 14:30:00			215.25		102.55	33.49	0.19	215.15			102.64	278.36
SW Well 1A	BASELINE MONITORING	10/4/2010 14:45:00			215.26		102.54	33.49	0.19	215.16			102.63	278.37
SW Well 1A	BASELINE MONITORING	10/4/2010 15:00:00			215.25		102.54	33.49	0.20	215.16			102.64	278.36
SW Well 1A	BASELINE MONITORING	10/4/2010 15:15:00			215.26		102.54	33.49	0.20	215.16			102.63	278.37
SW Well 1A	BASELINE MONITORING	10/4/2010 15:30:00			215.25		102.54	33.49	0.20	215.15			102.64	278.36
SW Well 1A	BASELINE MONITORING	10/4/2010 15:45:00			215.26		102.53	33.49	0.20	215.16			102.63	278.37
SW Well 1A	BASELINE MONITORING	10/4/2010 16:00:00			215.27		102.53	33.49	0.20	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/4/2010 16:15:00			215.27		102.53	33.49	0.20	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/4/2010 16:30:00			215.27		102.53	33.49	0.20	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/4/2010 16:45:00			215.28		102.52	33.49	0.20	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/4/2010 17:00:00			215.28		102.52	33.49	0.20	215.18			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/4/2010 17:15:00			215.28		102.52	33.49	0.20	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/4/2010 17:30:00			215.28		102.52	33.50	0.20	215.18			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/4/2010 17:45:00			215.28		102.52	33.50	0.21	215.18			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/4/2010 18:00:00			215.28		102.52	33.51	0.21	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/4/2010 18:15:00			215.29		102.51	33.51	0.22	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/4/2010 18:30:00			215.28		102.51	33.52	0.22	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/4/2010 18:45:00			215.28		102.51	33.52	0.23	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/4/2010 19:00:00			215.29		102.50	33.53	0.23	215.18			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/4/2010 19:15:00			215.28		102.51	33.53	0.24	215.16			102.63	278.37
SW Well 1A	BASELINE MONITORING	10/4/2010 19:30:00			215.30		102.50	33.54	0.24	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/4/2010 19:45:00			215.30		102.50	33.54	0.25	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/4/2010 20:00:00			215.31		102.49	33.55	0.26	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/4/2010 20:15:00			215.31		102.49	33.56	0.26	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/4/2010 20:30:00			215.31		102.49	33.56	0.27	215.18			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/4/2010 20:45:00			215.31		102.49	33.57	0.27	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/4/2010 21:00:00			215.31		102.49	33.57	0.28	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/4/2010 21:15:00			215.31		102.49	33.58	0.28	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/4/2010 21:30:00			215.32		102.48	33.58	0.29	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/4/2010 21:45:00			215.32		102.48	33.59	0.29	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/4/2010 22:00:00			215.32		102.47	33.59	0.30	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/4/2010 22:15:00			215.32		102.47	33.60	0.31	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/4/2010 22:30:00			215.33		102.46	33.61	0.31	215.18			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/4/2010 22:45:00			215.33		102.46	33.61	0.32	215.18			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/4/2010 23:00:00			215.34		102.46	33.62	0.32	215.18			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/4/2010 23:15:00			215.34		102.45	33.62	0.33	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/4/2010 23:30:00			215.34		102.46	33.63	0.33	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/4/2010 23:45:00			215.34		102.45	33.63	0.34	215.17			102.62	278.38

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	BASELINE MONITORING	10/5/2010 0:00:00			215.35		102.45	33.64	0.34	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/5/2010 0:15:00			215.35		102.45	33.64	0.35	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/5/2010 0:30:00			215.35		102.45	33.65	0.36	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/5/2010 0:45:00			215.35		102.44	33.66	0.36	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/5/2010 1:00:00			215.35		102.44	33.66	0.37	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/5/2010 1:15:00			215.35		102.44	33.67	0.37	215.17			102.63	278.37
SW Well 1A	BASELINE MONITORING	10/5/2010 1:30:00			215.37		102.43	33.67	0.38	215.18			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/5/2010 1:45:00			215.36		102.43	33.68	0.38	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/5/2010 2:00:00			215.37		102.43	33.69	0.39	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/5/2010 2:15:00			215.37		102.43	33.69	0.40	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/5/2010 2:30:00			215.38		102.42	33.70	0.40	215.18			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/5/2010 2:45:00			215.39		102.41	33.71	0.41	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/5/2010 3:00:00			215.39		102.41	33.71	0.42	215.18			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/5/2010 3:15:00			215.40		102.40	33.72	0.43	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/5/2010 3:30:00			215.40		102.39	33.73	0.43	215.19			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/5/2010 3:45:00			215.40		102.39	33.73	0.44	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/5/2010 4:00:00			215.41		102.39	33.74	0.45	215.19			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/5/2010 4:15:00			215.42		102.38	33.75	0.45	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/5/2010 4:30:00			215.43		102.37	33.75	0.46	215.20			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/5/2010 4:45:00			215.43		102.37	33.76	0.47	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/5/2010 5:00:00			215.43		102.37	33.77	0.47	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/5/2010 5:15:00			215.44		102.36	33.77	0.48	215.20			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/5/2010 5:30:00			215.43		102.36	33.78	0.49	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/5/2010 5:45:00			215.43		102.36	33.79	0.49	215.19			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/5/2010 6:00:00			215.43		102.36	33.79	0.50	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/5/2010 6:15:00			215.44		102.36	33.80	0.50	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/5/2010 6:30:00			215.44		102.36	33.80	0.51	215.19			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/5/2010 6:45:00			215.44		102.36	33.81	0.51	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/5/2010 7:00:00			215.45		102.35	33.81	0.52	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/5/2010 7:15:00			215.44		102.36	33.82	0.52	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/5/2010 7:30:00			215.45		102.35	33.82	0.53	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/5/2010 7:45:00			215.46		102.34	33.83	0.53	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/5/2010 8:00:00			215.46		102.34	33.83	0.54	215.19			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/5/2010 8:15:00			215.46		102.34	33.84	0.54	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/5/2010 8:30:00			215.46		102.34	33.84	0.55	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/5/2010 8:45:00			215.46		102.34	33.85	0.55	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/5/2010 9:00:00			215.46		102.33	33.85	0.56	215.19			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/5/2010 9:15:00			215.46		102.33	33.86	0.56	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/5/2010 9:30:00			215.46		102.33	33.86	0.57	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/5/2010 9:45:00			215.47		102.32	33.86	0.56	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/5/2010 10:00:00			215.46		102.33	33.85	0.56	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/5/2010 10:15:00			215.46		102.33	33.85	0.55	215.19			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/5/2010 10:30:00			215.46		102.33	33.84	0.55	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/5/2010 10:45:00			215.46		102.33	33.84	0.55	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/5/2010 11:00:00			215.46		102.33	33.84	0.54	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/5/2010 11:15:00			215.46		102.33	33.83	0.54	215.20			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/5/2010 11:30:00			215.46		102.33	33.83	0.53	215.20			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/5/2010 11:45:00			215.46		102.33	33.82	0.53	215.20			102.59	278.41
SW Well 1A	BASELINE MONITORING	10/5/2010 12:00:00			215.46		102.33	33.82	0.52	215.20			102.59	278.41
SW Well 1A	BASELINE MONITORING	10/5/2010 12:15:00			215.46		102.33	33.81	0.52	215.20			102.59	278.41
SW Well 1A	BASELINE MONITORING	10/5/2010 12:30:00			215.46		102.34	33.81	0.52	215.20			102.59	278.41
SW Well 1A	BASELINE MONITORING	10/5/2010 12:45:00			215.46		102.34	33.81	0.51	215.20			102.59	278.41
SW Well 1A	BASELINE MONITORING	10/5/2010 13:00:00			215.45		102.35	33.80	0.51	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/5/2010 13:15:00			215.45		102.35	33.80	0.50	215.20			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/5/2010 13:30:00			215.44		102.36	33.79	0.50	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/5/2010 13:45:00			215.44		102.36	33.79	0.49	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/5/2010 14:00:00			215.43		102.37	33.78	0.49	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/5/2010 14:15:00			215.43		102.37	33.77	0.48	215.19			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/5/2010 14:30:00			215.43		102.37	33.77	0.47	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/5/2010 14:45:00			215.43		102.37	33.76	0.47	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/5/2010 15:00:00			215.42		102.38	33.76	0.46	215.19			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/5/2010 15:15:00			215.42		102.38	33.75	0.45	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/5/2010 15:30:00			215.42		102.38	33.74	0.45	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/5/2010 15:45:00			215.42		102.38	33.74	0.44	215.20			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/5/2010 16:00:00			215.41		102.38	33.73	0.44	215.20			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/5/2010 16:15:00			215.42		102.38	33.72	0.43	215.20			102.59	278.41
SW Well 1A	BASELINE MONITORING	10/5/2010 16:30:00			215.42		102.38	33.72	0.42	215.21			102.59	278.41
SW Well 1A	BASELINE MONITORING	10/5/2010 16:45:00			215.42		102.38	33.71	0.42	215.21			102.58	278.42
SW Well 1A	BASELINE MONITORING	10/5/2010 17:00:00			215.42		102.38	33.70	0.41	215.21			102.58	278.42
SW Well 1A	BASELINE MONITORING	10/5/2010 17:15:00			215.41		102.39	33.70	0.40	215.21			102.59	278.41
SW Well 1A	BASELINE MONITORING	10/5/2010 17:30:00			215.41		102.39	33.69	0.40	215.21			102.58	278.42
SW Well 1A	BASELINE MONITORING	10/5/2010 17:45:00			215.40		102.39	33.69	0.40	215.20			102.59	278.41
SW Well 1A	BASELINE MONITORING	10/5/2010 18:00:00			215.40		102.39	33.69	0.40	215.20			102.59	278.41
SW Well 1A	BASELINE MONITORING	10/5/2010 18:15:00			215.40		102.39	33.69	0.39	215.20			102.59	278.41
SW Well 1A	BASELINE MONITORING	10/5/2010 18:30:00			215.40		102.39	33.69	0.39	215.20			102.59	278.41
SW Well 1A	BASELINE MONITORING	10/5/2010 18:45:00			215.40		102.39	33.69	0.39	215.20			102.59	278.41
SW Well 1A	BASELINE MONITORING	10/5/2010 19:00:00			215.40		102.39	33.69	0.39	215.21			102.59	278.41
SW Well 1A	BASELINE MONITORING	10/5/2010 19:15:00			215.39		102.40	33.69	0.39	215.20			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/5/2010 19:30:00			215.39		102.40	33.68	0.39	215.20			102.59	278.41
SW Well 1A	BASELINE MONITORING	10/5/2010 19:45:00			215.39		102.41	33.68	0.39	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/5/2010 20:00:00			215.39		102.41	33.68	0.39	215.19			102.60	278.40
SW Well 1A	BASELINE MONITORING	10/5/2010 20:15:00			215.38		102.42	33.68	0.39	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/5/2010 20:30:00			215.38		102.42	33.68	0.39	215.19			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/5/2010 20:45:00			215.38		102.42	33.68	0.38	215.19			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/5/2010 21:00:00			215.38		102.42	33.68	0.38	215.19			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/5/2010 21:15:00			215.37		102.43	33.68	0.38	215.18			102.61	278.39
SW Well 1A	BASELINE MONITORING	10/5/2010 21:30:00			215.36		102.43	33.68	0.38	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/5/2010 21:45:00			215.36		102.43	33.67	0.38	215.17			102.62	278.38
SW Well 1A	BASELINE MONITORING	10/5/2010 22:00:00			215.35		102.44	33.67	0.38	215.17			102.63	278.37
SW Well 1A	BASELINE MONITORING	10/5/2010 22:15:00			215.35		102.45	33.67	0.38	215.16			102.63	278.37
SW Well 1A	BASELINE MONITORING	10/5/2010 22:30:00			215.34		102.45	33.67	0.37	215.16			102.64	278.36
SW Well 1A	BASELINE MONITORING	10/5/2010 22:45:00			215.35		102.45	33.66	0.37	215.16			102.63	278.37
SW Well 1A	BASELINE MONITORING	10/5/2010 23:00:00			215.34		102.46	33.66	0.37	215.15			102.64	278.36
SW Well 1A	BASELINE MONITORING	10/5/2010 23:15:00			215.34		102.46	33.66	0.37	215.16			102.64	278.36
SW Well 1A	BASELINE MONITORING	10/5/2010 23:30:00			215.33		102.46	33.66	0.36	215.15			102.64	278.36
SW Well 1A	BASELINE MONITORING	10/5/2010 23:45:00			215.32		102.48	33.66	0.36	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/6/2010 0:00:00			215.33		102.46	33.65	0.36	215.15			102.64	278.36

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	BASELINE MONITORING	10/6/2010 0:15:00			215.32		102.47	33.65	0.36	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/6/2010 0:30:00			215.31		102.48	33.65	0.35	215.14			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/6/2010 0:45:00			215.32		102.48	33.65	0.35	215.14			102.65	278.35
SW Well 1A	BASELINE MONITORING	10/6/2010 1:00:00			215.31		102.49	33.64	0.35	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/6/2010 1:15:00			215.31		102.49	33.64	0.35	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/6/2010 1:30:00			215.30		102.50	33.64	0.35	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/6/2010 1:45:00			215.31		102.49	33.64	0.34	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/6/2010 2:00:00			215.30		102.50	33.64	0.34	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/6/2010 2:15:00			215.29		102.50	33.63	0.34	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/6/2010 2:30:00			215.30		102.50	33.63	0.34	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/6/2010 2:45:00			215.30		102.50	33.63	0.33	215.13			102.66	278.34
SW Well 1A	BASELINE MONITORING	10/6/2010 3:00:00			215.29		102.50	33.63	0.33	215.13			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/6/2010 3:15:00			215.28		102.51	33.62	0.33	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/6/2010 3:30:00			215.28		102.51	33.62	0.33	215.12			102.68	278.32
SW Well 1A	BASELINE MONITORING	10/6/2010 3:45:00			215.28		102.51	33.62	0.33	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/6/2010 4:00:00			215.28		102.51	33.62	0.32	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/6/2010 4:15:00			215.27		102.52	33.62	0.32	215.11			102.68	278.32
SW Well 1A	BASELINE MONITORING	10/6/2010 4:30:00			215.28		102.52	33.61	0.32	215.12			102.68	278.32
SW Well 1A	BASELINE MONITORING	10/6/2010 4:45:00			215.28		102.52	33.61	0.32	215.12			102.68	278.32
SW Well 1A	BASELINE MONITORING	10/6/2010 5:00:00			215.28		102.52	33.61	0.31	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/6/2010 5:15:00			215.28		102.52	33.61	0.31	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/6/2010 5:30:00			215.27		102.52	33.60	0.31	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/6/2010 5:45:00			215.27		102.53	33.60	0.30	215.11			102.68	278.32
SW Well 1A	BASELINE MONITORING	10/6/2010 6:00:00			215.27		102.53	33.59	0.30	215.12			102.68	278.32
SW Well 1A	BASELINE MONITORING	10/6/2010 6:15:00			215.27		102.53	33.59	0.29	215.12			102.67	278.33
SW Well 1A	BASELINE MONITORING	10/6/2010 6:30:00			215.26		102.53	33.58	0.29	215.12			102.68	278.32
SW Well 1A	BASELINE MONITORING	10/6/2010 6:45:00			215.25		102.54	33.58	0.28	215.11			102.68	278.32
SW Well 1A	BASELINE MONITORING	10/6/2010 7:00:00			215.25		102.55	33.57	0.28	215.11			102.68	278.32
SW Well 1A	BASELINE MONITORING	10/6/2010 7:15:00			215.25		102.54	33.57	0.27	215.12			102.68	278.32
SW Well 1A	BASELINE MONITORING	10/6/2010 7:30:00			215.24		102.55	33.56	0.27	215.11			102.69	278.31
SW Well 1A	BASELINE MONITORING	10/6/2010 7:45:00			215.24		102.56	33.56	0.26	215.10			102.69	278.31
SW Well 1A	BASELINE MONITORING	10/6/2010 8:00:00			215.24		102.56	33.55	0.26	215.11			102.68	278.32
SW Well 1A	BASELINE MONITORING	10/6/2010 8:15:00			215.23		102.57	33.55	0.25	215.10			102.69	278.31
SW Well 1A	CR TEST - STATIC	10/6/2010 8:30:00			215.22		102.58	33.54	0.25	215.09			102.70	278.30
SW Well 1A	CR TEST - STATIC	10/6/2010 8:45:00			215.22		102.57	33.54	0.24	215.10			102.69	278.31
SW Well 1A	CR TEST - STATIC	10/6/2010 9:00:00			215.21		102.58	33.53	0.24	215.09			102.70	278.30
SW Well 1A	CR TEST - STATIC	10/6/2010 9:15:00			215.21		102.58	33.53	0.23	215.09			102.70	278.30
SW Well 1A	CR TEST - STATIC	10/6/2010 9:30:00			215.20		102.59	33.52	0.23	215.09			102.70	278.30
SW Well 1A	CR TEST - STATIC	10/6/2010 9:45:00			215.20		102.60	33.51	0.22	215.09			102.71	278.29
SW Well 1A	CR TEST - STATIC	10/6/2010 10:00:00			215.20		102.60	33.50	0.21	215.09			102.70	278.30
SW Well 1A	CR TEST - STATIC	10/6/2010 10:15:00			215.19		102.61	33.49	0.20	215.09			102.70	278.30
SW Well 1A	CR TEST - STATIC	10/6/2010 10:30:00			215.19		102.61	33.48	0.19	215.09			102.70	278.30
SW Well 1A	CR TEST - STATIC	10/6/2010 10:45:00			215.18		102.62	33.47	0.18	215.09			102.70	278.30
SW Well 1A	CR TEST - STATIC	10/6/2010 11:00:00			215.17		102.62	33.46	0.16	215.09			102.70	278.30
SW Well 1A	CR TEST - STATIC	10/6/2010 11:15:00			215.17		102.63	33.45	0.15	215.09			102.70	278.30
SW Well 1A	CR TEST - STATIC	10/6/2010 11:30:00			215.16		102.64	33.44	0.14	215.09			102.71	278.29
SW Well 1A	CR TEST - STATIC	10/6/2010 11:45:00			215.16		102.64	33.43	0.13	215.09			102.70	278.30
SW Well 1A	CR TEST - STATIC	10/6/2010 12:00:00			215.15		102.65	33.42	0.12	215.09			102.70	278.30
SW Well 1A	CR TEST - STATIC	10/6/2010 12:15:00			215.14		102.65	33.40	0.11	215.09			102.71	278.29
SW Well 1A	CR TEST - STATIC	10/6/2010 12:30:00			215.13		102.66	33.39	0.10	215.08			102.71	278.29
SW Well 1A	CR TEST - STATIC	10/6/2010 12:45:00			215.13		102.67	33.38	0.09	215.08			102.71	278.29
SW Well 1A	CR TEST - STATIC	10/6/2010 13:00:00			215.13		102.67	33.37	0.08	215.09			102.71	278.29
SW Well 1A	CR TEST - STATIC	10/6/2010 14:15:00			215.29		102.50	33.32	0.02	215.28			102.51	278.49
SW Well 1A	CR TEST - STATIC; t = 0 min	10/6/2010 14:34:55	0.00		215.29	0.00	102.50	33.31	0.01	215.29	0.00		102.51	278.49
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:35:00	0.08		204.56	10.73	113.23	33.30	0.01	204.56	10.73		113.23	267.77
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:35:02	0.12		204.76	10.53	113.03	33.30	0.01	204.76	10.53		113.04	267.96
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:35:04	0.15		205.36	9.93	112.43	33.30	0.01	205.36	9.93		112.44	268.56
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:35:06	0.18		196.51	18.79	121.29	33.30	0.01	196.50	18.78		121.29	259.71
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:35:08	0.22		201.02	14.28	116.78	33.30	0.01	201.01	14.28		116.78	264.22
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:35:10	0.25		199.53	15.77	118.27	33.30	0.01	199.52	15.76		118.27	262.73
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:35:12	0.28		196.34	18.95	121.46	33.30	0.01	196.33	18.95		121.46	259.54
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:35:14	0.32		194.00	21.29	123.79	33.30	0.01	194.00	21.29		123.80	257.20
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:35:16	0.35		191.43	23.86	126.37	33.30	0.01	191.43	23.86		126.37	254.63
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:35:18	0.38		190.53	24.77	127.27	33.30	0.01	190.52	24.77		127.27	253.73
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:35:20	0.42		188.73	26.56	129.06	33.30	0.01	188.73	26.56		129.06	251.94
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:35:22	0.45		188.09	27.20	129.70	33.30	0.01	188.09	27.20		129.70	251.30
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:35:24	0.48		186.94	28.35	130.85	33.30	0.01	186.94	28.35		130.85	250.15
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:35:26	0.52		186.93	28.37	130.87	33.30	0.01	186.92	28.37		130.87	250.13
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:35:28	0.55		186.62	28.67	131.17	33.30	0.01	186.62	28.67		131.17	249.83
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:35:30	0.58		185.60	29.69	132.19	33.30	0.01	185.60	29.69		132.19	248.81
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:35:32	0.62		184.94	30.35	132.86	33.30	0.01	184.94	30.35		132.86	248.14
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:35:34	0.65		184.23	31.06	133.56	33.30	0.01	184.23	31.06		133.57	247.43
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:35:36	0.68		184.47	30.82	133.32	33.30	0.01	184.47	30.82		133.32	247.68
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:35:38	0.72		183.55	31.75	134.25	33.30	0.01	183.54	31.75		134.25	246.75
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:35:40	0.75		182.84	32.45	134.95	33.30	0.01	182.84	32.45		134.95	246.05
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:35:42	0.78		181.38	33.91	136.42	33.30	0.01	181.37	33.91		136.42	244.58
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:35:44	0.82		181.01	34.29	136.79	33.30	0.01	181.00	34.29		136.79	244.21
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:35:46	0.85		180.67	34.62	137.12	33.30	0.01	180.67	34.62		137.13	243.87
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:35:48	0.88		180.26	35.03	137.53	33.30	0.01	180.26	35.03		137.53	243.47
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:35:50	0.92		179.06	36.23	138.73	33.30	0.01	179.06	36.23		138.73	242.27
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:35:52	0.95		179.26	36.03	138.54	33.30	0.01	179.25	36.03		138.54	242.46
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:35:54	0.98		179.16	36.13	138.64	33.30	0.01	179.16	36.13		138.64	242.36
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:35:56	1.02		179.18	36.12	138.62	33.30	0.01	179.17	36.12		138.62	242.38
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:35:58	1.05		179.23	36.06	138.57	33.30	0.01	179.23	36.06		138.57	242.43
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:36:00	1.08		178.97	36.33	138.83	33.30	0.01	178.96	36.33		138.83	242.17
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:36:02	1.12		179.14	36.16	138.66	33.30	0.01	179.13	36.15		138.66	242.34
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:36:04	1.15		179.14	36.16	138.66	33.30	0.01	179.13	36.15		138.66	242.34
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:36:06	1.18		178.72	36.57	139.07	33.30	0.01	178.72	36.57		139.07	241.93
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:36:08	1.22		178.68	36.62	139.12	33.30	0.01	178.67	36.61		139.12	241.88
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:36:10	1.25		178.60	36.69	139.20	33.30	0.01	178.59	36.69		139.20	241.80
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:36:12	1.28		178.74	36.55	139.06	33.30	0.01	178.73	36.55		139.06	241.94
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:36:14	1.32		178.58	36.71	139.21	33.30	0.01	178.58	36.71		139.21	241.79
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:36:16	1.35		178.33	36.96	139.46	33.30	0.01	178.33	36.96		139.46	241.54
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:36:18	1.38		178.27	37.02	139.52	33.30	0.01	178.27	37.02		139.53	241.47
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:36:20	1.42		178.30	36.99	139.49	33.30	0.01	178.30	36.99		139.49	241.51
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:36:22	1.45		177.92	37.37	139.87	33.30	0.01	177.92	37.37		139.88	241.12
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:36:24	1.48		178.05	37.25	139.75	33.30	0.01	178.04	37.25		139.75	241.25

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:36:26	1.52		178.09	37.20	139.70	33.30	0.01	178.09	37.20		139.70	241.30
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:36:28	1.55		177.47	37.82	140.33	33.30	0.01	177.46	37.82		140.33	240.67
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:36:30	1.58		177.69	37.60	140.11	33.30	0.01	177.69	37.60		140.11	240.89
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:36:32	1.62		176.78	38.52	141.02	33.30	0.01	176.77	38.51		141.02	239.98
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:36:34	1.65		176.78	38.52	141.02	33.30	0.01	176.77	38.51		141.02	239.98
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:36:36	1.68		176.69	38.60	141.10	33.30	0.01	176.69	38.60		141.11	239.89
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:36:38	1.72		176.23	39.07	141.57	33.30	0.01	176.22	39.07		141.57	239.43
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:36:40	1.75		175.46	39.83	142.33	33.30	0.01	175.46	39.83		142.34	238.66
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:36:42	1.78		175.45	39.85	142.35	33.30	0.01	175.44	39.85		142.35	238.65
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:36:44	1.82		175.41	39.89	142.39	33.30	0.01	175.40	39.89		142.39	238.61
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:36:46	1.85		174.75	40.55	143.05	33.30	0.01	174.74	40.55		143.05	237.95
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:36:48	1.88		174.38	40.91	143.42	33.30	0.01	174.38	40.91		143.42	237.58
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:36:50	1.92		174.11	41.19	143.69	33.30	0.01	174.10	41.18		143.69	237.31
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:36:52	1.95		174.32	40.98	143.48	33.30	0.01	174.31	40.97		143.48	237.52
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:36:54	1.98		174.09	41.20	143.70	33.30	0.01	174.09	41.20		143.71	237.29
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:36:56	2.02		174.08	41.22	143.72	33.30	0.01	174.07	41.22		143.72	237.28
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:36:58	2.05		174.00	41.30	143.80	33.30	0.01	173.99	41.29		143.80	237.20
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:37:00	2.08		173.93	41.37	143.87	33.30	0.01	173.92	41.36		143.87	237.13
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:37:02	2.12		174.13	41.16	143.67	33.30	0.01	174.13	41.16		143.67	237.33
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:37:04	2.15		173.85	41.44	143.95	33.30	0.01	173.85	41.44		143.95	237.05
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:37:06	2.18		174.10	41.19	143.70	33.30	0.01	174.09	41.19		143.70	237.30
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:37:08	2.22		174.01	41.28	143.78	33.30	0.01	174.01	41.28		143.78	237.22
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:37:10	2.25		173.98	41.31	143.81	33.30	0.01	173.98	41.31		143.82	237.18
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:37:12	2.28		172.24	43.05	145.55	33.30	0.01	172.24	43.05		145.55	235.45
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:37:14	2.32		171.80	43.50	146.00	33.30	0.01	171.79	43.50		146.00	235.00
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:37:16	2.35		170.57	44.72	147.22	33.30	0.01	170.57	44.72		147.23	233.77
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:37:18	2.38		168.92	46.37	148.87	33.30	0.01	168.92	46.37		148.87	232.13
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:37:20	2.42		167.40	47.89	150.40	33.30	0.01	167.39	47.89		150.40	230.60
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:37:22	2.45		167.89	47.40	149.91	33.30	0.01	167.89	47.40		149.91	231.09
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:37:24	2.48		167.75	47.54	150.05	33.30	0.01	167.75	47.54		150.05	230.95
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:37:26	2.52		167.96	47.33	149.84	33.30	0.01	167.96	47.33		149.84	231.16
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:37:28	2.55		168.85	46.44	148.94	33.30	0.01	168.85	46.44		148.94	232.06
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:37:30	2.58		169.70	45.60	148.10	33.30	0.01	169.69	45.60		148.10	232.90
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:37:32	2.62		170.80	44.49	146.99	33.30	0.01	170.80	44.49		146.99	234.01
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:37:34	2.65		171.61	43.68	146.18	33.30	0.01	171.61	43.68		146.18	234.82
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:37:36	2.68		172.16	43.13	145.63	33.30	0.01	172.16	43.13		145.64	235.36
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:37:38	2.72		172.50	42.79	145.29	33.30	0.01	172.50	42.79		145.30	235.70
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:37:40	2.75		173.26	42.04	144.54	33.30	0.01	173.25	42.03		144.54	236.46
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:37:42	2.78		173.15	42.15	144.65	33.30	0.01	173.14	42.14		144.65	236.35
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:37:44	2.82		172.97	42.32	144.83	33.30	0.01	172.96	42.32		144.83	236.17
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:37:46	2.85		173.23	42.07	144.57	33.30	0.01	173.22	42.07		144.57	236.43
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:37:48	2.88		172.66	42.64	145.14	33.30	0.01	172.65	42.63		145.14	235.86
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:37:50	2.92		173.30	41.99	144.49	33.30	0.01	173.30	41.99		144.49	236.51
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:37:52	2.95		172.88	42.41	144.91	33.30	0.01	172.88	42.41		144.91	236.09
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:37:54	2.98		173.22	42.07	144.58	33.30	0.01	173.21	42.07		144.58	236.42
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:37:56	3.02		173.41	41.89	144.39	33.30	0.01	173.40	41.89		144.39	236.61
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:37:58	3.05		173.19	42.11	144.61	33.30	0.01	173.18	42.10		144.61	236.39
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:38:00	3.08		173.57	41.72	144.23	33.30	0.01	173.56	41.72		144.23	236.77
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:38:02	3.12		173.06	42.24	144.74	33.30	0.01	173.05	42.24		144.74	236.26
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:38:04	3.15		173.20	42.09	144.59	33.30	0.01	173.20	42.09		144.59	236.41
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:38:06	3.18		173.08	42.22	144.72	33.30	0.01	173.07	42.21		144.72	236.28
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:38:08	3.22		172.67	42.63	145.13	33.30	0.01	172.66	42.63		145.13	235.87
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:38:10	3.25		173.13	42.16	144.66	33.30	0.01	173.13	42.16		144.66	236.34
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:38:12	3.28		172.74	42.56	145.06	33.30	0.01	172.73	42.56		145.06	235.94
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:38:14	3.32		172.76	42.53	145.04	33.30	0.01	172.75	42.53		145.04	235.96
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:38:16	3.35		172.98	42.32	144.82	33.30	0.01	172.97	42.31		144.82	236.18
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:38:18	3.38		173.01	42.29	144.79	33.30	0.01	173.00	42.28		144.79	236.21
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:38:20	3.42		173.15	42.15	144.65	33.30	0.01	173.14	42.14		144.65	236.35
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:38:22	3.45		173.17	42.12	144.62	33.30	0.01	173.17	42.12		144.63	236.37
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:38:24	3.48		172.60	42.69	145.19	33.30	0.01	172.60	42.69		145.19	235.81
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:38:26	3.52		172.92	42.37	144.88	33.30	0.01	172.92	42.37		144.88	236.12
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:38:28	3.55		172.85	42.44	144.94	33.30	0.01	172.85	42.44		144.95	236.05
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:38:30	3.58		173.01	42.29	144.79	33.30	0.01	173.00	42.28		144.79	236.21
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:38:32	3.62		172.85	42.44	144.94	33.30	0.01	172.85	42.44		144.95	236.05
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:38:34	3.65		172.90	42.39	144.90	33.30	0.01	172.89	42.39		144.90	236.10
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:38:36	3.68		172.80	42.50	145.00	33.30	0.01	172.79	42.49		145.00	236.00
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:38:38	3.72		172.92	42.37	144.87	33.30	0.01	172.92	42.37		144.88	236.12
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:38:40	3.75		172.82	42.47	144.97	33.30	0.01	172.82	42.47		144.98	236.02
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:38:42	3.78		172.68	42.61	145.11	33.30	0.01	172.68	42.61		145.12	235.88
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:38:44	3.82		172.99	42.31	144.81	33.30	0.01	172.98	42.31		144.81	236.19
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:38:46	3.85		172.74	42.56	145.06	33.30	0.01	172.73	42.55		145.06	235.94
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:38:48	3.88		172.69	42.60	145.10	33.30	0.01	172.69	42.60		145.11	235.89
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:38:50	3.92		172.87	42.43	144.93	33.30	0.01	172.86	42.42		144.93	236.07
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:38:52	3.95		172.67	42.63	145.13	33.30	0.01	172.66	42.63		145.13	235.87
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:38:54	3.98		172.66	42.64	145.14	33.30	0.01	172.65	42.63		145.14	235.86
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:38:56	4.02		172.43	42.86	145.36	33.30	0.01	172.43	42.86		145.36	235.64
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:38:58	4.05		172.55	42.74	145.24	33.30	0.01	172.55	42.74		145.25	235.75
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:39:00	4.08		172.51	42.78	145.29	33.30	0.01	172.50	42.78		145.29	235.71
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:39:02	4.12		172.36	42.93	145.43	33.30	0.01	172.36	42.93		145.43	235.57
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:39:04	4.15		172.57	42.73	145.23	33.30	0.01	172.56	42.73		145.23	235.77
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:39:06	4.18		172.50	42.80	145.30	33.30	0.01	172.49	42.80		145.30	235.70
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:39:08	4.22		172.61	42.68	145.18	33.30	0.01	172.61	42.68		145.18	235.82
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:39:10	4.25		172.76	42.53	145.03	33.30	0.01	172.76	42.53		145.04	235.96
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:39:12	4.28		172.80	42.49	145.00	33.30	0.01	172.80	42.49		145.00	236.00
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:39:14	4.32		172.10	43.19	145.70	33.30	0.01	172.09	43.19		145.70	235.30
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:39:16	4.35		172.51	42.78	145.28	33.30	0.01	172.51	42.78		145.29	235.71
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:39:18	4.38		172.71	42.58	145.08	33.30	0.01	172.71	42.58		145.08	235.92
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:39:20	4.42		172.57	42.73	145.23	33.30	0.01	172.56	42.73		145.23	235.77
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:39:22	4.45		172.44	42.85	145.35	33.30	0.01	172.44	42.85		145.36	235.64
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:39:24	4.48		172.33	42.96	145.46	33.30	0.01	172.33	42.96		145.47	235.53
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:39:26	4.52		172.16	43.13	145.63	33.30	0.01	172.16	43.13		145.64	235.36
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:39:28	4.55		172.29	43.00	145.50	33.30	0.01	172.29	43.00		145.50	235.50
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:39:30	4.58		172.40	42.90	145.40	33.30	0.01	172.39	42.90		145.40	235.60
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:39:32	4.62		172.45	42.84	145.35	33.30	0.01	172.44	42.84		145.35	235.65
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:39:34	4.65		172.18	43.11	145.61	33.30	0.01	172.18	43.11		145.61	235.39
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:39:36	4.68		172.32	42.97	145.47	33.30	0.01	172.32	42.97		145.48	235.52
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:39:38	4.72		172.43	42.86	145.36	33.30	0.01	172.43	42.86		145.37	235.63

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:39:40	4.75		172.32	42.98	145.48	33.30	0.01	172.31	42.98		145.48	235.52
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:39:42	4.78		172.29	43.00	145.50	33.30	0.01	172.29	43.00		145.51	235.49
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:39:44	4.82		172.17	43.12	145.62	33.30	0.01	172.17	43.12		145.62	235.38
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:39:46	4.85		172.00	43.30	145.80	33.30	0.01	171.99	43.30		145.80	235.20
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:39:48	4.88		172.49	42.81	145.31	33.30	0.01	172.48	42.81		145.31	235.69
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:39:50	4.92		172.44	42.85	145.36	33.30	0.01	172.43	42.85		145.36	235.64
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:39:52	4.95		172.37	42.92	145.43	33.30	0.01	172.36	42.92		145.43	235.57
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:39:54	4.98		172.24	43.06	145.56	33.30	0.01	172.23	43.05		145.56	235.44
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:39:56	5.02		172.18	43.11	145.61	33.30	0.01	172.18	43.11		145.62	235.38
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:39:58	5.05		172.10	43.19	145.69	33.30	0.01	172.10	43.19		145.69	235.31
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:40:00	5.08		172.56	42.74	145.24	33.30	0.01	172.55	42.73		145.24	235.76
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:40:02	5.12		171.94	43.35	145.86	33.30	0.01	171.94	43.35		145.86	235.14
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:40:04	5.15		172.18	43.11	145.61	33.30	0.01	172.18	43.11		145.61	235.39
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:40:06	5.18		172.03	43.27	145.77	33.30	0.01	172.02	43.26		145.77	235.23
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:40:08	5.22		172.02	43.28	145.78	33.30	0.01	172.01	43.27		145.78	235.22
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:40:10	5.25		172.24	43.05	145.55	33.30	0.01	172.24	43.05		145.55	235.45
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:40:12	5.28		171.94	43.35	145.86	33.30	0.01	171.94	43.35		145.86	235.14
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:40:14	5.32		172.03	43.26	145.76	33.30	0.01	172.03	43.26		145.76	235.24
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:40:16	5.35		172.15	43.14	145.64	33.30	0.01	172.15	43.14		145.65	235.35
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:40:18	5.38		172.04	43.25	145.75	33.30	0.01	172.04	43.25		145.75	235.25
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:40:20	5.42		172.24	43.05	145.55	33.30	0.01	172.24	43.05		145.55	235.45
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:40:22	5.45		172.04	43.25	145.75	33.30	0.01	172.04	43.25		145.75	235.25
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:40:24	5.48		171.57	43.73	146.23	33.30	0.01	171.56	43.72		146.23	234.77
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:40:26	5.52		172.14	43.16	145.66	33.30	0.01	172.13	43.15		145.66	235.34
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:40:28	5.55		172.06	43.24	145.74	33.30	0.01	172.05	43.23		145.74	235.26
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:40:30	5.58		172.01	43.28	145.78	33.30	0.01	172.01	43.28		145.79	235.21
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:40:32	5.62		171.63	43.67	146.17	33.30	0.01	171.62	43.66		146.17	234.83
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:40:34	5.65		171.95	43.35	145.85	33.30	0.01	171.94	43.34		145.85	235.15
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:40:36	5.68		172.24	43.06	145.56	33.30	0.01	172.23	43.05		145.56	235.44
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:40:38	5.72		172.13	43.17	145.67	33.30	0.01	172.12	43.16		145.67	235.33
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:40:40	5.75		171.76	43.53	146.04	33.30	0.01	171.76	43.53		146.04	234.96
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:40:42	5.78		171.96	43.34	145.84	33.30	0.01	171.95	43.33		145.84	235.16
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:40:44	5.82		171.78	43.52	146.02	33.30	0.01	171.77	43.51		146.02	234.98
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:40:46	5.85		171.75	43.54	146.04	33.30	0.01	171.75	43.54		146.05	234.95
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:40:48	5.88		171.88	43.42	145.92	33.30	0.01	171.87	43.41		145.92	235.08
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:40:50	5.92		172.13	43.16	145.66	33.30	0.01	172.13	43.16		145.66	235.34
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:40:52	5.95		171.74	43.56	146.06	33.30	0.01	171.73	43.55		146.06	234.94
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:40:54	5.98		172.03	43.26	145.76	33.30	0.01	172.03	43.26		145.76	235.24
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:40:56	6.02		171.81	43.48	145.98	33.30	0.01	171.81	43.48		145.98	235.02
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:40:58	6.05		171.59	43.71	146.21	33.30	0.01	171.58	43.70		146.21	234.79
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:41:00	6.08		171.78	43.51	146.01	33.30	0.01	171.78	43.51		146.01	234.99
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:41:02	6.12		171.85	43.45	145.95	33.30	0.01	171.84	43.44		145.95	235.05
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:41:04	6.15		171.69	43.60	146.11	33.30	0.01	171.69	43.60		146.11	234.89
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:41:06	6.18		171.81	43.48	145.98	33.30	0.01	171.81	43.48		145.98	235.02
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:41:08	6.22		172.09	43.21	145.71	33.30	0.01	172.08	43.20		145.71	235.29
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:41:10	6.25		171.70	43.59	146.09	33.30	0.01	171.70	43.59		146.09	234.91
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:41:12	6.28		171.67	43.62	146.12	33.30	0.01	171.67	43.62		146.12	234.88
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:41:14	6.32		172.02	43.28	145.78	33.30	0.01	172.01	43.27		145.78	235.22
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:41:16	6.35		171.86	43.43	145.94	33.30	0.01	171.86	43.43		145.94	235.06
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:41:18	6.38		171.75	43.54	146.04	33.30	0.01	171.75	43.54		146.05	234.95
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:41:20	6.42		171.48	43.82	146.32	33.30	0.01	171.47	43.81		146.32	234.68
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:41:22	6.45		171.39	43.91	146.41	33.30	0.01	171.38	43.90		146.41	234.59
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:41:24	6.48		171.76	43.53	146.04	33.30	0.01	171.76	43.53		146.04	234.96
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:41:26	6.52		171.62	43.67	146.18	33.30	0.01	171.62	43.67		146.18	234.82
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:41:28	6.55		171.63	43.67	146.17	33.30	0.01	171.62	43.66		146.17	234.83
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:41:30	6.58		171.60	43.70	146.20	33.30	0.01	171.59	43.69		146.20	234.80
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:41:32	6.62		171.53	43.76	146.26	33.30	0.01	171.53	43.76		146.26	234.74
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:41:34	6.65		171.42	43.87	146.37	33.30	0.01	171.42	43.87		146.37	234.63
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:41:36	6.68		171.44	43.85	146.36	33.30	0.01	171.44	43.85		146.36	234.64
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:41:38	6.72		171.49	43.81	146.31	33.30	0.01	171.48	43.80		146.31	234.69
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:41:40	6.75		171.67	43.63	146.13	33.30	0.01	171.66	43.62		146.13	234.87
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:41:42	6.78		171.28	44.01	146.51	33.30	0.01	171.28	44.01		146.51	234.49
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:41:44	6.82		171.56	43.73	146.23	33.30	0.01	171.56	43.73		146.23	234.77
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:41:46	6.85		171.60	43.69	146.19	33.30	0.01	171.60	43.69		146.19	234.81
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:41:48	6.88		171.77	43.53	146.03	33.30	0.01	171.76	43.52		146.03	234.97
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:41:50	6.92		171.46	43.83	146.34	33.30	0.01	171.46	43.83		146.34	234.66
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:41:52	6.95		171.33	43.96	146.47	33.30	0.01	171.33	43.96		146.47	234.53
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:41:54	6.98		171.60	43.69	146.19	33.30	0.01	171.60	43.69		146.19	234.81
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:41:56	7.02		171.57	43.72	146.22	33.30	0.01	171.57	43.72		146.22	234.78
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:41:58	7.05		171.32	43.97	146.47	33.30	0.01	171.32	43.97		146.47	234.53
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:42:00	7.08		171.40	43.89	146.40	33.30	0.01	171.40	43.89		146.40	234.60
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:42:02	7.12		171.29	44.00	146.50	33.30	0.01	171.29	44.00		146.51	234.49
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:42:04	7.15		171.40	43.89	146.40	33.30	0.01	171.40	43.89		146.40	234.60
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:42:06	7.18		171.49	43.81	146.31	33.30	0.01	171.48	43.80		146.31	234.69
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:42:08	7.22		171.51	43.78	146.29	33.30	0.01	171.51	43.78		146.29	234.71
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:42:10	7.25		171.58	43.71	146.22	33.30	0.01	171.58	43.71		146.22	234.78
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:42:12	7.28		171.25	44.05	146.55	33.30	0.01	171.24	44.04		146.55	234.45
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:42:14	7.32		171.49	43.81	146.31	33.30	0.01	171.48	43.80		146.31	234.69
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:42:16	7.35		171.47	43.82	146.32	33.30	0.01	171.47	43.82		146.33	234.67
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:42:18	7.38		171.04	44.25	146.75	33.30	0.01	171.04	44.25		146.75	234.25
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:42:20	7.42		171.35	43.94	146.44	33.30	0.01	171.35	43.94		146.45	234.55
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:42:22	7.45		171.38	43.92	146.42	33.30	0.01	171.37	43.91		146.42	234.58
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:42:24	7.48		171.36	43.93	146.44	33.30	0.01	171.36	43.93		146.44	234.56
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:42:26	7.52		171.04	44.25	146.75	33.30	0.01	171.04	44.25		146.75	234.25
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:42:28	7.55		171.16	44.14	146.64	33.30	0.01	171.15	44.13		146.64	234.36
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:42:30	7.58		171.70	43.59	146.09	33.30	0.01	171.70	43.59		146.09	234.91
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:42:32	7.62		171.19	44.11	146.61	33.30	0.01	171.18	44.10		146.61	234.39
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:42:34	7.65		171.45	43.85	146.35	33.30	0.01	171.44	43.84		146.35	234.65
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:42:36	7.68		171.27	44.03	146.53	33.30	0.01	171.26	44.02		146.53	234.47
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:42:38	7.72		171.03	44.26	146.76	33.30	0.01	171.03	44.26		146.76	234.24
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:42:40	7.75		171.19	44.11	146.61	33.30	0.01	171.18	44.10		146.61	234.39
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:42:42	7.78		171.28	44.02	146.52	33.30	0.01	171.27	44.01		146.52	234.48
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:42:44	7.82		171.02	44.28	146.78	33.30	0.01	171.01	44.27		146.78	234.22
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:42:46	7.85		171.12	44.18	146.68	33.30	0.01	171.11	44.17		146.68	234.32
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:42:48	7.88		171.15	44.14	146.65	33.30	0.01	171.15	44.14		146.65	234.35
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:42:50	7.92		171.05	44.25	146.75	33.30	0.01	171.04	44.24		146.75	234.25
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:42:52	7.95		170.74	44.56	147.06	33.30	0.01	170.73	44.55		147.06	233.94

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:42:54	7.98		171.15	44.14	146.64	33.30	0.01	171.15	44.14		146.65	234.35
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:42:56	8.02		170.86	44.43	146.94	33.30	0.01	170.86	44.43		146.94	234.06
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:42:58	8.05		171.26	44.04	146.54	33.30	0.01	171.25	44.03		146.54	234.46
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:43:00	8.08		171.07	44.22	146.72	33.30	0.01	171.07	44.22		146.73	234.27
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:43:02	8.12		171.05	44.25	146.75	33.30	0.01	171.04	44.24		146.75	234.25
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:43:04	8.15		171.06	44.24	146.74	33.30	0.01	171.05	44.23		146.74	234.26
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:43:06	8.18		171.07	44.22	146.72	33.30	0.01	171.07	44.22		146.73	234.27
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:43:08	8.22		171.02	44.28	146.78	33.30	0.01	171.01	44.27		146.78	234.22
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:43:10	8.25		171.06	44.23	146.73	33.30	0.01	171.06	44.23		146.73	234.27
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:43:12	8.28		171.02	44.28	146.78	33.30	0.01	171.01	44.27		146.78	234.22
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:43:14	8.32		171.06	44.23	146.73	33.30	0.01	171.06	44.23		146.73	234.27
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:43:16	8.35		171.11	44.18	146.69	33.30	0.01	171.11	44.18		146.69	234.31
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:43:18	8.38		171.25	44.04	146.55	33.30	0.01	171.25	44.04		146.55	234.45
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:43:20	8.42		170.99	44.31	146.81	33.30	0.01	170.98	44.30		146.81	234.19
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:43:22	8.45		170.88	44.41	146.91	33.30	0.01	170.88	44.41		146.91	234.09
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:43:24	8.48		170.88	44.42	146.92	33.30	0.01	170.87	44.41		146.92	234.08
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:43:26	8.52		170.83	44.46	146.97	33.30	0.01	170.83	44.46		146.97	234.03
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:43:28	8.55		171.02	44.27	146.77	33.30	0.01	171.02	44.27		146.77	234.23
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:43:30	8.58		170.88	44.42	146.92	33.30	0.01	170.87	44.41		146.92	234.08
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:43:32	8.62		170.92	44.38	146.88	33.30	0.01	170.91	44.37		146.88	234.12
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:43:34	8.65		171.04	44.25	146.76	33.30	0.01	171.04	44.25		146.76	234.24
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:43:36	8.68		170.95	44.35	146.85	33.30	0.01	170.94	44.34		146.85	234.15
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:43:38	8.72		171.25	44.04	146.55	33.30	0.01	171.25	44.04		146.55	234.45
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:43:40	8.75		170.67	44.63	147.13	33.30	0.01	170.66	44.62		147.13	233.87
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:43:42	8.78		171.06	44.24	146.74	33.30	0.01	171.05	44.23		146.74	234.26
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:43:44	8.82		171.02	44.27	146.77	33.30	0.01	171.02	44.27		146.77	234.23
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:43:46	8.85		171.05	44.25	146.75	33.30	0.01	171.04	44.24		146.75	234.25
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:43:48	8.88		170.88	44.42	146.92	33.30	0.01	170.87	44.41		146.92	234.08
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:43:50	8.92		170.81	44.48	146.98	33.30	0.01	170.81	44.48		146.98	234.02
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:43:52	8.95		171.14	44.16	146.66	33.30	0.01	171.13	44.15		146.66	234.34
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:43:54	8.98		170.89	44.41	146.91	33.30	0.01	170.88	44.40		146.91	234.09
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:43:56	9.02		170.80	44.50	147.00	33.30	0.01	170.79	44.49		147.00	234.00
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:43:58	9.05		170.97	44.32	146.82	33.30	0.01	170.97	44.32		146.82	234.18
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:44:00	9.08		170.75	44.55	147.05	33.30	0.01	170.74	44.54		147.05	233.95
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:44:02	9.12		170.68	44.62	147.12	33.30	0.01	170.67	44.61		147.12	233.88
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:44:04	9.15		171.00	44.30	146.80	33.30	0.01	170.99	44.29		146.80	234.20
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:44:06	9.18		170.91	44.38	146.89	33.30	0.01	170.91	44.38		146.89	234.11
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:44:08	9.22		170.79	44.50	147.00	33.30	0.01	170.79	44.50		147.00	234.00
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:44:10	9.25		170.70	44.59	147.10	33.30	0.01	170.70	44.59		147.10	233.90
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:44:12	9.28		170.73	44.57	147.07	33.30	0.01	170.72	44.56		147.07	233.93
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:44:14	9.32		171.20	44.10	146.60	33.30	0.01	171.19	44.09		146.60	234.40
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:44:16	9.35		170.99	44.31	146.81	33.30	0.01	170.98	44.30		146.81	234.19
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:44:18	9.38		170.51	44.78	147.29	33.30	0.01	170.51	44.78		147.29	233.71
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:44:20	9.42		170.76	44.53	147.04	33.30	0.01	170.76	44.53		147.04	233.96
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:44:22	9.45		170.88	44.42	146.92	33.30	0.01	170.87	44.41		146.92	234.08
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:44:24	9.48		170.68	44.61	147.11	33.30	0.01	170.68	44.61		147.11	233.89
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:44:26	9.52		170.79	44.51	147.01	33.30	0.01	170.78	44.50		147.01	233.99
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:44:28	9.55		170.55	44.74	147.24	33.30	0.01	170.55	44.74		147.25	233.75
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:44:30	9.58		171.09	44.21	146.71	33.30	0.01	171.08	44.20		146.71	234.29
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:44:32	9.62		171.06	44.24	146.74	33.30	0.01	171.05	44.23		146.74	234.26
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:44:34	9.65		170.67	44.63	147.13	33.30	0.01	170.66	44.62		147.13	233.87
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:44:36	9.68		170.71	44.59	147.09	33.30	0.01	170.70	44.58		147.09	233.91
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:44:38	9.72		170.86	44.43	146.94	33.30	0.01	170.86	44.43		146.94	234.06
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:44:40	9.75		170.64	44.65	147.15	33.30	0.01	170.64	44.65		147.15	233.85
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:44:42	9.78		171.09	44.21	146.71	33.30	0.01	171.08	44.20		146.71	234.29
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:44:44	9.82		170.46	44.83	147.33	33.30	0.01	170.46	44.83		147.33	233.67
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:44:46	9.85		170.64	44.65	147.15	33.30	0.01	170.64	44.65		147.15	233.85
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:44:48	9.88		170.40	44.89	147.39	33.30	0.01	170.40	44.89		147.40	233.60
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:44:50	9.92		170.73	44.57	147.07	33.30	0.01	170.72	44.56		147.07	233.93
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:44:52	9.95		170.75	44.54	147.04	33.30	0.01	170.75	44.54		147.05	233.95
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:44:54	9.98		170.53	44.76	147.26	33.30	0.01	170.53	44.76		147.26	233.74
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:44:56	10.02		170.20	45.10	147.60	33.30	0.01	170.19	45.09		147.60	233.40
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:44:58	10.05		170.10	45.20	147.70	33.30	0.01	170.09	45.19		147.70	233.30
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:45:00	10.08		169.46	45.84	148.34	33.30	0.00	169.46	45.83		148.34	232.66
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:45:02	10.12		169.03	46.26	148.77	33.30	0.00	169.03	46.26		148.77	232.23
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:45:04	10.15		168.42	46.87	149.37	33.30	0.00	168.42	46.87		149.37	231.63
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:45:06	10.18		168.23	47.07	149.57	33.30	0.00	168.22	47.06		149.57	231.43
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:45:08	10.22		167.97	47.32	149.83	33.30	0.00	167.97	47.32		149.83	231.17
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:45:10	10.25		167.81	47.49	149.99	33.30	0.00	167.80	47.48		149.99	231.01
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:45:12	10.28		167.62	47.68	150.18	33.30	0.00	167.62	47.67		150.18	230.82
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:45:14	10.32		167.82	47.47	149.97	33.30	0.00	167.82	47.47		149.97	231.03
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:45:16	10.35		167.11	48.18	150.68	33.30	0.00	167.11	48.18		150.68	230.32
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:45:18	10.38		167.24	48.06	150.56	33.30	0.00	167.23	48.05		150.56	230.44
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:45:20	10.42		166.88	48.42	150.92	33.30	0.00	166.88	48.41		150.92	230.08
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:45:22	10.45		166.79	48.50	151.00	33.30	0.00	166.79	48.50		151.00	230.00
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:45:24	10.48		166.51	48.78	151.28	33.30	0.00	166.51	48.78		151.28	229.72
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:45:26	10.52		166.35	48.95	151.45	33.30	0.00	166.35	48.94		151.45	229.55
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:45:28	10.55		166.02	49.27	151.77	33.30	0.00	166.02	49.27		151.77	229.23
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:45:30	10.58		166.11	49.19	151.69	33.30	0.00	166.10	49.18		151.69	229.31
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:45:32	10.62		165.69	49.61	152.11	33.30	0.00	165.68	49.60		152.11	228.89
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:45:34	10.65		165.65	49.65	152.15	33.30	0.00	165.65	49.64		152.15	228.85
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:45:36	10.68		165.48	49.81	152.31	33.30	0.00	165.48	49.81		152.31	228.69
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:45:38	10.72		165.23	50.07	152.57	33.30	0.00	165.22	50.06		152.57	228.43
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:45:40	10.75		165.18	50.11	152.62	33.30	0.00	165.18	50.11		152.62	228.38
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:45:42	10.78		165.13	50.16	152.66	33.30	0.00	165.13	50.16		152.66	228.34
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:45:44	10.82		165.09	50.21	152.71	33.30	0.00	165.08	50.20		152.71	228.29
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:45:46	10.85		164.80	50.50	153.00	33.30	0.00	164.80	50.49		153.00	228.00
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:45:48	10.88		164.70	50.60	153.10	33.30	0.00	164.69	50.59		153.10	227.90
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:45:50	10.92		164.88	50.41	152.91	33.30	0.00	164.88	50.40		152.91	228.09
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:45:52	10.95		164.90	50.39	152.90	33.30	0.00	164.90	50.39		152.90	228.10
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:45:54	10.98		164.74	50.56	153.06	33.30	0.00	164.73	50.55		153.06	227.94
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:45:56	11.02		164.90	50.39	152.90	33.30	0.00	164.90	50.39		152.90	228.10
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:45:58	11.05		164.91	50.39	152.89	33.30	0.00	164.90	50.38		152.89	228.11
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:46:00	11.08		164.76	50.54	153.04	33.30	0.00	164.76	50.53		153.04	227.96
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:46:02	11.12		164.81	50.49	152.99	33.30	0.00	164.80	50.48		152.99	228.01
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:46:04	11.15		164.94	50.36	152.86	33.30	0.00	164.93	50.35		152.86	228.14
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:46:06	11.18		164.88	50.42	152.92	33.30	0.00	164.87	50.41		152.92	228.08

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:46:08	11.22		164.88	50.41	152.91	33.30	0.00	164.88	50.40		152.91	228.09
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:46:10	11.25		164.56	50.73	153.23	33.30	0.00	164.56	50.73		153.23	227.77
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:46:12	11.28		164.74	50.55	153.06	33.30	0.00	164.74	50.55		153.05	227.95
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:46:14	11.32		164.52	50.77	153.27	33.30	0.00	164.52	50.76		153.27	227.73
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:46:16	11.35		164.55	50.75	153.25	33.30	0.00	164.55	50.74		153.25	227.75
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:46:18	11.38		164.63	50.66	153.16	33.30	0.00	164.63	50.65		153.16	227.84
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:46:20	11.42		164.44	50.85	153.36	33.30	0.00	164.44	50.85		153.36	227.64
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:46:22	11.45		164.60	50.69	153.19	33.30	0.00	164.60	50.69		153.19	227.81
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:46:24	11.48		164.55	50.74	153.24	33.30	0.00	164.55	50.73		153.24	227.76
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:46:26	11.52		164.52	50.77	153.27	33.30	0.00	164.52	50.77		153.27	227.73
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:46:28	11.55		164.51	50.78	153.28	33.30	0.00	164.51	50.77		153.28	227.72
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:46:30	11.58		164.51	50.78	153.28	33.30	0.00	164.51	50.77		153.28	227.72
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:46:32	11.62		164.44	50.85	153.35	33.30	0.00	164.44	50.84		153.35	227.65
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:46:34	11.65		164.30	51.00	153.50	33.30	0.00	164.29	50.99		153.50	227.50
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:46:36	11.68		164.45	50.84	153.34	33.30	0.00	164.45	50.84		153.34	227.66
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:46:38	11.72		164.73	50.57	153.07	33.30	0.00	164.73	50.56		153.07	227.93
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:46:40	11.75		164.32	50.97	153.48	33.30	0.00	164.32	50.97		153.47	227.53
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:46:42	11.78		164.33	50.97	153.47	33.30	0.00	164.33	50.96		153.47	227.53
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:46:44	11.82		164.45	50.84	153.34	33.30	0.00	164.45	50.84		153.34	227.66
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:46:46	11.85		164.47	50.83	153.33	33.30	0.00	164.47	50.82		153.33	227.67
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:46:48	11.88		164.42	50.87	153.37	33.30	0.00	164.42	50.87		153.37	227.63
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:46:50	11.92		164.40	50.90	153.40	33.30	0.00	164.40	50.89		153.40	227.60
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:46:52	11.95		164.36	50.93	153.44	33.30	0.00	164.36	50.93		153.44	227.56
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:46:54	11.98		164.43	50.86	153.37	33.30	0.00	164.43	50.86		153.37	227.63
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:46:56	12.02		164.55	50.75	153.25	33.30	0.00	164.54	50.74		153.25	227.75
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:46:58	12.05		164.41	50.89	153.39	33.30	0.00	164.40	50.88		153.39	227.61
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:47:00	12.08		164.20	51.09	153.59	33.30	0.00	164.20	51.08		153.59	227.41
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:47:02	12.12		164.40	50.90	153.40	33.30	0.00	164.40	50.89		153.40	227.60
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:47:04	12.15		164.47	50.83	153.33	33.30	0.00	164.47	50.82		153.33	227.67
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:47:06	12.18		164.46	50.83	153.34	33.30	0.00	164.46	50.83		153.33	227.67
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:47:08	12.22		164.38	50.91	153.41	33.30	0.00	164.38	50.91		153.41	227.59
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:47:10	12.25		164.27	51.02	153.52	33.30	0.00	164.27	51.01		153.52	227.48
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:47:12	12.28		164.27	51.02	153.52	33.30	0.00	164.27	51.01		153.52	227.48
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:47:14	12.32		164.30	50.99	153.49	33.30	0.00	164.30	50.98		153.49	227.51
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:47:16	12.35		164.19	51.11	153.61	33.30	0.00	164.19	51.10		153.61	227.39
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:47:18	12.38		164.27	51.02	153.52	33.30	0.00	164.27	51.01		153.52	227.48
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:47:20	12.42		164.09	51.20	153.70	33.30	0.00	164.09	51.19		153.70	227.30
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:47:22	12.45		164.13	51.16	153.66	33.30	0.00	164.13	51.15		153.66	227.34
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:47:24	12.48		164.22	51.08	153.58	33.30	0.00	164.22	51.07		153.58	227.42
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:47:26	12.52		164.42	50.87	153.37	33.30	0.00	164.42	50.87		153.37	227.63
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:47:28	12.55		164.27	51.03	153.53	33.30	0.00	164.26	51.02		153.53	227.47
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:47:30	12.58		164.16	51.13	153.63	33.30	0.00	164.16	51.12		153.63	227.37
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:47:32	12.62		164.16	51.14	153.64	33.30	0.00	164.15	51.13		153.64	227.36
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:47:34	12.65		164.15	51.15	153.65	33.30	0.00	164.15	51.14		153.65	227.35
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:47:36	12.68		164.14	51.15	153.66	33.30	0.00	164.14	51.15		153.65	227.35
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:47:38	12.72		163.91	51.38	153.88	33.30	0.00	163.91	51.37		153.88	227.12
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:47:40	12.75		164.30	51.00	153.50	33.30	0.00	164.29	50.99		153.50	227.50
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:47:42	12.78		164.03	51.26	153.76	33.30	0.00	164.03	51.26		153.76	227.24
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:47:44	12.82		164.06	51.23	153.73	33.30	0.00	164.06	51.23		153.73	227.27
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:47:46	12.85		163.99	51.30	153.80	33.30	0.00	163.99	51.30		153.80	227.20
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:47:48	12.88		164.04	51.25	153.76	33.30	0.00	164.04	51.25		153.76	227.24
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:47:50	12.92		163.91	51.38	153.88	33.30	0.00	163.91	51.38		153.88	227.12
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:47:52	12.95		163.95	51.35	153.85	33.30	0.00	163.94	51.34		153.85	227.15
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:47:54	12.98		163.97	51.32	153.83	33.30	0.00	163.97	51.32		153.83	227.17
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:47:56	13.02		163.92	51.37	153.87	33.30	0.00	163.92	51.37		153.87	227.13
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:47:58	13.05		163.95	51.34	153.84	33.30	0.00	163.95	51.33		153.84	227.16
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:48:00	13.08		163.88	51.42	153.92	33.30	0.00	163.87	51.41		153.92	227.08
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:48:02	13.12		164.05	51.25	153.75	33.30	0.00	164.05	51.24		153.75	227.25
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:48:04	13.15		164.00	51.30	153.80	33.30	0.00	164.00	51.29		153.80	227.20
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:48:06	13.18		163.94	51.36	153.86	33.30	0.00	163.93	51.35		153.86	227.14
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:48:08	13.22		163.87	51.43	153.93	33.30	0.00	163.87	51.42		153.93	227.07
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:48:10	13.25		163.89	51.40	153.90	33.30	0.00	163.89	51.40		153.90	227.10
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:48:12	13.28		163.87	51.42	153.92	33.30	0.00	163.87	51.41		153.92	227.08
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:48:14	13.32		163.89	51.40	153.91	33.30	0.00	163.89	51.40		153.91	227.09
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:48:16	13.35		164.05	51.25	153.75	33.30	0.00	164.04	51.24		153.75	227.25
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:48:18	13.38		163.99	51.30	153.80	33.30	0.00	163.99	51.30		153.80	227.20
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:48:20	13.42		163.96	51.33	153.84	33.30	0.00	163.96	51.33		153.84	227.16
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:48:22	13.45		163.88	51.41	153.91	33.30	0.00	163.88	51.40		153.91	227.09
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:48:24	13.48		163.78	51.51	154.02	33.30	0.00	163.78	51.51		154.01	226.99
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:48:26	13.52		163.82	51.47	153.98	33.30	0.00	163.82	51.47		153.98	227.02
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:48:28	13.55		163.70	51.59	154.09	33.30	0.00	163.70	51.59		154.09	226.91
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:48:30	13.58		163.85	51.44	153.94	33.30	0.00	163.85	51.44		153.94	227.06
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:48:32	13.62		163.87	51.43	153.93	33.30	0.00	163.86	51.42		153.93	227.07
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:48:34	13.65		163.61	51.69	154.19	33.30	0.00	163.61	51.68		154.19	226.81
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:48:36	13.68		163.85	51.44	153.95	33.30	0.00	163.85	51.44		153.94	227.06
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:48:38	13.72		163.75	51.55	154.05	33.30	0.00	163.75	51.54		154.05	226.95
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:48:40	13.75		163.89	51.40	153.91	33.30	0.00	163.89	51.40		153.91	227.09
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:48:42	13.78		163.95	51.34	153.84	33.30	0.00	163.95	51.34		153.84	227.16
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:48:44	13.82		163.74	51.56	154.06	33.30	0.00	163.73	51.55		154.06	226.94
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:48:46	13.85		163.71	51.58	154.09	33.30	0.00	163.71	51.58		154.09	226.91
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:48:48	13.88		163.76	51.54	154.04	33.30	0.00	163.75	51.53		154.04	226.96
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:48:50	13.92		163.80	51.49	153.99	33.30	0.00	163.80	51.48		153.99	227.01
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:48:52	13.95		163.90	51.40	153.90	33.30	0.00	163.90	51.39		153.90	227.10
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:48:54	13.98		163.77	51.52	154.02	33.30	0.00	163.77	51.52		154.02	226.98
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:48:56	14.02		163.69	51.60	154.10	33.30	0.00	163.69	51.59		154.10	226.90
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:48:58	14.05		163.76	51.53	154.03	33.30	0.00	163.76	51.52		154.03	226.97
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:49:00	14.08		163.61	51.69	154.19	33.30	0.00	163.61	51.68		154.19	226.81
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:49:02	14.12		163.65	51.65	154.15	33.30	0.00	163.65	51.64		154.15	226.85
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:49:04	14.15		163.48	51.81	154.31	33.30	0.00	163.48	51.80		154.31	226.69
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:49:06	14.18		163.87	51.42	153.92	33.30	0.00	163.87	51.41		153.92	227.08
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:49:08	14.22		163.66	51.64	154.14	33.30	0.00	163.65	51.63		154.14	226.86
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:49:10	14.25		163.73	51.56	154.06	33.30	0.00	163.73	51.55		154.06	226.94
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:49:12	14.28		163.73	51.57	154.07	33.30	0.00	163.72	51.56		154.07	226.93
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:49:14	14.32		163.76	51.54	154.04	33.30	0.00	163.75	51.53		154.04	226.96
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:49:16	14.35		163.56	51.73	154.23	33.30	0.00	163.56	51.73		154.23	226.77
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:49:18	14.38		163.82	51.47	153.98	33.30	0.00	163.82	51.47		153.98	227.02
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:49:20	14.42		163.55	51.75	154.25	33.30	0.00	163.54	51.74		154.25	226.75

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:49:22	14.45		163.71	51.58	154.09	33.30	0.00	163.71	51.58		154.09	226.91
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:49:24	14.48		163.43	51.86	154.37	33.30	0.00	163.43	51.86		154.37	226.63
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:49:26	14.52		163.41	51.89	154.39	33.30	0.00	163.40	51.88		154.39	226.61
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:49:28	14.55		163.76	51.53	154.03	33.30	0.00	163.76	51.52		154.03	226.97
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:49:30	14.58		163.55	51.74	154.24	33.30	0.00	163.55	51.73		154.24	226.76
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:49:32	14.62		163.55	51.75	154.25	33.30	0.00	163.54	51.74		154.25	226.75
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:49:34	14.65		163.56	51.73	154.23	33.30	0.00	163.56	51.73		154.23	226.77
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:49:36	14.68		163.57	51.72	154.23	33.30	0.00	163.57	51.72		154.23	226.77
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:49:38	14.72		163.50	51.79	154.30	33.30	0.00	163.50	51.79		154.30	226.70
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:49:40	14.75		163.60	51.69	154.20	33.30	0.00	163.60	51.69		154.19	226.81
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:49:42	14.78		163.50	51.79	154.30	33.30	0.00	163.50	51.79		154.30	226.70
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:49:44	14.82		163.51	51.79	154.29	33.30	0.00	163.51	51.78		154.29	226.71
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:49:46	14.85		163.53	51.76	154.27	33.30	0.00	163.53	51.76		154.26	226.74
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:49:48	14.88		163.45	51.85	154.35	33.30	0.00	163.44	51.84		154.35	226.65
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:49:50	14.92		163.43	51.86	154.37	33.30	0.00	163.43	51.86		154.37	226.63
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:49:52	14.95		163.43	51.86	154.37	33.30	0.00	163.43	51.86		154.37	226.63
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:49:54	14.98		163.45	51.84	154.34	33.30	0.00	163.45	51.84		154.34	226.66
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:49:56	15.02		163.52	51.78	154.28	33.30	0.00	163.51	51.77		154.28	226.72
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:49:58	15.05		163.27	52.02	154.52	33.30	0.00	163.27	52.01		154.52	226.48
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:50:00	15.08		163.44	51.86	154.36	33.29	0.00	163.44	51.85		154.36	226.64
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:51:00	16.08		163.23	52.06	154.56	33.29	0.00	163.23	52.05		154.56	226.44
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:52:00	17.08		162.93	52.36	154.87	33.29	0.00	162.93	52.36		154.86	226.14
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:53:00	18.08		162.83	52.46	154.97	33.29	0.00	162.83	52.46		154.96	226.04
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:54:00	19.08		162.44	52.86	155.36	33.29	0.00	162.44	52.85		155.36	225.64
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:55:00	20.08		162.49	52.80	155.30	33.29	0.00	162.49	52.79		155.30	225.70
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:56:00	21.08		162.18	53.12	155.62	33.29	0.00	162.18	53.11		155.61	225.39
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:57:00	22.08		161.88	53.41	155.91	33.29	0.00	161.88	53.40		155.91	225.09
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:58:00	23.08		161.72	53.58	156.08	33.29	0.00	161.72	53.57		156.07	224.93
SW Well 1A	CR TEST - PUMPING	10/6/2010 14:59:00	24.08		161.60	53.69	156.19	33.29	0.00	161.60	53.68		156.19	224.81
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:00:00	25.08		161.57	53.73	156.23	33.29	-0.01	161.57	53.71		156.22	224.78
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:01:00	26.08		161.23	54.07	156.57	33.29	-0.01	161.23	54.06		156.56	224.44
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:02:00	27.08		161.36	53.94	156.44	33.29	-0.01	161.36	53.93		156.43	224.57
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:03:00	28.08		161.01	54.28	156.78	33.29	-0.01	161.02	54.27		156.77	224.23
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:04:00	29.08		160.93	54.36	156.87	33.29	-0.01	160.93	54.35		156.86	224.14
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:05:00	30.08		160.70	54.59	157.09	33.28	-0.01	160.71	54.58		157.08	223.92
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:06:00	31.08		160.73	54.56	157.06	33.28	-0.01	160.74	54.55		157.06	223.94
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:07:00	32.08		158.45	56.84	159.34	33.28	-0.01	158.46	56.83		159.34	221.66
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:08:00	33.08		158.42	56.87	159.38	33.28	-0.01	158.43	56.86		159.37	221.63
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:09:00	34.08		158.23	57.06	159.57	33.28	-0.01	158.24	57.05		159.56	221.44
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:10:00	35.08		158.11	57.18	159.68	33.28	-0.02	158.12	57.17		159.67	221.33
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:11:00	36.08		158.01	57.28	159.78	33.28	-0.02	158.02	57.27		159.77	221.23
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:12:00	37.08		157.97	57.32	159.82	33.28	-0.02	157.98	57.31		159.81	221.19
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:13:00	38.08		157.79	57.50	160.00	33.28	-0.02	157.80	57.49		159.99	221.01
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:14:00	39.08		157.61	57.68	160.18	33.28	-0.02	157.62	57.67		160.17	220.83
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:15:00	40.08		157.61	57.69	160.19	33.28	-0.02	157.61	57.67		160.18	220.82
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:16:00	41.08		157.41	57.88	160.39	33.28	-0.02	157.42	57.87		160.37	220.63
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:17:00	42.08		157.38	57.91	160.41	33.28	-0.02	157.39	57.89		160.40	220.60
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:18:00	43.08		157.16	58.14	160.64	33.28	-0.02	157.17	58.12		160.63	220.37
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:19:00	44.08		157.23	58.06	160.56	33.28	-0.02	157.24	58.05		160.55	220.45
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:20:00	45.08		157.09	58.21	160.71	33.27	-0.02	157.10	58.19		160.69	220.31
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:21:00	46.08		156.89	58.41	160.91	33.27	-0.02	156.90	58.39		160.90	220.10
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:22:00	47.08		156.81	58.49	160.99	33.27	-0.02	156.82	58.47		160.97	220.03
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:23:00	48.08		156.72	58.57	161.07	33.27	-0.02	156.73	58.55		161.06	219.94
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:24:00	49.08		156.57	58.72	161.22	33.27	-0.02	156.59	58.70		161.21	219.79
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:25:00	50.08		156.53	58.76	161.26	33.27	-0.03	156.55	58.74		161.25	219.75
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:26:00	51.08		156.46	58.83	161.33	33.27	-0.03	156.48	58.81		161.32	219.68
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:27:00	52.08		156.33	58.96	161.47	33.27	-0.03	156.34	58.94		161.45	219.55
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:28:00	53.08		156.19	59.10	161.61	33.27	-0.03	156.20	59.08		161.59	219.41
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:29:00	54.08		156.26	59.04	161.54	33.27	-0.03	156.27	59.02		161.53	219.47
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:30:00	55.08		156.11	59.18	161.68	33.27	-0.03	156.13	59.16		161.67	219.33
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:31:00	56.08		156.02	59.27	161.78	33.27	-0.03	156.03	59.25		161.76	219.24
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:32:00	57.08		155.93	59.37	161.87	33.27	-0.03	155.94	59.35		161.85	219.15
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:33:00	58.08		156.07	59.23	161.73	33.27	-0.03	156.08	59.21		161.71	219.29
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:34:00	59.08		155.82	59.47	161.97	33.27	-0.03	155.84	59.45		161.96	219.04
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:35:00	60.08		155.81	59.49	161.99	33.26	-0.03	155.82	59.46		161.97	219.03
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:36:00	61.08		155.66	59.63	162.14	33.26	-0.03	155.68	59.61		162.12	218.88
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:37:00	62.08		155.55	59.74	162.24	33.26	-0.03	155.57	59.72		162.23	218.77
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:38:00	63.08		155.52	59.77	162.28	33.26	-0.03	155.54	59.75		162.26	218.74
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:39:00	64.08		155.36	59.93	162.43	33.26	-0.03	155.38	59.91		162.41	218.59
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:40:00	65.08		155.29	60.01	162.51	33.26	-0.04	155.30	59.98		162.49	218.51
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:41:00	66.08		155.36	59.93	162.43	33.26	-0.04	155.38	59.90		162.41	218.59
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:42:00	67.08		155.29	60.00	162.50	33.26	-0.04	155.31	59.98		162.48	218.52
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:43:00	68.08		155.15	60.14	162.64	33.26	-0.04	155.17	60.12		162.62	218.38
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:44:00	69.08		155.03	60.27	162.77	33.26	-0.04	155.05	60.24		162.75	218.25
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:45:00	70.08		155.06	60.24	162.74	33.25	-0.04	155.08	60.21		162.72	218.28
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:46:00	71.08		154.93	60.37	162.87	33.25	-0.04	154.95	60.34		162.85	218.15
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:47:00	72.08		154.93	60.37	162.87	33.25	-0.04	154.95	60.34		162.85	218.15
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:48:00	73.08		154.88	60.41	162.92	33.25	-0.04	154.90	60.39		162.89	218.11
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:49:00	74.08		154.81	60.48	162.99	33.25	-0.04	154.83	60.46		162.96	218.04
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:50:00	75.08		154.80	60.49	162.99	33.25	-0.04	154.82	60.46		162.97	218.03
SW Well 1A	CR TEST - PUMPING	10/6/2010 15:55:00	80.08		154.47	60.82	163.32	33.25	-0.05	154.50	60.79		163.30	217.70
SW Well 1A	CR TEST - PUMPING	10/6/2010 16:00:00	85.08		154.16	61.13	163.64	33.24	-0.05	154.19	61.10		163.61	217.39
SW Well 1A	CR TEST - PUMPING	10/6/2010 16:05:00	90.08		153.83	61.47	163.97	33.24	-0.05	153.85	61.43		163.94	217.06
SW Well 1A	CR TEST - PUMPING	10/6/2010 16:10:00	95.08		153.42	61.87	164.38	33.24	-0.06	153.45	61.84		164.34	216.66
SW Well 1A	CR TEST - PUMPING	10/6/2010 16:15:00	100.08		153.26	62.03	164.53	33.23	-0.06	153.29	61.99		164.50	216.50
SW Well 1A	CR TEST - PUMPING	10/6/2010 16:20:00	105.08		153.11	62.19	164.69	33.23	-0.06	153.14	62.15		164.65	216.35
SW Well 1A	CR TEST - PUMPING	10/6/2010 16:25:00	110.08		152.83	62.47	164.97	33.23	-0.07	152.86	62.43		164.93	216.07
SW Well 1A	CR TEST - PUMPING	10/6/2010 16:30:00	115.08		152.64	62.66	165.16	33.22	-0.07	152.67	62.61		165.12	215.88
SW Well 1A	CR TEST - PUMPING	10/6/2010 16:35:00	120.08		152.02	63.27	165.77	33.22	-0.08	152.06	63.23		165.73	215.27
SW Well 1A	CR TEST - PUMPING	10/6/2010 16:40:00	125.08		150.36	64.94	167.44	33.22	-0.08	150.40	64.89		167.40	213.60
SW Well 1A	CR TEST - PUMPING	10/6/2010 16:45:00	130.08		150.14	65.15	167.66	33.21	-0.08	150.18	65.11		167.61	213.39
SW Well 1A	CR TEST - PUMPING	10/6/2010 16:50:00	135.08		149.84	65.45	167.95	33.21	-0.09	149.89	65.40		167.91	213.09
SW Well 1A	CR TEST - PUMPING	10/6/2010 16:55:00	140.08		149.69	65.61	168.11	33.20	-0.09	149.73	65.56		168.06	212.94
SW Well 1A	CR TEST - PUMPING	10/6/2010 17:00:00	145.08		149.44	65.85	168.35	33.20	-0.09	149.49	65.80		168.30	212.70
SW Well 1A	CR TEST - PUMPING	10/6/2010 17:05:00	150.08		149.31	65.98	168.48	33.20	-0.10	149.36	65.93		168.43	212.57
SW Well 1A	CR TEST - PUMPING	10/6/2010 17:10:00	155.08		149.23	66.06	168.56	33.19	-0.10	149.28	66.00		168.51	212.49
SW Well 1A	CR TEST - PUMPING	10/6/2010 17:15:00	160.08		148.98	66.31	168.81	33.19	-0.10	149.04	66.25		168.76	212.24

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - PUMPING	10/6/2010 17:20:00	165.08		148.80	66.50	169.00	33.19	-0.11	148.85	66.44		168.94	212.06
SW Well 1A	CR TEST - PUMPING	10/6/2010 17:25:00	170.08		149.67	65.62	168.13	33.18	-0.11	149.73	65.56		168.07	212.93
SW Well 1A	CR TEST - PUMPING	10/6/2010 17:30:00	175.08		155.13	60.16	162.66	33.18	-0.11	155.19	60.10		162.60	218.40
SW Well 1A	CR TEST - PUMPING	10/6/2010 17:35:00	180.08		155.20	60.09	162.59	33.18	-0.11	155.26	60.03	-3.20	162.53	218.47
SW Well 1A	CR TEST - PUMPING	10/6/2010 17:40:00	185.08		155.18	60.12	162.62	33.18	-0.11	155.23	60.05		162.56	218.44
SW Well 1A	CR TEST - PUMPING	10/6/2010 17:45:00	190.08		151.84	63.46	165.96	33.18	-0.11	151.89	63.39		165.90	215.10
SW Well 1A	CR TEST - PUMPING	10/6/2010 17:50:00	195.08		151.50	63.79	166.29	33.18	-0.11	151.56	63.73		166.23	214.77
SW Well 1A	CR TEST - PUMPING	10/6/2010 17:55:00	200.08		151.49	63.80	166.30	33.18	-0.11	151.55	63.74		166.24	214.76
SW Well 1A	CR TEST - PUMPING	10/6/2010 18:00:00	205.08		151.31	63.98	166.48	33.18	-0.11	151.37	63.92		166.42	214.58
SW Well 1A	CR TEST - PUMPING	10/6/2010 18:05:00	210.08		151.24	64.05	166.55	33.18	-0.11	151.30	63.99		166.49	214.51
SW Well 1A	CR TEST - PUMPING	10/6/2010 18:10:00	215.08		151.27	64.03	166.53	33.18	-0.11	151.32	63.96		166.47	214.53
SW Well 1A	CR TEST - PUMPING	10/6/2010 18:15:00	220.08		150.96	64.33	166.83	33.18	-0.11	151.02	64.27		166.78	214.22
SW Well 1A	CR TEST - PUMPING	10/6/2010 18:20:00	225.08		150.87	64.42	166.93	33.18	-0.11	150.92	64.36		166.87	214.13
SW Well 1A	CR TEST - PUMPING	10/6/2010 18:25:00	230.08		150.92	64.38	166.88	33.18	-0.11	150.97	64.32		166.82	214.18
SW Well 1A	CR TEST - PUMPING	10/6/2010 18:30:00	235.08		150.68	64.61	167.11	33.19	-0.11	150.74	64.55		167.06	213.94
SW Well 1A	CR TEST - PUMPING	10/6/2010 18:35:00	240.08		150.67	64.63	167.13	33.19	-0.11	150.72	64.57	4.54	167.07	213.93
SW Well 1A	CR TEST - PUMPING	10/6/2010 18:40:00	245.08		150.39	64.90	167.40	33.19	-0.11	150.45	64.84		167.35	213.65
SW Well 1A	CR TEST - PUMPING	10/6/2010 18:45:00	250.08		150.31	64.98	167.48	33.19	-0.11	150.37	64.92		167.43	213.57
SW Well 1A	CR TEST - PUMPING	10/6/2010 18:50:00	255.08		150.39	64.91	167.41	33.19	-0.11	150.44	64.85		167.35	213.65
SW Well 1A	CR TEST - PUMPING	10/6/2010 18:55:00	260.08		150.22	65.07	167.57	33.19	-0.11	150.28	65.01		167.52	213.48
SW Well 1A	CR TEST - PUMPING	10/6/2010 19:00:00	265.08		150.04	65.25	167.75	33.19	-0.11	150.10	65.19		167.70	213.30
SW Well 1A	CR TEST - PUMPING	10/6/2010 19:05:00	270.08		150.05	65.24	167.74	33.19	-0.11	150.10	65.18		167.69	213.31
SW Well 1A	CR TEST - PUMPING	10/6/2010 19:10:00	275.08		149.90	65.39	167.89	33.19	-0.11	149.95	65.33		167.84	213.16
SW Well 1A	CR TEST - PUMPING	10/6/2010 19:15:00	280.08		149.79	65.51	168.01	33.19	-0.11	149.84	65.45		167.96	213.04
SW Well 1A	CR TEST - PUMPING	10/6/2010 19:20:00	285.08		149.61	65.68	168.18	33.19	-0.10	149.67	65.62		168.13	212.87
SW Well 1A	CR TEST - PUMPING	10/6/2010 19:25:00	290.08		149.48	65.81	168.31	33.19	-0.10	149.54	65.75		168.26	212.74
SW Well 1A	CR TEST - PUMPING	10/6/2010 19:30:00	295.08		149.58	65.71	168.21	33.19	-0.10	149.63	65.65		168.16	212.84
SW Well 1A	CR TEST - PUMPING	10/6/2010 19:35:00	300.08		149.54	65.75	168.25	33.19	-0.10	149.59	65.69	1.12	168.20	212.80
SW Well 1A	CR TEST - PUMPING	10/6/2010 19:40:00	305.08		149.47	65.83	168.33	33.19	-0.10	149.52	65.77		168.28	212.72
SW Well 1A	CR TEST - PUMPING	10/6/2010 19:45:00	310.08		149.38	65.91	168.42	33.19	-0.10	149.43	65.86		168.36	212.64
SW Well 1A	CR TEST - PUMPING	10/6/2010 19:50:00	315.08		149.15	66.14	168.64	33.19	-0.10	149.20	66.08		168.59	212.41
SW Well 1A	CR TEST - PUMPING	10/6/2010 19:55:00	320.08		149.05	66.25	168.75	33.19	-0.10	149.10	66.19		168.70	212.30
SW Well 1A	CR TEST - PUMPING	10/6/2010 20:00:00	325.08		149.03	66.26	168.77	33.19	-0.10	149.08	66.21		168.71	212.29
SW Well 1A	CR TEST - PUMPING	10/6/2010 20:05:00	330.08		148.99	66.30	168.81	33.19	-0.10	149.04	66.25		168.75	212.25
SW Well 1A	CR TEST - PUMPING	10/6/2010 20:10:00	335.08		148.84	66.45	168.95	33.19	-0.10	148.89	66.39		168.90	212.10
SW Well 1A	CR TEST - PUMPING	10/6/2010 20:15:00	340.08		148.74	66.55	169.06	33.19	-0.10	148.79	66.50		169.00	212.00
SW Well 1A	CR TEST - PUMPING	10/6/2010 20:20:00	345.08		148.76	66.53	169.03	33.19	-0.10	148.81	66.47		168.98	212.02
SW Well 1A	CR TEST - PUMPING	10/6/2010 20:25:00	350.08		148.50	66.79	169.30	33.20	-0.10	148.55	66.74		169.24	211.76
SW Well 1A	CR TEST - PUMPING	10/6/2010 20:30:00	355.08		148.59	66.71	169.21	33.20	-0.10	148.63	66.65		169.16	211.84
SW Well 1A	CR TEST - PUMPING	10/6/2010 20:35:00	360.08		148.48	66.82	169.32	33.20	-0.10	148.53	66.76	1.07	169.27	211.73
SW Well 1A	CR TEST - PUMPING	10/6/2010 20:40:00	365.08		148.30	66.99	169.49	33.20	-0.10	148.35	66.93		169.44	211.56
SW Well 1A	CR TEST - PUMPING	10/6/2010 20:45:00	370.08		148.23	67.06	169.56	33.20	-0.10	148.28	67.00		169.51	211.49
SW Well 1A	CR TEST - PUMPING	10/6/2010 20:50:00	375.08		148.17	67.12	169.62	33.20	-0.10	148.22	67.07		169.57	211.43
SW Well 1A	CR TEST - PUMPING	10/6/2010 20:55:00	380.08		148.03	67.27	169.77	33.20	-0.10	148.07	67.21		169.72	211.28
SW Well 1A	CR TEST - PUMPING	10/6/2010 21:00:00	385.08		147.82	67.48	169.98	33.20	-0.10	147.86	67.42		169.93	211.07
SW Well 1A	CR TEST - PUMPING	10/6/2010 21:05:00	390.08		147.79	67.50	170.00	33.20	-0.10	147.84	67.45		169.95	211.05
SW Well 1A	CR TEST - PUMPING	10/6/2010 21:10:00	395.08		147.68	67.61	170.11	33.20	-0.09	147.73	67.56		170.06	210.94
SW Well 1A	CR TEST - PUMPING	10/6/2010 21:15:00	400.08		147.73	67.56	170.07	33.20	-0.09	147.78	67.51		170.02	210.98
SW Well 1A	CR TEST - PUMPING	10/6/2010 21:20:00	405.08		147.71	67.59	170.09	33.20	-0.09	147.75	67.53		170.04	210.96
SW Well 1A	CR TEST - PUMPING	10/6/2010 21:25:00	410.08		147.50	67.80	170.30	33.20	-0.09	147.54	67.74		170.25	210.75
SW Well 1A	CR TEST - PUMPING	10/6/2010 21:30:00	415.08		147.43	67.86	170.36	33.20	-0.09	147.48	67.81		170.31	210.69
SW Well 1A	CR TEST - PUMPING	10/6/2010 21:35:00	420.08		147.42	67.87	170.37	33.20	-0.09	147.47	67.82	1.06	170.32	210.68
SW Well 1A	CR TEST - PUMPING	10/6/2010 21:40:00	425.08		147.18	68.12	170.62	33.20	-0.09	147.22	68.06		170.57	210.43
SW Well 1A	CR TEST - PUMPING	10/6/2010 21:45:00	430.08		147.18	68.11	170.61	33.20	-0.09	147.23	68.06		170.56	210.44
SW Well 1A	CR TEST - PUMPING	10/6/2010 21:50:00	435.08		147.31	67.98	170.49	33.20	-0.09	147.35	67.93		170.44	210.56
SW Well 1A	CR TEST - PUMPING	10/6/2010 21:55:00	440.08		147.12	68.17	170.67	33.20	-0.09	147.17	68.12		170.63	210.37
SW Well 1A	CR TEST - PUMPING	10/6/2010 22:00:00	445.08		146.95	68.35	170.85	33.20	-0.09	146.99	68.29		170.80	210.20
SW Well 1A	CR TEST - PUMPING	10/6/2010 22:05:00	450.08		146.94	68.35	170.85	33.20	-0.09	146.99	68.30		170.80	210.20
SW Well 1A	CR TEST - PUMPING	10/6/2010 22:10:00	455.08		146.90	68.39	170.89	33.20	-0.09	146.95	68.34		170.85	210.15
SW Well 1A	CR TEST - PUMPING	10/6/2010 22:15:00	460.08		146.85	68.45	170.95	33.20	-0.09	146.89	68.39		170.90	210.10
SW Well 1A	CR TEST - PUMPING	10/6/2010 22:20:00	465.08		146.72	68.58	171.08	33.20	-0.09	146.76	68.53		171.03	209.97
SW Well 1A	CR TEST - PUMPING	10/6/2010 22:25:00	470.08		146.64	68.66	171.16	33.21	-0.09	146.68	68.60		171.11	209.89
SW Well 1A	CR TEST - PUMPING	10/6/2010 22:30:00	475.08		146.57	68.73	171.23	33.21	-0.09	146.61	68.68		171.18	209.82
SW Well 1A	CR TEST - PUMPING	10/6/2010 22:35:00	480.08		146.44	68.85	171.35	33.21	-0.09	146.49	68.80	0.98	171.30	209.70
SW Well 1A	CR TEST - PUMPING	10/6/2010 22:40:00	485.08		146.48	68.81	171.31	33.21	-0.09	146.52	68.76		171.27	209.73
SW Well 1A	CR TEST - PUMPING	10/6/2010 22:45:00	490.08		146.40	68.89	171.39	33.21	-0.09	146.45	68.84		171.35	209.65
SW Well 1A	CR TEST - PUMPING	10/6/2010 22:50:00	495.08		146.33	68.96	171.46	33.21	-0.09	146.38	68.91		171.42	209.58
SW Well 1A	CR TEST - PUMPING	10/6/2010 22:55:00	500.08		146.12	69.18	171.68	33.21	-0.09	146.16	69.13		171.63	209.37
SW Well 1A	CR TEST - PUMPING	10/6/2010 23:00:00	505.08		146.19	69.11	171.61	33.21	-0.09	146.23	69.06		171.56	209.44
SW Well 1A	CR TEST - PUMPING	10/6/2010 23:05:00	510.08		146.06	69.23	171.74	33.21	-0.09	146.10	69.18		171.69	209.31
SW Well 1A	CR TEST - PUMPING	10/6/2010 23:10:00	515.08		146.06	69.23	171.74	33.21	-0.09	146.10	69.18		171.69	209.31
SW Well 1A	CR TEST - PUMPING	10/6/2010 23:15:00	520.08		146.02	69.27	171.77	33.21	-0.09	146.06	69.22		171.73	209.27
SW Well 1A	CR TEST - PUMPING	10/6/2010 23:20:00	525.08		145.94	69.35	171.85	33.21	-0.08	145.99	69.30		171.81	209.19
SW Well 1A	CR TEST - PUMPING	10/6/2010 23:25:00	530.08		145.82	69.47	171.97	33.21	-0.08	145.86	69.42		171.93	209.07
SW Well 1A	CR TEST - PUMPING	10/6/2010 23:30:00	535.08		145.72	69.57	172.08	33.21	-0.08	145.76	69.53		172.03	208.97
SW Well 1A	CR TEST - PUMPING	10/6/2010 23:35:00	540.08		145.70	69.60	172.10	33.21	-0.08	145.74	69.55	0.75	172.06	208.94
SW Well 1A	CR TEST - PUMPING	10/6/2010 23:40:00	545.08		145.69	69.61	172.11	33.21	-0.08	145.73	69.56		172.07	208.93
SW Well 1A	CR TEST - PUMPING	10/6/2010 23:45:00	550.08		145.75	69.54	172.05	33.21	-0.08	145.79	69.50		172.00	209.00
SW Well 1A	CR TEST - PUMPING	10/6/2010 23:50:00	555.08		145.46	69.83	172.34	33.21	-0.08	145.50	69.79		172.29	208.71
SW Well 1A	CR TEST - PUMPING	10/6/2010 23:55:00	560.08		145.47	69.83	172.33	33.21	-0.08	145.51	69.78		172.28	208.72
SW Well 1A	CR TEST - PUMPING	10/7/2010 0:00:00	565.08		145.40	69.90	172.40	33.21	-0.08	145.44	69.85		172.35	208.65
SW Well 1A	CR TEST - PUMPING	10/7/2010 0:05:00	570.08		145.13	70.17	172.67	33.21	-0.08	145.17	70.12		172.63	208.37
SW Well 1A	CR TEST - PUMPING	10/7/2010 0:10:00	575.08		145.29	70.00	172.51	33.21	-0.08	145.33	69.96		172.46	208.54
SW Well 1A	CR TEST - PUMPING	10/7/2010 0:15:00	580.08		145.24	70.05	172.55	33.21	-0.08	145.28	70.00		172.51	208.49
SW Well 1A	CR TEST - PUMPING	10/7/2010 0:20:00	585.08		145.16	70.14	172.64	33.21	-0.08	145.20	70.09		172.60	208.40
SW Well 1A	CR TEST - PUMPING	10/7/2010 0:25:00	590.08		145.11	70.18	172.69	33.21	-0.08	145.15	70.14		172.64	208.36
SW Well 1A	CR TEST - PUMPING	10/7/2010 0:30:00	595.08		145.20	70.10	172.60	33.21	-0.08	145.23	70.05		172.56	208.44
SW Well 1A	CR TEST - PUMPING	10/7/2010 0:35:00	600.08		145.06	70.23	172.73	33.21	-0.08	145.10	70.18	0.64	172.69	208.31
SW Well 1A	CR TEST - PUMPING	10/7/2010 0:40:00	605.08		144.95	70.35	172.85	33.22	-0.08	144.99	70.30		172.81	208.19
SW Well 1A	CR TEST - PUMPING	10/7/2010 0:45:00	610.08		144.95	70.35	172.85	33.22	-0.08	144.99	70.30		172.81	208.19
SW Well 1A	CR TEST - PUMPING	10/7/2010 0:50:00	615.08		144.79	70.50	173.01	33.22	-0.08	144.83	70.46		172.96	208.04
SW Well 1A	CR TEST - PUMPING	10/7/2010 0:55:00	620.08		144.95	70.34	172.84	33.22	-0.08	144.99	70.29		172.80	208.20
SW Well 1A	CR TEST - PUMPING	10/7/2010 1:00:00	625.08		144.67	70.62	173.12	33.22	-0.08	144.71	70.57		173.08	207.92
SW Well 1A	CR TEST - PUMPING	10/7/2010 1:05:00	630.08		144.64	70.65	173.15	33.22	-0.08	144.68	70.61		173.11	207.89
SW Well 1A	CR TEST - PUMPING	10/7/2010 1:10:00	635.08		144.67	70.63	173.13	33.22	-0.08	144.70	70.58		173.09	207.91
SW Well 1A	CR TEST - PUMPING	10/7/2010 1:15:00	640.08		144.60	70.70	173.20	33.22	-0.08	144.63	70.65		173.16	207.84
SW Well 1A	CR TEST - PUMPING	10/7/2010 1:20:00	645.08		144.44	70.85	173.36	33.22	-0.08	144.48	70.81		173.31	207.69

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - PUMPING	10/7/2010 1:25:00	650.08		144.53	70.76	173.26	33.22	-0.08	144.57	70.72		173.22	207.78
SW Well 1A	CR TEST - PUMPING	10/7/2010 1:30:00	655.08		144.48	70.81	173.32	33.22	-0.08	144.52	70.77		173.28	207.72
SW Well 1A	CR TEST - PUMPING	10/7/2010 1:35:00	660.08		144.46	70.83	173.33	33.22	-0.07	144.50	70.79	0.60	173.29	207.71
SW Well 1A	CR TEST - PUMPING	10/7/2010 1:40:00	665.08		144.28	71.01	173.51	33.22	-0.07	144.32	70.97		173.47	207.53
SW Well 1A	CR TEST - PUMPING	10/7/2010 1:45:00	670.08		144.42	70.88	173.38	33.22	-0.07	144.45	70.83		173.34	207.66
SW Well 1A	CR TEST - PUMPING	10/7/2010 1:50:00	675.08		144.25	71.04	173.54	33.22	-0.07	144.29	71.00		173.50	207.50
SW Well 1A	CR TEST - PUMPING	10/7/2010 1:55:00	680.08		144.16	71.13	173.64	33.22	-0.07	144.19	71.09		173.60	207.40
SW Well 1A	CR TEST - PUMPING	10/7/2010 2:00:00	685.08		144.20	71.10	173.60	33.22	-0.07	144.23	71.05		173.56	207.44
SW Well 1A	CR TEST - PUMPING	10/7/2010 2:05:00	690.08		144.23	71.06	173.57	33.22	-0.07	144.26	71.02		173.53	207.47
SW Well 1A	CR TEST - PUMPING	10/7/2010 2:10:00	695.08		144.04	71.25	173.75	33.23	-0.07	144.08	71.21		173.71	207.29
SW Well 1A	CR TEST - PUMPING	10/7/2010 2:15:00	700.08		144.06	71.24	173.74	33.23	-0.07	144.09	71.19		173.70	207.30
SW Well 1A	CR TEST - PUMPING	10/7/2010 2:20:00	705.08		144.02	71.27	173.78	33.23	-0.07	144.05	71.23		173.74	207.26
SW Well 1A	CR TEST - PUMPING	10/7/2010 2:25:00	710.08		143.96	71.33	173.83	33.23	-0.07	144.00	71.29		173.80	207.20
SW Well 1A	CR TEST - PUMPING	10/7/2010 2:30:00	715.08		143.80	71.49	173.99	33.23	-0.07	143.83	71.45		173.96	207.04
SW Well 1A	CR TEST - PUMPING	10/7/2010 2:35:00	720.08		143.83	71.46	173.96	33.23	-0.07	143.86	71.42	0.64	173.93	207.07
SW Well 1A	CR TEST - PUMPING	10/7/2010 2:40:00	725.08		143.81	71.48	173.99	33.23	-0.06	143.84	71.45		173.95	207.05
SW Well 1A	CR TEST - PUMPING	10/7/2010 2:45:00	730.08		143.75	71.55	174.05	33.23	-0.06	143.78	71.51		174.01	206.99
SW Well 1A	CR TEST - PUMPING	10/7/2010 2:50:00	735.08		143.57	71.73	174.23	33.23	-0.06	143.60	71.69		174.19	206.81
SW Well 1A	CR TEST - PUMPING	10/7/2010 2:55:00	740.08		143.50	71.80	174.30	33.23	-0.06	143.53	71.76		174.26	206.74
SW Well 1A	CR TEST - PUMPING	10/7/2010 3:00:00	745.08		143.67	71.63	174.13	33.23	-0.06	143.70	71.59		174.09	206.91
SW Well 1A	CR TEST - PUMPING	10/7/2010 3:05:00	750.08		143.61	71.69	174.19	33.23	-0.06	143.64	71.65		174.15	206.85
SW Well 1A	CR TEST - PUMPING	10/7/2010 3:10:00	755.08		143.54	71.76	174.26	33.23	-0.06	143.57	71.72		174.23	206.77
SW Well 1A	CR TEST - PUMPING	10/7/2010 3:15:00	760.08		143.46	71.84	174.34	33.23	-0.06	143.49	71.80		174.31	206.69
SW Well 1A	CR TEST - PUMPING	10/7/2010 3:20:00	765.08		143.40	71.90	174.40	33.24	-0.06	143.43	71.86		174.37	206.63
SW Well 1A	CR TEST - PUMPING	10/7/2010 3:25:00	770.08		143.36	71.93	174.43	33.24	-0.06	143.39	71.89		174.40	206.60
SW Well 1A	CR TEST - PUMPING	10/7/2010 3:30:00	775.08		143.28	72.01	174.52	33.24	-0.06	143.31	71.98		174.49	206.51
SW Well 1A	CR TEST - PUMPING	10/7/2010 3:35:00	780.08		143.28	72.01	174.51	33.24	-0.06	143.31	71.98	0.56	174.48	206.52
SW Well 1A	CR TEST - PUMPING	10/7/2010 3:40:00	785.08		143.31	71.98	174.49	33.24	-0.06	143.34	71.95		174.46	206.54
SW Well 1A	CR TEST - PUMPING	10/7/2010 3:45:00	790.08		143.22	72.08	174.58	33.24	-0.05	143.24	72.04		174.55	206.45
SW Well 1A	CR TEST - PUMPING	10/7/2010 3:50:00	795.08		143.24	72.05	174.56	33.24	-0.05	143.27	72.02		174.53	206.47
SW Well 1A	CR TEST - PUMPING	10/7/2010 3:55:00	800.08		142.96	72.33	174.84	33.24	-0.05	142.99	72.30		174.81	206.19
SW Well 1A	CR TEST - PUMPING	10/7/2010 4:00:00	805.08		143.04	72.25	174.76	33.24	-0.05	143.07	72.22		174.73	206.27
SW Well 1A	CR TEST - PUMPING	10/7/2010 4:05:00	810.08		143.03	72.26	174.77	33.24	-0.05	143.05	72.23		174.74	206.26
SW Well 1A	CR TEST - PUMPING	10/7/2010 4:10:00	815.08		142.98	72.32	174.82	33.24	-0.05	143.00	72.29		174.79	206.21
SW Well 1A	CR TEST - PUMPING	10/7/2010 4:15:00	820.08		142.97	72.33	174.83	33.24	-0.05	142.99	72.29		174.80	206.20
SW Well 1A	CR TEST - PUMPING	10/7/2010 4:20:00	825.08		142.98	72.32	174.82	33.24	-0.05	143.00	72.29		174.79	206.21
SW Well 1A	CR TEST - PUMPING	10/7/2010 4:25:00	830.08		142.86	72.43	174.94	33.25	-0.05	142.88	72.40		174.91	206.09
SW Well 1A	CR TEST - PUMPING	10/7/2010 4:30:00	835.08		142.91	72.39	174.89	33.25	-0.05	142.93	72.36		174.86	206.14
SW Well 1A	CR TEST - PUMPING	10/7/2010 4:35:00	840.08		142.77	72.52	175.02	33.25	-0.05	142.80	72.49	0.51	175.00	206.00
SW Well 1A	CR TEST - PUMPING	10/7/2010 4:40:00	845.08		142.81	72.49	174.99	33.25	-0.05	142.83	72.46		174.96	206.04
SW Well 1A	CR TEST - PUMPING	10/7/2010 4:45:00	850.08		142.74	72.56	175.06	33.25	-0.05	142.76	72.53		175.03	205.97
SW Well 1A	CR TEST - PUMPING	10/7/2010 4:50:00	855.08		142.69	72.60	175.11	33.25	-0.05	142.71	72.57		175.08	205.92
SW Well 1A	CR TEST - PUMPING	10/7/2010 4:55:00	860.08		142.61	72.68	175.18	33.25	-0.04	142.63	72.65		175.16	205.84
SW Well 1A	CR TEST - PUMPING	10/7/2010 5:00:00	865.08		142.66	72.64	175.14	33.25	-0.04	142.68	72.61		175.12	205.88
SW Well 1A	CR TEST - PUMPING	10/7/2010 5:05:00	870.08		142.52	72.77	175.27	33.25	-0.04	142.54	72.74		175.25	205.75
SW Well 1A	CR TEST - PUMPING	10/7/2010 5:10:00	875.08		142.50	72.79	175.29	33.25	-0.04	142.52	72.76		175.27	205.73
SW Well 1A	CR TEST - PUMPING	10/7/2010 5:15:00	880.08		142.43	72.86	175.37	33.25	-0.04	142.45	72.84		175.34	205.66
SW Well 1A	CR TEST - PUMPING	10/7/2010 5:20:00	885.08		142.51	72.78	175.29	33.25	-0.04	142.53	72.76		175.26	205.74
SW Well 1A	CR TEST - PUMPING	10/7/2010 5:25:00	890.08		142.26	73.03	175.54	33.25	-0.04	142.28	73.01		175.51	205.49
SW Well 1A	CR TEST - PUMPING	10/7/2010 5:30:00	895.08		142.40	72.90	175.40	33.26	-0.04	142.42	72.87		175.38	205.62
SW Well 1A	CR TEST - PUMPING	10/7/2010 5:35:00	900.08		142.43	72.86	175.36	33.26	-0.04	142.45	72.84	0.35	175.34	205.66
SW Well 1A	CR TEST - PUMPING	10/7/2010 5:40:00	905.08		142.38	72.92	175.42	33.26	-0.04	142.40	72.89		175.40	205.60
SW Well 1A	CR TEST - PUMPING	10/7/2010 5:45:00	910.08		142.25	73.04	175.54	33.26	-0.04	142.27	73.02		175.52	205.48
SW Well 1A	CR TEST - PUMPING	10/7/2010 5:50:00	915.08		142.16	73.14	175.64	33.26	-0.04	142.18	73.11		175.62	205.38
SW Well 1A	CR TEST - PUMPING	10/7/2010 5:55:00	920.08		142.27	73.03	175.53	33.26	-0.04	142.28	73.00		175.51	205.49
SW Well 1A	CR TEST - PUMPING	10/7/2010 6:00:00	925.08		142.13	73.17	175.67	33.26	-0.04	142.15	73.14		175.65	205.35
SW Well 1A	CR TEST - PUMPING	10/7/2010 6:05:00	930.08		142.07	73.22	175.72	33.26	-0.03	142.09	73.20		175.70	205.30
SW Well 1A	CR TEST - PUMPING	10/7/2010 6:10:00	935.08		142.01	73.28	175.79	33.26	-0.03	142.03	73.26		175.77	205.23
SW Well 1A	CR TEST - PUMPING	10/7/2010 6:15:00	940.08		142.11	73.18	175.69	33.26	-0.03	142.13	73.16		175.67	205.33
SW Well 1A	CR TEST - PUMPING	10/7/2010 6:20:00	945.08		142.09	73.21	175.71	33.26	-0.03	142.10	73.18		175.69	205.31
SW Well 1A	CR TEST - PUMPING	10/7/2010 6:25:00	950.08		141.95	73.34	175.84	33.26	-0.03	141.97	73.32		175.82	205.18
SW Well 1A	CR TEST - PUMPING	10/7/2010 6:30:00	955.08		142.01	73.28	175.79	33.26	-0.03	142.02	73.26		175.77	205.23
SW Well 1A	CR TEST - PUMPING	10/7/2010 6:35:00	960.08		141.86	73.43	175.93	33.26	-0.03	141.88	73.41	0.57	175.91	205.09
SW Well 1A	CR TEST - PUMPING	10/7/2010 6:40:00	965.08		141.83	73.46	175.97	33.26	-0.03	141.84	73.44		175.95	205.05
SW Well 1A	CR TEST - PUMPING	10/7/2010 6:45:00	970.08		141.88	73.42	175.92	33.27	-0.03	141.89	73.40		175.90	205.10
SW Well 1A	CR TEST - PUMPING	10/7/2010 6:50:00	975.08		141.71	73.58	176.08	33.27	-0.03	141.73	73.56		176.07	204.93
SW Well 1A	CR TEST - PUMPING	10/7/2010 6:55:00	980.08		141.74	73.55	176.05	33.27	-0.03	141.76	73.53		176.04	204.96
SW Well 1A	CR TEST - PUMPING	10/7/2010 7:00:00	985.08		141.79	73.50	176.00	33.27	-0.03	141.80	73.48		175.99	205.01
SW Well 1A	CR TEST - PUMPING	10/7/2010 7:05:00	990.08		141.79	73.51	176.01	33.27	-0.03	141.80	73.49		175.99	205.01
SW Well 1A	CR TEST - PUMPING	10/7/2010 7:10:00	995.08		141.74	73.55	176.05	33.27	-0.03	141.76	73.53		176.04	204.96
SW Well 1A	CR TEST - PUMPING	10/7/2010 7:15:00	1000.08		141.64	73.66	176.16	33.27	-0.02	141.65	73.64		176.14	204.86
SW Well 1A	CR TEST - PUMPING	10/7/2010 7:20:00	1005.08		141.64	73.66	176.16	33.27	-0.02	141.65	73.64		176.15	204.85
SW Well 1A	CR TEST - PUMPING	10/7/2010 7:25:00	1010.08		141.60	73.70	176.20	33.27	-0.02	141.61	73.68		176.19	204.81
SW Well 1A	CR TEST - PUMPING	10/7/2010 7:30:00	1015.08		141.52	73.78	176.28	33.27	-0.02	141.53	73.76		176.26	204.74
SW Well 1A	CR TEST - PUMPING	10/7/2010 7:35:00	1020.08		141.58	73.71	176.21	33.27	-0.02	141.59	73.69	0.29	176.20	204.80
SW Well 1A	CR TEST - PUMPING	10/7/2010 7:40:00	1025.08		141.57	73.72	176.22	33.27	-0.02	141.58	73.70		176.21	204.79
SW Well 1A	CR TEST - PUMPING	10/7/2010 7:45:00	1030.08		141.43	73.86	176.36	33.27	-0.02	141.44	73.84		176.35	204.65
SW Well 1A	CR TEST - PUMPING	10/7/2010 7:50:00	1035.08		141.42	73.87	176.38	33.27	-0.02	141.43	73.86		176.36	204.64
SW Well 1A	CR TEST - PUMPING	10/7/2010 7:55:00	1040.08		141.50	73.79	176.29	33.27	-0.02	141.51	73.77		176.28	204.72
SW Well 1A	CR TEST - PUMPING	10/7/2010 8:00:00	1045.08		141.50	73.79	176.29	33.28	-0.02	141.51	73.78		176.28	204.72
SW Well 1A	CR TEST - PUMPING	10/7/2010 8:05:00	1050.08		141.38	73.92	176.42	33.28	-0.02	141.39	73.90		176.41	204.59
SW Well 1A	CR TEST - PUMPING	10/7/2010 8:10:00	1055.08		141.41	73.88	176.38	33.28	-0.02	141.42	73.87		176.37	204.63
SW Well 1A	CR TEST - PUMPING	10/7/2010 8:15:00	1060.08		141.36	73.94	176.44	33.28	-0.02	141.36	73.92		176.43	204.57
SW Well 1A	CR TEST - PUMPING	10/7/2010 8:20:00	1065.08		141.32	73.98	176.48	33.28	-0.02	141.32	73.96		176.47	204.53
SW Well 1A	CR TEST - PUMPING	10/7/2010 8:25:00	1070.08		141.26	74.04	176.54	33.28	-0.02	141.26	74.02		176.53	204.47
SW Well 1A	CR TEST - PUMPING	10/7/2010 8:30:00	1075.08		141.31	73.98	176.49	33.28	-0.01	141.32	73.97		176.48	204.52
SW Well 1A	CR TEST - PUMPING	10/7/2010 8:35:00	1080.08		141.11	74.19	176.69	33.28	-0.01	141.11	74.17	0.48	176.68	204.32
SW Well 1A	CR TEST - PUMPING	10/7/2010 8:40:00	1085.08		141.25	74.04	176.54	33.28	-0.01	141.26	74.03		176.53	204.47
SW Well 1A	CR TEST - PUMPING	10/7/2010 8:45:00	1090.08		141.19	74.10	176.60	33.28	-0.01	141.20	74.09		176.59	204.41
SW Well 1A	CR TEST - PUMPING	10/7/2010 8:50:00	1095.08		140.99	74.30	176.81	33.28	-0.01	141.00	74.29		176.80	204.20
SW Well 1A	CR TEST - PUMPING	10/7/2010 8:55:00	1100.08		140.94	74.35	176.85	33.28	-0.01	140.95	74.34		176.84	204.16
SW Well 1A	CR TEST - PUMPING	10/7/2010 9:00:00	1105.08		141.03	74.26	176.77	33.28	-0.01	141.03	74.25		176.76	204.24
SW Well 1A	CR TEST - PUMPING	10/7/2010 9:05:00	1110.08		140.95	74.34	176.85	33.28	-0.01	140.95	74.33		176.84	204.16
SW Well 1A	CR TEST - PUMPING	10/7/2010 9:10:00	1115.08		140.88	74.41	176.91	33.29	-0.01	140.89	74.40		176.91	204.09
SW Well 1A	CR TEST - PUMPING	10/7/2010 9:15:00	1120.08		140.93	74.37	176.87	33.29	-0.01	140.93	74.36		176.86	204.14
SW Well 1A	CR TEST - PUMPING	10/7/2010 9:20:00	1125.08		140.88	74.41	176.92	33.29	-0.01	140.88	74.40		176.91	204.09
SW Well 1A	CR TEST - PUMPING	10/7/2010 9:25:00	1130.08		140.96	74.34	176.84	33.29	-0.01	140.96	74.33		176.83	204.17

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - PUMPING	10/7/2010 9:30:00	1135.08		140.79	74.50	177.00	33.29	-0.01	140.80	74.49		177.00	204.00
SW Well 1A	CR TEST - PUMPING	10/7/2010 9:35:00	1140.08		140.83	74.46	176.96	33.29	-0.01	140.83	74.45	0.28	176.96	204.04
SW Well 1A	CR TEST - PUMPING	10/7/2010 9:40:00	1145.08		140.84	74.45	176.96	33.29	-0.01	140.84	74.44		176.95	204.05
SW Well 1A	CR TEST - PUMPING	10/7/2010 9:45:00	1150.08		140.79	74.50	177.00	33.29	0.00	140.80	74.49		177.00	204.00
SW Well 1A	CR TEST - PUMPING	10/7/2010 9:50:00	1155.08		140.87	74.43	176.93	33.29	0.00	140.87	74.42		176.93	204.07
SW Well 1A	CR TEST - PUMPING	10/7/2010 9:55:00	1160.08		140.64	74.65	177.16	33.29	0.00	140.64	74.65		177.15	203.85
SW Well 1A	CR TEST - PUMPING	10/7/2010 10:00:00	1165.08		140.68	74.62	177.12	33.29	0.00	140.68	74.61		177.12	203.88
SW Well 1A	CR TEST - PUMPING	10/7/2010 10:05:00	1170.08		140.72	74.57	177.07	33.29	0.00	140.72	74.56		177.07	203.93
SW Well 1A	CR TEST - PUMPING	10/7/2010 10:10:00	1175.08		140.66	74.64	177.14	33.29	0.00	140.66	74.63		177.14	203.86
SW Well 1A	CR TEST - PUMPING	10/7/2010 10:15:00	1180.08		140.73	74.56	177.06	33.29	0.00	140.73	74.55		177.06	203.94
SW Well 1A	CR TEST - PUMPING	10/7/2010 10:20:00	1185.08		140.60	74.69	177.19	33.29	0.00	140.60	74.68		177.19	203.81
SW Well 1A	CR TEST - PUMPING	10/7/2010 10:25:00	1190.08		140.60	74.70	177.20	33.29	0.00	140.60	74.69		177.19	203.81
SW Well 1A	CR TEST - PUMPING	10/7/2010 10:30:00	1195.08		140.59	74.71	177.21	33.29	0.00	140.59	74.70		177.21	203.79
SW Well 1A	CR TEST - PUMPING	10/7/2010 10:35:00	1200.08		140.55	74.75	177.25	33.29	0.00	140.55	74.74	0.29	177.25	203.75
SW Well 1A	CR TEST - PUMPING	10/7/2010 10:40:00	1205.08		140.55	74.74	177.24	33.29	0.00	140.55	74.73		177.24	203.76
SW Well 1A	CR TEST - PUMPING	10/7/2010 10:45:00	1210.08		140.40	74.90	177.40	33.29	0.00	140.40	74.89		177.40	203.60
SW Well 1A	CR TEST - PUMPING	10/7/2010 10:50:00	1215.08		140.53	74.76	177.27	33.30	0.00	140.53	74.76		177.26	203.74
SW Well 1A	CR TEST - PUMPING	10/7/2010 10:55:00	1220.08		140.47	74.82	177.32	33.30	0.00	140.47	74.81		177.32	203.68
SW Well 1A	CR TEST - PUMPING	10/7/2010 11:00:00	1225.08		140.51	74.79	177.29	33.30	0.00	140.50	74.78		177.29	203.71
SW Well 1A	CR TEST - PUMPING	10/7/2010 11:05:00	1230.08		140.42	74.87	177.38	33.30	0.00	140.42	74.87		177.38	203.62
SW Well 1A	CR TEST - PUMPING	10/7/2010 11:10:00	1235.08		140.48	74.82	177.32	33.30	0.00	140.47	74.81		177.32	203.68
SW Well 1A	CR TEST - PUMPING	10/7/2010 11:15:00	1240.08		140.32	74.98	177.48	33.30	0.00	140.32	74.97		177.48	203.52
SW Well 1A	CR TEST - PUMPING	10/7/2010 11:20:00	1245.08		140.31	74.98	177.48	33.30	0.00	140.31	74.97		177.48	203.52
SW Well 1A	CR TEST - PUMPING	10/7/2010 11:25:00	1250.08		140.34	74.96	177.46	33.30	0.00	140.33	74.95		177.46	203.54
SW Well 1A	CR TEST - PUMPING	10/7/2010 11:30:00	1255.08		140.31	74.98	177.48	33.30	0.00	140.31	74.98		177.48	203.52
SW Well 1A	CR TEST - PUMPING	10/7/2010 11:35:00	1260.08		140.30	74.99	177.49	33.30	0.01	140.30	74.98	0.24	177.49	203.51
SW Well 1A	CR TEST - PUMPING	10/7/2010 11:40:00	1265.08		140.16	75.13	177.63	33.30	0.01	140.16	75.13		177.63	203.37
SW Well 1A	CR TEST - PUMPING	10/7/2010 11:45:00	1270.08		140.16	75.13	177.63	33.30	0.01	140.16	75.13		177.63	203.37
SW Well 1A	CR TEST - PUMPING	10/7/2010 11:50:00	1275.08		140.08	75.22	177.72	33.30	0.01	140.07	75.21		177.72	203.28
SW Well 1A	CR TEST - PUMPING	10/7/2010 11:55:00	1280.08		140.13	75.17	177.67	33.30	0.01	140.12	75.16		177.67	203.33
SW Well 1A	CR TEST - PUMPING	10/7/2010 12:00:00	1285.08		140.19	75.11	177.61	33.30	0.01	140.18	75.10		177.61	203.39
SW Well 1A	CR TEST - PUMPING	10/7/2010 12:05:00	1290.08		140.20	75.10	177.60	33.30	0.01	140.19	75.10		177.60	203.40
SW Well 1A	CR TEST - PUMPING	10/7/2010 12:10:00	1295.08		139.98	75.32	177.82	33.30	0.01	139.97	75.31		177.82	203.18
SW Well 1A	CR TEST - PUMPING	10/7/2010 12:15:00	1300.08		139.95	75.34	177.84	33.30	0.01	139.95	75.34		177.85	203.15
SW Well 1A	CR TEST - PUMPING	10/7/2010 12:20:00	1305.08		140.02	75.28	177.78	33.30	0.01	140.01	75.28		177.78	203.22
SW Well 1A	CR TEST - PUMPING	10/7/2010 12:25:00	1310.08		139.98	75.32	177.82	33.30	0.01	139.97	75.31		177.82	203.18
SW Well 1A	CR TEST - PUMPING	10/7/2010 12:30:00	1315.08		140.03	75.26	177.76	33.30	0.01	140.03	75.26		177.77	203.23
SW Well 1A	CR TEST - PUMPING	10/7/2010 12:35:00	1320.08		140.02	75.28	177.78	33.30	0.01	140.01	75.28	0.29	177.78	203.22
SW Well 1A	CR TEST - PUMPING	10/7/2010 12:40:00	1325.08		140.02	75.28	177.78	33.31	0.01	140.01	75.28		177.78	203.22
SW Well 1A	CR TEST - PUMPING	10/7/2010 12:45:00	1330.08		139.87	75.43	177.93	33.31	0.01	139.86	75.42		177.93	203.07
SW Well 1A	CR TEST - PUMPING	10/7/2010 12:50:00	1335.08		139.87	75.43	177.93	33.31	0.01	139.86	75.42		177.93	203.07
SW Well 1A	CR TEST - PUMPING	10/7/2010 12:55:00	1340.08		139.90	75.39	177.90	33.31	0.01	139.89	75.39		177.90	203.10
SW Well 1A	CR TEST - PUMPING	10/7/2010 13:00:00	1345.08		139.78	75.52	178.02	33.31	0.01	139.77	75.52		178.02	202.98
SW Well 1A	CR TEST - PUMPING	10/7/2010 13:05:00	1350.08		139.85	75.45	177.95	33.31	0.01	139.84	75.45		177.95	203.05
SW Well 1A	CR TEST - PUMPING	10/7/2010 13:10:00	1355.08		139.78	75.51	178.01	33.31	0.01	139.78	75.51		178.02	202.98
SW Well 1A	CR TEST - PUMPING	10/7/2010 13:15:00	1360.08		139.99	75.31	177.81	33.31	0.01	139.98	75.31		177.81	203.19
SW Well 1A	CR TEST - PUMPING	10/7/2010 13:20:00	1365.08		139.84	75.46	177.96	33.31	0.01	139.83	75.46		177.96	203.04
SW Well 1A	CR TEST - PUMPING	10/7/2010 13:25:00	1370.08		139.82	75.47	177.97	33.31	0.02	139.81	75.47		177.98	203.02
SW Well 1A	CR TEST - PUMPING	10/7/2010 13:30:00	1375.08		139.93	75.36	177.87	33.31	0.02	139.92	75.36		177.87	203.13
SW Well 1A	CR TEST - PUMPING	10/7/2010 13:35:00	1380.08		139.79	75.50	178.01	33.31	0.02	139.78	75.51	0.23	178.01	202.99
SW Well 1A	CR TEST - PUMPING	10/7/2010 13:40:00	1385.08		139.74	75.56	178.06	33.31	0.02	139.73	75.56		178.07	202.93
SW Well 1A	CR TEST - PUMPING	10/7/2010 13:45:00	1390.08		139.80	75.50	178.00	33.32	0.02	139.79	75.50		178.01	202.99
SW Well 1A	CR TEST - PUMPING	10/7/2010 13:50:00	1395.08		139.67	75.62	178.12	33.32	0.02	139.66	75.62		178.13	202.87
SW Well 1A	CR TEST - PUMPING	10/7/2010 13:55:00	1400.08		139.69	75.60	178.11	33.32	0.02	139.68	75.61		178.12	202.88
SW Well 1A	CR TEST - PUMPING	10/7/2010 14:00:00	1405.08		139.63	75.67	178.17	33.32	0.03	139.61	75.67		178.18	202.82
SW Well 1A	CR TEST - PUMPING	10/7/2010 14:05:00	1410.08		139.65	75.64	178.15	33.32	0.03	139.64	75.65		178.16	202.84
SW Well 1A	CR TEST - PUMPING	10/7/2010 14:10:00	1415.08		139.60	75.69	178.19	33.32	0.03	139.59	75.70		178.20	202.80
SW Well 1A	CR TEST - PUMPING	10/7/2010 14:15:00	1420.08		139.54	75.75	178.25	33.33	0.03	139.53	75.76		178.27	202.73
SW Well 1A	CR TEST - PUMPING	10/7/2010 14:20:00	1425.08		139.57	75.72	178.22	33.33	0.03	139.56	75.73		178.24	202.76
SW Well 1A	CR TEST - PUMPING	10/7/2010 14:25:00	1430.08		139.44	75.85	178.36	33.33	0.04	139.42	75.86		178.37	202.63
SW Well 1A	CR TEST - PUMPING	10/7/2010 14:30:00	1435.08		139.55	75.74	178.25	33.33	0.04	139.53	75.76		178.26	202.74
SW Well 1A	CR TEST - PUMPING	10/7/2010 14:35:00	1440.08		139.46	75.83	178.33	33.33	0.04	139.44	75.84	0.34	178.35	202.65
SW Well 1A	CR TEST - PUMPING	10/7/2010 14:40:00	1445.08		139.63	75.66	178.16	33.33	0.04	139.61	75.67		178.18	202.82
SW Well 1A	CR TEST - PUMPING	10/7/2010 14:45:00	1450.08		139.59	75.71	178.21	33.33	0.04	139.57	75.72		178.22	202.78
SW Well 1A	CR TEST - PUMPING	10/7/2010 14:50:00	1455.08		139.39	75.91	178.41	33.33	0.04	139.36	75.92		178.43	202.57
SW Well 1A	CR TEST - PUMPING	10/7/2010 14:55:00	1460.08		139.40	75.89	178.39	33.33	0.04	139.38	75.91		178.41	202.59
SW Well 1A	CR TEST - PUMPING	10/7/2010 15:00:00	1465.08		139.41	75.89	178.39	33.34	0.04	139.39	75.90		178.41	202.59
SW Well 1A	CR TEST - PUMPING	10/7/2010 15:05:00	1470.08		139.39	75.90	178.40	33.34	0.04	139.37	75.91		178.42	202.58
SW Well 1A	CR TEST - PUMPING	10/7/2010 15:10:00	1475.08		139.32	75.97	178.47	33.34	0.04	139.30	75.98		178.49	202.51
SW Well 1A	CR TEST - PUMPING	10/7/2010 15:15:00	1480.08		139.20	76.10	178.60	33.34	0.04	139.18	76.11		178.62	202.38
SW Well 1A	CR TEST - PUMPING	10/7/2010 15:20:00	1485.08		139.35	75.95	178.45	33.34	0.04	139.32	75.96		178.47	202.53
SW Well 1A	CR TEST - PUMPING	10/7/2010 15:25:00	1490.08		139.35	75.95	178.45	33.34	0.04	139.32	75.96		178.47	202.53
SW Well 1A	CR TEST - PUMPING	10/7/2010 15:30:00	1495.08		139.26	76.03	178.54	33.34	0.04	139.24	76.05		178.55	202.45
SW Well 1A	CR TEST - PUMPING	10/7/2010 15:35:00	1500.08		139.27	76.03	178.53	33.34	0.05	139.24	76.04	0.20	178.55	202.45
SW Well 1A	CR TEST - PUMPING	10/7/2010 15:40:00	1505.08		139.25	76.04	178.54	33.34	0.05	139.23	76.06		178.56	202.44
SW Well 1A	CR TEST - PUMPING	10/7/2010 15:45:00	1510.08		139.35	75.95	178.45	33.35	0.05	139.32	75.97		178.47	202.53
SW Well 1A	CR TEST - PUMPING	10/7/2010 15:50:00	1515.08		139.34	75.96	178.46	33.35	0.05	139.31	75.97		178.48	202.52
SW Well 1A	CR TEST - PUMPING	10/7/2010 15:55:00	1520.08		139.27	76.03	178.53	33.35	0.05	139.24	76.04		178.55	202.45
SW Well 1A	CR TEST - PUMPING	10/7/2010 16:00:00	1525.08		139.17	76.13	178.63	33.35	0.05	139.14	76.15		178.65	202.35
SW Well 1A	CR TEST - PUMPING	10/7/2010 16:05:00	1530.08		139.23	76.06	178.57	33.35	0.05	139.20	76.08		178.59	202.41
SW Well 1A	CR TEST - PUMPING	10/7/2010 16:10:00	1535.08		139.10	76.20	178.70	33.35	0.05	139.07	76.22		178.72	202.28
SW Well 1A	CR TEST - PUMPING	10/7/2010 16:15:00	1540.08		139.10	76.20	178.70	33.35	0.05	139.07	76.22		178.72	202.28
SW Well 1A	CR TEST - PUMPING	10/7/2010 16:20:00	1545.08		139.05	76.24	178.75	33.35	0.06	139.02	76.26		178.77	202.23
SW Well 1A	CR TEST - PUMPING	10/7/2010 16:25:00	1550.08		139.09	76.20	178.71	33.35	0.06	139.06	76.23		178.73	202.27
SW Well 1A	CR TEST - PUMPING	10/7/2010 16:30:00	1555.08		139.08	76.22	178.72	33.35	0.06	139.05	76.24		178.75	202.25
SW Well 1A	CR TEST - PUMPING	10/7/2010 16:35:00	1560.08		138.96	76.34	178.84	33.35	0.06	138.93	76.36	0.32	178.86	202.14
SW Well 1A	CR TEST - PUMPING	10/7/2010 16:40:00	1565.08		139.06	76.24	178.74	33.35	0.06	139.03	76.26		178.76	202.24
SW Well 1A	CR TEST - PUMPING	10/7/2010 16:45:00	1570.08		138.92	76.38	178.88	33.35	0.06	138.89	76.40		178.90	202.10
SW Well 1A	CR TEST - PUMPING	10/7/2010 16:50:00	1575.08		138.98	76.31	178.82	33.35	0.06	138.95	76.33		178.84	202.16
SW Well 1A	CR TEST - PUMPING	10/7/2010 16:55:00	1580.08		139.03	76.26	178.76	33.35	0.06	139.01	76.28		178.79	202.21
SW Well 1A	CR TEST - PUMPING	10/7/2010 17:00:00	1585.08		138.89	76.41	178.91	33.35	0.06	138.86	76.43		178.94	202.06
SW Well 1A	CR TEST - PUMPING	10/7/2010 17:05:00	1590.08		138.96	76.34	178.84	33.35	0.06	138.93	76.36		178.87	202.13
SW Well 1A	CR TEST - PUMPING	10/7/2010 17:10:00	1595.08		138.93	76.36	178.86	33.35	0.06	138.90	76.38		178.89	202.11
SW Well 1A	CR TEST - PUMPING	10/7/2010 17:15:00	1600.08		138.90	76.39	178.89	33.36	0.06	138.87	76.41		178.92	202.08
SW Well 1A	CR TEST - PUMPING	10/7/2010 17:20:00	1605.08		138.93	76.36	178.86	33.35	0.06	138.90	76.38		178.89	202.11
SW Well 1A	CR TEST - PUMPING	10/7/2010 17:25:00	1610.08		138.91	76.38	178.89	33.35	0.06	138.88	76.41		178.91	202.09
SW Well 1A	CR TEST - PUMPING	10/7/2010 17:30:00	1615.08		138.86	76.43	178.93	33.35	0.06	138.84	76.45		178.96	202.04

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - PUMPING	10/7/2010 17:35:00	1620.08		138.86	76.43	178.93	33.35	0.06	138.83	76.45	0.09	178.96	202.04
SW Well 1A	CR TEST - PUMPING	10/7/2010 17:40:00	1625.08		138.95	76.34	178.84	33.35	0.06	138.92	76.36		178.87	202.13
SW Well 1A	CR TEST - PUMPING	10/7/2010 17:45:00	1630.08		138.79	76.50	179.00	33.35	0.06	138.76	76.52		179.03	201.97
SW Well 1A	CR TEST - PUMPING	10/7/2010 17:50:00	1635.08		138.69	76.60	179.10	33.35	0.06	138.66	76.62		179.13	201.87
SW Well 1A	CR TEST - PUMPING	10/7/2010 17:55:00	1640.08		138.72	76.58	179.08	33.36	0.06	138.68	76.60		179.11	201.89
SW Well 1A	CR TEST - PUMPING	10/7/2010 18:00:00	1645.08		138.82	76.48	178.98	33.36	0.06	138.79	76.50		179.01	201.99
SW Well 1A	CR TEST - PUMPING	10/7/2010 18:05:00	1650.08		138.75	76.55	179.05	33.36	0.06	138.71	76.57		179.08	201.92
SW Well 1A	CR TEST - PUMPING	10/7/2010 18:10:00	1655.08		138.73	76.56	179.06	33.36	0.06	138.70	76.59		179.09	201.91
SW Well 1A	CR TEST - PUMPING	10/7/2010 18:15:00	1660.08		138.66	76.63	179.14	33.36	0.06	138.63	76.66		179.16	201.84
SW Well 1A	CR TEST - PUMPING	10/7/2010 18:20:00	1665.08		138.76	76.53	179.03	33.36	0.07	138.73	76.56		179.06	201.94
SW Well 1A	CR TEST - PUMPING	10/7/2010 18:25:00	1670.08		138.59	76.70	179.21	33.36	0.07	138.56	76.73		179.24	201.76
SW Well 1A	CR TEST - PUMPING	10/7/2010 18:30:00	1675.08		138.62	76.67	179.17	33.36	0.07	138.59	76.70		179.21	201.79
SW Well 1A	CR TEST - PUMPING	10/7/2010 18:35:00	1680.08		138.65	76.64	179.14	33.36	0.07	138.62	76.67	0.22	179.18	201.82
SW Well 1A	CR TEST - PUMPING	10/7/2010 18:40:00	1685.08		138.61	76.69	179.19	33.37	0.07	138.57	76.72		179.22	201.78
SW Well 1A	CR TEST - PUMPING	10/7/2010 18:45:00	1690.08		138.62	76.67	179.17	33.37	0.07	138.58	76.70		179.21	201.79
SW Well 1A	CR TEST - PUMPING	10/7/2010 18:50:00	1695.08		138.60	76.70	179.20	33.37	0.07	138.56	76.73		179.23	201.77
SW Well 1A	CR TEST - PUMPING	10/7/2010 18:55:00	1700.08		138.52	76.77	179.28	33.37	0.08	138.48	76.80		179.31	201.69
SW Well 1A	CR TEST - PUMPING	10/7/2010 19:00:00	1705.08		138.46	76.84	179.34	33.37	0.08	138.42	76.87		179.37	201.63
SW Well 1A	CR TEST - PUMPING	10/7/2010 19:05:00	1710.08		138.41	76.88	179.38	33.37	0.08	138.37	76.91		179.42	201.58
SW Well 1A	CR TEST - PUMPING	10/7/2010 19:10:00	1715.08		138.51	76.78	179.28	33.37	0.08	138.47	76.81		179.32	201.68
SW Well 1A	CR TEST - PUMPING	10/7/2010 19:15:00	1720.08		138.51	76.78	179.28	33.38	0.08	138.47	76.81		179.32	201.68
SW Well 1A	CR TEST - PUMPING	10/7/2010 19:20:00	1725.08		138.39	76.90	179.41	33.38	0.08	138.35	76.94		179.44	201.56
SW Well 1A	CR TEST - PUMPING	10/7/2010 19:25:00	1730.08		138.42	76.87	179.38	33.38	0.08	138.38	76.91		179.42	201.58
SW Well 1A	CR TEST - PUMPING	10/7/2010 19:30:00	1735.08		138.51	76.79	179.29	33.38	0.08	138.47	76.82		179.33	201.67
SW Well 1A	CR TEST - PUMPING	10/7/2010 19:35:00	1740.08		138.40	76.90	179.40	33.38	0.09	138.35	76.93	0.26	179.44	201.56
SW Well 1A	CR TEST - PUMPING	10/7/2010 19:40:00	1745.08		138.39	76.91	179.41	33.38	0.09	138.34	76.94		179.45	201.55
SW Well 1A	CR TEST - PUMPING	10/7/2010 19:45:00	1750.08		138.40	76.89	179.39	33.38	0.09	138.36	76.93		179.43	201.57
SW Well 1A	CR TEST - PUMPING	10/7/2010 19:50:00	1755.08		138.48	76.81	179.31	33.38	0.09	138.44	76.85		179.35	201.65
SW Well 1A	CR TEST - PUMPING	10/7/2010 19:55:00	1760.08		138.27	77.02	179.52	33.38	0.09	138.23	77.06		179.57	201.43
SW Well 1A	CR TEST - PUMPING	10/7/2010 20:00:00	1765.08		138.28	77.01	179.52	33.39	0.09	138.23	77.05		179.56	201.44
SW Well 1A	CR TEST - PUMPING	10/7/2010 20:05:00	1770.08		138.28	77.01	179.52	33.39	0.09	138.23	77.05		179.56	201.44
SW Well 1A	CR TEST - PUMPING	10/7/2010 20:10:00	1775.08		138.16	77.13	179.63	33.39	0.09	138.12	77.17		179.68	201.32
SW Well 1A	CR TEST - PUMPING	10/7/2010 20:15:00	1780.08		138.25	77.05	179.55	33.39	0.09	138.20	77.09		179.59	201.41
SW Well 1A	CR TEST - PUMPING	10/7/2010 20:20:00	1785.08		138.28	77.01	179.51	33.39	0.09	138.23	77.05		179.56	201.44
SW Well 1A	CR TEST - PUMPING	10/7/2010 20:25:00	1790.08		138.15	77.15	179.65	33.39	0.09	138.10	77.19		179.69	201.31
SW Well 1A	CR TEST - PUMPING	10/7/2010 20:30:00	1795.08		138.29	77.00	179.50	33.39	0.09	138.25	77.04		179.55	201.45
SW Well 1A	CR TEST - PUMPING	10/7/2010 20:35:00	1800.08		138.26	77.03	179.53	33.39	0.10	138.21	77.07	0.14	179.58	201.42
SW Well 1A	CR TEST - PUMPING	10/7/2010 20:40:00	1805.08		138.04	77.26	179.76	33.39	0.10	137.99	77.30		179.80	201.20
SW Well 1A	CR TEST - PUMPING	10/7/2010 20:45:00	1810.08		138.12	77.18	179.68	33.39	0.10	138.07	77.22		179.73	201.27
SW Well 1A	CR TEST - PUMPING	10/7/2010 20:50:00	1815.08		138.22	77.08	179.58	33.39	0.10	138.17	77.12		179.62	201.38
SW Well 1A	CR TEST - PUMPING	10/7/2010 20:55:00	1820.08		138.05	77.24	179.74	33.39	0.10	138.00	77.28		179.79	201.21
SW Well 1A	CR TEST - PUMPING	10/7/2010 21:00:00	1825.08		138.02	77.28	179.78	33.39	0.10	137.97	77.32		179.83	201.17
SW Well 1A	CR TEST - PUMPING	10/7/2010 21:05:00	1830.08		137.93	77.36	179.87	33.39	0.10	137.88	77.41		179.91	201.09
SW Well 1A	CR TEST - PUMPING	10/7/2010 21:10:00	1835.08		138.06	77.24	179.74	33.40	0.10	138.00	77.28		179.79	201.21
SW Well 1A	CR TEST - PUMPING	10/7/2010 21:15:00	1840.08		138.01	77.29	179.79	33.40	0.10	137.96	77.33		179.84	201.16
SW Well 1A	CR TEST - PUMPING	10/7/2010 21:20:00	1845.08		138.06	77.23	179.73	33.40	0.10	138.01	77.28		179.78	201.22
SW Well 1A	CR TEST - PUMPING	10/7/2010 21:25:00	1850.08		138.19	77.11	179.61	33.40	0.10	138.13	77.15		179.66	201.34
SW Well 1A	CR TEST - PUMPING	10/7/2010 21:30:00	1855.08		137.95	77.34	179.84	33.40	0.10	137.90	77.39		179.89	201.11
SW Well 1A	CR TEST - PUMPING	10/7/2010 21:35:00	1860.08		137.93	77.37	179.87	33.40	0.11	137.88	77.41	0.34	179.92	201.08
SW Well 1A	CR TEST - PUMPING	10/7/2010 21:40:00	1865.08		137.92	77.37	179.87	33.40	0.11	137.87	77.42		179.92	201.08
SW Well 1A	CR TEST - PUMPING	10/7/2010 21:45:00	1870.08		138.00	77.29	179.80	33.40	0.11	137.95	77.34		179.85	201.15
SW Well 1A	CR TEST - PUMPING	10/7/2010 21:50:00	1875.08		137.92	77.37	179.88	33.40	0.11	137.87	77.42		179.93	201.07
SW Well 1A	CR TEST - PUMPING	10/7/2010 21:55:00	1880.08		138.06	77.24	179.74	33.40	0.11	138.00	77.29		179.79	201.21
SW Well 1A	CR TEST - PUMPING	10/7/2010 22:00:00	1885.08		137.93	77.36	179.87	33.41	0.11	137.87	77.41		179.92	201.08
SW Well 1A	CR TEST - PUMPING	10/7/2010 22:05:00	1890.08		137.88	77.41	179.91	33.41	0.11	137.83	77.46		179.97	201.03
SW Well 1A	CR TEST - PUMPING	10/7/2010 22:10:00	1895.08		137.88	77.42	179.92	33.41	0.11	137.82	77.47		179.97	201.03
SW Well 1A	CR TEST - PUMPING	10/7/2010 22:15:00	1900.08		137.93	77.36	179.87	33.41	0.11	137.87	77.41		179.92	201.08
SW Well 1A	CR TEST - PUMPING	10/7/2010 22:20:00	1905.08		137.77	77.53	180.03	33.40	0.11	137.71	77.58		180.08	200.92
SW Well 1A	CR TEST - PUMPING	10/7/2010 22:25:00	1910.08		137.70	77.60	180.10	33.40	0.11	137.64	77.64		180.15	200.85
SW Well 1A	CR TEST - PUMPING	10/7/2010 22:30:00	1915.08		137.73	77.57	180.07	33.40	0.11	137.67	77.61		180.12	200.88
SW Well 1A	CR TEST - PUMPING	10/7/2010 22:35:00	1920.08		137.76	77.53	180.03	33.40	0.11	137.71	77.58	0.17	180.08	200.92
SW Well 1A	CR TEST - PUMPING	10/7/2010 22:40:00	1925.08		137.74	77.55	180.05	33.40	0.11	137.69	77.60		180.10	200.90
SW Well 1A	CR TEST - PUMPING	10/7/2010 22:45:00	1930.08		137.78	77.51	180.02	33.41	0.11	137.72	77.56		180.07	200.93
SW Well 1A	CR TEST - PUMPING	10/7/2010 22:50:00	1935.08		137.74	77.56	180.06	33.40	0.11	137.68	77.61		180.11	200.89
SW Well 1A	CR TEST - PUMPING	10/7/2010 22:55:00	1940.08		137.82	77.47	179.98	33.40	0.11	137.76	77.52		180.03	200.97
SW Well 1A	CR TEST - PUMPING	10/7/2010 23:00:00	1945.08		137.75	77.54	180.04	33.40	0.11	137.70	77.59		180.10	200.90
SW Well 1A	CR TEST - PUMPING	10/7/2010 23:05:00	1950.08		137.70	77.59	180.09	33.40	0.11	137.65	77.64		180.15	200.85
SW Well 1A	CR TEST - PUMPING	10/7/2010 23:10:00	1955.08		137.75	77.54	180.04	33.40	0.11	137.70	77.59		180.10	200.90
SW Well 1A	CR TEST - PUMPING	10/7/2010 23:15:00	1960.08		137.73	77.57	180.07	33.40	0.11	137.67	77.62		180.12	200.88
SW Well 1A	CR TEST - PUMPING	10/7/2010 23:20:00	1965.08		137.62	77.68	180.18	33.40	0.11	137.56	77.72		180.23	200.77
SW Well 1A	CR TEST - PUMPING	10/7/2010 23:25:00	1970.08		137.63	77.66	180.16	33.40	0.11	137.58	77.71		180.21	200.79
SW Well 1A	CR TEST - PUMPING	10/7/2010 23:30:00	1975.08		137.62	77.68	180.18	33.40	0.11	137.56	77.72		180.23	200.77
SW Well 1A	CR TEST - PUMPING	10/7/2010 23:35:00	1980.08		137.75	77.54	180.05	33.40	0.11	137.69	77.59	0.01	180.10	200.90
SW Well 1A	CR TEST - PUMPING	10/7/2010 23:40:00	1985.08		137.60	77.70	180.20	33.40	0.11	137.54	77.75		180.25	200.75
SW Well 1A	CR TEST - PUMPING	10/7/2010 23:45:00	1990.08		137.63	77.67	180.17	33.40	0.11	137.57	77.71		180.22	200.78
SW Well 1A	CR TEST - PUMPING	10/7/2010 23:50:00	1995.08		137.53	77.76	180.26	33.40	0.11	137.48	77.81		180.31	200.69
SW Well 1A	CR TEST - PUMPING	10/7/2010 23:55:00	2000.08		137.48	77.82	180.32	33.40	0.11	137.42	77.86		180.37	200.63
SW Well 1A	CR TEST - PUMPING	10/8/2010 0:00:00	2005.08		137.58	77.71	180.22	33.40	0.11	137.52	77.76		180.27	200.73
SW Well 1A	CR TEST - PUMPING	10/8/2010 0:05:00	2010.08		137.49	77.80	180.30	33.40	0.11	137.44	77.85		180.35	200.65
SW Well 1A	CR TEST - PUMPING	10/8/2010 0:10:00	2015.08		137.60	77.69	180.19	33.40	0.11	137.55	77.74		180.24	200.76
SW Well 1A	CR TEST - PUMPING	10/8/2010 0:15:00	2020.08		137.49	77.80	180.30	33.40	0.11	137.44	77.85		180.35	200.65
SW Well 1A	CR TEST - PUMPING	10/8/2010 0:20:00	2025.08		137.55	77.75	180.25	33.40	0.11	137.49	77.79		180.30	200.70
SW Well 1A	CR TEST - PUMPING	10/8/2010 0:25:00	2030.08		137.36	77.93	180.43	33.40	0.11	137.31	77.98		180.49	200.51
SW Well 1A	CR TEST - PUMPING	10/8/2010 0:30:00	2035.08		137.37	77.92	180.43	33.40	0.11	137.31	77.97		180.48	200.52
SW Well 1A	CR TEST - PUMPING	10/8/2010 0:35:00	2040.08		137.39	77.91	180.41	33.40	0.11	137.33	77.96	0.36	180.46	200.54
SW Well 1A	CR TEST - PUMPING	10/8/2010 0:40:00	2045.08		137.35	77.94	180.44	33.40	0.11	137.30	77.99		180.49	200.51
SW Well 1A	CR TEST - PUMPING	10/8/2010 0:45:00	2050.08		137.47	77.82	180.33	33.40	0.11	137.42	77.87		180.38	200.62
SW Well 1A	CR TEST - PUMPING	10/8/2010 0:50:00	2055.08		137.38	77.92	180.42	33.40	0.11	137.32	77.96		180.47	200.53
SW Well 1A	CR TEST - PUMPING	10/8/2010 0:55:00	2060.08		137.50	77.79	180.29	33.40	0.11	137.45	77.84		180.35	200.65
SW Well 1A	CR TEST - PUMPING	10/8/2010 1:00:00	2065.08		137.35	77.94	180.44	33.40	0.11	137.30	77.99		180.49	200.51
SW Well 1A	CR TEST - PUMPING	10/8/2010 1:05:00	2070.08		137.39	77.91	180.41	33.40	0.11	137.33	77.96		180.46	200.54
SW Well 1A	CR TEST - PUMPING	10/8/2010 1:10:00	2075.08		137.31	77.99	180.49	33.40	0.11	137.25	78.03		180.54	200.46
SW Well 1A	CR TEST - PUMPING	10/8/2010 1:15:00	2080.08		137.28	78.02	180.52	33.40	0.11	137.22	78.06		180.57	200.43
SW Well 1A	CR TEST - PUMPING	10/8/2010 1:20:00	2085.08		137.21	78.08	180.58	33.40	0.11	137.16	78.13		180.63	200.37
SW Well 1A	CR TEST - PUMPING	10/8/2010 1:25:00	2090.08		137.29	78.00	180.50	33.40	0.11	137.24	78.05		180.56	200.44
SW Well 1A	CR TEST - PUMPING	10/8/2010 1:30:00	2095.08		137.44	77.85	180.36	33.40	0.11	137.39	77.90		180.41	200.59
SW Well 1A	CR TEST - PUMPING	10/8/2010 1:35:00	2100.08		137.42	77.87	180.37	33.40	0.11	137.37	77.92	-0.04	180.42	200.58

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - PUMPING	10/8/2010 1:40:00	2105.08		137.25	78.04	180.54	33.40	0.11	137.20	78.09		180.59	200.41
SW Well 1A	CR TEST - PUMPING	10/8/2010 1:45:00	2110.08		137.29	78.00	180.50	33.40	0.11	137.24	78.05		180.56	200.44
SW Well 1A	CR TEST - PUMPING	10/8/2010 1:50:00	2115.08		137.23	78.06	180.57	33.40	0.11	137.17	78.11		180.62	200.38
SW Well 1A	CR TEST - PUMPING	10/8/2010 1:55:00	2120.08		137.24	78.05	180.55	33.41	0.11	137.19	78.10		180.60	200.40
SW Well 1A	CR TEST - PUMPING	10/8/2010 2:00:00	2125.08		137.19	78.10	180.61	33.41	0.11	137.13	78.15		180.66	200.34
SW Well 1A	CR TEST - PUMPING	10/8/2010 2:05:00	2130.08		137.27	78.03	180.53	33.41	0.11	137.21	78.07		180.58	200.42
SW Well 1A	CR TEST - PUMPING	10/8/2010 2:10:00	2135.08		137.14	78.16	180.66	33.40	0.11	137.08	78.21		180.71	200.29
SW Well 1A	CR TEST - PUMPING	10/8/2010 2:15:00	2140.08		137.01	78.28	180.78	33.40	0.11	136.96	78.33		180.84	200.16
SW Well 1A	CR TEST - PUMPING	10/8/2010 2:20:00	2145.08		137.07	78.22	180.72	33.40	0.11	137.02	78.27		180.77	200.23
SW Well 1A	CR TEST - PUMPING	10/8/2010 2:25:00	2150.08		137.15	78.14	180.64	33.40	0.11	137.10	78.19		180.70	200.30
SW Well 1A	CR TEST - PUMPING	10/8/2010 2:30:00	2155.08		137.10	78.19	180.69	33.41	0.11	137.05	78.24		180.74	200.26
SW Well 1A	CR TEST - PUMPING	10/8/2010 2:35:00	2160.08		137.08	78.21	180.71	33.41	0.11	137.03	78.26	0.35	180.77	200.23
SW Well 1A	CR TEST - PUMPING	10/8/2010 2:40:00	2165.08		137.07	78.22	180.72	33.41	0.11	137.02	78.27		180.78	200.22
SW Well 1A	CR TEST - PUMPING	10/8/2010 2:45:00	2170.08		137.07	78.22	180.72	33.41	0.11	137.02	78.27		180.78	200.22
SW Well 1A	CR TEST - PUMPING	10/8/2010 2:50:00	2175.08		136.99	78.31	180.81	33.41	0.11	136.93	78.36		180.86	200.14
SW Well 1A	CR TEST - PUMPING	10/8/2010 2:55:00	2180.08		137.02	78.28	180.78	33.41	0.12	136.96	78.33		180.83	200.17
SW Well 1A	CR TEST - PUMPING	10/8/2010 3:00:00	2185.08		137.00	78.29	180.79	33.41	0.12	136.95	78.34		180.85	200.15
SW Well 1A	CR TEST - PUMPING	10/8/2010 3:05:00	2190.08		137.00	78.30	180.80	33.41	0.11	136.94	78.35		180.86	200.14
SW Well 1A	CR TEST - PUMPING	10/8/2010 3:10:00	2195.08		136.98	78.31	180.82	33.41	0.11	136.92	78.36		180.87	200.13
SW Well 1A	CR TEST - PUMPING	10/8/2010 3:15:00	2200.08		137.08	78.21	180.71	33.41	0.11	137.02	78.26		180.77	200.23
SW Well 1A	CR TEST - PUMPING	10/8/2010 3:20:00	2205.08		136.91	78.38	180.89	33.41	0.11	136.85	78.43		180.94	200.06
SW Well 1A	CR TEST - PUMPING	10/8/2010 3:25:00	2210.08		136.97	78.32	180.82	33.41	0.12	136.91	78.37		180.88	200.12
SW Well 1A	CR TEST - PUMPING	10/8/2010 3:30:00	2215.08		136.83	78.46	180.96	33.41	0.12	136.77	78.51		181.02	199.98
SW Well 1A	CR TEST - PUMPING	10/8/2010 3:35:00	2220.08		137.01	78.28	180.78	33.41	0.12	136.95	78.33	0.07	180.84	200.16
SW Well 1A	CR TEST - PUMPING	10/8/2010 3:40:00	2225.08		136.85	78.45	180.95	33.41	0.12	136.79	78.50		181.00	200.00
SW Well 1A	CR TEST - PUMPING	10/8/2010 3:45:00	2230.08		137.02	78.28	180.78	33.41	0.12	136.96	78.33		180.83	200.17
SW Well 1A	CR TEST - PUMPING	10/8/2010 3:50:00	2235.08		136.88	78.42	180.92	33.41	0.12	136.82	78.47		180.97	200.03
SW Well 1A	CR TEST - PUMPING	10/8/2010 3:55:00	2240.08		136.91	78.38	180.89	33.41	0.12	136.85	78.44		180.94	200.06
SW Well 1A	CR TEST - PUMPING	10/8/2010 4:00:00	2245.08		136.80	78.49	181.00	33.41	0.11	136.74	78.54		181.05	199.95
SW Well 1A	CR TEST - PUMPING	10/8/2010 4:05:00	2250.08		136.84	78.45	180.96	33.41	0.11	136.78	78.50		181.01	199.99
SW Well 1A	CR TEST - PUMPING	10/8/2010 4:10:00	2255.08		136.93	78.37	180.87	33.41	0.11	136.87	78.42		180.92	200.08
SW Well 1A	CR TEST - PUMPING	10/8/2010 4:15:00	2260.08		136.72	78.58	181.08	33.40	0.11	136.66	78.63		181.13	199.87
SW Well 1A	CR TEST - PUMPING	10/8/2010 4:20:00	2265.08		136.74	78.56	181.06	33.40	0.11	136.68	78.60		181.11	199.89
SW Well 1A	CR TEST - PUMPING	10/8/2010 4:25:00	2270.08		136.86	78.44	180.94	33.40	0.11	136.80	78.49		180.99	200.01
SW Well 1A	CR TEST - PUMPING	10/8/2010 4:30:00	2275.08		136.75	78.54	181.04	33.40	0.11	136.70	78.59		181.09	199.91
SW Well 1A	CR TEST - PUMPING	10/8/2010 4:35:00	2280.08		136.82	78.47	180.97	33.40	0.11	136.77	78.52	0.18	181.02	199.98
SW Well 1A	CR TEST - PUMPING	10/8/2010 4:40:00	2285.08		136.71	78.59	181.09	33.40	0.11	136.65	78.63		181.14	199.86
SW Well 1A	CR TEST - PUMPING	10/8/2010 4:45:00	2290.08		136.73	78.56	181.07	33.40	0.11	136.68	78.61		181.12	199.88
SW Well 1A	CR TEST - PUMPING	10/8/2010 4:50:00	2295.08		136.92	78.37	180.88	33.41	0.11	136.86	78.42		180.93	200.07
SW Well 1A	CR TEST - PUMPING	10/8/2010 4:55:00	2300.08		136.60	78.69	181.20	33.41	0.11	136.54	78.74		181.25	199.75
SW Well 1A	CR TEST - PUMPING	10/8/2010 5:00:00	2305.08		136.72	78.57	181.07	33.41	0.11	136.66	78.62		181.13	199.87
SW Well 1A	CR TEST - PUMPING	10/8/2010 5:05:00	2310.08		136.82	78.47	180.97	33.41	0.11	136.77	78.52		181.03	199.97
SW Well 1A	CR TEST - PUMPING	10/8/2010 5:10:00	2315.08		136.76	78.53	181.03	33.41	0.11	136.70	78.58		181.09	199.91
SW Well 1A	CR TEST - PUMPING	10/8/2010 5:15:00	2320.08		136.75	78.55	181.05	33.41	0.11	136.69	78.60		181.10	199.90
SW Well 1A	CR TEST - PUMPING	10/8/2010 5:20:00	2325.08		136.77	78.52	181.02	33.41	0.11	136.71	78.57		181.08	199.92
SW Well 1A	CR TEST - PUMPING	10/8/2010 5:25:00	2330.08		136.62	78.67	181.17	33.41	0.11	136.56	78.72		181.23	199.77
SW Well 1A	CR TEST - PUMPING	10/8/2010 5:30:00	2335.08		136.67	78.63	181.13	33.41	0.11	136.61	78.67		181.18	199.82
SW Well 1A	CR TEST - PUMPING	10/8/2010 5:35:00	2340.08		136.59	78.70	181.21	33.41	0.11	136.53	78.75	0.24	181.26	199.74
SW Well 1A	CR TEST - PUMPING	10/8/2010 5:40:00	2345.08		136.57	78.72	181.22	33.41	0.11	136.52	78.77		181.28	199.72
SW Well 1A	CR TEST - PUMPING	10/8/2010 5:45:00	2350.08		136.52	78.77	181.28	33.41	0.11	136.46	78.82		181.33	199.67
SW Well 1A	CR TEST - PUMPING	10/8/2010 5:50:00	2355.08		136.52	78.77	181.27	33.41	0.11	136.47	78.82		181.33	199.67
SW Well 1A	CR TEST - PUMPING	10/8/2010 5:55:00	2360.08		136.55	78.74	181.24	33.41	0.11	136.50	78.79		181.30	199.70
SW Well 1A	CR TEST - PUMPING	10/8/2010 6:00:00	2365.08		136.54	78.76	181.26	33.41	0.11	136.48	78.81		181.31	199.69
SW Well 1A	CR TEST - PUMPING	10/8/2010 6:05:00	2370.08		136.66	78.63	181.14	33.41	0.11	136.60	78.68		181.19	199.81
SW Well 1A	CR TEST - PUMPING	10/8/2010 6:10:00	2375.08		136.55	78.74	181.24	33.41	0.11	136.50	78.79		181.30	199.70
SW Well 1A	CR TEST - PUMPING	10/8/2010 6:15:00	2380.08		136.43	78.87	181.37	33.41	0.11	136.37	78.92		181.42	199.58
SW Well 1A	CR TEST - PUMPING	10/8/2010 6:20:00	2385.08		136.46	78.83	181.34	33.40	0.11	136.40	78.88		181.39	199.61
SW Well 1A	CR TEST - PUMPING	10/8/2010 6:25:00	2390.08		136.55	78.74	181.24	33.40	0.11	136.50	78.79		181.30	199.70
SW Well 1A	CR TEST - PUMPING	10/8/2010 6:30:00	2395.08		136.42	78.88	181.38	33.40	0.11	136.36	78.92		181.43	199.57
SW Well 1A	CR TEST - PUMPING	10/8/2010 6:35:00	2400.08		136.41	78.88	181.38	33.40	0.11	136.36	78.93	0.17	181.43	199.57
SW Well 1A	CR TEST - PUMPING	10/8/2010 6:40:00	2405.08		136.57	78.73	181.23	33.40	0.11	136.51	78.77		181.28	199.72
SW Well 1A	CR TEST - PUMPING	10/8/2010 6:45:00	2410.08		136.47	78.83	181.33	33.40	0.11	136.41	78.87		181.38	199.62
SW Well 1A	CR TEST - PUMPING	10/8/2010 6:50:00	2415.08		136.42	78.87	181.38	33.40	0.11	136.37	78.92		181.43	199.57
SW Well 1A	CR TEST - PUMPING	10/8/2010 6:55:00	2420.08		136.42	78.88	181.38	33.40	0.11	136.36	78.92		181.43	199.57
SW Well 1A	CR TEST - PUMPING	10/8/2010 7:00:00	2425.08		136.49	78.80	181.30	33.40	0.11	136.44	78.85		181.36	199.64
SW Well 1A	CR TEST - PUMPING	10/8/2010 7:05:00	2430.08		136.48	78.81	181.31	33.40	0.11	136.43	78.86		181.36	199.64
SW Well 1A	CR TEST - PUMPING	10/8/2010 7:10:00	2435.08		136.50	78.80	181.30	33.41	0.11	136.44	78.84		181.35	199.65
SW Well 1A	CR TEST - PUMPING	10/8/2010 7:15:00	2440.08		136.44	78.86	181.36	33.41	0.11	136.38	78.91		181.41	199.59
SW Well 1A	CR TEST - PUMPING	10/8/2010 7:20:00	2445.08		136.40	78.90	181.40	33.41	0.11	136.34	78.94		181.45	199.55
SW Well 1A	CR TEST - PUMPING	10/8/2010 7:25:00	2450.08		136.36	78.94	181.44	33.41	0.11	136.30	78.98		181.49	199.51
SW Well 1A	CR TEST - PUMPING	10/8/2010 7:30:00	2455.08		136.50	78.80	181.30	33.41	0.11	136.44	78.84		181.35	199.65
SW Well 1A	CR TEST - PUMPING	10/8/2010 7:35:00	2460.08		136.33	78.97	181.47	33.41	0.11	136.27	79.02	0.09	181.52	199.48
SW Well 1A	CR TEST - PUMPING	10/8/2010 7:40:00	2465.08		136.39	78.90	181.41	33.41	0.11	136.33	78.95		181.46	199.54
SW Well 1A	CR TEST - PUMPING	10/8/2010 7:45:00	2470.08		136.33	78.96	181.46	33.41	0.11	136.28	79.01		181.52	199.48
SW Well 1A	CR TEST - PUMPING	10/8/2010 7:50:00	2475.08		136.31	78.98	181.48	33.41	0.12	136.25	79.03		181.54	199.46
SW Well 1A	CR TEST - PUMPING	10/8/2010 7:55:00	2480.08		136.29	79.01	181.51	33.41	0.12	136.23	79.06		181.57	199.43
SW Well 1A	CR TEST - PUMPING	10/8/2010 8:00:00	2485.08		136.32	78.97	181.48	33.41	0.12	136.26	79.03		181.53	199.47
SW Well 1A	CR TEST - PUMPING	10/8/2010 8:05:00	2490.08		136.02	79.27	181.77	33.41	0.12	135.96	79.32		181.83	199.17
SW Well 1A	CR TEST - PUMPING	10/8/2010 8:10:00	2495.08		136.20	79.09	181.60	33.41	0.12	136.14	79.15		181.65	199.35
SW Well 1A	CR TEST - PUMPING	10/8/2010 8:15:00	2500.08		136.20	79.09	181.60	33.41	0.12	136.14	79.15		181.65	199.35
SW Well 1A	CR TEST - PUMPING	10/8/2010 8:20:00	2505.08		136.24	79.05	181.55	33.42	0.12	136.18	79.11		181.61	199.39
SW Well 1A	CR TEST - PUMPING	10/8/2010 8:25:00	2510.08		136.27	79.03	181.53	33.42	0.12	136.20	79.08		181.59	199.41
SW Well 1A	CR TEST - PUMPING	10/8/2010 8:30:00	2515.08		136.13	79.16	181.66	33.42	0.12	136.07	79.22		181.72	199.28
SW Well 1A	CR TEST - PUMPING	10/8/2010 8:35:00	2520.08		136.14	79.15	181.66	33.42	0.12	136.08	79.21	0.19	181.71	199.29
SW Well 1A	CR TEST - PUMPING	10/8/2010 8:40:00	2525.08		136.19	79.11	181.61	33.42	0.12	136.12	79.16		181.67	199.33
SW Well 1A	CR TEST - PUMPING	10/8/2010 8:45:00	2530.08		136.19	79.10	181.60	33.42	0.13	136.13	79.16		181.66	199.34
SW Well 1A	CR TEST - PUMPING	10/8/2010 8:50:00	2535.08		136.18	79.11	181.62	33.42	0.13	136.11	79.17		181.68	199.32
SW Well 1A	CR TEST - PUMPING	10/8/2010 8:55:00	2540.08		136.21	79.08	181.59	33.42	0.13	136.15	79.14		181.65	199.35
SW Well 1A	CR TEST - PUMPING	10/8/2010 9:00:00	2545.08		136.24	79.05	181.55	33.43	0.13	136.18	79.11		181.62	199.38
SW Well 1A	CR TEST - PUMPING	10/8/2010 9:05:00	2550.08		136.18	79.11	181.62	33.43	0.13	136.11	79.17		181.68	199.32
SW Well 1A	CR TEST - PUMPING	10/8/2010 9:10:00	2555.08		136.14	79.15	181.66	33.43	0.13	136.07	79.21		181.72	199.28
SW Well 1A	CR TEST - PUMPING	10/8/2010 9:15:00	2560.08		136.09	79.20	181.70	33.43	0.13	136.03	79.26		181.77	199.23
SW Well 1A	CR TEST - PUMPING	10/8/2010 9:20:00	2565.08		136.13	79.16	181.66	33.43	0.13	136.07	79.22		181.73	199.27
SW Well 1A	CR TEST - PUMPING	10/8/2010 9:25:00	2570.08		136.12	79.17	181.67	33.43	0.13	136.06	79.23		181.74	199.26
SW Well 1A	CR TEST - PUMPING	10/8/2010 9:30:00	2575.08		135.98	79.32	181.82	33.43	0.13	135.91	79.38		181.88	199.12
SW Well 1A	CR TEST - PUMPING	10/8/2010 9:35:00	2580.08		136.11	79.19	181.69	33.43	0.13	136.04	79.25	0.04	181.75	199.25
SW Well 1A	CR TEST - PUMPING	10/8/2010 9:40:00	2585.08		136.11	79.18	181.69	33.43	0.13	136.04	79.24		181.75	199.25

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - PUMPING	10/8/2010 9:45:00	2590.08		136.09	79.20	181.70	33.43	0.14	136.02	79.26		181.77	199.23
SW Well 1A	CR TEST - PUMPING	10/8/2010 9:50:00	2595.08		135.99	79.30	181.80	33.43	0.14	135.93	79.36		181.87	199.13
SW Well 1A	CR TEST - PUMPING	10/8/2010 9:55:00	2600.08		136.11	79.18	181.69	33.43	0.14	136.04	79.25		181.75	199.25
SW Well 1A	CR TEST - PUMPING	10/8/2010 10:00:00	2605.08		136.03	79.26	181.76	33.43	0.14	135.96	79.32		181.83	199.17
SW Well 1A	CR TEST - PUMPING	10/8/2010 10:05:00	2610.08		135.99	79.30	181.80	33.43	0.13	135.92	79.36		181.87	199.13
SW Well 1A	CR TEST - PUMPING	10/8/2010 10:10:00	2615.08		135.97	79.33	181.83	33.43	0.13	135.90	79.39		181.89	199.11
SW Well 1A	CR TEST - PUMPING	10/8/2010 10:15:00	2620.08		135.94	79.36	181.86	33.43	0.13	135.87	79.42		181.92	199.08
SW Well 1A	CR TEST - PUMPING	10/8/2010 10:20:00	2625.08		135.95	79.34	181.84	33.43	0.14	135.89	79.40		181.91	199.09
SW Well 1A	CR TEST - PUMPING	10/8/2010 10:25:00	2630.08		136.03	79.26	181.76	33.43	0.14	135.96	79.32		181.83	199.17
SW Well 1A	CR TEST - PUMPING	10/8/2010 10:30:00	2635.08		135.91	79.38	181.88	33.43	0.14	135.84	79.44		181.95	199.05
SW Well 1A	CR TEST - PUMPING	10/8/2010 10:35:00	2640.08		136.02	79.28	181.78	33.44	0.14	135.94	79.34	0.09	181.85	199.15
SW Well 1A	CR TEST - PUMPING	10/8/2010 10:40:00	2645.08		135.95	79.34	181.84	33.44	0.14	135.88	79.40		181.91	199.09
SW Well 1A	CR TEST - PUMPING	10/8/2010 10:45:00	2650.08		135.95	79.34	181.84	33.44	0.14	135.88	79.40		181.91	199.09
SW Well 1A	CR TEST - PUMPING	10/8/2010 10:50:00	2655.08		135.88	79.41	181.91	33.44	0.14	135.81	79.47		181.98	199.02
SW Well 1A	CR TEST - PUMPING	10/8/2010 10:55:00	2660.08		135.95	79.35	181.85	33.44	0.14	135.87	79.41		181.92	199.08
SW Well 1A	CR TEST - PUMPING	10/8/2010 11:00:00	2665.08		135.93	79.36	181.87	33.44	0.14	135.86	79.43		181.93	199.07
SW Well 1A	CR TEST - PUMPING	10/8/2010 11:05:00	2670.08		135.88	79.41	181.91	33.44	0.14	135.81	79.47		181.98	199.02
SW Well 1A	CR TEST - PUMPING	10/8/2010 11:10:00	2675.08		135.84	79.45	181.95	33.44	0.14	135.77	79.51		182.02	198.98
SW Well 1A	CR TEST - PUMPING	10/8/2010 11:15:00	2680.08		135.77	79.52	182.02	33.44	0.14	135.70	79.58		182.09	198.91
SW Well 1A	CR TEST - PUMPING	10/8/2010 11:20:00	2685.08		135.70	79.59	182.09	33.43	0.14	135.63	79.65		182.16	198.84
SW Well 1A	CR TEST - PUMPING	10/8/2010 11:25:00	2690.08		135.86	79.43	181.94	33.43	0.14	135.79	79.50		182.00	199.00
SW Well 1A	CR TEST - PUMPING	10/8/2010 11:30:00	2695.08		135.80	79.50	182.00	33.43	0.13	135.73	79.56		182.06	198.94
SW Well 1A	CR TEST - PUMPING	10/8/2010 11:35:00	2700.08		135.74	79.56	182.06	33.42	0.13	135.67	79.62	0.27	182.12	198.88
SW Well 1A	CR TEST - PUMPING	10/8/2010 11:40:00	2705.08		135.87	79.43	181.93	33.43	0.14	135.80	79.49		181.99	199.01
SW Well 1A	CR TEST - PUMPING	10/8/2010 11:45:00	2710.08		135.74	79.56	182.06	33.43	0.13	135.67	79.62		182.13	198.87
SW Well 1A	CR TEST - PUMPING	10/8/2010 11:50:00	2715.08		135.70	79.59	182.09	33.43	0.14	135.64	79.65		182.16	198.84
SW Well 1A	CR TEST - PUMPING	10/8/2010 11:55:00	2720.08		135.78	79.51	182.01	33.43	0.14	135.71	79.57		182.08	198.92
SW Well 1A	CR TEST - PUMPING	10/8/2010 12:00:00	2725.08		135.74	79.55	182.05	33.43	0.14	135.68	79.61		182.12	198.88
SW Well 1A	CR TEST - PUMPING	10/8/2010 12:05:00	2730.08		135.67	79.63	182.13	33.43	0.13	135.60	79.69		182.19	198.81
SW Well 1A	CR TEST - PUMPING	10/8/2010 12:10:00	2735.08		135.74	79.55	182.05	33.42	0.13	135.68	79.61		182.11	198.89
SW Well 1A	CR TEST - PUMPING	10/8/2010 12:15:00	2740.08		135.52	79.78	182.28	33.42	0.12	135.45	79.83		182.34	198.66
SW Well 1A	CR TEST - PUMPING	10/8/2010 12:20:00	2745.08		135.63	79.66	182.16	33.42	0.12	135.57	79.71		182.22	198.78
SW Well 1A	CR TEST - PUMPING	10/8/2010 12:25:00	2750.08		135.59	79.70	182.20	33.41	0.12	135.53	79.75		182.26	198.74
SW Well 1A	CR TEST - PUMPING	10/8/2010 12:30:00	2755.08		135.69	79.61	182.11	33.41	0.12	135.63	79.66		182.16	198.84
SW Well 1A	CR TEST - PUMPING	10/8/2010 12:35:00	2760.08		135.60	79.69	182.19	33.41	0.12	135.54	79.74	0.13	182.25	198.75
SW Well 1A	CR TEST - PUMPING	10/8/2010 12:40:00	2765.08		135.77	79.53	182.03	33.41	0.12	135.71	79.58		182.09	198.91
SW Well 1A	CR TEST - PUMPING	10/8/2010 12:45:00	2770.08		135.67	79.63	182.13	33.41	0.12	135.61	79.68		182.19	198.81
SW Well 1A	CR TEST - PUMPING	10/8/2010 12:50:00	2775.08		135.64	79.65	182.15	33.41	0.12	135.58	79.70		182.21	198.79
SW Well 1A	CR TEST - PUMPING	10/8/2010 12:55:00	2780.08		135.59	79.70	182.20	33.41	0.11	135.54	79.75		182.26	198.74
SW Well 1A	CR TEST - PUMPING	10/8/2010 13:00:00	2785.08		135.71	79.58	182.08	33.41	0.11	135.65	79.63		182.14	198.86
SW Well 1A	CR TEST - PUMPING	10/8/2010 13:05:00	2790.08		135.61	79.68	182.19	33.41	0.11	135.55	79.73		182.24	198.76
SW Well 1A	CR TEST - PUMPING	10/8/2010 13:10:00	2795.08		135.68	79.61	182.12	33.40	0.11	135.63	79.66		182.17	198.83
SW Well 1A	CR TEST - PUMPING	10/8/2010 13:15:00	2800.08		135.54	79.75	182.26	33.40	0.11	135.49	79.80		182.31	198.69
SW Well 1A	CR TEST - PUMPING	10/8/2010 13:20:00	2805.08		135.58	79.71	182.22	33.40	0.11	135.53	79.76		182.27	198.73
SW Well 1A	CR TEST - PUMPING	10/8/2010 13:25:00	2810.08		135.50	79.79	182.29	33.40	0.10	135.45	79.84		182.34	198.66
SW Well 1A	CR TEST - PUMPING	10/8/2010 13:30:00	2815.08		135.45	79.85	182.35	33.40	0.10	135.39	79.89		182.40	198.60
SW Well 1A	CR TEST - PUMPING	10/8/2010 13:35:00	2820.08		135.62	79.67	182.18	33.40	0.10	135.57	79.72	-0.03	182.22	198.78
SW Well 1A	CR TEST - PUMPING	10/8/2010 13:40:00	2825.08		135.66	79.64	182.14	33.39	0.10	135.61	79.68		182.19	198.81
SW Well 1A	CR TEST - PUMPING	10/8/2010 13:45:00	2830.08		135.52	79.78	182.28	33.39	0.10	135.47	79.82		182.32	198.68
SW Well 1A	CR TEST - PUMPING	10/8/2010 13:50:00	2835.08		135.45	79.84	182.34	33.39	0.09	135.41	79.88		182.38	198.62
SW Well 1A	CR TEST - PUMPING	10/8/2010 13:55:00	2840.08		135.45	79.85	182.35	33.38	0.09	135.40	79.88		182.39	198.61
SW Well 1A	CR TEST - PUMPING	10/8/2010 14:00:00	2845.08		135.39	79.90	182.40	33.38	0.09	135.35	79.94		182.44	198.56
SW Well 1A	CR TEST - PUMPING	10/8/2010 14:05:00	2850.08		135.45	79.84	182.34	33.37	0.08	135.41	79.87		182.38	198.62
SW Well 1A	CR TEST - PUMPING	10/8/2010 14:10:00	2855.08		135.50	79.79	182.29	33.37	0.08	135.46	79.82		182.33	198.67
SW Well 1A	CR TEST - PUMPING	10/8/2010 14:15:00	2860.08		135.51	79.78	182.29	33.37	0.08	135.47	79.82		182.32	198.68
SW Well 1A	CR TEST - PUMPING	10/8/2010 14:20:00	2865.08		135.35	79.94	182.44	33.37	0.07	135.32	79.97		182.48	198.52
SW Well 1A	CR TEST - PUMPING	10/8/2010 14:25:00	2870.08		135.49	79.81	182.31	33.37	0.07	135.45	79.84		182.34	198.66
SW Well 1A	CR TEST - PUMPING	10/8/2010 14:30:00	2875.08		135.30	80.00	182.50	33.37	0.07	135.26	80.03		182.53	198.47
SW Well 1A	CR TEST - PUMPING	10/8/2010 14:35:00	2880.08		135.48	79.82	182.32	33.37	0.07	135.44	79.84	0.13	182.35	198.65
SW Well 1A	CR TEST - PUMPING	10/8/2010 14:40:00	2885.08		135.42	79.88	182.38	33.37	0.07	135.38	79.91		182.41	198.59
SW Well 1A	CR TEST - PUMPING	10/8/2010 14:45:00	2890.08		135.50	79.79	182.29	33.36	0.07	135.47	79.82		182.33	198.67
SW Well 1A	CR TEST - PUMPING	10/8/2010 14:50:00	2895.08		135.44	79.85	182.36	33.36	0.07	135.41	79.88		182.39	198.61
SW Well 1A	CR TEST - PUMPING	10/8/2010 14:55:00	2900.08		135.28	80.02	182.52	33.36	0.07	135.24	80.04		182.55	198.45
SW Well 1A	CR TEST - PUMPING	10/8/2010 15:00:00	2905.08		135.40	79.89	182.40	33.36	0.06	135.37	79.92		182.43	198.57
SW Well 1A	CR TEST - PUMPING	10/8/2010 15:05:00	2910.08		135.39	79.90	182.40	33.36	0.06	135.36	79.93		182.43	198.57
SW Well 1A	CR TEST - PUMPING	10/8/2010 15:10:00	2915.08		135.37	79.92	182.43	33.36	0.07	135.34	79.95		182.46	198.54
SW Well 1A	CR TEST - PUMPING	10/8/2010 15:15:00	2920.08		135.24	80.06	182.56	33.36	0.07	135.20	80.08		182.59	198.41
SW Well 1A	CR TEST - PUMPING	10/8/2010 15:20:00	2925.08		135.27	80.03	182.53	33.37	0.07	135.23	80.05		182.56	198.44
SW Well 1A	CR TEST - PUMPING	10/8/2010 15:25:00	2930.08		135.35	79.94	182.44	33.37	0.07	135.32	79.97		182.48	198.52
SW Well 1A	CR TEST - PUMPING	10/8/2010 15:30:00	2935.08		135.27	80.03	182.53	33.36	0.07	135.23	80.05		182.56	198.44
SW Well 1A	CR TEST - PUMPING	10/8/2010 15:35:00	2940.08		135.24	80.05	182.55	33.37	0.07	135.21	80.08	0.23	182.58	198.42
SW Well 1A	CR TEST - PUMPING	10/8/2010 15:40:00	2945.08		135.21	80.09	182.59	33.36	0.07	135.17	80.11		182.62	198.38
SW Well 1A	CR TEST - PUMPING	10/8/2010 15:45:00	2950.08		135.28	80.02	182.52	33.36	0.07	135.24	80.04		182.55	198.45
SW Well 1A	CR TEST - PUMPING	10/8/2010 15:50:00	2955.08		135.27	80.03	182.53	33.36	0.06	135.23	80.05		182.56	198.44
SW Well 1A	CR TEST - PUMPING	10/8/2010 15:55:00	2960.08		135.21	80.08	182.58	33.36	0.06	135.18	80.11		182.61	198.39
SW Well 1A	CR TEST - PUMPING	10/8/2010 16:00:00	2965.08		135.20	80.10	182.60	33.36	0.06	135.16	80.12		182.63	198.37
SW Well 1A	CR TEST - PUMPING	10/8/2010 16:05:00	2970.08		135.29	80.00	182.50	33.36	0.06	135.26	80.03		182.53	198.47
SW Well 1A	CR TEST - PUMPING	10/8/2010 16:10:00	2975.08		135.27	80.03	182.53	33.35	0.06	135.24	80.05		182.55	198.45
SW Well 1A	CR TEST - PUMPING	10/8/2010 16:15:00	2980.08		135.30	80.00	182.50	33.35	0.06	135.27	80.02		182.52	198.48
SW Well 1A	CR TEST - PUMPING	10/8/2010 16:20:00	2985.08		135.24	80.05	182.55	33.35	0.05	135.22	80.07		182.57	198.43
SW Well 1A	CR TEST - PUMPING	10/8/2010 16:25:00	2990.08		135.20	80.10	182.60	33.35	0.05	135.17	80.12		182.62	198.38
SW Well 1A	CR TEST - PUMPING	10/8/2010 16:30:00	2995.08		135.17	80.13	182.63	33.35	0.06	135.14	80.15		182.65	198.35
SW Well 1A	CR TEST - PUMPING	10/8/2010 16:35:00	3000.08		135.14	80.15	182.65	33.35	0.06	135.11	80.17	0.09	182.68	198.32
SW Well 1A	CR TEST - PUMPING	10/8/2010 16:40:00	3005.08		135.29	80.00	182.50	33.34	0.05	135.27	80.02		182.53	198.47
SW Well 1A	CR TEST - PUMPING	10/8/2010 16:45:00	3010.08		135.10	80.19	182.69	33.35	0.05	135.08	80.21		182.71	198.29
SW Well 1A	CR TEST - PUMPING	10/8/2010 16:50:00	3015.08		135.21	80.09	182.59	33.35	0.05	135.18	80.11		182.61	198.39
SW Well 1A	CR TEST - PUMPING	10/8/2010 16:55:00	3020.08		135.20	80.10	182.60	33.35	0.06	135.17	80.12		182.62	198.38
SW Well 1A	CR TEST - PUMPING	10/8/2010 17:00:00	3025.08		135.17	80.13	182.63	33.35	0.06	135.14	80.15		182.66	198.34
SW Well 1A	CR TEST - PUMPING	10/8/2010 17:05:00	3030.08		135.28	80.02	182.52	33.35	0.06	135.25	80.04		182.55	198.45
SW Well 1A	CR TEST - PUMPING	10/8/2010 17:10:00	3035.08		135.08	80.21	182.72	33.35	0.05	135.05	80.23		182.74	198.26
SW Well 1A	CR TEST - PUMPING	10/8/2010 17:15:00	3040.08		135.10	80.19	182.69	33.34	0.05	135.08	80.21		182.71	198.29
SW Well 1A	CR TEST - PUMPING	10/8/2010 17:20:00	3045.08		135.22	80.07	182.57	33.35	0.05	135.20	80.09		182.60	198.40
SW Well 1A	CR TEST - PUMPING	10/8/2010 17:25:00	3050.08		135.10	80.19	182.69	33.34	0.05	135.08	80.21		182.71	198.29
SW Well 1A	CR TEST - PUMPING	10/8/2010 17:30:00	3055.08		135.05	80.24	182.74	33.34	0.05	135.03	80.26		182.77	198.23
SW Well 1A	CR TEST - PUMPING	10/8/2010 17:35:00	3060.08		135.03	80.26	182.76	33.34	0.04	135.01	80.27	0.10	182.78	198.22
SW Well 1A	CR TEST - PUMPING	10/8/2010 17:40:00	3065.08		135.00	80.29	182.79	33.33	0.04	134.98	80.30		182.81	198.19
SW Well 1A	CR TEST - PUMPING	10/8/2010 17:45:00	3070.08		135.04	80.26	182.76	33.33	0.04	135.02	80.27		182.78	198.22

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - PUMPING	10/8/2010 17:50:00	3075.08		134.95	80.35	182.85	33.34	0.04	134.93	80.36		182.87	198.13
SW Well 1A	CR TEST - PUMPING	10/8/2010 17:55:00	3080.08		134.96	80.33	182.83	33.34	0.05	134.94	80.35		182.85	198.15
SW Well 1A	CR TEST - PUMPING	10/8/2010 18:00:00	3085.08		134.92	80.37	182.88	33.34	0.04	134.90	80.39		182.90	198.10
SW Well 1A	CR TEST - PUMPING	10/8/2010 18:05:00	3090.08		134.84	80.45	182.96	33.34	0.04	134.82	80.47		182.98	198.02
SW Well 1A	CR TEST - PUMPING	10/8/2010 18:10:00	3095.08		134.96	80.33	182.83	33.34	0.04	134.94	80.35		182.85	198.15
SW Well 1A	CR TEST - PUMPING	10/8/2010 18:15:00	3100.08		135.03	80.27	182.77	33.34	0.04	135.01	80.28		182.79	198.21
SW Well 1A	CR TEST - PUMPING	10/8/2010 18:20:00	3105.08		134.96	80.33	182.83	33.34	0.04	134.94	80.35		182.85	198.15
SW Well 1A	CR TEST - PUMPING	10/8/2010 18:25:00	3110.08		135.01	80.28	182.79	33.34	0.05	134.99	80.30		182.81	198.19
SW Well 1A	CR TEST - PUMPING	10/8/2010 18:30:00	3115.08		134.96	80.33	182.83	33.34	0.05	134.94	80.35		182.85	198.15
SW Well 1A	CR TEST - PUMPING	10/8/2010 18:35:00	3120.08		134.97	80.32	182.82	33.34	0.05	134.95	80.34	0.06	182.84	198.16
SW Well 1A	CR TEST - PUMPING	10/8/2010 18:40:00	3125.08		134.95	80.35	182.85	33.34	0.05	134.92	80.36		182.87	198.13
SW Well 1A	CR TEST - PUMPING	10/8/2010 18:45:00	3130.08		134.95	80.35	182.85	33.34	0.05	134.92	80.36		182.87	198.13
SW Well 1A	CR TEST - PUMPING	10/8/2010 18:50:00	3135.08		134.96	80.33	182.83	33.34	0.05	134.94	80.35		182.85	198.15
SW Well 1A	CR TEST - PUMPING	10/8/2010 18:55:00	3140.08		134.80	80.49	183.00	33.34	0.04	134.78	80.51		183.01	197.99
SW Well 1A	CR TEST - PUMPING	10/8/2010 19:00:00	3145.08		134.84	80.45	182.96	33.33	0.04	134.82	80.47		182.97	198.03
SW Well 1A	CR TEST - PUMPING	10/8/2010 19:05:00	3150.08		134.82	80.47	182.97	33.33	0.04	134.80	80.48		182.99	198.01
SW Well 1A	CR TEST - PUMPING	10/8/2010 19:10:00	3155.08		134.85	80.44	182.94	33.33	0.04	134.83	80.45		182.96	198.04
SW Well 1A	CR TEST - PUMPING	10/8/2010 19:15:00	3160.08		134.89	80.40	182.90	33.33	0.04	134.87	80.41		182.92	198.08
SW Well 1A	CR TEST - PUMPING	10/8/2010 19:20:00	3165.08		134.82	80.47	182.97	33.34	0.04	134.80	80.48		182.99	198.01
SW Well 1A	CR TEST - PUMPING	10/8/2010 19:25:00	3170.08		134.84	80.45	182.95	33.33	0.04	134.82	80.47		182.97	198.03
SW Well 1A	CR TEST - PUMPING	10/8/2010 19:30:00	3175.08		134.85	80.44	182.94	33.33	0.04	134.83	80.45		182.96	198.04
SW Well 1A	CR TEST - PUMPING	10/8/2010 19:35:00	3180.08		134.83	80.46	182.96	33.33	0.04	134.81	80.47	0.14	182.98	198.02
SW Well 1A	CR TEST - PUMPING	10/8/2010 19:40:00	3185.08		134.87	80.42	182.92	33.33	0.04	134.85	80.43		182.94	198.06
SW Well 1A	CR TEST - PUMPING	10/8/2010 19:45:00	3190.08		134.79	80.51	183.01	33.33	0.04	134.77	80.52		183.02	197.98
SW Well 1A	CR TEST - PUMPING	10/8/2010 19:50:00	3195.08		134.79	80.51	183.01	33.33	0.03	134.77	80.52		183.02	197.98
SW Well 1A	CR TEST - PUMPING	10/8/2010 19:55:00	3200.08		134.90	80.39	182.89	33.33	0.03	134.89	80.40		182.91	198.09
SW Well 1A	CR TEST - PUMPING	10/8/2010 20:00:00	3205.08		134.86	80.43	182.93	33.33	0.03	134.85	80.44		182.95	198.05
SW Well 1A	CR TEST - PUMPING	10/8/2010 20:05:00	3210.08		134.75	80.54	183.04	33.33	0.03	134.74	80.55		183.06	197.94
SW Well 1A	CR TEST - PUMPING	10/8/2010 20:10:00	3215.08		134.57	80.72	183.22	33.33	0.03	134.56	80.73		183.23	197.77
SW Well 1A	CR TEST - PUMPING	10/8/2010 20:15:00	3220.08		134.76	80.54	183.04	33.32	0.03	134.74	80.55		183.05	197.95
SW Well 1A	CR TEST - PUMPING	10/8/2010 20:20:00	3225.08		134.71	80.59	183.09	33.32	0.03	134.69	80.59		183.10	197.90
SW Well 1A	CR TEST - PUMPING	10/8/2010 20:25:00	3230.08		134.62	80.68	183.18	33.32	0.03	134.60	80.68		183.19	197.81
SW Well 1A	CR TEST - PUMPING	10/8/2010 20:30:00	3235.08		134.80	80.49	183.00	33.32	0.02	134.79	80.50		183.00	198.00
SW Well 1A	CR TEST - PUMPING	10/8/2010 20:35:00	3240.08		134.74	80.55	183.06	33.32	0.02	134.73	80.56	0.08	183.07	197.93
SW Well 1A	CR TEST - PUMPING	10/8/2010 20:40:00	3245.08		134.69	80.60	183.10	33.32	0.02	134.68	80.61		183.11	197.89
SW Well 1A	CR TEST - PUMPING	10/8/2010 20:45:00	3250.08		134.69	80.61	183.11	33.31	0.02	134.68	80.61		183.12	197.88
SW Well 1A	CR TEST - PUMPING	10/8/2010 20:50:00	3255.08		134.61	80.68	183.18	33.31	0.02	134.60	80.68		183.19	197.81
SW Well 1A	CR TEST - PUMPING	10/8/2010 20:55:00	3260.08		134.66	80.63	183.13	33.31	0.02	134.65	80.63		183.14	197.86
SW Well 1A	CR TEST - PUMPING	10/8/2010 21:00:00	3265.08		134.64	80.66	183.16	33.31	0.02	134.63	80.66		183.17	197.83
SW Well 1A	CR TEST - PUMPING	10/8/2010 21:05:00	3270.08		134.62	80.67	183.17	33.31	0.02	134.61	80.67		183.18	197.82
SW Well 1A	CR TEST - PUMPING	10/8/2010 21:10:00	3275.08		134.63	80.66	183.17	33.31	0.02	134.62	80.66		183.17	197.83
SW Well 1A	CR TEST - PUMPING	10/8/2010 21:15:00	3280.08		134.69	80.60	183.10	33.31	0.02	134.69	80.60		183.11	197.89
SW Well 1A	CR TEST - PUMPING	10/8/2010 21:20:00	3285.08		134.67	80.62	183.13	33.31	0.01	134.66	80.62		183.13	197.87
SW Well 1A	CR TEST - PUMPING	10/8/2010 21:25:00	3290.08		134.58	80.71	183.21	33.30	0.01	134.58	80.71		183.21	197.79
SW Well 1A	CR TEST - PUMPING	10/8/2010 21:30:00	3295.08		134.48	80.81	183.32	33.30	0.01	134.48	80.81		183.32	197.68
SW Well 1A	CR TEST - PUMPING	10/8/2010 21:35:00	3300.08		134.55	80.75	183.25	33.31	0.01	134.54	80.75	0.19	183.25	197.75
SW Well 1A	CR TEST - PUMPING	10/8/2010 21:40:00	3305.08		134.48	80.81	183.31	33.32	0.02	134.47	80.81		183.32	197.68
SW Well 1A	CR TEST - PUMPING	10/8/2010 21:45:00	3310.08		134.47	80.83	183.33	33.32	0.02	134.46	80.83		183.34	197.66
SW Well 1A	CR TEST - PUMPING	10/8/2010 21:50:00	3315.08		134.50	80.79	183.29	33.31	0.02	134.50	80.79		183.30	197.70
SW Well 1A	CR TEST - PUMPING	10/8/2010 21:55:00	3320.08		134.47	80.83	183.33	33.31	0.02	134.46	80.83		183.33	197.67
SW Well 1A	CR TEST - PUMPING	10/8/2010 22:00:00	3325.08		134.52	80.77	183.27	33.32	0.02	134.51	80.78		183.28	197.72
SW Well 1A	CR TEST - PUMPING	10/8/2010 22:05:00	3330.08		134.50	80.79	183.29	33.32	0.02	134.49	80.79		183.30	197.70
SW Well 1A	CR TEST - PUMPING	10/8/2010 22:10:00	3335.08		134.55	80.75	183.25	33.32	0.02	134.53	80.75		183.26	197.74
SW Well 1A	CR TEST - PUMPING	10/8/2010 22:15:00	3340.08		134.47	80.83	183.33	33.32	0.02	134.46	80.83		183.34	197.66
SW Well 1A	CR TEST - PUMPING	10/8/2010 22:20:00	3345.08		134.51	80.78	183.28	33.32	0.02	134.50	80.79		183.29	197.71
SW Well 1A	CR TEST - PUMPING	10/8/2010 22:25:00	3350.08		134.55	80.75	183.25	33.33	0.03	134.53	80.76		183.26	197.74
SW Well 1A	CR TEST - PUMPING	10/8/2010 22:30:00	3355.08		134.33	80.97	183.47	33.33	0.03	134.31	80.98		183.48	197.52
SW Well 1A	CR TEST - PUMPING	10/8/2010 22:35:00	3360.08		134.54	80.76	183.26	33.32	0.03	134.52	80.76	0.02	183.27	197.73
SW Well 1A	CR TEST - PUMPING	10/8/2010 22:40:00	3365.08		134.40	80.89	183.39	33.33	0.04	134.38	80.90		183.41	197.59
SW Well 1A	CR TEST - PUMPING	10/8/2010 22:45:00	3370.08		134.54	80.76	183.26	33.33	0.04	134.52	80.77		183.27	197.73
SW Well 1A	CR TEST - PUMPING	10/8/2010 22:50:00	3375.08		134.39	80.91	183.41	33.33	0.04	134.37	80.92		183.42	197.58
SW Well 1A	CR TEST - PUMPING	10/8/2010 22:55:00	3380.08		134.52	80.77	183.27	33.33	0.04	134.50	80.79		183.29	197.71
SW Well 1A	CR TEST - PUMPING	10/8/2010 23:00:00	3385.08		134.50	80.80	183.30	33.33	0.04	134.48	80.81		183.31	197.69
SW Well 1A	CR TEST - PUMPING	10/8/2010 23:05:00	3390.08		134.52	80.77	183.27	33.33	0.03	134.50	80.78		183.29	197.71
SW Well 1A	CR TEST - PUMPING	10/8/2010 23:10:00	3395.08		134.40	80.90	183.40	33.33	0.04	134.38	80.91		183.42	197.58
SW Well 1A	CR TEST - PUMPING	10/8/2010 23:15:00	3400.08		134.53	80.76	183.27	33.33	0.03	134.51	80.77		183.28	197.72
SW Well 1A	CR TEST - PUMPING	10/8/2010 23:20:00	3405.08		134.41	80.88	183.38	33.33	0.03	134.39	80.89		183.40	197.60
SW Well 1A	CR TEST - PUMPING	10/8/2010 23:25:00	3410.08		134.34	80.95	183.45	33.33	0.04	134.32	80.96		183.47	197.53
SW Well 1A	CR TEST - PUMPING	10/8/2010 23:30:00	3415.08		134.39	80.91	183.41	33.33	0.04	134.37	80.92		183.43	197.57
SW Well 1A	CR TEST - PUMPING	10/8/2010 23:35:00	3420.08		134.40	80.90	183.40	33.33	0.04	134.38	80.91	0.14	183.42	197.58
SW Well 1A	CR TEST - PUMPING	10/8/2010 23:40:00	3425.08		134.35	80.94	183.45	33.33	0.04	134.33	80.95		183.46	197.54
SW Well 1A	CR TEST - PUMPING	10/8/2010 23:45:00	3430.08		134.43	80.86	183.36	33.33	0.04	134.42	80.87		183.38	197.62
SW Well 1A	CR TEST - PUMPING	10/8/2010 23:50:00	3435.08		134.35	80.95	183.45	33.33	0.04	134.33	80.96		183.46	197.54
SW Well 1A	CR TEST - PUMPING	10/8/2010 23:55:00	3440.08		134.34	80.95	183.46	33.33	0.04	134.32	80.97		183.47	197.53
SW Well 1A	CR TEST - PUMPING	10/9/2010 0:00:00	3445.08		134.34	80.95	183.45	33.33	0.04	134.32	80.96		183.47	197.53
SW Well 1A	CR TEST - PUMPING	10/9/2010 0:05:00	3450.08		134.29	81.01	183.51	33.33	0.04	134.27	81.02		183.53	197.47
SW Well 1A	CR TEST - PUMPING	10/9/2010 0:10:00	3455.08		134.32	80.97	183.47	33.34	0.04	134.30	80.98		183.49	197.51
SW Well 1A	CR TEST - PUMPING	10/9/2010 0:15:00	3460.08		134.29	81.01	183.51	33.34	0.04	134.27	81.02		183.53	197.47
SW Well 1A	CR TEST - PUMPING	10/9/2010 0:20:00	3465.08		134.39	80.90	183.41	33.34	0.04	134.37	80.92		183.43	197.57
SW Well 1A	CR TEST - PUMPING	10/9/2010 0:25:00	3470.08		134.38	80.91	183.41	33.34	0.04	134.36	80.93		183.43	197.57
SW Well 1A	CR TEST - PUMPING	10/9/2010 0:30:00	3475.08		134.23	81.07	183.57	33.34	0.04	134.20	81.08		183.59	197.41
SW Well 1A	CR TEST - PUMPING	10/9/2010 0:35:00	3480.08		134.37	80.93	183.43	33.34	0.05	134.34	80.94	0.04	183.45	197.55
SW Well 1A	CR TEST - PUMPING	10/9/2010 0:40:00	3485.08		134.22	81.08	183.58	33.34	0.04	134.19	81.09		183.60	197.40
SW Well 1A	CR TEST - PUMPING	10/9/2010 0:45:00	3490.08		134.34	80.95	183.45	33.34	0.05	134.32	80.97		183.47	197.53
SW Well 1A	CR TEST - PUMPING	10/9/2010 0:50:00	3495.08		134.25	81.05	183.55	33.34	0.05	134.22	81.06		183.57	197.43
SW Well 1A	CR TEST - PUMPING	10/9/2010 0:55:00	3500.08		134.23	81.06	183.56	33.35	0.05	134.21	81.08		183.59	197.41
SW Well 1A	CR TEST - PUMPING	10/9/2010 1:00:00	3505.08		134.26	81.04	183.54	33.35	0.05	134.23	81.06		183.56	197.44
SW Well 1A	CR TEST - PUMPING	10/9/2010 1:05:00	3510.08		134.26	81.04	183.54	33.34	0.05	134.23	81.05		183.56	197.44
SW Well 1A	CR TEST - PUMPING	10/9/2010 1:10:00	3515.08		134.25	81.05	183.55	33.34	0.05	134.22	81.06		183.57	197.43
SW Well 1A	CR TEST - PUMPING	10/9/2010 1:15:00	3520.08		134.24	81.05	183.55	33.34	0.05	134.22	81.07		183.57	197.43
SW Well 1A	CR TEST - PUMPING	10/9/2010 1:20:00	3525.08		134.23	81.07	183.57	33.34	0.05	134.20	81.09		183.59	197.41
SW Well 1A	CR TEST - PUMPING	10/9/2010 1:25:00	3530.08		134.19	81.11	183.61	33.35	0.05	134.16	81.13		183.63	197.37
SW Well 1A	CR TEST - PUMPING	10/9/2010 1:30:00	3535.08		134.27	81.02	183.52	33.35	0.06	134.24	81.04		183.55	197.45
SW Well 1A	CR TEST - PUMPING	10/9/2010 1:35:00	3540.08		134.20	81.09	183.59	33.35	0.06	134.17	81.11	0.17	183.62	197.38
SW Well 1A	CR TEST - PUMPING	10/9/2010 1:40:00	3545.08		134.11	81.19	183.69	33.35	0.06	134.08	81.21		183.71	197.29
SW Well 1A	CR TEST - PUMPING	10/9/2010 1:45:00	3550.08		134.16	81.14	183.64	33.35	0.06	134.13	81.16		183.67	197.33
SW Well 1A	CR TEST - PUMPING	10/9/2010 1:50:00	3555.08		134.05	81.25	183.75	33.36	0.06	134.01	81.27		183.78	197.22

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - PUMPING	10/9/2010 1:55:00	3560.08		134.09	81.20	183.70	33.36	0.06	134.06	81.22		183.73	197.27
SW Well 1A	CR TEST - PUMPING	10/9/2010 2:00:00	3565.08		134.11	81.18	183.68	33.36	0.06	134.08	81.20		183.71	197.29
SW Well 1A	CR TEST - PUMPING	10/9/2010 2:05:00	3570.08		134.23	81.07	183.57	33.36	0.07	134.19	81.09		183.60	197.40
SW Well 1A	CR TEST - PUMPING	10/9/2010 2:10:00	3575.08		134.12	81.18	183.68	33.36	0.06	134.08	81.20		183.71	197.29
SW Well 1A	CR TEST - PUMPING	10/9/2010 2:15:00	3580.08		134.30	80.99	183.49	33.36	0.06	134.27	81.02		183.52	197.48
SW Well 1A	CR TEST - PUMPING	10/9/2010 2:20:00	3585.08		134.09	81.20	183.70	33.36	0.07	134.06	81.23		183.73	197.27
SW Well 1A	CR TEST - PUMPING	10/9/2010 2:25:00	3590.08		134.05	81.25	183.75	33.37	0.07	134.01	81.28		183.78	197.22
SW Well 1A	CR TEST - PUMPING	10/9/2010 2:30:00	3595.08		134.09	81.21	183.71	33.37	0.07	134.05	81.24		183.75	197.25
SW Well 1A	CR TEST - PUMPING	10/9/2010 2:35:00	3600.08		133.98	81.31	183.81	33.37	0.07	133.95	81.34	0.23	183.85	197.15
SW Well 1A	CR TEST - PUMPING	10/9/2010 2:40:00	3605.08		134.17	81.12	183.62	33.37	0.07	134.14	81.15		183.66	197.34
SW Well 1A	CR TEST - PUMPING	10/9/2010 2:45:00	3610.08		134.13	81.16	183.66	33.37	0.07	134.10	81.19		183.70	197.30
SW Well 1A	CR TEST - PUMPING	10/9/2010 2:50:00	3615.08		133.93	81.36	183.87	33.37	0.07	133.89	81.39		183.90	197.10
SW Well 1A	CR TEST - PUMPING	10/9/2010 2:55:00	3620.08		134.08	81.22	183.72	33.37	0.07	134.04	81.25		183.75	197.25
SW Well 1A	CR TEST - PUMPING	10/9/2010 3:00:00	3625.08		134.06	81.23	183.73	33.37	0.07	134.03	81.26		183.77	197.23
SW Well 1A	CR TEST - PUMPING	10/9/2010 3:05:00	3630.08		134.05	81.24	183.74	33.36	0.07	134.02	81.27		183.77	197.23
SW Well 1A	CR TEST - PUMPING	10/9/2010 3:10:00	3635.08		134.10	81.19	183.70	33.36	0.06	134.07	81.22		183.73	197.27
SW Well 1A	CR TEST - PUMPING	10/9/2010 3:15:00	3640.08		134.09	81.21	183.71	33.36	0.07	134.05	81.24		183.74	197.26
SW Well 1A	CR TEST - PUMPING	10/9/2010 3:20:00	3645.08		134.03	81.26	183.77	33.37	0.07	133.99	81.29		183.80	197.20
SW Well 1A	CR TEST - PUMPING	10/9/2010 3:25:00	3650.08		134.04	81.26	183.76	33.37	0.08	134.00	81.29		183.79	197.21
SW Well 1A	CR TEST - PUMPING	10/9/2010 3:30:00	3655.08		133.95	81.35	183.85	33.37	0.08	133.91	81.38		183.89	197.11
SW Well 1A	CR TEST - PUMPING	10/9/2010 3:35:00	3660.08		134.00	81.29	183.80	33.38	0.08	133.96	81.33	-0.01	183.83	197.17
SW Well 1A	CR TEST - PUMPING	10/9/2010 3:40:00	3665.08		134.02	81.28	183.78	33.38	0.08	133.97	81.31		183.82	197.18
SW Well 1A	CR TEST - PUMPING	10/9/2010 3:45:00	3670.08		133.98	81.31	183.81	33.38	0.08	133.94	81.34		183.85	197.15
SW Well 1A	CR TEST - PUMPING	10/9/2010 3:50:00	3675.08		133.98	81.31	183.81	33.38	0.08	133.94	81.34		183.85	197.15
SW Well 1A	CR TEST - PUMPING	10/9/2010 3:55:00	3680.08		134.02	81.27	183.77	33.38	0.08	133.98	81.31		183.81	197.19
SW Well 1A	CR TEST - PUMPING	10/9/2010 4:00:00	3685.08		133.95	81.34	183.84	33.38	0.09	133.91	81.38		183.88	197.12
SW Well 1A	CR TEST - PUMPING	10/9/2010 4:05:00	3690.08		133.97	81.33	183.83	33.38	0.09	133.93	81.36		183.87	197.13
SW Well 1A	CR TEST - PUMPING	10/9/2010 4:10:00	3695.08		133.87	81.43	183.93	33.39	0.09	133.82	81.47		183.97	197.03
SW Well 1A	CR TEST - PUMPING	10/9/2010 4:15:00	3700.08		133.91	81.39	183.89	33.39	0.09	133.86	81.43		183.93	197.07
SW Well 1A	CR TEST - PUMPING	10/9/2010 4:20:00	3705.08		134.02	81.28	183.78	33.38	0.09	133.97	81.32		183.82	197.18
SW Well 1A	CR TEST - PUMPING	10/9/2010 4:25:00	3710.08		134.01	81.29	183.79	33.38	0.09	133.96	81.32		183.83	197.17
SW Well 1A	CR TEST - PUMPING	10/9/2010 4:30:00	3715.08		133.98	81.31	183.81	33.39	0.09	133.94	81.35		183.85	197.15
SW Well 1A	CR TEST - PUMPING	10/9/2010 4:35:00	3720.08		133.87	81.43	183.93	33.38	0.09	133.82	81.46	0.14	183.97	197.03
SW Well 1A	CR TEST - PUMPING	10/9/2010 4:40:00	3725.08		133.95	81.35	183.85	33.38	0.09	133.90	81.39		183.89	197.11
SW Well 1A	CR TEST - PUMPING	10/9/2010 4:45:00	3730.08		134.00	81.29	183.80	33.38	0.09	133.95	81.33		183.84	197.16
SW Well 1A	CR TEST - PUMPING	10/9/2010 4:50:00	3735.08		133.95	81.34	183.84	33.39	0.09	133.91	81.38		183.89	197.11
SW Well 1A	CR TEST - PUMPING	10/9/2010 4:55:00	3740.08		133.91	81.38	183.88	33.39	0.09	133.87	81.42		183.93	197.07
SW Well 1A	CR TEST - PUMPING	10/9/2010 5:00:00	3745.08		133.92	81.37	183.87	33.39	0.09	133.88	81.41		183.92	197.08
SW Well 1A	CR TEST - PUMPING	10/9/2010 5:05:00	3750.08		133.80	81.50	184.00	33.38	0.09	133.75	81.53		184.04	196.96
SW Well 1A	CR TEST - PUMPING	10/9/2010 5:10:00	3755.08		133.99	81.30	183.80	33.38	0.09	133.95	81.34		183.85	197.15
SW Well 1A	CR TEST - PUMPING	10/9/2010 5:15:00	3760.08		133.87	81.42	183.92	33.39	0.09	133.83	81.46		183.96	197.04
SW Well 1A	CR TEST - PUMPING	10/9/2010 5:20:00	3765.08		133.84	81.46	183.96	33.39	0.09	133.79	81.50		184.00	197.00
SW Well 1A	CR TEST - PUMPING	10/9/2010 5:25:00	3770.08		133.81	81.48	183.98	33.39	0.09	133.77	81.52		184.03	196.97
SW Well 1A	CR TEST - PUMPING	10/9/2010 5:30:00	3775.08		133.84	81.46	183.96	33.39	0.09	133.79	81.50		184.00	197.00
SW Well 1A	CR TEST - PUMPING	10/9/2010 5:35:00	3780.08		133.85	81.44	183.94	33.39	0.10	133.80	81.48	0.02	183.99	197.01
SW Well 1A	CR TEST - PUMPING	10/9/2010 5:40:00	3785.08		133.74	81.55	184.05	33.39	0.10	133.69	81.59		184.10	196.90
SW Well 1A	CR TEST - PUMPING	10/9/2010 5:45:00	3790.08		133.77	81.53	184.03	33.39	0.10	133.72	81.57		184.08	196.92
SW Well 1A	CR TEST - PUMPING	10/9/2010 5:50:00	3795.08		133.89	81.40	183.91	33.40	0.10	133.84	81.45		183.95	197.05
SW Well 1A	CR TEST - PUMPING	10/9/2010 5:55:00	3800.08		133.95	81.34	183.84	33.40	0.10	133.90	81.39		183.89	197.11
SW Well 1A	CR TEST - PUMPING	10/9/2010 6:00:00	3805.08		133.80	81.49	183.99	33.40	0.10	133.75	81.53		184.04	196.96
SW Well 1A	CR TEST - PUMPING	10/9/2010 6:05:00	3810.08		133.92	81.37	183.87	33.40	0.11	133.87	81.42		183.92	197.08
SW Well 1A	CR TEST - PUMPING	10/9/2010 6:10:00	3815.08		133.84	81.45	183.95	33.40	0.11	133.79	81.50		184.00	197.00
SW Well 1A	CR TEST - PUMPING	10/9/2010 6:15:00	3820.08		133.91	81.39	183.89	33.40	0.10	133.85	81.43		183.94	197.06
SW Well 1A	CR TEST - PUMPING	10/9/2010 6:20:00	3825.08		133.73	81.57	184.07	33.40	0.10	133.67	81.61		184.12	196.88
SW Well 1A	CR TEST - PUMPING	10/9/2010 6:25:00	3830.08		133.79	81.50	184.01	33.39	0.10	133.74	81.55		184.05	196.95
SW Well 1A	CR TEST - PUMPING	10/9/2010 6:30:00	3835.08		133.84	81.46	183.96	33.39	0.10	133.79	81.50		184.01	196.99
SW Well 1A	CR TEST - PUMPING	10/9/2010 6:35:00	3840.08		133.80	81.50	184.00	33.39	0.10	133.75	81.54	0.06	184.05	196.95
SW Well 1A	CR TEST - PUMPING	10/9/2010 6:40:00	3845.08		133.76	81.54	184.04	33.39	0.10	133.71	81.58		184.08	196.92
SW Well 1A	CR TEST - PUMPING	10/9/2010 6:45:00	3850.08		133.77	81.53	184.03	33.39	0.10	133.72	81.57		184.08	196.92
SW Well 1A	CR TEST - PUMPING	10/9/2010 6:50:00	3855.08		133.77	81.52	184.02	33.39	0.10	133.72	81.56		184.07	196.93
SW Well 1A	CR TEST - PUMPING	10/9/2010 6:55:00	3860.08		133.73	81.56	184.06	33.39	0.10	133.68	81.60		184.11	196.89
SW Well 1A	CR TEST - PUMPING	10/9/2010 7:00:00	3865.08		133.70	81.59	184.09	33.39	0.10	133.65	81.63		184.14	196.86
SW Well 1A	CR TEST - PUMPING	10/9/2010 7:05:00	3870.08		133.76	81.54	184.04	33.39	0.10	133.71	81.58		184.08	196.92
SW Well 1A	CR TEST - PUMPING	10/9/2010 7:10:00	3875.08		133.66	81.63	184.13	33.39	0.10	133.61	81.67		184.18	196.82
SW Well 1A	CR TEST - PUMPING	10/9/2010 7:15:00	3880.08		133.67	81.62	184.12	33.39	0.10	133.62	81.66		184.17	196.83
SW Well 1A	CR TEST - PUMPING	10/9/2010 7:20:00	3885.08		133.72	81.57	184.08	33.39	0.10	133.67	81.62		184.12	196.88
SW Well 1A	CR TEST - PUMPING	10/9/2010 7:25:00	3890.08		133.65	81.65	184.15	33.39	0.10	133.60	81.69		184.19	196.81
SW Well 1A	CR TEST - PUMPING	10/9/2010 7:30:00	3895.08		133.71	81.58	184.08	33.39	0.10	133.66	81.62		184.13	196.87
SW Well 1A	CR TEST - PUMPING	10/9/2010 7:35:00	3900.08		133.74	81.55	184.05	33.39	0.09	133.69	81.59	0.05	184.10	196.90
SW Well 1A	CR TEST - PUMPING	10/9/2010 7:40:00	3905.08		133.65	81.65	184.15	33.39	0.10	133.60	81.69		184.19	196.81
SW Well 1A	CR TEST - PUMPING	10/9/2010 7:45:00	3910.08		133.62	81.68	184.18	33.39	0.10	133.57	81.72		184.23	196.77
SW Well 1A	CR TEST - PUMPING	10/9/2010 7:50:00	3915.08		133.68	81.61	184.12	33.39	0.10	133.63	81.66		184.16	196.84
SW Well 1A	CR TEST - PUMPING	10/9/2010 7:55:00	3920.08		133.64	81.65	184.15	33.40	0.10	133.59	81.70		184.20	196.80
SW Well 1A	CR TEST - PUMPING	10/9/2010 8:00:00	3925.08		133.59	81.70	184.20	33.40	0.10	133.54	81.74		184.25	196.75
SW Well 1A	CR TEST - PUMPING	10/9/2010 8:05:00	3930.08		133.62	81.68	184.18	33.40	0.10	133.57	81.72		184.23	196.77
SW Well 1A	CR TEST - PUMPING	10/9/2010 8:10:00	3935.08		133.61	81.68	184.19	33.40	0.10	133.56	81.73		184.23	196.77
SW Well 1A	CR TEST - PUMPING	10/9/2010 8:15:00	3940.08		133.62	81.68	184.18	33.40	0.10	133.57	81.72		184.23	196.77
SW Well 1A	CR TEST - PUMPING	10/9/2010 8:20:00	3945.08		133.67	81.62	184.12	33.40	0.10	133.62	81.66		184.17	196.83
SW Well 1A	CR TEST - PUMPING	10/9/2010 8:25:00	3950.08		133.64	81.65	184.15	33.40	0.10	133.59	81.70		184.20	196.80
SW Well 1A	CR TEST - PUMPING	10/9/2010 8:30:00	3955.08		133.64	81.65	184.15	33.40	0.10	133.59	81.70		184.20	196.80
SW Well 1A	CR TEST - PUMPING	10/9/2010 8:35:00	3960.08		133.67	81.62	184.12	33.40	0.11	133.62	81.67	0.08	184.17	196.83
SW Well 1A	CR TEST - PUMPING	10/9/2010 8:40:00	3965.08		133.61	81.68	184.19	33.41	0.11	133.55	81.73		184.24	196.76
SW Well 1A	CR TEST - PUMPING	10/9/2010 8:45:00	3970.08		133.57	81.72	184.22	33.41	0.11	133.51	81.77		184.28	196.72
SW Well 1A	CR TEST - PUMPING	10/9/2010 8:50:00	3975.08		133.70	81.60	184.10	33.41	0.11	133.64	81.65		184.15	196.85
SW Well 1A	CR TEST - PUMPING	10/9/2010 8:55:00	3980.08		133.57	81.72	184.22	33.41	0.12	133.51	81.77		184.28	196.72
SW Well 1A	CR TEST - PUMPING	10/9/2010 9:00:00	3985.08		133.49	81.81	184.31	33.41	0.12	133.43	81.86		184.37	196.63
SW Well 1A	CR TEST - PUMPING	10/9/2010 9:05:00	3990.08		133.52	81.78	184.28	33.41	0.12	133.46	81.83		184.34	196.66
SW Well 1A	CR TEST - PUMPING	10/9/2010 9:10:00	3995.08		133.50	81.79	184.30	33.42	0.12	133.44	81.85		184.35	196.65
SW Well 1A	CR TEST - PUMPING	10/9/2010 9:15:00	4000.08		133.41	81.89	184.39	33.42	0.13	133.34	81.94		184.45	196.55
SW Well 1A	CR TEST - PUMPING	10/9/2010 9:20:00	4005.08		133.52	81.77	184.27	33.42	0.13	133.46	81.83		184.33	196.67
SW Well 1A	CR TEST - PUMPING	10/9/2010 9:25:00	4010.08		133.63	81.66	184.16	33.42	0.13	133.57	81.72		184.22	196.78
SW Well 1A	CR TEST - PUMPING	10/9/2010 9:30:00	4015.08		133.45	81.84	184.34	33.43	0.13	133.39	81.90		184.40	196.60
SW Well 1A	CR TEST - PUMPING	10/9/2010 9:35:00	4020.08		133.40	81.89	184.40	33.43	0.13	133.33	81.95	0.29	184.46	196.54
SW Well 1A	CR TEST - PUMPING	10/9/2010 9:40:00	4025.08		133.63	81.66	184.16	33.43	0.13	133.57	81.72		184.23	196.77
SW Well 1A	CR TEST - PUMPING	10/9/2010 9:45:00	4030.08		133.62	81.68	184.18	33.43	0.13	133.55	81.74		184.24	196.76
SW Well 1A	CR TEST - PUMPING	10/9/2010 9:50:00	4035.08		133.58	81.72	184.22	33.43	0.14	133.51	81.78		184.28	196.72
SW Well 1A	CR TEST - PUMPING	10/9/2010 9:55:00	4040.08		133.52	81.78	184.28	33.43	0.14	133.45	81.84		184.35	196.65

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - PUMPING	10/9/2010 10:00:00	4045.08		133.46	81.83	184.33	33.43	0.14	133.39	81.89		184.40	196.60
SW Well 1A	CR TEST - PUMPING	10/9/2010 10:05:00	4050.08		133.46	81.83	184.33	33.43	0.14	133.39	81.89		184.40	196.60
SW Well 1A	CR TEST - PUMPING	10/9/2010 10:10:00	4055.08		133.56	81.74	184.24	33.43	0.14	133.49	81.80		184.31	196.69
SW Well 1A	CR TEST - PUMPING	10/9/2010 10:15:00	4060.08		133.52	81.77	184.27	33.43	0.14	133.46	81.83		184.34	196.66
SW Well 1A	CR TEST - PUMPING	10/9/2010 10:20:00	4065.08		133.53	81.76	184.26	33.43	0.14	133.46	81.82		184.33	196.67
SW Well 1A	CR TEST - PUMPING	10/9/2010 10:25:00	4070.08		133.59	81.70	184.20	33.43	0.14	133.53	81.76		184.27	196.73
SW Well 1A	CR TEST - PUMPING	10/9/2010 10:30:00	4075.08		133.52	81.77	184.27	33.43	0.14	133.46	81.83		184.34	196.66
SW Well 1A	CR TEST - PUMPING	10/9/2010 10:35:00	4080.08		133.43	81.86	184.37	33.43	0.14	133.36	81.93	-0.03	184.43	196.57
SW Well 1A	CR TEST - PUMPING	10/9/2010 10:40:00	4085.08		133.44	81.86	184.36	33.43	0.14	133.37	81.92		184.42	196.58
SW Well 1A	CR TEST - PUMPING	10/9/2010 10:45:00	4090.08		133.51	81.79	184.29	33.43	0.13	133.44	81.85		184.35	196.65
SW Well 1A	CR TEST - PUMPING	10/9/2010 10:50:00	4095.08		133.49	81.81	184.31	33.43	0.13	133.42	81.87		184.38	196.62
SW Well 1A	CR TEST - PUMPING	10/9/2010 10:55:00	4100.08		133.44	81.86	184.36	33.43	0.13	133.37	81.91		184.42	196.58
SW Well 1A	CR TEST - PUMPING	10/9/2010 11:00:00	4105.08		133.40	81.89	184.40	33.43	0.13	133.33	81.95		184.46	196.54
SW Well 1A	CR TEST - PUMPING	10/9/2010 11:05:00	4110.08		133.53	81.76	184.26	33.43	0.13	133.47	81.82		184.33	196.67
SW Well 1A	CR TEST - PUMPING	10/9/2010 11:10:00	4115.08		133.53	81.76	184.26	33.43	0.13	133.47	81.82		184.33	196.67
SW Well 1A	CR TEST - PUMPING	10/9/2010 11:15:00	4120.08		133.45	81.84	184.34	33.42	0.13	133.39	81.90		184.40	196.60
SW Well 1A	CR TEST - PUMPING	10/9/2010 11:20:00	4125.08		133.34	81.96	184.46	33.42	0.13	133.27	82.01		184.52	196.48
SW Well 1A	CR TEST - PUMPING	10/9/2010 11:25:00	4130.08		133.38	81.91	184.41	33.42	0.13	133.32	81.97		184.47	196.53
SW Well 1A	CR TEST - PUMPING	10/9/2010 11:30:00	4135.08		133.42	81.88	184.38	33.42	0.13	133.35	81.94		184.44	196.56
SW Well 1A	CR TEST - PUMPING	10/9/2010 11:35:00	4140.08		133.35	81.95	184.45	33.43	0.13	133.28	82.01	0.08	184.51	196.49
SW Well 1A	CR TEST - PUMPING	10/9/2010 11:40:00	4145.08		133.42	81.87	184.37	33.42	0.13	133.36	81.93		184.44	196.56
SW Well 1A	CR TEST - PUMPING	10/9/2010 11:45:00	4150.08		133.38	81.91	184.41	33.42	0.13	133.32	81.97		184.47	196.53
SW Well 1A	CR TEST - PUMPING	10/9/2010 11:50:00	4155.08		133.39	81.90	184.40	33.42	0.13	133.33	81.96		184.46	196.54
SW Well 1A	CR TEST - PUMPING	10/9/2010 11:55:00	4160.08		133.29	82.00	184.51	33.42	0.12	133.23	82.06		184.57	196.43
SW Well 1A	CR TEST - PUMPING	10/9/2010 12:00:00	4165.08		133.31	81.99	184.49	33.42	0.13	133.24	82.04		184.55	196.45
SW Well 1A	CR TEST - PUMPING	10/9/2010 12:05:00	4170.08		133.41	81.89	184.39	33.42	0.13	133.34	81.94		184.45	196.55
SW Well 1A	CR TEST - PUMPING	10/9/2010 12:10:00	4175.08		133.31	81.99	184.49	33.42	0.13	133.24	82.04		184.55	196.45
SW Well 1A	CR TEST - PUMPING	10/9/2010 12:15:00	4180.08		133.41	81.89	184.39	33.42	0.13	133.34	81.94		184.45	196.55
SW Well 1A	CR TEST - PUMPING	10/9/2010 12:20:00	4185.08		133.26	82.03	184.54	33.42	0.12	133.20	82.09		184.60	196.40
SW Well 1A	CR TEST - PUMPING	10/9/2010 12:25:00	4190.08		133.35	81.95	184.45	33.42	0.12	133.28	82.00		184.51	196.49
SW Well 1A	CR TEST - PUMPING	10/9/2010 12:30:00	4195.08		133.37	81.93	184.43	33.41	0.12	133.31	81.98		184.48	196.52
SW Well 1A	CR TEST - PUMPING	10/9/2010 12:35:00	4200.08		133.26	82.03	184.54	33.41	0.11	133.20	82.08	0.08	184.59	196.41
SW Well 1A	CR TEST - PUMPING	10/9/2010 12:40:00	4205.08		133.22	82.07	184.58	33.40	0.11	133.17	82.12		184.63	196.37
SW Well 1A	CR TEST - PUMPING	10/9/2010 12:45:00	4210.08		133.41	81.89	184.39	33.41	0.11	133.35	81.94		184.44	196.56
SW Well 1A	CR TEST - PUMPING	10/9/2010 12:50:00	4215.08		133.22	82.07	184.58	33.41	0.11	133.16	82.12		184.63	196.37
SW Well 1A	CR TEST - PUMPING	10/9/2010 12:55:00	4220.08		133.11	82.18	184.68	33.40	0.11	133.06	82.23		184.74	196.26
SW Well 1A	CR TEST - PUMPING	10/9/2010 13:00:00	4225.08		133.20	82.10	184.60	33.40	0.10	133.14	82.14		184.65	196.35
SW Well 1A	CR TEST - PUMPING	10/9/2010 13:05:00	4230.08		133.30	82.00	184.50	33.40	0.10	133.25	82.04		184.55	196.45
SW Well 1A	CR TEST - PUMPING	10/9/2010 13:10:00	4235.08		133.15	82.14	184.65	33.39	0.10	133.10	82.19		184.69	196.31
SW Well 1A	CR TEST - PUMPING	10/9/2010 13:15:00	4240.08		133.28	82.01	184.51	33.40	0.10	133.23	82.05		184.56	196.44
SW Well 1A	CR TEST - PUMPING	10/9/2010 13:20:00	4245.08		133.07	82.22	184.72	33.39	0.10	133.02	82.26		184.77	196.23
SW Well 1A	CR TEST - PUMPING	10/9/2010 13:25:00	4250.08		133.22	82.07	184.58	33.39	0.09	133.17	82.11		184.62	196.38
SW Well 1A	CR TEST - PUMPING	10/9/2010 13:30:00	4255.08		133.20	82.09	184.59	33.39	0.09	133.16	82.13		184.64	196.36
SW Well 1A	CR TEST - PUMPING	10/9/2010 13:35:00	4260.08		133.16	82.14	184.64	33.38	0.09	133.11	82.17	0.09	184.68	196.32
SW Well 1A	CR TEST - PUMPING	10/9/2010 13:40:00	4265.08		133.04	82.25	184.75	33.38	0.09	133.00	82.29		184.80	196.20
SW Well 1A	CR TEST - PUMPING	10/9/2010 13:45:00	4270.08		133.10	82.20	184.70	33.38	0.09	133.05	82.23		184.74	196.26
SW Well 1A	CR TEST - PUMPING	10/9/2010 13:50:00	4275.08		133.13	82.16	184.66	33.38	0.09	133.09	82.20		184.70	196.30
SW Well 1A	CR TEST - PUMPING	10/9/2010 15:05:00	4350.08		133.06	82.24	184.74	33.35	0.06	133.03	82.26		184.77	196.23
SW Well 1A	CR TEST - PUMPING	10/9/2010 15:05:02	4350.12		133.07	82.22	184.72	33.35	0.06	133.05	82.24		184.75	196.25
SW Well 1A	CR TEST - PUMPING	10/9/2010 15:05:04	4350.15		133.08	82.22	184.72	33.35	0.06	133.05	82.24		184.75	196.25
SW Well 1A	CR TEST - PUMPING	10/9/2010 15:05:06	4350.18		133.04	82.25	184.75	33.35	0.06	133.02	82.27		184.78	196.22
SW Well 1A	CR TEST - PUMPING	10/9/2010 15:05:08	4350.22		132.97	82.33	184.83	33.35	0.06	132.94	82.35		184.85	196.15
SW Well 1A	CR TEST - PUMPING	10/9/2010 15:05:10	4350.25		133.07	82.22	184.73	33.35	0.06	133.04	82.24		184.75	196.25
SW Well 1A	CR TEST - PUMPING	10/9/2010 15:05:12	4350.28		133.00	82.30	184.80	33.35	0.06	132.97	82.32		184.82	196.18
SW Well 1A	CR TEST - PUMPING	10/9/2010 15:05:14	4350.32		133.08	82.22	184.72	33.35	0.06	133.05	82.24		184.74	196.26
SW Well 1A	CR TEST - PUMPING	10/9/2010 15:05:16	4350.35		133.10	82.19	184.69	33.35	0.06	133.07	82.21	0.04	184.72	196.28
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:05:18	4350.38		133.04	82.25	184.76	33.35	0.06	133.01	82.28		184.78	196.22
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:05:20	4350.42		132.98	82.32	184.82	33.35	0.06	132.95	82.34		184.85	196.15
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:05:22	4350.45		133.09	82.20	184.70	33.35	0.06	133.06	82.22		184.73	196.27
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:05:24	4350.48		133.10	82.19	184.69	33.35	0.06	133.07	82.21		184.72	196.28
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:05:26	4350.52		133.09	82.21	184.71	33.35	0.06	133.06	82.23		184.73	196.27
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:05:28	4350.55		133.10	82.19	184.69	33.35	0.06	133.07	82.21		184.72	196.28
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:05:30	4350.58		133.10	82.19	184.69	33.35	0.06	133.07	82.21		184.72	196.28
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:05:32	4350.62		133.06	82.23	184.73	33.35	0.06	133.04	82.25		184.76	196.24
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:05:34	4350.65		132.92	82.38	184.88	33.35	0.06	132.89	82.40		184.91	196.09
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:05:36	4350.68		133.10	82.20	184.70	33.35	0.06	133.07	82.22		184.73	196.27
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:05:38	4350.72		133.06	82.24	184.74	33.35	0.06	133.03	82.26		184.77	196.23
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:05:40	4350.75		133.15	82.14	184.65	33.35	0.06	133.12	82.16		184.67	196.33
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:05:42	4350.78		132.95	82.35	184.85	33.35	0.06	132.92	82.37		184.87	196.13
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:05:44	4350.82		133.05	82.25	184.75	33.35	0.06	133.02	82.27		184.77	196.23
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:05:46	4350.85		133.00	82.30	184.80	33.35	0.06	132.97	82.32		184.83	196.17
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:05:48	4350.88		133.10	82.20	184.70	33.35	0.06	133.07	82.22		184.73	196.27
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:05:50	4350.92		133.08	82.21	184.71	33.35	0.06	133.05	82.23		184.74	196.26
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:05:52	4350.95		133.05	82.24	184.75	33.35	0.06	133.02	82.26		184.77	196.23
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:05:54	4350.98		133.04	82.26	184.76	33.35	0.06	133.01	82.28		184.79	196.21
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:05:56	4351.02		133.06	82.24	184.74	33.35	0.06	133.03	82.26		184.76	196.24
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:05:58	4351.05		133.00	82.30	184.80	33.35	0.06	132.97	82.32		184.83	196.17
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:06:00	4351.08		133.03	82.27	184.77	33.35	0.06	133.00	82.29		184.79	196.21
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:06:02	4351.12		133.03	82.27	184.77	33.35	0.06	133.00	82.29		184.79	196.21
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:06:04	4351.15		133.00	82.29	184.79	33.35	0.06	132.97	82.31		184.82	196.18
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:06:06	4351.18		133.05	82.24	184.75	33.35	0.06	133.02	82.26		184.77	196.23
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:06:08	4351.22		133.00	82.30	184.80	33.35	0.06	132.97	82.32		184.83	196.17
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:06:10	4351.25		132.98	82.31	184.82	33.35	0.06	132.95	82.33		184.84	196.16
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:06:12	4351.28		132.93	82.36	184.86	33.35	0.06	132.90	82.38		184.89	196.11
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:06:14	4351.32		133.11	82.19	184.69	33.35	0.06	133.08	82.21		184.71	196.29
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:06:16	4351.35		132.97	82.33	184.83	33.35	0.06	132.94	82.35		184.86	196.14
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:06:18	4351.38		132.95	82.34	184.85	33.35	0.06	132.92	82.37		184.87	196.13
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:06:20	4351.42		133.08	82.21	184.71	33.35	0.06	133.05	82.23		184.74	196.26
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:06:22	4351.45		133.04	82.26	184.76	33.35	0.06	133.01	82.28		184.79	196.21
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:06:24	4351.48		133.00	82.29	184.79	33.35	0.06	132.97	82.31		184.82	196.18
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:06:26	4351.52		133.02	82.27	184.77	33.35	0.06	132.99	82.29		184.80	196.20
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:06:28	4351.55		133.05	82.24	184.75	33.35	0.06	133.02	82.26		184.77	196.23
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:06:30	4351.58		132.99	82.30	184.81	33.35	0.06	132.96	82.32		184.83	196.17
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:06:32	4351.62		132.83	82.46	184.96	33.35	0.06	132.81	82.48		184.99	196.01
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:06:34	4351.65		132.97	82.33	184.83	33.35	0.06	132.94	82.35		184.86	196.14
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:06:36	4351.68		132.82	82.48	184.98	33.35	0.06	132.79	82.50		185.00	196.00
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:06:38	4351.72		132.70	82.59	185.09	33.35	0.06	132.67	82.61		185.12	195.88

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:06:40	4351.75		132.66	82.64	185.14	33.35	0.06	132.63	82.66		185.17	195.83
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:06:42	4351.78		132.55	82.74	185.24	33.35	0.06	132.52	82.76		185.27	195.73
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:06:44	4351.82		132.46	82.83	185.34	33.35	0.06	132.43	82.85		185.36	195.64
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:06:46	4351.85		132.36	82.93	185.44	33.35	0.06	132.33	82.96		185.46	195.54
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:06:48	4351.88		132.31	82.98	185.48	33.35	0.06	132.28	83.00		185.51	195.49
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:06:50	4351.92		132.27	83.03	185.53	33.35	0.06	132.24	83.05		185.56	195.44
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:06:52	4351.95		132.16	83.14	185.64	33.35	0.06	132.13	83.16		185.67	195.33
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:06:54	4351.98		132.16	83.14	185.64	33.35	0.06	132.13	83.16		185.67	195.33
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:06:56	4352.02		132.20	83.09	185.59	33.35	0.06	132.17	83.11		185.62	195.38
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:06:58	4352.05		132.27	83.03	185.53	33.35	0.06	132.24	83.05		185.56	195.44
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:07:00	4352.08		132.23	83.07	185.57	33.35	0.06	132.20	83.09		185.60	195.40
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:07:02	4352.12		132.28	83.01	185.51	33.35	0.06	132.25	83.03		185.54	195.46
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:07:04	4352.15		132.20	83.10	185.60	33.35	0.06	132.17	83.12		185.63	195.37
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:07:06	4352.18		132.11	83.18	185.69	33.35	0.06	132.08	83.21		185.71	195.29
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:07:08	4352.22		132.16	83.14	185.64	33.35	0.06	132.13	83.16		185.67	195.33
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:07:10	4352.25		132.17	83.12	185.62	33.35	0.06	132.14	83.14		185.65	195.35
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:07:12	4352.28		132.14	83.15	185.66	33.35	0.06	132.11	83.17		185.68	195.32
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:07:14	4352.32		132.23	83.06	185.56	33.35	0.06	132.21	83.08		185.59	195.41
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:07:16	4352.35		132.21	83.09	185.59	33.35	0.06	132.18	83.11		185.62	195.38
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:07:18	4352.38		132.28	83.02	185.52	33.35	0.06	132.25	83.04		185.55	195.45
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:07:20	4352.42		132.07	83.22	185.72	33.35	0.06	132.04	83.24		185.75	195.25
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:07:22	4352.45		132.22	83.07	185.58	33.35	0.06	132.19	83.09		185.60	195.40
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:07:24	4352.48		132.22	83.07	185.58	33.35	0.06	132.19	83.09		185.60	195.40
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:07:26	4352.52		132.28	83.02	185.52	33.35	0.06	132.25	83.04		185.55	195.45
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:07:28	4352.55		132.13	83.16	185.66	33.35	0.06	132.11	83.18		185.69	195.31
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:07:30	4352.58		132.24	83.06	185.56	33.35	0.06	132.21	83.08		185.59	195.41
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:07:32	4352.62		132.16	83.14	185.64	33.35	0.06	132.13	83.16		185.66	195.34
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:07:34	4352.65		132.12	83.17	185.68	33.35	0.06	132.09	83.20		185.70	195.30
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:07:36	4352.68		132.14	83.15	185.65	33.35	0.06	132.11	83.17		185.68	195.32
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:07:38	4352.72		132.14	83.15	185.65	33.35	0.06	132.11	83.17		185.68	195.32
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:07:40	4352.75		132.22	83.07	185.58	33.35	0.06	132.19	83.09		185.60	195.40
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:07:42	4352.78		132.16	83.14	185.64	33.35	0.06	132.13	83.16		185.66	195.34
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:07:44	4352.82		132.16	83.14	185.64	33.35	0.06	132.13	83.16		185.66	195.34
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:07:46	4352.85		132.16	83.14	185.64	33.35	0.06	132.13	83.16		185.66	195.34
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:07:48	4352.88		132.22	83.07	185.58	33.35	0.06	132.19	83.09		185.60	195.40
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:07:50	4352.92		132.11	83.18	185.68	33.35	0.06	132.08	83.20		185.71	195.29
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:07:52	4352.95		131.88	83.42	185.92	33.35	0.06	131.85	83.44		185.94	195.06
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:07:54	4352.98		131.89	83.41	185.91	33.35	0.06	131.86	83.43		185.94	195.06
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:07:56	4353.02		131.60	83.70	186.20	33.35	0.06	131.57	83.72		186.22	194.78
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:07:58	4353.05		131.47	83.82	186.32	33.35	0.06	131.44	83.84		186.35	194.65
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:08:00	4353.08		131.30	83.99	186.49	33.35	0.06	131.27	84.01		186.52	194.48
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:08:02	4353.12		131.20	84.09	186.60	33.35	0.06	131.17	84.12		186.62	194.38
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:08:04	4353.15		131.02	84.27	186.78	33.35	0.06	130.99	84.29		186.80	194.20
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:08:06	4353.18		130.86	84.43	186.93	33.35	0.06	130.84	84.45		186.96	194.04
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:08:08	4353.22		130.78	84.51	187.02	33.35	0.06	130.75	84.54		187.04	193.96
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:08:10	4353.25		130.71	84.59	187.09	33.35	0.06	130.68	84.61		187.11	193.89
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:08:12	4353.28		130.69	84.60	187.10	33.35	0.06	130.66	84.62		187.13	193.87
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:08:14	4353.32		130.74	84.55	187.06	33.35	0.06	130.71	84.57		187.08	193.92
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:08:16	4353.35		130.87	84.42	186.92	33.35	0.06	130.84	84.44		186.95	194.05
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:08:18	4353.38		130.81	84.48	186.99	33.35	0.06	130.78	84.50		187.01	193.99
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:08:20	4353.42		130.81	84.48	186.99	33.35	0.06	130.78	84.50		187.01	193.99
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:08:22	4353.45		130.86	84.44	186.94	33.35	0.06	130.83	84.46		186.97	194.03
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:08:24	4353.48		130.81	84.48	186.99	33.35	0.06	130.78	84.50		187.01	193.99
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:08:26	4353.52		130.95	84.34	186.85	33.35	0.06	130.92	84.36		186.87	194.13
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:08:28	4353.55		130.74	84.55	187.06	33.35	0.06	130.71	84.57		187.08	193.92
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:08:30	4353.58		130.74	84.55	187.06	33.35	0.06	130.71	84.57		187.08	193.92
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:08:32	4353.62		130.72	84.57	187.07	33.35	0.06	130.70	84.59		187.10	193.90
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:08:34	4353.65		130.79	84.50	187.00	33.35	0.06	130.77	84.52		187.03	193.97
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:08:36	4353.68		130.73	84.56	187.06	33.35	0.06	130.70	84.58		187.09	193.91
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:08:38	4353.72		130.77	84.52	187.02	33.35	0.06	130.74	84.54		187.05	193.95
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:08:40	4353.75		130.78	84.51	187.02	33.35	0.06	130.75	84.54		187.04	193.96
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:08:42	4353.78		130.73	84.56	187.06	33.35	0.06	130.70	84.58		187.09	193.91
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:08:44	4353.82		130.84	84.45	186.95	33.35	0.06	130.81	84.47		186.98	194.02
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:08:46	4353.85		130.80	84.49	186.99	33.35	0.06	130.77	84.51		187.02	193.98
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:08:48	4353.88		130.91	84.38	186.88	33.35	0.06	130.88	84.40		186.91	194.09
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:08:50	4353.92		130.83	84.47	186.97	33.35	0.06	130.80	84.49		187.00	194.00
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:08:52	4353.95		130.73	84.56	187.06	33.35	0.06	130.70	84.58		187.09	193.91
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:08:54	4353.98		130.70	84.59	187.09	33.35	0.06	130.67	84.61		187.12	193.88
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:08:56	4354.02		130.64	84.66	187.16	33.35	0.06	130.61	84.68		187.18	193.82
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:08:58	4354.05		130.68	84.62	187.12	33.35	0.06	130.65	84.64		187.14	193.86
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:09:00	4354.08		130.72	84.58	187.08	33.35	0.06	130.69	84.60		187.11	193.89
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:09:02	4354.12		130.81	84.48	186.99	33.35	0.06	130.78	84.50		187.01	193.99
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:09:04	4354.15		130.69	84.60	187.10	33.35	0.06	130.66	84.62		187.13	193.87
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:09:06	4354.18		130.55	84.74	187.24	33.35	0.06	130.52	84.76		187.27	193.73
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:09:08	4354.22		130.65	84.65	187.15	33.35	0.06	130.62	84.67		187.18	193.82
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:09:10	4354.25		130.39	84.90	187.41	33.35	0.06	130.36	84.93		187.43	193.57
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:09:12	4354.28		130.20	85.09	187.59	33.35	0.06	130.17	85.11		187.62	193.38
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:09:14	4354.32		130.17	85.12	187.62	33.35	0.06	130.14	85.14		187.65	193.35
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:09:16	4354.35		130.12	85.18	187.68	33.35	0.06	130.09	85.20		187.71	193.29
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:09:18	4354.38		130.00	85.29	187.80	33.35	0.06	129.97	85.32		187.82	193.18
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:09:20	4354.42		130.01	85.29	187.79	33.35	0.06	129.98	85.31		187.81	193.19
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:09:22	4354.45		130.17	85.12	187.62	33.35	0.06	130.14	85.14		187.65	193.35
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:09:24	4354.48		130.04	85.26	187.76	33.35	0.06	130.01	85.28		187.78	193.22
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:09:26	4354.52		130.10	85.19	187.69	33.35	0.06	130.07	85.21		187.72	193.28
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:09:28	4354.55		130.10	85.19	187.69	33.35	0.06	130.07	85.21		187.72	193.28
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:09:30	4354.58		130.07	85.22	187.73	33.35	0.06	130.04	85.25		187.75	193.25
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:09:32	4354.62		130.06	85.23	187.73	33.35	0.06	130.03	85.25		187.76	193.24
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:09:34	4354.65		130.12	85.18	187.68	33.35	0.06	130.09	85.20		187.71	193.29
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:09:36	4354.68		130.11	85.19	187.69	33.35	0.06	130.08	85.21		187.71	193.29
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:09:38	4354.72		130.14	85.15	187.66	33.35	0.06	130.11	85.17		187.68	193.32
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:09:40	4354.75		130.17	85.12	187.62	33.35	0.06	130.14	85.14		187.65	193.35
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:09:42	4354.78		130.14	85.15	187.66	33.35	0.06	130.11	85.17		187.68	193.32
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:09:44	4354.82		130.08	85.22	187.72	33.35	0.06	130.05	85.24		187.74	193.26
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:09:46	4354.85		129.95	85.35	187.85	33.35	0.06	129.92	85.37		187.88	193.12
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:09:48	4354.88		130.10	85.19	187.69	33.35	0.06	130.07	85.21		187.72	193.28
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:09:50	4354.92		130.17	85.12	187.62	33.35	0.06	130.14	85.14		187.65	193.35
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:09:52	4354.95		129.98	85.31	187.81	33.35	0.06	129.96	85.33		187.84	193.16

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:09:54	4354.98		130.02	85.27	187.77	33.35	0.06	129.99	85.29		187.80	193.20
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:09:56	4355.02		130.01	85.29	187.79	33.35	0.06	129.98	85.31		187.81	193.19
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:09:58	4355.05		130.04	85.26	187.76	33.35	0.06	130.01	85.28		187.78	193.22
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:10:00	4355.08		129.99	85.30	187.80	33.35	0.06	129.96	85.32		187.83	193.17
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:10:02	4355.12		130.04	85.26	187.76	33.35	0.06	130.01	85.28		187.78	193.22
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:10:04	4355.15		129.98	85.31	187.81	33.35	0.06	129.96	85.33		187.84	193.16
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:10:06	4355.18		129.98	85.32	187.82	33.35	0.06	129.95	85.34		187.84	193.16
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:10:08	4355.22		130.05	85.24	187.74	33.35	0.06	130.03	85.26		187.77	193.23
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:10:10	4355.25		129.95	85.35	187.85	33.35	0.06	129.92	85.37		187.88	193.12
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:10:12	4355.28		130.05	85.24	187.74	33.35	0.06	130.03	85.26		187.77	193.23
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:10:14	4355.32		130.03	85.26	187.77	33.35	0.06	130.00	85.28		187.79	193.21
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:10:16	4355.35		129.90	85.40	187.90	33.35	0.06	129.87	85.42		187.92	193.08
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:10:18	4355.38		129.91	85.39	187.89	33.35	0.06	129.88	85.41		187.91	193.09
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:10:20	4355.42		129.82	85.47	187.98	33.35	0.06	129.79	85.49		188.00	193.00
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:10:22	4355.45		129.75	85.54	188.05	33.35	0.06	129.72	85.56		188.07	192.93
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:10:24	4355.48		129.70	85.59	188.09	33.35	0.06	129.68	85.61		188.12	192.88
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:10:26	4355.52		129.62	85.68	188.18	33.35	0.06	129.59	85.70		188.20	192.80
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:10:28	4355.55		129.56	85.74	188.24	33.35	0.06	129.53	85.76		188.27	192.73
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:10:30	4355.58		129.51	85.79	188.29	33.35	0.06	129.48	85.81		188.31	192.69
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:10:32	4355.62		129.56	85.74	188.24	33.35	0.06	129.53	85.76		188.27	192.73
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:10:34	4355.65		129.44	85.86	188.36	33.35	0.06	129.41	85.88		188.38	192.62
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:10:36	4355.68		129.55	85.75	188.25	33.35	0.06	129.52	85.77		188.27	192.73
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:10:38	4355.72		129.52	85.78	188.28	33.35	0.06	129.49	85.80		188.30	192.70
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:10:40	4355.75		129.49	85.81	188.31	33.35	0.06	129.46	85.83		188.34	192.66
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:10:42	4355.78		129.49	85.80	188.30	33.35	0.06	129.47	85.82		188.33	192.67
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:10:44	4355.82		129.40	85.89	188.40	33.35	0.06	129.37	85.92		188.42	192.58
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:10:46	4355.85		129.63	85.67	188.17	33.35	0.06	129.60	85.69		188.20	192.80
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:10:48	4355.88		129.63	85.67	188.17	33.35	0.06	129.60	85.69		188.20	192.80
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:10:50	4355.92		129.47	85.82	188.33	33.35	0.06	129.44	85.85		188.35	192.65
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:10:52	4355.95		129.49	85.80	188.30	33.35	0.06	129.47	85.82		188.33	192.67
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:10:54	4355.98		129.60	85.69	188.19	33.35	0.06	129.57	85.71		188.22	192.78
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:10:56	4356.02		129.56	85.73	188.23	33.35	0.06	129.54	85.75		188.26	192.74
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:10:58	4356.05		129.53	85.76	188.26	33.35	0.06	129.50	85.78		188.29	192.71
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:11:00	4356.08		129.49	85.81	188.31	33.35	0.06	129.46	85.83		188.34	192.66
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:11:02	4356.12		129.50	85.79	188.29	33.35	0.06	129.47	85.81		188.32	192.68
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:11:04	4356.15		129.53	85.76	188.26	33.35	0.06	129.50	85.78		188.29	192.71
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:11:06	4356.18		129.43	85.86	188.37	33.35	0.06	129.40	85.88		188.39	192.61
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:11:08	4356.22		129.44	85.86	188.36	33.35	0.06	129.41	85.88		188.38	192.62
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:11:10	4356.25		129.36	85.93	188.44	33.35	0.06	129.33	85.95		188.46	192.54
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:11:12	4356.28		129.44	85.86	188.36	33.35	0.06	129.41	85.88		188.38	192.62
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:11:14	4356.32		129.42	85.87	188.37	33.35	0.06	129.40	85.89		188.40	192.60
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:11:16	4356.35		129.45	85.84	188.34	33.35	0.06	129.43	85.86		188.37	192.63
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:11:18	4356.38		129.40	85.89	188.40	33.35	0.06	129.37	85.92		188.42	192.58
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:11:20	4356.42		129.38	85.91	188.41	33.35	0.06	129.36	85.93		188.44	192.56
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:11:22	4356.45		129.45	85.84	188.34	33.35	0.06	129.43	85.86		188.37	192.63
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:11:24	4356.48		129.59	85.71	188.21	33.35	0.06	129.56	85.73		188.23	192.77
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:11:26	4356.52		129.49	85.80	188.30	33.35	0.06	129.47	85.82		188.33	192.67
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:11:28	4356.55		129.52	85.77	188.27	33.35	0.06	129.50	85.79		188.30	192.70
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:11:30	4356.58		129.51	85.79	188.29	33.35	0.06	129.48	85.81		188.31	192.69
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:11:32	4356.62		129.49	85.81	188.31	33.35	0.06	129.46	85.83		188.34	192.66
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:11:34	4356.65		129.50	85.79	188.29	33.35	0.06	129.47	85.81		188.32	192.68
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:11:36	4356.68		129.38	85.91	188.41	33.35	0.06	129.36	85.93		188.44	192.56
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:11:38	4356.72		129.53	85.76	188.26	33.35	0.06	129.50	85.78		188.29	192.71
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:11:40	4356.75		129.39	85.90	188.40	33.35	0.06	129.36	85.92		188.43	192.57
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:11:42	4356.78		129.35	85.94	188.44	33.35	0.06	129.33	85.96		188.47	192.53
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:11:44	4356.82		129.33	85.96	188.46	33.35	0.06	129.30	85.98		188.49	192.51
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:11:46	4356.85		129.39	85.90	188.40	33.35	0.06	129.37	85.92		188.43	192.57
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:11:48	4356.88		129.31	85.99	188.49	33.35	0.06	129.28	86.01		188.51	192.49
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:11:50	4356.92		129.30	85.99	188.50	33.35	0.06	129.27	86.01		188.52	192.48
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:11:52	4356.95		129.29	86.00	188.50	33.35	0.06	129.26	86.02		188.53	192.47
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:11:54	4356.98		129.28	86.01	188.51	33.35	0.06	129.26	86.03		188.54	192.46
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:11:56	4357.02		129.15	86.14	188.64	33.35	0.06	129.12	86.16		188.67	192.33
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:11:58	4357.05		129.23	86.06	188.57	33.35	0.06	129.20	86.08		188.59	192.41
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:12:00	4357.08		129.13	86.17	188.67	33.35	0.06	129.10	86.19		188.69	192.31
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:12:02	4357.12		129.18	86.12	188.62	33.35	0.06	129.15	86.14		188.65	192.35
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:12:04	4357.15		129.13	86.17	188.67	33.35	0.06	129.10	86.19		188.69	192.31
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:12:06	4357.18		129.21	86.08	188.58	33.35	0.06	129.19	86.10		188.61	192.39
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:12:08	4357.22		129.18	86.12	188.62	33.35	0.06	129.15	86.14		188.65	192.35
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:12:10	4357.25		129.18	86.12	188.62	33.35	0.06	129.15	86.14		188.65	192.35
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:12:12	4357.28		129.21	86.08	188.58	33.35	0.06	129.19	86.10		188.61	192.39
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:12:14	4357.32		129.17	86.13	188.63	33.35	0.06	129.14	86.15		188.65	192.35
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:12:16	4357.35		129.21	86.08	188.58	33.35	0.06	129.19	86.10		188.61	192.39
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:12:18	4357.38		129.20	86.10	188.60	33.35	0.06	129.17	86.12		188.62	192.38
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:12:20	4357.42		129.25	86.05	188.55	33.35	0.06	129.22	86.07		188.58	192.42
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:12:22	4357.45		129.15	86.15	188.65	33.35	0.06	129.12	86.17		188.67	192.33
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:12:24	4357.48		129.14	86.15	188.65	33.35	0.06	129.12	86.17		188.68	192.32
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:12:26	4357.52		129.25	86.04	188.54	33.35	0.06	129.23	86.06		188.57	192.43
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:12:28	4357.55		129.22	86.08	188.58	33.35	0.06	129.19	86.10		188.60	192.40
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:12:30	4357.58		129.19	86.10	188.60	33.35	0.06	129.17	86.12		188.63	192.37
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:12:32	4357.62		129.24	86.05	188.56	33.35	0.06	129.21	86.08		188.58	192.42
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:12:34	4357.65		129.19	86.10	188.60	33.35	0.06	129.17	86.12		188.63	192.37
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:12:36	4357.68		129.24	86.05	188.56	33.35	0.06	129.21	86.08		188.58	192.42
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:12:38	4357.72		129.19	86.11	188.61	33.35	0.06	129.16	86.13		188.64	192.36
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:12:40	4357.75		129.15	86.14	188.64	33.35	0.06	129.13	86.16		188.67	192.33
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:12:42	4357.78		129.19	86.10	188.60	33.35	0.06	129.17	86.12		188.63	192.37
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:12:44	4357.82		129.19	86.10	188.60	33.35	0.06	129.16	86.12		188.63	192.37
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:12:46	4357.85		129.12	86.17	188.67	33.35	0.06	129.09	86.19		188.70	192.30
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:12:48	4357.88		129.24	86.06	188.56	33.35	0.06	129.21	86.08		188.58	192.42
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:12:50	4357.92		129.18	86.11	188.61	33.35	0.06	129.16	86.13		188.64	192.36
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:12:52	4357.95		129.24	86.06	188.56	33.35	0.06	129.21	86.08		188.58	192.42
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:12:54	4357.98		129.17	86.13	188.63	33.35	0.06	129.14	86.15		188.65	192.35
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:12:56	4358.02		129.15	86.14	188.64	33.35	0.06	129.12	86.16		188.67	192.33
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:12:58	4358.05		129.21	86.08	188.58	33.35	0.06	129.19	86.10		188.61	192.39
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:13:00	4358.08		129.27	86.02	188.53	33.35	0.06	129.24	86.05		188.55	192.45
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:13:02	4358.12		129.14	86.15	188.65	33.35	0.06	129.12	86.17		188.68	192.32
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:13:04	4358.15		129.09	86.20	188.71	33.35	0.06	129.06	86.23		188.73	192.27
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:13:06	4358.18		129.11	86.18	188.68	33.35	0.06	129.09	86.20		188.71	192.29

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:13:08	4358.22		129.18	86.12	188.62	33.35	0.06	129.15	86.14		188.65	192.35
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:13:10	4358.25		129.24	86.06	188.56	33.35	0.06	129.21	86.08		188.58	192.42
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:13:12	4358.28		129.16	86.13	188.64	33.35	0.06	129.13	86.15		188.66	192.34
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:13:14	4358.32		129.11	86.19	188.69	33.35	0.06	129.08	86.21		188.72	192.28
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:13:16	4358.35		129.07	86.23	188.73	33.35	0.06	129.04	86.25		188.75	192.25
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:13:18	4358.38		129.12	86.17	188.67	33.35	0.06	129.09	86.19		188.70	192.30
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:13:20	4358.42		129.11	86.19	188.69	33.35	0.06	129.08	86.21		188.72	192.28
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:13:22	4358.45		129.22	86.07	188.57	33.35	0.06	129.19	86.09		188.60	192.40
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:13:24	4358.48		129.19	86.10	188.60	33.35	0.06	129.16	86.12		188.63	192.37
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:13:26	4358.52		129.21	86.09	188.59	33.35	0.06	129.18	86.11		188.61	192.39
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:13:28	4358.55		129.05	86.24	188.75	33.35	0.06	129.02	86.26		188.77	192.23
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:13:30	4358.58		129.23	86.06	188.57	33.35	0.06	129.20	86.08		188.59	192.41
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:13:32	4358.62		129.11	86.19	188.69	33.35	0.06	129.08	86.21		188.72	192.28
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:13:34	4358.65		129.14	86.15	188.65	33.35	0.06	129.12	86.17		188.68	192.32
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:13:36	4358.68		129.19	86.10	188.60	33.35	0.06	129.16	86.12		188.63	192.37
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:13:38	4358.72		129.21	86.09	188.59	33.35	0.06	129.18	86.11		188.61	192.39
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:13:40	4358.75		129.20	86.10	188.60	33.35	0.06	129.17	86.12		188.62	192.38
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:13:42	4358.78		129.22	86.07	188.58	33.35	0.06	129.19	86.09		188.60	192.40
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:13:44	4358.82		129.17	86.13	188.63	33.35	0.06	129.14	86.15		188.65	192.35
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:13:46	4358.85		129.16	86.14	188.64	33.35	0.06	129.13	86.16		188.66	192.34
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:13:48	4358.88		129.21	86.08	188.58	33.35	0.06	129.19	86.10		188.61	192.39
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:13:50	4358.92		129.19	86.10	188.60	33.35	0.06	129.16	86.12		188.63	192.37
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:13:52	4358.95		129.23	86.07	188.57	33.35	0.06	129.20	86.09		188.59	192.41
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:13:54	4358.98		129.21	86.08	188.58	33.35	0.06	129.18	86.10		188.61	192.39
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:13:56	4359.02		129.14	86.15	188.65	33.35	0.06	129.12	86.17		188.68	192.32
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:13:58	4359.05		129.02	86.27	188.78	33.35	0.06	128.99	86.30		188.80	192.20
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:14:00	4359.08		129.10	86.19	188.69	33.35	0.06	129.08	86.21		188.72	192.28
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:14:02	4359.12		129.11	86.18	188.68	33.35	0.06	129.09	86.20		188.71	192.29
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:14:04	4359.15		129.17	86.13	188.63	33.35	0.06	129.14	86.15		188.66	192.34
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:14:06	4359.18		129.08	86.21	188.71	33.35	0.06	129.05	86.23		188.74	192.26
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:14:08	4359.22		129.11	86.18	188.68	33.35	0.06	129.09	86.20		188.71	192.29
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:14:10	4359.25		129.16	86.14	188.64	33.35	0.06	129.13	86.16		188.66	192.34
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:14:12	4359.28		129.17	86.12	188.62	33.35	0.06	129.15	86.14		188.65	192.35
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:14:14	4359.32		129.18	86.11	188.61	33.35	0.06	129.15	86.13		188.64	192.36
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:14:16	4359.35		129.17	86.12	188.62	33.35	0.06	129.15	86.14		188.65	192.35
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:14:18	4359.38		129.20	86.09	188.59	33.35	0.06	129.18	86.11		188.62	192.38
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:14:20	4359.42		129.17	86.13	188.63	33.35	0.06	129.14	86.15		188.66	192.34
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:14:22	4359.45		129.20	86.10	188.60	33.35	0.06	129.17	86.12		188.62	192.38
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:14:24	4359.48		129.09	86.20	188.71	33.35	0.06	129.06	86.23		188.73	192.27
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:14:26	4359.52		129.04	86.25	188.75	33.35	0.06	129.01	86.27		188.78	192.22
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:14:28	4359.55		129.05	86.24	188.75	33.35	0.06	129.02	86.26		188.77	192.23
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:14:30	4359.58		129.17	86.12	188.62	33.35	0.06	129.15	86.14		188.65	192.35
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:14:32	4359.62		129.09	86.21	188.71	33.35	0.06	129.06	86.23		188.73	192.27
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:14:34	4359.65		129.08	86.21	188.72	33.35	0.06	129.05	86.23		188.74	192.26
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:14:36	4359.68		129.11	86.18	188.68	33.35	0.06	129.08	86.20		188.71	192.29
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:14:38	4359.72		129.16	86.13	188.64	33.35	0.06	129.13	86.15		188.66	192.34
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:14:40	4359.75		129.10	86.20	188.70	33.35	0.06	129.07	86.22		188.72	192.28
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:14:42	4359.78		129.10	86.20	188.70	33.35	0.06	129.07	86.22		188.72	192.28
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:14:44	4359.82		129.00	86.29	188.79	33.35	0.06	128.98	86.31		188.82	192.18
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:14:46	4359.85		129.10	86.20	188.70	33.35	0.06	129.07	86.22		188.72	192.28
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:14:48	4359.88		129.10	86.20	188.70	33.35	0.06	129.07	86.22		188.72	192.28
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:14:50	4359.92		129.06	86.24	188.74	33.35	0.06	129.03	86.26		188.76	192.24
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:14:52	4359.95		129.11	86.19	188.69	33.35	0.06	129.08	86.21		188.72	192.28
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:14:54	4359.98		129.10	86.20	188.70	33.35	0.06	129.07	86.22		188.72	192.28
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:14:56	4360.02		129.12	86.17	188.67	33.35	0.06	129.09	86.19		188.70	192.30
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:14:58	4360.05		129.16	86.13	188.64	33.35	0.06	129.13	86.15		188.66	192.34
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:15:00	4360.08		129.08	86.21	188.71	33.35	0.06	129.05	86.23		188.74	192.26
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:15:02	4360.12		129.17	86.13	188.63	33.35	0.06	129.14	86.15		188.65	192.35
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:15:04	4360.15		129.28	86.01	188.51	33.35	0.06	129.26	86.03		188.54	192.46
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:15:06	4360.18		129.12	86.17	188.67	33.35	0.06	129.09	86.19		188.70	192.30
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:15:08	4360.22		129.13	86.17	188.67	33.35	0.06	129.10	86.19		188.69	192.31
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:15:10	4360.25		129.07	86.23	188.73	33.35	0.06	129.04	86.25		188.75	192.25
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:15:12	4360.28		129.15	86.14	188.64	33.35	0.06	129.12	86.16		188.67	192.33
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:15:14	4360.32		129.04	86.26	188.76	33.35	0.06	129.01	86.28		188.79	192.21
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:15:16	4360.35		129.12	86.18	188.68	33.35	0.06	129.09	86.20		188.71	192.29
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:15:18	4360.38		129.15	86.15	188.65	33.35	0.06	129.12	86.17		188.67	192.33
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:15:20	4360.42		129.18	86.12	188.62	33.35	0.06	129.15	86.14		188.64	192.36
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:15:22	4360.45		129.19	86.11	188.61	33.35	0.06	129.16	86.13		188.64	192.36
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:15:24	4360.48		129.08	86.22	188.72	33.35	0.06	129.05	86.24		188.74	192.26
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:15:26	4360.52		129.16	86.13	188.63	33.35	0.06	129.13	86.15		188.66	192.34
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:15:28	4360.55		129.09	86.20	188.70	33.35	0.06	129.06	86.22		188.73	192.27
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:15:30	4360.58		129.09	86.20	188.70	33.35	0.06	129.06	86.22		188.73	192.27
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:15:32	4360.62		129.14	86.16	188.66	33.35	0.06	129.11	86.18		188.68	192.32
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:15:34	4360.65		129.09	86.20	188.70	33.35	0.06	129.06	86.22		188.73	192.27
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:15:36	4360.68		128.99	86.30	188.81	33.35	0.06	128.96	86.32		188.83	192.17
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:15:38	4360.72		129.07	86.23	188.73	33.35	0.06	129.04	86.25		188.75	192.25
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:15:40	4360.75		129.15	86.14	188.64	33.35	0.06	129.13	86.16		188.67	192.33
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:15:42	4360.78		129.08	86.21	188.71	33.35	0.06	129.06	86.23		188.74	192.26
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:15:44	4360.82		129.05	86.24	188.75	33.35	0.06	129.02	86.26		188.77	192.23
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:15:46	4360.85		129.08	86.21	188.71	33.35	0.06	129.06	86.23		188.74	192.26
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:15:48	4360.88		129.17	86.12	188.63	33.35	0.06	129.14	86.15		188.65	192.35
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:15:50	4360.92		129.11	86.19	188.69	33.35	0.06	129.08	86.21		188.72	192.28
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:15:52	4360.95		129.20	86.10	188.60	33.35	0.06	129.17	86.12		188.62	192.38
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:15:54	4360.98		129.05	86.24	188.75	33.35	0.06	129.02	86.26		188.77	192.23
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:15:56	4361.02		129.08	86.21	188.71	33.35	0.06	129.05	86.23		188.74	192.26
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:15:58	4361.05		129.10	86.20	188.70	33.35	0.06	129.07	86.22		188.72	192.28
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:16:00	4361.08		129.14	86.16	188.66	33.35	0.06	129.11	86.18		188.68	192.32
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:16:02	4361.12		129.10	86.20	188.70	33.35	0.06	129.07	86.22		188.72	192.28
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:16:04	4361.15		129.07	86.23	188.73	33.35	0.06	129.04	86.25		188.75	192.25
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:16:06	4361.18		129.08	86.21	188.71	33.35	0.06	129.05	86.23		188.74	192.26
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:16:08	4361.22		129.14	86.16	188.66	33.35	0.06	129.11	86.18		188.68	192.32
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:16:10	4361.25		129.13	86.17	188.67	33.35	0.06	129.10	86.19		188.69	192.31
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:16:12	4361.28		129.18	86.11	188.61	33.35	0.06	129.16	86.13		188.64	192.36
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:16:14	4361.32		129.14	86.15	188.65	33.35	0.06	129.12	86.17		188.68	192.32
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:16:16	4361.35		129.09	86.20	188.71	33.35	0.06	129.06	86.23		188.73	192.27
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:16:18	4361.38		129.04	86.25	188.75	33.35	0.06	129.02	86.27		188.78	192.22
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:16:20	4361.42		129.11	86.18	188.68	33.35	0.06	129.09	86.20		188.71	192.29

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:16:22	4361.45		129.10	86.20	188.70	33.35	0.06	129.07	86.22		188.72	192.28
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:16:24	4361.48		129.06	86.24	188.74	33.35	0.06	129.03	86.26		188.76	192.24
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:16:26	4361.52		129.11	86.18	188.68	33.35	0.06	129.09	86.20		188.71	192.29
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:16:28	4361.55		129.14	86.15	188.65	33.35	0.06	129.12	86.17		188.68	192.32
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:16:30	4361.58		129.26	86.03	188.53	33.35	0.06	129.23	86.05		188.56	192.44
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:16:32	4361.62		129.11	86.18	188.68	33.35	0.06	129.09	86.20		188.71	192.29
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:16:34	4361.65		129.07	86.22	188.72	33.35	0.06	129.05	86.24		188.75	192.25
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:16:36	4361.68		129.08	86.21	188.71	33.35	0.06	129.05	86.23		188.74	192.26
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:16:38	4361.72		129.06	86.24	188.74	33.35	0.06	129.03	86.26		188.76	192.24
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:16:40	4361.75		129.05	86.24	188.75	33.35	0.06	129.02	86.26		188.77	192.23
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:16:42	4361.78		129.14	86.15	188.65	33.35	0.06	129.12	86.17		188.68	192.32
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:16:44	4361.82		129.07	86.23	188.73	33.35	0.06	129.04	86.25		188.75	192.25
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:16:46	4361.85		129.05	86.24	188.75	33.35	0.06	129.02	86.26		188.77	192.23
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:16:48	4361.88		129.09	86.21	188.71	33.35	0.06	129.06	86.23		188.73	192.27
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:16:50	4361.92		129.11	86.18	188.68	33.35	0.06	129.09	86.20		188.71	192.29
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:16:52	4361.95		129.13	86.17	188.67	33.35	0.06	129.10	86.19		188.69	192.31
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:16:54	4361.98		129.03	86.27	188.77	33.35	0.06	129.00	86.29		188.79	192.21
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:16:56	4362.02		129.07	86.22	188.72	33.35	0.06	129.04	86.24		188.75	192.25
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:16:58	4362.05		129.05	86.24	188.75	33.35	0.06	129.02	86.26		188.77	192.23
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:17:00	4362.08		129.17	86.12	188.62	33.35	0.06	129.15	86.14		188.65	192.35
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:17:02	4362.12		129.08	86.21	188.72	33.35	0.06	129.05	86.23		188.74	192.26
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:17:04	4362.15		129.13	86.16	188.66	33.35	0.06	129.11	86.18		188.69	192.31
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:17:06	4362.18		128.88	86.41	188.92	33.35	0.06	128.85	86.44		188.94	192.06
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:17:08	4362.22		128.98	86.32	188.82	33.35	0.06	128.95	86.34		188.84	192.16
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:17:10	4362.25		128.69	86.60	189.10	33.35	0.06	128.66	86.62		189.13	191.87
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:17:12	4362.28		128.33	86.96	189.46	33.35	0.06	128.30	86.98		189.49	191.51
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:17:14	4362.32		128.08	87.21	189.71	33.35	0.06	128.05	87.23		189.74	191.26
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:17:16	4362.35		127.90	87.40	189.90	33.35	0.06	127.87	87.42		189.93	191.07
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:17:18	4362.38		127.52	87.77	190.27	33.35	0.06	127.49	87.79		190.30	190.70
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:17:20	4362.42		127.04	88.26	190.76	33.35	0.06	127.01	88.28		190.78	190.22
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:17:22	4362.45		126.75	88.54	191.05	33.35	0.06	126.72	88.56		191.07	189.93
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:17:24	4362.48		126.61	88.68	191.19	33.35	0.06	126.58	88.70		191.21	189.79
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:17:26	4362.52		126.41	88.89	191.39	33.35	0.06	126.38	88.91		191.41	189.59
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:17:28	4362.55		126.15	89.14	191.65	33.35	0.06	126.12	89.16		191.67	189.33
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:17:30	4362.58		126.20	89.09	191.59	33.35	0.06	126.18	89.11		191.62	189.38
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:17:32	4362.62		126.10	89.20	191.70	33.35	0.06	126.07	89.22		191.73	189.27
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:17:34	4362.65		126.25	89.04	191.54	33.35	0.06	126.22	89.06		191.57	189.43
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:17:36	4362.68		126.22	89.07	191.58	33.35	0.06	126.19	89.09		191.60	189.40
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:17:38	4362.72		126.12	89.17	191.68	33.35	0.06	126.09	89.20		191.70	189.30
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:17:40	4362.75		126.21	89.08	191.58	33.35	0.06	126.18	89.10		191.61	189.39
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:17:42	4362.78		126.21	89.08	191.58	33.35	0.06	126.18	89.10		191.61	189.39
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:17:44	4362.82		126.10	89.20	191.70	33.35	0.06	126.07	89.22		191.73	189.27
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:17:46	4362.85		126.22	89.07	191.58	33.35	0.06	126.19	89.09		191.60	189.40
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:17:48	4362.88		126.13	89.17	191.67	33.35	0.06	126.10	89.19		191.69	189.31
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:17:50	4362.92		126.33	88.96	191.47	33.35	0.06	126.30	88.99		191.49	189.51
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:17:52	4362.95		126.35	88.94	191.44	33.35	0.06	126.32	88.96		191.47	189.53
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:17:54	4362.98		126.24	89.05	191.55	33.35	0.06	126.22	89.07		191.58	189.42
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:17:56	4363.02		126.35	88.95	191.45	33.35	0.06	126.32	88.97		191.48	189.52
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:17:58	4363.05		126.29	89.00	191.51	33.35	0.06	126.26	89.02		191.53	189.47
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:18:00	4363.08		126.35	88.94	191.44	33.35	0.06	126.32	88.96		191.47	189.53
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:18:02	4363.12		126.27	89.02	191.52	33.35	0.06	126.25	89.04		191.55	189.45
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:18:04	4363.15		126.25	89.04	191.54	33.35	0.06	126.22	89.06		191.57	189.43
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:18:06	4363.18		126.22	89.07	191.58	33.35	0.06	126.19	89.09		191.60	189.40
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:18:08	4363.22		126.20	89.09	191.59	33.35	0.06	126.18	89.11		191.62	189.38
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:18:10	4363.25		126.24	89.05	191.55	33.35	0.06	126.22	89.07		191.58	189.42
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:18:12	4363.28		126.26	89.03	191.54	33.35	0.06	126.23	89.06		191.56	189.44
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:18:14	4363.32		126.28	89.01	191.51	33.35	0.06	126.25	89.03		191.54	189.46
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:18:16	4363.35		126.36	88.93	191.44	33.35	0.06	126.33	88.95		191.46	189.54
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:18:18	4363.38		126.38	88.91	191.41	33.35	0.06	126.36	88.93		191.44	189.56
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:18:20	4363.42		126.06	89.24	191.74	33.35	0.06	126.03	89.26		191.76	189.24
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:18:22	4363.45		126.29	89.00	191.51	33.35	0.06	126.26	89.02		191.53	189.47
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:18:24	4363.48		126.09	89.21	191.71	33.35	0.06	126.06	89.23		191.73	189.27
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:18:26	4363.52		126.22	89.07	191.58	33.35	0.06	126.19	89.09		191.60	189.40
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:18:28	4363.55		126.16	89.14	191.64	33.35	0.06	126.13	89.16		191.66	189.34
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:18:30	4363.58		126.21	89.08	191.58	33.35	0.06	126.18	89.10		191.61	189.39
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:18:32	4363.62		126.13	89.17	191.67	33.35	0.06	126.10	89.19		191.69	189.31
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:18:34	4363.65		126.16	89.14	191.64	33.35	0.06	126.13	89.16		191.66	189.34
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:18:36	4363.68		126.27	89.02	191.52	33.35	0.06	126.25	89.04		191.55	189.45
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:18:38	4363.72		126.24	89.06	191.56	33.35	0.06	126.21	89.08		191.58	189.42
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:18:40	4363.75		126.14	89.15	191.65	33.35	0.06	126.11	89.17		191.68	189.32
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:18:42	4363.78		126.10	89.19	191.69	33.35	0.06	126.08	89.21		191.72	189.28
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:18:44	4363.82		126.22	89.07	191.58	33.35	0.06	126.19	89.09		191.60	189.40
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:18:46	4363.85		126.17	89.12	191.62	33.35	0.06	126.15	89.14		191.65	189.35
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:18:48	4363.88		126.16	89.14	191.64	33.35	0.06	126.13	89.16		191.66	189.34
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:18:50	4363.92		126.19	89.10	191.61	33.35	0.06	126.16	89.13		191.63	189.37
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:18:52	4363.95		126.15	89.14	191.65	33.35	0.06	126.12	89.16		191.67	189.33
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:18:54	4363.98		126.11	89.18	191.68	33.35	0.06	126.08	89.20		191.71	189.29
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:18:56	4364.02		126.10	89.19	191.69	33.35	0.06	126.08	89.21		191.72	189.28
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:18:58	4364.05		126.16	89.14	191.64	33.35	0.06	126.13	89.16		191.66	189.34
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:19:00	4364.08		126.14	89.15	191.65	33.35	0.06	126.11	89.17		191.68	189.32
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:19:02	4364.12		126.15	89.14	191.65	33.35	0.06	126.12	89.16		191.67	189.33
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:19:04	4364.15		126.24	89.05	191.55	33.35	0.06	126.22	89.07		191.58	189.42
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:19:06	4364.18		126.09	89.21	191.71	33.35	0.06	126.06	89.23		191.73	189.27
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:19:08	4364.22		126.03	89.27	191.77	33.35	0.06	126.00	89.29		191.80	189.20
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:19:10	4364.25		126.23	89.07	191.57	33.35	0.06	126.20	89.09		191.59	189.41
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:19:12	4364.28		126.22	89.07	191.58	33.35	0.06	126.19	89.09		191.60	189.40
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:19:14	4364.32		126.08	89.21	191.72	33.35	0.06	126.05	89.23		191.74	189.26
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:19:16	4364.35		126.00	89.29	191.79	33.35	0.06	125.97	89.31		191.82	189.18
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:19:18	4364.38		125.99	89.31	191.81	33.35	0.06	125.96	89.33		191.83	189.17
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:19:20	4364.42		126.20	89.10	191.60	33.35	0.06	126.17	89.12		191.62	189.38
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:19:22	4364.45		126.12	89.17	191.68	33.35	0.06	126.09	89.20		191.70	189.30
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:19:24	4364.48		126.21	89.08	191.58	33.35	0.06	126.18	89.10		191.61	189.39
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:19:26	4364.52		126.19	89.10	191.61	33.35	0.06	126.16	89.13		191.63	189.37
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:19:28	4364.55		126.17	89.12	191.62	33.35	0.06	126.15	89.14		191.65	189.35
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:19:30	4364.58		126.13	89.17	191.67	33.35	0.06	126.10	89.19		191.69	189.31
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:19:32	4364.62		126.14	89.15	191.65	33.35	0.06	126.11	89.17		191.68	189.32
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:19:34	4364.65		126.07	89.22	191.72	33.35	0.06	126.04	89.24		191.75	189.25

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:19:36	4364.68		126.11	89.18	191.68	33.35	0.06	126.08	89.20		191.71	189.29
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:19:38	4364.72		126.27	89.02	191.52	33.35	0.06	126.25	89.04		191.55	189.45
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:19:40	4364.75		126.13	89.16	191.66	33.35	0.06	126.11	89.18		191.69	189.31
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:19:42	4364.78		126.10	89.20	191.70	33.35	0.06	126.07	89.22		191.73	189.27
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:19:44	4364.82		125.95	89.35	191.85	33.35	0.06	125.92	89.37		191.87	189.13
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:19:46	4364.85		125.99	89.31	191.81	33.35	0.06	125.96	89.33		191.83	189.17
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:19:48	4364.88		125.96	89.33	191.83	33.35	0.06	125.94	89.35		191.86	189.14
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:19:50	4364.92		126.04	89.25	191.75	33.35	0.06	126.01	89.27		191.78	189.22
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:19:52	4364.95		125.99	89.31	191.81	33.35	0.06	125.96	89.33		191.83	189.17
SW Well 1A	END CR TEST - PREPARING SYSTEM FOR SHUTDOWN	10/9/2010 15:19:54	4364.98		126.09	89.21	191.71	33.35	0.06	126.06	89.23		191.73	189.27
SW Well 1A	CR TEST - RECOVERY; t' = 0 min	10/9/2010 15:19:56	4365.02	0.000	126.15	89.14	191.65	33.35	0.06	126.12	89.16		191.67	189.33
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:19:58	4365.05	0.033	126.52	88.77	191.27	33.35	0.06	126.50	88.79		191.30	189.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:20:00	4365.08	0.067	127.08	88.22	190.72	33.35	0.05	127.05	88.24		190.74	190.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:20:02	4365.12	0.100	127.89	87.41	189.91	33.35	0.05	127.86	87.43		189.93	191.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:20:04	4365.15	0.133	128.65	86.64	189.14	33.35	0.05	128.62	86.66		189.17	191.83
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:20:06	4365.18	0.167	129.88	85.41	187.91	33.35	0.05	129.86	85.43		187.94	193.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:20:08	4365.22	0.200	131.12	84.17	186.67	33.35	0.05	131.09	84.19		186.70	194.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:20:10	4365.25	0.233	132.76	82.54	185.04	33.35	0.05	132.73	82.56		185.06	195.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:20:12	4365.28	0.267	134.38	80.91	183.42	33.35	0.05	134.35	80.93		183.44	197.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:20:14	4365.32	0.300	136.11	79.18	181.69	33.35	0.05	136.08	79.20		181.71	199.29
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:20:16	4365.35	0.333	137.88	77.42	179.92	33.35	0.05	137.85	77.44		179.94	201.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:20:18	4365.38	0.367	139.48	75.82	178.32	33.35	0.05	139.45	75.84		178.34	202.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:20:20	4365.42	0.400	141.38	73.92	176.42	33.35	0.05	141.35	73.94		176.44	204.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:20:22	4365.45	0.433	142.77	72.52	175.02	33.35	0.05	142.74	72.54		175.05	205.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:20:24	4365.48	0.467	144.40	70.89	173.40	33.35	0.05	144.37	70.91		173.42	207.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:20:26	4365.52	0.500	145.66	69.63	172.13	33.35	0.05	145.64	69.65		172.16	208.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:20:28	4365.55	0.533	146.78	68.52	171.02	33.35	0.05	146.75	68.54		171.04	209.96
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:20:30	4365.58	0.567	147.84	67.45	169.95	33.35	0.05	147.82	67.47		169.98	211.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:20:32	4365.62	0.600	148.71	66.58	169.09	33.35	0.05	148.68	66.60		169.11	211.89
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:20:34	4365.65	0.633	149.79	65.50	168.00	33.35	0.05	149.77	65.52		168.03	212.97
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:20:36	4365.68	0.667	151.06	64.23	166.73	33.35	0.05	151.04	64.25		166.76	214.24
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:20:38	4365.72	0.700	152.18	63.12	165.62	33.35	0.05	152.15	63.14		165.64	215.36
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:20:40	4365.75	0.733	153.74	61.56	164.06	33.35	0.05	153.71	61.58		164.08	216.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:20:42	4365.78	0.767	154.99	60.30	162.81	33.35	0.05	154.96	60.32		162.83	218.17
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:20:44	4365.82	0.800	156.55	58.75	161.25	33.35	0.05	156.52	58.77		161.27	219.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:20:46	4365.85	0.833	157.89	57.41	159.91	33.35	0.05	157.86	57.43		159.93	221.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:20:48	4365.88	0.867	159.04	56.25	158.75	33.35	0.05	159.02	56.27		158.78	222.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:20:50	4365.92	0.900	160.23	55.06	157.56	33.35	0.05	160.21	55.08		157.59	223.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:20:52	4365.95	0.933	161.21	54.09	156.59	33.35	0.05	161.18	54.11		156.61	224.39
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:20:54	4365.98	0.967	162.14	53.15	155.65	33.35	0.05	162.11	53.17		155.68	225.32
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:20:56	4366.02	1.000	162.95	52.35	154.85	33.35	0.05	162.92	52.37		154.87	226.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:20:58	4366.05	1.033	163.80	51.50	154.00	33.35	0.05	163.77	51.52		154.02	226.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:21:00	4366.08	1.067	165.16	50.13	152.64	33.35	0.05	165.13	50.15		152.66	228.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:21:02	4366.12	1.100	165.85	49.44	151.94	33.35	0.05	165.83	49.46		151.97	229.03
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:21:04	4366.15	1.133	166.71	48.58	151.09	33.35	0.05	166.68	48.60		151.11	229.89
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:21:06	4366.18	1.167	168.07	47.23	149.73	33.35	0.05	168.04	47.25		149.75	231.25
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:21:08	4366.22	1.200	168.70	46.60	149.10	33.35	0.05	168.67	46.62		149.12	231.88
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:21:10	4366.25	1.233	169.69	45.60	148.10	33.35	0.05	169.67	45.62		148.13	232.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:21:12	4366.28	1.267	171.03	44.26	146.76	33.35	0.05	171.01	44.28		146.79	234.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:21:14	4366.32	1.300	171.74	43.55	146.05	33.35	0.05	171.72	43.57		146.08	234.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:21:16	4366.35	1.333	172.94	42.36	144.86	33.35	0.05	172.91	42.38		144.88	236.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:21:18	4366.38	1.367	173.57	41.73	144.23	33.35	0.05	173.54	41.75		144.25	236.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:21:20	4366.42	1.400	174.58	40.71	143.22	33.35	0.05	174.55	40.73		143.24	237.76
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:21:22	4366.45	1.433	175.05	40.25	142.75	33.35	0.05	175.02	40.27		142.77	238.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:21:24	4366.48	1.467	175.53	39.76	142.26	33.35	0.05	175.50	39.78		142.29	238.71
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:21:26	4366.52	1.500	176.39	38.91	141.41	33.35	0.05	176.36	38.93		141.43	239.57
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:21:28	4366.55	1.533	176.78	38.52	141.02	33.35	0.05	176.75	38.54		141.04	239.96
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:21:30	4366.58	1.567	176.60	38.70	141.20	33.35	0.05	176.57	38.72		141.22	239.78
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:21:32	4366.62	1.600	177.14	38.15	140.65	33.35	0.05	177.12	38.17		140.68	240.32
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:21:34	4366.65	1.633	177.99	37.30	139.80	33.35	0.05	177.97	37.32		139.83	241.17
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:21:36	4366.68	1.667	178.23	37.06	139.56	33.35	0.05	178.21	37.08		139.59	241.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:21:38	4366.72	1.700	177.55	37.74	140.24	33.35	0.05	177.53	37.76		140.27	240.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:21:40	4366.75	1.733	179.57	35.73	138.23	33.35	0.05	179.54	35.75		138.25	242.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:21:42	4366.78	1.767	178.57	36.73	139.23	33.35	0.05	178.54	36.75		139.25	241.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:21:44	4366.82	1.800	178.58	36.72	139.22	33.35	0.05	178.55	36.74		139.24	241.76
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:21:46	4366.85	1.833	179.78	35.52	138.02	33.35	0.05	179.75	35.54		138.04	242.96
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:21:48	4366.88	1.867	183.17	32.13	134.63	33.35	0.05	183.14	32.15		134.65	246.35
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:21:50	4366.92	1.900	182.78	32.51	135.01	33.35	0.05	182.76	32.53		135.04	245.96
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:21:52	4366.95	1.933	185.02	30.27	132.78	33.35	0.05	184.99	30.29		132.80	248.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:21:54	4366.98	1.967	187.21	28.08	130.59	33.35	0.05	187.18	28.10		130.61	250.39
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:21:56	4367.02	2.000	189.18	26.11	128.62	33.35	0.05	189.15	26.13		128.64	252.36
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:21:58	4367.05	2.033	190.72	24.57	127.07	33.35	0.05	190.70	24.59		127.10	253.90
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:22:00	4367.08	2.067	191.76	23.53	126.04	33.35	0.05	191.73	23.55		126.06	254.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:22:02	4367.12	2.100	192.26	23.04	125.54	33.35	0.05	192.23	23.06		125.56	255.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:22:04	4367.15	2.133	192.38	22.92	125.42	33.35	0.05	192.35	22.94		125.44	255.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:22:06	4367.18	2.167	192.05	23.25	125.75	33.35	0.05	192.02	23.27		125.77	255.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:22:08	4367.22	2.200	191.46	23.84	126.34	33.35	0.05	191.43	23.86		126.36	254.64
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:22:10	4367.25	2.233	190.46	24.84	127.34	33.35	0.05	190.43	24.86		127.36	253.64
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:22:12	4367.28	2.267	189.34	25.96	128.46	33.35	0.05	189.31	25.98		128.48	252.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:22:14	4367.32	2.300	188.26	27.03	129.53	33.35	0.05	188.23	27.05		129.56	251.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:22:16	4367.35	2.333	187.27	28.02	130.52	33.35	0.05	187.24	28.04		130.55	250.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:22:18	4367.38	2.367	186.34	28.95	131.45	33.35	0.05	186.32	28.97		131.48	249.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:22:20	4367.42	2.400	185.58	29.71	132.22	33.35	0.05	185.55	29.73		132.24	248.76
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:22:22	4367.45	2.433	184.96	30.34	132.84	33.35	0.05	184.93	30.36		132.86	248.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:22:24	4367.48	2.467	184.41	30.88	133.38	33.35	0.05	184.38	30.90		133.41	247.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:22:26	4367.52	2.500	183.97	31.33	133.83	33.35	0.05	183.94	31.35		133.85	247.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:22:28	4367.55	2.533	183.63	31.66	134.16	33.35	0.05	183.61	31.68		134.19	246.81
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:22:30	4367.58	2.567	183.38	31.91	134.41	33.35	0.05	183.36	31.93		134.44	246.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:22:32	4367.62	2.600	183.20	32.09	134.59	33.35	0.05	183.18	32.11		134.62	246.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:22:34	4367.65	2.633	183.06	32.23	134.73	33.35	0.05	183.04	32.25		134.76	246.24
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:22:36	4367.68	2.667	182.95	32.34	134.84	33.35	0.05	182.93	32.36		134.87	246.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:22:38	4367.72	2.700	182.87	32.42	134.93	33.35	0.05	182.84	32.44		134.95	246.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:22:40	4367.75	2.733	182.80	32.50	135.00	33.35	0.05	182.77	32.52		135.02	245.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:22:42	4367.78	2.767	182.72	32.57	135.08	33.35	0.05	182.69	32.59		135.10	245.90
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:22:44	4367.82	2.800	182.64	32.66	135.16	33.35	0.05	182.61	32.68		135.18	245.82
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:22:46	4367.85	2.833	182.57	32.72	135.22	33.35	0.05	182.55	32.74		135.25	245.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:22:48	4367.88	2.867	182.47	32.82	135.32	33.35	0.05	182.44	32.84		135.35	245.65

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:22:50	4367.92	2.900	182.39	32.90	135.40	33.35	0.05	182.37	32.92		135.43	245.57
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:22:52	4367.95	2.933	182.33	32.96	135.46	33.35	0.05	182.30	32.98		135.49	245.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:22:54	4367.98	2.967	182.26	33.03	135.53	33.35	0.05	182.23	33.05		135.56	245.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:22:56	4368.02	3.000	182.21	33.08	135.58	33.35	0.05	182.19	33.10		135.61	245.39
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:22:58	4368.05	3.033	182.17	33.13	135.63	33.35	0.05	182.14	33.15		135.65	245.35
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:23:00	4368.08	3.067	182.13	33.17	135.67	33.35	0.05	182.10	33.19		135.69	245.31
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:23:02	4368.12	3.100	182.10	33.20	135.70	33.35	0.05	182.07	33.22		135.72	245.28
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:23:04	4368.15	3.133	182.09	33.20	135.71	33.35	0.05	182.06	33.22		135.73	245.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:23:06	4368.18	3.167	182.07	33.22	135.72	33.35	0.05	182.05	33.24		135.75	245.25
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:23:08	4368.22	3.200	182.08	33.21	135.71	33.35	0.05	182.05	33.23		135.74	245.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:23:10	4368.25	3.233	182.09	33.20	135.71	33.35	0.05	182.06	33.22		135.73	245.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:23:12	4368.28	3.267	182.10	33.20	135.70	33.35	0.05	182.07	33.22		135.72	245.28
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:23:14	4368.32	3.300	182.11	33.19	135.69	33.35	0.05	182.08	33.21		135.71	245.29
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:23:16	4368.35	3.333	182.12	33.17	135.68	33.35	0.05	182.09	33.19		135.70	245.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:23:18	4368.38	3.367	182.14	33.16	135.66	33.35	0.05	182.11	33.18		135.68	245.32
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:23:20	4368.42	3.400	182.14	33.15	135.65	33.35	0.05	182.12	33.17		135.68	245.32
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:23:22	4368.45	3.433	182.15	33.14	135.64	33.35	0.05	182.13	33.16		135.67	245.33
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:23:24	4368.48	3.467	182.17	33.13	135.63	33.35	0.05	182.14	33.15		135.65	245.35
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:23:26	4368.52	3.500	182.18	33.11	135.61	33.35	0.05	182.16	33.13		135.64	245.36
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:23:28	4368.55	3.533	182.20	33.10	135.60	33.35	0.05	182.17	33.12		135.62	245.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:23:30	4368.58	3.567	182.21	33.08	135.58	33.35	0.05	182.19	33.10		135.61	245.39
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:23:32	4368.62	3.600	182.23	33.06	135.57	33.35	0.05	182.20	33.08		135.59	245.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:23:34	4368.65	3.633	182.25	33.05	135.55	33.35	0.05	182.22	33.07		135.57	245.43
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:23:36	4368.68	3.667	182.26	33.03	135.53	33.35	0.05	182.23	33.05		135.56	245.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:23:38	4368.72	3.700	182.28	33.02	135.52	33.35	0.05	182.25	33.04		135.54	245.46
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:23:40	4368.75	3.733	182.28	33.01	135.51	33.35	0.05	182.26	33.03		135.54	245.46
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:23:42	4368.78	3.767	182.31	32.99	135.49	33.35	0.05	182.28	33.01		135.51	245.49
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:23:44	4368.82	3.800	182.33	32.96	135.46	33.35	0.05	182.30	32.98		135.49	245.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:23:46	4368.85	3.833	182.35	32.95	135.45	33.35	0.05	182.32	32.97		135.47	245.53
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:23:48	4368.88	3.867	182.36	32.93	135.43	33.35	0.05	182.34	32.95		135.46	245.54
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:23:50	4368.92	3.900	182.38	32.92	135.42	33.35	0.05	182.35	32.94		135.44	245.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:23:52	4368.95	3.933	182.39	32.90	135.40	33.35	0.05	182.37	32.92		135.43	245.57
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:23:54	4368.98	3.967	182.41	32.88	135.39	33.35	0.05	182.38	32.90		135.41	245.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:23:56	4369.02	4.000	182.42	32.87	135.37	33.35	0.05	182.40	32.89		135.40	245.60
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:23:58	4369.05	4.033	182.44	32.85	135.36	33.35	0.05	182.41	32.87		135.38	245.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:24:00	4369.08	4.067	182.46	32.83	135.33	33.35	0.05	182.43	32.85		135.36	245.64
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:24:02	4369.12	4.100	182.48	32.81	135.32	33.35	0.05	182.45	32.83		135.34	245.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:24:04	4369.15	4.133	182.50	32.79	135.29	33.35	0.05	182.48	32.81		135.32	245.68
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:24:06	4369.18	4.167	182.51	32.78	135.29	33.35	0.05	182.48	32.80		135.31	245.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:24:08	4369.22	4.200	182.53	32.76	135.26	33.35	0.05	182.51	32.78		135.29	245.71
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:24:10	4369.25	4.233	182.55	32.74	135.25	33.35	0.05	182.52	32.76		135.27	245.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:24:12	4369.28	4.267	182.57	32.72	135.22	33.35	0.05	182.55	32.74		135.25	245.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:24:14	4369.32	4.300	182.59	32.71	135.21	33.35	0.05	182.56	32.73		135.23	245.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:24:16	4369.35	4.333	182.60	32.69	135.19	33.35	0.05	182.58	32.71		135.22	245.78
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:24:18	4369.38	4.367	182.62	32.67	135.18	33.35	0.05	182.59	32.69		135.20	245.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:24:20	4369.42	4.400	182.63	32.66	135.16	33.35	0.05	182.61	32.68		135.19	245.81
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:24:22	4369.45	4.433	182.66	32.64	135.14	33.35	0.05	182.63	32.66		135.16	245.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:24:24	4369.48	4.467	182.67	32.62	135.12	33.35	0.05	182.65	32.64		135.15	245.85
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:24:26	4369.52	4.500	182.70	32.60	135.10	33.35	0.05	182.67	32.62		135.12	245.88
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:24:28	4369.55	4.533	182.71	32.59	135.09	33.35	0.05	182.68	32.61		135.11	245.89
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:24:30	4369.58	4.567	182.72	32.57	135.08	33.35	0.05	182.69	32.59		135.10	245.90
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:24:32	4369.62	4.600	182.73	32.56	135.06	33.35	0.05	182.71	32.58		135.09	245.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:24:34	4369.65	4.633	182.76	32.53	135.04	33.35	0.05	182.73	32.55		135.06	245.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:24:36	4369.68	4.667	182.77	32.52	135.02	33.35	0.05	182.75	32.54		135.05	245.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:24:38	4369.72	4.700	182.79	32.50	135.00	33.35	0.05	182.76	32.52		135.03	245.97
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:24:40	4369.75	4.733	182.81	32.48	134.98	33.35	0.05	182.79	32.50		135.01	245.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:24:42	4369.78	4.767	182.83	32.46	134.97	33.35	0.05	182.80	32.48		134.99	246.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:24:44	4369.82	4.800	182.85	32.45	134.95	33.35	0.05	182.82	32.47		134.97	246.03
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:24:46	4369.85	4.833	182.86	32.43	134.93	33.35	0.05	182.83	32.45		134.96	246.04
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:24:48	4369.88	4.867	182.87	32.42	134.92	33.35	0.05	182.85	32.44		134.95	246.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:24:50	4369.92	4.900	182.89	32.40	134.91	33.35	0.05	182.86	32.42		134.93	246.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:24:52	4369.95	4.933	182.91	32.39	134.89	33.35	0.05	182.88	32.41		134.91	246.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:24:54	4369.98	4.967	182.93	32.37	134.87	33.35	0.05	182.90	32.39		134.89	246.11
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:24:56	4370.02	5.000	182.95	32.35	134.85	33.35	0.05	182.92	32.37		134.87	246.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:24:58	4370.05	5.033	182.95	32.34	134.84	33.35	0.05	182.93	32.36		134.87	246.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:25:00	4370.08	5.067	182.98	32.32	134.82	33.35	0.05	182.95	32.33		134.84	246.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:25:02	4370.12	5.100	182.99	32.30	134.80	33.35	0.05	182.97	32.32		134.83	246.17
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:25:04	4370.15	5.133	183.01	32.28	134.79	33.35	0.05	182.98	32.30		134.81	246.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:25:06	4370.18	5.167	183.02	32.27	134.77	33.35	0.05	183.00	32.29		134.79	246.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:25:08	4370.22	5.200	183.04	32.26	134.76	33.35	0.05	183.01	32.28		134.78	246.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:25:10	4370.25	5.233	183.06	32.24	134.74	33.35	0.05	183.03	32.26		134.76	246.24
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:25:12	4370.28	5.267	183.08	32.21	134.72	33.35	0.05	183.05	32.23		134.74	246.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:25:14	4370.32	5.300	183.09	32.21	134.71	33.35	0.05	183.06	32.23		134.73	246.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:25:16	4370.35	5.333	183.10	32.19	134.69	33.35	0.05	183.08	32.21		134.72	246.28
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:25:18	4370.38	5.367	183.12	32.18	134.68	33.35	0.05	183.09	32.19		134.70	246.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:25:20	4370.42	5.400	183.14	32.15	134.65	33.35	0.05	183.12	32.17		134.68	246.32
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:25:22	4370.45	5.433	183.15	32.14	134.65	33.35	0.05	183.12	32.16		134.67	246.33
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:25:24	4370.48	5.467	183.17	32.13	134.63	33.35	0.05	183.14	32.15		134.65	246.35
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:25:26	4370.52	5.500	183.19	32.11	134.61	33.35	0.05	183.16	32.13		134.63	246.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:25:28	4370.55	5.533	183.20	32.10	134.60	33.35	0.05	183.17	32.12		134.62	246.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:25:30	4370.58	5.567	183.22	32.07	134.58	33.35	0.05	183.19	32.09		134.60	246.40
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:25:32	4370.62	5.600	183.23	32.07	134.57	33.35	0.05	183.20	32.09		134.59	246.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:25:34	4370.65	5.633	183.24	32.05	134.55	33.35	0.05	183.22	32.07		134.58	246.42
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:25:36	4370.68	5.667	183.27	32.03	134.53	33.35	0.05	183.24	32.05		134.55	246.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:25:38	4370.72	5.700	183.28	32.01	134.51	33.35	0.05	183.26	32.03		134.54	246.46
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:25:40	4370.75	5.733	183.29	32.01	134.51	33.35	0.05	183.26	32.03		134.53	246.47
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:25:42	4370.78	5.767	183.31	31.99	134.49	33.35	0.05	183.28	32.01		134.51	246.49
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:25:44	4370.82	5.800	183.32	31.97	134.48	33.35	0.05	183.29	31.99		134.50	246.50
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:25:46	4370.85	5.833	183.34	31.96	134.46	33.35	0.05	183.31	31.98		134.48	246.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:25:48	4370.88	5.867	183.35	31.94	134.45	33.35	0.05	183.32	31.96		134.47	246.53
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:25:50	4370.92	5.900	183.37	31.93	134.43	33.35	0.05	183.34	31.95		134.45	246.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:25:52	4370.95	5.933	183.38	31.91	134.42	33.35	0.05	183.35	31.93		134.44	246.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:25:54	4370.98	5.967	183.40	31.90	134.40	33.35	0.05	183.37	31.92		134.42	246.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:25:56	4371.02	6.000	183.41	31.88	134.38	33.35	0.05	183.39	31.90		134.40	246.60
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:25:58	4371.05	6.033	183.42	31.87	134.37	33.35	0.05	183.40	31.89		134.40	246.60
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:26:00	4371.08	6.067	183.44	31.86	134.36	33.35	0.05	183.41	31.88		134.38	246.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:26:02	4371.12	6.100	183.45	31.84	134.34	33.35	0.05	183.43	31.86		134.37	246.63

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:26:04	4371.15	6.133	183.47	31.82	134.33	33.35	0.05	183.44	31.84		134.35	246.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:26:06	4371.18	6.167	183.48	31.81	134.31	33.35	0.05	183.46	31.83		134.33	246.67
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:26:08	4371.22	6.200	183.50	31.79	134.30	33.35	0.05	183.47	31.81		134.32	246.68
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:26:10	4371.25	6.233	183.51	31.79	134.29	33.35	0.05	183.48	31.81		134.31	246.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:26:12	4371.28	6.267	183.52	31.77	134.27	33.35	0.05	183.50	31.79		134.30	246.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:26:14	4371.32	6.300	183.54	31.75	134.26	33.35	0.05	183.51	31.77		134.28	246.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:26:16	4371.35	6.333	183.55	31.74	134.24	33.35	0.05	183.53	31.76		134.26	246.74
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:26:18	4371.38	6.367	183.57	31.72	134.23	33.35	0.05	183.54	31.74		134.25	246.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:26:20	4371.42	6.400	183.58	31.72	134.22	33.35	0.05	183.55	31.73		134.24	246.76
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:26:22	4371.45	6.433	183.59	31.70	134.20	33.35	0.05	183.57	31.72		134.23	246.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:26:24	4371.48	6.467	183.61	31.68	134.19	33.35	0.05	183.58	31.70		134.21	246.79
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:26:26	4371.52	6.500	183.62	31.68	134.18	33.35	0.05	183.59	31.70		134.20	246.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:26:28	4371.55	6.533	183.63	31.66	134.16	33.35	0.05	183.61	31.68		134.19	246.81
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:26:30	4371.58	6.567	183.66	31.64	134.14	33.35	0.05	183.63	31.66		134.16	246.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:26:32	4371.62	6.600	183.66	31.63	134.13	33.35	0.05	183.64	31.65		134.16	246.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:26:34	4371.65	6.633	183.67	31.62	134.12	33.35	0.05	183.65	31.64		134.15	246.85
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:26:36	4371.68	6.667	183.69	31.61	134.11	33.35	0.05	183.66	31.63		134.13	246.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:26:38	4371.72	6.700	183.69	31.60	134.10	33.35	0.05	183.67	31.62		134.12	246.88
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:26:40	4371.75	6.733	183.71	31.58	134.09	33.35	0.05	183.68	31.60		134.11	246.89
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:26:42	4371.78	6.767	183.73	31.57	134.07	33.35	0.05	183.70	31.59		134.09	246.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:26:44	4371.82	6.800	183.74	31.55	134.06	33.35	0.05	183.71	31.57		134.08	246.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:26:46	4371.85	6.833	183.76	31.54	134.04	33.35	0.05	183.73	31.56		134.06	246.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:26:48	4371.88	6.867	183.77	31.53	134.03	33.35	0.05	183.74	31.55		134.05	246.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:26:50	4371.92	6.900	183.78	31.51	134.02	33.35	0.05	183.75	31.53		134.04	246.96
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:26:52	4371.95	6.933	183.80	31.50	134.00	33.35	0.05	183.77	31.52		134.02	246.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:26:54	4371.98	6.967	183.81	31.48	133.98	33.35	0.05	183.79	31.50		134.01	246.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:26:56	4372.02	7.000	183.81	31.48	133.98	33.35	0.05	183.79	31.50		134.01	246.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:26:58	4372.05	7.033	183.84	31.46	133.96	33.35	0.05	183.81	31.48		133.98	247.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:27:00	4372.08	7.067	183.84	31.45	133.95	33.35	0.05	183.82	31.47		133.98	247.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:27:02	4372.12	7.100	183.86	31.44	133.94	33.35	0.05	183.83	31.45		133.96	247.04
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:27:04	4372.15	7.133	183.87	31.42	133.92	33.35	0.05	183.85	31.44		133.95	247.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:27:06	4372.18	7.167	183.88	31.41	133.91	33.35	0.05	183.86	31.43		133.94	247.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:27:08	4372.22	7.200	183.89	31.40	133.91	33.35	0.05	183.86	31.42		133.93	247.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:27:10	4372.25	7.233	183.91	31.39	133.89	33.35	0.05	183.88	31.41		133.91	247.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:27:12	4372.28	7.267	183.92	31.37	133.88	33.35	0.05	183.89	31.39		133.90	247.10
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:27:14	4372.32	7.300	183.94	31.36	133.86	33.35	0.05	183.91	31.38		133.88	247.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:27:16	4372.35	7.333	183.94	31.35	133.85	33.35	0.05	183.92	31.37		133.87	247.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:27:18	4372.38	7.367	183.96	31.33	133.84	33.35	0.05	183.93	31.35		133.86	247.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:27:20	4372.42	7.400	183.97	31.33	133.83	33.35	0.05	183.94	31.35		133.85	247.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:27:22	4372.45	7.433	183.98	31.31	133.81	33.35	0.05	183.96	31.33		133.84	247.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:27:24	4372.48	7.467	183.99	31.31	133.81	33.35	0.05	183.96	31.32		133.83	247.17
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:27:26	4372.52	7.500	184.01	31.29	133.79	33.35	0.05	183.98	31.31		133.81	247.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:27:28	4372.55	7.533	184.01	31.28	133.78	33.35	0.05	183.99	31.30		133.80	247.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:27:30	4372.58	7.567	184.02	31.27	133.77	33.35	0.05	184.00	31.29		133.80	247.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:27:32	4372.62	7.600	184.04	31.26	133.76	33.35	0.05	184.01	31.28		133.78	247.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:27:34	4372.65	7.633	184.05	31.24	133.74	33.35	0.05	184.03	31.26		133.77	247.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:27:36	4372.68	7.667	184.06	31.23	133.73	33.35	0.05	184.04	31.25		133.76	247.24
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:27:38	4372.72	7.700	184.08	31.22	133.72	33.35	0.05	184.05	31.24		133.74	247.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:27:40	4372.75	7.733	184.08	31.21	133.71	33.35	0.05	184.06	31.23		133.73	247.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:27:42	4372.78	7.767	184.10	31.19	133.70	33.35	0.05	184.07	31.21		133.72	247.28
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:27:44	4372.82	7.800	184.12	31.18	133.68	33.35	0.05	184.09	31.20		133.70	247.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:27:46	4372.85	7.833	184.12	31.17	133.67	33.35	0.05	184.10	31.19		133.70	247.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:27:48	4372.88	7.867	184.13	31.16	133.66	33.35	0.05	184.11	31.18		133.69	247.31
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:27:50	4372.92	7.900	184.14	31.15	133.66	33.35	0.05	184.11	31.17		133.68	247.32
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:27:52	4372.95	7.933	184.15	31.14	133.64	33.35	0.05	184.13	31.16		133.66	247.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:27:54	4372.98	7.967	184.17	31.12	133.63	33.35	0.05	184.14	31.14		133.65	247.35
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:27:56	4373.02	8.000	184.18	31.12	133.62	33.35	0.05	184.15	31.14		133.64	247.36
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:27:58	4373.05	8.033	184.19	31.10	133.60	33.35	0.05	184.17	31.12		133.63	247.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:28:00	4373.08	8.067	184.20	31.09	133.59	33.35	0.05	184.18	31.11		133.62	247.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:28:02	4373.12	8.100	184.21	31.08	133.59	33.35	0.05	184.18	31.10		133.61	247.39
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:28:04	4373.15	8.133	184.22	31.07	133.57	33.35	0.05	184.20	31.09		133.59	247.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:28:06	4373.18	8.167	184.23	31.06	133.56	33.35	0.05	184.21	31.08		133.59	247.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:28:08	4373.22	8.200	184.25	31.05	133.55	33.35	0.05	184.22	31.06		133.57	247.43
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:28:10	4373.25	8.233	184.26	31.04	133.54	33.35	0.05	184.23	31.06		133.56	247.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:28:12	4373.28	8.267	184.27	31.02	133.52	33.35	0.05	184.25	31.04		133.55	247.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:28:14	4373.32	8.300	184.28	31.01	133.52	33.35	0.05	184.25	31.03		133.54	247.46
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:28:16	4373.35	8.333	184.30	31.00	133.50	33.35	0.05	184.27	31.02		133.52	247.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:28:18	4373.38	8.367	184.30	30.99	133.49	33.35	0.05	184.28	31.01		133.52	247.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:28:20	4373.42	8.400	184.31	30.98	133.49	33.35	0.05	184.28	31.00		133.51	247.49
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:28:22	4373.45	8.433	184.33	30.97	133.47	33.35	0.05	184.30	30.99		133.49	247.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:28:24	4373.48	8.467	184.33	30.96	133.46	33.35	0.05	184.31	30.98		133.49	247.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:28:26	4373.52	8.500	184.35	30.94	133.45	33.35	0.05	184.32	30.96		133.47	247.53
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:28:28	4373.55	8.533	184.36	30.94	133.44	33.35	0.05	184.33	30.96		133.46	247.54
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:28:30	4373.58	8.567	184.36	30.93	133.43	33.35	0.05	184.34	30.95		133.46	247.54
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:28:32	4373.62	8.600	184.38	30.92	133.42	33.35	0.05	184.35	30.93		133.44	247.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:28:34	4373.65	8.633	184.40	30.90	133.40	33.35	0.05	184.37	30.92		133.42	247.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:28:36	4373.68	8.667	184.40	30.90	133.40	33.35	0.05	184.37	30.92		133.42	247.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:28:38	4373.72	8.700	184.41	30.88	133.38	33.35	0.05	184.39	30.90		133.41	247.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:28:40	4373.75	8.733	184.42	30.87	133.38	33.35	0.05	184.39	30.89		133.40	247.60
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:28:42	4373.78	8.767	184.44	30.86	133.36	33.35	0.05	184.41	30.88		133.38	247.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:28:44	4373.82	8.800	184.44	30.85	133.35	33.35	0.05	184.42	30.87		133.38	247.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:28:46	4373.85	8.833	184.45	30.84	133.35	33.35	0.05	184.42	30.86		133.37	247.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:28:48	4373.88	8.867	184.46	30.83	133.33	33.35	0.05	184.44	30.85		133.36	247.64
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:28:50	4373.92	8.900	184.47	30.82	133.32	33.35	0.05	184.45	30.84		133.34	247.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:28:52	4373.95	8.933	184.48	30.81	133.31	33.35	0.05	184.46	30.83		133.34	247.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:28:54	4373.98	8.967	184.50	30.80	133.30	33.35	0.05	184.47	30.82		133.32	247.68
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:28:56	4374.02	9.000	184.51	30.79	133.29	33.35	0.05	184.48	30.81		133.31	247.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:28:58	4374.05	9.033	184.51	30.78	133.28	33.35	0.05	184.49	30.80		133.31	247.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:29:00	4374.08	9.067	184.53	30.77	133.27	33.35	0.05	184.50	30.78		133.29	247.71
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:29:02	4374.12	9.100	184.54	30.76	133.26	33.35	0.05	184.51	30.78		133.28	247.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:29:04	4374.15	9.133	184.55	30.74	133.24	33.35	0.05	184.53	30.76		133.27	247.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:29:06	4374.18	9.167	184.56	30.73	133.24	33.35	0.05	184.53	30.75		133.26	247.74
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:29:08	4374.22	9.200	184.57	30.73	133.23	33.35	0.05	184.54	30.75		133.25	247.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:29:10	4374.25	9.233	184.58	30.72	133.22	33.35	0.05	184.55	30.74		133.24	247.76
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:29:12	4374.28	9.267	184.59	30.70	133.20	33.35	0.05	184.57	30.72		133.23	247.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:29:14	4374.32	9.300	184.60	30.70	133.20	33.35	0.05	184.57	30.71		133.22	247.78
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:29:16	4374.35	9.333	184.61	30.69	133.19	33.35	0.05	184.58	30.71		133.21	247.79

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:29:18	4374.38	9.367	184.61	30.68	133.18	33.35	0.05	184.59	30.70		133.20	247.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:29:20	4374.42	9.400	184.63	30.66	133.17	33.35	0.05	184.60	30.68		133.19	247.81
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:29:22	4374.45	9.433	184.64	30.66	133.16	33.35	0.05	184.61	30.68		133.18	247.82
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:29:24	4374.48	9.467	184.65	30.64	133.14	33.35	0.05	184.63	30.66		133.17	247.83
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:29:26	4374.52	9.500	184.66	30.63	133.13	33.35	0.05	184.64	30.65		133.16	247.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:29:28	4374.55	9.533	184.67	30.62	133.13	33.35	0.05	184.64	30.64		133.15	247.85
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:29:30	4374.58	9.567	184.68	30.62	133.12	33.35	0.05	184.65	30.64		133.14	247.86
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:29:32	4374.62	9.600	184.69	30.60	133.10	33.35	0.05	184.67	30.62		133.13	247.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:29:34	4374.65	9.633	184.70	30.59	133.10	33.35	0.05	184.67	30.61		133.12	247.88
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:29:36	4374.68	9.667	184.71	30.59	133.09	33.35	0.05	184.68	30.60		133.11	247.89
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:29:38	4374.72	9.700	184.72	30.58	133.08	33.35	0.05	184.69	30.60		133.10	247.90
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:29:40	4374.75	9.733	184.73	30.56	133.06	33.35	0.05	184.71	30.58		133.09	247.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:29:42	4374.78	9.767	184.74	30.55	133.06	33.35	0.05	184.71	30.57		133.08	247.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:29:44	4374.82	9.800	184.75	30.55	133.05	33.35	0.05	184.72	30.57		133.07	247.93
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:29:46	4374.85	9.833	184.75	30.54	133.04	33.35	0.05	184.73	30.56		133.06	247.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:29:48	4374.88	9.867	184.77	30.52	133.03	33.35	0.05	184.74	30.54		133.05	247.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:29:50	4374.92	9.900	184.78	30.52	133.02	33.35	0.05	184.75	30.53		133.04	247.96
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:29:52	4374.95	9.933	184.79	30.51	133.01	33.35	0.05	184.76	30.53		133.03	247.97
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:29:54	4374.98	9.967	184.79	30.50	133.00	33.35	0.05	184.77	30.52		133.03	247.97
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:29:56	4375.02	10.000	184.81	30.48	132.99	33.35	0.05	184.78	30.50		133.01	247.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:29:58	4375.05	10.033	184.82	30.48	132.98	33.35	0.05	184.79	30.50		133.00	248.00
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:30:00	4375.08	10.067	184.82	30.47	132.97	33.34	0.05	184.80	30.49		132.99	248.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:30:02	4375.12	10.100	184.83	30.46	132.96	33.34	0.05	184.81	30.48		132.99	248.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:30:04	4375.15	10.133	184.84	30.45	132.96	33.34	0.05	184.82	30.47		132.98	248.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:30:06	4375.18	10.167	184.85	30.45	132.95	33.34	0.05	184.82	30.46		132.97	248.03
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:30:08	4375.22	10.200	184.86	30.44	132.94	33.34	0.05	184.83	30.46		132.96	248.04
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:30:10	4375.25	10.233	184.87	30.42	132.92	33.34	0.05	184.85	30.44		132.95	248.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:30:12	4375.28	10.267	184.88	30.41	132.92	33.34	0.05	184.85	30.43		132.94	248.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:30:14	4375.32	10.300	184.89	30.41	132.91	33.34	0.05	184.86	30.42		132.93	248.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:30:16	4375.35	10.333	184.90	30.40	132.90	33.34	0.05	184.87	30.42		132.92	248.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:30:18	4375.38	10.367	184.91	30.38	132.89	33.34	0.05	184.89	30.40		132.91	248.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:30:20	4375.42	10.400	184.92	30.38	132.88	33.34	0.05	184.89	30.39		132.90	248.10
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:30:22	4375.45	10.433	184.93	30.37	132.87	33.34	0.05	184.90	30.39		132.89	248.11
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:30:24	4375.48	10.467	184.93	30.36	132.86	33.34	0.05	184.91	30.38		132.88	248.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:30:26	4375.52	10.500	184.94	30.35	132.85	33.34	0.05	184.92	30.37		132.88	248.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:30:28	4375.55	10.533	184.95	30.34	132.85	33.34	0.05	184.92	30.36		132.87	248.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:30:30	4375.58	10.567	184.96	30.34	132.84	33.34	0.05	184.93	30.35		132.86	248.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:30:32	4375.62	10.600	184.97	30.32	132.82	33.34	0.05	184.95	30.34		132.85	248.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:30:34	4375.65	10.633	184.98	30.31	132.82	33.34	0.05	184.96	30.33		132.84	248.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:30:36	4375.68	10.667	184.99	30.31	132.81	33.34	0.05	184.96	30.32		132.83	248.17
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:30:38	4375.72	10.700	185.00	30.30	132.80	33.34	0.05	184.97	30.32		132.82	248.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:30:40	4375.75	10.733	185.00	30.29	132.79	33.34	0.05	184.98	30.31		132.81	248.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:30:42	4375.78	10.767	185.01	30.28	132.78	33.34	0.05	184.99	30.30		132.81	248.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:30:44	4375.82	10.800	185.03	30.27	132.77	33.34	0.05	185.00	30.28		132.79	248.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:30:46	4375.85	10.833	185.04	30.26	132.76	33.34	0.05	185.01	30.28		132.78	248.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:30:48	4375.88	10.867	185.04	30.25	132.75	33.34	0.05	185.02	30.27		132.77	248.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:30:50	4375.92	10.900	185.05	30.24	132.75	33.34	0.05	185.03	30.26		132.77	248.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:30:52	4375.95	10.933	185.06	30.24	132.74	33.34	0.05	185.03	30.25		132.76	248.24
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:30:54	4375.98	10.967	185.07	30.23	132.73	33.34	0.05	185.04	30.25		132.75	248.25
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:30:56	4376.02	11.000	185.08	30.21	132.71	33.34	0.05	185.06	30.23		132.74	248.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:30:58	4376.05	11.033	185.09	30.20	132.71	33.34	0.05	185.06	30.22		132.73	248.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:31:00	4376.08	11.067	185.10	30.20	132.70	33.34	0.05	185.07	30.21		132.72	248.28
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:31:02	4376.12	11.100	185.10	30.20	132.70	33.34	0.05	185.07	30.21		132.72	248.28
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:31:04	4376.15	11.133	185.11	30.18	132.68	33.34	0.05	185.09	30.20		132.70	248.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:31:06	4376.18	11.167	185.12	30.17	132.68	33.34	0.05	185.10	30.19		132.70	248.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:31:08	4376.22	11.200	185.13	30.17	132.67	33.34	0.05	185.10	30.18		132.69	248.31
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:31:10	4376.25	11.233	185.14	30.16	132.66	33.34	0.05	185.11	30.18		132.68	248.32
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:31:12	4376.28	11.267	185.14	30.15	132.65	33.34	0.05	185.12	30.17		132.67	248.33
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:31:14	4376.32	11.300	185.16	30.13	132.64	33.34	0.05	185.13	30.15		132.66	248.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:31:16	4376.35	11.333	185.16	30.13	132.64	33.34	0.05	185.13	30.15		132.66	248.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:31:18	4376.38	11.367	185.17	30.13	132.63	33.34	0.05	185.14	30.14		132.65	248.35
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:31:20	4376.42	11.400	185.18	30.11	132.61	33.34	0.05	185.16	30.13		132.63	248.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:31:22	4376.45	11.433	185.19	30.10	132.60	33.34	0.05	185.17	30.12		132.63	248.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:31:24	4376.48	11.467	185.19	30.10	132.60	33.34	0.05	185.17	30.12		132.63	248.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:31:26	4376.52	11.500	185.21	30.09	132.59	33.34	0.05	185.18	30.11		132.61	248.39
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:31:28	4376.55	11.533	185.21	30.08	132.58	33.34	0.05	185.19	30.10		132.60	248.40
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:31:30	4376.58	11.567	185.22	30.07	132.57	33.34	0.05	185.20	30.09		132.60	248.40
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:31:32	4376.62	11.600	185.23	30.06	132.57	33.34	0.05	185.21	30.08		132.59	248.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:31:34	4376.65	11.633	185.24	30.06	132.56	33.34	0.05	185.21	30.07		132.58	248.42
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:31:36	4376.68	11.667	185.25	30.05	132.55	33.34	0.05	185.22	30.07		132.57	248.43
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:31:38	4376.72	11.700	185.25	30.04	132.54	33.34	0.05	185.23	30.06		132.56	248.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:31:40	4376.75	11.733	185.26	30.03	132.53	33.34	0.05	185.24	30.05		132.56	248.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:31:42	4376.78	11.767	185.27	30.02	132.53	33.34	0.05	185.24	30.04		132.55	248.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:31:44	4376.82	11.800	185.28	30.02	132.52	33.34	0.05	185.25	30.04		132.54	248.46
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:31:46	4376.85	11.833	185.29	30.00	132.50	33.34	0.05	185.27	30.02		132.53	248.47
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:31:48	4376.88	11.867	185.30	29.99	132.50	33.34	0.05	185.28	30.01		132.52	248.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:31:50	4376.92	11.900	185.30	29.99	132.50	33.34	0.05	185.28	30.01		132.52	248.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:31:52	4376.95	11.933	185.32	29.98	132.48	33.34	0.05	185.29	30.00		132.50	248.50
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:31:54	4376.98	11.967	185.32	29.97	132.47	33.34	0.05	185.30	29.99		132.49	248.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:31:56	4377.02	12.000	185.32	29.97	132.47	33.34	0.05	185.30	29.99		132.49	248.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:31:58	4377.05	12.033	185.33	29.96	132.46	33.34	0.05	185.31	29.98		132.49	248.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:32:00	4377.08	12.067	185.35	29.95	132.45	33.34	0.05	185.32	29.97		132.47	248.53
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:32:02	4377.12	12.100	185.35	29.94	132.44	33.34	0.05	185.33	29.96		132.46	248.54
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:32:04	4377.15	12.133	185.36	29.93	132.43	33.34	0.05	185.34	29.95		132.46	248.54
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:32:06	4377.18	12.167	185.37	29.92	132.43	33.34	0.05	185.35	29.94		132.45	248.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:32:08	4377.22	12.200	185.38	29.92	132.42	33.34	0.05	185.35	29.93		132.44	248.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:32:10	4377.25	12.233	185.39	29.91	132.41	33.34	0.05	185.36	29.93		132.43	248.57
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:32:12	4377.28	12.267	185.39	29.91	132.41	33.34	0.05	185.36	29.93		132.43	248.57
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:32:14	4377.32	12.300	185.40	29.89	132.39	33.34	0.05	185.38	29.91		132.42	248.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:32:16	4377.35	12.333	185.41	29.88	132.39	33.34	0.05	185.38	29.90		132.41	248.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:32:18	4377.38	12.367	185.42	29.88	132.38	33.34	0.05	185.39	29.89		132.40	248.60
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:32:20	4377.42	12.400	185.42	29.87	132.37	33.34	0.05	185.40	29.89		132.39	248.61
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:32:22	4377.45	12.433	185.43	29.86	132.36	33.34	0.05	185.41	29.88		132.39	248.61
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:32:24	4377.48	12.467	185.44	29.85	132.36	33.34	0.05	185.42	29.87		132.38	248.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:32:26	4377.52	12.500	185.45	29.85	132.35	33.34	0.05	185.42	29.86		132.37	248.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:32:28	4377.55	12.533	185.46	29.84	132.34	33.34	0.05	185.43	29.86		132.36	248.64
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:32:30	4377.58	12.567	185.46	29.83	132.33	33.34	0.05	185.44	29.85		132.35	248.65

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:32:32	4377.62	12.600	185.47	29.82	132.32	33.34	0.05	185.45	29.84		132.35	248.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:32:34	4377.65	12.633	185.48	29.81	132.32	33.34	0.05	185.45	29.83		132.34	248.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:32:36	4377.68	12.667	185.48	29.81	132.32	33.34	0.05	185.45	29.83		132.34	248.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:32:38	4377.72	12.700	185.50	29.80	132.30	33.34	0.05	185.47	29.82		132.32	248.68
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:32:40	4377.75	12.733	185.50	29.79	132.29	33.34	0.05	185.48	29.81		132.32	248.68
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:32:42	4377.78	12.767	185.51	29.78	132.29	33.34	0.05	185.49	29.80		132.31	248.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:32:44	4377.82	12.800	185.52	29.78	132.28	33.34	0.05	185.49	29.79		132.30	248.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:32:46	4377.85	12.833	185.52	29.78	132.28	33.34	0.05	185.49	29.79		132.30	248.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:32:48	4377.88	12.867	185.53	29.76	132.26	33.34	0.05	185.51	29.78		132.28	248.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:32:50	4377.92	12.900	185.54	29.75	132.25	33.34	0.05	185.52	29.77		132.28	248.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:32:52	4377.95	12.933	185.55	29.74	132.25	33.34	0.05	185.52	29.76		132.27	248.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:32:54	4377.98	12.967	185.56	29.74	132.24	33.34	0.05	185.53	29.75		132.26	248.74
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:32:56	4378.02	13.000	185.56	29.74	132.24	33.34	0.05	185.53	29.75		132.26	248.74
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:32:58	4378.05	13.033	185.57	29.73	132.23	33.34	0.05	185.54	29.75		132.25	248.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:33:00	4378.08	13.067	185.57	29.72	132.22	33.34	0.05	185.55	29.74		132.25	248.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:33:02	4378.12	13.100	185.59	29.71	132.21	33.34	0.05	185.56	29.72		132.23	248.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:33:04	4378.15	13.133	185.59	29.71	132.21	33.34	0.05	185.56	29.72		132.23	248.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:33:06	4378.18	13.167	185.60	29.69	132.19	33.34	0.05	185.58	29.71		132.21	248.79
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:33:08	4378.22	13.200	185.60	29.69	132.19	33.34	0.05	185.58	29.71		132.21	248.79
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:33:10	4378.25	13.233	185.62	29.67	132.18	33.34	0.05	185.59	29.69		132.20	248.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:33:12	4378.28	13.267	185.62	29.67	132.18	33.34	0.05	185.59	29.69		132.20	248.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:33:14	4378.32	13.300	185.63	29.67	132.17	33.34	0.05	185.60	29.68		132.19	248.81
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:33:16	4378.35	13.333	185.64	29.66	132.16	33.34	0.05	185.61	29.68		132.18	248.82
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:33:18	4378.38	13.367	185.64	29.65	132.15	33.34	0.05	185.62	29.67		132.17	248.83
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:33:20	4378.42	13.400	185.65	29.64	132.15	33.34	0.05	185.63	29.66		132.17	248.83
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:33:22	4378.45	13.433	185.66	29.64	132.14	33.34	0.05	185.63	29.65		132.16	248.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:33:24	4378.48	13.467	185.67	29.63	132.13	33.34	0.05	185.64	29.65		132.15	248.85
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:33:26	4378.52	13.500	185.67	29.62	132.12	33.34	0.05	185.65	29.64		132.14	248.86
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:33:28	4378.55	13.533	185.68	29.61	132.11	33.34	0.05	185.66	29.63		132.14	248.86
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:33:30	4378.58	13.567	185.69	29.60	132.11	33.34	0.05	185.66	29.62		132.13	248.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:33:32	4378.62	13.600	185.70	29.60	132.10	33.34	0.05	185.67	29.61		132.12	248.88
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:33:34	4378.65	13.633	185.70	29.60	132.10	33.34	0.05	185.67	29.61		132.12	248.88
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:33:36	4378.68	13.667	185.72	29.58	132.08	33.34	0.05	185.69	29.60		132.10	248.90
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:33:38	4378.72	13.700	185.71	29.58	132.08	33.34	0.05	185.69	29.60		132.10	248.90
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:33:40	4378.75	13.733	185.72	29.57	132.07	33.34	0.05	185.70	29.59		132.10	248.90
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:33:42	4378.78	13.767	185.73	29.57	132.07	33.34	0.05	185.70	29.58		132.09	248.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:33:44	4378.82	13.800	185.74	29.55	132.06	33.34	0.05	185.71	29.57		132.08	248.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:33:46	4378.85	13.833	185.75	29.55	132.05	33.34	0.05	185.72	29.57		132.07	248.93
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:33:48	4378.88	13.867	185.75	29.54	132.04	33.34	0.05	185.73	29.56		132.06	248.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:33:50	4378.92	13.900	185.76	29.53	132.03	33.34	0.05	185.74	29.55		132.06	248.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:33:52	4378.95	13.933	185.77	29.52	132.03	33.34	0.05	185.75	29.54		132.05	248.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:33:54	4378.98	13.967	185.77	29.52	132.03	33.34	0.05	185.75	29.54		132.05	248.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:33:56	4379.02	14.000	185.78	29.51	132.01	33.34	0.05	185.76	29.53		132.03	248.97
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:33:58	4379.05	14.033	185.78	29.51	132.01	33.34	0.05	185.76	29.53		132.03	248.97
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:34:00	4379.08	14.067	185.79	29.50	132.00	33.34	0.05	185.77	29.52		132.03	248.97
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:34:02	4379.12	14.100	185.80	29.49	131.99	33.34	0.05	185.78	29.51		132.02	248.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:34:04	4379.15	14.133	185.81	29.49	131.99	33.34	0.05	185.78	29.51		132.01	248.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:34:06	4379.18	14.167	185.82	29.48	131.98	33.34	0.05	185.79	29.49		132.00	249.00
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:34:08	4379.22	14.200	185.82	29.47	131.97	33.34	0.05	185.80	29.49		132.00	249.00
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:34:10	4379.25	14.233	185.83	29.46	131.96	33.34	0.05	185.81	29.48		131.99	249.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:34:12	4379.28	14.267	185.84	29.46	131.96	33.34	0.05	185.81	29.47		131.98	249.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:34:14	4379.32	14.300	185.85	29.45	131.95	33.34	0.05	185.82	29.47		131.97	249.03
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:34:16	4379.35	14.333	185.85	29.44	131.94	33.34	0.05	185.83	29.46		131.96	249.04
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:34:18	4379.38	14.367	185.86	29.44	131.94	33.34	0.05	185.83	29.46		131.96	249.04
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:34:20	4379.42	14.400	185.86	29.43	131.93	33.34	0.05	185.84	29.45		131.96	249.04
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:34:22	4379.45	14.433	185.87	29.42	131.93	33.34	0.05	185.84	29.44		131.95	249.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:34:24	4379.48	14.467	185.88	29.42	131.92	33.34	0.05	185.85	29.44		131.94	249.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:34:26	4379.52	14.500	185.89	29.41	131.91	33.34	0.05	185.86	29.42		131.93	249.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:34:28	4379.55	14.533	185.89	29.40	131.90	33.34	0.05	185.87	29.42		131.92	249.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:34:30	4379.58	14.567	185.90	29.39	131.90	33.34	0.05	185.88	29.41		131.92	249.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:34:32	4379.62	14.600	185.91	29.39	131.89	33.34	0.05	185.88	29.40		131.91	249.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:34:34	4379.65	14.633	185.91	29.39	131.89	33.34	0.05	185.88	29.40		131.91	249.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:34:36	4379.68	14.667	185.92	29.38	131.88	33.34	0.05	185.89	29.40		131.90	249.10
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:34:38	4379.72	14.700	185.93	29.36	131.86	33.34	0.05	185.91	29.38		131.88	249.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:34:40	4379.75	14.733	185.93	29.36	131.86	33.34	0.05	185.91	29.38		131.88	249.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:34:42	4379.78	14.767	185.94	29.35	131.85	33.34	0.05	185.92	29.37		131.88	249.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:34:44	4379.82	14.800	185.94	29.35	131.85	33.34	0.05	185.92	29.37		131.88	249.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:34:46	4379.85	14.833	185.95	29.34	131.85	33.34	0.05	185.92	29.36		131.87	249.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:34:48	4379.88	14.867	185.96	29.34	131.84	33.34	0.05	185.93	29.35		131.86	249.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:34:50	4379.92	14.900	185.96	29.33	131.83	33.34	0.05	185.94	29.35		131.86	249.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:34:52	4379.95	14.933	185.97	29.32	131.82	33.34	0.05	185.95	29.34		131.85	249.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:34:54	4379.98	14.967	185.98	29.32	131.82	33.34	0.05	185.95	29.33		131.84	249.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:34:56	4380.02	15.000	185.99	29.31	131.81	33.34	0.05	185.96	29.32		131.83	249.17
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:34:58	4380.05	15.033	185.99	29.30	131.80	33.34	0.05	185.97	29.32		131.82	249.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:35:00	4380.08	15.067	186.00	29.29	131.79	33.35	0.05	185.98	29.31		131.82	249.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:35:02	4380.12	15.100	186.00	29.29	131.79	33.35	0.05	185.97	29.31		131.82	249.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:35:04	4380.15	15.133	186.01	29.28	131.78	33.35	0.05	185.98	29.30		131.81	249.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:35:06	4380.18	15.167	186.02	29.28	131.78	33.35	0.05	185.99	29.30		131.80	249.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:35:08	4380.22	15.200	186.03	29.27	131.77	33.35	0.05	186.00	29.29		131.79	249.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:35:10	4380.25	15.233	186.02	29.27	131.77	33.35	0.05	186.00	29.29		131.80	249.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:35:12	4380.28	15.267	186.04	29.25	131.76	33.35	0.05	186.01	29.27		131.78	249.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:35:14	4380.32	15.300	186.05	29.25	131.75	33.35	0.05	186.02	29.26		131.77	249.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:35:16	4380.35	15.333	186.05	29.24	131.75	33.35	0.05	186.02	29.26		131.77	249.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:35:18	4380.38	15.367	186.06	29.24	131.74	33.35	0.05	186.03	29.26		131.76	249.24
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:35:20	4380.42	15.400	186.06	29.23	131.73	33.35	0.05	186.04	29.25		131.76	249.24
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:35:22	4380.45	15.433	186.06	29.23	131.73	33.35	0.05	186.04	29.25		131.76	249.24
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:35:24	4380.48	15.467	186.07	29.22	131.72	33.35	0.05	186.04	29.24		131.75	249.25
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:35:26	4380.52	15.500	186.09	29.21	131.71	33.35	0.05	186.06	29.23		131.73	249.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:35:28	4380.55	15.533	186.10	29.20	131.70	33.35	0.05	186.07	29.22		131.72	249.28
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:35:30	4380.58	15.567	186.10	29.20	131.70	33.35	0.05	186.07	29.22		131.72	249.28
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:35:32	4380.62	15.600	186.11	29.19	131.69	33.35	0.05	186.08	29.21		131.71	249.29
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:35:34	4380.65	15.633	186.10	29.19	131.69	33.35	0.05	186.08	29.21		131.72	249.28
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:35:36	4380.68	15.667	186.12	29.18	131.68	33.35	0.05	186.09	29.19		131.70	249.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:35:38	4380.72	15.700	186.13	29.17	131.67	33.35	0.05	186.10	29.19		131.69	249.31
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:35:40	4380.75	15.733	186.13	29.17	131.67	33.35	0.05	186.10	29.19		131.69	249.31
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:35:42	4380.78	15.767	186.13	29.16	131.66	33.35	0.05	186.11	29.18		131.69	249.31
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:35:44	4380.82	15.800	186.14	29.15	131.65	33.35	0.05	186.11	29.17		131.68	249.32

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:35:46	4380.85	15.833	186.15	29.14	131.65	33.35	0.05	186.12	29.16		131.67	249.33
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:35:48	4380.88	15.867	186.15	29.14	131.65	33.35	0.05	186.12	29.16		131.67	249.33
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:35:50	4380.92	15.900	186.16	29.14	131.64	33.35	0.05	186.13	29.16		131.66	249.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:35:52	4380.95	15.933	186.17	29.13	131.63	33.35	0.05	186.14	29.15		131.65	249.35
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:35:54	4380.98	15.967	186.17	29.13	131.63	33.35	0.05	186.14	29.15		131.65	249.35
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:35:56	4381.02	16.000	186.17	29.12	131.62	33.35	0.05	186.15	29.14		131.65	249.35
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:35:58	4381.05	16.033	186.18	29.11	131.62	33.35	0.05	186.15	29.13		131.64	249.36
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:36:00	4381.08	16.067	186.19	29.11	131.61	33.35	0.05	186.16	29.12		131.63	249.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:36:02	4381.12	16.100	186.20	29.10	131.60	33.35	0.05	186.17	29.12		131.62	249.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:36:04	4381.15	16.133	186.20	29.09	131.59	33.35	0.05	186.18	29.11		131.62	249.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:36:06	4381.18	16.167	186.21	29.08	131.58	33.35	0.05	186.18	29.10		131.61	249.39
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:36:08	4381.22	16.200	186.21	29.08	131.58	33.35	0.05	186.18	29.10		131.61	249.39
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:36:10	4381.25	16.233	186.22	29.07	131.58	33.35	0.05	186.19	29.09		131.60	249.40
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:36:12	4381.28	16.267	186.23	29.07	131.57	33.35	0.05	186.20	29.09		131.59	249.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:36:14	4381.32	16.300	186.24	29.06	131.56	33.35	0.05	186.21	29.08		131.58	249.42
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:36:16	4381.35	16.333	186.24	29.06	131.56	33.35	0.05	186.21	29.08		131.58	249.42
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:36:18	4381.38	16.367	186.24	29.05	131.55	33.35	0.05	186.22	29.07		131.58	249.42
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:36:20	4381.42	16.400	186.25	29.04	131.55	33.35	0.05	186.22	29.06		131.57	249.43
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:36:22	4381.45	16.433	186.25	29.04	131.55	33.35	0.05	186.22	29.06		131.57	249.43
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:36:24	4381.48	16.467	186.27	29.03	131.53	33.35	0.05	186.24	29.05		131.55	249.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:36:26	4381.52	16.500	186.27	29.02	131.52	33.35	0.05	186.25	29.04		131.55	249.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:36:28	4381.55	16.533	186.27	29.02	131.52	33.35	0.05	186.25	29.04		131.55	249.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:36:30	4381.58	16.567	186.28	29.01	131.51	33.35	0.05	186.26	29.03		131.54	249.46
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:36:32	4381.62	16.600	186.29	29.00	131.51	33.35	0.05	186.26	29.02		131.53	249.47
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:36:34	4381.65	16.633	186.29	29.00	131.51	33.35	0.05	186.26	29.02		131.53	249.47
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:36:36	4381.68	16.667	186.30	29.00	131.50	33.35	0.05	186.27	29.02		131.52	249.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:36:38	4381.72	16.700	186.31	28.99	131.49	33.35	0.05	186.28	29.01		131.51	249.49
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:36:40	4381.75	16.733	186.31	28.99	131.49	33.35	0.05	186.28	29.01		131.51	249.49
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:36:42	4381.78	16.767	186.31	28.98	131.48	33.35	0.05	186.29	29.00		131.51	249.49
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:36:44	4381.82	16.800	186.32	28.97	131.47	33.35	0.05	186.29	28.99		131.50	249.50
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:36:46	4381.85	16.833	186.33	28.97	131.47	33.35	0.05	186.30	28.98		131.49	249.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:36:48	4381.88	16.867	186.34	28.96	131.46	33.35	0.05	186.31	28.98		131.48	249.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:36:50	4381.92	16.900	186.34	28.95	131.45	33.35	0.05	186.32	28.97		131.48	249.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:36:52	4381.95	16.933	186.34	28.95	131.45	33.35	0.05	186.32	28.97		131.48	249.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:36:54	4381.98	16.967	186.35	28.94	131.44	33.35	0.05	186.33	28.96		131.47	249.53
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:36:56	4382.02	17.000	186.36	28.93	131.44	33.35	0.05	186.33	28.95		131.46	249.54
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:36:58	4382.05	17.033	186.37	28.93	131.43	33.35	0.05	186.34	28.95		131.45	249.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:37:00	4382.08	17.067	186.37	28.93	131.43	33.35	0.05	186.34	28.95		131.45	249.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:37:02	4382.12	17.100	186.38	28.92	131.42	33.35	0.05	186.35	28.94		131.44	249.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:37:04	4382.15	17.133	186.38	28.91	131.41	33.35	0.05	186.36	28.93		131.44	249.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:37:06	4382.18	17.167	186.39	28.90	131.40	33.35	0.05	186.36	28.92		131.43	249.57
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:37:08	4382.22	17.200	186.39	28.90	131.40	33.35	0.05	186.36	28.92		131.43	249.57
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:37:10	4382.25	17.233	186.40	28.90	131.40	33.35	0.05	186.37	28.91		131.42	249.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:37:12	4382.28	17.267	186.41	28.89	131.39	33.35	0.05	186.38	28.91		131.41	249.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:37:14	4382.32	17.300	186.41	28.88	131.38	33.35	0.05	186.39	28.90		131.41	249.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:37:16	4382.35	17.333	186.41	28.88	131.38	33.35	0.05	186.39	28.90		131.41	249.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:37:18	4382.38	17.367	186.42	28.87	131.37	33.35	0.05	186.40	28.89		131.40	249.60
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:37:20	4382.42	17.400	186.43	28.86	131.37	33.35	0.05	186.40	28.88		131.39	249.61
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:37:22	4382.45	17.433	186.43	28.86	131.37	33.35	0.05	186.40	28.88		131.39	249.61
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:37:24	4382.48	17.467	186.44	28.86	131.36	33.35	0.05	186.41	28.88		131.38	249.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:37:26	4382.52	17.500	186.45	28.85	131.35	33.35	0.05	186.42	28.87		131.37	249.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:37:28	4382.55	17.533	186.45	28.84	131.34	33.35	0.05	186.43	28.86		131.37	249.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:37:30	4382.58	17.567	186.46	28.83	131.33	33.35	0.05	186.43	28.85		131.36	249.64
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:37:32	4382.62	17.600	186.46	28.83	131.33	33.35	0.05	186.43	28.85		131.36	249.64
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:37:34	4382.65	17.633	186.47	28.82	131.33	33.35	0.05	186.44	28.84		131.35	249.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:37:36	4382.68	17.667	186.47	28.82	131.33	33.35	0.05	186.44	28.84		131.35	249.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:37:38	4382.72	17.700	186.48	28.82	131.32	33.35	0.05	186.45	28.84		131.34	249.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:37:40	4382.75	17.733	186.48	28.81	131.31	33.35	0.05	186.46	28.83		131.34	249.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:37:42	4382.78	17.767	186.49	28.80	131.30	33.35	0.05	186.47	28.82		131.33	249.67
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:37:44	4382.82	17.800	186.50	28.79	131.30	33.35	0.05	186.47	28.81		131.32	249.68
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:37:46	4382.85	17.833	186.50	28.79	131.30	33.35	0.05	186.47	28.81		131.32	249.68
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:37:48	4382.88	17.867	186.51	28.79	131.29	33.35	0.05	186.48	28.80		131.31	249.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:37:50	4382.92	17.900	186.52	28.78	131.28	33.35	0.05	186.49	28.80		131.30	249.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:37:52	4382.95	17.933	186.52	28.77	131.27	33.35	0.05	186.50	28.79		131.30	249.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:37:54	4382.98	17.967	186.52	28.77	131.27	33.35	0.05	186.50	28.79		131.30	249.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:37:56	4383.02	18.000	186.53	28.76	131.26	33.35	0.05	186.50	28.78		131.29	249.71
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:37:58	4383.05	18.033	186.53	28.76	131.26	33.35	0.05	186.50	28.78		131.29	249.71
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:38:00	4383.08	18.067	186.54	28.75	131.26	33.35	0.05	186.51	28.77		131.28	249.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:38:02	4383.12	18.100	186.55	28.75	131.25	33.35	0.05	186.52	28.77		131.27	249.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:38:04	4383.15	18.133	186.55	28.74	131.24	33.35	0.05	186.53	28.76		131.27	249.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:38:06	4383.18	18.167	186.56	28.73	131.23	33.35	0.05	186.54	28.75		131.26	249.74
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:38:08	4383.22	18.200	186.56	28.73	131.23	33.35	0.05	186.54	28.75		131.26	249.74
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:38:10	4383.25	18.233	186.57	28.72	131.23	33.35	0.05	186.54	28.74		131.25	249.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:38:12	4383.28	18.267	186.57	28.72	131.23	33.35	0.05	186.54	28.74		131.25	249.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:38:14	4383.32	18.300	186.58	28.72	131.22	33.35	0.05	186.55	28.73		131.24	249.76
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:38:16	4383.35	18.333	186.59	28.71	131.21	33.35	0.05	186.56	28.73		131.23	249.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:38:18	4383.38	18.367	186.59	28.71	131.21	33.35	0.05	186.56	28.73		131.23	249.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:38:20	4383.42	18.400	186.59	28.70	131.20	33.35	0.05	186.57	28.72		131.23	249.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:38:22	4383.45	18.433	186.59	28.70	131.20	33.35	0.05	186.57	28.72		131.23	249.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:38:24	4383.48	18.467	186.60	28.69	131.19	33.35	0.05	186.57	28.71		131.22	249.78
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:38:26	4383.52	18.500	186.61	28.68	131.19	33.35	0.05	186.58	28.70		131.21	249.79
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:38:28	4383.55	18.533	186.62	28.68	131.18	33.35	0.05	186.59	28.70		131.20	249.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:38:30	4383.58	18.567	186.62	28.68	131.18	33.35	0.05	186.59	28.70		131.20	249.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:38:32	4383.62	18.600	186.62	28.67	131.17	33.35	0.05	186.60	28.69		131.20	249.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:38:34	4383.65	18.633	186.63	28.66	131.16	33.35	0.05	186.61	28.68		131.19	249.81
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:38:36	4383.68	18.667	186.64	28.65	131.16	33.35	0.05	186.61	28.67		131.18	249.82
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:38:38	4383.72	18.700	186.64	28.65	131.16	33.35	0.05	186.61	28.67		131.18	249.82
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:38:40	4383.75	18.733	186.65	28.65	131.15	33.35	0.05	186.62	28.66		131.17	249.83
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:38:42	4383.78	18.767	186.66	28.64	131.14	33.35	0.05	186.63	28.66		131.16	249.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:38:44	4383.82	18.800	186.66	28.64	131.14	33.35	0.05	186.63	28.66		131.16	249.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:38:46	4383.85	18.833	186.66	28.63	131.13	33.35	0.05	186.64	28.65		131.16	249.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:38:48	4383.88	18.867	186.67	28.62	131.12	33.35	0.05	186.64	28.64		131.15	249.85
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:38:50	4383.92	18.900	186.68	28.61	131.12	33.35	0.05	186.65	28.63		131.14	249.86
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:38:52	4383.95	18.933	186.68	28.61	131.12	33.35	0.05	186.65	28.63		131.14	249.86
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:38:54	4383.98	18.967	186.69	28.61	131.11	33.35	0.05	186.66	28.63		131.13	249.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:38:56	4384.02	19.000	186.70	28.60	131.10	33.35	0.05	186.67	28.62		131.12	249.88
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:38:58	4384.05	19.033	186.70	28.59	131.09	33.35	0.05	186.68	28.61		131.12	249.88

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:39:00	4384.08	19.067	186.70	28.59	131.09	33.35	0.05	186.68	28.61		131.12	249.88
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:39:02	4384.12	19.100	186.71	28.58	131.09	33.35	0.05	186.68	28.60		131.11	249.89
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:39:04	4384.15	19.133	186.71	28.58	131.09	33.35	0.05	186.68	28.60		131.11	249.89
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:39:06	4384.18	19.167	186.72	28.58	131.08	33.35	0.05	186.69	28.59		131.10	249.90
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:39:08	4384.22	19.200	186.73	28.57	131.07	33.35	0.05	186.70	28.59		131.09	249.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:39:10	4384.25	19.233	186.73	28.57	131.07	33.35	0.05	186.70	28.59		131.09	249.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:39:12	4384.28	19.267	186.73	28.56	131.06	33.35	0.05	186.71	28.58		131.09	249.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:39:14	4384.32	19.300	186.74	28.55	131.05	33.35	0.05	186.71	28.57		131.08	249.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:39:16	4384.35	19.333	186.74	28.55	131.05	33.35	0.05	186.71	28.57		131.08	249.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:39:18	4384.38	19.367	186.75	28.54	131.05	33.35	0.05	186.72	28.56		131.07	249.93
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:39:20	4384.42	19.400	186.76	28.54	131.04	33.35	0.05	186.73	28.56		131.06	249.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:39:22	4384.45	19.433	186.76	28.54	131.04	33.35	0.05	186.73	28.56		131.06	249.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:39:24	4384.48	19.467	186.77	28.53	131.03	33.35	0.05	186.74	28.55		131.05	249.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:39:26	4384.52	19.500	186.77	28.52	131.02	33.35	0.05	186.75	28.54		131.05	249.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:39:28	4384.55	19.533	186.77	28.52	131.02	33.35	0.05	186.75	28.54		131.05	249.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:39:30	4384.58	19.567	186.78	28.51	131.02	33.35	0.05	186.75	28.53		131.04	249.96
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:39:32	4384.62	19.600	186.78	28.51	131.02	33.35	0.05	186.75	28.53		131.04	249.96
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:39:34	4384.65	19.633	186.79	28.51	131.01	33.35	0.05	186.76	28.52		131.03	249.97
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:39:36	4384.68	19.667	186.80	28.50	131.00	33.35	0.05	186.77	28.52		131.02	249.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:39:38	4384.72	19.700	186.80	28.49	130.99	33.35	0.05	186.78	28.51		131.02	249.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:39:40	4384.75	19.733	186.80	28.49	130.99	33.35	0.05	186.78	28.51		131.02	249.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:39:42	4384.78	19.767	186.81	28.48	130.98	33.35	0.05	186.78	28.50		131.01	249.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:39:44	4384.82	19.800	186.82	28.47	130.98	33.35	0.05	186.79	28.49		131.00	250.00
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:39:46	4384.85	19.833	186.83	28.47	130.97	33.35	0.05	186.80	28.49		130.99	250.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:39:48	4384.88	19.867	186.83	28.47	130.97	33.35	0.05	186.80	28.49		130.99	250.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:39:50	4384.92	19.900	186.83	28.47	130.97	33.35	0.05	186.80	28.49		130.99	250.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:39:52	4384.95	19.933	186.84	28.46	130.96	33.35	0.05	186.81	28.48		130.98	250.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:39:54	4384.98	19.967	186.84	28.45	130.95	33.35	0.05	186.82	28.47		130.98	250.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:39:56	4385.02	20.000	186.85	28.44	130.95	33.35	0.05	186.82	28.46		130.97	250.03
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:39:58	4385.05	20.033	186.86	28.44	130.94	33.35	0.05	186.83	28.45		130.96	250.04
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:40:00	4385.08	20.067	186.86	28.44	130.94	33.35	0.05	186.83	28.45		130.96	250.04
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:40:02	4385.12	20.100	186.86	28.44	130.94	33.35	0.05	186.83	28.45		130.96	250.04
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:40:04	4385.15	20.133	186.87	28.43	130.93	33.35	0.05	186.84	28.45		130.95	250.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:40:06	4385.18	20.167	186.87	28.42	130.92	33.35	0.05	186.85	28.44		130.94	250.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:40:08	4385.22	20.200	186.87	28.42	130.92	33.35	0.05	186.85	28.44		130.94	250.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:40:10	4385.25	20.233	186.89	28.40	130.91	33.35	0.05	186.86	28.42		130.93	250.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:40:12	4385.28	20.267	186.89	28.40	130.91	33.35	0.05	186.86	28.42		130.93	250.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:40:14	4385.32	20.300	186.89	28.40	130.91	33.35	0.05	186.86	28.42		130.93	250.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:40:16	4385.35	20.333	186.90	28.40	130.90	33.35	0.05	186.87	28.42		130.92	250.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:40:18	4385.38	20.367	186.91	28.39	130.89	33.35	0.05	186.88	28.41		130.91	250.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:40:20	4385.42	20.400	186.91	28.39	130.89	33.35	0.05	186.88	28.41		130.91	250.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:40:22	4385.45	20.433	186.91	28.38	130.88	33.35	0.05	186.89	28.40		130.91	250.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:40:24	4385.48	20.467	186.91	28.38	130.88	33.35	0.05	186.89	28.40		130.91	250.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:40:26	4385.52	20.500	186.92	28.37	130.87	33.35	0.05	186.90	28.39		130.90	250.10
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:40:28	4385.55	20.533	186.93	28.37	130.87	33.35	0.05	186.90	28.38		130.89	250.11
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:40:30	4385.58	20.567	186.93	28.37	130.87	33.35	0.05	186.90	28.38		130.89	250.11
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:40:32	4385.62	20.600	186.94	28.36	130.86	33.35	0.05	186.91	28.38		130.88	250.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:40:34	4385.65	20.633	186.94	28.35	130.85	33.35	0.05	186.92	28.37		130.87	250.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:40:36	4385.68	20.667	186.94	28.35	130.85	33.35	0.05	186.92	28.37		130.87	250.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:40:38	4385.72	20.700	186.95	28.34	130.84	33.35	0.05	186.93	28.36		130.87	250.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:40:40	4385.75	20.733	186.96	28.33	130.84	33.35	0.05	186.93	28.35		130.86	250.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:40:42	4385.78	20.767	186.97	28.33	130.83	33.35	0.05	186.94	28.35		130.85	250.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:40:44	4385.82	20.800	186.96	28.33	130.84	33.35	0.05	186.93	28.35		130.86	250.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:40:46	4385.85	20.833	186.98	28.32	130.82	33.35	0.05	186.95	28.34		130.84	250.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:40:48	4385.88	20.867	186.98	28.32	130.82	33.35	0.05	186.95	28.33		130.84	250.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:40:50	4385.92	20.900	186.98	28.31	130.81	33.35	0.05	186.96	28.33		130.84	250.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:40:52	4385.95	20.933	186.98	28.31	130.81	33.35	0.05	186.96	28.33		130.84	250.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:40:54	4385.98	20.967	186.99	28.30	130.80	33.35	0.05	186.97	28.32		130.83	250.17
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:40:56	4386.02	21.000	187.00	28.30	130.80	33.35	0.05	186.97	28.31		130.82	250.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:40:58	4386.05	21.033	187.01	28.28	130.79	33.35	0.05	186.98	28.30		130.81	250.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:41:00	4386.08	21.067	187.02	28.28	130.78	33.35	0.05	186.99	28.30		130.80	250.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:41:02	4386.12	21.100	187.02	28.28	130.78	33.35	0.05	186.99	28.30		130.80	250.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:41:04	4386.15	21.133	187.02	28.28	130.78	33.35	0.05	186.99	28.30		130.80	250.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:41:06	4386.18	21.167	187.02	28.27	130.77	33.35	0.05	187.00	28.29		130.79	250.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:41:08	4386.22	21.200	187.02	28.27	130.77	33.35	0.05	187.00	28.29		130.80	250.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:41:10	4386.25	21.233	187.03	28.26	130.77	33.35	0.05	187.00	28.28		130.79	250.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:41:12	4386.28	21.267	187.04	28.26	130.76	33.35	0.05	187.01	28.28		130.78	250.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:41:14	4386.32	21.300	187.04	28.25	130.76	33.35	0.05	187.01	28.27		130.78	250.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:41:16	4386.35	21.333	187.05	28.25	130.75	33.35	0.05	187.02	28.27		130.77	250.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:41:18	4386.38	21.367	187.06	28.24	130.74	33.35	0.05	187.03	28.26		130.76	250.24
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:41:20	4386.42	21.400	187.05	28.24	130.74	33.35	0.05	187.03	28.26		130.77	250.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:41:22	4386.45	21.433	187.06	28.24	130.74	33.35	0.05	187.03	28.26		130.76	250.24
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:41:24	4386.48	21.467	187.07	28.22	130.72	33.35	0.05	187.05	28.24		130.75	250.25
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:41:26	4386.52	21.500	187.07	28.22	130.72	33.35	0.05	187.05	28.24		130.75	250.25
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:41:28	4386.55	21.533	187.08	28.22	130.72	33.35	0.05	187.05	28.24		130.74	250.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:41:30	4386.58	21.567	187.08	28.22	130.72	33.35	0.05	187.05	28.24		130.74	250.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:41:32	4386.62	21.600	187.08	28.21	130.71	33.35	0.05	187.06	28.23		130.73	250.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:41:34	4386.65	21.633	187.08	28.21	130.71	33.35	0.05	187.06	28.23		130.73	250.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:41:36	4386.68	21.667	187.09	28.20	130.70	33.35	0.05	187.07	28.22		130.73	250.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:41:38	4386.72	21.700	187.09	28.20	130.70	33.35	0.05	187.07	28.22		130.73	250.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:41:40	4386.75	21.733	187.10	28.19	130.70	33.35	0.05	187.07	28.21		130.72	250.28
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:41:42	4386.78	21.767	187.11	28.19	130.69	33.35	0.05	187.08	28.20		130.71	250.29
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:41:44	4386.82	21.800	187.11	28.19	130.69	33.35	0.05	187.08	28.20		130.71	250.29
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:41:46	4386.85	21.833	187.12	28.18	130.68	33.35	0.05	187.09	28.20		130.70	250.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:41:48	4386.88	21.867	187.12	28.17	130.67	33.35	0.05	187.10	28.19		130.70	250.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:41:50	4386.92	21.900	187.12	28.17	130.67	33.35	0.05	187.10	28.19		130.70	250.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:41:52	4386.95	21.933	187.13	28.16	130.66	33.35	0.05	187.11	28.18		130.69	250.31
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:41:54	4386.98	21.967	187.13	28.16	130.66	33.35	0.05	187.11	28.18		130.69	250.31
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:41:56	4387.02	22.000	187.14	28.15	130.66	33.35	0.05	187.11	28.17		130.68	250.32
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:41:58	4387.05	22.033	187.14	28.15	130.66	33.35	0.05	187.11	28.17		130.68	250.32
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:42:00	4387.08	22.067	187.15	28.14	130.65	33.35	0.05	187.12	28.16		130.67	250.33
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:42:02	4387.12	22.100	187.15	28.14	130.64	33.35	0.05	187.13	28.16		130.66	250.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:42:04	4387.15	22.133	187.15	28.14	130.64	33.35	0.05	187.13	28.16		130.66	250.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:42:06	4387.18	22.167	187.17	28.13	130.63	33.35	0.05	187.14	28.15		130.65	250.35
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:42:08	4387.22	22.200	187.16	28.13	130.63	33.35	0.05	187.14	28.15		130.66	250.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:42:10	4387.25	22.233	187.16	28.13	130.63	33.35	0.05	187.14	28.15		130.66	250.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:42:12	4387.28	22.267	187.17	28.12	130.63	33.35	0.05	187.14	28.14		130.65	250.35

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:42:14	4387.32	22.300	187.18	28.12	130.62	33.35	0.05	187.15	28.13		130.64	250.36
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:42:16	4387.35	22.333	187.18	28.12	130.62	33.35	0.05	187.15	28.13		130.64	250.36
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:42:18	4387.38	22.367	187.19	28.11	130.61	33.35	0.05	187.16	28.13		130.63	250.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:42:20	4387.42	22.400	187.19	28.10	130.60	33.35	0.05	187.17	28.12		130.63	250.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:42:22	4387.45	22.433	187.19	28.10	130.60	33.35	0.05	187.17	28.12		130.63	250.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:42:24	4387.48	22.467	187.20	28.09	130.59	33.35	0.05	187.18	28.11		130.62	250.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:42:26	4387.52	22.500	187.20	28.09	130.59	33.35	0.05	187.18	28.11		130.62	250.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:42:28	4387.55	22.533	187.21	28.08	130.59	33.35	0.05	187.18	28.10		130.61	250.39
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:42:30	4387.58	22.567	187.22	28.08	130.58	33.35	0.05	187.19	28.10		130.60	250.40
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:42:32	4387.62	22.600	187.22	28.08	130.58	33.35	0.05	187.19	28.10		130.60	250.40
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:42:34	4387.65	22.633	187.22	28.07	130.57	33.35	0.05	187.20	28.09		130.59	250.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:42:36	4387.68	22.667	187.22	28.07	130.57	33.35	0.05	187.20	28.09		130.59	250.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:42:38	4387.72	22.700	187.23	28.06	130.56	33.35	0.05	187.21	28.08		130.59	250.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:42:40	4387.75	22.733	187.23	28.06	130.56	33.35	0.05	187.21	28.08		130.59	250.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:42:42	4387.78	22.767	187.24	28.05	130.56	33.35	0.05	187.21	28.07		130.58	250.42
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:42:44	4387.82	22.800	187.24	28.05	130.56	33.35	0.05	187.21	28.07		130.58	250.42
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:42:46	4387.85	22.833	187.25	28.05	130.55	33.35	0.05	187.22	28.06		130.57	250.43
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:42:48	4387.88	22.867	187.26	28.04	130.54	33.35	0.05	187.23	28.06		130.56	250.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:42:50	4387.92	22.900	187.26	28.04	130.54	33.35	0.05	187.23	28.06		130.56	250.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:42:52	4387.95	22.933	187.26	28.04	130.54	33.35	0.05	187.23	28.06		130.56	250.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:42:54	4387.98	22.967	187.26	28.03	130.53	33.35	0.05	187.24	28.05		130.56	250.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:42:56	4388.02	23.000	187.27	28.02	130.52	33.35	0.05	187.25	28.04		130.55	250.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:42:58	4388.05	23.033	187.27	28.02	130.52	33.35	0.05	187.25	28.04		130.55	250.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:43:00	4388.08	23.067	187.28	28.01	130.52	33.35	0.05	187.25	28.03		130.54	250.46
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:43:02	4388.12	23.100	187.29	28.01	130.51	33.35	0.05	187.26	28.03		130.53	250.47
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:43:04	4388.15	23.133	187.29	28.01	130.51	33.35	0.05	187.26	28.03		130.53	250.47
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:43:06	4388.18	23.167	187.30	28.00	130.50	33.35	0.05	187.27	28.02		130.52	250.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:43:08	4388.22	23.200	187.30	28.00	130.50	33.35	0.05	187.27	28.02		130.52	250.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:43:10	4388.25	23.233	187.30	27.99	130.49	33.35	0.05	187.28	28.01		130.52	250.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:43:12	4388.28	23.267	187.31	27.98	130.49	33.35	0.05	187.28	28.00		130.51	250.49
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:43:14	4388.32	23.300	187.31	27.98	130.49	33.35	0.05	187.28	28.00		130.51	250.49
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:43:16	4388.35	23.333	187.32	27.98	130.48	33.35	0.05	187.29	27.99		130.50	250.50
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:43:18	4388.38	23.367	187.32	27.98	130.48	33.35	0.05	187.29	27.99		130.50	250.50
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:43:20	4388.42	23.400	187.32	27.98	130.48	33.35	0.05	187.29	27.99		130.50	250.50
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:43:22	4388.45	23.433	187.33	27.97	130.47	33.35	0.05	187.30	27.99		130.49	250.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:43:24	4388.48	23.467	187.33	27.96	130.46	33.35	0.05	187.31	27.98		130.48	250.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:43:26	4388.52	23.500	187.33	27.96	130.46	33.35	0.05	187.31	27.98		130.48	250.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:43:28	4388.55	23.533	187.34	27.95	130.45	33.35	0.05	187.32	27.97		130.48	250.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:43:30	4388.58	23.567	187.35	27.94	130.44	33.35	0.05	187.33	27.96		130.47	250.53
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:43:32	4388.62	23.600	187.35	27.94	130.45	33.35	0.05	187.32	27.96		130.47	250.53
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:43:34	4388.65	23.633	187.35	27.94	130.45	33.35	0.05	187.32	27.96		130.47	250.53
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:43:36	4388.68	23.667	187.36	27.94	130.44	33.35	0.05	187.33	27.96		130.46	250.54
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:43:38	4388.72	23.700	187.36	27.94	130.44	33.35	0.05	187.33	27.96		130.46	250.54
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:43:40	4388.75	23.733	187.37	27.93	130.43	33.35	0.05	187.34	27.95		130.45	250.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:43:42	4388.78	23.767	187.37	27.93	130.43	33.35	0.05	187.34	27.95		130.45	250.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:43:44	4388.82	23.800	187.38	27.91	130.42	33.35	0.05	187.35	27.93		130.44	250.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:43:46	4388.85	23.833	187.38	27.91	130.42	33.35	0.05	187.35	27.93		130.44	250.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:43:48	4388.88	23.867	187.38	27.91	130.42	33.35	0.05	187.35	27.93		130.44	250.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:43:50	4388.92	23.900	187.39	27.91	130.41	33.35	0.05	187.36	27.92		130.43	250.57
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:43:52	4388.95	23.933	187.40	27.90	130.40	33.35	0.05	187.37	27.91		130.42	250.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:43:54	4388.98	23.967	187.40	27.90	130.40	33.35	0.05	187.37	27.92		130.42	250.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:43:56	4389.02	24.000	187.40	27.90	130.40	33.35	0.05	187.37	27.92		130.42	250.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:43:58	4389.05	24.033	187.40	27.89	130.39	33.35	0.05	187.38	27.91		130.41	250.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:44:00	4389.08	24.067	187.41	27.88	130.38	33.35	0.05	187.39	27.90		130.41	250.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:44:02	4389.12	24.100	187.41	27.88	130.38	33.35	0.05	187.39	27.90		130.41	250.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:44:04	4389.15	24.133	187.42	27.87	130.37	33.35	0.05	187.40	27.89		130.40	250.60
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:44:06	4389.18	24.167	187.42	27.87	130.38	33.35	0.05	187.39	27.89		130.40	250.60
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:44:08	4389.22	24.200	187.42	27.87	130.38	33.35	0.05	187.39	27.89		130.40	250.60
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:44:10	4389.25	24.233	187.43	27.87	130.37	33.35	0.05	187.40	27.89		130.39	250.61
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:44:12	4389.28	24.267	187.44	27.86	130.36	33.35	0.05	187.41	27.88		130.38	250.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:44:14	4389.32	24.300	187.44	27.86	130.36	33.35	0.05	187.41	27.88		130.38	250.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:44:16	4389.35	24.333	187.44	27.85	130.35	33.35	0.05	187.42	27.87		130.38	250.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:44:18	4389.38	24.367	187.44	27.85	130.35	33.35	0.05	187.42	27.87		130.38	250.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:44:20	4389.42	24.400	187.45	27.84	130.35	33.35	0.05	187.42	27.86		130.37	250.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:44:22	4389.45	24.433	187.46	27.84	130.34	33.35	0.05	187.43	27.85		130.36	250.64
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:44:24	4389.48	24.467	187.46	27.84	130.34	33.35	0.05	187.43	27.85		130.36	250.64
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:44:26	4389.52	24.500	187.47	27.83	130.33	33.35	0.05	187.44	27.85		130.35	250.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:44:28	4389.55	24.533	187.47	27.83	130.33	33.35	0.05	187.44	27.85		130.35	250.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:44:30	4389.58	24.567	187.47	27.82	130.32	33.35	0.05	187.45	27.84		130.34	250.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:44:32	4389.62	24.600	187.47	27.82	130.32	33.35	0.05	187.45	27.84		130.34	250.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:44:34	4389.65	24.633	187.48	27.81	130.31	33.35	0.05	187.46	27.83		130.34	250.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:44:36	4389.68	24.667	187.49	27.80	130.31	33.35	0.05	187.46	27.82		130.33	250.67
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:44:38	4389.72	24.700	187.49	27.80	130.31	33.35	0.05	187.46	27.82		130.33	250.67
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:44:40	4389.75	24.733	187.49	27.80	130.31	33.35	0.05	187.46	27.82		130.33	250.67
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:44:42	4389.78	24.767	187.50	27.80	130.30	33.35	0.05	187.47	27.82		130.32	250.68
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:44:44	4389.82	24.800	187.50	27.80	130.30	33.35	0.05	187.47	27.82		130.32	250.68
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:44:46	4389.85	24.833	187.51	27.79	130.29	33.35	0.05	187.48	27.81		130.31	250.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:44:48	4389.88	24.867	187.51	27.79	130.29	33.35	0.05	187.48	27.81		130.31	250.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:44:50	4389.92	24.900	187.51	27.78	130.28	33.35	0.05	187.49	27.80		130.31	250.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:44:52	4389.95	24.933	187.51	27.78	130.28	33.35	0.05	187.49	27.80		130.31	250.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:44:54	4389.98	24.967	187.52	27.77	130.27	33.35	0.05	187.50	27.79		130.30	250.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:44:56	4390.02	25.000	187.52	27.77	130.27	33.35	0.05	187.50	27.79		130.30	250.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:44:58	4390.05	25.033	187.53	27.77	130.27	33.35	0.05	187.50	27.78		130.29	250.71
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:45:00	4390.08	25.067	187.54	27.76	130.26	33.34	0.05	187.51	27.77		130.28	250.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:45:02	4390.12	25.100	187.54	27.76	130.26	33.34	0.05	187.51	27.77		130.28	250.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:45:04	4390.15	25.133	187.54	27.75	130.25	33.34	0.05	187.52	27.77		130.27	250.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:45:06	4390.18	25.167	187.54	27.75	130.25	33.34	0.05	187.52	27.77		130.27	250.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:45:08	4390.22	25.200	187.54	27.75	130.25	33.34	0.05	187.52	27.77		130.27	250.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:45:10	4390.25	25.233	187.55	27.74	130.24	33.34	0.05	187.53	27.76		130.27	250.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:45:12	4390.28	25.267	187.55	27.74	130.24	33.34	0.05	187.53	27.76		130.27	250.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:45:14	4390.32	25.300	187.56	27.73	130.24	33.34	0.05	187.54	27.75		130.26	250.74
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:45:16	4390.35	25.333	187.57	27.73	130.23	33.34	0.05	187.54	27.74		130.25	250.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:45:18	4390.38	25.367	187.57	27.73	130.23	33.34	0.05	187.54	27.74		130.25	250.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:45:20	4390.42	25.400	187.58	27.72	130.22	33.34	0.05	187.55	27.74		130.24	250.76
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:45:22	4390.45	25.433	187.58	27.72	130.22	33.34	0.05	187.55	27.74		130.24	250.76
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:45:24	4390.48	25.467	187.58	27.71	130.21	33.34	0.05	187.56	27.73		130.23	250.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:45:26	4390.52	25.500	187.59	27.71	130.21	33.34	0.05	187.56	27.73		130.23	250.77

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:45:28	4390.55	25.533	187.59	27.70	130.20	33.34	0.05	187.57	27.72		130.23	250.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:45:30	4390.58	25.567	187.59	27.70	130.20	33.34	0.05	187.57	27.72		130.23	250.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:45:32	4390.62	25.600	187.60	27.70	130.20	33.34	0.05	187.57	27.71		130.22	250.78
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:45:34	4390.65	25.633	187.60	27.70	130.20	33.34	0.05	187.57	27.71		130.22	250.78
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:45:36	4390.68	25.667	187.61	27.69	130.19	33.34	0.05	187.58	27.70		130.21	250.79
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:45:38	4390.72	25.700	187.61	27.69	130.19	33.34	0.05	187.58	27.70		130.21	250.79
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:45:40	4390.75	25.733	187.61	27.68	130.18	33.34	0.05	187.59	27.70		130.20	250.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:45:42	4390.78	25.767	187.61	27.68	130.18	33.34	0.05	187.59	27.70		130.20	250.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:45:44	4390.82	25.800	187.61	27.68	130.18	33.34	0.05	187.59	27.70		130.20	250.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:45:46	4390.85	25.833	187.62	27.67	130.17	33.34	0.05	187.60	27.69		130.20	250.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:45:48	4390.88	25.867	187.62	27.67	130.17	33.34	0.05	187.60	27.69		130.20	250.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:45:50	4390.92	25.900	187.63	27.66	130.17	33.34	0.05	187.61	27.68		130.19	250.81
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:45:52	4390.95	25.933	187.64	27.66	130.16	33.34	0.05	187.61	27.67		130.18	250.82
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:45:54	4390.98	25.967	187.65	27.65	130.15	33.34	0.05	187.62	27.67		130.17	250.83
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:45:56	4391.02	26.000	187.65	27.65	130.15	33.34	0.05	187.62	27.67		130.17	250.83
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:45:58	4391.05	26.033	187.65	27.64	130.14	33.34	0.05	187.63	27.66		130.16	250.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:46:00	4391.08	26.067	187.65	27.64	130.14	33.34	0.05	187.63	27.66		130.16	250.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:46:02	4391.12	26.100	187.65	27.64	130.14	33.34	0.05	187.63	27.66		130.16	250.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:46:04	4391.15	26.133	187.66	27.63	130.13	33.34	0.05	187.64	27.65		130.16	250.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:46:06	4391.18	26.167	187.66	27.63	130.13	33.34	0.05	187.64	27.65		130.16	250.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:46:08	4391.22	26.200	187.67	27.62	130.13	33.34	0.05	187.64	27.64		130.15	250.85
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:46:10	4391.25	26.233	187.68	27.61	130.12	33.34	0.05	187.65	27.63		130.14	250.86
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:46:12	4391.28	26.267	187.68	27.62	130.12	33.34	0.05	187.65	27.63		130.14	250.86
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:46:14	4391.32	26.300	187.68	27.62	130.12	33.34	0.05	187.65	27.63		130.14	250.86
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:46:16	4391.35	26.333	187.68	27.61	130.11	33.34	0.05	187.66	27.63		130.13	250.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:46:18	4391.38	26.367	187.68	27.61	130.11	33.34	0.05	187.66	27.63		130.13	250.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:46:20	4391.42	26.400	187.69	27.60	130.10	33.34	0.05	187.67	27.62		130.13	250.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:46:22	4391.45	26.433	187.69	27.60	130.10	33.34	0.05	187.67	27.62		130.13	250.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:46:24	4391.48	26.467	187.70	27.59	130.10	33.34	0.05	187.68	27.61		130.12	250.88
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:46:26	4391.52	26.500	187.70	27.59	130.10	33.34	0.05	187.68	27.61		130.12	250.88
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:46:28	4391.55	26.533	187.71	27.59	130.09	33.34	0.05	187.68	27.60		130.11	250.89
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:46:30	4391.58	26.567	187.71	27.59	130.09	33.34	0.05	187.68	27.60		130.11	250.89
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:46:32	4391.62	26.600	187.72	27.58	130.08	33.34	0.05	187.69	27.60		130.10	250.90
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:46:34	4391.65	26.633	187.72	27.58	130.08	33.34	0.05	187.69	27.60		130.10	250.90
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:46:36	4391.68	26.667	187.72	27.58	130.08	33.34	0.05	187.69	27.60		130.10	250.90
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:46:38	4391.72	26.700	187.72	27.57	130.07	33.34	0.05	187.70	27.59		130.09	250.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:46:40	4391.75	26.733	187.72	27.57	130.07	33.34	0.05	187.70	27.59		130.09	250.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:46:42	4391.78	26.767	187.73	27.56	130.06	33.34	0.05	187.71	27.58		130.09	250.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:46:44	4391.82	26.800	187.74	27.55	130.06	33.34	0.05	187.71	27.57		130.08	250.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:46:46	4391.85	26.833	187.74	27.55	130.06	33.34	0.05	187.71	27.57		130.08	250.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:46:48	4391.88	26.867	187.75	27.55	130.05	33.34	0.05	187.72	27.56		130.07	250.93
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:46:50	4391.92	26.900	187.75	27.55	130.05	33.34	0.05	187.72	27.56		130.07	250.93
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:46:52	4391.95	26.933	187.75	27.54	130.04	33.34	0.05	187.73	27.56		130.06	250.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:46:54	4391.98	26.967	187.75	27.54	130.04	33.34	0.05	187.73	27.56		130.06	250.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:46:56	4392.02	27.000	187.75	27.54	130.04	33.34	0.05	187.73	27.56		130.06	250.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:46:58	4392.05	27.033	187.76	27.53	130.03	33.34	0.05	187.74	27.55		130.06	250.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:47:00	4392.08	27.067	187.77	27.52	130.03	33.34	0.05	187.75	27.54		130.05	250.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:47:02	4392.12	27.100	187.77	27.52	130.03	33.34	0.05	187.75	27.54		130.05	250.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:47:04	4392.15	27.133	187.77	27.52	130.03	33.34	0.05	187.75	27.54		130.05	250.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:47:06	4392.18	27.167	187.78	27.52	130.02	33.34	0.05	187.75	27.53		130.04	250.96
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:47:08	4392.22	27.200	187.79	27.51	130.01	33.34	0.05	187.76	27.53		130.03	250.97
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:47:10	4392.25	27.233	187.79	27.51	130.01	33.34	0.05	187.76	27.53		130.03	250.97
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:47:12	4392.28	27.267	187.79	27.51	130.01	33.34	0.05	187.76	27.53		130.03	250.97
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:47:14	4392.32	27.300	187.79	27.50	130.00	33.34	0.05	187.77	27.52		130.02	250.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:47:16	4392.35	27.333	187.80	27.49	129.99	33.34	0.05	187.78	27.51		130.02	250.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:47:18	4392.38	27.367	187.80	27.49	129.99	33.34	0.05	187.78	27.51		130.02	250.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:47:20	4392.42	27.400	187.80	27.49	129.99	33.34	0.05	187.78	27.51		130.02	250.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:47:22	4392.45	27.433	187.81	27.48	129.99	33.34	0.05	187.78	27.50		130.01	250.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:47:24	4392.48	27.467	187.81	27.48	129.99	33.34	0.05	187.78	27.50		130.01	250.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:47:26	4392.52	27.500	187.82	27.48	129.98	33.34	0.05	187.79	27.49		130.00	251.00
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:47:28	4392.55	27.533	187.82	27.48	129.98	33.34	0.05	187.79	27.49		130.00	251.00
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:47:30	4392.58	27.567	187.82	27.47	129.97	33.34	0.05	187.80	27.49		129.99	251.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:47:32	4392.62	27.600	187.82	27.47	129.97	33.34	0.05	187.80	27.49		129.99	251.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:47:34	4392.65	27.633	187.83	27.46	129.96	33.34	0.05	187.81	27.48		129.99	251.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:47:36	4392.68	27.667	187.83	27.46	129.96	33.34	0.05	187.81	27.48		129.99	251.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:47:38	4392.72	27.700	187.84	27.45	129.95	33.34	0.05	187.82	27.47		129.97	251.03
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:47:40	4392.75	27.733	187.84	27.45	129.96	33.34	0.05	187.82	27.47		129.98	251.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:47:42	4392.78	27.767	187.85	27.45	129.95	33.34	0.05	187.82	27.46		129.97	251.03
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:47:44	4392.82	27.800	187.85	27.45	129.95	33.34	0.05	187.82	27.46		129.97	251.03
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:47:46	4392.85	27.833	187.86	27.44	129.94	33.34	0.05	187.83	27.45		129.96	251.04
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:47:48	4392.88	27.867	187.86	27.44	129.94	33.34	0.05	187.83	27.45		129.96	251.04
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:47:50	4392.92	27.900	187.86	27.44	129.94	33.34	0.05	187.83	27.45		129.96	251.04
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:47:52	4392.95	27.933	187.87	27.43	129.93	33.34	0.05	187.84	27.44		129.95	251.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:47:54	4392.98	27.967	187.87	27.42	129.92	33.34	0.05	187.85	27.44		129.95	251.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:47:56	4393.02	28.000	187.87	27.42	129.92	33.34	0.05	187.85	27.44		129.95	251.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:47:58	4393.05	28.033	187.87	27.42	129.92	33.34	0.05	187.85	27.44		129.95	251.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:48:00	4393.08	28.067	187.88	27.41	129.92	33.34	0.05	187.85	27.43		129.94	251.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:48:02	4393.12	28.100	187.88	27.41	129.92	33.34	0.05	187.85	27.43		129.94	251.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:48:04	4393.15	28.133	187.89	27.41	129.91	33.34	0.05	187.86	27.42		129.93	251.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:48:06	4393.18	28.167	187.89	27.41	129.91	33.34	0.05	187.86	27.42		129.93	251.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:48:08	4393.22	28.200	187.89	27.41	129.91	33.34	0.05	187.86	27.42		129.93	251.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:48:10	4393.25	28.233	187.90	27.40	129.90	33.34	0.05	187.87	27.41		129.92	251.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:48:12	4393.28	28.267	187.90	27.39	129.89	33.34	0.05	187.88	27.41		129.92	251.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:48:14	4393.32	28.300	187.90	27.39	129.89	33.34	0.05	187.88	27.41		129.92	251.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:48:16	4393.35	28.333	187.91	27.38	129.89	33.34	0.05	187.89	27.40		129.91	251.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:48:18	4393.38	28.367	187.91	27.38	129.89	33.34	0.05	187.89	27.40		129.91	251.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:48:20	4393.42	28.400	187.91	27.38	129.89	33.34	0.05	187.89	27.40		129.91	251.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:48:22	4393.45	28.433	187.92	27.38	129.88	33.34	0.05	187.89	27.39		129.90	251.10
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:48:24	4393.48	28.467	187.92	27.38	129.88	33.34	0.05	187.89	27.39		129.90	251.10
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:48:26	4393.52	28.500	187.93	27.37	129.87	33.34	0.05	187.90	27.38		129.89	251.11
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:48:28	4393.55	28.533	187.93	27.37	129.87	33.34	0.05	187.90	27.38		129.89	251.11
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:48:30	4393.58	28.567	187.93	27.36	129.86	33.34	0.05	187.91	27.38		129.88	251.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:48:32	4393.62	28.600	187.93	27.36	129.86	33.34	0.05	187.91	27.38		129.88	251.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:48:34	4393.65	28.633	187.94	27.35	129.85	33.34	0.05	187.92	27.37		129.88	251.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:48:36	4393.68	28.667	187.94	27.35	129.85	33.34	0.05	187.92	27.37		129.88	251.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:48:38	4393.72	28.700	187.94	27.35	129.85	33.34	0.05	187.92	27.37		129.88	251.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:48:40	4393.75	28.733	187.95	27.34	129.85	33.34	0.05	187.92	27.36		129.87	251.13

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:48:42	4393.78	28.767	187.95	27.34	129.85	33.34	0.05	187.92	27.36		129.87	251.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:48:44	4393.82	28.800	187.96	27.34	129.84	33.34	0.05	187.93	27.35		129.86	251.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:48:46	4393.85	28.833	187.97	27.33	129.83	33.34	0.05	187.94	27.35		129.85	251.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:48:48	4393.88	28.867	187.97	27.33	129.83	33.34	0.05	187.94	27.35		129.85	251.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:48:50	4393.92	28.900	187.97	27.33	129.83	33.34	0.05	187.94	27.35		129.85	251.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:48:52	4393.95	28.933	187.97	27.33	129.83	33.34	0.05	187.94	27.35		129.85	251.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:48:54	4393.98	28.967	187.98	27.32	129.82	33.34	0.05	187.95	27.34		129.84	251.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:48:56	4394.02	29.000	187.97	27.32	129.82	33.34	0.05	187.95	27.34		129.85	251.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:48:58	4394.05	29.033	187.98	27.31	129.82	33.34	0.05	187.96	27.33		129.84	251.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:49:00	4394.08	29.067	187.99	27.30	129.80	33.34	0.05	187.97	27.32		129.83	251.17
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:49:02	4394.12	29.100	187.99	27.31	129.81	33.34	0.05	187.96	27.32		129.83	251.17
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:49:04	4394.15	29.133	188.00	27.30	129.80	33.34	0.05	187.97	27.31		129.82	251.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:49:06	4394.18	29.167	188.00	27.30	129.80	33.34	0.05	187.97	27.31		129.82	251.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:49:08	4394.22	29.200	188.00	27.30	129.80	33.34	0.05	187.97	27.31		129.82	251.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:49:10	4394.25	29.233	188.01	27.29	129.79	33.34	0.05	187.98	27.30		129.81	251.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:49:12	4394.28	29.267	188.00	27.29	129.79	33.34	0.05	187.98	27.31		129.81	251.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:49:14	4394.32	29.300	188.01	27.28	129.78	33.34	0.05	187.99	27.30		129.81	251.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:49:16	4394.35	29.333	188.01	27.28	129.78	33.34	0.05	187.99	27.30		129.81	251.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:49:18	4394.38	29.367	188.01	27.28	129.78	33.34	0.05	187.99	27.30		129.81	251.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:49:20	4394.42	29.400	188.02	27.27	129.78	33.34	0.05	187.99	27.29		129.80	251.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:49:22	4394.45	29.433	188.02	27.27	129.78	33.34	0.05	187.99	27.29		129.80	251.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:49:24	4394.48	29.467	188.03	27.27	129.77	33.34	0.05	188.00	27.28		129.79	251.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:49:26	4394.52	29.500	188.04	27.26	129.76	33.34	0.05	188.01	27.28		129.78	251.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:49:28	4394.55	29.533	188.04	27.26	129.76	33.34	0.05	188.01	27.28		129.78	251.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:49:30	4394.58	29.567	188.04	27.26	129.76	33.34	0.05	188.01	27.28		129.78	251.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:49:32	4394.62	29.600	188.04	27.26	129.76	33.34	0.05	188.01	27.28		129.78	251.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:49:34	4394.65	29.633	188.04	27.25	129.75	33.34	0.05	188.02	27.27		129.77	251.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:49:36	4394.68	29.667	188.04	27.25	129.75	33.34	0.05	188.02	27.27		129.77	251.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:49:38	4394.72	29.700	188.05	27.24	129.75	33.34	0.05	188.03	27.26		129.77	251.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:49:40	4394.75	29.733	188.05	27.24	129.74	33.34	0.05	188.03	27.26		129.76	251.24
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:49:42	4394.78	29.767	188.06	27.23	129.73	33.34	0.05	188.04	27.25		129.76	251.24
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:49:44	4394.82	29.800	188.06	27.24	129.74	33.34	0.05	188.03	27.25		129.76	251.24
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:49:46	4394.85	29.833	188.07	27.23	129.73	33.34	0.05	188.04	27.24		129.75	251.25
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:49:48	4394.88	29.867	188.07	27.22	129.73	33.34	0.05	188.04	27.24		129.75	251.25
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:49:50	4394.92	29.900	188.08	27.22	129.72	33.34	0.05	188.05	27.23		129.74	251.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:49:52	4394.95	29.933	188.07	27.22	129.72	33.34	0.05	188.05	27.24		129.74	251.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:49:54	4394.98	29.967	188.08	27.21	129.71	33.34	0.05	188.06	27.23		129.74	251.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:49:56	4395.02	30.000	188.08	27.21	129.71	33.34	0.05	188.06	27.23		129.74	251.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:49:58	4395.05	30.033	188.08	27.21	129.71	33.34	0.05	188.06	27.23		129.74	251.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:50:00	4395.08	30.067	188.09	27.20	129.71	33.34	0.05	188.07	27.22		129.73	251.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:50:02	4395.12	30.100	188.09	27.20	129.71	33.34	0.05	188.07	27.22		129.73	251.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:50:04	4395.15	30.133	188.10	27.20	129.70	33.34	0.05	188.07	27.21		129.72	251.28
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:50:06	4395.18	30.167	188.10	27.20	129.70	33.34	0.05	188.07	27.21		129.72	251.28
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:50:08	4395.22	30.200	188.11	27.19	129.69	33.34	0.05	188.08	27.21		129.71	251.29
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:50:10	4395.25	30.233	188.11	27.19	129.69	33.34	0.05	188.08	27.21		129.71	251.29
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:50:12	4395.28	30.267	188.11	27.19	129.69	33.34	0.05	188.08	27.21		129.71	251.29
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:50:14	4395.32	30.300	188.12	27.18	129.68	33.34	0.05	188.09	27.20		129.70	251.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:50:16	4395.35	30.333	188.11	27.18	129.68	33.34	0.05	188.09	27.20		129.70	251.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:50:18	4395.38	30.367	188.12	27.17	129.67	33.34	0.05	188.10	27.19		129.70	251.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:50:20	4395.42	30.400	188.12	27.17	129.67	33.34	0.05	188.10	27.19		129.70	251.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:50:22	4395.45	30.433	188.12	27.17	129.67	33.34	0.05	188.10	27.19		129.69	251.31
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:50:24	4395.48	30.467	188.13	27.17	129.67	33.34	0.05	188.10	27.18		129.69	251.31
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:50:26	4395.52	30.500	188.14	27.16	129.66	33.34	0.05	188.11	27.17		129.68	251.32
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:50:28	4395.55	30.533	188.14	27.16	129.66	33.34	0.05	188.11	27.17		129.68	251.32
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:50:30	4395.58	30.567	188.14	27.16	129.66	33.34	0.05	188.11	27.17		129.68	251.32
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:50:32	4395.62	30.600	188.14	27.15	129.65	33.34	0.05	188.12	27.17		129.67	251.33
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:50:34	4395.65	30.633	188.14	27.15	129.65	33.34	0.05	188.12	27.17		129.67	251.33
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:50:36	4395.68	30.667	188.15	27.15	129.65	33.34	0.05	188.12	27.16		129.67	251.33
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:50:38	4395.72	30.700	188.15	27.14	129.64	33.34	0.05	188.13	27.16		129.66	251.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:50:40	4395.75	30.733	188.15	27.14	129.64	33.34	0.05	188.13	27.16		129.66	251.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:50:42	4395.78	30.767	188.16	27.13	129.64	33.34	0.05	188.14	27.15		129.66	251.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:50:44	4395.82	30.800	188.16	27.13	129.64	33.34	0.05	188.14	27.15		129.66	251.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:50:46	4395.85	30.833	188.17	27.12	129.63	33.34	0.05	188.15	27.14		129.65	251.35
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:50:48	4395.88	30.867	188.17	27.13	129.63	33.34	0.05	188.14	27.14		129.65	251.35
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:50:50	4395.92	30.900	188.17	27.13	129.63	33.34	0.05	188.14	27.14		129.65	251.35
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:50:52	4395.95	30.933	188.17	27.13	129.63	33.34	0.05	188.14	27.14		129.65	251.35
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:50:54	4395.98	30.967	188.18	27.12	129.62	33.34	0.05	188.15	27.14		129.64	251.36
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:50:56	4396.02	31.000	188.19	27.11	129.61	33.34	0.05	188.16	27.13		129.63	251.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:50:58	4396.05	31.033	188.18	27.11	129.61	33.34	0.05	188.16	27.13		129.63	251.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:51:00	4396.08	31.067	188.18	27.11	129.61	33.34	0.05	188.16	27.13		129.63	251.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:51:02	4396.12	31.100	188.19	27.10	129.60	33.34	0.05	188.17	27.12		129.63	251.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:51:04	4396.15	31.133	188.19	27.10	129.60	33.34	0.05	188.17	27.12		129.63	251.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:51:06	4396.18	31.167	188.20	27.10	129.60	33.34	0.05	188.17	27.11		129.62	251.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:51:08	4396.22	31.200	188.20	27.10	129.60	33.34	0.05	188.17	27.11		129.62	251.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:51:10	4396.25	31.233	188.20	27.10	129.60	33.34	0.05	188.17	27.11		129.62	251.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:51:12	4396.28	31.267	188.21	27.08	129.58	33.34	0.05	188.19	27.10		129.60	251.40
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:51:14	4396.32	31.300	188.21	27.08	129.58	33.34	0.05	188.19	27.10		129.60	251.40
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:51:16	4396.35	31.333	188.21	27.08	129.58	33.34	0.05	188.19	27.10		129.60	251.40
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:51:18	4396.38	31.367	188.22	27.08	129.58	33.34	0.05	188.19	27.09		129.60	251.40
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:51:20	4396.42	31.400	188.22	27.07	129.57	33.34	0.05	188.20	27.09		129.59	251.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:51:22	4396.45	31.433	188.22	27.07	129.57	33.34	0.05	188.20	27.09		129.59	251.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:51:24	4396.48	31.467	188.22	27.07	129.57	33.34	0.05	188.20	27.09		129.59	251.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:51:26	4396.52	31.500	188.23	27.06	129.57	33.34	0.05	188.21	27.08		129.59	251.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:51:28	4396.55	31.533	188.24	27.06	129.56	33.34	0.05	188.21	27.07		129.58	251.42
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:51:30	4396.58	31.567	188.24	27.06	129.56	33.34	0.05	188.21	27.07		129.58	251.42
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:51:32	4396.62	31.600	188.24	27.06	129.56	33.34	0.05	188.21	27.07		129.58	251.42
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:51:34	4396.65	31.633	188.25	27.05	129.55	33.34	0.05	188.22	27.06		129.57	251.43
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:51:36	4396.68	31.667	188.25	27.05	129.55	33.34	0.05	188.22	27.07		129.57	251.43
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:51:38	4396.72	31.700	188.25	27.05	129.55	33.34	0.05	188.22	27.06		129.57	251.43
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:51:40	4396.75	31.733	188.25	27.04	129.54	33.34	0.05	188.23	27.06		129.56	251.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:51:42	4396.78	31.767	188.25	27.04	129.54	33.34	0.05	188.23	27.06		129.56	251.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:51:44	4396.82	31.800	188.26	27.03	129.53	33.34	0.05	188.24	27.05		129.55	251.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:51:46	4396.85	31.833	188.26	27.03	129.53	33.34	0.05	188.24	27.05		129.56	251.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:51:48	4396.88	31.867	188.27	27.02	129.52	33.34	0.05	188.25	27.04		129.55	251.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:51:50	4396.92	31.900	188.27	27.02	129.52	33.34	0.05	188.25	27.04		129.55	251.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:51:52	4396.95	31.933	188.27	27.02	129.53	33.34	0.05	188.25	27.04		129.55	251.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:51:54	4396.98	31.967	188.28	27.01	129.52	33.34	0.05	188.26	27.03		129.54	251.46

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:51:56	4397.02	32.000	188.28	27.02	129.52	33.34	0.05	188.25	27.03		129.54	251.46
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:51:58	4397.05	32.033	188.28	27.02	129.52	33.34	0.05	188.25	27.03		129.54	251.46
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:52:00	4397.08	32.067	188.28	27.01	129.51	33.34	0.05	188.26	27.03		129.53	251.47
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:52:02	4397.12	32.100	188.28	27.01	129.51	33.34	0.05	188.26	27.03		129.53	251.47
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:52:04	4397.15	32.133	188.29	27.00	129.50	33.34	0.05	188.27	27.02		129.52	251.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:52:06	4397.18	32.167	188.29	27.00	129.50	33.34	0.05	188.27	27.02		129.52	251.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:52:08	4397.22	32.200	188.30	26.99	129.50	33.34	0.05	188.28	27.01		129.52	251.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:52:10	4397.25	32.233	188.30	26.99	129.50	33.34	0.05	188.28	27.01		129.52	251.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:52:12	4397.28	32.267	188.30	26.99	129.50	33.34	0.05	188.28	27.01		129.52	251.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:52:14	4397.32	32.300	188.31	26.99	129.49	33.34	0.05	188.28	27.00		129.51	251.49
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:52:16	4397.35	32.333	188.31	26.99	129.49	33.34	0.05	188.28	27.00		129.51	251.49
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:52:18	4397.38	32.367	188.31	26.99	129.49	33.34	0.05	188.28	27.00		129.51	251.49
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:52:20	4397.42	32.400	188.32	26.98	129.48	33.34	0.05	188.29	27.00		129.50	251.50
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:52:22	4397.45	32.433	188.32	26.98	129.48	33.34	0.05	188.29	27.00		129.50	251.50
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:52:24	4397.48	32.467	188.32	26.97	129.47	33.34	0.05	188.30	26.99		129.49	251.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:52:26	4397.52	32.500	188.33	26.97	129.47	33.34	0.05	188.30	26.98		129.49	251.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:52:28	4397.55	32.533	188.33	26.96	129.46	33.34	0.05	188.31	26.98		129.49	251.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:52:30	4397.58	32.567	188.33	26.96	129.46	33.34	0.05	188.31	26.98		129.48	251.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:52:32	4397.62	32.600	188.34	26.95	129.46	33.34	0.05	188.32	26.97		129.48	251.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:52:34	4397.65	32.633	188.34	26.95	129.45	33.34	0.05	188.32	26.97		129.48	251.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:52:36	4397.68	32.667	188.34	26.95	129.45	33.34	0.05	188.32	26.97		129.48	251.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:52:38	4397.72	32.700	188.35	26.94	129.45	33.34	0.05	188.33	26.96		129.47	251.53
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:52:40	4397.75	32.733	188.35	26.95	129.45	33.34	0.05	188.32	26.96		129.47	251.53
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:52:42	4397.78	32.767	188.35	26.95	129.45	33.34	0.05	188.32	26.96		129.47	251.53
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:52:44	4397.82	32.800	188.35	26.94	129.44	33.34	0.05	188.33	26.96		129.46	251.54
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:52:46	4397.85	32.833	188.36	26.94	129.44	33.34	0.05	188.33	26.95		129.46	251.54
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:52:48	4397.88	32.867	188.37	26.93	129.43	33.34	0.05	188.34	26.95		129.45	251.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:52:50	4397.92	32.900	188.36	26.93	129.43	33.34	0.05	188.34	26.95		129.45	251.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:52:52	4397.95	32.933	188.37	26.93	129.43	33.34	0.05	188.34	26.95		129.45	251.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:52:54	4397.98	32.967	188.37	26.92	129.43	33.34	0.05	188.35	26.94		129.45	251.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:52:56	4398.02	33.000	188.37	26.92	129.42	33.34	0.05	188.35	26.94		129.44	251.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:52:58	4398.05	33.033	188.38	26.91	129.42	33.34	0.05	188.36	26.93		129.44	251.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:53:00	4398.08	33.067	188.38	26.92	129.42	33.34	0.05	188.35	26.93		129.44	251.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:53:02	4398.12	33.100	188.38	26.91	129.42	33.34	0.05	188.36	26.93		129.44	251.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:53:04	4398.15	33.133	188.39	26.91	129.41	33.34	0.05	188.36	26.93		129.43	251.57
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:53:06	4398.18	33.167	188.39	26.91	129.41	33.34	0.05	188.36	26.92		129.43	251.57
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:53:08	4398.22	33.200	188.39	26.91	129.41	33.34	0.05	188.36	26.92		129.43	251.57
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:53:10	4398.25	33.233	188.40	26.90	129.40	33.34	0.05	188.37	26.91		129.42	251.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:53:12	4398.28	33.267	188.39	26.91	129.41	33.34	0.05	188.36	26.92		129.43	251.57
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:53:14	4398.32	33.300	188.40	26.90	129.40	33.34	0.05	188.37	26.91		129.42	251.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:53:16	4398.35	33.333	188.41	26.89	129.39	33.34	0.05	188.38	26.90		129.41	251.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:53:18	4398.38	33.367	188.41	26.88	129.38	33.34	0.05	188.39	26.90		129.41	251.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:53:20	4398.42	33.400	188.41	26.88	129.38	33.34	0.05	188.39	26.90		129.41	251.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:53:22	4398.45	33.433	188.41	26.88	129.38	33.34	0.05	188.39	26.90		129.41	251.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:53:24	4398.48	33.467	188.42	26.87	129.38	33.34	0.05	188.40	26.89		129.40	251.60
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:53:26	4398.52	33.500	188.43	26.87	129.37	33.34	0.05	188.40	26.88		129.39	251.61
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:53:28	4398.55	33.533	188.43	26.87	129.37	33.34	0.05	188.40	26.88		129.39	251.61
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:53:30	4398.58	33.567	188.43	26.87	129.37	33.34	0.05	188.40	26.88		129.39	251.61
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:53:32	4398.62	33.600	188.43	26.87	129.37	33.34	0.05	188.40	26.88		129.39	251.61
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:53:34	4398.65	33.633	188.44	26.86	129.36	33.34	0.05	188.41	26.88		129.38	251.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:53:36	4398.68	33.667	188.44	26.86	129.36	33.34	0.05	188.41	26.88		129.38	251.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:53:38	4398.72	33.700	188.44	26.86	129.36	33.34	0.05	188.41	26.88		129.38	251.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:53:40	4398.75	33.733	188.44	26.85	129.35	33.34	0.05	188.42	26.87		129.37	251.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:53:42	4398.78	33.767	188.44	26.85	129.35	33.34	0.05	188.42	26.87		129.37	251.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:53:44	4398.82	33.800	188.44	26.85	129.35	33.34	0.05	188.42	26.87		129.37	251.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:53:46	4398.85	33.833	188.45	26.84	129.35	33.34	0.05	188.43	26.86		129.37	251.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:53:48	4398.88	33.867	188.46	26.84	129.34	33.34	0.05	188.43	26.85		129.36	251.64
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:53:50	4398.92	33.900	188.45	26.84	129.35	33.34	0.05	188.43	26.86		129.37	251.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:53:52	4398.95	33.933	188.46	26.84	129.34	33.34	0.05	188.43	26.85		129.36	251.64
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:53:54	4398.98	33.967	188.47	26.83	129.33	33.34	0.05	188.44	26.84		129.35	251.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:53:56	4399.02	34.000	188.47	26.83	129.33	33.34	0.05	188.44	26.84		129.35	251.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:53:58	4399.05	34.033	188.47	26.83	129.33	33.34	0.05	188.44	26.84		129.35	251.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:54:00	4399.08	34.067	188.47	26.82	129.32	33.34	0.05	188.45	26.84		129.34	251.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:54:02	4399.12	34.100	188.47	26.82	129.32	33.34	0.05	188.45	26.84		129.34	251.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:54:04	4399.15	34.133	188.48	26.81	129.31	33.34	0.05	188.46	26.83		129.33	251.67
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:54:06	4399.18	34.167	188.48	26.81	129.32	33.34	0.05	188.46	26.83		129.34	251.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:54:08	4399.22	34.200	188.48	26.81	129.31	33.34	0.05	188.46	26.83		129.33	251.67
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:54:10	4399.25	34.233	188.48	26.81	129.31	33.34	0.05	188.46	26.83		129.33	251.67
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:54:12	4399.28	34.267	188.49	26.80	129.31	33.34	0.05	188.47	26.82		129.33	251.67
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:54:14	4399.32	34.300	188.49	26.80	129.31	33.34	0.05	188.47	26.82		129.33	251.67
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:54:16	4399.35	34.333	188.50	26.80	129.30	33.34	0.05	188.47	26.82		129.32	251.68
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:54:18	4399.38	34.367	188.50	26.80	129.30	33.34	0.05	188.47	26.81		129.32	251.68
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:54:20	4399.42	34.400	188.50	26.80	129.30	33.34	0.05	188.47	26.81		129.32	251.68
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:54:22	4399.45	34.433	188.51	26.79	129.29	33.34	0.05	188.48	26.81		129.31	251.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:54:24	4399.48	34.467	188.51	26.79	129.29	33.34	0.05	188.48	26.81		129.31	251.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:54:26	4399.52	34.500	188.51	26.78	129.29	33.34	0.05	188.49	26.80		129.31	251.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:54:28	4399.55	34.533	188.51	26.78	129.28	33.34	0.05	188.49	26.80		129.30	251.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:54:30	4399.58	34.567	188.51	26.78	129.28	33.34	0.05	188.49	26.80		129.30	251.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:54:32	4399.62	34.600	188.52	26.77	129.27	33.34	0.05	188.50	26.79		129.30	251.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:54:34	4399.65	34.633	188.52	26.78	129.28	33.34	0.05	188.49	26.79		129.30	251.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:54:36	4399.68	34.667	188.52	26.77	129.27	33.34	0.05	188.50	26.79		129.30	251.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:54:38	4399.72	34.700	188.53	26.77	129.27	33.34	0.05	188.50	26.78		129.29	251.71
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:54:40	4399.75	34.733	188.54	26.76	129.26	33.34	0.05	188.51	26.77		129.28	251.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:54:42	4399.78	34.767	188.53	26.76	129.26	33.34	0.05	188.51	26.78		129.28	251.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:54:44	4399.82	34.800	188.54	26.76	129.26	33.34	0.05	188.51	26.77		129.28	251.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:54:46	4399.85	34.833	188.54	26.76	129.26	33.34	0.05	188.51	26.77		129.28	251.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:54:48	4399.88	34.867	188.54	26.75	129.25	33.34	0.05	188.52	26.77		129.27	251.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:54:50	4399.92	34.900	188.54	26.75	129.25	33.34	0.05	188.52	26.77		129.27	251.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:54:52	4399.95	34.933	188.54	26.75	129.25	33.34	0.05	188.52	26.77		129.27	251.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:54:54	4399.98	34.967	188.55	26.74	129.24	33.34	0.05	188.53	26.76		129.26	251.74
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:54:56	4400.02	35.000	188.56	26.74	129.24	33.34	0.05	188.53	26.75		129.26	251.74
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:54:58	4400.05	35.033	188.56	26.73	129.24	33.34	0.05	188.54	26.75		129.26	251.74
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:55:00	4400.08	35.067	188.56	26.73	129.24	33.34	0.05	188.54	26.75		129.26	251.74
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:55:02	4400.12	35.100	188.57	26.73	129.23	33.34	0.05	188.54	26.74		129.25	251.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:55:04	4400.15	35.133	188.57	26.73	129.23	33.34	0.05	188.54	26.74		129.25	251.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:55:06	4400.18	35.167	188.57	26.73	129.23	33.34	0.05	188.54	26.74		129.25	251.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:55:08	4400.22	35.200	188.58	26.72	129.22	33.34	0.05	188.55	26.73		129.24	251.76

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:55:10	4400.25	35.233	188.57	26.72	129.22	33.34	0.05	188.55	26.74		129.24	251.76
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:55:12	4400.28	35.267	188.58	26.71	129.21	33.34	0.05	188.56	26.73		129.23	251.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:55:14	4400.32	35.300	188.58	26.71	129.21	33.34	0.05	188.56	26.73		129.23	251.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:55:16	4400.35	35.333	188.58	26.71	129.21	33.34	0.05	188.56	26.73		129.23	251.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:55:18	4400.38	35.367	188.58	26.71	129.22	33.34	0.05	188.56	26.73		129.24	251.76
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:55:20	4400.42	35.400	188.58	26.71	129.21	33.34	0.05	188.56	26.73		129.23	251.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:55:22	4400.45	35.433	188.59	26.71	129.21	33.34	0.05	188.57	26.72		129.23	251.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:55:24	4400.48	35.467	188.59	26.71	129.21	33.34	0.05	188.57	26.72		129.23	251.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:55:26	4400.52	35.500	188.60	26.70	129.20	33.34	0.05	188.58	26.71		129.22	251.78
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:55:28	4400.55	35.533	188.60	26.70	129.20	33.34	0.05	188.58	26.71		129.22	251.78
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:55:30	4400.58	35.567	188.60	26.70	129.20	33.34	0.05	188.57	26.71		129.22	251.78
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:55:32	4400.62	35.600	188.60	26.69	129.19	33.34	0.05	188.58	26.71		129.21	251.79
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:55:34	4400.65	35.633	188.61	26.68	129.18	33.34	0.05	188.59	26.70		129.20	251.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:55:36	4400.68	35.667	188.61	26.68	129.18	33.34	0.05	188.59	26.70		129.20	251.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:55:38	4400.72	35.700	188.61	26.68	129.18	33.34	0.05	188.59	26.70		129.20	251.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:55:40	4400.75	35.733	188.62	26.67	129.17	33.34	0.05	188.60	26.69		129.19	251.81
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:55:42	4400.78	35.767	188.62	26.67	129.17	33.34	0.05	188.60	26.69		129.19	251.81
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:55:44	4400.82	35.800	188.62	26.67	129.17	33.34	0.05	188.60	26.69		129.19	251.81
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:55:46	4400.85	35.833	188.63	26.67	129.17	33.34	0.05	188.60	26.68		129.19	251.81
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:55:48	4400.88	35.867	188.63	26.66	129.17	33.34	0.05	188.61	26.68		129.19	251.81
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:55:50	4400.92	35.900	188.63	26.66	129.17	33.34	0.05	188.61	26.68		129.19	251.81
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:55:52	4400.95	35.933	188.64	26.66	129.16	33.34	0.05	188.61	26.67		129.18	251.82
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:55:54	4400.98	35.967	188.64	26.66	129.16	33.34	0.05	188.61	26.67		129.18	251.82
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:55:56	4401.02	36.000	188.64	26.66	129.16	33.34	0.05	188.61	26.67		129.18	251.82
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:55:58	4401.05	36.033	188.64	26.65	129.15	33.34	0.05	188.62	26.67		129.17	251.83
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:56:00	4401.08	36.067	188.64	26.65	129.15	33.34	0.05	188.62	26.67		129.17	251.83
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:56:02	4401.12	36.100	188.65	26.64	129.14	33.34	0.05	188.63	26.66		129.16	251.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:56:04	4401.15	36.133	188.65	26.64	129.15	33.34	0.05	188.63	26.66		129.17	251.83
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:56:06	4401.18	36.167	188.66	26.64	129.14	33.34	0.05	188.64	26.65		129.16	251.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:56:08	4401.22	36.200	188.66	26.64	129.14	33.34	0.05	188.64	26.65		129.16	251.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:56:10	4401.25	36.233	188.66	26.64	129.14	33.34	0.05	188.64	26.65		129.16	251.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:56:12	4401.28	36.267	188.67	26.62	129.13	33.34	0.05	188.65	26.64		129.15	251.85
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:56:14	4401.32	36.300	188.67	26.63	129.13	33.34	0.05	188.64	26.64		129.15	251.85
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:56:16	4401.35	36.333	188.67	26.62	129.13	33.34	0.05	188.65	26.64		129.15	251.85
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:56:18	4401.38	36.367	188.67	26.63	129.13	33.34	0.05	188.64	26.64		129.15	251.85
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:56:20	4401.42	36.400	188.67	26.62	129.12	33.34	0.05	188.65	26.64		129.14	251.86
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:56:22	4401.45	36.433	188.68	26.61	129.11	33.34	0.05	188.66	26.63		129.13	251.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:56:24	4401.48	36.467	188.68	26.61	129.11	33.34	0.05	188.66	26.63		129.13	251.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:56:26	4401.52	36.500	188.69	26.60	129.11	33.34	0.05	188.67	26.62		129.13	251.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:56:28	4401.55	36.533	188.68	26.61	129.11	33.34	0.05	188.66	26.63		129.13	251.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:56:30	4401.58	36.567	188.69	26.60	129.11	33.34	0.05	188.67	26.62		129.13	251.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:56:32	4401.62	36.600	188.69	26.60	129.10	33.34	0.05	188.67	26.62		129.12	251.88
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:56:34	4401.65	36.633	188.70	26.60	129.10	33.34	0.05	188.67	26.61		129.12	251.88
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:56:36	4401.68	36.667	188.70	26.60	129.10	33.34	0.05	188.67	26.61		129.12	251.88
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:56:38	4401.72	36.700	188.70	26.60	129.10	33.34	0.05	188.67	26.61		129.12	251.88
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:56:40	4401.75	36.733	188.71	26.59	129.09	33.34	0.05	188.68	26.60		129.11	251.89
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:56:42	4401.78	36.767	188.71	26.59	129.09	33.34	0.05	188.68	26.60		129.11	251.89
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:56:44	4401.82	36.800	188.71	26.59	129.09	33.34	0.05	188.69	26.60		129.11	251.89
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:56:46	4401.85	36.833	188.71	26.59	129.09	33.34	0.05	188.68	26.60		129.11	251.89
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:56:48	4401.88	36.867	188.72	26.57	129.07	33.34	0.05	188.70	26.59		129.09	251.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:56:50	4401.92	36.900	188.71	26.58	129.08	33.34	0.05	188.69	26.60		129.10	251.90
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:56:52	4401.95	36.933	188.72	26.57	129.07	33.34	0.05	188.70	26.59		129.09	251.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:56:54	4401.98	36.967	188.72	26.57	129.07	33.34	0.05	188.70	26.59		129.09	251.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:56:56	4402.02	37.000	188.73	26.56	129.06	33.34	0.05	188.71	26.58		129.08	251.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:56:58	4402.05	37.033	188.73	26.56	129.06	33.34	0.05	188.71	26.58		129.08	251.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:57:00	4402.08	37.067	188.73	26.56	129.06	33.34	0.05	188.71	26.58		129.08	251.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:57:02	4402.12	37.100	188.74	26.55	129.06	33.34	0.05	188.72	26.57		129.08	251.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:57:04	4402.15	37.133	188.74	26.56	129.06	33.34	0.05	188.71	26.57		129.08	251.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:57:06	4402.18	37.167	188.74	26.56	129.06	33.34	0.05	188.71	26.57		129.08	251.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:57:08	4402.22	37.200	188.75	26.55	129.05	33.34	0.05	188.72	26.56		129.07	251.93
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:57:10	4402.25	37.233	188.74	26.55	129.05	33.34	0.05	188.72	26.57		129.07	251.93
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:57:12	4402.28	37.267	188.74	26.55	129.05	33.34	0.05	188.72	26.57		129.07	251.93
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:57:14	4402.32	37.300	188.75	26.54	129.04	33.34	0.05	188.73	26.56		129.06	251.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:57:16	4402.35	37.333	188.76	26.53	129.03	33.34	0.05	188.74	26.55		129.05	251.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:57:18	4402.38	37.367	188.76	26.53	129.04	33.34	0.05	188.74	26.55		129.06	251.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:57:20	4402.42	37.400	188.76	26.53	129.03	33.34	0.05	188.74	26.55		129.05	251.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:57:22	4402.45	37.433	188.76	26.53	129.03	33.34	0.05	188.74	26.55		129.05	251.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:57:24	4402.48	37.467	188.77	26.52	129.03	33.34	0.05	188.75	26.54		129.05	251.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:57:26	4402.52	37.500	188.76	26.53	129.03	33.34	0.05	188.74	26.55		129.05	251.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:57:28	4402.55	37.533	188.77	26.53	129.03	33.34	0.05	188.74	26.54		129.05	251.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:57:30	4402.58	37.567	188.77	26.53	129.03	33.34	0.05	188.74	26.54		129.05	251.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:57:32	4402.62	37.600	188.78	26.52	129.02	33.34	0.05	188.76	26.53		129.04	251.96
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:57:34	4402.65	37.633	188.78	26.52	129.02	33.34	0.05	188.75	26.53		129.04	251.96
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:57:36	4402.68	37.667	188.78	26.52	129.02	33.34	0.05	188.75	26.53		129.04	251.96
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:57:38	4402.72	37.700	188.78	26.52	129.02	33.34	0.05	188.75	26.53		129.04	251.96
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:57:40	4402.75	37.733	188.78	26.51	129.01	33.34	0.05	188.76	26.53		129.03	251.97
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:57:42	4402.78	37.767	188.79	26.50	129.00	33.34	0.05	188.77	26.52		129.02	251.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:57:44	4402.82	37.800	188.79	26.50	129.00	33.34	0.05	188.77	26.52		129.02	251.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:57:46	4402.85	37.833	188.79	26.50	129.00	33.34	0.05	188.77	26.52		129.02	251.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:57:48	4402.88	37.867	188.80	26.49	128.99	33.34	0.05	188.78	26.51		129.01	251.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:57:50	4402.92	37.900	188.80	26.50	129.00	33.34	0.05	188.78	26.51		129.02	251.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:57:52	4402.95	37.933	188.80	26.50	129.00	33.34	0.05	188.78	26.51		129.02	251.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:57:54	4402.98	37.967	188.81	26.48	128.99	33.34	0.05	188.79	26.50		129.01	251.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:57:56	4403.02	38.000	188.81	26.49	128.99	33.34	0.05	188.78	26.50		129.01	251.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:57:58	4403.05	38.033	188.81	26.49	128.99	33.34	0.05	188.78	26.50		129.01	251.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:58:00	4403.08	38.067	188.82	26.48	128.98	33.34	0.05	188.79	26.49		129.00	252.00
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:58:02	4403.12	38.100	188.81	26.48	128.98	33.34	0.05	188.79	26.50		129.00	252.00
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:58:04	4403.15	38.133	188.82	26.48	128.98	33.34	0.05	188.79	26.49		129.00	252.00
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:58:06	4403.18	38.167	188.82	26.47	128.97	33.34	0.05	188.80	26.49		128.99	252.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:58:08	4403.22	38.200	188.83	26.46	128.97	33.34	0.05	188.81	26.48		128.99	252.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:58:10	4403.25	38.233	188.83	26.46	128.97	33.34	0.05	188.81	26.48		128.99	252.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:58:12	4403.28	38.267	188.83	26.46	128.96	33.34	0.05	188.81	26.48		128.98	252.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:58:14	4403.32	38.300	188.83	26.46	128.97	33.34	0.05	188.81	26.48		128.99	252.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:58:16	4403.35	38.333	188.84	26.46	128.96	33.34	0.05	188.81	26.47		128.98	252.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:58:18	4403.38	38.367	188.84	26.46	128.96	33.34	0.05	188.81	26.47		128.98	252.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:58:20	4403.42	38.400	188.84	26.46	128.96	33.34	0.05	188.81	26.47		128.98	252.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:58:22	4403.45	38.433	188.85	26.45	128.95	33.34	0.05	188.83	26.46		128.97	252.03

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:58:24	4403.48	38.467	188.85	26.45	128.95	33.34	0.05	188.82	26.46		128.97	252.03
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:58:26	4403.52	38.500	188.85	26.45	128.95	33.34	0.05	188.82	26.46		128.97	252.03
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:58:28	4403.55	38.533	188.85	26.45	128.95	33.34	0.05	188.83	26.46		128.97	252.03
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:58:30	4403.58	38.567	188.85	26.44	128.94	33.34	0.05	188.83	26.46		128.96	252.04
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:58:32	4403.62	38.600	188.86	26.44	128.94	33.34	0.05	188.83	26.45		128.96	252.04
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:58:34	4403.65	38.633	188.86	26.43	128.93	33.34	0.05	188.84	26.45		128.95	252.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:58:36	4403.68	38.667	188.86	26.43	128.93	33.34	0.05	188.84	26.45		128.95	252.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:58:38	4403.72	38.700	188.87	26.42	128.93	33.34	0.05	188.85	26.44		128.95	252.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:58:40	4403.75	38.733	188.87	26.42	128.93	33.34	0.05	188.85	26.44		128.95	252.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:58:42	4403.78	38.767	188.87	26.42	128.92	33.34	0.05	188.85	26.44		128.94	252.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:58:44	4403.82	38.800	188.87	26.42	128.93	33.34	0.05	188.85	26.44		128.95	252.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:58:46	4403.85	38.833	188.88	26.42	128.92	33.34	0.05	188.85	26.43		128.94	252.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:58:48	4403.88	38.867	188.88	26.41	128.92	33.34	0.05	188.86	26.43		128.94	252.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:58:50	4403.92	38.900	188.89	26.41	128.91	33.34	0.05	188.86	26.42		128.93	252.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:58:52	4403.95	38.933	188.89	26.41	128.91	33.34	0.05	188.86	26.42		128.93	252.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:58:54	4403.98	38.967	188.88	26.41	128.91	33.34	0.05	188.86	26.43		128.93	252.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:58:56	4404.02	39.000	188.88	26.41	128.91	33.34	0.05	188.86	26.43		128.93	252.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:58:58	4404.05	39.033	188.89	26.40	128.90	33.34	0.05	188.87	26.42		128.92	252.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:59:00	4404.08	39.067	188.90	26.40	128.90	33.34	0.05	188.87	26.41		128.92	252.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:59:02	4404.12	39.100	188.90	26.39	128.90	33.34	0.05	188.88	26.41		128.92	252.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:59:04	4404.15	39.133	188.90	26.39	128.90	33.34	0.05	188.88	26.41		128.92	252.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:59:06	4404.18	39.167	188.90	26.39	128.90	33.34	0.05	188.88	26.41		128.92	252.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:59:08	4404.22	39.200	188.91	26.39	128.89	33.34	0.05	188.89	26.40		128.91	252.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:59:10	4404.25	39.233	188.91	26.39	128.89	33.34	0.05	188.89	26.40		128.91	252.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:59:12	4404.28	39.267	188.91	26.39	128.89	33.34	0.05	188.89	26.40		128.91	252.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:59:14	4404.32	39.300	188.92	26.38	128.88	33.34	0.05	188.89	26.39		128.90	252.10
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:59:16	4404.35	39.333	188.92	26.38	128.88	33.34	0.05	188.89	26.39		128.90	252.10
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:59:18	4404.38	39.367	188.92	26.38	128.88	33.34	0.05	188.89	26.39		128.90	252.10
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:59:20	4404.42	39.400	188.93	26.37	128.87	33.34	0.05	188.90	26.38		128.89	252.11
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:59:22	4404.45	39.433	188.92	26.38	128.88	33.34	0.05	188.89	26.39		128.90	252.10
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:59:24	4404.48	39.467	188.92	26.37	128.87	33.34	0.05	188.90	26.39		128.89	252.11
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:59:26	4404.52	39.500	188.93	26.37	128.87	33.34	0.05	188.90	26.38		128.89	252.11
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:59:28	4404.55	39.533	188.93	26.36	128.86	33.34	0.05	188.91	26.38		128.88	252.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:59:30	4404.58	39.567	188.93	26.36	128.86	33.34	0.05	188.91	26.38		128.88	252.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:59:32	4404.62	39.600	188.94	26.35	128.85	33.34	0.05	188.92	26.37		128.87	252.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:59:34	4404.65	39.633	188.94	26.35	128.86	33.34	0.05	188.92	26.37		128.88	252.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:59:36	4404.68	39.667	188.94	26.35	128.86	33.34	0.05	188.92	26.37		128.88	252.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:59:38	4404.72	39.700	188.95	26.35	128.85	33.34	0.05	188.92	26.36		128.87	252.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:59:40	4404.75	39.733	188.95	26.34	128.85	33.34	0.05	188.93	26.36		128.87	252.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:59:42	4404.78	39.767	188.95	26.35	128.85	33.34	0.05	188.92	26.36		128.87	252.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:59:44	4404.82	39.800	188.96	26.34	128.84	33.34	0.05	188.93	26.35		128.86	252.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:59:46	4404.85	39.833	188.95	26.34	128.84	33.34	0.05	188.93	26.36		128.86	252.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:59:48	4404.88	39.867	188.96	26.34	128.84	33.34	0.05	188.93	26.35		128.86	252.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:59:50	4404.92	39.900	188.96	26.33	128.83	33.34	0.05	188.94	26.35		128.85	252.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:59:52	4404.95	39.933	188.97	26.33	128.83	33.34	0.05	188.94	26.34		128.85	252.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:59:54	4404.98	39.967	188.96	26.33	128.83	33.34	0.05	188.94	26.35		128.85	252.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:59:56	4405.02	40.000	188.97	26.32	128.83	33.34	0.05	188.95	26.34		128.85	252.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 15:59:58	4405.05	40.033	188.97	26.32	128.83	33.34	0.05	188.95	26.34		128.85	252.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:00:00	4405.08	40.067	188.97	26.32	128.82	33.34	0.05	188.95	26.34		128.84	252.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:00:02	4405.12	40.100	188.98	26.32	128.82	33.34	0.05	188.95	26.33		128.84	252.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:00:04	4405.15	40.133	188.98	26.31	128.82	33.34	0.05	188.96	26.33		128.84	252.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:00:06	4405.18	40.167	188.98	26.32	128.82	33.34	0.05	188.95	26.33		128.84	252.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:00:08	4405.22	40.200	188.99	26.31	128.81	33.34	0.05	188.96	26.32		128.83	252.17
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:00:10	4405.25	40.233	188.99	26.31	128.81	33.34	0.05	188.96	26.33		128.83	252.17
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:00:12	4405.28	40.267	188.99	26.31	128.81	33.34	0.05	188.96	26.32		128.83	252.17
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:00:14	4405.32	40.300	188.99	26.30	128.80	33.34	0.05	188.97	26.32		128.82	252.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:00:16	4405.35	40.333	189.00	26.30	128.80	33.34	0.05	188.97	26.31		128.82	252.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:00:18	4405.38	40.367	188.99	26.30	128.80	33.34	0.05	188.97	26.32		128.82	252.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:00:20	4405.42	40.400	189.00	26.30	128.80	33.34	0.05	188.97	26.31		128.82	252.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:00:22	4405.45	40.433	189.00	26.29	128.79	33.34	0.05	188.98	26.31		128.82	252.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:00:24	4405.48	40.467	189.01	26.28	128.78	33.34	0.05	188.99	26.30		128.81	252.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:00:26	4405.52	40.500	189.01	26.28	128.78	33.34	0.05	188.99	26.30		128.81	252.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:00:28	4405.55	40.533	189.01	26.28	128.78	33.34	0.05	188.99	26.30		128.81	252.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:00:30	4405.58	40.567	189.01	26.28	128.79	33.34	0.05	188.99	26.30		128.81	252.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:00:32	4405.62	40.600	189.01	26.28	128.79	33.34	0.05	188.99	26.30		128.81	252.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:00:34	4405.65	40.633	189.02	26.27	128.78	33.34	0.05	189.00	26.29		128.80	252.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:00:36	4405.68	40.667	189.02	26.27	128.78	33.34	0.05	189.00	26.29		128.80	252.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:00:38	4405.72	40.700	189.02	26.27	128.77	33.34	0.05	189.00	26.29		128.79	252.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:00:40	4405.75	40.733	189.03	26.27	128.77	33.34	0.05	189.00	26.28		128.79	252.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:00:42	4405.78	40.767	189.02	26.27	128.77	33.34	0.05	189.00	26.29		128.79	252.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:00:44	4405.82	40.800	189.04	26.26	128.76	33.34	0.05	189.01	26.28		128.78	252.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:00:46	4405.85	40.833	189.03	26.26	128.76	33.34	0.05	189.01	26.28		128.78	252.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:00:48	4405.88	40.867	189.04	26.26	128.76	33.34	0.05	189.01	26.28		128.78	252.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:00:50	4405.92	40.900	189.03	26.26	128.76	33.34	0.05	189.01	26.28		128.78	252.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:00:52	4405.95	40.933	189.04	26.25	128.75	33.34	0.05	189.02	26.27		128.77	252.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:00:54	4405.98	40.967	189.05	26.25	128.75	33.34	0.05	189.02	26.26		128.77	252.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:00:56	4406.02	41.000	189.04	26.25	128.76	33.34	0.05	189.02	26.27		128.78	252.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:00:58	4406.05	41.033	189.05	26.24	128.75	33.34	0.05	189.03	26.26		128.77	252.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:01:00	4406.08	41.067	189.05	26.24	128.75	33.34	0.05	189.03	26.26		128.77	252.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:01:02	4406.12	41.100	189.06	26.24	128.74	33.34	0.05	189.03	26.25		128.76	252.24
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:01:04	4406.15	41.133	189.05	26.24	128.75	33.34	0.05	189.03	26.26		128.77	252.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:01:06	4406.18	41.167	189.06	26.24	128.74	33.34	0.05	189.03	26.25		128.76	252.24
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:01:08	4406.22	41.200	189.06	26.24	128.74	33.34	0.05	189.03	26.25		128.76	252.24
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:01:10	4406.25	41.233	189.06	26.23	128.73	33.34	0.05	189.04	26.25		128.75	252.25
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:01:12	4406.28	41.267	189.07	26.23	128.73	33.34	0.05	189.04	26.24		128.75	252.25
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:01:14	4406.32	41.300	189.07	26.22	128.72	33.34	0.05	189.05	26.24		128.75	252.25
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:01:16	4406.35	41.333	189.07	26.22	128.72	33.34	0.05	189.05	26.24		128.75	252.25
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:01:18	4406.38	41.367	189.07	26.22	128.72	33.34	0.05	189.05	26.24		128.74	252.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:01:20	4406.42	41.400	189.07	26.22	128.72	33.34	0.05	189.05	26.24		128.75	252.25
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:01:22	4406.45	41.433	189.08	26.21	128.71	33.34	0.05	189.06	26.23		128.73	252.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:01:24	4406.48	41.467	189.08	26.21	128.71	33.34	0.05	189.06	26.23		128.73	252.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:01:26	4406.52	41.500	189.09	26.20	128.71	33.34	0.05	189.07	26.22		128.73	252.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:01:28	4406.55	41.533	189.09	26.20	128.71	33.34	0.05	189.07	26.22		128.73	252.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:01:30	4406.58	41.567	189.09	26.20	128.71	33.34	0.05	189.07	26.22		128.73	252.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:01:32	4406.62	41.600	189.09	26.20	128.71	33.34	0.05	189.07	26.22		128.73	252.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:01:34	4406.65	41.633	189.10	26.20	128.70	33.34	0.05	189.07	26.22		128.72	252.28
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:01:36	4406.68	41.667	189.10	26.20	128.70	33.34	0.05	189.07	26.22		128.72	252.28

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:01:38	4406.72	41.700	189.10	26.19	128.69	33.34	0.05	189.08	26.21		128.71	252.29
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:01:40	4406.75	41.733	189.10	26.20	128.70	33.34	0.05	189.07	26.22		128.72	252.28
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:01:42	4406.78	41.767	189.10	26.19	128.69	33.34	0.05	189.08	26.21		128.71	252.29
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:01:44	4406.82	41.800	189.11	26.19	128.69	33.34	0.05	189.08	26.21		128.71	252.29
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:01:46	4406.85	41.833	189.11	26.19	128.69	33.34	0.05	189.08	26.21		128.71	252.29
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:01:48	4406.88	41.867	189.11	26.19	128.69	33.34	0.05	189.08	26.21		128.71	252.29
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:01:50	4406.92	41.900	189.11	26.18	128.69	33.34	0.05	189.09	26.20		128.71	252.29
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:01:52	4406.95	41.933	189.12	26.17	128.67	33.34	0.05	189.10	26.19		128.70	252.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:01:54	4406.98	41.967	189.12	26.18	128.68	33.34	0.05	189.09	26.19		128.70	252.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:01:56	4407.02	42.000	189.12	26.18	128.68	33.34	0.05	189.09	26.19		128.70	252.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:01:58	4407.05	42.033	189.12	26.18	128.68	33.34	0.05	189.09	26.19		128.70	252.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:02:00	4407.08	42.067	189.13	26.17	128.67	33.34	0.05	189.10	26.18		128.69	252.31
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:02:02	4407.12	42.100	189.13	26.17	128.67	33.34	0.05	189.10	26.18		128.69	252.31
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:02:04	4407.15	42.133	189.13	26.17	128.67	33.34	0.05	189.10	26.18		128.69	252.31
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:02:06	4407.18	42.167	189.13	26.16	128.66	33.34	0.05	189.11	26.18		128.68	252.32
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:02:08	4407.22	42.200	189.14	26.16	128.66	33.34	0.05	189.11	26.17		128.68	252.32
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:02:10	4407.25	42.233	189.14	26.15	128.65	33.34	0.05	189.12	26.17		128.67	252.33
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:02:12	4407.28	42.267	189.14	26.15	128.65	33.34	0.05	189.12	26.17		128.67	252.33
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:02:14	4407.32	42.300	189.14	26.15	128.65	33.34	0.05	189.12	26.17		128.67	252.33
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:02:16	4407.35	42.333	189.14	26.15	128.65	33.34	0.05	189.12	26.17		128.68	252.32
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:02:18	4407.38	42.367	189.15	26.14	128.65	33.34	0.05	189.13	26.16		128.67	252.33
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:02:20	4407.42	42.400	189.15	26.14	128.64	33.34	0.05	189.13	26.16		128.66	252.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:02:22	4407.45	42.433	189.15	26.14	128.65	33.34	0.05	189.13	26.16		128.67	252.33
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:02:24	4407.48	42.467	189.15	26.14	128.64	33.34	0.05	189.13	26.16		128.66	252.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:02:26	4407.52	42.500	189.16	26.13	128.64	33.34	0.05	189.14	26.15		128.66	252.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:02:28	4407.55	42.533	189.16	26.13	128.64	33.34	0.05	189.14	26.15		128.66	252.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:02:30	4407.58	42.567	189.17	26.13	128.63	33.34	0.05	189.14	26.14		128.65	252.35
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:02:32	4407.62	42.600	189.16	26.13	128.64	33.34	0.05	189.14	26.15		128.66	252.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:02:34	4407.65	42.633	189.17	26.13	128.63	33.34	0.05	189.14	26.14		128.65	252.35
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:02:36	4407.68	42.667	189.17	26.13	128.63	33.34	0.05	189.14	26.14		128.65	252.35
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:02:38	4407.72	42.700	189.17	26.12	128.62	33.34	0.05	189.15	26.14		128.64	252.36
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:02:40	4407.75	42.733	189.18	26.12	128.62	33.34	0.05	189.15	26.14		128.64	252.36
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:02:42	4407.78	42.767	189.18	26.12	128.62	33.34	0.05	189.15	26.14		128.64	252.36
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:02:44	4407.82	42.800	189.18	26.11	128.62	33.34	0.05	189.16	26.13		128.64	252.36
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:02:46	4407.85	42.833	189.18	26.11	128.62	33.34	0.05	189.16	26.13		128.64	252.36
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:02:48	4407.88	42.867	189.18	26.11	128.61	33.34	0.05	189.16	26.13		128.63	252.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:02:50	4407.92	42.900	189.18	26.11	128.61	33.34	0.05	189.16	26.13		128.63	252.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:02:52	4407.95	42.933	189.19	26.11	128.61	33.34	0.05	189.16	26.12		128.63	252.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:02:54	4407.98	42.967	189.19	26.11	128.61	33.34	0.05	189.16	26.12		128.63	252.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:02:56	4408.02	43.000	189.20	26.10	128.60	33.34	0.05	189.17	26.11		128.62	252.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:02:58	4408.05	43.033	189.20	26.10	128.60	33.34	0.05	189.17	26.11		128.62	252.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:03:00	4408.08	43.067	189.20	26.10	128.60	33.34	0.05	189.17	26.11		128.62	252.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:03:02	4408.12	43.100	189.20	26.09	128.59	33.34	0.05	189.18	26.11		128.61	252.39
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:03:04	4408.15	43.133	189.21	26.09	128.59	33.34	0.05	189.18	26.10		128.61	252.39
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:03:06	4408.18	43.167	189.20	26.09	128.59	33.34	0.05	189.18	26.11		128.61	252.39
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:03:08	4408.22	43.200	189.21	26.08	128.58	33.34	0.05	189.19	26.10		128.60	252.40
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:03:10	4408.25	43.233	189.21	26.08	128.58	33.34	0.05	189.19	26.10		128.61	252.39
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:03:12	4408.28	43.267	189.21	26.08	128.58	33.34	0.05	189.19	26.10		128.60	252.40
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:03:14	4408.32	43.300	189.21	26.08	128.58	33.34	0.05	189.19	26.10		128.60	252.40
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:03:16	4408.35	43.333	189.21	26.08	128.58	33.34	0.05	189.19	26.10		128.60	252.40
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:03:18	4408.38	43.367	189.22	26.07	128.57	33.34	0.05	189.20	26.09		128.59	252.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:03:20	4408.42	43.400	189.22	26.07	128.57	33.34	0.05	189.20	26.09		128.59	252.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:03:22	4408.45	43.433	189.23	26.06	128.57	33.34	0.05	189.21	26.08		128.59	252.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:03:24	4408.48	43.467	189.23	26.07	128.57	33.34	0.05	189.20	26.08		128.59	252.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:03:26	4408.52	43.500	189.23	26.07	128.57	33.34	0.05	189.20	26.08		128.59	252.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:03:28	4408.55	43.533	189.24	26.06	128.56	33.34	0.05	189.21	26.07		128.58	252.42
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:03:30	4408.58	43.567	189.24	26.06	128.56	33.34	0.05	189.21	26.07		128.58	252.42
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:03:32	4408.62	43.600	189.24	26.06	128.56	33.34	0.05	189.21	26.07		128.58	252.42
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:03:34	4408.65	43.633	189.24	26.06	128.56	33.34	0.05	189.21	26.08		128.58	252.42
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:03:36	4408.68	43.667	189.24	26.06	128.56	33.34	0.05	189.21	26.07		128.58	252.42
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:03:38	4408.72	43.700	189.24	26.05	128.55	33.34	0.05	189.22	26.07		128.57	252.43
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:03:40	4408.75	43.733	189.24	26.05	128.55	33.34	0.05	189.22	26.07		128.57	252.43
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:03:42	4408.78	43.767	189.25	26.04	128.55	33.34	0.05	189.23	26.06		128.57	252.43
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:03:44	4408.82	43.800	189.25	26.04	128.55	33.34	0.05	189.23	26.06		128.57	252.43
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:03:46	4408.85	43.833	189.25	26.04	128.55	33.34	0.05	189.23	26.06		128.57	252.43
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:03:48	4408.88	43.867	189.25	26.04	128.54	33.34	0.05	189.23	26.06		128.56	252.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:03:50	4408.92	43.900	189.26	26.04	128.54	33.34	0.05	189.23	26.05		128.56	252.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:03:52	4408.95	43.933	189.26	26.03	128.53	33.34	0.05	189.24	26.05		128.56	252.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:03:54	4408.98	43.967	189.26	26.04	128.54	33.34	0.05	189.23	26.05		128.56	252.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:03:56	4409.02	44.000	189.26	26.03	128.53	33.34	0.05	189.24	26.05		128.56	252.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:03:58	4409.05	44.033	189.27	26.03	128.53	33.34	0.05	189.24	26.04		128.55	252.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:04:00	4409.08	44.067	189.27	26.02	128.53	33.34	0.05	189.25	26.04		128.55	252.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:04:02	4409.12	44.100	189.27	26.03	128.53	33.34	0.05	189.24	26.04		128.55	252.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:04:04	4409.15	44.133	189.27	26.02	128.53	33.34	0.05	189.25	26.04		128.55	252.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:04:06	4409.18	44.167	189.28	26.02	128.52	33.34	0.05	189.25	26.03		128.54	252.46
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:04:08	4409.22	44.200	189.27	26.02	128.52	33.34	0.05	189.25	26.04		128.54	252.46
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:04:10	4409.25	44.233	189.28	26.01	128.51	33.34	0.05	189.26	26.03		128.53	252.47
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:04:12	4409.28	44.267	189.28	26.01	128.51	33.34	0.05	189.26	26.03		128.53	252.47
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:04:14	4409.32	44.300	189.28	26.01	128.51	33.34	0.05	189.26	26.03		128.53	252.47
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:04:16	4409.35	44.333	189.29	26.00	128.50	33.34	0.05	189.27	26.02		128.52	252.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:04:18	4409.38	44.367	189.29	26.00	128.50	33.34	0.05	189.27	26.02		128.52	252.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:04:20	4409.42	44.400	189.29	26.00	128.50	33.34	0.05	189.27	26.02		128.52	252.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:04:22	4409.45	44.433	189.29	26.00	128.51	33.34	0.05	189.27	26.02		128.53	252.47
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:04:24	4409.48	44.467	189.30	26.00	128.50	33.34	0.05	189.27	26.01		128.52	252.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:04:26	4409.52	44.500	189.30	25.99	128.50	33.34	0.05	189.28	26.01		128.52	252.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:04:28	4409.55	44.533	189.30	25.99	128.50	33.34	0.05	189.28	26.01		128.52	252.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:04:30	4409.58	44.567	189.31	25.99	128.49	33.34	0.05	189.28	26.01		128.51	252.49
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:04:32	4409.62	44.600	189.31	25.99	128.49	33.34	0.05	189.28	26.00		128.51	252.49
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:04:34	4409.65	44.633	189.31	25.99	128.49	33.34	0.05	189.28	26.01		128.51	252.49
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:04:36	4409.68	44.667	189.32	25.98	128.48	33.34	0.05	189.29	26.00		128.50	252.50
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:04:38	4409.72	44.700	189.32	25.98	128.48	33.34	0.05	189.29	26.00		128.50	252.50
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:04:40	4409.75	44.733	189.32	25.98	128.48	33.34	0.05	189.29	26.00		128.50	252.50
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:04:42	4409.78	44.767	189.32	25.98	128.48	33.34	0.05	189.29	26.00		128.50	252.50
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:04:44	4409.82	44.800	189.32	25.97	128.47	33.34	0.05	189.30	25.99		128.49	252.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:04:46	4409.85	44.833	189.32	25.97	128.47	33.34	0.05	189.30	25.99		128.50	252.50
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:04:48	4409.88	44.867	189.32	25.97	128.47	33.34	0.05	189.30	25.99		128.49	252.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:04:50	4409.92	44.900	189.32	25.97	128.47	33.34	0.05	189.30	25.99		128.50	252.50

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:04:52	4409.95	44.933	189.33	25.96	128.46	33.34	0.05	189.31	25.98		128.49	252.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:04:54	4409.98	44.967	189.33	25.96	128.46	33.34	0.05	189.31	25.98		128.49	252.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:04:56	4410.02	45.000	189.33	25.96	128.46	33.34	0.05	189.31	25.98		128.49	252.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:04:58	4410.05	45.033	189.34	25.95	128.46	33.34	0.05	189.32	25.97		128.48	252.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:05:00	4410.08	45.067	189.34	25.95	128.46	33.34	0.05	189.32	25.97		128.48	252.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:05:02	4410.12	45.100	189.34	25.96	128.46	33.34	0.05	189.31	25.97		128.48	252.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:05:04	4410.15	45.133	189.34	25.95	128.46	33.34	0.05	189.32	25.97		128.48	252.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:05:06	4410.18	45.167	189.34	25.95	128.46	33.34	0.05	189.32	25.97		128.48	252.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:05:08	4410.22	45.200	189.35	25.95	128.45	33.34	0.05	189.32	25.96		128.47	252.53
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:05:10	4410.25	45.233	189.34	25.95	128.45	33.34	0.05	189.32	25.97		128.47	252.53
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:05:12	4410.28	45.267	189.35	25.94	128.44	33.34	0.05	189.33	25.96		128.46	252.54
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:05:14	4410.32	45.300	189.35	25.94	128.44	33.34	0.05	189.33	25.96		128.46	252.54
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:05:16	4410.35	45.333	189.35	25.94	128.44	33.34	0.05	189.33	25.96		128.46	252.54
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:05:18	4410.38	45.367	189.35	25.94	128.44	33.34	0.05	189.33	25.96		128.46	252.54
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:05:20	4410.42	45.400	189.36	25.93	128.44	33.34	0.05	189.34	25.95		128.46	252.54
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:05:22	4410.45	45.433	189.37	25.92	128.43	33.34	0.05	189.35	25.94		128.45	252.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:05:24	4410.48	45.467	189.37	25.92	128.43	33.34	0.05	189.35	25.94		128.45	252.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:05:26	4410.52	45.500	189.37	25.93	128.43	33.34	0.05	189.34	25.94		128.45	252.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:05:28	4410.55	45.533	189.37	25.93	128.43	33.34	0.05	189.34	25.94		128.45	252.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:05:30	4410.58	45.567	189.37	25.92	128.43	33.34	0.05	189.35	25.94		128.45	252.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:05:32	4410.62	45.600	189.38	25.92	128.42	33.34	0.05	189.35	25.93		128.44	252.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:05:34	4410.65	45.633	189.38	25.92	128.42	33.34	0.05	189.35	25.93		128.44	252.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:05:36	4410.68	45.667	189.38	25.92	128.42	33.34	0.05	189.35	25.93		128.44	252.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:05:38	4410.72	45.700	189.39	25.91	128.41	33.34	0.05	189.36	25.93		128.43	252.57
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:05:40	4410.75	45.733	189.39	25.91	128.41	33.34	0.05	189.36	25.93		128.43	252.57
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:05:42	4410.78	45.767	189.39	25.91	128.41	33.34	0.05	189.36	25.93		128.43	252.57
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:05:44	4410.82	45.800	189.39	25.91	128.41	33.34	0.05	189.36	25.93		128.43	252.57
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:05:46	4410.85	45.833	189.39	25.90	128.40	33.34	0.05	189.37	25.92		128.42	252.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:05:48	4410.88	45.867	189.39	25.90	128.40	33.34	0.05	189.37	25.92		128.42	252.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:05:50	4410.92	45.900	189.40	25.89	128.39	33.34	0.05	189.38	25.91		128.42	252.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:05:52	4410.95	45.933	189.40	25.89	128.39	33.34	0.05	189.38	25.91		128.42	252.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:05:54	4410.98	45.967	189.40	25.90	128.40	33.34	0.05	189.37	25.91		128.42	252.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:05:56	4411.02	46.000	189.40	25.90	128.40	33.34	0.05	189.37	25.91		128.42	252.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:05:58	4411.05	46.033	189.40	25.89	128.39	33.34	0.05	189.38	25.91		128.42	252.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:06:00	4411.08	46.067	189.41	25.88	128.39	33.34	0.05	189.39	25.90		128.41	252.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:06:02	4411.12	46.100	189.41	25.88	128.39	33.34	0.05	189.39	25.90		128.41	252.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:06:04	4411.15	46.133	189.41	25.88	128.39	33.34	0.05	189.39	25.90		128.41	252.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:06:06	4411.18	46.167	189.41	25.88	128.38	33.34	0.05	189.39	25.90		128.40	252.60
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:06:08	4411.22	46.200	189.42	25.88	128.38	33.34	0.05	189.39	25.89		128.40	252.60
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:06:10	4411.25	46.233	189.41	25.88	128.38	33.34	0.05	189.39	25.90		128.40	252.60
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:06:12	4411.28	46.267	189.42	25.87	128.37	33.34	0.05	189.40	25.89		128.39	252.61
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:06:14	4411.32	46.300	189.42	25.87	128.37	33.34	0.05	189.40	25.89		128.39	252.61
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:06:16	4411.35	46.333	189.42	25.87	128.37	33.34	0.05	189.40	25.89		128.39	252.61
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:06:18	4411.38	46.367	189.43	25.86	128.36	33.34	0.05	189.41	25.88		128.38	252.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:06:20	4411.42	46.400	189.43	25.86	128.36	33.34	0.05	189.41	25.88		128.38	252.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:06:22	4411.45	46.433	189.43	25.86	128.37	33.34	0.05	189.41	25.88		128.39	252.61
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:06:24	4411.48	46.467	189.43	25.86	128.37	33.34	0.05	189.41	25.88		128.39	252.61
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:06:26	4411.52	46.500	189.44	25.86	128.36	33.34	0.05	189.41	25.87		128.38	252.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:06:28	4411.55	46.533	189.44	25.85	128.36	33.34	0.05	189.42	25.87		128.38	252.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:06:30	4411.58	46.567	189.45	25.85	128.35	33.34	0.05	189.42	25.86		128.37	252.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:06:32	4411.62	46.600	189.45	25.85	128.35	33.34	0.05	189.42	25.86		128.37	252.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:06:34	4411.65	46.633	189.44	25.86	128.36	33.34	0.05	189.41	25.87		128.38	252.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:06:36	4411.68	46.667	189.45	25.85	128.35	33.34	0.05	189.42	25.86		128.37	252.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:06:38	4411.72	46.700	189.45	25.85	128.35	33.34	0.05	189.42	25.87		128.37	252.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:06:40	4411.75	46.733	189.45	25.85	128.35	33.34	0.05	189.42	25.86		128.37	252.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:06:42	4411.78	46.767	189.46	25.84	128.34	33.34	0.05	189.43	25.85		128.36	252.64
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:06:44	4411.82	46.800	189.46	25.84	128.34	33.34	0.05	189.43	25.85		128.36	252.64
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:06:46	4411.85	46.833	189.46	25.84	128.34	33.34	0.05	189.43	25.85		128.36	252.64
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:06:48	4411.88	46.867	189.46	25.83	128.33	33.34	0.05	189.44	25.85		128.35	252.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:06:50	4411.92	46.900	189.46	25.83	128.33	33.34	0.05	189.44	25.85		128.36	252.64
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:06:52	4411.95	46.933	189.47	25.82	128.32	33.34	0.05	189.45	25.84		128.35	252.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:06:54	4411.98	46.967	189.47	25.82	128.32	33.34	0.05	189.45	25.84		128.35	252.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:06:56	4412.02	47.000	189.47	25.82	128.32	33.34	0.05	189.45	25.84		128.35	252.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:06:58	4412.05	47.033	189.47	25.82	128.32	33.34	0.05	189.45	25.84		128.35	252.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:07:00	4412.08	47.067	189.48	25.81	128.32	33.34	0.05	189.46	25.83		128.34	252.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:07:02	4412.12	47.100	189.48	25.82	128.32	33.34	0.05	189.45	25.83		128.34	252.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:07:04	4412.15	47.133	189.48	25.81	128.32	33.34	0.05	189.46	25.83		128.34	252.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:07:06	4412.18	47.167	189.48	25.82	128.32	33.34	0.05	189.45	25.83		128.34	252.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:07:08	4412.22	47.200	189.49	25.81	128.31	33.34	0.05	189.46	25.82		128.33	252.67
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:07:10	4412.25	47.233	189.49	25.81	128.31	33.34	0.05	189.46	25.82		128.33	252.67
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:07:12	4412.28	47.267	189.49	25.81	128.31	33.34	0.05	189.46	25.82		128.33	252.67
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:07:14	4412.32	47.300	189.48	25.81	128.31	33.34	0.05	189.46	25.83		128.33	252.67
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:07:16	4412.35	47.333	189.49	25.81	128.31	33.34	0.05	189.46	25.82		128.33	252.67
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:07:18	4412.38	47.367	189.49	25.80	128.30	33.34	0.05	189.47	25.82		128.32	252.68
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:07:20	4412.42	47.400	189.50	25.80	128.30	33.34	0.05	189.47	25.82		128.32	252.68
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:07:22	4412.45	47.433	189.50	25.79	128.29	33.34	0.05	189.48	25.81		128.31	252.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:07:24	4412.48	47.467	189.50	25.79	128.29	33.34	0.05	189.48	25.81		128.31	252.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:07:26	4412.52	47.500	189.50	25.79	128.29	33.34	0.05	189.48	25.81		128.31	252.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:07:28	4412.55	47.533	189.50	25.79	128.29	33.34	0.05	189.48	25.81		128.31	252.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:07:30	4412.58	47.567	189.50	25.79	128.30	33.34	0.05	189.48	25.81		128.32	252.68
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:07:32	4412.62	47.600	189.51	25.78	128.29	33.34	0.05	189.49	25.80		128.31	252.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:07:34	4412.65	47.633	189.51	25.79	128.29	33.34	0.05	189.48	25.80		128.31	252.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:07:36	4412.68	47.667	189.52	25.78	128.28	33.34	0.05	189.49	25.80		128.30	252.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:07:38	4412.72	47.700	189.52	25.78	128.28	33.34	0.05	189.49	25.79		128.30	252.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:07:40	4412.75	47.733	189.52	25.78	128.28	33.34	0.05	189.49	25.79		128.30	252.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:07:42	4412.78	47.767	189.52	25.78	128.28	33.34	0.05	189.49	25.80		128.30	252.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:07:44	4412.82	47.800	189.53	25.77	128.27	33.34	0.05	189.50	25.78		128.29	252.71
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:07:46	4412.85	47.833	189.53	25.77	128.27	33.34	0.05	189.50	25.78		128.29	252.71
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:07:48	4412.88	47.867	189.53	25.77	128.27	33.34	0.05	189.50	25.78		128.29	252.71
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:07:50	4412.92	47.900	189.53	25.76	128.26	33.34	0.05	189.51	25.78		128.29	252.71
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:07:52	4412.95	47.933	189.53	25.76	128.26	33.34	0.05	189.51	25.78		128.28	252.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:07:54	4412.98	47.967	189.54	25.75	128.26	33.34	0.05	189.52	25.77		128.28	252.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:07:56	4413.02	48.000	189.53	25.76	128.26	33.34	0.05	189.51	25.78		128.28	252.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:07:58	4413.05	48.033	189.53	25.76	128.26	33.34	0.05	189.51	25.78		128.28	252.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:08:00	4413.08	48.067	189.53	25.76	128.26	33.34	0.05	189.51	25.78		128.28	252.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:08:02	4413.12	48.100	189.54	25.75	128.26	33.34	0.05	189.52	25.77		128.28	252.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:08:04	4413.15	48.133	189.54	25.75	128.25	33.34	0.05	189.52	25.77		128.28	252.72

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:08:06	4413.18	48.167	189.54	25.75	128.25	33.34	0.05	189.52	25.77		128.28	252.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:08:08	4413.22	48.200	189.55	25.74	128.25	33.34	0.05	189.53	25.76		128.27	252.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:08:10	4413.25	48.233	189.55	25.75	128.25	33.34	0.05	189.52	25.76		128.27	252.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:08:12	4413.28	48.267	189.55	25.74	128.24	33.34	0.05	189.53	25.76		128.26	252.74
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:08:14	4413.32	48.300	189.56	25.74	128.24	33.34	0.05	189.53	25.75		128.26	252.74
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:08:16	4413.35	48.333	189.56	25.74	128.24	33.34	0.05	189.53	25.75		128.26	252.74
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:08:18	4413.38	48.367	189.56	25.74	128.24	33.34	0.05	189.53	25.75		128.26	252.74
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:08:20	4413.42	48.400	189.57	25.73	128.23	33.34	0.05	189.54	25.75		128.25	252.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:08:22	4413.45	48.433	189.57	25.73	128.23	33.34	0.05	189.54	25.75		128.25	252.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:08:24	4413.48	48.467	189.57	25.73	128.23	33.34	0.05	189.54	25.75		128.25	252.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:08:26	4413.52	48.500	189.57	25.73	128.23	33.34	0.05	189.54	25.75		128.25	252.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:08:28	4413.55	48.533	189.57	25.72	128.23	33.34	0.05	189.55	25.74		128.25	252.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:08:30	4413.58	48.567	189.57	25.72	128.23	33.34	0.05	189.55	25.74		128.25	252.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:08:32	4413.62	48.600	189.57	25.72	128.22	33.34	0.05	189.55	25.74		128.24	252.76
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:08:34	4413.65	48.633	189.57	25.72	128.23	33.34	0.05	189.55	25.74		128.25	252.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:08:36	4413.68	48.667	189.58	25.71	128.22	33.34	0.05	189.56	25.73		128.24	252.76
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:08:38	4413.72	48.700	189.58	25.71	128.22	33.34	0.05	189.56	25.73		128.24	252.76
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:08:40	4413.75	48.733	189.59	25.71	128.21	33.34	0.05	189.56	25.72		128.23	252.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:08:42	4413.78	48.767	189.58	25.72	128.22	33.34	0.05	189.55	25.73		128.24	252.76
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:08:44	4413.82	48.800	189.59	25.71	128.21	33.34	0.05	189.56	25.72		128.23	252.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:08:46	4413.85	48.833	189.59	25.71	128.21	33.34	0.05	189.56	25.72		128.23	252.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:08:48	4413.88	48.867	189.59	25.71	128.21	33.34	0.05	189.56	25.72		128.23	252.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:08:50	4413.92	48.900	189.59	25.71	128.21	33.34	0.05	189.56	25.72		128.23	252.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:08:52	4413.95	48.933	189.60	25.70	128.20	33.34	0.05	189.57	25.71		128.22	252.78
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:08:54	4413.98	48.967	189.59	25.70	128.20	33.34	0.05	189.57	25.72		128.22	252.78
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:08:56	4414.02	49.000	189.60	25.69	128.19	33.34	0.05	189.58	25.71		128.21	252.79
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:08:58	4414.05	49.033	189.60	25.69	128.19	33.34	0.05	189.58	25.71		128.22	252.78
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:09:00	4414.08	49.067	189.60	25.69	128.19	33.34	0.05	189.58	25.71		128.21	252.79
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:09:02	4414.12	49.100	189.60	25.69	128.19	33.34	0.05	189.58	25.71		128.21	252.79
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:09:04	4414.15	49.133	189.61	25.68	128.18	33.34	0.05	189.59	25.70		128.21	252.79
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:09:06	4414.18	49.167	189.61	25.68	128.19	33.34	0.05	189.59	25.70		128.21	252.79
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:09:08	4414.22	49.200	189.61	25.68	128.18	33.34	0.05	189.59	25.70		128.21	252.79
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:09:10	4414.25	49.233	189.61	25.68	128.19	33.34	0.05	189.59	25.70		128.21	252.79
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:09:12	4414.28	49.267	189.62	25.67	128.18	33.34	0.05	189.60	25.69		128.20	252.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:09:14	4414.32	49.300	189.62	25.67	128.18	33.34	0.05	189.60	25.69		128.20	252.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:09:16	4414.35	49.333	189.62	25.67	128.18	33.34	0.05	189.60	25.69		128.20	252.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:09:18	4414.38	49.367	189.62	25.67	128.18	33.34	0.05	189.60	25.69		128.20	252.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:09:20	4414.42	49.400	189.63	25.67	128.17	33.34	0.05	189.60	25.68		128.19	252.81
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:09:22	4414.45	49.433	189.63	25.67	128.17	33.34	0.05	189.60	25.68		128.19	252.81
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:09:24	4414.48	49.467	189.63	25.67	128.17	33.34	0.05	189.60	25.68		128.19	252.81
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:09:26	4414.52	49.500	189.64	25.66	128.16	33.34	0.05	189.61	25.68		128.18	252.82
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:09:28	4414.55	49.533	189.64	25.66	128.16	33.34	0.05	189.61	25.68		128.18	252.82
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:09:30	4414.58	49.567	189.64	25.66	128.16	33.34	0.05	189.61	25.68		128.18	252.82
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:09:32	4414.62	49.600	189.64	25.66	128.16	33.34	0.05	189.61	25.68		128.18	252.82
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:09:34	4414.65	49.633	189.63	25.66	128.16	33.34	0.05	189.61	25.68		128.18	252.82
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:09:36	4414.68	49.667	189.64	25.65	128.15	33.34	0.05	189.62	25.67		128.17	252.83
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:09:38	4414.72	49.700	189.64	25.65	128.15	33.34	0.05	189.62	25.67		128.17	252.83
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:09:40	4414.75	49.733	189.64	25.65	128.15	33.34	0.05	189.62	25.67		128.17	252.83
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:09:42	4414.78	49.767	189.65	25.64	128.15	33.34	0.05	189.63	25.66		128.17	252.83
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:09:44	4414.82	49.800	189.65	25.64	128.15	33.34	0.05	189.63	25.66		128.17	252.83
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:09:46	4414.85	49.833	189.65	25.64	128.15	33.34	0.05	189.63	25.66		128.17	252.83
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:09:48	4414.88	49.867	189.65	25.64	128.15	33.34	0.05	189.63	25.66		128.17	252.83
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:09:50	4414.92	49.900	189.66	25.64	128.14	33.34	0.05	189.63	25.65		128.16	252.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:09:52	4414.95	49.933	189.66	25.64	128.14	33.34	0.05	189.63	25.65		128.16	252.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:09:54	4414.98	49.967	189.66	25.64	128.14	33.34	0.05	189.63	25.65		128.16	252.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:09:56	4415.02	50.000	189.67	25.63	128.13	33.34	0.05	189.64	25.64		128.15	252.85
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:09:58	4415.05	50.033	189.66	25.63	128.13	33.34	0.05	189.64	25.65		128.15	252.85
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:10:00	4415.08	50.067	189.67	25.63	128.13	33.34	0.04	189.64	25.64		128.15	252.85
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:10:02	4415.12	50.100	189.67	25.62	128.12	33.34	0.04	189.65	25.63		128.14	252.86
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:10:04	4415.15	50.133	189.67	25.63	128.13	33.34	0.04	189.64	25.64		128.15	252.85
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:10:06	4415.18	50.167	189.67	25.62	128.12	33.34	0.04	189.65	25.63		128.14	252.86
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:10:08	4415.22	50.200	189.67	25.62	128.12	33.34	0.04	189.65	25.63		128.14	252.86
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:10:10	4415.25	50.233	189.67	25.62	128.12	33.34	0.04	189.65	25.64		128.14	252.86
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:10:12	4415.28	50.267	189.68	25.61	128.11	33.34	0.04	189.66	25.63		128.13	252.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:10:14	4415.32	50.300	189.68	25.61	128.11	33.34	0.04	189.66	25.63		128.13	252.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:10:16	4415.35	50.333	189.68	25.61	128.11	33.34	0.04	189.66	25.63		128.13	252.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:10:18	4415.38	50.367	189.69	25.60	128.11	33.34	0.04	189.67	25.62		128.13	252.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:10:20	4415.42	50.400	189.69	25.60	128.11	33.34	0.04	189.67	25.62		128.13	252.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:10:22	4415.45	50.433	189.69	25.60	128.11	33.34	0.04	189.67	25.62		128.13	252.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:10:24	4415.48	50.467	189.69	25.60	128.11	33.34	0.04	189.67	25.62		128.13	252.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:10:26	4415.52	50.500	189.69	25.60	128.11	33.34	0.04	189.67	25.62		128.13	252.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:10:28	4415.55	50.533	189.69	25.61	128.11	33.34	0.04	189.66	25.62		128.13	252.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:10:30	4415.58	50.567	189.69	25.60	128.11	33.34	0.04	189.67	25.62		128.13	252.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:10:32	4415.62	50.600	189.70	25.60	128.10	33.34	0.04	189.67	25.61		128.12	252.88
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:10:34	4415.65	50.633	189.69	25.60	128.11	33.34	0.04	189.67	25.62		128.13	252.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:10:36	4415.68	50.667	189.70	25.60	128.10	33.34	0.04	189.67	25.61		128.12	252.88
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:10:38	4415.72	50.700	189.71	25.59	128.09	33.34	0.04	189.68	25.60		128.11	252.89
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:10:40	4415.75	50.733	189.71	25.59	128.09	33.34	0.04	189.68	25.60		128.11	252.89
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:10:42	4415.78	50.767	189.71	25.58	128.08	33.34	0.04	189.69	25.60		128.10	252.90
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:10:44	4415.82	50.800	189.71	25.58	128.08	33.34	0.04	189.69	25.60		128.10	252.90
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:10:46	4415.85	50.833	189.71	25.59	128.09	33.34	0.04	189.68	25.60		128.11	252.89
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:10:48	4415.88	50.867	189.71	25.58	128.08	33.34	0.04	189.69	25.60		128.10	252.90
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:10:50	4415.92	50.900	189.71	25.58	128.08	33.34	0.04	189.69	25.60		128.10	252.90
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:10:52	4415.95	50.933	189.72	25.57	128.07	33.34	0.04	189.70	25.59		128.09	252.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:10:54	4415.98	50.967	189.72	25.57	128.07	33.34	0.04	189.70	25.59		128.09	252.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:10:56	4416.02	51.000	189.72	25.57	128.07	33.34	0.04	189.70	25.59		128.09	252.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:10:58	4416.05	51.033	189.72	25.57	128.07	33.34	0.04	189.70	25.59		128.09	252.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:11:00	4416.08	51.067	189.73	25.57	128.07	33.34	0.04	189.71	25.58		128.09	252.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:11:02	4416.12	51.100	189.73	25.57	128.07	33.34	0.04	189.71	25.58		128.09	252.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:11:04	4416.15	51.133	189.73	25.57	128.07	33.34	0.04	189.71	25.58		128.09	252.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:11:06	4416.18	51.167	189.74	25.56	128.06	33.34	0.04	189.71	25.57		128.08	252.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:11:08	4416.22	51.200	189.74	25.56	128.06	33.34	0.04	189.71	25.57		128.08	252.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:11:10	4416.25	51.233	189.74	25.56	128.06	33.34	0.04	189.71	25.57		128.08	252.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:11:12	4416.28	51.267	189.74	25.56	128.06	33.34	0.04	189.71	25.57		128.08	252.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:11:14	4416.32	51.300	189.74	25.55	128.05	33.34	0.04	189.72	25.56		128.07	252.93
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:11:16	4416.35	51.333	189.74	25.55	128.05	33.34	0.04	189.72	25.56		128.07	252.93
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:11:18	4416.38	51.367	189.74	25.55	128.05	33.34	0.04	189.72	25.56		128.07	252.93

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:11:20	4416.42	51.400	189.75	25.54	128.04	33.34	0.04	189.73	25.56		128.06	252.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:11:22	4416.45	51.433	189.75	25.54	128.04	33.34	0.04	189.73	25.56		128.06	252.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:11:24	4416.48	51.467	189.75	25.54	128.04	33.34	0.04	189.73	25.56		128.06	252.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:11:26	4416.52	51.500	189.75	25.54	128.04	33.34	0.04	189.73	25.56		128.06	252.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:11:28	4416.55	51.533	189.75	25.54	128.04	33.34	0.04	189.73	25.56		128.06	252.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:11:30	4416.58	51.567	189.76	25.53	128.04	33.34	0.04	189.74	25.55		128.06	252.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:11:32	4416.62	51.600	189.76	25.53	128.04	33.34	0.04	189.74	25.55		128.06	252.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:11:34	4416.65	51.633	189.76	25.53	128.04	33.34	0.04	189.74	25.55		128.06	252.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:11:36	4416.68	51.667	189.76	25.53	128.04	33.34	0.04	189.74	25.55		128.06	252.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:11:38	4416.72	51.700	189.77	25.53	128.03	33.34	0.04	189.74	25.54		128.05	252.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:11:40	4416.75	51.733	189.77	25.53	128.03	33.34	0.04	189.74	25.54		128.05	252.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:11:42	4416.78	51.767	189.77	25.53	128.03	33.34	0.04	189.74	25.54		128.05	252.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:11:44	4416.82	51.800	189.78	25.52	128.02	33.34	0.04	189.75	25.53		128.04	252.96
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:11:46	4416.85	51.833	189.78	25.52	128.02	33.34	0.04	189.75	25.53		128.04	252.96
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:11:48	4416.88	51.867	189.78	25.52	128.02	33.34	0.04	189.75	25.53		128.04	252.96
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:11:50	4416.92	51.900	189.78	25.51	128.01	33.34	0.04	189.76	25.53		128.03	252.97
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:11:52	4416.95	51.933	189.78	25.52	128.02	33.34	0.04	189.75	25.53		128.04	252.96
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:11:54	4416.98	51.967	189.78	25.51	128.01	33.34	0.04	189.76	25.53		128.03	252.97
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:11:56	4417.02	52.000	189.79	25.50	128.00	33.34	0.04	189.77	25.52		128.02	252.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:11:58	4417.05	52.033	189.78	25.51	128.01	33.34	0.04	189.76	25.53		128.03	252.97
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:12:00	4417.08	52.067	189.79	25.50	128.00	33.34	0.04	189.77	25.52		128.02	252.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:12:02	4417.12	52.100	189.79	25.50	128.00	33.34	0.04	189.77	25.52		128.02	252.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:12:04	4417.15	52.133	189.80	25.50	128.00	33.34	0.04	189.78	25.51		128.02	252.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:12:06	4417.18	52.167	189.79	25.50	128.00	33.34	0.04	189.77	25.52		128.02	252.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:12:08	4417.22	52.200	189.80	25.50	128.00	33.34	0.04	189.78	25.51		128.02	252.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:12:10	4417.25	52.233	189.80	25.50	128.00	33.34	0.04	189.78	25.51		128.02	252.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:12:12	4417.28	52.267	189.80	25.50	128.00	33.34	0.04	189.78	25.51		128.02	252.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:12:14	4417.32	52.300	189.81	25.49	127.99	33.34	0.04	189.78	25.50		128.01	252.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:12:16	4417.35	52.333	189.81	25.49	127.99	33.34	0.04	189.78	25.50		128.01	252.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:12:18	4417.38	52.367	189.81	25.49	127.99	33.34	0.04	189.78	25.50		128.01	252.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:12:20	4417.42	52.400	189.81	25.49	127.99	33.34	0.04	189.78	25.50		128.01	252.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:12:22	4417.45	52.433	189.81	25.48	127.98	33.34	0.04	189.79	25.49		128.00	253.00
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:12:24	4417.48	52.467	189.81	25.48	127.98	33.34	0.04	189.79	25.49		128.00	253.00
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:12:26	4417.52	52.500	189.81	25.49	127.99	33.34	0.04	189.78	25.50		128.01	252.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:12:28	4417.55	52.533	189.81	25.48	127.98	33.34	0.04	189.79	25.49		128.00	253.00
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:12:30	4417.58	52.567	189.82	25.47	127.97	33.34	0.04	189.80	25.49		127.99	253.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:12:32	4417.62	52.600	189.82	25.47	127.97	33.34	0.04	189.80	25.49		127.99	253.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:12:34	4417.65	52.633	189.82	25.47	127.97	33.34	0.04	189.80	25.49		127.99	253.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:12:36	4417.68	52.667	189.83	25.46	127.97	33.34	0.04	189.81	25.48		127.99	253.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:12:38	4417.72	52.700	189.83	25.46	127.97	33.34	0.04	189.81	25.48		127.99	253.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:12:40	4417.75	52.733	189.83	25.46	127.97	33.34	0.04	189.81	25.48		127.99	253.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:12:42	4417.78	52.767	189.83	25.46	127.97	33.34	0.04	189.81	25.48		127.99	253.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:12:44	4417.82	52.800	189.83	25.46	127.97	33.34	0.04	189.81	25.48		127.99	253.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:12:46	4417.85	52.833	189.83	25.46	127.97	33.34	0.04	189.81	25.48		127.99	253.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:12:48	4417.88	52.867	189.84	25.46	127.96	33.34	0.04	189.81	25.47		127.98	253.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:12:50	4417.92	52.900	189.84	25.46	127.96	33.34	0.04	189.81	25.47		127.98	253.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:12:52	4417.95	52.933	189.84	25.46	127.96	33.34	0.04	189.81	25.47		127.98	253.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:12:54	4417.98	52.967	189.85	25.45	127.95	33.34	0.04	189.82	25.46		127.97	253.03
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:12:56	4418.02	53.000	189.85	25.45	127.95	33.34	0.04	189.82	25.46		127.97	253.03
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:12:58	4418.05	53.033	189.85	25.45	127.95	33.34	0.04	189.82	25.46		127.97	253.03
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:13:00	4418.08	53.067	189.85	25.45	127.95	33.34	0.04	189.82	25.46		127.97	253.03
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:13:02	4418.12	53.100	189.85	25.45	127.95	33.34	0.04	189.82	25.46		127.97	253.03
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:13:04	4418.15	53.133	189.85	25.45	127.95	33.34	0.04	189.82	25.46		127.97	253.03
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:13:06	4418.18	53.167	189.85	25.44	127.94	33.34	0.04	189.83	25.46		127.96	253.04
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:13:08	4418.22	53.200	189.85	25.44	127.94	33.34	0.04	189.83	25.46		127.96	253.04
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:13:10	4418.25	53.233	189.85	25.44	127.94	33.34	0.04	189.83	25.46		127.96	253.04
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:13:12	4418.28	53.267	189.86	25.43	127.93	33.34	0.04	189.84	25.45		127.95	253.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:13:14	4418.32	53.300	189.86	25.43	127.93	33.34	0.04	189.84	25.45		127.95	253.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:13:16	4418.35	53.333	189.87	25.42	127.93	33.34	0.04	189.85	25.44		127.95	253.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:13:18	4418.38	53.367	189.86	25.43	127.93	33.34	0.04	189.84	25.45		127.95	253.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:13:20	4418.42	53.400	189.87	25.42	127.93	33.34	0.04	189.85	25.44		127.95	253.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:13:22	4418.45	53.433	189.87	25.42	127.93	33.34	0.04	189.85	25.44		127.95	253.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:13:24	4418.48	53.467	189.87	25.42	127.93	33.34	0.04	189.85	25.44		127.95	253.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:13:26	4418.52	53.500	189.88	25.42	127.92	33.34	0.04	189.85	25.43		127.94	253.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:13:28	4418.55	53.533	189.88	25.42	127.92	33.34	0.04	189.85	25.43		127.94	253.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:13:30	4418.58	53.567	189.88	25.42	127.92	33.34	0.04	189.85	25.43		127.94	253.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:13:32	4418.62	53.600	189.88	25.41	127.91	33.34	0.04	189.86	25.42		127.93	253.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:13:34	4418.65	53.633	189.88	25.42	127.92	33.34	0.04	189.85	25.43		127.94	253.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:13:36	4418.68	53.667	189.88	25.41	127.91	33.34	0.04	189.86	25.42		127.93	253.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:13:38	4418.72	53.700	189.88	25.41	127.91	33.34	0.04	189.86	25.42		127.93	253.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:13:40	4418.75	53.733	189.89	25.40	127.90	33.34	0.04	189.87	25.42		127.92	253.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:13:42	4418.78	53.767	189.89	25.40	127.90	33.34	0.04	189.87	25.42		127.92	253.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:13:44	4418.82	53.800	189.89	25.40	127.90	33.34	0.04	189.87	25.42		127.92	253.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:13:46	4418.85	53.833	189.89	25.40	127.90	33.34	0.04	189.87	25.42		127.92	253.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:13:48	4418.88	53.867	189.90	25.39	127.90	33.34	0.04	189.88	25.41		127.92	253.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:13:50	4418.92	53.900	189.90	25.39	127.90	33.34	0.04	189.88	25.41		127.92	253.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:13:52	4418.95	53.933	189.90	25.39	127.90	33.34	0.04	189.88	25.41		127.92	253.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:13:54	4418.98	53.967	189.90	25.39	127.90	33.34	0.04	189.88	25.41		127.92	253.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:13:56	4419.02	54.000	189.90	25.39	127.90	33.34	0.04	189.88	25.41		127.92	253.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:13:58	4419.05	54.033	189.91	25.39	127.89	33.34	0.04	189.89	25.40		127.91	253.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:14:00	4419.08	54.067	189.91	25.39	127.89	33.34	0.04	189.89	25.40		127.91	253.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:14:02	4419.12	54.100	189.91	25.39	127.89	33.34	0.04	189.89	25.40		127.91	253.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:14:04	4419.15	54.133	189.91	25.39	127.89	33.34	0.04	189.89	25.40		127.91	253.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:14:06	4419.18	54.167	189.91	25.39	127.89	33.34	0.04	189.89	25.40		127.91	253.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:14:08	4419.22	54.200	189.91	25.39	127.89	33.34	0.04	189.88	25.40		127.91	253.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:14:10	4419.25	54.233	189.92	25.38	127.88	33.34	0.04	189.89	25.39		127.90	253.10
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:14:12	4419.28	54.267	189.92	25.38	127.88	33.34	0.04	189.89	25.39		127.90	253.10
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:14:14	4419.32	54.300	189.92	25.38	127.88	33.34	0.04	189.89	25.39		127.90	253.10
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:14:16	4419.35	54.333	189.92	25.37	127.87	33.34	0.04	189.90	25.39		127.89	253.11
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:14:18	4419.38	54.367	189.92	25.37	127.87	33.34	0.04	189.90	25.39		127.89	253.11
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:14:20	4419.42	54.400	189.92	25.37	127.87	33.34	0.04	189.90	25.39		127.89	253.11
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:14:22	4419.45	54.433	189.93	25.36	127.86	33.34	0.04	189.91	25.38		127.88	253.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:14:24	4419.48	54.467	189.93	25.36	127.86	33.34	0.04	189.91	25.38		127.88	253.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:14:26	4419.52	54.500	189.93	25.36	127.86	33.34	0.04	189.91	25.38		127.88	253.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:14:28	4419.55	54.533	189.93	25.37	127.87	33.34	0.04	189.91	25.38		127.89	253.11
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:14:30	4419.58	54.567	189.93	25.36	127.86	33.34	0.04	189.91	25.38		127.88	253.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:14:32	4419.62	54.600	189.94	25.35	127.86	33.34	0.04	189.92	25.37		127.88	253.12

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:14:34	4419.65	54.633	189.94	25.35	127.86	33.34	0.04	189.92	25.37		127.88	253.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:14:36	4419.68	54.667	189.94	25.35	127.86	33.34	0.04	189.92	25.37		127.88	253.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:14:38	4419.72	54.700	189.94	25.35	127.86	33.34	0.04	189.92	25.37		127.88	253.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:14:40	4419.75	54.733	189.95	25.35	127.85	33.34	0.04	189.92	25.36		127.87	253.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:14:42	4419.78	54.767	189.95	25.35	127.85	33.34	0.04	189.92	25.36		127.87	253.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:14:44	4419.82	54.800	189.95	25.35	127.85	33.34	0.04	189.92	25.36		127.87	253.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:14:46	4419.85	54.833	189.95	25.34	127.84	33.34	0.04	189.93	25.35		127.86	253.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:14:48	4419.88	54.867	189.95	25.34	127.84	33.34	0.04	189.93	25.35		127.86	253.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:14:50	4419.92	54.900	189.95	25.34	127.84	33.34	0.04	189.93	25.35		127.86	253.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:14:52	4419.95	54.933	189.95	25.34	127.84	33.34	0.04	189.93	25.35		127.86	253.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:14:54	4419.98	54.967	189.95	25.34	127.84	33.34	0.04	189.93	25.35		127.86	253.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:14:56	4420.02	55.000	189.95	25.34	127.84	33.34	0.04	189.93	25.35		127.86	253.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:14:58	4420.05	55.033	189.96	25.33	127.83	33.34	0.04	189.94	25.35		127.85	253.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:15:00	4420.08	55.067	189.96	25.33	127.83	33.34	0.04	189.94	25.35		127.85	253.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:15:02	4420.12	55.100	189.96	25.33	127.83	33.34	0.04	189.94	25.35		127.85	253.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:15:04	4420.15	55.133	189.97	25.32	127.83	33.34	0.04	189.95	25.34		127.84	253.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:15:06	4420.18	55.167	189.97	25.32	127.83	33.34	0.04	189.95	25.34		127.84	253.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:15:08	4420.22	55.200	189.97	25.33	127.83	33.34	0.04	189.95	25.34		127.85	253.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:15:10	4420.25	55.233	189.97	25.32	127.83	33.34	0.04	189.95	25.34		127.84	253.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:15:12	4420.28	55.267	189.97	25.32	127.83	33.34	0.04	189.95	25.34		127.84	253.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:15:14	4420.32	55.300	189.98	25.32	127.82	33.34	0.04	189.96	25.33		127.84	253.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:15:16	4420.35	55.333	189.98	25.32	127.82	33.34	0.04	189.96	25.33		127.84	253.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:15:18	4420.38	55.367	189.98	25.32	127.82	33.34	0.04	189.96	25.33		127.84	253.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:15:20	4420.42	55.400	189.98	25.32	127.82	33.34	0.04	189.96	25.33		127.84	253.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:15:22	4420.45	55.433	189.98	25.32	127.82	33.34	0.04	189.96	25.33		127.84	253.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:15:24	4420.48	55.467	189.98	25.31	127.81	33.34	0.04	189.96	25.32		127.83	253.17
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:15:26	4420.52	55.500	189.99	25.31	127.81	33.34	0.04	189.97	25.32		127.83	253.17
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:15:28	4420.55	55.533	189.99	25.30	127.80	33.34	0.04	189.97	25.31		127.82	253.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:15:30	4420.58	55.567	189.99	25.30	127.80	33.34	0.04	189.97	25.31		127.82	253.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:15:32	4420.62	55.600	189.99	25.30	127.80	33.34	0.04	189.97	25.31		127.82	253.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:15:34	4420.65	55.633	189.99	25.30	127.80	33.34	0.04	189.97	25.31		127.82	253.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:15:36	4420.68	55.667	190.00	25.29	127.79	33.34	0.04	189.98	25.31		127.81	253.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:15:38	4420.72	55.700	190.00	25.29	127.79	33.34	0.04	189.98	25.31		127.81	253.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:15:40	4420.75	55.733	190.00	25.29	127.79	33.34	0.04	189.98	25.31		127.81	253.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:15:42	4420.78	55.767	190.00	25.29	127.79	33.34	0.04	189.98	25.31		127.81	253.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:15:44	4420.82	55.800	190.00	25.29	127.79	33.34	0.04	189.98	25.31		127.81	253.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:15:46	4420.85	55.833	190.01	25.28	127.79	33.34	0.04	189.99	25.30		127.80	253.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:15:48	4420.88	55.867	190.01	25.28	127.79	33.34	0.04	189.99	25.30		127.80	253.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:15:50	4420.92	55.900	190.02	25.28	127.78	33.34	0.04	190.00	25.29		127.80	253.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:15:52	4420.95	55.933	190.01	25.28	127.79	33.34	0.04	189.99	25.30		127.80	253.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:15:54	4420.98	55.967	190.01	25.28	127.79	33.34	0.04	189.99	25.30		127.80	253.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:15:56	4421.02	56.000	190.02	25.28	127.78	33.34	0.04	190.00	25.29		127.80	253.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:15:58	4421.05	56.033	190.02	25.28	127.78	33.34	0.04	190.00	25.29		127.80	253.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:16:00	4421.08	56.067	190.02	25.27	127.77	33.34	0.04	190.00	25.28		127.79	253.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:16:02	4421.12	56.100	190.02	25.28	127.78	33.34	0.04	190.00	25.29		127.80	253.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:16:04	4421.15	56.133	190.02	25.27	127.77	33.34	0.04	190.00	25.28		127.79	253.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:16:06	4421.18	56.167	190.03	25.26	127.76	33.34	0.04	190.01	25.28		127.78	253.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:16:08	4421.22	56.200	190.03	25.26	127.76	33.34	0.04	190.01	25.28		127.78	253.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:16:10	4421.25	56.233	190.03	25.26	127.76	33.34	0.04	190.01	25.28		127.78	253.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:16:12	4421.28	56.267	190.04	25.26	127.76	33.34	0.04	190.01	25.27		127.78	253.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:16:14	4421.32	56.300	190.04	25.26	127.76	33.34	0.04	190.01	25.27		127.78	253.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:16:16	4421.35	56.333	190.04	25.26	127.76	33.34	0.04	190.01	25.27		127.78	253.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:16:18	4421.38	56.367	190.03	25.26	127.76	33.34	0.04	190.01	25.28		127.78	253.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:16:20	4421.42	56.400	190.03	25.26	127.76	33.34	0.04	190.01	25.28		127.78	253.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:16:22	4421.45	56.433	190.04	25.25	127.76	33.34	0.04	190.02	25.27		127.77	253.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:16:24	4421.48	56.467	190.04	25.25	127.76	33.34	0.04	190.02	25.27		127.77	253.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:16:26	4421.52	56.500	190.05	25.25	127.75	33.34	0.04	190.03	25.26		127.77	253.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:16:28	4421.55	56.533	190.05	25.25	127.75	33.34	0.04	190.03	25.26		127.77	253.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:16:30	4421.58	56.567	190.04	25.25	127.76	33.34	0.04	190.02	25.27		127.77	253.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:16:32	4421.62	56.600	190.05	25.25	127.75	33.34	0.04	190.03	25.26		127.77	253.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:16:34	4421.65	56.633	190.05	25.25	127.75	33.34	0.04	190.03	25.26		127.77	253.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:16:36	4421.68	56.667	190.06	25.24	127.74	33.34	0.04	190.04	25.25		127.76	253.24
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:16:38	4421.72	56.700	190.05	25.25	127.75	33.34	0.04	190.03	25.26		127.77	253.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:16:40	4421.75	56.733	190.06	25.24	127.74	33.34	0.04	190.04	25.25		127.76	253.24
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:16:42	4421.78	56.767	190.06	25.24	127.74	33.34	0.04	190.04	25.25		127.76	253.24
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:16:44	4421.82	56.800	190.06	25.24	127.74	33.34	0.04	190.04	25.25		127.76	253.24
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:16:46	4421.85	56.833	190.06	25.24	127.74	33.34	0.04	190.04	25.25		127.76	253.24
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:16:48	4421.88	56.867	190.06	25.23	127.73	33.34	0.04	190.04	25.24		127.75	253.25
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:16:50	4421.92	56.900	190.07	25.22	127.72	33.34	0.04	190.05	25.24		127.74	253.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:16:52	4421.95	56.933	190.06	25.23	127.73	33.34	0.04	190.04	25.24		127.75	253.25
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:16:54	4421.98	56.967	190.07	25.22	127.72	33.34	0.04	190.05	25.24		127.74	253.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:16:56	4422.02	57.000	190.07	25.22	127.72	33.34	0.04	190.05	25.24		127.74	253.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:16:58	4422.05	57.033	190.07	25.22	127.72	33.34	0.04	190.05	25.24		127.74	253.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:17:00	4422.08	57.067	190.07	25.22	127.72	33.34	0.04	190.05	25.24		127.74	253.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:17:02	4422.12	57.100	190.08	25.21	127.72	33.34	0.04	190.06	25.23		127.73	253.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:17:04	4422.15	57.133	190.08	25.21	127.72	33.34	0.04	190.06	25.23		127.73	253.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:17:06	4422.18	57.167	190.08	25.21	127.72	33.34	0.04	190.06	25.23		127.73	253.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:17:08	4422.22	57.200	190.08	25.21	127.72	33.34	0.04	190.06	25.23		127.73	253.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:17:10	4422.25	57.233	190.08	25.21	127.72	33.34	0.04	190.06	25.23		127.73	253.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:17:12	4422.28	57.267	190.08	25.21	127.72	33.34	0.04	190.06	25.23		127.73	253.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:17:14	4422.32	57.300	190.08	25.21	127.72	33.34	0.04	190.06	25.23		127.73	253.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:17:16	4422.35	57.333	190.09	25.21	127.71	33.34	0.04	190.07	25.22		127.73	253.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:17:18	4422.38	57.367	190.10	25.20	127.70	33.34	0.04	190.07	25.21		127.72	253.28
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:17:20	4422.42	57.400	190.10	25.20	127.70	33.34	0.04	190.07	25.21		127.72	253.28
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:17:22	4422.45	57.433	190.10	25.20	127.70	33.34	0.04	190.07	25.21		127.72	253.28
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:17:24	4422.48	57.467	190.10	25.20	127.70	33.34	0.04	190.07	25.21		127.72	253.28
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:17:26	4422.52	57.500	190.10	25.20	127.70	33.34	0.04	190.07	25.21		127.72	253.28
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:17:28	4422.55	57.533	190.10	25.19	127.69	33.34	0.04	190.08	25.21		127.71	253.29
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:17:30	4422.58	57.567	190.10	25.19	127.69	33.34	0.04	190.08	25.21		127.71	253.29
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:17:32	4422.62	57.600	190.10	25.19	127.69	33.34	0.04	190.08	25.21		127.71	253.29
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:17:34	4422.65	57.633	190.11	25.18	127.69	33.34	0.04	190.09	25.20		127.70	253.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:17:36	4422.68	57.667	190.10	25.19	127.69	33.34	0.04	190.08	25.21		127.71	253.29
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:17:38	4422.72	57.700	190.11	25.18	127.69	33.34	0.04	190.09	25.20		127.70	253.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:17:40	4422.75	57.733	190.11	25.18	127.69	33.34	0.04	190.09	25.20		127.70	253.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:17:42	4422.78	57.767	190.11	25.18	127.69	33.34	0.04	190.09	25.20		127.70	253.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:17:44	4422.82	57.800	190.12	25.18	127.68	33.34	0.04	190.10	25.19		127.70	253.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:17:46	4422.85	57.833	190.12	25.18	127.68	33.34	0.04	190.10	25.19		127.70	253.30

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:17:48	4422.88	57.867	190.12	25.18	127.68	33.34	0.04	190.10	25.19		127.70	253.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:17:50	4422.92	57.900	190.12	25.18	127.68	33.34	0.04	190.10	25.19		127.70	253.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:17:52	4422.95	57.933	190.13	25.17	127.67	33.34	0.04	190.11	25.18		127.69	253.31
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:17:54	4422.98	57.967	190.13	25.17	127.67	33.34	0.04	190.11	25.18		127.69	253.31
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:17:56	4423.02	58.000	190.13	25.17	127.67	33.34	0.04	190.11	25.18		127.69	253.31
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:17:58	4423.05	58.033	190.13	25.17	127.67	33.34	0.04	190.11	25.18		127.69	253.31
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:18:00	4423.08	58.067	190.13	25.16	127.66	33.34	0.04	190.11	25.17		127.68	253.32
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:18:02	4423.12	58.100	190.13	25.16	127.66	33.34	0.04	190.11	25.17		127.68	253.32
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:18:04	4423.15	58.133	190.13	25.16	127.66	33.34	0.04	190.11	25.17		127.68	253.32
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:18:06	4423.18	58.167	190.13	25.16	127.66	33.34	0.04	190.11	25.17		127.68	253.32
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:18:08	4423.22	58.200	190.13	25.16	127.66	33.34	0.04	190.11	25.17		127.68	253.32
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:18:10	4423.25	58.233	190.13	25.16	127.66	33.34	0.04	190.11	25.17		127.68	253.32
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:18:12	4423.28	58.267	190.13	25.16	127.66	33.34	0.04	190.11	25.17		127.68	253.32
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:18:14	4423.32	58.300	190.14	25.15	127.65	33.34	0.04	190.12	25.17		127.67	253.33
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:18:16	4423.35	58.333	190.14	25.15	127.65	33.34	0.04	190.12	25.17		127.67	253.33
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:18:18	4423.38	58.367	190.14	25.15	127.65	33.34	0.04	190.12	25.17		127.67	253.33
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:18:20	4423.42	58.400	190.15	25.14	127.65	33.34	0.04	190.13	25.16		127.66	253.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:18:22	4423.45	58.433	190.15	25.14	127.65	33.34	0.04	190.13	25.16		127.66	253.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:18:24	4423.48	58.467	190.15	25.14	127.65	33.34	0.04	190.13	25.16		127.66	253.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:18:26	4423.52	58.500	190.16	25.14	127.64	33.34	0.04	190.14	25.15		127.66	253.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:18:28	4423.55	58.533	190.15	25.14	127.65	33.34	0.04	190.13	25.16		127.66	253.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:18:30	4423.58	58.567	190.16	25.14	127.64	33.34	0.04	190.14	25.15		127.66	253.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:18:32	4423.62	58.600	190.16	25.14	127.64	33.34	0.04	190.14	25.15		127.66	253.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:18:34	4423.65	58.633	190.17	25.13	127.63	33.34	0.04	190.14	25.14		127.65	253.35
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:18:36	4423.68	58.667	190.17	25.13	127.63	33.34	0.04	190.14	25.14		127.65	253.35
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:18:38	4423.72	58.700	190.17	25.13	127.63	33.34	0.04	190.14	25.14		127.65	253.35
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:18:40	4423.75	58.733	190.17	25.13	127.63	33.34	0.04	190.14	25.14		127.65	253.35
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:18:42	4423.78	58.767	190.17	25.13	127.63	33.34	0.04	190.14	25.14		127.65	253.35
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:18:44	4423.82	58.800	190.17	25.12	127.62	33.34	0.04	190.15	25.13		127.64	253.36
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:18:46	4423.85	58.833	190.17	25.12	127.62	33.34	0.04	190.15	25.13		127.64	253.36
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:18:48	4423.88	58.867	190.17	25.12	127.62	33.34	0.04	190.15	25.13		127.64	253.36
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:18:50	4423.92	58.900	190.17	25.12	127.62	33.34	0.04	190.15	25.13		127.64	253.36
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:18:52	4423.95	58.933	190.17	25.12	127.62	33.34	0.04	190.15	25.13		127.64	253.36
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:18:54	4423.98	58.967	190.18	25.11	127.62	33.34	0.04	190.16	25.13		127.63	253.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:18:56	4424.02	59.000	190.18	25.11	127.62	33.34	0.04	190.16	25.13		127.63	253.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:18:58	4424.05	59.033	190.18	25.11	127.62	33.34	0.04	190.16	25.13		127.63	253.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:19:00	4424.08	59.067	190.18	25.11	127.62	33.34	0.04	190.16	25.13		127.63	253.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:19:02	4424.12	59.100	190.18	25.11	127.62	33.34	0.04	190.16	25.13		127.63	253.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:19:04	4424.15	59.133	190.19	25.11	127.61	33.34	0.04	190.17	25.12		127.63	253.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:19:06	4424.18	59.167	190.19	25.11	127.61	33.34	0.04	190.17	25.12		127.63	253.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:19:08	4424.22	59.200	190.19	25.11	127.61	33.34	0.04	190.17	25.12		127.63	253.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:19:10	4424.25	59.233	190.19	25.11	127.61	33.34	0.04	190.17	25.12		127.63	253.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:19:12	4424.28	59.267	190.20	25.10	127.60	33.34	0.04	190.18	25.11		127.62	253.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:19:14	4424.32	59.300	190.19	25.11	127.61	33.34	0.04	190.17	25.12		127.63	253.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:19:16	4424.35	59.333	190.20	25.10	127.60	33.34	0.04	190.18	25.11		127.62	253.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:19:18	4424.38	59.367	190.20	25.10	127.60	33.34	0.04	190.18	25.11		127.62	253.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:19:20	4424.42	59.400	190.20	25.10	127.60	33.34	0.04	190.18	25.11		127.62	253.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:19:22	4424.45	59.433	190.20	25.09	127.59	33.34	0.04	190.18	25.10		127.61	253.39
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:19:24	4424.48	59.467	190.20	25.09	127.59	33.34	0.04	190.18	25.10		127.61	253.39
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:19:26	4424.52	59.500	190.20	25.09	127.59	33.34	0.04	190.18	25.10		127.61	253.39
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:19:28	4424.55	59.533	190.20	25.09	127.59	33.34	0.04	190.18	25.10		127.61	253.39
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:19:30	4424.58	59.567	190.20	25.09	127.59	33.34	0.04	190.18	25.10		127.61	253.39
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:19:32	4424.62	59.600	190.21	25.08	127.58	33.34	0.04	190.19	25.10		127.60	253.40
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:19:34	4424.65	59.633	190.21	25.08	127.58	33.34	0.04	190.19	25.10		127.60	253.40
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:19:36	4424.68	59.667	190.21	25.08	127.58	33.34	0.04	190.19	25.10		127.60	253.40
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:19:38	4424.72	59.700	190.21	25.08	127.58	33.34	0.04	190.19	25.10		127.60	253.40
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:19:40	4424.75	59.733	190.22	25.07	127.58	33.34	0.04	190.20	25.09		127.59	253.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:19:42	4424.78	59.767	190.22	25.07	127.58	33.34	0.04	190.20	25.09		127.59	253.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:19:44	4424.82	59.800	190.22	25.07	127.58	33.34	0.04	190.20	25.09		127.59	253.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:19:46	4424.85	59.833	190.22	25.07	127.58	33.34	0.04	190.20	25.09		127.59	253.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:19:48	4424.88	59.867	190.23	25.07	127.57	33.34	0.04	190.21	25.08		127.59	253.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:19:50	4424.92	59.900	190.23	25.07	127.57	33.34	0.04	190.21	25.08		127.59	253.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:19:52	4424.95	59.933	190.23	25.07	127.57	33.34	0.04	190.21	25.08		127.59	253.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:19:54	4424.98	59.967	190.23	25.07	127.57	33.34	0.04	190.21	25.08		127.59	253.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:19:56	4425.02	60.000	190.24	25.06	127.56	33.34	0.04	190.21	25.07		127.58	253.42
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:19:58	4425.05	60.033	190.24	25.06	127.56	33.34	0.04	190.21	25.07		127.58	253.42
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:20:00	4425.08	60.067	190.24	25.06	127.56	33.34	0.04	190.21	25.07		127.58	253.42
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:20:02	4425.12	60.100	190.24	25.06	127.56	33.34	0.04	190.21	25.07		127.58	253.42
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:20:04	4425.15	60.133	190.24	25.05	127.55	33.34	0.04	190.22	25.06		127.57	253.43
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:20:06	4425.18	60.167	190.24	25.05	127.56	33.34	0.04	190.22	25.07		127.57	253.43
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:20:08	4425.22	60.200	190.24	25.05	127.55	33.34	0.04	190.22	25.06		127.57	253.43
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:20:10	4425.25	60.233	190.24	25.05	127.55	33.34	0.04	190.22	25.06		127.57	253.43
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:20:12	4425.28	60.267	190.25	25.04	127.55	33.34	0.04	190.23	25.06		127.56	253.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:20:14	4425.32	60.300	190.25	25.04	127.55	33.34	0.04	190.23	25.06		127.56	253.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:20:16	4425.35	60.333	190.25	25.04	127.55	33.34	0.04	190.23	25.06		127.56	253.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:20:18	4425.38	60.367	190.25	25.05	127.55	33.34	0.04	190.23	25.06		127.57	253.43
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:20:20	4425.42	60.400	190.25	25.04	127.55	33.34	0.04	190.23	25.06		127.56	253.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:20:22	4425.45	60.433	190.26	25.04	127.54	33.34	0.04	190.24	25.05		127.56	253.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:20:24	4425.48	60.467	190.26	25.04	127.54	33.34	0.04	190.24	25.05		127.56	253.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:20:26	4425.52	60.500	190.26	25.04	127.54	33.34	0.04	190.24	25.05		127.56	253.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:20:28	4425.55	60.533	190.26	25.04	127.54	33.34	0.04	190.24	25.05		127.56	253.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:20:30	4425.58	60.567	190.26	25.04	127.54	33.34	0.04	190.24	25.05		127.56	253.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:20:32	4425.62	60.600	190.27	25.03	127.53	33.34	0.04	190.25	25.04		127.55	253.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:20:34	4425.65	60.633	190.27	25.03	127.53	33.34	0.04	190.25	25.04		127.55	253.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:20:36	4425.68	60.667	190.27	25.03	127.53	33.34	0.04	190.25	25.04		127.55	253.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:20:38	4425.72	60.700	190.27	25.03	127.53	33.34	0.04	190.25	25.04		127.55	253.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:20:40	4425.75	60.733	190.27	25.03	127.53	33.34	0.04	190.25	25.04		127.55	253.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:20:42	4425.78	60.767	190.27	25.02	127.52	33.34	0.04	190.25	25.03		127.54	253.46
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:20:44	4425.82	60.800	190.27	25.02	127.52	33.34	0.04	190.25	25.03		127.54	253.46
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:20:46	4425.85	60.833	190.27	25.02	127.52	33.34	0.04	190.25	25.03		127.54	253.46
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:20:48	4425.88	60.867	190.27	25.02	127.52	33.34	0.04	190.25	25.03		127.54	253.46
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:20:50	4425.92	60.900	190.28	25.01	127.51	33.34	0.04	190.26	25.03		127.53	253.47
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:20:52	4425.95	60.933	190.28	25.01	127.51	33.34	0.04	190.26	25.03		127.53	253.47
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:20:54	4425.98	60.967	190.28	25.01	127.51	33.34	0.04	190.26	25.03		127.53	253.47
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:20:56	4426.02	61.000	190.28	25.01	127.51	33.34	0.04	190.26	25.03		127.53	253.47
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:20:58	4426.05	61.033	190.29	25.00	127.51	33.34	0.04	190.27	25.02		127.52	253.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:21:00	4426.08	61.067	190.29	25.00	127.51	33.34	0.04	190.27	25.02		127.52	253.48

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:21:02	4426.12	61.100	190.29	25.00	127.51	33.34	0.04	190.27	25.02		127.52	253.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:21:04	4426.15	61.133	190.29	25.00	127.51	33.34	0.04	190.27	25.02		127.52	253.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:21:06	4426.18	61.167	190.29	25.00	127.51	33.34	0.04	190.27	25.02		127.52	253.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:21:08	4426.22	61.200	190.30	25.00	127.50	33.34	0.04	190.28	25.01		127.52	253.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:21:10	4426.25	61.233	190.30	25.00	127.50	33.34	0.04	190.28	25.01		127.52	253.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:21:12	4426.28	61.267	190.30	25.00	127.50	33.34	0.04	190.28	25.01		127.52	253.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:21:14	4426.32	61.300	190.30	25.00	127.50	33.34	0.04	190.28	25.01		127.52	253.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:21:16	4426.35	61.333	190.31	24.99	127.49	33.34	0.04	190.28	25.00		127.51	253.49
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:21:18	4426.38	61.367	190.31	24.99	127.49	33.34	0.04	190.28	25.00		127.51	253.49
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:21:20	4426.42	61.400	190.31	24.99	127.49	33.34	0.04	190.28	25.00		127.51	253.49
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:21:22	4426.45	61.433	190.31	24.99	127.49	33.34	0.04	190.28	25.00		127.51	253.49
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:21:24	4426.48	61.467	190.31	24.98	127.48	33.34	0.04	190.29	24.99		127.50	253.50
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:21:26	4426.52	61.500	190.31	24.99	127.49	33.34	0.04	190.28	25.00		127.51	253.49
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:21:28	4426.55	61.533	190.31	24.98	127.48	33.34	0.04	190.29	24.99		127.50	253.50
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:21:30	4426.58	61.567	190.31	24.98	127.48	33.34	0.04	190.29	24.99		127.50	253.50
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:21:32	4426.62	61.600	190.31	24.98	127.48	33.34	0.04	190.29	24.99		127.50	253.50
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:21:34	4426.65	61.633	190.32	24.97	127.47	33.34	0.04	190.30	24.99		127.49	253.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:21:36	4426.68	61.667	190.32	24.97	127.47	33.34	0.04	190.30	24.99		127.49	253.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:21:38	4426.72	61.700	190.32	24.97	127.47	33.34	0.04	190.30	24.99		127.49	253.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:21:40	4426.75	61.733	190.32	24.97	127.47	33.34	0.04	190.30	24.99		127.49	253.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:21:42	4426.78	61.767	190.33	24.97	127.47	33.34	0.04	190.31	24.98		127.49	253.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:21:44	4426.82	61.800	190.32	24.97	127.47	33.34	0.04	190.30	24.99		127.49	253.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:21:46	4426.85	61.833	190.33	24.97	127.47	33.34	0.04	190.31	24.98		127.49	253.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:21:48	4426.88	61.867	190.33	24.97	127.47	33.34	0.04	190.31	24.98		127.49	253.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:21:50	4426.92	61.900	190.33	24.97	127.47	33.34	0.04	190.31	24.98		127.49	253.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:21:52	4426.95	61.933	190.33	24.97	127.47	33.34	0.04	190.31	24.98		127.49	253.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:21:54	4426.98	61.967	190.34	24.96	127.46	33.34	0.04	190.32	24.97		127.48	253.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:21:56	4427.02	62.000	190.34	24.96	127.46	33.34	0.04	190.32	24.97		127.48	253.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:21:58	4427.05	62.033	190.34	24.96	127.46	33.34	0.04	190.32	24.97		127.48	253.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:22:00	4427.08	62.067	190.34	24.96	127.46	33.34	0.04	190.32	24.97		127.48	253.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:22:02	4427.12	62.100	190.34	24.95	127.45	33.34	0.04	190.32	24.96		127.47	253.53
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:22:04	4427.15	62.133	190.34	24.95	127.45	33.34	0.04	190.32	24.96		127.47	253.53
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:22:06	4427.18	62.167	190.34	24.95	127.45	33.34	0.04	190.32	24.96		127.47	253.53
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:22:08	4427.22	62.200	190.35	24.94	127.44	33.34	0.04	190.33	24.96		127.46	253.54
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:22:10	4427.25	62.233	190.35	24.94	127.44	33.34	0.04	190.33	24.96		127.46	253.54
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:22:12	4427.28	62.267	190.34	24.95	127.45	33.34	0.04	190.32	24.96		127.47	253.53
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:22:14	4427.32	62.300	190.35	24.94	127.44	33.34	0.04	190.33	24.96		127.46	253.54
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:22:16	4427.35	62.333	190.35	24.94	127.44	33.34	0.04	190.33	24.96		127.46	253.54
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:22:18	4427.38	62.367	190.35	24.94	127.44	33.34	0.04	190.33	24.96		127.46	253.54
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:22:20	4427.42	62.400	190.36	24.93	127.44	33.34	0.04	190.34	24.95		127.45	253.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:22:22	4427.45	62.433	190.36	24.93	127.44	33.34	0.04	190.34	24.95		127.45	253.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:22:24	4427.48	62.467	190.36	24.93	127.44	33.34	0.04	190.34	24.95		127.45	253.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:22:26	4427.52	62.500	190.36	24.93	127.44	33.34	0.04	190.34	24.95		127.45	253.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:22:28	4427.55	62.533	190.36	24.93	127.44	33.34	0.04	190.34	24.95		127.45	253.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:22:30	4427.58	62.567	190.36	24.93	127.44	33.34	0.04	190.34	24.95		127.45	253.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:22:32	4427.62	62.600	190.37	24.93	127.43	33.34	0.04	190.35	24.94		127.45	253.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:22:34	4427.65	62.633	190.37	24.93	127.43	33.34	0.04	190.35	24.94		127.45	253.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:22:36	4427.68	62.667	190.37	24.93	127.43	33.34	0.04	190.35	24.94		127.45	253.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:22:38	4427.72	62.700	190.37	24.93	127.43	33.34	0.04	190.35	24.94		127.45	253.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:22:40	4427.75	62.733	190.38	24.92	127.42	33.34	0.04	190.35	24.93		127.44	253.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:22:42	4427.78	62.767	190.38	24.92	127.42	33.34	0.04	190.35	24.93		127.44	253.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:22:44	4427.82	62.800	190.38	24.92	127.42	33.34	0.04	190.35	24.93		127.44	253.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:22:46	4427.85	62.833	190.38	24.92	127.42	33.34	0.04	190.35	24.93		127.44	253.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:22:48	4427.88	62.867	190.38	24.91	127.41	33.34	0.04	190.36	24.92		127.43	253.57
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:22:50	4427.92	62.900	190.38	24.91	127.41	33.34	0.04	190.36	24.92		127.43	253.57
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:22:52	4427.95	62.933	190.38	24.91	127.41	33.34	0.04	190.36	24.92		127.43	253.57
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:22:54	4427.98	62.967	190.38	24.91	127.41	33.34	0.04	190.36	24.92		127.43	253.57
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:22:56	4428.02	63.000	190.38	24.91	127.41	33.34	0.04	190.36	24.92		127.43	253.57
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:22:58	4428.05	63.033	190.38	24.91	127.41	33.34	0.04	190.36	24.92		127.43	253.57
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:23:00	4428.08	63.067	190.39	24.90	127.40	33.34	0.04	190.37	24.92		127.42	253.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:23:02	4428.12	63.100	190.39	24.90	127.40	33.34	0.04	190.37	24.92		127.42	253.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:23:04	4428.15	63.133	190.40	24.89	127.40	33.34	0.04	190.38	24.91		127.41	253.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:23:06	4428.18	63.167	190.39	24.90	127.40	33.34	0.04	190.37	24.92		127.42	253.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:23:08	4428.22	63.200	190.39	24.90	127.40	33.34	0.04	190.37	24.92		127.42	253.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:23:10	4428.25	63.233	190.40	24.89	127.40	33.34	0.04	190.38	24.91		127.41	253.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:23:12	4428.28	63.267	190.40	24.89	127.40	33.34	0.04	190.38	24.91		127.41	253.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:23:14	4428.32	63.300	190.41	24.89	127.39	33.34	0.04	190.39	24.90		127.41	253.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:23:16	4428.35	63.333	190.41	24.89	127.39	33.34	0.04	190.39	24.90		127.41	253.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:23:18	4428.38	63.367	190.41	24.89	127.39	33.34	0.04	190.39	24.90		127.41	253.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:23:20	4428.42	63.400	190.41	24.89	127.39	33.34	0.04	190.39	24.90		127.41	253.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:23:22	4428.45	63.433	190.41	24.89	127.39	33.34	0.04	190.39	24.90		127.41	253.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:23:24	4428.48	63.467	190.41	24.89	127.39	33.34	0.04	190.39	24.90		127.41	253.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:23:26	4428.52	63.500	190.41	24.89	127.39	33.34	0.04	190.39	24.90		127.41	253.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:23:28	4428.55	63.533	190.41	24.88	127.38	33.34	0.04	190.39	24.89		127.40	253.60
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:23:30	4428.58	63.567	190.41	24.88	127.38	33.34	0.04	190.39	24.89		127.40	253.60
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:23:32	4428.62	63.600	190.41	24.88	127.38	33.34	0.04	190.39	24.89		127.40	253.60
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:23:34	4428.65	63.633	190.42	24.87	127.37	33.34	0.04	190.40	24.89		127.39	253.61
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:23:36	4428.68	63.667	190.42	24.87	127.37	33.34	0.04	190.40	24.89		127.39	253.61
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:23:38	4428.72	63.700	190.41	24.88	127.38	33.34	0.04	190.39	24.89		127.40	253.60
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:23:40	4428.75	63.733	190.42	24.87	127.37	33.34	0.04	190.40	24.89		127.39	253.61
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:23:42	4428.78	63.767	190.42	24.87	127.38	33.34	0.04	190.40	24.89		127.39	253.61
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:23:44	4428.82	63.800	190.42	24.87	127.37	33.34	0.04	190.40	24.89		127.39	253.61
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:23:46	4428.85	63.833	190.43	24.86	127.37	33.34	0.04	190.41	24.88		127.38	253.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:23:48	4428.88	63.867	190.43	24.86	127.37	33.34	0.04	190.41	24.88		127.38	253.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:23:50	4428.92	63.900	190.43	24.86	127.37	33.34	0.04	190.41	24.88		127.38	253.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:23:52	4428.95	63.933	190.43	24.86	127.37	33.34	0.04	190.41	24.88		127.38	253.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:23:54	4428.98	63.967	190.43	24.86	127.37	33.34	0.04	190.41	24.88		127.38	253.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:23:56	4429.02	64.000	190.44	24.86	127.36	33.34	0.04	190.42	24.87		127.38	253.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:23:58	4429.05	64.033	190.44	24.86	127.36	33.34	0.04	190.42	24.87		127.38	253.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:24:00	4429.08	64.067	190.44	24.86	127.36	33.34	0.04	190.42	24.87		127.38	253.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:24:02	4429.12	64.100	190.45	24.85	127.35	33.34	0.04	190.42	24.86		127.37	253.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:24:04	4429.15	64.133	190.45	24.85	127.35	33.34	0.04	190.42	24.86		127.37	253.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:24:06	4429.18	64.167	190.45	24.85	127.35	33.34	0.04	190.42	24.86		127.37	253.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:24:08	4429.22	64.200	190.45	24.85	127.35	33.34	0.04	190.42	24.86		127.37	253.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:24:10	4429.25	64.233	190.45	24.85	127.35	33.34	0.04	190.42	24.86		127.37	253.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:24:12	4429.28	64.267	190.45	24.85	127.35	33.34	0.04	190.42	24.86		127.37	253.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:24:14	4429.32	64.300	190.45	24.84	127.34	33.34	0.04	190.43	24.85		127.36	253.64

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:24:16	4429.35	64.333	190.45	24.85	127.35	33.34	0.04	190.42	24.86		127.37	253.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:24:18	4429.38	64.367	190.45	24.84	127.34	33.34	0.04	190.43	24.85		127.36	253.64
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:24:20	4429.42	64.400	190.45	24.84	127.34	33.34	0.04	190.43	24.85		127.36	253.64
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:24:22	4429.45	64.433	190.45	24.84	127.34	33.34	0.04	190.43	24.85		127.36	253.64
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:24:24	4429.48	64.467	190.46	24.83	127.33	33.34	0.04	190.44	24.85		127.35	253.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:24:26	4429.52	64.500	190.46	24.83	127.33	33.34	0.04	190.44	24.85		127.35	253.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:24:28	4429.55	64.533	190.46	24.83	127.33	33.34	0.04	190.44	24.85		127.35	253.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:24:30	4429.58	64.567	190.46	24.83	127.33	33.34	0.04	190.44	24.85		127.35	253.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:24:32	4429.62	64.600	190.47	24.82	127.33	33.34	0.04	190.45	24.84		127.34	253.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:24:34	4429.65	64.633	190.47	24.82	127.33	33.34	0.04	190.45	24.84		127.34	253.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:24:36	4429.68	64.667	190.47	24.82	127.33	33.34	0.04	190.45	24.84		127.34	253.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:24:38	4429.72	64.700	190.47	24.82	127.33	33.34	0.04	190.45	24.84		127.34	253.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:24:40	4429.75	64.733	190.47	24.82	127.33	33.34	0.04	190.45	24.84		127.34	253.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:24:42	4429.78	64.767	190.48	24.82	127.32	33.34	0.04	190.46	24.83		127.34	253.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:24:44	4429.82	64.800	190.48	24.82	127.32	33.34	0.04	190.46	24.83		127.34	253.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:24:46	4429.85	64.833	190.48	24.82	127.32	33.34	0.04	190.46	24.83		127.34	253.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:24:48	4429.88	64.867	190.48	24.82	127.32	33.34	0.04	190.46	24.83		127.34	253.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:24:50	4429.92	64.900	190.48	24.82	127.32	33.34	0.04	190.46	24.83		127.34	253.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:24:52	4429.95	64.933	190.48	24.81	127.31	33.34	0.04	190.46	24.82		127.33	253.67
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:24:54	4429.98	64.967	190.48	24.82	127.32	33.34	0.04	190.46	24.83		127.34	253.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:24:56	4430.02	65.000	190.48	24.81	127.31	33.34	0.04	190.46	24.82		127.33	253.67
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:24:58	4430.05	65.033	190.49	24.80	127.30	33.34	0.04	190.47	24.82		127.32	253.68
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:25:00	4430.08	65.067	190.49	24.80	127.30	33.33	0.04	190.47	24.81		127.32	253.68
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:25:02	4430.12	65.100	190.49	24.80	127.30	33.33	0.04	190.47	24.81		127.32	253.68
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:25:04	4430.15	65.133	190.49	24.80	127.30	33.33	0.04	190.47	24.81		127.32	253.68
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:25:06	4430.18	65.167	190.49	24.80	127.30	33.33	0.04	190.47	24.81		127.32	253.68
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:25:08	4430.22	65.200	190.50	24.79	127.30	33.33	0.04	190.48	24.81		127.31	253.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:25:10	4430.25	65.233	190.50	24.79	127.30	33.33	0.04	190.48	24.81		127.31	253.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:25:12	4430.28	65.267	190.50	24.79	127.30	33.33	0.04	190.48	24.81		127.31	253.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:25:14	4430.32	65.300	190.50	24.79	127.30	33.33	0.04	190.48	24.81		127.31	253.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:25:16	4430.35	65.333	190.50	24.79	127.30	33.33	0.04	190.48	24.81		127.31	253.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:25:18	4430.38	65.367	190.50	24.79	127.30	33.33	0.04	190.48	24.81		127.31	253.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:25:20	4430.42	65.400	190.51	24.79	127.29	33.33	0.04	190.49	24.80		127.30	253.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:25:22	4430.45	65.433	190.50	24.79	127.30	33.33	0.04	190.48	24.81		127.31	253.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:25:24	4430.48	65.467	190.51	24.79	127.29	33.33	0.04	190.49	24.80		127.30	253.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:25:26	4430.52	65.500	190.51	24.79	127.29	33.33	0.04	190.49	24.80		127.30	253.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:25:28	4430.55	65.533	190.52	24.78	127.28	33.33	0.04	190.50	24.79		127.30	253.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:25:30	4430.58	65.567	190.52	24.78	127.28	33.33	0.04	190.50	24.79		127.30	253.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:25:32	4430.62	65.600	190.52	24.78	127.28	33.33	0.04	190.50	24.79		127.30	253.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:25:34	4430.65	65.633	190.52	24.78	127.28	33.33	0.04	190.50	24.79		127.30	253.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:25:36	4430.68	65.667	190.52	24.78	127.28	33.33	0.04	190.50	24.79		127.30	253.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:25:38	4430.72	65.700	190.52	24.78	127.28	33.33	0.04	190.50	24.79		127.30	253.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:25:40	4430.75	65.733	190.52	24.77	127.27	33.33	0.04	190.50	24.78		127.29	253.71
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:25:42	4430.78	65.767	190.52	24.77	127.27	33.33	0.04	190.50	24.78		127.29	253.71
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:25:44	4430.82	65.800	190.52	24.77	127.27	33.33	0.04	190.50	24.78		127.29	253.71
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:25:46	4430.85	65.833	190.52	24.77	127.27	33.33	0.04	190.50	24.78		127.29	253.71
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:25:48	4430.88	65.867	190.53	24.76	127.26	33.33	0.04	190.51	24.77		127.28	253.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:25:50	4430.92	65.900	190.53	24.76	127.26	33.33	0.04	190.51	24.77		127.28	253.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:25:52	4430.95	65.933	190.53	24.76	127.26	33.33	0.04	190.51	24.77		127.28	253.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:25:54	4430.98	65.967	190.53	24.76	127.26	33.33	0.04	190.51	24.77		127.28	253.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:25:56	4431.02	66.000	190.53	24.76	127.26	33.33	0.04	190.51	24.77		127.28	253.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:25:58	4431.05	66.033	190.53	24.76	127.26	33.33	0.04	190.51	24.77		127.28	253.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:26:00	4431.08	66.067	190.54	24.75	127.26	33.33	0.04	190.52	24.77		127.27	253.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:26:02	4431.12	66.100	190.54	24.75	127.26	33.33	0.04	190.52	24.77		127.27	253.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:26:04	4431.15	66.133	190.54	24.75	127.26	33.33	0.04	190.52	24.77		127.27	253.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:26:06	4431.18	66.167	190.55	24.75	127.25	33.33	0.04	190.53	24.76		127.27	253.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:26:08	4431.22	66.200	190.55	24.75	127.25	33.33	0.04	190.53	24.76		127.27	253.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:26:10	4431.25	66.233	190.55	24.75	127.25	33.33	0.04	190.53	24.76		127.27	253.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:26:12	4431.28	66.267	190.55	24.75	127.25	33.33	0.04	190.53	24.76		127.27	253.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:26:14	4431.32	66.300	190.55	24.75	127.25	33.33	0.04	190.53	24.76		127.27	253.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:26:16	4431.35	66.333	190.55	24.75	127.25	33.33	0.04	190.53	24.76		127.27	253.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:26:18	4431.38	66.367	190.55	24.74	127.24	33.33	0.04	190.53	24.75		127.26	253.74
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:26:20	4431.42	66.400	190.55	24.74	127.24	33.33	0.04	190.53	24.75		127.26	253.74
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:26:22	4431.45	66.433	190.55	24.74	127.24	33.33	0.04	190.53	24.75		127.26	253.74
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:26:24	4431.48	66.467	190.55	24.74	127.24	33.33	0.04	190.53	24.75		127.26	253.74
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:26:26	4431.52	66.500	190.55	24.74	127.24	33.33	0.04	190.53	24.75		127.26	253.74
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:26:28	4431.55	66.533	190.56	24.73	127.23	33.33	0.04	190.54	24.74		127.25	253.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:26:30	4431.58	66.567	190.55	24.74	127.24	33.33	0.04	190.53	24.75		127.26	253.74
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:26:32	4431.62	66.600	190.56	24.73	127.23	33.33	0.04	190.54	24.74		127.25	253.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:26:34	4431.65	66.633	190.56	24.73	127.23	33.33	0.04	190.54	24.74		127.25	253.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:26:36	4431.68	66.667	190.57	24.72	127.23	33.33	0.04	190.55	24.74		127.24	253.76
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:26:38	4431.72	66.700	190.56	24.73	127.23	33.33	0.04	190.54	24.74		127.25	253.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:26:40	4431.75	66.733	190.57	24.72	127.23	33.33	0.04	190.55	24.74		127.24	253.76
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:26:42	4431.78	66.767	190.57	24.72	127.23	33.33	0.04	190.55	24.74		127.24	253.76
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:26:44	4431.82	66.800	190.57	24.72	127.23	33.33	0.04	190.55	24.74		127.24	253.76
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:26:46	4431.85	66.833	190.58	24.72	127.22	33.33	0.04	190.56	24.73		127.23	253.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:26:48	4431.88	66.867	190.58	24.72	127.22	33.33	0.04	190.56	24.73		127.23	253.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:26:50	4431.92	66.900	190.58	24.72	127.22	33.33	0.04	190.56	24.73		127.23	253.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:26:52	4431.95	66.933	190.58	24.72	127.22	33.33	0.04	190.56	24.73		127.23	253.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:26:54	4431.98	66.967	190.58	24.72	127.22	33.33	0.04	190.56	24.73		127.23	253.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:26:56	4432.02	67.000	190.58	24.72	127.22	33.33	0.04	190.56	24.73		127.23	253.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:26:58	4432.05	67.033	190.58	24.72	127.22	33.33	0.04	190.56	24.73		127.23	253.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:27:00	4432.08	67.067	190.59	24.71	127.21	33.33	0.04	190.57	24.72		127.23	253.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:27:02	4432.12	67.100	190.59	24.71	127.21	33.33	0.04	190.57	24.72		127.23	253.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:27:04	4432.15	67.133	190.59	24.71	127.21	33.33	0.04	190.57	24.72		127.23	253.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:27:06	4432.18	67.167	190.59	24.70	127.20	33.33	0.04	190.57	24.71		127.22	253.78
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:27:08	4432.22	67.200	190.59	24.70	127.20	33.33	0.04	190.57	24.71		127.22	253.78
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:27:10	4432.25	67.233	190.59	24.70	127.20	33.33	0.04	190.57	24.71		127.22	253.78
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:27:12	4432.28	67.267	190.60	24.69	127.19	33.33	0.04	190.58	24.70		127.21	253.79
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:27:14	4432.32	67.300	190.59	24.70	127.20	33.33	0.04	190.57	24.71		127.22	253.78
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:27:16	4432.35	67.333	190.59	24.70	127.20	33.33	0.04	190.57	24.71		127.22	253.78
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:27:18	4432.38	67.367	190.59	24.70	127.20	33.33	0.04	190.57	24.71		127.22	253.78
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:27:20	4432.42	67.400	190.60	24.69	127.19	33.33	0.04	190.58	24.70		127.21	253.79
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:27:22	4432.45	67.433	190.60	24.69	127.19	33.33	0.04	190.58	24.70		127.21	253.79
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:27:24	4432.48	67.467	190.60	24.69	127.19	33.33	0.04	190.58	24.70		127.21	253.79
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:27:26	4432.52	67.500	190.61	24.68	127.19	33.33	0.04	190.59	24.70		127.20	253.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:27:28	4432.55	67.533	190.61	24.68	127.19	33.33	0.04	190.59	24.70		127.20	253.80

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:27:30	4432.58	67.567	190.61	24.68	127.19	33.33	0.04	190.59	24.70		127.20	253.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:27:32	4432.62	67.600	190.61	24.68	127.19	33.33	0.04	190.59	24.70		127.20	253.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:27:34	4432.65	67.633	190.61	24.68	127.19	33.33	0.04	190.59	24.70		127.20	253.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:27:36	4432.68	67.667	190.61	24.68	127.19	33.33	0.04	190.59	24.70		127.20	253.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:27:38	4432.72	67.700	190.62	24.68	127.18	33.33	0.04	190.60	24.69		127.20	253.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:27:40	4432.75	67.733	190.62	24.68	127.18	33.33	0.04	190.60	24.69		127.20	253.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:27:42	4432.78	67.767	190.62	24.67	127.17	33.33	0.04	190.60	24.68		127.19	253.81
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:27:44	4432.82	67.800	190.62	24.68	127.18	33.33	0.04	190.60	24.69		127.20	253.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:27:46	4432.85	67.833	190.62	24.67	127.17	33.33	0.04	190.60	24.68		127.19	253.81
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:27:48	4432.88	67.867	190.62	24.67	127.17	33.33	0.04	190.60	24.68		127.19	253.81
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:27:50	4432.92	67.900	190.62	24.67	127.17	33.33	0.04	190.60	24.68		127.19	253.81
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:27:52	4432.95	67.933	190.62	24.67	127.17	33.33	0.04	190.60	24.68		127.19	253.81
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:27:54	4432.98	67.967	190.62	24.67	127.17	33.33	0.04	190.60	24.68		127.19	253.81
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:27:56	4433.02	68.000	190.63	24.66	127.16	33.33	0.04	190.61	24.67		127.18	253.82
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:27:58	4433.05	68.033	190.62	24.67	127.17	33.33	0.04	190.60	24.68		127.19	253.81
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:28:00	4433.08	68.067	190.62	24.67	127.17	33.33	0.04	190.60	24.68		127.19	253.81
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:28:02	4433.12	68.100	190.63	24.66	127.16	33.33	0.04	190.61	24.67		127.18	253.82
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:28:04	4433.15	68.133	190.63	24.66	127.16	33.33	0.04	190.61	24.67		127.18	253.82
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:28:06	4433.18	68.167	190.63	24.66	127.16	33.33	0.04	190.61	24.67		127.18	253.82
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:28:08	4433.22	68.200	190.64	24.65	127.16	33.33	0.04	190.62	24.67		127.17	253.83
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:28:10	4433.25	68.233	190.64	24.65	127.16	33.33	0.04	190.62	24.67		127.17	253.83
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:28:12	4433.28	68.267	190.64	24.65	127.16	33.33	0.04	190.62	24.67		127.17	253.83
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:28:14	4433.32	68.300	190.64	24.65	127.16	33.33	0.04	190.62	24.67		127.17	253.83
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:28:16	4433.35	68.333	190.64	24.65	127.16	33.33	0.04	190.62	24.67		127.17	253.83
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:28:18	4433.38	68.367	190.65	24.65	127.15	33.33	0.04	190.63	24.66		127.16	253.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:28:20	4433.42	68.400	190.65	24.65	127.15	33.33	0.04	190.63	24.66		127.16	253.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:28:22	4433.45	68.433	190.65	24.65	127.15	33.33	0.04	190.63	24.66		127.16	253.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:28:24	4433.48	68.467	190.65	24.65	127.15	33.33	0.04	190.63	24.66		127.16	253.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:28:26	4433.52	68.500	190.65	24.65	127.15	33.33	0.04	190.63	24.66		127.16	253.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:28:28	4433.55	68.533	190.66	24.64	127.14	33.33	0.04	190.64	24.65		127.16	253.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:28:30	4433.58	68.567	190.66	24.64	127.14	33.33	0.04	190.64	24.65		127.16	253.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:28:32	4433.62	68.600	190.66	24.64	127.14	33.33	0.04	190.64	24.65		127.16	253.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:28:34	4433.65	68.633	190.66	24.64	127.14	33.33	0.04	190.64	24.65		127.16	253.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:28:36	4433.68	68.667	190.66	24.63	127.13	33.33	0.04	190.64	24.64		127.15	253.85
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:28:38	4433.72	68.700	190.66	24.63	127.13	33.33	0.04	190.64	24.64		127.15	253.85
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:28:40	4433.75	68.733	190.66	24.63	127.13	33.33	0.04	190.64	24.64		127.15	253.85
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:28:42	4433.78	68.767	190.66	24.63	127.13	33.33	0.04	190.64	24.64		127.15	253.85
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:28:44	4433.82	68.800	190.66	24.63	127.13	33.33	0.04	190.64	24.64		127.15	253.85
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:28:46	4433.85	68.833	190.66	24.63	127.13	33.33	0.04	190.64	24.64		127.15	253.85
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:28:48	4433.88	68.867	190.67	24.62	127.12	33.33	0.04	190.65	24.63		127.14	253.86
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:28:50	4433.92	68.900	190.67	24.62	127.12	33.33	0.04	190.65	24.63		127.14	253.86
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:28:52	4433.95	68.933	190.67	24.62	127.12	33.33	0.04	190.65	24.63		127.14	253.86
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:28:54	4433.98	68.967	190.67	24.62	127.12	33.33	0.04	190.65	24.63		127.14	253.86
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:28:56	4434.02	69.000	190.67	24.62	127.12	33.33	0.04	190.65	24.63		127.14	253.86
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:28:58	4434.05	69.033	190.68	24.61	127.12	33.33	0.04	190.66	24.63		127.13	253.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:29:00	4434.08	69.067	190.68	24.61	127.12	33.33	0.04	190.66	24.63		127.13	253.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:29:02	4434.12	69.100	190.68	24.61	127.12	33.33	0.04	190.66	24.63		127.13	253.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:29:04	4434.15	69.133	190.68	24.61	127.12	33.33	0.04	190.66	24.63		127.13	253.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:29:06	4434.18	69.167	190.69	24.61	127.11	33.33	0.04	190.67	24.62		127.13	253.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:29:08	4434.22	69.200	190.69	24.61	127.11	33.33	0.04	190.67	24.62		127.13	253.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:29:10	4434.25	69.233	190.69	24.61	127.11	33.33	0.04	190.67	24.62		127.13	253.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:29:12	4434.28	69.267	190.68	24.61	127.12	33.33	0.04	190.66	24.63		127.13	253.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:29:14	4434.32	69.300	190.69	24.61	127.11	33.33	0.04	190.67	24.62		127.13	253.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:29:16	4434.35	69.333	190.69	24.61	127.11	33.33	0.04	190.67	24.62		127.13	253.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:29:18	4434.38	69.367	190.69	24.61	127.11	33.33	0.04	190.67	24.62		127.13	253.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:29:20	4434.42	69.400	190.70	24.60	127.10	33.33	0.04	190.68	24.61		127.12	253.88
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:29:22	4434.45	69.433	190.70	24.60	127.10	33.33	0.04	190.68	24.61		127.12	253.88
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:29:24	4434.48	69.467	190.70	24.60	127.10	33.33	0.04	190.68	24.61		127.12	253.88
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:29:26	4434.52	69.500	190.70	24.59	127.09	33.33	0.04	190.68	24.60		127.11	253.89
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:29:28	4434.55	69.533	190.70	24.60	127.10	33.33	0.04	190.68	24.61		127.12	253.88
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:29:30	4434.58	69.567	190.70	24.59	127.09	33.33	0.04	190.68	24.60		127.11	253.89
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:29:32	4434.62	69.600	190.70	24.59	127.09	33.33	0.04	190.68	24.60		127.11	253.89
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:29:34	4434.65	69.633	190.70	24.59	127.09	33.33	0.04	190.68	24.60		127.11	253.89
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:29:36	4434.68	69.667	190.70	24.59	127.09	33.33	0.04	190.68	24.60		127.11	253.89
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:29:38	4434.72	69.700	190.71	24.58	127.09	33.33	0.04	190.69	24.60		127.10	253.90
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:29:40	4434.75	69.733	190.71	24.58	127.09	33.33	0.04	190.69	24.60		127.10	253.90
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:29:42	4434.78	69.767	190.71	24.58	127.09	33.33	0.04	190.69	24.60		127.10	253.90
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:29:44	4434.82	69.800	190.71	24.58	127.09	33.33	0.04	190.69	24.60		127.10	253.90
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:29:46	4434.85	69.833	190.71	24.58	127.09	33.33	0.04	190.69	24.60		127.10	253.90
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:29:48	4434.88	69.867	190.72	24.58	127.08	33.33	0.04	190.70	24.59		127.09	253.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:29:50	4434.92	69.900	190.72	24.58	127.08	33.33	0.04	190.70	24.59		127.09	253.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:29:52	4434.95	69.933	190.72	24.58	127.08	33.33	0.04	190.70	24.59		127.09	253.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:29:54	4434.98	69.967	190.73	24.57	127.07	33.33	0.04	190.71	24.58		127.09	253.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:29:56	4435.02	70.000	190.72	24.58	127.08	33.33	0.04	190.70	24.59		127.09	253.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:29:58	4435.05	70.033	190.72	24.58	127.08	33.33	0.04	190.70	24.59		127.09	253.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:30:00	4435.08	70.067	190.73	24.57	127.07	33.33	0.04	190.71	24.58		127.09	253.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:30:02	4435.12	70.100	190.73	24.57	127.07	33.33	0.04	190.71	24.58		127.09	253.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:30:04	4435.15	70.133	190.73	24.57	127.07	33.33	0.04	190.71	24.58		127.09	253.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:30:06	4435.18	70.167	190.73	24.57	127.07	33.33	0.04	190.71	24.58		127.09	253.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:30:08	4435.22	70.200	190.73	24.57	127.07	33.33	0.04	190.71	24.58		127.09	253.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:30:10	4435.25	70.233	190.73	24.56	127.06	33.33	0.04	190.71	24.57		127.08	253.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:30:12	4435.28	70.267	190.73	24.56	127.06	33.33	0.04	190.71	24.57		127.08	253.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:30:14	4435.32	70.300	190.73	24.56	127.06	33.33	0.04	190.71	24.57		127.08	253.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:30:16	4435.35	70.333	190.73	24.56	127.06	33.33	0.04	190.71	24.57		127.08	253.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:30:18	4435.38	70.367	190.74	24.55	127.05	33.33	0.04	190.72	24.56		127.07	253.93
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:30:20	4435.42	70.400	190.73	24.56	127.06	33.33	0.04	190.71	24.57		127.08	253.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:30:22	4435.45	70.433	190.74	24.55	127.05	33.33	0.04	190.72	24.56		127.07	253.93
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:30:24	4435.48	70.467	190.74	24.55	127.05	33.33	0.04	190.72	24.56		127.07	253.93
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:30:26	4435.52	70.500	190.74	24.55	127.05	33.33	0.04	190.72	24.56		127.07	253.93
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:30:28	4435.55	70.533	190.74	24.55	127.05	33.33	0.04	190.72	24.56		127.07	253.93
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:30:30	4435.58	70.567	190.75	24.54	127.05	33.33	0.04	190.73	24.56		127.06	253.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:30:32	4435.62	70.600	190.75	24.54	127.05	33.33	0.04	190.73	24.56		127.06	253.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:30:34	4435.65	70.633	190.75	24.54	127.05	33.33	0.04	190.73	24.56		127.06	253.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:30:36	4435.68	70.667	190.75	24.54	127.05	33.33	0.04	190.73	24.56		127.06	253.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:30:38	4435.72	70.700	190.75	24.54	127.05	33.33	0.04	190.73	24.56		127.06	253.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:30:40	4435.75	70.733	190.75	24.54	127.05	33.33	0.04	190.73	24.56		127.06	253.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:30:42	4435.78	70.767	190.76	24.54	127.04	33.33	0.04	190.74	24.55		127.06	253.94

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:30:44	4435.82	70.800	190.76	24.54	127.04	33.33	0.04	190.74	24.55		127.06	253.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:30:46	4435.85	70.833	190.76	24.54	127.04	33.33	0.04	190.74	24.55		127.06	253.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:30:48	4435.88	70.867	190.76	24.54	127.04	33.33	0.04	190.74	24.55		127.06	253.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:30:50	4435.92	70.900	190.77	24.53	127.03	33.33	0.04	190.75	24.54		127.05	253.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:30:52	4435.95	70.933	190.77	24.53	127.03	33.33	0.04	190.75	24.54		127.05	253.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:30:54	4435.98	70.967	190.77	24.53	127.03	33.33	0.04	190.75	24.54		127.05	253.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:30:56	4436.02	71.000	190.77	24.53	127.03	33.33	0.04	190.75	24.54		127.05	253.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:30:58	4436.05	71.033	190.77	24.53	127.03	33.33	0.04	190.75	24.54		127.05	253.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:31:00	4436.08	71.067	190.77	24.52	127.02	33.33	0.04	190.75	24.53		127.04	253.96
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:31:02	4436.12	71.100	190.77	24.52	127.02	33.33	0.04	190.75	24.53		127.04	253.96
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:31:04	4436.15	71.133	190.77	24.52	127.02	33.33	0.04	190.75	24.53		127.04	253.96
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:31:06	4436.18	71.167	190.77	24.52	127.02	33.33	0.04	190.75	24.53		127.04	253.96
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:31:08	4436.22	71.200	190.77	24.52	127.02	33.33	0.04	190.75	24.53		127.04	253.96
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:31:10	4436.25	71.233	190.77	24.52	127.02	33.33	0.04	190.75	24.53		127.04	253.96
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:31:12	4436.28	71.267	190.78	24.51	127.02	33.33	0.04	190.76	24.53		127.03	253.97
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:31:14	4436.32	71.300	190.78	24.51	127.02	33.33	0.04	190.76	24.53		127.03	253.97
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:31:16	4436.35	71.333	190.78	24.51	127.02	33.33	0.04	190.76	24.53		127.03	253.97
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:31:18	4436.38	71.367	190.78	24.51	127.02	33.33	0.04	190.76	24.53		127.03	253.97
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:31:20	4436.42	71.400	190.78	24.51	127.02	33.33	0.04	190.76	24.53		127.03	253.97
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:31:22	4436.45	71.433	190.78	24.51	127.02	33.33	0.04	190.76	24.53		127.03	253.97
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:31:24	4436.48	71.467	190.79	24.51	127.01	33.33	0.04	190.77	24.52		127.02	253.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:31:26	4436.52	71.500	190.79	24.51	127.01	33.33	0.04	190.77	24.52		127.02	253.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:31:28	4436.55	71.533	190.79	24.51	127.01	33.33	0.04	190.77	24.52		127.02	253.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:31:30	4436.58	71.567	190.80	24.50	127.00	33.33	0.04	190.78	24.51		127.02	253.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:31:32	4436.62	71.600	190.79	24.51	127.01	33.33	0.04	190.77	24.52		127.02	253.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:31:34	4436.65	71.633	190.79	24.51	127.01	33.33	0.04	190.77	24.52		127.02	253.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:31:36	4436.68	71.667	190.80	24.50	127.00	33.33	0.04	190.78	24.51		127.02	253.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:31:38	4436.72	71.700	190.80	24.50	127.00	33.33	0.04	190.78	24.51		127.02	253.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:31:40	4436.75	71.733	190.80	24.50	127.00	33.33	0.04	190.78	24.51		127.02	253.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:31:42	4436.78	71.767	190.80	24.49	126.99	33.33	0.04	190.78	24.50		127.01	253.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:31:44	4436.82	71.800	190.80	24.49	126.99	33.33	0.04	190.78	24.50		127.01	253.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:31:46	4436.85	71.833	190.80	24.49	126.99	33.33	0.04	190.78	24.50		127.01	253.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:31:48	4436.88	71.867	190.80	24.49	126.99	33.33	0.04	190.78	24.50		127.01	253.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:31:50	4436.92	71.900	190.80	24.49	126.99	33.33	0.04	190.78	24.50		127.01	253.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:31:52	4436.95	71.933	190.80	24.49	126.99	33.33	0.04	190.78	24.50		127.01	253.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:31:54	4436.98	71.967	190.80	24.49	126.99	33.33	0.04	190.78	24.50		127.01	253.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:31:56	4437.02	72.000	190.80	24.49	126.99	33.33	0.04	190.78	24.50		127.01	253.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:31:58	4437.05	72.033	190.81	24.48	126.98	33.33	0.04	190.79	24.49		127.00	254.00
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:32:00	4437.08	72.067	190.81	24.48	126.98	33.33	0.04	190.79	24.49		127.00	254.00
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:32:02	4437.12	72.100	190.81	24.48	126.98	33.33	0.04	190.79	24.49		127.00	254.00
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:32:04	4437.15	72.133	190.82	24.47	126.98	33.33	0.04	190.80	24.49		126.99	254.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:32:06	4437.18	72.167	190.81	24.48	126.98	33.33	0.04	190.79	24.49		127.00	254.00
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:32:08	4437.22	72.200	190.82	24.47	126.98	33.33	0.04	190.80	24.49		126.99	254.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:32:10	4437.25	72.233	190.82	24.47	126.98	33.33	0.04	190.80	24.49		126.99	254.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:32:12	4437.28	72.267	190.82	24.47	126.98	33.33	0.04	190.80	24.49		126.99	254.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:32:14	4437.32	72.300	190.82	24.47	126.98	33.33	0.04	190.80	24.49		126.99	254.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:32:16	4437.35	72.333	190.83	24.47	126.97	33.33	0.04	190.81	24.48		126.99	254.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:32:18	4437.38	72.367	190.83	24.47	126.97	33.33	0.04	190.81	24.48		126.99	254.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:32:20	4437.42	72.400	190.83	24.47	126.97	33.33	0.04	190.81	24.48		126.99	254.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:32:22	4437.45	72.433	190.84	24.46	126.96	33.33	0.04	190.82	24.47		126.98	254.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:32:24	4437.48	72.467	190.83	24.47	126.97	33.33	0.04	190.81	24.48		126.99	254.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:32:26	4437.52	72.500	190.84	24.46	126.96	33.33	0.04	190.82	24.47		126.98	254.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:32:28	4437.55	72.533	190.84	24.46	126.96	33.33	0.04	190.82	24.47		126.98	254.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:32:30	4437.58	72.567	190.84	24.46	126.96	33.33	0.04	190.82	24.47		126.98	254.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:32:32	4437.62	72.600	190.84	24.46	126.96	33.33	0.04	190.82	24.47		126.98	254.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:32:34	4437.65	72.633	190.84	24.45	126.95	33.33	0.04	190.82	24.46		126.97	254.03
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:32:36	4437.68	72.667	190.84	24.45	126.95	33.33	0.04	190.82	24.46		126.97	254.03
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:32:38	4437.72	72.700	190.84	24.45	126.95	33.33	0.04	190.82	24.46		126.97	254.03
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:32:40	4437.75	72.733	190.84	24.45	126.95	33.33	0.04	190.82	24.46		126.97	254.03
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:32:42	4437.78	72.767	190.84	24.45	126.95	33.33	0.04	190.82	24.46		126.97	254.03
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:32:44	4437.82	72.800	190.85	24.44	126.95	33.33	0.04	190.83	24.46		126.96	254.04
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:32:46	4437.85	72.833	190.84	24.45	126.95	33.33	0.04	190.82	24.46		126.97	254.03
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:32:48	4437.88	72.867	190.85	24.44	126.95	33.33	0.04	190.83	24.46		126.96	254.04
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:32:50	4437.92	72.900	190.85	24.44	126.95	33.33	0.04	190.83	24.46		126.96	254.04
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:32:52	4437.95	72.933	190.85	24.44	126.95	33.33	0.04	190.83	24.46		126.96	254.04
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:32:54	4437.98	72.967	190.86	24.44	126.94	33.33	0.04	190.84	24.45		126.95	254.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:32:56	4438.02	73.000	190.86	24.44	126.94	33.33	0.04	190.84	24.45		126.95	254.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:32:58	4438.05	73.033	190.86	24.44	126.94	33.33	0.04	190.84	24.45		126.95	254.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:33:00	4438.08	73.067	190.86	24.44	126.94	33.33	0.04	190.84	24.45		126.95	254.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:33:02	4438.12	73.100	190.86	24.44	126.94	33.33	0.04	190.84	24.45		126.95	254.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:33:04	4438.15	73.133	190.87	24.43	126.93	33.33	0.04	190.85	24.44		126.95	254.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:33:06	4438.18	73.167	190.87	24.43	126.93	33.33	0.04	190.85	24.44		126.95	254.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:33:08	4438.22	73.200	190.87	24.43	126.93	33.33	0.04	190.85	24.44		126.95	254.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:33:10	4438.25	73.233	190.86	24.44	126.94	33.33	0.04	190.84	24.45		126.95	254.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:33:12	4438.28	73.267	190.87	24.43	126.93	33.33	0.04	190.85	24.44		126.95	254.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:33:14	4438.32	73.300	190.87	24.43	126.93	33.33	0.04	190.85	24.44		126.95	254.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:33:16	4438.35	73.333	190.87	24.42	126.92	33.33	0.04	190.85	24.43		126.94	254.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:33:18	4438.38	73.367	190.87	24.42	126.92	33.33	0.04	190.85	24.43		126.94	254.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:33:20	4438.42	73.400	190.87	24.43	126.93	33.33	0.04	190.85	24.44		126.95	254.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:33:22	4438.45	73.433	190.87	24.42	126.92	33.33	0.04	190.85	24.43		126.94	254.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:33:24	4438.48	73.467	190.87	24.42	126.92	33.33	0.04	190.85	24.43		126.94	254.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:33:26	4438.52	73.500	190.87	24.42	126.92	33.33	0.04	190.85	24.43		126.94	254.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:33:28	4438.55	73.533	190.87	24.42	126.92	33.33	0.04	190.85	24.43		126.94	254.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:33:30	4438.58	73.567	190.88	24.41	126.91	33.33	0.04	190.86	24.42		126.93	254.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:33:32	4438.62	73.600	190.88	24.41	126.91	33.33	0.04	190.86	24.42		126.93	254.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:33:34	4438.65	73.633	190.88	24.41	126.91	33.33	0.04	190.86	24.42		126.93	254.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:33:36	4438.68	73.667	190.88	24.41	126.91	33.33	0.04	190.86	24.42		126.93	254.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:33:38	4438.72	73.700	190.88	24.41	126.91	33.33	0.04	190.86	24.42		126.93	254.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:33:40	4438.75	73.733	190.89	24.40	126.91	33.33	0.04	190.87	24.42		126.92	254.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:33:42	4438.78	73.767	190.89	24.40	126.91	33.33	0.04	190.87	24.42		126.92	254.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:33:44	4438.82	73.800	190.89	24.40	126.91	33.33	0.04	190.87	24.42		126.92	254.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:33:46	4438.85	73.833	190.89	24.40	126.91	33.33	0.04	190.87	24.42		126.92	254.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:33:48	4438.88	73.867	190.89	24.40	126.91	33.33	0.04	190.87	24.42		126.92	254.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:33:50	4438.92	73.900	190.90	24.40	126.90	33.33	0.04	190.88	24.41		126.92	254.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:33:52	4438.95	73.933	190.90	24.40	126.90	33.33	0.04	190.88	24.41		126.92	254.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:33:54	4438.98	73.967	190.90	24.40	126.90	33.33	0.04	190.88	24.41		126.92	254.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:33:56	4439.02	74.000	190.90	24.40	126.90	33.33	0.04	190.88	24.41		126.92	254.08

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:33:58	4439.05	74.033	190.90	24.40	126.90	33.33	0.04	190.88	24.41		126.92	254.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:34:00	4439.08	74.067	190.91	24.39	126.89	33.33	0.04	190.89	24.40		126.91	254.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:34:02	4439.12	74.100	190.91	24.39	126.89	33.33	0.04	190.89	24.40		126.91	254.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:34:04	4439.15	74.133	190.91	24.39	126.89	33.33	0.04	190.89	24.40		126.91	254.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:34:06	4439.18	74.167	190.91	24.39	126.89	33.33	0.04	190.89	24.40		126.91	254.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:34:08	4439.22	74.200	190.91	24.39	126.89	33.33	0.04	190.89	24.40		126.91	254.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:34:10	4439.25	74.233	190.91	24.39	126.89	33.33	0.04	190.89	24.40		126.91	254.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:34:12	4439.28	74.267	190.91	24.39	126.89	33.33	0.04	190.89	24.40		126.91	254.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:34:14	4439.32	74.300	190.91	24.38	126.88	33.33	0.04	190.89	24.39		126.90	254.10
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:34:16	4439.35	74.333	190.91	24.38	126.88	33.33	0.04	190.89	24.39		126.90	254.10
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:34:18	4439.38	74.367	190.91	24.38	126.88	33.33	0.04	190.89	24.39		126.90	254.10
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:34:20	4439.42	74.400	190.91	24.38	126.88	33.33	0.04	190.89	24.39		126.90	254.10
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:34:22	4439.45	74.433	190.91	24.38	126.88	33.33	0.04	190.89	24.39		126.90	254.10
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:34:24	4439.48	74.467	190.92	24.37	126.87	33.33	0.04	190.90	24.38		126.89	254.11
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:34:26	4439.52	74.500	190.92	24.37	126.87	33.33	0.04	190.90	24.38		126.89	254.11
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:34:28	4439.55	74.533	190.92	24.37	126.87	33.33	0.04	190.90	24.38		126.89	254.11
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:34:30	4439.58	74.567	190.92	24.37	126.87	33.33	0.04	190.90	24.38		126.89	254.11
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:34:32	4439.62	74.600	190.93	24.37	126.87	33.33	0.04	190.91	24.38		126.88	254.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:34:34	4439.65	74.633	190.93	24.37	126.87	33.33	0.04	190.91	24.38		126.88	254.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:34:36	4439.68	74.667	190.93	24.37	126.87	33.33	0.04	190.91	24.38		126.88	254.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:34:38	4439.72	74.700	190.93	24.37	126.87	33.33	0.04	190.91	24.38		126.88	254.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:34:40	4439.75	74.733	190.93	24.37	126.87	33.33	0.04	190.91	24.38		126.88	254.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:34:42	4439.78	74.767	190.93	24.37	126.87	33.33	0.04	190.91	24.38		126.88	254.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:34:44	4439.82	74.800	190.93	24.37	126.87	33.33	0.04	190.91	24.38		126.88	254.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:34:46	4439.85	74.833	190.93	24.37	126.87	33.33	0.04	190.91	24.38		126.88	254.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:34:48	4439.88	74.867	190.94	24.36	126.86	33.33	0.04	190.92	24.37		126.88	254.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:34:50	4439.92	74.900	190.94	24.36	126.86	33.33	0.04	190.92	24.37		126.88	254.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:34:52	4439.95	74.933	190.94	24.36	126.86	33.33	0.04	190.92	24.37		126.88	254.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:34:54	4439.98	74.967	190.94	24.35	126.85	33.33	0.04	190.92	24.36		126.87	254.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:34:56	4440.02	75.000	190.94	24.35	126.85	33.33	0.04	190.92	24.36		126.87	254.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:34:58	4440.05	75.033	190.94	24.35	126.85	33.33	0.04	190.92	24.36		126.87	254.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:35:00	4440.08	75.067	190.94	24.35	126.85	33.33	0.04	190.92	24.36		126.87	254.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:35:02	4440.12	75.100	190.94	24.35	126.85	33.33	0.04	190.92	24.36		126.87	254.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:35:04	4440.15	75.133	190.94	24.35	126.85	33.33	0.04	190.92	24.36		126.87	254.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:35:06	4440.18	75.167	190.94	24.35	126.85	33.33	0.04	190.92	24.36		126.87	254.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:35:08	4440.22	75.200	190.95	24.34	126.84	33.33	0.04	190.93	24.35		126.86	254.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:35:10	4440.25	75.233	190.95	24.34	126.84	33.33	0.04	190.93	24.35		126.86	254.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:35:12	4440.28	75.267	190.95	24.34	126.84	33.33	0.04	190.93	24.35		126.86	254.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:35:14	4440.32	75.300	190.95	24.34	126.84	33.33	0.04	190.93	24.35		126.86	254.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:35:16	4440.35	75.333	190.95	24.34	126.84	33.33	0.04	190.93	24.35		126.86	254.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:35:18	4440.38	75.367	190.96	24.33	126.84	33.33	0.04	190.94	24.35		126.85	254.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:35:20	4440.42	75.400	190.96	24.33	126.84	33.33	0.04	190.94	24.35		126.85	254.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:35:22	4440.45	75.433	190.95	24.34	126.84	33.33	0.04	190.93	24.35		126.86	254.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:35:24	4440.48	75.467	190.96	24.33	126.84	33.33	0.04	190.94	24.35		126.85	254.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:35:26	4440.52	75.500	190.96	24.33	126.84	33.33	0.04	190.94	24.35		126.85	254.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:35:28	4440.55	75.533	190.96	24.33	126.84	33.33	0.04	190.94	24.35		126.85	254.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:35:30	4440.58	75.567	190.96	24.33	126.84	33.33	0.04	190.94	24.35		126.85	254.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:35:32	4440.62	75.600	190.97	24.33	126.83	33.33	0.04	190.95	24.34		126.85	254.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:35:34	4440.65	75.633	190.97	24.33	126.83	33.33	0.04	190.95	24.34		126.85	254.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:35:36	4440.68	75.667	190.97	24.33	126.83	33.33	0.04	190.95	24.34		126.85	254.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:35:38	4440.72	75.700	190.97	24.33	126.83	33.33	0.04	190.95	24.34		126.85	254.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:35:40	4440.75	75.733	190.97	24.33	126.83	33.33	0.04	190.95	24.34		126.85	254.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:35:42	4440.78	75.767	190.98	24.32	126.82	33.33	0.04	190.96	24.33		126.84	254.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:35:44	4440.82	75.800	190.98	24.32	126.82	33.33	0.04	190.96	24.33		126.84	254.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:35:46	4440.85	75.833	190.98	24.32	126.82	33.33	0.04	190.96	24.33		126.84	254.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:35:48	4440.88	75.867	190.98	24.32	126.82	33.33	0.04	190.96	24.33		126.84	254.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:35:50	4440.92	75.900	190.98	24.31	126.81	33.33	0.04	190.96	24.32		126.83	254.17
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:35:52	4440.95	75.933	190.98	24.31	126.81	33.33	0.04	190.96	24.32		126.83	254.17
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:35:54	4440.98	75.967	190.98	24.31	126.81	33.33	0.04	190.96	24.32		126.83	254.17
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:35:56	4441.02	76.000	190.98	24.31	126.81	33.33	0.04	190.96	24.32		126.83	254.17
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:35:58	4441.05	76.033	190.98	24.31	126.81	33.33	0.04	190.96	24.32		126.83	254.17
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:36:00	4441.08	76.067	190.98	24.31	126.81	33.33	0.04	190.96	24.32		126.83	254.17
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:36:02	4441.12	76.100	190.99	24.30	126.80	33.33	0.04	190.97	24.31		126.82	254.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:36:04	4441.15	76.133	190.98	24.31	126.81	33.33	0.04	190.96	24.32		126.83	254.17
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:36:06	4441.18	76.167	190.99	24.30	126.80	33.33	0.04	190.97	24.31		126.82	254.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:36:08	4441.22	76.200	190.99	24.30	126.80	33.33	0.04	190.97	24.31		126.82	254.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:36:10	4441.25	76.233	190.99	24.30	126.80	33.33	0.04	190.97	24.31		126.82	254.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:36:12	4441.28	76.267	190.99	24.30	126.80	33.33	0.04	190.97	24.31		126.82	254.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:36:14	4441.32	76.300	191.00	24.29	126.80	33.33	0.04	190.98	24.31		126.81	254.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:36:16	4441.35	76.333	191.00	24.29	126.80	33.33	0.04	190.98	24.31		126.81	254.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:36:18	4441.38	76.367	191.00	24.29	126.80	33.33	0.04	190.98	24.31		126.81	254.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:36:20	4441.42	76.400	191.00	24.29	126.80	33.33	0.04	190.98	24.31		126.81	254.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:36:22	4441.45	76.433	191.00	24.29	126.80	33.33	0.04	190.98	24.31		126.81	254.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:36:24	4441.48	76.467	191.00	24.29	126.80	33.33	0.04	190.98	24.31		126.81	254.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:36:26	4441.52	76.500	191.01	24.29	126.79	33.33	0.04	190.99	24.30		126.81	254.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:36:28	4441.55	76.533	191.00	24.29	126.80	33.33	0.04	190.98	24.31		126.81	254.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:36:30	4441.58	76.567	191.01	24.29	126.79	33.33	0.04	190.99	24.30		126.81	254.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:36:32	4441.62	76.600	191.01	24.29	126.79	33.33	0.04	190.99	24.30		126.81	254.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:36:34	4441.65	76.633	191.01	24.29	126.79	33.33	0.04	190.99	24.30		126.81	254.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:36:36	4441.68	76.667	191.01	24.28	126.78	33.33	0.04	190.99	24.29		126.80	254.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:36:38	4441.72	76.700	191.01	24.28	126.78	33.33	0.04	190.99	24.29		126.80	254.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:36:40	4441.75	76.733	191.01	24.28	126.78	33.33	0.04	190.99	24.29		126.80	254.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:36:42	4441.78	76.767	191.01	24.28	126.78	33.33	0.04	190.99	24.29		126.80	254.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:36:44	4441.82	76.800	191.01	24.28	126.78	33.33	0.04	190.99	24.29		126.80	254.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:36:46	4441.85	76.833	191.02	24.27	126.77	33.33	0.04	191.00	24.28		126.79	254.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:36:48	4441.88	76.867	191.02	24.27	126.77	33.33	0.04	191.00	24.28		126.79	254.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:36:50	4441.92	76.900	191.02	24.27	126.77	33.33	0.04	191.00	24.28		126.79	254.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:36:52	4441.95	76.933	191.02	24.27	126.77	33.33	0.04	191.00	24.28		126.79	254.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:36:54	4441.98	76.967	191.02	24.27	126.77	33.33	0.04	191.00	24.28		126.79	254.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:36:56	4442.02	77.000	191.03	24.26	126.77	33.33	0.04	191.01	24.28		126.78	254.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:36:58	4442.05	77.033	191.02	24.27	126.77	33.33	0.04	191.00	24.28		126.79	254.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:37:00	4442.08	77.067	191.03	24.26	126.77	33.33	0.04	191.01	24.28		126.78	254.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:37:02	4442.12	77.100	191.03	24.26	126.77	33.33	0.04	191.01	24.28		126.78	254.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:37:04	4442.15	77.133	191.03	24.26	126.77	33.33	0.04	191.01	24.28		126.78	254.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:37:06	4442.18	77.167	191.03	24.26	126.77	33.33	0.04	191.01	24.28		126.78	254.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:37:08	4442.22	77.200	191.03	24.26	126.77	33.33	0.04	191.01	24.28		126.78	254.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:37:10	4442.25	77.233	191.04	24.26	126.76	33.33	0.04	191.02	24.27		126.78	254.22

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:37:12	4442.28	77.267	191.03	24.26	126.77	33.33	0.04	191.01	24.28		126.78	254.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:37:14	4442.32	77.300	191.04	24.26	126.76	33.33	0.04	191.02	24.27		126.78	254.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:37:16	4442.35	77.333	191.04	24.26	126.76	33.33	0.04	191.02	24.27		126.78	254.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:37:18	4442.38	77.367	191.04	24.26	126.76	33.33	0.04	191.02	24.27		126.78	254.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:37:20	4442.42	77.400	191.05	24.25	126.75	33.33	0.04	191.03	24.26		126.77	254.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:37:22	4442.45	77.433	191.05	24.25	126.75	33.33	0.04	191.03	24.26		126.77	254.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:37:24	4442.48	77.467	191.05	24.25	126.75	33.33	0.04	191.03	24.26		126.77	254.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:37:26	4442.52	77.500	191.05	24.24	126.74	33.33	0.04	191.03	24.25		126.76	254.24
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:37:28	4442.55	77.533	191.05	24.25	126.75	33.33	0.04	191.03	24.26		126.77	254.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:37:30	4442.58	77.567	191.05	24.25	126.75	33.33	0.04	191.03	24.26		126.77	254.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:37:32	4442.62	77.600	191.05	24.24	126.74	33.33	0.04	191.03	24.25		126.76	254.24
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:37:34	4442.65	77.633	191.05	24.24	126.74	33.33	0.04	191.03	24.25		126.76	254.24
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:37:36	4442.68	77.667	191.05	24.24	126.74	33.33	0.04	191.03	24.25		126.76	254.24
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:37:38	4442.72	77.700	191.05	24.24	126.74	33.33	0.04	191.03	24.25		126.76	254.24
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:37:40	4442.75	77.733	191.05	24.24	126.74	33.33	0.04	191.03	24.25		126.76	254.24
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:37:42	4442.78	77.767	191.05	24.24	126.74	33.33	0.04	191.03	24.25		126.76	254.24
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:37:44	4442.82	77.800	191.06	24.23	126.73	33.33	0.04	191.04	24.24		126.75	254.25
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:37:46	4442.85	77.833	191.06	24.23	126.73	33.33	0.04	191.04	24.24		126.75	254.25
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:37:48	4442.88	77.867	191.06	24.23	126.73	33.33	0.04	191.04	24.24		126.75	254.25
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:37:50	4442.92	77.900	191.06	24.23	126.73	33.33	0.04	191.04	24.24		126.75	254.25
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:37:52	4442.95	77.933	191.06	24.23	126.73	33.33	0.04	191.04	24.24		126.75	254.25
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:37:54	4442.98	77.967	191.07	24.22	126.73	33.33	0.04	191.05	24.24		126.74	254.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:37:56	4443.02	78.000	191.06	24.23	126.73	33.33	0.04	191.04	24.24		126.75	254.25
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:37:58	4443.05	78.033	191.07	24.22	126.73	33.33	0.04	191.05	24.24		126.74	254.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:38:00	4443.08	78.067	191.07	24.22	126.73	33.33	0.04	191.05	24.24		126.74	254.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:38:02	4443.12	78.100	191.08	24.22	126.72	33.33	0.04	191.06	24.23		126.74	254.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:38:04	4443.15	78.133	191.07	24.22	126.73	33.33	0.04	191.05	24.24		126.74	254.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:38:06	4443.18	78.167	191.07	24.22	126.73	33.33	0.04	191.05	24.24		126.74	254.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:38:08	4443.22	78.200	191.08	24.22	126.72	33.33	0.04	191.06	24.23		126.74	254.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:38:10	4443.25	78.233	191.08	24.22	126.72	33.33	0.04	191.06	24.23		126.74	254.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:38:12	4443.28	78.267	191.08	24.22	126.72	33.33	0.04	191.06	24.23		126.74	254.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:38:14	4443.32	78.300	191.08	24.22	126.72	33.33	0.04	191.06	24.23		126.74	254.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:38:16	4443.35	78.333	191.08	24.22	126.72	33.33	0.04	191.06	24.23		126.74	254.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:38:18	4443.38	78.367	191.08	24.22	126.72	33.33	0.04	191.06	24.23		126.74	254.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:38:20	4443.42	78.400	191.08	24.22	126.72	33.33	0.04	191.06	24.23		126.74	254.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:38:22	4443.45	78.433	191.08	24.21	126.71	33.33	0.04	191.06	24.22		126.73	254.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:38:24	4443.48	78.467	191.08	24.21	126.71	33.33	0.04	191.06	24.22		126.73	254.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:38:26	4443.52	78.500	191.08	24.21	126.71	33.33	0.04	191.06	24.22		126.73	254.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:38:28	4443.55	78.533	191.08	24.21	126.71	33.33	0.04	191.06	24.22		126.73	254.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:38:30	4443.58	78.567	191.09	24.20	126.70	33.33	0.04	191.07	24.21		126.72	254.28
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:38:32	4443.62	78.600	191.09	24.20	126.70	33.33	0.04	191.07	24.21		126.72	254.28
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:38:34	4443.65	78.633	191.09	24.20	126.70	33.33	0.04	191.07	24.21		126.72	254.28
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:38:36	4443.68	78.667	191.09	24.20	126.70	33.33	0.04	191.07	24.21		126.72	254.28
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:38:38	4443.72	78.700	191.09	24.20	126.70	33.33	0.04	191.07	24.21		126.72	254.28
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:38:40	4443.75	78.733	191.10	24.19	126.70	33.33	0.04	191.08	24.21		126.71	254.29
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:38:42	4443.78	78.767	191.10	24.19	126.70	33.33	0.04	191.08	24.21		126.71	254.29
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:38:44	4443.82	78.800	191.10	24.19	126.70	33.33	0.04	191.08	24.21		126.71	254.29
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:38:46	4443.85	78.833	191.10	24.19	126.70	33.33	0.04	191.08	24.21		126.71	254.29
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:38:48	4443.88	78.867	191.10	24.19	126.70	33.33	0.04	191.08	24.21		126.71	254.29
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:38:50	4443.92	78.900	191.10	24.19	126.70	33.33	0.04	191.08	24.21		126.71	254.29
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:38:52	4443.95	78.933	191.11	24.19	126.69	33.33	0.04	191.09	24.20		126.70	254.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:38:54	4443.98	78.967	191.11	24.19	126.69	33.33	0.04	191.09	24.20		126.70	254.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:38:56	4444.02	79.000	191.11	24.19	126.69	33.33	0.04	191.09	24.20		126.70	254.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:38:58	4444.05	79.033	191.11	24.19	126.69	33.33	0.04	191.09	24.20		126.70	254.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:39:00	4444.08	79.067	191.11	24.19	126.69	33.33	0.04	191.09	24.20		126.70	254.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:39:02	4444.12	79.100	191.11	24.19	126.69	33.33	0.04	191.09	24.20		126.70	254.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:39:04	4444.15	79.133	191.12	24.18	126.68	33.33	0.04	191.10	24.19		126.70	254.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:39:06	4444.18	79.167	191.12	24.18	126.68	33.33	0.04	191.10	24.19		126.70	254.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:39:08	4444.22	79.200	191.12	24.18	126.68	33.33	0.04	191.10	24.19		126.70	254.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:39:10	4444.25	79.233	191.12	24.18	126.68	33.33	0.04	191.10	24.19		126.70	254.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:39:12	4444.28	79.267	191.12	24.18	126.68	33.33	0.04	191.10	24.19		126.70	254.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:39:14	4444.32	79.300	191.12	24.18	126.68	33.33	0.04	191.10	24.19		126.70	254.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:39:16	4444.35	79.333	191.12	24.17	126.67	33.33	0.04	191.10	24.18		126.69	254.31
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:39:18	4444.38	79.367	191.12	24.17	126.67	33.33	0.04	191.10	24.18		126.69	254.31
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:39:20	4444.42	79.400	191.12	24.17	126.67	33.33	0.04	191.10	24.18		126.69	254.31
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:39:22	4444.45	79.433	191.12	24.17	126.67	33.33	0.04	191.10	24.18		126.69	254.31
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:39:24	4444.48	79.467	191.12	24.17	126.67	33.33	0.04	191.10	24.18		126.69	254.31
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:39:26	4444.52	79.500	191.12	24.17	126.67	33.33	0.04	191.10	24.18		126.69	254.31
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:39:28	4444.55	79.533	191.13	24.16	126.66	33.33	0.04	191.11	24.17		126.68	254.32
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:39:30	4444.58	79.567	191.13	24.16	126.66	33.33	0.04	191.11	24.17		126.68	254.32
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:39:32	4444.62	79.600	191.13	24.16	126.66	33.33	0.04	191.11	24.17		126.68	254.32
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:39:34	4444.65	79.633	191.14	24.15	126.66	33.33	0.04	191.12	24.17		126.67	254.33
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:39:36	4444.68	79.667	191.13	24.16	126.66	33.33	0.04	191.11	24.17		126.68	254.32
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:39:38	4444.72	79.700	191.14	24.15	126.66	33.33	0.04	191.12	24.17		126.67	254.33
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:39:40	4444.75	79.733	191.13	24.16	126.66	33.33	0.04	191.11	24.17		126.68	254.32
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:39:42	4444.78	79.767	191.14	24.15	126.66	33.33	0.04	191.12	24.17		126.67	254.33
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:39:44	4444.82	79.800	191.15	24.15	126.65	33.33	0.04	191.13	24.16		126.67	254.33
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:39:46	4444.85	79.833	191.14	24.15	126.66	33.33	0.04	191.12	24.17		126.67	254.33
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:39:48	4444.88	79.867	191.14	24.15	126.66	33.33	0.04	191.12	24.17		126.67	254.33
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:39:50	4444.92	79.900	191.15	24.15	126.65	33.33	0.04	191.13	24.16		126.67	254.33
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:39:52	4444.95	79.933	191.15	24.15	126.65	33.33	0.04	191.13	24.16		126.67	254.33
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:39:54	4444.98	79.967	191.15	24.15	126.65	33.33	0.04	191.13	24.16		126.67	254.33
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:39:56	4445.02	80.000	191.15	24.14	126.64	33.33	0.04	191.13	24.15		126.66	254.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:39:58	4445.05	80.033	191.15	24.14	126.64	33.33	0.04	191.13	24.15		126.66	254.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:40:00	4445.08	80.067	191.15	24.14	126.64	33.33	0.04	191.14	24.15		126.66	254.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:40:02	4445.12	80.100	191.15	24.14	126.64	33.33	0.04	191.14	24.15		126.66	254.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:40:04	4445.15	80.133	191.15	24.14	126.64	33.33	0.04	191.14	24.15		126.66	254.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:40:06	4445.18	80.167	191.15	24.14	126.64	33.33	0.04	191.14	24.15		126.66	254.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:40:08	4445.22	80.200	191.15	24.14	126.64	33.33	0.04	191.14	24.15		126.66	254.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:40:10	4445.25	80.233	191.15	24.14	126.64	33.33	0.04	191.14	24.15		126.66	254.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:40:12	4445.28	80.267	191.16	24.13	126.63	33.33	0.04	191.14	24.14		126.65	254.35
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:40:14	4445.32	80.300	191.16	24.13	126.63	33.33	0.04	191.14	24.14		126.65	254.35
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:40:16	4445.35	80.333	191.16	24.13	126.63	33.33	0.04	191.14	24.14		126.65	254.35
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:40:18	4445.38	80.367	191.16	24.13	126.63	33.33	0.04	191.14	24.14		126.65	254.35
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:40:20	4445.42	80.400	191.16	24.13	126.63	33.33	0.04	191.14	24.14		126.65	254.35
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:40:22	4445.45	80.433	191.16	24.13	126.63	33.33	0.04	191.14	24.14		126.65	254.35
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:40:24	4445.48	80.467	191.17	24.12	126.63	33.33	0.04	191.15	24.13		126.64	254.36

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:40:26	4445.52	80.500	191.17	24.12	126.63	33.33	0.04	191.15	24.13		126.64	254.36
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:40:28	4445.55	80.533	191.17	24.12	126.63	33.33	0.04	191.15	24.13		126.64	254.36
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:40:30	4445.58	80.567	191.17	24.12	126.63	33.33	0.04	191.15	24.13		126.64	254.36
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:40:32	4445.62	80.600	191.17	24.12	126.63	33.33	0.04	191.15	24.13		126.64	254.36
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:40:34	4445.65	80.633	191.18	24.12	126.62	33.33	0.04	191.16	24.13		126.63	254.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:40:36	4445.68	80.667	191.18	24.12	126.62	33.33	0.04	191.16	24.13		126.63	254.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:40:38	4445.72	80.700	191.18	24.12	126.62	33.33	0.04	191.16	24.13		126.63	254.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:40:40	4445.75	80.733	191.18	24.12	126.62	33.33	0.04	191.16	24.13		126.63	254.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:40:42	4445.78	80.767	191.18	24.12	126.62	33.33	0.04	191.16	24.13		126.63	254.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:40:44	4445.82	80.800	191.18	24.12	126.62	33.33	0.04	191.16	24.13		126.63	254.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:40:46	4445.85	80.833	191.19	24.11	126.61	33.33	0.04	191.17	24.12		126.62	254.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:40:48	4445.88	80.867	191.19	24.11	126.61	33.33	0.04	191.17	24.12		126.62	254.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:40:50	4445.92	80.900	191.18	24.12	126.62	33.33	0.04	191.16	24.13		126.63	254.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:40:52	4445.95	80.933	191.19	24.11	126.61	33.33	0.04	191.17	24.12		126.62	254.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:40:54	4445.98	80.967	191.19	24.11	126.61	33.33	0.04	191.17	24.12		126.62	254.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:40:56	4446.02	81.000	191.19	24.11	126.61	33.33	0.04	191.17	24.12		126.62	254.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:40:58	4446.05	81.033	191.19	24.11	126.61	33.33	0.04	191.17	24.12		126.62	254.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:41:00	4446.08	81.067	191.19	24.10	126.60	33.33	0.04	191.18	24.11		126.62	254.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:41:02	4446.12	81.100	191.19	24.11	126.61	33.33	0.04	191.17	24.12		126.62	254.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:41:04	4446.15	81.133	191.19	24.11	126.61	33.33	0.04	191.17	24.12		126.62	254.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:41:06	4446.18	81.167	191.19	24.10	126.60	33.33	0.04	191.18	24.11		126.62	254.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:41:08	4446.22	81.200	191.19	24.10	126.60	33.33	0.04	191.18	24.11		126.62	254.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:41:10	4446.25	81.233	191.19	24.10	126.60	33.33	0.04	191.18	24.11		126.62	254.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:41:12	4446.28	81.267	191.20	24.09	126.59	33.33	0.04	191.18	24.10		126.61	254.39
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:41:14	4446.32	81.300	191.20	24.09	126.59	33.33	0.04	191.18	24.10		126.61	254.39
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:41:16	4446.35	81.333	191.20	24.09	126.59	33.33	0.04	191.18	24.10		126.61	254.39
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:41:18	4446.38	81.367	191.20	24.09	126.59	33.33	0.04	191.18	24.10		126.61	254.39
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:41:20	4446.42	81.400	191.20	24.09	126.59	33.33	0.04	191.18	24.10		126.61	254.39
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:41:22	4446.45	81.433	191.20	24.09	126.59	33.33	0.04	191.18	24.10		126.61	254.39
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:41:24	4446.48	81.467	191.21	24.08	126.59	33.33	0.04	191.19	24.10		126.60	254.40
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:41:26	4446.52	81.500	191.21	24.08	126.59	33.33	0.04	191.19	24.10		126.60	254.40
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:41:28	4446.55	81.533	191.21	24.08	126.59	33.33	0.04	191.19	24.10		126.60	254.40
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:41:30	4446.58	81.567	191.21	24.08	126.59	33.33	0.04	191.19	24.10		126.60	254.40
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:41:32	4446.62	81.600	191.22	24.08	126.58	33.33	0.04	191.20	24.09		126.59	254.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:41:34	4446.65	81.633	191.22	24.08	126.58	33.33	0.04	191.20	24.09		126.59	254.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:41:36	4446.68	81.667	191.22	24.08	126.58	33.33	0.04	191.20	24.09		126.59	254.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:41:38	4446.72	81.700	191.22	24.08	126.58	33.33	0.04	191.20	24.09		126.59	254.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:41:40	4446.75	81.733	191.22	24.08	126.58	33.33	0.04	191.20	24.09		126.59	254.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:41:42	4446.78	81.767	191.22	24.08	126.58	33.33	0.04	191.20	24.09		126.59	254.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:41:44	4446.82	81.800	191.22	24.08	126.58	33.33	0.04	191.20	24.09		126.59	254.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:41:46	4446.85	81.833	191.23	24.07	126.57	33.33	0.04	191.21	24.08		126.59	254.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:41:48	4446.88	81.867	191.23	24.07	126.57	33.33	0.04	191.21	24.08		126.59	254.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:41:50	4446.92	81.900	191.23	24.07	126.57	33.33	0.04	191.21	24.08		126.59	254.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:41:52	4446.95	81.933	191.23	24.07	126.57	33.33	0.04	191.21	24.08		126.59	254.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:41:54	4446.98	81.967	191.23	24.07	126.57	33.33	0.04	191.21	24.08		126.59	254.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:41:56	4447.02	82.000	191.23	24.07	126.57	33.33	0.04	191.21	24.08		126.59	254.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:41:58	4447.05	82.033	191.23	24.06	126.56	33.33	0.04	191.21	24.07		126.58	254.42
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:42:00	4447.08	82.067	191.23	24.06	126.56	33.33	0.04	191.21	24.07		126.58	254.42
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:42:02	4447.12	82.100	191.23	24.06	126.56	33.33	0.04	191.21	24.07		126.58	254.42
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:42:04	4447.15	82.133	191.23	24.06	126.56	33.33	0.04	191.21	24.07		126.58	254.42
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:42:06	4447.18	82.167	191.23	24.06	126.56	33.33	0.04	191.21	24.07		126.58	254.42
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:42:08	4447.22	82.200	191.23	24.06	126.56	33.33	0.04	191.21	24.07		126.58	254.42
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:42:10	4447.25	82.233	191.23	24.06	126.56	33.33	0.04	191.21	24.07		126.58	254.42
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:42:12	4447.28	82.267	191.24	24.05	126.56	33.33	0.04	191.22	24.06		126.57	254.43
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:42:14	4447.32	82.300	191.24	24.05	126.56	33.33	0.04	191.22	24.06		126.57	254.43
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:42:16	4447.35	82.333	191.24	24.05	126.56	33.33	0.04	191.22	24.06		126.57	254.43
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:42:18	4447.38	82.367	191.25	24.05	126.55	33.33	0.04	191.23	24.06		126.56	254.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:42:20	4447.42	82.400	191.25	24.05	126.55	33.33	0.04	191.23	24.06		126.56	254.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:42:22	4447.45	82.433	191.25	24.05	126.55	33.33	0.04	191.23	24.06		126.56	254.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:42:24	4447.48	82.467	191.25	24.05	126.55	33.33	0.04	191.23	24.06		126.56	254.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:42:26	4447.52	82.500	191.25	24.05	126.55	33.33	0.04	191.23	24.06		126.56	254.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:42:28	4447.55	82.533	191.26	24.04	126.54	33.33	0.04	191.24	24.05		126.55	254.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:42:30	4447.58	82.567	191.25	24.05	126.55	33.33	0.04	191.23	24.06		126.56	254.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:42:32	4447.62	82.600	191.26	24.04	126.54	33.33	0.04	191.24	24.05		126.55	254.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:42:34	4447.65	82.633	191.26	24.04	126.54	33.33	0.04	191.24	24.05		126.55	254.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:42:36	4447.68	82.667	191.26	24.04	126.54	33.33	0.04	191.24	24.05		126.55	254.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:42:38	4447.72	82.700	191.26	24.04	126.54	33.33	0.04	191.24	24.05		126.55	254.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:42:40	4447.75	82.733	191.26	24.04	126.54	33.33	0.04	191.24	24.05		126.55	254.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:42:42	4447.78	82.767	191.26	24.04	126.54	33.33	0.04	191.24	24.05		126.55	254.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:42:44	4447.82	82.800	191.26	24.03	126.53	33.33	0.04	191.25	24.04		126.55	254.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:42:46	4447.85	82.833	191.26	24.03	126.53	33.33	0.04	191.25	24.04		126.55	254.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:42:48	4447.88	82.867	191.26	24.04	126.54	33.33	0.04	191.24	24.05		126.55	254.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:42:50	4447.92	82.900	191.26	24.04	126.54	33.33	0.04	191.24	24.05		126.55	254.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:42:52	4447.95	82.933	191.26	24.03	126.53	33.33	0.04	191.25	24.04		126.55	254.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:42:54	4447.98	82.967	191.26	24.03	126.53	33.33	0.04	191.25	24.04		126.55	254.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:42:56	4448.02	83.000	191.26	24.03	126.53	33.33	0.04	191.25	24.04		126.55	254.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:42:58	4448.05	83.033	191.27	24.02	126.52	33.33	0.04	191.25	24.03		126.54	254.46
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:43:00	4448.08	83.067	191.26	24.03	126.53	33.33	0.04	191.25	24.04		126.55	254.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:43:02	4448.12	83.100	191.27	24.02	126.52	33.33	0.04	191.25	24.03		126.54	254.46
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:43:04	4448.15	83.133	191.27	24.02	126.52	33.33	0.04	191.25	24.03		126.54	254.46
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:43:06	4448.18	83.167	191.27	24.02	126.52	33.33	0.04	191.25	24.03		126.54	254.46
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:43:08	4448.22	83.200	191.27	24.02	126.52	33.33	0.04	191.25	24.03		126.54	254.46
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:43:10	4448.25	83.233	191.28	24.01	126.52	33.33	0.04	191.26	24.03		126.53	254.47
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:43:12	4448.28	83.267	191.28	24.01	126.52	33.33	0.04	191.26	24.03		126.53	254.47
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:43:14	4448.32	83.300	191.28	24.01	126.52	33.33	0.04	191.26	24.03		126.53	254.47
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:43:16	4448.35	83.333	191.28	24.01	126.52	33.33	0.04	191.26	24.03		126.53	254.47
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:43:18	4448.38	83.367	191.28	24.01	126.52	33.33	0.04	191.26	24.03		126.53	254.47
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:43:20	4448.42	83.400	191.28	24.01	126.52	33.33	0.04	191.26	24.03		126.53	254.47
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:43:22	4448.45	83.433	191.29	24.01	126.51	33.33	0.04	191.27	24.02		126.52	254.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:43:24	4448.48	83.467	191.29	24.01	126.51	33.33	0.04	191.27	24.02		126.52	254.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:43:26	4448.52	83.500	191.29	24.01	126.51	33.33	0.04	191.27	24.02		126.52	254.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:43:28	4448.55	83.533	191.29	24.01	126.51	33.33	0.04	191.27	24.02		126.52	254.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:43:30	4448.58	83.567	191.29	24.01	126.51	33.33	0.04	191.27	24.02		126.52	254.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:43:32	4448.62	83.600	191.29	24.01	126.51	33.33	0.04	191.27	24.02		126.52	254.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:43:34	4448.65	83.633	191.30	24.00	126.50	33.33	0.04	191.28	24.01		126.52	254.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:43:36	4448.68	83.667	191.30	24.00	126.50	33.33	0.04	191.28	24.01		126.52	254.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:43:38	4448.72	83.700	191.30	24.00	126.50	33.33	0.04	191.28	24.01		126.52	254.48

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:43:40	4448.75	83.733	191.30	24.00	126.50	33.33	0.04	191.28	24.01		126.51	254.49
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:43:42	4448.78	83.767	191.30	24.00	126.50	33.33	0.04	191.28	24.01		126.52	254.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:43:44	4448.82	83.800	191.30	23.99	126.49	33.33	0.04	191.28	24.00		126.51	254.49
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:43:46	4448.85	83.833	191.31	23.99	126.49	33.33	0.04	191.29	24.00		126.51	254.49
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:43:48	4448.88	83.867	191.31	23.98	126.48	33.33	0.04	191.30	23.99		126.50	254.50
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:43:50	4448.92	83.900	191.31	23.98	126.49	33.33	0.04	191.29	23.99		126.50	254.50
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:43:52	4448.95	83.933	191.31	23.98	126.48	33.33	0.04	191.30	23.99		126.50	254.50
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:43:54	4448.98	83.967	191.31	23.99	126.49	33.33	0.04	191.29	24.00		126.51	254.49
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:43:56	4449.02	84.000	191.31	23.98	126.48	33.33	0.04	191.30	23.99		126.50	254.50
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:43:58	4449.05	84.033	191.32	23.97	126.47	33.33	0.04	191.30	23.98		126.49	254.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:44:00	4449.08	84.067	191.31	23.98	126.48	33.33	0.04	191.30	23.99		126.50	254.50
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:44:02	4449.12	84.100	191.31	23.98	126.48	33.33	0.04	191.30	23.99		126.50	254.50
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:44:04	4449.15	84.133	191.31	23.98	126.48	33.33	0.04	191.30	23.99		126.50	254.50
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:44:06	4449.18	84.167	191.31	23.98	126.48	33.33	0.04	191.30	23.99		126.50	254.50
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:44:08	4449.22	84.200	191.31	23.98	126.48	33.33	0.04	191.30	23.99		126.50	254.50
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:44:10	4449.25	84.233	191.32	23.97	126.47	33.33	0.04	191.30	23.98		126.49	254.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:44:12	4449.28	84.267	191.32	23.97	126.47	33.33	0.04	191.30	23.98		126.49	254.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:44:14	4449.32	84.300	191.32	23.97	126.47	33.33	0.04	191.30	23.98		126.49	254.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:44:16	4449.35	84.333	191.32	23.97	126.47	33.33	0.04	191.30	23.98		126.49	254.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:44:18	4449.38	84.367	191.32	23.97	126.47	33.33	0.04	191.30	23.98		126.49	254.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:44:20	4449.42	84.400	191.32	23.97	126.47	33.33	0.04	191.30	23.98		126.49	254.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:44:22	4449.45	84.433	191.33	23.97	126.47	33.33	0.04	191.31	23.98		126.48	254.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:44:24	4449.48	84.467	191.33	23.97	126.47	33.33	0.04	191.31	23.98		126.48	254.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:44:26	4449.52	84.500	191.33	23.97	126.47	33.33	0.04	191.31	23.98		126.48	254.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:44:28	4449.55	84.533	191.33	23.97	126.47	33.33	0.04	191.31	23.98		126.48	254.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:44:30	4449.58	84.567	191.33	23.97	126.47	33.33	0.04	191.31	23.98		126.48	254.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:44:32	4449.62	84.600	191.33	23.97	126.47	33.33	0.04	191.31	23.98		126.48	254.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:44:34	4449.65	84.633	191.34	23.96	126.46	33.33	0.04	191.32	23.97		126.47	254.53
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:44:36	4449.68	84.667	191.33	23.97	126.47	33.33	0.04	191.31	23.98		126.48	254.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:44:38	4449.72	84.700	191.33	23.97	126.47	33.33	0.04	191.31	23.98		126.48	254.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:44:40	4449.75	84.733	191.33	23.96	126.46	33.33	0.04	191.32	23.97		126.48	254.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:44:42	4449.78	84.767	191.33	23.96	126.46	33.33	0.04	191.32	23.97		126.48	254.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:44:44	4449.82	84.800	191.33	23.96	126.46	33.33	0.04	191.32	23.97		126.48	254.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:44:46	4449.85	84.833	191.33	23.96	126.46	33.33	0.04	191.32	23.97		126.48	254.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:44:48	4449.88	84.867	191.34	23.95	126.45	33.33	0.04	191.32	23.96		126.47	254.53
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:44:50	4449.92	84.900	191.34	23.95	126.45	33.33	0.04	191.33	23.96		126.47	254.53
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:44:52	4449.95	84.933	191.34	23.95	126.45	33.33	0.04	191.32	23.96		126.47	254.53
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:44:54	4449.98	84.967	191.34	23.95	126.45	33.33	0.04	191.33	23.96		126.47	254.53
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:44:56	4450.02	85.000	191.34	23.95	126.45	33.33	0.04	191.33	23.96		126.47	254.53
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:44:58	4450.05	85.033	191.34	23.95	126.45	33.33	0.04	191.33	23.96		126.47	254.53
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:45:00	4450.08	85.067	191.35	23.94	126.45	33.33	0.04	191.33	23.96		126.46	254.54
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:45:02	4450.12	85.100	191.35	23.94	126.44	33.33	0.04	191.33	23.95		126.46	254.54
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:45:04	4450.15	85.133	191.35	23.94	126.45	33.33	0.04	191.33	23.96		126.46	254.54
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:45:06	4450.18	85.167	191.35	23.94	126.45	33.33	0.04	191.33	23.96		126.46	254.54
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:45:08	4450.22	85.200	191.35	23.94	126.45	33.33	0.04	191.33	23.96		126.46	254.54
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:45:10	4450.25	85.233	191.36	23.94	126.44	33.33	0.04	191.34	23.95		126.45	254.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:45:12	4450.28	85.267	191.36	23.94	126.44	33.33	0.04	191.34	23.95		126.45	254.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:45:14	4450.32	85.300	191.36	23.93	126.44	33.33	0.04	191.34	23.95		126.45	254.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:45:16	4450.35	85.333	191.36	23.94	126.44	33.33	0.04	191.34	23.95		126.45	254.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:45:18	4450.38	85.367	191.36	23.94	126.44	33.33	0.04	191.34	23.95		126.45	254.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:45:20	4450.42	85.400	191.36	23.94	126.44	33.33	0.04	191.34	23.95		126.45	254.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:45:22	4450.45	85.433	191.36	23.94	126.44	33.33	0.04	191.34	23.95		126.45	254.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:45:24	4450.48	85.467	191.37	23.93	126.43	33.33	0.04	191.35	23.94		126.45	254.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:45:26	4450.52	85.500	191.37	23.93	126.43	33.33	0.04	191.35	23.94		126.45	254.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:45:28	4450.55	85.533	191.37	23.93	126.43	33.33	0.04	191.35	23.94		126.45	254.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:45:30	4450.58	85.567	191.37	23.93	126.43	33.33	0.04	191.35	23.94		126.45	254.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:45:32	4450.62	85.600	191.37	23.93	126.43	33.33	0.04	191.35	23.94		126.45	254.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:45:34	4450.65	85.633	191.37	23.92	126.42	33.33	0.04	191.35	23.93		126.44	254.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:45:36	4450.68	85.667	191.37	23.93	126.43	33.33	0.04	191.35	23.94		126.45	254.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:45:38	4450.72	85.700	191.37	23.92	126.42	33.33	0.04	191.35	23.93		126.44	254.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:45:40	4450.75	85.733	191.37	23.92	126.42	33.33	0.04	191.35	23.93		126.44	254.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:45:42	4450.78	85.767	191.37	23.92	126.42	33.33	0.04	191.35	23.93		126.44	254.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:45:44	4450.82	85.800	191.37	23.92	126.42	33.33	0.04	191.35	23.93		126.44	254.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:45:46	4450.85	85.833	191.38	23.92	126.42	33.33	0.04	191.36	23.93		126.44	254.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:45:48	4450.88	85.867	191.38	23.91	126.42	33.33	0.04	191.36	23.93		126.43	254.57
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:45:50	4450.92	85.900	191.38	23.91	126.42	33.33	0.04	191.36	23.93		126.43	254.57
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:45:52	4450.95	85.933	191.38	23.91	126.42	33.33	0.04	191.36	23.93		126.43	254.57
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:45:54	4450.98	85.967	191.38	23.91	126.41	33.33	0.04	191.36	23.92		126.43	254.57
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:45:56	4451.02	86.000	191.38	23.91	126.42	33.33	0.04	191.36	23.93		126.43	254.57
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:45:58	4451.05	86.033	191.39	23.91	126.41	33.33	0.04	191.37	23.92		126.42	254.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:46:00	4451.08	86.067	191.39	23.91	126.41	33.33	0.04	191.37	23.92		126.42	254.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:46:02	4451.12	86.100	191.39	23.90	126.40	33.33	0.04	191.37	23.91		126.42	254.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:46:04	4451.15	86.133	191.39	23.91	126.41	33.33	0.04	191.37	23.92		126.42	254.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:46:06	4451.18	86.167	191.39	23.91	126.41	33.33	0.04	191.37	23.92		126.42	254.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:46:08	4451.22	86.200	191.39	23.91	126.41	33.33	0.04	191.37	23.92		126.42	254.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:46:10	4451.25	86.233	191.40	23.90	126.40	33.33	0.04	191.38	23.91		126.42	254.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:46:12	4451.28	86.267	191.40	23.90	126.40	33.33	0.04	191.38	23.91		126.42	254.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:46:14	4451.32	86.300	191.39	23.91	126.41	33.33	0.04	191.37	23.92		126.42	254.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:46:16	4451.35	86.333	191.40	23.90	126.40	33.33	0.04	191.38	23.91		126.42	254.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:46:18	4451.38	86.367	191.40	23.90	126.40	33.33	0.04	191.38	23.91		126.42	254.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:46:20	4451.42	86.400	191.40	23.90	126.40	33.33	0.04	191.38	23.91		126.42	254.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:46:22	4451.45	86.433	191.40	23.90	126.40	33.33	0.04	191.38	23.91		126.42	254.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:46:24	4451.48	86.467	191.40	23.90	126.40	33.33	0.04	191.38	23.91		126.42	254.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:46:26	4451.52	86.500	191.40	23.89	126.39	33.33	0.04	191.39	23.90		126.41	254.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:46:28	4451.55	86.533	191.40	23.89	126.39	33.33	0.04	191.39	23.90		126.41	254.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:46:30	4451.58	86.567	191.40	23.89	126.39	33.33	0.04	191.39	23.90		126.41	254.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:46:32	4451.62	86.600	191.40	23.89	126.39	33.33	0.04	191.39	23.90		126.41	254.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:46:34	4451.65	86.633	191.40	23.89	126.39	33.33	0.04	191.39	23.90		126.41	254.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:46:36	4451.68	86.667	191.40	23.89	126.39	33.33	0.04	191.39	23.90		126.41	254.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:46:38	4451.72	86.700	191.41	23.88	126.38	33.33	0.04	191.39	23.89		126.40	254.60
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:46:40	4451.75	86.733	191.41	23.88	126.38	33.33	0.04	191.39	23.89		126.40	254.60
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:46:42	4451.78	86.767	191.41	23.88	126.38	33.33	0.04	191.39	23.89		126.40	254.60
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:46:44	4451.82	86.800	191.41	23.88	126.38	33.33	0.04	191.39	23.89		126.40	254.60
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:46:46	4451.85	86.833	191.41	23.88	126.38	33.33	0.04	191.39	23.89		126.40	254.60
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:46:48	4451.88	86.867	191.42	23.87	126.38	33.33	0.04	191.40	23.89		126.39	254.61
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:46:50	4451.92	86.900	191.41	23.88	126.38	33.33	0.04	191.39	23.89		126.40	254.60
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:46:52	4451.95	86.933	191.42	23.87	126.38	33.33	0.04	191.40	23.89		126.39	254.61

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:46:54	4451.98	86.967	191.42	23.87	126.38	33.33	0.04	191.40	23.89		126.39	254.61
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:46:56	4452.02	87.000	191.42	23.87	126.38	33.33	0.04	191.40	23.89		126.39	254.61
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:46:58	4452.05	87.033	191.42	23.87	126.38	33.33	0.04	191.40	23.89		126.39	254.61
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:47:00	4452.08	87.067	191.42	23.87	126.38	33.33	0.04	191.40	23.89		126.39	254.61
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:47:02	4452.12	87.100	191.43	23.87	126.37	33.33	0.04	191.41	23.88		126.38	254.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:47:04	4452.15	87.133	191.43	23.87	126.37	33.33	0.04	191.41	23.88		126.38	254.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:47:06	4452.18	87.167	191.43	23.87	126.37	33.33	0.04	191.41	23.88		126.38	254.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:47:08	4452.22	87.200	191.43	23.87	126.37	33.33	0.04	191.41	23.88		126.38	254.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:47:10	4452.25	87.233	191.43	23.87	126.37	33.33	0.04	191.41	23.88		126.38	254.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:47:12	4452.28	87.267	191.44	23.86	126.36	33.33	0.04	191.42	23.87		126.38	254.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:47:14	4452.32	87.300	191.44	23.86	126.36	33.33	0.04	191.42	23.87		126.38	254.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:47:16	4452.35	87.333	191.44	23.86	126.36	33.33	0.04	191.42	23.87		126.38	254.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:47:18	4452.38	87.367	191.44	23.86	126.36	33.33	0.04	191.42	23.87		126.38	254.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:47:20	4452.42	87.400	191.44	23.86	126.36	33.33	0.04	191.42	23.87		126.38	254.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:47:22	4452.45	87.433	191.44	23.86	126.36	33.33	0.04	191.42	23.87		126.38	254.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:47:24	4452.48	87.467	191.44	23.86	126.36	33.33	0.04	191.42	23.87		126.38	254.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:47:26	4452.52	87.500	191.44	23.85	126.35	33.33	0.04	191.42	23.86		126.37	254.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:47:28	4452.55	87.533	191.44	23.85	126.35	33.33	0.04	191.42	23.86		126.37	254.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:47:30	4452.58	87.567	191.44	23.86	126.36	33.33	0.04	191.42	23.87		126.38	254.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:47:32	4452.62	87.600	191.44	23.85	126.35	33.33	0.04	191.42	23.86		126.37	254.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:47:34	4452.65	87.633	191.45	23.84	126.35	33.33	0.04	191.43	23.86		126.36	254.64
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:47:36	4452.68	87.667	191.44	23.85	126.35	33.33	0.04	191.42	23.86		126.37	254.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:47:38	4452.72	87.700	191.44	23.85	126.35	33.33	0.04	191.42	23.86		126.37	254.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:47:40	4452.75	87.733	191.45	23.84	126.35	33.33	0.04	191.43	23.86		126.36	254.64
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:47:42	4452.78	87.767	191.44	23.85	126.35	33.33	0.04	191.42	23.86		126.37	254.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:47:44	4452.82	87.800	191.45	23.84	126.35	33.33	0.04	191.43	23.86		126.36	254.64
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:47:46	4452.85	87.833	191.45	23.84	126.35	33.33	0.04	191.43	23.86		126.36	254.64
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:47:48	4452.88	87.867	191.45	23.84	126.35	33.33	0.04	191.43	23.86		126.36	254.64
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:47:50	4452.92	87.900	191.45	23.84	126.35	33.33	0.04	191.43	23.86		126.36	254.64
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:47:52	4452.95	87.933	191.46	23.84	126.34	33.33	0.04	191.44	23.85		126.35	254.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:47:54	4452.98	87.967	191.46	23.84	126.34	33.33	0.04	191.44	23.85		126.35	254.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:47:56	4453.02	88.000	191.46	23.84	126.34	33.33	0.04	191.44	23.85		126.35	254.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:47:58	4453.05	88.033	191.46	23.84	126.34	33.33	0.04	191.44	23.85		126.35	254.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:48:00	4453.08	88.067	191.46	23.84	126.34	33.33	0.04	191.44	23.85		126.35	254.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:48:02	4453.12	88.100	191.46	23.84	126.34	33.33	0.04	191.44	23.85		126.35	254.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:48:04	4453.15	88.133	191.46	23.84	126.34	33.33	0.04	191.44	23.85		126.35	254.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:48:06	4453.18	88.167	191.47	23.83	126.33	33.33	0.04	191.45	23.84		126.35	254.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:48:08	4453.22	88.200	191.47	23.83	126.33	33.33	0.04	191.45	23.84		126.35	254.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:48:10	4453.25	88.233	191.47	23.83	126.33	33.33	0.04	191.45	23.84		126.35	254.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:48:12	4453.28	88.267	191.47	23.83	126.33	33.33	0.04	191.45	23.84		126.35	254.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:48:14	4453.32	88.300	191.47	23.83	126.33	33.33	0.04	191.45	23.84		126.35	254.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:48:16	4453.35	88.333	191.47	23.83	126.33	33.33	0.04	191.45	23.84		126.35	254.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:48:18	4453.38	88.367	191.47	23.82	126.32	33.33	0.04	191.46	23.83		126.34	254.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:48:20	4453.42	88.400	191.47	23.82	126.32	33.33	0.04	191.46	23.83		126.34	254.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:48:22	4453.45	88.433	191.47	23.82	126.32	33.33	0.04	191.46	23.83		126.34	254.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:48:24	4453.48	88.467	191.47	23.82	126.32	33.33	0.04	191.46	23.83		126.34	254.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:48:26	4453.52	88.500	191.47	23.82	126.32	33.33	0.04	191.46	23.83		126.34	254.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:48:28	4453.55	88.533	191.47	23.82	126.32	33.33	0.04	191.46	23.83		126.34	254.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:48:30	4453.58	88.567	191.48	23.81	126.31	33.33	0.04	191.46	23.82		126.33	254.67
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:48:32	4453.62	88.600	191.48	23.81	126.31	33.33	0.04	191.46	23.82		126.33	254.67
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:48:34	4453.65	88.633	191.48	23.81	126.31	33.33	0.04	191.46	23.82		126.33	254.67
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:48:36	4453.68	88.667	191.48	23.81	126.31	33.33	0.04	191.46	23.82		126.33	254.67
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:48:38	4453.72	88.700	191.48	23.81	126.31	33.33	0.04	191.46	23.82		126.33	254.67
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:48:40	4453.75	88.733	191.48	23.81	126.31	33.33	0.04	191.46	23.82		126.33	254.67
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:48:42	4453.78	88.767	191.48	23.81	126.31	33.33	0.04	191.46	23.82		126.33	254.67
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:48:44	4453.82	88.800	191.48	23.81	126.31	33.33	0.04	191.46	23.82		126.33	254.67
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:48:46	4453.85	88.833	191.49	23.80	126.31	33.33	0.04	191.47	23.82		126.32	254.68
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:48:48	4453.88	88.867	191.49	23.80	126.31	33.33	0.04	191.47	23.82		126.32	254.68
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:48:50	4453.92	88.900	191.49	23.80	126.31	33.33	0.04	191.47	23.82		126.32	254.68
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:48:52	4453.95	88.933	191.50	23.80	126.30	33.33	0.04	191.48	23.81		126.31	254.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:48:54	4453.98	88.967	191.50	23.80	126.30	33.33	0.04	191.48	23.81		126.31	254.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:48:56	4454.02	89.000	191.50	23.80	126.30	33.33	0.04	191.48	23.81		126.31	254.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:48:58	4454.05	89.033	191.50	23.80	126.30	33.33	0.04	191.48	23.81		126.31	254.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:49:00	4454.08	89.067	191.50	23.80	126.30	33.33	0.04	191.48	23.81		126.31	254.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:49:02	4454.12	89.100	191.50	23.80	126.30	33.33	0.04	191.48	23.81		126.31	254.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:49:04	4454.15	89.133	191.50	23.80	126.30	33.33	0.04	191.48	23.81		126.31	254.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:49:06	4454.18	89.167	191.50	23.80	126.30	33.33	0.04	191.48	23.81		126.31	254.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:49:08	4454.22	89.200	191.50	23.80	126.30	33.33	0.04	191.48	23.81		126.31	254.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:49:10	4454.25	89.233	191.51	23.79	126.29	33.33	0.04	191.49	23.80		126.31	254.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:49:12	4454.28	89.267	191.51	23.79	126.29	33.33	0.04	191.49	23.80		126.31	254.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:49:14	4454.32	89.300	191.51	23.79	126.29	33.33	0.04	191.49	23.80		126.31	254.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:49:16	4454.35	89.333	191.51	23.79	126.29	33.33	0.04	191.49	23.80		126.31	254.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:49:18	4454.38	89.367	191.51	23.79	126.29	33.33	0.04	191.49	23.80		126.31	254.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:49:20	4454.42	89.400	191.51	23.79	126.29	33.33	0.04	191.49	23.80		126.31	254.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:49:22	4454.45	89.433	191.51	23.78	126.28	33.33	0.04	191.49	23.79		126.30	254.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:49:24	4454.48	89.467	191.51	23.78	126.28	33.33	0.04	191.49	23.79		126.30	254.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:49:26	4454.52	89.500	191.51	23.78	126.28	33.33	0.04	191.49	23.79		126.30	254.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:49:28	4454.55	89.533	191.51	23.78	126.28	33.33	0.04	191.49	23.79		126.30	254.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:49:30	4454.58	89.567	191.52	23.77	126.27	33.33	0.04	191.50	23.78		126.29	254.71
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:49:32	4454.62	89.600	191.51	23.78	126.28	33.33	0.04	191.49	23.79		126.30	254.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:49:34	4454.65	89.633	191.51	23.78	126.28	33.33	0.04	191.49	23.79		126.30	254.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:49:36	4454.68	89.667	191.52	23.77	126.27	33.33	0.04	191.50	23.78		126.29	254.71
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:49:38	4454.72	89.700	191.52	23.77	126.27	33.33	0.04	191.50	23.78		126.29	254.71
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:49:40	4454.75	89.733	191.52	23.77	126.27	33.33	0.04	191.50	23.78		126.29	254.71
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:49:42	4454.78	89.767	191.52	23.77	126.27	33.33	0.04	191.50	23.78		126.29	254.71
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:49:44	4454.82	89.800	191.52	23.77	126.27	33.33	0.04	191.50	23.78		126.29	254.71
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:49:46	4454.85	89.833	191.53	23.77	126.27	33.33	0.04	191.51	23.78		126.28	254.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:49:48	4454.88	89.867	191.52	23.77	126.27	33.33	0.04	191.50	23.78		126.29	254.71
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:49:50	4454.92	89.900	191.53	23.77	126.27	33.33	0.04	191.51	23.78		126.28	254.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:49:52	4454.95	89.933	191.53	23.77	126.27	33.33	0.04	191.51	23.78		126.28	254.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:49:54	4454.98	89.967	191.53	23.77	126.27	33.33	0.04	191.51	23.78		126.28	254.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:49:56	4455.02	90.000	191.53	23.77	126.27	33.33	0.04	191.51	23.78		126.28	254.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:49:58	4455.05	90.033	191.53	23.77	126.27	33.33	0.04	191.51	23.78		126.28	254.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:50:00	4455.08	90.067	191.54	23.76	126.26	33.33	0.03	191.52	23.77		126.27	254.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:50:02	4455.12	90.100	191.54	23.76	126.26	33.33	0.03	191.52	23.77		126.27	254.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:50:04	4455.15	90.133	191.54	23.76	126.26	33.33	0.03	191.52	23.77		126.27	254.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:50:06	4455.18	90.167	191.54	23.76	126.26	33.33	0.03	191.52	23.77		126.27	254.73

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:50:08	4455.22	90.200	191.54	23.76	126.26	33.33	0.03	191.52	23.77		126.27	254.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:50:10	4455.25	90.233	191.54	23.76	126.26	33.33	0.03	191.52	23.77		126.27	254.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:50:12	4455.28	90.267	191.54	23.75	126.25	33.33	0.03	191.53	23.76		126.27	254.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:50:14	4455.32	90.300	191.54	23.75	126.25	33.33	0.03	191.53	23.76		126.27	254.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:50:16	4455.35	90.333	191.54	23.75	126.25	33.33	0.03	191.53	23.76		126.27	254.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:50:18	4455.38	90.367	191.54	23.75	126.25	33.33	0.03	191.53	23.76		126.27	254.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:50:20	4455.42	90.400	191.54	23.75	126.25	33.33	0.03	191.53	23.76		126.27	254.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:50:22	4455.45	90.433	191.54	23.75	126.25	33.33	0.03	191.53	23.76		126.27	254.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:50:24	4455.48	90.467	191.55	23.74	126.24	33.33	0.03	191.54	23.75		126.26	254.74
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:50:26	4455.52	90.500	191.55	23.74	126.24	33.33	0.03	191.54	23.75		126.26	254.74
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:50:28	4455.55	90.533	191.55	23.74	126.24	33.33	0.03	191.54	23.75		126.26	254.74
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:50:30	4455.58	90.567	191.55	23.74	126.24	33.33	0.03	191.54	23.75		126.26	254.74
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:50:32	4455.62	90.600	191.55	23.74	126.24	33.33	0.03	191.54	23.75		126.26	254.74
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:50:34	4455.65	90.633	191.55	23.74	126.24	33.33	0.03	191.54	23.75		126.26	254.74
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:50:36	4455.68	90.667	191.55	23.74	126.24	33.33	0.03	191.54	23.75		126.26	254.74
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:50:38	4455.72	90.700	191.56	23.73	126.24	33.33	0.03	191.54	23.74		126.25	254.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:50:40	4455.75	90.733	191.56	23.73	126.24	33.33	0.03	191.54	23.74		126.25	254.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:50:42	4455.78	90.767	191.56	23.73	126.24	33.33	0.03	191.54	23.74		126.25	254.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:50:44	4455.82	90.800	191.56	23.73	126.24	33.33	0.03	191.54	23.74		126.25	254.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:50:46	4455.85	90.833	191.56	23.73	126.24	33.33	0.03	191.54	23.74		126.25	254.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:50:48	4455.88	90.867	191.56	23.73	126.24	33.33	0.03	191.54	23.74		126.25	254.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:50:50	4455.92	90.900	191.56	23.73	126.24	33.33	0.03	191.54	23.74		126.25	254.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:50:52	4455.95	90.933	191.57	23.73	126.23	33.33	0.03	191.55	23.74		126.24	254.76
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:50:54	4455.98	90.967	191.57	23.73	126.23	33.33	0.03	191.55	23.74		126.24	254.76
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:50:56	4456.02	91.000	191.57	23.73	126.23	33.33	0.03	191.55	23.74		126.24	254.76
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:50:58	4456.05	91.033	191.57	23.73	126.23	33.33	0.03	191.55	23.74		126.24	254.76
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:51:00	4456.08	91.067	191.57	23.73	126.23	33.33	0.03	191.55	23.74		126.24	254.76
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:51:02	4456.12	91.100	191.57	23.73	126.23	33.33	0.03	191.55	23.74		126.24	254.76
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:51:04	4456.15	91.133	191.58	23.72	126.22	33.33	0.03	191.56	23.73		126.23	254.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:51:06	4456.18	91.167	191.58	23.72	126.22	33.33	0.03	191.56	23.73		126.23	254.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:51:08	4456.22	91.200	191.58	23.72	126.22	33.33	0.03	191.56	23.73		126.23	254.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:51:10	4456.25	91.233	191.58	23.72	126.22	33.33	0.03	191.56	23.73		126.23	254.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:51:12	4456.28	91.267	191.58	23.72	126.22	33.33	0.03	191.56	23.73		126.23	254.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:51:14	4456.32	91.300	191.58	23.71	126.21	33.33	0.03	191.57	23.72		126.23	254.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:51:16	4456.35	91.333	191.58	23.72	126.22	33.33	0.03	191.56	23.73		126.23	254.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:51:18	4456.38	91.367	191.58	23.71	126.21	33.33	0.03	191.57	23.72		126.23	254.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:51:20	4456.42	91.400	191.59	23.70	126.20	33.33	0.03	191.57	23.71		126.22	254.78
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:51:22	4456.45	91.433	191.58	23.71	126.21	33.33	0.03	191.57	23.72		126.23	254.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:51:24	4456.48	91.467	191.58	23.71	126.21	33.33	0.03	191.57	23.72		126.23	254.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:51:26	4456.52	91.500	191.58	23.71	126.21	33.33	0.03	191.57	23.72		126.23	254.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:51:28	4456.55	91.533	191.58	23.71	126.21	33.33	0.03	191.57	23.72		126.23	254.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:51:30	4456.58	91.567	191.59	23.70	126.20	33.33	0.03	191.57	23.71		126.22	254.78
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:51:32	4456.62	91.600	191.59	23.70	126.20	33.33	0.03	191.57	23.71		126.22	254.78
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:51:34	4456.65	91.633	191.59	23.70	126.20	33.33	0.03	191.57	23.71		126.22	254.78
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:51:36	4456.68	91.667	191.59	23.70	126.20	33.33	0.03	191.57	23.71		126.22	254.78
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:51:38	4456.72	91.700	191.59	23.70	126.20	33.33	0.03	191.57	23.71		126.22	254.78
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:51:40	4456.75	91.733	191.60	23.69	126.20	33.33	0.03	191.58	23.70		126.21	254.79
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:51:42	4456.78	91.767	191.60	23.69	126.20	33.33	0.03	191.58	23.70		126.21	254.79
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:51:44	4456.82	91.800	191.60	23.69	126.20	33.33	0.03	191.58	23.70		126.21	254.79
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:51:46	4456.85	91.833	191.60	23.69	126.20	33.33	0.03	191.58	23.70		126.21	254.79
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:51:48	4456.88	91.867	191.60	23.69	126.20	33.33	0.03	191.58	23.70		126.21	254.79
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:51:50	4456.92	91.900	191.60	23.69	126.20	33.33	0.03	191.58	23.70		126.21	254.79
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:51:52	4456.95	91.933	191.60	23.69	126.20	33.33	0.03	191.58	23.70		126.21	254.79
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:51:54	4456.98	91.967	191.60	23.69	126.20	33.33	0.03	191.58	23.70		126.21	254.79
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:51:56	4457.02	92.000	191.60	23.69	126.20	33.33	0.03	191.58	23.70		126.21	254.79
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:51:58	4457.05	92.033	191.60	23.69	126.20	33.33	0.03	191.58	23.70		126.21	254.79
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:52:00	4457.08	92.067	191.61	23.69	126.19	33.33	0.03	191.59	23.70		126.20	254.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:52:02	4457.12	92.100	191.61	23.69	126.19	33.33	0.03	191.59	23.70		126.20	254.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:52:04	4457.15	92.133	191.61	23.69	126.19	33.33	0.03	191.59	23.70		126.20	254.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:52:06	4457.18	92.167	191.61	23.69	126.19	33.33	0.03	191.59	23.70		126.20	254.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:52:08	4457.22	92.200	191.61	23.68	126.18	33.33	0.03	191.60	23.69		126.20	254.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:52:10	4457.25	92.233	191.61	23.68	126.18	33.33	0.03	191.60	23.69		126.20	254.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:52:12	4457.28	92.267	191.61	23.68	126.18	33.33	0.03	191.60	23.69		126.20	254.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:52:14	4457.32	92.300	191.61	23.68	126.18	33.33	0.03	191.60	23.69		126.20	254.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:52:16	4457.35	92.333	191.61	23.68	126.18	33.33	0.03	191.60	23.69		126.20	254.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:52:18	4457.38	92.367	191.61	23.68	126.18	33.33	0.03	191.60	23.69		126.20	254.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:52:20	4457.42	92.400	191.61	23.68	126.18	33.33	0.03	191.60	23.69		126.20	254.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:52:22	4457.45	92.433	191.61	23.68	126.18	33.33	0.03	191.60	23.69		126.20	254.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:52:24	4457.48	92.467	191.62	23.67	126.17	33.33	0.03	191.61	23.68		126.19	254.81
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:52:26	4457.52	92.500	191.62	23.67	126.17	33.33	0.03	191.61	23.68		126.19	254.81
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:52:28	4457.55	92.533	191.62	23.67	126.17	33.33	0.03	191.61	23.68		126.19	254.81
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:52:30	4457.58	92.567	191.62	23.67	126.17	33.33	0.03	191.61	23.68		126.19	254.81
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:52:32	4457.62	92.600	191.63	23.66	126.16	33.33	0.03	191.62	23.67		126.18	254.82
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:52:34	4457.65	92.633	191.62	23.67	126.17	33.33	0.03	191.61	23.68		126.19	254.81
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:52:36	4457.68	92.667	191.63	23.66	126.17	33.33	0.03	191.61	23.67		126.18	254.82
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:52:38	4457.72	92.700	191.63	23.66	126.17	33.33	0.03	191.61	23.67		126.18	254.82
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:52:40	4457.75	92.733	191.63	23.66	126.17	33.33	0.03	191.61	23.67		126.18	254.82
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:52:42	4457.78	92.767	191.63	23.66	126.17	33.33	0.03	191.61	23.67		126.18	254.82
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:52:44	4457.82	92.800	191.63	23.66	126.17	33.33	0.03	191.61	23.67		126.18	254.82
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:52:46	4457.85	92.833	191.64	23.66	126.16	33.33	0.03	191.62	23.67		126.17	254.83
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:52:48	4457.88	92.867	191.64	23.66	126.16	33.33	0.03	191.62	23.67		126.17	254.83
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:52:50	4457.92	92.900	191.64	23.66	126.16	33.33	0.03	191.62	23.67		126.17	254.83
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:52:52	4457.95	92.933	191.63	23.66	126.17	33.33	0.03	191.61	23.67		126.18	254.82
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:52:54	4457.98	92.967	191.64	23.66	126.16	33.33	0.03	191.62	23.67		126.17	254.83
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:52:56	4458.02	93.000	191.64	23.66	126.16	33.33	0.03	191.62	23.67		126.17	254.83
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:52:58	4458.05	93.033	191.64	23.66	126.16	33.33	0.03	191.62	23.67		126.17	254.83
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:53:00	4458.08	93.067	191.64	23.66	126.16	33.33	0.03	191.62	23.67		126.17	254.83
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:53:02	4458.12	93.100	191.65	23.65	126.15	33.33	0.03	191.63	23.66		126.16	254.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:53:04	4458.15	93.133	191.65	23.65	126.15	33.33	0.03	191.63	23.66		126.16	254.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:53:06	4458.18	93.167	191.65	23.65	126.15	33.33	0.03	191.63	23.66		126.16	254.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:53:08	4458.22	93.200	191.65	23.65	126.15	33.33	0.03	191.63	23.66		126.16	254.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:53:10	4458.25	93.233	191.65	23.65	126.15	33.33	0.03	191.63	23.66		126.16	254.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:53:12	4458.28	93.267	191.65	23.65	126.15	33.33	0.03	191.63	23.66		126.16	254.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:53:14	4458.32	93.300	191.65	23.65	126.15	33.33	0.03	191.63	23.66		126.16	254.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:53:16	4458.35	93.333	191.65	23.65	126.15	33.33	0.03	191.63	23.66		126.16	254.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:53:18	4458.38	93.367	191.65	23.64	126.14	33.33	0.03	191.64	23.65		126.16	254.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:53:20	4458.42	93.400	191.65	23.64	126.14	33.33	0.03	191.64	23.65		126.16	254.84

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:53:22	4458.45	93.433	191.65	23.64	126.14	33.33	0.03	191.64	23.65		126.16	254.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:53:24	4458.48	93.467	191.65	23.64	126.14	33.33	0.03	191.64	23.65		126.16	254.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:53:26	4458.52	93.500	191.65	23.64	126.14	33.33	0.03	191.64	23.65		126.16	254.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:53:28	4458.55	93.533	191.65	23.64	126.14	33.33	0.03	191.64	23.65		126.16	254.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:53:30	4458.58	93.567	191.66	23.63	126.13	33.33	0.03	191.64	23.64		126.15	254.85
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:53:32	4458.62	93.600	191.66	23.63	126.13	33.33	0.03	191.64	23.64		126.15	254.85
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:53:34	4458.65	93.633	191.66	23.63	126.13	33.33	0.03	191.64	23.64		126.15	254.85
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:53:36	4458.68	93.667	191.66	23.63	126.13	33.33	0.03	191.64	23.64		126.15	254.85
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:53:38	4458.72	93.700	191.66	23.63	126.13	33.33	0.03	191.64	23.64		126.15	254.85
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:53:40	4458.75	93.733	191.66	23.63	126.13	33.33	0.03	191.64	23.64		126.15	254.85
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:53:42	4458.78	93.767	191.67	23.62	126.13	33.33	0.03	191.65	23.63		126.14	254.86
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:53:44	4458.82	93.800	191.66	23.63	126.13	33.33	0.03	191.64	23.64		126.15	254.85
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:53:46	4458.85	93.833	191.67	23.62	126.13	33.33	0.03	191.65	23.63		126.14	254.86
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:53:48	4458.88	93.867	191.67	23.62	126.13	33.33	0.03	191.65	23.63		126.14	254.86
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:53:50	4458.92	93.900	191.67	23.62	126.13	33.33	0.03	191.65	23.63		126.14	254.86
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:53:52	4458.95	93.933	191.68	23.62	126.12	33.33	0.03	191.66	23.63		126.13	254.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:53:54	4458.98	93.967	191.67	23.62	126.13	33.33	0.03	191.65	23.63		126.14	254.86
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:53:56	4459.02	94.000	191.68	23.62	126.12	33.33	0.03	191.66	23.63		126.13	254.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:53:58	4459.05	94.033	191.67	23.62	126.13	33.33	0.03	191.65	23.63		126.14	254.86
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:54:00	4459.08	94.067	191.68	23.62	126.12	33.33	0.03	191.66	23.63		126.13	254.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:54:02	4459.12	94.100	191.68	23.61	126.12	33.33	0.03	191.66	23.62		126.13	254.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:54:04	4459.15	94.133	191.68	23.62	126.12	33.33	0.03	191.66	23.63		126.13	254.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:54:06	4459.18	94.167	191.68	23.62	126.12	33.33	0.03	191.66	23.63		126.13	254.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:54:08	4459.22	94.200	191.68	23.61	126.11	33.33	0.03	191.67	23.62		126.13	254.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:54:10	4459.25	94.233	191.68	23.61	126.11	33.33	0.03	191.67	23.62		126.13	254.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:54:12	4459.28	94.267	191.68	23.61	126.11	33.33	0.03	191.67	23.62		126.13	254.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:54:14	4459.32	94.300	191.68	23.61	126.11	33.33	0.03	191.67	23.62		126.13	254.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:54:16	4459.35	94.333	191.68	23.61	126.11	33.33	0.03	191.67	23.62		126.13	254.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:54:18	4459.38	94.367	191.68	23.61	126.11	33.33	0.03	191.67	23.62		126.13	254.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:54:20	4459.42	94.400	191.68	23.61	126.11	33.33	0.03	191.67	23.62		126.13	254.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:54:22	4459.45	94.433	191.68	23.61	126.11	33.33	0.03	191.67	23.62		126.13	254.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:54:24	4459.48	94.467	191.69	23.60	126.10	33.33	0.03	191.68	23.61		126.12	254.88
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:54:26	4459.52	94.500	191.69	23.60	126.10	33.33	0.03	191.68	23.61		126.12	254.88
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:54:28	4459.55	94.533	191.69	23.60	126.10	33.33	0.03	191.68	23.61		126.12	254.88
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:54:30	4459.58	94.567	191.69	23.60	126.10	33.33	0.03	191.68	23.61		126.12	254.88
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:54:32	4459.62	94.600	191.69	23.60	126.10	33.33	0.03	191.68	23.61		126.12	254.88
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:54:34	4459.65	94.633	191.70	23.59	126.10	33.33	0.03	191.68	23.60		126.11	254.89
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:54:36	4459.68	94.667	191.69	23.60	126.10	33.33	0.03	191.68	23.61		126.12	254.88
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:54:38	4459.72	94.700	191.70	23.59	126.10	33.33	0.03	191.68	23.60		126.11	254.89
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:54:40	4459.75	94.733	191.70	23.59	126.10	33.33	0.03	191.68	23.60		126.11	254.89
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:54:42	4459.78	94.767	191.69	23.60	126.10	33.33	0.03	191.68	23.61		126.12	254.88
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:54:44	4459.82	94.800	191.70	23.59	126.10	33.33	0.03	191.68	23.60		126.11	254.89
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:54:46	4459.85	94.833	191.70	23.59	126.10	33.33	0.03	191.68	23.60		126.11	254.89
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:54:48	4459.88	94.867	191.70	23.59	126.10	33.33	0.03	191.68	23.60		126.11	254.89
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:54:50	4459.92	94.900	191.70	23.59	126.10	33.33	0.03	191.68	23.60		126.11	254.89
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:54:52	4459.95	94.933	191.70	23.59	126.10	33.33	0.03	191.68	23.60		126.11	254.89
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:54:54	4459.98	94.967	191.71	23.59	126.09	33.33	0.03	191.69	23.60		126.10	254.90
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:54:56	4460.02	95.000	191.71	23.59	126.09	33.33	0.03	191.69	23.60		126.10	254.90
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:54:58	4460.05	95.033	191.71	23.59	126.09	33.33	0.03	191.69	23.60		126.10	254.90
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:55:00	4460.08	95.067	191.71	23.59	126.09	33.33	0.03	191.69	23.60		126.10	254.90
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:55:02	4460.12	95.100	191.71	23.59	126.09	33.33	0.03	191.69	23.60		126.10	254.90
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:55:04	4460.15	95.133	191.72	23.58	126.08	33.33	0.03	191.70	23.59		126.09	254.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:55:06	4460.18	95.167	191.72	23.58	126.08	33.33	0.03	191.70	23.59		126.09	254.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:55:08	4460.22	95.200	191.72	23.58	126.08	33.33	0.03	191.70	23.59		126.09	254.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:55:10	4460.25	95.233	191.72	23.58	126.08	33.33	0.03	191.70	23.59		126.09	254.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:55:12	4460.28	95.267	191.72	23.58	126.08	33.33	0.03	191.70	23.59		126.09	254.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:55:14	4460.32	95.300	191.72	23.57	126.07	33.33	0.03	191.71	23.58		126.09	254.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:55:16	4460.35	95.333	191.72	23.57	126.07	33.33	0.03	191.71	23.58		126.09	254.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:55:18	4460.38	95.367	191.72	23.57	126.07	33.33	0.03	191.71	23.58		126.09	254.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:55:20	4460.42	95.400	191.72	23.57	126.07	33.33	0.03	191.71	23.58		126.09	254.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:55:22	4460.45	95.433	191.72	23.57	126.07	33.33	0.03	191.71	23.58		126.09	254.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:55:24	4460.48	95.467	191.72	23.57	126.07	33.33	0.03	191.71	23.58		126.09	254.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:55:26	4460.52	95.500	191.73	23.57	126.07	33.33	0.03	191.71	23.58		126.08	254.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:55:28	4460.55	95.533	191.72	23.57	126.07	33.33	0.03	191.71	23.58		126.09	254.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:55:30	4460.58	95.567	191.72	23.57	126.07	33.33	0.03	191.71	23.58		126.09	254.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:55:32	4460.62	95.600	191.73	23.56	126.06	33.33	0.03	191.71	23.57		126.08	254.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:55:34	4460.65	95.633	191.73	23.56	126.06	33.33	0.03	191.71	23.57		126.08	254.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:55:36	4460.68	95.667	191.73	23.56	126.06	33.33	0.03	191.71	23.57		126.08	254.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:55:38	4460.72	95.700	191.73	23.56	126.06	33.33	0.03	191.71	23.57		126.08	254.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:55:40	4460.75	95.733	191.73	23.56	126.06	33.33	0.03	191.71	23.57		126.08	254.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:55:42	4460.78	95.767	191.73	23.56	126.06	33.33	0.03	191.71	23.57		126.08	254.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:55:44	4460.82	95.800	191.73	23.56	126.06	33.33	0.03	191.71	23.57		126.08	254.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:55:46	4460.85	95.833	191.74	23.55	126.06	33.33	0.03	191.72	23.56		126.07	254.93
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:55:48	4460.88	95.867	191.74	23.55	126.06	33.33	0.03	191.72	23.56		126.07	254.93
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:55:50	4460.92	95.900	191.73	23.56	126.06	33.33	0.03	191.71	23.57		126.08	254.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:55:52	4460.95	95.933	191.74	23.55	126.06	33.33	0.03	191.72	23.56		126.07	254.93
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:55:54	4460.98	95.967	191.74	23.55	126.06	33.33	0.03	191.72	23.56		126.07	254.93
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:55:56	4461.02	96.000	191.75	23.55	126.05	33.33	0.03	191.73	23.56		126.06	254.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:55:58	4461.05	96.033	191.75	23.55	126.05	33.33	0.03	191.73	23.56		126.06	254.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:56:00	4461.08	96.067	191.75	23.55	126.05	33.33	0.03	191.73	23.56		126.06	254.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:56:02	4461.12	96.100	191.75	23.55	126.05	33.33	0.03	191.73	23.56		126.06	254.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:56:04	4461.15	96.133	191.75	23.55	126.05	33.33	0.03	191.73	23.56		126.06	254.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:56:06	4461.18	96.167	191.75	23.55	126.05	33.33	0.03	191.73	23.56		126.06	254.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:56:08	4461.22	96.200	191.75	23.54	126.05	33.33	0.03	191.73	23.55		126.06	254.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:56:10	4461.25	96.233	191.75	23.54	126.04	33.33	0.03	191.74	23.55		126.06	254.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:56:12	4461.28	96.267	191.75	23.54	126.04	33.33	0.03	191.74	23.55		126.06	254.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:56:14	4461.32	96.300	191.75	23.54	126.04	33.33	0.03	191.74	23.55		126.06	254.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:56:16	4461.35	96.333	191.75	23.54	126.04	33.33	0.03	191.74	23.55		126.06	254.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:56:18	4461.38	96.367	191.75	23.54	126.04	33.33	0.03	191.74	23.55		126.06	254.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:56:20	4461.42	96.400	191.75	23.54	126.04	33.33	0.03	191.74	23.55		126.06	254.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:56:22	4461.45	96.433	191.75	23.54	126.04	33.33	0.03	191.74	23.55		126.06	254.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:56:24	4461.48	96.467	191.76	23.53	126.03	33.33	0.03	191.75	23.54		126.05	254.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:56:26	4461.52	96.500	191.76	23.53	126.03	33.33	0.03	191.75	23.54		126.05	254.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:56:28	4461.55	96.533	191.76	23.53	126.03	33.33	0.03	191.75	23.54		126.05	254.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:56:30	4461.58	96.567	191.76	23.53	126.03	33.33	0.03	191.75	23.54		126.05	254.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:56:32	4461.62	96.600	191.76	23.53	126.03	33.33	0.03	191.75	23.54		126.05	254.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:56:34	4461.65	96.633	191.76	23.53	126.03	33.33	0.03	191.75	23.54		126.05	254.95

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:56:36	4461.68	96.667	191.77	23.52	126.03	33.33	0.03	191.75	23.53		126.04	254.96
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:56:38	4461.72	96.700	191.76	23.53	126.03	33.33	0.03	191.75	23.54		126.05	254.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:56:40	4461.75	96.733	191.76	23.53	126.03	33.33	0.03	191.75	23.54		126.05	254.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:56:42	4461.78	96.767	191.77	23.52	126.03	33.33	0.03	191.75	23.53		126.04	254.96
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:56:44	4461.82	96.800	191.77	23.52	126.03	33.33	0.03	191.75	23.53		126.04	254.96
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:56:46	4461.85	96.833	191.77	23.52	126.03	33.33	0.03	191.75	23.53		126.04	254.96
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:56:48	4461.88	96.867	191.77	23.52	126.03	33.33	0.03	191.75	23.53		126.04	254.96
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:56:50	4461.92	96.900	191.78	23.52	126.02	33.33	0.03	191.76	23.53		126.03	254.97
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:56:52	4461.95	96.933	191.77	23.52	126.03	33.33	0.03	191.75	23.53		126.04	254.96
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:56:54	4461.98	96.967	191.78	23.52	126.02	33.33	0.03	191.76	23.53		126.03	254.97
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:56:56	4462.02	97.000	191.78	23.52	126.02	33.33	0.03	191.76	23.53		126.03	254.97
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:56:58	4462.05	97.033	191.78	23.52	126.02	33.33	0.03	191.76	23.53		126.03	254.97
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:57:00	4462.08	97.067	191.78	23.52	126.02	33.33	0.03	191.76	23.53		126.03	254.97
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:57:02	4462.12	97.100	191.78	23.52	126.02	33.33	0.03	191.76	23.53		126.03	254.97
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:57:04	4462.15	97.133	191.78	23.52	126.02	33.33	0.03	191.76	23.53		126.03	254.97
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:57:06	4462.18	97.167	191.78	23.52	126.02	33.33	0.03	191.76	23.53		126.03	254.97
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:57:08	4462.22	97.200	191.79	23.51	126.01	33.33	0.03	191.77	23.52		126.02	254.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:57:10	4462.25	97.233	191.79	23.51	126.01	33.33	0.03	191.77	23.52		126.02	254.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:57:12	4462.28	97.267	191.79	23.51	126.01	33.33	0.03	191.77	23.52		126.02	254.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:57:14	4462.32	97.300	191.79	23.51	126.01	33.33	0.03	191.77	23.52		126.02	254.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:57:16	4462.35	97.333	191.79	23.51	126.01	33.33	0.03	191.77	23.52		126.02	254.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:57:18	4462.38	97.367	191.79	23.51	126.01	33.33	0.03	191.77	23.52		126.02	254.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:57:20	4462.42	97.400	191.79	23.51	126.01	33.33	0.03	191.77	23.52		126.02	254.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:57:22	4462.45	97.433	191.79	23.50	126.00	33.33	0.03	191.78	23.51		126.02	254.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:57:24	4462.48	97.467	191.79	23.50	126.00	33.33	0.03	191.78	23.51		126.02	254.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:57:26	4462.52	97.500	191.79	23.50	126.00	33.33	0.03	191.78	23.51		126.02	254.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:57:28	4462.55	97.533	191.79	23.50	126.00	33.33	0.03	191.78	23.51		126.02	254.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:57:30	4462.58	97.567	191.79	23.50	126.00	33.33	0.03	191.78	23.51		126.02	254.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:57:32	4462.62	97.600	191.80	23.49	125.99	33.33	0.03	191.78	23.50		126.01	254.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:57:34	4462.65	97.633	191.80	23.49	125.99	33.33	0.03	191.78	23.50		126.01	254.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:57:36	4462.68	97.667	191.80	23.49	125.99	33.33	0.03	191.78	23.50		126.01	254.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:57:38	4462.72	97.700	191.79	23.50	126.00	33.33	0.03	191.78	23.51		126.02	254.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:57:40	4462.75	97.733	191.80	23.49	125.99	33.33	0.03	191.78	23.50		126.01	254.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:57:42	4462.78	97.767	191.80	23.49	125.99	33.33	0.03	191.78	23.50		126.01	254.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:57:44	4462.82	97.800	191.80	23.49	125.99	33.33	0.03	191.78	23.50		126.01	254.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:57:46	4462.85	97.833	191.80	23.49	125.99	33.33	0.03	191.78	23.50		126.01	254.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:57:48	4462.88	97.867	191.81	23.48	125.99	33.33	0.03	191.79	23.49		126.00	255.00
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:57:50	4462.92	97.900	191.80	23.49	125.99	33.33	0.03	191.78	23.50		126.01	254.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:57:52	4462.95	97.933	191.80	23.49	125.99	33.33	0.03	191.78	23.50		126.01	254.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:57:54	4462.98	97.967	191.81	23.48	125.99	33.33	0.03	191.79	23.49		126.00	255.00
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:57:56	4463.02	98.000	191.81	23.48	125.99	33.33	0.03	191.79	23.49		126.00	255.00
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:57:58	4463.05	98.033	191.81	23.48	125.99	33.33	0.03	191.79	23.49		126.00	255.00
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:58:00	4463.08	98.067	191.81	23.48	125.99	33.33	0.03	191.79	23.49		126.00	255.00
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:58:02	4463.12	98.100	191.82	23.47	125.98	33.33	0.03	191.80	23.48		125.99	255.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:58:04	4463.15	98.133	191.81	23.48	125.98	33.33	0.03	191.80	23.49		126.00	255.00
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:58:06	4463.18	98.167	191.81	23.48	125.99	33.33	0.03	191.79	23.49		126.00	255.00
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:58:08	4463.22	98.200	191.82	23.48	125.98	33.33	0.03	191.80	23.49		125.99	255.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:58:10	4463.25	98.233	191.82	23.47	125.98	33.33	0.03	191.80	23.48		125.99	255.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:58:12	4463.28	98.267	191.82	23.48	125.98	33.33	0.03	191.80	23.49		125.99	255.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:58:14	4463.32	98.300	191.82	23.48	125.98	33.33	0.03	191.80	23.49		125.99	255.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:58:16	4463.35	98.333	191.83	23.47	125.97	33.33	0.03	191.81	23.48		125.98	255.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:58:18	4463.38	98.367	191.83	23.47	125.97	33.33	0.03	191.81	23.48		125.98	255.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:58:20	4463.42	98.400	191.83	23.47	125.97	33.33	0.03	191.81	23.48		125.98	255.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:58:22	4463.45	98.433	191.83	23.47	125.97	33.33	0.03	191.81	23.48		125.98	255.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:58:24	4463.48	98.467	191.83	23.47	125.97	33.33	0.03	191.81	23.48		125.98	255.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:58:26	4463.52	98.500	191.83	23.47	125.97	33.33	0.03	191.81	23.48		125.98	255.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:58:28	4463.55	98.533	191.83	23.47	125.97	33.33	0.03	191.81	23.48		125.98	255.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:58:30	4463.58	98.567	191.83	23.47	125.97	33.33	0.03	191.81	23.48		125.98	255.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:58:32	4463.62	98.600	191.83	23.46	125.96	33.33	0.03	191.82	23.47		125.98	255.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:58:34	4463.65	98.633	191.83	23.46	125.96	33.33	0.03	191.82	23.47		125.98	255.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:58:36	4463.68	98.667	191.83	23.46	125.96	33.33	0.03	191.82	23.47		125.98	255.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:58:38	4463.72	98.700	191.83	23.46	125.96	33.33	0.03	191.82	23.47		125.98	255.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:58:40	4463.75	98.733	191.83	23.46	125.96	33.33	0.03	191.82	23.47		125.98	255.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:58:42	4463.78	98.767	191.83	23.46	125.96	33.33	0.03	191.82	23.47		125.98	255.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:58:44	4463.82	98.800	191.83	23.46	125.96	33.33	0.03	191.82	23.47		125.98	255.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:58:46	4463.85	98.833	191.83	23.46	125.96	33.33	0.03	191.82	23.47		125.98	255.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:58:48	4463.88	98.867	191.84	23.45	125.96	33.33	0.03	191.82	23.46		125.97	255.03
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:58:50	4463.92	98.900	191.84	23.45	125.96	33.33	0.03	191.82	23.46		125.97	255.03
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:58:52	4463.95	98.933	191.84	23.45	125.96	33.33	0.03	191.82	23.46		125.97	255.03
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:58:54	4463.98	98.967	191.84	23.45	125.95	33.33	0.03	191.83	23.46		125.97	255.03
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:58:56	4464.02	99.000	191.84	23.45	125.96	33.33	0.03	191.82	23.46		125.97	255.03
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:58:58	4464.05	99.033	191.84	23.45	125.96	33.33	0.03	191.82	23.46		125.97	255.03
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:59:00	4464.08	99.067	191.85	23.45	125.95	33.33	0.03	191.83	23.46		125.96	255.04
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:59:02	4464.12	99.100	191.85	23.44	125.95	33.33	0.03	191.83	23.45		125.96	255.04
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:59:04	4464.15	99.133	191.85	23.45	125.95	33.33	0.03	191.83	23.46		125.96	255.04
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:59:06	4464.18	99.167	191.85	23.44	125.95	33.33	0.03	191.83	23.45		125.96	255.04
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:59:08	4464.22	99.200	191.85	23.45	125.95	33.33	0.03	191.83	23.46		125.96	255.04
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:59:10	4464.25	99.233	191.85	23.45	125.95	33.33	0.03	191.83	23.46		125.96	255.04
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:59:12	4464.28	99.267	191.85	23.45	125.95	33.33	0.03	191.83	23.46		125.96	255.04
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:59:14	4464.32	99.300	191.85	23.45	125.95	33.33	0.03	191.83	23.46		125.96	255.04
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:59:16	4464.35	99.333	191.86	23.44	125.94	33.33	0.03	191.84	23.45		125.95	255.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:59:18	4464.38	99.367	191.86	23.44	125.94	33.33	0.03	191.84	23.45		125.95	255.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:59:20	4464.42	99.400	191.86	23.44	125.94	33.33	0.03	191.84	23.45		125.95	255.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:59:22	4464.45	99.433	191.86	23.44	125.94	33.33	0.03	191.84	23.45		125.95	255.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:59:24	4464.48	99.467	191.86	23.44	125.94	33.33	0.03	191.84	23.45		125.95	255.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:59:26	4464.52	99.500	191.86	23.44	125.94	33.33	0.03	191.84	23.45		125.95	255.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:59:28	4464.55	99.533	191.86	23.44	125.94	33.33	0.03	191.84	23.45		125.95	255.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:59:30	4464.58	99.567	191.86	23.43	125.93	33.33	0.03	191.85	23.44		125.95	255.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:59:32	4464.62	99.600	191.86	23.43	125.93	33.33	0.03	191.85	23.44		125.95	255.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:59:34	4464.65	99.633	191.87	23.43	125.93	33.33	0.03	191.85	23.44		125.94	255.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:59:36	4464.68	99.667	191.86	23.43	125.93	33.33	0.03	191.85	23.44		125.95	255.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:59:38	4464.72	99.700	191.86	23.43	125.93	33.33	0.03	191.85	23.44		125.95	255.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:59:40	4464.75	99.733	191.86	23.43	125.93	33.33	0.03	191.85	23.44		125.95	255.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:59:42	4464.78	99.767	191.87	23.42	125.92	33.33	0.03	191.85	23.43		125.94	255.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:59:44	4464.82	99.800	191.87	23.42	125.92	33.33	0.03	191.85	23.43		125.94	255.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:59:46	4464.85	99.833	191.87	23.42	125.92	33.33	0.03	191.85	23.43		125.94	255.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:59:48	4464.88	99.867	191.87	23.42	125.92	33.33	0.03	191.85	23.43		125.94	255.06

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:59:50	4464.92	99.900	191.87	23.42	125.92	33.33	0.03	191.85	23.43		125.94	255.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:59:52	4464.95	99.933	191.87	23.42	125.92	33.33	0.03	191.85	23.43		125.94	255.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:59:54	4464.98	99.967	191.87	23.42	125.92	33.33	0.03	191.85	23.43		125.94	255.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:59:56	4465.02	100.000	191.87	23.42	125.92	33.33	0.03	191.85	23.43		125.94	255.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 16:59:58	4465.05	100.033	191.88	23.41	125.92	33.33	0.03	191.86	23.42		125.93	255.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:00:00	4465.08	100.067	191.88	23.41	125.92	33.33	0.03	191.86	23.42		125.93	255.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:00:02	4465.12	100.100	191.88	23.41	125.92	33.33	0.03	191.86	23.42		125.93	255.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:00:04	4465.15	100.133	191.88	23.41	125.92	33.33	0.03	191.86	23.42		125.93	255.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:00:06	4465.18	100.167	191.87	23.42	125.92	33.33	0.03	191.86	23.43		125.93	255.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:00:08	4465.22	100.200	191.88	23.41	125.92	33.33	0.03	191.86	23.42		125.93	255.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:00:10	4465.25	100.233	191.88	23.41	125.92	33.33	0.03	191.86	23.42		125.93	255.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:00:12	4465.28	100.267	191.88	23.41	125.92	33.33	0.03	191.86	23.42		125.93	255.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:00:14	4465.32	100.300	191.89	23.41	125.91	33.33	0.03	191.87	23.42		125.92	255.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:00:16	4465.35	100.333	191.88	23.41	125.92	33.33	0.03	191.86	23.42		125.93	255.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:00:18	4465.38	100.367	191.89	23.41	125.91	33.33	0.03	191.87	23.42		125.92	255.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:00:20	4465.42	100.400	191.89	23.41	125.91	33.33	0.03	191.87	23.42		125.92	255.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:00:22	4465.45	100.433	191.89	23.41	125.91	33.33	0.03	191.87	23.42		125.92	255.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:00:24	4465.48	100.467	191.89	23.41	125.91	33.33	0.03	191.87	23.42		125.92	255.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:00:26	4465.52	100.500	191.89	23.41	125.91	33.33	0.03	191.87	23.42		125.92	255.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:00:28	4465.55	100.533	191.90	23.40	125.90	33.33	0.03	191.88	23.41		125.91	255.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:00:30	4465.58	100.567	191.90	23.40	125.90	33.33	0.03	191.88	23.41		125.91	255.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:00:32	4465.62	100.600	191.90	23.40	125.90	33.33	0.03	191.88	23.41		125.91	255.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:00:34	4465.65	100.633	191.90	23.40	125.90	33.33	0.03	191.88	23.41		125.91	255.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:00:36	4465.68	100.667	191.90	23.40	125.90	33.33	0.03	191.88	23.41		125.91	255.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:00:38	4465.72	100.700	191.90	23.40	125.90	33.33	0.03	191.88	23.41		125.91	255.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:00:40	4465.75	100.733	191.90	23.40	125.90	33.33	0.03	191.88	23.41		125.91	255.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:00:42	4465.78	100.767	191.90	23.40	125.90	33.33	0.03	191.88	23.41		125.91	255.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:00:44	4465.82	100.800	191.90	23.39	125.89	33.33	0.03	191.89	23.40		125.91	255.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:00:46	4465.85	100.833	191.90	23.39	125.89	33.33	0.03	191.89	23.40		125.91	255.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:00:48	4465.88	100.867	191.90	23.39	125.89	33.33	0.03	191.89	23.40		125.91	255.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:00:50	4465.92	100.900	191.90	23.39	125.89	33.33	0.03	191.89	23.40		125.91	255.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:00:52	4465.95	100.933	191.90	23.39	125.89	33.33	0.03	191.89	23.40		125.91	255.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:00:54	4465.98	100.967	191.90	23.39	125.89	33.33	0.03	191.89	23.40		125.91	255.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:00:56	4466.02	101.000	191.90	23.39	125.89	33.33	0.03	191.89	23.40		125.91	255.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:00:58	4466.05	101.033	191.91	23.38	125.89	33.33	0.03	191.89	23.39		125.90	255.10
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:01:00	4466.08	101.067	191.91	23.38	125.89	33.33	0.03	191.89	23.39		125.90	255.10
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:01:02	4466.12	101.100	191.91	23.38	125.89	33.33	0.03	191.89	23.39		125.90	255.10
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:01:04	4466.15	101.133	191.92	23.38	125.88	33.33	0.03	191.90	23.38		125.89	255.11
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:01:06	4466.18	101.167	191.91	23.38	125.89	33.33	0.03	191.89	23.39		125.90	255.10
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:01:08	4466.22	101.200	191.91	23.38	125.89	33.33	0.03	191.89	23.39		125.90	255.10
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:01:10	4466.25	101.233	191.91	23.38	125.89	33.33	0.03	191.89	23.39		125.90	255.10
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:01:12	4466.28	101.267	191.92	23.38	125.88	33.33	0.03	191.90	23.38		125.89	255.11
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:01:14	4466.32	101.300	191.92	23.37	125.87	33.33	0.03	191.91	23.38		125.89	255.11
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:01:16	4466.35	101.333	191.92	23.38	125.88	33.33	0.03	191.90	23.38		125.89	255.11
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:01:18	4466.38	101.367	191.92	23.38	125.88	33.33	0.03	191.90	23.38		125.89	255.11
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:01:20	4466.42	101.400	191.92	23.38	125.88	33.33	0.03	191.90	23.38		125.89	255.11
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:01:22	4466.45	101.433	191.92	23.38	125.88	33.33	0.03	191.90	23.38		125.89	255.11
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:01:24	4466.48	101.467	191.92	23.38	125.88	33.33	0.03	191.90	23.38		125.89	255.11
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:01:26	4466.52	101.500	191.93	23.37	125.87	33.33	0.03	191.91	23.38		125.88	255.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:01:28	4466.55	101.533	191.93	23.37	125.87	33.33	0.03	191.91	23.38		125.88	255.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:01:30	4466.58	101.567	191.93	23.37	125.87	33.33	0.03	191.91	23.38		125.88	255.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:01:32	4466.62	101.600	191.93	23.37	125.87	33.33	0.03	191.91	23.37		125.88	255.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:01:34	4466.65	101.633	191.93	23.37	125.87	33.33	0.03	191.91	23.37		125.88	255.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:01:36	4466.68	101.667	191.93	23.37	125.87	33.33	0.03	191.91	23.38		125.88	255.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:01:38	4466.72	101.700	191.94	23.36	125.86	33.33	0.03	191.92	23.37		125.87	255.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:01:40	4466.75	101.733	191.93	23.37	125.87	33.33	0.03	191.91	23.38		125.88	255.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:01:42	4466.78	101.767	191.93	23.36	125.86	33.33	0.03	191.92	23.37		125.87	255.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:01:44	4466.82	101.800	191.93	23.36	125.86	33.33	0.03	191.92	23.37		125.87	255.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:01:46	4466.85	101.833	191.93	23.36	125.86	33.33	0.03	191.92	23.37		125.87	255.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:01:48	4466.88	101.867	191.93	23.36	125.86	33.33	0.03	191.92	23.37		125.87	255.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:01:50	4466.92	101.900	191.93	23.36	125.86	33.33	0.03	191.92	23.37		125.87	255.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:01:52	4466.95	101.933	191.93	23.36	125.86	33.33	0.03	191.92	23.37		125.87	255.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:01:54	4466.98	101.967	191.94	23.35	125.85	33.33	0.03	191.93	23.36		125.87	255.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:01:56	4467.02	102.000	191.94	23.35	125.85	33.33	0.03	191.93	23.36		125.87	255.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:01:58	4467.05	102.033	191.94	23.35	125.85	33.33	0.03	191.93	23.36		125.86	255.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:02:00	4467.08	102.067	191.94	23.36	125.86	33.33	0.03	191.92	23.37		125.87	255.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:02:02	4467.12	102.100	191.94	23.35	125.85	33.33	0.03	191.93	23.36		125.87	255.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:02:04	4467.15	102.133	191.94	23.35	125.85	33.33	0.03	191.93	23.36		125.87	255.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:02:06	4467.18	102.167	191.94	23.35	125.85	33.33	0.03	191.93	23.36		125.86	255.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:02:08	4467.22	102.200	191.95	23.34	125.85	33.33	0.03	191.93	23.35		125.86	255.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:02:10	4467.25	102.233	191.94	23.35	125.85	33.33	0.03	191.93	23.36		125.86	255.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:02:12	4467.28	102.267	191.95	23.34	125.85	33.33	0.03	191.93	23.35		125.86	255.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:02:14	4467.32	102.300	191.95	23.34	125.84	33.33	0.03	191.94	23.35		125.86	255.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:02:16	4467.35	102.333	191.95	23.34	125.84	33.33	0.03	191.94	23.35		125.86	255.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:02:18	4467.38	102.367	191.95	23.34	125.85	33.33	0.03	191.93	23.35		125.86	255.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:02:20	4467.42	102.400	191.95	23.34	125.85	33.33	0.03	191.93	23.35		125.86	255.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:02:22	4467.45	102.433	191.96	23.33	125.84	33.33	0.03	191.94	23.34		125.85	255.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:02:24	4467.48	102.467	191.95	23.34	125.85	33.33	0.03	191.93	23.35		125.86	255.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:02:26	4467.52	102.500	191.96	23.34	125.84	33.33	0.03	191.94	23.35		125.85	255.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:02:28	4467.55	102.533	191.96	23.33	125.84	33.33	0.03	191.94	23.34		125.85	255.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:02:30	4467.58	102.567	191.96	23.34	125.84	33.33	0.03	191.94	23.35		125.85	255.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:02:32	4467.62	102.600	191.96	23.34	125.84	33.33	0.03	191.94	23.35		125.85	255.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:02:34	4467.65	102.633	191.96	23.33	125.84	33.33	0.03	191.94	23.34		125.85	255.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:02:36	4467.68	102.667	191.96	23.34	125.84	33.33	0.03	191.94	23.35		125.85	255.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:02:38	4467.72	102.700	191.96	23.34	125.84	33.33	0.03	191.94	23.35		125.85	255.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:02:40	4467.75	102.733	191.96	23.34	125.84	33.33	0.03	191.94	23.35		125.85	255.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:02:42	4467.78	102.767	191.97	23.33	125.83	33.33	0.03	191.95	23.34		125.84	255.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:02:44	4467.82	102.800	191.97	23.33	125.83	33.33	0.03	191.95	23.34		125.84	255.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:02:46	4467.85	102.833	191.97	23.33	125.83	33.33	0.03	191.95	23.34		125.84	255.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:02:48	4467.88	102.867	191.97	23.33	125.83	33.33	0.03	191.95	23.34		125.84	255.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:02:50	4467.92	102.900	191.97	23.33	125.83	33.33	0.03	191.95	23.34		125.84	255.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:02:52	4467.95	102.933	191.97	23.33	125.83	33.33	0.03	191.95	23.34		125.84	255.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:02:54	4467.98	102.967	191.97	23.33	125.83	33.33	0.03	191.95	23.34		125.84	255.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:02:56	4468.02	103.000	191.97	23.32	125.82	33.33	0.03	191.96	23.33		125.84	255.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:02:58	4468.05	103.033	191.97	23.32	125.82	33.33	0.03	191.96	23.33		125.84	255.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:03:00	4468.08	103.067	191.97	23.32	125.82	33.33	0.03	191.96	23.33		125.84	255.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:03:02	4468.12	103.100	191.97	23.32	125.82	33.33	0.03	191.96	23.33		125.84	255.16

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:03:04	4468.15	103.133	191.97	23.32	125.82	33.33	0.03	191.96	23.33		125.84	255.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:03:06	4468.18	103.167	191.98	23.32	125.82	33.33	0.03	191.96	23.33		125.83	255.17
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:03:08	4468.22	103.200	191.97	23.32	125.82	33.33	0.03	191.96	23.33		125.84	255.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:03:10	4468.25	103.233	191.97	23.32	125.82	33.33	0.03	191.96	23.33		125.84	255.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:03:12	4468.28	103.267	191.98	23.31	125.82	33.33	0.03	191.96	23.32		125.83	255.17
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:03:14	4468.32	103.300	191.97	23.32	125.82	33.33	0.03	191.96	23.33		125.84	255.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:03:16	4468.35	103.333	191.98	23.31	125.82	33.33	0.03	191.96	23.32		125.83	255.17
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:03:18	4468.38	103.367	191.97	23.32	125.82	33.33	0.03	191.96	23.33		125.84	255.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:03:20	4468.42	103.400	191.98	23.31	125.82	33.33	0.03	191.96	23.32		125.83	255.17
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:03:22	4468.45	103.433	191.98	23.31	125.82	33.33	0.03	191.96	23.32		125.83	255.17
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:03:24	4468.48	103.467	191.98	23.31	125.82	33.33	0.03	191.96	23.32		125.83	255.17
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:03:26	4468.52	103.500	191.98	23.31	125.81	33.33	0.03	191.97	23.32		125.83	255.17
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:03:28	4468.55	103.533	191.98	23.31	125.82	33.33	0.03	191.96	23.32		125.83	255.17
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:03:30	4468.58	103.567	191.99	23.31	125.81	33.33	0.03	191.97	23.31		125.82	255.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:03:32	4468.62	103.600	191.99	23.31	125.81	33.33	0.03	191.97	23.31		125.82	255.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:03:34	4468.65	103.633	191.99	23.31	125.81	33.33	0.03	191.97	23.31		125.82	255.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:03:36	4468.68	103.667	191.99	23.30	125.80	33.33	0.03	191.98	23.31		125.82	255.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:03:38	4468.72	103.700	191.99	23.30	125.80	33.33	0.03	191.98	23.31		125.82	255.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:03:40	4468.75	103.733	191.99	23.31	125.81	33.33	0.03	191.97	23.31		125.82	255.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:03:42	4468.78	103.767	191.99	23.31	125.81	33.33	0.03	191.97	23.31		125.82	255.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:03:44	4468.82	103.800	191.99	23.31	125.81	33.33	0.03	191.97	23.31		125.82	255.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:03:46	4468.85	103.833	191.99	23.31	125.81	33.33	0.03	191.97	23.31		125.82	255.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:03:48	4468.88	103.867	192.00	23.30	125.80	33.33	0.03	191.98	23.31		125.81	255.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:03:50	4468.92	103.900	192.00	23.30	125.80	33.33	0.03	191.98	23.31		125.81	255.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:03:52	4468.95	103.933	192.00	23.30	125.80	33.33	0.03	191.98	23.31		125.81	255.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:03:54	4468.98	103.967	192.00	23.29	125.80	33.33	0.03	191.98	23.30		125.81	255.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:03:56	4469.02	104.000	192.00	23.30	125.80	33.33	0.03	191.98	23.31		125.81	255.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:03:58	4469.05	104.033	192.00	23.30	125.80	33.33	0.03	191.98	23.31		125.81	255.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:04:00	4469.08	104.067	192.00	23.29	125.79	33.33	0.03	191.99	23.30		125.80	255.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:04:02	4469.12	104.100	192.00	23.29	125.80	33.33	0.03	191.98	23.30		125.81	255.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:04:04	4469.15	104.133	192.00	23.29	125.79	33.33	0.03	191.99	23.30		125.80	255.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:04:06	4469.18	104.167	192.00	23.29	125.79	33.33	0.03	191.99	23.30		125.80	255.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:04:08	4469.22	104.200	192.01	23.29	125.79	33.33	0.03	191.99	23.30		125.80	255.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:04:10	4469.25	104.233	192.00	23.29	125.79	33.33	0.03	191.99	23.30		125.80	255.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:04:12	4469.28	104.267	192.00	23.29	125.79	33.33	0.03	191.99	23.30		125.80	255.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:04:14	4469.32	104.300	192.01	23.29	125.79	33.33	0.03	191.99	23.30		125.80	255.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:04:16	4469.35	104.333	192.00	23.29	125.79	33.33	0.03	191.99	23.30		125.80	255.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:04:18	4469.38	104.367	192.01	23.28	125.78	33.33	0.03	192.00	23.29		125.80	255.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:04:20	4469.42	104.400	192.01	23.28	125.78	33.33	0.03	192.00	23.29		125.80	255.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:04:22	4469.45	104.433	192.01	23.28	125.78	33.33	0.03	192.00	23.29		125.80	255.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:04:24	4469.48	104.467	192.01	23.28	125.78	33.33	0.03	192.00	23.29		125.80	255.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:04:26	4469.52	104.500	192.01	23.28	125.78	33.33	0.03	192.00	23.29		125.79	255.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:04:28	4469.55	104.533	192.02	23.27	125.78	33.33	0.03	192.00	23.28		125.79	255.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:04:30	4469.58	104.567	192.01	23.28	125.78	33.33	0.03	192.00	23.29		125.79	255.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:04:32	4469.62	104.600	192.01	23.28	125.78	33.33	0.03	192.00	23.29		125.79	255.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:04:34	4469.65	104.633	192.02	23.27	125.77	33.33	0.03	192.01	23.28		125.79	255.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:04:36	4469.68	104.667	192.02	23.27	125.78	33.33	0.03	192.00	23.28		125.79	255.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:04:38	4469.72	104.700	192.02	23.27	125.78	33.33	0.03	192.00	23.28		125.79	255.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:04:40	4469.75	104.733	192.02	23.27	125.78	33.33	0.03	192.00	23.28		125.79	255.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:04:42	4469.78	104.767	192.02	23.27	125.78	33.33	0.03	192.00	23.28		125.79	255.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:04:44	4469.82	104.800	192.02	23.27	125.78	33.33	0.03	192.00	23.28		125.79	255.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:04:46	4469.85	104.833	192.02	23.27	125.77	33.33	0.03	192.01	23.28		125.79	255.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:04:48	4469.88	104.867	192.03	23.27	125.77	33.33	0.03	192.01	23.28		125.78	255.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:04:50	4469.92	104.900	192.03	23.27	125.77	33.33	0.03	192.01	23.28		125.78	255.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:04:52	4469.95	104.933	192.03	23.27	125.77	33.33	0.03	192.01	23.28		125.78	255.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:04:54	4469.98	104.967	192.03	23.27	125.77	33.33	0.03	192.01	23.28		125.78	255.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:04:56	4470.02	105.000	192.03	23.27	125.77	33.33	0.03	192.01	23.28		125.78	255.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:04:58	4470.05	105.033	192.03	23.26	125.77	33.33	0.03	192.01	23.27		125.78	255.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:05:00	4470.08	105.067	192.03	23.27	125.77	33.32	0.03	192.01	23.27		125.78	255.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:05:30	4470.58	105.567	192.04	23.25	125.75	33.32	0.03	192.03	23.26		125.76	255.24
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:06:00	4471.08	106.067	192.05	23.25	125.75	33.32	0.03	192.03	23.25		125.76	255.24
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:06:30	4471.58	106.567	192.06	23.23	125.73	33.32	0.03	192.05	23.24		125.75	255.25
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:07:00	4472.08	107.067	192.08	23.21	125.71	33.32	0.03	192.07	23.22		125.72	255.28
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:07:30	4472.58	107.567	192.09	23.20	125.70	33.32	0.03	192.08	23.21		125.72	255.28
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:08:00	4473.08	108.067	192.11	23.18	125.68	33.32	0.03	192.10	23.19		125.69	255.31
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:08:30	4473.58	108.567	192.12	23.17	125.68	33.32	0.03	192.11	23.18		125.69	255.31
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:09:00	4474.08	109.067	192.14	23.16	125.66	33.32	0.03	192.12	23.16		125.67	255.33
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:09:30	4474.58	109.567	192.15	23.14	125.64	33.32	0.03	192.14	23.15		125.66	255.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:10:00	4475.08	110.067	192.17	23.13	125.63	33.32	0.03	192.15	23.13		125.64	255.36
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:10:30	4475.58	110.567	192.18	23.11	125.61	33.32	0.03	192.17	23.12		125.62	255.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:11:00	4476.08	111.067	192.19	23.10	125.60	33.32	0.03	192.18	23.11		125.62	255.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:11:30	4476.58	111.567	192.21	23.08	125.58	33.32	0.03	192.20	23.09		125.59	255.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:12:00	4477.08	112.067	192.23	23.06	125.57	33.32	0.03	192.22	23.07		125.58	255.42
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:12:30	4477.58	112.567	192.24	23.06	125.56	33.32	0.03	192.22	23.06		125.57	255.43
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:13:00	4478.08	113.067	192.25	23.05	125.55	33.32	0.03	192.23	23.05		125.56	255.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:13:30	4478.58	113.567	192.27	23.02	125.53	33.32	0.03	192.26	23.03		125.54	255.46
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:14:00	4479.08	114.067	192.28	23.01	125.51	33.32	0.03	192.27	23.02		125.52	255.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:14:30	4479.58	114.567	192.29	23.00	125.50	33.32	0.03	192.28	23.01		125.51	255.49
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:15:00	4480.08	115.067	192.31	22.99	125.49	33.32	0.02	192.29	22.99		125.50	255.50
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:15:30	4480.58	115.567	192.32	22.97	125.47	33.32	0.02	192.31	22.98		125.48	255.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:16:00	4481.08	116.067	192.34	22.95	125.46	33.32	0.02	192.33	22.96		125.47	255.53
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:16:30	4481.58	116.567	192.35	22.94	125.44	33.32	0.02	192.34	22.94		125.45	255.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:17:00	4482.08	117.067	192.37	22.92	125.43	33.32	0.02	192.36	22.93		125.44	255.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:17:30	4482.58	117.567	192.38	22.92	125.42	33.32	0.02	192.37	22.92		125.43	255.57
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:18:00	4483.08	118.067	192.39	22.90	125.40	33.32	0.02	192.38	22.91		125.41	255.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:18:30	4483.58	118.567	192.41	22.88	125.39	33.32	0.02	192.40	22.89		125.40	255.60
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:19:00	4484.08	119.067	192.42	22.88	125.38	33.32	0.02	192.40	22.88		125.39	255.61
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:19:30	4484.58	119.567	192.43	22.86	125.36	33.32	0.02	192.42	22.87		125.37	255.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:20:00	4485.08	120.067	192.44	22.85	125.36	33.32	0.02	192.43	22.86		125.37	255.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:20:30	4485.58	120.567	192.46	22.83	125.33	33.32	0.02	192.45	22.84		125.34	255.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:21:00	4486.08	121.067	192.47	22.82	125.32	33.32	0.02	192.46	22.83		125.33	255.67
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:21:30	4486.58	121.567	192.49	22.81	125.31	33.32	0.02	192.47	22.81		125.32	255.68
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:22:00	4487.08	122.067	192.49	22.80	125.30	33.32	0.02	192.48	22.80		125.31	255.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:22:30	4487.58	122.567	192.51	22.78	125.29	33.32	0.02	192.50	22.79		125.30	255.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:23:00	4488.08	123.067	192.53	22.77	125.27	33.32	0.02	192.51	22.77		125.28	255.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:23:30	4488.58	123.567	192.53	22.76	125.26	33.32	0.02	192.52	22.77		125.27	255.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:24:00	4489.08	124.067	192.56	22.74	125.24	33.32	0.02	192.54	22.74		125.25	255.75

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:24:30	4489.58	124.567	192.57	22.73	125.23	33.32	0.02	192.55	22.73		125.24	255.76
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:25:00	4490.08	125.067	192.58	22.71	125.22	33.32	0.02	192.57	22.72		125.23	255.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:25:30	4490.58	125.567	192.60	22.70	125.20	33.32	0.02	192.58	22.70		125.21	255.79
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:26:00	4491.08	126.067	192.60	22.69	125.19	33.32	0.02	192.59	22.69		125.20	255.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:26:30	4491.58	126.567	192.61	22.68	125.18	33.32	0.02	192.60	22.69		125.19	255.81
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:27:00	4492.08	127.067	192.64	22.66	125.16	33.32	0.02	192.62	22.66		125.17	255.83
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:27:30	4492.58	127.567	192.64	22.65	125.15	33.32	0.02	192.63	22.66		125.16	255.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:28:00	4493.08	128.067	192.66	22.64	125.14	33.32	0.02	192.65	22.64		125.15	255.85
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:28:30	4493.58	128.567	192.67	22.63	125.13	33.32	0.02	192.65	22.63		125.14	255.86
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:29:00	4494.08	129.067	192.68	22.61	125.11	33.32	0.02	192.67	22.62		125.12	255.88
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:29:30	4494.58	129.567	192.70	22.60	125.10	33.32	0.02	192.68	22.60		125.11	255.89
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:30:00	4495.08	130.067	192.71	22.59	125.09	33.32	0.02	192.69	22.59		125.10	255.90
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:30:30	4495.58	130.567	192.72	22.57	125.08	33.32	0.02	192.71	22.58		125.09	255.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:31:00	4496.08	131.067	192.74	22.56	125.06	33.32	0.02	192.72	22.56		125.07	255.93
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:31:30	4496.58	131.567	192.75	22.54	125.04	33.32	0.02	192.74	22.55		125.05	255.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:32:00	4497.08	132.067	192.76	22.53	125.04	33.32	0.02	192.75	22.54		125.05	255.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:32:30	4497.58	132.567	192.77	22.53	125.03	33.32	0.02	192.75	22.53		125.04	255.96
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:33:00	4498.08	133.067	192.78	22.51	125.01	33.32	0.02	192.77	22.52		125.02	255.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:33:30	4498.58	133.567	192.80	22.50	125.00	33.32	0.02	192.79	22.50		125.01	255.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:34:00	4499.08	134.067	192.81	22.49	124.99	33.32	0.02	192.79	22.49		125.00	256.00
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:34:30	4499.58	134.567	192.82	22.47	124.97	33.32	0.02	192.81	22.48		124.98	256.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:35:00	4500.08	135.067	192.83	22.46	124.97	33.32	0.03	192.82	22.47		124.98	256.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:35:30	4500.58	135.567	192.85	22.45	124.95	33.32	0.03	192.83	22.45		124.96	256.04
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:36:00	4501.08	136.067	192.86	22.43	124.93	33.32	0.03	192.85	22.44		124.95	256.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:36:30	4501.58	136.567	192.88	22.42	124.92	33.32	0.03	192.86	22.42		124.93	256.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:37:00	4502.08	137.067	192.88	22.41	124.91	33.32	0.03	192.87	22.42		124.92	256.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:37:30	4502.58	137.567	192.89	22.40	124.90	33.32	0.03	192.88	22.41		124.91	256.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:38:00	4503.08	138.067	192.91	22.39	124.89	33.32	0.03	192.89	22.39		124.90	256.10
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:38:30	4503.58	138.567	192.92	22.38	124.88	33.32	0.03	192.90	22.38		124.89	256.11
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:39:00	4504.08	139.067	192.93	22.36	124.86	33.32	0.03	192.92	22.37		124.88	256.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:39:30	4504.58	139.567	192.95	22.35	124.85	33.32	0.03	192.93	22.35		124.86	256.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:40:00	4505.08	140.067	192.95	22.34	124.84	33.32	0.03	192.94	22.35		124.85	256.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:40:30	4505.58	140.567	192.97	22.32	124.83	33.32	0.03	192.96	22.33		124.84	256.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:41:00	4506.08	141.067	192.99	22.31	124.81	33.32	0.03	192.97	22.31		124.82	256.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:41:30	4506.58	141.567	192.99	22.30	124.80	33.32	0.03	192.98	22.31		124.81	256.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:42:00	4507.08	142.067	193.00	22.29	124.79	33.32	0.03	192.99	22.30		124.81	256.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:42:30	4507.58	142.567	193.02	22.28	124.78	33.32	0.03	193.00	22.28		124.79	256.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:43:00	4508.08	143.067	193.02	22.27	124.77	33.32	0.03	193.01	22.28		124.78	256.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:43:30	4508.58	143.567	193.04	22.25	124.76	33.32	0.03	193.03	22.26		124.77	256.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:44:00	4509.08	144.067	193.06	22.24	124.74	33.32	0.03	193.04	22.24		124.75	256.25
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:44:30	4509.58	144.567	193.06	22.23	124.73	33.32	0.03	193.05	22.24		124.74	256.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:45:00	4510.08	145.067	193.08	22.21	124.72	33.32	0.03	193.07	22.22		124.73	256.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:45:30	4510.58	145.567	193.09	22.21	124.71	33.32	0.03	193.07	22.21		124.72	256.28
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:46:00	4511.08	146.067	193.09	22.20	124.70	33.32	0.03	193.08	22.21		124.71	256.29
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:46:30	4511.58	146.567	193.11	22.18	124.69	33.32	0.03	193.10	22.19		124.70	256.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:47:00	4512.08	147.067	193.13	22.17	124.67	33.32	0.03	193.11	22.17		124.68	256.32
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:47:30	4512.58	147.567	193.13	22.16	124.66	33.32	0.03	193.12	22.17		124.67	256.33
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:48:00	4513.08	148.067	193.14	22.15	124.65	33.32	0.03	193.13	22.16		124.67	256.33
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:48:30	4513.58	148.567	193.16	22.14	124.64	33.32	0.03	193.14	22.14		124.65	256.35
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:49:00	4514.08	149.067	193.17	22.13	124.63	33.32	0.03	193.15	22.14		124.64	256.36
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:49:30	4514.58	149.567	193.18	22.11	124.62	33.32	0.03	193.17	22.12		124.63	256.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:50:00	4515.08	150.067	193.19	22.11	124.61	33.32	0.02	193.18	22.11		124.62	256.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:50:30	4515.58	150.567	193.20	22.10	124.60	33.32	0.02	193.19	22.10		124.61	256.39
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:51:00	4516.08	151.067	193.21	22.08	124.58	33.32	0.02	193.20	22.09		124.59	256.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:51:30	4516.58	151.567	193.22	22.07	124.58	33.32	0.02	193.21	22.08		124.58	256.42
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:52:00	4517.08	152.067	193.24	22.06	124.56	33.32	0.02	193.22	22.06		124.57	256.43
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:52:30	4517.58	152.567	193.24	22.05	124.55	33.32	0.02	193.23	22.05		124.56	256.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:53:00	4518.08	153.067	193.26	22.04	124.54	33.32	0.02	193.25	22.04		124.55	256.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:53:30	4518.58	153.567	193.27	22.03	124.53	33.32	0.02	193.26	22.03		124.54	256.46
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:54:00	4519.08	154.067	193.28	22.01	124.51	33.32	0.02	193.27	22.02		124.52	256.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:54:30	4519.58	154.567	193.29	22.00	124.51	33.32	0.02	193.28	22.01		124.51	256.49
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:55:00	4520.08	155.067	193.30	22.00	124.50	33.32	0.02	193.29	22.00		124.51	256.49
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:55:30	4520.58	155.567	193.31	21.98	124.48	33.32	0.02	193.30	21.98		124.49	256.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:56:00	4521.08	156.067	193.32	21.97	124.48	33.32	0.02	193.31	21.98		124.48	256.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:56:30	4521.58	156.567	193.34	21.96	124.46	33.32	0.02	193.33	21.96		124.47	256.53
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:57:00	4522.08	157.067	193.34	21.95	124.45	33.32	0.02	193.33	21.95		124.46	256.54
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:57:30	4522.58	157.567	193.36	21.93	124.44	33.32	0.02	193.35	21.94		124.44	256.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:58:00	4523.08	158.067	193.37	21.93	124.43	33.32	0.02	193.36	21.93		124.44	256.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:58:30	4523.58	158.567	193.38	21.92	124.42	33.32	0.02	193.36	21.92		124.43	256.57
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:59:00	4524.08	159.067	193.39	21.90	124.40	33.32	0.02	193.38	21.91		124.41	256.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 17:59:30	4524.58	159.567	193.40	21.90	124.40	33.32	0.02	193.39	21.90		124.41	256.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:00:00	4525.08	160.067	193.41	21.89	124.39	33.32	0.02	193.40	21.89		124.40	256.60
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:00:30	4525.58	160.567	193.42	21.87	124.37	33.32	0.02	193.41	21.87		124.38	256.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:01:00	4526.08	161.067	193.43	21.86	124.37	33.32	0.02	193.42	21.87		124.37	256.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:01:30	4526.58	161.567	193.45	21.85	124.35	33.32	0.02	193.43	21.85		124.36	256.64
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:02:00	4527.08	162.067	193.45	21.84	124.34	33.32	0.02	193.44	21.84		124.35	256.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:02:30	4527.58	162.567	193.47	21.83	124.33	33.32	0.02	193.46	21.83		124.34	256.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:03:00	4528.08	163.067	193.48	21.82	124.32	33.32	0.02	193.47	21.82		124.33	256.67
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:03:30	4528.58	163.567	193.48	21.81	124.31	33.32	0.02	193.47	21.81		124.32	256.68
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:04:00	4529.08	164.067	193.49	21.80	124.30	33.32	0.02	193.48	21.80		124.31	256.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:04:30	4529.58	164.567	193.51	21.79	124.29	33.32	0.02	193.50	21.79		124.30	256.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:05:00	4530.08	165.067	193.52	21.78	124.28	33.32	0.02	193.50	21.78		124.29	256.71
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:05:30	4530.58	165.567	193.53	21.76	124.26	33.32	0.02	193.52	21.77		124.27	256.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:06:00	4531.08	166.067	193.54	21.75	124.26	33.32	0.02	193.53	21.76		124.27	256.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:06:30	4531.58	166.567	193.55	21.75	124.25	33.32	0.02	193.53	21.75		124.26	256.74
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:07:00	4532.08	167.067	193.56	21.73	124.23	33.32	0.02	193.55	21.74		124.24	256.76
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:07:30	4532.58	167.567	193.58	21.72	124.22	33.32	0.02	193.57	21.72		124.23	256.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:08:00	4533.08	168.067	193.59	21.71	124.21	33.32	0.02	193.57	21.71		124.22	256.78
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:08:30	4533.58	168.567	193.59	21.70	124.20	33.32	0.02	193.58	21.71		124.21	256.79
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:09:00	4534.08	169.067	193.61	21.68	124.19	33.32	0.02	193.60	21.69		124.20	256.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:09:30	4534.58	169.567	193.62	21.68	124.18	33.32	0.02	193.60	21.68		124.19	256.81
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:10:00	4535.08	170.067	193.62	21.67	124.17	33.32	0.03	193.61	21.68		124.18	256.82
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:10:30	4535.58	170.567	193.63	21.66	124.16	33.32	0.03	193.62	21.67		124.17	256.83
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:11:00	4536.08	171.067	193.65	21.65	124.15	33.32	0.03	193.64	21.65		124.16	256.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:11:30	4536.58	171.567	193.66	21.63	124.13	33.32	0.03	193.65	21.64		124.14	256.86
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:12:00	4537.08	172.067	193.66	21.63	124.13	33.32	0.03	193.65	21.64		124.14	256.86
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:12:30	4537.58	172.567	193.68	21.61	124.12	33.32	0.03	193.67	21.62		124.13	256.87

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:13:00	4538.08	173.067	193.69	21.61	124.11	33.32	0.03	193.67	21.61		124.12	256.88
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:13:30	4538.58	173.567	193.70	21.59	124.09	33.32	0.03	193.69	21.60		124.10	256.90
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:14:00	4539.08	174.067	193.71	21.58	124.09	33.32	0.03	193.70	21.59		124.10	256.90
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:14:30	4539.58	174.567	193.72	21.58	124.08	33.32	0.03	193.71	21.58		124.09	256.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:15:00	4540.08	175.067	193.73	21.57	124.07	33.32	0.03	193.71	21.57		124.08	256.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:15:30	4540.58	175.567	193.74	21.55	124.05	33.32	0.03	193.73	21.56		124.07	256.93
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:16:00	4541.08	176.067	193.75	21.54	124.05	33.32	0.03	193.74	21.55		124.06	256.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:16:30	4541.58	176.567	193.77	21.53	124.03	33.32	0.03	193.75	21.53		124.04	256.96
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:17:00	4542.08	177.067	193.77	21.52	124.02	33.32	0.03	193.76	21.53		124.03	256.97
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:17:30	4542.58	177.567	193.78	21.51	124.02	33.32	0.03	193.77	21.52		124.03	256.97
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:18:00	4543.08	178.067	193.79	21.51	124.01	33.32	0.03	193.77	21.51		124.02	256.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:18:30	4543.58	178.567	193.80	21.50	124.00	33.32	0.03	193.78	21.50		124.01	256.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:19:00	4544.08	179.067	193.80	21.49	123.99	33.32	0.03	193.79	21.50		124.00	257.00
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:19:30	4544.58	179.567	193.82	21.47	123.98	33.32	0.03	193.81	21.48		123.99	257.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:20:00	4545.08	180.067	193.83	21.47	123.97	33.32	0.02	193.81	21.47		123.98	257.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:20:30	4545.58	180.567	193.84	21.46	123.96	33.32	0.02	193.82	21.46		123.97	257.03
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:21:00	4546.08	181.067	193.84	21.45	123.95	33.32	0.02	193.83	21.46		123.96	257.04
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:21:30	4546.58	181.567	193.86	21.44	123.94	33.32	0.02	193.85	21.44		123.95	257.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:22:00	4547.08	182.067	193.87	21.43	123.93	33.32	0.02	193.85	21.43		123.94	257.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:22:30	4547.58	182.567	193.88	21.41	123.91	33.32	0.02	193.87	21.42		123.92	257.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:23:00	4548.08	183.067	193.89	21.40	123.91	33.32	0.02	193.88	21.41		123.92	257.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:23:30	4548.58	183.567	193.90	21.39	123.90	33.32	0.02	193.89	21.40		123.91	257.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:24:00	4549.08	184.067	193.91	21.38	123.88	33.32	0.02	193.90	21.39		123.89	257.11
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:24:30	4549.58	184.567	193.91	21.38	123.88	33.32	0.02	193.90	21.39		123.89	257.11
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:25:00	4550.08	185.067	193.93	21.37	123.87	33.32	0.02	193.92	21.37		123.88	257.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:25:30	4550.58	185.567	193.94	21.35	123.85	33.32	0.02	193.93	21.35		123.86	257.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:26:00	4551.08	186.067	193.94	21.35	123.85	33.32	0.02	193.93	21.35		123.86	257.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:26:30	4551.58	186.567	193.95	21.34	123.84	33.32	0.02	193.94	21.35		123.85	257.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:27:00	4552.08	187.067	193.97	21.33	123.83	33.32	0.02	193.95	21.33		123.84	257.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:27:30	4552.58	187.567	193.98	21.32	123.82	33.32	0.02	193.96	21.32		123.83	257.17
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:28:00	4553.08	188.067	193.98	21.31	123.81	33.32	0.02	193.97	21.32		123.82	257.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:28:30	4553.58	188.567	193.99	21.30	123.80	33.32	0.02	193.98	21.31		123.81	257.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:29:00	4554.08	189.067	194.00	21.30	123.80	33.32	0.02	193.99	21.30		123.81	257.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:29:30	4554.58	189.567	194.01	21.28	123.78	33.32	0.02	194.00	21.28		123.79	257.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:30:00	4555.08	190.067	194.02	21.27	123.77	33.32	0.02	194.01	21.28		123.78	257.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:30:30	4555.58	190.567	194.04	21.25	123.76	33.32	0.02	194.03	21.26		123.76	257.24
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:31:00	4556.08	191.067	194.05	21.25	123.75	33.32	0.02	194.03	21.25		123.76	257.24
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:31:30	4556.58	191.567	194.05	21.24	123.74	33.32	0.02	194.04	21.24		123.75	257.25
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:32:00	4557.08	192.067	194.06	21.23	123.73	33.32	0.02	194.05	21.24		123.74	257.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:32:30	4557.58	192.567	194.08	21.22	123.72	33.32	0.02	194.07	21.22		123.73	257.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:33:00	4558.08	193.067	194.08	21.21	123.71	33.32	0.02	194.07	21.21		123.72	257.28
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:33:30	4558.58	193.567	194.09	21.20	123.70	33.32	0.02	194.08	21.21		123.71	257.29
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:34:00	4559.08	194.067	194.10	21.19	123.70	33.32	0.02	194.09	21.20		123.70	257.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:34:30	4559.58	194.567	194.11	21.19	123.69	33.32	0.02	194.10	21.19		123.70	257.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:35:00	4560.08	195.067	194.12	21.18	123.68	33.32	0.02	194.11	21.18		123.69	257.31
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:35:30	4560.58	195.567	194.13	21.17	123.67	33.32	0.02	194.11	21.17		123.68	257.32
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:36:00	4561.08	196.067	194.14	21.15	123.66	33.32	0.02	194.13	21.16		123.67	257.33
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:36:30	4561.58	196.567	194.15	21.14	123.65	33.32	0.02	194.14	21.15		123.66	257.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:37:00	4562.08	197.067	194.15	21.14	123.64	33.32	0.02	194.14	21.14		123.65	257.35
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:37:30	4562.58	197.567	194.16	21.13	123.63	33.32	0.02	194.15	21.14		123.64	257.36
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:38:00	4563.08	198.067	194.17	21.12	123.63	33.32	0.02	194.16	21.13		123.63	257.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:38:30	4563.58	198.567	194.19	21.11	123.61	33.32	0.02	194.17	21.11		123.62	257.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:39:00	4564.08	199.067	194.19	21.10	123.60	33.32	0.02	194.18	21.10		123.61	257.39
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:39:30	4564.58	199.567	194.20	21.09	123.59	33.32	0.02	194.19	21.10		123.60	257.40
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:40:00	4565.08	200.067	194.21	21.08	123.59	33.32	0.03	194.20	21.09		123.60	257.40
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:40:30	4565.58	200.567	194.22	21.07	123.57	33.32	0.03	194.21	21.08		123.58	257.42
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:41:00	4566.08	201.067	194.24	21.06	123.56	33.32	0.03	194.22	21.06		123.57	257.43
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:41:30	4566.58	201.567	194.24	21.05	123.55	33.32	0.03	194.23	21.06		123.56	257.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:42:00	4567.08	202.067	194.25	21.05	123.55	33.32	0.03	194.24	21.05		123.56	257.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:42:30	4567.58	202.567	194.26	21.03	123.53	33.32	0.03	194.25	21.04		123.54	257.46
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:43:00	4568.08	203.067	194.27	21.02	123.52	33.32	0.03	194.26	21.03		123.53	257.47
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:43:30	4568.58	203.567	194.28	21.01	123.52	33.32	0.03	194.27	21.02		123.53	257.47
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:44:00	4569.08	204.067	194.29	21.01	123.51	33.32	0.03	194.27	21.01		123.52	257.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:44:30	4569.58	204.567	194.30	21.00	123.50	33.32	0.03	194.28	21.00		123.51	257.49
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:45:00	4570.08	205.067	194.30	20.99	123.49	33.32	0.02	194.29	21.00		123.50	257.50
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:45:30	4570.58	205.567	194.31	20.98	123.49	33.32	0.02	194.30	20.99		123.50	257.50
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:46:00	4571.08	206.067	194.33	20.97	123.47	33.32	0.02	194.31	20.97		123.48	257.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:46:30	4571.58	206.567	194.33	20.97	123.47	33.32	0.02	194.31	20.97		123.48	257.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:47:00	4572.08	207.067	194.34	20.95	123.45	33.32	0.02	194.33	20.96		123.46	257.54
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:47:30	4572.58	207.567	194.35	20.94	123.45	33.32	0.02	194.34	20.95		123.46	257.54
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:48:00	4573.08	208.067	194.37	20.93	123.43	33.32	0.02	194.35	20.93		123.44	257.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:48:30	4573.58	208.567	194.37	20.92	123.42	33.32	0.02	194.36	20.93		123.43	257.57
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:49:00	4574.08	209.067	194.37	20.92	123.42	33.32	0.02	194.36	20.93		123.43	257.57
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:49:30	4574.58	209.567	194.39	20.90	123.40	33.32	0.02	194.38	20.91		123.41	257.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:50:00	4575.08	210.067	194.40	20.90	123.40	33.32	0.03	194.38	20.90		123.41	257.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:50:30	4575.58	210.567	194.40	20.89	123.39	33.32	0.03	194.39	20.90		123.40	257.60
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:51:00	4576.08	211.067	194.41	20.88	123.38	33.32	0.03	194.40	20.89		123.40	257.60
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:51:30	4576.58	211.567	194.43	20.87	123.37	33.32	0.03	194.41	20.87		123.38	257.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:52:00	4577.08	212.067	194.44	20.86	123.36	33.32	0.03	194.42	20.86		123.37	257.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:52:30	4577.58	212.567	194.44	20.85	123.35	33.32	0.03	194.43	20.86		123.36	257.64
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:53:00	4578.08	213.067	194.44	20.85	123.35	33.32	0.03	194.43	20.86		123.36	257.64
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:53:30	4578.58	213.567	194.46	20.84	123.34	33.32	0.03	194.44	20.84		123.35	257.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:54:00	4579.08	214.067	194.47	20.83	123.33	33.32	0.03	194.45	20.83		123.34	257.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:54:30	4579.58	214.567	194.47	20.82	123.32	33.32	0.03	194.46	20.83		123.33	257.67
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:55:00	4580.08	215.067	194.49	20.80	123.31	33.32	0.03	194.48	20.81		123.32	257.68
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:55:30	4580.58	215.567	194.49	20.80	123.30	33.32	0.03	194.48	20.81		123.31	257.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:56:00	4581.08	216.067	194.50	20.80	123.30	33.32	0.03	194.48	20.80		123.31	257.69
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:56:30	4581.58	216.567	194.52	20.78	123.28	33.32	0.03	194.50	20.78		123.29	257.71
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:57:00	4582.08	217.067	194.52	20.77	123.27	33.32	0.03	194.51	20.78		123.28	257.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:57:30	4582.58	217.567	194.53	20.76	123.26	33.32	0.03	194.52	20.77		123.28	257.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:58:00	4583.08	218.067	194.54	20.75	123.26	33.32	0.03	194.53	20.76		123.27	257.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:58:30	4583.58	218.567	194.55	20.75	123.25	33.32	0.03	194.53	20.75		123.26	257.74
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:59:00	4584.08	219.067	194.56	20.73	123.23	33.32	0.03	194.55	20.74		123.24	257.76
SW Well 1A	CR TEST - RECOVERY	10/9/2010 18:59:30	4584.58	219.567	194.57	20.72	123.23	33.32	0.03	194.56	20.73		123.24	257.76
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:00:00	4585.08	220.067	194.58	20.72	123.22	33.33	0.03	194.56	20.72		123.23	257.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:00:30	4585.58	220.567	194.59	20.71	123.21	33.33	0.03	194.57	20.72		123.22	257.78
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:01:00	4586.08	221.067	194.59	20.70	123.20	33.33	0.03	194.58	20.71		123.22	257.78

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:01:30	4586.58	221.567	194.60	20.69	123.19	33.33	0.03	194.59	20.70		123.21	257.79
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:02:00	4587.08	222.067	194.61	20.69	123.19	33.33	0.03	194.59	20.70		123.20	257.80
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:02:30	4587.58	222.567	194.62	20.67	123.17	33.33	0.03	194.61	20.68		123.18	257.82
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:03:00	4588.08	223.067	194.63	20.66	123.17	33.33	0.03	194.61	20.67		123.18	257.82
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:03:30	4588.58	223.567	194.64	20.65	123.16	33.33	0.03	194.62	20.66		123.17	257.83
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:04:00	4589.08	224.067	194.65	20.65	123.15	33.33	0.03	194.63	20.65		123.16	257.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:04:30	4589.58	224.567	194.66	20.64	123.14	33.33	0.03	194.64	20.65		123.15	257.85
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:05:00	4590.08	225.067	194.66	20.63	123.13	33.33	0.03	194.65	20.64		123.15	257.85
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:06:00	4591.08	226.067	194.68	20.61	123.11	33.33	0.03	194.67	20.62		123.13	257.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:07:00	4592.08	227.067	194.69	20.60	123.10	33.33	0.03	194.67	20.61		123.12	257.88
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:08:00	4593.08	228.067	194.72	20.58	123.08	33.33	0.03	194.70	20.59		123.09	257.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:09:00	4594.08	229.067	194.73	20.56	123.06	33.33	0.03	194.71	20.57		123.08	257.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:10:00	4595.08	230.067	194.75	20.54	123.05	33.33	0.03	194.73	20.55		123.06	257.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:11:00	4596.08	231.067	194.76	20.53	123.03	33.33	0.03	194.74	20.54		123.05	257.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:12:00	4597.08	232.067	194.78	20.52	123.02	33.33	0.03	194.76	20.53		123.03	257.97
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:13:00	4598.08	233.067	194.80	20.49	122.99	33.33	0.03	194.78	20.50		123.01	257.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:14:00	4599.08	234.067	194.82	20.48	122.98	33.33	0.03	194.80	20.49		122.99	258.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:15:00	4600.08	235.067	194.83	20.46	122.96	33.33	0.04	194.81	20.47		122.98	258.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:16:00	4601.08	236.067	194.85	20.45	122.95	33.33	0.04	194.83	20.46		122.96	258.04
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:17:00	4602.08	237.067	194.87	20.43	122.93	33.33	0.04	194.85	20.44		122.94	258.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:18:00	4603.08	238.067	194.88	20.41	122.91	33.33	0.04	194.86	20.42		122.93	258.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:19:00	4604.08	239.067	194.89	20.40	122.90	33.33	0.04	194.88	20.41		122.92	258.08
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:20:00	4605.08	240.067	194.92	20.38	122.88	33.33	0.04	194.90	20.39		122.89	258.11
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:21:00	4606.08	241.067	194.93	20.36	122.86	33.33	0.04	194.92	20.37		122.88	258.12
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:22:00	4607.08	242.067	194.95	20.34	122.84	33.33	0.04	194.93	20.35		122.86	258.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:23:00	4608.08	243.067	194.97	20.33	122.83	33.33	0.04	194.95	20.34		122.85	258.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:24:00	4609.08	244.067	194.98	20.31	122.82	33.33	0.04	194.96	20.32		122.83	258.17
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:25:00	4610.08	245.067	195.00	20.30	122.80	33.33	0.04	194.98	20.31		122.82	258.18
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:26:00	4611.08	246.067	195.01	20.28	122.78	33.33	0.04	194.99	20.29		122.80	258.20
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:27:00	4612.08	247.067	195.03	20.27	122.77	33.33	0.04	195.01	20.28		122.79	258.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:28:00	4613.08	248.067	195.05	20.25	122.75	33.33	0.04	195.03	20.26		122.77	258.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:29:00	4614.08	249.067	195.06	20.24	122.74	33.33	0.04	195.04	20.25		122.75	258.25
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:30:00	4615.08	250.067	195.07	20.22	122.72	33.34	0.04	195.05	20.23		122.74	258.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:31:00	4616.08	251.067	195.09	20.20	122.71	33.34	0.04	195.07	20.22		122.72	258.28
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:32:00	4617.08	252.067	195.11	20.19	122.69	33.34	0.04	195.09	20.20		122.71	258.29
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:33:00	4618.08	253.067	195.12	20.17	122.68	33.34	0.04	195.10	20.19		122.69	258.31
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:34:00	4619.08	254.067	195.14	20.15	122.66	33.34	0.04	195.12	20.17		122.67	258.33
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:35:00	4620.08	255.067	195.15	20.14	122.64	33.33	0.04	195.13	20.15		122.66	258.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:36:00	4621.08	256.067	195.17	20.13	122.63	33.33	0.04	195.15	20.14		122.65	258.35
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:37:00	4622.08	257.067	195.19	20.10	122.61	33.33	0.04	195.17	20.12		122.62	258.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:38:00	4623.08	258.067	195.20	20.09	122.59	33.33	0.04	195.18	20.10		122.61	258.39
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:39:00	4624.08	259.067	195.22	20.07	122.57	33.33	0.04	195.20	20.08		122.59	258.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:40:00	4625.08	260.067	195.24	20.06	122.56	33.34	0.04	195.22	20.07		122.58	258.42
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:41:00	4626.08	261.067	195.25	20.04	122.54	33.34	0.04	195.23	20.05		122.56	258.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:42:00	4627.08	262.067	195.26	20.03	122.53	33.34	0.04	195.24	20.04		122.55	258.45
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:43:00	4628.08	263.067	195.28	20.01	122.52	33.34	0.04	195.26	20.03		122.53	258.47
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:44:00	4629.08	264.067	195.29	20.00	122.50	33.34	0.04	195.27	20.01		122.52	258.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:45:00	4630.08	265.067	195.31	19.99	122.49	33.34	0.04	195.29	20.00		122.51	258.49
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:46:00	4631.08	266.067	195.32	19.97	122.47	33.34	0.04	195.30	19.98		122.49	258.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:47:00	4632.08	267.067	195.34	19.95	122.46	33.34	0.04	195.32	19.97		122.48	258.52
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:48:00	4633.08	268.067	195.36	19.94	122.44	33.34	0.04	195.34	19.95		122.46	258.54
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:49:00	4634.08	269.067	195.37	19.92	122.42	33.34	0.04	195.35	19.94		122.44	258.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:50:00	4635.08	270.067	195.39	19.91	122.41	33.34	0.04	195.37	19.92		122.43	258.57
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:51:00	4636.08	271.067	195.40	19.89	122.39	33.34	0.04	195.38	19.90		122.41	258.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:52:00	4637.08	272.067	195.42	19.87	122.38	33.34	0.04	195.40	19.89		122.39	258.61
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:53:00	4638.08	273.067	195.44	19.86	122.36	33.34	0.04	195.41	19.87		122.38	258.62
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:54:00	4639.08	274.067	195.44	19.85	122.35	33.34	0.04	195.42	19.87		122.37	258.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:55:00	4640.08	275.067	195.47	19.83	122.33	33.34	0.04	195.44	19.84		122.35	258.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:56:00	4641.08	276.067	195.47	19.82	122.32	33.34	0.04	195.45	19.83		122.34	258.66
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:57:00	4642.08	277.067	195.49	19.80	122.31	33.34	0.04	195.47	19.82		122.33	258.67
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:58:00	4643.08	278.067	195.51	19.78	122.28	33.34	0.04	195.49	19.80		122.30	258.70
SW Well 1A	CR TEST - RECOVERY	10/9/2010 19:59:00	4644.08	279.067	195.53	19.77	122.27	33.34	0.04	195.51	19.78		122.29	258.71
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:00:00	4645.08	280.067	195.54	19.76	122.26	33.34	0.05	195.51	19.77		122.28	258.72
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:01:00	4646.08	281.067	195.55	19.74	122.25	33.34	0.05	195.53	19.76		122.27	258.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:02:00	4647.08	282.067	195.57	19.73	122.23	33.34	0.05	195.54	19.74		122.25	258.75
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:03:00	4648.08	283.067	195.58	19.71	122.21	33.34	0.05	195.56	19.73		122.23	258.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:04:00	4649.08	284.067	195.60	19.70	122.20	33.34	0.05	195.58	19.71		122.22	258.78
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:05:00	4650.08	285.067	195.61	19.69	122.19	33.34	0.05	195.58	19.70		122.21	258.79
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:06:00	4651.08	286.067	195.62	19.67	122.17	33.34	0.05	195.60	19.69		122.19	258.81
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:07:00	4652.08	287.067	195.64	19.66	122.16	33.34	0.05	195.61	19.67		122.18	258.82
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:08:00	4653.08	288.067	195.65	19.64	122.14	33.34	0.05	195.63	19.66		122.16	258.84
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:09:00	4654.08	289.067	195.67	19.63	122.13	33.34	0.05	195.65	19.64		122.15	258.85
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:10:00	4655.08	290.067	195.68	19.61	122.11	33.34	0.05	195.66	19.63		122.13	258.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:11:00	4656.08	291.067	195.69	19.60	122.11	33.34	0.05	195.67	19.62		122.13	258.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:12:00	4657.08	292.067	195.71	19.59	122.09	33.34	0.05	195.68	19.60		122.11	258.89
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:13:00	4658.08	293.067	195.72	19.57	122.07	33.34	0.05	195.70	19.59		122.09	258.91
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:14:00	4659.08	294.067	195.74	19.56	122.06	33.34	0.05	195.71	19.57		122.08	258.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:15:00	4660.08	295.067	195.75	19.55	122.05	33.34	0.04	195.72	19.56		122.07	258.93
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:16:00	4661.08	296.067	195.76	19.53	122.03	33.34	0.04	195.74	19.55		122.05	258.95
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:17:00	4662.08	297.067	195.78	19.52	122.02	33.34	0.04	195.76	19.53		122.04	258.96
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:18:00	4663.08	298.067	195.79	19.50	122.00	33.34	0.04	195.77	19.51		122.02	258.98
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:19:00	4664.08	299.067	195.81	19.48	121.99	33.34	0.04	195.79	19.50		122.01	258.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:20:00	4665.08	300.067	195.82	19.48	121.98	33.34	0.04	195.80	19.49		122.00	259.00
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:21:00	4666.08	301.067	195.83	19.46	121.96	33.34	0.04	195.81	19.48		121.98	259.02
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:22:00	4667.08	302.067	195.85	19.45	121.95	33.34	0.04	195.83	19.46		121.97	259.03
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:23:00	4668.08	303.067	195.86	19.43	121.93	33.34	0.04	195.84	19.44		121.95	259.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:24:00	4669.08	304.067	195.88	19.41	121.92	33.34	0.04	195.86	19.43		121.94	259.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:25:00	4670.08	305.067	195.89	19.41	121.91	33.34	0.04	195.87	19.42		121.93	259.07
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:26:00	4671.08	306.067	195.90	19.39	121.89	33.34	0.04	195.88	19.41		121.91	259.09
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:27:00	4672.08	307.067	195.92	19.38	121.88	33.34	0.04	195.90	19.39		121.90	259.10
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:28:00	4673.08	308.067	195.93	19.37	121.87	33.34	0.04	195.91	19.38		121.89	259.11
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:29:00	4674.08	309.067	195.94	19.35	121.85	33.34	0.04	195.92	19.37		121.87	259.13
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:30:00	4675.08	310.067	195.96	19.34	121.84	33.34	0.04	195.94	19.35		121.86	259.14
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:31:00	4676.08	311.067	195.97	19.33	121.83	33.34	0.04	195.94	19.34		121.85	259.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:32:00	4677.08	312.067	195.98	19.31	121.82	33.34	0.04	195.96	19.33		121.83	259.17
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:33:00	4678.08	313.067	195.99	19.31	121.81	33.34	0.04	195.97	19.32		121.83	259.17
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:34:00	4679.08	314.067	196.01	19.28	121.78	33.34	0.04	195.99	19.30		121.80	259.20

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:35:00	4680.08	315.067	196.03	19.27	121.77	33.34	0.04	196.01	19.28		121.79	259.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:36:00	4681.08	316.067	196.03	19.27	121.77	33.34	0.04	196.01	19.28		121.79	259.21
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:37:00	4682.08	317.067	196.04	19.25	121.75	33.34	0.04	196.02	19.27		121.77	259.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:38:00	4683.08	318.067	196.06	19.24	121.74	33.34	0.04	196.04	19.25		121.76	259.24
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:39:00	4684.08	319.067	196.07	19.22	121.72	33.34	0.04	196.05	19.23		121.74	259.26
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:40:00	4685.08	320.067	196.08	19.21	121.71	33.34	0.04	196.06	19.23		121.73	259.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:41:00	4686.08	321.067	196.10	19.20	121.70	33.34	0.04	196.07	19.21		121.72	259.28
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:42:00	4687.08	322.067	196.11	19.18	121.68	33.34	0.04	196.09	19.20		121.70	259.30
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:43:00	4688.08	323.067	196.13	19.17	121.67	33.34	0.04	196.11	19.18		121.69	259.31
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:44:00	4689.08	324.067	196.14	19.16	121.66	33.34	0.04	196.11	19.17		121.68	259.32
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:45:00	4690.08	325.067	196.15	19.14	121.64	33.34	0.04	196.13	19.16		121.66	259.34
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:46:00	4691.08	326.067	196.17	19.13	121.63	33.34	0.04	196.14	19.14		121.65	259.35
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:47:00	4692.08	327.067	196.18	19.12	121.62	33.34	0.04	196.15	19.13		121.64	259.36
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:48:00	4693.08	328.067	196.19	19.10	121.60	33.34	0.04	196.17	19.12		121.62	259.38
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:49:00	4694.08	329.067	196.21	19.09	121.59	33.34	0.04	196.18	19.10		121.61	259.39
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:50:00	4695.08	330.067	196.21	19.08	121.58	33.34	0.05	196.19	19.10		121.60	259.40
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:51:00	4696.08	331.067	196.23	19.06	121.57	33.34	0.05	196.21	19.08		121.59	259.41
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:52:00	4697.08	332.067	196.24	19.06	121.56	33.34	0.05	196.21	19.07		121.58	259.42
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:53:00	4698.08	333.067	196.25	19.04	121.54	33.34	0.05	196.23	19.06		121.56	259.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:54:00	4699.08	334.067	196.26	19.03	121.53	33.34	0.05	196.24	19.05		121.56	259.44
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:55:00	4700.08	335.067	196.28	19.02	121.52	33.34	0.04	196.25	19.03		121.54	259.46
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:56:00	4701.08	336.067	196.29	19.00	121.50	33.34	0.04	196.27	19.02		121.52	259.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:57:00	4702.08	337.067	196.30	18.99	121.50	33.34	0.04	196.28	19.01		121.51	259.49
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:58:00	4703.08	338.067	196.32	18.98	121.48	33.34	0.04	196.29	18.99		121.50	259.50
SW Well 1A	CR TEST - RECOVERY	10/9/2010 20:59:00	4704.08	339.067	196.32	18.97	121.47	33.34	0.04	196.30	18.98		121.49	259.51
SW Well 1A	CR TEST - RECOVERY	10/9/2010 21:00:00	4705.08	340.067	196.34	18.95	121.46	33.34	0.04	196.32	18.97		121.47	259.53
SW Well 1A	CR TEST - RECOVERY	10/9/2010 21:01:00	4706.08	341.067	196.35	18.94	121.44	33.34	0.04	196.33	18.95		121.46	259.54
SW Well 1A	CR TEST - RECOVERY	10/9/2010 21:02:00	4707.08	342.067	196.36	18.93	121.43	33.34	0.04	196.34	18.94		121.45	259.55
SW Well 1A	CR TEST - RECOVERY	10/9/2010 21:03:00	4708.08	343.067	196.38	18.92	121.42	33.34	0.04	196.36	18.93		121.44	259.56
SW Well 1A	CR TEST - RECOVERY	10/9/2010 21:04:00	4709.08	344.067	196.39	18.91	121.41	33.34	0.04	196.36	18.92		121.43	259.57
SW Well 1A	CR TEST - RECOVERY	10/9/2010 21:05:00	4710.08	345.067	196.40	18.89	121.39	33.33	0.04	196.38	18.91		121.41	259.59
SW Well 1A	CR TEST - RECOVERY	10/9/2010 21:10:00	4715.08	350.067	196.46	18.83	121.33	33.33	0.04	196.44	18.84		121.35	259.65
SW Well 1A	CR TEST - RECOVERY	10/9/2010 21:15:00	4720.08	355.067	196.52	18.78	121.28	33.33	0.04	196.50	18.79		121.29	259.71
SW Well 1A	CR TEST - RECOVERY	10/9/2010 21:20:00	4725.08	360.067	196.58	18.71	121.22	33.33	0.04	196.56	18.73		121.23	259.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 21:25:00	4730.08	365.067	196.64	18.66	121.16	33.33	0.04	196.62	18.67		121.18	259.82
SW Well 1A	CR TEST - RECOVERY	10/9/2010 21:30:00	4735.08	370.067	196.70	18.60	121.10	33.33	0.04	196.68	18.61		121.12	259.88
SW Well 1A	CR TEST - RECOVERY	10/9/2010 21:35:00	4740.08	375.067	196.75	18.54	121.04	33.33	0.04	196.73	18.55		121.06	259.94
SW Well 1A	CR TEST - RECOVERY	10/9/2010 21:40:00	4745.08	380.067	196.81	18.49	120.99	33.33	0.04	196.79	18.50		121.01	259.99
SW Well 1A	CR TEST - RECOVERY	10/9/2010 21:45:00	4750.08	385.067	196.87	18.43	120.93	33.33	0.03	196.85	18.44		120.94	260.06
SW Well 1A	CR TEST - RECOVERY	10/9/2010 21:50:00	4755.08	390.067	196.92	18.38	120.88	33.33	0.04	196.90	18.39		120.90	260.10
SW Well 1A	CR TEST - RECOVERY	10/9/2010 21:55:00	4760.08	395.067	196.98	18.32	120.82	33.34	0.04	196.96	18.33		120.84	260.16
SW Well 1A	CR TEST - RECOVERY	10/9/2010 22:00:00	4765.08	400.067	197.03	18.26	120.76	33.34	0.04	197.01	18.28		120.78	260.22
SW Well 1A	CR TEST - RECOVERY	10/9/2010 22:05:00	4770.08	405.067	197.09	18.21	120.71	33.34	0.05	197.06	18.22		120.73	260.27
SW Well 1A	CR TEST - RECOVERY	10/9/2010 22:10:00	4775.08	410.067	197.13	18.16	120.66	33.34	0.04	197.11	18.17		120.68	260.32
SW Well 1A	CR TEST - RECOVERY	10/9/2010 22:15:00	4780.08	415.067	197.18	18.11	120.62	33.33	0.03	197.16	18.12		120.63	260.37
SW Well 1A	CR TEST - RECOVERY	10/9/2010 22:20:00	4785.08	420.067	197.24	18.06	120.56	33.33	0.03	197.22	18.07		120.57	260.43
SW Well 1A	CR TEST - RECOVERY	10/9/2010 22:25:00	4790.08	425.067	197.29	18.00	120.51	33.33	0.03	197.27	18.01		120.52	260.48
SW Well 1A	CR TEST - RECOVERY	10/9/2010 22:30:00	4795.08	430.067	197.34	17.95	120.45	33.33	0.04	197.33	17.96		120.47	260.53
SW Well 1A	CR TEST - RECOVERY	10/9/2010 22:35:00	4800.08	435.067	197.39	17.90	120.41	33.33	0.04	197.37	17.91		120.42	260.58
SW Well 1A	CR TEST - RECOVERY	10/9/2010 22:40:00	4805.08	440.067	197.44	17.86	120.36	33.33	0.03	197.42	17.87		120.37	260.63
SW Well 1A	CR TEST - RECOVERY	10/9/2010 22:45:00	4810.08	445.067	197.48	17.81	120.31	33.33	0.03	197.47	17.82		120.33	260.67
SW Well 1A	CR TEST - RECOVERY	10/9/2010 22:50:00	4815.08	450.067	197.54	17.75	120.26	33.33	0.03	197.52	17.76		120.27	260.73
SW Well 1A	CR TEST - RECOVERY	10/9/2010 22:55:00	4820.08	455.067	197.58	17.72	120.22	33.33	0.03	197.56	17.73		120.23	260.77
SW Well 1A	CR TEST - RECOVERY	10/9/2010 23:00:00	4825.08	460.067	197.63	17.66	120.16	33.33	0.03	197.62	17.67		120.18	260.82
SW Well 1A	CR TEST - RECOVERY	10/9/2010 23:05:00	4830.08	465.067	197.68	17.61	120.12	33.33	0.03	197.66	17.62		120.13	260.87
SW Well 1A	CR TEST - RECOVERY	10/9/2010 23:10:00	4835.08	470.067	197.73	17.57	120.07	33.33	0.04	197.71	17.58		120.08	260.92
SW Well 1A	CR TEST - RECOVERY	10/9/2010 23:15:00	4840.08	475.067	197.77	17.52	120.02	33.33	0.04	197.75	17.53		120.04	260.96
SW Well 1A	CR TEST - RECOVERY	10/9/2010 23:20:00	4845.08	480.067	197.83	17.46	119.97	33.34	0.04	197.81	17.48		119.99	261.01
SW Well 1A	CR TEST - RECOVERY	10/9/2010 23:25:00	4850.08	485.067	197.87	17.43	119.93	33.34	0.05	197.84	17.44		119.95	261.05
SW Well 1A	CR TEST - RECOVERY	10/9/2010 23:30:00	4855.08	490.067	197.92	17.37	119.88	33.34	0.05	197.90	17.39		119.90	261.10
SW Well 1A	CR TEST - RECOVERY	10/9/2010 23:35:00	4860.08	495.067	197.97	17.33	119.83	33.34	0.05	197.94	17.34		119.85	261.15
SW Well 1A	CR TEST - RECOVERY	10/9/2010 23:40:00	4865.08	500.067	198.01	17.29	119.79	33.34	0.05	197.98	17.30		119.81	261.19
SW Well 1A	CR TEST - RECOVERY	10/9/2010 23:45:00	4870.08	505.067	198.05	17.25	119.75	33.34	0.05	198.02	17.26		119.77	261.23
SW Well 1A	CR TEST - RECOVERY	10/9/2010 23:50:00	4875.08	510.067	198.09	17.20	119.70	33.34	0.04	198.07	17.21		119.72	261.28
SW Well 1A	CR TEST - RECOVERY	10/9/2010 23:55:00	4880.08	515.067	198.13	17.16	119.66	33.34	0.04	198.11	17.18		119.68	261.32
SW Well 1A	CR TEST - RECOVERY	10/10/2010 0:00:00	4885.08	520.067	198.18	17.11	119.62	33.34	0.04	198.16	17.13		119.63	261.37
SW Well 1A	CR TEST - RECOVERY	10/10/2010 0:05:00	4890.08	525.067	198.22	17.08	119.58	33.34	0.04	198.19	17.09		119.60	261.40
SW Well 1A	CR TEST - RECOVERY	10/10/2010 0:10:00	4895.08	530.067	198.26	17.03	119.53	33.34	0.04	198.24	17.05		119.55	261.45
SW Well 1A	CR TEST - RECOVERY	10/10/2010 0:15:00	4900.08	535.067	198.31	16.98	119.49	33.34	0.05	198.29	17.00		119.51	261.49
SW Well 1A	CR TEST - RECOVERY	10/10/2010 0:20:00	4905.08	540.067	198.35	16.94	119.45	33.34	0.05	198.33	16.96		119.47	261.53
SW Well 1A	CR TEST - RECOVERY	10/10/2010 0:25:00	4910.08	545.067	198.39	16.90	119.40	33.34	0.05	198.37	16.92		119.43	261.57
SW Well 1A	CR TEST - RECOVERY	10/10/2010 0:30:00	4915.08	550.067	198.44	16.86	119.36	33.34	0.05	198.41	16.87		119.38	261.62
SW Well 1A	CR TEST - RECOVERY	10/10/2010 0:35:00	4920.08	555.067	198.48	16.82	119.32	33.34	0.04	198.45	16.83		119.34	261.66
SW Well 1A	CR TEST - RECOVERY	10/10/2010 0:40:00	4925.08	560.067	198.51	16.78	119.28	33.34	0.04	198.49	16.80		119.30	261.70
SW Well 1A	CR TEST - RECOVERY	10/10/2010 0:45:00	4930.08	565.067	198.55	16.74	119.24	33.34	0.04	198.53	16.76		119.26	261.74
SW Well 1A	CR TEST - RECOVERY	10/10/2010 0:50:00	4935.08	570.067	198.59	16.70	119.21	33.34	0.04	198.57	16.72		119.22	261.78
SW Well 1A	CR TEST - RECOVERY	10/10/2010 0:55:00	4940.08	575.067	198.63	16.66	119.17	33.34	0.04	198.61	16.68		119.18	261.82
SW Well 1A	CR TEST - RECOVERY	10/10/2010 1:00:00	4945.08	580.067	198.67	16.62	119.12	33.34	0.04	198.65	16.64		119.14	261.86
SW Well 1A	CR TEST - RECOVERY	10/10/2010 1:05:00	4950.08	585.067	198.71	16.58	119.09	33.34	0.05	198.69	16.60		119.11	261.89
SW Well 1A	CR TEST - RECOVERY	10/10/2010 1:10:00	4955.08	590.067	198.76	16.54	119.04	33.34	0.05	198.73	16.55		119.06	261.94
SW Well 1A	CR TEST - RECOVERY	10/10/2010 1:15:00	4960.08	595.067	198.79	16.51	119.01	33.34	0.05	198.76	16.53		119.03	261.97
SW Well 1A	CR TEST - RECOVERY	10/10/2010 1:20:00	4965.08	600.067	198.84	16.46	118.96	33.35	0.05	198.81	16.48		118.98	262.02
SW Well 1A	CR TEST - RECOVERY	10/10/2010 1:25:00	4970.08	605.067	198.87	16.42	118.92	33.35	0.05	198.85	16.44		118.94	262.06
SW Well 1A	CR TEST - RECOVERY	10/10/2010 1:30:00	4975.08	610.067	198.91	16.39	118.89	33.35	0.05	198.88	16.41		118.91	262.09
SW Well 1A	CR TEST - RECOVERY	10/10/2010 1:35:00	4980.08	615.067	198.95	16.34	118.84	33.35	0.05	198.93	16.36		118.87	262.13
SW Well 1A	CR TEST - RECOVERY	10/10/2010 1:40:00	4985.08	620.067	198.98	16.31	118.81	33.35	0.06	198.96	16.33		118.84	262.16
SW Well 1A	CR TEST - RECOVERY	10/10/2010 1:45:00	4990.08	625.067	199.02	16.27	118.77	33.35	0.05	199.00	16.29		118.80	262.20
SW Well 1A	CR TEST - RECOVERY	10/10/2010 1:50:00	4995.08	630.067	199.06	16.23	118.73	33.35	0.06	199.03	16.25		118.76	262.24
SW Well 1A	CR TEST - RECOVERY	10/10/2010 1:55:00	5000.08	635.067	199.10	16.19	118.70	33.35	0.06	199.07	16.22		118.72	262.28
SW Well 1A	CR TEST - RECOVERY	10/10/2010 2:00:00	5005.08	640.067	199.14	16.15	118.66	33.35	0.06	199.11	16.18		118.68	262.32
SW Well 1A	CR TEST - RECOVERY	10/10/2010 2:05:00	5010.08	645.067	199.18	16.12	118.62	33.35	0.06	199.15	16.14		118.64	262.36
SW Well 1A	CR TEST - RECOVERY	10/10/2010 2:10:00	5015.08	650.067	199.22	16.08	118.58	33.36	0.06	199.19	16.10		118.61	262.39
SW Well 1A	CR TEST - RECOVERY	10/10/2010 2:15:00	5020.08	655.067	199.25	16.05	118.55	33.36	0.06	199.22	16.07		118.58	262.42
SW Well 1A	CR TEST - RECOVERY	10/10/2010 2:20:00	5025.08	660.067	199.29	16.01	118.51	33.36	0.06	199.26	16.03		118.54	262.46
SW Well 1A	CR TEST - RECOVERY	10/10/2010 2:25:00	5030.08	665.067	199.33	15.97	118.47	33.36	0.07	199.29	15.99		118.50	262.50
SW Well 1A	CR TEST - RECOVERY	10/10/2010 2:30:00	5035.08	670.067	199.36	15.94	118.44	33.36	0.07	199.32	15.96		118.47	262.53
SW Well 1A	CR TEST - RECOVERY	10/10/2010 2:35:00	5040.08	675.067	199.40	15.90	118.40	33.36	0.07	199.36	15.92		118.43	262.57

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/10/2010 2:40:00	5045.08	680.067	199.43	15.87	118.37	33.36	0.07	199.39	15.89		118.40	262.60
SW Well 1A	CR TEST - RECOVERY	10/10/2010 2:45:00	5050.08	685.067	199.47	15.83	118.33	33.37	0.07	199.43	15.86		118.36	262.64
SW Well 1A	CR TEST - RECOVERY	10/10/2010 2:50:00	5055.08	690.067	199.51	15.79	118.29	33.37	0.07	199.47	15.82		118.32	262.68
SW Well 1A	CR TEST - RECOVERY	10/10/2010 2:55:00	5060.08	695.067	199.54	15.76	118.26	33.37	0.07	199.50	15.79		118.29	262.71
SW Well 1A	CR TEST - RECOVERY	10/10/2010 3:00:00	5065.08	700.067	199.57	15.73	118.23	33.37	0.07	199.53	15.76		118.26	262.74
SW Well 1A	CR TEST - RECOVERY	10/10/2010 3:05:00	5070.08	705.067	199.60	15.70	118.20	33.37	0.07	199.56	15.72		118.23	262.77
SW Well 1A	CR TEST - RECOVERY	10/10/2010 3:10:00	5075.08	710.067	199.64	15.66	118.16	33.37	0.07	199.60	15.69		118.19	262.81
SW Well 1A	CR TEST - RECOVERY	10/10/2010 3:15:00	5080.08	715.067	199.68	15.62	118.12	33.37	0.07	199.64	15.65		118.15	262.85
SW Well 1A	CR TEST - RECOVERY	10/10/2010 3:20:00	5085.08	720.067	199.71	15.59	118.09	33.37	0.07	199.67	15.62		118.12	262.88
SW Well 1A	CR TEST - RECOVERY	10/10/2010 3:25:00	5090.08	725.067	199.74	15.55	118.06	33.37	0.07	199.70	15.58		118.09	262.91
SW Well 1A	CR TEST - RECOVERY	10/10/2010 3:30:00	5095.08	730.067	199.77	15.52	118.03	33.36	0.07	199.74	15.55		118.06	262.94
SW Well 1A	CR TEST - RECOVERY	10/10/2010 3:35:00	5100.08	735.067	199.82	15.48	117.98	33.37	0.07	199.78	15.50		118.01	262.99
SW Well 1A	CR TEST - RECOVERY	10/10/2010 3:40:00	5105.08	740.067	199.85	15.45	117.95	33.37	0.08	199.81	15.48		117.98	263.02
SW Well 1A	CR TEST - RECOVERY	10/10/2010 3:45:00	5110.08	745.067	199.89	15.41	117.91	33.38	0.08	199.84	15.44		117.95	263.05
SW Well 1A	CR TEST - RECOVERY	10/10/2010 3:50:00	5115.08	750.067	199.92	15.38	117.88	33.38	0.09	199.87	15.41		117.92	263.08
SW Well 1A	CR TEST - RECOVERY	10/10/2010 3:55:00	5120.08	755.067	199.95	15.34	117.85	33.38	0.09	199.91	15.38		117.89	263.11
SW Well 1A	CR TEST - RECOVERY	10/10/2010 4:00:00	5125.08	760.067	199.99	15.31	117.81	33.38	0.09	199.94	15.34		117.85	263.15
SW Well 1A	CR TEST - RECOVERY	10/10/2010 4:05:00	5130.08	765.067	200.02	15.27	117.78	33.38	0.09	199.98	15.31		117.82	263.18
SW Well 1A	CR TEST - RECOVERY	10/10/2010 4:10:00	5135.08	770.067	200.05	15.24	117.75	33.39	0.09	200.00	15.28		117.79	263.21
SW Well 1A	CR TEST - RECOVERY	10/10/2010 4:15:00	5140.08	775.067	200.09	15.20	117.71	33.39	0.09	200.04	15.24		117.75	263.25
SW Well 1A	CR TEST - RECOVERY	10/10/2010 4:20:00	5145.08	780.067	200.12	15.17	117.68	33.39	0.10	200.07	15.21		117.72	263.28
SW Well 1A	CR TEST - RECOVERY	10/10/2010 4:25:00	5150.08	785.067	200.14	15.15	117.65	33.39	0.09	200.10	15.19		117.69	263.31
SW Well 1A	CR TEST - RECOVERY	10/10/2010 4:30:00	5155.08	790.067	200.18	15.11	117.61	33.39	0.09	200.14	15.15		117.66	263.34
SW Well 1A	CR TEST - RECOVERY	10/10/2010 4:35:00	5160.08	795.067	200.21	15.08	117.58	33.39	0.10	200.17	15.12		117.63	263.37
SW Well 1A	CR TEST - RECOVERY	10/10/2010 4:40:00	5165.08	800.067	200.25	15.04	117.54	33.39	0.10	200.20	15.08		117.59	263.41
SW Well 1A	CR TEST - RECOVERY	10/10/2010 4:45:00	5170.08	805.067	200.29	15.00	117.50	33.40	0.10	200.24	15.05		117.55	263.45
SW Well 1A	CR TEST - RECOVERY	10/10/2010 4:50:00	5175.08	810.067	200.32	14.97	117.47	33.40	0.10	200.27	15.02		117.52	263.48
SW Well 1A	CR TEST - RECOVERY	10/10/2010 4:55:00	5180.08	815.067	200.35	14.94	117.44	33.40	0.11	200.30	14.99		117.49	263.51
SW Well 1A	CR TEST - RECOVERY	10/10/2010 5:00:00	5185.08	820.067	200.39	14.90	117.40	33.41	0.11	200.34	14.95		117.46	263.54
SW Well 1A	CR TEST - RECOVERY	10/10/2010 5:05:00	5190.08	825.067	200.42	14.87	117.37	33.41	0.12	200.37	14.92		117.43	263.57
SW Well 1A	CR TEST - RECOVERY	10/10/2010 5:10:00	5195.08	830.067	200.45	14.85	117.35	33.41	0.12	200.39	14.90		117.40	263.60
SW Well 1A	CR TEST - RECOVERY	10/10/2010 5:15:00	5200.08	835.067	200.49	14.81	117.31	33.41	0.12	200.43	14.86		117.37	263.63
SW Well 1A	CR TEST - RECOVERY	10/10/2010 5:20:00	5205.08	840.067	200.52	14.78	117.28	33.42	0.13	200.45	14.83		117.34	263.66
SW Well 1A	CR TEST - RECOVERY	10/10/2010 5:25:00	5210.08	845.067	200.56	14.74	117.24	33.42	0.13	200.49	14.79		117.30	263.70
SW Well 1A	CR TEST - RECOVERY	10/10/2010 5:30:00	5215.08	850.067	200.58	14.71	117.22	33.43	0.13	200.51	14.77		117.28	263.72
SW Well 1A	CR TEST - RECOVERY	10/10/2010 5:35:00	5220.08	855.067	200.61	14.68	117.18	33.43	0.14	200.54	14.74		117.25	263.75
SW Well 1A	CR TEST - RECOVERY	10/10/2010 5:40:00	5225.08	860.067	200.65	14.65	117.15	33.43	0.14	200.58	14.71		117.22	263.78
SW Well 1A	CR TEST - RECOVERY	10/10/2010 5:45:00	5230.08	865.067	200.67	14.62	117.12	33.43	0.13	200.61	14.68		117.18	263.82
SW Well 1A	CR TEST - RECOVERY	10/10/2010 5:50:00	5235.08	870.067	200.71	14.59	117.09	33.43	0.13	200.64	14.65		117.15	263.85
SW Well 1A	CR TEST - RECOVERY	10/10/2010 5:55:00	5240.08	875.067	200.74	14.56	117.06	33.43	0.14	200.67	14.62		117.13	263.87
SW Well 1A	CR TEST - RECOVERY	10/10/2010 6:00:00	5245.08	880.067	200.77	14.53	117.03	33.44	0.14	200.70	14.59		117.10	263.90
SW Well 1A	CR TEST - RECOVERY	10/10/2010 6:05:00	5250.08	885.067	200.79	14.50	117.00	33.44	0.14	200.72	14.57		117.07	263.93
SW Well 1A	CR TEST - RECOVERY	10/10/2010 6:10:00	5255.08	890.067	200.83	14.46	116.97	33.44	0.14	200.76	14.53		117.04	263.96
SW Well 1A	CR TEST - RECOVERY	10/10/2010 6:15:00	5260.08	895.067	200.86	14.43	116.93	33.45	0.15	200.79	14.50		117.01	263.99
SW Well 1A	CR TEST - RECOVERY	10/10/2010 6:20:00	5265.08	900.067	200.89	14.40	116.90	33.45	0.15	200.81	14.47		116.98	264.02
SW Well 1A	CR TEST - RECOVERY	10/10/2010 6:25:00	5270.08	905.067	200.92	14.37	116.87	33.45	0.16	200.84	14.44		116.95	264.05
SW Well 1A	CR TEST - RECOVERY	10/10/2010 6:30:00	5275.08	910.067	200.95	14.34	116.84	33.46	0.16	200.87	14.41		116.92	264.08
SW Well 1A	CR TEST - RECOVERY	10/10/2010 6:35:00	5280.08	915.067	200.98	14.32	116.82	33.46	0.16	200.90	14.39		116.90	264.10
SW Well 1A	CR TEST - RECOVERY	10/10/2010 6:40:00	5285.08	920.067	201.02	14.28	116.78	33.46	0.17	200.93	14.35		116.86	264.14
SW Well 1A	CR TEST - RECOVERY	10/10/2010 6:45:00	5290.08	925.067	201.05	14.25	116.75	33.47	0.17	200.96	14.33		116.83	264.17
SW Well 1A	CR TEST - RECOVERY	10/10/2010 6:50:00	5295.08	930.067	201.08	14.21	116.71	33.47	0.18	200.99	14.29		116.80	264.20
SW Well 1A	CR TEST - RECOVERY	10/10/2010 6:55:00	5300.08	935.067	201.11	14.18	116.68	33.48	0.19	201.02	14.27		116.77	264.23
SW Well 1A	CR TEST - RECOVERY	10/10/2010 7:00:00	5305.08	940.067	201.14	14.15	116.65	33.48	0.19	201.05	14.24		116.74	264.26
SW Well 1A	CR TEST - RECOVERY	10/10/2010 7:05:00	5310.08	945.067	201.17	14.12	116.62	33.49	0.19	201.08	14.21		116.72	264.28
SW Well 1A	CR TEST - RECOVERY	10/10/2010 7:10:00	5315.08	950.067	201.20	14.09	116.59	33.49	0.19	201.11	14.18		116.69	264.31
SW Well 1A	CR TEST - RECOVERY	10/10/2010 7:15:00	5320.08	955.067	201.23	14.07	116.57	33.49	0.19	201.13	14.16		116.66	264.34
SW Well 1A	CR TEST - RECOVERY	10/10/2010 7:20:00	5325.08	960.067	201.26	14.03	116.53	33.49	0.19	201.16	14.12		116.63	264.37
SW Well 1A	CR TEST - RECOVERY	10/10/2010 7:25:00	5330.08	965.067	201.28	14.01	116.51	33.49	0.19	201.18	14.10		116.61	264.39
SW Well 1A	CR TEST - RECOVERY	10/10/2010 7:30:00	5335.08	970.067	201.32	13.98	116.48	33.49	0.20	201.22	14.07		116.58	264.42
SW Well 1A	CR TEST - RECOVERY	10/10/2010 7:35:00	5340.08	975.067	201.34	13.95	116.45	33.49	0.20	201.24	14.04		116.55	264.45
SW Well 1A	CR TEST - RECOVERY	10/10/2010 7:40:00	5345.08	980.067	201.37	13.92	116.43	33.50	0.20	201.27	14.02		116.52	264.48
SW Well 1A	CR TEST - RECOVERY	10/10/2010 7:45:00	5350.08	985.067	201.40	13.89	116.39	33.50	0.20	201.30	13.99		116.49	264.51
SW Well 1A	CR TEST - RECOVERY	10/10/2010 7:50:00	5355.08	990.067	201.43	13.86	116.36	33.50	0.20	201.33	13.96		116.46	264.54
SW Well 1A	CR TEST - RECOVERY	10/10/2010 7:55:00	5360.08	995.067	201.46	13.84	116.34	33.53	0.23	201.34	13.95		116.45	264.55
SW Well 1A	CR TEST - RECOVERY	10/10/2010 8:00:00	5365.08	1000.067	201.49	13.81	116.31	33.53	0.24	201.37	13.92		116.42	264.58
SW Well 1A	CR TEST - RECOVERY	10/10/2010 8:05:00	5370.08	1005.067	201.52	13.78	116.28	33.54	0.24	201.40	13.89		116.40	264.60
SW Well 1A	CR TEST - RECOVERY	10/10/2010 8:10:00	5375.08	1010.067	201.55	13.74	116.25	33.54	0.25	201.43	13.86		116.37	264.63
SW Well 1A	CR TEST - RECOVERY	10/10/2010 8:15:00	5380.08	1015.067	201.57	13.72	116.23	33.55	0.25	201.44	13.84		116.35	264.65
SW Well 1A	CR TEST - RECOVERY	10/10/2010 8:20:00	5385.08	1020.067	201.60	13.69	116.19	33.56	0.27	201.47	13.82		116.32	264.68
SW Well 1A	CR TEST - RECOVERY	10/10/2010 8:25:00	5390.08	1025.067	201.64	13.66	116.16	33.54	0.24	201.51	13.77		116.28	264.72
SW Well 1A	CR TEST - RECOVERY	10/10/2010 8:30:00	5395.08	1030.067	201.66	13.63	116.13	33.54	0.25	201.54	13.75		116.25	264.75
SW Well 1A	CR TEST - RECOVERY	10/10/2010 8:35:00	5400.08	1035.067	201.70	13.60	116.10	33.55	0.26	201.57	13.72		116.22	264.78
SW Well 1A	CR TEST - RECOVERY	10/10/2010 8:40:00	5405.08	1040.067	201.72	13.57	116.07	33.54	0.25	201.60	13.69		116.20	264.80
SW Well 1A	CR TEST - RECOVERY	10/10/2010 8:45:00	5410.08	1045.067	201.75	13.54	116.04	33.55	0.25	201.63	13.66		116.17	264.83
SW Well 1A	CR TEST - RECOVERY	10/10/2010 8:50:00	5415.08	1050.067	201.77	13.53	116.03	33.55	0.25	201.64	13.65		116.15	264.85
SW Well 1A	CR TEST - RECOVERY	10/10/2010 8:55:00	5420.08	1055.067	201.79	13.50	116.00	33.58	0.29	201.65	13.64		116.15	264.85
SW Well 1A	CR TEST - RECOVERY	10/10/2010 9:00:00	5425.08	1060.067	201.81	13.48	115.98	33.55	0.25	201.69	13.60		116.10	264.90
SW Well 1A	CR TEST - RECOVERY	10/10/2010 9:05:00	5430.08	1065.067	201.84	13.46	115.96	33.53	0.23	201.72	13.57		116.07	264.93
SW Well 1A	CR TEST - RECOVERY	10/10/2010 9:10:00	5435.08	1070.067	201.87	13.42	115.93	33.53	0.24	201.75	13.54		116.04	264.96
SW Well 1A	CR TEST - RECOVERY	10/10/2010 9:15:00	5440.08	1075.067	201.90	13.39	115.90	33.54	0.24	201.78	13.51		116.01	264.99
SW Well 1A	CR TEST - RECOVERY	10/10/2010 9:20:00	5445.08	1080.067	201.92	13.37	115.87	33.54	0.24	201.80	13.48		115.99	265.01
SW Well 1A	CR TEST - RECOVERY	10/10/2010 9:25:00	5450.08	1085.067	201.94	13.35	115.85	33.54	0.25	201.82	13.47		115.97	265.03
SW Well 1A	CR TEST - RECOVERY	10/10/2010 9:30:00	5455.08	1090.067	201.96	13.33	115.83	33.55	0.25	201.84	13.45		115.96	265.04
SW Well 1A	CR TEST - RECOVERY	10/10/2010 9:35:00	5460.08	1095.067	202.00	13.29	115.79	33.56	0.26	201.87	13.42		115.92	265.08
SW Well 1A	CR TEST - RECOVERY	10/10/2010 9:40:00	5465.08	1100.067	202.02	13.28	115.78	33.56	0.26	201.89	13.40		115.91	265.09
SW Well 1A	CR TEST - RECOVERY	10/10/2010 9:45:00	5470.08	1105.067	202.03	13.26	115.76	33.55	0.25	201.90	13.38		115.89	265.11
SW Well 1A	CR TEST - RECOVERY	10/10/2010 9:50:00	5475.08	1110.067	202.07	13.22	115.72	33.56	0.27	201.94	13.35		115.86	265.14
SW Well 1A	CR TEST - RECOVERY	10/10/2010 9:55:00	5480.08	1115.067	202.10	13.20	115.70	33.56	0.26	201.96	13.32		115.83	265.17
SW Well 1A	CR TEST - RECOVERY	10/10/2010 10:00:00	5485.08	1120.067	202.11	13.18	115.69	33.56	0.27	201.98	13.31		115.82	265.18
SW Well 1A	CR TEST - RECOVERY	10/10/2010 10:05:00	5490.08	1125.067	202.13	13.16	115.66	33.56	0.27	202.00	13.29		115.79	265.21
SW Well 1A	CR TEST - RECOVERY	10/10/2010 10:10:00	5495.08	1130.067	202.16	13.14	115.64	33.56	0.26	202.03	13.26		115.77	265.23
SW Well 1A	CR TEST - RECOVERY	10/10/2010 10:15:00	5500.08	1135.067	202.18	13.11	115.62	33.56	0.27	202.05	13.24		115.75	265.25
SW Well 1A	CR TEST - RECOVERY	10/10/2010 10:20:00	5505.08	1140.067	202.20	13.09	115.59	33.56	0.27	202.07	13.22		115.72	265.28
SW Well 1A	CR TEST - RECOVERY	10/10/2010 10:25:00	5510.08	1145.067	202.23	13.07	115.57	33.56	0.27	202.09	13.19		115.70	265.30
SW Well 1A	CR TEST - RECOVERY	10/10/2010 10:30:00	5515.08	1150.067	202.26	13.04	115.54	33.57	0.27	202.12	13.17		115.67	265.33
SW Well 1A	CR TEST - RECOVERY	10/10/2010 10:35:00	5520.08	1155.067	202.28	13.01	115.51	33.57	0.28	202.14	13.14		115.65	265.35
SW Well 1A	CR TEST - RECOVERY	10/10/2010 10:40:00	5525.08	1160.067	202.31	12.99	115.49	33.57	0.27	202.17	13.12		115.62	265.38

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/10/2010 10:45:00	5530.08	1165.067	202.32	12.97	115.47	33.57	0.27	202.19	13.10		115.61	265.39
SW Well 1A	CR TEST - RECOVERY	10/10/2010 10:50:00	5535.08	1170.067	202.34	12.95	115.45	33.57	0.28	202.21	13.08		115.59	265.41
SW Well 1A	CR TEST - RECOVERY	10/10/2010 10:55:00	5540.08	1175.067	202.37	12.93	115.43	33.57	0.28	202.23	13.06		115.56	265.44
SW Well 1A	CR TEST - RECOVERY	10/10/2010 11:00:00	5545.08	1180.067	202.39	12.90	115.40	33.57	0.27	202.25	13.03		115.54	265.46
SW Well 1A	CR TEST - RECOVERY	10/10/2010 11:05:00	5550.08	1185.067	202.41	12.89	115.39	33.57	0.27	202.27	13.02		115.52	265.48
SW Well 1A	CR TEST - RECOVERY	10/10/2010 11:10:00	5555.08	1190.067	202.44	12.86	115.36	33.57	0.27	202.30	12.99		115.49	265.51
SW Well 1A	CR TEST - RECOVERY	10/10/2010 11:15:00	5560.08	1195.067	202.45	12.84	115.34	33.57	0.27	202.32	12.97		115.48	265.52
SW Well 1A	CR TEST - RECOVERY	10/10/2010 11:20:00	5565.08	1200.067	202.48	12.82	115.32	33.57	0.27	202.34	12.95		115.45	265.55
SW Well 1A	CR TEST - RECOVERY	10/10/2010 11:25:00	5570.08	1205.067	202.50	12.79	115.30	33.57	0.27	202.36	12.92		115.43	265.57
SW Well 1A	CR TEST - RECOVERY	10/10/2010 11:30:00	5575.08	1210.067	202.52	12.77	115.27	33.57	0.27	202.39	12.90		115.41	265.59
SW Well 1A	CR TEST - RECOVERY	10/10/2010 11:35:00	5580.08	1215.067	202.54	12.75	115.26	33.57	0.27	202.40	12.88		115.39	265.61
SW Well 1A	CR TEST - RECOVERY	10/10/2010 11:40:00	5585.08	1220.067	202.57	12.72	115.23	33.57	0.27	202.43	12.85		115.36	265.64
SW Well 1A	CR TEST - RECOVERY	10/10/2010 11:45:00	5590.08	1225.067	202.59	12.71	115.21	33.57	0.27	202.45	12.84		115.34	265.66
SW Well 1A	CR TEST - RECOVERY	10/10/2010 11:50:00	5595.08	1230.067	202.61	12.68	115.19	33.57	0.27	202.47	12.81		115.32	265.68
SW Well 1A	CR TEST - RECOVERY	10/10/2010 11:55:00	5600.08	1235.067	202.63	12.66	115.16	33.57	0.27	202.50	12.79		115.30	265.70
SW Well 1A	CR TEST - RECOVERY	10/10/2010 12:00:00	5605.08	1240.067	202.65	12.65	115.15	33.56	0.27	202.51	12.77		115.28	265.72
SW Well 1A	CR TEST - RECOVERY	10/10/2010 12:05:00	5610.08	1245.067	202.66	12.63	115.13	33.56	0.26	202.53	12.76		115.26	265.74
SW Well 1A	CR TEST - RECOVERY	10/10/2010 12:10:00	5615.08	1250.067	202.70	12.60	115.10	33.56	0.26	202.56	12.72		115.23	265.77
SW Well 1A	CR TEST - RECOVERY	10/10/2010 12:15:00	5620.08	1255.067	202.71	12.58	115.09	33.56	0.26	202.58	12.71		115.21	265.79
SW Well 1A	CR TEST - RECOVERY	10/10/2010 12:20:00	5625.08	1260.067	202.73	12.56	115.06	33.56	0.26	202.60	12.69		115.19	265.81
SW Well 1A	CR TEST - RECOVERY	10/10/2010 12:25:00	5630.08	1265.067	202.75	12.54	115.05	33.56	0.26	202.62	12.67		115.18	265.82
SW Well 1A	CR TEST - RECOVERY	10/10/2010 12:30:00	5635.08	1270.067	202.77	12.52	115.02	33.56	0.27	202.64	12.65		115.16	265.84
SW Well 1A	CR TEST - RECOVERY	10/10/2010 12:35:00	5640.08	1275.067	202.80	12.50	115.00	33.56	0.27	202.66	12.62		115.13	265.87
SW Well 1A	CR TEST - RECOVERY	10/10/2010 12:40:00	5645.08	1280.067	202.82	12.47	114.98	33.56	0.27	202.68	12.60		115.11	265.89
SW Well 1A	CR TEST - RECOVERY	10/10/2010 12:45:00	5650.08	1285.067	202.84	12.46	114.96	33.56	0.27	202.70	12.58		115.09	265.91
SW Well 1A	CR TEST - RECOVERY	10/10/2010 12:50:00	5655.08	1290.067	202.86	12.44	114.94	33.56	0.26	202.73	12.56		115.07	265.93
SW Well 1A	CR TEST - RECOVERY	10/10/2010 12:55:00	5660.08	1295.067	202.87	12.42	114.92	33.56	0.26	202.74	12.54		115.05	265.95
SW Well 1A	CR TEST - RECOVERY	10/10/2010 13:00:00	5665.08	1300.067	202.90	12.40	114.90	33.56	0.26	202.77	12.52		115.03	265.97
SW Well 1A	CR TEST - RECOVERY	10/10/2010 13:05:00	5670.08	1305.067	202.92	12.37	114.87	33.56	0.27	202.79	12.50		115.01	265.99
SW Well 1A	CR TEST - RECOVERY	10/10/2010 13:10:00	5675.08	1310.067	202.94	12.35	114.85	33.56	0.27	202.81	12.48		114.98	266.02
SW Well 1A	CR TEST - RECOVERY	10/10/2010 13:15:00	5680.08	1315.067	202.96	12.33	114.84	33.56	0.27	202.82	12.46		114.97	266.03
SW Well 1A	CR TEST - RECOVERY	10/10/2010 13:20:00	5685.08	1320.067	202.98	12.31	114.81	33.56	0.27	202.85	12.44		114.94	266.06
SW Well 1A	CR TEST - RECOVERY	10/10/2010 13:25:00	5690.08	1325.067	203.01	12.29	114.79	33.56	0.27	202.87	12.41		114.92	266.08
SW Well 1A	CR TEST - RECOVERY	10/10/2010 13:30:00	5695.08	1330.067	203.02	12.27	114.77	33.56	0.27	202.89	12.40		114.91	266.09
SW Well 1A	CR TEST - RECOVERY	10/10/2010 13:35:00	5700.08	1335.067	203.05	12.25	114.75	33.56	0.27	202.91	12.38		114.88	266.12
SW Well 1A	CR TEST - RECOVERY	10/10/2010 13:40:00	5705.08	1340.067	203.06	12.23	114.73	33.56	0.27	202.93	12.36		114.87	266.13
SW Well 1A	CR TEST - RECOVERY	10/10/2010 13:45:00	5710.08	1345.067	203.08	12.21	114.71	33.56	0.27	202.95	12.34		114.84	266.16
SW Well 1A	CR TEST - RECOVERY	10/10/2010 13:50:00	5715.08	1350.067	203.10	12.19	114.70	33.56	0.26	202.97	12.32		114.83	266.17
SW Well 1A	CR TEST - RECOVERY	10/10/2010 13:55:00	5720.08	1355.067	203.12	12.18	114.68	33.56	0.26	202.98	12.30		114.81	266.19
SW Well 1A	CR TEST - RECOVERY	10/10/2010 14:00:00	5725.08	1360.067	203.13	12.16	114.66	33.56	0.26	203.00	12.29		114.79	266.21
SW Well 1A	CR TEST - RECOVERY	10/10/2010 14:05:00	5730.08	1365.067	203.16	12.13	114.63	33.56	0.26	203.03	12.26		114.76	266.24
SW Well 1A	CR TEST - RECOVERY	10/10/2010 14:10:00	5735.08	1370.067	203.18	12.12	114.62	33.56	0.26	203.05	12.24		114.75	266.25
SW Well 1A	CR TEST - RECOVERY	10/10/2010 14:15:00	5740.08	1375.067	203.19	12.10	114.60	33.56	0.26	203.06	12.22		114.73	266.27
SW Well 1A	CR TEST - RECOVERY	10/10/2010 14:20:00	5745.08	1380.067	203.22	12.08	114.58	33.55	0.26	203.09	12.20		114.70	266.30
SW Well 1A	CR TEST - RECOVERY	10/10/2010 14:25:00	5750.08	1385.067	203.23	12.06	114.56	33.56	0.26	203.10	12.18		114.69	266.31
SW Well 1A	CR TEST - RECOVERY	10/10/2010 14:30:00	5755.08	1390.067	203.25	12.05	114.55	33.55	0.26	203.12	12.17		114.67	266.33
SW Well 1A	CR TEST - RECOVERY	10/10/2010 14:35:00	5760.08	1395.067	203.27	12.02	114.52	33.55	0.26	203.14	12.14		114.65	266.35
SW Well 1A	CR TEST - RECOVERY	10/10/2010 14:40:00	5765.08	1400.067	203.29	12.01	114.51	33.55	0.25	203.16	12.13		114.63	266.37
SW Well 1A	CR TEST - RECOVERY	10/10/2010 14:45:00	5770.08	1405.067	203.31	11.98	114.49	33.55	0.25	203.18	12.10		114.61	266.39
SW Well 1A	CR TEST - RECOVERY	10/10/2010 14:50:00	5775.08	1410.067	203.33	11.97	114.47	33.55	0.25	203.20	12.09		114.59	266.41
SW Well 1A	CR TEST - RECOVERY	10/10/2010 14:55:00	5780.08	1415.067	203.34	11.95	114.45	33.55	0.25	203.21	12.07		114.58	266.42
SW Well 1A	CR TEST - RECOVERY	10/10/2010 15:00:00	5785.08	1420.067	203.37	11.93	114.43	33.55	0.26	203.24	12.05		114.56	266.44
SW Well 1A	CR TEST - RECOVERY	10/10/2010 15:05:00	5790.08	1425.067	203.38	11.91	114.42	33.55	0.25	203.25	12.03		114.54	266.46
SW Well 1A	CR TEST - RECOVERY	10/10/2010 15:10:00	5795.08	1430.067	203.40	11.89	114.39	33.55	0.25	203.28	12.01		114.51	266.49
SW Well 1A	CR TEST - RECOVERY	10/10/2010 15:15:00	5800.08	1435.067	203.42	11.87	114.38	33.54	0.25	203.29	11.99		114.50	266.50
SW Well 1A	CR TEST - RECOVERY	10/10/2010 15:20:00	5805.08	1440.067	203.44	11.85	114.35	33.54	0.25	203.32	11.97		114.47	266.53
SW Well 1A	CR TEST - RECOVERY	10/10/2010 15:25:00	5810.08	1445.067	203.46	11.84	114.34	33.54	0.25	203.33	11.95		114.46	266.54
SW Well 1A	CR TEST - RECOVERY	10/10/2010 15:30:00	5815.08	1450.067	203.48	11.82	114.32	33.54	0.25	203.35	11.93		114.44	266.56
SW Well 1A	CR TEST - RECOVERY	10/10/2010 15:35:00	5820.08	1455.067	203.50	11.80	114.30	33.54	0.25	203.37	11.91		114.42	266.58
SW Well 1A	CR TEST - RECOVERY	10/10/2010 15:40:00	5825.08	1460.067	203.51	11.78	114.28	33.54	0.25	203.39	11.90		114.40	266.60
SW Well 1A	CR TEST - RECOVERY	10/10/2010 15:45:00	5830.08	1465.067	203.53	11.77	114.27	33.54	0.24	203.41	11.88		114.39	266.61
SW Well 1A	CR TEST - RECOVERY	10/10/2010 15:50:00	5835.08	1470.067	203.55	11.74	114.24	33.54	0.24	203.43	11.86		114.36	266.64
SW Well 1A	CR TEST - RECOVERY	10/10/2010 15:55:00	5840.08	1475.067	203.57	11.73	114.23	33.54	0.24	203.45	11.84		114.35	266.65
SW Well 1A	CR TEST - RECOVERY	10/10/2010 16:00:00	5845.08	1480.067	203.59	11.70	114.20	33.54	0.24	203.47	11.82		114.32	266.68
SW Well 1A	CR TEST - RECOVERY	10/10/2010 16:05:00	5850.08	1485.067	203.61	11.69	114.19	33.54	0.24	203.49	11.80		114.31	266.69
SW Well 1A	CR TEST - RECOVERY	10/10/2010 16:10:00	5855.08	1490.067	203.62	11.67	114.17	33.54	0.24	203.50	11.78		114.29	266.71
SW Well 1A	CR TEST - RECOVERY	10/10/2010 16:15:00	5860.08	1495.067	203.65	11.65	114.15	33.53	0.24	203.53	11.76		114.27	266.73
SW Well 1A	CR TEST - RECOVERY	10/10/2010 16:20:00	5865.08	1500.067	203.66	11.63	114.13	33.54	0.24	203.54	11.75		114.25	266.75
SW Well 1A	CR TEST - RECOVERY	10/10/2010 16:25:00	5870.08	1505.067	203.68	11.61	114.11	33.54	0.24	203.56	11.72		114.23	266.77
SW Well 1A	CR TEST - RECOVERY	10/10/2010 16:30:00	5875.08	1510.067	203.70	11.59	114.10	33.54	0.25	203.58	11.71		114.22	266.78
SW Well 1A	CR TEST - RECOVERY	10/10/2010 16:35:00	5880.08	1515.067	203.72	11.58	114.08	33.54	0.25	203.59	11.69		114.20	266.80
SW Well 1A	CR TEST - RECOVERY	10/10/2010 16:40:00	5885.08	1520.067	203.74	11.55	114.06	33.54	0.25	203.62	11.67		114.18	266.82
SW Well 1A	CR TEST - RECOVERY	10/10/2010 16:45:00	5890.08	1525.067	203.76	11.53	114.03	33.54	0.25	203.64	11.65		114.15	266.85
SW Well 1A	CR TEST - RECOVERY	10/10/2010 16:50:00	5895.08	1530.067	203.78	11.52	114.02	33.54	0.25	203.65	11.63		114.14	266.86
SW Well 1A	CR TEST - RECOVERY	10/10/2010 16:55:00	5900.08	1535.067	203.79	11.50	114.00	33.54	0.25	203.67	11.62		114.12	266.88
SW Well 1A	CR TEST - RECOVERY	10/10/2010 17:00:00	5905.08	1540.067	203.81	11.48	113.99	33.54	0.25	203.69	11.60		114.11	266.89
SW Well 1A	CR TEST - RECOVERY	10/10/2010 17:05:00	5910.08	1545.067	203.83	11.46	113.96	33.54	0.24	203.71	11.58		114.08	266.92
SW Well 1A	CR TEST - RECOVERY	10/10/2010 17:10:00	5915.08	1550.067	203.85	11.45	113.95	33.54	0.24	203.73	11.56		114.07	266.93
SW Well 1A	CR TEST - RECOVERY	10/10/2010 17:15:00	5920.08	1555.067	203.86	11.43	113.93	33.54	0.24	203.74	11.54		114.05	266.95
SW Well 1A	CR TEST - RECOVERY	10/10/2010 17:20:00	5925.08	1560.067	203.88	11.41	113.91	33.54	0.24	203.76	11.53		114.03	266.97
SW Well 1A	CR TEST - RECOVERY	10/10/2010 17:25:00	5930.08	1565.067	203.90	11.39	113.89	33.54	0.24	203.78	11.51		114.01	266.99
SW Well 1A	CR TEST - RECOVERY	10/10/2010 17:30:00	5935.08	1570.067	203.91	11.38	113.89	33.54	0.24	203.79	11.50		114.00	267.00
SW Well 1A	CR TEST - RECOVERY	10/10/2010 17:35:00	5940.08	1575.067	203.93	11.37	113.87	33.54	0.24	203.81	11.48		113.99	267.01
SW Well 1A	CR TEST - RECOVERY	10/10/2010 17:40:00	5945.08	1580.067	203.95	11.34	113.85	33.54	0.24	203.83	11.46		113.96	267.04
SW Well 1A	CR TEST - RECOVERY	10/10/2010 17:45:00	5950.08	1585.067	203.97	11.33	113.83	33.54	0.24	203.84	11.44		113.95	267.05
SW Well 1A	CR TEST - RECOVERY	10/10/2010 17:50:00	5955.08	1590.067	203.98	11.31	113.81	33.54	0.24	203.86	11.43		113.93	267.07
SW Well 1A	CR TEST - RECOVERY	10/10/2010 17:55:00	5960.08	1595.067	204.00	11.29	113.79	33.54	0.25	203.88	11.41		113.91	267.09
SW Well 1A	CR TEST - RECOVERY	10/10/2010 18:00:00	5965.08	1600.067	204.02	11.27	113.78	33.54	0.25	203.90	11.39		113.90	267.10
SW Well 1A	CR TEST - RECOVERY	10/10/2010 18:05:00	5970.08	1605.067	204.04	11.26	113.76	33.54	0.25	203.91	11.38		113.88	267.12
SW Well 1A	CR TEST - RECOVERY	10/10/2010 18:10:00	5975.08	1610.067	204.05	11.24	113.75	33.54	0.25	203.93	11.36		113.87	267.13
SW Well 1A	CR TEST - RECOVERY	10/10/2010 18:15:00	5980.08	1615.067	204.07	11.23	113.73	33.55	0.25	203.94	11.35		113.85	267.15
SW Well 1A	CR TEST - RECOVERY	10/10/2010 18:20:00	5985.08	1620.067	204.09	11.20	113.71	33.55	0.25	203.96	11.32		113.83	267.17
SW Well 1A	CR TEST - RECOVERY	10/10/2010 18:25:00	5990.08	1625.067	204.11	11.19	113.69	33.55	0.25	203.98	11.31		113.82	267.18
SW Well 1A	CR TEST - RECOVERY	10/10/2010 18:30:00	5995.08	1630.067	204.12	11.17	113.68	33.55	0.26	203.99	11.29		113.80	267.20
SW Well 1A	CR TEST - RECOVERY	10/10/2010 18:35:00	6000.08	1635.067	204.14	11.15	113.65	33.56	0.26	204.01	11.27		113.78	267.22
SW Well 1A	CR TEST - RECOVERY	10/10/2010 18:40:00	6005.08	1640.067	204.16	11.13	113.64	33.56	0.26	204.03	11.26		113.76	267.24
SW Well 1A	CR TEST - RECOVERY	10/10/2010 18:45:00	6010.08	1645.067	204.18	11.12	113.62	33.56	0.26	204.04	11.24		113.75	267.25

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/10/2010 18:50:00	6015.08	1650.067	204.19	11.10	113.60	33.56	0.27	204.06	11.23		113.73	267.27
SW Well 1A	CR TEST - RECOVERY	10/10/2010 18:55:00	6020.08	1655.067	204.21	11.08	113.59	33.56	0.27	204.08	11.21		113.72	267.28
SW Well 1A	CR TEST - RECOVERY	10/10/2010 19:00:00	6025.08	1660.067	204.23	11.06	113.57	33.56	0.27	204.10	11.19		113.70	267.30
SW Well 1A	CR TEST - RECOVERY	10/10/2010 19:05:00	6030.08	1665.067	204.25	11.05	113.55	33.57	0.27	204.11	11.18		113.68	267.32
SW Well 1A	CR TEST - RECOVERY	10/10/2010 19:10:00	6035.08	1670.067	204.26	11.03	113.53	33.57	0.27	204.13	11.16		113.67	267.33
SW Well 1A	CR TEST - RECOVERY	10/10/2010 19:15:00	6040.08	1675.067	204.28	11.02	113.52	33.57	0.28	204.14	11.15		113.65	267.35
SW Well 1A	CR TEST - RECOVERY	10/10/2010 19:20:00	6045.08	1680.067	204.30	11.00	113.50	33.57	0.28	204.16	11.13		113.64	267.36
SW Well 1A	CR TEST - RECOVERY	10/10/2010 19:25:00	6050.08	1685.067	204.32	10.98	113.48	33.58	0.28	204.18	11.11		113.62	267.38
SW Well 1A	CR TEST - RECOVERY	10/10/2010 19:30:00	6055.08	1690.067	204.33	10.96	113.46	33.58	0.28	204.19	11.09		113.60	267.40
SW Well 1A	CR TEST - RECOVERY	10/10/2010 19:35:00	6060.08	1695.067	204.35	10.94	113.45	33.58	0.28	204.21	11.08		113.59	267.41
SW Well 1A	CR TEST - RECOVERY	10/10/2010 19:40:00	6065.08	1700.067	204.37	10.93	113.43	33.58	0.28	204.22	11.06		113.57	267.43
SW Well 1A	CR TEST - RECOVERY	10/10/2010 19:45:00	6070.08	1705.067	204.38	10.91	113.42	33.58	0.29	204.24	11.05		113.56	267.44
SW Well 1A	CR TEST - RECOVERY	10/10/2010 19:50:00	6075.08	1710.067	204.39	10.90	113.40	33.58	0.29	204.25	11.04		113.54	267.46
SW Well 1A	CR TEST - RECOVERY	10/10/2010 19:55:00	6080.08	1715.067	204.41	10.88	113.38	33.59	0.29	204.27	11.02		113.53	267.47
SW Well 1A	CR TEST - RECOVERY	10/10/2010 20:00:00	6085.08	1720.067	204.42	10.87	113.37	33.59	0.29	204.28	11.01		113.52	267.48
SW Well 1A	CR TEST - RECOVERY	10/10/2010 20:05:00	6090.08	1725.067	204.45	10.84	113.34	33.59	0.29	204.30	10.98		113.49	267.51
SW Well 1A	CR TEST - RECOVERY	10/10/2010 20:10:00	6095.08	1730.067	204.46	10.84	113.34	33.59	0.29	204.31	10.98		113.48	267.52
SW Well 1A	CR TEST - RECOVERY	10/10/2010 20:15:00	6100.08	1735.067	204.47	10.82	113.32	33.59	0.29	204.33	10.96		113.47	267.53
SW Well 1A	CR TEST - RECOVERY	10/10/2010 20:20:00	6105.08	1740.067	204.49	10.80	113.31	33.59	0.30	204.34	10.94		113.45	267.55
SW Well 1A	CR TEST - RECOVERY	10/10/2010 20:25:00	6110.08	1745.067	204.51	10.79	113.29	33.59	0.30	204.36	10.93		113.44	267.56
SW Well 1A	CR TEST - RECOVERY	10/10/2010 20:30:00	6115.08	1750.067	204.52	10.77	113.27	33.59	0.30	204.37	10.91		113.42	267.58
SW Well 1A	CR TEST - RECOVERY	10/10/2010 20:35:00	6120.08	1755.067	204.54	10.76	113.26	33.60	0.30	204.39	10.90		113.41	267.59
SW Well 1A	CR TEST - RECOVERY	10/10/2010 20:40:00	6125.08	1760.067	204.55	10.74	113.24	33.60	0.30	204.40	10.89		113.39	267.61
SW Well 1A	CR TEST - RECOVERY	10/10/2010 20:45:00	6130.08	1765.067	204.57	10.73	113.23	33.60	0.30	204.41	10.87		113.38	267.62
SW Well 1A	CR TEST - RECOVERY	10/10/2010 20:50:00	6135.08	1770.067	204.58	10.71	113.21	33.60	0.30	204.43	10.86		113.36	267.64
SW Well 1A	CR TEST - RECOVERY	10/10/2010 20:55:00	6140.08	1775.067	204.60	10.69	113.20	33.60	0.30	204.45	10.84		113.35	267.65
SW Well 1A	CR TEST - RECOVERY	10/10/2010 21:00:00	6145.08	1780.067	204.61	10.68	113.18	33.60	0.31	204.46	10.83		113.33	267.67
SW Well 1A	CR TEST - RECOVERY	10/10/2010 21:05:00	6150.08	1785.067	204.63	10.66	113.17	33.60	0.31	204.48	10.81		113.32	267.68
SW Well 1A	CR TEST - RECOVERY	10/10/2010 21:10:00	6155.08	1790.067	204.65	10.65	113.15	33.61	0.31	204.49	10.80		113.30	267.70
SW Well 1A	CR TEST - RECOVERY	10/10/2010 21:15:00	6160.08	1795.067	204.66	10.63	113.13	33.61	0.31	204.50	10.78		113.29	267.71
SW Well 1A	CR TEST - RECOVERY	10/10/2010 21:20:00	6165.08	1800.067	204.68	10.62	113.12	33.61	0.32	204.52	10.77		113.28	267.72
SW Well 1A	CR TEST - RECOVERY	10/10/2010 21:25:00	6170.08	1805.067	204.69	10.60	113.10	33.62	0.32	204.53	10.76		113.26	267.74
SW Well 1A	CR TEST - RECOVERY	10/10/2010 21:30:00	6175.08	1810.067	204.71	10.59	113.09	33.62	0.32	204.54	10.74		113.25	267.75
SW Well 1A	CR TEST - RECOVERY	10/10/2010 21:35:00	6180.08	1815.067	204.72	10.57	113.07	33.62	0.33	204.56	10.73		113.23	267.77
SW Well 1A	CR TEST - RECOVERY	10/10/2010 21:40:00	6185.08	1820.067	204.74	10.55	113.06	33.62	0.33	204.57	10.71		113.22	267.78
SW Well 1A	CR TEST - RECOVERY	10/10/2010 21:45:00	6190.08	1825.067	204.75	10.54	113.04	33.63	0.33	204.59	10.70		113.20	267.80
SW Well 1A	CR TEST - RECOVERY	10/10/2010 21:50:00	6195.08	1830.067	204.77	10.52	113.03	33.63	0.33	204.60	10.68		113.19	267.81
SW Well 1A	CR TEST - RECOVERY	10/10/2010 21:55:00	6200.08	1835.067	204.78	10.52	113.02	33.63	0.33	204.61	10.68		113.18	267.82
SW Well 1A	CR TEST - RECOVERY	10/10/2010 22:00:00	6205.08	1840.067	204.79	10.50	113.00	33.63	0.34	204.62	10.66		113.17	267.83
SW Well 1A	CR TEST - RECOVERY	10/10/2010 22:05:00	6210.08	1845.067	204.81	10.48	112.99	33.63	0.34	204.64	10.65		113.15	267.85
SW Well 1A	CR TEST - RECOVERY	10/10/2010 22:10:00	6215.08	1850.067	204.83	10.47	112.97	33.64	0.34	204.65	10.63		113.14	267.86
SW Well 1A	CR TEST - RECOVERY	10/10/2010 22:15:00	6220.08	1855.067	204.84	10.45	112.96	33.64	0.34	204.67	10.62		113.12	267.88
SW Well 1A	CR TEST - RECOVERY	10/10/2010 22:20:00	6225.08	1860.067	204.86	10.44	112.94	33.64	0.35	204.68	10.60		113.11	267.89
SW Well 1A	CR TEST - RECOVERY	10/10/2010 22:25:00	6230.08	1865.067	204.87	10.42	112.93	33.64	0.35	204.70	10.59		113.10	267.90
SW Well 1A	CR TEST - RECOVERY	10/10/2010 22:30:00	6235.08	1870.067	204.89	10.41	112.91	33.64	0.35	204.71	10.57		113.08	267.92
SW Well 1A	CR TEST - RECOVERY	10/10/2010 22:35:00	6240.08	1875.067	204.90	10.39	112.89	33.65	0.35	204.73	10.56		113.07	267.93
SW Well 1A	CR TEST - RECOVERY	10/10/2010 22:40:00	6245.08	1880.067	204.91	10.38	112.89	33.65	0.35	204.73	10.55		113.06	267.94
SW Well 1A	CR TEST - RECOVERY	10/10/2010 22:45:00	6250.08	1885.067	204.93	10.37	112.87	33.65	0.35	204.75	10.54		113.04	267.96
SW Well 1A	CR TEST - RECOVERY	10/10/2010 22:50:00	6255.08	1890.067	204.94	10.35	112.85	33.65	0.36	204.76	10.52		113.03	267.97
SW Well 1A	CR TEST - RECOVERY	10/10/2010 22:55:00	6260.08	1895.067	204.95	10.34	112.85	33.65	0.36	204.77	10.52		113.02	267.98
SW Well 1A	CR TEST - RECOVERY	10/10/2010 23:00:00	6265.08	1900.067	204.97	10.33	112.83	33.65	0.36	204.79	10.50		113.01	267.99
SW Well 1A	CR TEST - RECOVERY	10/10/2010 23:05:00	6270.08	1905.067	204.98	10.32	112.82	33.65	0.36	204.80	10.49		112.99	268.01
SW Well 1A	CR TEST - RECOVERY	10/10/2010 23:10:00	6275.08	1910.067	205.00	10.29	112.79	33.66	0.37	204.82	10.47		112.97	268.03
SW Well 1A	CR TEST - RECOVERY	10/10/2010 23:15:00	6280.08	1915.067	205.02	10.27	112.78	33.66	0.37	204.83	10.45		112.96	268.04
SW Well 1A	CR TEST - RECOVERY	10/10/2010 23:20:00	6285.08	1920.067	205.03	10.27	112.77	33.67	0.37	204.84	10.44		112.95	268.05
SW Well 1A	CR TEST - RECOVERY	10/10/2010 23:25:00	6290.08	1925.067	205.04	10.25	112.75	33.67	0.37	204.86	10.43		112.94	268.06
SW Well 1A	CR TEST - RECOVERY	10/10/2010 23:30:00	6295.08	1930.067	205.06	10.24	112.74	33.67	0.38	204.87	10.42		112.92	268.08
SW Well 1A	CR TEST - RECOVERY	10/10/2010 23:35:00	6300.08	1935.067	205.07	10.22	112.72	33.67	0.38	204.88	10.40		112.91	268.09
SW Well 1A	CR TEST - RECOVERY	10/10/2010 23:40:00	6305.08	1940.067	205.08	10.21	112.71	33.68	0.38	204.89	10.40		112.90	268.10
SW Well 1A	CR TEST - RECOVERY	10/10/2010 23:45:00	6310.08	1945.067	205.11	10.19	112.69	33.68	0.39	204.91	10.37		112.88	268.12
SW Well 1A	CR TEST - RECOVERY	10/10/2010 23:50:00	6315.08	1950.067	205.11	10.18	112.68	33.68	0.39	204.92	10.37		112.87	268.13
SW Well 1A	CR TEST - RECOVERY	10/10/2010 23:55:00	6320.08	1955.067	205.13	10.17	112.67	33.68	0.39	204.93	10.35		112.86	268.14
SW Well 1A	CR TEST - RECOVERY	10/11/2010 0:00:00	6325.08	1960.067	205.14	10.15	112.65	33.69	0.39	204.95	10.34		112.85	268.15
SW Well 1A	CR TEST - RECOVERY	10/11/2010 0:05:00	6330.08	1965.067	205.16	10.13	112.64	33.69	0.40	204.96	10.32		112.83	268.17
SW Well 1A	CR TEST - RECOVERY	10/11/2010 0:10:00	6335.08	1970.067	205.18	10.12	112.62	33.69	0.40	204.98	10.31		112.82	268.18
SW Well 1A	CR TEST - RECOVERY	10/11/2010 0:15:00	6340.08	1975.067	205.18	10.11	112.61	33.69	0.40	204.98	10.30		112.81	268.19
SW Well 1A	CR TEST - RECOVERY	10/11/2010 0:20:00	6345.08	1980.067	205.20	10.09	112.60	33.70	0.40	205.00	10.29		112.79	268.21
SW Well 1A	CR TEST - RECOVERY	10/11/2010 0:25:00	6350.08	1985.067	205.21	10.09	112.59	33.70	0.40	205.00	10.28		112.79	268.21
SW Well 1A	CR TEST - RECOVERY	10/11/2010 0:30:00	6355.08	1990.067	205.23	10.06	112.57	33.70	0.40	205.03	10.26		112.76	268.24
SW Well 1A	CR TEST - RECOVERY	10/11/2010 0:35:00	6360.08	1995.067	205.24	10.06	112.56	33.70	0.40	205.04	10.25		112.76	268.24
SW Well 1A	CR TEST - RECOVERY	10/11/2010 0:40:00	6365.08	2000.067	205.25	10.04	112.54	33.70	0.41	205.05	10.24		112.74	268.26
SW Well 1A	CR TEST - RECOVERY	10/11/2010 0:45:00	6370.08	2005.067	205.26	10.03	112.53	33.70	0.41	205.06	10.23		112.74	268.26
SW Well 1A	CR TEST - RECOVERY	10/11/2010 0:50:00	6375.08	2010.067	205.28	10.02	112.52	33.71	0.41	205.07	10.22		112.72	268.28
SW Well 1A	CR TEST - RECOVERY	10/11/2010 0:55:00	6380.08	2015.067	205.29	10.00	112.50	33.71	0.41	205.09	10.20		112.71	268.29
SW Well 1A	CR TEST - RECOVERY	10/11/2010 1:00:00	6385.08	2020.067	205.30	9.99	112.50	33.71	0.42	205.09	10.20		112.70	268.30
SW Well 1A	CR TEST - RECOVERY	10/11/2010 1:05:00	6390.08	2025.067	205.32	9.98	112.48	33.72	0.42	205.10	10.18		112.69	268.31
SW Well 1A	CR TEST - RECOVERY	10/11/2010 1:10:00	6395.08	2030.067	205.33	9.96	112.46	33.72	0.42	205.12	10.17		112.67	268.33
SW Well 1A	CR TEST - RECOVERY	10/11/2010 1:15:00	6400.08	2035.067	205.35	9.95	112.45	33.72	0.42	205.14	10.15		112.66	268.34
SW Well 1A	CR TEST - RECOVERY	10/11/2010 1:20:00	6405.08	2040.067	205.35	9.94	112.44	33.72	0.42	205.14	10.14		112.65	268.35
SW Well 1A	CR TEST - RECOVERY	10/11/2010 1:25:00	6410.08	2045.067	205.37	9.92	112.43	33.72	0.43	205.16	10.13		112.64	268.36
SW Well 1A	CR TEST - RECOVERY	10/11/2010 1:30:00	6415.08	2050.067	205.39	9.91	112.41	33.72	0.43	205.17	10.11		112.62	268.38
SW Well 1A	CR TEST - RECOVERY	10/11/2010 1:35:00	6420.08	2055.067	205.40	9.89	112.39	33.72	0.43	205.19	10.10		112.61	268.39
SW Well 1A	CR TEST - RECOVERY	10/11/2010 1:40:00	6425.08	2060.067	205.41	9.88	112.39	33.73	0.43	205.19	10.09		112.60	268.40
SW Well 1A	CR TEST - RECOVERY	10/11/2010 1:45:00	6430.08	2065.067	205.43	9.87	112.37	33.73	0.43	205.21	10.08		112.58	268.42
SW Well 1A	CR TEST - RECOVERY	10/11/2010 1:50:00	6435.08	2070.067	205.44	9.85	112.36	33.73	0.43	205.22	10.06		112.57	268.43
SW Well 1A	CR TEST - RECOVERY	10/11/2010 1:55:00	6440.08	2075.067	205.45	9.85	112.35	33.73	0.44	205.23	10.06		112.56	268.44
SW Well 1A	CR TEST - RECOVERY	10/11/2010 2:00:00	6445.08	2080.067	205.46	9.83	112.33	33.73	0.44	205.24	10.04		112.55	268.45
SW Well 1A	CR TEST - RECOVERY	10/11/2010 2:05:00	6450.08	2085.067	205.48	9.81	112.32	33.73	0.44	205.26	10.03		112.53	268.47
SW Well 1A	CR TEST - RECOVERY	10/11/2010 2:10:00	6455.08	2090.067	205.50	9.80	112.30	33.74	0.44	205.27	10.01		112.52	268.48
SW Well 1A	CR TEST - RECOVERY	10/11/2010 2:15:00	6460.08	2095.067	205.50	9.79	112.29	33.74	0.45	205.28	10.01		112.51	268.49
SW Well 1A	CR TEST - RECOVERY	10/11/2010 2:20:00	6465.08	2100.067	205.52	9.78	112.28	33.74	0.45	205.29	9.99		112.50	268.50
SW Well 1A	CR TEST - RECOVERY	10/11/2010 2:25:00	6470.08	2105.067	205.53	9.76	112.26	33.75	0.45	205.31	9.98		112.48	268.52
SW Well 1A	CR TEST - RECOVERY	10/11/2010 2:30:00	6475.08	2110.067	205.54	9.75	112.25	33.75	0.45	205.31	9.97		112.48	268.52
SW Well 1A	CR TEST - RECOVERY	10/11/2010 2:35:00	6480.08	2115.067	205.56	9.74	112.24	33.75	0.46	205.33	9.96		112.46	268.54
SW Well 1A	CR TEST - RECOVERY	10/11/2010 2:40:00	6485.08	2120.067	205.57	9.72	112.22	33.75	0.46	205.34	9.94		112.45	268.55
SW Well 1A	CR TEST - RECOVERY	10/11/2010 2:45:00	6490.08	2125.067	205.59	9.71	112.21	33.76	0.46	205.36	9.93		112.44	268.56
SW Well 1A	CR TEST - RECOVERY	10/11/2010 2:50:00	6495.08	2130.067	205.60	9.70	112.20	33.76	0.47	205.36	9.92		112.43	268.57

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/11/2010 2:55:00	6500.08	2135.067	205.61	9.68	112.18	33.76	0.47	205.38	9.91		112.41	268.59
SW Well 1A	CR TEST - RECOVERY	10/11/2010 3:00:00	6505.08	2140.067	205.63	9.67	112.17	33.77	0.47	205.39	9.90		112.40	268.60
SW Well 1A	CR TEST - RECOVERY	10/11/2010 3:05:00	6510.08	2145.067	205.64	9.66	112.16	33.77	0.47	205.40	9.89		112.39	268.61
SW Well 1A	CR TEST - RECOVERY	10/11/2010 3:10:00	6515.08	2150.067	205.65	9.64	112.14	33.77	0.48	205.41	9.87		112.38	268.62
SW Well 1A	CR TEST - RECOVERY	10/11/2010 3:15:00	6520.08	2155.067	205.67	9.63	112.13	33.77	0.48	205.43	9.86		112.37	268.63
SW Well 1A	CR TEST - RECOVERY	10/11/2010 3:20:00	6525.08	2160.067	205.68	9.61	112.11	33.77	0.48	205.44	9.84		112.35	268.65
SW Well 1A	CR TEST - RECOVERY	10/11/2010 3:25:00	6530.08	2165.067	205.69	9.60	112.11	33.78	0.48	205.45	9.84		112.34	268.66
SW Well 1A	CR TEST - RECOVERY	10/11/2010 3:30:00	6535.08	2170.067	205.71	9.59	112.09	33.78	0.48	205.46	9.82		112.33	268.67
SW Well 1A	CR TEST - RECOVERY	10/11/2010 3:35:00	6540.08	2175.067	205.72	9.57	112.07	33.78	0.48	205.48	9.81		112.31	268.69
SW Well 1A	CR TEST - RECOVERY	10/11/2010 3:40:00	6545.08	2180.067	205.73	9.57	112.07	33.78	0.48	205.49	9.80		112.31	268.69
SW Well 1A	CR TEST - RECOVERY	10/11/2010 3:45:00	6550.08	2185.067	205.74	9.55	112.05	33.78	0.49	205.50	9.79		112.29	268.71
SW Well 1A	CR TEST - RECOVERY	10/11/2010 3:50:00	6555.08	2190.067	205.75	9.54	112.04	33.78	0.49	205.51	9.78		112.29	268.71
SW Well 1A	CR TEST - RECOVERY	10/11/2010 3:55:00	6560.08	2195.067	205.78	9.52	112.02	33.79	0.49	205.53	9.76		112.26	268.74
SW Well 1A	CR TEST - RECOVERY	10/11/2010 4:00:00	6565.08	2200.067	205.78	9.51	112.01	33.79	0.49	205.54	9.75		112.26	268.74
SW Well 1A	CR TEST - RECOVERY	10/11/2010 4:05:00	6570.08	2205.067	205.80	9.49	112.00	33.79	0.50	205.55	9.74		112.24	268.76
SW Well 1A	CR TEST - RECOVERY	10/11/2010 4:10:00	6575.08	2210.067	205.81	9.49	111.99	33.79	0.50	205.56	9.73		112.24	268.76
SW Well 1A	CR TEST - RECOVERY	10/11/2010 4:15:00	6580.08	2215.067	205.82	9.47	111.97	33.79	0.50	205.57	9.71		112.22	268.78
SW Well 1A	CR TEST - RECOVERY	10/11/2010 4:20:00	6585.08	2220.067	205.83	9.46	111.97	33.79	0.50	205.58	9.71		112.21	268.79
SW Well 1A	CR TEST - RECOVERY	10/11/2010 4:25:00	6590.08	2225.067	205.84	9.46	111.96	33.80	0.50	205.59	9.70		112.21	268.79
SW Well 1A	CR TEST - RECOVERY	10/11/2010 4:30:00	6595.08	2230.067	205.86	9.43	111.93	33.80	0.50	205.61	9.68		112.18	268.82
SW Well 1A	CR TEST - RECOVERY	10/11/2010 4:35:00	6600.08	2235.067	205.87	9.42	111.93	33.80	0.50	205.62	9.67		112.18	268.82
SW Well 1A	CR TEST - RECOVERY	10/11/2010 4:40:00	6605.08	2240.067	205.88	9.42	111.92	33.80	0.50	205.63	9.66		112.17	268.83
SW Well 1A	CR TEST - RECOVERY	10/11/2010 4:45:00	6610.08	2245.067	205.89	9.40	111.90	33.80	0.51	205.64	9.65		112.15	268.85
SW Well 1A	CR TEST - RECOVERY	10/11/2010 4:50:00	6615.08	2250.067	205.91	9.39	111.89	33.80	0.51	205.65	9.63		112.14	268.86
SW Well 1A	CR TEST - RECOVERY	10/11/2010 4:55:00	6620.08	2255.067	205.92	9.38	111.88	33.80	0.51	205.66	9.63		112.13	268.87
SW Well 1A	CR TEST - RECOVERY	10/11/2010 5:00:00	6625.08	2260.067	205.93	9.36	111.86	33.81	0.51	205.67	9.61		112.12	268.88
SW Well 1A	CR TEST - RECOVERY	10/11/2010 5:05:00	6630.08	2265.067	205.95	9.34	111.84	33.81	0.52	205.70	9.59		112.10	268.90
SW Well 1A	CR TEST - RECOVERY	10/11/2010 5:10:00	6635.08	2270.067	205.95	9.34	111.84	33.81	0.52	205.70	9.59		112.10	268.90
SW Well 1A	CR TEST - RECOVERY	10/11/2010 5:15:00	6640.08	2275.067	205.98	9.32	111.82	33.82	0.52	205.72	9.57		112.08	268.92
SW Well 1A	CR TEST - RECOVERY	10/11/2010 5:20:00	6645.08	2280.067	205.99	9.31	111.81	33.82	0.52	205.72	9.56		112.07	268.93
SW Well 1A	CR TEST - RECOVERY	10/11/2010 5:25:00	6650.08	2285.067	206.00	9.29	111.79	33.82	0.53	205.74	9.55		112.05	268.95
SW Well 1A	CR TEST - RECOVERY	10/11/2010 5:30:00	6655.08	2290.067	206.01	9.28	111.79	33.82	0.53	205.75	9.54		112.05	268.95
SW Well 1A	CR TEST - RECOVERY	10/11/2010 5:35:00	6660.08	2295.067	206.03	9.27	111.77	33.82	0.53	205.76	9.53		112.03	268.97
SW Well 1A	CR TEST - RECOVERY	10/11/2010 5:40:00	6665.08	2300.067	206.04	9.25	111.76	33.83	0.53	205.77	9.51		112.02	268.98
SW Well 1A	CR TEST - RECOVERY	10/11/2010 5:45:00	6670.08	2305.067	206.05	9.25	111.75	33.83	0.53	205.78	9.50		112.01	268.99
SW Well 1A	CR TEST - RECOVERY	10/11/2010 5:50:00	6675.08	2310.067	206.06	9.23	111.73	33.83	0.53	205.80	9.49		112.00	269.00
SW Well 1A	CR TEST - RECOVERY	10/11/2010 5:55:00	6680.08	2315.067	206.08	9.21	111.72	33.83	0.54	205.81	9.48		111.98	269.02
SW Well 1A	CR TEST - RECOVERY	10/11/2010 6:00:00	6685.08	2320.067	206.09	9.21	111.71	33.83	0.54	205.82	9.47		111.97	269.03
SW Well 1A	CR TEST - RECOVERY	10/11/2010 6:05:00	6690.08	2325.067	206.10	9.20	111.70	33.83	0.54	205.83	9.46		111.97	269.03
SW Well 1A	CR TEST - RECOVERY	10/11/2010 6:10:00	6695.08	2330.067	206.11	9.18	111.69	33.83	0.54	205.84	9.45		111.95	269.05
SW Well 1A	CR TEST - RECOVERY	10/11/2010 6:15:00	6700.08	2335.067	206.13	9.17	111.67	33.84	0.54	205.86	9.43		111.94	269.06
SW Well 1A	CR TEST - RECOVERY	10/11/2010 6:20:00	6705.08	2340.067	206.14	9.15	111.65	33.84	0.54	205.87	9.42		111.92	269.08
SW Well 1A	CR TEST - RECOVERY	10/11/2010 6:25:00	6710.08	2345.067	206.16	9.14	111.64	33.84	0.55	205.88	9.40		111.91	269.09
SW Well 1A	CR TEST - RECOVERY	10/11/2010 6:30:00	6715.08	2350.067	206.17	9.13	111.63	33.84	0.55	205.89	9.40		111.90	269.10
SW Well 1A	CR TEST - RECOVERY	10/11/2010 6:35:00	6720.08	2355.067	206.18	9.11	111.62	33.84	0.55	205.91	9.38		111.89	269.11
SW Well 1A	CR TEST - RECOVERY	10/11/2010 6:40:00	6725.08	2360.067	206.19	9.11	111.61	33.85	0.55	205.91	9.37		111.88	269.12
SW Well 1A	CR TEST - RECOVERY	10/11/2010 6:45:00	6730.08	2365.067	206.20	9.09	111.59	33.85	0.55	205.93	9.36		111.87	269.13
SW Well 1A	CR TEST - RECOVERY	10/11/2010 6:50:00	6735.08	2370.067	206.22	9.07	111.58	33.85	0.55	205.94	9.34		111.85	269.15
SW Well 1A	CR TEST - RECOVERY	10/11/2010 6:55:00	6740.08	2375.067	206.23	9.07	111.57	33.85	0.56	205.95	9.34		111.84	269.16
SW Well 1A	CR TEST - RECOVERY	10/11/2010 7:00:00	6745.08	2380.067	206.24	9.06	111.56	33.85	0.56	205.96	9.33		111.84	269.16
SW Well 1A	CR TEST - RECOVERY	10/11/2010 7:05:00	6750.08	2385.067	206.25	9.04	111.54	33.85	0.56	205.97	9.32		111.82	269.18
SW Well 1A	CR TEST - RECOVERY	10/11/2010 7:10:00	6755.08	2390.067	206.27	9.03	111.53	33.86	0.56	205.98	9.30		111.81	269.19
SW Well 1A	CR TEST - RECOVERY	10/11/2010 7:15:00	6760.08	2395.067	206.27	9.02	111.52	33.86	0.56	205.99	9.29		111.80	269.20
SW Well 1A	CR TEST - RECOVERY	10/11/2010 7:20:00	6765.08	2400.067	206.28	9.01	111.51	33.86	0.56	206.00	9.29		111.79	269.21
SW Well 1A	CR TEST - RECOVERY	10/11/2010 7:25:00	6770.08	2405.067	206.30	9.00	111.50	33.86	0.57	206.01	9.27		111.78	269.22
SW Well 1A	CR TEST - RECOVERY	10/11/2010 7:30:00	6775.08	2410.067	206.31	8.98	111.48	33.86	0.57	206.03	9.26		111.76	269.24
SW Well 1A	CR TEST - RECOVERY	10/11/2010 7:35:00	6780.08	2415.067	206.32	8.97	111.47	33.87	0.57	206.04	9.25		111.76	269.24
SW Well 1A	CR TEST - RECOVERY	10/11/2010 7:40:00	6785.08	2420.067	206.34	8.96	111.46	33.87	0.57	206.05	9.24		111.74	269.26
SW Well 1A	CR TEST - RECOVERY	10/11/2010 7:45:00	6790.08	2425.067	206.35	8.94	111.44	33.87	0.58	206.06	9.22		111.73	269.27
SW Well 1A	CR TEST - RECOVERY	10/11/2010 7:50:00	6795.08	2430.067	206.37	8.93	111.43	33.87	0.58	206.08	9.21		111.72	269.28
SW Well 1A	CR TEST - RECOVERY	10/11/2010 7:55:00	6800.08	2435.067	206.38	8.92	111.42	33.87	0.58	206.09	9.20		111.71	269.29
SW Well 1A	CR TEST - RECOVERY	10/11/2010 8:00:00	6805.08	2440.067	206.39	8.90	111.40	33.88	0.58	206.10	9.19		111.69	269.31
SW Well 1A	CR TEST - RECOVERY	10/11/2010 8:05:00	6810.08	2445.067	206.39	8.90	111.40	33.88	0.58	206.10	9.19		111.69	269.31
SW Well 1A	CR TEST - RECOVERY	10/11/2010 8:10:00	6815.08	2450.067	206.41	8.89	111.39	33.88	0.58	206.12	9.17		111.68	269.32
SW Well 1A	CR TEST - RECOVERY	10/11/2010 8:15:00	6820.08	2455.067	206.41	8.88	111.38	33.87	0.58	206.13	9.16		111.67	269.33
SW Well 1A	CR TEST - RECOVERY	10/11/2010 8:20:00	6825.08	2460.067	206.43	8.86	111.37	33.87	0.58	206.14	9.14		111.65	269.35
SW Well 1A	CR TEST - RECOVERY	10/11/2010 8:25:00	6830.08	2465.067	206.44	8.86	111.36	33.88	0.58	206.15	9.14		111.65	269.35
SW Well 1A	CR TEST - RECOVERY	10/11/2010 8:30:00	6835.08	2470.067	206.45	8.84	111.34	33.88	0.58	206.16	9.12		111.63	269.37
SW Well 1A	CR TEST - RECOVERY	10/11/2010 8:35:00	6840.08	2475.067	206.47	8.82	111.33	33.88	0.58	206.18	9.11		111.62	269.38
SW Well 1A	CR TEST - RECOVERY	10/11/2010 8:40:00	6845.08	2480.067	206.48	8.82	111.32	33.88	0.58	206.19	9.10		111.61	269.39
SW Well 1A	CR TEST - RECOVERY	10/11/2010 8:45:00	6850.08	2485.067	206.49	8.80	111.30	33.88	0.58	206.20	9.09		111.59	269.41
SW Well 1A	CR TEST - RECOVERY	10/11/2010 8:50:00	6855.08	2490.067	206.50	8.79	111.30	33.87	0.58	206.21	9.08		111.58	269.42
SW Well 1A	CR TEST - RECOVERY	10/11/2010 8:55:00	6860.08	2495.067	206.52	8.78	111.28	33.87	0.58	206.23	9.06		111.57	269.43
SW Well 1A	CR TEST - RECOVERY	10/11/2010 9:00:00	6865.08	2500.067	206.52	8.77	111.27	33.87	0.57	206.24	9.05		111.56	269.44
SW Well 1A	CR TEST - RECOVERY	10/11/2010 9:05:00	6870.08	2505.067	206.53	8.76	111.26	33.87	0.57	206.24	9.04		111.55	269.45
SW Well 1A	CR TEST - RECOVERY	10/11/2010 9:10:00	6875.08	2510.067	206.55	8.75	111.25	33.87	0.57	206.26	9.03		111.53	269.47
SW Well 1A	CR TEST - RECOVERY	10/11/2010 9:15:00	6880.08	2515.067	206.55	8.74	111.24	33.87	0.57	206.27	9.02		111.52	269.48
SW Well 1A	CR TEST - RECOVERY	10/11/2010 9:20:00	6885.08	2520.067	206.57	8.72	111.23	33.87	0.57	206.28	9.00		111.51	269.49
SW Well 1A	CR TEST - RECOVERY	10/11/2010 9:25:00	6890.08	2525.067	206.59	8.71	111.21	33.87	0.57	206.30	8.99		111.49	269.51
SW Well 1A	CR TEST - RECOVERY	10/11/2010 9:30:00	6895.08	2530.067	206.60	8.69	111.19	33.87	0.57	206.31	8.97		111.48	269.52
SW Well 1A	CR TEST - RECOVERY	10/11/2010 9:35:00	6900.08	2535.067	206.62	8.68	111.18	33.87	0.57	206.33	8.95		111.46	269.54
SW Well 1A	CR TEST - RECOVERY	10/11/2010 9:40:00	6905.08	2540.067	206.63	8.67	111.17	33.86	0.57	206.34	8.95		111.45	269.55
SW Well 1A	CR TEST - RECOVERY	10/11/2010 9:45:00	6910.08	2545.067	206.63	8.66	111.16	33.86	0.57	206.35	8.94		111.44	269.56
SW Well 1A	CR TEST - RECOVERY	10/11/2010 9:50:00	6915.08	2550.067	206.64	8.65	111.16	33.86	0.56	206.36	8.93		111.43	269.57
SW Well 1A	CR TEST - RECOVERY	10/11/2010 9:55:00	6920.08	2555.067	206.66	8.64	111.14	33.85	0.56	206.38	8.91		111.42	269.58
SW Well 1A	CR TEST - RECOVERY	10/11/2010 10:00:00	6925.08	2560.067	206.66	8.63	111.13	33.85	0.55	206.39	8.90		111.40	269.60
SW Well 1A	CR TEST - RECOVERY	10/11/2010 10:05:00	6930.08	2565.067	206.67	8.62	111.12	33.84	0.55	206.40	8.89		111.40	269.60
SW Well 1A	CR TEST - RECOVERY	10/11/2010 10:10:00	6935.08	2570.067	206.68	8.61	111.12	33.84	0.55	206.41	8.88		111.39	269.61
SW Well 1A	CR TEST - RECOVERY	10/11/2010 10:15:00	6940.08	2575.067	206.70	8.60	111.10	33.84	0.54	206.42	8.86		111.37	269.63
SW Well 1A	CR TEST - RECOVERY	10/11/2010 10:20:00	6945.08	2580.067	206.70	8.59	111.09	33.83	0.54	206.43	8.85		111.36	269.64
SW Well 1A	CR TEST - RECOVERY	10/11/2010 10:25:00	6950.08	2585.067	206.71	8.58	111.09	33.83	0.53	206.44	8.84		111.35	269.65
SW Well 1A	CR TEST - RECOVERY	10/11/2010 10:30:00	6955.08	2590.067	206.72	8.58	111.08	33.82	0.53	206.45	8.83		111.34	269.66
SW Well 1A	CR TEST - RECOVERY	10/11/2010 10:35:00	6960.08	2595.067	206.73	8.57	111.07	33.82	0.53	206.46	8.82		111.33	269.67
SW Well 1A	CR TEST - RECOVERY	10/11/2010 10:40:00	6965.08	2600.067	206.74	8.55	111.05	33.82	0.52	206.48	8.80		111.31	269.69
SW Well 1A	CR TEST - RECOVERY	10/11/2010 10:45:00	6970.08	2605.067	206.75	8.54	111.05	33.82	0.52	206.49	8.80		111.30	269.70
SW Well 1A	CR TEST - RECOVERY	10/11/2010 10:50:00	6975.08	2610.067	206.77	8.53	111.03	33.81	0.52	206.51	8.78		111.28	269.72
SW Well 1A	CR TEST - RECOVERY	10/11/2010 10:55:00	6980.08	2615.067	206.77	8.52	111.02	33.81	0.52	206.51	8.77		111.28	269.72

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/11/2010 11:00:00	6985.08	2620.067	206.78	8.51	111.01	33.81	0.52	206.53	8.76		111.27	269.73
SW Well 1A	CR TEST - RECOVERY	10/11/2010 11:05:00	6990.08	2625.067	206.80	8.50	111.00	33.81	0.51	206.54	8.75		111.25	269.75
SW Well 1A	CR TEST - RECOVERY	10/11/2010 11:10:00	6995.08	2630.067	206.81	8.49	110.99	33.81	0.51	206.55	8.74		111.24	269.76
SW Well 1A	CR TEST - RECOVERY	10/11/2010 11:15:00	7000.08	2635.067	206.81	8.48	110.98	33.81	0.51	206.56	8.73		111.24	269.76
SW Well 1A	CR TEST - RECOVERY	10/11/2010 11:20:00	7005.08	2640.067	206.82	8.47	110.98	33.81	0.51	206.56	8.72		111.23	269.77
SW Well 1A	CR TEST - RECOVERY	10/11/2010 11:25:00	7010.08	2645.067	206.84	8.46	110.96	33.80	0.51	206.58	8.71		111.21	269.79
SW Well 1A	CR TEST - RECOVERY	10/11/2010 11:30:00	7015.08	2650.067	206.84	8.45	110.95	33.80	0.51	206.59	8.70		111.20	269.80
SW Well 1A	CR TEST - RECOVERY	10/11/2010 11:35:00	7020.08	2655.067	206.85	8.44	110.94	33.80	0.51	206.60	8.69		111.19	269.81
SW Well 1A	CR TEST - RECOVERY	10/11/2010 11:40:00	7025.08	2660.067	206.85	8.44	110.94	33.80	0.50	206.60	8.69		111.19	269.81
SW Well 1A	CR TEST - RECOVERY	10/11/2010 11:45:00	7030.08	2665.067	206.87	8.43	110.93	33.80	0.50	206.62	8.67		111.18	269.82
SW Well 1A	CR TEST - RECOVERY	10/11/2010 11:50:00	7035.08	2670.067	206.88	8.42	110.92	33.80	0.50	206.63	8.66		111.17	269.83
SW Well 1A	CR TEST - RECOVERY	10/11/2010 11:55:00	7040.08	2675.067	206.89	8.40	110.91	33.80	0.50	206.64	8.65		111.15	269.85
SW Well 1A	CR TEST - RECOVERY	10/11/2010 12:00:00	7045.08	2680.067	206.90	8.40	110.90	33.80	0.50	206.65	8.64		111.15	269.85
SW Well 1A	CR TEST - RECOVERY	10/11/2010 12:05:00	7050.08	2685.067	206.91	8.39	110.89	33.80	0.50	206.65	8.63		111.14	269.86
SW Well 1A	CR TEST - RECOVERY	10/11/2010 12:10:00	7055.08	2690.067	206.92	8.37	110.87	33.80	0.50	206.67	8.62		111.12	269.88
SW Well 1A	CR TEST - RECOVERY	10/11/2010 12:15:00	7060.08	2695.067	206.93	8.37	110.87	33.80	0.50	206.68	8.61		111.12	269.88
SW Well 1A	CR TEST - RECOVERY	10/11/2010 12:20:00	7065.08	2700.067	206.94	8.36	110.86	33.80	0.50	206.69	8.60		111.11	269.89
SW Well 1A	CR TEST - RECOVERY	10/11/2010 12:25:00	7070.08	2705.067	206.94	8.35	110.85	33.80	0.50	206.69	8.59		111.10	269.90
SW Well 1A	CR TEST - RECOVERY	10/11/2010 12:30:00	7075.08	2710.067	206.95	8.34	110.84	33.79	0.50	206.70	8.58		111.09	269.91
SW Well 1A	CR TEST - RECOVERY	10/11/2010 12:35:00	7080.08	2715.067	206.96	8.33	110.84	33.79	0.50	206.71	8.58		111.08	269.92
SW Well 1A	CR TEST - RECOVERY	10/11/2010 12:40:00	7085.08	2720.067	206.97	8.32	110.83	33.79	0.49	206.72	8.56		111.07	269.93
SW Well 1A	CR TEST - RECOVERY	10/11/2010 12:45:00	7090.08	2725.067	206.98	8.32	110.82	33.79	0.49	206.73	8.56		111.06	269.94
SW Well 1A	CR TEST - RECOVERY	10/11/2010 12:50:00	7095.08	2730.067	206.98	8.31	110.81	33.79	0.49	206.74	8.55		111.06	269.94
SW Well 1A	CR TEST - RECOVERY	10/11/2010 12:55:00	7100.08	2735.067	206.99	8.30	110.80	33.78	0.49	206.75	8.54		111.05	269.95
SW Well 1A	CR TEST - RECOVERY	10/11/2010 13:00:00	7105.08	2740.067	207.01	8.29	110.79	33.78	0.49	206.76	8.52		111.03	269.97
SW Well 1A	CR TEST - RECOVERY	10/11/2010 13:05:00	7110.08	2745.067	207.01	8.28	110.78	33.78	0.49	206.77	8.52		111.02	269.98
SW Well 1A	CR TEST - RECOVERY	10/11/2010 13:10:00	7115.08	2750.067	207.02	8.27	110.77	33.78	0.49	206.78	8.51		111.01	269.99
SW Well 1A	CR TEST - RECOVERY	10/11/2010 13:15:00	7120.08	2755.067	207.03	8.26	110.77	33.78	0.48	206.79	8.50		111.01	269.99
SW Well 1A	CR TEST - RECOVERY	10/11/2010 13:20:00	7125.08	2760.067	207.04	8.26	110.76	33.78	0.48	206.80	8.49		111.00	270.00
SW Well 1A	CR TEST - RECOVERY	10/11/2010 13:25:00	7130.08	2765.067	207.05	8.25	110.75	33.77	0.48	206.81	8.48		110.99	270.01
SW Well 1A	CR TEST - RECOVERY	10/11/2010 13:30:00	7135.08	2770.067	207.06	8.23	110.73	33.77	0.48	206.82	8.47		110.97	270.03
SW Well 1A	CR TEST - RECOVERY	10/11/2010 13:35:00	7140.08	2775.067	207.07	8.22	110.73	33.77	0.48	206.83	8.46		110.96	270.04
SW Well 1A	CR TEST - RECOVERY	10/11/2010 13:40:00	7145.08	2780.067	207.08	8.22	110.72	33.78	0.48	206.84	8.45		110.96	270.04
SW Well 1A	CR TEST - RECOVERY	10/11/2010 13:45:00	7150.08	2785.067	207.08	8.21	110.71	33.78	0.48	206.84	8.44		110.95	270.05
SW Well 1A	CR TEST - RECOVERY	10/11/2010 13:50:00	7155.08	2790.067	207.09	8.20	110.70	33.78	0.48	206.85	8.44		110.94	270.06
SW Well 1A	CR TEST - RECOVERY	10/11/2010 13:55:00	7160.08	2795.067	207.10	8.19	110.70	33.77	0.48	206.86	8.43		110.93	270.07
SW Well 1A	CR TEST - RECOVERY	10/11/2010 14:00:00	7165.08	2800.067	207.11	8.19	110.69	33.77	0.48	206.87	8.42		110.92	270.08
SW Well 1A	CR TEST - RECOVERY	10/11/2010 14:05:00	7170.08	2805.067	207.12	8.18	110.68	33.77	0.48	206.88	8.41		110.91	270.09
SW Well 1A	CR TEST - RECOVERY	10/11/2010 14:10:00	7175.08	2810.067	207.13	8.16	110.66	33.77	0.48	206.89	8.39		110.90	270.10
SW Well 1A	CR TEST - RECOVERY	10/11/2010 14:15:00	7180.08	2815.067	207.13	8.16	110.66	33.77	0.47	206.90	8.39		110.90	270.10
SW Well 1A	CR TEST - RECOVERY	10/11/2010 14:20:00	7185.08	2820.067	207.15	8.15	110.65	33.77	0.47	206.91	8.38		110.88	270.12
SW Well 1A	CR TEST - RECOVERY	10/11/2010 14:25:00	7190.08	2825.067	207.15	8.14	110.64	33.77	0.47	206.92	8.37		110.87	270.13
SW Well 1A	CR TEST - RECOVERY	10/11/2010 14:30:00	7195.08	2830.067	207.16	8.13	110.63	33.77	0.47	206.93	8.36		110.87	270.13
SW Well 1A	CR TEST - RECOVERY	10/11/2010 14:35:00	7200.08	2835.067	207.17	8.12	110.63	33.76	0.47	206.94	8.35		110.86	270.14
SW Well 1A	CR TEST - RECOVERY	10/11/2010 14:40:00	7205.08	2840.067	207.17	8.12	110.63	33.76	0.46	206.94	8.35		110.86	270.14
SW Well 1A	CR TEST - RECOVERY	10/11/2010 14:45:00	7210.08	2845.067	207.18	8.12	110.62	33.76	0.46	206.95	8.34		110.85	270.15
SW Well 1A	CR TEST - RECOVERY	10/11/2010 14:50:00	7215.08	2850.067	207.20	8.10	110.60	33.75	0.46	206.97	8.32		110.83	270.17
SW Well 1A	CR TEST - RECOVERY	10/11/2010 14:55:00	7220.08	2855.067	207.19	8.10	110.60	33.75	0.45	206.97	8.32		110.83	270.17
SW Well 1A	CR TEST - RECOVERY	10/11/2010 15:00:00	7225.08	2860.067	207.20	8.09	110.59	33.75	0.45	206.98	8.31		110.81	270.19
SW Well 1A	CR TEST - RECOVERY	10/11/2010 15:05:00	7230.08	2865.067	207.22	8.08	110.58	33.75	0.45	206.99	8.30		110.80	270.20
SW Well 1A	CR TEST - RECOVERY	10/11/2010 15:10:00	7235.08	2870.067	207.23	8.07	110.57	33.74	0.45	207.00	8.28		110.79	270.21
SW Well 1A	CR TEST - RECOVERY	10/11/2010 15:15:00	7240.08	2875.067	207.23	8.07	110.57	33.74	0.45	207.00	8.29		110.79	270.21
SW Well 1A	CR TEST - RECOVERY	10/11/2010 15:20:00	7245.08	2880.067	207.24	8.06	110.56	33.74	0.45	207.01	8.28		110.78	270.22
SW Well 1A	CR TEST - RECOVERY	10/11/2010 15:25:00	7250.08	2885.067	207.25	8.05	110.55	33.74	0.45	207.02	8.26		110.77	270.23
SW Well 1A	CR TEST - RECOVERY	10/11/2010 15:30:00	7255.08	2890.067	207.25	8.05	110.55	33.74	0.45	207.02	8.26		110.77	270.23
SW Well 1A	CR TEST - RECOVERY	10/11/2010 15:35:00	7260.08	2895.067	207.26	8.03	110.53	33.74	0.45	207.04	8.25		110.75	270.25
SW Well 1A	CR TEST - RECOVERY	10/11/2010 15:40:00	7265.08	2900.067	207.27	8.02	110.52	33.74	0.45	207.05	8.24		110.75	270.25
SW Well 1A	CR TEST - RECOVERY	10/11/2010 15:45:00	7270.08	2905.067	207.29	8.01	110.51	33.74	0.45	207.06	8.22		110.73	270.27
SW Well 1A	CR TEST - RECOVERY	10/11/2010 15:50:00	7275.08	2910.067	207.30	8.00	110.50	33.75	0.45	207.07	8.21		110.72	270.28
SW Well 1A	CR TEST - RECOVERY	10/11/2010 15:55:00	7280.08	2915.067	207.31	7.99	110.49	33.75	0.45	207.08	8.21		110.71	270.29
SW Well 1A	CR TEST - RECOVERY	10/11/2010 16:00:00	7285.08	2920.067	207.31	7.98	110.49	33.75	0.45	207.08	8.20		110.71	270.29
SW Well 1A	CR TEST - RECOVERY	10/11/2010 16:05:00	7290.08	2925.067	207.32	7.97	110.48	33.75	0.45	207.09	8.20		110.70	270.30
SW Well 1A	CR TEST - RECOVERY	10/11/2010 16:10:00	7295.08	2930.067	207.33	7.96	110.46	33.75	0.45	207.11	8.18		110.69	270.31
SW Well 1A	CR TEST - RECOVERY	10/11/2010 16:15:00	7300.08	2935.067	207.34	7.95	110.45	33.75	0.46	207.11	8.17		110.68	270.32
SW Well 1A	CR TEST - RECOVERY	10/11/2010 16:20:00	7305.08	2940.067	207.35	7.94	110.44	33.75	0.45	207.12	8.16		110.67	270.33
SW Well 1A	CR TEST - RECOVERY	10/11/2010 16:25:00	7310.08	2945.067	207.36	7.93	110.44	33.75	0.45	207.13	8.15		110.66	270.34
SW Well 1A	CR TEST - RECOVERY	10/11/2010 16:30:00	7315.08	2950.067	207.37	7.93	110.43	33.75	0.45	207.14	8.15		110.65	270.35
SW Well 1A	CR TEST - RECOVERY	10/11/2010 16:35:00	7320.08	2955.067	207.38	7.92	110.42	33.75	0.45	207.15	8.14		110.64	270.36
SW Well 1A	CR TEST - RECOVERY	10/11/2010 16:40:00	7325.08	2960.067	207.38	7.91	110.41	33.74	0.45	207.16	8.13		110.63	270.37
SW Well 1A	CR TEST - RECOVERY	10/11/2010 16:45:00	7330.08	2965.067	207.39	7.91	110.41	33.74	0.45	207.17	8.12		110.63	270.37
SW Well 1A	CR TEST - RECOVERY	10/11/2010 16:50:00	7335.08	2970.067	207.40	7.89	110.40	33.74	0.45	207.18	8.11		110.62	270.38
SW Well 1A	CR TEST - RECOVERY	10/11/2010 16:55:00	7340.08	2975.067	207.40	7.89	110.39	33.74	0.45	207.18	8.11		110.61	270.39
SW Well 1A	CR TEST - RECOVERY	10/11/2010 17:00:00	7345.08	2980.067	207.41	7.88	110.38	33.74	0.44	207.19	8.09		110.60	270.40
SW Well 1A	CR TEST - RECOVERY	10/11/2010 17:05:00	7350.08	2985.067	207.42	7.87	110.38	33.74	0.44	207.20	8.09		110.59	270.41
SW Well 1A	CR TEST - RECOVERY	10/11/2010 17:10:00	7355.08	2990.067	207.43	7.86	110.37	33.74	0.44	207.21	8.08		110.58	270.42
SW Well 1A	CR TEST - RECOVERY	10/11/2010 17:15:00	7360.08	2995.067	207.44	7.86	110.36	33.74	0.44	207.21	8.07		110.58	270.42
SW Well 1A	CR TEST - RECOVERY	10/11/2010 17:20:00	7365.08	3000.067	207.45	7.85	110.35	33.74	0.44	207.22	8.06		110.57	270.43
SW Well 1A	CR TEST - RECOVERY	10/11/2010 17:25:00	7370.08	3005.067	207.45	7.84	110.34	33.74	0.44	207.23	8.06		110.56	270.44
SW Well 1A	CR TEST - RECOVERY	10/11/2010 17:30:00	7375.08	3010.067	207.45	7.84	110.34	33.73	0.44	207.23	8.06		110.56	270.44
SW Well 1A	CR TEST - RECOVERY	10/11/2010 17:35:00	7380.08	3015.067	207.46	7.83	110.33	33.73	0.44	207.24	8.04		110.55	270.45
SW Well 1A	CR TEST - RECOVERY	10/11/2010 17:40:00	7385.08	3020.067	207.47	7.83	110.33	33.73	0.44	207.25	8.04		110.54	270.46
SW Well 1A	CR TEST - RECOVERY	10/11/2010 17:45:00	7390.08	3025.067	207.48	7.82	110.32	33.73	0.44	207.26	8.03		110.53	270.47
SW Well 1A	CR TEST - RECOVERY	10/11/2010 17:50:00	7395.08	3030.067	207.48	7.81	110.31	33.73	0.44	207.26	8.02		110.53	270.47
SW Well 1A	CR TEST - RECOVERY	10/11/2010 17:55:00	7400.08	3035.067	207.50	7.80	110.30	33.73	0.44	207.28	8.01		110.51	270.49
SW Well 1A	CR TEST - RECOVERY	10/11/2010 18:00:00	7405.08	3040.067	207.51	7.79	110.29	33.73	0.44	207.29	8.00		110.50	270.50
SW Well 1A	CR TEST - RECOVERY	10/11/2010 18:05:00	7410.08	3045.067	207.51	7.79	110.29	33.73	0.43	207.29	8.00		110.50	270.50
SW Well 1A	CR TEST - RECOVERY	10/11/2010 18:10:00	7415.08	3050.067	207.52	7.77	110.27	33.73	0.43	207.31	7.98		110.49	270.51
SW Well 1A	CR TEST - RECOVERY	10/11/2010 18:15:00	7420.08	3055.067	207.52	7.77	110.27	33.73	0.43	207.30	7.98		110.49	270.51
SW Well 1A	CR TEST - RECOVERY	10/11/2010 18:20:00	7425.08	3060.067	207.53	7.76	110.26	33.73	0.43	207.32	7.97		110.48	270.52
SW Well 1A	CR TEST - RECOVERY	10/11/2010 18:25:00	7430.08	3065.067	207.54	7.75	110.26	33.72	0.43	207.32	7.96		110.47	270.53
SW Well 1A	CR TEST - RECOVERY	10/11/2010 18:30:00	7435.08	3070.067	207.56	7.74	110.24	33.73	0.43	207.34	7.95		110.46	270.54
SW Well 1A	CR TEST - RECOVERY	10/11/2010 18:35:00	7440.08	3075.067	207.56	7.73	110.24	33.74	0.44	207.34	7.95		110.45	270.55
SW Well 1A	CR TEST - RECOVERY	10/11/2010 18:40:00	7445.08	3080.067	207.57	7.72	110.23	33.74	0.45	207.35	7.94		110.45	270.55
SW Well 1A	CR TEST - RECOVERY	10/11/2010 18:45:00	7450.08	3085.067	207.59	7.71	110.21	33.75	0.45	207.36	7.93		110.43	270.57
SW Well 1A	CR TEST - RECOVERY	10/11/2010 18:50:00	7455.08	3090.067	207.59	7.70	110.20	33.75	0.45	207.36	7.92		110.43	270.57
SW Well 1A	CR TEST - RECOVERY	10/11/2010 18:55:00	7460.08	3095.067	207.60	7.69	110.19	33.75	0.45	207.37	7.91		110.42	270.58
SW Well 1A	CR TEST - RECOVERY	10/11/2010 19:00:00	7465.08	3100.067	207.61	7.69	110.19	33.75	0.46	207.38	7.91		110.41	270.59

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/11/2010 19:05:00	7470.08	3105.067	207.61	7.68	110.18	33.75	0.46	207.38	7.90		110.41	270.59
SW Well 1A	CR TEST - RECOVERY	10/11/2010 19:10:00	7475.08	3110.067	207.62	7.67	110.17	33.75	0.46	207.39	7.89		110.40	270.60
SW Well 1A	CR TEST - RECOVERY	10/11/2010 19:15:00	7480.08	3115.067	207.63	7.66	110.16	33.76	0.46	207.40	7.88		110.39	270.61
SW Well 1A	CR TEST - RECOVERY	10/11/2010 19:20:00	7485.08	3120.067	207.64	7.65	110.16	33.76	0.46	207.41	7.88		110.38	270.62
SW Well 1A	CR TEST - RECOVERY	10/11/2010 19:25:00	7490.08	3125.067	207.65	7.65	110.15	33.76	0.46	207.42	7.87		110.38	270.62
SW Well 1A	CR TEST - RECOVERY	10/11/2010 19:30:00	7495.08	3130.067	207.66	7.63	110.13	33.76	0.47	207.43	7.86		110.36	270.64
SW Well 1A	CR TEST - RECOVERY	10/11/2010 19:35:00	7500.08	3135.067	207.67	7.62	110.13	33.77	0.48	207.43	7.86		110.36	270.64
SW Well 1A	CR TEST - RECOVERY	10/11/2010 19:40:00	7505.08	3140.067	207.68	7.61	110.12	33.77	0.48	207.44	7.85		110.35	270.65
SW Well 1A	CR TEST - RECOVERY	10/11/2010 19:45:00	7510.08	3145.067	207.69	7.61	110.11	33.77	0.48	207.45	7.84		110.34	270.66
SW Well 1A	CR TEST - RECOVERY	10/11/2010 19:50:00	7515.08	3150.067	207.70	7.60	110.10	33.77	0.47	207.46	7.83		110.34	270.66
SW Well 1A	CR TEST - RECOVERY	10/11/2010 19:55:00	7520.08	3155.067	207.70	7.60	110.10	33.77	0.47	207.46	7.83		110.33	270.67
SW Well 1A	CR TEST - RECOVERY	10/11/2010 20:00:00	7525.08	3160.067	207.70	7.59	110.09	33.77	0.47	207.47	7.82		110.33	270.67
SW Well 1A	CR TEST - RECOVERY	10/11/2010 20:05:00	7530.08	3165.067	207.71	7.58	110.08	33.77	0.48	207.47	7.81		110.32	270.68
SW Well 1A	CR TEST - RECOVERY	10/11/2010 20:10:00	7535.08	3170.067	207.73	7.57	110.07	33.78	0.48	207.49	7.80		110.31	270.69
SW Well 1A	CR TEST - RECOVERY	10/11/2010 20:15:00	7540.08	3175.067	207.73	7.56	110.06	33.78	0.48	207.49	7.79		110.30	270.70
SW Well 1A	CR TEST - RECOVERY	10/11/2010 20:20:00	7545.08	3180.067	207.74	7.55	110.05	33.78	0.48	207.50	7.79		110.29	270.71
SW Well 1A	CR TEST - RECOVERY	10/11/2010 20:25:00	7550.08	3185.067	207.74	7.55	110.05	33.78	0.48	207.50	7.79		110.29	270.71
SW Well 1A	CR TEST - RECOVERY	10/11/2010 20:30:00	7555.08	3190.067	207.75	7.54	110.05	33.78	0.48	207.51	7.78		110.29	270.71
SW Well 1A	CR TEST - RECOVERY	10/11/2010 20:35:00	7560.08	3195.067	207.76	7.54	110.04	33.78	0.48	207.52	7.77		110.28	270.72
SW Well 1A	CR TEST - RECOVERY	10/11/2010 20:40:00	7565.08	3200.067	207.76	7.53	110.03	33.77	0.48	207.52	7.76		110.27	270.73
SW Well 1A	CR TEST - RECOVERY	10/11/2010 20:45:00	7570.08	3205.067	207.77	7.52	110.03	33.78	0.48	207.53	7.76		110.26	270.74
SW Well 1A	CR TEST - RECOVERY	10/11/2010 20:50:00	7575.08	3210.067	207.78	7.51	110.01	33.78	0.49	207.54	7.75		110.26	270.74
SW Well 1A	CR TEST - RECOVERY	10/11/2010 20:55:00	7580.08	3215.067	207.79	7.51	110.01	33.79	0.49	207.54	7.75		110.25	270.75
SW Well 1A	CR TEST - RECOVERY	10/11/2010 21:00:00	7585.08	3220.067	207.80	7.50	110.00	33.79	0.49	207.55	7.74		110.24	270.76
SW Well 1A	CR TEST - RECOVERY	10/11/2010 21:05:00	7590.08	3225.067	207.80	7.49	109.99	33.79	0.49	207.56	7.73		110.24	270.76
SW Well 1A	CR TEST - RECOVERY	10/11/2010 21:10:00	7595.08	3230.067	207.81	7.48	109.98	33.79	0.50	207.56	7.72		110.23	270.77
SW Well 1A	CR TEST - RECOVERY	10/11/2010 21:15:00	7600.08	3235.067	207.82	7.47	109.98	33.79	0.50	207.57	7.71		110.22	270.78
SW Well 1A	CR TEST - RECOVERY	10/11/2010 21:20:00	7605.08	3240.067	207.83	7.47	109.97	33.79	0.50	207.58	7.71		110.22	270.78
SW Well 1A	CR TEST - RECOVERY	10/11/2010 21:25:00	7610.08	3245.067	207.84	7.46	109.96	33.80	0.50	207.58	7.70		110.21	270.79
SW Well 1A	CR TEST - RECOVERY	10/11/2010 21:30:00	7615.08	3250.067	207.84	7.45	109.96	33.80	0.50	207.59	7.70		110.21	270.79
SW Well 1A	CR TEST - RECOVERY	10/11/2010 21:35:00	7620.08	3255.067	207.86	7.43	109.94	33.80	0.51	207.60	7.68		110.19	270.81
SW Well 1A	CR TEST - RECOVERY	10/11/2010 21:40:00	7625.08	3260.067	207.87	7.43	109.93	33.81	0.51	207.61	7.68		110.18	270.82
SW Well 1A	CR TEST - RECOVERY	10/11/2010 21:45:00	7630.08	3265.067	207.87	7.42	109.92	33.81	0.51	207.62	7.67		110.17	270.83
SW Well 1A	CR TEST - RECOVERY	10/11/2010 21:50:00	7635.08	3270.067	207.88	7.41	109.91	33.81	0.51	207.62	7.66		110.17	270.83
SW Well 1A	CR TEST - RECOVERY	10/11/2010 21:55:00	7640.08	3275.067	207.88	7.41	109.91	33.81	0.51	207.63	7.66		110.17	270.83
SW Well 1A	CR TEST - RECOVERY	10/11/2010 22:00:00	7645.08	3280.067	207.89	7.40	109.91	33.81	0.51	207.63	7.65		110.16	270.84
SW Well 1A	CR TEST - RECOVERY	10/11/2010 22:05:00	7650.08	3285.067	207.90	7.40	109.90	33.81	0.52	207.64	7.65		110.15	270.85
SW Well 1A	CR TEST - RECOVERY	10/11/2010 22:10:00	7655.08	3290.067	207.91	7.39	109.89	33.81	0.52	207.65	7.64		110.15	270.85
SW Well 1A	CR TEST - RECOVERY	10/11/2010 22:15:00	7660.08	3295.067	207.91	7.38	109.88	33.82	0.52	207.65	7.63		110.14	270.86
SW Well 1A	CR TEST - RECOVERY	10/11/2010 22:20:00	7665.08	3300.067	207.92	7.37	109.87	33.82	0.52	207.66	7.63		110.13	270.87
SW Well 1A	CR TEST - RECOVERY	10/11/2010 22:25:00	7670.08	3305.067	207.93	7.37	109.87	33.81	0.52	207.67	7.62		110.13	270.87
SW Well 1A	CR TEST - RECOVERY	10/11/2010 22:30:00	7675.08	3310.067	207.93	7.36	109.87	33.82	0.52	207.67	7.62		110.13	270.87
SW Well 1A	CR TEST - RECOVERY	10/11/2010 22:35:00	7680.08	3315.067	207.94	7.35	109.85	33.82	0.52	207.68	7.61		110.11	270.89
SW Well 1A	CR TEST - RECOVERY	10/11/2010 22:40:00	7685.08	3320.067	207.94	7.35	109.85	33.82	0.52	207.68	7.60		110.11	270.89
SW Well 1A	CR TEST - RECOVERY	10/11/2010 22:45:00	7690.08	3325.067	207.95	7.34	109.84	33.82	0.53	207.69	7.60		110.10	270.90
SW Well 1A	CR TEST - RECOVERY	10/11/2010 22:50:00	7695.08	3330.067	207.96	7.33	109.84	33.82	0.52	207.70	7.59		110.09	270.91
SW Well 1A	CR TEST - RECOVERY	10/11/2010 22:55:00	7700.08	3335.067	207.97	7.33	109.83	33.82	0.52	207.71	7.58		110.09	270.91
SW Well 1A	CR TEST - RECOVERY	10/11/2010 23:00:00	7705.08	3340.067	207.98	7.32	109.82	33.82	0.52	207.71	7.57		110.08	270.92
SW Well 1A	CR TEST - RECOVERY	10/11/2010 23:05:00	7710.08	3345.067	207.98	7.32	109.82	33.82	0.52	207.71	7.57		110.08	270.92
SW Well 1A	CR TEST - RECOVERY	10/11/2010 23:10:00	7715.08	3350.067	207.98	7.31	109.81	33.82	0.52	207.72	7.56		110.07	270.93
SW Well 1A	CR TEST - RECOVERY	10/11/2010 23:15:00	7720.08	3355.067	207.99	7.30	109.80	33.82	0.52	207.73	7.56		110.06	270.94
SW Well 1A	CR TEST - RECOVERY	10/11/2010 23:20:00	7725.08	3360.067	207.99	7.30	109.80	33.82	0.52	207.73	7.56		110.06	270.94
SW Well 1A	CR TEST - RECOVERY	10/11/2010 23:25:00	7730.08	3365.067	208.00	7.29	109.80	33.82	0.52	207.74	7.55		110.06	270.94
SW Well 1A	CR TEST - RECOVERY	10/11/2010 23:30:00	7735.08	3370.067	208.01	7.29	109.79	33.82	0.52	207.75	7.54		110.05	270.95
SW Well 1A	CR TEST - RECOVERY	10/11/2010 23:35:00	7740.08	3375.067	208.01	7.28	109.78	33.82	0.52	207.75	7.53		110.04	270.96
SW Well 1A	CR TEST - RECOVERY	10/11/2010 23:40:00	7745.08	3380.067	208.02	7.27	109.77	33.82	0.53	207.76	7.53		110.03	270.97
SW Well 1A	CR TEST - RECOVERY	10/11/2010 23:45:00	7750.08	3385.067	208.03	7.27	109.77	33.82	0.52	207.77	7.52		110.03	270.97
SW Well 1A	CR TEST - RECOVERY	10/11/2010 23:50:00	7755.08	3390.067	208.03	7.26	109.77	33.82	0.52	207.77	7.52		110.02	270.98
SW Well 1A	CR TEST - RECOVERY	10/11/2010 23:55:00	7760.08	3395.067	208.04	7.26	109.76	33.82	0.52	207.77	7.51		110.02	270.98
SW Well 1A	CR TEST - RECOVERY	10/12/2010 0:00:00	7765.08	3400.067	208.04	7.26	109.76	33.82	0.52	207.78	7.51		110.02	270.98
SW Well 1A	CR TEST - RECOVERY	10/12/2010 0:05:00	7770.08	3405.067	208.04	7.25	109.75	33.82	0.52	207.78	7.50		110.01	270.99
SW Well 1A	CR TEST - RECOVERY	10/12/2010 0:10:00	7775.08	3410.067	208.06	7.24	109.74	33.82	0.52	207.80	7.49		110.00	271.00
SW Well 1A	CR TEST - RECOVERY	10/12/2010 0:15:00	7780.08	3415.067	208.06	7.23	109.73	33.81	0.52	207.80	7.49		109.99	271.01
SW Well 1A	CR TEST - RECOVERY	10/12/2010 0:20:00	7785.08	3420.067	208.07	7.22	109.73	33.81	0.52	207.81	7.48		109.98	271.02
SW Well 1A	CR TEST - RECOVERY	10/12/2010 0:25:00	7790.08	3425.067	208.08	7.22	109.72	33.82	0.52	207.82	7.47		109.98	271.02
SW Well 1A	CR TEST - RECOVERY	10/12/2010 0:30:00	7795.08	3430.067	208.08	7.22	109.72	33.81	0.52	207.82	7.47		109.98	271.02
SW Well 1A	CR TEST - RECOVERY	10/12/2010 0:35:00	7800.08	3435.067	208.08	7.21	109.71	33.81	0.52	207.82	7.46		109.97	271.03
SW Well 1A	CR TEST - RECOVERY	10/12/2010 0:40:00	7805.08	3440.067	208.09	7.21	109.71	33.81	0.51	207.83	7.46		109.97	271.03
SW Well 1A	CR TEST - RECOVERY	10/12/2010 0:45:00	7810.08	3445.067	208.09	7.20	109.70	33.81	0.52	207.83	7.45		109.96	271.04
SW Well 1A	CR TEST - RECOVERY	10/12/2010 0:50:00	7815.08	3450.067	208.10	7.20	109.70	33.81	0.52	207.84	7.45		109.95	271.05
SW Well 1A	CR TEST - RECOVERY	10/12/2010 0:55:00	7820.08	3455.067	208.10	7.20	109.70	33.81	0.51	207.84	7.45		109.95	271.05
SW Well 1A	CR TEST - RECOVERY	10/12/2010 1:00:00	7825.08	3460.067	208.11	7.19	109.69	33.81	0.51	207.85	7.43		109.94	271.06
SW Well 1A	CR TEST - RECOVERY	10/12/2010 1:05:00	7830.08	3465.067	208.12	7.18	109.68	33.81	0.51	207.86	7.43		109.93	271.07
SW Well 1A	CR TEST - RECOVERY	10/12/2010 1:10:00	7835.08	3470.067	208.12	7.17	109.67	33.81	0.51	207.87	7.42		109.93	271.07
SW Well 1A	CR TEST - RECOVERY	10/12/2010 1:15:00	7840.08	3475.067	208.13	7.16	109.66	33.81	0.51	207.87	7.41		109.92	271.08
SW Well 1A	CR TEST - RECOVERY	10/12/2010 1:20:00	7845.08	3480.067	208.13	7.16	109.66	33.81	0.51	207.88	7.41		109.92	271.08
SW Well 1A	CR TEST - RECOVERY	10/12/2010 1:25:00	7850.08	3485.067	208.14	7.15	109.66	33.80	0.51	207.88	7.40		109.91	271.09
SW Well 1A	CR TEST - RECOVERY	10/12/2010 1:30:00	7855.08	3490.067	208.15	7.15	109.65	33.81	0.51	207.89	7.40		109.90	271.10
SW Well 1A	CR TEST - RECOVERY	10/12/2010 1:35:00	7860.08	3495.067	208.16	7.14	109.64	33.81	0.51	207.90	7.39		109.90	271.10
SW Well 1A	CR TEST - RECOVERY	10/12/2010 1:40:00	7865.08	3500.067	208.16	7.14	109.64	33.81	0.51	207.90	7.39		109.90	271.10
SW Well 1A	CR TEST - RECOVERY	10/12/2010 1:45:00	7870.08	3505.067	208.16	7.13	109.63	33.81	0.51	207.91	7.38		109.89	271.11
SW Well 1A	CR TEST - RECOVERY	10/12/2010 1:50:00	7875.08	3510.067	208.17	7.12	109.63	33.80	0.51	207.92	7.37		109.88	271.12
SW Well 1A	CR TEST - RECOVERY	10/12/2010 1:55:00	7880.08	3515.067	208.17	7.13	109.63	33.81	0.51	207.91	7.38		109.88	271.12
SW Well 1A	CR TEST - RECOVERY	10/12/2010 2:00:00	7885.08	3520.067	208.19	7.11	109.61	33.81	0.51	207.93	7.36		109.86	271.14
SW Well 1A	CR TEST - RECOVERY	10/12/2010 2:05:00	7890.08	3525.067	208.19	7.10	109.60	33.81	0.52	207.93	7.35		109.86	271.14
SW Well 1A	CR TEST - RECOVERY	10/12/2010 2:10:00	7895.08	3530.067	208.19	7.10	109.60	33.81	0.52	207.93	7.35		109.86	271.14
SW Well 1A	CR TEST - RECOVERY	10/12/2010 2:15:00	7900.08	3535.067	208.20	7.09	109.59	33.81	0.51	207.94	7.34		109.85	271.15
SW Well 1A	CR TEST - RECOVERY	10/12/2010 2:20:00	7905.08	3540.067	208.21	7.08	109.59	33.81	0.51	207.95	7.33		109.84	271.16
SW Well 1A	CR TEST - RECOVERY	10/12/2010 2:25:00	7910.08	3545.067	208.21	7.09	109.59	33.81	0.51	207.95	7.34		109.84	271.16
SW Well 1A	CR TEST - RECOVERY	10/12/2010 2:30:00	7915.08	3550.067	208.22	7.08	109.58	33.81	0.51	207.96	7.33		109.83	271.17
SW Well 1A	CR TEST - RECOVERY	10/12/2010 2:35:00	7920.08	3555.067	208.22	7.07	109.57	33.81	0.51	207.97	7.32		109.83	271.17
SW Well 1A	CR TEST - RECOVERY	10/12/2010 2:40:00	7925.08	3560.067	208.23	7.06	109.56	33.81	0.51	207.98	7.31		109.82	271.18
SW Well 1A	CR TEST - RECOVERY	10/12/2010 2:45:00	7930.08	3565.067	208.23	7.06	109.56	33.81	0.51	207.98	7.31		109.82	271.18
SW Well 1A	CR TEST - RECOVERY	10/12/2010 2:50:00	7935.08	3570.067	208.24	7.05	109.56	33.81	0.51	207.98	7.30		109.81	271.19
SW Well 1A	CR TEST - RECOVERY	10/12/2010 2:55:00	7940.08	3575.067	208.25	7.05	109.55	33.81	0.51	207.99	7.29		109.80	271.20
SW Well 1A	CR TEST - RECOVERY	10/12/2010 3:00:00	7945.08	3580.067	208.26	7.04	109.54	33.81	0.51	208.00	7.29		109.79	271.21
SW Well 1A	CR TEST - RECOVERY	10/12/2010 3:05:00	7950.08	3585.067	208.25	7.04	109.54	33.81	0.51	208.00	7.29		109.80	271.20

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/12/2010 3:10:00	7955.08	3590.067	208.26	7.03	109.53	33.81	0.51	208.01	7.28		109.78	271.22
SW Well 1A	CR TEST - RECOVERY	10/12/2010 3:15:00	7960.08	3595.067	208.26	7.03	109.53	33.80	0.50	208.01	7.27		109.78	271.22
SW Well 1A	CR TEST - RECOVERY	10/12/2010 3:20:00	7965.08	3600.067	208.26	7.03	109.53	33.80	0.50	208.01	7.27		109.78	271.22
SW Well 1A	CR TEST - RECOVERY	10/12/2010 3:25:00	7970.08	3605.067	208.27	7.02	109.52	33.80	0.50	208.02	7.27		109.77	271.23
SW Well 1A	CR TEST - RECOVERY	10/12/2010 3:30:00	7975.08	3610.067	208.28	7.01	109.52	33.80	0.50	208.03	7.26		109.77	271.23
SW Well 1A	CR TEST - RECOVERY	10/12/2010 3:35:00	7980.08	3615.067	208.28	7.01	109.52	33.80	0.50	208.03	7.26		109.76	271.24
SW Well 1A	CR TEST - RECOVERY	10/12/2010 3:40:00	7985.08	3620.067	208.29	7.01	109.51	33.79	0.50	208.04	7.25		109.75	271.25
SW Well 1A	CR TEST - RECOVERY	10/12/2010 3:45:00	7990.08	3625.067	208.30	7.00	109.50	33.79	0.50	208.05	7.24		109.75	271.25
SW Well 1A	CR TEST - RECOVERY	10/12/2010 3:50:00	7995.08	3630.067	208.30	7.00	109.50	33.79	0.49	208.05	7.24		109.75	271.25
SW Well 1A	CR TEST - RECOVERY	10/12/2010 3:55:00	8000.08	3635.067	208.30	6.99	109.49	33.79	0.49	208.06	7.23		109.74	271.26
SW Well 1A	CR TEST - RECOVERY	10/12/2010 4:00:00	8005.08	3640.067	208.30	6.99	109.49	33.79	0.49	208.06	7.23		109.74	271.26
SW Well 1A	CR TEST - RECOVERY	10/12/2010 4:05:00	8010.08	3645.067	208.31	6.98	109.48	33.79	0.49	208.06	7.22		109.73	271.27
SW Well 1A	CR TEST - RECOVERY	10/12/2010 4:10:00	8015.08	3650.067	208.33	6.97	109.47	33.79	0.50	208.08	7.21		109.71	271.29
SW Well 1A	CR TEST - RECOVERY	10/12/2010 4:15:00	8020.08	3655.067	208.33	6.97	109.47	33.79	0.49	208.08	7.21		109.71	271.29
SW Well 1A	CR TEST - RECOVERY	10/12/2010 4:20:00	8025.08	3660.067	208.33	6.96	109.46	33.79	0.50	208.09	7.20		109.71	271.29
SW Well 1A	CR TEST - RECOVERY	10/12/2010 4:25:00	8030.08	3665.067	208.34	6.95	109.45	33.79	0.49	208.09	7.19		109.70	271.30
SW Well 1A	CR TEST - RECOVERY	10/12/2010 4:30:00	8035.08	3670.067	208.34	6.95	109.45	33.79	0.49	208.10	7.19		109.70	271.30
SW Well 1A	CR TEST - RECOVERY	10/12/2010 4:35:00	8040.08	3675.067	208.36	6.94	109.44	33.79	0.50	208.11	7.18		109.68	271.32
SW Well 1A	CR TEST - RECOVERY	10/12/2010 4:40:00	8045.08	3680.067	208.36	6.94	109.44	33.79	0.49	208.11	7.18		109.68	271.32
SW Well 1A	CR TEST - RECOVERY	10/12/2010 4:45:00	8050.08	3685.067	208.37	6.93	109.43	33.79	0.50	208.12	7.17		109.68	271.32
SW Well 1A	CR TEST - RECOVERY	10/12/2010 4:50:00	8055.08	3690.067	208.37	6.92	109.42	33.79	0.50	208.13	7.16		109.67	271.33
SW Well 1A	CR TEST - RECOVERY	10/12/2010 4:55:00	8060.08	3695.067	208.37	6.92	109.42	33.79	0.50	208.12	7.16		109.67	271.33
SW Well 1A	CR TEST - RECOVERY	10/12/2010 5:00:00	8065.08	3700.067	208.38	6.91	109.41	33.80	0.50	208.13	7.16		109.66	271.34
SW Well 1A	CR TEST - RECOVERY	10/12/2010 5:05:00	8070.08	3705.067	208.39	6.91	109.41	33.79	0.50	208.14	7.15		109.65	271.35
SW Well 1A	CR TEST - RECOVERY	10/12/2010 5:10:00	8075.08	3710.067	208.40	6.90	109.40	33.80	0.50	208.15	7.14		109.65	271.35
SW Well 1A	CR TEST - RECOVERY	10/12/2010 5:15:00	8080.08	3715.067	208.40	6.89	109.39	33.80	0.50	208.15	7.13		109.64	271.36
SW Well 1A	CR TEST - RECOVERY	10/12/2010 5:20:00	8085.08	3720.067	208.40	6.89	109.39	33.80	0.50	208.15	7.13		109.64	271.36
SW Well 1A	CR TEST - RECOVERY	10/12/2010 5:25:00	8090.08	3725.067	208.41	6.88	109.38	33.79	0.50	208.16	7.12		109.63	271.37
SW Well 1A	CR TEST - RECOVERY	10/12/2010 5:30:00	8095.08	3730.067	208.42	6.87	109.38	33.79	0.50	208.17	7.12		109.62	271.38
SW Well 1A	CR TEST - RECOVERY	10/12/2010 5:35:00	8100.08	3735.067	208.43	6.87	109.37	33.79	0.50	208.18	7.11		109.61	271.39
SW Well 1A	CR TEST - RECOVERY	10/12/2010 5:40:00	8105.08	3740.067	208.43	6.87	109.37	33.79	0.50	208.18	7.11		109.61	271.39
SW Well 1A	CR TEST - RECOVERY	10/12/2010 5:45:00	8110.08	3745.067	208.44	6.86	109.36	33.79	0.50	208.19	7.10		109.61	271.39
SW Well 1A	CR TEST - RECOVERY	10/12/2010 5:50:00	8115.08	3750.067	208.44	6.85	109.35	33.79	0.49	208.20	7.09		109.60	271.40
SW Well 1A	CR TEST - RECOVERY	10/12/2010 5:55:00	8120.08	3755.067	208.44	6.85	109.35	33.79	0.49	208.20	7.09		109.60	271.40
SW Well 1A	CR TEST - RECOVERY	10/12/2010 6:00:00	8125.08	3760.067	208.45	6.84	109.34	33.79	0.49	208.20	7.08		109.59	271.41
SW Well 1A	CR TEST - RECOVERY	10/12/2010 6:05:00	8130.08	3765.067	208.46	6.83	109.34	33.79	0.49	208.21	7.07		109.58	271.42
SW Well 1A	CR TEST - RECOVERY	10/12/2010 6:10:00	8135.08	3770.067	208.47	6.83	109.33	33.79	0.50	208.22	7.07		109.57	271.43
SW Well 1A	CR TEST - RECOVERY	10/12/2010 6:15:00	8140.08	3775.067	208.47	6.82	109.32	33.79	0.50	208.22	7.06		109.57	271.43
SW Well 1A	CR TEST - RECOVERY	10/12/2010 6:20:00	8145.08	3780.067	208.48	6.81	109.31	33.80	0.50	208.23	7.06		109.56	271.44
SW Well 1A	CR TEST - RECOVERY	10/12/2010 6:25:00	8150.08	3785.067	208.49	6.80	109.31	33.80	0.50	208.24	7.05		109.55	271.45
SW Well 1A	CR TEST - RECOVERY	10/12/2010 6:30:00	8155.08	3790.067	208.50	6.80	109.30	33.80	0.51	208.24	7.04		109.55	271.45
SW Well 1A	CR TEST - RECOVERY	10/12/2010 6:35:00	8160.08	3795.067	208.51	6.79	109.29	33.80	0.51	208.25	7.04		109.54	271.46
SW Well 1A	CR TEST - RECOVERY	10/12/2010 6:40:00	8165.08	3800.067	208.51	6.78	109.28	33.81	0.51	208.26	7.03		109.54	271.46
SW Well 1A	CR TEST - RECOVERY	10/12/2010 6:45:00	8170.08	3805.067	208.52	6.77	109.27	33.81	0.51	208.27	7.02		109.53	271.47
SW Well 1A	CR TEST - RECOVERY	10/12/2010 6:50:00	8175.08	3810.067	208.52	6.77	109.27	33.80	0.51	208.27	7.02		109.53	271.47
SW Well 1A	CR TEST - RECOVERY	10/12/2010 6:55:00	8180.08	3815.067	208.52	6.77	109.27	33.80	0.51	208.27	7.02		109.53	271.47
SW Well 1A	CR TEST - RECOVERY	10/12/2010 7:00:00	8185.08	3820.067	208.54	6.76	109.26	33.80	0.50	208.28	7.00		109.51	271.49
SW Well 1A	CR TEST - RECOVERY	10/12/2010 7:05:00	8190.08	3825.067	208.54	6.75	109.25	33.80	0.50	208.29	6.99		109.50	271.50
SW Well 1A	CR TEST - RECOVERY	10/12/2010 7:10:00	8195.08	3830.067	208.54	6.75	109.25	33.80	0.51	208.29	7.00		109.50	271.50
SW Well 1A	CR TEST - RECOVERY	10/12/2010 7:15:00	8200.08	3835.067	208.55	6.74	109.24	33.80	0.51	208.30	6.99		109.49	271.51
SW Well 1A	CR TEST - RECOVERY	10/12/2010 7:20:00	8205.08	3840.067	208.56	6.73	109.24	33.80	0.51	208.31	6.98		109.49	271.51
SW Well 1A	CR TEST - RECOVERY	10/12/2010 7:25:00	8210.08	3845.067	208.56	6.74	109.24	33.80	0.51	208.30	6.98		109.49	271.51
SW Well 1A	CR TEST - RECOVERY	10/12/2010 7:30:00	8215.08	3850.067	208.57	6.72	109.23	33.80	0.50	208.32	6.97		109.48	271.52
SW Well 1A	CR TEST - RECOVERY	10/12/2010 7:35:00	8220.08	3855.067	208.57	6.72	109.23	33.80	0.50	208.32	6.97		109.48	271.52
SW Well 1A	CR TEST - RECOVERY	10/12/2010 7:40:00	8225.08	3860.067	208.58	6.71	109.21	33.80	0.50	208.33	6.95		109.46	271.54
SW Well 1A	CR TEST - RECOVERY	10/12/2010 7:45:00	8230.08	3865.067	208.58	6.71	109.21	33.80	0.51	208.33	6.96		109.46	271.54
SW Well 1A	CR TEST - RECOVERY	10/12/2010 7:50:00	8235.08	3870.067	208.59	6.70	109.20	33.80	0.51	208.34	6.95		109.45	271.55
SW Well 1A	CR TEST - RECOVERY	10/12/2010 7:55:00	8240.08	3875.067	208.60	6.69	109.20	33.80	0.51	208.35	6.94		109.45	271.55
SW Well 1A	CR TEST - RECOVERY	10/12/2010 8:00:00	8245.08	3880.067	208.61	6.69	109.19	33.80	0.50	208.35	6.93		109.44	271.56
SW Well 1A	CR TEST - RECOVERY	10/12/2010 8:05:00	8250.08	3885.067	208.61	6.69	109.19	33.80	0.51	208.35	6.93		109.44	271.56
SW Well 1A	CR TEST - RECOVERY	10/12/2010 8:10:00	8255.08	3890.067	208.61	6.68	109.18	33.80	0.50	208.36	6.92		109.43	271.57
SW Well 1A	CR TEST - RECOVERY	10/12/2010 8:15:00	8260.08	3895.067	208.62	6.67	109.17	33.80	0.51	208.37	6.92		109.42	271.58
SW Well 1A	CR TEST - RECOVERY	10/12/2010 8:20:00	8265.08	3900.067	208.63	6.66	109.17	33.80	0.50	208.38	6.91		109.41	271.59
SW Well 1A	CR TEST - RECOVERY	10/12/2010 8:25:00	8270.08	3905.067	208.63	6.66	109.17	33.80	0.50	208.38	6.91		109.41	271.59
SW Well 1A	CR TEST - RECOVERY	10/12/2010 8:30:00	8275.08	3910.067	208.65	6.65	109.15	33.79	0.50	208.40	6.89		109.40	271.60
SW Well 1A	CR TEST - RECOVERY	10/12/2010 8:35:00	8280.08	3915.067	208.65	6.65	109.15	33.79	0.50	208.40	6.89		109.40	271.60
SW Well 1A	CR TEST - RECOVERY	10/12/2010 8:40:00	8285.08	3920.067	208.65	6.65	109.15	33.79	0.49	208.40	6.89		109.39	271.61
SW Well 1A	CR TEST - RECOVERY	10/12/2010 8:45:00	8290.08	3925.067	208.65	6.65	109.15	33.79	0.49	208.40	6.89		109.39	271.61
SW Well 1A	CR TEST - RECOVERY	10/12/2010 8:50:00	8295.08	3930.067	208.66	6.63	109.13	33.79	0.49	208.42	6.87		109.38	271.62
SW Well 1A	CR TEST - RECOVERY	10/12/2010 8:55:00	8300.08	3935.067	208.67	6.62	109.13	33.79	0.49	208.42	6.86		109.37	271.63
SW Well 1A	CR TEST - RECOVERY	10/12/2010 9:00:00	8305.08	3940.067	208.68	6.62	109.12	33.79	0.49	208.43	6.86		109.36	271.64
SW Well 1A	CR TEST - RECOVERY	10/12/2010 9:05:00	8310.08	3945.067	208.69	6.61	109.11	33.78	0.49	208.44	6.85		109.35	271.65
SW Well 1A	CR TEST - RECOVERY	10/12/2010 9:10:00	8315.08	3950.067	208.69	6.60	109.10	33.78	0.48	208.45	6.84		109.34	271.66
SW Well 1A	CR TEST - RECOVERY	10/12/2010 9:15:00	8320.08	3955.067	208.69	6.60	109.10	33.77	0.47	208.45	6.83		109.34	271.66
SW Well 1A	CR TEST - RECOVERY	10/12/2010 9:20:00	8325.08	3960.067	208.69	6.60	109.10	33.77	0.47	208.46	6.83		109.34	271.66
SW Well 1A	CR TEST - RECOVERY	10/12/2010 9:25:00	8330.08	3965.067	208.70	6.59	109.10	33.76	0.47	208.47	6.82		109.33	271.67
SW Well 1A	CR TEST - RECOVERY	10/12/2010 9:30:00	8335.08	3970.067	208.70	6.59	109.10	33.75	0.46	208.47	6.82		109.32	271.68
SW Well 1A	CR TEST - RECOVERY	10/12/2010 9:35:00	8340.08	3975.067	208.71	6.59	109.09	33.75	0.46	208.48	6.81		109.31	271.69
SW Well 1A	CR TEST - RECOVERY	10/12/2010 9:40:00	8345.08	3980.067	208.72	6.57	109.07	33.75	0.46	208.49	6.79		109.30	271.70
SW Well 1A	CR TEST - RECOVERY	10/12/2010 9:45:00	8350.08	3985.067	208.73	6.56	109.06	33.75	0.45	208.50	6.78		109.29	271.71
SW Well 1A	CR TEST - RECOVERY	10/12/2010 9:50:00	8355.08	3990.067	208.73	6.56	109.06	33.75	0.45	208.51	6.78		109.29	271.71
SW Well 1A	CR TEST - RECOVERY	10/12/2010 9:55:00	8360.08	3995.067	208.74	6.55	109.06	33.74	0.44	208.52	6.77		109.28	271.72
SW Well 1A	CR TEST - RECOVERY	10/12/2010 10:00:00	8365.08	4000.067	208.75	6.55	109.05	33.73	0.44	208.53	6.76		109.27	271.73
SW Well 1A	CR TEST - RECOVERY	10/12/2010 10:05:00	8370.08	4005.067	208.76	6.54	109.04	33.74	0.44	208.53	6.75		109.26	271.74
SW Well 1A	CR TEST - RECOVERY	10/12/2010 10:10:00	8375.08	4010.067	208.77	6.52	109.03	33.74	0.44	208.55	6.74		109.25	271.75
SW Well 1A	CR TEST - RECOVERY	10/12/2010 10:15:00	8380.08	4015.067	208.77	6.52	109.03	33.74	0.44	208.55	6.74		109.24	271.76
SW Well 1A	CR TEST - RECOVERY	10/12/2010 10:20:00	8385.08	4020.067	208.77	6.52	109.03	33.73	0.43	208.55	6.73		109.24	271.76
SW Well 1A	CR TEST - RECOVERY	10/12/2010 10:25:00	8390.08	4025.067	208.78	6.52	109.02	33.72	0.43	208.56	6.72		109.23	271.77
SW Well 1A	CR TEST - RECOVERY	10/12/2010 10:30:00	8395.08	4030.067	208.79	6.51	109.01	33.72	0.43	208.57	6.71		109.22	271.78
SW Well 1A	CR TEST - RECOVERY	10/12/2010 10:35:00	8400.08	4035.067	208.79	6.50	109.00	33.72	0.43	208.58	6.71		109.21	271.79
SW Well 1A	CR TEST - RECOVERY	10/12/2010 10:40:00	8405.08	4040.067	208.79	6.50	109.00	33.72	0.42	208.58	6.70		109.21	271.79
SW Well 1A	CR TEST - RECOVERY	10/12/2010 10:45:00	8410.08	4045.067	208.80	6.49	108.99	33.71	0.42	208.59	6.70		109.20	271.80
SW Well 1A	CR TEST - RECOVERY	10/12/2010 10:50:00	8415.08	4050.067	208.81	6.48	108.99	33.71	0.42	208.60	6.69		109.19	271.81
SW Well 1A	CR TEST - RECOVERY	10/12/2010 10:55:00	8420.08	4055.067	208.81	6.48	108.99	33.71	0.41	208.60	6.68		109.19	271.81
SW Well 1A	CR TEST - RECOVERY	10/12/2010 11:00:00	8425.08	4060.067	208.82	6.48	108.98	33.70	0.41	208.61	6.67		109.18	271.82
SW Well 1A	CR TEST - RECOVERY	10/12/2010 11:05:00	8430.08	4065.067	208.83	6.47	108.97	33.70	0.41	208.62	6.67		109.17	271.83
SW Well 1A	CR TEST - RECOVERY	10/12/2010 11:10:00	8435.08	4070.067	208.83	6.47	108.97	33.70	0.41	208.62	6.67		109.17	271.83

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/12/2010 11:15:00	8440.08	4075.067	208.83	6.46	108.96	33.70	0.40	208.63	6.66		109.16	271.84
SW Well 1A	CR TEST - RECOVERY	10/12/2010 11:20:00	8445.08	4080.067	208.84	6.45	108.96	33.70	0.40	208.64	6.65		109.15	271.85
SW Well 1A	CR TEST - RECOVERY	10/12/2010 11:25:00	8450.08	4085.067	208.84	6.45	108.96	33.69	0.40	208.64	6.65		109.15	271.85
SW Well 1A	CR TEST - RECOVERY	10/12/2010 11:30:00	8455.08	4090.067	208.86	6.44	108.94	33.70	0.40	208.66	6.63		109.14	271.86
SW Well 1A	CR TEST - RECOVERY	10/12/2010 11:35:00	8460.08	4095.067	208.86	6.44	108.94	33.70	0.40	208.66	6.63		109.14	271.86
SW Well 1A	CR TEST - RECOVERY	10/12/2010 11:40:00	8465.08	4100.067	208.86	6.43	108.93	33.69	0.40	208.66	6.62		109.13	271.87
SW Well 1A	CR TEST - RECOVERY	10/12/2010 11:45:00	8470.08	4105.067	208.87	6.42	108.92	33.69	0.40	208.67	6.61		109.12	271.88
SW Well 1A	CR TEST - RECOVERY	10/12/2010 11:50:00	8475.08	4110.067	208.87	6.42	108.92	33.69	0.40	208.67	6.61		109.12	271.88
SW Well 1A	CR TEST - RECOVERY	10/12/2010 11:55:00	8480.08	4115.067	208.88	6.41	108.92	33.69	0.40	208.68	6.61		109.11	271.89
SW Well 1A	CR TEST - RECOVERY	10/12/2010 12:00:00	8485.08	4120.067	208.89	6.41	108.91	33.69	0.39	208.69	6.60		109.10	271.90
SW Well 1A	CR TEST - RECOVERY	10/12/2010 12:05:00	8490.08	4125.067	208.89	6.41	108.91	33.69	0.39	208.69	6.60		109.10	271.90
SW Well 1A	CR TEST - RECOVERY	10/12/2010 12:10:00	8495.08	4130.067	208.90	6.40	108.90	33.69	0.39	208.70	6.59		109.09	271.91
SW Well 1A	CR TEST - RECOVERY	10/12/2010 12:15:00	8500.08	4135.067	208.90	6.39	108.89	33.68	0.39	208.71	6.58		109.08	271.92
SW Well 1A	CR TEST - RECOVERY	10/12/2010 12:20:00	8505.08	4140.067	208.91	6.38	108.88	33.68	0.39	208.72	6.57		109.08	271.92
SW Well 1A	CR TEST - RECOVERY	10/12/2010 12:25:00	8510.08	4145.067	208.91	6.38	108.88	33.68	0.38	208.72	6.57		109.07	271.93
SW Well 1A	CR TEST - RECOVERY	10/12/2010 12:30:00	8515.08	4150.067	208.92	6.38	108.88	33.68	0.38	208.73	6.56		109.07	271.93
SW Well 1A	CR TEST - RECOVERY	10/12/2010 12:35:00	8520.08	4155.067	208.92	6.38	108.88	33.68	0.38	208.73	6.56		109.07	271.93
SW Well 1A	CR TEST - RECOVERY	10/12/2010 12:40:00	8525.08	4160.067	208.93	6.37	108.87	33.68	0.38	208.73	6.55		109.06	271.94
SW Well 1A	CR TEST - RECOVERY	10/12/2010 12:45:00	8530.08	4165.067	208.93	6.36	108.86	33.67	0.38	208.74	6.54		109.05	271.95
SW Well 1A	CR TEST - RECOVERY	10/12/2010 12:50:00	8535.08	4170.067	208.93	6.36	108.86	33.67	0.38	208.74	6.54		109.05	271.95
SW Well 1A	CR TEST - RECOVERY	10/12/2010 12:55:00	8540.08	4175.067	208.94	6.35	108.85	33.67	0.38	208.75	6.53		109.04	271.96
SW Well 1A	CR TEST - RECOVERY	10/12/2010 13:00:00	8545.08	4180.067	208.95	6.34	108.85	33.67	0.38	208.76	6.53		109.03	271.97
SW Well 1A	CR TEST - RECOVERY	10/12/2010 13:05:00	8550.08	4185.067	208.95	6.34	108.85	33.67	0.38	208.76	6.53		109.03	271.97
SW Well 1A	CR TEST - RECOVERY	10/12/2010 13:10:00	8555.08	4190.067	208.96	6.34	108.84	33.67	0.37	208.77	6.52		109.02	271.98
SW Well 1A	CR TEST - RECOVERY	10/12/2010 13:15:00	8560.08	4195.067	208.97	6.33	108.83	33.67	0.37	208.78	6.51		109.01	271.99
SW Well 1A	CR TEST - RECOVERY	10/12/2010 13:20:00	8565.08	4200.067	208.96	6.34	108.84	33.66	0.37	208.77	6.51		109.02	271.98
SW Well 1A	CR TEST - RECOVERY	10/12/2010 13:25:00	8570.08	4205.067	208.97	6.33	108.83	33.66	0.37	208.78	6.50		109.01	271.99
SW Well 1A	CR TEST - RECOVERY	10/12/2010 13:30:00	8575.08	4210.067	208.97	6.32	108.82	33.66	0.36	208.79	6.50		109.00	272.00
SW Well 1A	CR TEST - RECOVERY	10/12/2010 13:35:00	8580.08	4215.067	208.97	6.32	108.82	33.66	0.36	208.79	6.49		109.00	272.00
SW Well 1A	CR TEST - RECOVERY	10/12/2010 13:40:00	8585.08	4220.067	208.97	6.32	108.82	33.65	0.36	208.80	6.49		109.00	272.00
SW Well 1A	CR TEST - RECOVERY	10/12/2010 13:45:00	8590.08	4225.067	208.98	6.31	108.81	33.65	0.35	208.81	6.48		108.99	272.01
SW Well 1A	CR TEST - RECOVERY	10/12/2010 13:50:00	8595.08	4230.067	208.98	6.31	108.81	33.64	0.35	208.81	6.48		108.99	272.01
SW Well 1A	CR TEST - RECOVERY	10/12/2010 13:55:00	8600.08	4235.067	208.99	6.31	108.81	33.64	0.35	208.82	6.47		108.98	272.02
SW Well 1A	CR TEST - RECOVERY	10/12/2010 14:00:00	8605.08	4240.067	208.99	6.31	108.81	33.64	0.34	208.82	6.47		108.98	272.02
SW Well 1A	CR TEST - RECOVERY	10/12/2010 14:05:00	8610.08	4245.067	209.00	6.30	108.80	33.63	0.34	208.83	6.46		108.97	272.03
SW Well 1A	CR TEST - RECOVERY	10/12/2010 14:10:00	8615.08	4250.067	208.99	6.31	108.81	33.63	0.33	208.82	6.47		108.97	272.03
SW Well 1A	CR TEST - RECOVERY	10/12/2010 14:15:00	8620.08	4255.067	209.00	6.30	108.80	33.63	0.33	208.83	6.46		108.96	272.04
SW Well 1A	CR TEST - RECOVERY	10/12/2010 14:20:00	8625.08	4260.067	209.00	6.29	108.79	33.62	0.33	208.84	6.45		108.95	272.05
SW Well 1A	CR TEST - RECOVERY	10/12/2010 14:25:00	8630.08	4265.067	209.00	6.29	108.79	33.63	0.33	208.84	6.45		108.95	272.05
SW Well 1A	CR TEST - RECOVERY	10/12/2010 14:30:00	8635.08	4270.067	209.01	6.28	108.78	33.62	0.33	208.85	6.44		108.94	272.06
SW Well 1A	CR TEST - RECOVERY	10/12/2010 14:35:00	8640.08	4275.067	209.02	6.27	108.78	33.62	0.32	208.86	6.43		108.93	272.07
SW Well 1A	CR TEST - RECOVERY	10/12/2010 14:40:00	8645.08	4280.067	209.02	6.27	108.78	33.62	0.32	208.86	6.43		108.93	272.07
SW Well 1A	CR TEST - RECOVERY	10/12/2010 14:45:00	8650.08	4285.067	209.03	6.27	108.77	33.61	0.32	208.87	6.42		108.93	272.07
SW Well 1A	CR TEST - RECOVERY	10/12/2010 14:50:00	8655.08	4290.067	209.03	6.27	108.77	33.61	0.31	208.87	6.42		108.92	272.08
SW Well 1A	CR TEST - RECOVERY	10/12/2010 14:55:00	8660.08	4295.067	209.03	6.27	108.77	33.61	0.31	208.87	6.42		108.92	272.08
SW Well 1A	CR TEST - RECOVERY	10/12/2010 15:00:00	8665.08	4300.067	209.04	6.26	108.76	33.61	0.31	208.88	6.41		108.91	272.09
SW Well 1A	CR TEST - RECOVERY	10/12/2010 15:05:00	8670.08	4305.067	209.04	6.26	108.76	33.61	0.31	208.88	6.41		108.91	272.09
SW Well 1A	CR TEST - RECOVERY	10/12/2010 15:10:00	8675.08	4310.067	209.04	6.25	108.75	33.60	0.31	208.89	6.40		108.90	272.10
SW Well 1A	CR TEST - RECOVERY	10/12/2010 15:15:00	8680.08	4315.067	209.05	6.24	108.74	33.60	0.31	208.90	6.39		108.90	272.10
SW Well 1A	CR TEST - RECOVERY	10/12/2010 15:20:00	8685.08	4320.067	209.05	6.24	108.74	33.60	0.31	208.90	6.39		108.90	272.10
SW Well 1A	CR TEST - RECOVERY	10/12/2010 15:25:00	8690.08	4325.067	209.06	6.23	108.74	33.60	0.30	208.91	6.38		108.89	272.11
SW Well 1A	CR TEST - RECOVERY	10/12/2010 15:30:00	8695.08	4330.067	209.06	6.23	108.74	33.60	0.30	208.91	6.38		108.88	272.12
SW Well 1A	CR TEST - RECOVERY	10/12/2010 15:35:00	8700.08	4335.067	209.06	6.23	108.74	33.59	0.30	208.91	6.38		108.88	272.12
SW Well 1A	CR TEST - RECOVERY	10/12/2010 15:40:00	8705.08	4340.067	209.07	6.22	108.72	33.59	0.30	208.93	6.36		108.87	272.13
SW Well 1A	CR TEST - RECOVERY	10/12/2010 15:45:00	8710.08	4345.067	209.07	6.22	108.72	33.59	0.29	208.93	6.36		108.87	272.13
SW Well 1A	CR TEST - RECOVERY	10/12/2010 15:50:00	8715.08	4350.067	209.08	6.21	108.71	33.59	0.30	208.93	6.35		108.86	272.14
SW Well 1A	CR TEST - RECOVERY	10/12/2010 15:55:00	8720.08	4355.067	209.09	6.20	108.71	33.59	0.29	208.94	6.34		108.85	272.15
SW Well 1A	CR TEST - RECOVERY	10/12/2010 16:00:00	8725.08	4360.067	209.09	6.20	108.71	33.59	0.29	208.94	6.34		108.85	272.15
SW Well 1A	CR TEST - RECOVERY	10/12/2010 16:05:00	8730.08	4365.067	209.09	6.20	108.71	33.59	0.29	208.94	6.34		108.85	272.15
SW Well 1A	CR TEST - RECOVERY	10/12/2010 16:10:00	8735.08	4370.067	209.10	6.19	108.70	33.59	0.29	208.95	6.33		108.84	272.16
SW Well 1A	CR TEST - RECOVERY	10/12/2010 16:15:00	8740.08	4375.067	209.10	6.19	108.70	33.58	0.29	208.95	6.33		108.84	272.16
SW Well 1A	CR TEST - RECOVERY	10/12/2010 16:20:00	8745.08	4380.067	209.11	6.19	108.69	33.58	0.29	208.96	6.32		108.83	272.17
SW Well 1A	CR TEST - RECOVERY	10/12/2010 16:25:00	8750.08	4385.067	209.11	6.19	108.69	33.57	0.28	208.97	6.32		108.83	272.17
SW Well 1A	CR TEST - RECOVERY	10/12/2010 16:30:00	8755.08	4390.067	209.11	6.19	108.69	33.57	0.28	208.97	6.32		108.83	272.17
SW Well 1A	CR TEST - RECOVERY	10/12/2010 16:35:00	8760.08	4395.067	209.11	6.18	108.68	33.57	0.28	208.97	6.31		108.82	272.18
SW Well 1A	CR TEST - RECOVERY	10/12/2010 16:40:00	8765.08	4400.067	209.12	6.17	108.67	33.57	0.28	208.98	6.30		108.81	272.19
SW Well 1A	CR TEST - RECOVERY	10/12/2010 16:45:00	8770.08	4405.067	209.12	6.17	108.67	33.57	0.28	208.98	6.30		108.81	272.19
SW Well 1A	CR TEST - RECOVERY	10/12/2010 16:50:00	8775.08	4410.067	209.13	6.16	108.67	33.57	0.27	208.99	6.29		108.80	272.20
SW Well 1A	CR TEST - RECOVERY	10/12/2010 16:55:00	8780.08	4415.067	209.13	6.16	108.67	33.57	0.27	208.99	6.29		108.80	272.20
SW Well 1A	CR TEST - RECOVERY	10/12/2010 17:00:00	8785.08	4420.067	209.14	6.16	108.66	33.57	0.27	209.00	6.29		108.79	272.21
SW Well 1A	CR TEST - RECOVERY	10/12/2010 17:05:00	8790.08	4425.067	209.14	6.15	108.65	33.57	0.27	209.01	6.28		108.79	272.21
SW Well 1A	CR TEST - RECOVERY	10/12/2010 17:10:00	8795.08	4430.067	209.14	6.15	108.65	33.57	0.27	209.01	6.28		108.79	272.21
SW Well 1A	CR TEST - RECOVERY	10/12/2010 17:15:00	8800.08	4435.067	209.15	6.14	108.64	33.57	0.27	209.02	6.27		108.78	272.22
SW Well 1A	CR TEST - RECOVERY	10/12/2010 17:20:00	8805.08	4440.067	209.15	6.14	108.64	33.57	0.27	209.02	6.27		108.78	272.22
SW Well 1A	CR TEST - RECOVERY	10/12/2010 17:25:00	8810.08	4445.067	209.16	6.13	108.64	33.57	0.27	209.02	6.26		108.77	272.23
SW Well 1A	CR TEST - RECOVERY	10/12/2010 17:30:00	8815.08	4450.067	209.17	6.13	108.63	33.57	0.27	209.03	6.25		108.76	272.24
SW Well 1A	CR TEST - RECOVERY	10/12/2010 17:35:00	8820.08	4455.067	209.17	6.13	108.63	33.57	0.27	209.03	6.25		108.76	272.24
SW Well 1A	CR TEST - RECOVERY	10/12/2010 17:40:00	8825.08	4460.067	209.18	6.12	108.62	33.56	0.27	209.04	6.25		108.75	272.25
SW Well 1A	CR TEST - RECOVERY	10/12/2010 17:45:00	8830.08	4465.067	209.18	6.11	108.61	33.56	0.27	209.05	6.24		108.74	272.26
SW Well 1A	CR TEST - RECOVERY	10/12/2010 17:50:00	8835.08	4470.067	209.18	6.11	108.61	33.56	0.27	209.05	6.24		108.74	272.26
SW Well 1A	CR TEST - RECOVERY	10/12/2010 17:55:00	8840.08	4475.067	209.19	6.10	108.60	33.56	0.27	209.06	6.23		108.74	272.26
SW Well 1A	CR TEST - RECOVERY	10/12/2010 18:00:00	8845.08	4480.067	209.20	6.09	108.60	33.57	0.27	209.06	6.22		108.73	272.27
SW Well 1A	CR TEST - RECOVERY	10/12/2010 18:05:00	8850.08	4485.067	209.20	6.09	108.60	33.57	0.27	209.06	6.22		108.73	272.27
SW Well 1A	CR TEST - RECOVERY	10/12/2010 18:10:00	8855.08	4490.067	209.21	6.09	108.59	33.57	0.27	209.07	6.22		108.72	272.28
SW Well 1A	CR TEST - RECOVERY	10/12/2010 18:15:00	8860.08	4495.067	209.21	6.09	108.59	33.56	0.27	209.07	6.21		108.72	272.28
SW Well 1A	CR TEST - RECOVERY	10/12/2010 18:20:00	8865.08	4500.067	209.21	6.08	108.58	33.57	0.27	209.08	6.21		108.71	272.29
SW Well 1A	CR TEST - RECOVERY	10/12/2010 18:25:00	8870.08	4505.067	209.22	6.07	108.57	33.57	0.27	209.09	6.20		108.71	272.29
SW Well 1A	CR TEST - RECOVERY	10/12/2010 18:30:00	8875.08	4510.067	209.22	6.07	108.57	33.57	0.28	209.08	6.20		108.71	272.29
SW Well 1A	CR TEST - RECOVERY	10/12/2010 18:35:00	8880.08	4515.067	209.23	6.06	108.57	33.57	0.28	209.09	6.19		108.70	272.30
SW Well 1A	CR TEST - RECOVERY	10/12/2010 18:40:00	8885.08	4520.067	209.23	6.06	108.57	33.57	0.28	209.09	6.19		108.70	272.30
SW Well 1A	CR TEST - RECOVERY	10/12/2010 18:45:00	8890.08	4525.067	209.24	6.06	108.56	33.57	0.28	209.10	6.19		108.69	272.31
SW Well 1A	CR TEST - RECOVERY	10/12/2010 18:50:00	8895.08	4530.067	209.24	6.06	108.56	33.57	0.28	209.10	6.19		108.69	272.31
SW Well 1A	CR TEST - RECOVERY	10/12/2010 18:55:00	8900.08	4535.067	209.25	6.05	108.55	33.57	0.28	209.11	6.18		108.69	272.31
SW Well 1A	CR TEST - RECOVERY	10/12/2010 19:00:00	8905.08	4540.067	209.25	6.04	108.54	33.58	0.28	209.11	6.17		108.68	272.32
SW Well 1A	CR TEST - RECOVERY	10/12/2010 19:05:00	8910.08	4545.067	209.25	6.04	108.54	33.58	0.28	209.11	6.17		108.68	272.32
SW Well 1A	CR TEST - RECOVERY	10/12/2010 19:10:00	8915.08	4550.067	209.26	6.03	108.53	33.58	0.28	209.12	6.17		108.67	272.33
SW Well 1A	CR TEST - RECOVERY	10/12/2010 19:15:00	8920.08	4555.067	209.27	6.02	108.53	33.58	0.28	209.13	6.16		108.67	272.33

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/12/2010 19:20:00	8925.08	4560.067	209.27	6.02	108.53	33.58	0.29	209.13	6.16		108.67	272.33
SW Well 1A	CR TEST - RECOVERY	10/12/2010 19:25:00	8930.08	4565.067	209.28	6.02	108.52	33.58	0.29	209.13	6.15		108.66	272.34
SW Well 1A	CR TEST - RECOVERY	10/12/2010 19:30:00	8935.08	4570.067	209.29	6.01	108.51	33.58	0.29	209.14	6.15		108.65	272.35
SW Well 1A	CR TEST - RECOVERY	10/12/2010 19:35:00	8940.08	4575.067	209.29	6.00	108.50	33.59	0.29	209.15	6.14		108.65	272.35
SW Well 1A	CR TEST - RECOVERY	10/12/2010 19:40:00	8945.08	4580.067	209.29	6.00	108.50	33.59	0.30	209.14	6.14		108.65	272.35
SW Well 1A	CR TEST - RECOVERY	10/12/2010 19:45:00	8950.08	4585.067	209.30	5.99	108.50	33.59	0.30	209.15	6.14		108.64	272.36
SW Well 1A	CR TEST - RECOVERY	10/12/2010 19:50:00	8955.08	4590.067	209.31	5.99	108.49	33.59	0.30	209.16	6.13		108.63	272.37
SW Well 1A	CR TEST - RECOVERY	10/12/2010 19:55:00	8960.08	4595.067	209.31	5.99	108.49	33.59	0.30	209.16	6.13		108.63	272.37
SW Well 1A	CR TEST - RECOVERY	10/12/2010 20:00:00	8965.08	4600.067	209.32	5.98	108.48	33.59	0.30	209.17	6.12		108.63	272.37
SW Well 1A	CR TEST - RECOVERY	10/12/2010 20:05:00	8970.08	4605.067	209.32	5.97	108.47	33.60	0.30	209.17	6.11		108.62	272.38
SW Well 1A	CR TEST - RECOVERY	10/12/2010 20:10:00	8975.08	4610.067	209.32	5.97	108.47	33.60	0.30	209.17	6.11		108.62	272.38
SW Well 1A	CR TEST - RECOVERY	10/12/2010 20:15:00	8980.08	4615.067	209.32	5.97	108.47	33.59	0.30	209.17	6.11		108.62	272.38
SW Well 1A	CR TEST - RECOVERY	10/12/2010 20:20:00	8985.08	4620.067	209.33	5.96	108.46	33.59	0.30	209.18	6.10		108.61	272.39
SW Well 1A	CR TEST - RECOVERY	10/12/2010 20:25:00	8990.08	4625.067	209.33	5.96	108.46	33.59	0.30	209.18	6.11		108.61	272.39
SW Well 1A	CR TEST - RECOVERY	10/12/2010 20:30:00	8995.08	4630.067	209.34	5.95	108.46	33.60	0.30	209.19	6.10		108.60	272.40
SW Well 1A	CR TEST - RECOVERY	10/12/2010 20:35:00	9000.08	4635.067	209.34	5.95	108.46	33.60	0.30	209.19	6.10		108.61	272.39
SW Well 1A	CR TEST - RECOVERY	10/12/2010 20:40:00	9005.08	4640.067	209.34	5.95	108.46	33.60	0.30	209.19	6.10		108.61	272.39
SW Well 1A	CR TEST - RECOVERY	10/12/2010 20:45:00	9010.08	4645.067	209.36	5.94	108.44	33.60	0.30	209.20	6.08		108.59	272.41
SW Well 1A	CR TEST - RECOVERY	10/12/2010 20:50:00	9015.08	4650.067	209.36	5.94	108.44	33.60	0.30	209.20	6.08		108.59	272.41
SW Well 1A	CR TEST - RECOVERY	10/12/2010 20:55:00	9020.08	4655.067	209.36	5.94	108.44	33.60	0.31	209.20	6.08		108.59	272.41
SW Well 1A	CR TEST - RECOVERY	10/12/2010 21:00:00	9025.08	4660.067	209.36	5.93	108.43	33.60	0.31	209.21	6.08		108.59	272.41
SW Well 1A	CR TEST - RECOVERY	10/12/2010 21:05:00	9030.08	4665.067	209.37	5.92	108.43	33.60	0.31	209.22	6.07		108.58	272.42
SW Well 1A	CR TEST - RECOVERY	10/12/2010 21:10:00	9035.08	4670.067	209.38	5.92	108.42	33.61	0.31	209.22	6.06		108.57	272.43
SW Well 1A	CR TEST - RECOVERY	10/12/2010 21:15:00	9040.08	4675.067	209.38	5.92	108.42	33.61	0.31	209.22	6.07		108.57	272.43
SW Well 1A	CR TEST - RECOVERY	10/12/2010 21:20:00	9045.08	4680.067	209.39	5.91	108.41	33.61	0.31	209.23	6.06		108.56	272.44
SW Well 1A	CR TEST - RECOVERY	10/12/2010 21:25:00	9050.08	4685.067	209.39	5.91	108.41	33.61	0.31	209.23	6.06		108.56	272.44
SW Well 1A	CR TEST - RECOVERY	10/12/2010 21:30:00	9055.08	4690.067	209.39	5.91	108.41	33.61	0.31	209.23	6.06		108.56	272.44
SW Well 1A	CR TEST - RECOVERY	10/12/2010 21:35:00	9060.08	4695.067	209.39	5.90	108.40	33.61	0.31	209.24	6.05		108.56	272.44
SW Well 1A	CR TEST - RECOVERY	10/12/2010 21:40:00	9065.08	4700.067	209.39	5.90	108.40	33.61	0.31	209.24	6.05		108.56	272.44
SW Well 1A	CR TEST - RECOVERY	10/12/2010 21:45:00	9070.08	4705.067	209.40	5.89	108.39	33.61	0.32	209.24	6.04		108.55	272.45
SW Well 1A	CR TEST - RECOVERY	10/12/2010 21:50:00	9075.08	4710.067	209.41	5.88	108.39	33.61	0.32	209.25	6.04		108.54	272.46
SW Well 1A	CR TEST - RECOVERY	10/12/2010 21:55:00	9080.08	4715.067	209.41	5.88	108.39	33.61	0.32	209.25	6.04		108.54	272.46
SW Well 1A	CR TEST - RECOVERY	10/12/2010 22:00:00	9085.08	4720.067	209.42	5.88	108.38	33.61	0.32	209.26	6.03		108.53	272.47
SW Well 1A	CR TEST - RECOVERY	10/12/2010 22:05:00	9090.08	4725.067	209.42	5.88	108.38	33.61	0.32	209.26	6.03		108.53	272.47
SW Well 1A	CR TEST - RECOVERY	10/12/2010 22:10:00	9095.08	4730.067	209.42	5.88	108.38	33.61	0.32	209.26	6.03		108.53	272.47
SW Well 1A	CR TEST - RECOVERY	10/12/2010 22:15:00	9100.08	4735.067	209.42	5.88	108.38	33.61	0.31	209.26	6.03		108.53	272.47
SW Well 1A	CR TEST - RECOVERY	10/12/2010 22:20:00	9105.08	4740.067	209.43	5.87	108.37	33.61	0.31	209.27	6.02		108.53	272.47
SW Well 1A	CR TEST - RECOVERY	10/12/2010 22:25:00	9110.08	4745.067	209.43	5.87	108.37	33.61	0.31	209.27	6.02		108.53	272.47
SW Well 1A	CR TEST - RECOVERY	10/12/2010 22:30:00	9115.08	4750.067	209.43	5.86	108.36	33.61	0.32	209.27	6.01		108.52	272.48
SW Well 1A	CR TEST - RECOVERY	10/12/2010 22:35:00	9120.08	4755.067	209.44	5.85	108.36	33.61	0.32	209.28	6.01		108.51	272.49
SW Well 1A	CR TEST - RECOVERY	10/12/2010 22:40:00	9125.08	4760.067	209.44	5.85	108.36	33.61	0.32	209.28	6.01		108.51	272.49
SW Well 1A	CR TEST - RECOVERY	10/12/2010 22:45:00	9130.08	4765.067	209.44	5.85	108.36	33.62	0.32	209.28	6.01		108.51	272.49
SW Well 1A	CR TEST - RECOVERY	10/12/2010 22:50:00	9135.08	4770.067	209.45	5.85	108.35	33.62	0.32	209.29	6.00		108.51	272.49
SW Well 1A	CR TEST - RECOVERY	10/12/2010 22:55:00	9140.08	4775.067	209.46	5.84	108.34	33.62	0.32	209.30	5.99		108.50	272.50
SW Well 1A	CR TEST - RECOVERY	10/12/2010 23:00:00	9145.08	4780.067	209.46	5.84	108.34	33.62	0.32	209.29	5.99		108.50	272.50
SW Well 1A	CR TEST - RECOVERY	10/12/2010 23:05:00	9150.08	4785.067	209.46	5.83	108.33	33.62	0.32	209.30	5.98		108.49	272.51
SW Well 1A	CR TEST - RECOVERY	10/12/2010 23:10:00	9155.08	4790.067	209.46	5.83	108.33	33.62	0.33	209.30	5.99		108.49	272.51
SW Well 1A	CR TEST - RECOVERY	10/12/2010 23:15:00	9160.08	4795.067	209.47	5.82	108.32	33.62	0.33	209.31	5.98		108.48	272.52
SW Well 1A	CR TEST - RECOVERY	10/12/2010 23:20:00	9165.08	4800.067	209.47	5.82	108.32	33.62	0.33	209.31	5.98		108.48	272.52
SW Well 1A	CR TEST - RECOVERY	10/12/2010 23:25:00	9170.08	4805.067	209.47	5.82	108.32	33.62	0.33	209.31	5.98		108.48	272.52
SW Well 1A	CR TEST - RECOVERY	10/12/2010 23:30:00	9175.08	4810.067	209.48	5.81	108.32	33.62	0.33	209.31	5.97		108.48	272.52
SW Well 1A	CR TEST - RECOVERY	10/12/2010 23:35:00	9180.08	4815.067	209.48	5.81	108.32	33.63	0.33	209.31	5.97		108.48	272.52
SW Well 1A	CR TEST - RECOVERY	10/12/2010 23:40:00	9185.08	4820.067	209.49	5.81	108.31	33.62	0.33	209.32	5.96		108.47	272.53
SW Well 1A	CR TEST - RECOVERY	10/12/2010 23:45:00	9190.08	4825.067	209.49	5.81	108.31	33.62	0.33	209.32	5.96		108.47	272.53
SW Well 1A	CR TEST - RECOVERY	10/12/2010 23:50:00	9195.08	4830.067	209.50	5.80	108.30	33.62	0.33	209.33	5.95		108.46	272.54
SW Well 1A	CR TEST - RECOVERY	10/12/2010 23:55:00	9200.08	4835.067	209.50	5.80	108.30	33.62	0.33	209.33	5.96		108.46	272.54
SW Well 1A	CR TEST - RECOVERY	10/13/2010 0:00:00	9205.08	4840.067	209.50	5.79	108.29	33.63	0.33	209.34	5.95		108.46	272.54
SW Well 1A	CR TEST - RECOVERY	10/13/2010 0:05:00	9210.08	4845.067	209.50	5.79	108.29	33.63	0.33	209.34	5.95		108.46	272.54
SW Well 1A	CR TEST - RECOVERY	10/13/2010 0:10:00	9215.08	4850.067	209.51	5.78	108.28	33.63	0.33	209.34	5.94		108.45	272.55
SW Well 1A	CR TEST - RECOVERY	10/13/2010 0:15:00	9220.08	4855.067	209.51	5.78	108.28	33.63	0.33	209.34	5.94		108.45	272.55
SW Well 1A	CR TEST - RECOVERY	10/13/2010 0:20:00	9225.08	4860.067	209.51	5.78	108.28	33.63	0.33	209.34	5.94		108.45	272.55
SW Well 1A	CR TEST - RECOVERY	10/13/2010 0:25:00	9230.08	4865.067	209.52	5.78	108.28	33.63	0.33	209.35	5.94		108.44	272.56
SW Well 1A	CR TEST - RECOVERY	10/13/2010 0:30:00	9235.08	4870.067	209.52	5.78	108.28	33.63	0.33	209.35	5.94		108.44	272.56
SW Well 1A	CR TEST - RECOVERY	10/13/2010 0:35:00	9240.08	4875.067	209.52	5.78	108.28	33.62	0.33	209.35	5.93		108.44	272.56
SW Well 1A	CR TEST - RECOVERY	10/13/2010 0:40:00	9245.08	4880.067	209.53	5.77	108.27	33.62	0.33	209.36	5.92		108.43	272.57
SW Well 1A	CR TEST - RECOVERY	10/13/2010 0:45:00	9250.08	4885.067	209.53	5.77	108.27	33.62	0.32	209.36	5.92		108.43	272.57
SW Well 1A	CR TEST - RECOVERY	10/13/2010 0:50:00	9255.08	4890.067	209.53	5.76	108.26	33.62	0.33	209.37	5.92		108.42	272.58
SW Well 1A	CR TEST - RECOVERY	10/13/2010 0:55:00	9260.08	4895.067	209.53	5.76	108.26	33.62	0.33	209.37	5.92		108.42	272.58
SW Well 1A	CR TEST - RECOVERY	10/13/2010 1:00:00	9265.08	4900.067	209.53	5.76	108.26	33.62	0.32	209.37	5.91		108.42	272.58
SW Well 1A	CR TEST - RECOVERY	10/13/2010 1:05:00	9270.08	4905.067	209.53	5.76	108.26	33.62	0.32	209.37	5.91		108.42	272.58
SW Well 1A	CR TEST - RECOVERY	10/13/2010 1:10:00	9275.08	4910.067	209.54	5.75	108.25	33.62	0.32	209.38	5.91		108.41	272.59
SW Well 1A	CR TEST - RECOVERY	10/13/2010 1:15:00	9280.08	4915.067	209.54	5.75	108.25	33.62	0.32	209.38	5.91		108.41	272.59
SW Well 1A	CR TEST - RECOVERY	10/13/2010 1:20:00	9285.08	4920.067	209.55	5.74	108.25	33.62	0.32	209.39	5.90		108.40	272.60
SW Well 1A	CR TEST - RECOVERY	10/13/2010 1:25:00	9290.08	4925.067	209.55	5.74	108.25	33.62	0.32	209.39	5.90		108.40	272.60
SW Well 1A	CR TEST - RECOVERY	10/13/2010 1:30:00	9295.08	4930.067	209.55	5.74	108.25	33.61	0.32	209.39	5.90		108.40	272.60
SW Well 1A	CR TEST - RECOVERY	10/13/2010 1:35:00	9300.08	4935.067	209.55	5.74	108.25	33.61	0.31	209.39	5.89		108.40	272.60
SW Well 1A	CR TEST - RECOVERY	10/13/2010 1:40:00	9305.08	4940.067	209.56	5.74	108.24	33.61	0.32	209.40	5.89		108.40	272.60
SW Well 1A	CR TEST - RECOVERY	10/13/2010 1:45:00	9310.08	4945.067	209.56	5.74	108.24	33.62	0.32	209.40	5.89		108.40	272.60
SW Well 1A	CR TEST - RECOVERY	10/13/2010 1:50:00	9315.08	4950.067	209.56	5.74	108.24	33.61	0.32	209.40	5.89		108.39	272.61
SW Well 1A	CR TEST - RECOVERY	10/13/2010 1:55:00	9320.08	4955.067	209.57	5.73	108.23	33.61	0.32	209.41	5.88		108.39	272.61
SW Well 1A	CR TEST - RECOVERY	10/13/2010 2:00:00	9325.08	4960.067	209.57	5.73	108.23	33.61	0.32	209.41	5.88		108.39	272.61
SW Well 1A	CR TEST - RECOVERY	10/13/2010 2:05:00	9330.08	4965.067	209.57	5.72	108.22	33.61	0.32	209.41	5.87		108.38	272.62
SW Well 1A	CR TEST - RECOVERY	10/13/2010 2:10:00	9335.08	4970.067	209.57	5.72	108.22	33.61	0.32	209.42	5.87		108.38	272.62
SW Well 1A	CR TEST - RECOVERY	10/13/2010 2:15:00	9340.08	4975.067	209.57	5.72	108.22	33.61	0.31	209.42	5.87		108.38	272.62
SW Well 1A	CR TEST - RECOVERY	10/13/2010 2:20:00	9345.08	4980.067	209.57	5.72	108.22	33.61	0.31	209.42	5.87		108.38	272.62
SW Well 1A	CR TEST - RECOVERY	10/13/2010 2:25:00	9350.08	4985.067	209.58	5.71	108.21	33.61	0.31	209.42	5.86		108.37	272.63
SW Well 1A	CR TEST - RECOVERY	10/13/2010 2:30:00	9355.08	4990.067	209.59	5.71	108.21	33.61	0.31	209.43	5.86		108.36	272.64
SW Well 1A	CR TEST - RECOVERY	10/13/2010 2:35:00	9360.08	4995.067	209.59	5.71	108.21	33.61	0.31	209.43	5.85		108.36	272.64
SW Well 1A	CR TEST - RECOVERY	10/13/2010 2:40:00	9365.08	5000.067	209.59	5.71	108.21	33.61	0.31	209.43	5.86		108.36	272.64
SW Well 1A	CR TEST - RECOVERY	10/13/2010 2:45:00	9370.08	5005.067	209.60	5.70	108.20	33.61	0.31	209.44	5.85		108.35	272.65
SW Well 1A	CR TEST - RECOVERY	10/13/2010 2:50:00	9375.08	5010.067	209.60	5.69	108.19	33.61	0.31	209.45	5.84		108.34	272.66
SW Well 1A	CR TEST - RECOVERY	10/13/2010 2:55:00	9380.08	5015.067	209.60	5.69	108.19	33.61	0.31	209.45	5.84		108.35	272.65
SW Well 1A	CR TEST - RECOVERY	10/13/2010 3:00:00	9385.08	5020.067	209.60	5.69	108.19	33.61	0.31	209.45	5.84		108.34	272.66
SW Well 1A	CR TEST - RECOVERY	10/13/2010 3:05:00	9390.08	5025.067	209.60	5.69	108.19	33.60	0.31	209.45	5.84		108.34	272.66
SW Well 1A	CR TEST - RECOVERY	10/13/2010 3:10:00	9395.08	5030.067	209.60	5.69	108.19	33.60	0.30	209.45	5.83		108.34	272.66
SW Well 1A	CR TEST - RECOVERY	10/13/2010 3:15:00	9400.08	5035.067	209.61	5.68	108.18	33.60	0.31	209.46	5.83		108.33	272.67
SW Well 1A	CR TEST - RECOVERY	10/13/2010 3:20:00	9405.08	5040.067	209.61	5.68	108.18	33.60	0.31	209.46	5.83		108.33	272.67

Well Name	Test Type/Notes	Date Time	Time Since Pump Started, t (min)	Time Since Pump Stopped, t' (min)	Pressure (ft H2O)	Drawdown (ft)	DTW (ft bgs)	Barometric Pressure, BP (ft H2O)	Change in BP (ft H2O)	BP Corrected Pressure (ft H2O)	BP Corrected Drawdown (ft bgs)	Change in Drawdown (ft)	BP Corrected DTW (ft bgs)	BP Corrected GW Elev. (ft NGVD29)
SW Well 1A	CR TEST - RECOVERY	10/13/2010 3:25:00	9410.08	5045.067	209.62	5.67	108.18	33.60	0.31	209.47	5.82		108.33	272.67
SW Well 1A	CR TEST - RECOVERY	10/13/2010 3:30:00	9415.08	5050.067	209.62	5.67	108.18	33.60	0.30	209.47	5.82		108.32	272.68
SW Well 1A	CR TEST - RECOVERY	10/13/2010 3:35:00	9420.08	5055.067	209.62	5.67	108.18	33.60	0.30	209.47	5.82		108.33	272.67
SW Well 1A	CR TEST - RECOVERY	10/13/2010 3:40:00	9425.08	5060.067	209.63	5.67	108.17	33.60	0.31	209.47	5.81		108.32	272.68
SW Well 1A	CR TEST - RECOVERY	10/13/2010 3:45:00	9430.08	5065.067	209.64	5.66	108.16	33.60	0.31	209.48	5.80		108.31	272.69
SW Well 1A	CR TEST - RECOVERY	10/13/2010 3:50:00	9435.08	5070.067	209.64	5.66	108.16	33.60	0.31	209.48	5.80		108.31	272.69
SW Well 1A	CR TEST - RECOVERY	10/13/2010 3:55:00	9440.08	5075.067	209.64	5.66	108.16	33.60	0.30	209.48	5.80		108.31	272.69
SW Well 1A	CR TEST - RECOVERY	10/13/2010 4:00:00	9445.08	5080.067	209.64	5.66	108.16	33.60	0.30	209.48	5.80		108.31	272.69
SW Well 1A	CR TEST - RECOVERY	10/13/2010 4:05:00	9450.08	5085.067	209.64	5.65	108.15	33.60	0.30	209.49	5.79		108.30	272.70
SW Well 1A	CR TEST - RECOVERY	10/13/2010 4:10:00	9455.08	5090.067	209.65	5.64	108.14	33.60	0.30	209.50	5.79		108.29	272.71
SW Well 1A	CR TEST - RECOVERY	10/13/2010 4:15:00	9460.08	5095.067	209.65	5.64	108.14	33.60	0.30	209.50	5.79		108.29	272.71
SW Well 1A	CR TEST - RECOVERY	10/13/2010 4:20:00	9465.08	5100.067	209.65	5.64	108.14	33.60	0.31	209.50	5.79		108.29	272.71
SW Well 1A	CR TEST - RECOVERY	10/13/2010 4:25:00	9470.08	5105.067	209.66	5.63	108.14	33.60	0.30	209.51	5.78		108.28	272.72
SW Well 1A	CR TEST - RECOVERY	10/13/2010 4:30:00	9475.08	5110.067	209.66	5.63	108.14	33.60	0.30	209.51	5.78		108.28	272.72
SW Well 1A	CR TEST - RECOVERY	10/13/2010 4:35:00	9480.08	5115.067	209.67	5.63	108.13	33.59	0.30	209.52	5.77		108.28	272.72
SW Well 1A	CR TEST - RECOVERY	10/13/2010 4:40:00	9485.08	5120.067	209.67	5.63	108.13	33.59	0.30	209.52	5.77		108.28	272.72
SW Well 1A	CR TEST - RECOVERY	10/13/2010 4:45:00	9490.08	5125.067	209.67	5.62	108.12	33.59	0.30	209.53	5.76		108.27	272.73
SW Well 1A	CR TEST - RECOVERY	10/13/2010 4:50:00	9495.08	5130.067	209.67	5.62	108.12	33.59	0.30	209.52	5.76		108.27	272.73
SW Well 1A	CR TEST - RECOVERY	10/13/2010 4:55:00	9500.08	5135.067	209.68	5.61	108.11	33.59	0.30	209.53	5.75		108.26	272.74
SW Well 1A	CR TEST - RECOVERY	10/13/2010 5:00:00	9505.08	5140.067	209.68	5.61	108.11	33.59	0.30	209.53	5.75		108.26	272.74
SW Well 1A	CR TEST - RECOVERY	10/13/2010 5:05:00	9510.08	5145.067	209.68	5.61	108.11	33.59	0.30	209.53	5.75		108.26	272.74
SW Well 1A	CR TEST - RECOVERY	10/13/2010 5:10:00	9515.08	5150.067	209.68	5.61	108.11	33.59	0.29	209.54	5.75		108.26	272.74
SW Well 1A	CR TEST - RECOVERY	10/13/2010 5:15:00	9520.08	5155.067	209.69	5.60	108.11	33.59	0.29	209.54	5.74		108.25	272.75
SW Well 1A	CR TEST - RECOVERY	10/13/2010 5:20:00	9525.08	5160.067	209.69	5.60	108.11	33.59	0.29	209.54	5.74		108.25	272.75
SW Well 1A	CR TEST - RECOVERY	10/13/2010 5:25:00	9530.08	5165.067	209.70	5.60	108.10	33.59	0.29	209.55	5.73		108.24	272.76
SW Well 1A	CR TEST - RECOVERY	10/13/2010 5:30:00	9535.08	5170.067	209.70	5.60	108.10	33.59	0.29	209.55	5.73		108.24	272.76
SW Well 1A	CR TEST - RECOVERY	10/13/2010 5:35:00	9540.08	5175.067	209.70	5.60	108.10	33.58	0.29	209.55	5.73		108.24	272.76
SW Well 1A	CR TEST - RECOVERY	10/13/2010 5:40:00	9545.08	5180.067	209.71	5.59	108.09	33.58	0.29	209.56	5.72		108.23	272.77
SW Well 1A	CR TEST - RECOVERY	10/13/2010 5:45:00	9550.08	5185.067	209.71	5.59	108.09	33.58	0.29	209.56	5.72		108.23	272.77
SW Well 1A	CR TEST - RECOVERY	10/13/2010 5:50:00	9555.08	5190.067	209.71	5.59	108.09	33.58	0.28	209.56	5.72		108.23	272.77
SW Well 1A	CR TEST - RECOVERY	10/13/2010 5:55:00	9560.08	5195.067	209.71	5.58	108.08	33.58	0.28	209.57	5.71		108.22	272.78
SW Well 1A	CR TEST - RECOVERY	10/13/2010 6:00:00	9565.08	5200.067	209.71	5.58	108.08	33.57	0.28	209.57	5.71		108.22	272.78
SW Well 1A	CR TEST - RECOVERY	10/13/2010 6:05:00	9570.08	5205.067	209.72	5.57	108.07	33.57	0.28	209.58	5.70		108.21	272.79
SW Well 1A	CR TEST - RECOVERY	10/13/2010 6:10:00	9575.08	5210.067	209.72	5.57	108.07	33.57	0.28	209.58	5.70		108.21	272.79
SW Well 1A	CR TEST - RECOVERY	10/13/2010 6:15:00	9580.08	5215.067	209.73	5.56	108.07	33.57	0.27	209.59	5.69		108.20	272.80
SW Well 1A	CR TEST - RECOVERY	10/13/2010 6:20:00	9585.08	5220.067	209.72	5.57	108.07	33.57	0.27	209.59	5.70		108.21	272.79
SW Well 1A	CR TEST - RECOVERY	10/13/2010 6:25:00	9590.08	5225.067	209.73	5.56	108.07	33.57	0.27	209.59	5.69		108.20	272.80
SW Well 1A	CR TEST - RECOVERY	10/13/2010 6:30:00	9595.08	5230.067	209.73	5.56	108.07	33.57	0.27	209.59	5.69		108.20	272.80
SW Well 1A	CR TEST - RECOVERY	10/13/2010 6:35:00	9600.08	5235.067	209.74	5.56	108.06	33.57	0.27	209.60	5.68		108.19	272.81
SW Well 1A	CR TEST - RECOVERY	10/13/2010 6:40:00	9605.08	5240.067	209.74	5.55	108.05	33.56	0.27	209.61	5.68		108.18	272.82
SW Well 1A	CR TEST - RECOVERY	10/13/2010 6:45:00	9610.08	5245.067	209.74	5.55	108.05	33.56	0.27	209.61	5.68		108.18	272.82
SW Well 1A	CR TEST - RECOVERY	10/13/2010 6:50:00	9615.08	5250.067	209.74	5.55	108.05	33.56	0.27	209.61	5.68		108.18	272.82
SW Well 1A	CR TEST - RECOVERY	10/13/2010 6:55:00	9620.08	5255.067	209.75	5.54	108.04	33.56	0.26	209.62	5.67		108.17	272.83
SW Well 1A	CR TEST - RECOVERY	10/13/2010 7:00:00	9625.08	5260.067	209.75	5.54	108.04	33.56	0.26	209.62	5.67		108.17	272.83
SW Well 1A	CR TEST - RECOVERY	10/13/2010 7:05:00	9630.08	5265.067	209.75	5.54	108.04	33.56	0.27	209.62	5.67		108.17	272.83
SW Well 1A	CR TEST - RECOVERY	10/13/2010 7:10:00	9635.08	5270.067	209.76	5.53	108.04	33.56	0.26	209.63	5.66		108.16	272.84
SW Well 1A	CR TEST - RECOVERY	10/13/2010 7:15:00	9640.08	5275.067	209.76	5.53	108.04	33.56	0.26	209.63	5.66		108.16	272.84
SW Well 1A	CR TEST - RECOVERY	10/13/2010 7:20:00	9645.08	5280.067	209.77	5.53	108.03	33.55	0.26	209.64	5.65		108.15	272.85
SW Well 1A	CR TEST - RECOVERY	10/13/2010 7:25:00	9650.08	5285.067	209.77	5.53	108.03	33.56	0.26	209.64	5.65		108.16	272.84
SW Well 1A	CR TEST - RECOVERY	10/13/2010 7:30:00	9655.08	5290.067	209.78	5.52	108.02	33.56	0.26	209.64	5.64		108.15	272.85
SW Well 1A	CR TEST - RECOVERY	10/13/2010 7:35:00	9660.08	5295.067	209.79	5.50	108.00	33.56	0.26	209.66	5.63		108.13	272.87
SW Well 1A	CR TEST - RECOVERY	10/13/2010 7:40:00	9665.08	5300.067	209.89	5.41	107.91	33.55	0.26	209.76	5.53		108.04	272.96
SW Well 1A	CR TEST - RECOVERY	10/13/2010 7:45:00	9670.08	5305.067	209.90	5.39	107.90	33.55	0.26	209.77	5.52		108.02	272.98
SW Well 1A	CR TEST - RECOVERY	10/13/2010 7:50:00	9675.08	5310.067	209.91	5.39	107.89	33.55	0.26	209.78	5.51		108.01	272.99
SW Well 1A	CR TEST - RECOVERY	10/13/2010 7:55:00	9680.08	5315.067	209.92	5.38	107.88	33.55	0.25	209.79	5.50		108.00	273.00
SW Well 1A	CR TEST - RECOVERY	10/13/2010 8:00:00	9685.08	5320.067	209.92	5.37	107.87	33.55	0.26	209.80	5.49		108.00	273.00
SW Well 1A	CR TEST - RECOVERY	10/13/2010 8:05:00	9690.08	5325.067	209.94	5.35	107.86	33.55	0.25	209.81	5.47		107.98	273.02
SW Well 1A	CR TEST - RECOVERY	10/13/2010 8:10:00	9695.08	5330.067	209.94	5.35	107.86	33.55	0.25	209.81	5.47		107.98	273.02
SW Well 1A	CR TEST - RECOVERY	10/13/2010 8:15:00	9700.08	5335.067	209.94	5.35	107.85	33.55	0.25	209.82	5.47		107.97	273.03
SW Well 1A	CR TEST - RECOVERY	10/13/2010 8:20:00	9705.08	5340.067	209.96	5.34	107.84	33.54	0.25	209.83	5.46		107.96	273.04
SW Well 1A	CR TEST - RECOVERY	10/13/2010 8:25:00	9710.08	5345.067	209.96	5.33	107.84	33.54	0.25	209.84	5.45		107.96	273.04
SW Well 1A	CR TEST - RECOVERY	10/13/2010 8:30:00	9715.08	5350.067	209.97	5.32	107.83	33.54	0.25	209.85	5.44		107.95	273.05
SW Well 1A	CR TEST - RECOVERY	10/13/2010 8:35:00	9720.08	5355.067	209.97	5.33	107.83	33.54	0.25	209.84	5.44		107.95	273.05
SW Well 1A	CR TEST - RECOVERY	10/13/2010 8:40:00	9725.08	5360.067	209.98	5.32	107.82	33.54	0.25	209.85	5.43		107.94	273.06
SW Well 1A	CR TEST - RECOVERY	10/13/2010 8:45:00	9730.08	5365.067	209.99	5.31	107.81	33.54	0.25	209.86	5.42		107.93	273.07
SW Well 1A	CR TEST - RECOVERY	10/13/2010 8:50:00	9735.08	5370.067	209.99	5.30	107.81	33.54	0.25	209.87	5.42		107.93	273.07
SW Well 1A	CR TEST - RECOVERY	10/13/2010 8:55:00	9740.08	5375.067	210.00	5.29	107.80	33.54	0.25	209.88	5.41		107.92	273.08
SW Well 1A	CR TEST - RECOVERY	10/13/2010 9:00:00	9745.08	5380.067	210.00	5.30	107.80	33.54	0.24	209.88	5.41		107.92	273.08
SW Well 1A	CR TEST - RECOVERY	10/13/2010 9:05:00	9750.08	5385.067	210.01	5.28	107.79	33.54	0.24	209.89	5.40		107.91	273.09
SW Well 1A	CR TEST - RECOVERY	10/13/2010 9:10:00	9755.08	5390.067	210.01	5.28	107.79	33.54	0.24	209.89	5.40		107.91	273.09
SW Well 1A	CR TEST - RECOVERY	10/13/2010 9:15:00	9760.08	5395.067	210.02	5.28	107.78	33.54	0.24	209.90	5.39		107.90	273.10
SW Well 1A	CR TEST - RECOVERY	10/13/2010 9:20:00	9765.08	5400.067	210.03	5.27	107.77	33.54	0.24	209.91	5.38		107.89	273.11
SW Well 1A	CR TEST - RECOVERY	10/13/2010 9:25:00	9770.08	5405.067	210.04	5.25	107.75	33.54	0.24	209.92	5.37		107.87	273.13
SW Well 1A	CR TEST - RECOVERY	10/13/2010 9:30:00	9775.08	5410.067	210.04	5.26	107.76	33.53	0.24	209.92	5.37		107.88	273.12
SW Well 1A	CR TEST - RECOVERY	10/13/2010 9:35:00	9780.08	5415.067	210.05	5.24	107.75	33.53	0.24	209.93	5.35		107.86	273.14
SW Well 1A	CR TEST - RECOVERY	10/13/2010 9:40:00	9785.08	5420.067	210.06	5.24	107.74	33.53	0.24	209.94	5.35		107.86	273.14
SW Well 1A	CR TEST - RECOVERY	10/13/2010 9:45:00	9790.08	5425.067	210.07	5.23	107.73	33.53	0.23	209.95	5.34		107.84	273.16
SW Well 1A	CR TEST - RECOVERY	10/13/2010 9:50:00	9795.08	5430.067	210.07	5.22	107.72	33.53	0.23	209.95	5.33		107.84	273.16
SW Well 1A	CR TEST - RECOVERY	10/13/2010 9:55:00	9800.08	5435.067	210.08	5.22	107.72	33.53	0.23	209.96	5.33		107.83	273.17
SW Well 1A	CR TEST - RECOVERY	10/13/2010 10:00:00	9805.08	5440.067	210.08	5.21	107.71	33.53	0.23	209.97	5.32		107.83	273.17
SW Well 1A	CR TEST - RECOVERY	10/13/2010 10:05:00	9810.08	5445.067	210.09	5.20	107.70	33.52	0.23	209.98	5.31		107.82	273.18
SW Well 1A	CR TEST - RECOVERY	10/13/2010 10:10:00	9815.08	5450.067	210.10	5.20	107.70	33.52	0.23	209.98	5.30		107.81	273.19
SW Well 1A	CR TEST - RECOVERY	10/13/2010 10:15:00	9820.08	5455.067	210.10	5.19	107.70	33.52	0.22	209.99	5.30		107.80	273.20
SW Well 1A	CR TEST - RECOVERY	10/13/2010 10:20:00	9825.08	5460.067	210.11	5.18	107.69	33.52	0.22	210.00	5.29		107.79	273.21
SW Well 1A	CR TEST - RECOVERY	10/13/2010 10:25:00	9830.08	5465.067	210.12	5.18	107.68	33.52	0.22	210.01	5.28		107.79	273.21
SW Well 1A	CR TEST - RECOVERY	10/13/2010 10:30:00	9835.08	5470.067	210.12	5.18	107.68	33.51	0.22	210.01	5.28		107.78	273.22
SW Well 1A	CR TEST - RECOVERY	10/13/2010 10:35:00	9840.08	5475.067	210.13	5.16	107.67	33.51	0.21	210.02	5.26		107.77	273.23