

APR 19 2024

Notice of Determination

DONNA HILLEGASS, Clerk
BY Maheley Juis
DEPUTY CLERK

Appendix D

To:
 Office of Planning and Research
U.S. Mail: Street Address:
P.O. Box 3044 1400 Tenth St., Rm 113
Sacramento, CA 95812-3044 Sacramento, CA 95814
 County Clerk
County of: Yuba
Address: 915 8th Street, Ste 107
Marysville, CA 95901

From:
Public Agency: Feather River Air Quality Management District
Address: 541 Washington Avenue
Yuba City, CA 95991
Contact: Peter Angelonides
Phone: (530) 634-7659 Ext 209
Lead Agency (if different from above):
Address:
Contact:
Phone:

SUBJECT: Filing of Notice of Determination in compliance with Section 21108 or 21152 of the Public Resources Code.

State Clearinghouse Number (if submitted to State Clearinghouse): 2024020211

Project Title: 28007 Lakeside Colonial Chapel

Project Applicant: Lakeside Colonial Chapel

Project Location (include county): 830 D Street, Marysville, Yuba County, CA

Project Description:

The facility is applying to increase the annual throughput from 500 to 1,000 charges (casket containing individual bodies) per year. The facility has a 1.5 million btu/hour natural gas fired cremation unit at an existing funeral home. The cremation unit operates at temperatures of at least 1,500 degrees Fahrenheit. The unit consists of a primary and a secondary burner

This is to advise that the Feather River Air Quality Management District has approved the above (input checked) Lead Agency or (input unchecked) Responsible Agency

described project on 3/5/2024 and has made the following determinations regarding the above described project.

- 1. The project [input unchecked] will [input checked] will not have a significant effect on the environment.
- 2. [input unchecked] An Environmental Impact Report was prepared for this project pursuant to the provisions of CEQA. [input checked] A Negative Declaration was prepared for this project pursuant to the provisions of CEQA.
- 3. Mitigation measures [input checked] were [input unchecked] were not made a condition of the approval of the project.
- 4. A mitigation reporting or monitoring plan [input unchecked] was [input checked] was not adopted for this project.
- 5. A statement of Overriding Considerations [input unchecked] was [input checked] was not adopted for this project.
- 6. Findings [input unchecked] were [input checked] were not made pursuant to the provisions of CEQA.

This is to certify that the final EIR with comments and responses and record of project approval, or the negative Declaration, is available to the General Public at:

www.fraqmd.org

Signature (Public Agency): [Signature] Title: APCO, AICP

Date: 4/17/24 Date Received for filing at OPR: 4/18/2024

Page 1 of 2

Authority cited: Sections 21083, Public Resources Code. Reference Section 21000-21174, Public Resources Code.

Revised 2011

2024 FG-00021

POSTED
4/19/2024 to



State of California - Natural Resources Agency
DEPARTMENT OF FISH AND WILDLIFE
North Central Region/Region 2
1701 Nimbus Road, Suite A
Rancho Cordova, CA 95670
(916) 358-2900
www.wildlife.ca.gov

GAVIN NEWSOM, Governor
CHARLTON H. BONHAM, Director



CEQA Filing Fee No Effect Determination

Applicant Name and Address: Lakeside Colonial Chapel, 830 D Street
Marysville, CA 95901

CEQA Lead Agency: Feather River Air Quality Management District

Project Name: 28007 Lakeside Colonial Chapel

CEQA Document Type: Mitigated Negative Declaration

State Clearing House Number and/or local agency ID number: 2024020211

Project Location: 830 D Street, Marysville, Yuba County, CA 95901

Brief Project Description: The facility is applying to increase the annual throughput from 500 to 1,000 charges (casket containing individual bodies) per year. The facility has a 1.5 million btu/hour natural gas fired cremation unit at an existing funeral home. The cremation unit operates at temperatures of at least 1,500 degrees Fahrenheit. The unit consists of a primary and a secondary burner. No new construction is required for this project, as the existing facility can operate at the higher throughput without modification.

Determination: Based on a review of the project as proposed, the Department of Fish and Wildlife has determined that for purposes of the assessment of California Environmental Quality Act (CEQA) filing fees (Fish and G. Code § 711.4, subd. (c)) the project has no effect on fish, wildlife or their habitat and the project as described does not require payment of a CEQA filing fee. This determination does not in any way imply that the project is exempt from CEQA and does not determine the significance of any potential project effects evaluated pursuant to CEQA.

Please retain this original determination for your records. Local lead agencies are required to file two copies of this determination with the county clerk at the time of the filing of the Notice of Determination (NOD) after the project is approved. State lead agencies are required to file two copies of this determination with the Governor's Office of Planning and Research (State Clearinghouse) at the time of filing the NOD. If you do not file a copy of this determination as appropriate with the county clerk or State Clearinghouse at the time of filing of the NOD, the appropriate CEQA filing fee will be due and payable.

Without a valid CEQA Filing Fee No Effect Determination form or proof of fee payment, the project will not be operative, vested, or final and any local permits issued for the project will be invalid, pursuant to Fish and Game Code section 711.4, subdivision (c)(3).

DocuSigned by:
Ian Boyd
8485EC82EC2F438...

Approved By: _____ Date: 3/14/2024
Title: Ian Boyd, Senior Environmental Scientist (Supervisor)