



Record ID: PR0002824

SWIMMING POOL/SPA Inspection Report

Facility Name BAPTIST CHRISTIAN CAMP OF CA		Total Violations	8	Date: 06/14/2018	Total Time: 30
Facility Address 12725 OLD LA PORTE RD		Total Significant Violations	0	Start: 12:00 pm	Finish: 12:30 pm
City/State CLIPPER MILLS, CA	Zip Code 95930	Phone (916) 205-9292	Operator Name		Operator Phone (916) 205-9292
Program: 0860 - PUBLIC SWIMMING POOL-SPA PERMIT		Service: FOLLOW-UP		Result: FAILED TO MEET STANDARDS	

Fill in the designated compliance status (IN, OUT, N/O, N/A) for each numbered item Fill in the appropriate box for COS and/or R

In = In compliance **OUT** = Not In compliance **N/O** = Not observed **N/A** = Not applicable **COS** = Corrected on-site during inspection **R** = Repeat violation

SWIMMING POOL & SPA

1	Disinfectant Residual (ppm)	<input type="checkbox"/> NVO	<input checked="" type="checkbox"/> OUT	<input type="checkbox"/> COS	<input type="checkbox"/> MAJ
2	pH	<input type="checkbox"/> NVO	<input checked="" type="checkbox"/> OUT	<input type="checkbox"/> COS	<input type="checkbox"/> MAJ
3	Cyanuric Acid (ppm)	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT		<input type="checkbox"/> MAJ

RECORD KEEPING

4	Inadequate Record Keeping	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input type="checkbox"/> N/O	<input type="checkbox"/> COS	<input type="checkbox"/> MAJ
5	DPD Test Kit	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input type="checkbox"/> N/O	<input type="checkbox"/> COS	<input type="checkbox"/> MAJ

CLARITY

6	Poor Clarity	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input type="checkbox"/> COS	<input type="checkbox"/> MAJ
---	--------------	---	------------------------------	------------------------------	------------------------------

ALGAE

7	Algae Growth	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT		<input type="checkbox"/> MAJ
---	--------------	---	------------------------------	--	------------------------------

RECIRCULATION EQUIPMENT

8	Pressure Gauges	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input type="checkbox"/> N/O	<input type="checkbox"/> COS	<input type="checkbox"/> MAJ
9	Chlorinator	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input type="checkbox"/> N/O	<input type="checkbox"/> COS	<input type="checkbox"/> MAJ
10	Flowmeter	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input type="checkbox"/> N/O	<input type="checkbox"/> COS	<input type="checkbox"/> MAJ
11	Filter	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input type="checkbox"/> N/O	<input type="checkbox"/> COS	<input type="checkbox"/> MAJ
12	Water Leakage	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input type="checkbox"/> N/O	<input type="checkbox"/> COS	<input type="checkbox"/> MAJ
13	Cleanliness of Area	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input type="checkbox"/> N/O	<input type="checkbox"/> COS	<input type="checkbox"/> MAJ
14	AB1020 Compliant	<input type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input checked="" type="checkbox"/> N/O	<input type="checkbox"/> COS	<input type="checkbox"/> MAJ

SKIMMERS

15	Retarded Flow	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input type="checkbox"/> N/A	<input type="checkbox"/> R	<input type="checkbox"/> COS	<input type="checkbox"/> M
16	Weir	<input type="checkbox"/> NVO	<input checked="" type="checkbox"/> OUT	<input type="checkbox"/> N/A	<input type="checkbox"/> R	<input type="checkbox"/> COS	<input type="checkbox"/> M
17	Basket	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input type="checkbox"/> N/A	<input type="checkbox"/> R	<input type="checkbox"/> COS	<input type="checkbox"/> M
18	Skimmer Cover	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input type="checkbox"/> N/A	<input type="checkbox"/> R	<input type="checkbox"/> COS	<input type="checkbox"/> M

RESCUE & SAFETY EQUIPMENT

19	Rescue Pole with Crook	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT		<input type="checkbox"/> COS	<input type="checkbox"/> MAJ	
20	Life Ring with Rope	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT		<input type="checkbox"/> COS	<input type="checkbox"/> MAJ	
21	Artificial Respiration Procedure Sign	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT		<input type="checkbox"/> COS	<input type="checkbox"/> MAJ	
22	Warning-No Lifeguard on Duty Sign	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT		<input type="checkbox"/> COS	<input type="checkbox"/> MAJ	
23	Emergency Phone Number Sign	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT		<input type="checkbox"/> COS	<input type="checkbox"/> MAJ	
24	Keep Closed Sign on Gate	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT		<input type="checkbox"/> COS	<input type="checkbox"/> MAJ	
25	"No Diving" Sign	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input type="checkbox"/> N/A	<input type="checkbox"/> R	<input type="checkbox"/> COS	<input type="checkbox"/> M
26	No Use After Dark Sign	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input type="checkbox"/> N/A	<input type="checkbox"/> R	<input type="checkbox"/> COS	<input type="checkbox"/> M
27	First Aid Kit	<input type="checkbox"/> NVO	<input type="checkbox"/> OUT		<input checked="" type="checkbox"/> N/O	<input type="checkbox"/> COS	<input type="checkbox"/> MAJ
28	Maximum Occupancy Sign	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT		<input type="checkbox"/> COS	<input type="checkbox"/> MAJ	
29	Diarrhea Sign	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT		<input type="checkbox"/> COS	<input type="checkbox"/> MAJ	
30	Grab Rail and/or Stair Rail Loose	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input type="checkbox"/> N/O	<input type="checkbox"/> COS	<input type="checkbox"/> MAJ	

DECK

31	Cracks in decking	<input type="checkbox"/> NVO	<input checked="" type="checkbox"/> OUT		<input type="checkbox"/> MAJ	
32	Obstructions on deck	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT		<input type="checkbox"/> COS	<input type="checkbox"/> MAJ

Facility Name		Date:	Page 2 of 4
BAPTIST CHRISTIAN CAMP OF CA		06/14/2018	
SWIMMING POOL & SPA			
33	Inadequate drainage of pool area	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT	<input type="checkbox"/> MAJ
BOTTOM DRAIN			
34	Cover Plate VGBA Compliant	<input type="checkbox"/> NVO <input checked="" type="checkbox"/> OUT	<input type="checkbox"/> MAJ
35	Drain Visible from Deck	<input type="checkbox"/> NVO <input checked="" type="checkbox"/> OUT <input type="checkbox"/> N/A <input type="checkbox"/> R	<input type="checkbox"/> COS <input type="checkbox"/> M
POOL FINISH			
36	Cracks in pool shell	<input type="checkbox"/> NVO <input checked="" type="checkbox"/> OUT <input type="checkbox"/> N/O	<input type="checkbox"/> MAJ
37	Rough areas in pool shell	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/O	<input type="checkbox"/> MAJ
DIVING BOARD			
38	Non-slip Surface	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/A <input type="checkbox"/> R	<input type="checkbox"/> M
39	Condition	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/A <input type="checkbox"/> R	<input type="checkbox"/> M
POOL LIGHT			
40	Non-functioning pool light	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/A <input type="checkbox"/> R <input type="checkbox"/> N/O	<input type="checkbox"/> M
41	Pool Light Separating from Wall	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/A <input type="checkbox"/> R <input type="checkbox"/> N/O	<input type="checkbox"/> M
TILE			
42	Cracked Tiles	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/O <input type="checkbox"/> COS	<input type="checkbox"/> MAJ
43	Dirty Tiles	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/O <input type="checkbox"/> COS	<input type="checkbox"/> MAJ
44	Depth Markers	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/A <input type="checkbox"/> R	<input type="checkbox"/> M
CLEANLINESS			
45	Pool Bottom Dirty	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/O <input type="checkbox"/> COS	<input type="checkbox"/> MAJ
46	Floating Debris in Pool	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT	<input type="checkbox"/> COS <input type="checkbox"/> MAJ
FENCING			
47	Adequacy of Fencing	<input type="checkbox"/> NVO <input checked="" type="checkbox"/> OUT <input type="checkbox"/> N/O <input type="checkbox"/> COS	<input type="checkbox"/> MAJ
48	Gates Self-closing	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/O <input type="checkbox"/> COS	<input type="checkbox"/> MAJ
49	Gates are Self-latching	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/O <input type="checkbox"/> COS	<input type="checkbox"/> MAJ
50	One Means of Keyless Egress	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT	<input type="checkbox"/> MAJ
ANCILLARY FACILITY			
51	Adequacy of Bathrooms	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/A <input type="checkbox"/> R <input type="checkbox"/> N/O	<input type="checkbox"/> M
52	Poor Sanitation of Bathrooms	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/A <input type="checkbox"/> R <input type="checkbox"/> N/O	<input type="checkbox"/> M
53	Structural Defect in Bathrooms	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/A <input type="checkbox"/> R <input type="checkbox"/> N/O	<input type="checkbox"/> M
54	Hot Water Provided in Bathrooms	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/A <input type="checkbox"/> R <input type="checkbox"/> N/O	<input type="checkbox"/> M
55	Poor Sanitation of Showers	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/A <input type="checkbox"/> R <input type="checkbox"/> N/O	<input type="checkbox"/> M
SPA REQUIREMENTS			
56	Spa Temperature	<input type="checkbox"/> NVO <input type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A <input type="checkbox"/> R	<input type="checkbox"/> M
57	Spa Pool Warning Signs	<input type="checkbox"/> NVO <input type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A <input type="checkbox"/> R	<input type="checkbox"/> COS <input type="checkbox"/> M
58	Spa Thermometer	<input type="checkbox"/> NVO <input type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A <input type="checkbox"/> R	<input type="checkbox"/> COS <input type="checkbox"/> M

VIOLATIONS, OBSERVATIONS AND CORRECTIVE ACTIONS

Item No	Remarks																																																																
1	<p>Disinfectant Residual (ppm): Disinfectant Residual - The pool facility did not meet the Maximum requirements for Disinfectant residuals. The facility must have a maximum disinfectant residual below 10.0 ppm to remain open. Correct immediately or closure of the pool shall be required.</p> <p>CPC § 65529. Public Pool Disinfection (a) Public pools, when open or in use, shall be disinfected continuously by a chemical that imparts a disinfectant at concentrations consistent with subdivision (b) of this section. If halogens other than chlorine are used, residuals of equivalent strength shall be maintained.</p> <p>(b) The minimum and maximum concentrations of disinfectant residuals in public pool water shall be:</p> <table style="margin-left: 40px; border-collapse: collapse;"> <tr> <td></td> <td colspan="2" style="text-align: center;">FREE-CHLORINE RESIDUAL</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td style="text-align: center;">BROMINE RESIDUAL</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td style="text-align: center;">WITHOUT CYA</td> <td></td> <td style="text-align: center;">WITH CYA</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td style="text-align: center;">MIN</td> <td style="text-align: center;">MAX</td> <td style="text-align: center;">MIN</td> <td style="text-align: center;">MAX</td> <td></td> <td style="text-align: center;">MIN</td> <td style="text-align: center;">MAX</td> </tr> <tr> <td style="text-align: center;">PUBLIC POOLS*</td> <td style="text-align: center;">1.0 PPM</td> <td style="text-align: center;">10.0 PPM</td> <td></td> <td style="text-align: center;">2.0 PPM</td> <td style="text-align: center;">10.0 PPM</td> <td style="text-align: center;">2.0 PPM</td> <td></td> </tr> <tr> <td style="text-align: center;">--</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td style="text-align: center;">SPAS, WADING,& SPRAY GROUNDS:</td> <td style="text-align: center;">3.0 PPM</td> <td style="text-align: center;">10.0 PPM</td> <td></td> <td style="text-align: center;">3.0 PPM</td> <td style="text-align: center;">10.0 PPM</td> <td style="text-align: center;">4.0 PPM</td> <td></td> </tr> <tr> <td style="text-align: center;">--</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table> <p>CYA = cyanuric acid. Min = minimum, Max = maximum, ppm = parts per million *This includes all public pools except spas, wading pools, and spray grounds.</p>		FREE-CHLORINE RESIDUAL							BROMINE RESIDUAL										WITHOUT CYA		WITH CYA					MIN	MAX	MIN	MAX		MIN	MAX	PUBLIC POOLS*	1.0 PPM	10.0 PPM		2.0 PPM	10.0 PPM	2.0 PPM		--								SPAS, WADING,& SPRAY GROUNDS:	3.0 PPM	10.0 PPM		3.0 PPM	10.0 PPM	4.0 PPM		--							
	FREE-CHLORINE RESIDUAL																																																																
BROMINE RESIDUAL																																																																	
		WITHOUT CYA		WITH CYA																																																													
	MIN	MAX	MIN	MAX		MIN	MAX																																																										
PUBLIC POOLS*	1.0 PPM	10.0 PPM		2.0 PPM	10.0 PPM	2.0 PPM																																																											
--																																																																	
SPAS, WADING,& SPRAY GROUNDS:	3.0 PPM	10.0 PPM		3.0 PPM	10.0 PPM	4.0 PPM																																																											
--																																																																	
2	<p>pH: The pH from the pool facility has been tested and observed too LOW/HIGH. The facility must maintain the pH between (7.2-7.8) for proper balance of the pool facility. Correct immediately or immediate closure of the pool facility shall be required.</p> <p>CPC § 65530. Public Pool Water Characteristics. The pool operator shall maintain public pool water characteristics within the following ranges:</p> <table style="margin-left: 40px; border-collapse: collapse;"> <tr> <td></td> <td style="text-align: center;">Minimum</td> <td style="text-align: center;">Maximum</td> </tr> <tr> <td style="text-align: center;">pH</td> <td style="text-align: center;">7.2</td> <td style="text-align: center;">7.8</td> </tr> </table>		Minimum	Maximum	pH	7.2	7.8																																																										
	Minimum	Maximum																																																															
pH	7.2	7.8																																																															
16	<p>Weir: The skimmer weir equipment is missing/broken. The pool facility shall maintain pool equipment and repair/replace broken or missing skimmer weir equipment. Correct within 7 days.</p> <p>3136B.1 Surface skimmers. Each surface skimmer shall comply with the following provisions:</p> <ol style="list-style-type: none"> 1. The skimmer shall be recessed into the pool wall; and 2. The skimmer shall be individually adjustable for the rate of flow with either an external or internal device; and 3. If used, a skimmer equalizer suction outlet located on the pool wall shall be connected to at least two suction grate assemblies that meet the ASME/ANSI A112.19.8 performance standard and located at least 3 feet (915 mm) apart in any dimension between the drains; and 4. The skimmer weir shall automatically adjust to variations in the pool water level over a range of not less than 4 inches (102 mm); and 5. The skimmer shall be provided with an air lock protective device which shall not permit leakage of air into the recirculation suction piping system. This device shall not leak more than 3 GPM (11.356 L/m) of water during normal operations; and 6. Each skimmer shall be provided with a removable and cleanable screen or basket to trap objects. The screen or basket shall be accessible through an opening in the deck above the skimmer; and 7. There shall be a minimum of one skimmer for every 500 square feet or less of pool water surface area or an adequate number to meet 100 percent of pump flow at the manufacturer's maximum flow rating, whichever is greater; and 8. Each skimmer shall be located in relation to pool inlets to aid recirculation and surface skimming; and 9. All surface skimmers shall comply with applicable requirements established by the NSF/ANSI 50-2010 performance standard effective August 2010. 																																																																

Facility Name BAPTIST CHRISTIAN CAMP OF CA		Date: 06/14/2018	Page 4 of 4
31	<p>Cracks in decking: The pool facility has cracked/not in good repair decking around the pool/spa facility. The facility must repair all cracks in the decking. Correct within 7 days & provide pictures to YCEH.</p> <p>SECTION 3114B POOL DECKS</p> <p>3114B.1 General. A minimum continuous and unobstructed 4-foot wide (1219 mm) slip resistant, cleanable, nonabrasive deck area of concrete or like material shall be provided flush with the top of the pool coping extending completely around the pool, and the deck area shall further extend 4 feet (1219 mm) on both sides and rear of any diving board, fixed disabled access assistance device or slide and their appurtenances. The deck width shall be measured from the poolside edge of the coping lip. Exceptions: A deck at least 4 feet (1219 mm) in width shall extend around a continuous 50 percent or more of the perimeter of a spa pool.</p> <p>Note: [DSA-AC] Any mechanism provided to assist persons with disabilities in gaining entry into the pool and in exiting from the pool shall comply with Chapter 11B, Section 1104B4.3, Participation Areas.</p> <p>3114B.2 Deck between pools and/or spas. Where multiple pools and/or spas are built adjacent to each other, the deck width separating them shall be a minimum of 6 feet (1830 mm).</p> <p>3114B.3 Deck slope. The pool's deck surface shall have a slope of no less than 1 percent (1/8 inch per foot) but no more than 2 percent (1/4 inch per foot) away from the pool to a deck drainage system and shall be constructed and finished to prevent standing water.</p> <p>3114B.4 Deck covering. Deck coverings or other materials that are not equivalent to concrete in strength, durability and slip resistance and are not able to withstand repeated brushing, scrubbing or cleaning procedures shall not be installed or used within 4 feet (1219 mm) of the pool.</p> <p>3114B.5 Unpaved areas. Landscape plants, flower beds or similar unpaved areas shall not be located within 4 feet (1219 mm) of a spa pool.</p>		
47	<p>Adequacy of Fencing: There is a row of chairs right next to the pool fence. These chairs are easily climbable and must be moved away from the fence.</p>		
<p>Overall Inspection Comments: <i>Pool shall remain closed for use until the chlorine and pH are within acceptable levels. All other violations must be corrected within 30 days unless otherwise noted on the inspection report.</i></p>			
Received By		Title:	Date: 6/14/2018
Inspector JODI BIRD		Title: EH Technician	Date: 6/14/2018