



Record ID: PR0000892

### SWIMMING POOL/SPA Inspection Report

<b>Facility Name</b> THUNDERBIRD MOBILE HOME PARK			<b>Total Violations</b>	2	<b>Date:</b> 07/23/2018	<b>Total Time:</b> 45
<b>Facility Address</b> 1523 N BEALE RD			<b>Total Significant Violations</b>	0	<b>Start:</b> 9:15 am	<b>Finish:</b> 10:00 am
<b>City/State</b> EAST LINDA, CA	<b>Zip Code</b> 95901	<b>Phone</b> (530) 329-8811	<b>Operator Name</b> KAREN & DON DAWSON		<b>Operator Phone</b> (530) 870-0614	
<b>Program:</b> 0860 - PUBLIC SWIMMING POOL-SPA PERMIT		<b>Service:</b> ROUTINE INSPECTION		<b>Result:</b> MEETS STANDARDS		

Fill in the designated compliance status (IN, OUT, N/O, N/A) for each numbered item Fill in the appropriate box for COS and/or R

**In** = In compliance    **OUT** = Not In compliance    **N/O** = Not observed    **N/A** = Not applicable    **COS** = Corrected on-site during inspection    **R** = Repeat violation

#### SWIMMING POOL & SPA

1	Disinfectant Residual (ppm)	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input type="checkbox"/> COS	<input type="checkbox"/> MAJ
2	pH	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input type="checkbox"/> COS	<input type="checkbox"/> MAJ
3	Cyanuric Acid (ppm)	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT		<input type="checkbox"/> MAJ

#### RECORD KEEPING

4	Inadequate Record Keeping	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input type="checkbox"/> N/O	<input type="checkbox"/> COS	<input type="checkbox"/> MAJ
5	DPD Test Kit	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input type="checkbox"/> N/O	<input type="checkbox"/> COS	<input type="checkbox"/> MAJ

#### CLARITY

6	Poor Clarity	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT		<input type="checkbox"/> COS	<input type="checkbox"/> MAJ
---	--------------	---	------------------------------	--	------------------------------	------------------------------

#### ALGAE

7	Algae Growth	<input type="checkbox"/> NVO	<input checked="" type="checkbox"/> OUT			<input type="checkbox"/> MAJ
---	--------------	------------------------------	---	--	--	------------------------------

#### RECIRCULATION EQUIPMENT

8	Pressure Gauges	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input type="checkbox"/> N/O	<input type="checkbox"/> COS	<input type="checkbox"/> MAJ
9	Chlorinator	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input type="checkbox"/> N/O	<input type="checkbox"/> COS	<input type="checkbox"/> MAJ
10	Flowmeter	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input type="checkbox"/> N/O	<input type="checkbox"/> COS	<input type="checkbox"/> MAJ
11	Filter	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input type="checkbox"/> N/O	<input type="checkbox"/> COS	<input type="checkbox"/> MAJ
12	Water Leakage	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input type="checkbox"/> N/O	<input type="checkbox"/> COS	<input type="checkbox"/> MAJ
13	Cleanliness of Area	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input type="checkbox"/> N/O	<input type="checkbox"/> COS	<input type="checkbox"/> MAJ
14	AB1020 Compliant	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input type="checkbox"/> N/O	<input type="checkbox"/> COS	<input type="checkbox"/> MAJ

#### SKIMMERS

15	Retarded Flow	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input type="checkbox"/> N/A	<input type="checkbox"/> R	<input type="checkbox"/> COS	<input type="checkbox"/> M
16	Weir	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input type="checkbox"/> N/A	<input type="checkbox"/> R	<input type="checkbox"/> COS	<input type="checkbox"/> M
17	Basket	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input type="checkbox"/> N/A	<input type="checkbox"/> R	<input type="checkbox"/> COS	<input type="checkbox"/> M
18	Skimmer Cover	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input type="checkbox"/> N/A	<input type="checkbox"/> R	<input type="checkbox"/> COS	<input type="checkbox"/> M

#### RESCUE & SAFETY EQUIPMENT

19	Rescue Pole with Crook	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT			<input type="checkbox"/> COS	<input type="checkbox"/> MAJ
20	Life Ring with Rope	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT			<input type="checkbox"/> COS	<input type="checkbox"/> MAJ
21	Artificial Respiration Procedure Sign	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT			<input type="checkbox"/> COS	<input type="checkbox"/> MAJ
22	Warning-No Lifeguard on Duty Sign	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT			<input type="checkbox"/> COS	<input type="checkbox"/> MAJ
23	Emergency Phone Number Sign	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT			<input type="checkbox"/> COS	<input type="checkbox"/> MAJ
24	Keep Closed Sign on Gate	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT			<input type="checkbox"/> COS	<input type="checkbox"/> MAJ
25	"No Diving" Sign	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input type="checkbox"/> N/A	<input type="checkbox"/> R	<input type="checkbox"/> COS	<input type="checkbox"/> M
26	No Use After Dark Sign	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input type="checkbox"/> N/A	<input type="checkbox"/> R	<input type="checkbox"/> COS	<input type="checkbox"/> M
27	First Aid Kit	<input type="checkbox"/> NVO	<input type="checkbox"/> OUT		<input checked="" type="checkbox"/> N/O	<input type="checkbox"/> COS	<input type="checkbox"/> MAJ
28	Maximum Occupancy Sign	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT			<input type="checkbox"/> COS	<input type="checkbox"/> MAJ
29	Diarrhea Sign	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT			<input type="checkbox"/> COS	<input type="checkbox"/> MAJ
30	Grab Rail and/or Stair Rail Loose	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT	<input type="checkbox"/> N/O		<input type="checkbox"/> COS	<input type="checkbox"/> MAJ

#### DECK

31	Cracks in decking	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT				<input type="checkbox"/> MAJ
32	Obstructions on deck	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT			<input type="checkbox"/> COS	<input type="checkbox"/> MAJ
33	Inadequate drainage of pool area	<input checked="" type="checkbox"/> NVO	<input type="checkbox"/> OUT				<input type="checkbox"/> MAJ

Facility Name		Date:	Page 2 of 3
THUNDERBIRD MOBILE HOME PARK		07/23/2018	
<b>SWIMMING POOL &amp; SPA</b>			
<b>BOTTOM DRAIN</b>			
34	Cover Plate VGBA Compliant	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> MAJ	
35	Drain Visible from Deck	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/A <input type="checkbox"/> R <input type="checkbox"/> COS <input type="checkbox"/> M	
<b>POOL FINISH</b>			
36	Cracks in pool shell	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/O <input type="checkbox"/> MAJ	
37	Rough areas in pool shell	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/O <input type="checkbox"/> MAJ	
<b>DIVING BOARD</b>			
38	Non-slip Surface	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/A <input type="checkbox"/> R <input type="checkbox"/> M	
39	Condition	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/A <input type="checkbox"/> R <input type="checkbox"/> M	
<b>POOL LIGHT</b>			
40	Non-functioning pool light	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/A <input type="checkbox"/> R <input type="checkbox"/> N/O <input type="checkbox"/> M	
41	Pool Light Separating from Wall	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/A <input type="checkbox"/> R <input type="checkbox"/> N/O <input type="checkbox"/> M	
<b>TILE</b>			
42	Cracked Tiles	<input type="checkbox"/> NVO <input checked="" type="checkbox"/> OUT <input type="checkbox"/> N/O <input type="checkbox"/> COS <input type="checkbox"/> MAJ	
43	Dirty Tiles	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/O <input type="checkbox"/> COS <input type="checkbox"/> MAJ	
44	Depth Markers	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/A <input type="checkbox"/> R <input type="checkbox"/> M	
<b>CLEANLINESS</b>			
45	Pool Bottom Dirty	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/O <input type="checkbox"/> COS <input type="checkbox"/> MAJ	
46	Floating Debris in Pool	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> COS <input type="checkbox"/> MAJ	
<b>FENCING</b>			
47	Adequacy of Fencing	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/O <input type="checkbox"/> COS <input type="checkbox"/> MAJ	
48	Gates Self-closing	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/O <input type="checkbox"/> COS <input type="checkbox"/> MAJ	
49	Gates are Self-latching	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/O <input type="checkbox"/> COS <input type="checkbox"/> MAJ	
50	One Means of Keyless Egress	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> MAJ	
<b>ANCILLARY FACILITY</b>			
51	Adequacy of Bathrooms	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/A <input type="checkbox"/> R <input type="checkbox"/> N/O <input type="checkbox"/> M	
52	Poor Sanitation of Bathrooms	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/A <input type="checkbox"/> R <input type="checkbox"/> N/O <input type="checkbox"/> M	
53	Structural Defect in Bathrooms	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/A <input type="checkbox"/> R <input type="checkbox"/> N/O <input type="checkbox"/> M	
54	Hot Water Provided in Bathrooms	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/A <input type="checkbox"/> R <input type="checkbox"/> N/O <input type="checkbox"/> M	
55	Poor Sanitation of Showers	<input checked="" type="checkbox"/> NVO <input type="checkbox"/> OUT <input type="checkbox"/> N/A <input type="checkbox"/> R <input type="checkbox"/> N/O <input type="checkbox"/> M	
<b>SPA REQUIREMENTS</b>			
56	Spa Temperature	<input type="checkbox"/> NVO <input type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A <input type="checkbox"/> R <input type="checkbox"/> M	
57	Spa Pool Warning Signs	<input type="checkbox"/> NVO <input type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A <input type="checkbox"/> R <input type="checkbox"/> COS <input type="checkbox"/> M	
58	Spa Thermometer	<input type="checkbox"/> NVO <input type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A <input type="checkbox"/> R <input type="checkbox"/> COS <input type="checkbox"/> M	

<b>Facility Name</b> THUNDERBIRD MOBILE HOME PARK		<b>Date:</b> 07/23/2018	<b>Page 3 of 3</b>																								
<b>VIOLATIONS, OBSERVATIONS AND CORRECTIVE ACTIONS</b>																											
<b>Item No</b>	<b>Remarks</b>																										
1	Disinfectant Residual (ppm): 5.0 ppm  CPC § 65529. Public Pool Disinfection (a) Public pools, when open or in use, shall be disinfected continuously by a chemical that imparts a disinfectant at concentrations consistent with subdivision (b) of this section. If halogens other than chlorine are used, residuals of equivalent strength shall be maintained.  (b) The minimum and maximum concentrations of disinfectant residuals in public pool water shall be:  <table style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th colspan="6" style="text-align: center;">FREE-CHLORINE RESIDUAL</th> </tr> <tr> <th colspan="3" style="text-align: center;">WITHOUT CYA</th> <th colspan="3" style="text-align: center;">WITH CYA</th> </tr> <tr> <th style="text-align: center;">MIN</th> <th style="text-align: center;">MAX</th> <th></th> <th style="text-align: center;">MIN</th> <th style="text-align: center;">MAX</th> <th></th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">PUBLIC POOLS*</td> <td style="text-align: center;">1.0 PPM</td> <td style="text-align: center;">10.0 PPM</td> <td></td> <td style="text-align: center;">2.0 PPM</td> <td style="text-align: center;">10.0 PPM</td> </tr> </tbody> </table> CYA = cyanuric acid. Min = minimum, Max = maximum, ppm = parts per million			FREE-CHLORINE RESIDUAL						WITHOUT CYA			WITH CYA			MIN	MAX		MIN	MAX		PUBLIC POOLS*	1.0 PPM	10.0 PPM		2.0 PPM	10.0 PPM
FREE-CHLORINE RESIDUAL																											
WITHOUT CYA			WITH CYA																								
MIN	MAX		MIN	MAX																							
PUBLIC POOLS*	1.0 PPM	10.0 PPM		2.0 PPM	10.0 PPM																						
2	pH: 7.4																										
3	Cyanuric Acid (ppm): 60 ppm																										
4	Inadequate Record Keeping: Noticed that there are several instances of chlorine residual below the minimum required amount of 2.0 ppm.																										
7	Algae Growth: Some black algae observed on the sides and bottom of the pool shell. Operator is doing a great job of keeping the algae under control. If it becomes significantly worse, the pool will have to be resurfaced.																										
10	Flowmeter: 50 gpm  Vacuum skimmer was in the pool during today's inspection.																										
42	Cracked Tiles: One of the bull-nosed tiles at the shallow end has a chunk missing. Repair within 30 days.																										
<b>Overall Inspection Comments:</b> <i>Pool and area are very clean &amp; well-maintained. Manager continues to maintain this pool in an exceptional manner.</i>																											
<b>Received By</b>		<b>Title:</b>	<b>Date:</b>																								
Inspector JODI BIRD		EH Technician	7/23/2018																								